



GETTLER-RYAN Inc.

RECEIVED

2:52 pm, Apr 12, 2010

Alameda County
Environmental Health

TRANSMITTAL

March 10, 2009

G-R #385110

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608
(VIA PDF)

CC: Mr. Aaron Costa
Chevron EMC
6111 Bollinger Canyon Road,
Room 3660
San Ramon, California 94583
(VIA PDF)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: Chevron Service Station
#9-0260
21995 Foothill Boulevard
Hayward, California
RO 0000383

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	March 3, 2009	Groundwater Monitoring and Sampling Report First Quarter Event of February 3, 2009

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced items for **your use and distribution (including PDF submittal of the entire report to GeoTracker)**:

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 (**Distributed by CRA via PDF**)
Mr. Hugh Murphy, City of Hayward Fire Department, 777 B Street, Hayward, CA 94541-5007
Mr. Thomas Wong, 1180 Rex Road, Hayward, CA 94541

Enclosures

trans/9-0260-AC



Aaron Costa
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6111 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 543-2961
Fax (925) 543-2324
acosta@chevron.com

March 10, 2009

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. #9-0260
Address 21995 Foothill Blvd.

I have reviewed the attached routine groundwater monitoring report dated
March 10, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink, appearing to read "Aaron Costa", written in a cursive style.

Aaron Costa
Project Manager

Attachment: Report

WELL CONDITION STATUS SHEET

Client/Facility #: **Chevron #9-0260**
 Site Address: **21995 Foothill Blvd.**
 City: **Hayward, CA**

Job # **385110**
 Event Date: **2/3/09**
 Sampler: **311**

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-6	OK	PH	M	Bx2	G	OK	OK	✓	✓	Lid missing	✓
MW-7	OK	—	—	—	—	—	—	✓	✓	12" Morrison	✓
MW-19	OK	—	—	—	—	—	—	✓	✓	12" emco	✓
MW-11	OK	—	—	—	—	—	OK	✓	✓	Base casing	✓
MW-12	OK	—	—	—	—	—	—	N/A	N/A	36" Round Vault	✓
DVE-5	OK	—	—	—	—	—	—	↓	↓		↓
DVE-9	OK	—	—	—	—	—	—	↓	↓		↓
DVE-12	OK	—	—	—	—	—	—	↓	↓		↓
DVE-20	OK	—	—	—	—	—	—	↓	↓		↓
P-1	OK	—	—	—	—	—	—	✓	✓	12" emco	✓

Comments _____

WELL CONDITION STATUS SHEET

Client/Facility #: **Chevron #9-0260**
 Site Address: **21995 Foothill Blvd.**
 City: **Hayward, CA**

Job #: **385110**
 Event Date: **2-3-09**
 Sampler: **Aw**

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-15	OK	—	—	—	—	—	→	N	N	Emco / 12" / 2	N
MW-16	OK	—	→	1 S	OK	—	→	N	N	Boart Longier / 8" / 3	
MW-8	OK	OK	4m	4S	OK	—	→	N	N	2x2 vault / 4	
MW-9	OK	OK	4m	4S	OK	—	→	N	N	↓	
MW-13	OK	M	N/A	→	OK	—	→	N	N	Christy Box	
MW-10	OK	M	2m	2S	OK	OK	OK	N	N	12" diamond plate / 2	↓
MW-14	OK	—	—	—	—	—	→	N	N	Emco / 12" / 2	
MW-18	OK	—	—	—	—	—	→	N	N	Emco 12"	↓

Comments Stinger in well mw-8 & mw-9



GETTLER-RYAN Inc.



March 3, 2009
G-R Job #385110

Mr. Aaron Costa
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3660
San Ramon, CA 94583

RE: First Quarter Event of February 3, 2009
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

Dear Mr. Costa:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm and Combria, Dated: 11/16/05 and 04/25/06

EXPLANATION

- | | | | | | |
|---|-----------------------------|-------------|---|---|---|
| ◆ | Groundwater monitoring well | 99.99 | Groundwater elevation in feet referenced to Mean Sea Level | + | TOC not available |
| ⊠ | Nested piezometer well | | | ⊠ | Insufficient water to determine GWE |
| ◆ | Dual vacuum extraction well | ---99.99--- | Groundwater elevation contour, dashed where inferred | * | Discontinued from monitoring/sampling program |
| ✕ | Destroyed Well | [99.99] | Not used in contouring--suveyed to a different vertical datum | | |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-4													
02/05/88	--	--	--	--	--	88,000	24,000	19,000	1,700	10,000	--	--	--
06/15/88	--	87.83	12.92	--	--	95,000	45,000	30,000	2,100	17,000	--	--	--
09/27/88	100.75	86.53	14.22	--	--	500,000	41,000	27,000	<5,000	16,000	--	<5,000	--
09/27/88 ¹	100.75	--	--	--	--	88,000	1,200	4,100	1,600	12,000	--	230	270
01/05/89	100.75	87.55	13.20	--	--	64,000	41,000	29,000	2,700	14,000	--	--	--
04/06/89	100.75	88.43	12.32	--	--	--	--	--	--	--	--	--	--
06/28/89	100.75	86.50	14.25	--	--	110,000	34,000	24,000	2,400	13,000	--	--	--
10/03/89	100.75	86.00	14.75	--	--	240,000	36,000	31,000	3,200	19,000	--	--	--
01/04/90	100.75	86.00	14.75	--	--	130,000	33,000	28,000	2,400	14,000	--	--	--
04/03/90	100.75	86.94	13.81	--	--	110,000	41,000	32,000	2,900	17,000	--	--	--
07/03/90	100.75	86.69	14.06	--	--	180,000	32,000	30,000	2,600	15,000	--	--	--
11/06/90	100.75	85.09	15.66	--	--	170,000	31,000	30,000	2,700	17,000	--	--	--
01/04/91	100.75	85.87	15.18	--	--	--	--	--	--	--	--	--	--
04/03/91	100.75	89.75	11.00	--	--	130,000	21,000	24,000	2,300	14,000	--	--	--
07/02/91	100.75	86.50	14.25	--	--	--	--	--	--	--	--	--	--
10/02/91	100.75	84.59	16.16	--	--	240,000	27,000	33,000	2,600	16,000	--	--	--
01/02/92	100.75	85.49	15.26	--	--	--	--	--	--	--	--	--	--
04/07/92	100.75	88.37	12.38	--	--	--	--	--	--	--	--	--	--
08/13/92	100.75	84.05	16.68	--	--	--	--	--	--	--	--	--	--
12/03/92	100.73	84.58	16.17	--	--	1,300,000	17,000	41,000	12,000	90,000	--	--	--
03/25/93	100.73	90.23	10.50	--	--	--	--	--	--	--	--	--	--
10/04/94	100.73	87.89	12.84	--	--	--	--	--	--	--	--	--	--
11/14/94	100.73	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
05/15/95	100.73	89.36	11.37	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	100.73	88.43	12.30	--	--	--	--	--	--	--	--	--	--
11/28/95	100.73	86.08	14.65	--	--	97,000	23,000	18,000	1,400	8,800	430	--	--
02/20/96	100.73	92.83	7.90	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/29/96	100.73	89.73	11.00	--	--	59,000	11,000	11,000	740	4,400	<500	--	--
08/27/96	100.73	87.49	13.24	--	--	--	--	--	--	--	--	--	--
11/22/96	100.73	89.23	11.50	--	--	130,000	20,000	14,000	1,200	7,000	21,000	--	--
02/18/97	100.73	91.26	9.47	--	--	--	--	--	--	--	--	--	--
05/23/97 ⁴	100.73	88.10	12.63	--	--	120,000	23,000	21,000	1,400	8,400	50,000	--	--
08/04/97	100.73	87.51	13.22	--	--	120,000	25,000	22,000	1,600	8,000	15,000	--	--
11/25/97 ⁵	100.73	86.83	13.90	--	--	460,000	44,000	45,000	4,000	19,000	290,000	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-4 (cont)													
02/25/98	100.73	87.03	13.70	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/98	100.73	88.74	11.99	--	--	100,000	11,000	8,600	720	4,200	3,100	--	--
08/19/98	100.73	80.70	20.03	--	--	--	--	--	--	--	--	--	--
11/19/98	100.73	81.05	19.68	--	--	51,000	5,200	8,900	1,200	6,400	1,600	--	--
02/12/99	100.73	87.52	13.21	--	--	--	--	--	--	--	--	--	--
05/10/99	100.73	87.99	12.74	--	--	68,800	9,680	11,500	1,450	7,700	2,080/328 ⁷	--	--
09/02/99	100.73	85.14	15.59	--	--	--	--	--	--	--	--	--	--
02/03/00	100.73	87.83	12.90	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	100.73	88.01	12.72	0.00	0.00	3,400 ⁸	24	<10	<10	890	430	--	--
08/02/00 ¹⁵	100.73	86.18	14.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	100.73	85.34	15.39	0.00	0.00	66,700	13,900	12,400	1,460	7,940	<250	--	--
02/08/01 ¹⁵	100.73	84.99	15.74	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	100.73	84.24	16.49	0.00	0.00	490,000	2,990	<5,000	<5,000	8,660	18.8	--	--
08/28/01 ¹⁵	100.73	82.77	17.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	100.73	85.43	15.30	0.00	0.00	39,000	2,700	2,900	1,200	5,700	<100	--	--
02/22/02 ¹⁵	100.73	88.84	11.89	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	100.73	85.52	15.21	0.00	0.00	55,000	4,300	4,900	1,700	9,900	<100	--	--
08/29/02 ¹⁵	100.73	85.01	15.72	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02 ¹⁵	100.73	85.50	15.23	0.00	0.00	39,000	3,600	4,200	1,500	7,300	<50	--	--
02/28/03	100.73	89.03	11.70	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	100.73	88.34	12.39	0.00	0.00	51,000	4,400	5,200	1,300	7,000	5	--	--
08/22/03	100.73	86.18	14.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	100.73	85.76	14.97	0.00	0.00	50,000	3,500	6,300	1,400	7,200	1	--	--
02/27/04	100.73	89.78	10.95	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	100.73	86.13	14.60	0.00	0.00	61,000	3,900	11,000	2,000	11,000	<10	--	--
08/26/04	100.73	85.26	15.47	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	100.73	85.64	15.09	0.00	0.00	61,000	1,900	5,000	1,700	8,600	<5	--	--
02/11/05	100.73	UNABLE TO LOCATE - DUE TO OVERGROWN VEGETATION						--	--	--	--	--	--
06/16/05 ¹⁷	100.73	88.68	12.05	0.00	0.00	45,000	1,700	6,300	1,300	6,800	<5	--	--
08/31/05	100.73	88.77	11.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	100.73	85.54	15.19	0.00	0.00	56,000	2,200	7,800	1,400	8,100	<10	--	--
02/27/06	100.73	89.11	11.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ¹⁷	100.73	89.26	11.47	0.00	0.00	36,000	1,200	6,000	1,100	5,700	6	--	--
08/29/06	100.73	86.91	13.82	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-4 (cont)													
12/13/06 ¹⁷	100.73	88.22	12.51	0.00	0.00	59,000	1,600	10,000	1,900	10,000	<10	--	--
02/28/07	100.73	90.36	10.37	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/07 ¹⁷	100.73	86.96	13.77	0.00	0.00	550	9	70	12	58	<0.5	--	--
08/29/07	100.73	83.84	16.89	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/07 ¹⁷	103.89	89.12	14.77	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08	103.89	91.53	12.36	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/08 ¹⁷	103.89	90.17	13.72	0.00	0.00	17,000	88	1,200	740	4,600	5	--	--
06/24/08 ¹⁷	103.89	89.74	14.15	0.00	0.00	27,000	190	4,100	1,100	6,100	9	--	--
08/22/08	103.89	85.07	18.82	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/08	103.89	81.74	22.15	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/03/09	103.89	82.34	21.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
MW-5													
02/05/88	--	--	--	--	--	80,000	16,000	15,000	2,600	17,000	--	--	--
06/15/88	--	87.67	12.30	--	--	77,000	42,000	38,000	2,500	16,000	--	--	--
09/27/88	99.97	86.72	13.25	--	--	470,000	39,000	32,000	<5,000	16,000	--	<5,000	--
09/27/88 ¹	99.97	--	--	--	--	48,000	1,800	3,500	1,600	10,000	--	420	410
01/05/89	99.97	87.27	12.70	--	--	82,000	44,000	37,000	2,400	14,000	--	--	--
04/06/89	99.97	87.75	12.22	--	--	--	--	--	--	--	--	--	--
06/28/89	99.97	86.16	13.81	--	--	80,000	36,000	24,000	2,400	13,000	--	--	--
10/03/89	99.97	85.70	14.27	--	--	240,000	40,000	35,000	2,600	15,000	--	--	--
01/04/90	99.97	85.66	14.31	--	--	130,000	37,000	31,000	2,400	13,000	--	--	--
04/03/90	99.97	86.47	13.50	--	--	120,000	41,000	33,000	2,500	14,000	--	--	--
07/03/90	99.97	86.33	13.64	--	--	200,000	28,000	25,000	1,800	10,000	--	--	--
11/06/90	99.97	84.83	15.14	--	--	370,000	38,000	36,000	4,700	31,000	--	--	--
01/04/91	99.97	85.08	14.90	0.01	--	--	--	--	--	--	--	--	--
04/03/91	99.97	88.41	11.56	--	--	140,000	36,000	32,000	2,700	17,000	--	--	--
07/02/91	99.97	86.08	13.89	--	--	--	--	--	--	--	--	--	--
10/02/91	99.97	84.71	15.26	--	--	230,000	34,000	31,000	2,700	16,000	--	--	--
01/02/92	99.97	85.00	14.97	--	--	--	--	--	--	--	--	--	--
04/07/92	99.97	86.53	13.44	--	--	220,000	35,000	30,000	2,500	14,000	--	--	--
08/13/92	99.97	84.36	15.61	--	--	--	--	--	--	--	--	--	--
12/03/92	99.97	83.68	16.29	<0.02 ²	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-5 (cont)													
03/25/93	99.97	89.00	10.97	--	--	--	--	--	--	--	--	--	--
06/23/93	99.97	87.40	12.60	0.04	--	--	--	--	--	--	--	--	--
09/21/93	99.97	85.99	14.00	0.03	--	--	--	--	--	--	--	--	--
12/02/93	99.97	85.73	14.27	0.04	--	--	--	--	--	--	--	--	--
03/08/94	99.97	87.81	12.16	--	--	--	--	--	--	--	--	--	--
06/13/94	99.97	87.22	13.01	0.32	--	--	--	--	--	--	--	--	--
10/04/94	99.97	84.41	15.56	--	--	--	--	--	--	--	--	--	--
11/14/94	99.97	86.62	13.35	--	--	1,100,000	64,000	69,000	9,200	61,000	--	--	--
05/15/95	99.97	89.79	10.18	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.97	88.20	11.77	--	--	--	--	--	--	--	--	--	--
11/28/95	99.97	85.75	14.22	--	--	320,000	34,000	38,000	5,800	31,000	2,000	--	--
02/20/96	99.97	89.60	10.37	Sheen	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/29/96	99.97	89.08	10.89	--	--	150,000	23,000	25,000	2,200	12,000	<500	--	--
08/27/96	99.97	87.22	12.75	--	--	--	--	--	--	--	--	--	--
11/22/96	99.97	87.50	12.47	--	--	170,000	25,000	27,000	2,000	12,000	<500	--	--
02/18/97	99.97	90.46	9.51	--	--	--	--	--	--	--	--	--	--
05/23/97	99.97	87.72	12.25	--	--	160,000	29,000	34,000	2,900	16,000	<250	--	--
08/04/97	99.97	87.09	12.88	--	--	130,000	27,000	31,000	2,500	13,000	<500	--	--
11/25/97	99.97	85.16	14.81	--	--	310,000 ⁵	52,000	59,000	5,500	28,000	3,300	--	--
02/25/98	99.97	82.51	17.46	--	--	--	--	--	--	--	--	--	--
05/21/98	99.97	88.37	11.60	--	--	220,000	20,000	26,000	2,000	10,000	8,500	--	--
08/19/98	99.97	82.27	17.70	--	--	--	--	--	--	--	--	--	--
11/19/98	99.97	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
02/12/99	99.97	87.18	12.79	--	--	--	--	--	--	--	--	--	--
05/10/99	99.97	87.25	12.72	--	--	102,000	13,300	17,200	1,240	<200	7,560/<250 ⁷	--	--
09/02/99	99.97	85.18	14.79	--	--	--	--	--	--	--	--	--	--
02/03/00	99.97	86.86	13.11	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.97	87.28	12.69	0.00	0.00	360 ⁸	6.2	<2.5	<2.5	13	13	--	--
08/02/00 ¹⁵	99.97	85.81	14.16	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	99.97	85.36	14.61	0.00	0.00	3,280	331	235	35.7	260	9.41	--	--
02/08/01 ¹⁵	99.97	84.76	15.21	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.97	83.77	16.20	0.00	0.00	26,700	5,490	6,310	145	2,910	<0.500	--	--
08/28/01 ¹⁵	99.97	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01 ¹⁵	99.97	84.61	15.36	0.00	0.00	88,000	14,000	19,000	1,300	8,000	<200	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-5 (cont)													
02/22/02 ¹⁵	99.97	87.75	12.22	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.97	84.74	15.23	0.00	0.00	92,000	11,000	17,000	1,600	9,400	<200	--	--
08/29/02 ¹⁵	99.97	84.65	15.32	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.97	85.21	14.76	0.00	0.00	62	4.9	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	99.97	88.22	11.75	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	99.97	87.36	12.61	0.00	0.00	8,100	1,600	1,100	72	700	8	--	--
08/22/03	99.97	86.12	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.97	85.01	14.96	0.00	0.00	86,000	9,300	16,000	1,200	6,200	<10	--	--
02/27/04	99.97	89.54	10.43	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	99.97	85.39	14.58	0.00	0.00	45,000	4,700	12,000	870	5,000	<10	--	--
08/26/04	99.97	84.29	15.68	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	99.97	84.77	15.20	0.00	0.00	71,000	5,000	13,000	870	5,200	<10	--	--
02/11/05	99.97	87.46	12.51	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	99.97	88.84	11.13	0.00	0.00	17,000	1,400	3,900	220	1,700	<5	--	--
08/31/05	99.97	85.99	13.98	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05 ¹⁷	99.97	85.03	14.94	0.00	0.00	49,000	2,900	12,000	840	5,000	<25	--	--
02/27/06	99.97	87.98	11.99	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ^{17,19}	99.97	89.14	10.83	0.00	0.00	89,000	6,500	19,000	2,600	13,000	<25	--	--
08/29/06 ¹⁷	99.97	86.89	13.08	0.00	0.00	110,000	5,900	22,000	2,400	13,000	<50	--	--
12/13/06 ¹⁷	99.97	87.95	12.02	0.00	0.00	110,000	6,100	23,000	1,600	10,000	<25	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	99.97	88.52	11.45	0.00	0.00	100,000	4,200	17,000	1,600	8,700	<25	--	--
08/29/07 ^{17,18}	99.97	--	-- ⁵	0.00	0.00	84,000	3,200	22,000	1,800	10,000	<13	--	--
11/21/07 ¹⁸	101.74	88.70**	13.06	0.03	0.28	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--
02/20/08	101.74	CONNECTED TO REMEDIATION SYSTEM				--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.74	89.77	11.97	0.00	0.00	57,000 ²²	1,400	22,000	1,700	9,900	<10	--	--
06/24/08 ^{15,17,18}	NP	101.74	89.16	12.58	0.00	25,000	1,300	22,000	1,400	10,000	<10	--	--
08/22/08 ^{15,17,18}	NP	101.74	77.12	24.62	0.00	65,000	1,400	18,000	1,600	8,800	<10	--	--
11/21/08 ^{15,17,18}	NP	101.74	77.85	23.89	0.00	61,000	1,100	17,000	1,300	10,000	<5	--	--
02/03/09 ^{15,17,18}	NP	101.74	--	-- ²¹	0.00	54,000	1,000	13,000	1,500	8,600	<10	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-6													
02/05/88	--	--	--	--	--	53,000	5,100	4,400	2,100	14,000	--	--	--
06/15/88	--	87.92	13.51	--	--	33,000	9,200	5,500	520	20,000	--	--	--
09/27/88	101.43	86.87	14.56	--	--	17,000	2,200	2,800	1,700	5,100	--	--	--
01/05/89	101.43	87.95	13.48	--	--	37,000	5,000	3,400	2,200	10,000	--	--	--
04/06/89	101.43	88.83	12.60	--	--	--	--	--	--	--	--	--	--
06/28/89	101.43	86.85	14.58	--	--	80,000	7,000	4,100	2,000	9,700	--	--	--
10/03/89	101.43	88.40	13.03	--	--	110,000	8,500	5,100	2,600	14,000	--	--	--
01/04/90	101.43	86.35	15.08	--	--	59,000	5,200	2,600	2,000	11,000	--	--	--
04/03/90	101.43	87.37	14.06	--	--	31,000	6,600	2,600	2,200	12,000	--	--	--
07/03/90	101.43	87.15	14.28	--	--	66,000	5,800	2,900	2,000	9,800	--	--	--
11/06/90	101.43	85.33	16.10	--	--	--	--	--	--	--	--	--	--
01/04/91	101.43	85.91	15.52	--	--	50,000	5,600	2,200	1,800	9,400	--	--	--
04/03/91	101.43	90.40	11.03	--	--	--	--	--	--	--	--	--	--
07/02/91	101.43	86.99	14.44	--	--	81,000	11,000	2,700	2,100	13,000	--	--	--
10/02/91	101.43	85.21	16.22	--	--	--	--	--	--	--	--	--	--
01/02/92	101.43	85.72	15.71	--	--	67,000	7,500	1,900	1,800	9,500	--	--	--
04/07/92	101.43	87.96	13.47	--	--	--	--	--	--	--	--	--	--
08/13/92	101.43	85.46	15.97	--	--	--	--	--	--	--	--	--	--
12/03/92	101.43	84.81	16.62	--	--	--	--	--	--	--	--	--	--
03/25/93	101.43	90.85	10.58	--	--	110,000	12,000	2,900	4,200	14,000	--	--	--
06/23/93	101.43	88.42	13.01	--	--	--	--	--	--	--	--	--	--
09/21/93	101.43	86.69	14.74	--	--	62,000	12,000	1,400	2,100	12,000	--	--	--
12/02/93	101.43	86.56	14.87	--	--	--	--	--	--	--	--	--	--
03/08/94	101.43	89.39	12.04	--	--	61,000	7,000	1,500	1,500	7,400	--	--	--
06/13/94	101.43	88.06	13.37	--	--	--	--	--	--	--	--	--	--
10/04/94	101.43	85.87	15.56	--	--	78,000	13,000	940	1,900	10,000	--	--	--
11/14/94	101.43	87.90	13.53	--	--	--	--	--	--	--	--	--	--
05/15/95	101.43	90.90	10.53	--	--	--	--	--	--	--	--	--	--
08/04/95	101.43	89.05	12.38	--	--	51,000	8,600	1,400	1,900	7,800	--	--	--
11/28/95	101.43	86.80	14.63	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/20/96	101.43	91.71	9.72	--	--	59,000	11,000	1,600	2,100	9,400	<500	--	--
05/29/96	101.43	90.49	10.94	--	--	--	--	--	--	--	--	--	--
08/27/96	101.43	88.03	13.40	--	--	84,000	11,000	960	2,300	7,700	<500	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-6 (cont)													
11/22/96	101.43	88.53	12.90	--	--	--	--	--	--	--	--	--	--
02/18/97	101.43	91.42	10.01	--	--	14,000	3,700	160	720	1,800	400	--	--
05/23/97	101.43	88.68	12.75	--	--	--	--	--	--	--	--	--	--
08/04/97	101.43	87.95	13.48	--	--	62,000	13,000	930	3,500	8,500	710	--	--
11/25/97	101.43	87.22	14.21	--	--	--	--	--	--	--	--	--	--
02/25/98	101.43	86.58	14.85	--	--	30,000	2,400	910	740	4,000	2,600	--	--
05/21/98	101.43	89.76	11.67	--	--	--	--	--	--	--	--	--	--
08/19/98	101.43	85.57	15.86	--	--	37,000	390	220	160	3,600	1,600/1,000 ⁷	--	--
11/19/98	101.43	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
02/12/99	101.43	89.60	11.83	--	--	80	2.4	<0.5	0.68	6.2	<2.5	--	--
05/10/99	101.43	88.43	13.00	--	--	--	--	--	--	--	--	--	--
09/02/99	101.43	85.71	15.72	--	--	4,440	23.4	<5.0	45.3	46.2	<50	--	--
02/03/00	101.43	88.23	13.20	--	--	8,300	22	<10	43	140	77	--	--
05/09/00 ¹⁵	101.43	88.38	13.05	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	101.43	86.68	14.75	0.00	0.00	1,700 ⁸	32	4.9	<2.5	<2.5	55	--	--
11/09-10/00 ¹⁵	101.43	85.87	15.56	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	101.43	85.56	15.87	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01 ¹⁵	101.43	85.97	15.46	0.00	0.00	--	--	--	--	--	--	--	--
02/22/02 ¹⁵	101.43	89.49	11.94	0.00	0.00	6,300	<10	1.7	17	26	<25	--	--
05/24/02 ¹⁵	101.43	85.89	15.54	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/29/02 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/29/02	101.43	85.65	15.78	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/28/03	101.43	89.36	12.07	0.00	0.00	180	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03	101.43	88.59	12.84	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/22/03	101.43	87.03	14.40	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
11/24-25/03	101.43	86.31	15.12	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/27/04 ¹⁷	101.43	91.37	10.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04	101.43	86.97	14.46	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/26/04	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/29/04	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
02/11/05 ¹⁷	101.43	88.76	12.67	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05	101.43	89.12	12.31	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-6 (cont)													
08/31/05	101.43	86.90	14.53	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/30/05	101.43	86.32	15.11	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/27/06 ¹⁷	101.43	89.46	11.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06	101.43	89.68	11.75	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/29/06 ¹⁷	101.43	87.07	14.36	0.00	0.00	110	0.6	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06	101.43	88.38	13.05	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
02/28/07 ¹⁷	101.43	91.66	9.77	0.00	0.00	1,400	<0.5	<0.5	0.7	<0.5	<0.5	--	--
05/30/07	101.43	88.81	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
08/29/07	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/21/07	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
02/20/08 ¹⁷	104.01	92.15	11.86	0.00	0.00	1,200	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08	104.01	90.92	13.09	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
06/24/08	104.01	90.04	13.97	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
11/21/08	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
02/03/09	104.01	DRY	--	--	--	--	--	--	--	--	--	--	--
MW-7													
02/05/88	--	--	--	--	--	81,000	34,000	36,000	2,400	16,000	--	--	--
06/15/88	--	88.34	12.57	--	--	77,000	40,000	41,000	1,400	24,000	--	--	--
09/27/88	100.91	87.31	13.60	--	--	30,000	9,700	8,900	400	4,100	--	<10	2,600
01/05/89	100.91	87.93	12.98	--	--	96,000	36,000	38,000	2,800	16,000	--	--	--
04/06/89	100.91	88.57	12.34	--	--	--	--	--	--	--	--	--	--
06/28/89	100.91	86.83	14.08	--	--	110,000	31,000	30,000	2,600	16,000	--	--	--
10/03/89	100.91	86.38	14.53	--	--	230,000	34,000	34,000	2,400	15,000	--	--	--
01/04/90	100.91	86.42	14.49	--	--	150,000	41,000	40,000	2,400	15,000	--	--	--
04/03/90	100.91	87.25	13.66	--	--	100,000	31,000	28,000	2,100	16,000	--	--	--
07/03/90	100.91	87.05	13.86	--	--	190,000	30,000	27,000	1,800	13,000	--	--	--
11/06/90	100.91	85.33	15.58	--	--	160,000	27,000	25,000	1,900	15,000	--	--	--
01/04/91	100.91	85.66	15.25	--	--	--	--	--	--	--	--	--	--
04/03/91	100.91	89.50	11.41	--	--	240,000	40,000	36,000	2,400	18,000	--	--	--
07/02/91	100.91	86.73	14.18	--	--	--	--	--	--	--	--	--	--
10/02/91	100.91	85.13	15.78	--	--	220,000	26,000	27,000	2,500	18,000	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-7 (cont)													
01/02/92	100.91	85.46	15.45	--	--	--	--	--	--	--	--	--	--
04/07/92	100.91	87.43	13.48	--	--	260,000	27,000	26,000	2,400	15,000	--	--	--
08/13/92	100.91	85.02	15.89	--	--	--	--	--	--	--	--	--	--
12/03/92	100.91	84.48	16.43	--	--	330,000	29,000	31,000	3,300	18,000	--	--	--
03/25/93	100.91	89.81	11.10	--	--	--	--	--	--	--	--	--	--
06/23/93	100.91	88.13	13.63	1.06	--	--	--	--	--	--	--	--	--
09/21/93	100.91	86.57	14.88	0.67	--	--	--	--	--	--	--	--	--
12/02/93	100.91	86.32	14.74	0.19	--	--	--	--	--	--	--	--	--
03/08/94	100.91	88.54	12.37	--	--	--	--	--	--	--	--	--	--
06/13/94	100.91	88.03	13.12	0.30	--	--	--	--	--	--	--	--	--
10/04/94	100.91	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
11/14/94	100.91	87.22	13.83	0.18	0.50	--	--	--	--	--	--	--	--
05/15/95	100.91	89.85	11.07	0.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	100.91	88.38	12.53	--	--	--	--	--	--	--	--	--	--
11/28/95	100.91	86.53	14.62	0.30	2.00	--	--	--	--	--	--	--	--
02/20/96	100.91	90.84	10.09	0.02	0.0625	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/29/96	100.91	90.00	10.93	0.02	0.50	--	--	--	--	--	--	--	--
08/27/96	100.91	88.18	12.75	0.02	0.50	--	--	--	--	--	--	--	--
11/22/96	100.91	87.94	12.99	0.02	0.50	--	--	--	--	--	--	--	--
02/18/97	100.91	91.33	9.58	0.01	0.50	--	--	--	--	--	--	--	--
05/23/97	100.91	88.36	12.55	--	--	8,300	210	580	130	1,400	<250	--	--
08/04/97	100.91	87.68	13.23	--	--	96,000	12,000	16,000	2,300	14,000	3,600	--	--
02/25/98	100.91	83.89	17.02	--	--	--	--	--	--	--	--	--	--
05/21/98	100.91	88.98	11.93	--	--	150,000	7,100	15,000	1,700	9,600	21,000	--	--
08/19/98	100.91	82.72	18.19	--	--	--	--	--	--	--	--	--	--
11/19/98	100.91	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/12/99	100.91	88.10	12.81	--	--	--	--	--	--	--	--	--	--
05/10/99	100.91	87.87	13.04	--	--	11,200	384	764	116	618	<1,000/558 ⁷	--	--
09/02/99	100.91	85.16	15.75	--	--	--	--	--	--	--	--	--	--
02/03/00	100.91	86.84	14.07	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	100.91	87.55	13.36	0.00	0.00	150 ⁸	0.52	<0.50	<0.50	2.1	130	--	--
08/02/00 ¹⁵	100.91	85.94	14.97	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	100.91	85.93	14.98	0.00	0.00	559	24.1	12.4	2.34	12.5	5.32	--	--
02/08/01 ¹⁵	100.91	84.89	16.02	0.00	0.00	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-7 (cont)													
05/02/01 ¹⁵	100.91	83.21	17.70	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
08/28/01 ¹⁵	100.91	82.92	17.99	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
11/26/01 ¹⁵	100.91	84.76	16.15	0.00	0.00	82,000	12,000	23,000	840	6,500	<100	--	--
02/22/02 ¹⁵	100.91	88.22	12.69	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
05/24/02 ¹⁵	100.91	84.73	16.18	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
08/29/02 ¹⁵	100.91	84.74	16.17	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
11/29/02	100.91	85.59	15.32	0.00	0.00	890	50	150	14	77	<10	--	--
02/28/03	-- ¹⁶	-- ¹⁶	10.07	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
05/30/03 ¹⁷	-- ¹⁶	-- ¹⁶	11.12	0.00	0.00	190	0.8	1	1	3	62	--	--
08/22/03	-- ¹⁶	-- ¹⁶	DRY	--	--	--	--	--	--	--	--	--	--
11/24-25/03 ¹⁷	-- ¹⁶	-- ¹⁶	13.99	0.00	0.00	1,000	110	6	18	6	6	--	--
02/27/04	-- ¹⁶	-- ¹⁶	11.31	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
06/21/04	-- ¹⁶	-- ¹⁶	13.48	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
08/26/04	-- ¹⁶	-- ¹⁶	14.33	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
11/29/04 ¹⁷	-- ¹⁶	-- ¹⁶	14.15	0.00	0.00	1,800	480	2	32	14	28	--	--
02/11/05	-- ¹⁶	-- ¹⁶	11.16	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
06/16/05 ¹⁷	-- ¹⁶	-- ¹⁶	10.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	29	--	--
08/31/05	-- ¹⁶	-- ¹⁶	12.15	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
11/30/05 ¹⁷	-- ¹⁶	-- ¹⁶	13.91	0.00	0.00	120	10	1	<0.5	<0.5	9	--	--
02/27/06	-- ¹⁶	-- ¹⁶	10.47	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
05/30-31/06 ¹⁷	-- ¹⁶	-- ¹⁶	10.10	0.00	0.00	91	1	3	0.6	0.9	99	--	--
08/29/06	-- ¹⁶	-- ¹⁶	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
12/13/06 ¹⁷	-- ¹⁶	-- ¹⁶	12.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07	-- ¹⁶	-- ¹⁶	9.54	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
05/30/07 ¹⁷	-- ¹⁶	-- ¹⁶	12.01	0.00	0.00	<50	<0.5	1	<0.5	<0.5	28	--	--
08/29/07	-- ¹⁶	-- ¹⁶	14.62	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
11/21/07 ¹⁷	103.17	89.30	13.87	0.00	0.00	9,900	340	4,100	190	840	11	--	--
02/20/08	103.17	91.56	11.61	0.00	0.00	SAMPLED SEMI-ANNUALLY					--	--	--
05/21/08 ¹⁷	103.17	90.56	12.61	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	31	--	--
06/24/08 ¹⁷	103.17	90.20	12.97	0.00	0.00	<50	1	1	<0.5	2	47	--	--
08/22/08	103.17	DRY	--	--	--	--	--	--	--	--	--	--	--
11/21/08	103.17	DRY	--	--	--	--	--	--	--	--	--	--	--
02/03/09	103.17	DRY	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-8													
10/27/88	--	--	--	--	--	190,000	27,000	43,000	2,200	15,000	--	--	--
01/05/89	--	87.65	12.02	--	--	87,000	24,000	39,000	3,000	15,000	--	--	--
04/06/89	99.67	87.89	11.78	--	--	--	--	--	--	--	--	--	--
06/28/89	99.67	86.27	13.40	--	--	120,000	22,000	35,000	2,900	16,000	--	--	--
10/03/89	99.67	85.92	13.84	0.11	--	--	--	--	--	--	--	--	--
01/04/90	99.67	85.76	13.99	0.10	--	--	--	--	--	--	--	--	--
04/03/90	99.67	86.84	13.07	0.30	--	--	--	--	--	--	--	--	--
07/03/90	99.67	86.59	13.11	0.04	--	--	--	--	--	--	--	--	--
11/06/90	99.67	85.02	14.77	0.15	--	--	--	--	--	--	--	--	--
01/04/91	99.67	85.22	14.59	0.18	--	--	--	--	--	--	--	--	--
04/03/91	99.67	88.18	11.53	0.05	--	--	--	--	--	--	--	--	--
07/02/91	99.67	86.34	13.71	0.48	--	--	--	--	--	--	--	--	--
10/02/91	99.67	85.05	14.84	0.27	--	--	--	--	--	--	--	--	--
01/02/92	99.67	84.86	15.05	0.30	--	--	--	--	--	--	--	--	--
04/07/92	99.67	87.73	12.17	0.29	--	--	--	--	--	--	--	--	--
08/13/92	99.67	84.96	14.96	0.31	--	--	--	--	--	--	--	--	--
12/03/92	99.67	84.44	15.85	0.78	--	--	--	--	--	--	--	--	--
03/25/93	99.67	88.89	10.78	--	--	--	--	--	--	--	--	--	--
06/23/93	99.67	87.60	12.27	0.25	--	--	--	--	--	--	--	--	--
09/21/93	99.67	86.25	13.68	0.32	--	--	--	--	--	--	--	--	--
12/02/93	99.67	85.86	14.00	0.24	--	--	--	--	--	--	--	--	--
03/08/94	99.67	87.83	11.84	--	--	--	--	--	--	--	--	--	--
06/13/94	99.67	87.58	12.11	0.03	--	--	--	--	--	--	--	--	--
10/04/94	99.67	85.47	14.20	--	--	--	--	--	--	--	--	--	--
11/14/94	99.67	85.61	14.06	--	--	140,000	12,000	36,000	2,400	17,000	--	--	--
05/15/95	99.67	89.72	9.95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.67	88.53	11.14	--	--	--	--	--	--	--	--	--	--
11/28/95	99.67	86.35	13.32	--	--	100,000	6,900	34,000	2,700	16,000	650	--	--
02/20/96	99.67	89.67	10.00	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/29/96	99.67	89.37	10.30	--	--	130,000	8,800	30,000	2,300	14,000	<500	--	--
08/27/96	99.67	87.42	12.25	--	--	--	--	--	--	--	--	--	--
11/22/96	99.67	87.66	12.01	--	--	150,000	7,400	33,000	2,400	14,000	<500	--	--
02/18/97	99.67	90.56	9.11	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-8 (cont)													
05/23/97	99.67	88.09	11.58	--	--	140,000	11,000	38,000	3,200	18,000	<250	--	--
08/04/97	99.67	87.49	12.18	--	--	140,000	8,000	38,000	3,500	18,000	<500	--	--
11/25/97	99.67	82.62	17.05	--	--	290,000 ⁵	15,000	71,000	7,400	36,000	3,600	--	--
02/25/98	99.67	89.64	10.03	--	--	--	--	--	--	--	--	--	--
05/21/98	99.67	90.26	9.41	--	--	110,000	2,800	11,000	1,200	9,800	660	--	--
08/19/98	99.67	82.47	17.20	--	--	--	--	--	--	--	--	--	--
11/19/98	99.67	83.00	16.67	--	--	51,000	3,100	25,000	2,300	15,000	3,100	--	--
02/12/99	99.67	89.15	10.52	--	--	--	--	--	--	--	--	--	--
05/10/99	99.67	88.72	10.95	--	--	104,000	2,980	22,000	1,960	12,800	<2,500/<333 ⁷	--	--
09/02/99	99.67	89.40	10.27	--	--	--	--	--	--	--	--	--	--
02/03/00	99.67	88.22	11.45	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.67	88.77	10.90	0.00	0.00	37,000 ⁸	2,200	12,000	<100	8,400	1,900	--	--
08/02/00 ¹⁵	99.67	87.42	12.25	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	99.67	86.73	12.94	0.00	0.00	63,100	2,330	17,200	1,520	11,300	<250	--	--
02/08/01 ¹⁵	99.67	86.42	13.25	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.67	85.51	14.16	0.00	0.00	79,400	1,120	18,900	<2,500	13,400	47.6	--	--
08/28/01 ¹⁵	99.67	84.08	15.59	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	99.67	86.07	13.60	0.00	0.00	48,000	640	10,000	980	8,500	<100	--	--
02/22/02 ¹⁵	99.67	89.16	10.51	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.67	86.61	13.06	0.00	0.00	62,000	1,100	14,000	1,300	9,600	<200	--	--
08/29/02 ¹⁵	99.67	86.11	13.56	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.67	86.63	13.04	0.00	0.00	57,000	590	11,000	1,200	10,000	<50	--	--
02/28/03	99.67	89.59	10.08	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	99.67	88.67	11.00	0.00	0.00	13,000	100	650	270	2,100	<0.5	--	--
08/22/03 ¹⁵	99.67	86.97	12.70	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.67	86.39	13.28	0.00	0.00	64,000	450	17,000	1,300	9,900	<5	--	--
02/27/04	99.67	89.46	10.21	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	99.67	86.87	12.80	0.00	0.00	18,000	140	2,100	540	4,400	<3	--	--
08/26/04	99.67	85.82	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	99.67	86.22	13.45	0.00	0.00	67,000	250	13,000	1,000	6,800	<10	--	--
02/11/05	99.67	88.75	10.92	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	99.67	89.29	10.38	0.00	0.00	15,000	120	920	390	2,500	<1	--	--
08/31/05	99.67	86.91	12.76	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-8 (cont)													
11/30/05 ¹⁷	99.67	86.65	13.02	0.00	0.00	32,000	88	5,600	650	4,000	<10	--	--
02/27/06	99.67	89.46	10.21	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ^{17,20}	99.67	89.59	10.08	0.00	0.00	53,000	200	9,800	1,400	6,700	<5	--	--
08/29/06	99.67	87.60	12.07	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
12/13/06 ^{17,18}	99.67	87.46	12.21	0.00	0.00	23,000	54	2,500	680	3,400	<3	--	--
02/28/07	99.67	89.53	10.14	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/07 ^{17,18}	99.67	88.09	11.58	0.00	0.00	16,000	43	870	470	2,400	<1	--	--
08/29/07 ¹⁸	99.67	86.02	13.65	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/07	102.02	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/20/08	102.02	90.96	11.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/08 ¹⁷	102.02	89.63	12.39	0.00	0.00	3,800 ²²	3	84	150	220	<0.5	--	--
06/24/08 ^{17,20}	102.02	89.44	12.58	0.00	0.00	3,700	4	1,000	190	970	<0.5	--	--
08/22/08	102.02	86.94	15.08	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/21/08 ²⁰	102.02	85.23	16.79	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/03/09	102.02	85.17	16.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
MW-9													
10/27/88	--	--	--	--	--	50,000	2,000	9,900	2,000	14,000	--	--	--
01/05/89	--	88.52	12.63	--	--	55,000	670	8,900	3,400	16,000	--	--	--
04/06/89	101.15	88.69	12.46	--	--	--	--	--	--	--	--	--	--
06/28/89	101.15	87.11	14.04	--	--	100,000	510	4,500	2,600	13,000	--	--	--
10/03/89	101.15	86.54	14.61	--	--	130,000	540	8,000	3,200	17,000	--	--	--
01/04/90	101.15	86.56	14.59	--	--	83,000	600	4,600	2,600	14,000	--	--	--
04/03/90	101.15	87.40	13.75	--	--	52,000	1,600	5,400	3,100	16,000	--	--	--
07/03/90	101.15	87.31	13.84	--	--	100,000	520	5,400	3,200	16,000	--	--	--
11/06/90	101.15	85.73	15.42	--	--	--	--	--	--	--	--	--	--
01/04/91	101.15	85.78	15.37	--	--	59,000	1,100	5,600	2,500	13,000	--	--	--
04/03/91	101.15	88.88	12.27	--	--	--	--	--	--	--	--	--	--
07/02/91	101.15	86.98	14.17	--	--	130,000	1,900	7,600	3,600	20,000	--	--	--
10/02/91	101.15	85.47	15.68	--	--	--	--	--	--	--	--	--	--
01/02/92	101.15	85.50	15.65	--	--	100,000	3,300	8,200	2,800	14,000	--	--	--
04/07/92	101.15	87.31	13.84	--	--	--	--	--	--	--	--	--	--
08/13/92	101.15	85.65	15.50	--	--	45,000	1,300	3,000	1,500	7,100	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-9 (cont)													
12/03/92	101.15	84.49	16.66	--	--	--	--	--	--	--	--	--	--
03/25/93	101.15	89.67	11.48	--	--	220,000	540	3,200	2,100	18,000	--	--	--
06/23/93	101.15	88.32	12.83	--	--	--	--	--	--	--	--	--	--
09/21/93	101.15	86.84	14.31	--	--	54,000	1,900	3,400	1,700	9,100	--	--	--
12/02/93	101.15	86.46	14.70	0.01	--	--	--	--	--	--	--	--	--
03/08/94	101.15	88.52	12.63	--	--	49,000	800	780	390	3,600	--	--	--
06/13/94	101.15	87.50	13.65	--	--	--	--	--	--	--	--	--	--
10/04/94	101.15	85.95	15.20	--	--	180,000	2,600	5,400	1,700	11,000	--	--	--
11/14/94	101.15	86.90	14.25	--	--	--	--	--	--	--	--	--	--
05/15/95	101.15	90.51	10.64	--	--	--	--	--	--	--	--	--	--
08/04/95	101.15	89.26	11.89	--	--	42,000	1,400	2,700	1,700	9,000	--	--	--
11/28/95	101.15	87.23	13.92	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/20/96	101.15	90.54	10.61	Sheen	--	41,000	1,600	1,700	750	6,500	<100	--	--
05/29/96	101.15	90.34	10.81	--	--	--	--	--	--	--	--	--	--
08/27/96	101.15	88.25	12.90	Sheen	--	71,000	2,700	3,600	920	5,900	290	--	--
11/22/96	101.15	88.27	12.88	--	--	--	--	--	--	--	--	--	--
02/18/97	101.15	91.49	9.66	0.01	--	78,000	1,800	3,800	2,300	13,000	510	--	--
05/23/97	101.15	88.62	12.53	--	--	--	--	--	--	--	--	--	--
08/04/97	101.15	88.15	13.00	--	--	73,000	2,600	2,200	440	9,600	370	--	--
11/25/97	101.15	84.03	17.12	--	--	--	--	--	--	--	--	--	--
02/25/98	101.15	88.46	12.69	--	--	34,000	150	510	1,300	6,400	<250	--	--
05/21/98	101.15	91.01	10.14	--	--	--	--	--	--	--	--	--	--
08/19/98	101.15	86.05	15.10	--	--	42,000	<50	330	890	4,200	<250	--	--
11/19/98	101.15	85.18	15.97	--	--	--	--	--	--	--	--	--	--
02/12/99	101.15	89.90	11.25	--	--	13,000	<100	200	560	2,200	<500	--	--
05/10/99	101.15	88.81	12.34	--	--	16,900	<50	112	506	1,850	<500/<20 ⁷	--	--
09/02/99	101.15	89.81	11.34	--	--	7,200	<25	<25	185	493	<250	--	--
02/03/00	101.15	88.93	12.22	--	--	11,000	68	22	380	1,000	66	--	--
05/09/00 ¹⁵	101.15	89.55	11.60	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	101.15	88.10	13.05	0.00	0.00	3,400 ⁸	41	10	<5.0	360	77	--	--
11/09-10/00 ¹⁵	101.15	87.51	13.64	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	101.15	87.09	14.06	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	101.15	86.20	14.95	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	101.15	85.03	16.12	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-9 (cont)													
11/26/01 ¹⁵	101.15	86.49	14.66	0.00	0.00	--	--	--	--	--	--	--	--
02/22/02 ¹⁵	101.15	90.20	10.95	0.00	0.00	5,300	<10	4.5	79	190	<20	--	--
05/24/02 ¹⁵	101.15	87.52	13.63	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02 ¹⁵	101.15	86.75	14.40	0.00	0.00	4,200	<5.0	2.7	80	37	<2.5	--	--
11/29/02	101.15	87.27	13.88	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/03	101.15	90.68	10.47	0.00	0.00	6,300	<100	11	130	210	<100	--	--
05/30/03	101.15	89.54	11.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/22/03 ¹⁷	101.15	87.64	13.51	0.00	0.00	5,500	1	5	150	38	<0.5	--	--
11/24-25/03	101.15	87.21	13.94	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/04 ¹⁷	101.15	90.60	10.55	0.00	0.00	6,300	0.7	6	160	39	<0.5	--	--
06/21/04	101.15	87.48	13.67	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/26/04 ¹⁷	101.15	86.37	14.78	0.00	0.00	2,400	<0.5	1	19	4	<0.5	--	--
11/29/04	101.15	86.74	14.41	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/11/05 ¹⁷	101.15	89.44	11.71	0.00	0.00	6,200	<1	5	84	35	<1	--	--
06/16/05	101.15	89.74	11.41	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/31/05	101.15	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/30/05	101.15	90.20	10.95	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/06 ¹⁷	101.15	90.20	10.95	0.00	0.00	20,000	<1	23	360	1,000	<1	--	--
05/30-31/06 ²⁰	101.15	90.56	10.59	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/06 ¹⁷	101.15	88.37	12.78	0.00	0	7,800	<0.5	6	150	98	<0.5	--	--
12/13/06	101.15	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/28/07 ¹⁷	101.15	90.42	10.73	0.00	0.00	8,500	<0.5	11	210	530	<0.5	--	--
05/30/07 ¹⁸	101.15	89.12	12.03	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/07 ^{17,18}	101.15	87.00	14.15	0.00	0.00	7,200	<0.5	4	120	49	<0.5	--	--
11/21/07	103.57	89.29	14.28	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/08 ¹⁷	103.57	91.44	12.13	0.00	0.00	4300	<0.5	2	88	25	<0.5	--	--
05/21/08	103.57	90.83	12.74	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/24/08 ²⁰	103.57	90.14	13.43	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08 ¹⁷	103.57	88.27	15.30	0.00	0.00	3,500 ²²	<0.5	1	54	10	<0.5	--	--
11/21/08 ²⁰	103.57	-- ²⁶	17.09	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/03/09	103.57	-- ²⁶	16.89	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-10													
10/27/88	--	--	--	--	--	<500	26	13	<5.0	<5.0	--	--	--
01/05/89	--	89.72	12.64	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
04/06/89	102.36	90.98	11.38	--	--	--	--	--	--	--	--	--	--
06/28/89	102.36	88.72	13.64	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
10/03/89	102.36	88.51	13.85	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/90	102.36	88.61	13.75	--	--	<50	0.5	1.1	<0.5	1.7	--	--	--
04/03/90	102.36	89.50	12.86	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/03/90	102.36	88.93	13.43	--	--	--	--	--	--	--	--	--	--
11/06/90	102.36	87.54	14.82	--	--	--	--	--	--	--	--	--	--
01/04/91	102.36	88.38	13.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/91	102.36	92.57	9.79	--	--	--	--	--	--	--	--	--	--
07/02/91	102.36	90.08	12.28	--	--	--	--	--	--	--	--	--	--
10/02/91	102.36	87.83	14.53	--	--	--	--	--	--	--	--	--	--
01/02/92	102.36	88.76	13.60	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/92	102.36	90.53	11.83	--	--	--	--	--	--	--	--	--	--
08/13/92	102.36	88.41	13.95	--	--	--	--	--	--	--	--	--	--
12/03/92	102.36	88.40	13.96	--	--	--	--	--	--	--	--	--	--
03/25/93	102.36	93.91	8.45	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	102.36	91.03	11.60	--	--	--	--	--	--	--	--	--	--
09/21/93	102.36	89.31	13.32	--	--	--	--	--	--	--	--	--	--
12/02/93	102.36	89.36	13.27	--	--	--	--	--	--	--	--	--	--
03/08/94	102.36	91.51	10.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/13/94	102.36	--	--	--	--	--	--	--	--	--	--	--	--
10/04/94	102.36	88.46	13.90	--	--	--	--	--	--	--	--	--	--
11/14/94	102.36	90.56	11.80	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/15/95	102.36	93.38	8.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	102.36	91.92	10.44	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	102.36	88.81	13.55	--	--	<50	1.6	0.81	<0.5	<0.5	<0.6	--	--
02/20/96	102.36	93.84	8.52	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	102.36	93.16	9.20	--	--	<50	<0.5	<0.5	<0.5	0.9	<5.0	--	--
08/27/96	102.36	90.35	12.01	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	102.36	90.84	11.52	--	--	<50	<0.5	<0.5	<0.5	1.0	<5.0	--	--
02/18/97	102.36	93.87	8.49	--	--	<50	0.7	<0.5	<0.5	<0.5	<5.0	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-10 (cont)													
05/23/97	102.36	91.48	10.88	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	102.36	89.07	13.29	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	102.36	89.06	13.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	102.36	94.54	7.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/21/98	102.36	96.22	6.14	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	102.36	90.62	11.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	102.36	88.96	13.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	102.36	93.94	8.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	102.36	92.14	10.22	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	102.36	93.13	9.23	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	102.36	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--
05/09/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
08/02/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
11/09-10/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
02/08/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
05/02/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
08/28/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
11/26/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
02/22/02	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
05/24/02	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING	--	--	--	--	--	--	--	--	--	--	--
08/29/02	102.36	88.90	13.46	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	102.36	89.30	13.06	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	102.36	92.79	9.57	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	102.36	92.37	9.99	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ^{15,17}	102.36	90.54	11.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	102.36	89.42	12.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	102.36	94.32	8.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	102.36	91.65	10.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	102.36	88.56	13.80	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	102.36	89.30	13.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	102.36	92.49	9.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	102.36	93.08	9.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	102.36	90.09	12.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05 ¹⁷	102.36	89.44	12.92	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-10 (cont)													
02/27/06 ¹⁷	102.36	93.54	8.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	102.36	94.09	8.27	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	102.36	90.55	11.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	102.36	86.42	15.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	102.36	94.14	8.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07	102.36	91.87	10.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	102.36	92.21	10.15	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07	104.74	94.38	10.36	0.00	0.00	--	--	--	--	--	--	--	--
02/20/08	104.74	95.47	9.27	0.00	0.00	--	--	--	--	--	--	--	--
05/21/08	104.74	94.38	10.36	0.00	0.00	--	--	--	--	--	--	--	--
06/24/08	104.74	93.46	11.28	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08	104.74	91.47	13.27	0.00	0.00	--	--	--	--	--	--	--	--
11/21/08	104.74	87.70	17.04	0.00	0.00	--	--	--	--	--	--	--	--
02/03/09	104.74	91.49	13.25	0.00	0.00	--	--	--	--	--	--	--	--
MW-11													
06/28/89	--	85.64	14.33	--	--	60,000	36,000	13,000	2,500	12,000	--	--	--
10/03/89	--	85.36	14.61	--	--	14,000	4,200	1,400	240	1,300	--	--	--
01/04/90	99.97	85.42	14.55	--	--	82,000	33,000	11,000	2,000	10,000	--	--	--
04/03/90	99.97	86.15	13.82	--	--	78,000	35,000	12,000	2,300	12,000	--	--	--
07/03/90	99.97	85.97	14.00	--	--	140,000	32,000	12,000	2,100	10,000	--	--	--
11/06/90	99.97	84.41	15.56	--	--	--	--	--	--	--	--	--	--
01/04/91	99.97	85.09	14.88	0.30	--	--	--	--	--	--	--	--	--
04/03/91	99.97	89.22	10.75	0.21	--	340,000	29,000	14,000	3,700	24,000	--	--	--
07/02/91	99.97	86.00	13.97	0.02	--	130,000	27,000	14,000	2,200	12,000	--	--	--
10/02/91	99.97	84.37	15.60	--	--	--	--	--	--	--	--	--	--
01/02/92	99.97	85.46	14.51	--	--	77,000	18,000	14,000	1,900	10,000	--	--	--
04/07/92	99.97	86.84	13.13	--	--	--	--	--	--	--	--	--	--
08/13/92	99.97	82.53	17.04	--	--	--	--	--	--	--	--	--	--
12/03/92	99.57	83.98	15.59	--	--	--	--	--	--	--	--	--	--
03/25/93	99.57	89.51	10.06	--	--	110,000	13,000	2,100	5,900	9,800	--	--	--
03/08/94	99.57	87.87	11.70	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-11 (cont)													
06/13/94	99.57	87.41	12.16	--	--	--	--	--	--	--	--	--	--
10/04/94	99.57	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
11/14/94	99.57	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
05/15/95	99.57	89.55	10.02	--	--	--	--	--	--	--	--	--	--
08/04/95	99.57	87.75	11.82	--	--	33,000	9,400	3,000	1,800	6,100	--	--	--
11/28/95	99.57	82.85	16.72	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/96	99.57	89.57	10.00	--	--	22,000	4,500	2,200	560	3,500	<120	--	--
05/29/96	99.57	88.43	11.14	--	--	--	--	--	--	--	--	--	--
08/27/96	99.57	86.44	13.13	--	--	85,000	10,000	6,600	1,500	6,500	260	--	--
11/22/96	99.57	87.47	12.10	--	--	--	--	--	--	--	--	--	--
02/18/97	99.57	90.34	9.23	--	--	42,000	7,100	3,100	830	4,200	510	--	--
05/23/97	99.57	87.29	12.28	--	--	--	--	--	--	--	--	--	--
08/04/97	99.57	86.72	12.85	--	--	79,000	14,000	8,400	2,300	9,900	6,900	--	--
11/25/97	99.57	85.71	13.86	--	--	--	--	--	--	--	--	--	--
02/25/98	99.57	82.55	17.02	--	--	34,000	5,200	2,200	1,200	4,400	5,000/5,300 ⁷	--	--
05/21/98	99.57	88.40	11.17	--	--	--	--	--	--	--	--	--	--
08/19/98	99.57	80.79	18.78	--	--	--	--	--	--	--	--	--	--
11/19/98	99.57	81.22	18.35	--	--	16,000	1,200	<100	690	1,200	540	--	--
02/12/99	99.57	88.15	11.42	--	--	4,200	580	41	220	470	<50	--	--
05/10/99	99.57	87.01	12.56	--	--	--	--	--	--	--	--	--	--
09/02/99	99.57	84.83	14.74	--	--	5,150	496	43.6	150	405	<250	--	--
02/03/00	99.57	87.23	12.34	--	--	14,000	3,400	150	860	1,500	<250	--	--
05/09/00 ¹⁵	99.57	87.24	12.33	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	99.57	85.52	14.05	0.00	0.00	7,100 ⁸	2,900	61	<20	1,200	<100	--	--
11/09-10/00 ¹⁵	99.57	84.85	14.72	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	99.57	84.68	14.89	0.00	0.00	18,100 ¹¹	4,300	146	743	819	<250	--	--
05/02/01 ¹⁵	99.57	83.82	15.75	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	99.57	82.55	17.02	0.00	0.00	2,900 ¹³	600	35	120	91	100	--	--
11/26/01 ¹⁵	99.57	84.90	14.67	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/22/02 ¹⁵	99.57	88.00	11.57	0.00	0.00	7,700	710	61	370	500	<20	--	--
05/24/02 ¹⁵	99.57	84.81	14.76	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02 ¹⁵	99.57	84.41	15.16	0.00	0.00	14,000	1,300	82	630	910	<20	--	--
11/29/02 ¹⁵	99.57	84.82	14.75	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/03	99.57	87.97	11.60	0.00	0.00	5,100	600	95	150	390	<50	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-11 (cont)													
05/30/03	99.57	87.17	12.40	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/22/03 ¹⁷	99.57	85.14	14.43	0.00	0.00	25,000	3,000	980	1,200	2,000	7	--	--
11/24-25/03	99.57	84.52	15.05	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/04 ¹⁷	99.57	89.79	9.78	0.00	0.00	10,000	970	570	430	1,100	1	--	--
06/21/04	99.57	85.51	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/26/04 ¹⁷	99.57	84.44	15.13	0.00	0.00	22,000	1,500	790	1,000	2,200	4	--	--
11/29/04	99.57	84.75	14.82	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/11/05 ¹⁷	99.57	87.59	11.98	0.00	0.00	18,000	830	310	680	1,500	1	--	--
06/16/05	99.57	87.86	11.71	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/31/05 ¹⁷	99.57	85.99	13.58	0.00	0.00	20,000	1,200	740	1,100	1,800	4	--	--
11/30/05	99.57	85.51	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/06 ¹⁷	99.57	88.27	11.30	0.00	0.00	18,000	700	340	770	1,300	8	--	--
05/30-31/06 ^{17,19}	99.57	89.12	10.45	0.00	0.00	13,000	620	270	700	1,000	7	--	--
08/29/06 ¹⁷	99.57	86.78	12.79	0.00	0.00	12,000	540	210	600	560	14	--	--
12/13/06 ¹⁷	99.57	87.50	12.07	0.00	0.00	13,000	1,100	180	710	490	22	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	99.57	87.52	12.05	0.00	0.00	15,000	720	180	1,100	910	12	--	--
08/29/07 ¹⁷	99.57	--	-- ²¹	--	--	13,000	500	370	640	960	22	--	--
11/21/07 ^{17,18}	101.90	88.60	13.30	0.00	0.00	9,700	380	110	410	830	43	--	--
02/20/08	101.90	CONNECTED TO REMEDIATION SYSTEM				--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.90	89.52	12.38	0.00	0.00	4,400 ²²	94	44	150	200	4	--	--
06/24/08 ^{15,17,18}	NP	101.90	89.14	12.76	0.00	4,500	140	30	280	250	9	--	--
08/22/08 ^{15,17,18}	NP	101.90	78.00	23.90	0.00	3,900 ²²	230	42	33	260	36	--	--
11/21/08 ^{15,17,18}	NP	101.90	77.59	24.31	0.00	1,400	75	20	13	59	33	--	--
02/03/09 ^{15,17,18}	NP	101.90	--	-- ²¹	--	560	19	3	4	21	30	--	--
MW-12													
06/28/89	--	85.54	14.10	--	--	55,000	30,000	21,000	2,900	19,000	--	--	--
10/03/89	--	85.34	14.30	--	--	170,000	30,000	23,000	2,700	15,000	--	--	--
01/04/90	99.64	85.29	14.35	--	--	110,000	24,000	19,000	2,300	12,000	--	--	--
04/03/90	99.64	86.05	13.59	--	--	89,000	41,000	28,000	3,300	17,000	--	--	--
07/03/90	99.64	85.87	13.77	--	--	170,000	27,000	20,000	2,200	12,000	--	--	--
11/06/90	99.64	84.45	15.19	0.06	--	110,000	28,000	21,000	2,400	14,000	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-12 (cont)													
01/04/91	99.64	--	14.52	--	--	--	--	--	--	--	--	--	--
04/03/91	99.64	--	10.91	--	--	--	--	--	--	--	--	--	--
04/09/91	99.64	--	--	--	--	170,000	39,000	17,000	2,400	14,000	--	--	--
07/02/91	99.64	--	13.51	--	--	--	--	--	--	--	--	--	--
10/02/91	99.64	--	14.93	--	--	170,000	27,000	15,000	2,600	17,000	--	--	--
01/02/92	99.64	85.19	14.45	--	--	--	--	--	--	--	--	--	--
04/07/92	99.64	86.59	13.05	--	--	--	--	--	--	--	--	--	--
08/13/92	99.22	81.83	17.39	--	--	--	--	--	--	--	--	--	--
12/03/92	99.22	83.88	15.34	--	--	2,400,000	19,000	21,000	14,000	110,000	--	--	--
03/25/93	99.22	88.85	10.37	--	--	--	--	--	--	--	--	--	--
06/23/93	99.22	87.01	12.21	--	--	110,000	30,000	19,000	2,000	12,000	--	--	--
03/08/94	99.22	87.27	11.95	--	--	--	--	--	--	--	--	--	--
06/13/94	99.22	86.87	12.35	--	--	62,000	6,600	6,900	2,400	9,900	--	--	--
10/04/94	99.22	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
11/14/94	99.22	INACCESSIBLE ³	--	--	--	--	--	--	--	--	--	--	--
05/15/95	99.22	89.16	10.06	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.22	87.62	11.60	--	--	--	--	--	--	--	--	--	--
11/28/95	99.22	82.59	16.63	--	--	110,000	26,000	22,000	2,300	12,000	1,100	--	--
02/20/96	99.22	88.12	11.10	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/29/96	99.22	87.74	11.48	--	--	120,000	18,000	18,000	2,000	11,000	710	--	--
08/27/96	99.22	86.72	12.50	--	--	--	--	--	--	--	--	--	--
11/22/96	99.22	86.30	12.92	--	--	160,000	24,000	22,000	1,900	11,000	980	--	--
02/18/97	99.22	90.02	9.20	--	--	--	--	--	--	--	--	--	--
05/23/97 ⁶	99.22	87.22	12.00	--	--	130,000	27,000	22,000	2,700	15,000	6,200	--	--
08/04/97	99.22	86.64	12.58	--	--	130,000	23,000	28,000	2,700	13,000	11,000	--	--
11/25/97	99.22	85.30	13.92	--	--	290,000 ⁵	53,000	31,000	6,400	30,000	35,000	--	--
02/25/98	99.22	81.01	18.21	--	--	--	--	--	--	--	--	--	--
05/21/98	99.22	88.04	11.18	--	--	150,000	14,000	16,000	1,800	250	66,000/69,000 ⁷	--	--
08/19/98	99.22	80.82	18.40	--	--	--	--	--	--	--	--	--	--
11/19/98	99.22	81.24	17.98	--	--	68,000	15,000	10,000	2,000	8,800	14,000	--	--
02/12/99	99.22	84.27	14.95	--	--	--	--	--	--	--	--	--	--
05/10/99	99.22	86.75	12.47	--	--	72,600	9,920	8,100	1,600	7,480	25,800/32,500 ⁷	--	--
09/02/99	99.22	85.37	13.85	--	--	--	--	--	--	--	--	--	--
2/3/000	99.22	86.77	12.45	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fl.)	GWE (msl)	DTW (fl.)	SPHT (fl.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-12 (cont)													
05/09/00 ¹⁵	99.22	86.96	12.26	0.00	0.00	27,000 ⁸	7,800	4,000	<100	6,600	6,100	--	--
08/02/00 ¹⁵	99.22	85.37	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	99.22	84.73	14.49	0.00	0.00	46,400	9,550	5,470	1,240	7,660	5,150	--	--
02/08/01 ¹⁵	99.22	84.43	14.79	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.22	83.49	15.73	0.00	0.00	94,000	8,720	3,630	<2,500	8,800	3,410	--	--
08/28/01 ¹⁵	99.22	82.16	17.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	99.22	84.27	14.95	0.00	0.00	5,000	770	72	150	470	230	--	--
02/22/02 ¹⁵	99.22	87.43	11.79	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.22	84.42	14.80	0.00	0.00	52,000	5,200	4,500	1,800	8,300	990	--	--
08/29/02 ¹⁵	99.22	84.24	14.98	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.22	84.69	14.53	0.00	0.00	40,000	4,900	3,800	1,100	7,000	1,000	--	--
02/28/03	99.22	87.81	11.41	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30/03 ¹⁷	99.22	86.97	12.25	0.00	0.00	46,000	4,300	3,100	1,400	7,500	670	--	--
08/22/03	99.22	85.16	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/24-25/03 ¹⁷	99.22	84.62	14.60	0.00	0.00	45,000	5,200	3,100	1,400	8,400	480	--	--
02/27/04	99.22	88.16	11.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/21/04 ¹⁷	99.22	85.39	13.83	0.00	0.00	53,000	6,100	5,400	1,800	11,000	370	--	--
08/26/04	99.22	85.30	13.92	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/04 ¹⁷	99.22	85.70	13.52	0.00	0.00	62,000	7,300	5,700	1,600	12,000	370	--	--
02/11/05	99.22	88.35	10.87	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/16/05 ¹⁷	99.22	88.20	11.02	0.00	0.00	49,000	3,400	4,100	1,600	7,900	180	--	--
08/31/05	99.22	86.76	12.46	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/30/05	99.22	UNABLE TO LOCATE		--	--	--	--	--	--	--	--	--	--
02/27/06	99.22	88.26	10.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/30-31/06 ^{17,19}	99.22	89.05	10.17	0.00	0.00	54,000	3,800	4,900	1,900	6,400	230	--	--
08/29/06 ¹⁷	99.22	86.83	12.39	0.00	0.00	63,000	3,300	4,900	1,400	5,900	210	--	--
12/13/06 ¹⁷	99.22	87.27	11.95	0.00	0.00	70,000	6,200	10,000	1,900	8,600	230	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING											--	--
05/30/07 ^{17,18}	99.22	87.42	11.80	0.00	0.00	71,000	3,500	6,700	1,500	5,900	150	--	--
08/29/07 ¹⁷	99.22	-- ²¹	-- ²¹	--	--	58,000	5,200	8,800	1,500	7,400	120	--	--
11/21/07 ^{17,18}	101.65	88.32	13.33	0.00	0.00	30,000	5,000	4,400	720	4,200	45	--	--
02/20/08	101.65	CONNECTED TO REMEDIATION SYSTEM				--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.65	89.47	12.18	0.00	0.00	37,000 ²²	5,300	6,100	1,100	6,700	36	--	--
06/24/08 ^{15,17,18}	NP	101.65	89.11	12.54	0.00	24,000	6,700	7,600	1,300	6,900	80	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE		TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-12 (cont)														
08/22/08 ^{15,17,18}	NP	101.65	77.41	24.24	0.00	0.00	29,000 ²²	3,200	5,100	360	5,700	38	--	--
11/21/08 ^{15,17,18}	NP	101.65	77.70	23.95	0.00	0.00	19,000	1,500	2,500	350	2,400	<25	--	--
02/03/09 ^{15,17,18}	NP	101.65	-- ²¹	--	--	--	16,000	1,600	2,500	380	2,800	22	--	--
MW-13														
06/28/89		--	85.25	13.22	--	--	54,000	12,000	10,000	1,900	15,000	--	--	--
10/03/89		--	84.93	13.54	--	--	120,000	10,000	10,000	2,300	15,000	--	--	--
01/04/90		98.47	84.83	13.64	--	--	87,000	6,800	10,000	2,000	12,000	--	--	--
04/03/90		98.47	85.52	12.95	--	--	53,000	12,000	14,000	2,900	17,000	--	--	--
07/03/90		98.47	85.42	13.05	--	--	90,000	8,400	11,000	2,000	11,000	--	--	--
11/06/90		98.47	84.35	14.12	--	--	--	--	--	--	--	--	--	--
01/04/91		98.47	84.42	14.05	--	--	72,000	5,500	12,000	2,300	12,000	--	--	--
04/03/91		98.47	87.06	11.41	--	--	--	--	--	--	--	--	--	--
07/02/91		98.47	85.30	13.17	--	--	120,000	12,000	13,000	2,500	14,000	--	--	--
10/02/91		98.47	84.23	14.24	--	--	--	--	--	--	--	--	--	--
01/02/92		98.47	84.34	14.13	0.03	--	--	--	--	--	--	--	--	--
04/07/92		98.47	85.41	13.06	--	--	--	--	--	--	--	--	--	--
08/13/92		98.47	84.21	14.26	--	--	84,000	7,400	11,000	2,600	13,000	--	--	--
12/03/92		98.47	83.65	14.82	--	--	--	--	--	--	--	--	--	--
03/25/93		98.47	87.74	10.73	--	--	97,000	5,200	2,500	7,200	12,000	--	--	--
06/23/93		98.47	86.50	11.97	--	--	--	--	--	--	--	--	--	--
09/21/93		98.47	85.39	13.08	--	--	80,000	7,600	9,000	2,900	14,000	--	--	--
12/02/93		98.47	85.02	13.45	--	--	--	--	--	--	--	--	--	--
03/08/94		98.47	86.72	11.75	--	--	78,000	5,300	7,600	2,600	10,000	--	--	--
06/13/94		98.47	86.17	12.30	--	--	--	--	--	--	--	--	--	--
10/04/94		98.47	84.29	14.18	--	--	39,000	2,300	2,700	850	4,600	--	--	--
11/14/94		98.47	85.85	12.62	--	--	--	--	--	--	--	--	--	--
05/15/95		98.47	88.54	9.93	--	--	--	--	--	--	--	--	--	--
08/04/95		98.47	87.39	11.08	--	--	47,000	7,700	10,000	2,900	10,000	--	--	--
11/28/95		98.47	85.52	12.95	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/20/96		98.47	88.61	9.86	--	--	59,000	5,500	5,500	2,900	8,800	<120	--	--
05/29/96		98.47	88.17	10.30	--	--	--	--	--	--	--	--	--	--
08/27/96		98.47	86.50	11.97	--	--	65,000	3,500	2,800	2,200	6,900	200	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-13 (cont)													
11/22/96	98.47	86.76	11.71	--	--	--	--	--	--	--	--	--	--
02/18/97	98.47	89.31	9.16	--	--	69,000	4,500	4,100	2,500	7,900	310	--	--
05/23/97	98.47	86.91	11.56	--	--	--	--	--	--	--	--	--	--
08/04/97	98.47	86.32	12.15	--	--	61,000	5,700	5,100	3,600	9,200	230	--	--
11/25/97	98.47	85.35	13.12	--	--	--	--	--	--	--	--	--	--
02/25/98	98.47	87.96	10.51	--	--	42,000	3,800	1,000	2,000	5,000	<250	--	--
05/21/98	98.47	89.12	9.35	--	--	--	--	--	--	--	--	--	--
08/19/98	98.47	84.47	14.00	--	--	57,000	1,600	440	1,900	4,500	<250	--	--
11/19/98	98.47	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/12/99	98.47	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
03/26/99	98.47	89.17	9.30	--	--	30,800	473	101	1,430	2,800	106	--	--
05/10/99	98.47	87.74	10.73	--	--	--	--	--	--	--	--	--	--
09/02/99	98.47	87.48	10.99	--	--	87,000	2,610	19,100	1,510	12,000	<2,500	--	--
02/03/00	98.47	88.02	10.45	--	--	2,900	200	16	200	340	68	--	--
05/09/00	98.47	87.95	10.52	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00	98.47	86.69	11.78	0.00	0.00	1,600 ⁸	15	4.1	7.3	160	<13	--	--
11/09-10/00	98.47	86.18	12.29	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01	98.47	85.76	12.71	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01	98.47	84.98	13.49	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01	98.47	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01	98.47	DRY	--	--	--	--	--	--	--	--	--	--	--
02/22/02	98.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
05/24/02	98.47	86.06	12.41	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02	98.47	85.57	12.90	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/29/02	98.47	85.86	12.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/03	98.47	88.48	9.99	0.00	0.00	340	<5.0	0.94	0.52	5.0	<10	--	--
05/30/03	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--	--	--
08/22/03 ^{17,18}	98.47	86.47	12.00	0.00	0.00	770	10	2	8	2	<0.5	--	--
11/24-25/03	98.47	85.85	12.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/04 ¹⁷	98.47	87.94	10.53	0.00	0.00	2,300	27	7	14	10	<0.5	--	--
06/21/04	98.47	86.24	12.23	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/26/04	98.47	85.25	13.22	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/29/04	98.47	DRY AT 13.50 FEET		--	--	--	--	--	--	--	--	--	--
02/11/05	98.47	85.63	12.84	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-13 (cont)													
06/16/05	98.47	88.28	10.19	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/31/05	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/30/05	98.47	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/27/06	98.47	INACCESSIBLE - UNABLE TO LOCATE					--	--	--	--	--	--	--
05/30-31/06	98.47	UNABLE TO LOCATE					--	--	--	--	--	--	--
08/29/06	98.47	UNABLE TO LOCATE					--	--	--	--	--	--	--
12/13/06	98.47	86.66	11.81	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/07 ¹⁷	98.47	88.36	10.11	0.00	0.00	14,000	31	100	720	1,100	<3	--	--
05/30/07	98.47	86.83	11.64	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/07 ¹⁷	98.47	85.49	12.98	0.00	0.00	14,000	41	380	810	1,300	<1	--	--
11/21/07	98.47	85.40	13.07	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/08 ¹⁷	98.47	88.12	10.35	0.00	0.00	2,800	4	8	95	130	<0.5	--	--
05/21/08	98.47	86.21	12.26	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/24/08	98.47	86.09	12.38	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08 ¹⁷	98.47	84.27	14.20	0.00	0.00	7,500 ²⁴	5	26	380	400	<0.5	--	--
11/21/08	98.47	82.64	15.83	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/03/09 ¹⁷	98.47	82.77	15.70	0.00	0.00	8,400	21	36	630	920	<1	--	--
MW-14													
08/29/90	--	78.29	21.39	--	--	970	4.0	2.0	0.7	2.0	--	--	1.0
11/06/90	--	78.06	21.62	--	--	920	10	10	4.0	9.0	--	--	--
01/04/91	99.68	77.99	21.69	--	--	1,000	<0.5	4.0	2.6	4.2	--	--	--
04/03/91	99.68	80.15	19.53	--	--	1,200	380	6.0	7.0	18	--	--	--
07/02/91	99.68	78.75	20.93	--	--	460	27	1.0	1.2	1.0	--	--	--
10/02/91	99.68	78.16	21.52	--	--	480	6.7	0.8	1.4	1.8	--	--	--
01/02/92	99.68	78.25	21.43	--	--	1,100	2.4	1.5	6.2	18	--	--	--
04/07/92	99.68	78.32	21.36	--	--	290	<0.5	1.4	<0.5	1.2	--	--	--
08/13/92	99.68	78.61	21.07	--	--	370	10	1.2	<0.5	0.9	--	--	--
12/03/92	99.68	78.01	21.67	--	--	230	1.3	<0.5	<0.5	<0.5	--	--	--
03/25/93	99.68	80.65	19.03	--	--	390	57	2.1	1.3	1.7	--	--	--
06/23/93	99.68	79.74	19.94	--	--	4,400	460	220	16	62	--	--	--
09/21/93	99.68	79.03	20.65	--	--	680	8.7	1.7	3.2	12	--	--	--
12/02/93	99.68	78.63	21.05	--	--	900	0.8	7.0	3.0	7.0	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-14 (cont)													
03/08/94	99.68	79.63	20.05	--	--	1,700	2.4	7.7	5.6	14	--	--	--
06/13/94	99.68	79.47	20.21	--	--	750	0.8	8.0	3.2	5.7	--	--	--
10/04/94	99.68	78.98	20.70	--	--	130	3.4	5.4	<0.5	2.0	--	--	--
11/14/94	99.68	79.68	20.00	--	--	9,900	620	1,600	120	920	--	--	--
05/15/95	99.68	81.19	18.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.68	80.30	19.38	--	--	1,000	170	58	6.6	20	--	--	--
11/28/95	99.68	79.35	20.33	--	--	1,500	300	72	65	190	<6.0	--	--
02/20/96	99.68	82.72	16.96	--	--	70	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	99.68	81.10	18.58	--	--	1,600	170	39	5.0	21	6.3	--	--
08/27/96	99.68	79.89	19.79	--	--	80	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	99.68	80.13	19.55	--	--	620	49	13	7.2	22	210	--	--
02/18/97	99.68	82.37	17.31	--	--	190	14	9.6	3.1	15	<5.0	--	--
05/23/97	99.68	80.12	19.56	--	--	130	18	16	3.4	17	<5.0	--	--
08/04/97	99.68	79.80	19.88	--	--	200	8.3	7.9	4.1	10	<5.0	--	--
11/25/97	99.68	79.91	19.77	--	--	530	42	62	10	37	<5.0	--	--
02/25/98	99.68	85.40	14.28	--	--	220	26	10	7.0	22	23	--	--
05/21/98	99.68	81.90	17.78	--	--	8,300	1,400	48	29	59	<50	--	--
08/19/98	99.68	80.35	19.33	--	--	7,900	610	390	51	300	<250	--	--
11/19/98	99.68	79.40	20.28	--	--	87	1.0	<0.5	<0.5	<0.5	27	--	--
02/12/99	99.68	81.36	18.32	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	99.68	80.57	19.11	--	--	1,930	254	41.2	6.71	23	76.4/<5.0 ⁷	--	--
09/02/99	99.68	79.57	20.11	--	--	647	38.1	1.45	<0.5	1.32	10.8	--	--
02/03/00	99.68	80.80	18.88	--	--	UNABLE TO SAMPLE		--	--	--	--	--	--
05/09/00	99.68	80.99	18.69	0.00	0.00	370 ⁹	9.7	2.2	1.3	1.5	13	--	--
08/02/00	99.68	79.99	19.69	0.00	0.00	80 ¹⁰	1.2	1.8	0.85	1.2	3.1	--	--
11/09-10/00	99.68	79.49	20.19	0.00	0.00	92.3	<0.500	0.921	<0.500	<0.500	<2.50	--	--
02/08/01	99.68	79.01	20.67	0.00	0.00	728 ¹¹	33.7	<5.00	<5.00	<5.00	<25.0	--	--
05/02/01	99.68	79.68	20.00	0.00	0.00	338	3.28	<5.00	<5.00	<5.00	1.35	--	--
08/28/01	99.68	79.06	20.62	0.00	0.00	83 ¹⁴	1.7	0.64	<0.50	<0.50	2.6	--	--
11/26/01	99.68	79.13	20.55	0.00	0.00	240	2.8	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	99.68	80.41	19.27	0.00	0.00	4,000	460	140	55	51	<20	--	--
05/24/02	99.68	79.98	19.70	0.00	0.00	5,800	580	360	61	340	<20	--	--
08/29/02	99.68	79.16	20.52	0.00	0.00	360	14	0.98	<0.50	2.3	<2.5	--	--
11/29/02	99.68	78.98	20.70	0.00	0.00	1,400	32	1.8	0.62	2.6	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	SPH REMOVED (<i>gallons</i>)	TPH- GRO (<i>µg/L</i>)	B (<i>µg/L</i>)	T (<i>µg/L</i>)	E (<i>µg/L</i>)	X (<i>µg/L</i>)	MTBE (<i>µg/L</i>)	EDB (<i>µg/L</i>)	DCE (<i>µg/L</i>)
MW-14 (cont)													
02/28/03	99.68	80.41	19.27	0.00	0.00	320	<5.0	0.64	<0.50	<1.5	<10	--	--
05/30/03 ¹⁷	99.68	80.58	19.10	0.00	0.00	560	150	7	4	8	<0.5	--	--
08/22/03 ¹⁷	99.68	79.96	19.72	0.00	0.00	690	<0.5	<0.5	<0.5	0.6	<0.5	--	--
11/24-25/03 ¹⁷	99.68	79.10	20.58	0.00	0.00	52	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	99.68	80.48	19.20	0.00	0.00	330	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	99.68	79.66	20.02	0.00	0.00	<50	1	<0.5	<0.5	1	<0.5	--	--
08/26/04 ¹⁷	99.68	79.08	20.60	0.00	0.00	160	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	99.68	79.16	20.52	0.00	0.00	57	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	99.68	80.10	19.58	0.00	0.00	160	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	99.68	80.94	18.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	99.68	80.05	19.63	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05	99.68	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/27/06	99.68	INACCESSIBLE - WELL BOX FLOODED					--	--	--	--	--	--	--
05/30-31/06 ¹⁷	99.68	81.57	18.11	0.00	0.00	630	41	17	9	21	<0.5	--	--
08/29/06 ¹⁷	99.68	80.34	19.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	99.68	80.50	19.18	0.00	0.00	97	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	99.68	81.30	18.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	99.68	79.77	19.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	99.68	79.39	20.29	0.00	0.00	<50	<0.5	<0.5	0.8	1	<0.5	--	--
11/21/07 ¹⁷	101.99	81.51	20.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	101.99	83.35	18.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	101.99	82.23	19.76	0.00	0.00	52 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	101.99	82.02	19.97	0.00	0.00	<50	<0.5	3	0.7	4	<0.5	--	--
08/22/08 ¹⁷	101.99	81.68	20.31	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/08 ¹⁷	101.99	80.13	21.86	0.00	0.00	87	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/03/09 ¹⁷	101.99	80.96	21.03	0.00	0.00	52	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-15													
08/29/90	--	79.48	16.58	--	--	2,000	26	2.0	72	110	--	--	--
11/06/90	--	78.63	17.43	--	--	1,300	40	5.0	45	63	--	--	--
01/04/91	96.06	79.69	16.37	--	--	1,700	46	2.8	58	86	--	--	--
04/03/91	96.06	83.60	12.46	--	--	2,100	74	0.8	44	85	--	--	--
07/02/91	96.06	79.53	16.53	--	--	1,700	39	<0.5	35	46	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-15 (cont)													
10/02/91	96.06	78.73	17.33	--	--	1,100	50	<0.5	40	33	--	--	--
01/02/92	96.06	79.60	16.46	--	--	1,300	51	<0.5	30	30	--	--	--
04/07/92	96.06	81.36	14.70	--	--	2,600	98	<5.0	64	36	--	--	--
08/13/92	96.06	79.34	16.72	--	--	510	55	<0.5	35	2.8	--	--	--
12/03/92	96.06	78.63	17.43	--	--	1,000	64	0.9	22	4.4	--	--	--
03/25/93	96.06	82.73	13.33	--	--	1,300	86	52	0.7	7.7	--	--	--
06/23/93	96.06	80.83	15.23	--	--	7,300	34	<0.5	85	160	--	--	--
09/21/93	96.06	79.74	16.32	--	--	1,500	39	<0.5	32	33	--	--	--
12/02/93	96.06	79.49	16.57	--	--	990	28	4.0	8.0	10	--	--	--
03/08/94	96.06	81.45	14.61	--	--	3,400	44	4.0	28	53	--	--	--
10/04/94	96.06	79.58	16.48	--	--	310	11	10	2.2	12	--	--	--
11/14/94	96.06	81.86	14.20	--	--	450	27	2.4	2.2	4.2	--	--	--
05/15/95	96.06	82.68	13.38	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	96.06	81.15	14.91	--	--	<50	0.6	<0.5	<0.5	0.8	--	--	--
11/28/95	96.06	79.94	16.12	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.60	--	--
02/20/96	96.06	85.08	10.98	--	--	1,600	25	0.5	20	38	16	--	--
05/29/96 ⁴	96.06	--	--	--	--	--	--	--	--	--	--	--	--
08/27/96	96.06	80.62	15.44	--	--	80	<0.5	<0.5	<0.5	0.7	<5.0	--	--
11/22/96	96.06	81.57	14.49	--	--	1,500	14	<0.5	6.1	12	7.2	--	--
02/18/97	96.06	83.89	12.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	96.06	81.03	15.03	--	--	130	20	9.7	0.9	1.5	<5.0	--	--
08/04/97	96.06	80.58	15.48	--	--	60	1.3	<0.5	<0.5	1.1	<5.0	--	--
11/25/97	96.06	80.67	15.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	96.06	89.53	6.53	--	--	4,300	27	<10	37	46	<50	--	--
05/21/98	96.06	83.09	12.97	--	--	430	25	<0.5	2.3	1.2	<2.5	--	--
08/19/98	96.06	81.16	14.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	96.06	80.01	16.05	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	96.06	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
05/10/99	96.06	81.67	14.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	96.06	80.53	15.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	96.06	83.82	12.24	--	--	480	2.5	<1.0	2.6	1.4	<5.0	--	--
05/09/00	96.06	82.41	13.65	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	96.06	81.04	15.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	96.06	80.54	15.52	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-15 (cont)													
02/08/01	96.06	80.36	15.70	0.00	0.00	92.6 ¹¹	0.894	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	96.06	81.44	14.62	0.00	0.00	<50.0 ¹²	0.830	<5.00	<5.00	5.94	<0.500	--	--
08/28/01	96.06	80.15	15.91	0.00	0.00	<50	<0.50	0.71	<0.50	<0.50	<2.5	--	--
11/26/01	96.06	80.65	15.41	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	96.06	82.51	13.55	0.00	0.00	99	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	96.06	81.45	14.61	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/29/02	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/28/03	96.06	81.80	14.26	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	96.06	81.86	14.20	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	96.06	81.00	15.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
02/27/04 ¹⁷	96.06	85.59	10.47	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	96.06	80.88	15.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	96.06	80.74	15.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	96.06	80.58	15.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	96.06	82.17	13.89	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	96.06	82.11	13.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/30/05 ¹⁷	96.06	80.34	15.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/06 ¹⁷	96.06	82.57	13.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	96.06	83.08	12.98	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	96.06	81.51	14.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	96.06	82.38	13.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	96.06	83.98	12.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	96.06	80.82	15.24	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	96.06	80.35	15.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07 ¹⁷	98.28	82.49	15.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	98.28	85.03	13.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	98.28	82.93	15.35	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	98.28	82.68	15.60	0.00	0.00	<50	<0.5	6	2	10	<0.5	--	--
08/22/08 ¹⁷	98.28	82.17	16.11	0.00	0.00	<50 ²²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/08 ¹⁷	98.28	81.66	16.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/03/09 ¹⁷	98.28	81.99	16.29	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-16													
08/29/90	--	77.26	20.89	--	--	11,000	6,000	51	1,100	20	--	--	--
11/06/90	--	76.88	21.27	--	--	15,000	6,300	340	1,300	540	--	--	--
01/04/91	98.15	76.52	21.63	--	--	16,000	6,800	820	1,300	1,500	--	--	--
04/03/91	98.15	78.83	19.32	--	--	45,000	7,300	2,200	1,800	4,900	--	--	--
07/02/91	98.15	77.47	20.68	--	--	30,000	6,400	530	1,500	1,800	--	--	--
10/02/91	98.15	76.97	21.18	--	--	24,000	4,600	450	1,400	1,600	--	--	--
01/02/92	98.15	76.85	21.30	--	--	20,000	4,700	240	1,200	1,100	--	--	--
04/07/92	98.15	77.96	20.19	--	--	40,000	5,000	980	1,100	2,100	--	--	--
08/13/92	98.15	77.38	20.77	--	--	17,000	4,500	240	860	530	--	--	--
12/03/92	98.15	76.71	21.44	--	--	39,000	4,600	410	1,100	2,200	--	--	--
03/25/93	98.15	79.32	18.83	--	--	39,000	5,500	1,400	690	2,000	--	--	--
06/23/93	98.15	78.43	19.72	--	--	29,000	6,600	1,200	1,400	3,700	--	--	--
09/21/93	98.15	77.77	20.38	--	--	36,000	6,300	340	1,200	1,800	--	--	--
12/02/93	98.15	77.31	20.84	--	--	28,000	5,600	230	900	820	--	--	--
03/08/94	98.15	77.88	20.27	--	--	35,000	6,500	760	1,000	1,300	--	--	--
10/04/94	98.15	77.57	20.58	--	--	39,000	9,700	680	1,300	3,300	--	--	--
11/14/94	98.15	78.03	20.12	--	--	26,000	5,500	640	690	1,800	--	--	--
05/15/95	98.15	79.99	18.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	98.15	78.85	19.30	--	--	23,000	6,200	1,900	1,500	4,500	--	--	--
11/28/95	98.15	77.73	20.42	--	--	38,000	6,200	1,700	1,800	5,700	<120	--	--
02/20/96	98.15	81.75	16.40	--	--	46,000	6,600	2,200	2,400	7,300	<250	--	--
05/29/96	98.15	79.61	18.54	--	--	54,000	6,300	1,600	2,200	7,900	<250	--	--
08/27/96	98.15	78.73	19.42	--	--	45,000	4,100	260	1,600	2,800	<250	--	--
11/22/96	98.15	78.79	19.36	--	--	36,000	3,500	120	1,400	1,500	260	--	--
02/18/97	98.15	80.93	17.22	--	--	62,000	5,800	1,300	2,200	8,900	160	--	--
05/23/97	98.15	78.67	19.48	--	--	32,000	4,000	370	1,900	2,900	<250	--	--
08/04/97	98.15	78.43	19.72	--	--	26,000	3,300	280	2,100	1,500	200	--	--
11/25/97	98.15	78.42	19.73	--	--	38,000	3,900	370	2,400	3,000	250	--	--
02/25/98	98.15	84.13	14.02	--	--	60,000	6,400	1,400	2,200	13,000	<1,000	--	--
05/21/98	98.15	80.24	17.91	--	--	71,000	5,100	1,200	2,300	8,200	560	--	--
08/19/98	98.15	78.90	19.25	--	--	40,000	2,300	740	1,700	2,700	<250	--	--
11/19/98	98.15	77.85	20.30	--	--	51,000	2,900	<200	2,200	6,300	<1,000	--	--
02/12/99	98.15	80.24	17.91	--	--	11,000	1,100	81	810	470	130	--	--
05/10/99	98.15	79.02	19.13	--	--	52,300	4,100	587	2,430	8,800	708/<66.7 ⁷	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-16 (cont)													
09/02/99	98.15	78.16	19.99	--	--	26,600	1,400	1,540	1,480	2,940	<500	--	--
02/03/00	98.15	79.50	18.65	--	--	47,000	5,600	620	3,000	14,000	450	--	--
05/09/00	99.15	80.58	18.57	0.00	0.00	15,000 ⁸	990	100	800	2,000	410	--	--
08/02/00	99.15	79.57	19.58	0.00	0.00	10,000 ⁸	1,100	95	1,000	2,300	<130	--	--
11/09-10/00	99.15	79.13	20.02	0.00	0.00	5,580	334	49.3	530	256	33.6	--	--
02/08/01	99.15	78.56	20.59	0.00	0.00	25,400 ¹¹	1,340	99.9	1,380	2,700	350	--	--
05/02/01	99.15	79.44	19.71	0.00	0.00	45,600	2,130	83.6	<2,500	7,460	13.3	--	--
08/28/01	99.15	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--	--	--	--
11/26/01	99.15	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--	--	--	--
02/22/02	99.15	80.05	19.10	0.00	0.00	32,000	1,300	110	1,800	6,100	<50	--	--
05/24/02	99.15	79.65	19.50	0.00	0.00	13,000	590	29	830	1,000	<20	--	--
08/29/02	99.15	78.94	20.21	0.00	0.00	9,800	500	28	670	430	<10	--	--
11/29/02	99.15	78.66	20.49	0.00	0.00	23,000	1,600	110	1,200	3,400	<10	--	--
02/28/03	99.15	79.97	19.18	0.00	0.00	20,000	1,300	90	1,000	3,300	<100	--	--
05/30/03 ¹⁷	99.15	80.34	18.81	0.00	0.00	47,000	2,100	160	2,000	8,100	<3	--	--
08/22/03 ¹⁷	99.15	79.59	19.56	0.00	0.00	25,000	1,300	94	1,200	3,200	2	--	--
11/24-25/03 ¹⁷	99.15	78.77	20.38	0.00	0.00	13,000	660	47	800	950	4	--	--
02/27/04 ¹⁷	99.15	82.32	16.83	0.00	0.00	20,000	1,000	70	1,000	3,100	3	--	--
06/21/04 ¹⁷	99.15	82.93	16.22	0.00	0.00	11,000	780	23	680	530	7	--	--
08/26/04 ¹⁷	99.15	78.90	20.25	0.00	0.00	7,600	540	16	450	100	8	--	--
11/29/04 ¹⁷	99.15	78.83	20.32	0.00	0.00	7,600	370	15	370	310	6	--	--
02/11/05 ¹⁷	99.15	79.77	19.38	0.00	0.00	42,000	1,800	120	1,800	6,900	3	--	--
06/16/05 ¹⁷	99.15	80.52	18.63	0.00	0.00	2,000	170	13	170	250	4	--	--
08/31/05 ¹⁷	99.15	79.72	19.43	0.00	0.00	30,000	1,800	100	1,800	5,700	3	--	--
11/30/05 ¹⁷	99.15	78.88	20.27	0.00	0.00	8,600	370	27	400	620	8	--	--
02/27/06 ¹⁷	99.15	80.22	18.93	0.00	0.00	4,600	110	9	120	220	7	--	--
05/30-31/06 ¹⁷	99.15	81.03	18.12	0.00	0.00	13,000	590	<1	860	1,400	3	--	--
08/29/06 ¹⁷	99.15	80.04	19.11	0.00	0.00	14,000	470	38	480	1,300	2	--	--
12/13/06 ¹⁷	99.15	80.08	19.07	0.00	0.00	17,000	590	43	860	1,600	5	--	--
02/28/07 ¹⁷	99.15	81.09	18.06	0.00	0.00	15,000	510	42	560	1,600	5	--	--
05/30/07 ¹⁷	99.15	79.51	19.64	0.00	0.00	11,000	440	25	470	510	7	--	--
08/29/07 ¹⁷	99.15	79.33	19.82	0.00	0.00	6,200	320	14	250	120	6.00	--	--
11/21/07 ¹⁷	100.56	80.45	20.11	0.00	0.00	5,900	410	17	260	35	13	--	--
02/20/08 ¹⁷	100.56	82.00	18.56	0.00	0.00	27,000	1,200	91	1,500	4,700	4	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-16 (cont)													
05/21/08 ¹⁷	100.56	81.11	19.45	0.00	0.00	17,000 ²²	920	58	1,200	2,800	7	--	--
06/24/08 ¹⁷	100.56	80.98	19.58	0.00	0.00	6,500	360	21	380	510	10	--	--
08/22/08 ¹⁷	100.56	80.61	19.95	0.00	0.00	12,000 ²⁵	260	10	320	330	10	--	--
11/21/08 ¹⁷	100.56	81.10	19.46	0.00	0.00	3,300	120	6	100	76	12	--	--
02/03/09 ¹⁷	100.56	79.88	20.68	0.00	0.00	4,700	160	6	160	33	14	--	--
MW-18													
08/04/97	--	--	16.60	--	--	66,000	8,600	6,100	2,800	12,000	190	--	--
11/25/97	--	--	16.22	--	--	90,000	8,500	6,000	3,400	14,000	1,200	--	--
02/25/98	--	--	12.75	--	--	60,000	6,600	4,000	2,300	11,000	<120	--	--
05/21/98	--	--	15.24	--	--	70,000	4,700	1,800	1,700	9,600	880	--	--
08/19/98	--	--	16.34	--	--	93,000	4,900	1,700	2,100	9,000	<250	--	--
11/19/98	--	--	17.15	--	--	62,000	5,600	2,300	2,700	12,000	1,800	--	--
02/12/99	--	--	16.08	--	--	48,000	3,700	2,400	1,900	8,800	1,900	--	--
05/10/99	--	--	14.98	--	--	54,700	3,250	1,770	1,900	7,570	1,270/<66.7 ⁷	--	--
09/02/99	--	--	15.86	--	--	34,400	2,120	1,230	1,420	5,460	<500	--	--
02/03/00	--	--	15.91	--	--	46,000	2,500	1,100	1,900	8,800	<1,000	--	--
05/09/00	--	--	13.93	0.00	0.00	30,000 ⁸	1,400	410	440	4,700	1,300	--	--
08/02/00	--	--	15.25	0.00	0.00	22,000 ⁸	1,200	480	1,400	5,800	<130	--	--
11/09-10/00	--	--	15.85	0.00	0.00	29,500	1,130	474	2,020	6,270	333	--	--
02/08/01	--	--	16.27	0.00	0.00	61,600 ¹¹	1,700	<500	2,690	8,110	<2,500	--	--
05/02/01	--	--	16.15	0.00	0.00	57,800	1,040	104	<2,500	6,670	20.1	--	--
08/28/01	--	--	17.03	0.00	0.00	32,000 ¹³	1,200	370	2,100	5,600	790	--	--
11/26/01	--	--	16.64	0.00	0.00	41,000	780	320	1,800	5,600	<200	--	--
02/22/02	--	--	14.93	0.00	0.00	44,000	950	270	1,300	3,900	<100	--	--
05/24/02	--	--	15.92	0.00	0.00	36,000	1,200	460	1,600	4,800	<50	--	--
08/29/02	--	--	16.56	0.00	0.00	37,000	970	520	1,900	4,800	<50	--	--
11/29/02	--	--	16.51	0.00	0.00	36,000	710	350	1,900	5,300	<20	--	--
02/28/03	--	--	14.53	0.00	0.00	19,000	350	130	270	2,500	<200	--	--
05/30/03 ¹⁷	--	--	14.56	0.00	0.00	29,000	390	110	890	2,700	<3	--	--
08/22/03 ¹⁷	--	--	14.70	0.00	0.00	17,000	270	67	600	1,700	<1	--	--
11/24-25/03 ¹⁷	--	--	16.39	0.00	0.00	23,000	320	39	980	2,100	<1	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-18 (cont)													
02/27/04 ¹⁷	--	--	13.77	0.00	0.00	18,000	200	29	310	1,400	<1	--	--
06/21/04 ¹⁷	--	--	15.55	0.00	0.00	30,000	380	40	1,700	2,800	<3	--	--
08/26/04 ¹⁷	--	--	16.69	0.00	0.00	25,000	360	27	1,100	1,800	<3	--	--
11/29/04 ¹⁷	--	--	16.45	0.00	0.00	27,000	380	30	1,200	1,900	<2	--	--
02/11/05 ¹⁷	--	--	14.48	0.00	0.00	26,000	450	44	1,600	2,500	<1	--	--
06/16/05	--	--	14.06	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/31/05 ¹⁷	--	--	15.08	0.00	0.00	27,000	440	57	1,900	2,400	<3	--	--
11/30/05	--	--	16.01	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/27/06 ¹⁷	--	--	13.63	0.00	0.00	31,000	440	81	1,500	1,900	<1	--	--
05/30-31/06	--	--	12.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/06 ¹⁷	--	--	14.85	0.00	0.00	28,000	270	49	1,600	1,500	<3	--	--
12/13/06	--	--	15.11	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/28/07 ¹⁷	--	--	13.37	0.00	0.00	27,000	280	61	1,400	1,400	<3	--	--
05/30/07	--	--	15.13	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/07 ¹⁷	--	--	16.14	0.00	0.00	26,000	200	42	1,700	1,600	<5	--	--
11/21/07	--	--	16.13	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/08 ¹⁷	--	--	12.83	0.00	0.00	24,000	190	44	1,700	1,700	<2	--	--
05/21/08	--	--	14.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
06/24/08	--	--	15.55	0.00	0.00	--	--	--	--	--	--	--	--
08/22/08 ¹⁷	--	--	16.78	0.00	0.00	23,000	180	55	1,600	1,700	<1	--	--
11/21/08	--	--	17.80	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/03/09 ¹⁷	--	--	17.89	0.00	0.00	23,000	280	77	1,600	1,500	<1	--	--
MW-19													
05/30-31/06 ^{17,19}	--	--	10.68	0.00	0.00	3,100	94	170	59	310	100	--	--
08/29/06 ¹⁷	--	--	12.62	0.00	0.00	13,000	1,900	480	150	870	120	--	--
12/13/06 ¹⁷	--	--	12.26	0.00	0.00	8,800	1,600	100	18	360	88	--	--
02/28/07 ¹⁷	--	--	10.24	0.00	0.00	3,100	480	17	3	170	83	--	--
05/30/07	--	--	12.71	0.00	0.00	25,000	7,800	160	31	450	63	--	--
08/29/07 ¹⁷	--	--	14.02	0.00	0.00	25,000	8,900	170	34	390	56	--	--
11/21/07 ¹⁷	--	--	13.81	0.00	0.00	13,000	6,100	120	21	270	60	--	--
02/20/08 ¹⁷	--	--	11.62	0.00	0.00	66	3	<0.5	<0.5	<0.5	29	--	--
05/21/08 ¹⁷	--	--	13.02	0.00	0.00	130 ²²	40	0.5	2	0.8	29	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	SPH REMOVED (<i>gallons</i>)	TPH- GRO (<i>µg/L</i>)	B (<i>µg/L</i>)	T (<i>µg/L</i>)	E (<i>µg/L</i>)	X (<i>µg/L</i>)	MTBE (<i>µg/L</i>)	EDB (<i>µg/L</i>)	DCE (<i>µg/L</i>)
MW-19 (cont)													
06/24/08 ¹⁷	--	--	13.40	0.00	0.00	700	730	12	39	7	31	--	--
08/22/08 ¹⁷	--	--	15.07	0.00	0.00	310	16	<0.5	1	0.7	11	--	--
11/21/08 ¹⁷	--	--	16.06	0.00	0.00	55	5	<0.5	<0.5	<0.5	1	--	--
02/03/09 ¹⁷	--	--	15.69	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	--
P-1													
08/13/92	--	76.41	10.02	--	--	--	--	--	--	--	--	--	--
12/03/92	--	75.63	10.80	--	--	--	--	--	--	--	--	--	--
03/25/93	86.43	77.48	8.95	--	--	--	--	--	--	--	--	--	--
02/11/05 ¹⁹	86.43	77.23	9.20	0.00	0.00	110	4	0.6	<0.5	0.5	10	--	--
06/16/05 ¹⁷	86.43	78.06	8.37	0.00	0.00	53	<0.5	<0.5	<0.5	<0.5	7	--	--
08/31/05 ¹⁷	NP	86.43	77.48	8.95	0.00	<50	<0.5	<0.5	<0.5	<0.5	9	--	--
11/30/05 ¹⁷	86.43	76.57	9.86	0.00	0.00	60	<0.5	<0.5	<0.5	<0.5	13	--	--
02/27/06 ¹⁷	86.43	77.48	8.95	0.00	0.00	310	31	0.9	1	1	7	--	--
05/30-31/06 ¹⁷	NP	86.43	78.23	8.20	0.00	84	3	0.6	<0.5	0.7	4	--	--
08/29/06	86.43	INACCESSIBLE - UNABLE TO GET ACCESS				--	--	--	--	--	--	--	--
12/13/06 ¹⁷	86.43	77.30	9.13	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5	--	--
02/28/07 ¹⁷	86.43	77.82	8.61	0.00	0.00	160	8	<0.5	<0.5	<0.5	8	--	--
05/30/07 ¹⁷	NP	86.43	77.23	9.20	0.00	<50	<0.5	0.6	<0.5	<0.5	6	--	--
08/29/07 ¹⁷	86.43	77.25	9.18	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	8	--	--
11/21/07	88.63	INACCESSIBLE - UNABLE TO ACCESS WELL				--	--	--	--	--	--	--	--
02/20/08 ¹⁷	88.63	80.10	8.53	0.00	0.00	53	<0.5	<0.5	<0.5	<0.5	8	--	--
05/21/08 ¹⁷	88.63	79.62	9.01	0.00	0.00	<50 ²²	<0.5	0.9	<0.5	<0.5	7	--	--
06/24/08 ¹⁷	88.63	79.55	9.08	0.00	0.00	<50	<0.5	0.6	<0.5	<0.5	8	--	--
08/22/08 ¹⁷	88.63	79.39	9.24	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	7	--	--
11/21/08 ¹⁷	88.63	78.85	9.78	0.00	0.00	<50	<0.5	0.7	<0.5	<0.5	9	--	--
02/03/09 ¹⁷	NP	88.63	78.45	10.18	0.00	<50	2	<0.5	<0.5	<0.5	14	--	--
DVE-9													
05/30-31/06 ^{17,19}	--	--	11.09	0.00	0.00	54,000	2,700	9,100	1,800	7,700	190	--	--
08/29/06 ¹⁷	--	--	13.51	0.00	0.00	65,000	2,200	8,600	1,400	5,900	190	--	--
12/13/06 ¹⁷	--	--	12.60	0.00	0.00	73,000	3,400	12,000	2,100	8,700	140	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
DVE-9 (cont)													
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING												
05/30/07 ^{17,18}	--	--	12.21	0.00	0.00	80,000	2,100	14,000	2,300	9,800	51	--	--
08/29/07 ¹⁷	--	--	-- ²¹	--	--	57,000	2,400	12,000	1,500	7,200	96	--	--
11/21/07 ^{17,18}	102.60	88.87	13.73	0.00	0.00	60,000	2,700	15,000	1,200	7,500	44	--	--
02/20/08 ²²	102.60	--	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	102.60	89.80	12.80	0.00	0.00	43,000 ²²	1,300	12,000	1,200	6,900	60	--	--
06/24/08 ^{15,17,18}	NP	89.38	13.22	0.00	0.00	15,000	1,200	13,000	1,300	7,100	44	--	--
08/22/08 ^{15,17,18}	NP	78.63	23.97	0.00	0.00	57,000	1,400	15,000	1,300	7,700	130	--	--
11/21/08 ^{15,17,18}	NP	77.65	24.95	0.00	0.00	45,000	1,700	7,800	1,100	8,500	180	--	--
02/03/09 ^{15,17,18}	NP	102.60	-- ²¹	--	--	15,000	920	1,100	140	2,000	190	--	--
DVE-12													
05/30-31/06 ^{17,19}	--	--	9.93	0.00	0.00	110,000	5,900	20,000	2,100	11,000	210	--	--
08/29/06 ¹⁷	--	--	12.16	0.00	0.00	100,000	5,300	25,000	2,200	11,000	110	--	--
12/13/06 ¹⁷	--	--	12.11	0.00	0.00	120,000	4,400	28,000	1,800	9,300	140	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING												
05/30/07 ^{17,18}	--	--	12.41	0.00	0.00	120,000	4,600	29,000	2,300	12,000	95	--	--
08/29/07 ¹⁷	--	-- ²¹	-- ²¹	--	--	86,000	38,000	21,000	1,500	8,300	79	--	--
11/21/07 ^{17,18}	101.77	88.74	13.03	0.00	0.00	52,000	3,100	11,000	800	5,800	11	--	--
02/20/08 ²²	101.77	--	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	101.77	89.76	12.01	0.00	0.00	56,000 ²²	3,600	18,000	1,100	8,600	29	--	--
06/24/08 ^{15,17,18}	NP	89.11	12.66	0.00	0.00	52,000	3,900	20,000	1,200	9,000	36	--	--
08/22/08 ^{15,17,18}	NP	78.10	23.67	0.00	0.00	60,000	2,900	16,000	910	8,900	24	--	--
11/21/08 ^{15,17,18}	NP	77.50	24.27	0.00	0.00	54,000	790	13,000	550	6,900	18	--	--
02/03/09 ^{15,17,18}	NP	101.77	-- ²¹	--	--	43,000	850	12,000	800	6,100	12	--	--
DVE-20													
05/30-31/06 ^{17,19}	--	--	10.30	0.00	0.00	64,000	1,500	6,000	1,600	7,700	6	--	--
08/29/06 ¹⁷	--	--	12.73	0.00	0.00	37,000	840	1,800	1,800	6,400	7	--	--
12/13/06 ¹⁷	--	--	12.34	0.00	0.00	43,000	540	1,800	1,800	9,700	<5	--	--
02/28/07	DISCONTINUED FROM MONITORING/SAMPLING												

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
DVE-20 (cont)													
05/30/07 ^{17,18}	--	--	12.19	0.00	0.00	53,000	590	4,000	1,900	10,000	<5	--	--
08/29/07 ¹⁷	--	-- ²¹	-- ²¹	--	--	42,000	490	3,800	1,800	9,100	<10	--	--
11/21/07 ^{17,18}	102.64	89.00	13.64	0.00	0.00	27,000	92	530	790	5,600	<3	--	--
02/20/08 ²²	102.64	--	--	--	--	--	--	--	--	--	--	--	--
05/21/08 ^{15,17,18}	102.64	89.67	12.97	0.00	0.00	20,000 ²²	78	540	910	5,400	2	--	--
06/24/08 ^{15,17,18}	NP	89.67	12.97	0.00	0.00	12,000	61	540	1,000	5,900	1	--	--
08/22/08 ^{15,17,18}	NP	79.53	23.11	0.00	0.00	23,000	220	1,600	510	5,800	19	--	--
11/21/08 ^{15,17,18}	NP	78.11	24.53	0.00	0.00	4,400	93	120	16	890	10	--	--
02/03/09 ^{15,17,18}	NP	102.64	-- ²¹	--	--	920	11	2	0.9	69	10	--	--
MW-17													
08/13/92	--	82.70	23.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/03/92	--	81.26	24.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/25/93	106.00	83.86	22.14	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	106.00	82.98	23.02	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--
09/21/93	106.00	82.91	23.09	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	--	--
12/02/93	106.00	82.63	23.37	--	--	--	--	--	--	--	--	--	--
03/08/94	106.00	83.17	22.83	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/13/94	106.00	83.38	22.62	--	--	<50	1.2	1.1	<0.5	0.9	--	--	--
10/04/94	106.00	83.00	23.00	--	--	62	8.0	2.9	0.7	3.1	--	--	--
11/14/94	106.00	82.97	23.03	--	--	550	22	120	8.9	84	--	--	--
05/15/95	106.00	84.28	21.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	106.00	83.63	22.37	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	106.00	83.03	22.97	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.6	--	--
02/20/96	106.00	84.22	21.78	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	106.00	84.28	21.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/27/96	106.00	83.57	22.43	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	106.00	83.18	22.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/18/97	106.00	84.69	21.31	--	--	140	34	11	1.6	7.7	71	--	--
05/23/97	106.00	83.75	22.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	106.00	83.47	22.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	106.00	83.09	22.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-17 (cont)													
02/25/98	106.00	86.37	19.63	--	--	<50	3.8	3.3	1.3	4.2	3.5	--	--
05/21/98	106.00	95.39	10.61	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	106.00	84.26	21.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	106.00	83.64	22.36	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	106.00	84.16	21.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	106.00	84.55	21.45	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	106.00	83.54	22.46	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	106.00	83.81	22.19	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/09/00	106.00	84.21	21.79	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	106.00	83.76	22.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	106.00	83.43	22.57	0.00	0.00	<1,000	<10.0	<10.0	<10.0	<10.0	<50.0	--	--
02/08/01	106.00	83.18	22.82	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	106.00	83.52	22.48	0.00	0.00	55.8	<0.500	<5.00	<5.00	<5.00	<0.500	--	--
08/28/01	106.00	83.05	22.95	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/26/01	106.00	82.92	23.08	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	106.00	83.97	22.03	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	106.00	83.84	22.16	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	106.00	82.27	23.73	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	106.00	83.02	22.98	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/28/03	106.00	84.02	21.98	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	106.00	84.15	21.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	106.00	83.52	22.48	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	106.00	83.16	22.84	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	106.00	84.07	21.93	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	106.00	83.68	22.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/26/04 ¹⁷	106.00	82.91	23.09	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	106.00	83.21	22.79	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	106.00	84.03	21.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	--	--
06/16/05 ¹⁷	106.00	84.72	21.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	106.00	83.95	22.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.7	--	--
11/30/05 ¹⁷	106.00	83.45	22.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	--
02/27/06 ¹⁷	106.00	84.44	21.56	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	106.00	85.26	20.74	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
MW-17 (cont)													
08/29/06 ¹⁷	106.00	84.18	21.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	106.00	83.36	22.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	106.00	83.63	22.37	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	106.00	83.34	22.66	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	106.00	82.99	23.01	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
DISCONTINUED MONITORING / SAMPLING													
EQUIPMENT BLANK													
01/05/89	--	--	--	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
03/08/94	--	--	--	--	--	<50	1.0	1.4	<0.5	1.5	--	--	--
TRIP BLANK													
01/05/89	--	--	--	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
10/03/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/03/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/06/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/02/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/02/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/02/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/13/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/03/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/25/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/21/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	--	--
12/02/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/08/94	--	--	--	--	--	<50	0.6	0.8	<0.5	0.6	--	--	--
06/13/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
TRIP BLANK (cont)													
10/04/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/14/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.60	--	--
02/20/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/21/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/26/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
05/10/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
09/02/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/09/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
02/08/01	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	--	--	--	--	--	<50.0	<0.500	<5.00	<5.00	<5.00	<0.500	--	--
08/28/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
QA													
11/26/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	EDB (µg/L)	DCE (µg/L)
QA (cont)													
02/28/03	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/24-25/03 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/04 ¹⁷	--	--	--	--	--	<50	<0.5	1	<0.5	0.9	<0.5	--	--
08/26/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/29/04 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/11/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/30/05 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/27/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30-31/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/13/06 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/28/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/30/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/29/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/07 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/20/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/21/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/24/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/22/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
11/21/08 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/03/09 ¹⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 9, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing	GRO = Gasoline Range Organics	DCE = 1,2-Dichloroethane
(ft.) = Feet	B = Benzene	(mg/L) = milligrams per liter
GWE = Groundwater Elevation	T = Toluene	(µg/L) = Micrograms per liter
(msl) = Mean sea level	E = Ethyl benzene	(ppb) = Parts per billion
DTW = Depth to Water	X = Xylenes	-- = Not Measured/Not Analyzed
SPHT = Separate Phase Hydrocarbons Thickness	MTBE = Methyl Tertiary Butyl Ether	NP = No Purge
SPH = Separate Phase Hydrocarbons	EDB = Ethylene Dibromide/ 1,2-Dibromoethane	QA = Quality Assurance/Trip Blank
TPH = Total Petroleum Hydrocarbons		

* TOC data surveyed on October 17, 2007 by Morrow Surveying. Vertical datum is NAVD 88.

** GWE has been corrected for the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

1 Repeat analysis.

2 Estimated thickness.

3 Well inaccessible due to downhole equipment.

4 The TPH as Gasoline value was 99,000 ppb when MTBE is not included in the calculation.

5 Laboratory report indicates results were taken from both a low level and a diluted analysis.

6 The TPH as Gasoline value was 125,000 ppb when MTBE is not included in the calculation.

7 Confirmation run.

8 Laboratory report indicates gasoline C6-C12.

9 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.

10 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.

11 Laboratory report indicates weathered gasoline C6-C12.

12 Laboratory report indicates analyte was initially analyzed within hold time; however, due to instrument carryover, the sample was reanalyzed outside the method specified hold time to confirm the carryover.

13 Laboratory report indicates gasoline C6-C10.

14 Laboratory report indicates unidentified hydrocarbons C6-C10.

15 Connected to remediation system.

16 TOC was altered during removal of extraction system; unable to determine GWE.

17 BTEX and MTBE by EPA Method 8260.

18 Hose/tube or pump in well.

19 Well development performed.

20 Extraction stinger in well.

21 Unable to measure DTW due to pump in well, grab sample taken.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

EXPLANATIONS:

- ²² Laboratory report indicates the sample was analyzed 1 day outside the method hold time.
- ²³ Laboratory report indicates that the surrogate recovery is outside the lower statistical limit (63-135) at 58%. The recovery is high enough to ensure no adverse effect of the data.
- ²⁴ Laboratory report indicates that this sample was analyzed 1 day outside of the method hold time. The surrogate recovery is outside the upper QC limit (63-135) 137%.
The value for the TPH-GRO is estimated because the value is outside the calibration range of the system. The system is calibrated to 5500 ug/L.
- ²⁵ Laboratory report indicates that the value for the TPH-GRO is estimated because the value is over the calibration range of the system. The system is calibrated to 5500 ug/L.
The surrogate recovery is outside the upper QC limit. A re-analysis was not performed because the hold time had expired.
- ²⁶ Insufficient water to determine GWE.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**

Job Number: **385110**

Site Address: **21995 Foothill Blvd.**

Event Date: **2/3/09** (inclusive)

City: **Hayward, CA**

Sampler: **SH**

Well ID

MW-1

Date Monitored: **2/3/09**

Well Diameter **1 1/2 (4)** in.

Total Depth **22.18** ft.

Depth to Water **21.55** ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

.63 xVF **—** = **—** x3 case volume = Estimated Purge Volume: **—** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **—**

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____

Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: _____ / _____

Water Color: _____ Odor: **Y / N**

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: **Insufficient H₂O**

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**Job Number: **385110**Site Address: **21995 Foothill Blvd.**Event Date: **2/3/09** (inclusive)City: **Hayward, CA**Sampler: **JD**

Well ID

MW-5Date Monitored: **2/3/09**Well Diameter **1 1/2 (4)** in.Total Depth **26.67** ft.Depth to Water **—** ft.☐ Check if water column is less than 0.50 ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF **—** = **—** x3 case volume = Estimated Purge Volume: **—** gal.Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **—****Purge Equipment:**

Disposable Bailer ☒

Stainless Steel Bailer ☒

Stack Pump ☒

Suction Pump ☒

Grundfos ☒

Peristaltic Pump ☒

QED Bladder Pump ☒

Other: ☐

Sampling Equipment:

Disposable Bailer ☐

Pressure Bailer ☐

Discrete Bailer ☐

Peristaltic Pump ☐

QED Bladder Pump ☐

Other: **SP.905** ☐

Time Started: **—** (2400 hrs)

Time Completed: **—** (2400 hrs)

Depth to Product: **—** ft

Depth to Water: **—** ft

Hydrocarbon Thickness: **—** ft

Visual Confirmation/Description: **—**

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: **—** gal

Amt Removed from Well: **—** gal

Water Removed: **—**

Product Transferred to: **—**

Start Time (purge): **1055**Weather Conditions: **clear**Sample Time/Date: **1055 / 2/3/09**Water Color: **clear**Odor: **Y / (N)**Approx. Flow Rate: **—** gpm.Sediment Description: **light**Did well de-water? **N** If yes, Time: **—**Volume: **—** gal. DTW @ Sampling: **—**Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
(µmhos/cm - µS)Temperature
(C / F)D.O.
(mg/L)ORP
(mV)**LABORATORY INFORMATION**

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-5	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: **well hooked to system - pump in well - water level below top of pump - N/P sample taken**

Add/Replaced Lock: **—**Add/Replaced Plug: **—**Add/Replaced Bolt: **—**



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**

Job Number: **385110**

Site Address: **21995 Foothill Blvd.**

Event Date: **2/3/09** (inclusive)

City: **Hayward, CA**

Sampler: **JH**

Well ID

MW-6

Date Monitored: **2/3/09**

Well Diameter

1 1/2 (4) in.

Total Depth

14.53 ft.

Depth to Water

Day ft.

☒ Check if water column is less than 0.50 ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: _____ / _____

Water Color: _____

Odor: **Y / N**

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____

If yes, Time: _____

Volume: _____

gal. DTW @ Sampling: _____

Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
(µmhos/cm - µS)

Temperature
(C / F)

D.O.
(mg/L)

ORP
(mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: **DJ29**

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**

Job Number: **385110**

Site Address: **21995 Foothill Blvd.**

Event Date: **2/3/09** (inclusive)

City: **Hayward, CA**

Sampler: **31**

Well ID

MW-7

Date Monitored: **2/3/09**

Well Diameter **1 1/2 (4)** in.

Total Depth **16.60** ft.

Depth to Water **Dry** ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☒ Check if water column is less than 0.50 ft.

xVF

= x3 case volume = Estimated Purge Volume: gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: _____ / _____

Water Color: _____ Odor: Y / N

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
(µmhos/cm - µS)

Temperature
(C / F)

D.O.
(mg/L)

ORP
(mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS:

Dry

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**

Job Number: **385110**

Site Address: **21995 Foothill Blvd.**

Event Date: **2-3-09** (inclusive)

City: **Hayward, CA**

Sampler: **AW**

Well ID: **MW-8**

Date Monitored: **2-3-09**

Well Diameter: **1 1/2** in.

Total Depth: **17.65** ft.

Depth to Water: **16.65** ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **1.00** xVF **1.00** = **1.00** x3 case volume = Estimated Purge Volume: **1.00** gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: _____ / _____

Water Color: _____ Odor: **Y / N**

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: **M/O**

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 2-3-09 (inclusive)
City: Hayward, CA Sampler: AW

Well ID MW-9
Well Diameter 1 1/2 in.
Total Depth 17.35 ft.
Depth to Water 16.89 ft.
0.46 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 2-3-09

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☒ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: Sunny
Sample Time/Date: 1 Water Color: _____ Odor: Y / N
Approx. Flow Rate: _____ gpm. Sediment Description: _____
Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/l)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: Insufficient water to sample, no sample taken

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**

Job Number: **385110**

Site Address: **21995 Foothill Blvd.**

Event Date: **2-3-09** (inclusive)

City: **Hayward, CA**

Sampler: **AW**

Well ID

MW-10

Date Monitored: **2-3-09**

Well Diameter

1 1/2 in.

Total Depth **27.30** ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Depth to Water **13.25** ft.

☐ Check if water column is less than 0.50 ft.

14.05 xVF

= x3 case volume = Estimated Purge Volume: gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: _____ / _____

Water Color: _____ Odor: **Y / N**

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
(µmhos/cm - µS)

Temperature
(C / F)

D.O.
(mg/L)

ORP
(mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: **M/O**

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260** Job Number: **385110**
 Site Address: **21995 Foothill Blvd.** Event Date: **2/3/09** (inclusive)
 City: **Hayward, CA** Sampler: **JH**

Well ID: **mw-11**
 Well Diameter: **1 1/2** in.
 Total Depth: **27.42** ft.
 Depth to Water: **-** ft.

Date Monitored: **2/3/09**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

xVF = **-** x3 case volume = Estimated Purge Volume: **-** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **-**

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: **SP-905**

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): **-**
 Sample Time/Date: **1040 / 2/3/09**
 Approx. Flow Rate: **-** gpm.
 Did well de-water? **no** If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____
 Weather Conditions: **Clear**
 Water Color: **Clear** Odor: **Y/N 1.2 HV**
 Sediment Description: **1.2 HV**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-11	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: **well hooked to system - pump in well - water level below top of pump MP sample taken**

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260** Job Number: **385110**
 Site Address: **21995 Foothill Blvd.** Event Date: **2/3/09** (inclusive)
 City: **Hayward, CA** Sampler: **JL**

Well ID: **MW-12**
 Well Diameter: **1 1/2** in.
 Total Depth: **27.52** ft.
 Depth to Water: **—** ft.

Date Monitored: **2/3/09**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

xVF **—** = **—** x3 case volume = Estimated Purge Volume: **—** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **—**

Purge Equipment:

Disposable Bailer ☒
 Stainless Steel Bailer ☒
 Stack Pump ☒
 Suction Pump ☒
 Grundfos ☒
 Peristaltic Pump ☒
 QED Bladder Pump ☒
 Other: **SP. 100**

Sampling Equipment:

Disposable Bailer ☐
 Pressure Bailer ☐
 Discrete Bailer ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: **SP. 100**

Time Started: **—** (2400 hrs)
 Time Completed: **—** (2400 hrs)
 Depth to Product: **—** ft
 Depth to Water: **—** ft
 Hydrocarbon Thickness: **—** ft
 Visual Confirmation/Description: **—**
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: **—** gal
 Amt Removed from Well: **—** gal
 Water Removed: **—**
 Product Transferred to: **—**

Start Time (purge): **—** Weather Conditions: **Clear**
 Sample Time/Date: **1030 / 2/3/09** Water Color: **clear** Odor: **Y/N**
 Approx. Flow Rate: **—** gpm. Sediment Description: **light**
 Did well de-water? **NO** If yes, Time: **—** Volume: **—** gal. DTW @ Sampling: **—**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-12	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: **Well Hooked to system - pump in well - water level Below top of pump**
N/P sample taken

Add/Replaced Lock: **—** Add/Replaced Plug: **—** Add/Replaced Bolt: **—**



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260** Job Number: **385110**
Site Address: **21995 Foothill Blvd.** Event Date: **2-3-09** (inclusive)
City: **Hayward, CA** Sampler: **AW**

Well ID: **MW-13**
Well Diameter: **1 1/2** in.
Total Depth: **17.76** ft.
Depth to Water: **15.70** ft.

Date Monitored: **2-3-09**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **16.11**
xVF **66** = **1.36** x3 case volume = Estimated Purge Volume: **4.0** gal.

Purge Equipment:

Disposable Bailer ☒
Stainless Steel Bailer ☐
Stack Pump ☐
Suction Pump ☐
Grundfos ☐
Peristaltic Pump ☐
QED Bladder Pump ☐
Other: ☐

Sampling Equipment:

Disposable Bailer ☒
Pressure Bailer ☐
Discrete Bailer ☐
Peristaltic Pump ☐
QED Bladder Pump ☐
Other: ☐

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): **1040** Weather Conditions: **Sunny**
Sample Time/Date: **1140 / 2-3-09** Water Color: **Clear** Odor: **Oil N / Slight**
Approx. Flow Rate: **Y** gpm. Sediment Description: **Moderate**
Did well de-water? **Y** If yes, Time: **1050** Volume: **2.0** gal. DTW @ Sampling: **16.11**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm @ 25°C)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
1048	1.5	6.73	528	12.7		
	3.0					
	4.0					

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-13	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: *** Slow recovery * Waited for 80% recovery**
Spent some time clearing bushes around well.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**Job Number: **385110**Site Address: **21995 Foothill Blvd.**Event Date: **2-3-09** (inclusive)City: **Hayward, CA**Sampler: **AW**Well ID: **MW-14**Date Monitored: **2-3-09**Well Diameter: **1 1/2** in.Total Depth: **40.95** ft.Depth to Water: **21.03** ft.☐ Check if water column is less than 0.50 ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **25.01****Purge Equipment:**

Disposable Bailer ☒
Stainless Steel Bailer ☐
Stack Pump ☐
Suction Pump ☐
Grundfos ☐
Peristaltic Pump ☐
QED Bladder Pump ☐
Other: ☐

Sampling Equipment:

Disposable Bailer ☒
Pressure Bailer ☐
Discrete Bailer ☐
Peristaltic Pump ☐
QED Bladder Pump ☐
Other: ☐

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____ gal
Product Transferred to: _____

Start Time (purge): **1205**Weather Conditions: **Sunny**Sample Time/Date: **1250 / 2-3-09**Water Color: **Clear**Odor: **Y/N**

Approx. Flow Rate: _____ gpm.

Sediment Description: **Slight**Did well de-water? **Y** If yes, Time: _____

Volume: _____ gal.

DTW @ Sampling: **24.13**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm-25)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
1215	4.0	6.74	541	16.6		
1225	8.0	6.77	601	16.9		
1235	10.5	6.78	650	17.2		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-14	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**Job Number: **385110**Site Address: **21995 Foothill Blvd.**Event Date: **2-3-09** (inclusive)City: **Hayward, CA**Sampler: **Aw**

Well ID

mw-15Date Monitored: **2-3-09**

Well Diameter

1 1/2 in.

Total Depth

21.99 ft.

Depth to Water

16.29 ft.☐ Check if water column is less than 0.50 ft.**5.70**

xVF

.17**= 0.96**x3 case volume = Estimated Purge Volume: **3.0** gal.Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **17.43**

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:Disposable Bailer ☒Stainless Steel Bailer ☐Stack Pump ☐Suction Pump ☐Grundfos ☐Peristaltic Pump ☐QED Bladder Pump ☐Other: ☐**Sampling Equipment:**Disposable Bailer ☒Pressure Bailer ☐Discrete Bailer ☐Peristaltic Pump ☐QED Bladder Pump ☐Other: ☐

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbent Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): **0930**Weather Conditions: **Sunny**Sample Time/Date: **0950 / 2-3-09**Water Color: **clear**Odor: **Y 100**Approx. Flow Rate: **—** gpm.Sediment Description: **clear**Did well de-water? **N** If yes, Time: **—**Volume: **—** gal. DTW @ Sampling: **17.40**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm. µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
0933	1.0	6.58	724	11.5		
0936	2.0	6.84	512	13.5		
0939	3.0	6.89	459	13.7		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
mw-15	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260** Job Number: **385110**
 Site Address: **21995 Foothill Blvd.** Event Date: **2-3-09** (inclusive)
 City: **Hayward, CA** Sampler: **AW**

Well ID: **mw-16** Date Monitored: **2-3-09**
 Well Diameter: **11 1/4** in.
 Total Depth: **37.75** ft.
 Depth to Water: **20.68** ft. ☐ Check if water column is less than 0.50 ft.
17.07 xVF **.17** = **2.9** x3 case volume = Estimated Purge Volume: **9.0** gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **24.10**

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump ☒
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer ☒
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): **1000** Weather Conditions: **Sunny**
 Sample Time/Date: **1025 / 2-3-09** Water Color: **Cloudy** Odor: **(N) Strong**
 Approx. Flow Rate: **2.0** gpm. Sediment Description: **Clear Cloudy**
 Did well de-water? **N** If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: **23.96**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - ps)	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
1002	3.0	6.71	830	12.7		
1005	6.0	6.64	800	13.0		
1007	9.0	6.61	763	13.2		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
mw-16	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 2-3-09 (inclusive)
City: Hayward, CA Sampler: AW

Well ID: mw-18 Date Monitored: 2-3-09
Well Diameter: 11 1/4 in.
Total Depth: 23.14 ft.
Depth to Water: 17.89 ft. ☐ Check if water column is less than 0.50 ft.
5.25 xVF 17 = 0.89 x3 case volume = Estimated Purge Volume: 3.0 gal.
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 18.94

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer ☒
Stainless Steel Bailer ☐
Stack Pump ☐
Suction Pump ☐
Grundfos ☐
Peristaltic Pump ☐
QED Bladder Pump ☐
Other: ☐

Sampling Equipment:

Disposable Bailer ☒
Pressure Bailer ☐
Discrete Bailer ☐
Peristaltic Pump ☐
QED Bladder Pump ☐
Other: ☐

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 1130 Weather Conditions: Sunny
Sample Time/Date: 1215 / 2-3-09 Water Color: cloudy Odor: Oil / Strong
Approx. Flow Rate: _____ gpm. Sediment Description: 1.5 in
Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 18.90

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1132</u>	<u>1.0</u>	<u>7.03</u>	<u>821</u>	<u>18.8</u>		
<u>1136</u>	<u>2.0</u>	<u>6.81</u>	<u>855</u>	<u>19.2</u>		
<u>1143</u>	<u>3.0</u>	<u>6.77</u>	<u>839</u>	<u>19.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-18</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)</u>

COMMENTS: Very slow Recovery

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260** Job Number: **385110**
Site Address: **21995 Foothill Blvd.** Event Date: **2/3/09** (inclusive)
City: **Hayward, CA** Sampler: **JH**

Well ID: **MW-19** Date Monitored: **2/3/09**
Well Diameter: **1 1/2** in.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Total Depth: **44.90** ft.
Depth to Water: **15.69** ft. ☐ Check if water column is less than 0.50 ft.
29.21 xVF **.17** = **4.96** x3 case volume = Estimated Purge Volume: **14.89** gal.
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **21.53**

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump **X** _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Sampling Equipment:

Disposable Bailer **X** _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): **0845** Weather Conditions: **Clear**
Sample Time/Date: **0920 / 2/3/09** Water Color: **Clear** Odor: **Y**
Approx. Flow Rate: **1.2** gpm. Sediment Description: **1.2**
Did well de-water? **No** If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: **18.44**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
0850	5	7.35	1105	17.2		
0855	10	7.22	1135	17.6		
0900	15	7.19	1179	17.8		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-19	6 x vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 2/3/09 (inclusive)
City: Hayward, CA Sampler: 34

Well ID: DVE-9
Well Diameter: 1 1/2 (4) in.
Total Depth: 27.22 ft.
Depth to Water: ft.

Date Monitored: 2/3/09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

xVF = x3 case volume = Estimated Purge Volume: gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Equipment:

Disposable Bailer
Stainless Steel Bailer
Stack Pump
Suction Pump
Grundfos
Peristaltic Pump
QED Bladder Pump
Other:

Sampling Equipment:

Disposable Bailer
Pressure Bailer
Discrete Bailer
Peristaltic Pump
QED Bladder Pump
Other: SP. 9.05

Time Started: (2400 hrs)
Time Completed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Water Removed:
Product Transferred to:

Start Time (purge): 8 Weather Conditions: clear
Sample Time/Date: 1010 / 2/3/09 Water Color: clear Odor: ① / N 1.5H
Approx. Flow Rate: gpm. Sediment Description: 1.5H
Did well de-water? no If yes, Time: Volume: gal. DTW @ Sampling:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (μmhos/cm - μS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE-9	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: well hooked to system - pump in well - water level below top of pump -
N/P sample taken

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0260**

Job Number: **385110**

Site Address: **21995 Foothill Blvd.**

Event Date: **2/3/09** (inclusive)

City: **Hayward, CA**

Sampler: **JD**

Well ID: **DVE-12**

Date Monitored: **2/3/09**

Well Diameter: **1 1/2 in.**

Total Depth: **27.67 ft.**

Depth to Water: **— ft.**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

xVF

x3 case volume = Estimated Purge Volume: **—** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **—**

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: **1**

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Peristaltic Pump _____
QED Bladder Pump _____
Other: **Piggy**

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): **0955**

Weather Conditions: **clean**

Sample Time/Date: **0955 / 2/3/09**

Water Color: **clean**

Odor: **Y/N**

Approx. Flow Rate: **—** gpm.

Sediment Description: **1.5**

Did well de-water? **no** If yes, Time: _____

Volume: _____ gal. DTW @ Sampling: _____

Time
(2400 hr.)

Volume (gal.)

pH

Conductivity
(µmhos/cm - µS)

Temperature
(C / F)

D.O.
(mg/L)

ORP
(mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
DVE-12	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: **well hooked to system - pump in well - water level below top of pump**
N/P sample taken

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 2/3/09 (inclusive)
City: Hayward, CA Sampler: JD

Well ID: DVE-20
Well Diameter: 1 1/2 (4) in.
Total Depth: 27.70 ft.
Depth to Water: — ft.

Date Monitored: 2/3/09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

xVF — = — x3 case volume = Estimated Purge Volume: — gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: —

Purge Equipment:

Disposable Bailer —
Stainless Steel Bailer —
Stack Pump —
Suction Pump —
Grundfos —
Peristaltic Pump —
QED Bladder Pump —
Other: —

Sampling Equipment:

Disposable Bailer —
Pressure Bailer —
Discrete Bailer —
Peristaltic Pump —
QED Bladder Pump —
Other: SP1905

Time Started: — (2400 hrs)
Time Completed: — (2400 hrs)
Depth to Product: — ft
Depth to Water: — ft
Hydrocarbon Thickness: — ft
Visual Confirmation/Description: —
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: — gal
Amt Removed from Well: — gal
Water Removed: —
Product Transferred to: —

Start Time (purge): — Weather Conditions: clear
Sample Time/Date: 0945 / 2/3/09 Water Color: clear Odor: (Y) strong
Approx. Flow Rate: — gpm. Sediment Description: none
Did well de-water? No If yes, Time: — Volume: — gal. DTW @ Sampling: —

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>DVE-20</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)</u>

COMMENTS: well hooked to system - pump in well - water level below top of pump - N/P sample taken

Add/Replaced Lock: — Add/Replaced Plug: — Add/Replaced Bolt: —



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0260 Job Number: 385110
 Site Address: 21995 Foothill Blvd. Event Date: 2/3/09 (inclusive)
 City: Hayward, CA Sampler: SL AW

Well ID: P-1 Date Monitored: 2/3/09
 Well Diameter: Ø 12 1/4 in.
 Total Depth: 19.53 ft.
 Depth to Water: 10.18 ft. ☐ Check if water column is less than 0.50 ft.
9.35 x VF .04 = .37 x3 case volume = Estimated Purge Volume: 1.12 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.05

Purge Equipment:

Disposable Bailer x P.V.
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer x P.V.
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1320 Weather Conditions: clean
 Sample Time/Date: 1340 / 2/3/09 Water Color: clean Odor: Ø / N 1.5 Hr
 Approx. Flow Rate: _____ gpm. Sediment Description: 1.5 Hr
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 10.18

Time (2400 hr.) Volume (gal.) pH Conductivity (µmhos/cm - Ø) Temperature (°C / F) D.O. (mg/L) ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>P-1</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)

COMMENTS: NIP sample taken - Bacteria sticking to side of casing

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

**Lancaster
Laboratories**

0204A-13 P10F2

Acc1 #: 10904

Sample # 5592920-33

Group #: 009664

Facility #: SS#9-0260-OML G-R#385110 GlobalID#T0600T00315 Site Address: 21995 FOOTHILL BLVD., HAYWARD, CA Chevron PM: AC CRACE Chevron PM: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568 Consultant/Office: Deanna L. Harding (deanna@grinc.com) Consultant Prj. Mgr.: Consultant Phone #: 925-551-7555 Fax #: 925-551-7899 Sampler: S. Heen						Analyses Requested		1130906																
Matrix						Preservation Codes										Preservative Codes								
						☐ BTEX + MTBE 8260 ☒ 8021 ☐ TPH 8015 MOD GRO ☐ TPH 8015 MOD DRO ☐ Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method										H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other								
						☐ J value reporting needed ☒ Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation ☐ Confirm highest hit by 8260 ☐ Confirm all hits by 8260 ☐ Run ____ oxy's on highest hit ☐ Run ____ oxy's on all hits																		
Sample Identification						Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	Comments / Remarks									
QA						2/3/04		X						6	10F2									
MW-5							1055	X						6										
MW-11							1040	X						6										
MW-12							1030	X						6										
MW-13							1140	X						6										
MW-14							1250	X						6										
MW-15							0550	X						6										
MW-16							1025	X						6										
MW-18							1215	X						6										
MW-19							0920	X						6										
DVE-9							1010	X						6										
DVE-12							0955	X						6										
DVE-20							0945	X						6										
Turnaround Time Requested (TAT) (please circle)						Relinquished by:						Date		Time		Received by:		Date		Time				
STD TAT 72 hour 48 hour 24 hour 4 day 5 day						[Signature]						02/04/04		1600		[Signature]		02-04-04		1230				
Data Package Options (please circle if required)						Relinquished by:						Date		Time		Received by:		Date		Time				
QC Summary Type I - Full Type VI (Raw Data) ☐ Coef Deliverable not needed WIP (RWQCB) Disk						C. Salazar						02-04-04		1630		A. Salazar		04 FEB 04		1345				
EDF/EDD						Relinquished by:						Date		Time		Received by:		Date		Time				
						UPS FedEx Other						02/04/04		1630		A. Salazar		04 FEB 04						
Temperature Upon Receipt						02/04/04 °C						Custody Seals Intact?		Yes No		2/3/04		0940						

Chevron California Region Analysis Request/Chain of Custody



020409-13 P.2012

For Lancaster Laboratories use only
 Acct. #: 10904 Sample #: 5592920-33 Group #: 009665

1130906

Facility #: SS#9-0280-OML G-R#385110 Global ID#T0600T00315 Site Address: 21995 FOOTHILL BLVD., HAYWARD, CA Chevron PM: AC CRACE Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com) Consultant Phone #: 925-551-7555 Fax #: 925-551-7899 Sampler: J. Heron				Analyses Requested <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Preservation Codes</th> </tr> <tr> <td style="width: 50%;"> ☐ BTEX + MTBE 8260 ☒ 8021 ☐ TPH 8015 MOD GRO ☐ TPH 8015 MOD DRO ☐ Silica Gel Cleanup ☐ 8260 full scan ☐ Oxygenates ☐ Total Lead Method ☐ Dissolved Lead Method </td> <td style="width: 50%;"> ☐ 8021 MTBE Confirmation ☐ Confirm highest hit by 8260 ☐ Confirm all hits by 8260 ☐ Run oxy's on highest hit ☐ Run oxy's on all hits </td> </tr> </table>		Preservation Codes		☐ BTEX + MTBE 8260 ☒ 8021 ☐ TPH 8015 MOD GRO ☐ TPH 8015 MOD DRO ☐ Silica Gel Cleanup ☐ 8260 full scan ☐ Oxygenates ☐ Total Lead Method ☐ Dissolved Lead Method	☐ 8021 MTBE Confirmation ☐ Confirm highest hit by 8260 ☐ Confirm all hits by 8260 ☐ Run oxy's on highest hit ☐ Run oxy's on all hits																		
Preservation Codes																											
☐ BTEX + MTBE 8260 ☒ 8021 ☐ TPH 8015 MOD GRO ☐ TPH 8015 MOD DRO ☐ Silica Gel Cleanup ☐ 8260 full scan ☐ Oxygenates ☐ Total Lead Method ☐ Dissolved Lead Method	☐ 8021 MTBE Confirmation ☐ Confirm highest hit by 8260 ☐ Confirm all hits by 8260 ☐ Run oxy's on highest hit ☐ Run oxy's on all hits																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Sample Identification</th> <th>Date Collected</th> <th>Time Collected</th> <th>Grab</th> <th>Composite</th> <th>Soil</th> <th>Water</th> <th>Oil</th> <th>Air</th> <th>Total Number of Containers</th> <th>Matrix</th> </tr> <tr> <td>P-1</td> <td>2/13/09</td> <td>1340</td> <td>☒</td> <td>☐</td> <td>☐</td> <td>☒</td> <td>☐</td> <td>☐</td> <td>6</td> <td> ☐ Potable ☐ NPDES </td> </tr> </table>				Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	Matrix	P-1	2/13/09	1340	☒	☐	☐	☒	☐	☐	6	☐ Potable ☐ NPDES	Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other ☐ J value reporting needed ☒ Must meet lowest detection limits possible for 8260 compounds	
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	Matrix																	
P-1	2/13/09	1340	☒	☐	☐	☒	☐	☐	6	☐ Potable ☐ NPDES																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Comments / Remarks</th> </tr> <tr> <td style="height: 100px; vertical-align: top;"> 20F2 </td> </tr> </table>										Comments / Remarks	20F2																
Comments / Remarks																											
20F2																											

Turnaround Time Requested (TAT) (please circle) STD. TAT 72 hour 48 hour 24 hour 4 day 5 day			Relinquished by: <i>[Signature]</i> Date: 2/13/09 Time: 11:00 Relinquished by: <i>[Signature]</i> Date: 02-04-09 Time: 12:30 Relinquished by: <i>[Signature]</i> Date: 04 FEB 09 Time: 16:30 Relinquished by Commercial Carrier: UPS ☒ FedEx Other: _____ Temperature Upon Receipt: 0-93.4 °C			Received by: <i>[Signature]</i> Date: 02-04-09 Time: 13:30 Received by: <i>[Signature]</i> Date: 04 FEB 09 Time: 13:46 Received by: <i>[Signature]</i> Date: 2/10/09 Time: 04:10 Custody Seals Intact? ☒ Yes ☐ No		
---	--	--	---	--	--	---	--	--

Data Package Options (please circle if required) QC Summary Type I - Full Type VI (Raw Data) ☐ Coelt Deliverable not needed WIP (RWQCB) Disk		EDF/EDD
--	--	----------------



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

RECEIVED

FEB 18 2009

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

GETTLER-RYAN INC.
GENERAL CONTRACTORS

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 1130906. Samples arrived at the laboratory on Thursday, February 05, 2009. The PO# for this group is 0015025028 and the release number is COSTA.

Client Description

QA-T-090203 NA Water
MW-5-W-090203 Grab Water
MW-11-W-090203 Grab Water
MW-12-W-090203 Grab Water
MW-13-W-090203 Grab Water
MW-14-W-090203 Grab Water
MW-15-W-090203 Grab Water
MW-16-W-090203 Grab Water
MW-18-W-090203 Grab Water
MW-19-W-090203 Grab Water
DVE-9-W-090203 Grab Water
DVE-12-W-090203 Grab Water
DVE-20-W-090203 Grab Water
P-1-W-090203 Grab Water

Lancaster Labs Number

5592920
5592921
5592922
5592923
5592924
5592925
5592926
5592927
5592928
5592929
5592930
5592931
5592932
5592933

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

Martha L. Seidel

Martha L. Seidel
Senior Chemist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592920

Group No. 1130906

QA-T-090203 NA Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 QA

Collected: 02/03/2009

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

0260Q

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.		50	ug/l	1
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 02:14	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 02:49	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 02:14	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 02:49	Kelly E Brickley	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592921

Group No. 1130906

MW-5-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-5

Collected: 02/03/2009 10:55 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

02605

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	54,000	Detection Limit	1,000	20
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	10	ug/l	20
05401	Benzene	71-43-2	1,000	10	ug/l	20
05407	Toluene	108-88-3	13,000	100	ug/l	200
05415	Ethylbenzene	100-41-4	1,500	10	ug/l	20
06310	Xylene (Total)	1330-20-7	8,600	10	ug/l	20

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 07:33	Carrie E Youtzy	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 03:11	Kelly E Brickley	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 03:33	Kelly E Brickley	200
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 07:33	Carrie E Youtzy	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 03:11	Kelly E Brickley	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/10/2009 03:33	Kelly E Brickley	200



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592922

Group No. 1130906

MW-11-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-11

Collected: 02/03/2009 10:40 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

26011

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	560	Detection Limit	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	30	0.5	ug/l	1
05401	Benzene	71-43-2	19	0.5	ug/l	1
05407	Toluene	108-88-3	3	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	4	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	21	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 07:57	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 03:54	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 07:57	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 03:54	Kelly E Brickley	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592923

Group No. 1130906

MW-12-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-12

Collected: 02/03/2009 10:30 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

26012

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	16,000		500	ug/l	10
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	22	3		ug/l	5
05401	Benzene	71-43-2	1,600	25		ug/l	50
05407	Toluene	108-88-3	2,500	25		ug/l	50
05415	Ethylbenzene	100-41-4	380	3		ug/l	5
06310	Xylene (Total)	1330-20-7	2,800	3		ug/l	5

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 08:22	Carrie E Youtzy	10
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 04:16	Kelly E Brickley	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 04:38	Kelly E Brickley	50
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 08:22	Carrie E Youtzy	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 04:16	Kelly E Brickley	5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/10/2009 04:38	Kelly E Brickley	50



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592924

Group No. 1130906

MW-13-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-13

Collected: 02/03/2009 11:40 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

26013

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	8,400		250	ug/l	5
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	1		ug/l	2
05401	Benzene	71-43-2	21	1		ug/l	2
05407	Toluene	108-88-3	36	1		ug/l	2
05415	Ethylbenzene	100-41-4	630	10		ug/l	20
06310	Xylene (Total)	1330-20-7	920	10		ug/l	20

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 08:46	Carrie E Youtzy	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 05:00	Kelly E Brickley	2
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 05:21	Kelly E Brickley	20
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 08:46	Carrie E Youtzy	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 05:00	Kelly E Brickley	2
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/10/2009 05:21	Kelly E Brickley	20



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592925

Group No. 1130906

MW-14-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-14

Collected: 02/03/2009 12:50 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

26014

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	52		50	ug/l	1
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 09:10	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 05:43	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 09:10	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 05:43	Kelly E Brickley	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592926

Group No. 1130906

MW-15-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-15

Collected: 02/03/2009 09:50 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

26015

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 09:35	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 06:05	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 09:35	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 06:05	Kelly E Brickley	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592927

Group No. 1130906

MW-16-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-16

Collected: 02/03/2009 10:25 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

26016

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	4,700		250	ug/l	5
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	14		0.5	ug/l	1
05401	Benzene	71-43-2	160		0.5	ug/l	1
05407	Toluene	108-88-3	6		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	160		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	33		0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 01:32	Carrie E Youtzy	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/11/2009 16:19	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 01:32	Carrie E Youtzy	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/11/2009 16:19	Anita M Dale	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592928

Group No. 1130906

MW-18-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-18

Collected: 02/03/2009 12:15 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

26018

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	23,000	Detection Limit	ug/l	10
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	1	ug/l	2.5
05401	Benzene	71-43-2	280	1	ug/l	2.5
05407	Toluene	108-88-3	77	1	ug/l	2.5
05415	Ethylbenzene	100-41-4	1,600	13	ug/l	25
06310	Xylene (Total)	1330-20-7	1,500	13	ug/l	25

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 01:57	Carrie E Youtzy	10
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/11/2009 17:02	Anita M Dale	2.5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/11/2009 17:24	Anita M Dale	25
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 01:57	Carrie E Youtzy	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/11/2009 17:02	Anita M Dale	2.5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/11/2009 17:24	Anita M Dale	25



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592929

Group No. 1130906

MW-19-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-19

Collected: 02/03/2009 09:20 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

26019

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	0.6	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 02:21	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 08:59	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 02:21	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 08:59	Anita M Dale	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592930

Group No. 1130906

DVE-9-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 DVE-9

Collected: 02/03/2009 10:10 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

260D9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	15,000		250	ug/l	5
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	190	10		ug/l	20
05401	Benzene	71-43-2	920	10		ug/l	20
05407	Toluene	108-88-3	1,100	10		ug/l	20
05415	Ethylbenzene	100-41-4	140	10		ug/l	20
06310	Xylene (Total)	1330-20-7	2,000	10		ug/l	20

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 02:45	Carrie E Youtzy	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 08:37	Anita M Dale	20
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 02:45	Carrie E Youtzy	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 08:37	Anita M Dale	20



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592931

Group No. 1130906

DVE-12-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 DVE-12

Collected: 02/03/2009 09:55 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

60D12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	43,000		1,000	ug/l	20
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	12	10		ug/l	20
05401	Benzene	71-43-2	850	10		ug/l	20
05407	Toluene	108-88-3	12,000	100		ug/l	200
05415	Ethylbenzene	100-41-4	800	10		ug/l	20
06310	Xylene (Total)	1330-20-7	6,100	10		ug/l	20

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 03:10	Carrie E Youtzy	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 10:04	Anita M Dale	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 10:25	Anita M Dale	200
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 03:10	Carrie E Youtzy	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 10:04	Anita M Dale	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/10/2009 10:25	Anita M Dale	200



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592932

Group No. 1130906

DVE-20-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 DVE-20

Collected: 02/03/2009 09:45 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

60D20

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	920	Detection Limit	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	10	0.5	ug/l	1
05401	Benzene	71-43-2	11	0.5	ug/l	1
05407	Toluene	108-88-3	2	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	0.9	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	69	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 03:34	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 10:47	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 03:34	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 10:47	Anita M Dale	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5592933

Group No. 1130906

P-1-W-090203 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 P-1

Collected: 02/03/2009 13:40 by JH

Account Number: 10904

Submitted: 02/05/2009 09:10

Reported: 02/17/2009 at 16:54

Discard: 03/20/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

260P1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	14	0.5	ug/l	1
05401	Benzene	71-43-2	2	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/09/2009 03:59	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/10/2009 11:08	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/09/2009 03:59	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/10/2009 11:08	Anita M Dale	1

Quality Control Summary

Client Name: Chevron

Group Number: 1130906

Reported: 02/17/09 at 04:54 PM

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 09037B07A TPH-GRO N. CA water C6-C12	Sample number(s): 5592920-5592926 N.D.	50.	ug/l	100	118	75-135	17	30
Batch number: 09039A08A TPH-GRO N. CA water C6-C12	Sample number(s): 5592927-5592933 N.D.	50.	ug/l	109	127	75-135	15	30
Batch number: F090403AA Methyl Tertiary Butyl Ether	Sample number(s): 5592920-5592926 N.D.	0.5	ug/l	97		73-119		
Benzene	N.D.	0.5	ug/l	96		78-119		
Toluene	N.D.	0.5	ug/l	100		85-115		
Ethylbenzene	N.D.	0.5	ug/l	96		82-119		
Xylene (Total)	N.D.	0.5	ug/l	100		83-113		
Batch number: F090412AA Methyl Tertiary Butyl Ether	Sample number(s): 5592929-5592933 N.D.	0.5	ug/l	97		73-119		
Benzene	N.D.	0.5	ug/l	94		78-119		
Toluene	N.D.	0.5	ug/l	98		85-115		
Ethylbenzene	N.D.	0.5	ug/l	95		82-119		
Xylene (Total)	N.D.	0.5	ug/l	98		83-113		
Batch number: F090422AA Methyl Tertiary Butyl Ether	Sample number(s): 5592927-5592928 N.D.	0.5	ug/l	98		73-119		
Benzene	N.D.	0.5	ug/l	96		78-119		
Toluene	N.D.	0.5	ug/l	98		85-115		
Ethylbenzene	N.D.	0.5	ug/l	95		82-119		
Xylene (Total)	N.D.	0.5	ug/l	98		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 09037B07A TPH-GRO N. CA water C6-C12	Sample number(s): 5592920-5592926 109		63-154	UNSPK: P592886					
Batch number: 09039A08A TPH-GRO N. CA water C6-C12	Sample number(s): 5592927-5592933 145		63-154	UNSPK: P593006					
Batch number: F090403AA Methyl Tertiary Butyl Ether	Sample number(s): 5592920-5592926 104	96	69-127	8	30				
Benzene	104	97	83-128	6	30				

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron

Group Number: 1130906

Reported: 02/17/09 at 04:54 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Toluene	108	100	83-127	7	30				
Ethylbenzene	105	97	82-129	8	30				
Xylene (Total)	109	100	82-130	8	30				

Batch number: F090412AA Sample number(s): 5592929-5592933 UNSPK: 5592929

Methyl Tertiary Butyl Ether 93 95 69-127 2 30

Benzene 96 97 83-128 1 30

Toluene 100 100 83-127 1 30

Ethylbenzene 99 98 82-129 1 30

Xylene (Total) 102 101 82-130 1 30

Batch number: F090422AA Sample number(s): 5592927-5592928 UNSPK: P594955

Methyl Tertiary Butyl Ether 106 106 69-127 0 30

Benzene 107 105 83-128 1 30

Toluene 109 107 83-127 1 30

Ethylbenzene 61 (2) 61 (2) 82-129 0 30

Xylene (Total) 120 (2) 112 (2) 82-130 1 30

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 09037B07A

Trifluorotoluene-F

5592920	95
5592921	103
5592922	103
5592923	100
5592924	110
5592925	95
5592926	92
Blank	93
LCS	104
LCSD	106
MS	102

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 09039A08A

Trifluorotoluene-F

5592927	114
5592928	121
5592929	100
5592930	113
5592931	104

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 02/17/09 at 04:54 PM

Group Number: 1130906

Surrogate Quality Control

5592932 99
5592933 101
Blank 100
LCS 107
LCSD 108
MS 122

Limits: 63-135

Analysis Name: BTEX+MTBE by 8260B
Batch number: F090403AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5592920	102	98	96	97
5592921	101	99	102	101
5592922	101	96	97	100
5592923	100	98	98	99
5592924	99	92	96	98
5592925	102	97	98	98
5592926	103	97	97	97
Blank	101	96	97	97
LCS	101	99	98	101
MS	103	98	97	102
MSD	101	99	98	102

Limits: 80-116 77-113 80-113 78-113

Analysis Name: BTEX+MTBE by 8260B
Batch number: F090412AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5592929	103	100	96	99
5592930	101	102	97	101
5592931	98	100	95	98
5592932	98	97	94	98
5592933	102	97	96	99
Blank	101	99	96	96
LCS	101	103	96	103
MS	102	102	96	101
MSD	100	101	96	102

Limits: 80-116 77-113 80-113 78-113

Analysis Name: BTEX+MTBE by 8260B
Batch number: F090422AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5592927	100	99	95	101
5592928	102	100	98	102
Blank	101	99	94	96
LCS	99	98	93	100
MS	99	102	96	100
MSD	102	101	97	101

Limits: 80-116 77-113 80-113 78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron

Group Number: 1130906

Reported: 02/17/09 at 04:54 PM

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike amount not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
J	Estimated value	U	Compound was not detected
N	Presumptive evidence of a compound (TICs only)	W	Post digestion spike out of control limits
P	Concentration difference between primary and confirmation columns >25%	*	Duplicate analysis not within control limits
U	Compound was not detected	+	Correlation coefficient for MSA <0.995
X,Y,Z	Defined in case narrative		

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.