



**Catalina Espino Devine**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6101 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 790-3949  
espino@chevron.com

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Former Chevron Service Station No. 90260  
21995 Foothill Boulevard  
Hayward, CA

**RECEIVED**

12:57 pm, Nov 13, 2012

Alameda County  
Environmental Health

I have reviewed the attached report dated November 9, 2012.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in black ink, appearing to read "Catalina M.", written in a cursive style.

Catalina Espino Devine  
Project Manager

Attachment: Report



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A  
Emeryville, California 94608  
Telephone: (510) 420-0700 Fax: (510) 420-9170  
<http://www.craworld.com>

November 9, 2012

Reference No. 311915

Mr. Mark Detterman  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: Third Quarter 2012  
Groundwater Monitoring and Sampling Report  
Chevron Service Station 90260  
21995 Foothill Boulevard  
Hayward, California  
Fuel Leak Case No. RO0000383

---

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *Third Quarter 2012 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California. Blaine Tech's *Third Quarter Monitoring* report is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' *Analytical Results* is included as Attachment B.

### **RESULTS OF THIRD QUARTER 2012 EVENT**

On September 10, 2012, Blaine Tech monitored and sampled the site wells per the established schedule.

Results of the current monitoring event indicate the following:

- |                              |                          |
|------------------------------|--------------------------|
| • Groundwater Flow Direction | Southwest                |
| • Hydraulic Gradient         | 0.02                     |
| • Approximate Depth to Water | 9 to 23 feet below grade |

---

Equal  
Employment Opportunity  
Employer

---



**CONESTOGA-ROVERS  
& ASSOCIATES**

November 9, 2012

Reference No. 311915

- 2 -

Results of the current sampling event are presented below in Table A:

| <b>TABLE A: GROUNDWATER ANALYTICAL DATA</b> |                                                                                                                                                                                                                                                                                                                                                                                 |                           |                           |                                |                                     |                        |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|--------------------------------|-------------------------------------|------------------------|
| <i>Well ID</i>                              | <i>TPHg<br/>(µg/L)</i>                                                                                                                                                                                                                                                                                                                                                          | <i>Benzene<br/>(µg/L)</i> | <i>Toluene<br/>(µg/L)</i> | <i>Ethylbenzene<br/>(µg/L)</i> | <i>Total<br/>Xylenes<br/>(µg/L)</i> | <i>MTBE<br/>(µg/L)</i> |
| <i>ESLs</i>                                 | <b>100</b>                                                                                                                                                                                                                                                                                                                                                                      | <b>1</b>                  | <b>40</b>                 | <b>30</b>                      | <b>20</b>                           | <b>5</b>               |
| MW-4                                        | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| MW-5                                        | <b>73,000</b>                                                                                                                                                                                                                                                                                                                                                                   | <b>170</b>                | <b>11,000</b>             | <b>2,900</b>                   | <b>17,000</b>                       | <5                     |
| MW-6                                        | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| MW-7                                        | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| MW-8                                        | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| MW-9                                        | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| MW-10                                       | Destroyed on 7/21/11                                                                                                                                                                                                                                                                                                                                                            |                           |                           |                                |                                     |                        |
| MW-11                                       | <b>2,200</b>                                                                                                                                                                                                                                                                                                                                                                    | <b>9</b>                  | <b>2</b>                  | <b>1</b>                       | <b>17</b>                           | <0.5                   |
| MW-12                                       | <b>2,100</b>                                                                                                                                                                                                                                                                                                                                                                    | <b>47</b>                 | <b>1</b>                  | <b>56</b>                      | <b>44</b>                           | <b>31</b>              |
| MW-13                                       | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| MW-14                                       | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| MW-15                                       | Sampled Semi-annual; Vehicle parked over well                                                                                                                                                                                                                                                                                                                                   |                           |                           |                                |                                     |                        |
| MW-16                                       | <b>6,100</b>                                                                                                                                                                                                                                                                                                                                                                    | <b>150</b>                | <b>9</b>                  | <b>190</b>                     | <b>75</b>                           | <b>5</b>               |
| MW-17                                       | Sampled Annual                                                                                                                                                                                                                                                                                                                                                                  |                           |                           |                                |                                     |                        |
| MW-18                                       | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| MW-19                                       | Sampled Semi-annual                                                                                                                                                                                                                                                                                                                                                             |                           |                           |                                |                                     |                        |
| P-1                                         | <50                                                                                                                                                                                                                                                                                                                                                                             | <0.5                      | <0.5                      | <0.5                           | <0.5                                | <b>12</b>              |
| DVE-9                                       | <b>4,600</b>                                                                                                                                                                                                                                                                                                                                                                    | <b>54</b>                 | <b>4</b>                  | <b>160</b>                     | <b>230</b>                          | <b>35</b>              |
| DVE-12                                      | <b>30,000</b>                                                                                                                                                                                                                                                                                                                                                                   | <b>270</b>                | <b>520</b>                | <b>1,700</b>                   | <b>9,300</b>                        | <b>9 J</b>             |
| DVE-20                                      | <b>18,000</b>                                                                                                                                                                                                                                                                                                                                                                   | <b>36</b>                 | <b>230</b>                | <b>1,300</b>                   | <b>4,600</b>                        | <5                     |
| µg/L                                        | Micrograms per liter                                                                                                                                                                                                                                                                                                                                                            |                           |                           |                                |                                     |                        |
| <                                           | Indicates constituent was not detected at or above laboratory reporting limit                                                                                                                                                                                                                                                                                                   |                           |                           |                                |                                     |                        |
| J                                           | Estimated Value                                                                                                                                                                                                                                                                                                                                                                 |                           |                           |                                |                                     |                        |
| ESLs                                        | Environmental Screening Levels for residential land use groundwater that is a current or potential drinking water resource (Table A) from <i>Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater</i> prepared by the California Regional Water Quality Control Board – San Francisco Bay Region interim final November 2007, revised May 2008. |                           |                           |                                |                                     |                        |
| <b>Bold</b>                                 | indicates results above ESLs                                                                                                                                                                                                                                                                                                                                                    |                           |                           |                                |                                     |                        |



**CONESTOGA-ROVERS  
& ASSOCIATES**

November 9, 2012

Reference No. 311915

- 3 -

### **CONCLUSIONS AND RECOMMENDATIONS**

- Consistent with past analytical results, the highest concentrations of dissolved-phase petroleum hydrocarbons as gasoline, benzene, toluene, ethylbenzene and xylenes were detected in wells MW-5 and DVE-12
- The highest concentration of dissolved MTBE was detected in onsite well DVE-9
- Hydrocarbon concentrations are below maximum historical concentrations in all wells

### **ANTICIPATED FUTURE ACTIVITIES**

#### ***Groundwater Monitoring***

Blaine Tech will monitor and sample site wells per the established schedule. CRA will submit a groundwater monitoring and sampling report.



**CONESTOGA-ROVERS  
& ASSOCIATES**

November 9, 2012

Reference No. 311915

- 4 -

Please contact Nathan Lee at (510) 420-3333 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES



Celina Hernandez, PG 8931

CH/cw/40  
Encl.

|              |                                                         |
|--------------|---------------------------------------------------------|
| Figure 1     | Vicinity Map                                            |
| Figure 2     | Groundwater Elevation and Hydrocarbon Concentration Map |
| Table 1      | Groundwater Monitoring and Sampling Data                |
| Attachment A | Monitoring Data Package                                 |
| Attachment B | Laboratory Analytical Report                            |

cc: Ms. Catalina Espino Devine, Chevron (*electronic copy*)  
Mr. Hugh Murphy, City of Hayward Fire Department  
Mr. Thomas Wong, Nearby Property Owner

## FIGURES




Figure 1  
VICINITY MAP  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
*Hayward, California*






Figure 2  
GROUNDWATER ELEVATION AND  
HYDROCARBON CONCENTRATION MAP  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
Hayward, California  
September 10, 2012

## TABLE

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS     | PRIMARY VOCs   |                |                |                 |                | ADDITIONAL VOCs |         |
|----------|--------------------------|--------|-------|---------|-------|---------------|------------------|----------------|----------------|----------------|-----------------|----------------|-----------------|---------|
|          |                          |        |       |         |       |               | TPH-GRO          | B              | T              | E              | X               | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft     | ft    | ft-amsl | ft    | ft            | µg/L             | µg/L           | µg/L           | µg/L           | µg/L            | µg/L           | µg/L            | µg/L    |
| MW-4     | 02/05/1988               | -      | -     | -       | -     | -             | 88,000           | 24,000         | 19,000         | 1,700          | 10,000          | -              | -               | -       |
| MW-4     | 06/15/1988               | -      | 12.92 | 87.83   | -     | -             | 95,000           | 45,000         | 30,000         | 2,100          | 17,000          | -              | -               | -       |
| MW-4     | 09/27/1988 <sup>1</sup>  | 100.75 | 14.22 | 86.53   | -     | -             | 500,000 / 88,000 | 41,000 / 1,200 | 27,000 / 4,100 | <5,000 / 1,600 | 16,000 / 12,000 | -              | <5,000 / 230    | 270     |
| MW-4     | 01/05/1989               | 100.75 | 13.20 | 87.55   | -     | -             | 64,000           | 41,000         | 29,000         | 2,700          | 14,000          | -              | -               | -       |
| MW-4     | 04/06/1989               | 100.75 | 12.32 | 88.43   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 06/28/1989               | 100.75 | 14.25 | 86.50   | -     | -             | 110,000          | 34,000         | 24,000         | 2,400          | 13,000          | -              | -               | -       |
| MW-4     | 10/03/1989               | 100.75 | 14.75 | 86.00   | -     | -             | 240,000          | 36,000         | 31,000         | 3,200          | 19,000          | -              | -               | -       |
| MW-4     | 01/04/1990               | 100.75 | 14.75 | 86.00   | -     | -             | 130,000          | 33,000         | 28,000         | 2,400          | 14,000          | -              | -               | -       |
| MW-4     | 04/03/1990               | 100.75 | 13.81 | 86.94   | -     | -             | 110,000          | 41,000         | 32,000         | 2,900          | 17,000          | -              | -               | -       |
| MW-4     | 07/03/1990               | 100.75 | 14.06 | 86.69   | -     | -             | 180,000          | 32,000         | 30,000         | 2,600          | 15,000          | -              | -               | -       |
| MW-4     | 11/06/1990               | 100.75 | 15.66 | 85.09   | -     | -             | 170,000          | 31,000         | 30,000         | 2,700          | 17,000          | -              | -               | -       |
| MW-4     | 01/04/1991               | 100.75 | 15.18 | 85.87   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 04/03/1991               | 100.75 | 11.00 | 89.75   | -     | -             | 130,000          | 21,000         | 24,000         | 2,300          | 14,000          | -              | -               | -       |
| MW-4     | 07/02/1991               | 100.75 | 14.25 | 86.50   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 10/02/1991               | 100.75 | 16.16 | 84.59   | -     | -             | 240,000          | 27,000         | 33,000         | 2,600          | 16,000          | -              | -               | -       |
| MW-4     | 01/02/1992               | 100.75 | 15.26 | 85.49   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 04/07/1992               | 100.75 | 12.38 | 88.37   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 08/13/1992               | 100.75 | 16.68 | 84.05   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 12/03/1992               | 100.73 | 16.17 | 84.58   | -     | -             | 1,300,000        | 17,000         | 41,000         | 12,000         | 90,000          | -              | -               | -       |
| MW-4     | 03/25/1993               | 100.73 | 10.50 | 90.23   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 10/04/1994               | 100.73 | 12.84 | 87.89   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 11/14/1994 <sup>3</sup>  | 100.73 | -     | -       | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 05/15/1995               | 100.73 | 11.37 | 89.36   | -     | -             | <50              | <0.5           | <0.5           | <0.5           | <0.5            | -              | -               | -       |
| MW-4     | 08/04/1995               | 100.73 | 12.30 | 88.43   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 11/28/1995               | 100.73 | 14.65 | 86.08   | -     | -             | 97,000           | 23,000         | 18,000         | 1,400          | 8,800           | 430            | -               | -       |
| MW-4     | 02/20/1996 <sup>28</sup> | 100.73 | 7.90  | 92.83   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 05/29/1996               | 100.73 | 11.00 | 89.73   | -     | -             | 59,000           | 11,000         | 11,000         | 740            | 4,400           | <500           | -               | -       |
| MW-4     | 08/27/1996               | 100.73 | 13.24 | 87.49   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-4     | 11/22/1996               | 100.73 | 11.50 | 89.23   | -     | -             | 130,000          | 20,000         | 14,000         | 1,200          | 7,000           | 21,000         | -               | -       |
| MW-4     | 02/18/1997               | 100.73 | 9.47  | 91.26   | -     | -             | -                | -              | -              | -              | -               | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS       | PRIMARY VOCs |        |        |        |                          | ADDITIONAL VOCs |         |
|----------|-----------------------------|--------|-------|---------|-------|---------------|--------------------|--------------|--------|--------|--------|--------------------------|-----------------|---------|
|          |                             |        |       |         |       |               | TPH-GRO            | B            | T      | E      | X      | MTBE by SW8260           | EDB             | 1,2-DCA |
|          | Units                       | ft     | ft    | ft-amsl | ft    | ft            | µg/L               | µg/L         | µg/L   | µg/L   | µg/L   | µg/L                     | µg/L            | µg/L    |
| MW-4     | 05/23/1997 <sup>4</sup>     | 100.73 | 12.63 | 88.10   | -     | -             | 120,000            | 23,000       | 21,000 | 1,400  | 8,400  | 50,000                   | -               | -       |
| MW-4     | 08/04/1997                  | 100.73 | 13.22 | 87.51   | -     | -             | 120,000            | 25,000       | 22,000 | 1,600  | 8,000  | 15,000                   | -               | -       |
| MW-4     | 11/25/1997 <sup>5</sup>     | 100.73 | 13.90 | 86.83   | -     | -             | 460,000            | 44,000       | 45,000 | 4,000  | 19,000 | 290,000                  | -               | -       |
| MW-4     | 02/25/1998 <sup>28</sup>    | 100.73 | 13.70 | 87.03   | -     | -             | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 05/21/1998                  | 100.73 | 11.99 | 88.74   | -     | -             | 100,000            | 11,000       | 8,600  | 720    | 4,200  | 3,100                    | -               | -       |
| MW-4     | 08/19/1998                  | 100.73 | 20.03 | 80.70   | -     | -             | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 11/19/1998                  | 100.73 | 19.68 | 81.05   | -     | -             | 51,000             | 5,200        | 8,900  | 1,200  | 6,400  | 1,600                    | -               | -       |
| MW-4     | 02/12/1999                  | 100.73 | 13.21 | 87.52   | -     | -             | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 05/10/1999                  | 100.73 | 12.74 | 87.99   | -     | -             | 68,800             | 9,680        | 11,500 | 1,450  | 7,700  | 2,080 / 328 <sup>7</sup> | -               | -       |
| MW-4     | 09/02/1999                  | 100.73 | 15.59 | 85.14   | -     | -             | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 02/03/2000                  | 100.73 | 12.90 | 87.83   | -     | -             | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 05/09/2000 <sup>15</sup>    | 100.73 | 12.72 | 88.01   | 0.00  | 0.00          | 3,400 <sup>8</sup> | 24           | <10    | <10    | 890    | 430                      | -               | -       |
| MW-4     | 08/02/2000 <sup>15,28</sup> | 100.73 | 14.55 | 86.18   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 11/09/2000 <sup>15</sup>    | 100.73 | 15.39 | 85.34   | 0.00  | 0.00          | 66,700             | 13,900       | 12,400 | 1,460  | 7,940  | <250                     | -               | -       |
| MW-4     | 02/08/2001 <sup>15</sup>    | 100.73 | 15.74 | 84.99   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 05/02/2001 <sup>15</sup>    | 100.73 | 16.49 | 84.24   | 0.00  | 0.00          | 490,000            | 2,990        | <5,000 | <5,000 | 8,660  | 18.8                     | -               | -       |
| MW-4     | 08/28/2001 <sup>15,28</sup> | 100.73 | 17.96 | 82.77   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 11/26/2001 <sup>15</sup>    | 100.73 | 15.30 | 85.43   | 0.00  | 0.00          | 39,000             | 2,700        | 2,900  | 1,200  | 5,700  | <100                     | -               | -       |
| MW-4     | 02/22/2002 <sup>15,28</sup> | 100.73 | 11.89 | 88.84   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 05/24/2002 <sup>15</sup>    | 100.73 | 15.21 | 85.52   | 0.00  | 0.00          | 55,000             | 4,300        | 4,900  | 1,700  | 9,900  | <100                     | -               | -       |
| MW-4     | 08/29/2002 <sup>15,28</sup> | 100.73 | 15.72 | 85.01   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 11/29/2002 <sup>15</sup>    | 100.73 | 15.23 | 85.50   | 0.00  | 0.00          | 39,000             | 3,600        | 4,200  | 1,500  | 7,300  | <50                      | -               | -       |
| MW-4     | 02/28/2003 <sup>28</sup>    | 100.73 | 11.70 | 89.03   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 05/30/2003 <sup>17</sup>    | 100.73 | 12.39 | 88.34   | 0.00  | 0.00          | 51,000             | 4,400        | 5,200  | 1,300  | 7,000  | 5                        | -               | -       |
| MW-4     | 08/22/2003 <sup>28</sup>    | 100.73 | 14.55 | 86.18   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 11/24/2003 <sup>17</sup>    | 100.73 | 14.97 | 85.76   | 0.00  | 0.00          | 50,000             | 3,500        | 6,300  | 1,400  | 7,200  | 1                        | -               | -       |
| MW-4     | 02/27/2004 <sup>28</sup>    | 100.73 | 10.95 | 89.78   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 06/21/2004 <sup>17</sup>    | 100.73 | 14.60 | 86.13   | 0.00  | 0.00          | 61,000             | 3,900        | 11,000 | 2,000  | 11,000 | <10                      | -               | -       |
| MW-4     | 08/26/2004 <sup>28</sup>    | 100.73 | 15.47 | 85.26   | 0.00  | 0.00          | -                  | -            | -      | -      | -      | -                        | -               | -       |
| MW-4     | 11/29/2004 <sup>17</sup>    | 100.73 | 15.09 | 85.64   | 0.00  | 0.00          | 61,000             | 1,900        | 5,000  | 1,700  | 8,600  | <5                       | -               | -       |
| MW-4     | 02/11/2005 <sup>35</sup>    | 100.73 | -     | -       | -     | -             | -                  | -            | -      | -      | -      | -                        | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location    | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|-------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|--------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|             |                                |               |              |              |             |               | TPH-GRO      | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|             | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L         | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-4        | 06/16/2005 <sup>17</sup>       | 100.73        | 12.05        | 88.68        | 0.00        | 0.00          | 45,000       | 1,700        | 6,300    | 1,300    | 6,800    | <5             | -               | -        |
| MW-4        | 08/31/2005 <sup>28</sup>       | 100.73        | 11.96        | 88.77        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 11/30/2005 <sup>17</sup>       | 100.73        | 15.19        | 85.54        | 0.00        | 0.00          | 56,000       | 2,200        | 7,800    | 1,400    | 8,100    | <10            | -               | -        |
| MW-4        | 02/27/2006 <sup>28</sup>       | 100.73        | 11.62        | 89.11        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 05/30/2006 <sup>17</sup>       | 100.73        | 11.47        | 89.26        | 0.00        | 0.00          | 36,000       | 1,200        | 6,000    | 1,100    | 5,700    | 6              | -               | -        |
| MW-4        | 08/29/2006 <sup>28</sup>       | 100.73        | 13.82        | 86.91        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 12/13/2006 <sup>17</sup>       | 100.73        | 12.51        | 88.22        | 0.00        | 0.00          | 59,000       | 1,600        | 10,000   | 1,900    | 10,000   | <10            | -               | -        |
| MW-4        | 02/28/2007 <sup>28</sup>       | 100.73        | 10.37        | 90.36        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 05/30/2007 <sup>17</sup>       | 100.73        | 13.77        | 86.96        | 0.00        | 0.00          | 550          | 9            | 70       | 12       | 58       | <0.5           | -               | -        |
| MW-4        | 08/29/2007 <sup>28</sup>       | 100.73        | 16.89        | 83.84        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 11/21/2007 <sup>17</sup>       | 103.89        | 14.77        | 89.12        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | -        |
| MW-4        | 02/20/2008 <sup>28</sup>       | 103.89        | 12.36        | 91.53        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 05/21/2008 <sup>17</sup>       | 103.89        | 13.72        | 90.17        | 0.00        | 0.00          | 17,000       | 88           | 1,200    | 740      | 4,600    | 5              | -               | -        |
| MW-4        | 06/24/2008 <sup>17</sup>       | 103.89        | 14.15        | 89.74        | 0.00        | 0.00          | 27,000       | 190          | 4,100    | 1,100    | 6,100    | 9              | -               | -        |
| MW-4        | 08/22/2008 <sup>28</sup>       | 103.89        | 18.82        | 85.07        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 11/21/2008 <sup>34</sup>       | 103.89        | 22.15        | 81.74        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 02/03/2009 <sup>28</sup>       | 103.89        | 21.55        | 82.34        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 05/28/2009                     | 103.89        | 21.42        | 82.47        | 0.00        | 0.00          | 10,000       | 110          | 260      | 200      | 1,600    | 5              | -               | -        |
| MW-4        | 08/06/2009                     | 103.89        | 15.68        | 88.21        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 11/16/2009                     | 103.89        | 20.73        | 83.16        | 0.00        | 0.00          | 20,000       | 36           | 290      | 490      | 3,500    | <3             | -               | -        |
| MW-4        | 02/02/2010                     | 103.89        | 10.42        | 93.47        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 05/20/2010                     | 103.89        | 11.21        | 92.68        | 0.00        | 0.00          | 19,000       | 35           | 460      | 680      | 3,800    | 2 J            | -               | -        |
| MW-4        | 08/23/2010 <sup>28</sup>       | 103.89        | 14.08        | 89.81        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 12/07/2010                     | 103.89        | 12.90        | 90.99        | 0.00        | 0.00          | 19,000       | 23           | 330      | 700      | 2,600    | <3             | -               | -        |
| MW-4        | 02/03/2011 <sup>28</sup>       | 103.89        | 11.89        | 92.00        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 05/06/2011                     | 103.89        | 11.03        | 92.86        | 0.00        | 0.00          | 3,500        | 3            | 55       | 120      | 490      | <0.5           | -               | -        |
| MW-4        | 09/16/2011 <sup>28</sup>       | 103.89        | 13.83        | 90.06        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 12/06/2011 <sup>28</sup>       | 103.89        | 14.17        | 89.72        | 0.00        | 0.00          | 5,600        | 1 J          | 27       | 150      | 600      | <1             | -               | -        |
| MW-4        | 03/16/2012 <sup>28</sup>       | 103.89        | 13.00        | 90.89        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-4        | 06/21/2012                     | 103.89        | 13.12        | 90.77        | 0.00        | 0.00          | 7,600        | 3 J          | 69       | 230      | 930      | <1             | -               | <1       |
| <b>MW-4</b> | <b>09/10/2012<sup>28</sup></b> | <b>103.89</b> | <b>14.32</b> | <b>89.57</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>     | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                    | TOC   | DTW   | GWE     | LNAPL              | LNAPL REMOVED | HYDROCARBONS     | PRIMARY VOCs   |                |                |                 |                | ADDITIONAL VOCs |         |
|----------|-------------------------|-------|-------|---------|--------------------|---------------|------------------|----------------|----------------|----------------|-----------------|----------------|-----------------|---------|
|          |                         |       |       |         |                    |               | TPH-GRO          | B              | T              | E              | X               | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                   | ft    | ft    | ft-amsl | ft                 | ft            | µg/L             | µg/L           | µg/L           | µg/L           | µg/L            | µg/L           | µg/L            | µg/L    |
| MW-5     | 02/05/1988              | -     | -     | -       | -                  | -             | 80,000           | 16,000         | 15,000         | 2,600          | 17,000          | -              | -               | -       |
| MW-5     | 06/15/1988              | -     | 12.30 | 87.67   | -                  | -             | 77,000           | 42,000         | 38,000         | 2,500          | 16,000          | -              | -               | -       |
| MW-5     | 09/27/1988 <sup>1</sup> | 99.97 | 13.25 | 86.72   | -                  | -             | 470,000 / 48,000 | 39,000 / 1,800 | 32,000 / 3,500 | <5,000 / 1,600 | 16,000 / 10,000 | -              | <5,000 / 420    | 410     |
| MW-5     | 01/05/1989              | 99.97 | 12.70 | 87.27   | -                  | -             | 82,000           | 44,000         | 37,000         | 2,400          | 14,000          | -              | -               | -       |
| MW-5     | 04/06/1989              | 99.97 | 12.22 | 87.75   | -                  | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 06/28/1989              | 99.97 | 13.81 | 86.16   | -                  | -             | 80,000           | 36,000         | 24,000         | 2,400          | 13,000          | -              | -               | -       |
| MW-5     | 10/03/1989              | 99.97 | 14.27 | 85.70   | -                  | -             | 240,000          | 40,000         | 35,000         | 2,600          | 15,000          | -              | -               | -       |
| MW-5     | 01/04/1990              | 99.97 | 14.31 | 85.66   | -                  | -             | 130,000          | 37,000         | 31,000         | 2,400          | 13,000          | -              | -               | -       |
| MW-5     | 04/03/1990              | 99.97 | 13.50 | 86.47   | -                  | -             | 120,000          | 41,000         | 33,000         | 2,500          | 14,000          | -              | -               | -       |
| MW-5     | 07/03/1990              | 99.97 | 13.64 | 86.33   | -                  | -             | 200,000          | 28,000         | 25,000         | 1,800          | 10,000          | -              | -               | -       |
| MW-5     | 11/06/1990              | 99.97 | 15.14 | 84.83   | -                  | -             | 370,000          | 38,000         | 36,000         | 4,700          | 31,000          | -              | -               | -       |
| MW-5     | 01/04/1991              | 99.97 | 14.90 | 85.08   | 0.01               | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 04/03/1991              | 99.97 | 11.56 | 88.41   | -                  | -             | 140,000          | 36,000         | 32,000         | 2,700          | 17,000          | -              | -               | -       |
| MW-5     | 07/02/1991              | 99.97 | 13.89 | 86.08   | -                  | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 10/02/1991              | 99.97 | 15.26 | 84.71   | -                  | -             | 230,000          | 34,000         | 31,000         | 2,700          | 16,000          | -              | -               | -       |
| MW-5     | 01/02/1992              | 99.97 | 14.97 | 85.00   | -                  | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 04/07/1992              | 99.97 | 13.44 | 86.53   | -                  | -             | 220,000          | 35,000         | 30,000         | 2,500          | 14,000          | -              | -               | -       |
| MW-5     | 08/13/1992              | 99.97 | 15.61 | 84.36   | -                  | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 12/03/1992 <sup>2</sup> | 99.97 | 16.29 | 83.68   | <0.02 <sup>2</sup> | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 03/25/1993              | 99.97 | 10.97 | 89.00   | -                  | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 06/23/1993              | 99.97 | 12.60 | 87.40   | 0.04               | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 09/21/1993              | 99.97 | 14.00 | 85.99   | 0.03               | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 12/02/1993              | 99.97 | 14.27 | 85.73   | 0.04               | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 03/08/1994              | 99.97 | 12.16 | 87.81   | -                  | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 06/13/1994              | 99.97 | 13.01 | 87.22   | 0.32               | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 10/04/1994              | 99.97 | 15.56 | 84.41   | -                  | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 11/14/1994              | 99.97 | 13.35 | 86.62   | -                  | -             | 1,100,000        | 64,000         | 69,000         | 9,200          | 61,000          | -              | -               | -       |
| MW-5     | 05/15/1995              | 99.97 | 10.18 | 89.79   | -                  | -             | <50              | <0.5           | <0.5           | <0.5           | <0.5            | -              | -               | -       |
| MW-5     | 08/04/1995              | 99.97 | 11.77 | 88.20   | -                  | -             | -                | -              | -              | -              | -               | -              | -               | -       |
| MW-5     | 11/28/1995              | 99.97 | 14.22 | 85.75   | -                  | -             | 320,000          | 34,000         | 38,000         | 5,800          | 31,000          | 2,000          | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |        |       |        |                           | ADDITIONAL VOCs |         |
|----------|-----------------------------|-------|-------|---------|-------|---------------|----------------------|--------------|--------|-------|--------|---------------------------|-----------------|---------|
|          |                             |       |       |         |       |               | TPH-GRO              | B            | T      | E     | X      | MTBE by SW8260            | EDB             | 1,2-DCA |
|          | Units                       | ft    | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L   | µg/L  | µg/L   | µg/L                      | µg/L            | µg/L    |
| MW-5     | 02/20/1996 <sup>28</sup>    | 99.97 | 10.37 | 89.60   | Sheen | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 05/29/1996                  | 99.97 | 10.89 | 89.08   | -     | -             | 150,000              | 23,000       | 25,000 | 2,200 | 12,000 | <500                      | -               | -       |
| MW-5     | 08/27/1996                  | 99.97 | 12.75 | 87.22   | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 11/22/1996                  | 99.97 | 12.47 | 87.50   | -     | -             | 170,000              | 25,000       | 27,000 | 2,000 | 12,000 | <500                      | -               | -       |
| MW-5     | 02/18/1997                  | 99.97 | 9.51  | 90.46   | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 05/23/1997                  | 99.97 | 12.25 | 87.72   | -     | -             | 160,000              | 29,000       | 34,000 | 2,900 | 16,000 | <250                      | -               | -       |
| MW-5     | 08/04/1997                  | 99.97 | 12.88 | 87.09   | -     | -             | 130,000              | 27,000       | 31,000 | 2,500 | 13,000 | <500                      | -               | -       |
| MW-5     | 11/25/1997                  | 99.97 | 14.81 | 85.16   | -     | -             | 310,000 <sup>5</sup> | 52,000       | 59,000 | 5,500 | 28,000 | 3,300                     | -               | -       |
| MW-5     | 02/25/1998                  | 99.97 | 17.46 | 82.51   | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 05/21/1998                  | 99.97 | 11.60 | 88.37   | -     | -             | 220,000              | 20,000       | 26,000 | 2,000 | 10,000 | 8,500                     | -               | -       |
| MW-5     | 08/19/1998                  | 99.97 | 17.70 | 82.27   | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 11/19/1998 <sup>34</sup>    | 99.97 | -     | -       | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 02/12/1999                  | 99.97 | 12.79 | 87.18   | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 05/10/1999                  | 99.97 | 12.72 | 87.25   | -     | -             | 102,000              | 13,300       | 17,200 | 1,240 | <200   | 7,560 / <250 <sup>7</sup> | -               | -       |
| MW-5     | 09/02/1999                  | 99.97 | 14.79 | 85.18   | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 02/03/2000                  | 99.97 | 13.11 | 86.86   | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 05/09/2000 <sup>15</sup>    | 99.97 | 12.69 | 87.28   | 0.00  | 0.00          | 360 <sup>8</sup>     | 6.2          | <2.5   | <2.5  | 13     | 13                        | -               | -       |
| MW-5     | 08/02/2000 <sup>15,28</sup> | 99.97 | 14.16 | 85.81   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 11/09/2000 <sup>15</sup>    | 99.97 | 14.61 | 85.36   | 0.00  | 0.00          | 3,280                | 331          | 235    | 35.7  | 260    | 9.41                      | -               | -       |
| MW-5     | 02/08/2001 <sup>15</sup>    | 99.97 | 15.21 | 84.76   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 05/02/2001 <sup>15</sup>    | 99.97 | 16.20 | 83.77   | 0.00  | 0.00          | 26,700               | 5,490        | 6,310  | 145   | 2,910  | <0.500                    | -               | -       |
| MW-5     | 08/28/2001 <sup>15,41</sup> | 99.97 | -     | -       | -     | -             | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 11/26/2001 <sup>15</sup>    | 99.97 | 15.36 | 84.61   | 0.00  | 0.00          | 88,000               | 14,000       | 19,000 | 1,300 | 8,000  | <200                      | -               | -       |
| MW-5     | 02/22/2002 <sup>15,28</sup> | 99.97 | 12.22 | 87.75   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 05/24/2002 <sup>15</sup>    | 99.97 | 15.23 | 84.74   | 0.00  | 0.00          | 92,000               | 11,000       | 17,000 | 1,600 | 9,400  | <200                      | -               | -       |
| MW-5     | 08/29/2002 <sup>15,28</sup> | 99.97 | 15.32 | 84.65   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 11/29/2002                  | 99.97 | 14.76 | 85.21   | 0.00  | 0.00          | 62                   | 4.9          | <0.50  | <0.50 | <1.5   | <2.5                      | -               | -       |
| MW-5     | 02/28/2003 <sup>28</sup>    | 99.97 | 11.75 | 88.22   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 05/30/2003 <sup>17</sup>    | 99.97 | 12.61 | 87.36   | 0.00  | 0.00          | 8,100                | 1,600        | 1,100  | 72    | 700    | 8                         | -               | -       |
| MW-5     | 08/22/2003 <sup>28</sup>    | 99.97 | 13.85 | 86.12   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -                         | -               | -       |
| MW-5     | 11/24/2003 <sup>17</sup>    | 99.97 | 14.96 | 85.01   | 0.00  | 0.00          | 86,000               | 9,300        | 16,000 | 1,200 | 6,200  | <10                       | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                              | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |        |       |        |                | ADDITIONAL VOCs |         |
|----------|-----------------------------------|--------|-------|---------|-------|---------------|----------------------|--------------|--------|-------|--------|----------------|-----------------|---------|
|          |                                   |        |       |         |       |               | TPH-GRO              | B            | T      | E     | X      | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                             | ft     | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L   | µg/L  | µg/L   | µg/L           | µg/L            | µg/L    |
| MW-5     | 02/27/2004 <sup>28</sup>          | 99.97  | 10.43 | 89.54   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-5     | 06/21/2004 <sup>17</sup>          | 99.97  | 14.58 | 85.39   | 0.00  | 0.00          | 45,000               | 4,700        | 12,000 | 870   | 5,000  | <10            | -               | -       |
| MW-5     | 08/26/2004 <sup>28</sup>          | 99.97  | 15.68 | 84.29   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-5     | 11/29/2004 <sup>17</sup>          | 99.97  | 15.20 | 84.77   | 0.00  | 0.00          | 71,000               | 5,000        | 13,000 | 870   | 5,200  | <10            | -               | -       |
| MW-5     | 02/11/2005 <sup>28</sup>          | 99.97  | 12.51 | 87.46   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-5     | 06/16/2005 <sup>17</sup>          | 99.97  | 11.13 | 88.84   | 0.00  | 0.00          | 17,000               | 1,400        | 3,900  | 220   | 1,700  | <5             | -               | -       |
| MW-5     | 08/31/2005 <sup>28</sup>          | 99.97  | 13.98 | 85.99   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-5     | 11/30/2005 <sup>17</sup>          | 99.97  | 14.94 | 85.03   | 0.00  | 0.00          | 49,000               | 2,900        | 12,000 | 840   | 5,000  | <25            | -               | -       |
| MW-5     | 02/27/2006 <sup>28</sup>          | 99.97  | 11.99 | 87.98   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-5     | 05/30/2006 <sup>17,19</sup>       | 99.97  | 10.83 | 89.14   | 0.00  | 0.00          | 89,000               | 6,500        | 19,000 | 2,600 | 13,000 | <25            | -               | -       |
| MW-5     | 08/29/2006 <sup>17</sup>          | 99.97  | 13.08 | 86.89   | 0.00  | 0.00          | 110,000              | 5,900        | 22,000 | 2,400 | 13,000 | <50            | -               | -       |
| MW-5     | 12/13/2006 <sup>17</sup>          | 99.97  | 12.02 | 87.95   | 0.00  | 0.00          | 110,000              | 6,100        | 23,000 | 1,600 | 10,000 | <25            | -               | -       |
| MW-5     | 02/28/2007                        | -      | -     | -       | -     | -             | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-5     | 05/30/2007 <sup>17,18</sup>       | 99.97  | 11.45 | 88.52   | 0.00  | 0.00          | 100,000              | 4,200        | 17,000 | 1,600 | 8,700  | <25            | -               | -       |
| MW-5     | 08/29/2007 <sup>17,18</sup>       | 99.97  | -     | -       | 0.00  | 0.00          | 84,000               | 3,200        | 22,000 | 1,800 | 10,000 | <13            | -               | -       |
| MW-5     | 11/21/2007 <sup>18,39</sup>       | 101.74 | 13.06 | 88.70   | 0.03  | 0.28          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-5     | 02/20/2008 <sup>15</sup>          | 101.74 | -     | -       | -     | -             | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-5     | 05/21/2008 <sup>15,17,18</sup>    | 101.74 | 11.97 | 89.77   | 0.00  | 0.00          | 57,000 <sup>22</sup> | 1,400        | 22,000 | 1,700 | 9,900  | <10            | -               | -       |
| MW-5     | 06/24/2008 <sup>15,17,18,33</sup> | 101.74 | 12.58 | 89.16   | 0.00  | 0.00          | 25,000               | 1,300        | 22,000 | 1,400 | 10,000 | <10            | -               | -       |
| MW-5     | 08/22/2008 <sup>15,17,18,33</sup> | 101.74 | 24.62 | 77.12   | 0.00  | 0.00          | 65,000               | 1,400        | 18,000 | 1,600 | 8,800  | <10            | -               | -       |
| MW-5     | 11/21/2008 <sup>15,17,18,33</sup> | 101.74 | 23.89 | 77.85   | 0.00  | 0.00          | 61,000               | 1,100        | 17,000 | 1,300 | 10,000 | <5             | -               | -       |
| MW-5     | 02/03/2009 <sup>15,17,18,33</sup> | 101.74 | -     | -       | 0.00  | 0.00          | 54,000               | 1,000        | 13,000 | 1,500 | 8,600  | <10            | -               | -       |
| MW-5     | 05/28/2009                        | 101.74 | 23.11 | 78.63   | 0.00  | 0.00          | 86,000               | 380          | 19,000 | 860   | 9,500  | <10            | -               | -       |
| MW-5     | 08/07/2009                        | 101.74 | 14.00 | 87.74   | 0.00  | 0.00          | 89,000               | 190          | 23,000 | 2,100 | 13,000 | <10            | -               | -       |
| MW-5     | 11/16/2009                        | 101.74 | 22.90 | 78.84   | 0.00  | 0.00          | 62,000               | 470          | 13,000 | 1,300 | 9,800  | <10            | -               | -       |
| MW-5     | 02/02/2010                        | 101.74 | 9.80  | 91.94   | 0.00  | 0.00          | 100,000              | 750          | 27,000 | 2,500 | 16,000 | <25            | -               | -       |
| MW-5     | 05/20/2010                        | 101.74 | 9.86  | 91.88   | 0.00  | 0.00          | 91,000               | 940          | 19,000 | 2,000 | 9,800  | 10 J           | -               | -       |
| MW-5     | 08/23/2010 <sup>20</sup>          | 101.74 | 12.56 | 89.18   | 0.00  | 0.00          | 77,000               | 530          | 23,000 | 2,300 | 14,000 | <5             | -               | -       |
| MW-5     | 12/07/2010 <sup>20</sup>          | 101.74 | 11.18 | 90.56   | 0.00  | 0.00          | 110,000              | 430          | 24,000 | 2,000 | 15,000 | <5             | -               | -       |
| MW-5     | 02/03/2011 <sup>20</sup>          | 101.74 | 10.40 | 91.34   | 0.00  | 0.00          | 83,000               | 420          | 21,000 | 1,900 | 9,700  | <10            | -               | -       |
| MW-5     | 05/06/2011                        | 101.74 | 9.62  | 92.12   | 0.00  | 0.00          | 74,000               | 360          | 20,000 | 2,400 | 13,000 | <5             | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location    | Date              | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS  | PRIMARY VOCs |               |              |               |                | ADDITIONAL VOCs |          |
|-------------|-------------------|---------------|--------------|--------------|-------------|---------------|---------------|--------------|---------------|--------------|---------------|----------------|-----------------|----------|
|             |                   |               |              |              |             |               | TPH-GRO       | B            | T             | E            | X             | MTBE by SW8260 | EDB             | 1,2-DCA  |
|             | Units             | ft            | ft           | ft-amsl      | ft          | ft            | µg/L          | µg/L         | µg/L          | µg/L         | µg/L          | µg/L           | µg/L            | µg/L     |
| MW-5        | 09/16/2011        | 101.74        | 12.01        | 89.73        | 0.00        | 0.00          | 85,000        | 180          | 24,000        | 2,500        | 15,000        | <25            | -               | -        |
| MW-5        | 12/06/2011        | 101.74        | 12.47        | 89.27        | 0.00        | 0.00          | 98,000        | 160          | 17,000        | 2,600        | 16,000        | <5             | -               | -        |
| MW-5        | 03/16/2012        | 101.74        | 11.83        | 89.91        | 0.00        | 0.00          | 83,000        | 230          | 14,000        | 2,800        | 16,000        | <50            | -               | -        |
| MW-5        | 06/21/2012        | 101.74        | 11.69        | 90.05        | 0.00        | 0.00          | 99,000        | 190 J        | 13,000        | 2,700        | 14,700        | <25            | -               | <25      |
| <b>MW-5</b> | <b>09/10/2012</b> | <b>101.74</b> | <b>12.80</b> | <b>88.94</b> | <b>0.00</b> | <b>0.00</b>   | <b>73,000</b> | <b>170</b>   | <b>11,000</b> | <b>2,900</b> | <b>17,000</b> | <b>&lt;5</b>   | <b>-</b>        | <b>-</b> |
| MW-6        | 02/05/1988        | -             | -            | -            | -           | -             | 53,000        | 5,100        | 4,400         | 2,100        | 14,000        | -              | -               | -        |
| MW-6        | 06/15/1988        | -             | 13.51        | 87.92        | -           | -             | 33,000        | 9,200        | 5,500         | 520          | 20,000        | -              | -               | -        |
| MW-6        | 09/27/1988        | 101.43        | 14.56        | 86.87        | -           | -             | 17,000        | 2,200        | 2,800         | 1,700        | 5,100         | -              | -               | -        |
| MW-6        | 01/05/1989        | 101.43        | 13.48        | 87.95        | -           | -             | 37,000        | 5,000        | 3,400         | 2,200        | 10,000        | -              | -               | -        |
| MW-6        | 04/06/1989        | 101.43        | 12.60        | 88.83        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 06/28/1989        | 101.43        | 14.58        | 86.85        | -           | -             | 80,000        | 7,000        | 4,100         | 2,000        | 9,700         | -              | -               | -        |
| MW-6        | 10/03/1989        | 101.43        | 13.03        | 88.40        | -           | -             | 110,000       | 8,500        | 5,100         | 2,600        | 14,000        | -              | -               | -        |
| MW-6        | 01/04/1990        | 101.43        | 15.08        | 86.35        | -           | -             | 59,000        | 5,200        | 2,600         | 2,000        | 11,000        | -              | -               | -        |
| MW-6        | 04/03/1990        | 101.43        | 14.06        | 87.37        | -           | -             | 31,000        | 6,600        | 2,600         | 2,200        | 12,000        | -              | -               | -        |
| MW-6        | 07/03/1990        | 101.43        | 14.28        | 87.15        | -           | -             | 66,000        | 5,800        | 2,900         | 2,000        | 9,800         | -              | -               | -        |
| MW-6        | 11/06/1990        | 101.43        | 16.10        | 85.33        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 01/04/1991        | 101.43        | 15.52        | 85.91        | -           | -             | 50,000        | 5,600        | 2,200         | 1,800        | 9,400         | -              | -               | -        |
| MW-6        | 04/03/1991        | 101.43        | 11.03        | 90.40        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 07/02/1991        | 101.43        | 14.44        | 86.99        | -           | -             | 81,000        | 11,000       | 2,700         | 2,100        | 13,000        | -              | -               | -        |
| MW-6        | 10/02/1991        | 101.43        | 16.22        | 85.21        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 01/02/1992        | 101.43        | 15.71        | 85.72        | -           | -             | 67,000        | 7,500        | 1,900         | 1,800        | 9,500         | -              | -               | -        |
| MW-6        | 04/07/1992        | 101.43        | 13.47        | 87.96        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 08/13/1992        | 101.43        | 15.97        | 85.46        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 12/03/1992        | 101.43        | 16.62        | 84.81        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 03/25/1993        | 101.43        | 10.58        | 90.85        | -           | -             | 110,000       | 12,000       | 2,900         | 4,200        | 14,000        | -              | -               | -        |
| MW-6        | 06/23/1993        | 101.43        | 13.01        | 88.42        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 09/21/1993        | 101.43        | 14.74        | 86.69        | -           | -             | 62,000        | 12,000       | 1,400         | 2,100        | 12,000        | -              | -               | -        |
| MW-6        | 12/02/1993        | 101.43        | 14.87        | 86.56        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |
| MW-6        | 03/08/1994        | 101.43        | 12.04        | 89.39        | -           | -             | 61,000        | 7,000        | 1,500         | 1,500        | 7,400         | -              | -               | -        |
| MW-6        | 06/13/1994        | 101.43        | 13.37        | 88.06        | -           | -             | -             | -            | -             | -            | -             | -              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS       | PRIMARY VOCs |       |       |        |                            | ADDITIONAL VOCs |         |
|----------|-----------------------------|--------|-------|---------|-------|---------------|--------------------|--------------|-------|-------|--------|----------------------------|-----------------|---------|
|          |                             |        |       |         |       |               | TPH-GRO            | B            | T     | E     | X      | MTBE by SW8260             | EDB             | 1,2-DCA |
|          | Units                       | ft     | ft    | ft-amsl | ft    | ft            | µg/L               | µg/L         | µg/L  | µg/L  | µg/L   | µg/L                       | µg/L            | µg/L    |
| MW-6     | 10/04/1994                  | 101.43 | 15.56 | 85.87   | -     | -             | 78,000             | 13,000       | 940   | 1,900 | 10,000 | -                          | -               | -       |
| MW-6     | 11/14/1994                  | 101.43 | 13.53 | 87.90   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 05/15/1995                  | 101.43 | 10.53 | 90.90   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 08/04/1995                  | 101.43 | 12.38 | 89.05   | -     | -             | 51,000             | 8,600        | 1,400 | 1,900 | 7,800  | -                          | -               | -       |
| MW-6     | 11/28/1995 <sup>28</sup>    | 101.43 | 14.63 | 86.80   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 02/20/1996                  | 101.43 | 9.72  | 91.71   | -     | -             | 59,000             | 11,000       | 1,600 | 2,100 | 9,400  | <500                       | -               | -       |
| MW-6     | 05/29/1996                  | 101.43 | 10.94 | 90.49   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 08/27/1996                  | 101.43 | 13.40 | 88.03   | -     | -             | 84,000             | 11,000       | 960   | 2,300 | 7,700  | <500                       | -               | -       |
| MW-6     | 11/22/1996                  | 101.43 | 12.90 | 88.53   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 02/18/1997                  | 101.43 | 10.01 | 91.42   | -     | -             | 14,000             | 3,700        | 160   | 720   | 1,800  | 400                        | -               | -       |
| MW-6     | 05/23/1997                  | 101.43 | 12.75 | 88.68   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 08/04/1997                  | 101.43 | 13.48 | 87.95   | -     | -             | 62,000             | 13,000       | 930   | 3,500 | 8,500  | 710                        | -               | -       |
| MW-6     | 11/25/1997                  | 101.43 | 14.21 | 87.22   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 02/25/1998                  | 101.43 | 14.85 | 86.58   | -     | -             | 30,000             | 2,400        | 910   | 740   | 4,000  | 2,600                      | -               | -       |
| MW-6     | 05/21/1998                  | 101.43 | 11.67 | 89.76   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 08/19/1998                  | 101.43 | 15.86 | 85.57   | -     | -             | 37,000             | 390          | 220   | 160   | 3,600  | 1,600 / 1,000 <sup>7</sup> | -               | -       |
| MW-6     | 11/19/1998 <sup>34</sup>    | 101.43 | -     | -       | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 02/12/1999                  | 101.43 | 11.83 | 89.60   | -     | -             | 80                 | 2.4          | <0.5  | 0.68  | 6.2    | <2.5                       | -               | -       |
| MW-6     | 05/10/1999                  | 101.43 | 13.00 | 88.43   | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 09/02/1999                  | 101.43 | 15.72 | 85.71   | -     | -             | 4,440              | 23.4         | <5.0  | 45.3  | 46.2   | <50                        | -               | -       |
| MW-6     | 02/03/2000                  | 101.43 | 13.20 | 88.23   | -     | -             | 8,300              | 22           | <10   | 43    | 140    | 77                         | -               | -       |
| MW-6     | 05/09/2000 <sup>15</sup>    | 101.43 | 13.05 | 88.38   | 0.00  | 0.00          | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 08/02/2000 <sup>15</sup>    | 101.43 | 14.75 | 86.68   | 0.00  | 0.00          | 1,700 <sup>8</sup> | 32           | 4.9   | <2.5  | <2.5   | 55                         | -               | -       |
| MW-6     | 11/09/2000 <sup>15</sup>    | 101.43 | 15.56 | 85.87   | 0.00  | 0.00          | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 02/08/2001 <sup>15</sup>    | 101.43 | 15.87 | 85.56   | 0.00  | 0.00          | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 05/02/2001 <sup>15,41</sup> | 101.43 | -     | -       | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 08/28/2001 <sup>15,41</sup> | 101.43 | -     | -       | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 11/26/2001 <sup>15</sup>    | 101.43 | 15.46 | 85.97   | 0.00  | 0.00          | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 02/22/2002 <sup>15</sup>    | 101.43 | 11.94 | 89.49   | 0.00  | 0.00          | 6,300              | <10          | 1.7   | 17    | 26     | <25                        | -               | -       |
| MW-6     | 05/24/2002 <sup>15,28</sup> | 101.43 | 15.54 | 85.89   | 0.00  | 0.00          | -                  | -            | -     | -     | -      | -                          | -               | -       |
| MW-6     | 08/29/2002 <sup>15,41</sup> | 101.43 | -     | -       | -     | -             | -                  | -            | -     | -     | -      | -                          | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date                     | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |       |       |      |                | ADDITIONAL VOCs |         |
|----------|--------------------------|--------|-------|---------|-------|---------------|--------------|--------------|-------|-------|------|----------------|-----------------|---------|
|          |                          |        |       |         |       |               | TPH-GRO      | B            | T     | E     | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft     | ft    | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L  | µg/L  | µg/L | µg/L           | µg/L            | µg/L    |
| MW-6     | 11/29/2002 <sup>28</sup> | 101.43 | 15.78 | 85.65   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 02/28/2003               | 101.43 | 12.07 | 89.36   | 0.00  | 0.00          | 180          | <0.50        | <0.50 | <0.50 | <1.5 | <2.5           | -               | -       |
| MW-6     | 05/30/2003 <sup>28</sup> | 101.43 | 12.84 | 88.59   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 08/22/2003 <sup>34</sup> | 101.43 | 14.40 | 87.03   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 11/24/2003 <sup>28</sup> | 101.43 | 15.12 | 86.31   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 02/27/2004 <sup>17</sup> | 101.43 | 10.06 | 91.37   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-6     | 06/21/2004 <sup>28</sup> | 101.43 | 14.46 | 86.97   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 08/26/2004 <sup>41</sup> | 101.43 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 11/29/2004 <sup>41</sup> | 101.43 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 02/11/2005 <sup>17</sup> | 101.43 | 12.67 | 88.76   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-6     | 06/16/2005 <sup>28</sup> | 101.43 | 12.31 | 89.12   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 08/31/2005 <sup>34</sup> | 101.43 | 14.53 | 86.90   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 11/30/2005 <sup>28</sup> | 101.43 | 15.11 | 86.32   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 02/27/2006 <sup>17</sup> | 101.43 | 11.97 | 89.46   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-6     | 05/30/2006 <sup>28</sup> | 101.43 | 11.75 | 89.68   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 08/29/2006 <sup>17</sup> | 101.43 | 14.36 | 87.07   | 0.00  | 0.00          | 110          | 0.6          | <0.5  | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-6     | 12/13/2006 <sup>28</sup> | 101.43 | 13.05 | 88.38   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 02/28/2007 <sup>17</sup> | 101.43 | 9.77  | 91.66   | 0.00  | 0.00          | 1,400        | <0.5         | <0.5  | 0.7   | <0.5 | <0.5           | -               | -       |
| MW-6     | 05/30/2007 <sup>28</sup> | 101.43 | 12.62 | 88.81   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 08/29/2007 <sup>41</sup> | 101.43 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 11/21/2007 <sup>41</sup> | 104.01 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 02/20/2008 <sup>17</sup> | 104.01 | 11.86 | 92.15   | 0.00  | 0.00          | 1,200        | <0.5         | <0.5  | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-6     | 05/21/2008 <sup>28</sup> | 104.01 | 13.09 | 90.92   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 06/24/2008               | 104.01 | 13.97 | 90.04   | 0.00  | 0.00          | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 08/22/2008 <sup>41</sup> | 104.01 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 11/21/2008 <sup>41</sup> | 104.01 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 02/03/2009 <sup>41</sup> | 104.01 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 05/28/2009               | 104.01 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 08/06/2009               | 104.01 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 11/16/2009               | 104.01 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -              | -               | -       |
| MW-6     | 02/02/2010               | 104.01 | 9.70  | 94.31   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5           | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location    | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|-------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|--------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|             |                                |               |              |              |             |               | TPH-GRO      | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|             | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L         | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-6        | 05/20/2010                     | 104.01        | 10.60        | 93.41        | 0.00        | 0.00          | 53 J         | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | -        |
| MW-6        | 08/23/2010 <sup>28</sup>       | 104.01        | 13.58        | 90.43        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-6        | 12/07/2010                     | 104.01        | 12.34        | 91.67        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | -        |
| MW-6        | 02/03/2011 <sup>28</sup>       | 104.01        | 11.24        | 92.77        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-6        | 05/06/2011                     | 104.01        | 10.25        | 93.76        | 0.00        | 0.00          | 95 J         | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | -        |
| MW-6        | 09/16/2011 <sup>28</sup>       | 104.01        | 13.43        | 90.58        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-6        | 12/06/2011 <sup>28</sup>       | 104.01        | 13.79        | 90.22        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | -        |
| MW-6        | 03/16/2012 <sup>28</sup>       | 104.01        | 12.20        | 91.81        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-6        | 06/21/2012                     | 104.01        | 12.68        | 91.33        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | <0.5     |
| <b>MW-6</b> | <b>09/10/2012<sup>28</sup></b> | <b>104.01</b> | <b>13.82</b> | <b>90.19</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>     | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |
| MW-7        | 02/05/1988                     | -             | -            | -            | -           | -             | 81,000       | 34,000       | 36,000   | 2,400    | 16,000   | -              | -               | -        |
| MW-7        | 06/15/1988                     | -             | 12.57        | 88.34        | -           | -             | 77,000       | 40,000       | 41,000   | 1,400    | 24,000   | -              | -               | -        |
| MW-7        | 09/27/1988                     | 100.91        | 13.60        | 87.31        | -           | -             | 30,000       | 9,700        | 8,900    | 400      | 4,100    | -              | <10             | 2,600    |
| MW-7        | 01/05/1989                     | 100.91        | 12.98        | 87.93        | -           | -             | 96,000       | 36,000       | 38,000   | 2,800    | 16,000   | -              | -               | -        |
| MW-7        | 04/06/1989                     | 100.91        | 12.34        | 88.57        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 06/28/1989                     | 100.91        | 14.08        | 86.83        | -           | -             | 110,000      | 31,000       | 30,000   | 2,600    | 16,000   | -              | -               | -        |
| MW-7        | 10/03/1989                     | 100.91        | 14.53        | 86.38        | -           | -             | 230,000      | 34,000       | 34,000   | 2,400    | 15,000   | -              | -               | -        |
| MW-7        | 01/04/1990                     | 100.91        | 14.49        | 86.42        | -           | -             | 150,000      | 41,000       | 40,000   | 2,400    | 15,000   | -              | -               | -        |
| MW-7        | 04/03/1990                     | 100.91        | 13.66        | 87.25        | -           | -             | 100,000      | 31,000       | 28,000   | 2,100    | 16,000   | -              | -               | -        |
| MW-7        | 07/03/1990                     | 100.91        | 13.86        | 87.05        | -           | -             | 190,000      | 30,000       | 27,000   | 1,800    | 13,000   | -              | -               | -        |
| MW-7        | 11/06/1990                     | 100.91        | 15.58        | 85.33        | -           | -             | 160,000      | 27,000       | 25,000   | 1,900    | 15,000   | -              | -               | -        |
| MW-7        | 01/04/1991                     | 100.91        | 15.25        | 85.66        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 04/03/1991                     | 100.91        | 11.41        | 89.50        | -           | -             | 240,000      | 40,000       | 36,000   | 2,400    | 18,000   | -              | -               | -        |
| MW-7        | 07/02/1991                     | 100.91        | 14.18        | 86.73        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 10/02/1991                     | 100.91        | 15.78        | 85.13        | -           | -             | 220,000      | 26,000       | 27,000   | 2,500    | 18,000   | -              | -               | -        |
| MW-7        | 01/02/1992                     | 100.91        | 15.45        | 85.46        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 04/07/1992                     | 100.91        | 13.48        | 87.43        | -           | -             | 260,000      | 27,000       | 26,000   | 2,400    | 15,000   | -              | -               | -        |
| MW-7        | 08/13/1992                     | 100.91        | 15.89        | 85.02        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 12/03/1992                     | 100.91        | 16.43        | 84.48        | -           | -             | 330,000      | 29,000       | 31,000   | 3,300    | 18,000   | -              | -               | -        |
| MW-7        | 03/25/1993                     | 100.91        | 11.10        | 89.81        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date                        | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS     | PRIMARY VOCs |        |       |        |                           | ADDITIONAL VOCs |         |
|----------|-----------------------------|--------|-------|---------|-------|---------------|------------------|--------------|--------|-------|--------|---------------------------|-----------------|---------|
|          |                             |        |       |         |       |               | TPH-GRO          | B            | T      | E     | X      | MTBE by SW8260            | EDB             | 1,2-DCA |
|          | Units                       | ft     | ft    | ft-amsl | ft    | ft            | µg/L             | µg/L         | µg/L   | µg/L  | µg/L   | µg/L                      | µg/L            | µg/L    |
| MW-7     | 06/23/1993                  | 100.91 | 13.63 | 88.13   | 1.06  | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 09/21/1993                  | 100.91 | 14.88 | 86.57   | 0.67  | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 12/02/1993                  | 100.91 | 14.74 | 86.32   | 0.19  | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 03/08/1994                  | 100.91 | 12.37 | 88.54   | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 06/13/1994                  | 100.91 | 13.12 | 88.03   | 0.30  | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 10/04/1994 <sup>3</sup>     | 100.91 | -     | -       | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 11/14/1994                  | 100.91 | 13.83 | 87.22   | 0.18  | 0.50          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 05/15/1995                  | 100.91 | 11.07 | 89.85   | 0.01  | 0.00          | <50              | <0.5         | <0.5   | <0.5  | <0.5   | -                         | -               | -       |
| MW-7     | 08/04/1995                  | 100.91 | 12.53 | 88.38   | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 11/28/1995                  | 100.91 | 14.62 | 86.53   | 0.30  | 2.00          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 02/20/1996 <sup>28</sup>    | 100.91 | 10.09 | 90.84   | 0.02  | 0.0625        | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 05/29/1996                  | 100.91 | 10.93 | 90.00   | 0.02  | 0.50          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 08/27/1996                  | 100.91 | 12.75 | 88.18   | 0.02  | 0.50          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 11/22/1996                  | 100.91 | 12.99 | 87.94   | 0.02  | 0.50          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 02/18/1997                  | 100.91 | 9.58  | 91.33   | 0.01  | 0.50          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 05/23/1997                  | 100.91 | 12.55 | 88.36   | -     | -             | 8,300            | 210          | 580    | 130   | 1,400  | <250                      | -               | -       |
| MW-7     | 08/04/1997                  | 100.91 | 13.23 | 87.68   | -     | -             | 96,000           | 12,000       | 16,000 | 2,300 | 14,000 | 3,600                     | -               | -       |
| MW-7     | 02/25/1998                  | 100.91 | 17.02 | 83.89   | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 05/21/1998                  | 100.91 | 11.93 | 88.98   | -     | -             | 150,000          | 7,100        | 15,000 | 1,700 | 9,600  | 21,000                    | -               | -       |
| MW-7     | 08/19/1998                  | 100.91 | 18.19 | 82.72   | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 11/19/1998 <sup>34</sup>    | 100.91 | -     | -       | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 02/12/1999                  | 100.91 | 12.81 | 88.10   | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 05/10/1999                  | 100.91 | 13.04 | 87.87   | -     | -             | 11,200           | 384          | 764    | 116   | 618    | <1,000 / 558 <sup>7</sup> | -               | -       |
| MW-7     | 09/02/1999                  | 100.91 | 15.75 | 85.16   | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 02/03/2000                  | 100.91 | 14.07 | 86.84   | -     | -             | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 05/09/2000 <sup>15</sup>    | 100.91 | 13.36 | 87.55   | 0.00  | 0.00          | 150 <sup>8</sup> | 0.52         | <0.50  | <0.50 | 2.1    | 130                       | -               | -       |
| MW-7     | 08/02/2000 <sup>15,28</sup> | 100.91 | 14.97 | 85.94   | 0.00  | 0.00          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 11/09/2000 <sup>15</sup>    | 100.91 | 14.98 | 85.93   | 0.00  | 0.00          | 559              | 24.1         | 12.4   | 2.34  | 12.5   | 5.32                      | -               | -       |
| MW-7     | 02/08/2001 <sup>15</sup>    | 100.91 | 16.02 | 84.89   | 0.00  | 0.00          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 05/02/2001 <sup>15,34</sup> | 100.91 | 17.70 | 83.21   | 0.00  | 0.00          | -                | -            | -      | -     | -      | -                         | -               | -       |
| MW-7     | 08/28/2001 <sup>15,28</sup> | 100.91 | 17.99 | 82.92   | 0.00  | 0.00          | -                | -            | -      | -     | -      | -                         | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS      | PRIMARY VOCs |        |      |       |                | ADDITIONAL VOCs |         |
|----------|-----------------------------|--------|-------|---------|-------|---------------|-------------------|--------------|--------|------|-------|----------------|-----------------|---------|
|          |                             |        |       |         |       |               | TPH-GRO           | B            | T      | E    | X     | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                       | ft     | ft    | ft-amsl | ft    | ft            | µg/L              | µg/L         | µg/L   | µg/L | µg/L  | µg/L           | µg/L            | µg/L    |
| MW-7     | 11/26/2001 <sup>15</sup>    | 100.91 | 16.15 | 84.76   | 0.00  | 0.00          | 82,000            | 12,000       | 23,000 | 840  | 6,500 | <100           | -               | -       |
| MW-7     | 02/22/2002 <sup>15,28</sup> | 100.91 | 12.69 | 88.22   | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 05/24/2002 <sup>15,34</sup> | 100.91 | 16.18 | 84.73   | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 08/29/2002 <sup>15,28</sup> | 100.91 | 16.17 | 84.74   | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 11/29/2002                  | 100.91 | 15.32 | 85.59   | 0.00  | 0.00          | 890               | 50           | 150    | 14   | 77    | <10            | -               | -       |
| MW-7     | 02/28/2003 <sup>16,28</sup> | -      | 10.07 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 05/30/2003 <sup>16,17</sup> | -      | 11.12 | -       | 0.00  | 0.00          | 190               | 0.8          | 1      | 1    | 3     | 62             | -               | -       |
| MW-7     | 08/22/2003 <sup>16</sup>    | -      | -     | -       | -     | -             | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 11/24/2003 <sup>16,17</sup> | -      | 13.99 | -       | 0.00  | 0.00          | 1,000             | 110          | 6      | 18   | 6     | 6              | -               | -       |
| MW-7     | 02/27/2004 <sup>16,28</sup> | -      | 11.31 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 06/21/2004 <sup>16,34</sup> | -      | 13.48 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 08/26/2004 <sup>16,28</sup> | -      | 14.33 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 11/29/2004 <sup>16,17</sup> | -      | 14.15 | -       | 0.00  | 0.00          | 1,800             | 480          | 2      | 32   | 14    | 28             | -               | -       |
| MW-7     | 02/11/2005 <sup>16,28</sup> | -      | 11.16 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 06/16/2005 <sup>16,17</sup> | -      | 10.84 | -       | 0.00  | 0.00          | <50               | <0.5         | <0.5   | <0.5 | <0.5  | 29             | -               | -       |
| MW-7     | 08/31/2005 <sup>16,28</sup> | -      | 12.15 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 11/30/2005 <sup>16,17</sup> | -      | 13.91 | -       | 0.00  | 0.00          | 120               | 10           | 1      | <0.5 | <0.5  | 9              | -               | -       |
| MW-7     | 02/27/2006 <sup>16,28</sup> | -      | 10.47 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 05/30/2006 <sup>16,17</sup> | -      | 10.10 | -       | 0.00  | 0.00          | 91                | 1            | 3      | 0.6  | 0.9   | 99             | -               | -       |
| MW-7     | 08/29/2006 <sup>16,28</sup> | -      | 12.62 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 12/13/2006 <sup>16,17</sup> | -      | 12.57 | -       | 0.00  | 0.00          | <50               | <0.5         | <0.5   | <0.5 | <0.5  | <0.5           | -               | -       |
| MW-7     | 02/28/2007 <sup>16,28</sup> | -      | 9.54  | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 05/30/2007 <sup>16,17</sup> | -      | 12.01 | -       | 0.00  | 0.00          | <50               | <0.5         | 1      | <0.5 | <0.5  | 28             | -               | -       |
| MW-7     | 08/29/2007 <sup>16,28</sup> | -      | 14.62 | -       | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 11/21/2007 <sup>17</sup>    | 103.17 | 13.87 | 89.30   | 0.00  | 0.00          | 9,900             | 340          | 4,100  | 190  | 840   | 11             | -               | -       |
| MW-7     | 02/20/2008 <sup>28</sup>    | 103.17 | 11.61 | 91.56   | 0.00  | 0.00          | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 05/21/2008 <sup>17</sup>    | 103.17 | 12.61 | 90.56   | 0.00  | 0.00          | <50 <sup>22</sup> | <0.5         | <0.5   | <0.5 | <0.5  | 31             | -               | -       |
| MW-7     | 06/24/2008 <sup>17</sup>    | 103.17 | 12.97 | 90.20   | 0.00  | 0.00          | <50               | 1            | 1      | <0.5 | 2     | 47             | -               | -       |
| MW-7     | 08/22/2008 <sup>41</sup>    | 103.17 | -     | -       | -     | -             | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 11/21/2008 <sup>41</sup>    | 103.17 | -     | -       | -     | -             | -                 | -            | -      | -    | -     | -              | -               | -       |
| MW-7     | 02/03/2009 <sup>41</sup>    | 103.17 | -     | -       | -     | -             | -                 | -            | -      | -    | -     | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location    | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|-------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|--------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|             |                                |               |              |              |             |               | TPH-GRO      | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|             | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L         | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-7        | 05/28/2009                     | 103.17        | -            | -            | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 08/06/2009                     | 103.17        | 15.18        | 87.99        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 11/16/2009                     | 103.17        | -            | -            | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 02/02/2010                     | 103.17        | 9.95         | 93.22        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 05/20/2010                     | 103.17        | 10.21        | 92.96        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | 14             | -               | -        |
| MW-7        | 08/23/2010 <sup>28</sup>       | 103.17        | 12.95        | 90.22        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 12/07/2010                     | 103.17        | 11.82        | 91.35        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | 4              | -               | -        |
| MW-7        | 02/03/2011 <sup>28</sup>       | 103.17        | 10.74        | 92.43        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 05/06/2011                     | 103.17        | 9.96         | 93.21        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | 42             | -               | -        |
| MW-7        | 09/16/2011 <sup>28</sup>       | 103.17        | 12.72        | 90.45        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 12/06/2011 <sup>28</sup>       | 103.17        | 13.14        | 90.03        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | 42             | -               | -        |
| MW-7        | 03/16/2012 <sup>28</sup>       | 103.17        | 12.21        | 90.96        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-7        | 06/21/2012                     | 103.17        | 12.23        | 90.94        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | 140            | -               | <0.5     |
| <b>MW-7</b> | <b>09/10/2012<sup>28</sup></b> | <b>103.17</b> | <b>13.56</b> | <b>89.61</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>     | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |
| MW-8        | 10/27/1988                     | -             | -            | -            | -           | -             | 190,000      | 27,000       | 43,000   | 2,200    | 15,000   | -              | -               | -        |
| MW-8        | 01/05/1989                     | -             | 12.02        | 87.65        | -           | -             | 87,000       | 24,000       | 39,000   | 3,000    | 15,000   | -              | -               | -        |
| MW-8        | 04/06/1989                     | 99.67         | 11.78        | 87.89        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 06/28/1989                     | 99.67         | 13.40        | 86.27        | -           | -             | 120,000      | 22,000       | 35,000   | 2,900    | 16,000   | -              | -               | -        |
| MW-8        | 10/03/1989                     | 99.67         | 13.84        | 85.92        | 0.11        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 01/04/1990                     | 99.67         | 13.99        | 85.76        | 0.10        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 04/03/1990                     | 99.67         | 13.07        | 86.84        | 0.30        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 07/03/1990                     | 99.67         | 13.11        | 86.59        | 0.04        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 11/06/1990                     | 99.67         | 14.77        | 85.02        | 0.15        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 01/04/1991                     | 99.67         | 14.59        | 85.22        | 0.18        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 04/03/1991                     | 99.67         | 11.53        | 88.18        | 0.05        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 07/02/1991                     | 99.67         | 13.71        | 86.34        | 0.48        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 10/02/1991                     | 99.67         | 14.84        | 85.05        | 0.27        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 01/02/1992                     | 99.67         | 15.05        | 84.86        | 0.30        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 04/07/1992                     | 99.67         | 12.17        | 87.73        | 0.29        | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 08/13/1992                     | 99.67         | 14.96        | 84.96        | 0.31        | -             | -            | -            | -        | -        | -        | -              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |        |       |        |                            | ADDITIONAL VOCs |         |
|----------|-----------------------------|-------|-------|---------|-------|---------------|----------------------|--------------|--------|-------|--------|----------------------------|-----------------|---------|
|          |                             |       |       |         |       |               | TPH-GRO              | B            | T      | E     | X      | MTBE by SW8260             | EDB             | 1,2-DCA |
|          | Units                       | ft    | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L   | µg/L  | µg/L   | µg/L                       | µg/L            | µg/L    |
| MW-8     | 12/03/1992                  | 99.67 | 15.85 | 84.44   | 0.78  | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 03/25/1993                  | 99.67 | 10.78 | 88.89   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 06/23/1993                  | 99.67 | 12.27 | 87.60   | 0.25  | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 09/21/1993                  | 99.67 | 13.68 | 86.25   | 0.32  | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 12/02/1993                  | 99.67 | 14.00 | 85.86   | 0.24  | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 03/08/1994                  | 99.67 | 11.84 | 87.83   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 06/13/1994                  | 99.67 | 12.11 | 87.58   | 0.03  | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 10/04/1994                  | 99.67 | 14.20 | 85.47   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 11/14/1994                  | 99.67 | 14.06 | 85.61   | -     | -             | 140,000              | 12,000       | 36,000 | 2,400 | 17,000 | -                          | -               | -       |
| MW-8     | 05/15/1995                  | 99.67 | 9.95  | 89.72   | -     | -             | <50                  | <0.5         | <0.5   | <0.5  | <0.5   | -                          | -               | -       |
| MW-8     | 08/04/1995                  | 99.67 | 11.14 | 88.53   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 11/28/1995                  | 99.67 | 13.32 | 86.35   | -     | -             | 100,000              | 6,900        | 34,000 | 2,700 | 16,000 | 650                        | -               | -       |
| MW-8     | 02/20/1996 <sup>28</sup>    | 99.67 | 10.00 | 89.67   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 05/29/1996                  | 99.67 | 10.30 | 89.37   | -     | -             | 130,000              | 8,800        | 30,000 | 2,300 | 14,000 | <500                       | -               | -       |
| MW-8     | 08/27/1996                  | 99.67 | 12.25 | 87.42   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 11/22/1996                  | 99.67 | 12.01 | 87.66   | -     | -             | 150,000              | 7,400        | 33,000 | 2,400 | 14,000 | <500                       | -               | -       |
| MW-8     | 02/18/1997                  | 99.67 | 9.11  | 90.56   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 05/23/1997                  | 99.67 | 11.58 | 88.09   | -     | -             | 140,000              | 11,000       | 38,000 | 3,200 | 18,000 | <250                       | -               | -       |
| MW-8     | 08/04/1997                  | 99.67 | 12.18 | 87.49   | -     | -             | 140,000              | 8,000        | 38,000 | 3,500 | 18,000 | <500                       | -               | -       |
| MW-8     | 11/25/1997                  | 99.67 | 17.05 | 82.62   | -     | -             | 290,000 <sup>5</sup> | 15,000       | 71,000 | 7,400 | 36,000 | 3,600                      | -               | -       |
| MW-8     | 02/25/1998                  | 99.67 | 10.03 | 89.64   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 05/21/1998                  | 99.67 | 9.41  | 90.26   | -     | -             | 110,000              | 2,800        | 11,000 | 1,200 | 9,800  | 660                        | -               | -       |
| MW-8     | 08/19/1998                  | 99.67 | 17.20 | 82.47   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 11/19/1998                  | 99.67 | 16.67 | 83.00   | -     | -             | 51,000               | 3,100        | 25,000 | 2,300 | 15,000 | 3,100                      | -               | -       |
| MW-8     | 02/12/1999                  | 99.67 | 10.52 | 89.15   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 05/10/1999                  | 99.67 | 10.95 | 88.72   | -     | -             | 104,000              | 2,980        | 22,000 | 1,960 | 12,800 | <2,500 / <333 <sup>7</sup> | -               | -       |
| MW-8     | 09/02/1999                  | 99.67 | 10.27 | 89.40   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 02/03/2000                  | 99.67 | 11.45 | 88.22   | -     | -             | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 05/09/2000 <sup>15</sup>    | 99.67 | 10.90 | 88.77   | 0.00  | 0.00          | 37,000 <sup>8</sup>  | 2,200        | 12,000 | <100  | 8,400  | 1,900                      | -               | -       |
| MW-8     | 08/02/2000 <sup>15,28</sup> | 99.67 | 12.25 | 87.42   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -                          | -               | -       |
| MW-8     | 11/09/2000 <sup>15</sup>    | 99.67 | 12.94 | 86.73   | 0.00  | 0.00          | 63,100               | 2,330        | 17,200 | 1,520 | 11,300 | <250                       | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS        | PRIMARY VOCs |        |        |        |                | ADDITIONAL VOCs |         |
|----------|-----------------------------|--------|-------|---------|-------|---------------|---------------------|--------------|--------|--------|--------|----------------|-----------------|---------|
|          |                             |        |       |         |       |               | TPH-GRO             | B            | T      | E      | X      | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                       | ft     | ft    | ft-amsl | ft    | ft            | µg/L                | µg/L         | µg/L   | µg/L   | µg/L   | µg/L           | µg/L            | µg/L    |
| MW-8     | 02/08/2001 <sup>15</sup>    | 99.67  | 13.25 | 86.42   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 05/02/2001 <sup>15</sup>    | 99.67  | 14.16 | 85.51   | 0.00  | 0.00          | 79,400              | 1,120        | 18,900 | <2,500 | 13,400 | 47.6           | -               | -       |
| MW-8     | 08/28/2001 <sup>15,28</sup> | 99.67  | 15.59 | 84.08   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 11/26/2001 <sup>15</sup>    | 99.67  | 13.60 | 86.07   | 0.00  | 0.00          | 48,000              | 640          | 10,000 | 980    | 8,500  | <100           | -               | -       |
| MW-8     | 02/22/2002 <sup>15,28</sup> | 99.67  | 10.51 | 89.16   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 05/24/2002 <sup>15</sup>    | 99.67  | 13.06 | 86.61   | 0.00  | 0.00          | 62,000              | 1,100        | 14,000 | 1,300  | 9,600  | <200           | -               | -       |
| MW-8     | 08/29/2002 <sup>15,28</sup> | 99.67  | 13.56 | 86.11   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 11/29/2002                  | 99.67  | 13.04 | 86.63   | 0.00  | 0.00          | 57,000              | 590          | 11,000 | 1,200  | 10,000 | <50            | -               | -       |
| MW-8     | 02/28/2003 <sup>28</sup>    | 99.67  | 10.08 | 89.59   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 05/30/2003 <sup>17</sup>    | 99.67  | 11.00 | 88.67   | 0.00  | 0.00          | 13,000              | 100          | 650    | 270    | 2,100  | <0.5           | -               | -       |
| MW-8     | 08/22/2003 <sup>15,28</sup> | 99.67  | 12.70 | 86.97   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 11/24/2003 <sup>17</sup>    | 99.67  | 13.28 | 86.39   | 0.00  | 0.00          | 64,000              | 450          | 17,000 | 1,300  | 9,900  | <5             | -               | -       |
| MW-8     | 02/27/2004 <sup>28</sup>    | 99.67  | 10.21 | 89.46   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 06/21/2004 <sup>17</sup>    | 99.67  | 12.80 | 86.87   | 0.00  | 0.00          | 18,000              | 140          | 2,100  | 540    | 4,400  | <3             | -               | -       |
| MW-8     | 08/26/2004 <sup>28</sup>    | 99.67  | 13.85 | 85.82   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 11/29/2004 <sup>17</sup>    | 99.67  | 13.45 | 86.22   | 0.00  | 0.00          | 67,000              | 250          | 13,000 | 1,000  | 6,800  | <10            | -               | -       |
| MW-8     | 02/11/2005 <sup>28</sup>    | 99.67  | 10.92 | 88.75   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 06/16/2005 <sup>17</sup>    | 99.67  | 10.38 | 89.29   | 0.00  | 0.00          | 15,000              | 120          | 920    | 390    | 2,500  | <1             | -               | -       |
| MW-8     | 08/31/2005 <sup>28</sup>    | 99.67  | 12.76 | 86.91   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 11/30/2005 <sup>17</sup>    | 99.67  | 13.02 | 86.65   | 0.00  | 0.00          | 32,000              | 88           | 5,600  | 650    | 4,000  | <10            | -               | -       |
| MW-8     | 02/27/2006 <sup>28</sup>    | 99.67  | 10.21 | 89.46   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 05/30/2006 <sup>17,20</sup> | 99.67  | 10.08 | 89.59   | 0.00  | 0.00          | 53,000              | 200          | 9,800  | 1,400  | 6,700  | <5             | -               | -       |
| MW-8     | 08/29/2006 <sup>28</sup>    | 99.67  | 12.07 | 87.60   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 12/13/2006 <sup>17,18</sup> | 99.67  | 12.21 | 87.46   | 0.00  | 0.00          | 23,000              | 54           | 2,500  | 680    | 3,400  | <3             | -               | -       |
| MW-8     | 02/28/2007 <sup>28</sup>    | 99.67  | 10.14 | 89.53   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 05/30/2007 <sup>17,18</sup> | 99.67  | 11.58 | 88.09   | 0.00  | 0.00          | 16,000              | 43           | 870    | 470    | 2,400  | <1             | -               | -       |
| MW-8     | 08/29/2007 <sup>18,28</sup> | 99.67  | 13.65 | 86.02   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 11/21/2007 <sup>31</sup>    | 102.02 | -     | -       | -     | -             | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 02/20/2008 <sup>28</sup>    | 102.02 | 11.06 | 90.96   | 0.00  | 0.00          | -                   | -            | -      | -      | -      | -              | -               | -       |
| MW-8     | 05/21/2008 <sup>17</sup>    | 102.02 | 12.39 | 89.63   | 0.00  | 0.00          | 3,800 <sup>22</sup> | 3            | 84     | 150    | 220    | <0.5           | -               | -       |
| MW-8     | 06/24/2008 <sup>17,20</sup> | 102.02 | 12.58 | 89.44   | 0.00  | 0.00          | 3,700               | 4            | 1,000  | 190    | 970    | <0.5           | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location    | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|-------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|--------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|             |                                |               |              |              |             |               | TPH-GRO      | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|             | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L         | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-8        | 08/22/2008 <sup>28</sup>       | 102.02        | 15.08        | 86.94        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 11/21/2008 <sup>20,34</sup>    | 102.02        | 16.79        | 85.23        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 02/03/2009 <sup>28</sup>       | 102.02        | 16.85        | 85.17        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 05/28/2009                     | 102.02        | 15.89        | 86.13        | 0.00        | 0.00          | 41,000       | 23           | 9,300    | 1,000    | 8,300    | <5             | -               | -        |
| MW-8        | 08/06/2009                     | 102.02        | 14.10        | 87.92        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 11/16/2009                     | 102.02        | 16.10        | 85.92        | 0.00        | 0.00          | 60,000       | 33           | 8,900    | 1,500    | 10,000   | <10            | -               | -        |
| MW-8        | 02/02/2010                     | 102.02        | 10.75        | 91.27        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 05/20/2010                     | 102.02        | 10.17        | 91.85        | 0.00        | 0.00          | 2,900        | 6            | 170      | 43       | 410      | <0.5           | -               | -        |
| MW-8        | 08/23/2010 <sup>28</sup>       | 102.02        | 12.21        | 89.81        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 12/07/2010                     | 102.02        | 11.46        | 90.56        | 0.00        | 0.00          | 52,000       | 14           | 7,100    | 1,400    | 11,000   | <5             | -               | -        |
| MW-8        | 02/03/2011 <sup>28</sup>       | 102.02        | 10.72        | 91.30        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 05/06/2011                     | 102.02        | 9.85         | 92.17        | 0.00        | 0.00          | 13,000       | 3            | 1,100    | 370      | 2,400    | <1             | -               | -        |
| MW-8        | 09/16/2011 <sup>28</sup>       | 102.02        | 12.31        | 89.71        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 12/06/2011 <sup>28</sup>       | 102.02        | 12.63        | 89.39        | 0.00        | 0.00          | 27,000       | <5           | 3,600    | 920      | 6,400    | <5             | -               | -        |
| MW-8        | 03/16/2012 <sup>28</sup>       | 102.02        | 12.33        | 89.69        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-8        | 06/21/2012                     | 102.02        | 12.05        | 89.97        | 0.00        | 0.00          | 8,300        | 1 J          | 400      | 390      | 1,170    | <1             | -               | <1       |
| <b>MW-8</b> | <b>09/10/2012<sup>28</sup></b> | <b>102.02</b> | <b>13.13</b> | <b>88.89</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>     | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |
| MW-9        | 10/27/1988                     | -             | -            | -            | -           | -             | 50,000       | 2,000        | 9,900    | 2,000    | 14,000   | -              | -               | -        |
| MW-9        | 01/05/1989                     | -             | 12.63        | 88.52        | -           | -             | 55,000       | 670          | 8,900    | 3,400    | 16,000   | -              | -               | -        |
| MW-9        | 04/06/1989                     | 101.15        | 12.46        | 88.69        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 06/28/1989                     | 101.15        | 14.04        | 87.11        | -           | -             | 100,000      | 510          | 4,500    | 2,600    | 13,000   | -              | -               | -        |
| MW-9        | 10/03/1989                     | 101.15        | 14.61        | 86.54        | -           | -             | 130,000      | 540          | 8,000    | 3,200    | 17,000   | -              | -               | -        |
| MW-9        | 01/04/1990                     | 101.15        | 14.59        | 86.56        | -           | -             | 83,000       | 600          | 4,600    | 2,600    | 14,000   | -              | -               | -        |
| MW-9        | 04/03/1990                     | 101.15        | 13.75        | 87.40        | -           | -             | 52,000       | 1,600        | 5,400    | 3,100    | 16,000   | -              | -               | -        |
| MW-9        | 07/03/1990                     | 101.15        | 13.84        | 87.31        | -           | -             | 100,000      | 520          | 5,400    | 3,200    | 16,000   | -              | -               | -        |
| MW-9        | 11/06/1990                     | 101.15        | 15.42        | 85.73        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 01/04/1991                     | 101.15        | 15.37        | 85.78        | -           | -             | 59,000       | 1,100        | 5,600    | 2,500    | 13,000   | -              | -               | -        |
| MW-9        | 04/03/1991                     | 101.15        | 12.27        | 88.88        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 07/02/1991                     | 101.15        | 14.17        | 86.98        | -           | -             | 130,000      | 1,900        | 7,600    | 3,600    | 20,000   | -              | -               | -        |
| MW-9        | 10/02/1991                     | 101.15        | 15.68        | 85.47        | -           | -             | -            | -            | -        | -        | -        | -              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |       |       |        |                         | ADDITIONAL VOCs |         |
|----------|--------------------------|--------|-------|---------|-------|---------------|--------------|--------------|-------|-------|--------|-------------------------|-----------------|---------|
|          |                          |        |       |         |       |               | TPH-GRO      | B            | T     | E     | X      | MTBE by SW8260          | EDB             | 1,2-DCA |
|          | Units                    | ft     | ft    | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L  | µg/L  | µg/L   | µg/L                    | µg/L            | µg/L    |
| MW-9     | 01/02/1992               | 101.15 | 15.65 | 85.50   | -     | -             | 100,000      | 3,300        | 8,200 | 2,800 | 14,000 | -                       | -               | -       |
| MW-9     | 04/07/1992               | 101.15 | 13.84 | 87.31   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 08/13/1992               | 101.15 | 15.50 | 85.65   | -     | -             | 45,000       | 1,300        | 3,000 | 1,500 | 7,100  | -                       | -               | -       |
| MW-9     | 12/03/1992               | 101.15 | 16.66 | 84.49   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 03/25/1993               | 101.15 | 11.48 | 89.67   | -     | -             | 220,000      | 540          | 3,200 | 2,100 | 18,000 | -                       | -               | -       |
| MW-9     | 06/23/1993               | 101.15 | 12.83 | 88.32   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 09/21/1993               | 101.15 | 14.31 | 86.84   | -     | -             | 54,000       | 1,900        | 3,400 | 1,700 | 9,100  | -                       | -               | -       |
| MW-9     | 12/02/1993               | 101.15 | 14.70 | 86.46   | 0.01  | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 03/08/1994               | 101.15 | 12.63 | 88.52   | -     | -             | 49,000       | 800          | 780   | 390   | 3,600  | -                       | -               | -       |
| MW-9     | 06/13/1994               | 101.15 | 13.65 | 87.50   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 10/04/1994               | 101.15 | 15.20 | 85.95   | -     | -             | 180,000      | 2,600        | 5,400 | 1,700 | 11,000 | -                       | -               | -       |
| MW-9     | 11/14/1994               | 101.15 | 14.25 | 86.90   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 05/15/1995               | 101.15 | 10.64 | 90.51   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 08/04/1995               | 101.15 | 11.89 | 89.26   | -     | -             | 42,000       | 1,400        | 2,700 | 1,700 | 9,000  | -                       | -               | -       |
| MW-9     | 11/28/1995 <sup>28</sup> | 101.15 | 13.92 | 87.23   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 02/20/1996               | 101.15 | 10.61 | 90.54   | Sheen | -             | 41,000       | 1,600        | 1,700 | 750   | 6,500  | <100                    | -               | -       |
| MW-9     | 05/29/1996               | 101.15 | 10.81 | 90.34   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 08/27/1996               | 101.15 | 12.90 | 88.25   | Sheen | -             | 71,000       | 2,700        | 3,600 | 920   | 5,900  | 290                     | -               | -       |
| MW-9     | 11/22/1996               | 101.15 | 12.88 | 88.27   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 02/18/1997               | 101.15 | 9.66  | 91.49   | 0.01  | -             | 78,000       | 1,800        | 3,800 | 2,300 | 13,000 | 510                     | -               | -       |
| MW-9     | 05/23/1997               | 101.15 | 12.53 | 88.62   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 08/04/1997               | 101.15 | 13.00 | 88.15   | -     | -             | 73,000       | 2,600        | 2,200 | 440   | 9,600  | 370                     | -               | -       |
| MW-9     | 11/25/1997               | 101.15 | 17.12 | 84.03   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 02/25/1998               | 101.15 | 12.69 | 88.46   | -     | -             | 34,000       | 150          | 510   | 1,300 | 6,400  | <250                    | -               | -       |
| MW-9     | 05/21/1998               | 101.15 | 10.14 | 91.01   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 08/19/1998               | 101.15 | 15.10 | 86.05   | -     | -             | 42,000       | <50          | 330   | 890   | 4,200  | <250                    | -               | -       |
| MW-9     | 11/19/1998               | 101.15 | 15.97 | 85.18   | -     | -             | -            | -            | -     | -     | -      | -                       | -               | -       |
| MW-9     | 02/12/1999               | 101.15 | 11.25 | 89.90   | -     | -             | 13,000       | <100         | 200   | 560   | 2,200  | <500                    | -               | -       |
| MW-9     | 05/10/1999               | 101.15 | 12.34 | 88.81   | -     | -             | 16,900       | <50          | 112   | 506   | 1,850  | <500 / <20 <sup>7</sup> | -               | -       |
| MW-9     | 09/02/1999               | 101.15 | 11.34 | 89.81   | -     | -             | 7,200        | <25          | <25   | 185   | 493    | <250                    | -               | -       |
| MW-9     | 02/03/2000               | 101.15 | 12.22 | 88.93   | -     | -             | 11,000       | 68           | 22    | 380   | 1,000  | 66                      | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS       | PRIMARY VOCs |      |      |       |                | ADDITIONAL VOCs |         |
|----------|-----------------------------|--------|-------|---------|-------|---------------|--------------------|--------------|------|------|-------|----------------|-----------------|---------|
|          |                             |        |       |         |       |               | TPH-GRO            | B            | T    | E    | X     | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                       | ft     | ft    | ft-amsl | ft    | ft            | µg/L               | µg/L         | µg/L | µg/L | µg/L  | µg/L           | µg/L            | µg/L    |
| MW-9     | 05/09/2000 <sup>15</sup>    | 101.15 | 11.60 | 89.55   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 08/02/2000 <sup>15</sup>    | 101.15 | 13.05 | 88.10   | 0.00  | 0.00          | 3,400 <sup>8</sup> | 41           | 10   | <5.0 | 360   | 77             | -               | -       |
| MW-9     | 11/09/2000 <sup>15</sup>    | 101.15 | 13.64 | 87.51   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 02/08/2001 <sup>15</sup>    | 101.15 | 14.06 | 87.09   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 05/02/2001 <sup>15</sup>    | 101.15 | 14.95 | 86.20   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 08/28/2001 <sup>15,34</sup> | 101.15 | 16.12 | 85.03   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 11/26/2001 <sup>15</sup>    | 101.15 | 14.66 | 86.49   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 02/22/2002 <sup>15</sup>    | 101.15 | 10.95 | 90.20   | 0.00  | 0.00          | 5,300              | <10          | 4.5  | 79   | 190   | <20            | -               | -       |
| MW-9     | 05/24/2002 <sup>15,28</sup> | 101.15 | 13.63 | 87.52   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 08/29/2002 <sup>15</sup>    | 101.15 | 14.40 | 86.75   | 0.00  | 0.00          | 4,200              | <5.0         | 2.7  | 80   | 37    | <2.5           | -               | -       |
| MW-9     | 11/29/2002 <sup>28</sup>    | 101.15 | 13.88 | 87.27   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 02/28/2003                  | 101.15 | 10.47 | 90.68   | 0.00  | 0.00          | 6,300              | <100         | 11   | 130  | 210   | <100           | -               | -       |
| MW-9     | 05/30/2003 <sup>28</sup>    | 101.15 | 11.61 | 89.54   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 08/22/2003 <sup>17</sup>    | 101.15 | 13.51 | 87.64   | 0.00  | 0.00          | 5,500              | 1            | 5    | 150  | 38    | <0.5           | -               | -       |
| MW-9     | 11/24/2003 <sup>28</sup>    | 101.15 | 13.94 | 87.21   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 02/27/2004 <sup>17</sup>    | 101.15 | 10.55 | 90.60   | 0.00  | 0.00          | 6,300              | 0.7          | 6    | 160  | 39    | <0.5           | -               | -       |
| MW-9     | 06/21/2004 <sup>28</sup>    | 101.15 | 13.67 | 87.48   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 08/26/2004 <sup>17</sup>    | 101.15 | 14.78 | 86.37   | 0.00  | 0.00          | 2,400              | <0.5         | 1    | 19   | 4     | <0.5           | -               | -       |
| MW-9     | 11/29/2004 <sup>28</sup>    | 101.15 | 14.41 | 86.74   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 02/11/2005 <sup>17</sup>    | 101.15 | 11.71 | 89.44   | 0.00  | 0.00          | 6,200              | <1           | 5    | 84   | 35    | <1             | -               | -       |
| MW-9     | 06/16/2005 <sup>28</sup>    | 101.15 | 11.41 | 89.74   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 08/31/2005                  | 101.15 | -     | -       | -     | -             | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 11/30/2005 <sup>28</sup>    | 101.15 | 10.95 | 90.20   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 02/27/2006 <sup>17</sup>    | 101.15 | 10.95 | 90.20   | 0.00  | 0.00          | 20,000             | <1           | 23   | 360  | 1,000 | <1             | -               | -       |
| MW-9     | 05/30/2006 <sup>20,28</sup> | 101.15 | 10.59 | 90.56   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 08/29/2006 <sup>17</sup>    | 101.15 | 12.78 | 88.37   | 0.00  | 0             | 7,800              | <0.5         | 6    | 150  | 98    | <0.5           | -               | -       |
| MW-9     | 12/13/2006 <sup>31</sup>    | 101.15 | -     | -       | -     | -             | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 02/28/2007 <sup>17</sup>    | 101.15 | 10.73 | 90.42   | 0.00  | 0.00          | 8,500              | <0.5         | 11   | 210  | 530   | <0.5           | -               | -       |
| MW-9     | 05/30/2007 <sup>18,28</sup> | 101.15 | 12.03 | 89.12   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |
| MW-9     | 08/29/2007 <sup>17,18</sup> | 101.15 | 14.15 | 87.00   | 0.00  | 0.00          | 7,200              | <0.5         | 4    | 120  | 49    | <0.5           | -               | -       |
| MW-9     | 11/21/2007 <sup>28</sup>    | 103.57 | 14.28 | 89.29   | 0.00  | 0.00          | -                  | -            | -    | -    | -     | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location    | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS        | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|-------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|---------------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|             |                                |               |              |              |             |               | TPH-GRO             | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|             | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L                | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-9        | 02/20/2008 <sup>17</sup>       | 103.57        | 12.13        | 91.44        | 0.00        | 0.00          | 4,300               | <0.5         | 2        | 88       | 25       | <0.5           | -               | -        |
| MW-9        | 05/21/2008 <sup>28</sup>       | 103.57        | 12.74        | 90.83        | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 06/24/2008 <sup>20</sup>       | 103.57        | 13.43        | 90.14        | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 08/22/2008 <sup>17</sup>       | 103.57        | 15.30        | 88.27        | 0.00        | 0.00          | 3,500 <sup>22</sup> | <0.5         | 1        | 54       | 10       | <0.5           | -               | -        |
| MW-9        | 11/21/2008 <sup>20,26,28</sup> | 103.57        | 17.09        | -            | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 02/03/2009 <sup>26,34</sup>    | 103.57        | 16.89        | -            | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 05/28/2009                     | 103.57        | 15.46        | 88.11        | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 08/06/2009                     | 103.57        | 15.29        | 88.28        | 0.00        | 0.00          | 1,200               | <0.5         | 0.5 J    | 25       | 4        | <0.5           | -               | -        |
| MW-9        | 11/16/2009                     | 103.57        | 15.97        | 87.60        | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 02/02/2010                     | 103.57        | 11.68        | 91.89        | 0.00        | 0.00          | 1,400               | <0.5         | 2        | 14       | 27       | <0.5           | -               | -        |
| MW-9        | 05/20/2010                     | 103.57        | 11.11        | 92.46        | 0.00        | 0.00          | 1,900               | 2            | 3        | 12       | 13       | <0.5           | -               | -        |
| MW-9        | 08/23/2010 <sup>28</sup>       | 103.57        | 13.05        | 90.52        | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 12/07/2010                     | 103.57        | 11.85        | 91.72        | 0.00        | 0.00          | 2,400               | <0.5         | 1        | 15       | 8        | <0.5           | -               | -        |
| MW-9        | 02/03/2011 <sup>28</sup>       | 103.57        | 11.26        | 92.31        | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 05/06/2011                     | 103.57        | 10.24        | 93.33        | 0.00        | 0.00          | 1,600               | <0.5         | 0.6 J    | 8        | 5        | <0.5           | -               | -        |
| MW-9        | 09/16/2011 <sup>28</sup>       | 103.57        | 12.90        | 90.67        | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 12/06/2011 <sup>28</sup>       | 103.57        | 13.24        | 90.33        | 0.00        | 0.00          | 2,200               | <0.5         | 0.9 J    | 13       | 5        | <0.5           | -               | -        |
| MW-9        | 03/16/2012 <sup>28</sup>       | 103.57        | 12.98        | 90.59        | 0.00        | 0.00          | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-9        | 06/21/2012                     | 103.57        | 12.84        | 90.73        | 0.00        | 0.00          | 3,700               | <1           | 4 J      | 39       | 20       | <1             | -               | <1       |
| <b>MW-9</b> | <b>09/10/2012<sup>28</sup></b> | <b>103.57</b> | <b>14.00</b> | <b>89.57</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>            | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |
| MW-10       | 10/27/1988                     | -             | -            | -            | -           | -             | <500                | 26           | 13       | <5.0     | <5.0     | -              | -               | -        |
| MW-10       | 01/05/1989                     | -             | 12.64        | 89.72        | -           | -             | <1,000              | <0.3         | <0.3     | <0.3     | <0.3     | -              | -               | -        |
| MW-10       | 04/06/1989                     | 102.36        | 11.38        | 90.98        | -           | -             | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-10       | 06/28/1989                     | 102.36        | 13.64        | 88.72        | -           | -             | <500                | <0.5         | <0.5     | <0.5     | <0.5     | -              | -               | -        |
| MW-10       | 10/03/1989                     | 102.36        | 13.85        | 88.51        | -           | -             | <500                | <0.5         | <0.5     | <0.5     | <0.5     | -              | -               | -        |
| MW-10       | 01/04/1990                     | 102.36        | 13.75        | 88.61        | -           | -             | <50                 | 0.5          | 1.1      | <0.5     | 1.7      | -              | -               | -        |
| MW-10       | 04/03/1990                     | 102.36        | 12.86        | 89.50        | -           | -             | <50                 | <0.5         | <0.5     | <0.5     | <0.5     | -              | -               | -        |
| MW-10       | 07/03/1990                     | 102.36        | 13.43        | 88.93        | -           | -             | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-10       | 11/06/1990                     | 102.36        | 14.82        | 87.54        | -           | -             | -                   | -            | -        | -        | -        | -              | -               | -        |
| MW-10       | 01/04/1991                     | 102.36        | 13.98        | 88.38        | -           | -             | <50                 | <0.5         | <0.5     | <0.5     | <0.5     | -              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date       | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |      |      |      |                | ADDITIONAL VOCs |         |
|----------|------------|--------|-------|---------|-------|---------------|--------------|--------------|------|------|------|----------------|-----------------|---------|
|          |            |        |       |         |       |               | TPH-GRO      | B            | T    | E    | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units      | ft     | ft    | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L | µg/L | µg/L | µg/L           | µg/L            | µg/L    |
| MW-10    | 04/03/1991 | 102.36 | 9.79  | 92.57   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 07/02/1991 | 102.36 | 12.28 | 90.08   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 10/02/1991 | 102.36 | 14.53 | 87.83   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 01/02/1992 | 102.36 | 13.60 | 88.76   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| MW-10    | 04/07/1992 | 102.36 | 11.83 | 90.53   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 08/13/1992 | 102.36 | 13.95 | 88.41   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 12/03/1992 | 102.36 | 13.96 | 88.40   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 03/25/1993 | 102.36 | 8.45  | 93.91   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <1.5 | -              | -               | -       |
| MW-10    | 06/23/1993 | 102.36 | 11.60 | 91.03   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 09/21/1993 | 102.36 | 13.32 | 89.31   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 12/02/1993 | 102.36 | 13.27 | 89.36   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 03/08/1994 | 102.36 | 10.85 | 91.51   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| MW-10    | 06/13/1994 | 102.36 | -     | -       | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 10/04/1994 | 102.36 | 13.90 | 88.46   | -     | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-10    | 11/14/1994 | 102.36 | 11.80 | 90.56   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| MW-10    | 05/15/1995 | 102.36 | 8.98  | 93.38   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| MW-10    | 08/04/1995 | 102.36 | 10.44 | 91.92   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| MW-10    | 11/28/1995 | 102.36 | 13.55 | 88.81   | -     | -             | <50          | 1.6          | 0.81 | <0.5 | <0.5 | <0.6           | -               | -       |
| MW-10    | 02/20/1996 | 102.36 | 8.52  | 93.84   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| MW-10    | 05/29/1996 | 102.36 | 9.20  | 93.16   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | 0.9  | <5.0           | -               | -       |
| MW-10    | 08/27/1996 | 102.36 | 12.01 | 90.35   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| MW-10    | 11/22/1996 | 102.36 | 11.52 | 90.84   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| MW-10    | 02/18/1997 | 102.36 | 8.49  | 93.87   | -     | -             | <50          | 0.7          | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| MW-10    | 05/23/1997 | 102.36 | 10.88 | 91.48   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| MW-10    | 08/04/1997 | 102.36 | 13.29 | 89.07   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| MW-10    | 11/25/1997 | 102.36 | 13.30 | 89.06   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| MW-10    | 02/25/1998 | 102.36 | 7.82  | 94.54   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |
| MW-10    | 05/21/1998 | 102.36 | 6.14  | 96.22   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |
| MW-10    | 08/19/1998 | 102.36 | 11.74 | 90.62   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |
| MW-10    | 11/19/1998 | 102.36 | 13.40 | 88.96   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |
| MW-10    | 02/12/1999 | 102.36 | 8.42  | 93.94   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date                        | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |       |       |      |                          | ADDITIONAL VOCs |         |
|----------|-----------------------------|--------|-------|---------|-------|---------------|--------------|--------------|-------|-------|------|--------------------------|-----------------|---------|
|          |                             |        |       |         |       |               | TPH-GRO      | B            | T     | E     | X    | MTBE by SW8260           | EDB             | 1,2-DCA |
|          | Units                       | ft     | ft    | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L  | µg/L  | µg/L | µg/L                     | µg/L            | µg/L    |
| MW-10    | 05/10/1999                  | 102.36 | 10.22 | 92.14   | -     | -             | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <5.0 / <2.0 <sup>7</sup> | -               | -       |
| MW-10    | 09/02/1999                  | 102.36 | 9.23  | 93.13   | -     | -             | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <5.0                     | -               | -       |
| MW-10    | 02/03/2000 <sup>36</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 05/09/2000 <sup>35</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 08/02/2000 <sup>35</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 11/09/2000 <sup>35</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 02/08/2001 <sup>35</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 05/02/2001 <sup>35</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 08/28/2001 <sup>35</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 11/26/2001 <sup>35</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 02/22/2002 <sup>35</sup>    | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 05/24/2002                  | 102.36 | -     | -       | -     | -             | -            | -            | -     | -     | -    | -                        | -               | -       |
| MW-10    | 08/29/2002                  | 102.36 | 13.46 | 88.90   | 0.00  | 0.00          | <50          | <0.50        | <0.50 | <0.50 | <1.5 | <2.5                     | -               | -       |
| MW-10    | 11/29/2002                  | 102.36 | 13.06 | 89.30   | 0.00  | 0.00          | <50          | <0.50        | <0.50 | <0.50 | <1.5 | <2.5                     | -               | -       |
| MW-10    | 02/28/2003                  | 102.36 | 9.57  | 92.79   | 0.00  | 0.00          | <50          | <0.50        | <0.50 | <0.50 | <1.5 | <2.5                     | -               | -       |
| MW-10    | 05/30/2003 <sup>17</sup>    | 102.36 | 9.99  | 92.37   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 08/22/2003 <sup>15,17</sup> | 102.36 | 11.82 | 90.54   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 11/24/2003 <sup>17</sup>    | 102.36 | 12.94 | 89.42   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 02/27/2004 <sup>17</sup>    | 102.36 | 8.04  | 94.32   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 06/21/2004 <sup>17</sup>    | 102.36 | 10.71 | 91.65   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 08/26/2004 <sup>17</sup>    | 102.36 | 13.80 | 88.56   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 11/29/2004 <sup>17</sup>    | 102.36 | 13.06 | 89.30   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 02/11/2005 <sup>17</sup>    | 102.36 | 9.87  | 92.49   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 06/16/2005 <sup>17</sup>    | 102.36 | 9.28  | 93.08   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 08/31/2005 <sup>17</sup>    | 102.36 | 12.27 | 90.09   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 11/30/2005 <sup>17</sup>    | 102.36 | 12.92 | 89.44   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 02/27/2006 <sup>17</sup>    | 102.36 | 8.82  | 93.54   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 05/30/2006 <sup>17</sup>    | 102.36 | 8.27  | 94.09   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 08/29/2006 <sup>17</sup>    | 102.36 | 11.81 | 90.55   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 12/13/2006 <sup>17</sup>    | 102.36 | 15.94 | 86.42   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |
| MW-10    | 02/28/2007 <sup>17</sup>    | 102.36 | 8.22  | 94.14   | 0.00  | 0.00          | <50          | <0.5         | <0.5  | <0.5  | <0.5 | <0.5                     | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC            | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |        |       |        |                | ADDITIONAL VOCs |         |
|----------|--------------------------|----------------|-------|---------|-------|---------------|--------------|--------------|--------|-------|--------|----------------|-----------------|---------|
|          |                          |                |       |         |       |               | TPH-GRO      | B            | T      | E     | X      | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft             | ft    | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L   | µg/L  | µg/L   | µg/L           | µg/L            | µg/L    |
| MW-10    | 05/30/2007               | 102.36         | 10.49 | 91.87   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5  | <0.5   | <0.5           | -               | -       |
| MW-10    | 08/29/2007 <sup>17</sup> | 102.36         | 10.15 | 92.21   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5  | <0.5   | <0.5           | -               | -       |
| MW-10    | 11/21/2007               | 104.74         | 10.36 | 94.38   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 02/20/2008               | 104.74         | 9.27  | 95.47   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 05/21/2008               | 104.74         | 10.36 | 94.38   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 06/24/2008               | 104.74         | 11.28 | 93.46   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 08/22/2008               | 104.74         | 13.27 | 91.47   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 11/21/2008               | 104.74         | 17.04 | 87.70   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 02/03/2009               | 104.74         | 13.25 | 91.49   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 05/28/2009               | 104.74         | 11.95 | 92.79   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 08/06/2009               | 104.74         | 12.62 | 92.12   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 11/16/2009               | 104.74         | 12.21 | 92.53   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 02/02/2010               | 104.74         | 8.54  | 96.20   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 05/20/2010               | 104.74         | 9.62  | 95.12   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 08/23/2010 <sup>32</sup> | 104.74         | 10.10 | 94.64   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 12/07/2010 <sup>32</sup> | 104.74         | 9.50  | 95.24   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 02/03/2011 <sup>32</sup> | 104.74         | 10.01 | 94.73   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 05/06/2011 <sup>32</sup> | 104.74         | 8.60  | 96.14   | 0.00  | 0.00          | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-10    | 07/21/2011               | Well Destroyed |       |         | -     | -             | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-11    | 06/28/1989               | -              | 14.33 | 85.64   | -     | -             | 60,000       | 36,000       | 13,000 | 2,500 | 12,000 | -              | -               | -       |
| MW-11    | 10/03/1989               | -              | 14.61 | 85.36   | -     | -             | 14,000       | 4,200        | 1,400  | 240   | 1,300  | -              | -               | -       |
| MW-11    | 01/04/1990               | 99.97          | 14.55 | 85.42   | -     | -             | 82,000       | 33,000       | 11,000 | 2,000 | 10,000 | -              | -               | -       |
| MW-11    | 04/03/1990               | 99.97          | 13.82 | 86.15   | -     | -             | 78,000       | 35,000       | 12,000 | 2,300 | 12,000 | -              | -               | -       |
| MW-11    | 07/03/1990               | 99.97          | 14.00 | 85.97   | -     | -             | 140,000      | 32,000       | 12,000 | 2,100 | 10,000 | -              | -               | -       |
| MW-11    | 11/06/1990               | 99.97          | 15.56 | 84.41   | -     | -             | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-11    | 01/04/1991               | 99.97          | 14.88 | 85.09   | 0.30  | -             | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-11    | 04/03/1991               | 99.97          | 10.75 | 89.22   | 0.21  | -             | 340,000      | 29,000       | 14,000 | 3,700 | 24,000 | -              | -               | -       |
| MW-11    | 07/02/1991               | 99.97          | 13.97 | 86.00   | 0.02  | -             | 130,000      | 27,000       | 14,000 | 2,200 | 12,000 | -              | -               | -       |
| MW-11    | 10/02/1991               | 99.97          | 15.60 | 84.37   | -     | -             | -            | -            | -      | -     | -      | -              | -               | -       |
| MW-11    | 01/02/1992               | 99.97          | 14.51 | 85.46   | -     | -             | 77,000       | 18,000       | 14,000 | 1,900 | 10,000 | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |       |       |       |                            | ADDITIONAL VOCs |         |
|----------|--------------------------|-------|-------|---------|-------|---------------|----------------------|--------------|-------|-------|-------|----------------------------|-----------------|---------|
|          |                          |       |       |         |       |               | TPH-GRO              | B            | T     | E     | X     | MTBE by SW8260             | EDB             | 1,2-DCA |
|          | Units                    | ft    | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L  | µg/L  | µg/L  | µg/L                       | µg/L            | µg/L    |
| MW-11    | 04/07/1992               | 99.97 | 13.13 | 86.84   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 08/13/1992               | 99.97 | 17.04 | 82.53   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 12/03/1992               | 99.57 | 15.59 | 83.98   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 03/25/1993               | 99.57 | 10.06 | 89.51   | -     | -             | 110,000              | 13,000       | 2,100 | 5,900 | 9,800 | -                          | -               | -       |
| MW-11    | 03/08/1994               | 99.57 | 11.70 | 87.87   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 06/13/1994               | 99.57 | 12.16 | 87.41   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 10/04/1994 <sup>3</sup>  | 99.57 | -     | -       | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 11/14/1994 <sup>3</sup>  | 99.57 | -     | -       | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 05/15/1995               | 99.57 | 10.02 | 89.55   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 08/04/1995               | 99.57 | 11.82 | 87.75   | -     | -             | 33,000               | 9,400        | 3,000 | 1,800 | 6,100 | -                          | -               | -       |
| MW-11    | 11/28/1995 <sup>28</sup> | 99.57 | 16.72 | 82.85   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 02/20/1996               | 99.57 | 10.00 | 89.57   | -     | -             | 22,000               | 4,500        | 2,200 | 560   | 3,500 | <120                       | -               | -       |
| MW-11    | 05/29/1996               | 99.57 | 11.14 | 88.43   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 08/27/1996               | 99.57 | 13.13 | 86.44   | -     | -             | 85,000               | 10,000       | 6,600 | 1,500 | 6,500 | 260                        | -               | -       |
| MW-11    | 11/22/1996               | 99.57 | 12.10 | 87.47   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 02/18/1997               | 99.57 | 9.23  | 90.34   | -     | -             | 42,000               | 7,100        | 3,100 | 830   | 4,200 | 510                        | -               | -       |
| MW-11    | 05/23/1997               | 99.57 | 12.28 | 87.29   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 08/04/1997               | 99.57 | 12.85 | 86.72   | -     | -             | 79,000               | 14,000       | 8,400 | 2,300 | 9,900 | 6,900                      | -               | -       |
| MW-11    | 11/25/1997               | 99.57 | 13.86 | 85.71   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 02/25/1998               | 99.57 | 17.02 | 82.55   | -     | -             | 34,000               | 5,200        | 2,200 | 1,200 | 4,400 | 5,000 / 5,300 <sup>7</sup> | -               | -       |
| MW-11    | 05/21/1998               | 99.57 | 11.17 | 88.40   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 08/19/1998               | 99.57 | 18.78 | 80.79   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 11/19/1998               | 99.57 | 18.35 | 81.22   | -     | -             | 16,000               | 1,200        | <100  | 690   | 1,200 | 540                        | -               | -       |
| MW-11    | 02/12/1999               | 99.57 | 11.42 | 88.15   | -     | -             | 4,200                | 580          | 41    | 220   | 470   | <50                        | -               | -       |
| MW-11    | 05/10/1999               | 99.57 | 12.56 | 87.01   | -     | -             | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 09/02/1999               | 99.57 | 14.74 | 84.83   | -     | -             | 5,150                | 496          | 43.6  | 150   | 405   | <250                       | -               | -       |
| MW-11    | 02/03/2000               | 99.57 | 12.34 | 87.23   | -     | -             | 14,000               | 3,400        | 150   | 860   | 1,500 | <250                       | -               | -       |
| MW-11    | 05/09/2000 <sup>15</sup> | 99.57 | 12.33 | 87.24   | 0.00  | 0.00          | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 08/02/2000 <sup>15</sup> | 99.57 | 14.05 | 85.52   | 0.00  | 0.00          | 7,100 <sup>8</sup>   | 2,900        | 61    | <20   | 1,200 | <100                       | -               | -       |
| MW-11    | 11/09/2000 <sup>15</sup> | 99.57 | 14.72 | 84.85   | 0.00  | 0.00          | -                    | -            | -     | -     | -     | -                          | -               | -       |
| MW-11    | 02/08/2001 <sup>15</sup> | 99.57 | 14.89 | 84.68   | 0.00  | 0.00          | 18,100 <sup>11</sup> | 4,300        | 146   | 743   | 819   | <250                       | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                              | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS        | PRIMARY VOCs |      |       |       |                | ADDITIONAL VOCs |         |
|----------|-----------------------------------|--------|-------|---------|-------|---------------|---------------------|--------------|------|-------|-------|----------------|-----------------|---------|
|          |                                   |        |       |         |       |               | TPH-GRO             | B            | T    | E     | X     | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                             | ft     | ft    | ft-amsl | ft    | ft            | µg/L                | µg/L         | µg/L | µg/L  | µg/L  | µg/L           | µg/L            | µg/L    |
| MW-11    | 05/02/2001 <sup>15</sup>          | 99.57  | 15.75 | 83.82   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 08/28/2001 <sup>15</sup>          | 99.57  | 17.02 | 82.55   | 0.00  | 0.00          | 2,900 <sup>13</sup> | 600          | 35   | 120   | 91    | 100            | -               | -       |
| MW-11    | 11/26/2001 <sup>15,28</sup>       | 99.57  | 14.67 | 84.90   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 02/22/2002 <sup>15</sup>          | 99.57  | 11.57 | 88.00   | 0.00  | 0.00          | 7,700               | 710          | 61   | 370   | 500   | <20            | -               | -       |
| MW-11    | 05/24/2002 <sup>15,28</sup>       | 99.57  | 14.76 | 84.81   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 08/29/2002 <sup>15</sup>          | 99.57  | 15.16 | 84.41   | 0.00  | 0.00          | 14,000              | 1,300        | 82   | 630   | 910   | <20            | -               | -       |
| MW-11    | 11/29/2002 <sup>15,28</sup>       | 99.57  | 14.75 | 84.82   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 02/28/2003                        | 99.57  | 11.60 | 87.97   | 0.00  | 0.00          | 5,100               | 600          | 95   | 150   | 390   | <50            | -               | -       |
| MW-11    | 05/30/2003 <sup>28</sup>          | 99.57  | 12.40 | 87.17   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 08/22/2003 <sup>17</sup>          | 99.57  | 14.43 | 85.14   | 0.00  | 0.00          | 25,000              | 3,000        | 980  | 1,200 | 2,000 | 7              | -               | -       |
| MW-11    | 11/24/2003 <sup>28</sup>          | 99.57  | 15.05 | 84.52   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 02/27/2004 <sup>17</sup>          | 99.57  | 9.78  | 89.79   | 0.00  | 0.00          | 10,000              | 970          | 570  | 430   | 1,100 | 1              | -               | -       |
| MW-11    | 06/21/2004 <sup>28</sup>          | 99.57  | 14.06 | 85.51   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 08/26/2004 <sup>17</sup>          | 99.57  | 15.13 | 84.44   | 0.00  | 0.00          | 22,000              | 1,500        | 790  | 1,000 | 2,200 | 4              | -               | -       |
| MW-11    | 11/29/2004 <sup>28</sup>          | 99.57  | 14.82 | 84.75   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 02/11/2005 <sup>17</sup>          | 99.57  | 11.98 | 87.59   | 0.00  | 0.00          | 18,000              | 830          | 310  | 680   | 1,500 | 1              | -               | -       |
| MW-11    | 06/16/2005 <sup>28</sup>          | 99.57  | 11.71 | 87.86   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 08/31/2005 <sup>17</sup>          | 99.57  | 13.58 | 85.99   | 0.00  | 0.00          | 20,000              | 1,200        | 740  | 1,100 | 1,800 | 4              | -               | -       |
| MW-11    | 11/30/2005 <sup>28</sup>          | 99.57  | 14.06 | 85.51   | 0.00  | 0.00          | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 02/27/2006 <sup>17</sup>          | 99.57  | 11.30 | 88.27   | 0.00  | 0.00          | 18,000              | 700          | 340  | 770   | 1,300 | 8              | -               | -       |
| MW-11    | 05/30/2006 <sup>17,19</sup>       | 99.57  | 10.45 | 89.12   | 0.00  | 0.00          | 13,000              | 620          | 270  | 700   | 1,000 | 7              | -               | -       |
| MW-11    | 08/29/2006 <sup>17</sup>          | 99.57  | 12.79 | 86.78   | 0.00  | 0.00          | 12,000              | 540          | 210  | 600   | 560   | 14             | -               | -       |
| MW-11    | 12/13/2006 <sup>17</sup>          | 99.57  | 12.07 | 87.50   | 0.00  | 0.00          | 13,000              | 1,100        | 180  | 710   | 490   | 22             | -               | -       |
| MW-11    | 02/28/2007                        | -      | -     | -       | -     | -             | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 05/30/2007 <sup>17,18</sup>       | 99.57  | 12.05 | 87.52   | 0.00  | 0.00          | 15,000              | 720          | 180  | 1,100 | 910   | 12             | -               | -       |
| MW-11    | 08/29/2007 <sup>17</sup>          | 99.57  | -     | -       | -     | -             | 13,000              | 500          | 370  | 640   | 960   | 22             | -               | -       |
| MW-11    | 11/21/2007 <sup>17,18</sup>       | 101.90 | 13.30 | 88.60   | 0.00  | 0.00          | 9,700               | 380          | 110  | 410   | 830   | 43             | -               | -       |
| MW-11    | 02/20/2008 <sup>15</sup>          | 101.90 | -     | -       | -     | -             | -                   | -            | -    | -     | -     | -              | -               | -       |
| MW-11    | 05/21/2008 <sup>15,17,18</sup>    | 101.90 | 12.38 | 89.52   | 0.00  | 0.00          | 4,400 <sup>22</sup> | 94           | 44   | 150   | 200   | 4              | -               | -       |
| MW-11    | 06/24/2008 <sup>15,17,18,33</sup> | 101.90 | 12.76 | 89.14   | 0.00  | 0.00          | 4,500               | 140          | 30   | 280   | 250   | 9              | -               | -       |
| MW-11    | 08/22/2008 <sup>15,17,18,33</sup> | 101.90 | 23.90 | 78.00   | 0.00  | 0.00          | 3,900 <sup>22</sup> | 230          | 42   | 33    | 260   | 36             | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location     | Date                              | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |          |          |           |                | ADDITIONAL VOCs |          |
|--------------|-----------------------------------|---------------|--------------|--------------|-------------|---------------|--------------|--------------|----------|----------|-----------|----------------|-----------------|----------|
|              |                                   |               |              |              |             |               | TPH-GRO      | B            | T        | E        | X         | MTBE by SW8260 | EDB             | 1,2-DCA  |
|              | Units                             | ft            | ft           | ft-amsl      | ft          | ft            | µg/L         | µg/L         | µg/L     | µg/L     | µg/L      | µg/L           | µg/L            | µg/L     |
| MW-11        | 11/21/2008 <sup>15,17,18,33</sup> | 101.90        | 24.31        | 77.59        | 0.00        | 0.00          | 1,400        | 75           | 20       | 13       | 59        | 33             | -               | -        |
| MW-11        | 02/03/2009 <sup>15,17,18,33</sup> | 101.90        | -            | -            | -           | -             | 560          | 19           | 3        | 4        | 21        | 30             | -               | -        |
| MW-11        | 05/28/2009                        | 101.90        | 23.54        | 78.36        | 0.00        | 0.00          | 110          | 4            | <0.5     | 0.9 J    | <0.5      | 4              | -               | -        |
| MW-11        | 08/07/2009                        | 101.90        | 14.58        | 87.32        | 0.00        | 0.00          | 74 J         | 5            | <0.5     | 0.8 J    | <0.5      | 2              | -               | -        |
| MW-11        | 11/16/2009                        | 101.90        | 23.00        | 78.90        | 0.00        | 0.00          | 120          | 0.8 J        | <0.5     | <0.5     | <0.5      | 7              | -               | -        |
| MW-11        | 02/02/2010                        | 101.90        | 9.10         | 92.80        | 0.00        | 0.00          | 53 J         | <0.5         | <0.5     | <0.5     | <0.5      | 0.6 J          | -               | -        |
| MW-11        | 05/20/2010                        | 101.90        | 10.05        | 91.85        | 0.00        | 0.00          | <50          | 0.8 J        | <0.5     | <0.5     | <0.5      | <0.5           | -               | -        |
| MW-11        | 08/23/2010 <sup>20</sup>          | 101.90        | 13.38        | 88.52        | 0.00        | 0.00          | 160          | 5            | <0.5     | 1        | 0.9 J     | 0.9 J          | -               | -        |
| MW-11        | 12/07/2010 <sup>20</sup>          | 101.90        | 11.37        | 90.53        | 0.00        | 0.00          | 230          | 3            | <0.5     | <0.5     | <0.5      | 2              | -               | -        |
| MW-11        | 02/03/2011 <sup>20</sup>          | 101.90        | 11.34        | 90.56        | 0.00        | 0.00          | 470          | 6            | 2        | 1        | 5         | 2              | -               | -        |
| MW-11        | 05/06/2011                        | 101.90        | 9.90         | 92.00        | 0.00        | 0.00          | 870          | 9            | 1        | 1        | 2         | 0.7 J          | -               | -        |
| MW-11        | 09/16/2011                        | 101.90        | 12.56        | 89.34        | 0.00        | 0.00          | 410          | 2            | 0.8 J    | <0.5     | 0.9 J     | 1              | -               | -        |
| MW-11        | 12/06/2011                        | 101.90        | 12.90        | 89.00        | 0.00        | 0.00          | 430          | 2            | <0.5     | <0.5     | 0.6 J     | 1              | -               | -        |
| MW-11        | 03/16/2012                        | 101.90        | 11.40        | 90.50        | 0.00        | 0.00          | 870          | 5            | 1        | 2        | 3         | 1              | -               | -        |
| MW-11        | 06/21/2012                        | 101.90        | 11.79        | 90.11        | 0.00        | 0.00          | 2,400        | 12           | 6 J      | 9        | 7 J       | <1             | -               | <1       |
| <b>MW-11</b> | <b>09/10/2012</b>                 | <b>101.90</b> | <b>13.02</b> | <b>88.88</b> | <b>0.00</b> | <b>0.00</b>   | <b>2,200</b> | <b>9</b>     | <b>2</b> | <b>1</b> | <b>17</b> | <b>&lt;0.5</b> | <b>-</b>        | <b>-</b> |
| MW-12        | 06/28/1989                        | -             | 14.10        | 85.54        | -           | -             | 55,000       | 30,000       | 21,000   | 2,900    | 19,000    | -              | -               | -        |
| MW-12        | 10/03/1989                        | -             | 14.30        | 85.34        | -           | -             | 170,000      | 30,000       | 23,000   | 2,700    | 15,000    | -              | -               | -        |
| MW-12        | 01/04/1990                        | 99.64         | 14.35        | 85.29        | -           | -             | 110,000      | 24,000       | 19,000   | 2,300    | 12,000    | -              | -               | -        |
| MW-12        | 04/03/1990                        | 99.64         | 13.59        | 86.05        | -           | -             | 89,000       | 41,000       | 28,000   | 3,300    | 17,000    | -              | -               | -        |
| MW-12        | 07/03/1990                        | 99.64         | 13.77        | 85.87        | -           | -             | 170,000      | 27,000       | 20,000   | 2,200    | 12,000    | -              | -               | -        |
| MW-12        | 11/06/1990                        | 99.64         | 15.19        | 84.45        | 0.06        | -             | 110,000      | 28,000       | 21,000   | 2,400    | 14,000    | -              | -               | -        |
| MW-12        | 01/04/1991                        | 99.64         | 14.52        | -            | -           | -             | -            | -            | -        | -        | -         | -              | -               | -        |
| MW-12        | 04/03/1991                        | 99.64         | 10.91        | -            | -           | -             | -            | -            | -        | -        | -         | -              | -               | -        |
| MW-12        | 04/09/1991                        | 99.64         | -            | -            | -           | -             | 170,000      | 39,000       | 17,000   | 2,400    | 14,000    | -              | -               | -        |
| MW-12        | 07/02/1991                        | 99.64         | 13.51        | -            | -           | -             | -            | -            | -        | -        | -         | -              | -               | -        |
| MW-12        | 10/02/1991                        | 99.64         | 14.93        | -            | -           | -             | 170,000      | 27,000       | 15,000   | 2,600    | 17,000    | -              | -               | -        |
| MW-12        | 01/02/1992                        | 99.64         | 14.45        | 85.19        | -           | -             | -            | -            | -        | -        | -         | -              | -               | -        |
| MW-12        | 04/07/1992                        | 99.64         | 13.05        | 86.59        | -           | -             | -            | -            | -        | -        | -         | -              | -               | -        |
| MW-12        | 08/13/1992                        | 99.22         | 17.39        | 81.83        | -           | -             | -            | -            | -        | -        | -         | -              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |        |        |         |                              | ADDITIONAL VOCs |         |
|----------|-----------------------------|-------|-------|---------|-------|---------------|----------------------|--------------|--------|--------|---------|------------------------------|-----------------|---------|
|          |                             |       |       |         |       |               | TPH-GRO              | B            | T      | E      | X       | MTBE by SW8260               | EDB             | 1,2-DCA |
|          | Units                       | ft    | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L   | µg/L   | µg/L    | µg/L                         | µg/L            | µg/L    |
| MW-12    | 12/03/1992                  | 99.22 | 15.34 | 83.88   | -     | -             | 2,400,000            | 19,000       | 21,000 | 14,000 | 110,000 | -                            | -               | -       |
| MW-12    | 03/25/1993                  | 99.22 | 10.37 | 88.85   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 06/23/1993                  | 99.22 | 12.21 | 87.01   | -     | -             | 110,000              | 30,000       | 19,000 | 2,000  | 12,000  | -                            | -               | -       |
| MW-12    | 03/08/1994                  | 99.22 | 11.95 | 87.27   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 06/13/1994                  | 99.22 | 12.35 | 86.87   | -     | -             | 62,000               | 6,600        | 6,900  | 2,400  | 9,900   | -                            | -               | -       |
| MW-12    | 10/04/1994 <sup>3</sup>     | 99.22 | -     | -       | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 11/14/1994 <sup>3</sup>     | 99.22 | -     | -       | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 05/15/1995                  | 99.22 | 10.06 | 89.16   | -     | -             | <50                  | <0.5         | <0.5   | <0.5   | <0.5    | -                            | -               | -       |
| MW-12    | 08/04/1995                  | 99.22 | 11.60 | 87.62   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 11/28/1995                  | 99.22 | 16.63 | 82.59   | -     | -             | 110,000              | 26,000       | 22,000 | 2,300  | 12,000  | 1,100                        | -               | -       |
| MW-12    | 02/20/1996 <sup>28</sup>    | 99.22 | 11.10 | 88.12   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 05/29/1996                  | 99.22 | 11.48 | 87.74   | -     | -             | 120,000              | 18,000       | 18,000 | 2,000  | 11,000  | 710                          | -               | -       |
| MW-12    | 08/27/1996                  | 99.22 | 12.50 | 86.72   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 11/22/1996                  | 99.22 | 12.92 | 86.30   | -     | -             | 160,000              | 24,000       | 22,000 | 1,900  | 11,000  | 980                          | -               | -       |
| MW-12    | 02/18/1997                  | 99.22 | 9.20  | 90.02   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 05/23/1997 <sup>6</sup>     | 99.22 | 12.00 | 87.22   | -     | -             | 130,000              | 27,000       | 22,000 | 2,700  | 15,000  | 6,200                        | -               | -       |
| MW-12    | 08/04/1997                  | 99.22 | 12.58 | 86.64   | -     | -             | 130,000              | 23,000       | 28,000 | 2,700  | 13,000  | 11,000                       | -               | -       |
| MW-12    | 11/25/1997                  | 99.22 | 13.92 | 85.30   | -     | -             | 290,000 <sup>5</sup> | 53,000       | 31,000 | 6,400  | 30,000  | 35,000                       | -               | -       |
| MW-12    | 02/25/1998                  | 99.22 | 18.21 | 81.01   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 05/21/1998                  | 99.22 | 11.18 | 88.04   | -     | -             | 150,000              | 14,000       | 16,000 | 1,800  | 250     | 66,000 / 69,000 <sup>7</sup> | -               | -       |
| MW-12    | 08/19/1998                  | 99.22 | 18.40 | 80.82   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 11/19/1998                  | 99.22 | 17.98 | 81.24   | -     | -             | 68,000               | 15,000       | 10,000 | 2,000  | 8,800   | 14,000                       | -               | -       |
| MW-12    | 02/12/1999                  | 99.22 | 14.95 | 84.27   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 05/10/1999                  | 99.22 | 12.47 | 86.75   | -     | -             | 72,600               | 9,920        | 8,100  | 1,600  | 7,480   | 25,800 / 32,500 <sup>7</sup> | -               | -       |
| MW-12    | 09/02/1999                  | 99.22 | 13.85 | 85.37   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 02/03/2000                  | 99.22 | 12.45 | 86.77   | -     | -             | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 05/09/2000 <sup>15</sup>    | 99.22 | 12.26 | 86.96   | 0.00  | 0.00          | 27,000 <sup>8</sup>  | 7,800        | 4,000  | <100   | 6,600   | 6,100                        | -               | -       |
| MW-12    | 08/02/2000 <sup>15,28</sup> | 99.22 | 13.85 | 85.37   | 0.00  | 0.00          | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 11/09/2000 <sup>15</sup>    | 99.22 | 14.49 | 84.73   | 0.00  | 0.00          | 46,400               | 9,550        | 5,470  | 1,240  | 7,660   | 5,150                        | -               | -       |
| MW-12    | 02/08/2001 <sup>15</sup>    | 99.22 | 14.79 | 84.43   | 0.00  | 0.00          | -                    | -            | -      | -      | -       | -                            | -               | -       |
| MW-12    | 05/02/2001 <sup>15</sup>    | 99.22 | 15.73 | 83.49   | 0.00  | 0.00          | 94,000               | 8,720        | 3,630  | <2,500 | 8,800   | 3,410                        | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                              | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |        |       |        |                | ADDITIONAL VOCs |         |
|----------|-----------------------------------|--------|-------|---------|-------|---------------|----------------------|--------------|--------|-------|--------|----------------|-----------------|---------|
|          |                                   |        |       |         |       |               | TPH-GRO              | B            | T      | E     | X      | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                             | ft     | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L   | µg/L  | µg/L   | µg/L           | µg/L            | µg/L    |
| MW-12    | 08/28/2001 <sup>15,28</sup>       | 99.22  | 17.06 | 82.16   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 11/26/2001 <sup>15</sup>          | 99.22  | 14.95 | 84.27   | 0.00  | 0.00          | 5,000                | 770          | 72     | 150   | 470    | 230            | -               | -       |
| MW-12    | 02/22/2002 <sup>15,28</sup>       | 99.22  | 11.79 | 87.43   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 05/24/2002 <sup>15</sup>          | 99.22  | 14.80 | 84.42   | 0.00  | 0.00          | 52,000               | 5,200        | 4,500  | 1,800 | 8,300  | 990            | -               | -       |
| MW-12    | 08/29/2002 <sup>15,28</sup>       | 99.22  | 14.98 | 84.24   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 11/29/2002                        | 99.22  | 14.53 | 84.69   | 0.00  | 0.00          | 40,000               | 4,900        | 3,800  | 1,100 | 7,000  | 1,000          | -               | -       |
| MW-12    | 02/28/2003 <sup>28</sup>          | 99.22  | 11.41 | 87.81   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 05/30/2003 <sup>17</sup>          | 99.22  | 12.25 | 86.97   | 0.00  | 0.00          | 46,000               | 4,300        | 3,100  | 1,400 | 7,500  | 670            | -               | -       |
| MW-12    | 08/22/2003 <sup>28</sup>          | 99.22  | 14.06 | 85.16   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 11/24/2003 <sup>17</sup>          | 99.22  | 14.60 | 84.62   | 0.00  | 0.00          | 45,000               | 5,200        | 3,100  | 1,400 | 8,400  | 480            | -               | -       |
| MW-12    | 02/27/2004 <sup>28</sup>          | 99.22  | 11.06 | 88.16   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 06/21/2004 <sup>17</sup>          | 99.22  | 13.83 | 85.39   | 0.00  | 0.00          | 53,000               | 6,100        | 5,400  | 1,800 | 11,000 | 370            | -               | -       |
| MW-12    | 08/26/2004 <sup>28</sup>          | 99.22  | 13.92 | 85.30   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 11/29/2004 <sup>17</sup>          | 99.22  | 13.52 | 85.70   | 0.00  | 0.00          | 62,000               | 7,300        | 5,700  | 1,600 | 12,000 | 370            | -               | -       |
| MW-12    | 02/11/2005 <sup>28</sup>          | 99.22  | 10.87 | 88.35   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 06/16/2005 <sup>17</sup>          | 99.22  | 11.02 | 88.20   | 0.00  | 0.00          | 49,000               | 3,400        | 4,100  | 1,600 | 7,900  | 180            | -               | -       |
| MW-12    | 08/31/2005 <sup>28</sup>          | 99.22  | 12.46 | 86.76   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 11/30/2005 <sup>42</sup>          | 99.22  | -     | -       | -     | -             | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 02/27/2006 <sup>28</sup>          | 99.22  | 10.96 | 88.26   | 0.00  | 0.00          | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 05/30/2006 <sup>17,19</sup>       | 99.22  | 10.17 | 89.05   | 0.00  | 0.00          | 54,000               | 3,800        | 4,900  | 1,900 | 6,400  | 230            | -               | -       |
| MW-12    | 08/29/2006 <sup>17</sup>          | 99.22  | 12.39 | 86.83   | 0.00  | 0.00          | 63,000               | 3,300        | 4,900  | 1,400 | 5,900  | 210            | -               | -       |
| MW-12    | 12/13/2006 <sup>17</sup>          | 99.22  | 11.95 | 87.27   | 0.00  | 0.00          | 70,000               | 6,200        | 10,000 | 1,900 | 8,600  | 230            | -               | -       |
| MW-12    | 02/28/2007                        | -      | -     | -       | -     | -             | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 05/30/2007 <sup>17,18</sup>       | 99.22  | 11.80 | 87.42   | 0.00  | 0.00          | 71,000               | 3,500        | 6,700  | 1,500 | 5,900  | 150            | -               | -       |
| MW-12    | 08/29/2007 <sup>17</sup>          | 99.22  | -     | -       | -     | -             | 58,000               | 5,200        | 8,800  | 1,500 | 7,400  | 120            | -               | -       |
| MW-12    | 11/21/2007 <sup>17,18</sup>       | 101.65 | 13.33 | 88.32   | 0.00  | 0.00          | 30,000               | 5,000        | 4,400  | 720   | 4,200  | 45             | -               | -       |
| MW-12    | 02/20/2008 <sup>15</sup>          | 101.65 | -     | -       | -     | -             | -                    | -            | -      | -     | -      | -              | -               | -       |
| MW-12    | 05/21/2008 <sup>15,17,18</sup>    | 101.65 | 12.18 | 89.47   | 0.00  | 0.00          | 37,000 <sup>22</sup> | 5,300        | 6,100  | 1,100 | 6,700  | 36             | -               | -       |
| MW-12    | 06/24/2008 <sup>15,17,18,33</sup> | 101.65 | 12.54 | 89.11   | 0.00  | 0.00          | 24,000               | 6,700        | 7,600  | 1,300 | 6,900  | 80             | -               | -       |
| MW-12    | 08/22/2008 <sup>15,17,18,33</sup> | 101.65 | 24.24 | 77.41   | 0.00  | 0.00          | 29,000 <sup>22</sup> | 3,200        | 5,100  | 360   | 5,700  | 38             | -               | -       |
| MW-12    | 11/21/2008 <sup>15,17,18,33</sup> | 101.65 | 23.95 | 77.70   | 0.00  | 0.00          | 19,000               | 1,500        | 2,500  | 350   | 2,400  | <25            | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location     | Date                                  | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |          |           |           |                | ADDITIONAL VOCs |          |
|--------------|---------------------------------------|---------------|--------------|--------------|-------------|---------------|--------------|--------------|----------|-----------|-----------|----------------|-----------------|----------|
|              |                                       |               |              |              |             |               | TPH-GRO      | B            | T        | E         | X         | MTBE by SW8260 | EDB             | 1,2-DCA  |
|              | Units                                 | ft            | ft           | ft-amsl      | ft          | ft            | µg/L         | µg/L         | µg/L     | µg/L      | µg/L      | µg/L           | µg/L            | µg/L     |
| MW-12        | 02/03/2009 <sup>15,17,18, 21,33</sup> | 101.65        | -            | -            | -           | -             | 16,000       | 1,600        | 2,500    | 380       | 2,800     | 22             | -               | -        |
| MW-12        | 05/28/2009                            | 101.65        | 22.63        | 79.02        | 0.00        | 0.00          | 35,000       | 1,400        | 4,400    | 760       | 6,100     | 25             | -               | -        |
| MW-12        | 08/07/2009                            | 101.65        | 14.91        | 86.74        | 0.00        | 0.00          | 40,000       | 760          | 3,900    | 1,700     | 7,000     | 19             | -               | -        |
| MW-12        | 11/16/2009                            | 101.65        | 22.91        | 78.74        | 0.00        | 0.00          | 15,000       | 650          | 890      | 160       | 2,700     | 24             | -               | -        |
| MW-12        | 02/02/2010                            | 101.65        | 9.67         | 91.98        | 0.00        | 0.00          | 8,500        | 360          | 220      | 530       | 1,000     | 52             | -               | -        |
| MW-12        | 05/20/2010                            | 101.65        | 10.14        | 91.51        | 0.00        | 0.00          | 3,300        | 90           | 5        | 140       | 87        | 30             | -               | -        |
| MW-12        | 08/23/2010 <sup>20</sup>              | 101.65        | 13.89        | 87.76        | 0.00        | 0.00          | 5,300        | 330          | 10       | 500       | 91        | 72             | -               | -        |
| MW-12        | 12/07/2010 <sup>20</sup>              | 101.65        | 11.40        | 90.25        | 0.00        | 0.00          | 7,600        | 370          | 36       | 400       | 270       | 55             | -               | -        |
| MW-12        | 02/03/2011 <sup>20</sup>              | 101.65        | 11.80        | 89.85        | 0.00        | 0.00          | 4,100        | 410          | 8        | 180       | 130       | 70             | -               | -        |
| MW-12        | 05/06/2011                            | 101.65        | 9.87         | 91.78        | 0.00        | 0.00          | 1,800        | 210          | 1        | 60        | 18        | 62             | -               | -        |
| MW-12        | 09/16/2011                            | 101.65        | 12.38        | 89.27        | 0.00        | 0.00          | 2,900        | 180          | 9        | 100       | 110       | 35             | -               | -        |
| MW-12        | 12/06/2011                            | 101.65        | 12.76        | 88.89        | 0.00        | 0.00          | 5,900        | 230          | 51       | 290       | 450       | 22             | -               | -        |
| MW-12        | 03/16/2012                            | 101.65        | 11.80        | 89.85        | 0.00        | 0.00          | 5,100        | 190          | 14       | 200       | 290       | 26             | -               | -        |
| MW-12        | 06/21/2012                            | 101.65        | 11.87        | 89.78        | 0.00        | 0.00          | 2,500        | 71           | 2 J      | 72        | 61        | 34             | -               | <0.5     |
| <b>MW-12</b> | <b>09/10/2012</b>                     | <b>101.65</b> | <b>13.00</b> | <b>88.65</b> | <b>0.00</b> | <b>0.00</b>   | <b>2,100</b> | <b>47</b>    | <b>1</b> | <b>56</b> | <b>44</b> | <b>31</b>      | <b>-</b>        | <b>-</b> |
| MW-13        | 06/28/1989                            | -             | 13.22        | 85.25        | -           | -             | 54,000       | 12,000       | 10,000   | 1,900     | 15,000    | -              | -               | -        |
| MW-13        | 10/03/1989                            | -             | 13.54        | 84.93        | -           | -             | 120,000      | 10,000       | 10,000   | 2,300     | 15,000    | -              | -               | -        |
| MW-13        | 01/04/1990                            | 98.47         | 13.64        | 84.83        | -           | -             | 87,000       | 6,800        | 10,000   | 2,000     | 12,000    | -              | -               | -        |
| MW-13        | 04/03/1990                            | 98.47         | 12.95        | 85.52        | -           | -             | 53,000       | 12,000       | 14,000   | 2,900     | 17,000    | -              | -               | -        |
| MW-13        | 07/03/1990                            | 98.47         | 13.05        | 85.42        | -           | -             | 90,000       | 8,400        | 11,000   | 2,000     | 11,000    | -              | -               | -        |
| MW-13        | 11/06/1990                            | 98.47         | 14.12        | 84.35        | -           | -             | -            | -            | -        | -         | -         | -              | -               | -        |
| MW-13        | 01/04/1991                            | 98.47         | 14.05        | 84.42        | -           | -             | 72,000       | 5,500        | 12,000   | 2,300     | 12,000    | -              | -               | -        |
| MW-13        | 04/03/1991                            | 98.47         | 11.41        | 87.06        | -           | -             | -            | -            | -        | -         | -         | -              | -               | -        |
| MW-13        | 07/02/1991                            | 98.47         | 13.17        | 85.30        | -           | -             | 120,000      | 12,000       | 13,000   | 2,500     | 14,000    | -              | -               | -        |
| MW-13        | 10/02/1991                            | 98.47         | 14.24        | 84.23        | -           | -             | -            | -            | -        | -         | -         | -              | -               | -        |
| MW-13        | 01/02/1992                            | 98.47         | 14.13        | 84.34        | 0.03        | -             | -            | -            | -        | -         | -         | -              | -               | -        |
| MW-13        | 04/07/1992                            | 98.47         | 13.06        | 85.41        | -           | -             | -            | -            | -        | -         | -         | -              | -               | -        |
| MW-13        | 08/13/1992                            | 98.47         | 14.26        | 84.21        | -           | -             | 84,000       | 7,400        | 11,000   | 2,600     | 13,000    | -              | -               | -        |
| MW-13        | 12/03/1992                            | 98.47         | 14.82        | 83.65        | -           | -             | -            | -            | -        | -         | -         | -              | -               | -        |
| MW-13        | 03/25/1993                            | 98.47         | 10.73        | 87.74        | -           | -             | 97,000       | 5,200        | 2,500    | 7,200     | 12,000    | -              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS       | PRIMARY VOCS |        |       |        |                | ADDITIONAL VOCS |         |
|----------|--------------------------|-------|-------|---------|-------|---------------|--------------------|--------------|--------|-------|--------|----------------|-----------------|---------|
|          |                          |       |       |         |       |               | TPH-GRO            | B            | T      | E     | X      | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft    | ft    | ft-amsl | ft    | ft            | µg/L               | µg/L         | µg/L   | µg/L  | µg/L   | µg/L           | µg/L            | µg/L    |
| MW-13    | 06/23/1993               | 98.47 | 11.97 | 86.50   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 09/21/1993               | 98.47 | 13.08 | 85.39   | -     | -             | 80,000             | 7,600        | 9,000  | 2,900 | 14,000 | -              | -               | -       |
| MW-13    | 12/02/1993               | 98.47 | 13.45 | 85.02   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 03/08/1994               | 98.47 | 11.75 | 86.72   | -     | -             | 78,000             | 5,300        | 7,600  | 2,600 | 10,000 | -              | -               | -       |
| MW-13    | 06/13/1994               | 98.47 | 12.30 | 86.17   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 10/04/1994               | 98.47 | 14.18 | 84.29   | -     | -             | 39,000             | 2,300        | 2,700  | 850   | 4,600  | -              | -               | -       |
| MW-13    | 11/14/1994               | 98.47 | 12.62 | 85.85   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 05/15/1995               | 98.47 | 9.93  | 88.54   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 08/04/1995               | 98.47 | 11.08 | 87.39   | -     | -             | 47,000             | 7,700        | 10,000 | 2,900 | 10,000 | -              | -               | -       |
| MW-13    | 11/28/1995 <sup>28</sup> | 98.47 | 12.95 | 85.52   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 02/20/1996               | 98.47 | 9.86  | 88.61   | -     | -             | 59,000             | 5,500        | 5,500  | 2,900 | 8,800  | <120           | -               | -       |
| MW-13    | 05/29/1996               | 98.47 | 10.30 | 88.17   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 08/27/1996               | 98.47 | 11.97 | 86.50   | -     | -             | 65,000             | 3,500        | 2,800  | 2,200 | 6,900  | 200            | -               | -       |
| MW-13    | 11/22/1996               | 98.47 | 11.71 | 86.76   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 02/18/1997               | 98.47 | 9.16  | 89.31   | -     | -             | 69,000             | 4,500        | 4,100  | 2,500 | 7,900  | 310            | -               | -       |
| MW-13    | 05/23/1997               | 98.47 | 11.56 | 86.91   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 08/04/1997               | 98.47 | 12.15 | 86.32   | -     | -             | 61,000             | 5,700        | 5,100  | 3,600 | 9,200  | 230            | -               | -       |
| MW-13    | 11/25/1997               | 98.47 | 13.12 | 85.35   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 02/25/1998               | 98.47 | 10.51 | 87.96   | -     | -             | 42,000             | 3,800        | 1,000  | 2,000 | 5,000  | <250           | -               | -       |
| MW-13    | 05/21/1998               | 98.47 | 9.35  | 89.12   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 08/19/1998               | 98.47 | 14.00 | 84.47   | -     | -             | 57,000             | 1,600        | 440    | 1,900 | 4,500  | <250           | -               | -       |
| MW-13    | 11/19/1998 <sup>36</sup> | 98.47 | -     | -       | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 02/12/1999 <sup>36</sup> | 98.47 | -     | -       | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 03/26/1999               | 98.47 | 9.30  | 89.17   | -     | -             | 30,800             | 473          | 101    | 1,430 | 2,800  | 106            | -               | -       |
| MW-13    | 05/10/1999               | 98.47 | 10.73 | 87.74   | -     | -             | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 09/02/1999               | 98.47 | 10.99 | 87.48   | -     | -             | 87,000             | 2,610        | 19,100 | 1,510 | 12,000 | <2,500         | -               | -       |
| MW-13    | 02/03/2000               | 98.47 | 10.45 | 88.02   | -     | -             | 2,900              | 200          | 16     | 200   | 340    | 68             | -               | -       |
| MW-13    | 05/09/2000               | 98.47 | 10.52 | 87.95   | 0.00  | 0.00          | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 08/02/2000               | 98.47 | 11.78 | 86.69   | 0.00  | 0.00          | 1,600 <sup>8</sup> | 15           | 4.1    | 7.3   | 160    | <13            | -               | -       |
| MW-13    | 11/09/2000               | 98.47 | 12.29 | 86.18   | 0.00  | 0.00          | -                  | -            | -      | -     | -      | -              | -               | -       |
| MW-13    | 02/08/2001               | 98.47 | 12.71 | 85.76   | 0.00  | 0.00          | -                  | -            | -      | -     | -      | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                        | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS        | PRIMARY VOCs |      |      |       |                | ADDITIONAL VOCs |         |
|----------|-----------------------------|-------|-------|---------|-------|---------------|---------------------|--------------|------|------|-------|----------------|-----------------|---------|
|          |                             |       |       |         |       |               | TPH-GRO             | B            | T    | E    | X     | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                       | ft    | ft    | ft-amsl | ft    | ft            | µg/L                | µg/L         | µg/L | µg/L | µg/L  | µg/L           | µg/L            | µg/L    |
| MW-13    | 05/02/2001                  | 98.47 | 13.49 | 84.98   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 08/28/2001 <sup>41</sup>    | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 11/26/2001 <sup>41</sup>    | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 02/22/2002 <sup>31</sup>    | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 05/24/2002 <sup>28</sup>    | 98.47 | 12.41 | 86.06   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 08/29/2002 <sup>34</sup>    | 98.47 | 12.90 | 85.57   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 11/29/2002 <sup>28</sup>    | 98.47 | 12.61 | 85.86   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 02/28/2003                  | 98.47 | 9.99  | 88.48   | 0.00  | 0.00          | 340                 | <5.0         | 0.94 | 0.52 | 5.0   | <10            | -               | -       |
| MW-13    | 05/30/2003 <sup>31</sup>    | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 08/22/2003 <sup>17,18</sup> | 98.47 | 12.00 | 86.47   | 0.00  | 0.00          | 770                 | 10           | 2    | 8    | 2     | <0.5           | -               | -       |
| MW-13    | 11/24/2003 <sup>28</sup>    | 98.47 | 12.62 | 85.85   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 02/27/2004 <sup>17</sup>    | 98.47 | 10.53 | 87.94   | 0.00  | 0.00          | 2,300               | 27           | 7    | 14   | 10    | <0.5           | -               | -       |
| MW-13    | 06/21/2004 <sup>28</sup>    | 98.47 | 12.23 | 86.24   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 08/26/2004 <sup>34</sup>    | 98.47 | 13.22 | 85.25   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 11/29/2004 <sup>43</sup>    | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 02/11/2005 <sup>34</sup>    | 98.47 | 12.84 | 85.63   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 06/16/2005 <sup>28</sup>    | 98.47 | 10.19 | 88.28   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 08/31/2005                  | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 11/30/2005                  | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 02/27/2006                  | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 05/30/2006                  | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 08/29/2006                  | 98.47 | -     | -       | -     | -             | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 12/13/2006 <sup>28</sup>    | 98.47 | 11.81 | 86.66   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 02/28/2007 <sup>17</sup>    | 98.47 | 10.11 | 88.36   | 0.00  | 0.00          | 14,000              | 31           | 100  | 720  | 1,100 | <3             | -               | -       |
| MW-13    | 05/30/2007 <sup>28</sup>    | 98.47 | 11.64 | 86.83   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 08/29/2007 <sup>17</sup>    | 98.47 | 12.98 | 85.49   | 0.00  | 0.00          | 14,000              | 41           | 380  | 810  | 1,300 | <1             | -               | -       |
| MW-13    | 11/21/2007 <sup>28</sup>    | 98.47 | 13.07 | 85.40   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 02/20/2008 <sup>17</sup>    | 98.47 | 10.35 | 88.12   | 0.00  | 0.00          | 2,800               | 4            | 8    | 95   | 130   | <0.5           | -               | -       |
| MW-13    | 05/21/2008 <sup>28</sup>    | 98.47 | 12.26 | 86.21   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 06/24/2008                  | 98.47 | 12.38 | 86.09   | 0.00  | 0.00          | -                   | -            | -    | -    | -     | -              | -               | -       |
| MW-13    | 08/22/2008 <sup>17</sup>    | 98.47 | 14.20 | 84.27   | 0.00  | 0.00          | 7,500 <sup>24</sup> | 5            | 26   | 380  | 400   | <0.5           | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location     | Date                           | TOC          | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|--------------|--------------------------------|--------------|--------------|--------------|-------------|---------------|--------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|              |                                |              |              |              |             |               | TPH-GRO      | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|              | Units                          | ft           | ft           | ft-amsl      | ft          | ft            | µg/L         | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-13        | 11/21/2008 <sup>28</sup>       | 98.47        | 15.83        | 82.64        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-13        | 02/03/2009 <sup>17</sup>       | 98.47        | 15.70        | 82.77        | 0.00        | 0.00          | 8,400        | 21           | 36       | 630      | 920      | <1             | -               | -        |
| MW-13        | 05/28/2009                     | 98.47        | 15.20        | 83.27        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-13        | 08/06/2009                     | 98.47        | 13.37        | 85.10        | 0.00        | 0.00          | 4,600        | 2            | 3        | 100      | 110      | <0.5           | -               | -        |
| MW-13        | 11/16/2009                     | 98.47        | 15.97        | 82.50        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-13        | 02/02/2010                     | 98.47        | 9.78         | 88.69        | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | -        |
| MW-13        | 05/20/2010                     | 98.47        | 9.50         | 88.97        | 0.00        | 0.00          | 82 J         | 4            | 4        | 2        | 4        | <0.5           | -               | -        |
| MW-13        | 08/23/2010 <sup>28</sup>       | 98.47        | 11.68        | 86.79        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-13        | 12/07/2010                     | 98.47        | 11.05        | 87.42        | 0.00        | 0.00          | 560          | <0.5         | 2        | 15       | 20       | <0.5           | -               | -        |
| MW-13        | 02/03/2011 <sup>28</sup>       | 98.47        | 10.45        | 88.02        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-13        | 05/06/2011                     | 98.47        | 9.81         | 88.66        | 0.00        | 0.00          | 2,600        | 9            | 150      | 250      | 330      | <0.5           | -               | -        |
| MW-13        | 09/16/2011 <sup>28</sup>       | 98.47        | 11.74        | 86.73        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-13        | 12/06/2011 <sup>28</sup>       | 98.47        | 12.34        | 86.13        | 0.00        | 0.00          | 6,300        | 4 J          | 57       | 560      | 340      | <3             | -               | -        |
| MW-13        | 03/16/2012 <sup>28</sup>       | 98.47        | 12.01        | 86.46        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-13        | 06/21/2012                     | 98.47        | 11.66        | 86.81        | 0.00        | 0.00          | 5,600        | 12           | 160      | 470      | 325      | <1             | -               | <1       |
| <b>MW-13</b> | <b>09/10/2012<sup>28</sup></b> | <b>98.47</b> | <b>12.72</b> | <b>85.75</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>     | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |
| MW-14        | 08/29/1990                     | -            | 21.39        | 78.29        | -           | -             | 970          | 4.0          | 2.0      | 0.7      | 2.0      | -              | -               | 1.0      |
| MW-14        | 11/06/1990                     | -            | 21.62        | 78.06        | -           | -             | 920          | 10           | 10       | 4.0      | 9.0      | -              | -               | -        |
| MW-14        | 01/04/1991                     | 99.68        | 21.69        | 77.99        | -           | -             | 1,000        | <0.5         | 4.0      | 2.6      | 4.2      | -              | -               | -        |
| MW-14        | 04/03/1991                     | 99.68        | 19.53        | 80.15        | -           | -             | 1,200        | 380          | 6.0      | 7.0      | 18       | -              | -               | -        |
| MW-14        | 07/02/1991                     | 99.68        | 20.93        | 78.75        | -           | -             | 460          | 27           | 1.0      | 1.2      | 1.0      | -              | -               | -        |
| MW-14        | 10/02/1991                     | 99.68        | 21.52        | 78.16        | -           | -             | 480          | 6.7          | 0.8      | 1.4      | 1.8      | -              | -               | -        |
| MW-14        | 01/02/1992                     | 99.68        | 21.43        | 78.25        | -           | -             | 1,100        | 2.4          | 1.5      | 6.2      | 18       | -              | -               | -        |
| MW-14        | 04/07/1992                     | 99.68        | 21.36        | 78.32        | -           | -             | 290          | <0.5         | 1.4      | <0.5     | 1.2      | -              | -               | -        |
| MW-14        | 08/13/1992                     | 99.68        | 21.07        | 78.61        | -           | -             | 370          | 10           | 1.2      | <0.5     | 0.9      | -              | -               | -        |
| MW-14        | 12/03/1992                     | 99.68        | 21.67        | 78.01        | -           | -             | 230          | 1.3          | <0.5     | <0.5     | <0.5     | -              | -               | -        |
| MW-14        | 03/25/1993                     | 99.68        | 19.03        | 80.65        | -           | -             | 390          | 57           | 2.1      | 1.3      | 1.7      | -              | -               | -        |
| MW-14        | 06/23/1993                     | 99.68        | 19.94        | 79.74        | -           | -             | 4,400        | 460          | 220      | 16       | 62       | -              | -               | -        |
| MW-14        | 09/21/1993                     | 99.68        | 20.65        | 79.03        | -           | -             | 680          | 8.7          | 1.7      | 3.2      | 12       | -              | -               | -        |
| MW-14        | 12/02/1993                     | 99.68        | 21.05        | 78.63        | -           | -             | 900          | 0.8          | 7.0      | 3.0      | 7.0      | -              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date                     | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS      | PRIMARY VOCs |       |        |        |                          | ADDITIONAL VOCs |         |
|----------|--------------------------|-------|-------|---------|-------|---------------|-------------------|--------------|-------|--------|--------|--------------------------|-----------------|---------|
|          |                          |       |       |         |       |               | TPH-GRO           | B            | T     | E      | X      | MTBE by SW8260           | EDB             | 1,2-DCA |
|          | Units                    | ft    | ft    | ft-amsl | ft    | ft            | µg/L              | µg/L         | µg/L  | µg/L   | µg/L   | µg/L                     | µg/L            | µg/L    |
| MW-14    | 03/08/1994               | 99.68 | 20.05 | 79.63   | -     | -             | 1,700             | 2.4          | 7.7   | 5.6    | 14     | -                        | -               | -       |
| MW-14    | 06/13/1994               | 99.68 | 20.21 | 79.47   | -     | -             | 750               | 0.8          | 8.0   | 3.2    | 5.7    | -                        | -               | -       |
| MW-14    | 10/04/1994               | 99.68 | 20.70 | 78.98   | -     | -             | 130               | 3.4          | 5.4   | <0.5   | 2.0    | -                        | -               | -       |
| MW-14    | 11/14/1994               | 99.68 | 20.00 | 79.68   | -     | -             | 9,900             | 620          | 1,600 | 120    | 920    | -                        | -               | -       |
| MW-14    | 05/15/1995               | 99.68 | 18.49 | 81.19   | -     | -             | <50               | <0.5         | <0.5  | <0.5   | <0.5   | -                        | -               | -       |
| MW-14    | 08/04/1995               | 99.68 | 19.38 | 80.30   | -     | -             | 1,000             | 170          | 58    | 6.6    | 20     | -                        | -               | -       |
| MW-14    | 11/28/1995               | 99.68 | 20.33 | 79.35   | -     | -             | 1,500             | 300          | 72    | 65     | 190    | <6.0                     | -               | -       |
| MW-14    | 02/20/1996               | 99.68 | 16.96 | 82.72   | -     | -             | 70                | <0.5         | <0.5  | <0.5   | <0.5   | <5.0                     | -               | -       |
| MW-14    | 05/29/1996               | 99.68 | 18.58 | 81.10   | -     | -             | 1,600             | 170          | 39    | 5.0    | 21     | 6.3                      | -               | -       |
| MW-14    | 08/27/1996               | 99.68 | 19.79 | 79.89   | -     | -             | 80                | <0.5         | <0.5  | <0.5   | <0.5   | <5.0                     | -               | -       |
| MW-14    | 11/22/1996               | 99.68 | 19.55 | 80.13   | -     | -             | 620               | 49           | 13    | 7.2    | 22     | 210                      | -               | -       |
| MW-14    | 02/18/1997               | 99.68 | 17.31 | 82.37   | -     | -             | 190               | 14           | 9.6   | 3.1    | 15     | <5.0                     | -               | -       |
| MW-14    | 05/23/1997               | 99.68 | 19.56 | 80.12   | -     | -             | 130               | 18           | 16    | 3.4    | 17     | <5.0                     | -               | -       |
| MW-14    | 08/04/1997               | 99.68 | 19.88 | 79.80   | -     | -             | 200               | 8.3          | 7.9   | 4.1    | 10     | <5.0                     | -               | -       |
| MW-14    | 11/25/1997               | 99.68 | 19.77 | 79.91   | -     | -             | 530               | 42           | 62    | 10     | 37     | <5.0                     | -               | -       |
| MW-14    | 02/25/1998               | 99.68 | 14.28 | 85.40   | -     | -             | 220               | 26           | 10    | 7.0    | 22     | 23                       | -               | -       |
| MW-14    | 05/21/1998               | 99.68 | 17.78 | 81.90   | -     | -             | 8,300             | 1,400        | 48    | 29     | 59     | <50                      | -               | -       |
| MW-14    | 08/19/1998               | 99.68 | 19.33 | 80.35   | -     | -             | 7,900             | 610          | 390   | 51     | 300    | <250                     | -               | -       |
| MW-14    | 11/19/1998               | 99.68 | 20.28 | 79.40   | -     | -             | 87                | 1.0          | <0.5  | <0.5   | <0.5   | 27                       | -               | -       |
| MW-14    | 02/12/1999               | 99.68 | 18.32 | 81.36   | -     | -             | <50               | <0.5         | <0.5  | <0.5   | <0.5   | <2.5                     | -               | -       |
| MW-14    | 05/10/1999               | 99.68 | 19.11 | 80.57   | -     | -             | 1,930             | 254          | 41.2  | 6.71   | 23     | 76.4 / <5.0 <sup>7</sup> | -               | -       |
| MW-14    | 09/02/1999               | 99.68 | 20.11 | 79.57   | -     | -             | 647               | 38.1         | 1.45  | <0.5   | 1.32   | 10.8                     | -               | -       |
| MW-14    | 02/03/2000 <sup>38</sup> | 99.68 | 18.88 | 80.80   | -     | -             | -                 | -            | -     | -      | -      | -                        | -               | -       |
| MW-14    | 05/09/2000               | 99.68 | 18.69 | 80.99   | 0.00  | 0.00          | 370 <sup>9</sup>  | 9.7          | 2.2   | 1.3    | 1.5    | 13                       | -               | -       |
| MW-14    | 08/02/2000               | 99.68 | 19.69 | 79.99   | 0.00  | 0.00          | 80 <sup>10</sup>  | 1.2          | 1.8   | 0.85   | 1.2    | 3.1                      | -               | -       |
| MW-14    | 11/09/2000               | 99.68 | 20.19 | 79.49   | 0.00  | 0.00          | 92.3              | <0.500       | 0.921 | <0.500 | <0.500 | <2.50                    | -               | -       |
| MW-14    | 02/08/2001               | 99.68 | 20.67 | 79.01   | 0.00  | 0.00          | 728 <sup>11</sup> | 33.7         | <5.00 | <5.00  | <5.00  | <25.0                    | -               | -       |
| MW-14    | 05/02/2001               | 99.68 | 20.00 | 79.68   | 0.00  | 0.00          | 338               | 3.28         | <5.00 | <5.00  | <5.00  | 1.35                     | -               | -       |
| MW-14    | 08/28/2001               | 99.68 | 20.62 | 79.06   | 0.00  | 0.00          | 83 <sup>14</sup>  | 1.7          | 0.64  | <0.50  | <0.50  | 2.6                      | -               | -       |
| MW-14    | 11/26/2001               | 99.68 | 20.55 | 79.13   | 0.00  | 0.00          | 240               | 2.8          | <0.50 | <0.50  | <1.5   | <2.5                     | -               | -       |
| MW-14    | 02/22/2002               | 99.68 | 19.27 | 80.41   | 0.00  | 0.00          | 4,000             | 460          | 140   | 55     | 51     | <20                      | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date                     | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS     | PRIMARY VOCs |      |       |      |                | ADDITIONAL VOCs |         |
|----------|--------------------------|--------|-------|---------|-------|---------------|------------------|--------------|------|-------|------|----------------|-----------------|---------|
|          |                          |        |       |         |       |               | TPH-GRO          | B            | T    | E     | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft     | ft    | ft-amsl | ft    | ft            | µg/L             | µg/L         | µg/L | µg/L  | µg/L | µg/L           | µg/L            | µg/L    |
| MW-14    | 05/24/2002               | 99.68  | 19.70 | 79.98   | 0.00  | 0.00          | 5,800            | 580          | 360  | 61    | 340  | <20            | -               | -       |
| MW-14    | 08/29/2002               | 99.68  | 20.52 | 79.16   | 0.00  | 0.00          | 360              | 14           | 0.98 | <0.50 | 2.3  | <2.5           | -               | -       |
| MW-14    | 11/29/2002               | 99.68  | 20.70 | 78.98   | 0.00  | 0.00          | 1,400            | 32           | 1.8  | 0.62  | 2.6  | <2.5           | -               | -       |
| MW-14    | 02/28/2003               | 99.68  | 19.27 | 80.41   | 0.00  | 0.00          | 320              | <5.0         | 0.64 | <0.50 | <1.5 | <10            | -               | -       |
| MW-14    | 05/30/2003 <sup>17</sup> | 99.68  | 19.10 | 80.58   | 0.00  | 0.00          | 560              | 150          | 7    | 4     | 8    | <0.5           | -               | -       |
| MW-14    | 08/22/2003 <sup>17</sup> | 99.68  | 19.72 | 79.96   | 0.00  | 0.00          | 690              | <0.5         | <0.5 | <0.5  | 0.6  | <0.5           | -               | -       |
| MW-14    | 11/24/2003 <sup>17</sup> | 99.68  | 20.58 | 79.10   | 0.00  | 0.00          | 52               | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 02/27/2004 <sup>17</sup> | 99.68  | 19.20 | 80.48   | 0.00  | 0.00          | 330              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 06/21/2004 <sup>17</sup> | 99.68  | 20.02 | 79.66   | 0.00  | 0.00          | <50              | 1            | <0.5 | <0.5  | 1    | <0.5           | -               | -       |
| MW-14    | 08/26/2004 <sup>17</sup> | 99.68  | 20.60 | 79.08   | 0.00  | 0.00          | 160              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 11/29/2004 <sup>17</sup> | 99.68  | 20.52 | 79.16   | 0.00  | 0.00          | 57               | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 02/11/2005 <sup>17</sup> | 99.68  | 19.58 | 80.10   | 0.00  | 0.00          | 160              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 06/16/2005 <sup>17</sup> | 99.68  | 18.74 | 80.94   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 08/31/2005 <sup>17</sup> | 99.68  | 19.63 | 80.05   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 11/30/2005 <sup>31</sup> | 99.68  | -     | -       | -     | -             | -                | -            | -    | -     | -    | -              | -               | -       |
| MW-14    | 02/27/2006 <sup>40</sup> | 99.68  | -     | -       | -     | -             | -                | -            | -    | -     | -    | -              | -               | -       |
| MW-14    | 05/30/2006 <sup>17</sup> | 99.68  | 18.11 | 81.57   | 0.00  | 0.00          | 630              | 41           | 17   | 9     | 21   | <0.5           | -               | -       |
| MW-14    | 08/29/2006 <sup>17</sup> | 99.68  | 19.34 | 80.34   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 12/13/2006 <sup>17</sup> | 99.68  | 19.18 | 80.50   | 0.00  | 0.00          | 97               | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 02/28/2007 <sup>17</sup> | 99.68  | 18.38 | 81.30   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 05/30/2007 <sup>17</sup> | 99.68  | 19.91 | 79.77   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 08/29/2007 <sup>17</sup> | 99.68  | 20.29 | 79.39   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | 0.8   | 1    | <0.5           | -               | -       |
| MW-14    | 11/21/2007 <sup>17</sup> | 101.99 | 20.48 | 81.51   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 02/20/2008 <sup>17</sup> | 101.99 | 18.64 | 83.35   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 05/21/2008 <sup>17</sup> | 101.99 | 19.76 | 82.23   | 0.00  | 0.00          | 52 <sup>22</sup> | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 06/24/2008 <sup>17</sup> | 101.99 | 19.97 | 82.02   | 0.00  | 0.00          | <50              | <0.5         | 3    | 0.7   | 4    | <0.5           | -               | -       |
| MW-14    | 08/22/2008 <sup>17</sup> | 101.99 | 20.31 | 81.68   | 0.00  | 0.00          | <50              | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 11/21/2008 <sup>17</sup> | 101.99 | 21.86 | 80.13   | 0.00  | 0.00          | 87               | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 02/03/2009 <sup>17</sup> | 101.99 | 21.03 | 80.96   | 0.00  | 0.00          | 52               | <0.5         | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 05/28/2009               | 101.99 | 20.23 | 81.76   | 0.00  | 0.00          | 530              | 1            | <0.5 | <0.5  | <0.5 | <0.5           | -               | -       |
| MW-14    | 08/06/2009               | 101.99 | 20.50 | 81.49   | 0.00  | 0.00          | -                | -            | -    | -     | -    | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location     | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |      |      |      |                | ADDITIONAL VOCs |         |
|--------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|--------------|--------------|------|------|------|----------------|-----------------|---------|
|              |                                |               |              |              |             |               | TPH-GRO      | B            | T    | E    | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
|              | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L         | µg/L         | µg/L | µg/L | µg/L | µg/L           | µg/L            | µg/L    |
| MW-14        | 11/16/2009                     | 101.99        | 23.98        | 78.01        | 0.00        | 0.00          | 58 J         | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-14        | 02/02/2010                     | 101.99        | 18.65        | 83.34        | 0.00        | 0.00          | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-14        | 05/20/2010                     | 101.99        | 18.52        | 83.47        | 0.00        | 0.00          | 2,500        | 55           | 18   | 19   | 13   | <0.5           | -               | -       |
| MW-14        | 08/23/2010 <sup>28</sup>       | 101.99        | 19.76        | 82.23        | 0.00        | 0.00          | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-14        | 12/07/2010                     | 101.99        | 19.66        | 82.33        | 0.00        | 0.00          | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-14        | 02/03/2011 <sup>28</sup>       | 101.99        | 19.20        | 82.79        | 0.00        | 0.00          | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-14        | 05/06/2011                     | 101.99        | 18.26        | 83.73        | 0.00        | 0.00          | 2,100        | 18           | 22   | 25   | 14   | <0.5           | -               | -       |
| MW-14        | 09/16/2011 <sup>28</sup>       | 101.99        | 19.80        | 82.19        | 0.00        | 0.00          | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-14        | 12/06/2011 <sup>31</sup>       | 101.99        | -            | -            | -           | -             | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-14        | 03/16/2012 <sup>28</sup>       | 101.99        | 19.69        | 82.30        | 0.00        | 0.00          | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-14        | 06/21/2012 <sup>31</sup>       | 101.99        | -            | -            | 0.00        | 0.00          | -            | -            | -    | -    | -    | -              | -               | -       |
| <b>MW-14</b> | <b>09/10/2012<sup>28</sup></b> | <b>101.99</b> | <b>20.02</b> | <b>81.97</b> | <b>0.00</b> | <b>0.00</b>   | -            | -            | -    | -    | -    | -              | -               | -       |
| MW-15        | 08/29/1990                     | -             | 16.58        | 79.48        | -           | -             | 2,000        | 26           | 2.0  | 72   | 110  | -              | -               | -       |
| MW-15        | 11/06/1990                     | -             | 17.43        | 78.63        | -           | -             | 1,300        | 40           | 5.0  | 45   | 63   | -              | -               | -       |
| MW-15        | 01/04/1991                     | 96.06         | 16.37        | 79.69        | -           | -             | 1,700        | 46           | 2.8  | 58   | 86   | -              | -               | -       |
| MW-15        | 04/03/1991                     | 96.06         | 12.46        | 83.60        | -           | -             | 2,100        | 74           | 0.8  | 44   | 85   | -              | -               | -       |
| MW-15        | 07/02/1991                     | 96.06         | 16.53        | 79.53        | -           | -             | 1,700        | 39           | <0.5 | 35   | 46   | -              | -               | -       |
| MW-15        | 10/02/1991                     | 96.06         | 17.33        | 78.73        | -           | -             | 1,100        | 50           | <0.5 | 40   | 33   | -              | -               | -       |
| MW-15        | 01/02/1992                     | 96.06         | 16.46        | 79.60        | -           | -             | 1,300        | 51           | <0.5 | 30   | 30   | -              | -               | -       |
| MW-15        | 04/07/1992                     | 96.06         | 14.70        | 81.36        | -           | -             | 2,600        | 98           | <5.0 | 64   | 36   | -              | -               | -       |
| MW-15        | 08/13/1992                     | 96.06         | 16.72        | 79.34        | -           | -             | 510          | 55           | <0.5 | 35   | 2.8  | -              | -               | -       |
| MW-15        | 12/03/1992                     | 96.06         | 17.43        | 78.63        | -           | -             | 1,000        | 64           | 0.9  | 22   | 4.4  | -              | -               | -       |
| MW-15        | 03/25/1993                     | 96.06         | 13.33        | 82.73        | -           | -             | 1,300        | 86           | 52   | 0.7  | 7.7  | -              | -               | -       |
| MW-15        | 06/23/1993                     | 96.06         | 15.23        | 80.83        | -           | -             | 7,300        | 34           | <0.5 | 85   | 160  | -              | -               | -       |
| MW-15        | 09/21/1993                     | 96.06         | 16.32        | 79.74        | -           | -             | 1,500        | 39           | <0.5 | 32   | 33   | -              | -               | -       |
| MW-15        | 12/02/1993                     | 96.06         | 16.57        | 79.49        | -           | -             | 990          | 28           | 4.0  | 8.0  | 10   | -              | -               | -       |
| MW-15        | 03/08/1994                     | 96.06         | 14.61        | 81.45        | -           | -             | 3,400        | 44           | 4.0  | 28   | 53   | -              | -               | -       |
| MW-15        | 10/04/1994                     | 96.06         | 16.48        | 79.58        | -           | -             | 310          | 11           | 10   | 2.2  | 12   | -              | -               | -       |
| MW-15        | 11/14/1994                     | 96.06         | 14.20        | 81.86        | -           | -             | 450          | 27           | 2.4  | 2.2  | 4.2  | -              | -               | -       |
| MW-15        | 05/15/1995                     | 96.06         | 13.38        | 82.68        | -           | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS        | PRIMARY VOCs |        |        |        |                          | ADDITIONAL VOCs |         |
|----------|--------------------------|-------|-------|---------|-------|---------------|---------------------|--------------|--------|--------|--------|--------------------------|-----------------|---------|
|          |                          |       |       |         |       |               | TPH-GRO             | B            | T      | E      | X      | MTBE by SW8260           | EDB             | 1,2-DCA |
|          | Units                    | ft    | ft    | ft-amsl | ft    | ft            | µg/L                | µg/L         | µg/L   | µg/L   | µg/L   | µg/L                     | µg/L            | µg/L    |
| MW-15    | 08/04/1995               | 96.06 | 14.91 | 81.15   | -     | -             | <50                 | 0.6          | <0.5   | <0.5   | 0.8    | -                        | -               | -       |
| MW-15    | 11/28/1995               | 96.06 | 16.12 | 79.94   | -     | -             | <50                 | <0.5         | <0.5   | <0.5   | <0.5   | <0.60                    | -               | -       |
| MW-15    | 02/20/1996               | 96.06 | 10.98 | 85.08   | -     | -             | 1,600               | 25           | 0.5    | 20     | 38     | 16                       | -               | -       |
| MW-15    | 05/29/1996 <sup>4</sup>  | 96.06 | -     | -       | -     | -             | -                   | -            | -      | -      | -      | -                        | -               | -       |
| MW-15    | 08/27/1996               | 96.06 | 15.44 | 80.62   | -     | -             | 80                  | <0.5         | <0.5   | <0.5   | 0.7    | <5.0                     | -               | -       |
| MW-15    | 11/22/1996               | 96.06 | 14.49 | 81.57   | -     | -             | 1,500               | 14           | <0.5   | 6.1    | 12     | 7.2                      | -               | -       |
| MW-15    | 02/18/1997               | 96.06 | 12.17 | 83.89   | -     | -             | <50                 | <0.5         | <0.5   | <0.5   | <0.5   | <5.0                     | -               | -       |
| MW-15    | 05/23/1997               | 96.06 | 15.03 | 81.03   | -     | -             | 130                 | 20           | 9.7    | 0.9    | 1.5    | <5.0                     | -               | -       |
| MW-15    | 08/04/1997               | 96.06 | 15.48 | 80.58   | -     | -             | 60                  | 1.3          | <0.5   | <0.5   | 1.1    | <5.0                     | -               | -       |
| MW-15    | 11/25/1997               | 96.06 | 15.39 | 80.67   | -     | -             | <50                 | <0.5         | <0.5   | <0.5   | <0.5   | <5.0                     | -               | -       |
| MW-15    | 02/25/1998               | 96.06 | 6.53  | 89.53   | -     | -             | 4,300               | 27           | <10    | 37     | 46     | <50                      | -               | -       |
| MW-15    | 05/21/1998               | 96.06 | 12.97 | 83.09   | -     | -             | 430                 | 25           | <0.5   | 2.3    | 1.2    | <2.5                     | -               | -       |
| MW-15    | 08/19/1998               | 96.06 | 14.90 | 81.16   | -     | -             | <50                 | <0.5         | <0.5   | <0.5   | <0.5   | <2.5                     | -               | -       |
| MW-15    | 11/19/1998               | 96.06 | 16.05 | 80.01   | -     | -             | <50                 | <0.5         | <0.5   | <0.5   | <0.5   | <2.5                     | -               | -       |
| MW-15    | 02/12/1999 <sup>36</sup> | 96.06 | -     | -       | -     | -             | -                   | -            | -      | -      | -      | -                        | -               | -       |
| MW-15    | 05/10/1999               | 96.06 | 14.39 | 81.67   | -     | -             | <50                 | <0.5         | <0.5   | <0.5   | <0.5   | <5.0 / <2.0 <sup>7</sup> | -               | -       |
| MW-15    | 09/02/1999               | 96.06 | 15.53 | 80.53   | -     | -             | <50                 | <0.5         | <0.5   | <0.5   | <0.5   | <5.0                     | -               | -       |
| MW-15    | 02/03/2000               | 96.06 | 12.24 | 83.82   | -     | -             | 480                 | 2.5          | <1.0   | 2.6    | 1.4    | <5.0                     | -               | -       |
| MW-15    | 05/09/2000               | 96.06 | 13.65 | 82.41   | 0.00  | 0.00          | <50                 | <0.50        | <0.50  | <0.50  | <0.50  | <2.5                     | -               | -       |
| MW-15    | 08/02/2000               | 96.06 | 15.02 | 81.04   | 0.00  | 0.00          | <50                 | <0.50        | <0.50  | <0.50  | <0.50  | <2.5                     | -               | -       |
| MW-15    | 11/09/2000               | 96.06 | 15.52 | 80.54   | 0.00  | 0.00          | <50.0               | <0.500       | <0.500 | <0.500 | <0.500 | <2.50                    | -               | -       |
| MW-15    | 02/08/2001               | 96.06 | 15.70 | 80.36   | 0.00  | 0.00          | 92.6 <sup>11</sup>  | 0.894        | <0.500 | <0.500 | <0.500 | <2.50                    | -               | -       |
| MW-15    | 05/02/2001               | 96.06 | 14.62 | 81.44   | 0.00  | 0.00          | <50.0 <sup>12</sup> | 0.830        | <5.00  | <5.00  | 5.94   | <0.500                   | -               | -       |
| MW-15    | 08/28/2001               | 96.06 | 15.91 | 80.15   | 0.00  | 0.00          | <50                 | <0.50        | 0.71   | <0.50  | <0.50  | <2.5                     | -               | -       |
| MW-15    | 11/26/2001               | 96.06 | 15.41 | 80.65   | 0.00  | 0.00          | <50                 | <0.50        | <0.50  | <0.50  | <1.5   | <2.5                     | -               | -       |
| MW-15    | 02/22/2002               | 96.06 | 13.55 | 82.51   | 0.00  | 0.00          | 99                  | <0.50        | <0.50  | <0.50  | <1.5   | <2.5                     | -               | -       |
| MW-15    | 05/24/2002               | 96.06 | 14.61 | 81.45   | 0.00  | 0.00          | <50                 | <0.50        | <0.50  | <0.50  | <1.5   | <2.5                     | -               | -       |
| MW-15    | 08/29/2002 <sup>31</sup> | 96.06 | -     | -       | -     | -             | -                   | -            | -      | -      | -      | -                        | -               | -       |
| MW-15    | 11/29/2002 <sup>31</sup> | 96.06 | -     | -       | -     | -             | -                   | -            | -      | -      | -      | -                        | -               | -       |
| MW-15    | 02/28/2003               | 96.06 | 14.26 | 81.80   | 0.00  | 0.00          | <50                 | <0.50        | <0.50  | <0.50  | <1.5   | <2.5                     | -               | -       |
| MW-15    | 05/30/2003 <sup>17</sup> | 96.06 | 14.20 | 81.86   | 0.00  | 0.00          | <50                 | <0.5         | <0.5   | <0.5   | <0.5   | <0.5                     | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS      | PRIMARY VOCs |      |      |      |                | ADDITIONAL VOCs |         |
|----------|--------------------------|-------|-------|---------|-------|---------------|-------------------|--------------|------|------|------|----------------|-----------------|---------|
|          |                          |       |       |         |       |               | TPH-GRO           | B            | T    | E    | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft    | ft    | ft-amsl | ft    | ft            | µg/L              | µg/L         | µg/L | µg/L | µg/L | µg/L           | µg/L            | µg/L    |
| MW-15    | 08/22/2003 <sup>17</sup> | 96.06 | 15.06 | 81.00   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 11/24/2003 <sup>31</sup> | 96.06 | -     | -       | -     | -             | -                 | -            | -    | -    | -    | -              | -               | -       |
| MW-15    | 02/27/2004 <sup>17</sup> | 96.06 | 10.47 | 85.59   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 06/21/2004 <sup>17</sup> | 96.06 | 15.18 | 80.88   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 08/26/2004 <sup>17</sup> | 96.06 | 15.32 | 80.74   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 11/29/2004 <sup>17</sup> | 96.06 | 15.48 | 80.58   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 02/11/2005 <sup>17</sup> | 96.06 | 13.89 | 82.17   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 06/16/2005 <sup>17</sup> | 96.06 | 13.95 | 82.11   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 08/31/2005 <sup>31</sup> | 96.06 | -     | -       | -     | -             | -                 | -            | -    | -    | -    | -              | -               | -       |
| MW-15    | 11/30/2005 <sup>17</sup> | 96.06 | 15.72 | 80.34   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 02/27/2006 <sup>17</sup> | 96.06 | 13.49 | 82.57   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 05/30/2006 <sup>17</sup> | 96.06 | 12.98 | 83.08   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 08/29/2006 <sup>17</sup> | 96.06 | 14.55 | 81.51   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 12/13/2006 <sup>17</sup> | 96.06 | 13.68 | 82.38   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 02/28/2007 <sup>17</sup> | 96.06 | 12.08 | 83.98   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 05/30/2007 <sup>17</sup> | 96.06 | 15.24 | 80.82   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 08/29/2007 <sup>17</sup> | 96.06 | 15.71 | 80.35   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 11/21/2007 <sup>17</sup> | 98.28 | 15.79 | 82.49   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 02/20/2008 <sup>17</sup> | 98.28 | 13.25 | 85.03   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 05/21/2008 <sup>17</sup> | 98.28 | 15.35 | 82.93   | 0.00  | 0.00          | <50 <sup>22</sup> | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 06/24/2008 <sup>17</sup> | 98.28 | 15.60 | 82.68   | 0.00  | 0.00          | <50               | <0.5         | 6    | 2    | 10   | <0.5           | -               | -       |
| MW-15    | 08/22/2008 <sup>17</sup> | 98.28 | 16.11 | 82.17   | 0.00  | 0.00          | <50 <sup>22</sup> | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 11/21/2008 <sup>17</sup> | 98.28 | 16.62 | 81.66   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 02/03/2009 <sup>17</sup> | 98.28 | 16.29 | 81.99   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 05/28/2009               | 98.28 | 15.68 | 82.60   | 0.00  | 0.00          | 82 J              | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 08/06/2009               | 98.28 | 15.71 | 82.57   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 11/16/2009               | 98.28 | 16.07 | 82.21   | 0.00  | 0.00          | -                 | -            | -    | -    | -    | -              | -               | -       |
| MW-15    | 02/02/2010               | 98.28 | 12.24 | 86.04   | 0.00  | 0.00          | <50               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| MW-15    | 05/20/2010               | 98.28 | -     | -       | -     | -             | -                 | -            | -    | -    | -    | -              | -               | -       |
| MW-15    | 08/23/2010 <sup>31</sup> | 98.28 | -     | -       | -     | -             | -                 | -            | -    | -    | -    | -              | -               | -       |
| MW-15    | 12/07/2010               | 98.28 | 14.99 | 83.29   | 0.00  | 0.00          | 100               | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location     | Date                           | TOC          | DTW      | GWE      | LNAPL       | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|--------------|--------------------------------|--------------|----------|----------|-------------|---------------|--------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|              |                                |              |          |          |             |               | TPH-GRO      | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|              | Units                          | ft           | ft       | ft-amsl  | ft          | ft            | µg/L         | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-15        | 02/03/2011 <sup>31</sup>       | 98.28        | 14.53    | 83.75    | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-15        | 05/06/2011                     | 98.28        | 13.99    | 84.29    | 0.00        | 0.00          | 120          | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | -        |
| MW-15        | 09/16/2011 <sup>28</sup>       | 98.28        | 15.62    | 82.66    | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-15        | 12/06/2011 <sup>28</sup>       | 98.28        | 15.92    | 82.36    | 0.00        | 0.00          | <50          | <0.5         | <0.5     | <0.5     | <0.5     | <0.5           | -               | -        |
| MW-15        | 03/16/2012 <sup>28</sup>       | 98.28        | 14.33    | 83.95    | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| MW-15        | 06/21/2012 <sup>31</sup>       | 98.28        | -        | -        | 0.00        | 0.00          | -            | -            | -        | -        | -        | -              | -               | -        |
| <b>MW-15</b> | <b>09/10/2012<sup>31</sup></b> | <b>98.28</b> | <b>-</b> | <b>-</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>     | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |
|              |                                |              |          |          |             |               |              |              |          |          |          |                |                 |          |
| MW-16        | 08/29/1990                     | -            | 20.89    | 77.26    | -           | -             | 11,000       | 6,000        | 51       | 1,100    | 20       | -              | -               | -        |
| MW-16        | 11/06/1990                     | -            | 21.27    | 76.88    | -           | -             | 15,000       | 6,300        | 340      | 1,300    | 540      | -              | -               | -        |
| MW-16        | 01/04/1991                     | 98.15        | 21.63    | 76.52    | -           | -             | 16,000       | 6,800        | 820      | 1,300    | 1,500    | -              | -               | -        |
| MW-16        | 04/03/1991                     | 98.15        | 19.32    | 78.83    | -           | -             | 45,000       | 7,300        | 2,200    | 1,800    | 4,900    | -              | -               | -        |
| MW-16        | 07/02/1991                     | 98.15        | 20.68    | 77.47    | -           | -             | 30,000       | 6,400        | 530      | 1,500    | 1,800    | -              | -               | -        |
| MW-16        | 10/02/1991                     | 98.15        | 21.18    | 76.97    | -           | -             | 24,000       | 4,600        | 450      | 1,400    | 1,600    | -              | -               | -        |
| MW-16        | 01/02/1992                     | 98.15        | 21.30    | 76.85    | -           | -             | 20,000       | 4,700        | 240      | 1,200    | 1,100    | -              | -               | -        |
| MW-16        | 04/07/1992                     | 98.15        | 20.19    | 77.96    | -           | -             | 40,000       | 5,000        | 980      | 1,100    | 2,100    | -              | -               | -        |
| MW-16        | 08/13/1992                     | 98.15        | 20.77    | 77.38    | -           | -             | 17,000       | 4,500        | 240      | 860      | 530      | -              | -               | -        |
| MW-16        | 12/03/1992                     | 98.15        | 21.44    | 76.71    | -           | -             | 39,000       | 4,600        | 410      | 1,100    | 2,200    | -              | -               | -        |
| MW-16        | 03/25/1993                     | 98.15        | 18.83    | 79.32    | -           | -             | 39,000       | 5,500        | 1,400    | 690      | 2,000    | -              | -               | -        |
| MW-16        | 06/23/1993                     | 98.15        | 19.72    | 78.43    | -           | -             | 29,000       | 6,600        | 1,200    | 1,400    | 3,700    | -              | -               | -        |
| MW-16        | 09/21/1993                     | 98.15        | 20.38    | 77.77    | -           | -             | 36,000       | 6,300        | 340      | 1,200    | 1,800    | -              | -               | -        |
| MW-16        | 12/02/1993                     | 98.15        | 20.84    | 77.31    | -           | -             | 28,000       | 5,600        | 230      | 900      | 820      | -              | -               | -        |
| MW-16        | 03/08/1994                     | 98.15        | 20.27    | 77.88    | -           | -             | 35,000       | 6,500        | 760      | 1,000    | 1,300    | -              | -               | -        |
| MW-16        | 10/04/1994                     | 98.15        | 20.58    | 77.57    | -           | -             | 39,000       | 9,700        | 680      | 1,300    | 3,300    | -              | -               | -        |
| MW-16        | 11/14/1994                     | 98.15        | 20.12    | 78.03    | -           | -             | 26,000       | 5,500        | 640      | 690      | 1,800    | -              | -               | -        |
| MW-16        | 05/15/1995                     | 98.15        | 18.16    | 79.99    | -           | -             | <50          | <0.5         | <0.5     | <0.5     | <0.5     | -              | -               | -        |
| MW-16        | 08/04/1995                     | 98.15        | 19.30    | 78.85    | -           | -             | 23,000       | 6,200        | 1,900    | 1,500    | 4,500    | -              | -               | -        |
| MW-16        | 11/28/1995                     | 98.15        | 20.42    | 77.73    | -           | -             | 38,000       | 6,200        | 1,700    | 1,800    | 5,700    | <120           | -               | -        |
| MW-16        | 02/20/1996                     | 98.15        | 16.40    | 81.75    | -           | -             | 46,000       | 6,600        | 2,200    | 2,400    | 7,300    | <250           | -               | -        |
| MW-16        | 05/29/1996                     | 98.15        | 18.54    | 79.61    | -           | -             | 54,000       | 6,300        | 1,600    | 2,200    | 7,900    | <250           | -               | -        |
| MW-16        | 08/27/1996                     | 98.15        | 19.42    | 78.73    | -           | -             | 45,000       | 4,100        | 260      | 1,600    | 2,800    | <250           | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC   | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |       |        |        |                          | ADDITIONAL VOCs |         |
|----------|--------------------------|-------|-------|---------|-------|---------------|----------------------|--------------|-------|--------|--------|--------------------------|-----------------|---------|
|          |                          |       |       |         |       |               | TPH-GRO              | B            | T     | E      | X      | MTBE by SW8260           | EDB             | 1,2-DCA |
|          | Units                    | ft    | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L  | µg/L   | µg/L   | µg/L                     | µg/L            | µg/L    |
| MW-16    | 11/22/1996               | 98.15 | 19.36 | 78.79   | -     | -             | 36,000               | 3,500        | 120   | 1,400  | 1,500  | 260                      | -               | -       |
| MW-16    | 02/18/1997               | 98.15 | 17.22 | 80.93   | -     | -             | 62,000               | 5,800        | 1,300 | 2,200  | 8,900  | 160                      | -               | -       |
| MW-16    | 05/23/1997               | 98.15 | 19.48 | 78.67   | -     | -             | 32,000               | 4,000        | 370   | 1,900  | 2,900  | <250                     | -               | -       |
| MW-16    | 08/04/1997               | 98.15 | 19.72 | 78.43   | -     | -             | 26,000               | 3,300        | 280   | 2,100  | 1,500  | 200                      | -               | -       |
| MW-16    | 11/25/1997               | 98.15 | 19.73 | 78.42   | -     | -             | 38,000               | 3,900        | 370   | 2,400  | 3,000  | 250                      | -               | -       |
| MW-16    | 02/25/1998               | 98.15 | 14.02 | 84.13   | -     | -             | 60,000               | 6,400        | 1,400 | 2,200  | 13,000 | <1,000                   | -               | -       |
| MW-16    | 05/21/1998               | 98.15 | 17.91 | 80.24   | -     | -             | 71,000               | 5,100        | 1,200 | 2,300  | 8,200  | 560                      | -               | -       |
| MW-16    | 08/19/1998               | 98.15 | 19.25 | 78.90   | -     | -             | 40,000               | 2,300        | 740   | 1,700  | 2,700  | <250                     | -               | -       |
| MW-16    | 11/19/1998               | 98.15 | 20.30 | 77.85   | -     | -             | 51,000               | 2,900        | <200  | 2,200  | 6,300  | <1,000                   | -               | -       |
| MW-16    | 02/12/1999               | 98.15 | 17.91 | 80.24   | -     | -             | 11,000               | 1,100        | 81    | 810    | 470    | 130                      | -               | -       |
| MW-16    | 05/10/1999               | 98.15 | 19.13 | 79.02   | -     | -             | 52,300               | 4,100        | 587   | 2,430  | 8,800  | 708 / <66.7 <sup>7</sup> | -               | -       |
| MW-16    | 09/02/1999               | 98.15 | 19.99 | 78.16   | -     | -             | 26,600               | 1,400        | 1,540 | 1,480  | 2,940  | <500                     | -               | -       |
| MW-16    | 02/03/2000               | 98.15 | 18.65 | 79.50   | -     | -             | 47,000               | 5,600        | 620   | 3,000  | 14,000 | 450                      | -               | -       |
| MW-16    | 05/09/2000               | 99.15 | 18.57 | 80.58   | 0.00  | 0.00          | 15,000 <sup>8</sup>  | 990          | 100   | 800    | 2,000  | 410                      | -               | -       |
| MW-16    | 08/02/2000               | 99.15 | 19.58 | 79.57   | 0.00  | 0.00          | 10,000 <sup>8</sup>  | 1,100        | 95    | 1,000  | 2,300  | <130                     | -               | -       |
| MW-16    | 11/09/2000               | 99.15 | 20.02 | 79.13   | 0.00  | 0.00          | 5,580                | 334          | 49.3  | 530    | 256    | 33.6                     | -               | -       |
| MW-16    | 02/08/2001               | 99.15 | 20.59 | 78.56   | 0.00  | 0.00          | 25,400 <sup>11</sup> | 1,340        | 99.9  | 1,380  | 2,700  | 350                      | -               | -       |
| MW-16    | 05/02/2001               | 99.15 | 19.71 | 79.44   | 0.00  | 0.00          | 45,600               | 2,130        | 83.6  | <2,500 | 7,460  | 13.3                     | -               | -       |
| MW-16    | 08/28/2001 <sup>37</sup> | 99.15 | -     | -       | -     | -             | -                    | -            | -     | -      | -      | -                        | -               | -       |
| MW-16    | 11/26/2001 <sup>37</sup> | 99.15 | -     | -       | -     | -             | -                    | -            | -     | -      | -      | -                        | -               | -       |
| MW-16    | 02/22/2002               | 99.15 | 19.10 | 80.05   | 0.00  | 0.00          | 32,000               | 1,300        | 110   | 1,800  | 6,100  | <50                      | -               | -       |
| MW-16    | 05/24/2002               | 99.15 | 19.50 | 79.65   | 0.00  | 0.00          | 13,000               | 590          | 29    | 830    | 1,000  | <20                      | -               | -       |
| MW-16    | 08/29/2002               | 99.15 | 20.21 | 78.94   | 0.00  | 0.00          | 9,800                | 500          | 28    | 670    | 430    | <10                      | -               | -       |
| MW-16    | 11/29/2002               | 99.15 | 20.49 | 78.66   | 0.00  | 0.00          | 23,000               | 1,600        | 110   | 1,200  | 3,400  | <10                      | -               | -       |
| MW-16    | 02/28/2003               | 99.15 | 19.18 | 79.97   | 0.00  | 0.00          | 20,000               | 1,300        | 90    | 1,000  | 3,300  | <100                     | -               | -       |
| MW-16    | 05/30/2003 <sup>17</sup> | 99.15 | 18.81 | 80.34   | 0.00  | 0.00          | 47,000               | 2,100        | 160   | 2,000  | 8,100  | <3                       | -               | -       |
| MW-16    | 08/22/2003 <sup>17</sup> | 99.15 | 19.56 | 79.59   | 0.00  | 0.00          | 25,000               | 1,300        | 94    | 1,200  | 3,200  | 2                        | -               | -       |
| MW-16    | 11/24/2003 <sup>17</sup> | 99.15 | 20.38 | 78.77   | 0.00  | 0.00          | 13,000               | 660          | 47    | 800    | 950    | 4                        | -               | -       |
| MW-16    | 02/27/2004 <sup>17</sup> | 99.15 | 16.83 | 82.32   | 0.00  | 0.00          | 20,000               | 1,000        | 70    | 1,000  | 3,100  | 3                        | -               | -       |
| MW-16    | 06/21/2004 <sup>17</sup> | 99.15 | 16.22 | 82.93   | 0.00  | 0.00          | 11,000               | 780          | 23    | 680    | 530    | 7                        | -               | -       |
| MW-16    | 08/26/2004 <sup>17</sup> | 99.15 | 20.25 | 78.90   | 0.00  | 0.00          | 7,600                | 540          | 16    | 450    | 100    | 8                        | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |      |       |       |                | ADDITIONAL VOCs |         |
|----------|--------------------------|--------|-------|---------|-------|---------------|----------------------|--------------|------|-------|-------|----------------|-----------------|---------|
|          |                          |        |       |         |       |               | TPH-GRO              | B            | T    | E     | X     | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft     | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L | µg/L  | µg/L  | µg/L           | µg/L            | µg/L    |
| MW-16    | 11/29/2004 <sup>17</sup> | 99.15  | 20.32 | 78.83   | 0.00  | 0.00          | 7,600                | 370          | 15   | 370   | 310   | 6              | -               | -       |
| MW-16    | 02/11/2005 <sup>17</sup> | 99.15  | 19.38 | 79.77   | 0.00  | 0.00          | 42,000               | 1,800        | 120  | 1,800 | 6,900 | 3              | -               | -       |
| MW-16    | 06/16/2005 <sup>17</sup> | 99.15  | 18.63 | 80.52   | 0.00  | 0.00          | 2,000                | 170          | 13   | 170   | 250   | 4              | -               | -       |
| MW-16    | 08/31/2005 <sup>17</sup> | 99.15  | 19.43 | 79.72   | 0.00  | 0.00          | 30,000               | 1,800        | 100  | 1,800 | 5,700 | 3              | -               | -       |
| MW-16    | 11/30/2005 <sup>17</sup> | 99.15  | 20.27 | 78.88   | 0.00  | 0.00          | 8,600                | 370          | 27   | 400   | 620   | 8              | -               | -       |
| MW-16    | 02/27/2006 <sup>17</sup> | 99.15  | 18.93 | 80.22   | 0.00  | 0.00          | 4,600                | 110          | 9    | 120   | 220   | 7              | -               | -       |
| MW-16    | 05/30/2006 <sup>17</sup> | 99.15  | 18.12 | 81.03   | 0.00  | 0.00          | 13,000               | 590          | <1   | 860   | 1,400 | 3              | -               | -       |
| MW-16    | 08/29/2006 <sup>17</sup> | 99.15  | 19.11 | 80.04   | 0.00  | 0.00          | 14,000               | 470          | 38   | 480   | 1,300 | 2              | -               | -       |
| MW-16    | 12/13/2006 <sup>17</sup> | 99.15  | 19.07 | 80.08   | 0.00  | 0.00          | 17,000               | 590          | 43   | 860   | 1,600 | 5              | -               | -       |
| MW-16    | 02/28/2007 <sup>17</sup> | 99.15  | 18.06 | 81.09   | 0.00  | 0.00          | 15,000               | 510          | 42   | 560   | 1,600 | 5              | -               | -       |
| MW-16    | 05/30/2007 <sup>17</sup> | 99.15  | 19.64 | 79.51   | 0.00  | 0.00          | 11,000               | 440          | 25   | 470   | 510   | 7              | -               | -       |
| MW-16    | 08/29/2007 <sup>17</sup> | 99.15  | 19.82 | 79.33   | 0.00  | 0.00          | 6,200                | 320          | 14   | 250   | 120   | 6.00           | -               | -       |
| MW-16    | 11/21/2007 <sup>17</sup> | 100.56 | 20.11 | 80.45   | 0.00  | 0.00          | 5,900                | 410          | 17   | 260   | 35    | 13             | -               | -       |
| MW-16    | 02/20/2008 <sup>17</sup> | 100.56 | 18.56 | 82.00   | 0.00  | 0.00          | 27,000               | 1,200        | 91   | 1,500 | 4,700 | 4              | -               | -       |
| MW-16    | 05/21/2008 <sup>17</sup> | 100.56 | 19.45 | 81.11   | 0.00  | 0.00          | 17,000 <sup>22</sup> | 920          | 58   | 1,200 | 2,800 | 7              | -               | -       |
| MW-16    | 06/24/2008 <sup>17</sup> | 100.56 | 19.58 | 80.98   | 0.00  | 0.00          | 6,500                | 360          | 21   | 380   | 510   | 10             | -               | -       |
| MW-16    | 08/22/2008 <sup>17</sup> | 100.56 | 19.95 | 80.61   | 0.00  | 0.00          | 12,000 <sup>25</sup> | 260          | 10   | 320   | 330   | 10             | -               | -       |
| MW-16    | 11/21/2008 <sup>17</sup> | 100.56 | 19.46 | 81.10   | 0.00  | 0.00          | 3,300                | 120          | 6    | 100   | 76    | 12             | -               | -       |
| MW-16    | 02/03/2009 <sup>17</sup> | 100.56 | 20.68 | 79.88   | 0.00  | 0.00          | 4,700                | 160          | 6    | 160   | 33    | 14             | -               | -       |
| MW-16    | 05/28/2009               | 100.56 | 18.76 | 81.80   | 0.00  | 0.00          | 6,000                | 190          | 8    | 190   | 180   | 9              | -               | -       |
| MW-16    | 08/06/2009               | 101.56 | 20.07 | 81.49   | 0.00  | 0.00          | 7,400                | 250          | 10   | 210   | 270   | 11             | -               | -       |
| MW-16    | 11/16/2009               | 101.56 | 23.60 | 77.96   | 0.00  | 0.00          | 7,900                | 260          | 6    | 260   | 51    | 10             | -               | -       |
| MW-16    | 02/02/2010               | 101.56 | 17.90 | 83.66   | 0.00  | 0.00          | 30,000               | 1,500        | 73   | 2,600 | 6,800 | <5             | -               | -       |
| MW-16    | 05/20/2010               | 101.56 | 18.34 | 83.22   | 0.00  | 0.00          | 10,000               | 250          | 15   | 420   | 530   | 6              | -               | -       |
| MW-16    | 08/23/2010               | 101.56 | 19.38 | 82.18   | 0.00  | 0.00          | 5,000                | 74           | 8    | 180   | 74    | 8              | -               | -       |
| MW-16    | 12/07/2010               | 101.56 | 19.45 | 82.11   | 0.00  | 0.00          | 5,800                | 140          | 15   | 260   | 170   | 6              | -               | -       |
| MW-16    | 02/03/2011               | 101.56 | 18.89 | 82.67   | 0.00  | 0.00          | 8,500                | 160          | 14   | 440   | 250   | 6              | -               | -       |
| MW-16    | 05/06/2011               | 101.56 | 18.10 | 83.46   | 0.00  | 0.00          | 8,300                | 420          | 25   | 650   | 640   | 4              | -               | -       |
| MW-16    | 09/16/2011               | 101.56 | 19.50 | 82.06   | 0.00  | 0.00          | 13,000               | 150          | 12   | 420   | 220   | 4              | -               | -       |
| MW-16    | 12/06/2011               | 101.56 | 20.18 | 81.38   | 0.00  | 0.00          | 6,300                | 69           | 9    | 230   | 97    | 4              | -               | -       |
| MW-16    | 03/16/2012               | 101.56 | 19.52 | 82.04   | 0.00  | 0.00          | 6,100                | 72           | 7    | 170   | 18    | 5              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date       | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |      |      |      |                          | ADDITIONAL VOCs |         |
|----------|------------|--------|-------|---------|-------|---------------|--------------|--------------|------|------|------|--------------------------|-----------------|---------|
|          |            |        |       |         |       |               | TPH-GRO      | B            | T    | E    | X    | MTBE by SW8260           | EDB             | 1,2-DCA |
|          | Units      | ft     | ft    | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L | µg/L | µg/L | µg/L                     | µg/L            | µg/L    |
| MW-16    | 06/21/2012 | 101.56 | 18.48 | 83.08   | 0.00  | 0.00          | 6,800        | 130          | 13 J | 180  | 56   | 5 J                      | -               | <5      |
| MW-16    | 09/10/2012 | 101.56 | 19.46 | 82.10   | 0.00  | 0.00          | 6,100        | 150          | 9    | 190  | 75   | 5                        | -               | -       |
| MW-17    | 08/13/1992 | -      | 23.30 | 82.70   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -                        | -               | -       |
| MW-17    | 12/03/1992 | -      | 24.74 | 81.26   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -                        | -               | -       |
| MW-17    | 03/25/1993 | 106.00 | 22.14 | 83.86   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <1.5 | -                        | -               | -       |
| MW-17    | 06/23/1993 | 106.00 | 23.02 | 82.98   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | 1.0  | -                        | -               | -       |
| MW-17    | 09/21/1993 | 106.00 | 23.09 | 82.91   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.8 | -                        | -               | -       |
| MW-17    | 12/02/1993 | 106.00 | 23.37 | 82.63   | -     | -             | -            | -            | -    | -    | -    | -                        | -               | -       |
| MW-17    | 03/08/1994 | 106.00 | 22.83 | 83.17   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -                        | -               | -       |
| MW-17    | 06/13/1994 | 106.00 | 22.62 | 83.38   | -     | -             | <50          | 1.2          | 1.1  | <0.5 | 0.9  | -                        | -               | -       |
| MW-17    | 10/04/1994 | 106.00 | 23.00 | 83.00   | -     | -             | 62           | 8.0          | 2.9  | 0.7  | 3.1  | -                        | -               | -       |
| MW-17    | 11/14/1994 | 106.00 | 23.03 | 82.97   | -     | -             | 550          | 22           | 120  | 8.9  | 84   | -                        | -               | -       |
| MW-17    | 05/15/1995 | 106.00 | 21.72 | 84.28   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -                        | -               | -       |
| MW-17    | 08/04/1995 | 106.00 | 22.37 | 83.63   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -                        | -               | -       |
| MW-17    | 11/28/1995 | 106.00 | 22.97 | 83.03   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.6                     | -               | -       |
| MW-17    | 02/20/1996 | 106.00 | 21.78 | 84.22   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0                     | -               | -       |
| MW-17    | 05/29/1996 | 106.00 | 21.72 | 84.28   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0                     | -               | -       |
| MW-17    | 08/27/1996 | 106.00 | 22.43 | 83.57   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0                     | -               | -       |
| MW-17    | 11/22/1996 | 106.00 | 22.82 | 83.18   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0                     | -               | -       |
| MW-17    | 02/18/1997 | 106.00 | 21.31 | 84.69   | -     | -             | 140          | 34           | 11   | 1.6  | 7.7  | 71                       | -               | -       |
| MW-17    | 05/23/1997 | 106.00 | 22.25 | 83.75   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0                     | -               | -       |
| MW-17    | 08/04/1997 | 106.00 | 22.53 | 83.47   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0                     | -               | -       |
| MW-17    | 11/25/1997 | 106.00 | 22.91 | 83.09   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0                     | -               | -       |
| MW-17    | 02/25/1998 | 106.00 | 19.63 | 86.37   | -     | -             | <50          | 3.8          | 3.3  | 1.3  | 4.2  | 3.5                      | -               | -       |
| MW-17    | 05/21/1998 | 106.00 | 10.61 | 95.39   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5                     | -               | -       |
| MW-17    | 08/19/1998 | 106.00 | 21.74 | 84.26   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5                     | -               | -       |
| MW-17    | 11/19/1998 | 106.00 | 22.36 | 83.64   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5                     | -               | -       |
| MW-17    | 02/12/1999 | 106.00 | 21.84 | 84.16   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5                     | -               | -       |
| MW-17    | 05/10/1999 | 106.00 | 21.45 | 84.55   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0 / <2.0 <sup>7</sup> | -               | -       |
| MW-17    | 09/02/1999 | 106.00 | 22.46 | 83.54   | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0                     | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location | Date                     | TOC    | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |        |        |        |                | ADDITIONAL VOCs |         |
|----------|--------------------------|--------|-------|---------|-------|---------------|--------------|--------------|--------|--------|--------|----------------|-----------------|---------|
|          |                          |        |       |         |       |               | TPH-GRO      | B            | T      | E      | X      | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft     | ft    | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L   | µg/L   | µg/L   | µg/L           | µg/L            | µg/L    |
| MW-17    | 02/03/2000               | 106.00 | 22.19 | 83.81   | -     | -             | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <2.5           | -               | -       |
| MW-17    | 05/09/2000               | 106.00 | 21.79 | 84.21   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <0.50  | <2.5           | -               | -       |
| MW-17    | 08/02/2000               | 106.00 | 22.24 | 83.76   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <0.50  | <2.5           | -               | -       |
| MW-17    | 11/09/2000               | 106.00 | 22.57 | 83.43   | 0.00  | 0.00          | <1,000       | <10.0        | <10.0  | <10.0  | <10.0  | <50.0          | -               | -       |
| MW-17    | 02/08/2001               | 106.00 | 22.82 | 83.18   | 0.00  | 0.00          | <50.0        | <0.500       | <0.500 | <0.500 | <0.500 | <2.50          | -               | -       |
| MW-17    | 05/02/2001               | 106.00 | 22.48 | 83.52   | 0.00  | 0.00          | 55.8         | <0.500       | <5.00  | <5.00  | <5.00  | <0.500         | -               | -       |
| MW-17    | 08/28/2001               | 106.00 | 22.95 | 83.05   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <0.50  | <2.5           | -               | -       |
| MW-17    | 11/26/2001               | 106.00 | 23.08 | 82.92   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <1.5   | <2.5           | -               | -       |
| MW-17    | 02/22/2002               | 106.00 | 22.03 | 83.97   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <1.5   | <2.5           | -               | -       |
| MW-17    | 05/24/2002               | 106.00 | 22.16 | 83.84   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <1.5   | <2.5           | -               | -       |
| MW-17    | 08/29/2002               | 106.00 | 23.73 | 82.27   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <1.5   | <2.5           | -               | -       |
| MW-17    | 11/29/2002               | 106.00 | 22.98 | 83.02   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <1.5   | <2.5           | -               | -       |
| MW-17    | 02/28/2003               | 106.00 | 21.98 | 84.02   | 0.00  | 0.00          | <50          | <0.50        | <0.50  | <0.50  | <1.5   | <2.5           | -               | -       |
| MW-17    | 05/30/2003 <sup>17</sup> | 106.00 | 21.85 | 84.15   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 08/22/2003 <sup>17</sup> | 106.00 | 22.48 | 83.52   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 11/24/2003 <sup>17</sup> | 106.00 | 22.84 | 83.16   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 02/27/2004 <sup>17</sup> | 106.00 | 21.93 | 84.07   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 06/21/2004 <sup>17</sup> | 106.00 | 22.32 | 83.68   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 08/26/2004 <sup>17</sup> | 106.00 | 23.09 | 82.91   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 11/29/2004 <sup>17</sup> | 106.00 | 22.79 | 83.21   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 02/11/2005 <sup>17</sup> | 106.00 | 21.97 | 84.03   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | 1              | -               | -       |
| MW-17    | 06/16/2005 <sup>17</sup> | 106.00 | 21.28 | 84.72   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 08/31/2005 <sup>17</sup> | 106.00 | 22.05 | 83.95   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | 0.7            | -               | -       |
| MW-17    | 11/30/2005 <sup>17</sup> | 106.00 | 22.55 | 83.45   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | 0.6            | -               | -       |
| MW-17    | 02/27/2006 <sup>17</sup> | 106.00 | 21.56 | 84.44   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 05/30/2006 <sup>17</sup> | 106.00 | 20.74 | 85.26   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | 1              | -               | -       |
| MW-17    | 08/29/2006 <sup>17</sup> | 106.00 | 21.82 | 84.18   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 12/13/2006 <sup>17</sup> | 106.00 | 22.64 | 83.36   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 02/28/2007 <sup>17</sup> | 106.00 | 22.37 | 83.63   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 05/30/2007 <sup>17</sup> | 106.00 | 22.66 | 83.34   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |
| MW-17    | 08/29/2007 <sup>17</sup> | 106.00 | 23.01 | 82.99   | 0.00  | 0.00          | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <0.5           | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location     | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |       |        |        |                            | ADDITIONAL VOCs |         |
|--------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|----------------------|--------------|-------|--------|--------|----------------------------|-----------------|---------|
|              |                                |               |              |              |             |               | TPH-GRO              | B            | T     | E      | X      | MTBE by SW8260             | EDB             | 1,2-DCA |
|              | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L                 | µg/L         | µg/L  | µg/L   | µg/L   | µg/L                       | µg/L            | µg/L    |
| MW-17        | 05/28/2009                     | 106.00        | 22.40        | 83.60        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-17        | 05/29/2009                     | -             | -            | -            | -           | -             | <50                  | <0.5         | <0.5  | <0.5   | <0.5   | <0.5                       | -               | -       |
| MW-17        | 08/06/2009                     | 106.00        | 23.00        | 83.00        | 0.00        | 0.00          | <50                  | <0.5         | <0.5  | <0.5   | <0.5   | <0.5                       | -               | -       |
| MW-17        | 11/16/2009                     | 106.00        | 22.47        | 83.53        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-17        | 02/02/2010                     | 106.00        | 22.63        | 83.37        | 0.00        | 0.00          | <50                  | <0.5         | <0.5  | <0.5   | <0.5   | <0.5                       | -               | -       |
| MW-17        | 05/20/2010                     | 106.00        | 21.70        | 84.30        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-17        | 08/23/2010 <sup>30</sup>       | 106.00        | 22.57        | 83.43        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-17        | 12/07/2010 <sup>30</sup>       | 106.00        | 23.10        | 82.90        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-17        | 02/03/2011                     | 106.00        | 22.50        | 83.50        | 0.00        | 0.00          | <50                  | <0.5         | <0.5  | <0.5   | <0.5   | <0.5                       | -               | -       |
| MW-17        | 05/06/2011 <sup>32</sup>       | 106.00        | 21.53        | 84.47        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-17        | 09/16/2011 <sup>30</sup>       | 106.00        | 22.62        | 83.38        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-17        | 12/06/2011 <sup>32</sup>       | 106.00        | 23.00        | 83.00        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-17        | 03/16/2012                     | 106.00        | 23.12        | 82.88        | 0.00        | 0.00          | <50                  | <0.5         | <0.5  | <0.5   | <0.5   | <0.5                       | -               | -       |
| MW-17        | 06/21/2012 <sup>30</sup>       | 106.00        | 22.52        | 83.48        | 0.00        | 0.00          | -                    | -            | -     | -      | -      | -                          | -               | -       |
| <b>MW-17</b> | <b>09/10/2012<sup>30</sup></b> | <b>106.00</b> | <b>23.00</b> | <b>83.00</b> | <b>0.00</b> | <b>0.00</b>   | -                    | -            | -     | -      | -      | -                          | -               | -       |
| MW-18        | 08/04/1997                     | -             | 16.60        | -            | -           | -             | 66,000               | 8,600        | 6,100 | 2,800  | 12,000 | 190                        | -               | -       |
| MW-18        | 11/25/1997                     | -             | 16.22        | -            | -           | -             | 90,000               | 8,500        | 6,000 | 3,400  | 14,000 | 1,200                      | -               | -       |
| MW-18        | 02/25/1998                     | -             | 12.75        | -            | -           | -             | 60,000               | 6,600        | 4,000 | 2,300  | 11,000 | <120                       | -               | -       |
| MW-18        | 05/21/1998                     | -             | 15.24        | -            | -           | -             | 70,000               | 4,700        | 1,800 | 1,700  | 9,600  | 880                        | -               | -       |
| MW-18        | 08/19/1998                     | -             | 16.34        | -            | -           | -             | 93,000               | 4,900        | 1,700 | 2,100  | 9,000  | <250                       | -               | -       |
| MW-18        | 11/19/1998                     | -             | 17.15        | -            | -           | -             | 62,000               | 5,600        | 2,300 | 2,700  | 12,000 | 1,800                      | -               | -       |
| MW-18        | 02/12/1999                     | -             | 16.08        | -            | -           | -             | 48,000               | 3,700        | 2,400 | 1,900  | 8,800  | 1,900                      | -               | -       |
| MW-18        | 05/10/1999                     | -             | 14.98        | -            | -           | -             | 54,700               | 3,250        | 1,770 | 1,900  | 7,570  | 1,270 / <66.7 <sup>7</sup> | -               | -       |
| MW-18        | 09/02/1999                     | -             | 15.86        | -            | -           | -             | 34,400               | 2,120        | 1,230 | 1,420  | 5,460  | <500                       | -               | -       |
| MW-18        | 02/03/2000                     | -             | 15.91        | -            | -           | -             | 46,000               | 2,500        | 1,100 | 1,900  | 8,800  | <1,000                     | -               | -       |
| MW-18        | 05/09/2000                     | -             | 13.93        | -            | 0.00        | 0.00          | 30,000 <sup>8</sup>  | 1,400        | 410   | 440    | 4,700  | 1,300                      | -               | -       |
| MW-18        | 08/02/2000                     | -             | 15.25        | -            | 0.00        | 0.00          | 22,000 <sup>8</sup>  | 1,200        | 480   | 1,400  | 5,800  | <130                       | -               | -       |
| MW-18        | 11/09/2000                     | -             | 15.85        | -            | 0.00        | 0.00          | 29,500               | 1,130        | 474   | 2,020  | 6,270  | 333                        | -               | -       |
| MW-18        | 02/08/2001                     | -             | 16.27        | -            | 0.00        | 0.00          | 61,600 <sup>11</sup> | 1,700        | <500  | 2,690  | 8,110  | <2,500                     | -               | -       |
| MW-18        | 05/02/2001                     | -             | 16.15        | -            | 0.00        | 0.00          | 57,800               | 1,040        | 104   | <2,500 | 6,670  | 20.1                       | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date                     | TOC | DTW   | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |      |       |       |                | ADDITIONAL VOCs |         |
|----------|--------------------------|-----|-------|---------|-------|---------------|----------------------|--------------|------|-------|-------|----------------|-----------------|---------|
|          |                          |     |       |         |       |               | TPH-GRO              | B            | T    | E     | X     | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units                    | ft  | ft    | ft-amsl | ft    | ft            | µg/L                 | µg/L         | µg/L | µg/L  | µg/L  | µg/L           | µg/L            | µg/L    |
| MW-18    | 08/28/2001               | -   | 17.03 | -       | 0.00  | 0.00          | 32,000 <sup>13</sup> | 1,200        | 370  | 2,100 | 5,600 | 790            | -               | -       |
| MW-18    | 11/26/2001               | -   | 16.64 | -       | 0.00  | 0.00          | 41,000               | 780          | 320  | 1,800 | 5,600 | <200           | -               | -       |
| MW-18    | 02/22/2002               | -   | 14.93 | -       | 0.00  | 0.00          | 44,000               | 950          | 270  | 1,300 | 3,900 | <100           | -               | -       |
| MW-18    | 05/24/2002               | -   | 15.92 | -       | 0.00  | 0.00          | 36,000               | 1,200        | 460  | 1,600 | 4,800 | <50            | -               | -       |
| MW-18    | 08/29/2002               | -   | 16.56 | -       | 0.00  | 0.00          | 37,000               | 970          | 520  | 1,900 | 4,800 | <50            | -               | -       |
| MW-18    | 11/29/2002               | -   | 16.51 | -       | 0.00  | 0.00          | 36,000               | 710          | 350  | 1,900 | 5,300 | <20            | -               | -       |
| MW-18    | 02/28/2003               | -   | 14.53 | -       | 0.00  | 0.00          | 19,000               | 350          | 130  | 270   | 2,500 | <200           | -               | -       |
| MW-18    | 05/30/2003 <sup>17</sup> | -   | 14.56 | -       | 0.00  | 0.00          | 29,000               | 390          | 110  | 890   | 2,700 | <3             | -               | -       |
| MW-18    | 08/22/2003 <sup>17</sup> | -   | 14.70 | -       | 0.00  | 0.00          | 17,000               | 270          | 67   | 600   | 1,700 | <1             | -               | -       |
| MW-18    | 11/24/2003 <sup>17</sup> | -   | 16.39 | -       | 0.00  | 0.00          | 23,000               | 320          | 39   | 980   | 2,100 | <1             | -               | -       |
| MW-18    | 02/27/2004 <sup>17</sup> | -   | 13.77 | -       | 0.00  | 0.00          | 18,000               | 200          | 29   | 310   | 1,400 | <1             | -               | -       |
| MW-18    | 06/21/2004 <sup>17</sup> | -   | 15.55 | -       | 0.00  | 0.00          | 30,000               | 380          | 40   | 1,700 | 2,800 | <3             | -               | -       |
| MW-18    | 08/26/2004 <sup>17</sup> | -   | 16.69 | -       | 0.00  | 0.00          | 25,000               | 360          | 27   | 1,100 | 1,800 | <3             | -               | -       |
| MW-18    | 11/29/2004 <sup>17</sup> | -   | 16.45 | -       | 0.00  | 0.00          | 27,000               | 380          | 30   | 1,200 | 1,900 | <2             | -               | -       |
| MW-18    | 02/11/2005 <sup>17</sup> | -   | 14.48 | -       | 0.00  | 0.00          | 26,000               | 450          | 44   | 1,600 | 2,500 | <1             | -               | -       |
| MW-18    | 06/16/2005 <sup>28</sup> | -   | 14.06 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |
| MW-18    | 08/31/2005 <sup>17</sup> | -   | 15.08 | -       | 0.00  | 0.00          | 27,000               | 440          | 57   | 1,900 | 2,400 | <3             | -               | -       |
| MW-18    | 11/30/2005 <sup>28</sup> | -   | 16.01 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |
| MW-18    | 02/27/2006 <sup>17</sup> | -   | 13.63 | -       | 0.00  | 0.00          | 31,000               | 440          | 81   | 1,500 | 1,900 | <1             | -               | -       |
| MW-18    | 05/30/2006 <sup>28</sup> | -   | 12.96 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |
| MW-18    | 08/29/2006 <sup>17</sup> | -   | 14.85 | -       | 0.00  | 0.00          | 28,000               | 270          | 49   | 1,600 | 1,500 | <3             | -               | -       |
| MW-18    | 12/13/2006 <sup>28</sup> | -   | 15.11 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |
| MW-18    | 02/28/2007 <sup>17</sup> | -   | 13.37 | -       | 0.00  | 0.00          | 27,000               | 280          | 61   | 1,400 | 1,400 | <3             | -               | -       |
| MW-18    | 05/30/2007 <sup>28</sup> | -   | 15.13 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |
| MW-18    | 08/29/2007 <sup>17</sup> | -   | 16.14 | -       | 0.00  | 0.00          | 26,000               | 200          | 42   | 1,700 | 1,600 | <5             | -               | -       |
| MW-18    | 11/21/2007 <sup>28</sup> | -   | 16.13 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |
| MW-18    | 02/20/2008 <sup>17</sup> | -   | 12.83 | -       | 0.00  | 0.00          | 24,000               | 190          | 44   | 1,700 | 1,700 | <2             | -               | -       |
| MW-18    | 05/21/2008 <sup>28</sup> | -   | 14.61 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |
| MW-18    | 06/24/2008               | -   | 15.55 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |
| MW-18    | 08/22/2008 <sup>17</sup> | -   | 16.78 | -       | 0.00  | 0.00          | 23,000               | 180          | 55   | 1,600 | 1,700 | <1             | -               | -       |
| MW-18    | 11/21/2008 <sup>28</sup> | -   | 17.80 | -       | 0.00  | 0.00          | -                    | -            | -    | -     | -     | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location     | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS      | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|--------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|-------------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|              |                                |               |              |              |             |               | TPH-GRO           | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|              | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L              | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-18        | 02/03/2009 <sup>17</sup>       | -             | 17.89        | -            | 0.00        | 0.00          | 23,000            | 280          | 77       | 1,600    | 1,500    | <1             | -               | -        |
| MW-18        | 05/28/2009                     | -             | 17.01        | -            | -           | -             | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-18        | 08/06/2009                     | 100.94        | 16.63        | 84.31        | 0.00        | 0.00          | 30,000            | 150          | 45       | 2,100    | 1,900    | <3             | -               | -        |
| MW-18        | 11/16/2009                     | 100.94        | 17.60        | 83.34        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-18        | 02/02/2010                     | 100.94        | 13.80        | 87.14        | 0.00        | 0.00          | 14,000            | 54           | 17       | 150      | 890      | <1             | -               | -        |
| MW-18        | 05/20/2010                     | 100.94        | 13.81        | 87.13        | 0.00        | 0.00          | 26,000            | 78           | 28       | 1,200    | 1,600    | <1             | -               | -        |
| MW-18        | 08/23/2010 <sup>28</sup>       | 100.94        | 15.51        | 85.43        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-18        | 12/07/2010                     | 100.94        | 15.06        | 85.88        | 0.00        | 0.00          | 23,000            | 47           | 26       | 1,300    | 1,300    | <1             | -               | -        |
| MW-18        | 02/03/2011 <sup>28</sup>       | 100.94        | 14.50        | 86.44        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-18        | 05/06/2011                     | 100.94        | 13.61        | 87.33        | 0.00        | 0.00          | 22,000            | 26           | 30       | 1,200    | 840      | <5             | -               | -        |
| MW-18        | 09/16/2011 <sup>28</sup>       | 100.94        | 15.60        | 85.34        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-18        | 12/06/2011 <sup>28</sup>       | 100.94        | 16.05        | 84.89        | 0.00        | 0.00          | 20,000            | 34           | 31       | 1,200    | 830      | <0.5           | -               | -        |
| MW-18        | 03/16/2012 <sup>28</sup>       | 100.94        | 15.63        | 85.31        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-18        | 06/21/2012                     | 100.94        | 15.10        | 85.84        | 0.00        | 0.00          | 20,000            | 24 J         | 47       | 1,300    | 764      | <5             | -               | <5       |
| <b>MW-18</b> | <b>09/10/2012<sup>28</sup></b> | <b>100.94</b> | <b>16.10</b> | <b>84.84</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>          | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |
| MW-19        | 05/30/2006 <sup>17,19</sup>    | -             | 10.68        | -            | 0.00        | 0.00          | 3,100             | 94           | 170      | 59       | 310      | 100            | -               | -        |
| MW-19        | 08/29/2006 <sup>17</sup>       | -             | 12.62        | -            | 0.00        | 0.00          | 13,000            | 1,900        | 480      | 150      | 870      | 120            | -               | -        |
| MW-19        | 12/13/2006 <sup>17</sup>       | -             | 12.26        | -            | 0.00        | 0.00          | 8,800             | 1,600        | 100      | 18       | 360      | 88             | -               | -        |
| MW-19        | 02/28/2007 <sup>17</sup>       | -             | 10.24        | -            | 0.00        | 0.00          | 3,100             | 480          | 17       | 3        | 170      | 83             | -               | -        |
| MW-19        | 05/30/2007                     | -             | 12.71        | -            | 0.00        | 0.00          | 25,000            | 7,800        | 160      | 31       | 450      | 63             | -               | -        |
| MW-19        | 08/29/2007 <sup>17</sup>       | -             | 14.02        | -            | 0.00        | 0.00          | 25,000            | 8,900        | 170      | 34       | 390      | 56             | -               | -        |
| MW-19        | 11/21/2007 <sup>17</sup>       | -             | 13.81        | -            | 0.00        | 0.00          | 13,000            | 6,100        | 120      | 21       | 270      | 60             | -               | -        |
| MW-19        | 02/20/2008 <sup>17</sup>       | -             | 11.62        | -            | 0.00        | 0.00          | 66                | 3            | <0.5     | <0.5     | <0.5     | 29             | -               | -        |
| MW-19        | 05/21/2008 <sup>17</sup>       | -             | 13.02        | -            | 0.00        | 0.00          | 130 <sup>22</sup> | 40           | 0.5      | 2        | 0.8      | 29             | -               | -        |
| MW-19        | 06/24/2008 <sup>17</sup>       | -             | 13.40        | -            | 0.00        | 0.00          | 700               | 730          | 12       | 39       | 7        | 31             | -               | -        |
| MW-19        | 08/22/2008 <sup>17</sup>       | -             | 15.07        | -            | 0.00        | 0.00          | 310               | 16           | <0.5     | 1        | 0.7      | 11             | -               | -        |
| MW-19        | 11/21/2008 <sup>17</sup>       | -             | 16.06        | -            | 0.00        | 0.00          | 55                | 5            | <0.5     | <0.5     | <0.5     | 1              | -               | -        |
| MW-19        | 02/03/2009 <sup>17</sup>       | -             | 15.69        | -            | 0.00        | 0.00          | <50               | <0.5         | <0.5     | <0.5     | <0.5     | 0.6            | -               | -        |
| MW-19        | 05/28/2009                     | -             | 14.95        | -            | -           | -             | <50               | <0.5         | <0.5     | <0.5     | <0.5     | 4              | -               | -        |
| MW-19        | 08/07/2009                     | 100.34        | 14.31        | 86.03        | 0.00        | 0.00          | <50               | <0.5         | <0.5     | <0.5     | <0.5     | 2              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location     | Date                           | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS      | PRIMARY VOCs |          |          |          |                | ADDITIONAL VOCs |          |
|--------------|--------------------------------|---------------|--------------|--------------|-------------|---------------|-------------------|--------------|----------|----------|----------|----------------|-----------------|----------|
|              |                                |               |              |              |             |               | TPH-GRO           | B            | T        | E        | X        | MTBE by SW8260 | EDB             | 1,2-DCA  |
|              | Units                          | ft            | ft           | ft-amsl      | ft          | ft            | µg/L              | µg/L         | µg/L     | µg/L     | µg/L     | µg/L           | µg/L            | µg/L     |
| MW-19        | 11/16/2009                     | 100.34        | 16.03        | 84.31        | 0.00        | 0.00          | <50               | <0.5         | <0.5     | <0.5     | <0.5     | 1 J            | -               | -        |
| MW-19        | 02/02/2010                     | 100.34        | 10.64        | 89.70        | 0.00        | 0.00          | <50               | <0.5         | 0.6 J    | <0.5     | <0.5     | 1              | -               | -        |
| MW-19        | 05/20/2010                     | 100.34        | 11.03        | 89.31        | 0.00        | 0.00          | 1,300             | 400          | 5        | 4        | 7        | 39             | -               | -        |
| MW-19        | 08/23/2010 <sup>28</sup>       | 100.34        | 12.81        | 87.53        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-19        | 12/07/2010                     | 100.34        | 12.14        | 88.20        | 0.00        | 0.00          | 6,600             | 2,500        | 16       | 56       | 12       | 71             | -               | -        |
| MW-19        | 02/03/2011 <sup>28</sup>       | 100.34        | 11.59        | 88.75        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-19        | 05/06/2011                     | 100.34        | 10.92        | 89.42        | 0.00        | 0.00          | 450               | 140          | 2        | 3        | 4        | 93             | -               | -        |
| MW-19        | 09/16/2011 <sup>28</sup>       | 100.34        | 13.11        | 87.23        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-19        | 12/06/2011 <sup>28</sup>       | 100.34        | 13.29        | 87.05        | 0.00        | 0.00          | 32,000            | 10,000       | 76       | 320      | 130      | 140            | -               | -        |
| MW-19        | 03/16/2012 <sup>28</sup>       | 100.34        | 12.39        | 87.95        | 0.00        | 0.00          | -                 | -            | -        | -        | -        | -              | -               | -        |
| MW-19        | 06/21/2012                     | 100.34        | 12.59        | 87.75        | 0.00        | 0.00          | 16,000            | 5,000        | 39       | 130      | 59       | 180            | -               | <0.5     |
| <b>MW-19</b> | <b>09/10/2012<sup>28</sup></b> | <b>100.34</b> | <b>13.42</b> | <b>86.92</b> | <b>0.00</b> | <b>0.00</b>   | <b>-</b>          | <b>-</b>     | <b>-</b> | <b>-</b> | <b>-</b> | <b>-</b>       | <b>-</b>        | <b>-</b> |
| P-1          | 08/13/1992                     | -             | 10.02        | 76.41        | -           | -             | -                 | -            | -        | -        | -        | -              | -               | -        |
| P-1          | 12/03/1992                     | -             | 10.80        | 75.63        | -           | -             | -                 | -            | -        | -        | -        | -              | -               | -        |
| P-1          | 03/25/1993                     | 86.43         | 8.95         | 77.48        | -           | -             | -                 | -            | -        | -        | -        | -              | -               | -        |
| P-1          | 02/11/2005 <sup>19</sup>       | 86.43         | 9.20         | 77.23        | 0.00        | 0.00          | 110               | 4            | 0.6      | <0.5     | 0.5      | 10             | -               | -        |
| P-1          | 06/16/2005 <sup>17</sup>       | 86.43         | 8.37         | 78.06        | 0.00        | 0.00          | 53                | <0.5         | <0.5     | <0.5     | <0.5     | 7              | -               | -        |
| P-1          | 08/31/2005 <sup>17,33</sup>    | 86.43         | 8.95         | 77.48        | 0.00        | 0.00          | <50               | <0.5         | <0.5     | <0.5     | <0.5     | 9              | -               | -        |
| P-1          | 11/30/2005 <sup>17</sup>       | 86.43         | 9.86         | 76.57        | 0.00        | 0.00          | 60                | <0.5         | <0.5     | <0.5     | <0.5     | 13             | -               | -        |
| P-1          | 02/27/2006 <sup>17</sup>       | 86.43         | 8.95         | 77.48        | 0.00        | 0.00          | 310               | 31           | 0.9      | 1        | 1        | 7              | -               | -        |
| P-1          | 05/30/2006 <sup>17,33</sup>    | 86.43         | 8.20         | 78.23        | 0.00        | 0.00          | 84                | 3            | 0.6      | <0.5     | 0.7      | 4              | -               | -        |
| P-1          | 08/29/2006 <sup>36</sup>       | 86.43         | -            | -            | -           | -             | -                 | -            | -        | -        | -        | -              | -               | -        |
| P-1          | 12/13/2006 <sup>17</sup>       | 86.43         | 9.13         | 77.30        | 0.00        | 0.00          | <50               | <0.5         | <0.5     | <0.5     | <0.5     | 5              | -               | -        |
| P-1          | 02/28/2007 <sup>17</sup>       | 86.43         | 8.61         | 77.82        | 0.00        | 0.00          | 160               | 8            | <0.5     | <0.5     | <0.5     | 8              | -               | -        |
| P-1          | 05/30/2007 <sup>17,33</sup>    | 86.43         | 9.20         | 77.23        | 0.00        | 0.00          | <50               | <0.5         | 0.6      | <0.5     | <0.5     | 6              | -               | -        |
| P-1          | 08/29/2007 <sup>17</sup>       | 86.43         | 9.18         | 77.25        | 0.00        | 0.00          | <50               | <0.5         | 0.6      | <0.5     | <0.5     | 8              | -               | -        |
| P-1          | 11/21/2007 <sup>36</sup>       | 88.63         | -            | -            | -           | -             | -                 | -            | -        | -        | -        | -              | -               | -        |
| P-1          | 02/20/2008 <sup>17</sup>       | 88.63         | 8.53         | 80.10        | 0.00        | 0.00          | 53                | <0.5         | <0.5     | <0.5     | <0.5     | 8              | -               | -        |
| P-1          | 05/21/2008 <sup>17</sup>       | 88.63         | 9.01         | 79.62        | 0.00        | 0.00          | <50 <sup>22</sup> | <0.5         | 0.9      | <0.5     | <0.5     | 7              | -               | -        |
| P-1          | 06/24/2008 <sup>17</sup>       | 88.63         | 9.08         | 79.55        | 0.00        | 0.00          | <50               | <0.5         | 0.6      | <0.5     | <0.5     | 8              | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location   | Date                              | TOC          | DTW         | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs   |                |                |                |                | ADDITIONAL VOCs |          |
|------------|-----------------------------------|--------------|-------------|--------------|-------------|---------------|----------------------|----------------|----------------|----------------|----------------|----------------|-----------------|----------|
|            |                                   |              |             |              |             |               | TPH-GRO              | B              | T              | E              | X              | MTBE by SW8260 | EDB             | 1,2-DCA  |
|            | Units                             | ft           | ft          | ft-amsl      | ft          | ft            | µg/L                 | µg/L           | µg/L           | µg/L           | µg/L           | µg/L           | µg/L            | µg/L     |
| P-1        | 08/22/2008 <sup>17</sup>          | 88.63        | 9.24        | 79.39        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 7              | -               | -        |
| P-1        | 11/21/2008 <sup>17</sup>          | 88.63        | 9.78        | 78.85        | 0.00        | 0.00          | <50                  | <0.5           | 0.7            | <0.5           | <0.5           | 9              | -               | -        |
| P-1        | 02/03/2009 <sup>17,33</sup>       | 88.63        | 10.18       | 78.45        | 0.00        | 0.00          | <50                  | 2              | <0.5           | <0.5           | <0.5           | 14             | -               | -        |
| P-1        | 05/28/2009                        | 88.63        | 9.22        | 79.41        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 11             | -               | -        |
| P-1        | 08/06/2009                        | 88.63        | 9.41        | 79.22        | 0.00        | 0.00          | -                    | -              | -              | -              | -              | -              | -               | -        |
| P-1        | 11/16/2009                        | 88.63        | 10.21       | 78.42        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 20             | -               | -        |
| P-1        | 02/02/2010                        | 88.63        | 8.50        | 80.13        | 0.00        | 0.00          | -                    | -              | -              | -              | -              | -              | -               | -        |
| P-1        | 05/20/2010                        | 88.63        | 8.25        | 80.38        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 16             | -               | -        |
| P-1        | 08/23/2010                        | 88.63        | 8.99        | 79.64        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 14             | -               | -        |
| P-1        | 12/07/2010                        | 88.63        | 9.45        | 79.18        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 18             | -               | -        |
| P-1        | 02/03/2011                        | 88.63        | 9.11        | 79.52        | 0.00        | 0.00          | 54 J                 | 2              | <0.5           | <0.5           | <0.5           | 14             | -               | -        |
| P-1        | 05/06/2011                        | 88.63        | 8.03        | 80.60        | 0.00        | 0.00          | 160                  | 8              | 0.5 J          | <0.5           | 1              | 10             | -               | -        |
| P-1        | 09/16/2011                        | 88.63        | 9.02        | 79.61        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 13             | -               | -        |
| P-1        | 12/06/2011                        | 88.63        | 9.83        | 78.80        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 13             | -               | -        |
| P-1        | 03/16/2012                        | 88.63        | 9.35        | 79.28        | 0.00        | 0.00          | <50                  | 1              | <0.5           | <0.5           | <0.5           | 13             | -               | -        |
| P-1        | 06/21/2012                        | 88.63        | 8.62        | 80.01        | 0.00        | 0.00          | <50                  | <0.5           | <0.5           | <0.5           | <0.5           | 11             | -               | <0.5     |
| <b>P-1</b> | <b>09/10/2012</b>                 | <b>88.63</b> | <b>9.13</b> | <b>79.50</b> | <b>0.00</b> | <b>0.00</b>   | <b>&lt;50</b>        | <b>&lt;0.5</b> | <b>&lt;0.5</b> | <b>&lt;0.5</b> | <b>&lt;0.5</b> | <b>12</b>      | <b>-</b>        | <b>-</b> |
| DVE-9      | 05/30/2006 <sup>17,19</sup>       | -            | 11.09       | -            | 0.00        | 0.00          | 54,000               | 2,700          | 9,100          | 1,800          | 7,700          | 190            | -               | -        |
| DVE-9      | 08/29/2006 <sup>17</sup>          | -            | 13.51       | -            | 0.00        | 0.00          | 65,000               | 2,200          | 8,600          | 1,400          | 5,900          | 190            | -               | -        |
| DVE-9      | 12/13/2006 <sup>17</sup>          | -            | 12.60       | -            | 0.00        | 0.00          | 73,000               | 3,400          | 12,000         | 2,100          | 8,700          | 140            | -               | -        |
| DVE-9      | 02/28/2007                        | -            | -           | -            | -           | -             | -                    | -              | -              | -              | -              | -              | -               | -        |
| DVE-9      | 05/30/2007 <sup>17,18</sup>       | -            | 12.21       | -            | 0.00        | 0.00          | 80,000               | 2,100          | 14,000         | 2,300          | 9,800          | 51             | -               | -        |
| DVE-9      | 08/29/2007 <sup>17</sup>          | -            | -           | -            | -           | -             | 57,000               | 2,400          | 12,000         | 1,500          | 7,200          | 96             | -               | -        |
| DVE-9      | 11/21/2007 <sup>17,18</sup>       | 102.60       | 13.73       | 88.87        | 0.00        | 0.00          | 60,000               | 2,700          | 15,000         | 1,200          | 7,500          | 44             | -               | -        |
| DVE-9      | 02/20/2008 <sup>22</sup>          | 102.60       | -           | -            | -           | -             | -                    | -              | -              | -              | -              | -              | -               | -        |
| DVE-9      | 05/21/2008 <sup>15,17,18</sup>    | 102.60       | 12.80       | 89.80        | 0.00        | 0.00          | 43,000 <sup>22</sup> | 1,300          | 12,000         | 1,200          | 6,900          | 60             | -               | -        |
| DVE-9      | 06/24/2008 <sup>15,17,18,33</sup> | 102.60       | 13.22       | 89.38        | 0.00        | 0.00          | 15,000               | 1,200          | 13,000         | 1,300          | 7,100          | 44             | -               | -        |
| DVE-9      | 08/22/2008 <sup>15,17,18,33</sup> | 102.60       | 23.97       | 78.63        | 0.00        | 0.00          | 57,000               | 1,400          | 15,000         | 1,300          | 7,700          | 130            | -               | -        |
| DVE-9      | 11/21/2008 <sup>15,17,18,33</sup> | 102.60       | 24.95       | 77.65        | 0.00        | 0.00          | 45,000               | 1,700          | 7,800          | 1,100          | 8,500          | 180            | -               | -        |
| DVE-9      | 02/03/2009 <sup>15,17,18,33</sup> | 102.60       | -           | -            | -           | -             | 15,000               | 920            | 1,100          | 140            | 2,000          | 190            | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location     | Date                              | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |          |            |            |                | ADDITIONAL VOCs |          |
|--------------|-----------------------------------|---------------|--------------|--------------|-------------|---------------|----------------------|--------------|----------|------------|------------|----------------|-----------------|----------|
|              |                                   |               |              |              |             |               | TPH-GRO              | B            | T        | E          | X          | MTBE by SW8260 | EDB             | 1,2-DCA  |
|              | Units                             | ft            | ft           | ft-amsl      | ft          | ft            | µg/L                 | µg/L         | µg/L     | µg/L       | µg/L       | µg/L           | µg/L            | µg/L     |
| DVE-9        | 05/28/2009                        | 102.60        | 24.39        | 78.21        | 0.00        | 0.00          | 30,000               | 2,600        | 1,900    | 770        | 3,800      | 370            | -               | -        |
| DVE-9        | 08/07/2009                        | 102.60        | 15.38        | 87.22        | 0.00        | 0.00          | 17,000               | 1,300        | 480      | 630        | 2,000      | 190            | -               | -        |
| DVE-9        | 11/16/2009                        | 102.60        | 23.00        | 79.60        | 0.00        | 0.00          | 15,000               | 1,100        | 670      | 520        | 2,000      | 190            | -               | -        |
| DVE-9        | 02/02/2010                        | 102.60        | 9.81         | 92.79        | 0.00        | 0.00          | 10,000               | 610          | 130      | 470        | 1,000      | 160            | -               | -        |
| DVE-9        | 05/20/2010                        | 102.60        | 10.36        | 92.24        | 0.00        | 0.00          | 9,900                | 540          | 150      | 440        | 760        | 120            | -               | -        |
| DVE-9        | 08/23/2010 <sup>20</sup>          | 102.60        | 13.49        | 89.11        | 0.00        | 0.00          | 9,600                | 920          | 160      | 570        | 720        | 170            | -               | -        |
| DVE-9        | 12/07/2010 <sup>20</sup>          | 102.60        | 11.89        | 90.71        | 0.00        | 0.00          | 12,000               | 840          | 120      | 550        | 1,000      | 180            | -               | -        |
| DVE-9        | 02/03/2011 <sup>20</sup>          | 102.60        | 11.13        | 91.47        | 0.00        | 0.00          | 9,200                | 540          | 85       | 370        | 680        | 120            | -               | -        |
| DVE-9        | 05/06/2011                        | 102.60        | 10.22        | 92.38        | 0.00        | 0.00          | 6,800                | 340          | 36       | 410        | 540        | 77             | -               | -        |
| DVE-9        | 09/16/2011                        | 102.60        | 12.91        | 89.69        | 0.00        | 0.00          | 5,100                | 250          | 10       | 240        | 330        | 84             | -               | -        |
| DVE-9        | 12/06/2011                        | 102.60        | 13.26        | 89.34        | 0.00        | 0.00          | 3,900                | 190          | 17       | 190        | 370        | 57             | -               | -        |
| DVE-9        | 03/16/2012                        | 102.60        | 12.15        | 90.45        | 0.00        | 0.00          | 6,800                | 170          | 36       | 310        | 750        | 110            | -               | -        |
| DVE-9        | 06/21/2012                        | 102.60        | 12.25        | 90.35        | 0.00        | 0.00          | 5,600                | 100          | 13       | 270        | 410        | 66             | -               | <1       |
| <b>DVE-9</b> | <b>09/10/2012</b>                 | <b>102.60</b> | <b>13.50</b> | <b>89.10</b> | <b>0.00</b> | <b>0.00</b>   | <b>4,600</b>         | <b>54</b>    | <b>4</b> | <b>160</b> | <b>230</b> | <b>35</b>      | <b>-</b>        | <b>-</b> |
| DVE-12       | 05/30/2006 <sup>17,19</sup>       | -             | 9.93         | -            | 0.00        | 0.00          | 110,000              | 5,900        | 20,000   | 2,100      | 11,000     | 210            | -               | -        |
| DVE-12       | 08/29/2006 <sup>17</sup>          | -             | 12.16        | -            | 0.00        | 0.00          | 100,000              | 5,300        | 25,000   | 2,200      | 11,000     | 110            | -               | -        |
| DVE-12       | 12/13/2006 <sup>17</sup>          | -             | 12.11        | -            | 0.00        | 0.00          | 120,000              | 4,400        | 28,000   | 1,800      | 9,300      | 140            | -               | -        |
| DVE-12       | 02/28/2007                        | -             | -            | -            | -           | -             | -                    | -            | -        | -          | -          | -              | -               | -        |
| DVE-12       | 05/30/2007 <sup>17,18</sup>       | -             | 12.41        | -            | 0.00        | 0.00          | 120,000              | 4,600        | 29,000   | 2,300      | 12,000     | 95             | -               | -        |
| DVE-12       | 08/29/2007 <sup>17,21</sup>       | -             | -            | -            | -           | -             | 86,000               | 38,000       | 21,000   | 1,500      | 8,300      | 79             | -               | -        |
| DVE-12       | 11/21/2007 <sup>17,18</sup>       | 101.77        | 13.03        | 88.74        | 0.00        | 0.00          | 52,000               | 3,100        | 11,000   | 800        | 5,800      | 11             | -               | -        |
| DVE-12       | 02/20/2008 <sup>22</sup>          | 101.77        | -            | -            | -           | -             | -                    | -            | -        | -          | -          | -              | -               | -        |
| DVE-12       | 05/21/2008 <sup>15,17,18,33</sup> | 101.77        | 12.01        | 89.76        | 0.00        | 0.00          | 56,000 <sup>22</sup> | 3,600        | 18,000   | 1,100      | 8,600      | 29             | -               | -        |
| DVE-12       | 06/24/2008 <sup>15,17,18,33</sup> | 101.77        | 12.66        | 89.11        | 0.00        | 0.00          | 52,000               | 3,900        | 20,000   | 1,200      | 9,000      | 36             | -               | -        |
| DVE-12       | 08/22/2008 <sup>15,17,18,33</sup> | 101.77        | 23.67        | 78.10        | 0.00        | 0.00          | 60,000               | 2,900        | 16,000   | 910        | 8,900      | 24             | -               | -        |
| DVE-12       | 11/21/2008 <sup>15,17,18,33</sup> | 101.77        | 24.27        | 77.50        | 0.00        | 0.00          | 54,000               | 790          | 13,000   | 550        | 6,900      | 18             | -               | -        |
| DVE-12       | 02/03/2009 <sup>15,17,18</sup>    | 101.77        | -            | -            | -           | -             | 43,000               | 850          | 12,000   | 800        | 6,100      | 12             | -               | -        |
| DVE-12       | 05/28/2009                        | 101.77        | 24.62        | 77.15        | 0.00        | 0.00          | 45,000               | 420          | 8,400    | 450        | 7,500      | 6 J            | -               | -        |
| DVE-12       | 08/06/2009                        | 101.77        | 14.10        | 87.67        | 0.00        | 0.00          | 63,000               | 1,200        | 13,000   | 1,400      | 9,800      | 11             | -               | -        |
| DVE-12       | 11/16/2009                        | 101.77        | 23.48        | 78.29        | 0.00        | 0.00          | 24,000               | 530          | 5,000    | 200        | 3,200      | 12             | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location      | Date                              | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS         | PRIMARY VOCs |            |              |              |                | ADDITIONAL VOCs |          |
|---------------|-----------------------------------|---------------|--------------|--------------|-------------|---------------|----------------------|--------------|------------|--------------|--------------|----------------|-----------------|----------|
|               |                                   |               |              |              |             |               | TPH-GRO              | B            | T          | E            | X            | MTBE by SW8260 | EDB             | 1,2-DCA  |
|               | Units                             | ft            | ft           | ft-amsl      | ft          | ft            | µg/L                 | µg/L         | µg/L       | µg/L         | µg/L         | µg/L           | µg/L            | µg/L     |
| DVE-12        | 02/02/2010                        | 101.77        | 9.50         | 92.27        | 0.00        | 0.00          | 29,000               | 330          | 4,700      | 1,100        | 6,400        | 20             | -               | -        |
| DVE-12        | 05/20/2010                        | 101.77        | 9.82         | 91.95        | 0.00        | 0.00          | 30,000               | 670          | 1,900      | 1,400        | 6,200        | 53             | -               | -        |
| DVE-12        | 08/23/2010 <sup>20</sup>          | 101.77        | 13.15        | 88.62        | 0.00        | 0.00          | 37,000               | 910          | 4,600      | 1,600        | 9,500        | 33             | -               | -        |
| DVE-12        | 12/07/2010 <sup>20</sup>          | 101.77        | 11.23        | 90.54        | 0.00        | 0.00          | 25,000               | 560          | 1,800      | 870          | 5,400        | 28             | -               | -        |
| DVE-12        | 02/03/2011 <sup>20</sup>          | 101.77        | 10.35        | 91.42        | 0.00        | 0.00          | 40,000               | 700          | 3,000      | 2,100        | 11,000       | 31             | -               | -        |
| DVE-12        | 05/06/2011                        | 101.77        | 9.54         | 92.23        | 0.00        | 0.00          | 35,000               | 540          | 1,500      | 1,700        | 9,700        | 21             | -               | -        |
| DVE-12        | 09/16/2011                        | 101.77        | 12.23        | 89.54        | 0.00        | 0.00          | 46,000               | 420          | 3,500      | 1,400        | 9,000        | 17             | -               | -        |
| DVE-12        | 12/06/2011                        | 101.77        | 12.53        | 89.24        | 0.00        | 0.00          | 40,000               | 400          | 4,300      | 1,700        | 9,900        | 14             | -               | -        |
| DVE-12        | 03/16/2012                        | 101.77        | 11.64        | 90.13        | 0.00        | 0.00          | 40,000               | 430          | 2,500      | 1,800        | 11,000       | <13            | -               | -        |
| DVE-12        | 06/21/2012                        | 101.77        | 11.67        | 90.10        | 0.00        | 0.00          | 41,000               | 360          | 830        | 1,700        | 10,600       | 13 J           | -               | <5       |
| <b>DVE-12</b> | <b>09/10/2012</b>                 | <b>101.77</b> | <b>12.84</b> | <b>88.93</b> | <b>0.00</b> | <b>0.00</b>   | <b>30,000</b>        | <b>270</b>   | <b>520</b> | <b>1,700</b> | <b>9,300</b> | <b>9 J</b>     | <b>-</b>        | <b>-</b> |
| DVE-20        | 05/30/2006 <sup>17,19</sup>       | -             | 10.30        | -            | 0.00        | 0.00          | 64,000               | 1,500        | 6,000      | 1,600        | 7,700        | 6              | -               | -        |
| DVE-20        | 08/29/2006 <sup>17</sup>          | -             | 12.73        | -            | 0.00        | 0.00          | 37,000               | 840          | 1,800      | 1,800        | 6,400        | 7              | -               | -        |
| DVE-20        | 12/13/2006 <sup>17</sup>          | -             | 12.34        | -            | 0.00        | 0.00          | 43,000               | 540          | 1,800      | 1,800        | 9,700        | <5             | -               | -        |
| DVE-20        | 02/28/2007                        | -             | -            | -            | -           | -             | -                    | -            | -          | -            | -            | -              | -               | -        |
| DVE-20        | 05/30/2007 <sup>17,18</sup>       | -             | 12.19        | -            | 0.00        | 0.00          | 53,000               | 590          | 4,000      | 1,900        | 10,000       | <5             | -               | -        |
| DVE-20        | 08/29/2007 <sup>17,21</sup>       | -             | -            | -            | -           | -             | 42,000               | 490          | 3,800      | 1 / 800      | 9,100        | <10            | -               | -        |
| DVE-20        | 11/21/2007 <sup>17,18</sup>       | 102.64        | 13.64        | 89.00        | 0.00        | 0.00          | 27,000               | 92           | 530        | 790          | 5,600        | <3             | -               | -        |
| DVE-20        | 02/20/2008 <sup>22</sup>          | 102.64        | -            | -            | -           | -             | -                    | -            | -          | -            | -            | -              | -               | -        |
| DVE-20        | 05/21/2008 <sup>15,17,18</sup>    | 102.64        | 12.97        | 89.67        | 0.00        | 0.00          | 20,000 <sup>22</sup> | 78           | 540        | 910          | 5,400        | 2              | -               | -        |
| DVE-20        | 06/24/2008 <sup>15,17,18,33</sup> | 102.64        | 12.97        | 89.67        | 0.00        | 0.00          | 12,000               | 61           | 540        | 1,000        | 5,900        | 1              | -               | -        |
| DVE-20        | 08/22/2008 <sup>15,17,18,33</sup> | 102.64        | 23.11        | 79.53        | 0.00        | 0.00          | 23,000               | 220          | 1,600      | 510          | 5,800        | 19             | -               | -        |
| DVE-20        | 11/21/2008 <sup>15,17,18,33</sup> | 102.64        | 24.53        | 78.11        | 0.00        | 0.00          | 4,400                | 93           | 120        | 16           | 890          | 10             | -               | -        |
| DVE-20        | 02/03/2009 <sup>15,17,18,33</sup> | 102.64        | -            | -            | -           | -             | 920                  | 11           | 2          | 0.9          | 69           | 10             | -               | -        |
| DVE-20        | 05/28/2009                        | 102.64        | 22.01        | 80.63        | 0.00        | 0.00          | 1,200                | 8            | 1          | <0.5         | 43           | 2              | -               | -        |
| DVE-20        | 08/07/2009                        | 102.64        | 14.51        | 88.13        | 0.00        | 0.00          | 9,100                | 9            | 3          | 520          | 1,200        | <0.5           | -               | -        |
| DVE-20        | 11/16/2009                        | 102.64        | 22.99        | 79.65        | 0.00        | 0.00          | 4,200                | 65           | 21         | 14           | 660          | 7              | -               | -        |
| DVE-20        | 02/02/2010                        | 102.64        | 9.29         | 93.35        | 0.00        | 0.00          | 2,400                | 16           | 4          | 180          | 300          | <0.5           | -               | -        |
| DVE-20        | 05/20/2010                        | 102.64        | 10.13        | 92.51        | 0.00        | 0.00          | 12,000               | 49           | 80         | 610          | 1,100        | 1              | -               | -        |
| DVE-20        | 08/23/2010 <sup>20</sup>          | 102.64        | 14.15        | 88.49        | 0.00        | 0.00          | 13,000               | 110          | 420        | 1,100        | 2,300        | <3             | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location      | Date                     | TOC           | DTW          | GWE          | LNAPL       | LNAPL REMOVED | HYDROCARBONS  | PRIMARY VOCs |            |              |              |                | ADDITIONAL VOCs |          |
|---------------|--------------------------|---------------|--------------|--------------|-------------|---------------|---------------|--------------|------------|--------------|--------------|----------------|-----------------|----------|
|               |                          |               |              |              |             |               | TPH-GRO       | B            | T          | E            | X            | MTBE by SW8260 | EDB             | 1,2-DCA  |
|               | Units                    | ft            | ft           | ft-amsl      | ft          | ft            | µg/L          | µg/L         | µg/L       | µg/L         | µg/L         | µg/L           | µg/L            | µg/L     |
| DVE-20        | 12/07/2010 <sup>20</sup> | 102.64        | 11.63        | 91.01        | 0.00        | 0.00          | 13,000        | 83           | 280        | 880          | 930          | 1 J            | -               | -        |
| DVE-20        | 02/03/2011 <sup>20</sup> | 102.64        | 11.55        | 91.09        | 0.00        | 0.00          | 11,000        | 69           | 140        | 970          | 1,600        | 1 J            | -               | -        |
| DVE-20        | 05/06/2011               | 102.64        | 10.03        | 92.61        | 0.00        | 0.00          | 6,900         | 55           | 130        | 510          | 1,200        | 1 J            | -               | -        |
| DVE-20        | 09/16/2011               | 102.64        | 12.96        | 89.68        | 0.00        | 0.00          | 13,000        | 50           | 360        | 920          | 3,000        | 0.8 J          | -               | -        |
| DVE-20        | 12/06/2011               | 102.64        | 13.06        | 89.58        | 0.00        | 0.00          | 20,000        | 37           | 480        | 940          | 4,100        | <5             | -               | -        |
| DVE-20        | 03/16/2012               | 102.64        | 11.63        | 91.01        | 0.00        | 0.00          | 20,000        | 65           | 310        | 1,300        | 3,700        | <5             | -               | -        |
| DVE-20        | 06/21/2012               | 102.64        | 11.99        | 90.65        | 0.00        | 0.00          | 16,000        | 40 J         | 180        | 760          | 2,200        | <10            | -               | <10      |
| <b>DVE-20</b> | <b>09/10/2012</b>        | <b>102.64</b> | <b>13.12</b> | <b>89.52</b> | <b>0.00</b> | <b>0.00</b>   | <b>18,000</b> | <b>36</b>    | <b>230</b> | <b>1,300</b> | <b>4,600</b> | <b>&lt;5</b>   | <b>-</b>        | <b>-</b> |
| QA            | 11/26/2001               | -             | -            | -            | -           | -             | <50           | <0.50        | <0.50      | <0.50        | <1.5         | <2.5           | -               | -        |
| QA            | 02/22/2002               | -             | -            | -            | -           | -             | <50           | <0.50        | <0.50      | <0.50        | <1.5         | <2.5           | -               | -        |
| QA            | 05/24/2002               | -             | -            | -            | -           | -             | <50           | <0.50        | <0.50      | <0.50        | <1.5         | <2.5           | -               | -        |
| QA            | 08/29/2002               | -             | -            | -            | -           | -             | <50           | <0.50        | <0.50      | <0.50        | <1.5         | <2.5           | -               | -        |
| QA            | 11/29/2002               | -             | -            | -            | -           | -             | <50           | <0.50        | <0.50      | <0.50        | <1.5         | <2.5           | -               | -        |
| QA            | 02/28/2003               | -             | -            | -            | -           | -             | <50           | <0.50        | <0.50      | <0.50        | <1.5         | <2.5           | -               | -        |
| QA            | 05/30/2003 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 08/22/2003 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 11/24/2003 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 02/27/2004 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 06/21/2004 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | 1          | <0.5         | 0.9          | <0.5           | -               | -        |
| QA            | 08/26/2004 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 11/29/2004 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 02/11/2005 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 06/16/2005 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 08/31/2005 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 11/30/2005 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 02/27/2006 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 05/30/2006 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 08/29/2006 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 12/13/2006 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |
| QA            | 02/28/2007 <sup>17</sup> | -             | -            | -            | -           | -             | <50           | <0.5         | <0.5       | <0.5         | <0.5         | <0.5           | -               | -        |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 90260  
21995 FOOTHILL BOULEVARD  
HAYWARD, CALIFORNIA**

| Location   | Date                     | TOC | DTW | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |      |      |      |                | ADDITIONAL VOCs |         |
|------------|--------------------------|-----|-----|---------|-------|---------------|--------------|--------------|------|------|------|----------------|-----------------|---------|
|            |                          |     |     |         |       |               | TPH-GRO      | B            | T    | E    | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
|            | Units                    | ft  | ft  | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L | µg/L | µg/L | µg/L           | µg/L            | µg/L    |
| QA         | 05/30/2007 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 08/29/2007 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 11/21/2007 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 02/20/2008 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 05/21/2008 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 06/24/2008 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 08/22/2008 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 11/21/2008 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 02/03/2009 <sup>17</sup> | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 05/28/2009               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 08/06/2009               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 11/16/2009               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 02/02/2010               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 05/20/2010               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 08/23/2010               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 12/07/2010               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 02/03/2011               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 05/06/2011               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 09/16/2011               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 12/06/2011               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 03/16/2012               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 06/21/2012               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| QA         | 09/10/2012               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.5           | -               | -       |
| Trip Blank | 01/05/1989               | -   | -   | -       | -     | -             | <1,000       | <0.3         | <0.3 | <0.3 | <0.3 | -              | -               | -       |
| Trip Blank | 10/03/1989               | -   | -   | -       | -     | -             | <500         | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 01/04/1990               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 04/03/1990               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 07/03/1990               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 11/06/1990               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 01/04/1991               | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location   | Date       | TOC | DTW | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |      |      |      |                | ADDITIONAL VOCs |         |
|------------|------------|-----|-----|---------|-------|---------------|--------------|--------------|------|------|------|----------------|-----------------|---------|
|            |            |     |     |         |       |               | TPH-GRO      | B            | T    | E    | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
|            | Units      | ft  | ft  | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L | µg/L | µg/L | µg/L           | µg/L            | µg/L    |
| Trip Blank | 04/03/1991 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 07/02/1991 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 10/02/1991 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 01/02/1992 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 04/07/1992 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 08/13/1992 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 12/03/1992 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 03/25/1993 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <1.5 | -              | -               | -       |
| Trip Blank | 06/23/1993 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 09/21/1993 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.8 | -              | -               | -       |
| Trip Blank | 12/02/1993 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 03/08/1994 | -   | -   | -       | -     | -             | <50          | 0.6          | 0.8  | <0.5 | 0.6  | -              | -               | -       |
| Trip Blank | 06/13/1994 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 10/04/1994 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 11/14/1994 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 05/15/1995 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 08/04/1995 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | -              | -               | -       |
| Trip Blank | 11/28/1995 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <0.60          | -               | -       |
| Trip Blank | 02/20/1996 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| Trip Blank | 05/29/1996 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| Trip Blank | 08/27/1996 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| Trip Blank | 11/22/1996 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| Trip Blank | 02/18/1997 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| Trip Blank | 05/23/1997 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| Trip Blank | 08/04/1997 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| Trip Blank | 11/25/1997 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <5.0           | -               | -       |
| Trip Blank | 02/25/1998 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |
| Trip Blank | 05/21/1998 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |
| Trip Blank | 08/19/1998 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |
| Trip Blank | 11/19/1998 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |
| Trip Blank | 02/12/1999 | -   | -   | -       | -     | -             | <50          | <0.5         | <0.5 | <0.5 | <0.5 | <2.5           | -               | -       |

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location        | Date       | TOC | DTW | GWE     | LNAPLT | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |        |        |        |                | ADDITIONAL VOCs |         |
|-----------------|------------|-----|-----|---------|--------|---------------|--------------|--------------|--------|--------|--------|----------------|-----------------|---------|
|                 |            |     |     |         |        |               | TPH-GRO      | B            | T      | E      | X      | MTBE by SW8260 | EDB             | 1,2-DCA |
|                 | Units      | ft  | ft  | ft-amsl | ft     | ft            | µg/L         | µg/L         | µg/L   | µg/L   | µg/L   | µg/L           | µg/L            | µg/L    |
| Trip Blank      | 03/26/1999 | -   | -   | -       | -      | -             | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <2.0           | -               | -       |
| Trip Blank      | 05/10/1999 | -   | -   | -       | -      | -             | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <5.0           | -               | -       |
| Trip Blank      | 09/02/1999 | -   | -   | -       | -      | -             | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <5.0           | -               | -       |
| Trip Blank      | 02/03/2000 | -   | -   | -       | -      | -             | <50          | <0.5         | <0.5   | <0.5   | <0.5   | <2.5           | -               | -       |
| Trip Blank      | 05/09/2000 | -   | -   | -       | -      | -             | <50          | <0.50        | <0.50  | <0.50  | <0.50  | <2.5           | -               | -       |
| Trip Blank      | 08/02/2000 | -   | -   | -       | -      | -             | <50          | <0.50        | <0.50  | <0.50  | <0.50  | <2.5           | -               | -       |
| Trip Blank      | 11/09/2000 | -   | -   | -       | -      | -             | <50.0        | <0.500       | <0.500 | <0.500 | <0.500 | <2.50          | -               | -       |
| Trip Blank      | 02/08/2001 | -   | -   | -       | -      | -             | <50.0        | <0.500       | <0.500 | <0.500 | <0.500 | <2.50          | -               | -       |
| Trip Blank      | 05/02/2001 | -   | -   | -       | -      | -             | <50.0        | <0.500       | <5.00  | <5.00  | <5.00  | <0.500         | -               | -       |
| Trip Blank      | 08/28/2001 | -   | -   | -       | -      | -             | <50          | <0.50        | <0.50  | <0.50  | <0.50  | <2.5           | -               | -       |
| Equipment Blank | 01/05/1989 | -   | -   | -       | -      | -             | <1,000       | <0.3         | <0.3   | <0.3   | <0.3   | -              | -               | -       |
| Equipment Blank | 03/08/1994 | -   | -   | -       | -      | -             | <50          | 1.0          | 1.4    | <0.5   | 1.5    | -              | -               | -       |

**Abbreviations and Notes:**

TOC = Top of casing

DTW = Depth to water

GWE = Groundwater elevation

LNAPL = Light non-aqueous phase liquid

LNAPLT = Light non-aqueous phase liquid thickness

(ft-amsl) = Feet above mean sea level

ft = Feet

µg/L = Micrograms per liter

TPH-DRO = Total petroleum hydrocarbons - diesel range organics

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

VOCs = Volatile organic compounds

B = Benzene

T = Toluene

E = Ethylbenzene

EDB = 1,2-Dibromoethane (Ethylene dibromide)

1,2-DCA = 1,2-Dichloroethane

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date | TOC | DTW | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |      |      |      |                | ADDITIONAL VOCs |         |
|----------|------|-----|-----|---------|-------|---------------|--------------|--------------|------|------|------|----------------|-----------------|---------|
|          |      |     |     |         |       |               | TPH-GRO      | B            | T    | E    | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
| Units    |      | ft  | ft  | ft-amsl | ft    | ft            | µg/L         | µg/L         | µg/L | µg/L | µg/L | µg/L           | µg/L            | µg/L    |

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

- 1 Repeat analysis.
- 2 Estimated thickness.
- 3 Well inaccessible due to downhole equipment.
- 4 The TPH as Gasoline value was 99,000 ppb when MTBE is not included in the calculation.
- 5 Laboratory report indicates results were taken from both a low level and a diluted analysis.
- 6 The TPH as Gasoline value was 125,000 ppb when MTBE is not included in the calculation.
- 7 Confirmation run.
- 8 Laboratory report indicates gasoline C6-C12.
- 9 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.
- 10 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 11 Laboratory report indicates weathered gasoline C6-C12.
- 12 Laboratory report indicates analyte was initially analyzed within hold time; however, due to instrument carryover, the sample was reanalyzed outside the method specified hold time to confirm the carryover.
- 13 Laboratory report indicates gasoline C6-C10.
- 14 Laboratory report indicates unidentified hydrocarbons C6-C10.
- 15 Connected to remediation system.
- 16 TOC was altered during removal of extraction system; unable to determine GWE.
- 17 BTEX and MTBE by EPA Method 8260.
- 18 Hose/tube or pump in well.
- 19 Well development performed.
- 20 Extraction stinger in well.
- 21 Unable to measure DTW due to pump in well, grab sample taken.
- 22 Laboratory report indicates the sample was analyzed 1 day outside the method hold time.
- 23 Laboratory report indicates that the surrogate recovery is outside the lower statistical limit (63-135) at 58%. The recovery is high enough to ensure no adverse effect of the data.
- 24 Laboratory report indicates that this sample was analyzed 1 day outside of the method hold time. The surrogate recovery is outside the upper QC limit (63-135) 137%.  
The value for the TPH-GRO is estimated because the value is outside the calibration ran
- 25 Laboratory report indicates that the value for the TPH-GRO is estimated because the value is over the calibration range of the system. The system is calibrated to 5500 ug/L.
- 26 Insufficient water to determine GWE.
- 27 The vial submitted did not have pH<2. The pH of this sample used for the undiluted analysis was pH = 3.

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 90260**  
**21995 FOOTHILL BOULEVARD**  
**HAYWARD, CALIFORNIA**

| Location | Date  | TOC | DTW | GWE     | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCs |      |      |      |                | ADDITIONAL VOCs |         |
|----------|-------|-----|-----|---------|-------|---------------|--------------|--------------|------|------|------|----------------|-----------------|---------|
|          |       |     |     |         |       |               | TPH-GRO      | B            | T    | E    | X    | MTBE by SW8260 | EDB             | 1,2-DCA |
|          | Units | ft  | ft  | ft-amsl | ft    | ft            | μg/L         | μg/L         | μg/L | μg/L | μg/L | μg/L           | μg/L            | μg/L    |

28      Sampled semi-annually.

29      Monitored annually.

30      Sampled annually.

31      Unable to access--Vehicle parked over well.

32      Removed from sampling schedule.

33      No Purge

34      Not sampled due to insufficient water

35      Unable to locate - Overgrown vegetation/landscaping

36      Inaccessible

37      Inaccessible- paved over well

38      Unable to sample

39      Not sampled due to the presence of sph

40      Inaccessible - Well Box Flooded

41      Dry

42      Unable to locate

43      Dry at 13.5 feet

44      Total m&p and o Xylene

ATTACHMENT A

MONITORING DATA PACKAGE



September 11, 2012

Chevron Environmental Management Company  
Catalina Devine  
6111 Bollinger Canyon Rd.  
San Ramon, CA 94583

Third Quarter 2012 Monitoring at  
Chevron Service Station 90260  
21995 Foothill Blvd  
Hayward, CA

Monitoring performed on September 10, 2012

---

**Blaine Tech Services, Inc. Groundwater Monitoring Event 120910-PH1**

This submission covers the routine monitoring of groundwater wells conducted on September 10, 2012 at this location. Eighteen monitoring wells were measured for depth to groundwater (DTW). Eight monitoring wells were sampled. Well MW-15 was unable to be accessed for gauging due to a parked car located over the well. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH, and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps, or stainless steel, Teflon, or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

Third Quarter Groundwater Monitoring at Chevron 90260, 21995 Foothill Blvd, Hayward, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

[www.blainetech.com](http://www.blainetech.com)

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to Blaine Tech of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker  
Blaine Tech Services, Inc.  
Senior Project Manager

attachments:   SOP  
                    Well Gauging Sheet  
                    Individual Well Monitoring Data Sheets  
                    Chain of Custody  
                    Wellhead Inspection Form  
                    Bill of Lading  
                    Calibration Log

cc:           CRA  
              Attn: Nathan Lee  
              5900 Hollis St. Suite A  
              Emeryville, CA 94608

Third Quarter Groundwater Monitoring at Chevron 90260, 21995 Foothill Blvd, Hayward, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE   SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

[www.blainetech.com](http://www.blainetech.com)

# **BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES**

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

---

## **SAMPLING PROCEDURES OVERVIEW**

### **SAFETY**

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

### **INSPECTION AND GAUGING**

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing product.

### **TRADITIONAL PURGING & SAMPLING**

#### **Evacuation**

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

### **Parameter Stabilization**

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

### **Sample Collection**

All samples are collected using disposable bailers.

### **Sample Containers**

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

### **Dewatered Wells**

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

### **Measuring Recharge**

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

### **Dissolved Oxygen Measurements**

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated

as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

### **Oxidation Reduction Potential Measurements (ORP)**

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

## **LOW FLOW SAMPLING USING SAMPLE-PRO BLADDER PUMP**

### **Calibration**

Calibrate YSI Flow Cell as per manufacturer's specifications. Thoroughly rinse probe and cup between parameters. Calibration order as follows:

1. pH (use 3-point calibration of 7, 4, 10)
2. Oxygen Reduction Potential (ORP)
3. Specific Conductance
4. Dissolved Oxygen (DO) (calibrate simulating 100% oxygen saturation)

### **Purging & Sampling Collection**

1. Insert new bladder into Sample-Pro pump housing.
2. Remove dedicated PE tubing from the well or start with new PE tubing cut to the required length.
3. Attach the PE tubing to the Sample-Pro Bladder Pump.
4. Gently lower the Sample-Pro Bladder Pump, and PE tubing into the well, placing the Sample-Pro Bladder Pump intake at the center of the screened interval. Take care to minimize disturbance to the water column.
5. Direct effluent line into YSI 556 Flow Cell.
6. Set Sample-Pro Bladder Pump speed at 100 - 500 ml/min.
7. Collect water quality parameter measurements for temperature, pH, conductivity, turbidity, DO and ORP every 3-5 minutes.
8. Monitor drawdown during purging with electronic water level meter. Record water level with each parameter measurement. **MAXIMUM DRAWDOWN IS 0.33 FEET.**
9. Collect parameter measurements until stability is achieved. Stability is defined as three consecutive measurements where:

|              |               |
|--------------|---------------|
| Temp         | ± 1 ° Celsius |
| pH           | ± 0.1         |
| Conductivity | ± 3%          |
| Turbidity    | ± 10% NTU     |
| DO           | ± 0.3 mg/l    |
| ORP          | ± 10 Mv       |

10. Sample may be collected once stability is achieved and at least one system volume of water removed from the well.
11. Disconnect effluent line from YSI 556 Flow Cell.
12. Sample through effluent line while maintaining constant flow rate.
13. Remove Sample-Pro Bladder Pump, and PE tubing from well.
14. Detach and reinstall dedicated PE tubing in well.

## **PURGEWATER CONTAINMENT**

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading or Non-Hazardous Waste Manifest to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility

## **TRIP BLANKS**

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

## **DUPLICATES**

Duplicates, if requested, may be collected at a site.

## **SAMPLE STORAGE**

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

## **DOCUMENTATION CONVENTIONS**

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label. Field documentation is contemporaneous.

## **DECONTAMINATION**

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment such as hose reels, pumps and bailers is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is

facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

## **FERROUS IRON MEASUREMENTS**

All field measurements are collected at time of sampling with a HACH test kit.

# WELL GAUGING DATA

Project # 120910-PH1 Date 9/10/12 Client chevron

Site 21995 Foothill Blvd, Hayward

| Well ID | Time | Well Size (in.) | Sheen / Odor                       | Depth to Immiscible Liquid (ft.) | Thickness of Immiscible Liquid (ft.) | Volume of Immiscibles Removed (ml) | Depth to water (ft.) | Depth to well bottom (ft.) | Survey Point: TOB or <u>TOE</u> | Notes |
|---------|------|-----------------|------------------------------------|----------------------------------|--------------------------------------|------------------------------------|----------------------|----------------------------|---------------------------------|-------|
| MW-4    | 0931 | 4               |                                    |                                  |                                      |                                    | 14.32                | 22.00                      |                                 |       |
| MW-5    | 0946 | 4               |                                    |                                  |                                      |                                    | 12.80                | 26.26                      |                                 |       |
| MW-6    | 0849 | 4               |                                    |                                  |                                      |                                    | 13.82                | 14.85                      |                                 |       |
| MW-7    | 0830 | 4               |                                    |                                  |                                      |                                    | 13.56                | 16.60                      |                                 |       |
| MW-8    | 0858 | 4               |                                    |                                  |                                      |                                    | 13.13                | 17.70                      |                                 |       |
| MW-9    | 0854 | 4               |                                    |                                  |                                      |                                    | 14.00                | 17.32                      |                                 |       |
| MW-11   | 0845 | 4               |                                    |                                  |                                      |                                    | 13.02                | 26.82                      |                                 |       |
| MW-12   | 0912 | 4               |                                    |                                  |                                      |                                    | 13.00                | 26.22                      |                                 |       |
| MW-13   | 0917 | 4               |                                    |                                  |                                      |                                    | 12.72                | 17.70                      |                                 |       |
| MW-14   | 0839 | 2               |                                    |                                  |                                      |                                    | 20.62                | 40.75                      |                                 |       |
| MW-15   |      |                 | unable to gauge - well parked over |                                  |                                      |                                    |                      |                            |                                 |       |
| MW-16   | 0906 | 2               |                                    |                                  |                                      |                                    | 19.46                | 37.35                      |                                 |       |
| MW-17   | 0815 | 2               |                                    |                                  |                                      |                                    | 23.00                | 32.70                      |                                 |       |
| MW-18   | 0936 | 2               |                                    |                                  |                                      |                                    | 16.10                | 22.65                      |                                 |       |
| MW-19   | 0833 | 2               |                                    |                                  |                                      |                                    | 13.42                | 44.85                      |                                 |       |
| P-1     | 0822 | 1               |                                    |                                  |                                      |                                    | 9.13                 | 20.32                      |                                 |       |
| DK-9    | 0923 | 4               |                                    |                                  |                                      |                                    | 13.50                | 27.10                      | ↓                               |       |

# WELL GAUGING DATA

Project # 120910-PH Date 9/10/12 Client chevron

Site 2005 Foothill Blvd, Hayward

[illegible]

# CHEVRON WELL MONITORING DATA SHEET

|                                                                             |                                      |
|-----------------------------------------------------------------------------|--------------------------------------|
| Project #: <u>20910-PH1</u>                                                 | Station #: <u>9-0260</u>             |
| Sampler: <u>PH</u>                                                          | Date: <u>9/10/12</u>                 |
| Weather: <u>clear</u>                                                       | Ambient Air Temperature: <u>65°F</u> |
| Well I.D.: <u>MW-5</u>                                                      | Well Diameter: 2 3 <u>4</u> 6 8      |
| Total Well Depth: <u>26.26</u>                                              | Depth to Water: <u>12.80</u>         |
| Depth to Free Product:                                                      | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade                                             | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>15.49</u> |                                      |

Purge Method:

☐ Bailer  
☐ Disposable Bailer  
☐ Positive Air Displacement  
☒ Electric Submersible  
☐ Waterra  
☐ Peristaltic  
☐ Extraction Pump  
☐ Other:

Sampling Method:

☐ Bailer  
☒ Disposable Bailer  
☐ Extraction Port  
☐ Dedicated Tubing  
☐ Other:

|                      |                   |   |                    |
|----------------------|-------------------|---|--------------------|
| <u>8.7</u> (Gals.) X | <u>3</u>          | = | <u>26.24</u> Gals. |
| I Case Volume        | Specified Volumes |   | Calculated Volume  |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)   | pH         | Cond. (mS or <u>μS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations                  |
|-------------|-------------|------------|--------------------------|------------------|---------------|-------------------------------|
| <u>1142</u> | <u>67.5</u> | <u>6.6</u> | <u>1117</u>              | <u>223</u>       | <u>9</u>      | <u>odor</u>                   |
|             |             |            |                          |                  |               | <u>sanitized @ 10 gallons</u> |
|             |             |            |                          |                  |               |                               |
|             |             |            |                          |                  |               |                               |
| <u>1320</u> | <u>68.3</u> | <u>6.6</u> | <u>1161</u>              | <u>38</u>        | <u>-</u>      |                               |

Did well dewater? ☒ Yes ☐ No Gallons actually evacuated: 10

Sampling Date: 9/10/12 Sampling Time: 1320 Depth to Water: 13.13

Sample I.D.: MW-5 Laboratory: Lancaster Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: See Cox

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: \_\_\_\_\_

|                    |                                                    |                                                     |
|--------------------|----------------------------------------------------|-----------------------------------------------------|
| D.O. (if req'd):   | Pre-purge: <span style="float: right;">mg/L</span> | Post-purge: <span style="float: right;">mg/L</span> |
| O.R.P. (if req'd): | Pre-purge: <span style="float: right;">mV</span>   | Post-purge: <span style="float: right;">mV</span>   |

# CHEVRON WELL MONITORING DATA SHEET

|                                                                             |                                      |
|-----------------------------------------------------------------------------|--------------------------------------|
| Project #: <u>120910-PH1</u>                                                | Station #: <u>9-0260</u>             |
| Sampler: <u>PH</u>                                                          | Date: <u>9/10/12</u>                 |
| Weather: <u>clear</u>                                                       | Ambient Air Temperature: <u>65°F</u> |
| Well I.D.: <u>MW-11</u>                                                     | Well Diameter: 2 3 <u>4</u> 6 8      |
| Total Well Depth: <u>24.82</u>                                              | Depth to Water: <u>13.02</u>         |
| Depth to Free Product:                                                      | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade                                             | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>15.78</u> |                                      |

Purge Method:

☐ Bailer  
☐ Disposable Bailer  
☐ Positive Air Displacement  
☒ Electric Submersible

☐ Waterra  
☐ Peristaltic  
☐ Extraction Pump  
☐ Other \_\_\_\_\_

Sampling Method:

☐ Bailer  
☒ Disposable Bailer  
☐ Extraction Port  
☐ Dedicated Tubing

Other: \_\_\_\_\_

|                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------|
| <u>9.0</u> (Gals.) X <u>3</u> = <u>27.0</u> Gals.<br>1 Case Volume      Specified Volumes      Calculated Volume |
|------------------------------------------------------------------------------------------------------------------|

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)   | pH         | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs)    | Gals. Removed | Observations |
|-------------|-------------|------------|--------------------------|---------------------|---------------|--------------|
| <u>1056</u> | <u>66.2</u> | <u>6.7</u> | <u>1315</u>              | <u>188</u>          | <u>9</u>      | <u>clear</u> |
|             |             |            | <u>de-aerated</u>        | <u>~ 14 gallons</u> |               |              |
|             |             |            |                          |                     |               |              |
|             |             |            |                          |                     |               |              |
| <u>1230</u> | <u>69.5</u> | <u>6.7</u> | <u>1303</u>              | <u>74</u>           | <u>-</u>      |              |

Did well dewater? Yes No      Gallons actually evacuated: 14 gallons

Sampling Date: 9/10/12 Sampling Time: 1230 Depth to Water: 13.37

Sample I.D.: MW-11 Laboratory: Lancaster Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other see box

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

# CHEVRON WELL MONITORING DATA SHEET

|                                                                             |                                      |
|-----------------------------------------------------------------------------|--------------------------------------|
| Project #: <u>120910-PW1</u>                                                | Station #: <u>9-0260</u>             |
| Sampler: <u>RA</u>                                                          | Date: <u>9/10/12</u>                 |
| Weather: <u>clear</u>                                                       | Ambient Air Temperature: <u>68°F</u> |
| Well I.D.: <u>MW-12</u>                                                     | Well Diameter: 2 3 <u>(4)</u> 6 8    |
| Total Well Depth: <u>26.22</u>                                              | Depth to Water: <u>13.00</u>         |
| Depth to Free Product:                                                      | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade                                             | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>15.64</u> |                                      |

Purge Method:

☐ Bailer  
☐ Disposable Bailer  
☐ Positive Air Displacement  
☒ Electric Submersible  
☐ Waterra  
☐ Peristaltic  
☐ Extraction Pump  
☐ Other \_\_\_\_\_

Sampling Method:

☐ Bailer  
☒ Disposable Bailer  
☐ Extraction Port  
☐ Dedicated Tubing  
☐ Other: \_\_\_\_\_

|                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------|
| <u>8.6</u> (Gals.) X <u>3</u> = <u>25.7</u> Gals.<br>I Case Volume      Specified Volumes      Calculated Volume |
|------------------------------------------------------------------------------------------------------------------|

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time                                 | Temp (°F)   | pH         | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations |
|--------------------------------------|-------------|------------|--------------------------|------------------|---------------|--------------|
| <u>1107</u>                          | <u>66.1</u> | <u>6.7</u> | <u>1232</u>              | <u>231</u>       | <u>9</u>      | <u>odor</u>  |
| <u>--- dewatered @ 11 gallon ---</u> |             |            |                          |                  |               |              |
|                                      |             |            |                          |                  |               |              |
|                                      |             |            |                          |                  |               |              |
| <u>1240</u>                          | <u>67.4</u> | <u>6.7</u> | <u>1253</u>              | <u>95</u>        | <u>—</u>      |              |

Did well dewater? ☒ Yes      No      Gallons actually evacuated: 11 gallon

Sampling Date: 9/10/12      Sampling Time: 1240      Depth to Water: 13.38

Sample I.D.: MW-12      Laboratory: Kanaster      Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: See GOC

Duplicate I.D.:      Analyzed for: TPH-G BTEX MTBE OXYS      Other: \_\_\_\_\_

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

# CHEVRON WELL MONITORING DATA SHEET

|                                                                             |                                      |
|-----------------------------------------------------------------------------|--------------------------------------|
| Project #: <u>120910-PH</u>                                                 | Station #: <u>9-0260</u>             |
| Sampler: <u>PH</u>                                                          | Date: <u>9/10/12</u>                 |
| Weather: <u>clear</u>                                                       | Ambient Air Temperature: <u>60°F</u> |
| Well I.D.: <u>MW-16</u>                                                     | Well Diameter: <u>2</u> 3 4 6 8      |
| Total Well Depth: <u>37.35</u>                                              | Depth to Water: <u>19.46</u>         |
| Depth to Free Product:                                                      | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade                                             | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>23.03</u> |                                      |

Purge Method:

☒ Bailer  
☐ Disposable Bailer  
☐ Positive Air Displacement  
☐ Electric Submersible  
☐ Waterra  
☐ Peristaltic  
☐ Extraction Pump  
☐ Other \_\_\_\_\_

Sampling Method:

☐ Bailer  
☒ Disposable Bailer  
☐ Extraction Port  
☐ Dedicated Tubing  
 Other: \_\_\_\_\_

|                                   |                                                             |  |
|-----------------------------------|-------------------------------------------------------------|--|
| $2.8$ (Gals.) X $3$ = $8.6$ Gals. | I Case Volume      Specified Volumes      Calculated Volume |  |
|-----------------------------------|-------------------------------------------------------------|--|

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time | Temp (°F) | pH  | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|-----|--------------------------|------------------|---------------|--------------|
| 1028 | 64.5      | 6.9 | 927                      | >1000            | 3             | odor         |
| 1034 | 64.4      | 6.7 | 876                      | >1000            | 6             |              |
| 1040 | 64.3      | 6.7 | 870                      | >1000            | 9             |              |
|      |           |     |                          |                  |               |              |
|      |           |     |                          |                  |               |              |

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 9

Sampling Date: 9/10/12 Sampling Time: 1045 Depth to Water: 22.74

Sample I.D.: MW-16 Laboratory: Lancaster Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other see lab

Duplicate I.D.: \_\_\_\_\_ Analyzed for: TPH-G BTEX MTBE OXYS Other: \_\_\_\_\_

|                  |                                                    |                                                     |
|------------------|----------------------------------------------------|-----------------------------------------------------|
| D.O. (if req'd): | Pre-purge: <span style="float: right;">mg/L</span> | Post-purge: <span style="float: right;">mg/L</span> |
|------------------|----------------------------------------------------|-----------------------------------------------------|

|                    |                                                  |                                                   |
|--------------------|--------------------------------------------------|---------------------------------------------------|
| O.R.P. (if req'd): | Pre-purge: <span style="float: right;">mV</span> | Post-purge: <span style="float: right;">mV</span> |
|--------------------|--------------------------------------------------|---------------------------------------------------|

# CHEVRON WELL MONITORING DATA SHEET

|                                                                             |                                      |
|-----------------------------------------------------------------------------|--------------------------------------|
| Project #: <u>120910-PH1</u>                                                | Station #: <u>9-0260</u>             |
| Sampler: <u>PH</u>                                                          | Date: <u>9/10/12</u>                 |
| Weather: <u>clear</u>                                                       | Ambient Air Temperature: <u>60°F</u> |
| Well I.D.: <u>P-1</u>                                                       | Well Diameter: 2 3 4 6 8 <u>①</u>    |
| Total Well Depth: <u>20.32</u>                                              | Depth to Water: <u>9.13</u>          |
| Depth to Free Product:                                                      | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade                                             | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>11.36</u> |                                      |

Purge Method:

☐ Bailer  
☐ Disposable Bailer  
☐ Positive Air Displacement  
☐ Electric Submersible

☐ Waterra  
☐ Peristaltic  
☐ Extraction Pump

Other: check valve + tubing

Sampling Method:

☐ Bailer  
☐ Disposable Bailer  
☐ Extraction Port  
☐ Dedicated Tubing

Other: check valve + tubing

|               |           |                   |   |                   |       |
|---------------|-----------|-------------------|---|-------------------|-------|
| <u>0.4</u>    | (Gals.) X | <u>3</u>          | = | <u>1.3</u>        | Gals. |
| I Case Volume |           | Specified Volumes |   | Calculated Volume |       |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)   | pH         | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs) | Gals. Removed | Observations |
|-------------|-------------|------------|--------------------------|------------------|---------------|--------------|
| <u>0755</u> | <u>66.4</u> | <u>6.5</u> | <u>1420</u>              | <u>&gt;1000</u>  | <u>0.5</u>    | <u>2.0</u>   |
| <u>0757</u> | <u>66.7</u> | <u>6.6</u> | <u>1434</u>              | <u>&gt;1000</u>  | <u>1.0</u>    |              |
| <u>0759</u> | <u>66.8</u> | <u>6.6</u> | <u>1437</u>              | <u>&gt;1000</u>  | <u>1.5</u>    |              |
|             |             |            |                          |                  |               |              |
|             |             |            |                          |                  |               |              |

Did well dewater? Yes ☒ No ☐ Gallons actually evacuated: 1.5

Sampling Date: 9/10/12 Sampling Time: 1000 Depth to Water: 9.15

Sample I.D.: P-1 Laboratory: Lancaster Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: See doc

Duplicate I.D.: \_\_\_\_\_ Analyzed for: TPH-G BTEX MTBE OXYS Other: \_\_\_\_\_

|                    |            |      |             |      |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd):   | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV   | Post-purge: | mV   |

# CHEVRON WELL MONITORING DATA SHEET

|                                                                             |                                      |
|-----------------------------------------------------------------------------|--------------------------------------|
| Project #: <u>00910-PH1</u>                                                 | Station #: <u>9-0260</u>             |
| Sampler: <u>PH</u>                                                          | Date: <u>9/10/12</u>                 |
| Weather: <u>clear</u>                                                       | Ambient Air Temperature: <u>65°F</u> |
| Well I.D.: <u>DVE-9</u>                                                     | Well Diameter: 2 3 <u>4</u> 6 8      |
| Total Well Depth: <u>27.10</u>                                              | Depth to Water: <u>13.50</u>         |
| Depth to Free Product:                                                      | Thickness of Free Product (feet):    |
| Referenced to: <u>(PVC)</u> Grade                                           | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>16.22</u> |                                      |

Purge Method:

☐ Bailer  
☐ Disposable Bailer  
☐ Positive Air Displacement  
☒ Electric Submersible

☐ Waterra  
☐ Peristaltic  
☐ Extraction Pump  
☐ Other:

Sampling Method:

☒ Bailer  
☐ Disposable Bailer  
☐ Extraction Port  
☐ Dedicated Tubing

Other: \_\_\_\_\_

|                      |                   |                     |
|----------------------|-------------------|---------------------|
| <u>8.8</u> (Gals.) X | <u>3</u>          | = <u>26.5</u> Gals. |
| I Case Volume        | Specified Volumes | Calculated Volume   |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)   | pH         | Cond. (mS or $\mu$ S)       | Turbidity (NTUs) | Gals. Removed | Observations |
|-------------|-------------|------------|-----------------------------|------------------|---------------|--------------|
| <u>1117</u> | <u>68.5</u> | <u>7.0</u> | <u>1100</u>                 | <u>59</u>        | <u>9</u>      | <u>clear</u> |
|             |             | <u>—</u>   | <u>powdered @ 11 gal/hr</u> |                  |               |              |
|             |             |            |                             |                  |               |              |
|             |             |            |                             |                  |               |              |
| <u>1250</u> | <u>68.9</u> | <u>6.8</u> | <u>1105</u>                 | <u>65</u>        | <u>—</u>      |              |

Did well dewater? ☒ Yes ☐ No Gallons actually evacuated: 11

Sampling Date: 9/10/12 Sampling Time: 1250 Depth to Water: 14.02

Sample I.D.: DVE-9 Laboratory: Lancaster Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: See cd

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: \_\_\_\_\_

|                    |                                                    |                                                     |
|--------------------|----------------------------------------------------|-----------------------------------------------------|
| D.O. (if req'd):   | Pre-purge: <span style="float: right;">mg/L</span> | Post-purge: <span style="float: right;">mg/L</span> |
| O.R.P. (if req'd): | Pre-purge: <span style="float: right;">mV</span>   | Post-purge: <span style="float: right;">mV</span>   |

# CHEVRON WELL MONITORING DATA SHEET

|                                                                             |                                      |
|-----------------------------------------------------------------------------|--------------------------------------|
| Project #: <u>122910-PH1</u>                                                | Station #: <u>9-0260</u>             |
| Sampler: <u>PH</u>                                                          | Date: <u>9/10/12</u>                 |
| Weather: <u>clear</u>                                                       | Ambient Air Temperature: <u>68.4</u> |
| Well I.D.: <u>DVE-12</u>                                                    | Well Diameter: 2 3 <u>4</u> 6 8      |
| Total Well Depth: <u>2740</u>                                               | Depth to Water: <u>12.84</u>         |
| Depth to Free Product:                                                      | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade                                             | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>15.75</u> |                                      |

Purge Method:

☐ Bailer  
☐ Disposable Bailer  
☐ Positive Air Displacement  
☒ Electric Submersible  
☐ Waterra  
☐ Peristaltic  
☐ Extraction Pump  
☐ Other:

Sampling Method:

☒ Bailer  
☒ Disposable Bailer  
☐ Extraction Port  
☐ Dedicated Tubing  
☐ Other:

|                      |                   |                     |
|----------------------|-------------------|---------------------|
| <u>9.4</u> (Gals.) X | <u>3</u>          | = <u>28.4</u> Gals. |
| I Case Volume        | Specified Volumes | Calculated Volume   |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)   | pH         | Cond. (mS or <u>uS</u> )     | Turbidity (NTUs) | Gals. Removed | Observations |
|-------------|-------------|------------|------------------------------|------------------|---------------|--------------|
| <u>1133</u> | <u>68.4</u> | <u>6.7</u> | <u>1236</u>                  | <u>74</u>        | <u>9.5</u>    | <u>odor</u>  |
|             |             |            | <u>rewatered @ 10 gallon</u> |                  |               |              |
|             |             |            |                              |                  |               |              |
|             |             |            |                              |                  |               |              |
| <u>1310</u> | <u>69.2</u> | <u>6.7</u> | <u>1250</u>                  | <u>57</u>        | <u>—</u>      |              |

Did well dewater? ☒ Yes ☐ No Gallons actually evacuated: 10

Sampling Date: 9/10/12 Sampling Time: 1310 Depth to Water: 13.32

Sample I.D.: DVE-12 Laboratory: Lancaster Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: see coc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: \_\_\_\_\_

|                    |                                                    |                                                     |
|--------------------|----------------------------------------------------|-----------------------------------------------------|
| D.O. (if req'd):   | Pre-purge: <span style="float: right;">mg/L</span> | Post-purge: <span style="float: right;">mg/L</span> |
| O.R.P. (if req'd): | Pre-purge: <span style="float: right;">mV</span>   | Post-purge: <span style="float: right;">mV</span>   |

# CHEVRON WELL MONITORING DATA SHEET

|                                                                             |                                      |
|-----------------------------------------------------------------------------|--------------------------------------|
| Project #: <u>120910-PH1</u>                                                | Station #: <u>9-0260</u>             |
| Sampler: <u>PH</u>                                                          | Date: <u>9/10/12</u>                 |
| Weather: <u>clear</u>                                                       | Ambient Air Temperature: <u>65°F</u> |
| Well I.D.: <u>WE-20</u>                                                     | Well Diameter: 2 3 <u>4</u> 6 8      |
| Total Well Depth: <u>27.00</u>                                              | Depth to Water: <u>13.12</u>         |
| Depth to Free Product:                                                      | Thickness of Free Product (feet):    |
| Referenced to: <u>PVC</u> Grade                                             | D.O. Meter (if req'd): YSI HACH      |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>15.89</u> |                                      |

Purge Method:

☐ Bailer  
☐ Disposable Bailer  
☐ Positive Air Displacement  
☒ Electric Submersible

☐ Waterra  
☐ Peristaltic  
☐ Extraction Pump  
☐ Other \_\_\_\_\_

Sampling Method:

☐ Bailer  
☒ Disposable Bailer  
☐ Extraction Port  
☐ Dedicated Tubing

Other: \_\_\_\_\_

|                      |                   |                     |
|----------------------|-------------------|---------------------|
| <u>9.0</u> (Gals.) X | <u>3</u>          | = <u>27.0</u> Gals. |
| 1 Case Volume        | Specified Volumes | Calculated Volume   |

| Well Diameter | Multiplier | Well Diameter | Multiplier                  |
|---------------|------------|---------------|-----------------------------|
| 1"            | 0.04       | 4"            | 0.65                        |
| 2"            | 0.16       | 6"            | 1.47                        |
| 3"            | 0.37       | Other         | radius <sup>2</sup> * 0.163 |

| Time        | Temp (°F)   | pH         | Cond. (mS or <u>µS</u> ) | Turbidity (NTUs)    | Gals. Removed | Observations |
|-------------|-------------|------------|--------------------------|---------------------|---------------|--------------|
| <u>1125</u> | <u>68.0</u> | <u>6.6</u> | <u>1380</u>              | <u>76</u>           | <u>9</u>      | <u>clear</u> |
|             |             | <u>—</u>   | <u>Detected</u>          | <u>e 10 gallons</u> | <u>—</u>      |              |
|             |             |            |                          |                     |               |              |
|             |             |            |                          |                     |               |              |
| <u>1300</u> | <u>68.6</u> | <u>6.7</u> | <u>1259</u>              | <u>41</u>           | <u>—</u>      |              |

Did well dewater? ☒ Yes ☐ No Gallons actually evacuated: 10

Sampling Date: 9/10/12 Sampling Time: 1300 Depth to Water: 13.40

Sample I.D.: WE-20 Laboratory: Lancaster Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: See Cox

Duplicate I.D.: \_\_\_\_\_ Analyzed for: TPH-G BTEX MTBE OXYS Other: \_\_\_\_\_

|                    |                        |                         |
|--------------------|------------------------|-------------------------|
| D.O. (if req'd):   | Pre-purge: <u>mg/L</u> | Post-purge: <u>mg/L</u> |
| O.R.P. (if req'd): | Pre-purge: <u>mV</u>   | Post-purge: <u>mV</u>   |

Chevron Site Number: 90260  
 Chevron Site Global ID: T0600100315  
 Chevron Site Address: 21995 Foothill Blvd.  
Hayward, CA  
 Chevron PM: CATALINA DEVINE  
 Chevron PM Phone No.: (925)790-3949

☒ Retail and Terminal Business Unit (RTBU) Job  
☒ Construction/Retail Job

Chevron Consultant: CRA  
 Address: 5900 Hollis St. Suite A Emeryville  
 CA Consultant Contact: Nathan Lee  
 Consultant Phone No. 510-420-3333  
 Consultant Project No. 120910-PH1  
 Sampling Company: Blaine Tech Services  
 Sampled By (Print): Patrick Hamer  
 Sampler Signature: [Signature]

Charge Code: **NWRTB-0090260-0-OML**  
 NWRTB 00SITE NUMBER-0- WBS  
**(WBS ELEMENTS:**  
 SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L  
 SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L

**THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT  
 CORRECTLY AND COMPLETELY.**

**Lancaster Laboratories**  
☒ Lancaster, PA  
 Lab Contact: Jill Parker  
 2425 New Holland Pike,  
 Lancaster, PA 17601  
 Phone No:  
 (717)656-2300

Other Lab  
 Temp. Blank Check  
 Time Temp.  
0900 40  
1000 40  
1100 40  
1200 40  
1300 40

## ANALYSES REQUIRED

| H H                            |         | ANALYSES REQUIRED |            |      |     |     |           |      |      |                      |                        | Preservation Codes                                                                                       |  |
|--------------------------------|---------|-------------------|------------|------|-----|-----|-----------|------|------|----------------------|------------------------|----------------------------------------------------------------------------------------------------------|--|
| EPA 8260B/GC/MS                | TPH-G   | MTBE              | OXYGENATES | HVOC | DRO | ORO | HC SCREEN | TLCL | STLC | EPA 310.1 ALKALINITY | EPA 413.1 OIL & GREASE | H = HCL T = Thiosulfate<br>N = HNO <sub>3</sub> B = NaOH<br>S = H <sub>2</sub> SO <sub>4</sub> O = Other |  |
| EPA 8015B                      | GRO     | MTBE              |            |      |     |     |           |      |      |                      |                        |                                                                                                          |  |
| EPA 8021B                      | BTEX    | MTBE              |            |      |     |     |           |      |      |                      |                        | Special Instructions<br>Must meet lowest detection limits possible for 8260 Compounds                    |  |
| EPA 6010 Ca, Fe, K, Mg, Mn, Na |         |                   |            |      |     |     |           |      |      |                      |                        |                                                                                                          |  |
| EPA 6010/7000 TITLE 22 METALS  |         |                   |            |      |     |     |           |      |      |                      |                        | Notes/Comments                                                                                           |  |
| EPA 150.1 PH                   |         |                   |            |      |     |     |           |      |      |                      |                        |                                                                                                          |  |
| SM2510B SPECIFIC CONDUCTIVITY  |         |                   |            |      |     |     |           |      |      |                      |                        |                                                                                                          |  |
| EPA 418.1 TRPH                 |         |                   |            |      |     |     |           |      |      |                      |                        |                                                                                                          |  |
| EPA 8260                       | ETHANOL |                   |            |      |     |     |           |      |      |                      |                        |                                                                                                          |  |
| EPA 8015                       | TPH-D   |                   |            |      |     |     |           |      |      |                      |                        |                                                                                                          |  |

## SAMPLE ID

| Field Point Name | Matrix | Top Depth | Date (yymmdd) | Sample Time | # of Containers | Container Type |
|------------------|--------|-----------|---------------|-------------|-----------------|----------------|
| QA               | T      |           | 120910        | 0900        | 2               | VOA            |
| MW-5             | W      |           |               | 1320        | 6               |                |
| MW-11            |        |           |               | 1230        |                 |                |
| MW-12            |        |           |               | 1240        |                 |                |
| MW-16            |        |           |               | 1045        |                 |                |
| P-1              |        |           |               | 1000        |                 |                |
| DVE-9            |        |           |               | 1250        |                 |                |
| DVE-12           |        |           |               | 1310        |                 |                |
| DVE-20           |        |           |               | 1300        |                 |                |

Relinquished By [Signature] Company BTS Date/Time: 9/10/12 1445

Relinquished By \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished To \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished To \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished To \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Turnaround Time:  
 Standard ☒ 24 Hours ☐ 48 hours ☐ 72  
 Hours ☐ Other ☐

Sample Integrity: (Check by lab on arrival)

Intact: \_\_\_\_\_ On Ice: \_\_\_\_\_ Temp: \_\_\_\_\_  
 COC # \_\_\_\_\_

# WELLHEAD INSPECTION CHECKLIST

Page 1 of 2

Client chevron Date 9/10/12

Site Address 21995 Foothill Blvd, Hayward

Job Number 120210-PH1 Technician PH

| Well ID | Well Inspected - No Corrective Action Required | WELL IS SECURABLE BY DESIGN (12" or less) | WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less) | Water Bailed From Wellbox | Wellbox Components Cleaned | Cap Replaced | Lock Replaced | Other Action Taken (explain below) | Well Not Inspected (explain below) | Repair Order Submitted |
|---------|------------------------------------------------|-------------------------------------------|-----------------------------------------------------------------------|---------------------------|----------------------------|--------------|---------------|------------------------------------|------------------------------------|------------------------|
| MW-4    |                                                |                                           |                                                                       |                           |                            |              |               | X                                  |                                    |                        |
| MW-5    | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| MW-6    | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| MW-7    | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| MW-8    |                                                |                                           |                                                                       |                           |                            |              |               | X                                  |                                    |                        |
| MW-9    |                                                |                                           |                                                                       |                           |                            |              |               | X                                  |                                    |                        |
| MW-11   | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| MW-12   | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| MW-13   |                                                |                                           |                                                                       |                           |                            |              |               | X                                  |                                    |                        |
| MW-14   |                                                | X                                         | X                                                                     |                           |                            |              |               | X                                  | <del>26</del>                      |                        |
| MW-15   |                                                |                                           |                                                                       |                           |                            |              |               |                                    |                                    |                        |
| MW-16   |                                                |                                           |                                                                       |                           |                            |              |               |                                    |                                    |                        |
| MW-17   | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| MW-18   | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| MW-19   | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| P-1     | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |
| DE-9    | X                                              | X                                         | X                                                                     |                           |                            |              |               |                                    |                                    |                        |

NOTES: MW-14 2 1/2 tubs stripped MW-13 Christy MW-9, MW-8 - 1/4 bolts  
MW-4 no well box

## Page 2 of 2

Job Number 120910-PH1 Technician PH

[illegible]

NOTES:

SOURCE RECORD **BILL OF LADING**  
 FOR PURGEWATER RECOVERED FROM  
 GROUNDWATER WELLS AT CHEVRON FACILITIES IN  
 THE STATE OF CALIFORNIA. THE PURGE- WATER  
 WHICH HAS BEEN RECOVERED FROM GROUND-  
 WATER WELLS IS COLLECTED BY THE CONTRACTOR  
 AND HAULED TO THEIR FACILITY IN SAN JOSE,  
 CALIFORNIA FOR TEMPORARILY HOLDING PENDING  
 TRANSPORT BY OTHERS TO FINAL DESTINATION.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BLAINE TECH), 1680 Rogers Ave. San Jose CA (408) 573-0555). BLAINE TECH. is authorized by Chevron Environmental Management Company (CHEVRON EMC) to recover, collect, apportion into loads, and haul the purgewater that is drawn from wells at the CHEVRON EMC facility indicated below and to deliver that purgewater to BLAINE TECH for temporarily holding. Transport routing of the purgewater may be direct from one CHEVRON EMC facility to BLAINE TECH; from one CHEVRON EMC facility to BLAINE TECH via another CHEVRON EMC facility; or any combination thereof. The well purgewater is and remains the property of CHEVRON EMC.

This **Source Record BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

9-0260 Catalina Devine  
 CHEVRON # Chevron Engineer  
25995 Foothill Blvd Hayward CA  
 street number street name city state

| WELL I.D.                      | GALS.              | WELL I.D. | GALS.                |
|--------------------------------|--------------------|-----------|----------------------|
| <u>MW-5</u>                    | <u>1</u> <u>10</u> |           | <u>1</u>             |
| <u>MW-11</u>                   | <u>1</u> <u>14</u> |           | <u>1</u>             |
| <u>MW-12</u>                   | <u>1</u> <u>11</u> |           | <u>1</u>             |
| <u>MW-16</u>                   | <u>1</u> <u>9</u>  |           | <u>1</u>             |
| <u>P-1</u>                     | <u>1</u> <u>15</u> |           | <u>1</u>             |
| <u>DVE-9</u>                   | <u>1</u> <u>11</u> |           | <u>1</u>             |
| <u>DVE-12</u>                  | <u>1</u> <u>10</u> |           | <u>1</u>             |
| <u>DVE-20</u>                  | <u>1</u> <u>10</u> |           | <u>1</u>             |
| added equip.                   |                    |           | any other            |
| rinse water <u>1</u> <u>10</u> |                    |           | adjustments <u>1</u> |

**TOTAL GALS.**  
**RECOVERED** 86.5

loaded onto  
 BTS vehicle # 81

BTS event # 120910-PH1 time 1340 date 9/10/12  
 Transporter signature [Signature]

\*\*\*\*\*  
**REC'D AT** Blaine Tech Services time 1430 date 9/10/12  
 Unloaded/received by  
 signature [Signature]

# TEST EQUIPMENT CALIBRATION LOG

[illegible]

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

## ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

Prepared for:

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

September 21, 2012

Project: 90260

Submittal Date: 09/12/2012

Group Number: 1335032

PO Number: 0015098202

Release Number: ESPINO DEVINE

State of Sample Origin: CA

Client Sample DescriptionQA-T-120910 NA Water  
MW-5-W-120910 NA Water  
MW-11-W-120910 NA Water  
MW-12-W-120910 NA Water  
MW-16-W-120910 NA Water  
P-1-W-120910 NA Water  
DVE-9-W-120910 NA Water  
DVE-12-W-120910 NA Water  
DVE-20-W-120910 NA WaterLancaster Labs (LLI) #6785580  
6785581  
6785582  
6785583  
6785584  
6785585  
6785586  
6785587  
6785588

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO Chevron c/o CRA  
ELECTRONIC COPY TO Blaine Tech Services, Inc.  
ELECTRONIC COPY TO Chevron  
ELECTRONIC COPY TO CRA  
ELECTRONIC COPY TO CRA

Attn: Report Contact

Attn: Dustin Becker

Attn: Anna Avina

Attn: Ian Hull

Attn: Nathan Lee

Respectfully Submitted,



Jill M. Parker  
Senior Specialist

(717) 556-7262

**Sample Description:** QA-T-120910 NA Water  
Facility# 90260 BTST  
21995 Foothill-Hayward T0600100315 QA

LLI Sample # WW 6785580  
LLI Group # 1335032  
Account # 10991

**Project Name:** 90260

Collected: 09/10/2012 09:00

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 09/12/2012 09:35

San Ramon CA 94583

Reported: 09/21/2012 09:14

FCDQA

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | N.D.               | ug/l 0.5                            | ug/l 1                            | 1               |
| 10943                               | Ethylbenzene                | 100-41-4   | N.D.               | 0.5                                 | 1                                 | 1               |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | N.D.               | 0.5                                 | 1                                 | 1               |
| 10943                               | Toluene                     | 108-88-3   | N.D.               | 0.5                                 | 1                                 | 1               |
| 10943                               | Xylene (Total)              | 1330-20-7  | N.D.               | 0.5                                 | 1                                 | 1               |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | N.D.               | ug/l 50                             | ug/l 100                          | 1               |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst             | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|---------------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 07:15       | Anita M Dale        | 1               |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122612AA | 09/17/2012 07:15       | Anita M Dale        | 1               |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12256A94A | 09/16/2012 14:48       | Catherine J Schwarz | 1               |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12256A94A | 09/16/2012 14:48       | Catherine J Schwarz | 1               |

**Sample Description:** MW-5-W-120910 NA Water  
**Facility#** 90260 BTST  
**21995 Foothill-Hayward T0600100315 MW-5**

**LLI Sample #** WW 6785581  
**LLI Group #** 1335032  
**Account #** 10991

**Project Name:** 90260

**Collected:** 09/10/2012 13:20 by PH

Chevron

6001 Bollinger Canyon Rd L4310

**Submitted:** 09/12/2012 09:35

San Ramon CA 94583

**Reported:** 09/21/2012 09:14

FCDM5

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | 170                | 5                                   | 10                                | 10              |
| 10943                               | Ethylbenzene                | 100-41-4   | 2,900              | 50                                  | 100                               | 100             |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | N.D.               | 5                                   | 10                                | 10              |
| 10943                               | Toluene                     | 108-88-3   | 11,000             | 50                                  | 100                               | 100             |
| 10943                               | Xylene (Total)              | 1330-20-7  | 17,000             | 50                                  | 100                               | 100             |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | 73,000             | 1,300                               | 2,500                             | 25              |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst             | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|---------------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 09:25       | Anita M Dale        | 10              |
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 09:46       | Anita M Dale        | 100             |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122612AA | 09/17/2012 09:25       | Anita M Dale        | 10              |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 2      | F122612AA | 09/17/2012 09:46       | Anita M Dale        | 100             |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12256A94A | 09/16/2012 22:32       | Catherine J Schwarz | 25              |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12256A94A | 09/16/2012 22:32       | Catherine J Schwarz | 25              |

**Sample Description:** MW-11-W-120910 NA Water  
**Facility#** 90260 BTST  
**21995 Foothill-Hayward T0600100315 MW-11**

**LLI Sample #** WW 6785582  
**LLI Group #** 1335032  
**Account #** 10991

**Project Name:** 90260

**Collected:** 09/10/2012 12:30 by PH

Chevron

6001 Bollinger Canyon Rd L4310

**Submitted:** 09/12/2012 09:35

San Ramon CA 94583

**Reported:** 09/21/2012 09:14

FCD11

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | 9                  | 0.5                                 | 1                                 | 1               |
| 10943                               | Ethylbenzene                | 100-41-4   | 1                  | 0.5                                 | 1                                 | 1               |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | N.D.               | 0.5                                 | 1                                 | 1               |
| 10943                               | Toluene                     | 108-88-3   | 2                  | 0.5                                 | 1                                 | 1               |
| 10943                               | Xylene (Total)              | 1330-20-7  | 17                 | 0.5                                 | 1                                 | 1               |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | 2,200              | 50                                  | 100                               | 1               |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst      | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|--------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 10:08       | Anita M Dale | 1               |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122612AA | 09/17/2012 10:08       | Anita M Dale | 1               |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12258B20A | 09/18/2012 10:18       | Marie D John | 1               |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12258B20A | 09/18/2012 10:18       | Marie D John | 1               |

**Sample Description:** MW-12-W-120910 NA Water  
**Facility#** 90260 BTST  
**21995 Foothill-Hayward T0600100315 MW-12**

**LLI Sample #** WW 6785583  
**LLI Group #** 1335032  
**Account #** 10991

**Project Name:** 90260

**Collected:** 09/10/2012 12:40 by PH

Chevron

6001 Bollinger Canyon Rd L4310

**Submitted:** 09/12/2012 09:35

San Ramon CA 94583

**Reported:** 09/21/2012 09:14

FCD12

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | 47                 | 0.5                                 | 1                                 | 1               |
| 10943                               | Ethylbenzene                | 100-41-4   | 56                 | 0.5                                 | 1                                 | 1               |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | 31                 | 0.5                                 | 1                                 | 1               |
| 10943                               | Toluene                     | 108-88-3   | 1                  | 0.5                                 | 1                                 | 1               |
| 10943                               | Xylene (Total)              | 1330-20-7  | 44                 | 0.5                                 | 1                                 | 1               |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | 2,100              | 50                                  | 100                               | 1               |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst      | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|--------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 10:29       | Anita M Dale | 1               |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122612AA | 09/17/2012 10:29       | Anita M Dale | 1               |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12258B20A | 09/17/2012 18:16       | Marie D John | 1               |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12258B20A | 09/17/2012 18:16       | Marie D John | 1               |

**Sample Description:** MW-16-W-120910 NA Water  
**Facility#** 90260 BTST  
**21995 Foothill-Hayward T0600100315 MW-16**

**LLI Sample #** WW 6785584  
**LLI Group #** 1335032  
**Account #** 10991

**Project Name:** 90260

**Collected:** 09/10/2012 10:45 by PH

Chevron

6001 Bollinger Canyon Rd L4310

**Submitted:** 09/12/2012 09:35

San Ramon CA 94583

**Reported:** 09/21/2012 09:14

FCD16

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | 150                | 0.5                                 | 1                                 | 1               |
| 10943                               | Ethylbenzene                | 100-41-4   | 190                | 0.5                                 | 1                                 | 1               |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | 5                  | 0.5                                 | 1                                 | 1               |
| 10943                               | Toluene                     | 108-88-3   | 9                  | 0.5                                 | 1                                 | 1               |
| 10943                               | Xylene (Total)              | 1330-20-7  | 75                 | 0.5                                 | 1                                 | 1               |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | 6,100              | 250                                 | 500                               | 5               |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst      | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|--------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 10:51       | Anita M Dale | 1               |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122612AA | 09/17/2012 10:51       | Anita M Dale | 1               |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12258B20A | 09/17/2012 22:55       | Marie D John | 5               |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12258B20A | 09/17/2012 22:55       | Marie D John | 5               |

**Sample Description:** P-1-W-120910 NA Water  
Facility# 90260 BTST  
21995 Foothill-Hayward T0600100315 P-1

LLI Sample # WW 6785585  
LLI Group # 1335032  
Account # 10991

**Project Name:** 90260

Collected: 09/10/2012 10:00 by PH

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

Submitted: 09/12/2012 09:35

Reported: 09/21/2012 09:14

FCDP1

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | N.D.               | ug/l 0.5                            | ug/l 1                            | 1               |
| 10943                               | Ethylbenzene                | 100-41-4   | N.D.               | ug/l 0.5                            | ug/l 1                            | 1               |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | 12                 | ug/l 0.5                            | ug/l 1                            | 1               |
| 10943                               | Toluene                     | 108-88-3   | N.D.               | ug/l 0.5                            | ug/l 1                            | 1               |
| 10943                               | Xylene (Total)              | 1330-20-7  | N.D.               | ug/l 0.5                            | ug/l 1                            | 1               |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | N.D.               | ug/l 50                             | ug/l 100                          | 1               |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst      | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|--------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122592AA | 09/15/2012 06:00       | Anita M Dale | 1               |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122592AA | 09/15/2012 06:00       | Anita M Dale | 1               |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12258B20A | 09/17/2012 18:38       | Marie D John | 1               |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12258B20A | 09/17/2012 18:38       | Marie D John | 1               |

\*=This limit was used in the evaluation of the final result

**Sample Description:** DVE-9-W-120910 NA Water  
**Facility#** 90260 BTST  
**21995 Foothill-Hayward T0600100315 DVE-9**

**LLI Sample #** WW 6785586  
**LLI Group #** 1335032  
**Account #** 10991

**Project Name:** 90260

**Collected:** 09/10/2012 12:50 by PH

Chevron

6001 Bollinger Canyon Rd L4310

**Submitted:** 09/12/2012 09:35

San Ramon CA 94583

**Reported:** 09/21/2012 09:14

FCDD9

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | 54                 | 0.5                                 | 1                                 | 1               |
| 10943                               | Ethylbenzene                | 100-41-4   | 160                | 5                                   | 10                                | 10              |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | 35                 | 0.5                                 | 1                                 | 1               |
| 10943                               | Toluene                     | 108-88-3   | 4                  | 0.5                                 | 1                                 | 1               |
| 10943                               | Xylene (Total)              | 1330-20-7  | 230                | 0.5                                 | 1                                 | 1               |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | 4,600              | 50                                  | 100                               | 1               |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst      | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|--------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 11:12       | Anita M Dale | 1               |
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 15:57       | Anita M Dale | 10              |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122612AA | 09/17/2012 11:12       | Anita M Dale | 1               |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 2      | F122612AA | 09/17/2012 15:57       | Anita M Dale | 10              |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12258B20A | 09/17/2012 19:00       | Marie D John | 1               |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12258B20A | 09/17/2012 19:00       | Marie D John | 1               |

\*=This limit was used in the evaluation of the final result

**Sample Description:** DVE-12-W-120910 NA Water  
Facility# 90260 BTST  
21995 Foothill-Hayward T0600100315 DVE-12

LLI Sample # WW 6785587  
LLI Group # 1335032  
Account # 10991

**Project Name:** 90260

Collected: 09/10/2012 13:10 by PH

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 09/12/2012 09:35

San Ramon CA 94583

Reported: 09/21/2012 09:14

FCE12

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | 270                | 5                                   | 10                                | 10              |
| 10943                               | Ethylbenzene                | 100-41-4   | 1,700              | 5                                   | 10                                | 10              |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | 9 J                | 5                                   | 10                                | 10              |
| 10943                               | Toluene                     | 108-88-3   | 520                | 5                                   | 10                                | 10              |
| 10943                               | Xylene (Total)              | 1330-20-7  | 9,300              | 50                                  | 100                               | 100             |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | 30,000             | 250                                 | 500                               | 5               |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst      | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|--------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 11:34       | Anita M Dale | 10              |
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | P122631AA | 09/19/2012 11:57       | Anita M Dale | 100             |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122612AA | 09/17/2012 11:34       | Anita M Dale | 10              |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 2      | P122631AA | 09/19/2012 11:57       | Anita M Dale | 100             |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12258B20A | 09/17/2012 23:17       | Marie D John | 5               |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12258B20A | 09/17/2012 23:17       | Marie D John | 5               |

\*=This limit was used in the evaluation of the final result

**Sample Description:** DVE-20-W-120910 NA Water  
Facility# 90260 BTST  
21995 Foothill-Hayward T0600100315 DVE-20

LLI Sample # WW 6785588  
LLI Group # 1335032  
Account # 10991

**Project Name:** 90260

Collected: 09/10/2012 13:00 by PH

Chevron

6001 Bollinger Canyon Rd L4310

Submitted: 09/12/2012 09:35

San Ramon CA 94583

Reported: 09/21/2012 09:14

FCE20

| CAT No.                             | Analysis Name               | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| <b>GC/MS Volatiles SW-846 8260B</b> |                             |            |                    |                                     |                                   |                 |
| 10943                               | Benzene                     | 71-43-2    | 36                 | 5                                   | 10                                | 10              |
| 10943                               | Ethylbenzene                | 100-41-4   | 1,300              | 5                                   | 10                                | 10              |
| 10943                               | Methyl Tertiary Butyl Ether | 1634-04-4  | N.D.               | 5                                   | 10                                | 10              |
| 10943                               | Toluene                     | 108-88-3   | 230                | 5                                   | 10                                | 10              |
| 10943                               | Xylene (Total)              | 1330-20-7  | 4,600              | 50                                  | 100                               | 100             |
| <b>GC Volatiles SW-846 8015B</b>    |                             |            |                    |                                     |                                   |                 |
| 01728                               | TPH-GRO N. CA water C6-C12  | n.a.       | 18,000             | 250                                 | 500                               | 5               |

## General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Sample Analysis Record

| CAT No. | Analysis Name              | Method       | Trial# | Batch#    | Analysis Date and Time | Analyst      | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|--------------|-----------------|
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | F122612AA | 09/17/2012 11:56       | Anita M Dale | 10              |
| 10943   | BTEX/MTBE 8260 Water       | SW-846 8260B | 1      | P122631AA | 09/19/2012 12:25       | Anita M Dale | 100             |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 1      | F122612AA | 09/17/2012 11:56       | Anita M Dale | 10              |
| 01163   | GC/MS VOA Water Prep       | SW-846 5030B | 2      | P122631AA | 09/19/2012 12:25       | Anita M Dale | 100             |
| 01728   | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1      | 12258B20A | 09/17/2012 23:39       | Marie D John | 5               |
| 01146   | GC VOA Water Prep          | SW-846 5030B | 1      | 12258B20A | 09/17/2012 23:39       | Marie D John | 5               |

\*=This limit was used in the evaluation of the final result

## Quality Control Summary

Client Name: Chevron  
Reported: 09/21/12 at 09:14 AM

Group Number: 1335032

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

## Laboratory Compliance Quality Control

| Analysis Name               | Blank Result                                       | Blank MDL** | Blank LOQ | Report Units | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Max |
|-----------------------------|----------------------------------------------------|-------------|-----------|--------------|----------|-----------|-----------------|-----|---------|
| Batch number: F122592AA     | Sample number(s): 6785585                          |             |           |              |          |           |                 |     |         |
| Benzene                     | N.D.                                               | 0.5         | 1         | ug/l         | 88       |           | 77-121          |     |         |
| Ethylbenzene                | N.D.                                               | 0.5         | 1         | ug/l         | 92       |           | 79-120          |     |         |
| Methyl Tertiary Butyl Ether | N.D.                                               | 0.5         | 1         | ug/l         | 96       |           | 68-121          |     |         |
| Toluene                     | N.D.                                               | 0.5         | 1         | ug/l         | 90       |           | 79-120          |     |         |
| Xylene (Total)              | N.D.                                               | 0.5         | 1         | ug/l         | 93       |           | 77-120          |     |         |
| Batch number: F122612AA     | Sample number(s): 6785580-6785584, 6785586-6785588 |             |           |              |          |           |                 |     |         |
| Benzene                     | N.D.                                               | 0.5         | 1         | ug/l         | 87       |           | 77-121          |     |         |
| Ethylbenzene                | N.D.                                               | 0.5         | 1         | ug/l         | 90       |           | 79-120          |     |         |
| Methyl Tertiary Butyl Ether | N.D.                                               | 0.5         | 1         | ug/l         | 95       |           | 68-121          |     |         |
| Toluene                     | N.D.                                               | 0.5         | 1         | ug/l         | 89       |           | 79-120          |     |         |
| Xylene (Total)              | N.D.                                               | 0.5         | 1         | ug/l         | 92       |           | 77-120          |     |         |
| Batch number: P122631AA     | Sample number(s): 6785587-6785588                  |             |           |              |          |           |                 |     |         |
| Xylene (Total)              | N.D.                                               | 0.5         | 1         | ug/l         | 99       |           | 77-120          |     |         |
| Batch number: 12256A94A     | Sample number(s): 6785580-6785581                  |             |           |              |          |           |                 |     |         |
| TPH-GRO N. CA water C6-C12  | N.D.                                               | 50.         | 100       | ug/l         | 105      | 105       | 75-135          | 0   | 30      |
| Batch number: 12258B20A     | Sample number(s): 6785582-6785588                  |             |           |              |          |           |                 |     |         |
| TPH-GRO N. CA water C6-C12  | N.D.                                               | 50.         | 100       | ug/l         | 100      | 100       | 75-135          | 0   | 30      |

## Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

| Analysis Name               | MS %REC                                                           | MSD %REC | MS/MSD Limits | RPD | RPD MAX | BKG Conc | DUP Conc | DUP RPD | Dup RPD Max |
|-----------------------------|-------------------------------------------------------------------|----------|---------------|-----|---------|----------|----------|---------|-------------|
| Batch number: F122592AA     | Sample number(s): 6785585 UNSPK: 6785585                          |          |               |     |         |          |          |         |             |
| Benzene                     | 92                                                                | 93       | 72-134        | 1   | 30      |          |          |         |             |
| Ethylbenzene                | 97                                                                | 98       | 71-134        | 1   | 30      |          |          |         |             |
| Methyl Tertiary Butyl Ether | 96                                                                | 98       | 72-126        | 1   | 30      |          |          |         |             |
| Toluene                     | 95                                                                | 95       | 80-125        | 0   | 30      |          |          |         |             |
| Xylene (Total)              | 97                                                                | 99       | 79-125        | 3   | 30      |          |          |         |             |
| Batch number: F122612AA     | Sample number(s): 6785580-6785584, 6785586-6785588 UNSPK: P785727 |          |               |     |         |          |          |         |             |
| Benzene                     | 93                                                                | 94       | 72-134        | 1   | 30      |          |          |         |             |
| Ethylbenzene                | 97                                                                | 97       | 71-134        | 0   | 30      |          |          |         |             |
| Methyl Tertiary Butyl Ether | 97                                                                | 98       | 72-126        | 0   | 30      |          |          |         |             |
| Toluene                     | 94                                                                | 96       | 80-125        | 2   | 30      |          |          |         |             |

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron

Group Number: 1335032

Reported: 09/21/12 at 09:14 AM

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

| Analysis Name           | MS<br>%REC                                       | MSD<br>%REC | MS/MSD<br>Limits | RPD | RPD<br>MAX | BKG<br>Conc | DUP<br>Conc | DUP<br>RPD | Dup RPD<br>Max |
|-------------------------|--------------------------------------------------|-------------|------------------|-----|------------|-------------|-------------|------------|----------------|
| Xylene (Total)          | 98                                               | 99          | 79-125           | 0   | 30         |             |             |            |                |
| Batch number: P122631AA | Sample number(s): 6785587-6785588 UNSPK: P787226 |             |                  |     |            |             |             |            |                |
| Xylene (Total)          | 103                                              | 105         | 79-125           | 1   | 30         |             |             |            |                |

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: F122592AA

|         | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 6785585 | 106                  | 101                   | 99         | 98                   |
| Blank   | 106                  | 101                   | 99         | 98                   |
| LCS     | 103                  | 100                   | 98         | 100                  |
| MS      | 103                  | 100                   | 97         | 102                  |
| MSD     | 104                  | 100                   | 99         | 103                  |

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: F122612AA

|         | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 6785580 | 108                  | 101                   | 97         | 95                   |
| 6785581 | 106                  | 97                    | 98         | 102                  |
| 6785582 | 106                  | 97                    | 99         | 102                  |
| 6785583 | 105                  | 97                    | 99         | 103                  |
| 6785584 | 104                  | 97                    | 99         | 104                  |
| 6785586 | 103                  | 99                    | 100        | 105                  |
| 6785587 | 103                  | 96                    | 101        | 102                  |
| 6785588 | 104                  | 98                    | 99         | 100                  |
| Blank   | 108                  | 99                    | 98         | 96                   |
| LCS     | 105                  | 99                    | 98         | 103                  |
| MS      | 105                  | 98                    | 98         | 101                  |
| MSD     | 107                  | 100                   | 98         | 101                  |

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: P122631AA

|       | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|-------|----------------------|-----------------------|------------|----------------------|
| Blank | 95                   | 98                    | 102        | 91                   |
| LCS   | 99                   | 105                   | 101        | 93                   |
| MS    | 95                   | 101                   | 101        | 95                   |
| MSD   | 95                   | 102                   | 103        | 94                   |

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 09/21/12 at 09:14 AM

Group Number: 1335032

### Surrogate Quality Control

Limits: 80-116 77-113 80-113 78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 12256A94A  
Trifluorotoluene-F

|         |    |
|---------|----|
| 6785580 | 90 |
| 6785581 | 85 |
| Blank   | 73 |
| LCS     | 92 |
| LCSD    | 91 |

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 12258B20A  
Trifluorotoluene-F

|         |     |
|---------|-----|
| 6785582 | 114 |
| 6785583 | 106 |
| 6785584 | 87  |
| 6785585 | 75  |
| 6785586 | 127 |
| 6785587 | 99  |
| 6785588 | 104 |
| Blank   | 78  |
| LCS     | 88  |
| LCSD    | 90  |

Limits: 63-135

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

**CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY ■ 6111 BOLLINGER CANYON RD. ■ SAN RAMON, CA 94583**

**CHAIN OF CUSTODY FORM**

COC 1 of 1

Chevron Site Number: 90260  
 Chevron Site Global ID: T0600100315  
 Chevron Site Address: 21995 Foothill Blvd.  
Hayward, CA  
 Chevron PM: CATALINA DEVINE  
 Chevron PM Phone No.: (925)790-3949  
☒ Retail and Terminal Business Unit (RTBU) Job  
☒ Construction/Retail Job

Chevron Consultant: CRA  
 Address: 5900 Hollis St. Suite A Emeryville, CA  
 Consultant Contact: Nathan Lee  
 Consultant Phone No. 510-420-3333  
 Consultant Project No. 120910-PH1  
 Sampling Company: Blaine Tech Services  
 Sampled By (Print): Patrick Harner  
 Sampler Signature: [Signature]

**Charge Code: NWRTB-0090260-0-OML**  
**NWRTB 00SITE NUMBER-0- WBS**  
**(WBS ELEMENTS:**  
 SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L  
 SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L  
**THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.**

**Lancaster Laboratories**  
☒ Lancaster, PA  
 Lab Contact: Jill Parker  
 2425 New Holland Pike,  
 Lancaster, PA 17601  
 Phone No: (717)656-2300

Other Lab  
 Temp. Blank Check Time Temp.  
998 4.5  
1080 4.5  
1220 4.5  
1320 4.5

| ANALYSES REQUIRED                                   |                                               |                                               |                                              |                                                   |                                               |                                             |                                               |                                              |                                              |                                             |                                           | Preservation Codes                                                                                                                                                                                                                                    |
|-----------------------------------------------------|-----------------------------------------------|-----------------------------------------------|----------------------------------------------|---------------------------------------------------|-----------------------------------------------|---------------------------------------------|-----------------------------------------------|----------------------------------------------|----------------------------------------------|---------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> EPA 8260B/GC/MS | <input checked="" type="checkbox"/> EPA 8015B | <input checked="" type="checkbox"/> EPA 8021B | <input checked="" type="checkbox"/> EPA 6010 | <input checked="" type="checkbox"/> EPA 6010/7000 | <input checked="" type="checkbox"/> EPA 150.1 | <input checked="" type="checkbox"/> SM2510B | <input checked="" type="checkbox"/> EPA 418.1 | <input checked="" type="checkbox"/> EPA 8260 | <input checked="" type="checkbox"/> EPA 8015 | <input checked="" type="checkbox"/> ETHANOL | <input checked="" type="checkbox"/> TPH-D | H = HCL T= Thiosulfate<br>N = HNO <sub>3</sub> B = NaOH<br>S = H <sub>2</sub> SO <sub>4</sub> O = Other<br>Acet# 10991<br>Grp# 1335032<br>Sample# 6785580-88<br>Special Instructions<br>Must meet lowest detection limits possible for 8260 Compounds |
| TPH-G                                               | BTEX                                          | MTBE                                          | DRO                                          | HC SCREEN                                         | ALKALINITY                                    | SPECIFIC CONDUCTIVITY                       | TRPH                                          |                                              |                                              |                                             |                                           |                                                                                                                                                                                                                                                       |

| SAMPLE ID        |        |           |                | Sample Time | # of Containers | Container Type |
|------------------|--------|-----------|----------------|-------------|-----------------|----------------|
| Field Point Name | Matrix | Top Depth | Date (yyymmdd) |             |                 |                |
| QA               | T      |           | 120910         | 0900        | 2               | VOA            |
| MW-5             | W      |           |                | 1320        | 6               |                |
| MW-11            |        |           |                | 1230        |                 |                |
| MW-12            |        |           |                | 1240        |                 |                |
| MW-16            |        |           |                | 1045        |                 |                |
| P-1              |        |           |                | 1000        |                 |                |
| DVE-9            |        |           |                | 1250        |                 |                |
| DVE-12           |        |           |                | 1310        |                 |                |
| DVE-20           |        |           |                | 1300        |                 |                |

|                                       |                       |                                  |                                       |                       |                                  |                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------|-----------------------|----------------------------------|---------------------------------------|-----------------------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Relinquished By<br><u>[Signature]</u> | Company<br><u>BTS</u> | Date/Time<br><u>9/10/12 1445</u> | Relinquished To<br><u>[Signature]</u> | Company<br><u>BTS</u> | Date/Time<br><u>9/10/12 1445</u> | Turnaround Time:<br>Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 hours <input type="checkbox"/> 72<br>Hours <input type="checkbox"/> Other <input type="checkbox"/><br>Sample Integrity: (Check by lab on arrival)<br>Intact: <input checked="" type="checkbox"/> On Ice: <input checked="" type="checkbox"/> Temp: <u>0.9</u><br>COC # |
| Relinquished By<br><u>[Signature]</u> | Company<br><u>BTS</u> | Date/Time<br><u>9/11/12 1130</u> | Relinquished To<br><u>[Signature]</u> | Company<br><u>CCI</u> | Date/Time<br><u>9/11/12 1130</u> |                                                                                                                                                                                                                                                                                                                                                                              |
| Relinquished By<br><u>[Signature]</u> | Company<br><u>CCI</u> | Date/Time<br><u>9/11/12 1330</u> | Relinquished To<br><u>[Signature]</u> | Company<br><u>CCI</u> | Date/Time<br><u>9/11/12 1330</u> |                                                                                                                                                                                                                                                                                                                                                                              |

Blank log CCI 9-12-12 935

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

|                         |                                                                                                                                                                                                                                                                                                                                                                    |                 |                                  |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------|
| <b>RL</b>               | Reporting Limit                                                                                                                                                                                                                                                                                                                                                    | <b>BMQL</b>     | Below Minimum Quantitation Level |
| <b>N.D.</b>             | none detected                                                                                                                                                                                                                                                                                                                                                      | <b>MPN</b>      | Most Probable Number             |
| <b>TNTC</b>             | Too Numerous To Count                                                                                                                                                                                                                                                                                                                                              | <b>CP Units</b> | cobalt-chloroplatinate units     |
| <b>IU</b>               | International Units                                                                                                                                                                                                                                                                                                                                                | <b>NTU</b>      | nephelometric turbidity units    |
| <b>umhos/cm</b>         | micromhos/cm                                                                                                                                                                                                                                                                                                                                                       | <b>ng</b>       | nanogram(s)                      |
| <b>C</b>                | degrees Celsius                                                                                                                                                                                                                                                                                                                                                    | <b>F</b>        | degrees Fahrenheit               |
| <b>meq</b>              | milliequivalents                                                                                                                                                                                                                                                                                                                                                   | <b>lb.</b>      | pound(s)                         |
| <b>g</b>                | gram(s)                                                                                                                                                                                                                                                                                                                                                            | <b>kg</b>       | kilogram(s)                      |
| <b>µg</b>               | microgram(s)                                                                                                                                                                                                                                                                                                                                                       | <b>mg</b>       | milligram(s)                     |
| <b>mL</b>               | milliliter(s)                                                                                                                                                                                                                                                                                                                                                      | <b>L</b>        | liter(s)                         |
| <b>m3</b>               | cubic meter(s)                                                                                                                                                                                                                                                                                                                                                     | <b>µL</b>       | microliter(s)                    |
|                         |                                                                                                                                                                                                                                                                                                                                                                    | <b>pg/L</b>     | picogram/liter                   |
| <b>&lt;</b>             | less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.                                                                                                                                                                                          |                 |                                  |
| <b>&gt;</b>             | greater than                                                                                                                                                                                                                                                                                                                                                       |                 |                                  |
| <b>ppm</b>              | parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas. |                 |                                  |
| <b>ppb</b>              | parts per billion                                                                                                                                                                                                                                                                                                                                                  |                 |                                  |
| <b>Dry weight basis</b> | Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.                                                                                                         |                 |                                  |

## Data Qualifiers:

**C** – result confirmed by reanalysis.

**J** - estimated value – The result is  $\geq$  the Method Detection Limit (MDL) and  $<$  the Limit of Quantitation (LOQ).

## U.S. EPA CLP Data Qualifiers:

| Organic Qualifiers |                                                                           | Inorganic Qualifiers |                                                         |
|--------------------|---------------------------------------------------------------------------|----------------------|---------------------------------------------------------|
| <b>A</b>           | TIC is a possible aldol-condensation product                              | <b>B</b>             | Value is $<$ CRDL, but $\geq$ IDL                       |
| <b>B</b>           | Analyte was also detected in the blank                                    | <b>E</b>             | Estimated due to interference                           |
| <b>C</b>           | Pesticide result confirmed by GC/MS                                       | <b>M</b>             | Duplicate injection precision not met                   |
| <b>D</b>           | Compound quantitated on a diluted sample                                  | <b>N</b>             | Spike sample not within control limits                  |
| <b>E</b>           | Concentration exceeds the calibration range of the instrument             | <b>S</b>             | Method of standard additions (MSA) used for calculation |
| <b>N</b>           | Presumptive evidence of a compound (TICs only)                            | <b>U</b>             | Compound was not detected                               |
| <b>P</b>           | Concentration difference between primary and confirmation columns $>25\%$ | <b>W</b>             | Post digestion spike out of control limits              |
| <b>U</b>           | Compound was not detected                                                 | <b>*</b>             | Duplicate analysis not within control limits            |
| <b>X,Y,Z</b>       | Defined in case narrative                                                 | <b>+</b>             | Correlation coefficient for MSA $<0.995$                |

**Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.