

ExxonMobil Environmental Services Company

4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sedlachek
Project Manager

RECEIVED

9:01 am, Apr 22, 2010

Alameda County
Environmental Health

ExxonMobil

April 12, 2010

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70238/2200 East 12th Street, Oakland California.

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled *Request to Remove Remediation System*, dated April 12, 2010, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details activities for the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Request to Remove Remediation System, dated April 12, 2010

cc: w/ attachment
Mr. Shay Wideman, The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



*Southern California
Northern California
Central California
Pacific Northwest
New England
Southwest
Montana
Texas*

April 12, 2010
ERI 229314BJ.L48

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT Request to Remove Remediation System
Former Exxon Service Station 70238
2200 East 12th Street, Oakland, California

Ms. Sedlachek:

At the request of ExxonMobil Environmental Services (EMES), on behalf of ExxonMobil Oil Corporation, Environmental Resolutions, Inc. (ERI) operated a dual-phase extraction (DPE) remediation system at the subject site from January 2004 to July 2008. In a submittal dated March 6, 2008, ERI evaluated operational data for the DPE remediation system and groundwater monitoring and sampling data at the site and requested authorization from the Alameda County Health Care Services Agency, Environmental Health Services (ACEH) to discontinue operation of the DPE system.

In the ACEH response letter dated July 31, 2008 (Appendix A), it was requested that the remediation system remain on site in case groundwater concentrations rebound. Since system shut down on July 29, 2008, dissolved hydrocarbon concentrations in groundwater samples collected from the monitoring wells have remained at levels that do not warrant active remediation and no significant increase in groundwater concentrations have been observed (Table 1A and 1B). ERI requests authorization to decommission the DPE system at the subject site.

ERI plans to proceed with system decommissioning activities during second quarter 2010 unless otherwise directed by the ACEH.

LIMITATIONS

For any documents cited that were not generated by ERI, the data taken from those documents is used "as is" and is assumed to be accurate. ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these documents.

This document was prepared in accordance with generally accepted standards of environmental, geological, and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Environmental Resolutions, Inc.

601 North McDowell Boulevard, Petaluma, CA 94954 | Tel: 707.766.2000 | Fax: 707.789.0414 | A/C10-611383

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.



Sincerely,
Environmental Resolutions, Inc.

Matthew T. Herman
SCANNED IMAGE

Matthew T. Herman
Project Engineer

Heidi L. Dieffenbach-Carle
SCANNED IMAGE
Heidi L. Dieffenbach-Carle
P.G. 6793

cc: Ms. Barbara Jakub, P.G., Alameda County Health Care Services Agency, Department of Environmental Health, 1131 Harbor Bay Parkway, Room 250, Alameda, California 94502-6577

Mr. Shay Wideman, The Valero Companies, P.O. Box 696000, San Antonio, Texas 78269

Enclosures:

- Table 1A Cumulative Groundwater Monitoring and Sampling Data
- Table 1B Additional Cumulative Groundwater Monitoring and Sampling Data
- Appendix A Agency Correspondence

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
Monitoring Well Samples												
MW9A	06/13/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9A	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9A	10/13/89	100.07	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9A	10/19/90	100.07	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/05/92	100.07	6.93	93.14	---	<50	---	---	1.1	1.8	0.6	1.3
MW9A	05/05/92	100.07	6.95	93.12	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	09/14/92	100.07	7.65	92.42	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	11/16/92	100.07	7.35	92.72	---	<50	---	---	1.1	<0.5	<0.5	<0.5
MW9A	02/03/93	100.07	7.85	92.22	---	140	---	---	17	19	1.6	20
MW9A	05/18/93	100.07	6.95	93.12	---	<50	---	---	0.8	<0.5	1.3	7
MW9A	08/26/93	100.07	7.14	92.93	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	11/04/93	100.07	7.23	92.84	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/04/94	100.07	6.70	93.37	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	05/31/94	100.07	6.74	93.33	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/26/94	11.46	7.06	4.40	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	05/15/95	11.46	6.32	5.14	---	<50	---	---	0.52	0.67	<0.5	<0.5
MW9A	11/02/95	11.46	7.16	4.30	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9A	04/26/96	11.46	6.33	5.13	No	---	---	---	---	---	---	---
MW9A	08/22/96	11.46	7.02	4.44	No	---	---	---	---	---	---	---
MW9A	02/24/97	11.46	---	---	---	---	---	---	---	---	---	---
MW9A	03/16/98	11.46	6.14	5.32	No	<200	40,000	---	7.9	<2.0	<2.0	<2.0
MW9A	04/21/98	11.46	6.29	5.17	No	<50	53,000	---	3.8	<0.5	<0.5	<0.5
MW9A	07/22/98	14.53	6.58	7.95	No	<250	18,000	---	<2.5	<2.5	<2.5	<2.5
MW9A	12/22/98	14.53	6.47	8.06	No	<50	5,200	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/26/99	14.53	6.38	8.15	No	<100	10,000	---	<1.0	<1.0	<1.0	<1.0
MW9A	05/27/99 a	14.53	6.56	7.97	No	<5,000	15,300	---	<50	<50	<50	<50
MW9A	08/03/99	14.53	9.39	5.14	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9A	12/03/99	14.53	6.52	8.01	No	<50	1,400	---	<0.5	<0.5	<0.5	0.67 b
MW9A	02/29/00	14.53	5.31	9.22	No	<50	20,000	---	1.2	<0.5	<0.5	<0.5
MW9A	05/18/00	14.53	6.31	8.22	No	<50	14,000	11,000	<0.5	<0.5	<0.5	<0.5
MW9A	07/24/00	14.53	6.54	7.99	No	<50	7,400	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/09/00	14.53	6.00	8.53	No	<50	2,300	---	<0.5	<0.5	<0.5	<0.5
MW9A	01/10/01	14.53	6.34	8.19	No	<50	3,700	---	<0.5	<0.5	<0.5	<0.5
MW9A	04/10/01	14.53	9.31	5.22	No	<50	11,000	---	<0.5	<0.5	<0.5	<0.5
MW9A	07/12/01	14.53	---	---	No	<50	3,600	---	<0.5	<0.5	<0.5	<0.5

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	08/17/01 c	14.53	6.61	7.92	---	---	---	---	---	---	---	---
MW9A	10/11/01	14.53	7.03	7.50	No	<50	1,700	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/11/01	14.51	Well surveyed in compliance with AB2886 requirements.									
MW9A	01/11/02	14.51	5.93	8.58	No	2,090e	31,000e	---	18.6e	<0.50	<0.50	<0.50
MW9A	04/12/02	14.51	6.41	8.10	No	34,300	32,200	---	<5.00	<5.00	<5.00	<5.00
MW9A	07/12/02	14.51	6.64	7.87	No	6,760	8,070	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/11/02	14.51	6.76	7.75	No	2,420	2,860	3,040	<0.5	<0.5	<0.5	<0.5
MW9A	01/10/03	14.51	5.90	8.61	No	38,800	51,900	---	103	15.0	<5.0	13.0
MW9A	04/09/03	14.51	6.38	8.13	No	34,200	38,600	---	14.0	<5.0	<5.0	<5.0
MW9A	07/22/03	14.51	6.56	7.95	No	20,200	19,500	---	0.50	<0.5	<0.5	<0.5
MW9A	10/01/03	14.51	6.72	7.79	No	9,460	---	7,620	0.70	<0.5	<0.5	<0.5
MW9A	01/06/04	14.51	5.89	8.62	No	8,540	11,600	---	<0.50	<0.5	<0.5	<0.5
MW9A	06/07/04	14.51	6.80	7.71	No	3,470	---	5,600	<0.50	<0.5	<0.5	<0.5
MW9A	08/30/04 d	14.51	---	---	---	---	---	---	---	---	---	---
MW9A	12/13/04	14.51	5.99	8.52	No	1,130	---	1,360	<0.50	<0.5	<0.5	<0.5
MW9A	03/14/05	14.51	6.03	8.48	No	2,150	---	2,560	0.80	<0.5	<0.5	<0.5
MW9A	06/08/05	14.51	14.33	0.18	No	1,610	---	2,040	<0.50	<0.5	<0.5	<0.5
MW9A	09/01/05	14.51	6.50	8.01	No	1,020	---	1,320	<0.50	<0.50	<0.50	<0.50
MW9A	12/09/05 i	14.51	16.50	-1.99	No	1,140	---	801	1.16	<0.50	<0.50	<0.50
MW9A	12/30/05	14.51	5.21	9.30	No	---	---	---	---	---	---	---
MW9A	03/07/06	14.51	16.01	-1.50	No	400	---	560	<2.5	<2.5	<2.5	<2.5
MW9A	06/26/06	14.51	6.10	8.41	No	390	---	430	<2.5	<2.5	<2.5	<2.5
MW9A	09/25/06	14.51	6.54	7.97	No	150	---	172	<0.50	<0.50	<0.50	<0.50
MW9A	12/15/06	14.51	16.21	-1.70	No	250k	---	190	<2.5	<2.5	<2.5	<2.5
MW9A	03/29/07	14.51	7.95	6.56	No	173	---	144	<0.50	<0.50	<0.50	0.54
MW9A	06/12/07	14.51	6.49	8.02	No	69k	---	77	<0.50	<0.50	<0.50	<0.50
MW9A	08/23/07	14.51	6.48	8.03	No	<50	---	46	<0.50	<0.50	<0.50	<0.50
MW9A	11/27/07	14.51	6.61	7.90	No	<50	---	36	<0.50	<0.50	<0.50	<0.50
MW9A	02/01/08	14.51	5.56	8.95	No	<50	---	14	<0.50	<0.50	<0.50	<0.50
MW9A	05/19/08	14.51	6.59	7.92	No	<50	---	43	<0.50	<0.50	<0.50	<0.50
MW9A	08/01/08	14.51	6.57	7.94	No	<50	---	41	<0.50	<0.50	<0.50	<0.50
MW9A	10/07/08	14.51	6.32	8.19	No	<50	---	19	<0.50	<0.50	<0.50	<0.50
MW9A	01/30/09	14.51	5.96	8.55	No	<50	---	37	<0.50	<0.50	<0.50	<0.50
MW9A	04/01/09	14.51	5.95	8.56	No	68	---	91	<0.50	<0.50	<0.50	<0.50
MW9A	07/02/09	14.51	6.11	8.40	No	<50	---	40	<0.50	<0.50	<0.50	<0.50
MW9A	01/11/10 d	14.51	---	---	---	---	---	---	---	---	---	---
MW9B	06/13/88	---	---	---	---	---	---	---	350	7.8	66	160

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9B	10/24/88	---	---	---	---	---	---	---	84	<1.0	3.1	3.2
MW9B	10/13/89	98.41	---	---	---	---	---	---	4.1	<0.5	<0.5	<3.0
MW9B	10/19/90	98.41	---	---	---	62	---	---	27	<0.5	2.3	<0.5
MW9B	02/05/92	98.41	5.95	92.46	---	60	---	---	14	<0.5	2.9	2.5
MW9B	05/05/92	98.41	5.92	92.49	---	620	---	---	180	2.4	8.4	2.2
MW9B	09/14/92	98.41	6.60	91.81	---	110	---	---	9.6	<0.5	<0.5	<0.5
MW9B	11/16/92	98.41	6.35	92.06	---	200	---	---	33	<0.5	4.2	1.4
MW9B	02/03/93	98.41	6.50	91.91	---	12,000	---	---	320	13	35	110
MW9B	05/18/93	98.41	6.42	91.99	---	180	---	---	1.1	<0.5	2.6	5.9
MW9B	08/26/93	98.41	6.28	92.13	---	180	---	---	36	<0.5	3	1.7
MW9B	11/04/93	98.41	6.23	92.18	---	98	---	---	13	<0.5	1.4	<0.5
MW9B	02/04/94	98.41	5.92	92.49	---	790	---	---	170	1.3	12	0.8
MW9B	05/31/94	98.41	9.22	89.19	---	1,000	---	---	150	2.5	8.0	2.1
MW9B	10/26/94	9.80	6.04	3.76	---	84	---	---	2.8	0.72	<0.5	<0.5
MW9B	05/15/95	9.80	5.34	4.46	---	2,800	---	---	420	25	27	6.7
MW9B	11/02/95	9.80	6.14	3.66	No	130	<10	---	3.3	<0.5	<0.5	<0.5
MW9B	04/26/96	9.80	5.66	4.14	No	270	70	---	130	2.8	6.7	<3
MW9B	08/22/96	9.80	6.16	3.64	No	210	31	---	5.7	6.8	1.1	9.2
MW9B	02/24/97	9.80	5.58	4.22	No	1,400	1,300	---	76	1.4	4.1	1.2
MW9B	03/16/98	12.83	5.32	7.51	No	860	1,500	---	140	2.0	1.1	<2.0
MW9B	04/21/98	12.83	5.49	7.34	No	1,800	18,000	---	300	<5.0	7.9	<5.0
MW9B	07/22/98	12.83	5.79	7.04	No	<500	26,000	---	13	<5.0	<5.0	<5.0
MW9B	12/22/98	12.83	5.69	7.14	No	700	21,000	---	110	3.1	9.1	14
MW9B	02/26/99	12.83	5.10	7.73	No	8,800	8,000	---	2,000	<25	52	38
MW9B	05/18/99	12.83	5.65	7.18	No	<10,000	42,100	---	158	<100	<100	<100
MW9B	08/03/99	12.83	6.24	6.59	No	960	24,900	---	<5.0	<5.0	<5.0	<5.0
MW9B	12/03/99	12.83	5.66	7.17	No	<50	1,000	---	<0.5	<0.5	<0.5	<0.5
MW9B	02/29/00	12.83	4.61	8.22	No	3,100	25,000	---	900	7	23	7.1
MW9B	05/18/00	12.83	5.54	7.29	No	780	34,000	26,000	150	<2.5	4.5	<2.5
MW9B	07/24/00	12.83	8.75	4.08	No	<250	39,000	---	8	<2.5	<2.5	<2.5
MW9B	10/09/00	12.83	4.84	7.99	No	<1,200	30,000	---	1.7	<0.5	<0.5	<0.5
MW9B	01/10/01	12.83	5.56	7.27	No	<250	32,000	---	5.3	<0.5	<0.5	<0.5
MW9B	04/10/01	12.83	5.40	7.43	No	360	27,000	---	69.0	<2.5	22.0	29.8
MW9B	07/12/01	12.83	---	---	No	<250	41,000	---	<2.5	<2.5	<2.5	<2.5
MW9B	08/17/01 c	12.83	5.83	7.00	---	---	---	---	---	---	---	---
MW9B	10/11/01	12.83	8.70	4.13	No	<250	24,000	---	<2.5	<2.5	<2.5	<2.5
MW9B	11/01/01	12.84	Well surveyed in compliance with AB2886 requirements.									
MW9B	01/11/02	12.84	5.16	7.68	No	9,170e	14,600e	---	66.0e	<10.0	54.0	<10.0

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9B	04/12/02	12.84	5.57	7.27	No	29,600	28,600	---	12.0	<5.00	<5.00	<5.00
MW9B	07/12/02	12.84	5.81	7.03	No	20,200	27,700	---	<10.0	14.0	<10.0	16.0
MW9B	10/11/02 f	12.84	5.91	6.93	No	18,900	24,300	28,200	2.3	<0.5	<0.5	<0.5
MW9B	01/10/03	12.84	5.09	7.75	No	14,900	18,600	---	118	1.0	6.5	3.6
MW9B	04/09/03	12.84	5.51	7.33	No	21,800	24,900	---	51.0	<5.0	<5.0	<5.0
MW9B	07/22/03	12.84	6.09	6.75	No	33,500	36,900	---	<0.50	<0.5	<0.5	<0.5
MW9B	10/01/03	12.84	6.16	6.68	No	25,500	---	19,100	1.10	<0.5	<0.5	<0.5
MW9B	01/06/04	12.84	5.14	7.70	No	10,400	---	15,700	16.9	1.8	18.6	1.7
MW9B	06/07/04	12.84	9.47	3.37	No	3,910	---	1,960	<0.50	<0.5	<0.5	<0.5
MW9B	08/30/04	12.84	h	h	h	954h	---	925h	<0.50h	<0.5h	<0.5	<0.5h
MW9B	12/13/04	12.84	4.96	7.88	No	233	---	140	0.90	<0.5	<0.5	<0.5
MW9B	03/14/05	12.84	5.52	7.32	No	523	---	504	<0.50	<0.5	<0.5	<0.5
MW9B	06/08/05	12.84	6.70	6.14	No	114	---	130	<0.50	<0.5	<0.5	<0.5
MW9B	09/01/05	12.84	5.92	6.92	No	90.5	---	82.6	0.55	<0.50	<0.50	<0.50
MW9B	12/09/05	12.84	8.46	4.38	No	207	---	149	<0.50	<0.50	<0.50	<0.50
MW9B	12/30/05	12.84	4.59	8.25	No	---	---	---	---	---	---	---
MW9B	03/07/06	12.84	6.41	6.43	No	98	---	64	<0.50	<0.50	<0.50	<0.50
MW9B	06/26/06	12.84	5.71	7.13	No	130	---	39	0.63	<0.50	0.53	0.53
MW9B	09/25/06	12.84	6.35	6.49	No	<50.0	---	7.40	<0.50	<0.50	<0.50	<0.50
MW9B	12/15/06	12.84	6.77	6.07	No	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9B	03/29/07	12.84	6.40	6.44	No	197	---	225	<0.50	<0.50	<0.50	0.59
MW9B	06/12/07	12.84	6.05	6.79	No	53k	---	52	<0.50	<0.50	<0.50	<0.50
MW9B	08/23/07	12.84	7.17	5.67	No	140k	---	230	<0.50	<0.50	<0.50	<0.50
MW9B	11/27/07	12.84	6.63	6.21	No	<50	---	36	<0.50	<0.50	<0.50	<0.50
MW9B	02/01/08	12.84	5.31	7.53	No	<50	---	15	<0.50	<0.50	<0.50	<0.50
MW9B	05/19/08	12.84	6.65	6.19	No	51k	---	73	<0.50	<0.50	<0.50	<0.50
MW9B	08/01/08	12.84	6.15	6.69	No	<50	---	63	<0.50	<0.50	<0.50	<0.50
MW9B	10/07/08	12.84	5.76	7.08	No	<50	---	6.3	<0.50	<0.50	<0.50	<0.50
MW9B	01/30/09	12.84	5.62	7.22	No	<50	---	4.5	<0.50	<0.50	<0.50	<0.50
MW9B	04/01/09	12.84	5.36	7.48	No	<50	---	2.8	<0.50	<0.50	<0.50	<0.50
MW9B	07/02/09	12.84	5.65	7.19	No	<50	---	1.4	<0.50	<0.50	<0.50	<0.50
MW9B	01/11/10	12.84	5.66	7.18	No	<50o	---	2.6	<0.50	<0.50	<0.50	<0.50
MW9C	06/13/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9C	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9C	10/13/89	99.73	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9C	10/19/90	99.73	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/05/92	99.73	6.44	93.29	---	<50	---	---	<0.5	<0.5	<0.5	<0.5

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	05/05/92	99.73 l	6.50	93.23	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	09/14/92	99.73 l	7.00	92.73	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/16/92	99.73 l	6.72	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/03/93	99.73 l	5.75	93.98	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/18/93	99.73 l	6.72	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	08/26/93	99.73 l	6.84	92.89	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/04/93	99.73 l	6.90	92.83	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/04/94	99.73 l	6.28	93.45	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/31/94	99.73 l	6.42	93.31	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	10/26/94	11.14	6.80	4.34	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/15/95	11.14	5.72	5.42	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/02/95	11.14	6.88	4.26	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	04/26/96	11.14	6.28	4.86	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	08/22/96	11.14	6.65	4.49	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	03/16/98	11.14	5.51	5.63	No	<500	150,000	---	24	<5.0	<5.0	<5.0
MW9C	04/21/98	11.14	5.83	5.31	No	150	130,000	150,000	<0.5	<0.5	<0.5	<0.5
MW9C	07/22/98	14.19	6.43	7.76	No	<500	95,000	---	<5.0	<5.0	<5.0	<5.0
MW9C	12/22/98	14.19	6.16	8.03	No	<500	84,000	---	<5.0	<5.0	<5.0	<5.0
MW9C	02/26/99	14.19	5.46	8.73	No	<250	55,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/99	14.19	6.27	7.92	No	<25,000	68,900	---	<250	<250	<250	<250
MW9C	08/03/99	14.19	7.13	7.06	No	210	69,200	---	<1.0	1.3	<1.0	<1.0
MW9C	12/03/99	14.19	6.17	8.02	No	290	50,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	02/29/00	14.19	4.49	9.70	No	<250	40,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/00	14.19	5.96	8.23	No	<250	46,000	33,000	<2.5	<2.5	<2.5	<2.5
MW9C	07/24/00	14.19	6.47	7.72	No	<250	44,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	10/09/00	14.19	6.57	7.62	No	<250	39,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	01/10/01	14.19	6.09	8.10	No	<250	42,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	04/10/01	14.19	7.88	6.31	No	<250	35,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	07/12/01	14.19	---	---	No	<250	32,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	08/17/01 c	14.19	6.60	7.59	---	---	---	---	---	---	---	---
MW9C	10/11/01	14.19	6.67	7.52	No	<250	53,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	11/01/01	14.16	Well surveyed in compliance with AB2886 requirements.									
MW9C	01/11/02	14.16	5.29	8.87	No	2,470e	90,000e	---	0.90e	<0.50	<0.50	<0.50
MW9C	04/12/02	14.16	6.14	8.02	No	70,400	66,800	---	<5.00	<5.00	<5.00	<5.00
MW9C	07/12/02	14.16	6.54	7.62	No	50,900	58,300	---	<500	<500	<500	<500
MW9C	10/11/02	14.16	6.73	7.43	No	52,100	58,800	76,000	<10.0	<10.0	<10.0	<10.0
MW9C	01/10/03	14.16	5.21	8.95	No	40,600	55,500	---	<0.5	<0.5	<0.5	<0.5
MW9C	04/09/03	14.16	6.08	8.08	No	24,700	29,600	---	<5.00	<5.0	<5.0	<5.0

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	07/22/03	14.16	6.47	7.69	No	13,800	13,100	---	1.40	<0.5	<0.5	<0.5
MW9C	10/01/03	14.16	6.62	7.54	No	9,100	---	38,400	0.70	<0.5	<0.5	<0.5
MW9C	01/06/04	14.16	4.86	9.30	No	4,160	---	5,020	0.70	<0.5	<0.5	<0.5
MW9C	06/07/04	14.16	7.35	6.81	No	4,480	---	3,420	<0.50	<0.5	<0.5	<0.5
MW9C	08/30/04	14.16	h	h	h	1,950h	---	1,950h	<0.50h	<0.5h	<0.5h	<0.5h
MW9C	12/13/04	14.16	5.03	9.13	No	610	---	705	<0.50	<0.5	<0.5	<0.5
MW9C	03/14/05	14.16	5.63	8.53	No	906	---	1,110	<0.50	<0.5	<0.5	<0.5
MW9C	06/08/05	14.16	12.75	1.41	No	854	---	1,100	<0.50	<0.5	<0.5	<0.5
MW9C	09/01/05	14.16	6.95	7.21	No	361	---	409	<0.50	<0.50	<0.50	<0.50
MW9C	12/09/05	14.16	7.54	6.62	No	217	---	171	<0.50	<0.50	<0.50	<0.50
MW9C	12/30/05	14.16	4.21	9.95	No	---	---	---	---	---	---	---
MW9C	03/07/06	14.16	12.48	1.68	No	320	---	480	<2.0	<2.0	<2.0	<2.0
MW9C	06/26/06	14.16	6.36	7.80	No	350	---	300	<2.0	<2.0	<2.0	<2.0
MW9C	09/25/06	14.16	6.71	7.45	No	136	---	234	<0.50	<0.50	<0.50	<0.50
MW9C	12/15/06	14.16	12.21	1.95	No	190k	---	260	<1.0	<1.0	<1.0	<1.0
MW9C	03/29/07	14.16	12.30	1.86	No	483	---	396	<0.50	<0.50	<0.50	<0.50
MW9C	06/12/07	14.16	6.97	7.19	No	200k	---	250	<1.0	<1.0	<1.0	<1.0
MW9C	08/23/07	14.16	6.84	7.32	No	55k	---	51	<0.50	<0.50	<0.50	<0.50
MW9C	11/27/07	14.16	11.73	2.43	No	170k	---	230	<1.0	<1.0	<1.0	<1.0
MW9C	02/01/08	14.16	11.22	2.94	No	77k	---	130	<0.50	<0.50	<0.50	0.77
MW9C	05/19/08	14.16	10.70	3.46	No	75k	---	110	<0.50	<0.50	<0.50	<0.50
MW9C	08/01/08	14.16	7.24	6.92	No	61k	---	89	<0.50	<0.50	<0.50	<0.50
MW9C	10/07/08	14.16	6.67	7.49	No	120	---	150	<5.0	<5.0	<5.0	<5.0
MW9C	01/30/09	14.16	6.08	8.08	No	80	---	130	<0.50	<0.50	<0.50	<0.50
MW9C	04/01/09	14.16	5.98	8.18	No	91	---	12	<0.50	<0.50	<0.50	<0.50
MW9C	07/02/09	14.16	6.45	7.71	No	<50	---	69	<2.0	<2.0	<2.0	<2.0
MW9C	01/11/10	14.16	6.17	7.99	No	100	---	110	<0.50	<0.50	<0.50	<0.50
MW9D	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9D	10/13/89	101.46 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9D	10/19/90	101.46 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/05/92	101.46 l	7.78	93.68	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/05/92	101.46 l	7.90	93.56	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	09/14/92	101.46 l	8.45	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/16/92	101.46 l	8.10	93.36	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/03/93	101.46 l	7.07	94.39	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/93	101.46 l	7.85	93.61	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/26/93	101.46 l	8.30	93.16	---	<50	---	---	<0.5	<0.5	<0.5	<0.5

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9D	11/04/93	101.46 l	8.33	93.13	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/04/94	101.46 l	7.66	93.80	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/31/94	101.46 l	6.80	94.66	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/26/94	12.90	8.34	4.56	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/15/95	12.90	7.22	5.68	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/02/95	12.90	8.31	4.59	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/26/96	12.90	7.58	5.32	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/22/96	12.90	8.12	4.78	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	03/16/98	12.90	6.94	5.96	No	<50	10	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/21/98	12.90	7.22	5.68	No	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/22/98	15.98	7.85	8.13	No	<50	13	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/22/98	15.98	7.58	8.40	No	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/26/99	15.98	6.42	9.56	No	<50	310	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/99	15.98	6.55	9.43	No	<2,500	13,500	---	<25	<25	<25	<25
MW9D	08/03/99	15.98	8.34	7.64	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/03/99	15.98	7.56	8.42	No	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/29/00	15.98	4.82	11.16	No	<50	2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/00	15.98	7.40	8.58	No	<50	6.2	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/24/00	15.98	7.91	8.07	No	<50	14	---	<0.5	<0.5	0.85	0.74
MW9D	10/09/00	15.98	8.02	7.96	No	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/01	15.98	7.26	8.72	No	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/10/01	15.98	7.32	8.66	No	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/12/01	15.98	--	--	No	<50	22	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/17/01 d	15.98	---	---	---	---	---	---	---	---	---	---
MW9D	10/11/01	15.98	8.16	7.82	No	<50	24	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/01/01	15.97	Well surveyed in compliance with AB2886 requirements.									
MW9D	01/11/02	15.97	6.64	9.33	No	352e	2.0e	---	<0.50	<0.50	<0.50	<0.50
MW9D	04/12/02	15.97	7.58	8.39	No	191	192	---	<0.50	<0.50	<0.50	<0.50
MW9D	07/12/02	15.97	8.01	7.96	No	108	124	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/11/02	15.97	8.13	7.84	No	187	243	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/03	15.97	5.98	9.99	No	386	132	---	4.1	<0.5	<0.5	<0.5
MW9D	04/09/03	15.97	7.53	8.44	No	468	292	---	3.80	<0.5	<0.5	<0.5
MW9D	07/22/03	15.97	7.87	8.10	No	446	339	---	0.70	<0.5	<0.5	<0.5
MW9D	10/01/03	15.97	8.04	7.93	No	402	---	362	<0.50	<0.5	<0.5	<0.5
MW9D	01/06/04	15.97	6.31	9.66	No	72.2	---	80.9	<0.50	<0.5	<0.5	<0.5
MW9D	06/07/04	15.97	8.17	7.80	No	237	---	353	<0.50	<0.5	<0.5	<0.5
MW9D	08/30/04 d	15.97	---	---	---	---	---	---	---	---	---	---
MW9D	12/13/04	15.97	5.39	10.58	No	379	---	353	4.80	0.7	<0.5	0.9

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9D	03/14/05	15.97	6.93	9.04	No	<50.0	---	13.8	<0.50	<0.5	<0.5	<0.5
MW9D	06/08/05	15.97	8.83	7.14	No	<50.0	---	57.2	<0.50	<0.5	<0.5	<0.5
MW9D	09/01/05	15.97	7.99	7.98	No	64.3	---	51.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/09/05	15.97	7.96	8.01	No	56.3	---	33.0	<0.50	<0.50	<0.50	<0.50
MW9D	12/30/05 d	15.97	---	---	---	---	---	---	---	---	---	---
MW9D	03/07/06	15.97	6.19	9.78	No	<50	---	9.3	<0.50	<0.50	<0.50	<0.50
MW9D	06/26/06	15.97	7.68	8.29	No	<50	---	9.7	<0.50	<0.50	<0.50	<0.50
MW9D	09/25/06	15.97	8.00	7.97	No	<50.0	---	13.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/15/06	15.97	6.91	9.06	No	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9D	03/29/07	15.97	8.53	7.44	No	<50	---	6.91	<0.50	<0.50	<0.50	<0.50
MW9D	06/12/07	15.97	8.21	7.76	No	<50	---	9.8	<0.50	<0.50	<0.50	<0.50
MW9D	08/23/07	15.97	8.27	7.70	No	<50	---	15	<0.50	<0.50	<0.50	<0.50
MW9D	11/27/07	15.97	8.67	7.30	No	<50	---	21	<0.50	<0.50	<0.50	<0.50
MW9D	02/01/08	15.97	6.24	9.73	No	<50	---	4.7	<0.50	<0.50	<0.50	<0.50
MW9D	05/19/08	15.97	8.64	7.33	No	<0.50	---	9.2	<0.50	<0.50	<0.50	<0.50
MW9D	08/01/08	15.97	8.45	7.52	No	<50	---	13	<0.50	<0.50	<0.50	<0.50
MW9D	10/07/08	15.97	8.00	7.97	No	<50	---	14	<0.50	<0.50	<0.50	<0.50
MW9D	01/30/09	15.97	7.42	8.55	No	<50	---	7.3	<0.50	<0.50	<0.50	<0.50
MW9D	04/01/09	15.97	7.34	8.63	No	<50	---	2.2	<0.50	<0.50	<0.50	<0.50
MW9D	07/02/09	15.97	7.71	8.26	No	<50	---	2.4	<0.50	<0.50	<0.50	<0.50
MW9D	01/11/10	15.97	7.13	8.84	No	<50	---	2.6	<0.50	<0.50	<0.50	<0.50
MW9E	10/24/88	---	---	---	---	---	---	---	1.3	<1.0	<2.0	<1.0
MW9E	10/13/89	---	---	---	---	---	---	---	15	<0.5	2.1	<3.0
MW9E	10/19/90	---	---	---	---	<50	---	---	4.0	<0.5	0.9	<0.5
MW9E	Oct-90	Well destroyed.										
MW9F	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9F	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9F	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/05/92	96.96 l	5.81	91.15	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/05/92	96.96 l	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	09/14/92	96.96 l	---	---	---	---	---	---	---	---	---	---
MW9F	11/16/92	96.96 l	5.82	91.14	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/03/93	96.96 l	5.55	91.41	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/93	96.96 l	5.86	91.10	---	---	---	---	---	---	---	---
MW9F	05/19/93	96.96 l	---	---	---	<50	---	---	<0.5	---	1.2	6.8

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9F	08/26/93	96.96 l	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/04/93	96.96 l	5.96	91.00	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/04/94	96.96 l	5.68	91.28	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/31/94	96.96 l	5.76	91.20	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/26/94	8.37	5.96	2.41	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/15/95	8.37	5.52	2.85	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/02/95	8.37	6.60	1.77	---	---	---	---	---	---	---	---
MW9F	04/26/96	8.37	6.50	1.87	No	<50	57	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/22/96	8.37	5.74	2.63	No	<50	5.8	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/24/97	8.37	---	---	No	<50	<30	---	<0.5	<0.5	<0.5	<0.5
MW9F	03/16/98	8.37	---	---	No	---	---	---	---	---	---	---
MW9F	04/21/98	8.37	---	---	---	---	---	---	---	---	---	---
MW9F	07/22/98	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	12/22/98	11.38	5.47	5.91	No	<50	81	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/26/99	11.38	5.35	6.03	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/99	11.38	5.62	5.76	No	<50	61.6	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/03/99	11.38	6.32	5.06	No	<50	3.10	---	<0.5	<0.5	<0.5	<0.5
MW9F	12/03/99	11.38	5.59	5.79	No	<50	<2	---	<0.5	<0.5	0.71	<0.5
MW9F	02/29/00	11.38	4.70	6.68	No	<50	52	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/00	11.38	5.37	6.01	No	<50	65	---	<0.5	<0.5	<0.5	<0.5
MW9F	07/24/00	11.38	5.65	5.73	No	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/09/00	11.38	5.71	5.67	No	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9F	01/10/01	11.38	4.30	7.08	No	<50	140	---	<0.5	<0.5	<0.5	<0.5
MW9F	04/10/01	11.38	5.20	6.18	No	<50	50	---	<0.5	<0.5	<0.5	<0.5
MW9F	07/12/01	11.38	--	--	No	<50	190	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/17/01 d	11.38	--	--	--	--	--	---	--	--	--	--
MW9F	10/11/01	11.38	5.82	5.56	No	<50	260	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/01/01	11.38	Well surveyed in compliance with AB2886 requirements.									
MW9F	01/11/02	11.38	5.12	6.26	No	<100	67.0e	---	<1.00	<1.00	<1.00	<1.00
MW9F	04/12/02	11.38	5.50	5.88	No	55.9	58.6	---	<0.50	<0.50	<0.50	<0.50
MW9F	07/12/02	11.38	5.65	5.73	No	102	121	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/11/02	11.38	5.67	5.71	No	99.9	128	138	<0.5	<0.5	<0.5	<0.5
MW9F	01/10/03	11.38	5.09	6.29	No	<50.0	45.5	---	<0.5	<0.5	<0.5	<0.5
MW9F	04/09/03	11.38	5.39	5.99	No	<50.0	50.8	---	<0.50	<0.5	<0.5	<0.5
MW9F	07/22/03	11.38	5.52	5.86	No	82.3	64.0	---	<0.50	<0.5	<0.5	<0.5
MW9F	10/01/03	11.38	5.59	5.79	No	67.0	---	56.4	<0.50	<0.5	<0.5	<0.5
MW9F	01/06/04	11.38	5.21	6.17	No	<50.0	---	36.7	<0.50	<0.5	<0.5	<0.5
MW9F	06/07/04	11.38	6.03	5.35	No	<50.0	---	20.5	<0.50	<0.5	<0.5	<0.5

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9F	08/30/04	11.38	h	h	h	<50.0h	--	14.0h	<0.50h	<0.5h	<0.5h	<0.5h
MW9F	12/13/04	11.38	4.80	6.58	No	<50.0	--	13.4	<0.50	<0.5	<0.5	<0.5
MW9F	03/14/05	11.38	5.10	6.28	No	<50.0	--	4.20	<0.50	<0.5	<0.5	<0.5
MW9F	06/08/05	11.38	5.38	6.00	No	<50.0	--	8.70	<0.50	<0.5	<0.5	<0.5
MW9F	09/01/05	11.38	5.53	5.85	No	<50.0	---	19.6	<0.50	<0.50	<0.50	<0.50
MW9F	12/09/05 j	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	12/30/05	11.38	4.81	6.57	No	<50.0	---	7.01	<0.50	<0.50	<0.50	<0.50
MW9F	03/07/06 j	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	06/26/06 j	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	09/25/06	11.38	5.56	5.82	No	<50.0	---	6.52	<0.50	<0.50	<0.50	<0.50
MW9F	12/15/06	11.38	5.10	6.28	No	<50	---	7.2	<0.50	<0.50	<0.50	<0.50
MW9F	03/29/07- Present j											
MW9G	12/06/88	---	---	---	---	---	---	---	0.8	<1.0	<2.0	<1.0
MW9G	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9G	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/05/92	98.51	5.59	92.92	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/05/92	98.51	5.60	92.91	---	<50	---	---	1.5	3.8	1	4.7
MW9G	09/14/92	98.51	---	---	---	---	---	---	---	---	---	---
MW9G	11/16/92	98.51	5.78	92.73	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/03/93	98.51	5.05	93.46	---	64	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/93	98.51	5.62	92.89	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	08/26/93	98.51	5.86	92.65	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	11/04/93	98.51	5.96	92.55	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/04/94	98.51	5.48	93.03	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/31/94	98.51	5.50	93.01	---	---	---	---	---	---	---	---
MW9G	10/26/94	9.95	5.76	4.19	---	---	---	---	---	---	---	---
MW9G	05/15/95	9.95	4.88	5.07	---	---	---	---	---	---	---	---
MW9G	11/02/95	9.95	5.92	4.03	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9G	04/26/96	9.95	5.28	4.67	No	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9G	08/22/96	9.95	5.57	4.38	No	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/24/97	9.95	5.30	4.65	No	<50	240	---	<0.5	0.57	<0.5	0.62
MW9G	03/16/98	9.95	---	---	---	---	---	---	---	---	---	---
MW9G	04/21/98	9.95	---	---	---	---	---	---	---	---	---	---
MW9G	07/22/98	12.99	---	---	---	---	---	---	---	---	---	---
MW9G	12/22/98	12.99	5.28	7.71	No	<50	1,100	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/26/99	12.99	5.31	7.68	No	<50	50	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/99	12.99	5.18	7.81	No	<1,000	3,990	---	<10	<10	<10	<10

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9G	08/03/99	12.99	6.00	6.99	No	<50	1,340	---	<0.5	<0.5	<0.5	<0.5
MW9G	12/03/99	12.99	5.27	7.72	No	<50	<2	---	<0.5	<0.5	<0.5	0.55 b
MW9G	02/29/00	12.99	4.60	8.39	No	<50	7,900	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/00	12.99	5.16	7.83	No	<50	2,400	---	<0.5	<0.5	<0.5	<0.5
MW9G	07/24/00	12.99	5.20	7.79	No	<50	1,000	---	<0.5	<0.5	<0.5	<0.5
MW9G	10/09/00	12.99	5.26	7.73	No	<50	180	---	<0.5	<0.5	<0.5	<0.5
MW9G	01/10/01	12.99	5.18	7.81	No	<50	1,200	---	<0.5	<0.5	<0.5	<0.5
MW9G	04/10/01	12.99	5.08	7.91	No	<50	9,100	---	<0.5	<0.5	<0.5	<0.5
MW9G	07/12/01	12.99	--	--	No	<50	3,000	---	<0.5	<0.5	<0.5	<0.5
MW9G	08/17/01 d	12.99	---	---	---	---	---	---	---	---	---	---
MW9G	10/11/01	12.99	5.48	7.51	No	<50	1,600	---	<0.5	<0.5	<0.5	<0.5
MW9G	11/01/01	12.98	Well surveyed in compliance with AB2886 requirements.									
MW9G	01/11/02	12.98	4.97	8.01	No	419e	945e	---	<0.50	<0.50	<0.50	<0.50
MW9G	04/12/02	12.98	5.12	7.86	No	10,700	11,000	---	<0.50	<0.50	<0.50	<0.50
MW9G	07/12/02	12.98	5.31	7.67	No	2,310	3,140	---	<0.5	<0.5	<0.5	<0.5
MW9G	10/11/02	12.98	5.39	7.59	No	1,630	2,040	2,090	<0.5	<0.5	<0.5	<0.5
MW9G	01/10/03	12.98	4.90	8.08	No	367	566	---	<0.5	<0.5	<0.5	<0.5
MW9G	04/09/03	12.98	5.15	7.83	No	3,730	3,990	---	<0.50	<0.5	<0.5	<0.5
MW9G	07/22/03	12.98	5.30	7.68	No	1,070	968	---	<0.50	<0.5	<0.5	<0.5
MW9G	10/01/03	12.98	5.41	7.57	No	1,300	---	1,570	<0.50	<0.5	<0.5	<0.5
MW9G	01/06/04	12.98	4.92	8.06	No	568	---	918	<0.50	<0.5	<0.5	<0.5
MW9G	06/07/04	12.98	5.49	7.49	No	457	---	324	<0.50	<0.5	<0.5	<0.5
MW9G	08/30/04	12.98	h	h	h	428h	---	369h	<0.50h	<0.5h	<0.5h	<0.5h
MW9G	12/13/04	12.98	5.01	7.97	No	1,030	---	1,030	<0.50	<0.5	<0.5	<0.5
MW9G	03/14/05	12.98	4.98	8.00	No	395	---	451	<0.50	<0.5	<0.5	<0.5
MW9G	06/08/05	12.98	5.54	7.44	No	333	---	404	<0.50	<0.5	<0.5	<0.5
MW9G	09/01/05	12.98	6.35	6.63	No	218	---	308	<0.50	<0.50	<0.50	0.63
MW9G	12/09/05 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	12/30/05	12.98	4.83	8.15	No	75.3	---	69.9	<0.50	<0.50	<0.50	<0.50
MW9G	03/07/06 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	06/26/06 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	09/25/06	12.98	8.41	4.57	No	94.5	---	180	<0.50	<0.50	<0.50	<0.50
MW9G	12/15/06	12.98	5.30	7.68	No	50k	---	52	<0.50	<0.50	<0.50	<0.50
MW9G	03/29/07- Present j											
MW9H	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9H	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9H	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9H	02/05/92	97.14	7.70	89.44	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/05/92	97.14	8.12	89.02	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	09/14/92	97.14	---	---	---	---	---	---	---	---	---	---
MW9H	11/16/92	97.14	---	---	---	---	---	---	---	---	---	---
MW9H	02/03/93	97.14	7.72	89.42	---	280	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/93	97.14	8.12	89.02	---	<50	---	---	<0.5	<0.5	1.1	6.4
MW9H	08/26/93	97.14	8.14	89.00	---	<50	---	---	0.8	<0.5	<0.5	<0.5
MW9H	11/04/93	97.14	8.15	88.99	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/04/94	97.14	7.98	89.16	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/31/94	97.14	8.80	88.34	---	<50	---	---	0.92	1.1	<0.5	0.86
MW9H	10/26/94	8.58	8.12	0.46	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/15/95	8.58	7.88	0.70	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/02/95	8.58	8.40	0.18	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9H	04/26/96	8.58	8.05	0.53	No	---	---	---	---	---	---	---
MW9H	08/22/96	8.58	8.17	0.41	No	---	---	---	---	---	---	---
MW9H	02/24/97	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	03/16/98	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	04/21/98	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	07/22/98	11.61	---	---	---	---	---	---	---	---	---	---
MW9H	12/22/98	11.61	7.81	3.80	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/26/99	11.61	7.61	4.00	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/99	11.61	8.00	3.61	No	<50	3.98	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/03/99	11.61	6.05	5.56	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	12/03/99	11.61	5.32	6.29	No	<50	<2	---	<0.5	<0.5	<0.5	0.57 b
MW9H	02/29/00	11.61	7.10	4.51	No	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/00	11.61	7.84	3.77	No	<50	9.7	---	<0.5	<0.5	<0.5	<0.5
MW9H	07/24/00	11.61	7.94	3.67	No	<50	17	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/09/00	11.61	8.09	3.52	No	<50	13	---	<0.5	<0.5	<0.5	1.1
MW9H	01/10/01	11.61	7.89	3.72	No	<50	11	---	<0.5	<0.5	<0.5	0.5
MW9H	04/10/01	11.61	8.71	2.90	No	<50	44	---	<0.5	0.78	0.52	2.36
MW9H	07/12/01	11.61	---	---	No	<50	28	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/17/01 d	11.61	---	---	---	---	---	---	---	---	---	---
MW9H	10/11/01	11.61	8.15	3.46	No	<50	30	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/01/01	11.59	Well surveyed in compliance with AB2886 requirements.									
MW9H	01/11/02	11.59	7.48	4.11	No	<50.0	20.5e	---	<0.50	<0.50	<0.50	<0.50
MW9H	04/12/02	11.59	7.68	3.91	No	<50.0	32.8	---	<0.50	<0.50	<0.50	<0.50
MW9H	07/12/02	11.59	8.06	3.53	No	<50.0	34.6	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/11/02	11.59	7.83	3.76	No	<50.0	33.1	28.7	<0.5	<0.5	<0.5	<0.5

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9H	01/10/03	11.59	7.39	4.20	No	<50.0	16.0	---	0.5	0.8	0.6	1.8
MW9H	04/09/03	11.59	7.69	3.90	No	<50.0	26.8	---	<0.50	<0.5	<0.5	<0.5
MW9H	07/22/03	11.59	7.94	3.65	No	55.3	34.7	---	<0.50	<0.5	<0.5	<0.5
MW9H	10/01/03	11.59	7.93	3.66	No	<50.0	---	32.3	<0.50	<0.5	<0.5	0.9
MW9H	01/06/04	11.59	7.27	4.32	No	<50.0	---	10	<0.50	<0.5	<0.5	<0.5
MW9H	06/07/04	11.59	7.99	3.60	No	50.6	---	71.7	<0.50	<0.5	<0.5	<0.5
MW9H	08/30/04	11.59	h	h	h	64.2h	---	51.0h	<0.50h	<0.5h	<0.50h	<0.5h
MW9H	12/13/04	11.59	7.22	4.37	No	<50.0	---	14.0	<0.50	<0.5	0.5	1.2
MW9H	03/14/05	11.59	6.96	4.63	No	<50.0	---	27.4	<0.50	<0.5	<0.5	<0.5
MW9H	06/08/05	11.59	7.53	4.06	No	52.6	---	68.8	<0.50	<0.5	<0.5	<0.5
MW9H	09/01/05	11.59	7.82	3.77	No	140	---	71.6	<0.50	<0.50	<0.50	<0.50
MW9H	12/09/05 j	---	---	---	---	---	---	---	---	---	---	---
MW9H	12/30/05	11.59	7.27	4.32	No	<50.0	---	13.7	<0.50	<0.50	<0.50	<0.50
MW9H	03/07/06 j	11.59	---	---	---	---	---	---	---	---	---	---
MW9H	06/26/06 j	11.59	---	---	---	---	---	---	---	---	---	---
MW9H	09/25/06	11.59	7.96	3.63	No	59.5	---	71.0	<0.50	<0.50	<0.50	<0.50
MW9H	12/15/06	11.59	7.42	4.17	No	57	---	21	<0.50	<0.50	<0.50	<0.50
MW9H	03/29/07- Present j											
MW9I	11/15/90	---	---	---	---	55	---	---	4.0	1.1	1.2	2.2
MW9I	02/05/92	98.66 l	5.56	93.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/05/92	98.66 l	5.60	93.06	---	<50	---	---	0.9	<0.5	<0.5	0.7
MW9I	09/14/92	98.66 l	6.12	92.54	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	11/16/92	98.66 l	5.82	92.84	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/03/93	98.66 l	4.92	93.74	---	240	---	---	46	1.1	2.3	2.1
MW9I	05/18/93	98.66 l	5.60	93.06	---	79	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/26/93	98.66 l	5.91	92.75	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	11/04/93	98.66 l	6.03	92.63	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/04/94	98.66 l	5.37	93.29	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/31/94	98.66 l	5.46	93.20	---	240	---	---	0.66	0.63	<0.5	1.4
MW9I	10/26/94	10.11	5.88	4.23	---	150	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/15/95	10.11	4.94	5.17	---	56	---	---	<0.5	0.82	<0.5	<0.5
MW9I	11/02/95	10.11	6.04	4.07	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9I	04/26/96	10.11	5.27	4.84	No	<50	99	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/22/96	10.11	5.66	4.45	No	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/24/97	10.11	5.24	4.87	No	120	9,100	---	<0.5	<0.5	<0.5	<0.5
MW9I	03/16/98	10.11	4.91	5.20	No	<200	59,000	---	13	<2.0	<2.0	<2.0
MW9I	04/21/98	10.11	5.08	5.03	No	<500	59,000	---	<5.0	<5.0	<5.0	<5.0

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9I	07/22/98	13.14	5.44	7.70	No	<500	62,000	---	<5.0	<5.0	<5.0	<5.0
MW9I	12/22/98	13.14	5.32	7.82	No	200	51,000	---	1.7	<0.5	<0.5	<0.5
MW9I	02/26/99	13.14	4.71	8.43	No	<500	9,700	---	<5.0	<5.0	<5.0	<5.0
MW9I	05/18/99	13.14	5.30	7.84	No	<1,000	3,730	---	<10	<10	<10	<10
MW9I	08/03/99	13.14	5.98	7.16	No	<50	21,900	---	<0.5	0.650	<0.5	<0.5
MW9I	12/03/99	13.14	5.31	7.83	No	<250	2,000	---	3.9	2.9	<2.5	14
MW9I	02/29/00	13.14	4.20	8.94	No	50	16,000	---	0.74	<0.5	<0.5	<0.5
MW9I	05/18/00	13.14	5.12	8.02	No	<50	2,900	---	<0.5	<0.5	<0.5	<0.5
MW9I	07/24/00	13.14	5.41	7.73	No	<250	43,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	10/09/00	13.14	5.41	7.73	No	<2,500	54,000	---	1.6	<0.5	<0.5	<0.5
MW9I	01/10/01	13.14	5.24	7.90	No	<250	36,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	04/10/01	13.14	4.84	8.30	No	<50	4,800	---	<0.5	<0.5	<0.5	<0.5
MW9I	07/12/01	13.14	---	---	No	<50	8,400	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/17/01	13.14	6.49	6.65	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	10/11/01	13.14	5.64	7.50	No	<250	38,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	11/01/01	13.13	Well surveyed in compliance with AB2886 requirements.									
MW9I	01/11/02	13.13	4.80	8.33	No	1,330e	5,400e	---	4.80e	<0.50	<0.50	<0.50
MW9I	04/12/02	13.13	5.22	7.91	No	1,460	1,480	---	<0.50	<0.50	<0.50	<0.50
MW9I	07/12/02	13.13	5.50	7.63	No	4,460	6,490	---	<0.5	<0.5	<0.5	<0.5
MW9I	10/11/02	13.13	5.35	7.78	No	31,300	37,700	51,000	<5.0	<5.0	<5.0	<5.0
MW9I	01/10/03	13.13	4.75	8.38	No	4,820	6,180	---	9.4	0.7	1.1	1.3
MW9I	04/09/03	13.13	5.15	7.98	No	2,130	1,510	---	22.3	1.9	1.5	1.5
MW9I	07/22/03	13.13	5.50	7.63	No	2,330	2,540	---	1.60	<0.5	<0.5	<0.5
MW9I	10/01/03	13.13	5.65	7.48	No	6,080	---	4,610	1.00	<0.5	<0.5	<0.5
MW9I	01/06/04	13.13	4.50	8.63	No	175	---	61.3	0.90	<0.5	0.5	<0.5
MW9I	06/07/04	13.13	6.87	6.26	No	4,620	---	3,410	<0.50	<0.5	<0.5	<0.5
MW9I	08/30/04	13.13	h	h	h	817h	---	847h	<0.50h	<0.5h	<0.5h	<0.5h
MW9I	12/13/04	13.13	4.47	8.66	No	<50.0	---	14.4	<0.50	<0.5	<0.5	<0.5
MW9I	03/14/05	13.13	5.05	8.08	No	96.7	---	44.9	<0.50	<0.5	<0.5	<0.5
MW9I	06/08/05	13.13	6.47	6.66	No	1,230	---	321	<0.50	<0.5	<0.5	0.8
MW9I	09/01/05	13.13	5.60	7.53	No	170	---	62.3	1.22	0.77	<0.50	<0.50
MW9I	12/09/05	13.13	6.82	6.31	No	78.3	---	81.0	<0.50	0.58	<0.50	<0.50
MW9I	12/30/05	13.13	4.23	8.90	No	---	---	---	---	---	---	---
MW9I	03/07/06	13.13	5.08	8.05	No	<50	---	0.96	<0.50	<0.50	<0.50	<0.50
MW9I	06/26/06	13.13	5.30	7.83	No	<50	---	3.7	<0.50	<0.50	<0.50	<0.50
MW9I	09/25/06	13.13	6.17	6.96	No	50.9	---	24.0	<0.50	<0.50	<0.50	<0.50
MW9I	12/15/06	13.13	5.45	7.68	No	<50	---	0.59	<0.50	<0.50	<0.50	<0.50
MW9I	03/29/07	13.13	6.35	6.78	No	<50	---	1.15	<0.50	<0.50	<0.50	0.62

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9I	06/12/07	13.13	5.87	7.26	No	<50	---	0.53	<0.50	<0.50	<0.50	<0.50
MW9I	08/23/07	13.13	6.14	6.99	No	<50	---	0.86	<0.50	<0.50	<0.50	<0.50
MW9I	11/27/07	13.13	6.48	6.65	No	<50	---	0.69	<0.50	<0.50	<0.50	<0.50
MW9I	02/01/08	13.13	4.28	8.85	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	05/19/08	13.13	6.29	6.84	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	08/01/08	13.13	6.01	7.12	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	10/07/08	13.13	5.59	7.54	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	01/30/09	13.13	5.05	8.08	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	04/01/09	13.13	4.99	8.14	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	07/02/09	13.13	5.42	7.71	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	01/11/10	13.13	5.18	7.95	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50

Grab Groundwater Samples

WS-02	09/20/88	---	---	---	---	25,000n	---	---	12,000n	<73m	<80m	<80m
MW-9A	09/20/88	---	---	---	---	<76n	---	---	<76m	<73m	<80m	<80m
WS-10	09/20/88	---	---	---	---	<76n	---	---	<76m	<73m	<80m	<80m
W-Comp	10/26/00	---	---	---	---	---	---	---	---	---	---	---
W-13-DP1	08/31/07	---	---	---	---	<50	---	9.5	<0.50	<0.50	<0.50	<0.50
W-15-DP2	08/27/07	---	---	---	---	<50	---	7.0	<0.50	<0.50	<0.50	<0.50
W-10-DP3	08/28/07	---	---	---	---	<50	---	16	<0.50	<0.50	<0.50	<0.50
W-15-DP3	08/28/07	---	---	---	---	160	---	270	<0.50	<0.50	<0.50	<0.50
W-19-DP6	08/31/07	---	---	---	---	1,300	---	4,800	<50	<50	<50	<50

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Notes:	
TOC	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquids.
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
Metals	= Metals analyzed using EPA Method 200.7.
µg/L	= Micrograms per liter.
ND	= Not detected at or above the stated laboratory detection limit.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	= Analyte detected in the trip blank and/or bailer blank.
c	= Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	= Well inaccessible.
e	= Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods.
f	= Sample erroneously labeled MA9B on Chain-of-Custody form and laboratory report.
g	= Insufficient sample volume to perform analyses.
h	= Groundwater elevation data invalidated; analytical results suspect.
i	= Well sampled using no-purge method.
j	= Well not gauged and/or sampled due to encroachment permit restrictions.
k	= Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	= Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.
m	= Analyzed using EPA Method 602.
n	= Analyzed using DHS Method-LUFT Field Manual.
o	= Hydrocarbon pattern does not match that of the specified standard.

**TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
Monitoring Well Samples								
MW9A	06/13/88 - 07/12/02	Not analyzed for these analytes.						
MW9A	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9A	01/10/03	---	---	---	---	---	---	---
MW9A	04/09/03	---	---	---	---	---	---	---
MW9A	07/22/03	---	---	---	---	---	---	---
MW9A	10/01/03	<0.50	<0.50	2.80	1,100	<0.50	<0.50	---
MW9A	01/06/04	<0.50	<0.50	4.90	11,900	<0.50	<0.50	---
MW9A	06/07/04	---	---	---	---	---	---	<2,500
MW9A	08/30/04 d	---	---	---	---	---	---	---
MW9A	12/13/04	---	---	---	---	---	---	---
MW9A	03/14/05	<0.50	<0.50	1.00	14,400	<0.50	<0.50	<50.0
MW9A	06/08/05	<0.50	<0.50	<0.50	22,400	<0.50	<0.50	<100
MW9A	09/01/05	---	---	---	---	---	---	---
MW9A	12/09/05	---	---	---	---	---	---	---
MW9A	12/30/05	---	---	---	---	---	---	---
MW9A	03/07/06	<5.0	<5.0	<5.0	5,600	<5.0	<5.0	<1,000
MW9A	06/26/06	---	---	---	---	---	---	<1,000
MW9A	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9A	12/15/06	<5.0	<5.0	<5.0	1,200	<5.0	<5.0	<1,000
MW9A	03/29/07	<0.500	<0.500	<0.500	297	<0.500	<0.500	<50.0
MW9A	06/12/07	<0.50	<0.50	<0.50	160	<0.50	<0.50	<100
MW9A	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	11/27/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	02/01/08	<0.50	<0.50	<0.50	5.0	<0.50	<0.50	<100
MW9A	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9A	01/30/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9A	04/01/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	63
MW9A	07/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9A	01/11/10 d	---	---	---	---	---	---	---
MW9B	06/13/88 - 07/12/02	Not analyzed for these analytes.						

**TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9B	10/11/02 f	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9B	01/10/03	---	---	---	---	---	---	---
MW9B	04/09/03	---	---	---	---	---	---	---
MW9B	07/22/03	---	---	---	---	---	---	---
MW9B	10/01/03	<0.50	<0.50	9.70	2,430	<0.50	<0.50	---
MW9B	01/06/04	<0.50	<0.50	9.00	11,500	0.80	<0.50	---
MW9B	06/07/04	---	---	---	---	---	---	<50.0
MW9B	08/30/04	---	---	---	---	---	---	<50.0j
MW9B	12/13/04	---	---	---	---	---	---	---
MW9B	03/14/05	<0.50	<0.50	<0.50	4,800	<0.50	<0.50	<50.0
MW9B	06/08/05	<0.50	<0.50	<0.50	2,320	<0.50	<0.50	<100
MW9B	09/01/05	---	---	---	---	---	---	---
MW9B	12/09/05	---	---	---	---	---	---	---
MW9B	12/30/05	---	---	---	---	---	---	---
MW9B	03/07/06	<0.50	<0.50	<0.50	1,200	<0.50	<0.50	---
MW9B	06/26/06	---	---	---	---	---	---	---
MW9B	09/25/06	<0.500	<0.500	<0.500	70.1	<0.500	<0.500	---
MW9B	12/15/06	<0.50	<0.50	<0.50	56	<0.50	<0.50	---
MW9B	03/29/07	<0.500	<0.500	<0.500	734	<0.500	<0.500	---
MW9B	06/12/07	<0.50	<0.50	<0.50	270	<0.50	<0.50	---
MW9B	08/23/07	<5.0	<5.0	<5.0	520	<5.0	<5.0	---
MW9B	11/27/07	<0.50	<0.50	<0.50	51	<0.50	<0.50	---
MW9B	02/01/08	<0.50	<0.50	<0.50	29	<0.50	<0.50	<100
MW9B	05/19/08	<0.50	<0.50	<0.50	23	<0.50	<0.50	---
MW9B	08/01/08	<0.50	<0.50	<0.50	16	<0.50	<0.50	---
MW9B	10/07/08	<0.50	<0.50	<0.50	9.4	<0.50	<0.50	<50
MW9B	01/30/09	<0.50	<0.50	<0.50	12	<0.50	<0.50	<50
MW9B	04/01/09	<0.50	<0.50	<0.50	10	<0.50	<0.50	---
MW9B	07/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9B	01/11/10	<0.50	<0.50	<0.50	5.1	<0.50	<0.50	---
MW9C	06/13/88 - 07/12/02	Not analyzed for these analytes.						
MW9C	10/11/02	<0.50	<0.50	34.3	<10.0	<0.50	<0.50	---
MW9C	01/10/03	---	---	---	---	---	---	---
MW9C	04/09/03	---	---	---	---	---	---	---
MW9C	07/22/03	---	---	---	---	---	---	---

**TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9C	10/01/03	<0.50	<0.50	2.70	38,400	<0.50	<0.50	---
MW9C	01/06/04	<0.50	<0.50	2.50	90,700	0.80	<0.50	---
MW9C	06/07/04	---	---	---	---	---	---	<50.0
MW9C	08/30/04	---	---	---	---	---	---	<50.0j
MW9C	12/13/04	---	---	---	---	---	---	---
MW9C	03/14/05	<0.50	<0.50	<0.50	674	<0.50	<0.50	<50.0
MW9C	06/08/05	<0.50	<0.50	<0.50	817	<0.50	<0.50	<100
MW9C	09/01/05	---	---	---	---	---	---	---
MW9C	12/09/05	---	---	---	---	---	---	---
MW9C	12/30/05	---	---	---	---	---	---	---
MW9C	03/07/06	<2.5	<2.5	<2.5	160	<2.5	<2.5	---
MW9C	06/26/06	---	---	---	---	---	---	---
MW9C	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9C	12/15/06	<2.5	<2.5	<2.5	<60	<2.5	<2.5	---
MW9C	03/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9C	06/12/07	<2.5	<2.5	<2.5	<100	<2.5	<2.5	---
MW9C	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	11/27/07	<1.0	<1.0	<1.0	<20	<1.0	<1.0	---
MW9C	02/01/08	<1.0	<1.0	<1.0	<10	<1.0	<1.0	---
MW9C	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	10/07/08	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW9C	01/30/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9C	04/01/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9C	07/02/09	<2.0	<2.0	<2.0	<20	<2.0	<2.0	---
MW9C	01/11/10	<0.50	<0.50	<0.50	6.4	<0.50	<0.50	---
MW9D	10/24/88 - 07/12/02	Not analyzed for these analytes.						
MW9D	10/11/02 g	---	---	---	---	---	---	---
MW9D	01/10/03	---	---	---	---	---	---	---
MW9D	04/09/03	---	---	---	---	---	---	---
MW9D	07/22/03	---	---	---	---	---	---	---
MW9D	10/01/03	<0.50	<0.50	<0.50	235	<0.50	<0.50	---
MW9D	01/06/04	<0.50	<0.50	<0.50	51.8	<0.50	<0.50	---
MW9D	06/07/04	---	---	---	---	---	---	<50.0
MW9D	08/30/04 h	---	---	---	---	---	---	---

**TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9D	12/13/04	---	---	---	---	---	---	---
MW9D	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9D	06/08/05	<0.50	<0.50	<0.50	57.8	<0.50	<0.50	<100
MW9D	09/01/05	---	---	---	---	---	---	---
MW9D	12/09/05	---	---	---	---	---	---	---
MW9D	12/30/05 d	---	---	---	---	---	---	---
MW9D	03/07/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9D	06/26/06	---	---	---	---	---	---	---
MW9D	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9D	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	---
MW9D	03/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9D	06/12/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW9D	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	11/27/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	02/01/08	<0.50	<0.50	<0.50	5.1	<0.50	<0.50	---
MW9D	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9D	01/30/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9D	04/01/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9D	07/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9D	01/11/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9E	10/24/88 - 10/19/90	Not analyzed for these analytes.						
MW9E	Oct-90	Well destroyed.						
MW9F	12/06/88 - 07/12/02	Not analyzed for these analytes.						
MW9F	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9F	01/10/03	---	---	---	---	---	---	---
MW9F	04/09/03	---	---	---	---	---	---	---
MW9F	07/22/03	---	---	---	---	---	---	---
MW9F	10/01/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9F	01/06/04	<0.50	<0.50	<0.50	13.7	<0.50	<0.50	---
MW9F	06/07/04	---	---	---	---	---	---	<50.0
MW9F	08/30/04	---	---	---	---	---	---	<50.0j
MW9F	12/13/04	---	---	---	---	---	---	---

**TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9F	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9F	06/08/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW9F	09/01/05	---	---	---	---	---	---	---
MW9F	12/09/05 j	---	---	---	---	---	---	---
MW9F	12/30/05	---	---	---	---	---	---	---
MW9F	03/07/06 j	---	---	---	---	---	---	---
MW9F	06/26/06 j	---	---	---	---	---	---	---
MW9F	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9F	12/15/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW9F	03/29/07 - Present j							
MW9G	12/06/88 - 07/12/02	Not analyzed for these analytes.						
MW9G	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9G	01/10/03	---	---	---	---	---	---	---
MW9G	04/09/03	---	---	---	---	---	---	---
MW9G	07/22/03	---	---	---	---	---	---	---
MW9G	10/01/03	<0.50	<0.50	<0.50	17.1	<0.50	<0.50	---
MW9G	01/06/04	<0.50	<0.50	<0.50	367	<0.50	<0.50	---
MW9G	06/07/04	---	---	---	---	---	---	<50.0
MW9G	08/30/04	---	---	---	---	---	---	<50.0j
MW9G	12/13/04	---	---	---	---	---	---	---
MW9G	03/14/05	<0.50	<0.50	<0.50	569	<0.50	<0.50	<50.0
MW9G	06/08/05	<0.50	<0.50	<0.50	150	<0.50	<0.50	<100
MW9G	09/01/05	---	---	---	---	---	---	---
MW9G	12/09/05 j	---	---	---	---	---	---	---
MW9G	12/30/05	---	---	---	---	---	---	---
MW9G	03/07/06 j	---	---	---	---	---	---	---
MW9G	06/26/06 j	---	---	---	---	---	---	---
MW9G	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9G	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	---
MW9G	03/29/07 - Present j							
MW9H	12/06/88 - 10/19/90	Not analyzed for these analytes.						
MW9H	11/02/95	<50	<10	---	---	---	<0.5	<0.5
MW9H	04/26/96 - 07/12/02	Not analyzed for these analytes.						
MW9H	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---

**TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9H	01/10/03	---	---	---	---	---	---	---
MW9H	04/09/03	---	---	---	---	---	---	---
MW9H	07/22/03	---	---	---	---	---	---	---
MW9H	10/01/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9H	01/06/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9H	06/07/04	---	---	---	---	---	---	<50.0
MW9H	08/30/04	---	---	---	---	---	---	<50.0j
MW9H	12/13/04	---	---	---	---	---	---	---
MW9H	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9H	06/08/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW9H	09/01/05	---	---	---	---	---	---	---
MW9H	12/09/05 j	---	---	---	---	---	---	---
MW9H	12/30/05	---	---	---	---	---	---	---
MW9H	03/07/06 j	---	---	---	---	---	---	---
MW9H	06/26/06 j	---	---	---	---	---	---	---
MW9H	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9H	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	---
MW9H	03/29/07 - Present j							
MW9I	11/15/90 - 07/12/02	Not analyzed for these analytes.						
MW9I	10/11/02	<0.50	<0.50	24.1	<10.0	<0.50	<0.50	---
MW9I	01/10/03	---	---	---	---	---	---	---
MW9I	04/09/03	---	---	---	---	---	---	---
MW9I	07/22/03	---	---	---	---	---	---	---
MW9I	10/01/03	<0.50	<0.50	1.50	30,300	<0.50	<0.50	---
MW9I	01/06/04	<0.50	<0.50	<0.50	377	<0.50	<0.50	---
MW9I	06/07/04	---	---	---	---	---	---	<50.0
MW9I	08/30/04	---	---	---	---	---	---	<50.0j
MW9I	12/13/04	---	---	---	---	---	---	---
MW9I	03/14/05	<0.50	<0.50	<0.50	1,640	<0.50	<0.50	<50.0
MW9I	06/08/05	<0.50	<0.50	<0.50	47,000	<0.50	<0.50	<100
MW9I	09/01/05	---	---	---	---	---	---	---
MW9I	12/09/05	---	---	---	---	---	---	---
MW9I	12/30/05	---	---	---	---	---	---	---
MW9I	03/07/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW9I	06/26/06	---	---	---	---	---	---	<100

**TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9I	09/25/06	<0.500	<0.500	<0.500	10,300	<0.500	<0.500	<50.0
MW9I	12/15/06	<0.50	<0.50	<0.50	730	<0.50	<0.50	<100
MW9I	03/29/07	<0.500	<0.500	<0.500	632	<0.500	<0.500	<50.0
MW9I	06/12/07	<0.50	<0.50	<0.50	140	<0.50	<0.50	---
MW9I	08/23/07	<0.50	<0.50	<0.50	90	<0.50	<0.50	<100
MW9I	11/27/07	<0.50	<0.50	<0.50	15	<0.50	<0.50	<100
MW9I	02/01/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW9I	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9I	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9I	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9I	01/30/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9I	04/01/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9I	07/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9I	01/11/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
Grab Groundwater Samples								
WS-02	09/20/88	---	---	---	---	---	---	---
MW-9A	09/20/88	---	---	---	---	---	---	---
WS-10	09/20/88	---	---	---	---	---	---	---
W-Comp	10/26/00	---	---	---	---	---	---	---
W-13-DP1	08/31/07	ND	ND	ND	<10	ND	ND	---
W-15-DP2	08/27/07	ND	ND	ND	<10	ND	ND	---
W-10-DP3	08/28/07	ND	ND	ND	<10	ND	ND	---
W-15-DP3	08/28/07	ND	ND	ND	67	ND	ND	---
W-19-DP6	08/31/07	ND	ND	ND	2,900	ND	ND	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Notes:	
TOC	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquids.
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
Metals	= Metals analyzed using EPA Method 200.7.
µg/L	= Micrograms per liter.
ND	= Not detected at or above the stated laboratory detection limit.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	= Analyte detected in the trip blank and/or bailer blank.
c	= Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	= Well inaccessible.
e	= Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods.
f	= Sample erroneously labeled MA9B on Chain-of-Custody form and laboratory report.
g	= Insufficient sample volume to perform analyses.
h	= Groundwater elevation data invalidated; analytical results suspect.
i	= Well sampled using no-purge method.
j	= Well not gauged and/or sampled due to encroachment permit restrictions.
k	= Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	= Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.
m	= Analyzed using EPA Method 602.
n	= Analyzed using DHS Method-LUFT Field Manual.
o	= Hydrocarbon pattern does not match that of the specified standard.

APPENDIX A
AGENCY CORRESPONDENCE



ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

RECEIVED
AUG 06 2008

July 31, 2008

BY:

Jennifer Sedlachek
ExxonMobil
4096 Piedmont, Ave., #194
Oakland, CA 94611

Subject: Fuel Leak Case No. RO0000390 and Geotracker Global ID T0600101343, Exxon 7-0238, 2200 East 12th St., Oakland, CA

Dear Ms. Sedlachek:

Alameda County Environmental Health (ACEH) staff has reviewed case file for the site including the most recently submitted documents entitled *Addendum to the Work Plan for Additional Soil and Groundwater Investigation* dated June 4, 2007, *Groundwater Monitoring and Remediation Status Report* dated May 15, 2008 and the *Notification of Remediation System Shut Down* dated July 17, 2008 prepared by Environmental Resolutions, Inc. (ERI). The addendum addresses ACEH's comments to the April 10, 2007 work plan and proposes borings to delineate both the vertical and horizontal extent of hydrocarbons and oxygenates both on and off-site and recommends updating the site conceptual model (SCM).

The remediation reports indicate that dissolved petroleum hydrocarbons and oxygenate concentrations have reached asymptotic levels at concentrations near or below the detection levels and the remaining concentrations in water have declined to maximum concentrations of 77 micrograms per liter ($\mu\text{g}/\text{L}$) total petroleum hydrocarbons as gasoline (TPHg), $<0.50 \mu\text{g}/\text{L}$ benzene 130 $\mu\text{g}/\text{L}$ methyl tertiary butyl ether and 29 $\mu\text{g}/\text{L}$ tertiary butyl alcohol (TBA), levels that no longer justify active remediation.

ACEH generally concurs with both the proposed scope of work and the conclusions presented in the report and requests that you address the following technical comments, perform the proposed scope of work, and send us the technical report requested below. The proposed scope of work may be implemented provided that the modifications requested in the technical comments below are addressed and incorporated during field implementation. Submittal of a revised work plan is not required.

TECHNICAL COMMENTS

1. **Soil Borings.** In addition to collecting continuous core and submitting samples every 5 feet, please also sample and analyze at each lithologic change and at intervals where staining, odor, or elevated PID readings are observed for your list of proposed analytes.

Include plots of the contaminant plumes on your maps, cross-sections, diagrams, and update your SCM in the report requested below.

2. **Post Remediation Monitoring.** Please begin post remediation monitoring at the site but ensure that the system remains on-site in case groundwater concentrations rebound significantly. ACEH also requests that you continue to pursue the off-site encroachment permits for the three monitoring wells so downgradient concentrations can be assessed quarterly.

TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Barbara Jakub), according to the schedule presented below:

1. **November 28, 2008** – Soil and Water Investigation Report, including updated SCM.

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

ACEH's Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of reports in electronic form. The electronic copy replaces paper copies and is expected to be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program FTP site are provided on the attached "Electronic Report Upload Instructions." Submission of reports to the Alameda County FTP site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for all groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitoring wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, these same reporting requirements were added to Spills, Leaks, Investigations, and Cleanup (SLIC) sites. Beginning July 1, 2005, electronic submittal of a complete copy of all reports for all sites is required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.swrcb.ca.gov/ust/electronic_submittal/report_rqmts.shtml).

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the

Ms. Jennifer Sedlachek
RO0000390
July 31, 2008
Page 3

attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

Ms. Jennifer Sedlachek
RO0000390
July 31, 2008
Page 4

If you have any questions, please call me at (510) 639-1287 or send me an electronic mail message at barbara.jakub@acgov.org.

Sincerely,



Barbara J. Jakub, P.G.
Hazardous Materials Specialist

Enclosures: ACEH Electronic Report Upload (ftp) Instructions

cc: Paula Sime, ERI, 601 N McDowell Blvd., Petaluma, CA 94954
Mr. Robert Ehlers, The Valero Companies, 685 West Third, Hanford, CA 93230
Leroy Griffin, Oakland Fire Department, 250 Frank H. Ogawa Plaza, Ste. 3341, Oakland,
CA 94612-2032
Donna Drogos, ACEH
Barbara Jakub, ACEH
File

Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC)	ISSUE DATE: July 5, 2005
	REVISION DATE: December 16, 2005
	PREVIOUS REVISIONS: October 31, 2005
SECTION: Miscellaneous Administrative Topics & Procedures	SUBJECT: Electronic Report Upload (ftp) Instructions

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities.

REQUIREMENTS

- Entire report including cover letter must be submitted to the ftp site as a **single portable document format (PDF) with no password protection**. (Please do not submit reports as attachments to electronic mail.)
- It is **preferable** that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- Signature pages and perjury statements **must** be included and have either original or electronic signature.
- **Do not password protect the document**. Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. **Documents with password protection will not be accepted.**
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:
RO#_Report Name_Year-Month-Date (e.g., RO#5555_WorkPlan_2005-06-14)

Additional Recommendations

- A separate copy of the tables in the document should be submitted by e-mail to your Caseworker in Excel format. These are for use by assigned Caseworker only.

Submission Instructions

- 1) Obtain User Name and Password:
 - a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
 - i) Send an e-mail to dehloptoxic@acgov.org
or
 - ii) Send a fax on company letterhead to (510) 337-9335, to the attention of Alicia Lam-Finneke.
 - b) In the subject line of your request, be sure to include "**ftp PASSWORD REQUEST**" and in the body of your request, include the **Contact Information, Site Addresses, and the Case Numbers (RO# available in Geotracker) you will be posting for.**
- 2) Upload Files to the ftp Site
 - a) Using Internet Explorer (IE4+), go to <ftp://alcoftp1.acgov.org>
 - (i) Note: Netscape and Firefox browsers will not open the FTP site.
 - b) Click on File, then on Login As.
 - c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
 - d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
 - e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.
- 3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs
 - a) Send email to dehloptoxic@acgov.org notify us that you have placed a report on our ftp site.
 - b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name at acgov.org. (e.g., firstname.lastname@acgov.org)
 - c) The subject line of the e-mail must start with the RO# followed by **Report Upload**. (e.g., Subject: RO1234 Report Upload)