

ExxonMobil Refining & Supply Company
Global Remediation – US Retail
4096 Piedmont Avenue #194
Oakland, California 94611
510.547.8196
510.547.8706 Fax
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek
Project Manager



November 29, 2007

Mr. Steven Plunkett
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RECEIVED

1:25 pm, Dec 10, 2007

Alameda County
Environmental Health

RE: Former Exxon RAS #70238/2200 East 12th Street, Oakland California.

Dear Mr. Plunkett:

Attached for your review and comment is a copy of the letter report entitled *Groundwater Monitoring and Remediation Status Report, Third Quarter 2007*, dated November 29, 2007, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring and sampling activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,

A handwritten signature in blue ink, appearing to read "J. Sedlachek".

Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Groundwater Monitoring and Remediation Status Report, Third Quarter 2007, dated November 29, 2007

cc: w/ attachment
Mr. Chuck Headlee, California Regional Water Quality Control Board, San Francisco Bay Region
Mr. Robert C. Ehlers, M.S., P.E., The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



*Southern California
Northern California
Pacific Northwest
Southwest
Texas
Montana*

November 29, 2007
ERI 229311.Q073

Ms. Jennifer C. Sedlachek
ExxonMobil Refining & Supply - Global Remediation
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT Groundwater Monitoring and Remediation Status Report, Third Quarter 2007
Former Exxon Service Station 70238
2200 East 12th Street, Oakland, California

**Bay Area Air Quality Management District Permit to Operate No. 15044
East Bay Municipal Utility District Discharge Permit No. 5051679-1**

INTRODUCTION

At the request of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) performed third quarter 2007 groundwater monitoring and sampling activities at the subject site. This report covers select activities from July 11, 2007, through October 12, 2007. Relevant tables, plates, and attachments are included at the end of this report. Currently, the site operates as a Valero-branded service station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling dates:	08/23/07
Wells gauged and sampled:	MW9A through MW9D, MW9I
Presence of NAPL:	Not observed
Remediation system status on sampling date:	Active
Laboratory:	TestAmerica Analytical Testing Corporation Morgan Hill, California
Analyses performed:	EPA Method 8015B TPHg EPA Method 8021B BTEX EPA Method 8260B MTBE, ETBE, DIPE, TAME, 1,2-DCA, EDB, TBA EPA Method 8206B ethanol (select samples)
Waste disposal:	55 gallons of purge and decon water transferred to remediation system on 08/23/07

Environmental Resolutions, Inc.

601 North McDowell Blvd., Petaluma, CA 94954-2312 | Tel: 707.766.2000 | Fax: 707.789.0414 | Contractor # A/C10-611383

REMEDIATION SYSTEM SUMMARY

Dual-Phase Extraction System

The dual-phase extraction (DPE) system simultaneously extracts soil vapor and groundwater from four DPE wells (DPE1 through DPE4) and one groundwater monitoring well (MW9A). In May 2005, groundwater monitoring well MW9A was connected to the DPE system. Extracted soil vapor is abated using vapor-phase granular activated carbon (GAC) contained in two 400-pound vessels, prior to emission to the atmosphere in compliance with a Bay Area Air Quality Management District (BAAQMD) Permit to Operate. Groundwater extracted by the DPE system is processed through two sediment filters and three 1,000-pound liquid-phase GAC vessels prior to discharge to the sanitary sewer under provisions of an East Bay Municipal Utility District (EBMUD) discharge permit. On a monthly basis, ERI collects soil vapor and water samples from influent, intermediate, and effluent sample ports. The DPE system's abatement device was retrofitted on April 10, 2007, from a catalytic oxidizer to two 400-pound GAC vessels arranged in series.

System start-up dates:	<u>DPE System, Vapor-Phase</u>	March 2004
	<u>DPE System, Liquid-Phase</u>	January 2004
System discharge permits:	<u>DPE System, Vapor-Phase</u>	BAAQMD Permit No.15044
	<u>DPE System, Liquid-Phase</u>	EBMUD Wastewater Permit No. 5051679-1
System reporting period:		07/11/07 – 10/12/07
System modifications during reporting period:		None
System status during reporting period:		Active
Laboratories:		TestAmerica Analytical Testing Corporation Nashville, Tennessee Calscience Environmental Laboratories, Inc. Garden Grove, California
Analyses Performed:	<u>DPE System, Vapor-Phase</u>	
	EPA Method 18M	TPHg, BTEX, MTBE
	EPA TO-3(M)	TPHg
	EPA TO-15M	BTEX, MTBE
	<u>DPE System, Liquid-Phase</u>	
	EPA Method 8015B	TPHg
EPA Method 8021B	BTEX, MTBE	

System Performance:

DPE System, Vapor-Phase

Period	Mass of TPHg Removed (Pounds)	Mass of MTBE Removed (Pounds)	Mass of Benzene Removed (Pounds)
07/11/07 – 10/12/07	<19.13	<0.268	<0.166
To Date:	<1,298.50	<49.810	<11.598

DPE System, Liquid-Phase

Period	Volume of Groundwater Treated (gal)	Mass of TPHg Removed (pounds)	Mass of Benzene Removed (pounds)	Mass of MTBE Removed (pounds)
07/11/07 – 10/12/07	53,210	<0.022	<0.00022	0.0021
To Date:	780,580	<1.8877	<0.0154	<1.1275

CONCLUSIONS AND RECOMMENDATIONS

Groundwater elevations, groundwater flow direction, and dissolved-phase petroleum hydrocarbon concentrations are consistent with the historical data for the site. ERI will continue to pursue access to off-site wells MW9F, MW9G, and MW9H with the City of Oakland.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Mr. Steven Plunkett
 Alameda County Health Care Services Agency
 Department of Environmental Health
 1131 Harbor Bay Parkway, Room 250
 Alameda, California 94502-6577


Mr. Chuck Headlee
 California Regional Water Quality Control Board
 San Francisco Bay Region
 1515 Clay Street, Suite 1400
 Oakland, California 94612

Mr. Robert C. Ehlers, M.S., P.E.
 The Valero Companies
 Environmental Liability Management
 685 West Third Street
 Hanford, California 93230

LIMITATIONS

This report was prepared in accordance with generally accepted standards of environmental practice in California at the time this investigation was performed. This report has been prepared for Exxon Mobil, and any reliance on this report by third parties shall be at such party's sole risk.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.



Sincerely,
Environmental Resolutions, Inc.

Karen L. Navarro

Karen L. Navarro
Technical Writer

Heidi Dieffenbach-Carle

Heidi Dieffenbach-Carle
P.G. 6793

Attachments:	Table 1A:	Cumulative Groundwater Monitoring and Sampling Data
	Table 1B:	Additional Cumulative Groundwater Monitoring and Sampling Data
	Table 2:	Well Construction Details
	Table 3:	Operation and Performance Data for Dual-Phase Extraction System, Vapor-Phase
	Table 4:	Operation and Performance Data for Dual-Phase Extraction System, Liquid-Phase
	Plate 1:	Site Vicinity Map
	Plate 2:	Select Analytical Results
	Plate 3:	Groundwater Elevation Map
	Attachment A:	Groundwater Sampling Protocol
	Attachment B:	Laboratory Analytical Reports and Chain-of-Custody Records
	Attachment C:	ERI SOP-25: "Hydrocarbons Removed from a Vadose Well"

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 1 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	06/13/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9A	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9A	10/13/89	100.07 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9A	10/19/90	100.07 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/05/92	100.07 l	6.93	93.14	---	<50	---	---	1.1	1.8	0.6	1.3
MW9A	05/05/92	100.07 l	6.95	93.12	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	09/14/92	100.07 l	7.65	92.42	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	11/16/92	100.07 l	7.35	92.72	---	<50	---	---	1.1	<0.5	<0.5	<0.5
MW9A	02/03/93	100.07 l	7.85	92.22	---	140	---	---	17	19	1.6	20
MW9A	05/18/93	100.07 l	6.95	93.12	---	<50	---	---	0.8	<0.5	1.3	7
MW9A	08/26/93	100.07 l	7.14	92.93	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	11/04/93	100.07 l	7.23	92.84	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/04/94	100.07 l	6.70	93.37	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	05/31/94	100.07 l	6.74	93.33	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/26/94	11.46	7.06	4.40	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	05/15/95	11.46	6.32	5.14	---	<50	---	---	0.52	0.67	<0.5	<0.5
MW9A	11/02/95	11.46	7.16	4.30	NLPH	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9A	04/26/96	11.46	6.33	5.13	NLPH	---	---	---	---	---	---	---
MW9A	08/22/96	11.46	7.02	4.44	NLPH	---	---	---	---	---	---	---
MW9A	02/24/97	11.46	---	---	---	---	---	---	---	---	---	---
MW9A	03/16/98	11.46	6.14	5.32	NLPH	<200	40,000	---	7.9	<2.0	<2.0	<2.0
MW9A	04/21/98	11.46	6.29	5.17	NLPH	<50	53,000	---	3.8	<0.5	<0.5	<0.5
MW9A	07/22/98	14.53	6.58	7.95	NLPH	<250	18,000	---	<2.5	<2.5	<2.5	<2.5
MW9A	12/22/98	14.53	6.47	8.06	NLPH	<50	5,200	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/26/99	14.53	6.38	8.15	NLPH	<100	10,000	---	<1.0	<1.0	<1.0	<1.0
MW9A	05/27/99 a	14.53	6.56	7.97	NLPH	<5,000	15,300	---	<50	<50	<50	<50
MW9A	08/03/99	14.53	9.39	5.14	NLPH	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9A	12/03/99	14.53	6.52	8.01	NLPH	<50	1,400	---	<0.5	<0.5	<0.5	0.67 b
MW9A	02/29/00	14.53	5.31	9.22	NLPH	<50	20,000	---	1.2	<0.5	<0.5	<0.5
MW9A	05/18/00	14.53	6.31	8.22	NLPH	<50	14,000	11,000	<0.5	<0.5	<0.5	<0.5
MW9A	07/24/00	14.53	6.54	7.99	NLPH	<50	7,400	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/09/00	14.53	6.00	8.53	NLPH	<50	2,300	---	<0.5	<0.5	<0.5	<0.5
MW9A	01/10/01	14.53	6.34	8.19	NLPH	<50	3,700	---	<0.5	<0.5	<0.5	<0.5
MW9A	04/10/01	14.53	9.31	5.22	NLPH	<50	11,000	---	<0.5	<0.5	<0.5	<0.5
MW9A	07/12/01	14.53	---	---	NLPH	<50	3,600	---	<0.5	<0.5	<0.5	<0.5
MW9A	08/17/01 c	14.53	6.61	7.92	---	---	---	---	---	---	---	---
MW9A	10/11/01	14.53	7.03	7.50	NLPH	<50	1,700	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/11/01	14.51	Well surveyed in compliance with AB2886 requirements.									
MW9A	01/11/02	14.51	5.93	8.58	NLPH	2,090e	31,000e	---	18.6e	<0.50	<0.50	<0.50
MW9A	04/12/02	14.51	6.41	8.10	NLPH	34,300	32,200	---	<5.00	<5.00	<5.00	<5.00
MW9A	07/12/02	14.51	6.64	7.87	NLPH	6,760	8,070	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/11/02	14.51	6.76	7.75	NLPH	2,420	2,860	3,040	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 2 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	01/10/03	14.51	5.90	8.61	NLPH	38,800	51,900	---	103	15.0	<5.0	13.0
MW9A	04/09/03	14.51	6.38	8.13	NLPH	34,200	38,600	---	14.0	<5.0	<5.0	<5.0
MW9A	07/22/03	14.51	6.56	7.95	NLPH	20,200	19,500	---	0.50	<0.5	<0.5	<0.5
MW9A	10/01/03	14.51	6.72	7.79	NLPH	9,460	---	7,620	0.70	<0.5	<0.5	<0.5
MW9A	01/06/04	14.51	5.89	8.62	NLPH	8,540	11,600	---	<0.50	<0.5	<0.5	<0.5
MW9A	06/07/04	14.51	6.80	7.71	NLPH	3,470	---	5,600	<0.50	<0.5	<0.5	<0.5
MW9A	08/30/04 d	14.51	---	---	---	---	---	---	---	---	---	---
MW9A	12/13/04	14.51	5.99	8.52	NLPH	1,130	---	1,360	<0.50	<0.5	<0.5	<0.5
MW9A	03/14/05	14.51	6.03	8.48	NLPH	2,150	---	2,560	0.80	<0.5	<0.5	<0.5
MW9A	06/08/05	14.51	14.33	0.18	NLPH	1,610	---	2,040	<0.50	<0.5	<0.5	<0.5
MW9A	09/01/05	14.51	6.50	8.01	NLPH	1,020	---	1,320	<0.50	<0.50	<0.50	<0.50
MW9A	12/09/05 i	14.51	16.50	-1.99	NLPH	1,140	---	801	1.16	<0.50	<0.50	<0.50
MW9A	12/30/05	14.51	5.21	9.30	NLPH	---	---	---	---	---	---	---
MW9A	03/07/06	14.51	16.01	-1.50	NLPH	400	---	560	<2.5	<2.5	<2.5	<2.5
MW9A	06/26/06	14.51	6.10	8.41	NLPH	390	---	430	<2.5	<2.5	<2.5	<2.5
MW9A	09/25/06	14.51	6.54	7.97	NLPH	150	---	172	<0.50	<0.50	<0.50	<0.50
MW9A	12/15/06	14.51	16.21	-1.70	NLPH	250k	---	190	<2.5	<2.5	<2.5	<2.5
MW9A	03/29/07	14.51	7.95	6.56	NLPH	173	---	144	<0.50	<0.50	<0.50	0.54
MW9A	06/12/07	14.51	6.49	8.02	NLPH	69k	---	77	<0.50	<0.50	<0.50	<0.50
MW9A	08/23/07	14.51	6.48	8.03	NLPH	<50	---	46	<0.50	<0.50	<0.50	<0.50
MW9B	06/13/88	---	---	---	---	---	---	---	350	7.8	66	160
MW9B	10/24/88	---	---	---	---	---	---	---	84	<1.0	3.1	3.2
MW9B	10/13/89	98.41	---	---	---	---	---	---	4.1	<0.5	<0.5	<3.0
MW9B	10/19/90	98.41	---	---	---	62	---	---	27	<0.5	2.3	<0.5
MW9B	02/05/92	98.41	5.95	92.46	---	60	---	---	14	<0.5	2.9	2.5
MW9B	05/05/92	98.41	5.92	92.49	---	620	---	---	180	2.4	8.4	2.2
MW9B	09/14/92	98.41	6.60	91.81	---	110	---	---	9.6	<0.5	<0.5	<0.5
MW9B	11/16/92	98.41	6.35	92.06	---	200	---	---	33	<0.5	4.2	1.4
MW9B	02/03/93	98.41	6.50	91.91	---	12,000	---	---	320	13	35	110
MW9B	05/18/93	98.41	6.42	91.99	---	180	---	---	1.1	<0.5	2.6	5.9
MW9B	08/26/93	98.41	6.28	92.13	---	180	---	---	36	<0.5	3	1.7
MW9B	11/04/93	98.41	6.23	92.18	---	98	---	---	13	<0.5	1.4	<0.5
MW9B	02/04/94	98.41	5.92	92.49	---	790	---	---	170	1.3	12	0.8
MW9B	05/31/94	98.41	9.22	89.19	---	1,000	---	---	150	2.5	8.0	2.1
MW9B	10/26/94	9.80	6.04	3.76	---	84	---	---	2.8	0.72	<0.5	<0.5
MW9B	05/15/95	9.80	5.34	4.46	---	2,800	---	---	420	25	27	6.7
MW9B	11/02/95	9.80	6.14	3.66	NLPH	130	<10	---	3.3	<0.5	<0.5	<0.5
MW9B	04/26/96	9.80	5.66	4.14	NLPH	270	70	---	130	2.8	6.7	<3
MW9B	08/22/96	9.80	6.16	3.64	NLPH	210	31	---	5.7	6.8	1.1	9.2
MW9B	02/24/97	9.80	5.58	4.22	NLPH	1,400	1,300	---	76	1.4	4.1	1.2
MW9B	03/16/98	12.83	5.32	7.51	NLPH	860	1,500	---	140	2.0	1.1	<2.0

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California
 (Page 3 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9B	04/21/98	12.83	5.49	7.34	NLPH	1,800	18,000	---	300	<5.0	7.9	<5.0
MW9B	07/22/98	12.83	5.79	7.04	NLPH	<500	26,000	---	13	<5.0	<5.0	<5.0
MW9B	12/22/98	12.83	5.69	7.14	NLPH	700	21,000	---	110	3.1	9.1	14
MW9B	02/26/99	12.83	5.10	7.73	NLPH	8,800	8,000	---	2,000	<25	52	38
MW9B	05/18/99	12.83	5.65	7.18	NLPH	<10,000	42,100	---	158	<100	<100	<100
MW9B	08/03/99	12.83	6.24	6.59	NLPH	960	24,900	---	<5.0	<5.0	<5.0	<5.0
MW9B	12/03/99	12.83	5.66	7.17	NLPH	<50	1,000	---	<0.5	<0.5	<0.5	<0.5
MW9B	02/29/00	12.83	4.61	8.22	NLPH	3,100	25,000	---	900	7	23	7.1
MW9B	05/18/00	12.83	5.54	7.29	NLPH	780	34,000	26,000	150	<2.5	4.5	<2.5
MW9B	07/24/00	12.83	8.75	4.08	NLPH	<250	39,000	---	8	<2.5	<2.5	<2.5
MW9B	10/09/00	12.83	4.84	7.99	NLPH	<1,200	30,000	---	1.7	<0.5	<0.5	<0.5
MW9B	01/10/01	12.83	5.56	7.27	NLPH	<250	32,000	---	5.3	<0.5	<0.5	<0.5
MW9B	04/10/01	12.83	5.40	7.43	NLPH	360	27,000	---	69.0	<2.5	22.0	29.8
MW9B	07/12/01	12.83	---	---	NLPH	<250	41,000	---	<2.5	<2.5	<2.5	<2.5
MW9B	08/17/01 c	12.83	5.83	7.00	---	---	---	---	---	---	---	---
MW9B	10/11/01	12.83	8.70	4.13	NLPH	<250	24,000	---	<2.5	<2.5	<2.5	<2.5
MW9B	11/01/01	12.84	Well surveyed in compliance with AB2886 requirements.									
MW9B	01/11/02	12.84	5.16	7.68	NLPH	9,170e	14,600e	---	66.0e	<10.0	54.0	<10.0
MW9B	04/12/02	12.84	5.57	7.27	NLPH	29,600	28,600	---	12.0	<5.00	<5.00	<5.00
MW9B	07/12/02	12.84	5.81	7.03	NLPH	20,200	27,700	---	<10.0	14.0	<10.0	16.0
MW9B	10/11/02 f	12.84	5.91	6.93	NLPH	18,900	24,300	28,200	2.3	<0.5	<0.5	<0.5
MW9B	01/10/03	12.84	5.09	7.75	NLPH	14,900	18,600	---	118	1.0	6.5	3.6
MW9B	04/09/03	12.84	5.51	7.33	NLPH	21,800	24,900	---	51.0	<5.0	<5.0	<5.0
MW9B	07/22/03	12.84	6.09	6.75	NLPH	33,500	36,900	---	<0.50	<0.5	<0.5	<0.5
MW9B	10/01/03	12.84	6.16	6.68	NLPH	25,500	---	19,100	1.10	<0.5	<0.5	<0.5
MW9B	01/06/04	12.84	5.14	7.70	NLPH	10,400	---	15,700	16.9	1.8	18.6	1.7
MW9B	06/07/04	12.84	9.47	3.37	NLPH	3,910	---	1,960	<0.50	<0.5	<0.5	<0.5
MW9B	08/30/04	12.84	h	h	h	954h	---	925h	<0.50h	<0.5h	<0.5	<0.5h
MW9B	12/13/04	12.84	4.96	7.88	NLPH	233	---	140	0.90	<0.5	<0.5	<0.5
MW9B	03/14/05	12.84	5.52	7.32	NLPH	523	---	504	<0.50	<0.5	<0.5	<0.5
MW9B	06/08/05	12.84	6.70	6.14	NLPH	114	---	130	<0.50	<0.5	<0.5	<0.5
MW9B	09/01/05	12.84	5.92	6.92	NLPH	90.5	---	82.6	0.55	<0.50	<0.50	<0.50
MW9B	12/09/05	12.84	8.46	4.38	NLPH	207	---	149	<0.50	<0.50	<0.50	<0.50
MW9B	12/30/05	12.84	4.59	8.25	NLPH	---	---	---	---	---	---	---
MW9B	03/07/06	12.84	6.41	6.43	NLPH	98	---	64	<0.50	<0.50	<0.50	<0.50
MW9B	06/26/06	12.84	5.71	7.13	NLPH	130	---	39	0.63	<0.50	0.53	0.53
MW9B	09/25/06	12.84	6.35	6.49	NLPH	<50.0	---	7.40	<0.50	<0.50	<0.50	<0.50
MW9B	12/15/06	12.84	6.77	6.07	NLPH	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9B	03/29/07	12.84	6.40	6.44	NLPH	197	---	225	<0.50	<0.50	<0.50	0.59
MW9B	06/12/07	12.84	6.05	6.79	NLPH	53k	---	52	<0.50	<0.50	<0.50	<0.50
MW9B	08/23/07	12.84	7.17	5.67	NLPH	140k	---	230	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 4 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	06/13/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9C	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9C	10/13/89	99.73	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9C	10/19/90	99.73	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/05/92	99.73	6.44	93.29	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/05/92	99.73	6.50	93.23	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	09/14/92	99.73	7.00	92.73	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/16/92	99.73	6.72	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/03/93	99.73	5.75	93.98	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/18/93	99.73	6.72	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	08/26/93	99.73	6.84	92.89	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/04/93	99.73	6.90	92.83	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/04/94	99.73	6.28	93.45	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/31/94	99.73	6.42	93.31	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	10/26/94	11.14	6.80	4.34	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/15/95	11.14	5.72	5.42	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/02/95	11.14	6.88	4.26	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	04/26/96	11.14	6.28	4.86	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	08/22/96	11.14	6.65	4.49	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	03/16/98	11.14	5.51	5.63	NLPH	<500	150,000	---	24	<5.0	<5.0	<5.0
MW9C	04/21/98	11.14	5.83	5.31	NLPH	150	130,000	150,000	<0.5	<0.5	<0.5	<0.5
MW9C	07/22/98	14.19	6.43	7.76	NLPH	<500	95,000	---	<5.0	<5.0	<5.0	<5.0
MW9C	12/22/98	14.19	6.16	8.03	NLPH	<500	84,000	---	<5.0	<5.0	<5.0	<5.0
MW9C	02/26/99	14.19	5.46	8.73	NLPH	<250	55,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/99	14.19	6.27	7.92	NLPH	<25,000	68,900	---	<250	<250	<250	<250
MW9C	08/03/99	14.19	7.13	7.06	NLPH	210	69,200	---	<1.0	1.3	<1.0	<1.0
MW9C	12/03/99	14.19	6.17	8.02	NLPH	290	50,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	02/29/00	14.19	4.49	9.70	NLPH	<250	40,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/00	14.19	5.96	8.23	NLPH	<250	46,000	33,000	<2.5	<2.5	<2.5	<2.5
MW9C	07/24/00	14.19	6.47	7.72	NLPH	<250	44,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	10/09/00	14.19	6.57	7.62	NLPH	<250	39,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	01/10/01	14.19	6.09	8.10	NLPH	<250	42,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	04/10/01	14.19	7.88	6.31	NLPH	<250	35,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	07/12/01	14.19	---	---	NLPH	<250	32,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	08/17/01 c	14.19	6.60	7.59	---	---	---	---	---	---	---	---
MW9C	10/11/01	14.19	6.67	7.52	NLPH	<250	53,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	11/01/01	14.16	Well surveyed in compliance with AB2886 requirements.									
MW9C	01/11/02	14.16	5.29	8.87	NLPH	2,470e	90,000e	---	0.90e	<0.50	<0.50	<0.50
MW9C	04/12/02	14.16	6.14	8.02	NLPH	70,400	66,800	---	<5.00	<5.00	<5.00	<5.00
MW9C	07/12/02	14.16	6.54	7.62	NLPH	50,900	58,300	---	<500	<500	<500	<500
MW9C	10/11/02	14.16	6.73	7.43	NLPH	52,100	58,800	76,000	<10.0	<10.0	<10.0	<10.0
MW9C	01/10/03	14.16	5.21	8.95	NLPH	40,600	55,500	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 5 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	04/09/03	14.16	6.08	8.08	NLPH	24,700	29,600	---	<5.00	<5.0	<5.0	<5.0
MW9C	07/22/03	14.16	6.47	7.69	NLPH	13,800	13,100	---	1.40	<0.5	<0.5	<0.5
MW9C	10/01/03	14.16	6.62	7.54	NLPH	9,100	---	38,400	0.70	<0.5	<0.5	<0.5
MW9C	01/06/04	14.16	4.86	9.30	NLPH	4,160	---	5,020	0.70	<0.5	<0.5	<0.5
MW9C	06/07/04	14.16	7.35	6.81	NLPH	4,480	---	3,420	<0.50	<0.5	<0.5	<0.5
MW9C	08/30/04	14.16	h	h	h	1,950h	---	1,950h	<0.50h	<0.5h	<0.5h	<0.5h
MW9C	12/13/04	14.16	5.03	9.13	NLPH	610	---	705	<0.50	<0.5	<0.5	<0.5
MW9C	03/14/05	14.16	5.63	8.53	NLPH	906	---	1,110	<0.50	<0.5	<0.5	<0.5
MW9C	06/08/05	14.16	12.75	1.41	NLPH	854	---	1,100	<0.50	<0.5	<0.5	<0.5
MW9C	09/01/05	14.16	6.95	7.21	NLPH	361	---	409	<0.50	<0.50	<0.50	<0.50
MW9C	12/09/05	14.16	7.54	6.62	NLPH	217	---	171	<0.50	<0.50	<0.50	<0.50
MW9C	12/30/05	14.16	4.21	9.95	NLPH	---	---	---	---	---	---	---
MW9C	03/07/06	14.16	12.48	1.68	NLPH	320	---	480	<2.0	<2.0	<2.0	<2.0
MW9C	06/26/06	14.16	6.36	7.80	NLPH	350	---	300	<2.0	<2.0	<2.0	<2.0
MW9C	09/25/06	14.16	6.71	7.45	NLPH	136	---	234	<0.50	<0.50	<0.50	<0.50
MW9C	12/15/06	14.16	12.21	1.95	NLPH	190k	---	260	<1.0	<1.0	<1.0	<1.0
MW9C	03/29/07	14.16	12.30	1.86	NLPH	483	---	396	<0.50	<0.50	<0.50	<0.50
MW9C	06/12/07	14.16	6.97	7.19	NLPH	200k	---	250	<1.0	<1.0	<1.0	<1.0
MW9C	08/23/07	14.16	6.84	7.32	NLPH	55k	---	51	<0.50	<0.50	<0.50	<0.50
MW9D	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9D	10/13/89	101.46 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9D	10/19/90	101.46 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/05/92	101.46 l	7.78	93.68	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/05/92	101.46 l	7.90	93.56	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	09/14/92	101.46 l	8.45	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/16/92	101.46 l	8.10	93.36	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/03/93	101.46 l	7.07	94.39	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/93	101.46 l	7.85	93.61	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/26/93	101.46 l	8.30	93.16	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/04/93	101.46 l	8.33	93.13	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/04/94	101.46 l	7.66	93.80	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/31/94	101.46 l	6.80	94.66	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/26/94	12.90	8.34	4.56	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/15/95	12.90	7.22	5.68	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/02/95	12.90	8.31	4.59	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/26/96	12.90	7.58	5.32	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/22/96	12.90	8.12	4.78	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	03/16/98	12.90	6.94	5.96	NLPH	<50	10	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/21/98	12.90	7.22	5.68	NLPH	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/22/98	15.98	7.85	8.13	NLPH	<50	13	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/22/98	15.98	7.58	8.40	NLPH	<50	12	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 6 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9D	02/26/99	15.98	6.42	9.56	NLPH	<50	310	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/99	15.98	6.55	9.43	NLPH	<2,500	13,500	---	<25	<25	<25	<25
MW9D	08/03/99	15.98	8.34	7.64	NLPH	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/03/99	15.98	7.56	8.42	NLPH	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/29/00	15.98	4.82	11.16	NLPH	<50	2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/00	15.98	7.40	8.58	NLPH	<50	6.2	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/24/00	15.98	7.91	8.07	NLPH	<50	14	---	<0.5	<0.5	0.85	0.74
MW9D	10/09/00	15.98	8.02	7.96	NLPH	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/01	15.98	7.26	8.72	NLPH	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/10/01	15.98	7.32	8.66	NLPH	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/12/01	15.98	--	--	NLPH	<50	22	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/17/01 d	15.98	---	---	---	---	---	---	---	---	---	---
MW9D	10/11/01	15.98	8.16	7.82	NLPH	<50	24	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/01/01	15.97	Well surveyed in compliance with AB2886 requirements.									
MW9D	01/11/02	15.97	6.64	9.33	NLPH	352e	2.0e	---	<0.50	<0.50	<0.50	<0.50
MW9D	04/12/02	15.97	7.58	8.39	NLPH	191	192	---	<0.50	<0.50	<0.50	<0.50
MW9D	07/12/02	15.97	8.01	7.96	NLPH	108	124	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/11/02	15.97	8.13	7.84	NLPH	187	243	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/03	15.97	5.98	9.99	NLPH	386	132	---	4.1	<0.5	<0.5	<0.5
MW9D	04/09/03	15.97	7.53	8.44	NLPH	468	292	---	3.80	<0.5	<0.5	<0.5
MW9D	07/22/03	15.97	7.87	8.10	NLPH	446	339	---	0.70	<0.5	<0.5	<0.5
MW9D	10/01/03	15.97	8.04	7.93	NLPH	402	---	362	<0.50	<0.5	<0.5	<0.5
MW9D	01/06/04	15.97	6.31	9.66	NLPH	72.2	---	80.9	<0.50	<0.5	<0.5	<0.5
MW9D	06/07/04	15.97	8.17	7.80	NLPH	237	---	353	<0.50	<0.5	<0.5	<0.5
MW9D	08/30/04 d	15.97	---	---	---	---	---	---	---	---	---	---
MW9D	12/13/04	15.97	5.39	10.58	NLPH	379	---	353	4.80	0.7	<0.5	0.9
MW9D	03/14/05	15.97	6.93	9.04	NLPH	<50.0	---	13.8	<0.50	<0.5	<0.5	<0.5
MW9D	06/08/05	15.97	8.83	7.14	NLPH	<50.0	---	57.2	<0.50	<0.5	<0.5	<0.5
MW9D	09/01/05	15.97	7.99	7.98	NLPH	64.3	---	51.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/09/05	15.97	7.96	8.01	NLPH	56.3	---	33.0	<0.50	<0.50	<0.50	<0.50
MW9D	12/30/05 d	15.97	---	---	---	---	---	---	---	---	---	---
MW9D	03/07/06	15.97	6.19	9.78	NLPH	<50	---	9.3	<0.50	<0.50	<0.50	<0.50
MW9D	06/26/06	15.97	7.68	8.29	NLPH	<50	---	9.7	<0.50	<0.50	<0.50	<0.50
MW9D	09/25/06	15.97	8.00	7.97	NLPH	<50.0	---	13.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/15/06	15.97	6.91	9.06	NLPH	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9D	03/29/07	15.97	8.53	7.44	NLPH	<50	---	6.91	<0.50	<0.50	<0.50	<0.50
MW9D	06/12/07	15.97	8.21	7.76	NLPH	<50	---	9.8	<0.50	<0.50	<0.50	<0.50
MW9D	08/23/07	15.97	8.27	7.70	NLPH	<50	---	15	<0.50	<0.50	<0.50	<0.50
MW9E	10/24/88	---	---	---	---	---	---	---	1.3	<1.0	<2.0	<1.0
MW9E	10/13/89	---	---	---	---	---	---	---	15	<0.5	2.1	<3.0

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 7 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9E	10/19/90	---	---	---	---	<50	---	---	4.0	<0.5	0.9	<0.5
MW9E	10/01/90	Well destroyed.										
MW9F	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9F	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9F	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/05/92	96.96 l	5.81	91.15	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/05/92	96.96 l	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	09/14/92	96.96 l	---	---	---	---	---	---	---	---	<0.5	<0.5
MW9F	11/16/92	96.96 l	5.82	91.14	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/03/93	96.96 l	5.55	91.41	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/93	96.96 l	5.86	91.10	---	---	---	---	---	---	<0.5	<0.5
MW9F	05/19/93	96.96 l	---	---	---	<50	---	---	<0.5	---	---	---
MW9F	08/26/93	96.96 l	5.86	91.10	---	<50	---	---	<0.5	---	1.2	6.8
MW9F	11/04/93	96.96 l	5.96	91.00	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/04/94	96.96 l	5.68	91.28	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/31/94	96.96 l	5.76	91.20	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/26/94	8.37	5.96	2.41	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/15/95	8.37	5.52	2.85	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/02/95	8.37	6.60	1.77	---	---	---	---	---	---	<0.5	<0.5
MW9F	04/26/96	8.37	6.50	1.87	NLPH	<50	57	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/22/96	8.37	5.74	2.63	NLPH	<50	5.8	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/24/97	8.37	---	---	NLPH	<50	<30	---	<0.5	<0.5	<0.5	<0.5
MW9F	03/16/98	8.37	---	---	NLPH	---	---	---	---	---	<0.5	<0.5
MW9F	04/21/98	8.37	---	---	---	---	---	---	---	---	---	---
MW9F	07/22/98	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	12/22/98	11.38	5.47	5.91	NLPH	<50	81	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/26/99	11.38	5.35	6.03	NLPH	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/99	11.38	5.62	5.76	NLPH	<50	61.6	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/03/99	11.38	6.32	5.06	NLPH	<50	3.10	---	<0.5	<0.5	<0.5	<0.5
MW9F	12/03/99	11.38	5.59	5.79	NLPH	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/29/00	11.38	4.70	6.68	NLPH	<50	52	---	<0.5	<0.5	0.71	<0.5
MW9F	05/18/00	11.38	5.37	6.01	NLPH	<50	65	---	<0.5	<0.5	<0.5	<0.5
MW9F	07/24/00	11.38	5.65	5.73	NLPH	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/09/00	11.38	5.71	5.67	NLPH	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9F	01/10/01	11.38	4.30	7.08	NLPH	<50	140	---	<0.5	<0.5	<0.5	<0.5
MW9F	04/10/01	11.38	5.20	6.18	NLPH	<50	50	---	<0.5	<0.5	<0.5	<0.5
MW9F	07/12/01	11.38	--	--	NLPH	<50	190	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/17/01 d	11.38	--	--	---	---	---	---	---	---	<0.5	<0.5
MW9F	10/11/01	11.38	5.82	5.56	NLPH	<50	260	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/01/01	11.38	Well surveyed in compliance with AB2886 requirements.									
MW9F	01/11/02	11.38	5.12	6.26	NLPH	<100	67.0e	---	<1.00	<1.00	<1.00	<1.00

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 9 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9G	04/21/98	9.95	---	---	---	---	---	---	---	---	---	---
MW9G	07/22/98	12.99	---	---	---	---	---	---	---	---	---	---
MW9G	12/22/98	12.99	5.28	7.71	NLPH	<50	1,100	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/26/99	12.99	5.31	7.68	NLPH	<50	50	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/99	12.99	5.18	7.81	NLPH	<1,000	3,990	---	<10	<10	<10	<10
MW9G	08/03/99	12.99	6.00	6.99	NLPH	<50	1,340	---	<0.5	<0.5	<0.5	<0.5
MW9G	12/03/99	12.99	5.27	7.72	NLPH	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/29/00	12.99	4.60	8.39	NLPH	<50	7,900	---	<0.5	<0.5	<0.5	0.55 b
MW9G	05/18/00	12.99	5.16	7.83	NLPH	<50	2,400	---	<0.5	<0.5	<0.5	<0.5
MW9G	07/24/00	12.99	5.20	7.79	NLPH	<50	1,000	---	<0.5	<0.5	<0.5	<0.5
MW9G	10/09/00	12.99	5.26	7.73	NLPH	<50	180	---	<0.5	<0.5	<0.5	<0.5
MW9G	01/10/01	12.99	5.18	7.81	NLPH	<50	1,200	---	<0.5	<0.5	<0.5	<0.5
MW9G	04/10/01	12.99	5.08	7.91	NLPH	<50	9,100	---	<0.5	<0.5	<0.5	<0.5
MW9G	07/12/01	12.99	--	--	NLPH	<50	3,000	---	<0.5	<0.5	<0.5	<0.5
MW9G	08/17/01 d	12.99	---	---	---	---	---	---	---	---	---	---
MW9G	10/11/01	12.99	5.48	7.51	NLPH	<50	1,600	---	<0.5	<0.5	<0.5	<0.5
MW9G	11/01/01	12.98	Well surveyed in compliance with AB2886 requirements.									
MW9G	01/11/02	12.98	4.97	8.01	NLPH	419e	945e	---	<0.50	<0.50	<0.50	<0.50
MW9G	04/12/02	12.98	5.12	7.86	NLPH	10,700	11,000	---	<0.50	<0.50	<0.50	<0.50
MW9G	07/12/02	12.98	5.31	7.67	NLPH	2,310	3,140	---	<0.5	<0.5	<0.5	<0.5
MW9G	10/11/02	12.98	5.39	7.59	NLPH	1,630	2,040	2,090	<0.5	<0.5	<0.5	<0.5
MW9G	01/10/03	12.98	4.90	8.08	NLPH	367	566	---	<0.5	<0.5	<0.5	<0.5
MW9G	04/09/03	12.98	5.15	7.83	NLPH	3,730	3,990	---	<0.50	<0.5	<0.5	<0.5
MW9G	07/22/03	12.98	5.30	7.68	NLPH	1,070	968	---	<0.50	<0.5	<0.5	<0.5
MW9G	10/01/03	12.98	5.41	7.57	NLPH	1,300	---	1,570	<0.50	<0.5	<0.5	<0.5
MW9G	01/06/04	12.98	4.92	8.06	NLPH	568	---	918	<0.50	<0.5	<0.5	<0.5
MW9G	06/07/04	12.98	5.49	7.49	NLPH	457	---	324	<0.50	<0.5	<0.5	<0.5
MW9G	08/30/04	12.98	h	h	h	428h	---	369h	<0.50h	<0.5h	<0.5h	<0.5h
MW9G	12/13/04	12.98	5.01	7.97	NLPH	1,030	---	1,030	<0.50	<0.5	<0.5	<0.5
MW9G	03/14/05	12.98	4.98	8.00	NLPH	395	---	451	<0.50	<0.5	<0.5	<0.5
MW9G	06/08/05	12.98	5.54	7.44	NLPH	333	---	404	<0.50	<0.5	<0.5	<0.5
MW9G	09/01/05	12.98	6.35	6.63	NLPH	218	---	308	<0.50	<0.50	<0.50	0.63
MW9G	12/09/05 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	12/30/05	12.98	4.83	8.15	NLPH	75.3	---	69.9	<0.50	<0.50	<0.50	<0.50
MW9G	03/07/06 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	06/26/06 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	09/25/06	12.98	8.41	4.57	NLPH	94.5	---	180	<0.50	<0.50	<0.50	<0.50
MW9G	12/15/06	12.98	5.30	7.68	NLPH	50k	---	52	<0.50	<0.50	<0.50	<0.50
MW9G	03/29/07 - present j											
MW9H	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9H	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 10 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9H	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/05/92	97.14 I	7.70	89.44	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/05/92	97.14 I	8.12	89.02	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	09/14/92	97.14 I	---	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/16/92	97.14 I	---	---	---	---	---	---	---	---	---	---
MW9H	02/03/93	97.14 I	7.72	89.42	---	280	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/93	97.14 I	8.12	89.02	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/26/93	97.14 I	8.14	89.00	---	<50	---	---	0.8	<0.5	1.1	6.4
MW9H	11/04/93	97.14 I	8.15	88.99	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/04/94	97.14 I	7.98	89.16	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/31/94	97.14 I	8.80	88.34	---	<50	---	---	0.92	1.1	<0.5	0.86
MW9H	10/26/94	8.58	8.12	0.46	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/15/95	8.58	7.88	0.70	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/02/95	8.58	8.40	0.18	NLPH	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9H	04/26/96	8.58	8.05	0.53	NLPH	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/22/96	8.58	8.17	0.41	NLPH	---	---	---	---	---	---	---
MW9H	02/24/97	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	03/16/98	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	04/21/98	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	07/22/98	11.61	---	---	---	---	---	---	---	---	---	---
MW9H	12/22/98	11.61	7.81	3.80	NLPH	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/26/99	11.61	7.61	4.00	NLPH	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/99	11.61	8.00	3.61	NLPH	<50	3.98	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/03/99	11.61	6.05	5.56	NLPH	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	12/03/99	11.61	5.32	6.29	NLPH	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/29/00	11.61	7.10	4.51	NLPH	<50	<2	---	<0.5	<0.5	<0.5	0.57 b
MW9H	05/18/00	11.61	7.84	3.77	NLPH	<50	9.7	---	<0.5	<0.5	<0.5	<0.5
MW9H	07/24/00	11.61	7.94	3.67	NLPH	<50	17	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/09/00	11.61	8.09	3.52	NLPH	<50	13	---	<0.5	<0.5	<0.5	<0.5
MW9H	01/10/01	11.61	7.89	3.72	NLPH	<50	11	---	<0.5	<0.5	<0.5	1.1
MW9H	04/10/01	11.61	8.71	2.90	NLPH	<50	44	---	<0.5	0.78	0.52	0.5
MW9H	07/12/01	11.61	--	--	NLPH	<50	28	---	<0.5	<0.5	<0.5	2.36
MW9H	08/17/01 d	11.61	---	---	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/11/01	11.61	8.15	3.46	NLPH	<50	30	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/01/01	11.59	Well surveyed in compliance with AB2886 requirements.									
MW9H	01/11/02	11.59	7.48	4.11	NLPH	<50.0	20.5e	---	<0.50	<0.50	<0.50	<0.50
MW9H	04/12/02	11.59	7.68	3.91	NLPH	<50.0	32.8	---	<0.50	<0.50	<0.50	<0.50
MW9H	07/12/02	11.59	8.06	3.53	NLPH	<50.0	34.6	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/11/02	11.59	7.83	3.76	NLPH	<50.0	33.1	28.7	<0.5	<0.5	<0.5	<0.5
MW9H	01/10/03	11.59	7.39	4.20	NLPH	<50.0	16.0	---	0.5	0.8	0.6	1.8
MW9H	04/09/03	11.59	7.69	3.90	NLPH	<50.0	26.8	---	<0.50	<0.5	<0.5	<0.5
MW9H	07/22/03	11.59	7.94	3.65	NLPH	55.3	34.7	---	<0.50	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 11 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9H	10/01/03	11.59	7.93	3.66	NLPH	<50.0	---	32.3	<0.50	<0.5	<0.5	0.9
MW9H	01/06/04	11.59	7.27	4.32	NLPH	<50.0	---	10	<0.50	<0.5	<0.5	<0.5
MW9H	06/07/04	11.59	7.99	3.60	NLPH	50.6	---	71.7	<0.50	<0.5	<0.5	<0.5
MW9H	08/30/04	11.59	h	h	h	64.2h	---	51.0h	<0.50h	<0.5h	<0.50h	<0.5h
MW9H	12/13/04	11.59	7.22	4.37	NLPH	<50.0	---	14.0	<0.50	<0.5	0.5	1.2
MW9H	03/14/05	11.59	6.96	4.63	NLPH	<50.0	---	27.4	<0.50	<0.5	<0.5	<0.5
MW9H	06/08/05	11.59	7.53	4.06	NLPH	52.6	---	68.8	<0.50	<0.5	<0.5	<0.5
MW9H	09/01/05	11.59	7.82	3.77	NLPH	140	---	71.6	<0.50	<0.50	<0.50	<0.50
MW9H	12/09/05 j	---	---	---	---	---	---	---	---	---	---	---
MW9H	12/30/05	11.59	7.27	4.32	NLPH	<50.0	---	13.7	<0.50	<0.50	<0.50	<0.50
MW9H	03/07/06 j	11.59	---	---	---	---	---	---	---	---	---	---
MW9H	06/26/06 j	11.59	---	---	---	---	---	---	---	---	---	---
MW9H	09/25/06	11.59	7.96	3.63	NLPH	59.5	---	71.0	<0.50	<0.50	<0.50	<0.50
MW9H	12/15/06	11.59	7.42	4.17	NLPH	57	---	21	<0.50	<0.50	<0.50	<0.50
MW9H	03/29/07 - present j											
MW9I	11/15/90	---	---	---	---	55	---	---	4.0	1.1	1.2	2.2
MW9I	02/05/92	98.66 l	5.56	93.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/05/92	98.66 l	5.60	93.06	---	<50	---	---	0.9	<0.5	<0.5	0.7
MW9I	09/14/92	98.66 l	6.12	92.54	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	11/16/92	98.66 l	5.82	92.84	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/03/93	98.66 l	4.92	93.74	---	240	---	---	46	1.1	2.3	2.1
MW9I	05/18/93	98.66 l	5.60	93.06	---	79	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/26/93	98.66 l	5.91	92.75	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	11/04/93	98.66 l	6.03	92.63	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/04/94	98.66 l	5.37	93.29	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/31/94	98.66 l	5.46	93.20	---	240	---	---	0.66	0.63	<0.5	1.4
MW9I	10/26/94	10.11	5.88	4.23	---	150	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/15/95	10.11	4.94	5.17	---	56	---	---	<0.5	0.82	<0.5	<0.5
MW9I	11/02/95	10.11	6.04	4.07	NLPH	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9I	04/26/96	10.11	5.27	4.84	NLPH	<50	99	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/22/96	10.11	5.66	4.45	NLPH	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/24/97	10.11	5.24	4.87	NLPH	120	9,100	---	<0.5	<0.5	<0.5	<0.5
MW9I	03/16/98	10.11	4.91	5.20	NLPH	<200	59,000	---	13	<2.0	<2.0	<2.0
MW9I	04/21/98	10.11	5.08	5.03	NLPH	<500	59,000	---	<5.0	<5.0	<5.0	<5.0
MW9I	07/22/98	13.14	5.44	7.70	NLPH	<500	62,000	---	<5.0	<5.0	<5.0	<5.0
MW9I	12/22/98	13.14	5.32	7.82	NLPH	200	51,000	---	1.7	<0.5	<0.5	<0.5
MW9I	02/26/99	13.14	4.71	8.43	NLPH	<500	9,700	---	<5.0	<5.0	<5.0	<5.0
MW9I	05/18/99	13.14	5.30	7.84	NLPH	<1,000	3,730	---	<10	<10	<10	<10
MW9I	08/03/99	13.14	5.98	7.16	NLPH	<50	21,900	---	<0.5	0.650	<0.5	<0.5
MW9I	12/03/99	13.14	5.31	7.83	NLPH	<250	2,000	---	3.9	2.9	<2.5	14
MW9I	02/29/00	13.14	4.20	8.94	NLPH	50	16,000	---	0.74	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California
 (Page 12 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	SUBJ	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9I	05/18/00	13.14	5.12	8.02	NLPH	<50	2,900	---	<0.5	<0.5	<0.5	<0.5
MW9I	07/24/00	13.14	5.41	7.73	NLPH	<250	43,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	10/09/00	13.14	5.41	7.73	NLPH	<2,500	54,000	---	1.6	<0.5	<0.5	<0.5
MW9I	01/10/01	13.14	5.24	7.90	NLPH	<250	36,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	04/10/01	13.14	4.84	8.30	NLPH	<50	4,800	---	<0.5	<0.5	<0.5	<0.5
MW9I	07/12/01	13.14	---	---	NLPH	<50	8,400	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/17/01	13.14	6.49	6.65	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	10/11/01	13.14	5.64	7.50	NLPH	<250	38,000	---	---	---	---	---
MW9I	11/01/01	13.13	Well surveyed in compliance with AB2886 requirements.									
MW9I	01/11/02	13.13	4.80	8.33	NLPH	1,330e	5,400e	---	4.80e	<0.50	<0.50	<0.50
MW9I	04/12/02	13.13	5.22	7.91	NLPH	1,460	1,480	---	<0.50	<0.50	<0.50	<0.50
MW9I	07/12/02	13.13	5.50	7.63	NLPH	4,460	6,490	---	<0.5	<0.5	<0.5	<0.5
MW9I	10/11/02	13.13	5.35	7.78	NLPH	31,300	37,700	51,000	<5.0	<5.0	<5.0	<5.0
MW9I	01/10/03	13.13	4.75	8.38	NLPH	4,820	6,180	---	9.4	0.7	1.1	1.3
MW9I	04/09/03	13.13	5.15	7.98	NLPH	2,130	1,510	---	22.3	1.9	1.5	1.5
MW9I	07/22/03	13.13	5.50	7.63	NLPH	2,330	2,540	---	1.60	<0.5	<0.5	<0.5
MW9I	10/01/03	13.13	5.65	7.48	NLPH	6,080	---	4,610	1.00	<0.5	<0.5	<0.5
MW9I	01/06/04	13.13	4.50	8.63	NLPH	175	---	61.3	0.90	<0.5	0.5	<0.5
MW9I	06/07/04	13.13	6.87	6.26	NLPH	4,620	---	3,410	<0.50	<0.5	<0.5	<0.5
MW9I	08/30/04	13.13	h	h	h	817h	---	847h	<0.50h	<0.5h	<0.5h	<0.5h
MW9I	12/13/04	13.13	4.47	8.66	NLPH	<50.0	---	14.4	<0.50	<0.5	<0.5	<0.5
MW9I	03/14/05	13.13	5.05	8.08	NLPH	96.7	---	44.9	<0.50	<0.5	<0.5	<0.5
MW9I	06/08/05	13.13	6.47	6.66	NLPH	1,230	---	321	<0.50	<0.5	<0.5	<0.5
MW9I	09/01/05	13.13	5.60	7.53	NLPH	170	---	62.3	1.22	0.77	<0.50	<0.50
MW9I	12/09/05	13.13	6.82	6.31	NLPH	78.3	---	81.0	<0.50	0.58	<0.50	<0.50
MW9I	12/30/05	13.13	4.23	8.90	NLPH	---	---	---	---	---	---	---
MW9I	03/07/06	13.13	5.08	8.05	NLPH	<50	---	0.96	<0.50	<0.50	<0.50	<0.50
MW9I	06/26/06	13.13	5.30	7.83	NLPH	<50	---	3.7	<0.50	<0.50	<0.50	<0.50
MW9I	09/25/06	13.13	6.17	6.96	NLPH	50.9	---	24.0	<0.50	<0.50	<0.50	<0.50
MW9I	12/15/06	13.13	5.45	7.68	NLPH	<50	---	0.59	<0.50	<0.50	<0.50	<0.50
MW9I	03/29/07	13.13	6.35	6.78	NLPH	<50	---	1.15	<0.50	<0.50	<0.50	0.62
MW9I	06/12/07	13.13	5.87	7.26	NLPH	<50	---	0.53	<0.50	<0.50	<0.50	<0.50
MW9I	08/23/07	13.13	6.14	6.99	NLPH	<50	---	0.86	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 13 of 13)

Notes:	=	
SUBJ	=	Results of subjective evaluation.
NLPH	=	No liquid-phase hydrocarbons present in well.
TOC	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-Dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-Dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
---	=	Not measured/Not sampled/Not analyzed.
a	=	Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	=	Analyte detected in the trip blank and/or bailer blank.
c	=	Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	=	Well inaccessible.
e	=	Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods.
f	=	Sample erroneously labeled MA9B on Chain-of-Custody form and laboratory report.
g	=	Insufficient sample volume to perform analyses.
h	=	Groundwater elevation data invalidated; analytical results suspect.
i	=	Well sampled using no-purge method.
j	=	Well not gauged and/or sampled due to encroachment permit restrictions.
k	=	Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	=	Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 1 of 6)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9A	06/13/88 - 07/12/02 Not analyzed for these analytes.							
MW9A	10/11/02	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW9A	01/10/03	---	---	---	---	---	---	---
MW9A	04/09/03	---	---	---	---	---	---	---
MW9A	07/22/03	---	---	---	---	---	---	---
MW9A	10/01/03	<0.50	2.80	1,100	<0.50	<0.50	<0.50	---
MW9A	01/06/04	<0.50	4.90	11,900	<0.50	<0.50	<0.50	---
MW9A	06/07/04	---	---	---	---	---	---	<2,500
MW9A	08/30/04 d	---	---	---	---	---	---	---
MW9A	12/13/04	---	---	---	---	---	---	---
MW9A	03/14/05	<0.50	1.00	14,400	<0.50	<0.50	<0.50	<50.0
MW9A	06/08/05	<0.50	<0.50	22,400	<0.50	<0.50	<0.50	<100
MW9A	09/01/05	---	---	---	---	---	---	---
MW9A	12/09/05	---	---	---	---	---	---	---
MW9A	12/30/05	---	---	---	---	---	---	---
MW9A	03/07/06	<5.0	<5.0	5,600	<5.0	<5.0	<5.0	<1,000
MW9A	06/26/06	---	---	---	---	---	---	<1,000
MW9A	09/25/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW9A	12/15/06	<5.0	<5.0	1,200	<5.0	<5.0	<5.0	<1,000
MW9A	03/29/07	<0.500	<0.500	297	<0.500	<0.500	<0.500	<50.0
MW9A	06/12/07	<0.50	<0.50	160	<0.50	<0.50	<0.50	<100
MW9A	08/23/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100
MW9B	06/13/88 - 07/12/02 Not analyzed for these analytes.							
MW9B	10/11/02 f	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW9B	01/10/03	---	---	---	---	---	---	---
MW9B	04/09/03	---	---	---	---	---	---	---
MW9B	07/22/03	---	---	---	---	---	---	---
MW9B	10/01/03	<0.50	9.70	2,430	<0.50	<0.50	<0.50	---
MW9B	01/06/04	0.80	9.00	11,500	<0.50	<0.50	<0.50	---
MW9B	06/07/04	---	---	---	---	---	---	<50.0
MW9B	08/30/04	---	---	---	---	---	---	<50.0j
MW9B	12/13/04	---	---	---	---	---	---	---
MW9B	03/14/05	<0.50	<0.50	4,800	<0.50	<0.50	<0.50	<50.0
MW9B	06/08/05	<0.50	<0.50	2,320	<0.50	<0.50	<0.50	<100
MW9B	09/01/05	---	---	---	---	---	---	---
MW9B	12/09/05	---	---	---	---	---	---	---
MW9B	12/30/05	---	---	---	---	---	---	---
MW9B	03/07/06	<0.50	<0.50	1,200	<0.50	<0.50	<0.50	---
MW9B	06/26/06	---	---	---	---	---	---	---
MW9B	09/25/06	<0.500	<0.500	70.1	<0.500	<0.500	<0.500	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 4 of 6)

Well	Sampling	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE	Ethanol
MW9G	12/13/04	---	---	---	---	---	---	---
MW9G	03/14/05	<0.50	<0.50	569	<0.50	<0.50	<0.50	<50.0
MW9G	06/08/05	<0.50	<0.50	150	<0.50	<0.50	<0.50	<100
MW9G	09/01/05	---	---	---	---	---	---	---
MW9G	12/09/05 j	---	---	---	---	---	---	---
MW9G	12/30/05	---	---	---	---	---	---	---
MW9G	03/07/06 j	---	---	---	---	---	---	---
MW9G	06/26/06 j	---	---	---	---	---	---	---
MW9G	09/25/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW9G	12/15/06	<0.50	<0.50	<12	<0.50	<0.50	<0.50	---
MW9G	03/29/07 - present j							
MW9H	12/06/88 - 10/19/90	Not analyzed for these analytes.						
MW9H	11/02/95	---	---	---	<50	<10	<0.5	<0.5
MW9H	04/26/96 - 07/12/02	Not analyzed for these analytes.						
MW9H	10/11/02	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW9H	01/10/03	---	---	---	---	---	---	---
MW9H	04/09/03	---	---	---	---	---	---	---
MW9H	07/22/03	---	---	---	---	---	---	---
MW9H	10/01/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW9H	01/06/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW9H	06/07/04	---	---	---	---	---	---	---
MW9H	08/30/04	---	---	---	---	---	---	<50.0
MW9H	12/13/04	---	---	---	---	---	---	<50.0j
MW9H	03/14/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW9H	06/08/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW9H	09/01/05	---	---	---	---	---	---	---
MW9H	12/09/05 j	---	---	---	---	---	---	---
MW9H	12/30/05	---	---	---	---	---	---	---
MW9H	03/07/06 j	---	---	---	---	---	---	---
MW9H	06/26/06 j	---	---	---	---	---	---	---
MW9H	09/25/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW9H	12/15/06	<0.50	<0.50	<12	<0.50	<0.50	<0.50	---
MW9H	03/29/07 - present j							
MW9I	11/15/90 - 07/12/02	Not analyzed for these analytes.						
MW9I	10/11/02	<0.50	24.1	<10.0	<0.50	<0.50	<0.50	---
MW9I	01/10/03	---	---	---	---	---	---	---
MW9I	04/09/03	---	---	---	---	---	---	---
MW9I	07/22/03	---	---	---	---	---	---	---
MW9I	10/01/03	<0.50	1.50	30,300	<0.50	<0.50	<0.50	---
MW9I	01/06/04	<0.50	<0.50	377	<0.50	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 5 of 6)

Well	Sampling	ETBE	TAME	TBA	EDB	1,2-DCA	DIPE	Ethanol
MW9I	06/07/04	---	---	---	---	---	---	<50.0
MW9I	08/30/04	---	---	---	---	---	---	<50.0j
MW9I	12/13/04	---	---	---	---	---	---	---
MW9I	03/14/05	<0.50	<0.50	1,640	<0.50	<0.50	<0.50	<50.0
MW9I	06/08/05	<0.50	<0.50	47,000	<0.50	<0.50	<0.50	<100
MW9I	09/01/05	---	---	---	---	---	---	---
MW9I	12/09/05	---	---	---	---	---	---	---
MW9I	12/30/05	---	---	---	---	---	---	---
MW9I	03/07/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	<100
MW9I	06/26/06	---	---	---	---	---	---	<100
MW9I	09/25/06	<0.500	<0.500	10,300	<0.500	<0.500	<0.500	<50.0
MW9I	12/15/06	<0.50	<0.50	730	<0.50	<0.50	<0.50	<100
MW9I	03/29/07	<0.500	<0.500	632	<0.500	<0.500	<0.500	<50.0
MW9I	06/12/07	<0.50	<0.50	140	<0.50	<0.50	<0.50	---
MW9I	08/23/07	<0.50	<0.50	90	<0.50	<0.50	<0.50	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California
 (Page 6 of 6)

Notes:	=	
SUBJ	=	Results of subjective evaluation.
NLPH	=	No liquid-phase hydrocarbons present in well.
TOC	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-Dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-Dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
---	=	Not measured/Not sampled/Not analyzed.
a	=	Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	=	Analyte detected in the trip blank and/or bailer blank.
c	=	Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	=	Well inaccessible.
e	=	Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods.
f	=	Sample erroneously labeled MA9B on Chain-of-Custody form and laboratory report.
g	=	Insufficient sample volume to perform analyses.
h	=	Groundwater elevation data invalidated; analytical results suspect.
i	=	Well sampled using no-purge method.
j	=	Well not gauged and/or sampled due to encroachment permit restrictions.
k	=	Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	=	Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 1 of 1)

Well ID	Date Well Installed	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet)	Well Depth (feet)	Well Casing Diameter (inches)	Well Casing Material	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
MW9A	06/10/88	14.51	8	18	18	2	PVC	8-18	0.020	NS	NS
MW9B	06/10/88	12.84	8	20	18	2	PVC	8-18	0.020	NS	NS
MW9C	06/10/88	14.16	8	17	18	2	PVC	8-18	0.020	NS	NS
MW9D	10/05/88	15.97	12	16.5	14	NS	PVC	5-14	NS	NS	NS
MW9E	10/05/88	NS	12	18.5	14	NS	PVC	5-14	NS	NS	NS
MW9F	11/23/88	11.38	8	16	14	NS	PVC	4-14	NS	NS	NS
MW9G	11/22/88	12.98	8	16.5	14	NS	PVC	5-14	NS	NS	NS
MW9H	11/23/88	11.59	8	16.5	14	NS	PVC	5-14	NS	NS	NS
MW9I	11/02/90	13.13	12	16	16	NS	NS	4-14	NS	NS	NS
DPE1	06/05/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE2	06/04/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE3	06/04/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE4	06/05/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
VP1	01/11/01	NS	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
VP2	01/11/01	NS	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- NS = Not specified.
- PVC = Polyvinyl chloride.

TABLE 3
OPERATION AND PERFORMANCE DATA FOR DUAL-PHASE EXTRACTION SYSTEM, VAPOR-PHASE
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 3 of 9)

Date	FIELD MEASUREMENTS									LABORATORY ANALYTICAL RESULTS			TPHg Removal		MTBE Removal		Benzene Removal		Destruction Efficiency (%)	Benzene Emission (lbs/day)
	System Hours	Total Hours	Temp (deg F)	Vacuum ("Hg)	Pressure ("H ₂ O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M ³)	Benzene (mg/M ³)	MTBE (mg/M ³)	Period (lbs)	Cumulative (lbs)	Period (lbs)	Cumulative (lbs)	Period (lbs)	Cumulative (lbs)		
07/08/05	3,441	6,407	75	16	0.0	1,500	100	A-INF 32.6 A-EFF 0.0												
07/15/05	3,510	6,476	74	18	0.0	1,400	94	A-INF 67.2 A-EFF 0.1												
07/22/05	3,675	6,641	74	15	0.0	1,400	94	A-INF 12.0 A-EFF 0.0												
07/29/05	3,844	6,810	72	16	0.0	1,000	67	A-INF 4.0 A-EFF 0.0												
08/05/05	3,860	6,826	72	14	0.0	1,400	93	A-INF 4.5 A-EFF 0.0												
08/12/05	3,860	6,826	72	14	0.0	1,400	93	A-INF 4.5 A-EFF 0.0	< 5.00	< 0.500	< 0.500	< 8.75	< 1,161.62	< 0.641	< 46.685	< 0.620	< 9.784	100.00	0.0041	
08/19/05	System down for pump repair/replacement.																			
08/19/05	3,867	6,833	---	---	---	---	---	A-INF --- A-EFF ---												
09/23/05	3,882	6,848	72	17	0.0	1,400	93	A-INF 56.0 A-EFF 0.0	44.8	1.78	0.902	< 0.19	< 1,161.81	< 0.005	< 46.691	< 0.009	< 9.793	100.00	0.0042	
09/30/05	4,048	7,014	72	12	0.0	1,400	93	A-INF 5.1 A-EFF 0.0	< 5.00	< 0.500	< 0.500									
10/07/05	4,217	7,183	72	16	0.0	1,200	80	A-INF 1.0 A-EFF 0.0	< 5.00	< 0.500	< 0.500	< 2.70	< 1,164.51	< 0.076	< 46.767	< 0.124	< 9.916	100.00		
10/14/05	4,386	7,352	72	16	0.0	1,200	80	A-INF 3.0 A-EFF 0.0	---	---	---									
10/21/05	4,400	7,366	72	18	0.0	1,200	80	A-INF 0.0 A-EFF 0.0	< 5.00	< 0.500	< 0.500	< 0.27	< 1,164.78	< 0.027	< 46.794	< 0.027	< 9.943	100.00	0.0039	
10/28/05	4,564	7,530	72	12	0.0	1,400	93	A-INF 0.0 A-EFF 0.0												
11/04/05	4,735	7,701	72	16	0.0	1,400	93	A-INF 4.0 A-EFF 0.0	7.48	< 0.500	< 0.500	< 0.68	< 1,165.46	< 0.054	< 46.848	< 0.054	< 9.998	100.00	0.0039	
11/11/05	4,905	7,871	72	14	0.0	1,500	100	A-INF 14.0 A-EFF 0.0	< 5.00	< 0.500	< 0.500									
11/18/05	5,068	8,034	72	18	0.0	1,400	93	A-INF 26.0 A-EFF 0.0												
11/21/05	5,110	8,076	72	19	0.0	1,200	80	A-INF 320.0 A-EFF 0.0												
12/05/05	5,371	8,337	72	16	0.0	1,500	100	A-INF 28.0 A-EFF 0.0	30.0	1.77	7.62	< 4.30	< 1,169.76	< 0.932	< 47.780	< 0.261	< 10.258	100.00	0.0022	
12/09/05	System shut down pending catalytic oxidizer repair.																			
12/09/05	5,540	8,506	72	18	0.0	1,300	87	A-INF 100.0 A-EFF 0.0												
01/27/06	Catalytic oxidizer repair complete. Restart system and discharge to holding tank. Shut down system prior to departure.																			
01/27/06	5,546	8,512	72	18	0.0	1,400	93	A-INF 0.0 A-EFF 0.0	< 5.00	< 0.500	< 0.500	< 1.11	< 1,170.87	< 0.256	< 48.037	< 0.072	< 10.330	100.00	0.0043	
02/24/06	Restart system, resample, and discharge to holding tank. Shut down system prior to departure.																			
02/24/06	5,548	8,514	72	20	1.0	1,400	93	A-INF 0.0 A-EFF 0.0	< 5.00	< 0.500	< 0.500	< 0.00	< 1,170.87	< 0.000	< 48.037	< 0.000	< 10.330	100.00	0.0042	

TABLE 3
OPERATION AND PERFORMANCE DATA FOR DUAL-PHASE EXTRACTION SYSTEM, VAPOR-PHASE
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 9 of 9)

Notes:

A-INF	=	Influent vapor sample.
A-EFF	=	Effluent vapor sample.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using T0-3(M); on and prior to 08/23/07, analyzed using EPA Method 8015B or 18M.
Benzene	=	Benzene analyzed using EPA Method T0-15M; on and prior to 8/23/07, analyzed using EPA Method 8015B or 18M.
MTBE	=	Methyl tertiary butyl ether analyzed using EPA Method T0-15M; on and prior to 8/23/07, analyzed using EPA Method 8015B or 18M.
Temp	=	Temperature of vapor stream.
deg F	=	Degrees Fahrenheit.
"Hg	=	Inches of mercury vacuum.
"H2O	=	Inches of water column.
PID	=	Photo-ionization detector measurement.
acfm	=	Actual cubic feet per minute.
scfm	=	Standard cubic feet per minute.
ppmv	=	Parts per million by volume.
fpm	=	Feet per minute.
mg/M ³	=	Milligrams per cubic meter.
lbs	=	Pounds.
lbs/day	=	Pounds per day.
<	=	Less than the stated laboratory reporting limit.
---	=	Not sampled/Not analyzed/Not measured/Not calculated/Not applicable.
a	=	Tedlar bag was received flat by the laboratory; analysis not performed.
b	=	Concentration exceeded calibration range of instrument.
c	=	Re-analysis for dilution performed past EPA recommended holding time.

TABLE 4
OPERATION AND PERFORMANCE DATA
FOR DUAL-PHASE EXTRACTION SYSTEM, LIQUID-PHASE
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 3 of 9)

Date	System Hours (hours)	Eff. Totalizer Reading (gal)	Average Flow rate (gpm)	Total Flow per period (gal)	Sample ID	Laboratory Analytical Results							TPHg Removed		Benzene Removed		MTBE Removed	
						TPHg (µg/L)	TPHd (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
04/08/05	2,266	199,470	0.00	0	W-INF	116	163	< 0.50	< 0.5	< 0.5	< 0.5	120	0.089	< 1,499	< 0.00011	< 0.0126	0.0152	0.893
					W-INT1	142	< 50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
					W-INT2	< 50.0	< 50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
					W-EFF	< 50.0	< 50	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
05/05/05	System down.																	
05/13/05	2,269	199,470	0.00	0	W-INF	214	---	< 0.50	< 0.5	< 0.5	< 0.5	85.8	0.0000	< 1,499	0.0000	< 0.0126	0.0000	0.893
					W-INT1	187	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
					W-INT2	< 50.0	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
					W-PSP-1	< 50.0	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
05/20/05	System down on arrival. Restarted. Running on departure.																	
05/20/05	---	200,480	0.10	1,010														
05/27/05	2,456	217,480	1.69	17,000														
06/08/05	2,604	236,100	1.08	18,620	W-INF	182	---	< 0.50	< 0.5	< 0.5	< 0.5	170	0.061	< 1,559	< 0.00015	< 0.0127	0.0391	0.932
					W-INT1	< 50.0	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
					W-INT2	< 50.0	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
					W-EFF	< 50.0	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
06/10/05	2,772	246,610	3.65	10,510														
06/17/05	2,941	252,790	0.61	6,180														
06/24/05	3,104	262,930	1.01	10,140														
07/01/05	3,273	272,060	0.91	9,130														
07/08/05	3,441	281,210	0.91	9,150														
07/15/05	3,510	284,580	0.33	3,370														
07/22/05	3,675	292,200	0.76	7,620	W-INF	92.8	---	< 0.50	< 0.5	< 0.5	< 0.5	88.9	0.064	< 1,624	< 0.00023	< 0.0130	0.0606	0.993
					W-INT1	< 50.0	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
					W-INT2	< 50.0	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
					W-EFF	< 50.0	---	< 0.50	< 0.5	< 0.5	< 0.5	< 0.5						
07/29/05	3,844	299,140	0.72	6,940														
08/05/05	d 3,860	299,910	0.08	770	W-INF	58.6	---	< 0.500	< 0.500	< 0.500	< 0.500	46.5	0.005	< 1,628	< 0.00003	< 0.0130	0.0044	0.9974
					W-INT1	< 50.0	---	< 0.500	< 0.500	< 0.500	< 0.500	< 0.500						
					W-INT2	< 50.0	---	< 0.500	< 0.500	< 0.500	< 0.500	< 0.500						
					W-PSP-1	< 50.0	---	< 0.500	< 0.500	< 0.500	< 0.500	< 0.500						
08/12/05	3,860	299,910	0.00	0														
08/19/05	3,867	300,120	0.02	210														
09/23/05	3,882	300,370	0.00	250														
09/30/05	4,048	306,340	0.59	5,970														
10/07/05	4,217	312,670	0.63	6,330	W-INF	< 50.0	---	< 0.50	< 0.50	< 0.50	< 0.50	45.5	< 0.006	< 1,634	< 0.00005	< 0.0130	0.0049	1.0023
					W-INT1	< 50.0	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50						
					W-INT2	< 50.0	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50						
					W-PSP-1	< 50.0	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50						
10/14/05	4,386	320,120	0.74	7,450														
10/21/05	4,400	321,060	0.09	940														
10/28/05	4,564	329,550	0.84	8,490														

TABLE 4
OPERATION AND PERFORMANCE DATA
FOR DUAL-PHASE EXTRACTION SYSTEM, LIQUID-PHASE
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California
(Page 8 of 9)


Date	System Hours (hours)	Eff. Totalizer Reading (gal)	Average Flow rate (gpm)	Total Flow per period (gal)	Sample ID	Laboratory Analytical Results						TPH _g Removed		Benzene Removed		MTBE Removed			
						TPH _g (µg/L)	TPH _d (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	
08/09/07	System running on arrival and departure.																		
	13,166	756,700	0.61	7,890	W-INF	< 50.0	---	< 0.50	< 0.50	< 0.50	< 0.50	3.22	< 0.012	< 1.867	< 0.00012	< 0.0153	0.0011	1.1265	
					W-INT1	< 50.0	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50							
					W-INT2	< 50.0	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50							
08/17/07	System running on arrival and departure.																		
	13,287	760,940	0.37	4,240	W-PSP-1	< 50.0	---	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50							
08/23/07	System running on arrival and departure.																		
	13,506	762,940	0.23	2,000															
08/30/07	System running on arrival and departure.																		
	13,671	764,310	0.14	1,370															
09/07/07	System running on arrival and departure.																		
	13,882	766,070	0.15	1,760															
09/14/07	System running on arrival and departure.																		
	14,030	767,530	0.14	1,460	W-INF	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0	< 0.005	< 1.871	< 0.00005	< 0.0154	< 0.0004	< 1.1269	
					W-INT1	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0							
					W-INT2	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0							
09/21/07	System running on arrival and departure.																		
	14,198	768,940	0.14	1,410	W-PSP-1	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0							
09/28/07	System down on arrival, restarted, and running on departure.																		
	14,329	770,470	0.15	1,530															
10/02/07	System down on arrival, restarted, and running on departure.																		
	14,348	770,810	0.06	340															
10/12/07	System running on arrival and departure.																		
	14,587	780,580	0.68	9,770	W-INF	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	6.0	< 0.005	< 1.877	< 0.00005	< 0.0154	< 0.0006	< 1.1275	
					W-INT1	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0							
					W-INT2	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0							
				W-PSP-1	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0								

TABLE 4
OPERATION AND PERFORMANCE DATA
FOR DUAL-PHASE EXTRACTION SYSTEM, LIQUID-PHASE
 Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California
 (Page 9 of 9)

Notes:	
W-INF	= Water influent combined.
W-INT1	= Water intermediate after first carbon vessel.
W-INT2	= Water intermediate after second carbon vessel.
PSP-1	= Water effluent.
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using modified EPA Method 8015M/8015B or LUFT GCMS.
TPHd	= Total petroleum hydrocarbons as diesel analyzed using modified EPA Method 8015M.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B or 624.
MTBE	= Methyl tertiary butyl ether analyzed using EPA Method 8021B or 624.
gal	= Gallons.
gpm	= Gallons per minute.
µg/L	= Micrograms per liter.
lbs	= Pounds.
---	= Not sampled/Not analyzed/Not measured/Not calculated/Not applicable.
<	= Less than the laboratory method reporting limit.
a	= Diesel-range organic compounds reported in sample; however, chromatogram pattern is not representative of diesel fuel.
b	= Diesel result was within the range diesel fuel. There was insufficient area for pattern match.
c	= Sample mislabeled as W-EFF on the Chain-of-Custody and laboratory report.
d	= Sample inadvertently misdated by laboratory. Correct sampling date is shown.

* If value is below laboratory reporting limit, then detection limit value is used for removal calculations.

** Indicates the concentrations of identifiable analytes are below the laboratory reporting limit unless otherwise noted.



3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS 650 ft Scale: 1:19,200 Detail: B-0 Datum: WGS84

FN 2293TOP0

J:\2293\2293topo.dwg, mkjones

EXPLANATION



1/2-mile radius circle

APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads



SITE VICINITY MAP

FORMER EXXON SERVICE STATION 70238
2200 East 12th Street
Oakland, California

PROJECT NO.


2293

PLATE

1


Analyte Concentrations in ug/L
 Sampled August 23, 2007

- 140k Total Petroleum Hydrocarbons as gasoline
- <0.50 Benzene
- 230 Methyl Tertiary Butyl Ether (EPA Method 8260B)
- 520 Tertiary Butyl Alcohol
- < Less Than the Stated Laboratory Reporting Limit
- ug/L Micrograms per Liter
- j Well not gauged and/or sampled due to encroachment permit restrictions.
- k Hydrocarbon result partly due to individual peak(s) in quantitation range.



SOURCE:
 Modified from a map
 provided by
 Morrow Surveying

APPROXIMATE SCALE



FN: 22930005_QM

J:\2293\QM\2007\07 3QTR QM.dwg, mkjones


EXPLANATION

- MW9I
 Groundwater Monitoring Well
- DPE4
 Dual-Phase Extraction Well
- TP2
 Tank Pit Well



SELECT ANALYTICAL RESULTS
August 23, 2007
 FORMER EXXON SERVICE STATION 70238
 2200 East 12th Street
 Oakland, California

PROJECT NO.
 2293
PLATE
 2



J:\2293\QM\2007\07 3QTR QM.dwg, mkjones

EXPLANATION

MW9I
 Groundwater Monitoring Well
 6.99 Groundwater elevation in feet; datum is mean sea level

8.0 --- Line of Equal Groundwater Elevation; datum is mean sea level

DPE4
 Dual-Phase Extraction Well

j Well not gauged and/or sampled due to encroachment permit restrictions.

TP2
 Tank Pit Well



GROUNDWATER ELEVATION MAP
August 23, 2007

FORMER EXXON SERVICE STATION 70238
 2200 East 12th Street
 Oakland, California

PROJECT NO.

2293

PLATE

3

ATTACHMENT A
GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with an ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h(7.48)$ where:

r	=	radius of the well casing in feet.
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody form.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

ATTACHMENT B

**LABORATORY ANALYTICAL REPORTS
AND CHAIN-OF-CUSTODY RECORDS**


11 September, 2007

Paula Sime
Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma, CA 94954

RE: Exxon 7-0238
Work Order: MQH0791

Enclosed are the results of analyses for samples received by the laboratory on 08/24/07 17:45. The samples arrived at a temperature of 3° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Tim Rhiney
Project Manager

CA ELAP Certificate #1210

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
QCBB	MQH0791-01	Water	08/23/07 11:35	08/24/07 17:45
MW9A	MQH0791-02	Water	08/23/07 10:45	08/24/07 17:45
MW9B	MQH0791-03	Water	08/23/07 12:15	08/24/07 17:45
MW9C	MQH0791-04	Water	08/23/07 11:20	08/24/07 17:45
MW9D	MQH0791-05	Water	08/23/07 11:45	08/24/07 17:45
MW9I	MQH0791-06	Water	08/23/07 12:00	08/24/07 17:45

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

MW9A (MQH0791-02) Water Sampled: 08/23/07 10:45 Received: 08/24/07 17:45

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Gasoline Range Organics (C4-C12)	ND	50		ug/l	1	7H31005	08/31/07	09/01/07	EPA 8015B/8021B	
Benzene	ND	0.50		"	"	"	"	"	"	
Toluene	ND	0.50		"	"	"	"	"	"	
Ethylbenzene	ND	0.50		"	"	"	"	"	"	
Xylenes (total)	ND	0.50		"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		105 %		85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		97 %		75-125	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
tert-Amyl methyl ether	ND	0.50		ug/l	1	7H31003	08/31/07	08/31/07	EPA 8260B	
tert-Butyl alcohol	ND	10		"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50		"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50		"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50		"	"	"	"	"	"	
Ethanol	ND	100		"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50		"	"	"	"	"	"	
Methyl tert-butyl ether	46	0.50		"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		102 %		75-120	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		89 %		60-125	"	"	"	"	"	
Surrogate: Toluene-d8		95 %		80-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		79 %		60-135	"	"	"	"	"	

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

MW9B (MQH0791-03) Water Sampled: 08/23/07 12:15 Received: 08/24/07 17:45

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	140	50	ug/l	1	7H31005	08/31/07	09/01/07	EPA 8015B/8021B	QP
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		106 %	85-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		94 %	75-125	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	5.0	ug/l	10	7H31027	08/31/07	09/01/07	EPA 8260B	
tert-Butyl alcohol	520	100	"	"	"	"	"	"	
Di-isopropyl ether	ND	5.0	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	5.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	5.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	230	5.0	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		95 %	75-120	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		96 %	60-125	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		92 %	80-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		83 %	60-135	"	"	"	"	"	

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0238 Project Number: 7-0238 Project Manager: Paula Sime	MQH0791 Reported: 09/11/07 16:25
---	--	--

MW9C (MQH0791-04) Water Sampled: 08/23/07 11:20 Received: 08/24/07 17:45

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	55	50	ug/l	1	7104007	09/04/07	09/04/07	EPA 8015B/8021B	QP
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		108 %	85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		100 %	75-125	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	7106007	09/06/07	09/06/07	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	51	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		96 %	75-120	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		96 %	60-125	"	"	"	"	"	
Surrogate: Toluene-d8		100 %	80-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		89 %	60-135	"	"	"	"	"	

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0238 Project Number: 7-0238 Project Manager: Paula Sime	MQH0791 Reported: 09/11/07 16:25
---	--	--

MW9D (MQH0791-05) Water **Sampled: 08/23/07 11:45** **Received: 08/24/07 17:45**

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Gasoline Range Organics (C4-C12)	ND	50		ug/l	1	7H31005	08/31/07	09/01/07	EPA 8015B/8021B	
Benzene	ND	0.50		"	"	"	"	"	"	
Toluene	ND	0.50		"	"	"	"	"	"	
Ethylbenzene	ND	0.50		"	"	"	"	"	"	
Xylenes (total)	ND	0.50		"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		107 %		85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		92 %		75-125	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
tert-Amyl methyl ether	ND	0.50		ug/l	1	7H31003	08/31/07	08/31/07	EPA 8260B	
tert-Butyl alcohol	ND	10		"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50		"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50		"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50		"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50		"	"	"	"	"	"	
Methyl tert-butyl ether	15	0.50		"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		98 %		75-120	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		88 %		60-125	"	"	"	"	"	
Surrogate: Toluene-d8		93 %		80-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		75 %		60-135	"	"	"	"	"	

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

MW91 (MQH0791-06) Water Sampled: 08/23/07 12:00 Received: 08/24/07 17:45

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Gasoline Range Organics (C4-C12)	ND	50		ug/l	1	7104007	09/04/07	09/04/07	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		109 %		85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		100 %		75-125	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
tert-Amyl methyl ether	ND	0.50		ug/l	1	7H31003	08/31/07	08/31/07	EPA 8260B	
tert-Butyl alcohol	90	10	"	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	"	
Methyl tert-butyl ether	0.86	0.50	"	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		97 %		75-120	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane- <i>d4</i>		90 %		60-125	"	"	"	"	"	
Surrogate: Toluene- <i>d8</i>		94 %		80-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		74 %		60-135	"	"	"	"	"	

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 7H31005 - EPA 5030B [P/T]										
Blank (7H31005-BLK1) Prepared & Analyzed: 08/31/07										
Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.37	"							
Surrogate: a,a,a-Trifluorotoluene	42.1		"	40.0		105	85-120			
Surrogate: 4-Bromofluorobenzene	37.6		"	40.0		94	75-125			
LCS (7H31005-BS1) Prepared & Analyzed: 08/31/07										
Benzene	10.1	0.50	ug/l	10.0		101	70-130			
Toluene	9.96	0.50	"	10.0		100	70-130			
Ethylbenzene	9.50	0.50	"	10.0		95	70-130			
Xylenes (total)	29.2	0.50	"	30.0		97	70-130			
Surrogate: a,a,a-Trifluorotoluene	41.2		"	40.0		103	85-120			
LCS (7H31005-BS2) Prepared & Analyzed: 08/31/07										
Gasoline Range Organics (C4-C12)	228	50	ug/l	275		83	70-130			
Surrogate: 4-Bromofluorobenzene	39.9		"	40.0		100	75-125			
LCS Dup (7H31005-BSD2) Prepared & Analyzed: 08/31/07										
Gasoline Range Organics (C4-C12)	215	50	ug/l	275		78	70-130	6	25	
Surrogate: 4-Bromofluorobenzene	39.8		"	40.0		100	75-125			
Matrix Spike (7H31005-MS1) Source: MQH0711-01 Prepared & Analyzed: 08/31/07										
Benzene	10.7	0.50	ug/l	10.0	ND	107	70-130			
Toluene	10.6	0.50	"	10.0	ND	106	70-130			
Ethylbenzene	10.4	0.50	"	10.0	ND	104	70-130			
Xylenes (total)	31.5	0.50	"	30.0	ND	105	70-130			
Surrogate: a,a,a-Trifluorotoluene	42.6		"	40.0		107	85-120			

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0238 Project Number: 7-0238 Project Manager: Paula Sime	MQH0791 Reported: 09/11/07 16:25
---	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 7H31005 - EPA 5030B [P/T]

Matrix Spike Dup (7H31005-MSD1)		Source: MQH0711-01		Prepared & Analyzed: 08/31/07						
Benzene	10.6	0.50	ug/l	10.0	ND	106	70-130	0.8	25	
Toluene	10.6	0.50	"	10.0	ND	106	70-130	0.4	25	
Ethylbenzene	10.3	0.50	"	10.0	ND	103	70-130	1	25	
Xylenes (total)	31.4	0.50	"	30.0	ND	105	70-130	0.3	25	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	42.5		"	40.0		106	85-120			

Batch 7I04007 - EPA 5030B [P/T]

Blank (7I04007-BLK1)		Prepared & Analyzed: 09/04/07								
Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.37	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	85.8		"	80.0		107	85-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	80.3		"	80.0		100	75-125			

LCS (7I04007-BS1)		Prepared & Analyzed: 09/04/07								
Benzene	10.3	0.50	ug/l	10.0		103	70-130			
Toluene	10.0	0.50	"	10.0		100	70-130			
Ethylbenzene	9.69	0.50	"	10.0		97	70-130			
Xylenes (total)	29.6	0.50	"	30.0		99	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	85.1		"	80.0		106	85-120			

LCS (7I04007-BS2)		Prepared & Analyzed: 09/04/07								
Gasoline Range Organics (C4-C12)	230	50	ug/l	275		84	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	83.1		"	80.0		104	75-125			

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0238 Project Number: 7-0238 Project Manager: Paula Sime	MQH0791 Reported: 09/11/07 16:25
---	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7104007 - EPA 5030B [P/T]

LCS Dup (7104007-BSD2)										
Prepared & Analyzed: 09/04/07										
Gasoline Range Organics (C4-C12)	217	50	ug/l	275		79	70-130	6	25	
Surrogate: 4-Bromofluorobenzene	83.3		"	80.0		104	75-125			
Matrix Spike (7104007-MS1)										
Source: MQH0934-08 Prepared & Analyzed: 09/04/07										
Benzene	10.7	0.50	ug/l	10.0	0.267	104	70-130			
Toluene	10.2	0.50	"	10.0	ND	102	70-130			
Ethylbenzene	9.86	0.50	"	10.0	ND	99	70-130			
Xylenes (total)	30.1	0.50	"	30.0	ND	100	70-130			
Surrogate: a,a,a-Trifluorotoluene	85.1		"	80.0		106	85-120			
Matrix Spike Dup (7104007-MSD1)										
Source: MQH0934-08 Prepared & Analyzed: 09/04/07										
Benzene	10.6	0.50	ug/l	10.0	0.267	103	70-130	1	25	
Toluene	10.1	0.50	"	10.0	ND	101	70-130	0.8	25	
Ethylbenzene	9.80	0.50	"	10.0	ND	98	70-130	0.5	25	
Xylenes (total)	29.9	0.50	"	30.0	ND	100	70-130	0.7	25	
Surrogate: a,a,a-Trifluorotoluene	85.2		"	80.0		107	85-120			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7H31003 - EPA 5030B P/T

Blank (7H31003-BLK1)

Prepared & Analyzed: 08/31/07

tert-Amyl methyl ether	ND	0.30	ug/l							
tert-Amyl methyl ether	ND	0.30	"							
tert-Butyl alcohol	ND	5	"							
tert-Butyl alcohol	ND	5	"							
Di-isopropyl ether	ND	0.25	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethanol	ND	50	"							
Ethyl tert-butyl ether	ND	0.40	"							
Ethyl tert-butyl ether	ND	0.40	"							
Methyl tert-butyl ether	ND	0.31	"							
Methyl tert-butyl ether	ND	0.31	"							
<hr/>										
<i>Surrogate: Dibromofluoromethane</i>	2.51		"	2.50		100	75-120			
<i>Surrogate: Dibromofluoromethane</i>	2.51		"	2.50		100	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.34		"	2.50		94	60-125			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.34		"	2.50		94	60-125			
<i>Surrogate: Toluene-d8</i>	2.59		"	2.50		104	80-120			
<i>Surrogate: Toluene-d8</i>	2.59		"	2.50		104	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.12		"	2.50		85	60-135			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.12		"	2.50		85	60-135			

LCS (7H31003-BS1)

Prepared & Analyzed: 08/31/07

tert-Amyl methyl ether	11.5	0.50	ug/l	10.0		115	70-130			
tert-Amyl methyl ether	11.5	0.50	"	10.0		115	70-130			
tert-Butyl alcohol	178	10	"	200		89	70-130			
tert-Butyl alcohol	178	10	"	200		89	70-130			
Di-isopropyl ether	9.80	0.50	"	10.0		98	70-130			
Di-isopropyl ether	9.80	0.50	"	10.0		98	70-130			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7H31003 - EPA 5030B P/T

LCS (7H31003-BS1)

Prepared & Analyzed: 08/31/07

1,2-Dibromoethane (EDB)	12.1	0.50	ug/l	10.0	121	70-135				
1,2-Dibromoethane (EDB)	12.1	0.50	"	10.0	121	70-135				
1,2-Dichloroethane	9.66	0.50	"	10.0	97	70-125				
1,2-Dichloroethane	9.66	0.50	"	10.0	97	70-125				
Ethanol	243	100	"	200	122	70-130				
Ethyl tert-butyl ether	10.0	0.50	"	10.0	100	70-130				
Ethyl tert-butyl ether	10.0	0.50	"	10.0	100	70-130				
Methyl tert-butyl ether	11.6	0.50	"	10.0	116	70-130				
Methyl tert-butyl ether	11.6	0.50	"	10.0	116	70-130				

Surrogate: Dibromofluoromethane

2.59 " 2.50 104 75-120

Surrogate: Dibromofluoromethane

2.59 " 2.50 104 75-120

Surrogate: 1,2-Dichloroethane-d4

2.34 " 2.50 94 60-125

Surrogate: 1,2-Dichloroethane-d4

2.34 " 2.50 94 60-125

Surrogate: Toluene-d8

2.65 " 2.50 106 80-120

Surrogate: Toluene-d8

2.65 " 2.50 106 80-120

Surrogate: 4-Bromofluorobenzene

2.44 " 2.50 98 60-135

Surrogate: 4-Bromofluorobenzene

2.44 " 2.50 98 60-135

Matrix Spike (7H31003-MS1)

Source: MQH0758-01

Prepared & Analyzed: 08/31/07

tert-Amyl methyl ether	10.8	0.50	ug/l	10.0	ND	108	70-130			
tert-Amyl methyl ether	10.8	0.50	"	10.0	ND	108	70-130			
tert-Butyl alcohol	190	10	"	200	ND	95	70-130			
tert-Butyl alcohol	190	10	"	200	ND	95	70-130			
Di-isopropyl ether	9.48	0.50	"	10.0	ND	95	70-130			
Di-isopropyl ether	9.48	0.50	"	10.0	ND	95	70-130			
1,2-Dibromoethane (EDB)	11.6	0.50	"	10.0	ND	116	70-135			
1,2-Dibromoethane (EDB)	11.6	0.50	"	10.0	ND	116	70-135			
1,2-Dichloroethane	9.56	0.50	"	10.0	ND	96	70-125			
1,2-Dichloroethane	9.56	0.50	"	10.0	ND	96	70-125			
Ethanol	218	100	"	200	ND	109	70-130			
Ethyl tert-butyl ether	9.86	0.50	"	10.0	ND	99	70-130			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 7H31003 - EPA 5030B P/T										
Matrix Spike (7H31003-MS1)										
Source: MQH0758-01 Prepared & Analyzed: 08/31/07										
Ethyl tert-butyl ether	9.86	0.50	ug/l	10.0	ND	99	70-130			
Methyl tert-butyl ether	23.2	0.50	"	10.0	11.3	119	70-130			
Methyl tert-butyl ether	23.2	0.50	"	10.0	11.3	119	70-130			
Surrogate: Dibromofluoromethane	2.64		"	2.50		106	75-120			
Surrogate: Dibromofluoromethane	2.64		"	2.50		106	75-120			
Surrogate: 1,2-Dichloroethane-d4	2.34		"	2.50		94	60-125			
Surrogate: 1,2-Dichloroethane-d4	2.34		"	2.50		94	60-125			
Surrogate: Toluene-d8	2.55		"	2.50		102	80-120			
Surrogate: Toluene-d8	2.55		"	2.50		102	80-120			
Surrogate: 4-Bromofluorobenzene	2.34		"	2.50		94	60-135			
Surrogate: 4-Bromofluorobenzene	2.34		"	2.50		94	60-135			
Matrix Spike Dup (7H31003-MSD1)										
Source: MQH0758-01 Prepared & Analyzed: 08/31/07										
tert-Amyl methyl ether	10.9	0.50	ug/l	10.0	ND	109	70-130	1	25	
tert-Amyl methyl ether	10.9	0.50	"	10.0	ND	109	70-130	1	25	
tert-Butyl alcohol	190	10	"	200	ND	95	70-130	0.03	25	
tert-Butyl alcohol	190	10	"	200	ND	95	70-130	0.03	25	
Di-isopropyl ether	9.62	0.50	"	10.0	ND	96	70-130	1	25	
Di-isopropyl ether	9.62	0.50	"	10.0	ND	96	70-130	1	25	
1,2-Dibromoethane (EDB)	11.7	0.50	"	10.0	ND	117	70-135	1	30	
1,2-Dibromoethane (EDB)	11.7	0.50	"	10.0	ND	117	70-135	1	30	
1,2-Dichloroethane	9.74	0.50	"	10.0	ND	97	70-125	2	25	
1,2-Dichloroethane	9.74	0.50	"	10.0	ND	97	70-125	2	25	
Ethanol	219	100	"	200	ND	110	70-130	0.7	25	
Ethyl tert-butyl ether	9.96	0.50	"	10.0	ND	100	70-130	1	25	
Ethyl tert-butyl ether	9.96	0.50	"	10.0	ND	100	70-130	1	25	
Methyl tert-butyl ether	23.5	0.50	"	10.0	11.3	122	70-130	1	25	
Methyl tert-butyl ether	23.5	0.50	"	10.0	11.3	122	70-130	1	25	
Surrogate: Dibromofluoromethane	2.56		"	2.50		102	75-120			
Surrogate: Dibromofluoromethane	2.56		"	2.50		102	75-120			
Surrogate: 1,2-Dichloroethane-d4	2.39		"	2.50		96	60-125			
Surrogate: 1,2-Dichloroethane-d4	2.39		"	2.50		96	60-125			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 7H31003 - EPA 5030B P/T

Matrix Spike Dup (7H31003-MSD1)

Source: MQH0758-01

Prepared & Analyzed: 08/31/07

Surrogate: Toluene-d8	2.53		ug/l	2.50		101	80-120			
Surrogate: Toluene-d8	2.53		"	2.50		101	80-120			
Surrogate: 4-Bromofluorobenzene	2.34		"	2.50		94	60-135			
Surrogate: 4-Bromofluorobenzene	2.34		"	2.50		94	60-135			

Batch 7H31027 - EPA 5030B P/T

Blank (7H31027-BLK1)

Prepared & Analyzed: 08/31/07

tert-Amyl methyl ether	ND	0.30	ug/l							
tert-Butyl alcohol	ND	5	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethyl tert-butyl ether	ND	0.40	"							
Methyl tert-butyl ether	ND	0.31	"							
Surrogate: Dibromofluoromethane	2.40		"	2.50		96	75-120			
Surrogate: 1,2-Dichloroethane-d4	2.22		"	2.50		89	60-125			
Surrogate: Toluene-d8	2.38		"	2.50		95	80-120			
Surrogate: 4-Bromofluorobenzene	2.17		"	2.50		87	60-135			

LCS (7H31027-BS1)

Prepared & Analyzed: 08/31/07

tert-Amyl methyl ether	9.42	0.50	ug/l	10.0		94	70-130			
tert-Butyl alcohol	180	10	"	200		90	70-130			
Di-isopropyl ether	8.09	0.50	"	10.0		81	70-130			
1,2-Dibromoethane (EDB)	9.71	0.50	"	10.0		97	70-135			
1,2-Dichloroethane	8.09	0.50	"	10.0		81	70-125			
Ethyl tert-butyl ether	9.18	0.50	"	10.0		92	70-130			
Methyl tert-butyl ether	8.93	0.50	"	10.0		89	70-130			
Surrogate: Dibromofluoromethane	2.55		"	2.50		102	75-120			
Surrogate: 1,2-Dichloroethane-d4	2.21		"	2.50		88	60-125			
Surrogate: Toluene-d8	2.48		"	2.50		99	80-120			
Surrogate: 4-Bromofluorobenzene	2.38		"	2.50		95	60-135			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7H31027 - EPA 5030B P/T

Matrix Spike (7H31027-MS1)

Source: MQH0911-01

Prepared & Analyzed: 08/31/07

tert-Amyl methyl ether	10.8	0.50	ug/l	10.0	ND	108	70-130			
tert-Butyl alcohol	206	10	"	200	ND	103	70-130			
Di-isopropyl ether	9.24	0.50	"	10.0	ND	92	70-130			
1,2-Dibromoethane (EDB)	10.9	0.50	"	10.0	ND	109	70-135			
1,2-Dichloroethane	9.37	0.50	"	10.0	ND	94	70-125			
Ethyl tert-butyl ether	10.5	0.50	"	10.0	ND	105	70-130			
Methyl tert-butyl ether	16.6	0.50	"	10.0	6.40	102	70-130			
Surrogate: Dibromofluoromethane	2.51		"	2.50		100	75-120			
Surrogate: 1,2-Dichloroethane-d4	2.23		"	2.50		89	60-125			
Surrogate: Toluene-d8	2.45		"	2.50		98	80-120			
Surrogate: 4-Bromofluorobenzene	2.42		"	2.50		97	60-135			

Matrix Spike Dup (7H31027-MSD1)

Source: MQH0911-01

Prepared: 08/31/07 Analyzed: 09/01/07

tert-Amyl methyl ether	11.0	0.50	ug/l	10.0	ND	110	70-130	2	25	
tert-Butyl alcohol	212	10	"	200	ND	106	70-130	3	25	
Di-isopropyl ether	9.56	0.50	"	10.0	ND	96	70-130	3	25	
1,2-Dibromoethane (EDB)	11.2	0.50	"	10.0	ND	112	70-135	2	30	
1,2-Dichloroethane	9.69	0.50	"	10.0	ND	97	70-125	3	25	
Ethyl tert-butyl ether	10.9	0.50	"	10.0	ND	109	70-130	3	25	
Methyl tert-butyl ether	17.4	0.50	"	10.0	6.40	110	70-130	5	25	
Surrogate: Dibromofluoromethane	2.50		"	2.50		100	75-120			
Surrogate: 1,2-Dichloroethane-d4	2.28		"	2.50		91	60-125			
Surrogate: Toluene-d8	2.45		"	2.50		98	80-120			
Surrogate: 4-Bromofluorobenzene	2.40		"	2.50		96	60-135			

Batch 7106007 - EPA 5030B P/T

Blank (7106007-BLK1)

Prepared & Analyzed: 09/06/07

tert-Amyl methyl ether	ND	0.30	ug/l							
tert-Butyl alcohol	ND	5	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7106007 - EPA 5030B P/T

Blank (7106007-BLK1)

Prepared & Analyzed: 09/06/07

Ethyl tert-butyl ether	ND	0.40	ug/l							
Methyl tert-butyl ether	ND	0.31	"							
<i>Surrogate: Dibromofluoromethane</i>	2.28		"	2.50		91	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.22		"	2.50		89	60-125			
<i>Surrogate: Toluene-d8</i>	2.23		"	2.50		89	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.08		"	2.50		83	60-135			

LCS (7106007-BS1)

Prepared & Analyzed: 09/06/07

tert-Amyl methyl ether	9.45	0.50	ug/l	10.0		94	70-130			
tert-Butyl alcohol	189	20	"	200		95	70-130			
Di-isopropyl ether	9.24	0.50	"	10.0		92	70-130			
1,2-Dibromoethane (EDB)	9.44	0.50	"	10.0		94	70-135			
1,2-Dichloroethane	9.79	0.50	"	10.0		98	70-125			
Ethyl tert-butyl ether	9.17	0.50	"	10.0		92	70-130			
Methyl tert-butyl ether	9.20	0.50	"	10.0		92	70-130			
<i>Surrogate: Dibromofluoromethane</i>	2.30		"	2.50		92	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.17		"	2.50		87	60-125			
<i>Surrogate: Toluene-d8</i>	2.48		"	2.50		99	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.25		"	2.50		90	60-135			

LCS Dup (7106007-BSD1)

Prepared & Analyzed: 09/06/07

tert-Amyl methyl ether	9.09	0.50	ug/l	10.0		91	70-130	4	25	
tert-Butyl alcohol	215	10	"	200		108	70-130	13	25	
Di-isopropyl ether	9.41	0.50	"	10.0		94	70-130	2	25	
1,2-Dibromoethane (EDB)	9.73	0.50	"	10.0		97	70-135	3	30	
1,2-Dichloroethane	8.86	0.50	"	10.0		89	70-125	10	25	
Ethyl tert-butyl ether	9.46	0.50	"	10.0		95	70-130	3	25	
Methyl tert-butyl ether	9.62	0.50	"	10.0		96	70-130	4	25	
<i>Surrogate: Dibromofluoromethane</i>	2.42		"	2.50		97	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.24		"	2.50		90	60-125			
<i>Surrogate: Toluene-d8</i>	2.41		"	2.50		96	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.29		"	2.50		92	60-135			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	------------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7106007 - EPA 5030B P/T

Matrix Spike (7106007-MS1)

Source: MQH0791-04 Prepared & Analyzed: 09/06/07

tert-Amyl methyl ether	7.35	0.50	ug/l	10.0	ND	74	70-130			
tert-Butyl alcohol	185	10	"	200	ND	92	70-130			
Di-isopropyl ether	8.01	0.50	"	10.0	ND	80	70-130			
1,2-Dibromoethane (EDB)	8.93	0.50	"	10.0	ND	89	70-135			
1,2-Dichloroethane	8.75	0.50	"	10.0	ND	88	70-125			
Ethyl tert-butyl ether	7.93	0.50	"	10.0	ND	79	70-130			
Methyl tert-butyl ether	56.2	0.50	"	10.0	51.0	52	70-130			MHA
Surrogate: Dibromofluoromethane	2.28		"	2.50		91	75-120			
Surrogate: 1,2-Dichloroethane-d4	2.36		"	2.50		94	60-125			
Surrogate: Toluene-d8	2.33		"	2.50		93	80-120			
Surrogate: 4-Bromofluorobenzene	2.28		"	2.50		91	60-135			

Matrix Spike Dup (7106007-MSD1)

Source: MQH0791-04 Prepared & Analyzed: 09/06/07

tert-Amyl methyl ether	8.55	0.50	ug/l	10.0	ND	86	70-130	15	25	
tert-Butyl alcohol	201	10	"	200	ND	101	70-130	9	25	
Di-isopropyl ether	8.42	0.50	"	10.0	ND	84	70-130	5	25	
1,2-Dibromoethane (EDB)	8.83	0.50	"	10.0	ND	88	70-135	1	30	
1,2-Dichloroethane	8.83	0.50	"	10.0	ND	88	70-125	0.9	25	
Ethyl tert-butyl ether	8.39	0.50	"	10.0	ND	84	70-130	6	25	
Methyl tert-butyl ether	50.0	0.50	"	10.0	51.0	-10	70-130	12	25	MHA
Surrogate: Dibromofluoromethane	2.25		"	2.50		90	75-120			
Surrogate: 1,2-Dichloroethane-d4	2.22		"	2.50		89	60-125			
Surrogate: Toluene-d8	2.30		"	2.50		92	80-120			
Surrogate: 4-Bromofluorobenzene	2.19		"	2.50		88	60-135			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0238
Project Number: 7-0238
Project Manager: Paula Sime

MQH0791
Reported:
09/11/07 16:25

Notes and Definitions

QP	Hydrocarbon result partly due to individual peak(s) in quantitation range.
MHA	Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information. See Blank Spike (LCS).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

CHAIN OF CUSTODY RECORD



408-776-9600

Morgan Hill Division

885 Jarvis Drive

Morgan Hill, CA 95037



Consultant Name: Environmental Resolutions, inc.

Address: 601 N. McDowell Blvd

City/State/Zip: Petaluma, California 94954

Project Manager: Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 229313X

Sampler Name: (Print) LYNX ADAMATH

Sampler Signature: [Signature]

Lab Courier Hand Deliver Commercial Express Other:

ExxonMobil Engineer Jennifer Sedlachek

Telephone Number (510) 547-8196

Account #: 10228

PO #: _____

Facility ID # 70238

Global ID# T0600101343

Site Address 2200 East 12th Street

City, State Zip Oakland, California

TAT
 24 hour 72 hour
 48 hour 96 hour
 8 day MOHO 791

PROVIDE:
EDF Report

Special Instructions:
7 CA oxys: MTBE, ETBE, DIPE, TAME, TBA, 1,2-DCA, EDB
Run TBA with detection limit < 12ug/L

Matrix Analyze For:

Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Matrix			Analyze For:									
							Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8260B	7 CA Oxys 8260B	Ethanol 8260B					
01 QCBB	8/23/7	1135			HCI	2 VOAs	X			H	O	L	D						
02 MW9A	↓	1045			HCI	6 VOAs	X		X	X	X	X	X						
03 MW9B	↓	1215			HCI	6 VOAs	X		X	X	X	X							
04 MW9C	↓	1120			HCI	6 VOAs	X		X	X	X	X							
05 MW9D	↓	1145			HCI	6 VOAs	X		X	X	X	X							
UNA FILE MW9E					HCI	6 VOAs	X		X	X	X	X							
TO MW9G					HCI	6 VOAs	X		X	X	X	X							
SAMPLE MW9H					HCI	6 VOAs	X		X	X	X	X							
06 MW9I	8/23/7	1200			HCI	6 VOAs	X		X	X	X	X	X						

Relinquished by: [Signature] Date 8/23/7 Time 1430 Received by: [Signature] (TAMH) 8/24/07 Time 1245
 Relinquished by: [Signature] Date 8-24-07 Time 1745 Received by TestAmerica: [Signature] Time 8/24/07 1745

Laboratory Comments:
 Temperature Upon Receipt: 2.8°
 Sample Containers Intact? Y
 VOAs Free of Headspace? Y

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: E.R.I
 REC. BY (PRINT) DJ
 WORKORDER: MOHO 791

DATE REC'D AT LAB: 8/24/07
 TIME REC'D AT LAB: 145
 DATE LOGGED IN: 8/28/07

For Regulatory Purposes?
 DRINKING WATER YES / NO
 WASTE WATER YES / NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / <u>Absent</u> Intact / Broken*								/
2. Chain-of-Custody Present / <u>Absent</u> *								
3. Traffic Reports or Packing List: Present / <u>Absent</u>								
4. Airbill: Airbill / Sticker Present / <u>Absent</u>								
5. Airbill #:								
6. Sample Labels: Present / <u>Absent</u>								
7. Sample IDs: <u>Listed</u> / Not Listed on Chain-of-Custody								
8. Sample Condition: <u>Intact</u> / Broken* / Leaking*			See COC 8/24/07 DJ					
9. Does information on chain-of-custody, traffic reports and sample labels agree? <u>Yes</u> / No*								
10. Sample received within hold time? <u>Yes</u> / No*								
11. Adequate sample volume received? <u>Yes</u> / No*								
12. Proper preservatives used? <u>Yes</u> / No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) <u>Yes</u> / No*								
14. Read Temp: <u>2.8°</u> Corrected Temp: <u>↓</u> Is corrected temp 4 +/-2°C? <u>Yes</u> / No**								

(Acceptance range for samples requiring thermal pres.)
 *Exception (if any): METALS / DFF ON ICE or Problem COC

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

August 23, 2007 1:13:43PM

Client: ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn: Paula Sime

Work Order: NQH1459
Project Name: Exxon 7-0238
Project Nbr: 2293 11X
P/O Nbr: 4508212427
Date Received: 08/14/07



SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
A-EFF	NQH1459-01	08/09/07 09:00
A-INF	NQH1459-02	08/09/07 09:30

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

Additional Laboratory Comments:
Analysis on A-INT(NQH1459-03) not performed. Airbag deflated prior to analysis.
California Certification Number: 01168CA

The Chain(s) of Custody, 3 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:

Leah R. Klingensmith
Senior Project Management

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NQH1459
 Project Name: Exxon 7-0238
 Project Number: 2293 11X
 Received: 08/14/07 07:50

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NQH1459-01 (A-EFF - Air) Sampled: 08/09/07 09:00								
BTEX in Air by GC/PID								
Methyl tert-Butyl Ether	ND		mg/m3	0.500	1	08/20/07 01:36	EPA 18M	7082921
Benzene	ND		mg/m3	0.500	1	08/20/07 01:36	EPA 18M	7082921
Toluene	ND		mg/m3	0.500	1	08/20/07 01:36	EPA 18M	7082921
Ethylbenzene	ND		mg/m3	0.500	1	08/20/07 01:36	EPA 18M	7082921
Xylenes, total	ND		mg/m3	1.50	1	08/20/07 01:36	EPA 18M	7082921
>C4 - C10 Hydrocarbons	ND		mg/m3	50.0	1	08/20/07 01:36	EPA 18M	7082921
Sample ID: NQH1459-02 (A-INF - Air) Sampled: 08/09/07 09:30								
BTEX in Air by GC/PID								
Methyl tert-Butyl Ether	ND		mg/m3	0.500	1	08/20/07 02:06	EPA 18M	7082921
Benzene	ND		mg/m3	0.500	1	08/20/07 02:06	EPA 18M	7082921
Toluene	ND		mg/m3	0.500	1	08/20/07 02:06	EPA 18M	7082921
Ethylbenzene	ND		mg/m3	0.500	1	08/20/07 02:06	EPA 18M	7082921
Xylenes, total	ND		mg/m3	1.50	1	08/20/07 02:06	EPA 18M	7082921
>C4 - C10 Hydrocarbons	ND		mg/m3	50.0	1	08/20/07 02:06	EPA 18M	7082921

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NQH1459
Project Name: Exxon 7-0238
Project Number: 2293 11X
Received: 08/14/07 07:50

PROJECT QUALITY CONTROL DATA

Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
BTEX in Air by GC/PID						
7082921-BLK1						
Methyl tert-Butyl Ether	<0.230		mg/m3	7082921	7082921-BLK1	08/19/07 22:10
Benzene	<0.270		mg/m3	7082921	7082921-BLK1	08/19/07 22:10
Toluene	<0.390		mg/m3	7082921	7082921-BLK1	08/19/07 22:10
Ethylbenzene	<0.220		mg/m3	7082921	7082921-BLK1	08/19/07 22:10
Xylenes, total	<1.19		mg/m3	7082921	7082921-BLK1	08/19/07 22:10
>C4 - C10 Hydrocarbons	<12.0		mg/m3	7082921	7082921-BLK1	08/19/07 22:10

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NQH1459
 Project Name: Exxon 7-0238
 Project Number: 2293 11X
 Received: 08/14/07 07:50

PROJECT QUALITY CONTROL DATA
LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
BTEX in Air by GC/PID								
7082921-BS1								
Methyl tert-Butyl Ether	18.0	17.0		mg/m3	94%	70 - 130	7082921	08/20/07 03:33
Benzene	16.0	15.1		mg/m3	94%	70 - 130	7082921	08/20/07 03:33
Toluene	19.0	17.8		mg/m3	94%	70 - 130	7082921	08/20/07 03:33
Ethylbenzene	22.0	19.7		mg/m3	89%	70 - 130	7082921	08/20/07 03:33
Xylenes, total	65.5	60.7		mg/m3	93%	70 - 130	7082921	08/20/07 03:33
>C4 - C10 Hydrocarbons	226	217		mg/m3	96%	70 - 130	7082921	08/20/07 03:33

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NQH1459
Project Name: Exxon 7-0238
Project Number: 2293 11X
Received: 08/14/07 07:50

CERTIFICATION SUMMARY

TestAmerica - Nashville, TN

Method	Matrix	AIHA	Nelac	California
EPA 18M	Air			
NA	Air			

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NQH1459
Project Name: Exxon 7-0238
Project Number: 2293 11X
Received: 08/14/07 07:50

NELAC CERTIFICATION SUMMARY

TestAmerica Analytical - Nashville does not hold NELAC certifications for the following analytes included in this report

<u>Method</u>	<u>Matrix</u>	<u>Analyte</u>
EPA 18M	Air	>C4 - C10 Hydrocarbons Benzene Ethylbenzene Methyl tert-Butyl Ether Toluene Xylenes, total

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954

Attn Paula Sime

Work Order: NQH1459
Project Name: Exxon 7-0238
Project Number: 2293 11X
Received: 08/14/07 07:50

DATA QUALIFIERS AND DEFINITIONS

ND Not detected at the reporting limit (or method detection limit if shown)

COOLER RECEIPT FORM



Cooler Received/Opened On 08/14/07 0750

NQH1459

1. Tracking # 1674 (last 4 digits, FedEx)

Courier: FedEx IR Gun ID 90943149

2. Temperature of rep. sample or temp blank when opened: NA Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO (NA)

4. Were custody seals on outside of cooler? YES...NO...NA

If yes, how many and where: _____

5. Were the seals intact, signed, and dated correctly? YES...NO...NA

6. Were custody papers inside cooler? YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial) JLF

7. Were custody seals on containers: YES NO and Intact YES...NO...NA

Were these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)? YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...NA

12. Did all container labels and tags agree with custody papers? YES...NO...NA

13a. Were VOA vials received? YES...NO...NA

b. Was there any observable headspace present in any VOA vial? YES...NO...NA

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence # _____

I certify that I unloaded the cooler and answered questions 7-14 (initial) JR

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used YES...NO...NA

If preservation in-house was needed, record standard ID of preservative used here _____

16. Was residual chlorine present? YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) JR

17. Were custody papers properly filled out (ink, signed, etc)? YES...NO...NA

18. Did you sign the custody papers in the appropriate place? YES...NO...NA

19. Were correct containers used for the analysis requested? YES...NO...NA

20. Was sufficient amount of sample sent in each container? YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) JR

I certify that I attached a label with the unique LIMS number to each container (initial) JR

21. Were there Non-Conformance issues at login? YES...NO Was a PIPE generated? YES...NO # _____

CHAIN OF CUSTODY RECORD



(615) 726-0177
 Morgan Hill Division
 885 Jarvis Drive
 Morgan Hill, CA 95037



Consultant Name: Environmental Resolutions, Inc.

Address: 601 North McDowell Blvd.

City/State/Zip: Petaluma, California 94954

Project Manager: Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 2293 11X (monthly)

Sampler Name: (Print) Jon Herman

Sampler Signature: [Signature]

ExxonMobil Engineer Jennifer C. Sedlachek

Telephone Number (510) 547-8196

Account #: _____

PO #: 4508212427

Facility ID # 7-0238

Global ID# T0600101343

Site Address 2200 East 12th Street

City, State Zip Oakland, California

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions: * Include MTBE					Matrix			Analyze For:				
		DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	EPA 18*	NQH1459 08/28/07 23:59		
A-EFF	8/9/07	9:00		X	NA	1L Tedlar			X	X				
A-INF		9:30		X	NA	1L Tedlar			X	X				
A-INF		9:15		X	NA	1L Ted			X	X				

Relinquished by: [Signature] Date 8/13/07 Time 8:00 Received by: [Signature] (JAM.H) 8/13/07 Time 0915

Relinquished by: [Signature] Date 8/13/07 Time 1245 Received by TestAmerica: [Signature] Time 081307 1245

[Signature] 0750 8/14/07

Laboratory Comments:
 Temperature Upon Receipt: _____
 Sample Containers Intact? Y
 VOAs Free of Headspace? _____

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: EXXON 2293
 REC. BY (PRINT) D.V.
 WORKORDER: _____

DATE REC'D AT LAB: 8/13/07
 TIME REC'D AT LAB: 1245
 DATE LOGGED IN: _____


For Regulatory Purposes?
 DRINKING WATER YES / NO
 WASTE WATER YES / NO NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / <u>Absent</u> Intact / Broken*								/
2. Chain-of-Custody <u>Present</u> / Absent*								
3. Traffic Reports or Packing List: Present / <u>Absent</u>								
4. Airbill: Airbill / Sticker Present / <u>Absent</u>								
5. Airbill #: _____								
6. Sample Labels: <u>Present</u> / Absent								
7. Sample IDs: <u>Listed</u> / Not Listed on Chain-of-Custody								
8. Sample Condition: <u>Intact</u> / Broken* / Leaking*								
9. Does Information on chain-of-custody, traffic reports and sample labels agree? <u>Yes</u> / No*								
10. Sample received within hold time? <u>Yes</u> / No*								
11. Adequate sample volume received? <u>Yes</u> / No*								
12. Proper preservatives used? <u>Yes</u> / No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes / <u>No</u>								
14. Read Temp: _____ Corrected Temp: _____ Is corrected temp $4 \pm 2^\circ\text{C}$? Yes / No**								

see C.O.C
8/13/07
D.V.

(Acceptance range for samples requiring thermal pres.)
 **Exception (if any): METALS / DFF ON ICE
 or Problem COC AIR

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.



September 27, 2007

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 07-09-1146**
Client Reference: **ExxonMobil 7-0238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 9/18/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in cursive script that reads "Cecile deGuia".

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 09/18/07
Work Order No: 07-09-1146
Preparation: N/A
Method: EPA TO-3 (M)

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-EFF	07-09-1146-1	09/14/07	Air	GC 13	N/A	09/19/07	070919L02
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	11	1		mg/m3		
A-INT	07-09-1146-2	09/14/07	Air	GC 13	N/A	09/19/07	070919L02
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	11	1		mg/m3		
A-INF	07-09-1146-3	09/14/07	Air	GC 13	N/A	09/19/07	070919L02
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	11	1		mg/m3		
Method Blank	098-01-005-1,017	N/A	Air	GC 13	N/A	09/19/07	070919L02
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	11	1		mg/m3		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 09/18/07
Work Order No: 07-09-1146
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-EFF	07-09-1146-1	09/14/07	Air	GC/MS DD	N/A	09/24/07	070923L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0045	0.0016	1		Xylenes (total)	0.041	0.0043	1	
Toluene	0.039	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.047	0.0072	1	
Ethylbenzene	0.015	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	104	47-137		
Toluene-d8	100	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-INT	07-09-1146-2	09/14/07	Air	GC/MS DD	N/A	09/24/07	070923L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0050	0.0016	1		Xylenes (total)	0.035	0.0043	1	
Toluene	0.040	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.17	0.0072	1	
Ethylbenzene	0.013	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	106	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-INF	07-09-1146-3	09/14/07	Air	GC/MS DD	N/A	09/24/07	070923L01

Comment(s): -Sample was not received within recommended holding time.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0074	0.0016	1		Xylenes (total)	0.084	0.0043	1	
Toluene	0.043	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.12	0.0072	1	
Ethylbenzene	0.030	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	100	57-129			1,2-Dichloroethane-d4	99	47-137		
Toluene-d8	104	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	097-09-002-6,349	N/A	Air	GC/MS DD	N/A	09/23/07	070923L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	91	57-129			1,2-Dichloroethane-d4	94	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 09/18/07
Work Order No: 07-09-1146
Preparation: N/A
Method: EPA TO-3 (M)

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-EFF	07-09-1146-1	09/14/07	Air	GC 13	N/A	09/19/07	070919L02
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	3.0	1		ppm (v/v)		
A-INT	07-09-1146-2	09/14/07	Air	GC 13	N/A	09/19/07	070919L02
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	3.0	1		ppm (v/v)		
A-INF	07-09-1146-3	09/14/07	Air	GC 13	N/A	09/19/07	070919L02
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	3.0	1		ppm (v/v)		
Method Blank	098-01-005-1,017	N/A	Air	GC 13	N/A	09/19/07	070919L02
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	3.0	1		ppm (v/v)		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 09/18/07
Work Order No: 07-09-1146
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-EFF	07-09-1146-1	09/14/07	Air	GC/MS DD	N/A	09/24/07	070923L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0014	0.00050	1		Xylenes (total)	0.0095	0.0010	1	
Toluene	0.010	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.013	0.0020	1	
Ethylbenzene	0.0035	0.00050	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	104	47-137		
Toluene-d8	100	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-INT	07-09-1146-2	09/14/07	Air	GC/MS DD	N/A	09/24/07	070923L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0016	0.00050	1		Xylenes (total)	0.0081	0.0010	1	
Toluene	0.011	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.046	0.0020	1	
Ethylbenzene	0.0030	0.00050	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	106	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-INF	07-09-1146-3	09/14/07	Air	GC/MS DD	N/A	09/24/07	070923L01


Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0023	0.00050	1		Xylenes (total)	0.019	0.0010	1	
Toluene	0.011	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.032	0.0020	1	
Ethylbenzene	0.0069	0.00050	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	100	57-129			1,2-Dichloroethane-d4	99	47-137		
Toluene-d8	104	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	097-09-002-6,349	N/A	Air	GC/MS DD	N/A	09/23/07	070923L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	91	57-129			1,2-Dichloroethane-d4	94	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 09/18/07
Work Order No: 07-09-1146
Preparation: N/A
Method: EPA TO-3 (M)


Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
07-09-1266-2	Air	GC 13	N/A	09/19/07	070919D02

Parameter	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
TPH as Gasoline	530	540	3	0-20	

RPD - Relative Percent Difference , CL - Control Limit

A handwritten signature in black ink, appearing to be "M. M. M.", is located at the bottom left of the page.



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 09/18/07
Work Order No: 07-09-1146
Preparation: N/A
Method: EPA TO-3 (M)

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
07-09-1266-2	Air	GC 13	N/A	09/19/07	070919D02

<u>Parameter</u>	<u>Sample Conc.</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	140	140	3	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 07-09-1146
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-09-002-6,349	Air	GC/MS DD	N/A	09/23/07	070923L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	86	98	60-156	12	0-40	
Toluene	88	100	56-146	13	0-43	
Ethylbenzene	94	107	52-154	13	0-38	
p/m-Xylene	91	104	42-156	13	0-41	
o-Xylene	93	105	52-148	13	0-38	

RPD - Relative Percent Difference , CL - Control Limit



Glossary of Terms and Qualifiers

Work Order Number: 07-09-1146

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



CHAIN OF CUSTODY RECORD

1146

Calscience Environmental Laboratories, Inc.
 7440 LINCOLN WAY
 GARDEN GROVE, CA 92841
 TEL: (714) 895-5494
 FAX: (714) 894-7501

Consultant Name: Environmental Resolutions, Inc.
 Address: 601 North McDowell Blvd.
 City/State/Zip: Petaluma, California 94954
 Project Manager Paula Sime
 Telephone Number: (707) 766-2000
 ERI Job Number: 2293 11X (monthly)
 Sampler Name: (Print) J. Herman
 Sampler Signature: *J. Herman*


ExxonMobil Engineer Jennifer C. Sedlachek
 Telephone Number (510) 547-8196
 Account #: _____
 PO #: 4508879005
 Facility ID # 7-0238
 Global ID# T0600101343
 Site Address 2200 East 12th Street
 City, State Zip Oakland, California



TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions:						Matrix				Analyze For:											
		Water	Soil	Vapor	TPH/g/BTEX/MTBE TO-3M + TO-15																		
Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER																	
1 A-EFF	9/14/07	900		X	NA	1L Tedlar				X	X												
2 A-INT		915		X	NA	1L Tedlar				X	X												
3 A-INF		930		X	NA	1L Tedlar				X	X												

Relinquished by: *J. Herman* Date 9/17/07 Time 1315 Received by: *[Signature]* CER Date 9/18/07 Time 1030
 Relinquished by: *[Signature]* Date 9-17-07 Time 1630 Received by: Calscience *[Signature]* Date 9/18/07 Time 1030
to GSD

Laboratory Comments:
 Temperature Upon Receipt:
 Sample Containers Intact?
 VOAs Free of Headspace?



WORK ORDER #: 07 - 09 - 1146

Cooler 0 of 0

SAMPLE RECEIPT FORM

CLIENT: ERI

DATE: 9/18/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [check]

Initial: JP


SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: JP

COMMENTS:

Blank lines for handwritten comments.



October 25, 2007

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 07-10-1045**
Client Reference: **ExxonMobil 7-0238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/13/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Cecile deGuia".

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager




CASE NARRATIVE

Calscience Work Order No.: 07-10-1045
Client Reference: ExxonMobil 7-0238

Three (3) air samples were received for this project on October 13, 2007. Testing was performed in accordance with the chain-of-custody instructions for TPH as gasoline by TO-3M and for BTEX + Oxygenates by TO-15M.

The tedlar bag labeled as A-INT collected on 10/12/07 @ 08:15 was received flat; therefore, analyses for this sample were cancelled.





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/13/07
Work Order No: 07-10-1045
Preparation: N/A
Method: EPA TO-3 (M)

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-EFF	07-10-1045-1	10/12/07	Air	GC 13	N/A	10/13/07	071013L01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	11	1		mg/m3


A-INF	07-10-1045-3	10/12/07	Air	GC 13	N/A	10/13/07	071013L01
-------	--------------	----------	-----	-------	-----	----------	-----------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	11	1		mg/m3

Method Blank	098-01-005-1,046	N/A	Air	GC 13	N/A	10/13/07	071013L01
--------------	------------------	-----	-----	-------	-----	----------	-----------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	11	1		mg/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/13/07
Work Order No: 07-10-1045
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 7-0238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-EFF	07-10-1045-1	10/12/07	Air	GC/MS V	N/A	10/15/07	071015L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0062	0.0016	1		Xylenes (total)	0.044	0.0043	1	
Toluene	0.067	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.016	0.0072	1	
Ethylbenzene	0.0070	0.0022	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	107	47-137		
Toluene-d8	100	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-INF	07-10-1045-3	10/12/07	Air	GC/MS V	N/A	10/15/07	071015L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0075	0.0016	1		Xylenes (total)	0.035	0.0043	1	
Toluene	0.063	0.0019	1		Methyl-t-Butyl Ether (MTBE)	1.3	0.0072	1	E
Ethylbenzene	0.0066	0.0022	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	120	47-137		
Toluene-d8	103	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-INF	07-10-1045-3	10/12/07	Air	GC/MS V	N/A	10/17/07	071016L01

Comment(s): -Dilution analysis was performed outside the recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	0.67	0.14	20						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	103	57-129			1,2-Dichloroethane-d4	129	47-137		
Toluene-d8	104	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	097-09-002-6,423	N/A	Air	GC/MS V	N/A	10/15/07	071015L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	118	47-137		
Toluene-d8	102	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
 601 North McDowell Blvd.
 Petaluma, CA 94954-2312

Date Received: 10/13/07
 Work Order No: 07-10-1045
 Preparation: N/A
 Method: EPA TO-15M
 Units: mg/m3


Project: ExxonMobil 7-0238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	097-09-002-6,426	N/A	Air	GC/MS V	N/A	10/16/07	071016L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	101	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

**Analytical Report**

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/13/07
Work Order No: 07-10-1045
Preparation: N/A
Method: EPA TO-3 (M)

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
A-EFF	07-10-1045-1	10/12/07	Air	GC 13	N/A	10/13/07	071013L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)


A-INF	07-10-1045-3	10/12/07	Air	GC 13	N/A	10/13/07	071013L01
-------	--------------	----------	-----	-------	-----	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

Method Blank	098-01-005-1,046	N/A	Air	GC 13	N/A	10/13/07	071013L01
--------------	------------------	-----	-----	-------	-----	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/13/07
Work Order No: 07-10-1045
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)


Project: ExxonMobil 7-0238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID		
A-EFF	07-10-1045-1	10/12/07	Air	GC/MS V	N/A	10/15/07	071015L01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	0.0020	0.00050	1		Xylenes (total)	0.010	0.0010	1	
Toluene	0.018	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.0045	0.0020	1	
Ethylbenzene	0.0016	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	107	47-137		
Toluene-d8	100	78-156							
A-INF	07-10-1045-3	10/12/07	Air	GC/MS V	N/A	10/15/07	071015L01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	0.0024	0.00050	1		Xylenes (total)	0.0082	0.0010	1	
Toluene	0.017	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.35	0.0020	1	E
Ethylbenzene	0.0015	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	120	47-137		
Toluene-d8	103	78-156							
A-INF	07-10-1045-3	10/12/07	Air	GC/MS V	N/A	10/17/07	071016L01		
Comment(s): -Dilution analysis was performed outside the recommended holding time.									
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>					
Methyl-t-Butyl Ether (MTBE)	0.19	0.040	20						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	103	57-129			1,2-Dichloroethane-d4	129	47-137		
Toluene-d8	104	78-156							
Method Blank	097-09-002-6,423	N/A	Air	GC/MS V	N/A	10/15/07	071015L01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	118	47-137		
Toluene-d8	102	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/13/07
Work Order No: 07-10-1045
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)


Project: ExxonMobil 7-0238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	097-09-002-6,426	N/A	Air	GC/MS V	N/A	10/16/07	071016L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	101	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/13/07
Work Order No: 07-10-1045
Preparation: N/A
Method: EPA TO-3 (M)

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
07-10-1046-2	Air	GC 13	N/A	10/13/07	071013D01

<u>Parameter</u>	<u>Sample Conc</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	47	47	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Duplicate

Environmental Resolutions, Inc.
 601 North McDowell Blvd.
 Petaluma, CA 94954-2312


Date Received: 10/13/07
 Work Order No: 07-10-1045
 Preparation: N/A
 Method: EPA TO-3 (M)

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
07-10-1046-2	Air	GC 13	N/A	10/13/07	071013D01

<u>Parameter</u>	<u>Sample Conc</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	12	12	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 07-10-1045
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-09-002-6,423	Air	GC/MS V	N/A	10/15/07	071015L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	116	115	60-156	1	0-40	
Toluene	116	116	56-146	0	0-43	
Ethylbenzene	128	128	52-154	0	0-38	
p/m-Xylene	131	130	42-156	1	0-41	
o-Xylene	138	139	52-148	0	0-38	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 07-10-1045
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-09-002-6,426	Air	GC/MS V	N/A	10/16/07	071016L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	95	96	60-156	1	0-40	
Toluene	98	97	56-146	0	0-43	
Ethylbenzene	105	105	52-154	0	0-38	
p/m-Xylene	112	113	42-156	1	0-41	
o-Xylene	119	121	52-148	1	0-38	

RPD - Relative Percent Difference , CL - Control Limit

Glossary of Terms and Qualifiers


Work Order Number: 07-10-1045

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



CHAIN OF CUSTODY RECORD

1045



7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501




Consultant Name: Environmental Resolutions, Inc.
Address: 601 North McDowell Blvd.
City/State/Zip: Petaluma, California 94954
Project Manager: Paula Sime
Telephone Number: (707) 766-2000
ERI Job Number: 2293 11X (monthly)
Sampler Name: (Print) Jon Herman
Sampler Signature: [Signature]

ExxonMobil Engineer Jennifer C. Sedlachek
Telephone Number (510) 547-8196
Account #: _____
PO #: 4508879005
Facility ID # 7-0238
Global ID# T0600101343
Site Address 2200 East 12th Street
City, State Zip Oakland, California

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions:					Matrix				Analyze For:																															
							Water	Soil	Vapor	TPHg/BTEX/MTBE TO-3M + TO-15																																
Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER																																				
A-EFF	10/12/07	800		X	NA	1L Tedlar				X	X																															
A-INT		815		X	NA	1L Tedlar				X	X																															
A-INF		830		X	NA	1L Tedlar				X	X																															

Relinquished by: J Herman Date 10/12/07 Time 1400 Received by: [Signature] Time 1400
 Relinquished by: [Signature] Date 10-12-07 Time 1630 Received by Calscience: [Signature] Time 9:45

Laboratory Comments:
 Temperature Upon Receipt:
 Sample Containers Intact?
 VOAs Free of Headspace?



WORK ORDER #: 07 - 10 - 1045

Cooler 0 of 0

SAMPLE RECEIPT FORM

CLIENT: ERI

DATE: 10/13/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: [Signature]

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present:

Initial: [Signature]

SAMPLE CONDITION:

Table with 4 columns: Item, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: [Signature]

COMMENTS:

Sample -2 (A-INT) received flat
10/13/07 [Signature]

August 21, 2007 1:37:32PM

Client: ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn: Paula Sime

Work Order: NQH1566
Project Name: Exxon 7-0238
Project Nbr: 2293 11X (August)
P/O Nbr: 4508212427
Date Received: 08/14/07

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
W-PSP-1	NQH1566-01	08/09/07 10:00
W-INT-2	NQH1566-02	08/09/07 10:30
W-INT-1	NQH1566-03	08/09/07 11:00
W-INF	NQH1566-04	08/09/07 11:30

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

California Certification Number: 01168CA

The Chain(s) of Custody, 3 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Leah R. Klingensmith

Senior Project Management

Client: ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn: Paula Sime

Work Order: NQH1566
Project Name: Exxon 7-0238
Project Number: 2293 11X (August)
Received: 08/14/07 07:50

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NQH1566-01 (W-PSP-1 - Water) Sampled: 08/09/07 10:00								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	08/16/07 20:46	SW846 8021B	7083018
Ethylbenzene	ND		ug/L	0.50	1	08/16/07 20:46	SW846 8021B	7083018
Methyl tert-Butyl Ether	ND		ug/L	0.50	1	08/16/07 20:46	SW846 8021B	7083018
Toluene	ND		ug/L	0.50	1	08/16/07 20:46	SW846 8021B	7083018
Xylenes, total	ND		ug/L	0.50	1	08/16/07 20:46	SW846 8021B	7083018
Surr: a,a,a-Trifluorotoluene (46-153%)	103 %					08/16/07 20:46	SW846 8021B	7083018
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	08/16/07 20:46	SW846 8015B	7083018
Surr: a,a,a-Trifluorotoluene (46-153%)	103 %					08/16/07 20:46	SW846 8015B	7083018
Sample ID: NQH1566-02 (W-INT-2 - Water) Sampled: 08/09/07 10:30								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	08/16/07 21:24	SW846 8021B	7083018
Ethylbenzene	ND		ug/L	0.50	1	08/16/07 21:24	SW846 8021B	7083018
Methyl tert-Butyl Ether	ND		ug/L	0.50	1	08/16/07 21:24	SW846 8021B	7083018
Toluene	ND		ug/L	0.50	1	08/16/07 21:24	SW846 8021B	7083018
Xylenes, total	ND		ug/L	0.50	1	08/16/07 21:24	SW846 8021B	7083018
Surr: a,a,a-Trifluorotoluene (46-153%)	102 %					08/16/07 21:24	SW846 8021B	7083018
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	08/16/07 21:24	SW846 8015B	7083018
Surr: a,a,a-Trifluorotoluene (46-153%)	102 %					08/16/07 21:24	SW846 8015B	7083018
Sample ID: NQH1566-03 (W-INT-1 - Water) Sampled: 08/09/07 11:00								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	08/16/07 22:00	SW846 8021B	7083018
Ethylbenzene	ND		ug/L	0.50	1	08/16/07 22:00	SW846 8021B	7083018
Methyl tert-Butyl Ether	ND		ug/L	0.50	1	08/16/07 22:00	SW846 8021B	7083018
Toluene	ND		ug/L	0.50	1	08/16/07 22:00	SW846 8021B	7083018
Xylenes, total	ND		ug/L	0.50	1	08/16/07 22:00	SW846 8021B	7083018
Surr: a,a,a-Trifluorotoluene (46-153%)	102 %					08/16/07 22:00	SW846 8021B	7083018
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	08/16/07 22:00	SW846 8015B	7083018
Surr: a,a,a-Trifluorotoluene (46-153%)	102 %					08/16/07 22:00	SW846 8015B	7083018
Sample ID: NQH1566-04 (W-INF - Water) Sampled: 08/09/07 11:30								
Volatile Organic Compounds by EPA Method 8021B								
Benzene	ND		ug/L	0.50	1	08/16/07 22:37	SW846 8021B	7083018
Ethylbenzene	ND		ug/L	0.50	1	08/16/07 22:37	SW846 8021B	7083018
Methyl tert-Butyl Ether	3.22		ug/L	0.50	1	08/16/07 22:37	SW846 8021B	7083018
Toluene	ND		ug/L	0.50	1	08/16/07 22:37	SW846 8021B	7083018
Xylenes, total	ND		ug/L	0.50	1	08/16/07 22:37	SW846 8021B	7083018
Surr: a,a,a-Trifluorotoluene (46-153%)	103 %					08/16/07 22:37	SW846 8021B	7083018

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NQH1566
Project Name: Exxon 7-0238
Project Number: 2293 11X (August)
Received: 08/14/07 07:50

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NQH1566-04 (W-INF - Water) - cont. Sampled: 08/09/07 11:30								
Purgeable Petroleum Hydrocarbons								
GRO as Gasoline	ND		ug/L	50.0	1	08/16/07 22:37	SW846 8015B	7083018
Surr: <i>a,a,a</i> -Trifluorotoluene (46-153%)	103 %					08/16/07 22:37	SW846 8015B	7083018

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NQH1566
 Project Name: Exxon 7-0238
 Project Number: 2293 11X (August)
 Received: 08/14/07 07:50

PROJECT QUALITY CONTROL DATA
Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8021B						
7083018-BLK1						
Benzene	<0.37		ug/L	7083018	7083018-BLK1	08/16/07 17:33
Ethylbenzene	<0.21		ug/L	7083018	7083018-BLK1	08/16/07 17:33
Methyl tert-Butyl Ether	<0.40		ug/L	7083018	7083018-BLK1	08/16/07 17:33
Toluene	<0.41		ug/L	7083018	7083018-BLK1	08/16/07 17:33
Xylenes, total	<0.44		ug/L	7083018	7083018-BLK1	08/16/07 17:33
Surrogate: <i>a,a,a</i> -Trifluorotoluene	106%			7083018	7083018-BLK1	08/16/07 17:33
7083018-BLK2						
Benzene	<0.37		ug/L	7083018	7083018-BLK2	08/16/07 17:52
Ethylbenzene	<0.21		ug/L	7083018	7083018-BLK2	08/16/07 17:52
Methyl tert-Butyl Ether	<0.40		ug/L	7083018	7083018-BLK2	08/16/07 17:52
Toluene	<0.41		ug/L	7083018	7083018-BLK2	08/16/07 17:52
Xylenes, total	<0.44		ug/L	7083018	7083018-BLK2	08/16/07 17:52
Surrogate: <i>a,a,a</i> -Trifluorotoluene	109%			7083018	7083018-BLK2	08/16/07 17:52
Purgeable Petroleum Hydrocarbons						
7083018-BLK1						
GRO as Gasoline	<43.0		ug/L	7083018	7083018-BLK1	08/16/07 17:33
Surrogate: <i>a,a,a</i> -Trifluorotoluene	106%			7083018	7083018-BLK1	08/16/07 17:33
7083018-BLK2						
GRO as Gasoline	<43.0		ug/L	7083018	7083018-BLK2	08/16/07 17:52
Surrogate: <i>a,a,a</i> -Trifluorotoluene	109%			7083018	7083018-BLK2	08/16/07 17:52

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NQH1566
 Project Name: Exxon 7-0238
 Project Number: 2293 11X (August)
 Received: 08/14/07 07:50

PROJECT QUALITY CONTROL DATA
LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8021B								
7083018-BS1								
Benzene	100	90.1		ug/L	90%	72 - 132	7083018	08/17/07 06:33
Ethylbenzene	100	92.8		ug/L	93%	75 - 119	7083018	08/17/07 06:33
Methyl tert-Butyl Ether	100	79.7		ug/L	80%	64 - 120	7083018	08/17/07 06:33
Toluene	100	97.7		ug/L	98%	71 - 121	7083018	08/17/07 06:33
Xylenes, total	200	183		ug/L	92%	73 - 122	7083018	08/17/07 06:33
Surrogate: a,a,a-Trifluorotoluene	30.0	30.6			102%	46 - 153	7083018	08/17/07 06:33
7083018-BS2								
Benzene	100	90.6		ug/L	91%	72 - 132	7083018	08/17/07 06:51
Ethylbenzene	100	92.8		ug/L	93%	75 - 119	7083018	08/17/07 06:51
Methyl tert-Butyl Ether	100	75.5		ug/L	75%	64 - 120	7083018	08/17/07 06:51
Toluene	100	83.1		ug/L	83%	71 - 121	7083018	08/17/07 06:51
Xylenes, total	200	184		ug/L	92%	73 - 122	7083018	08/17/07 06:51
Surrogate: a,a,a-Trifluorotoluene	30.0	31.0			103%	46 - 153	7083018	08/17/07 06:51
Purgeable Petroleum Hydrocarbons								
7083018-BS3								
GRO as Gasoline	1000	785		ug/L	79%	58 - 138	7083018	08/17/07 07:09
Surrogate: a,a,a-Trifluorotoluene	30.0	31.9			106%	46 - 153	7083018	08/17/07 07:09
7083018-BS4								
GRO as Gasoline	1000	843		ug/L	84%	58 - 138	7083018	08/17/07 07:27
Surrogate: a,a,a-Trifluorotoluene	30.0	32.0			107%	46 - 153	7083018	08/17/07 07:27

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954

Attn Paula Sime

Work Order: NQH1566
Project Name: Exxon 7-0238
Project Number: 2293 11X (August)
Received: 08/14/07 07:50

PROJECT QUALITY CONTROL DATA

Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Purgeable Petroleum Hydrocarbons										
7083018-MS1										
GRO as Gasoline	ND	976		ug/L	1000	98%	34 - 201	7083018	NQH1565-01	08/17/07 10:21
<i>Surrogate: a,a,a-Trifluorotoluene</i>		34.7		ug/L	30.0	116%	46 - 153	7083018	NQH1565-01	08/17/07 10:21
7083018-MS2										
GRO as Gasoline	ND	1070		ug/L	1000	107%	34 - 201	7083018	NQH1566-01	08/17/07 10:39
<i>Surrogate: a,a,a-Trifluorotoluene</i>		36.6		ug/L	30.0	122%	46 - 153	7083018	NQH1566-01	08/17/07 10:39

Client ERI Petaluma (10228)
 601 North McDowell Blvd.
 Petaluma, CA 94954
 Attn Paula Sime

Work Order: NQH1566
 Project Name: Exxon 7-0238
 Project Number: 2293 11X (August)
 Received: 08/14/07 07:50

PROJECT QUALITY CONTROL DATA
Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Purgeable Petroleum Hydrocarbons												
7083018-MSD1												
GRO as Gasoline	ND	1010		ug/L	1000	101%	34 - 201	4	28	7083018	NQH1565-01	08/17/07 10:57
<i>Surrogate: a,a,a-Trifluorotoluene</i>		32.4		ug/L	30.0	108%	46 - 153			7083018	NQH1565-01	08/17/07 10:57
7083018-MSD2												
GRO as Gasoline	ND	971		ug/L	1000	97%	34 - 201	10	28	7083018	NQH1566-01	08/17/07 11:16
<i>Surrogate: a,a,a-Trifluorotoluene</i>		33.2		ug/L	30.0	111%	46 - 153			7083018	NQH1566-01	08/17/07 11:16

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954
Attn Paula Sime

Work Order: NQH1566
Project Name: Exxon 7-0238
Project Number: 2293 11X (August)
Received: 08/14/07 07:50

CERTIFICATION SUMMARY

TestAmerica - Nashville, TN

Method	Matrix	AIHA	Nelac	California
NA	Water			
SW846 8015B	Water	N/A	X	X
SW846 8021B	Water	N/A	X	X

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954

Attn Paula Sime

Work Order: NQH1566
Project Name: Exxon 7-0238
Project Number: 2293 11X (August)
Received: 08/14/07 07:50

NELAC CERTIFICATION SUMMARY

TestAmerica Analytical - Nashville does not hold NELAC certifications for the following analytes included in this report

Method

Matrix

Analyte

Client ERI Petaluma (10228)
601 North McDowell Blvd.
Petaluma, CA 94954

Attn Paula Sime

Work Order: NQH1566
Project Name: Exxon 7-0238
Project Number: 2293 11X (August)
Received: 08/14/07 07:50

DATA QUALIFIERS AND DEFINITIONS

ND Not detected at the reporting limit (or method detection limit if shown)

COOLER RECEIPT FORM



NQH1566

Cooler Received/Opened On 08/14/07 0750

1. Tracking # 3630 (last 4 digits, FedEx)
 Courier: FedEx IR Gun ID 90943149
2. Temperature of rep. sample or temp blank when opened: 0.6 Degrees Celsius
3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO (NA)
4. Were custody seals on outside of cooler? YES (NO) ...NA
 If yes, how many and where: _____
5. Were the seals intact, signed, and dated correctly? YES...NO...(NA)
6. Were custody papers inside cooler? YES (NO) ...NA

I certify that I opened the cooler and answered questions 1-6 (initial) 17

7. Were custody seals on containers: YES (NO) and Intact YES...NO...(NA)
 Were these signed and dated correctly? YES...NO...(NA)
8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None
9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None
10. Did all containers arrive in good condition (unbroken)? YES...NO...(NA)
11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...(NA)
12. Did all container labels and tags agree with custody papers? YES...NO...(NA)
- 13a. Were VOA vials received? YES...NO...(NA)
- b. Was there any observable headspace present in any VOA vial? YES...(NO)...NA
14. Was there a Trip Blank in this cooler? YES...(NO)...NA If multiple coolers, sequence # _____

I certify that I unloaded the cooler and answered questions 7-14 (initial) WS

- 15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...(NA)
- b. Did the bottle labels indicate that the correct preservatives were used YES...NO...(NA)
 If preservation in-house was needed, record standard ID of preservative used here _____
16. Was residual chlorine present? YES...NO...(NA)

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) WS

17. Were custody papers properly filled out (ink, signed, etc)? YES...NO...(NA)
18. Did you sign the custody papers in the appropriate place? YES...NO...(NA)
19. Were correct containers used for the analysis requested? YES...NO...(NA)
20. Was sufficient amount of sample sent in each container? YES...NO...(NA)

I certify that I entered this project into LIMS and answered questions 17-20 (initial) WS

I certify that I attached a label with the unique LIMS number to each container (initial) WS

21. Were there Non-Conformance issues at login? YES...(NO)... Was a PIPE generated? YES...NO...# _____

CHAIN OF CUSTODY RECORD



(615) 726-0177

Morgan Hill Division

885 Jarvis Drive

Morgan Hill, CA 95037



Consultant Name: Environmental Resolutions, Inc.

Address: 601 North McDowell Blvd.

City/State/Zip: Petaluma, California 94954

Project Manager: Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 2293 11X (August)

Sampler Name: (Print) Joan Hermann

Sampler Signature: [Signature]

ExxonMobil Engineer Jennifer C. Sedlachek

Telephone Number (510) 547-8196

Account #: 10228

PO #: 4508212427

Facility ID # 7-0238

Global ID# T0600101343

Site Address 2200 East 12th Street

City, State Zip Oakland, California

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instruct					Matrix			Analyze For:											
		DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8020								
		NQH1566 08/28/07 23:59																			

-01
-02
-03
-04

Relinquished by: [Signature] Date 8/13/07 Time 8:00 Received by: [Signature] Date 8/13/07 Time 9:15 Laboratory Comments: 0.600

Relinquished by: [Signature] Date 8/13/07 Time 12:45 Received by TestAmerica: TAMH Date 8/13/07 Time 12:45 Temperature Upon Receipt: Y

Sample Containers Intact? Y

VOAs Free of Headspace? Y

Julie Ng, 8/13/07 1500 [Signature] 8/14/07 09:50

TEST AMERICA SAMPLE RECEIPT LOG


CLIENT NAME: ERI
 REC. BY (PRINT) JULIENGT
 WORKORDER: _____

DATE REC'D AT LAB: 8/13/07
 TIME REC'D AT LAB: 1245
 DATE LOGGED IN: _____

For Regulatory Purposes?
 DRINKING WATER YES / NO
 WASTE WATER YES / NO

CIRCLE THE APPROPRIATE RESPONSE		LAD SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESER VATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s)	Present / Absent Intact / Broken*								<div style="font-size: 2em; transform: rotate(-45deg); opacity: 0.5;"> JULIENGT REC'D 8/13/07 </div>
2. Chain-of-Custody	Present / Absent*								
3. Traffic Reports or Packing List.	Present / Absent*								
4. Airbill	Airbill / Slicker Present / Absent*								
5. Airbill #	_____								
6. Sample Labels:	Present / Absent*								
7. Sample IDs:	Listed / Not Listed on Chain-of-Custody								
8. Sample Condition:	Intact / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree?	Yes / No*								
10. Sample received within hold time?	Yes / No*								
11. Adequate sample volume received?	Yes / No*								
12. Proper preservatives used?	Yes / No*								
13. Trip Blank / Temp Blank Receiver? (circle which, if yes)	Yes / No*								
14. Read Temp Corrected Temp: Is corrected temp $4 \pm 2^\circ\text{C}$?	<u>4.8°C</u> ↓ Yes / No**								

(Acceptance range for samples requiring thermal pres)
 **Exception (if any): METALS / OFF ON ICE
 or Problem COC



September 25, 2007

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 07-09-1139**
Client Reference: **ExxonMobil 7-0238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 9/18/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Cecile deGuia".

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 09/18/07
Work Order No: 07-09-1139
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
W-PSP-1	07-09-1139-1	09/14/07	Aqueous	GC 4	09/18/07	09/18/07	070918B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	109	38-134			

W-INT-2	07-09-1139-2	09/14/07	Aqueous	GC 4	09/18/07	09/19/07	070918B01
---------	--------------	----------	---------	------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	116	38-134			


W-INT-1	07-09-1139-3	09/14/07	Aqueous	GC 4	09/18/07	09/19/07	070918B01
---------	--------------	----------	---------	------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	111	38-134			

W-INF	07-09-1139-4	09/14/07	Aqueous	GC 4	09/18/07	09/19/07	070918B01
-------	--------------	----------	---------	------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	113	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 09/18/07
Work Order No: 07-09-1139
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238


Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-12-436-933	N/A	Aqueous	GC 4	09/18/07	09/18/07	070918B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	93	38-134			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 09/18/07
Work Order No: 07-09-1139
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID		
W-PSP-1	07-09-1139-1	09/14/07	Aqueous	GC 8	09/18/07	09/18/07	070918B02		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	92	70-130							
W-INT-2	07-09-1139-2	09/14/07	Aqueous	GC 8	09/18/07	09/18/07	070918B02		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	92	70-130							
W-INT-1	07-09-1139-3	09/14/07	Aqueous	GC 8	09/18/07	09/19/07	070918B02		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	96	70-130							
W-INF	07-09-1139-4	09/14/07	Aqueous	GC 8	09/18/07	09/19/07	070918B02		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	95	70-130							
Method Blank	099-12-283-229	N/A	Aqueous	GC 8	09/18/07	09/18/07	070918B02		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	92	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Quality Control - Spike/Spike Duplicate**

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 09/18/07
Work Order No: 07-09-1139
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-09-1145-1	Aqueous	GC 4	09/18/07	09/18/07	070918S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	113	111	68-122	2	0-18	

RPD - Relative Percent Difference , CL - Control Limit

**Quality Control - Spike/Spike Duplicate**

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 09/18/07
Work Order No: 07-09-1139
Preparation: EPA 5030B
Method: EPA 8021B

Project ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-09-1138-1	Aqueous	GC 8	09/18/07	09/18/07	070918S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	102	57-129	2	0-23	
Toluene	90	92	50-134	3	0-26	
Ethylbenzene	90	91	58-130	2	0-26	
p/m-Xylene	90	91	58-130	1	0-28	
o-Xylene	88	89	57-123	1	0-26	
Methyl-t-Butyl Ether (MTBE)	103	103	44-134	0	0-27	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 07-09-1139
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-933	Aqueous	GC 4	09/18/07	09/18/07	070918B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	112	111	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit

**Quality Control - LCS/LCS Duplicate**

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 07-09-1139
Preparation: EPA 5030B
Method: EPA 8021B


Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-283-229	Aqueous	GC 8	09/18/07	09/18/07	070918B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	103	70-118	3	0-9	
Toluene	89	93	66-114	5	0-9	
Ethylbenzene	89	93	72-114	4	0-9	
p/m-Xylene	90	93	74-116	3	0-9	
o-Xylene	88	91	72-114	3	0-9	
Methyl-t-Butyl Ether (MTBE)	101	102	41-137	0	0-13	

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers


Work Order Number: 07-09-1139

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.




CHAIN OF CUSTODY RECORD

1139

 <p>7440 LINCOLN WAY GARDEN GROVE, CA 92841 TEL: (714) 895-5494 FAX: (714) 894-7501</p> <p>ExxonMobil</p>	<p>Consultant Name: <u>Environmental Resolutions, Inc.</u></p> <p>Address: <u>601 North McDowell Blvd.</u></p> <p>City/State/Zip: <u>Petaluma, California 94954</u></p> <p>Project Manager: <u>Paula Sime</u></p> <p>Telephone Number: <u>(707) 766-2000</u></p> <p>ERI Job Number: <u>2293 11X (September)</u></p> <p>Sampler Name: (Print) <u>Jon Herman</u></p> <p>Sampler Signature: <u>Jon Herman</u></p>	<p>ExxonMobil Engineer <u>Jennifer C. Sedlachek</u></p> <p>Telephone Number <u>(510) 547-8196</u></p> <p>Account #: <u>10228</u></p> <p>PO #: <u>4508879005</u></p> <p>Facility ID # <u>7-0238</u></p> <p>Global ID# <u>T0600101343</u></p> <p>Site Address <u>2200 East 12th Street</u></p> <p>City, State Zip <u>Oakland, California</u></p>
---	--	--

TAT	PROVIDE:	Special Instructions:	Matrix			Analyze For:														
			Water	Soil	Vapor	TPHg 8015B	BTEX/MTBE 80211													
<input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	EDF Report																			
Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHg 8015B	BTEX/MTBE 80211									
1 W-PSP-1	9/14/07	10:00		X	HCL	5VOA	X			X	X									
2 W-INT-2		10:30		X	HCL	5VOA	X			X	X									
3 W-INT-1		11:00		X	HCL	5VOA	X			X	X									
4 W-INF		11:30		X	HCL	5VOA	X			X	X									

Relinquished by: <u>J Herman</u>	Date: <u>9/17/07</u>	Time: <u>1315</u>	Received by: <u>[Signature]</u>	Time: <u>1315</u>	Laboratory Comments: Temperature Upon Receipt: Sample Containers Intact? VOAs Free of Headspace?
Relinquished by: <u>[Signature]</u>	Date: <u>9-17-07</u>	Time: <u>1630</u>	Received by CalScience: <u>[Signature]</u>	Time: <u>1630</u>	



WORK ORDER #: 07 - 09 - 1139

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: FRI

DATE: 9/18/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- 4.1 C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [checked]

Initial: JP


SAMPLE CONDITION:

Table with 4 columns: Item, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: JP

COMMENTS:

Blank lines for handwritten comments.



October 22, 2007

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **CalScience Work Order No.: 07-10-1051**
Client Reference: **ExxonMobil 7-0238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/13/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in cursive script that reads "Cecile deGuia".

CalScience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/13/07
Work Order No: 07-10-1051
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
W-PSP-1	07-10-1051-1	10/12/07	Aqueous	GC 1	10/15/07	10/15/07	071015B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	105	38-134			

W-INT-2	07-10-1051-2	10/12/07	Aqueous	GC 1	10/15/07	10/15/07	071015B01
---------	--------------	----------	---------	------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	106	38-134			


W-INT-1	07-10-1051-3	10/12/07	Aqueous	GC 1	10/15/07	10/15/07	071015B01
---------	--------------	----------	---------	------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	106	38-134			

W-INF	07-10-1051-4	10/12/07	Aqueous	GC 1	10/15/07	10/15/07	071015B01
-------	--------------	----------	---------	------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	106	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/13/07
Work Order No: 07-10-1051
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-12-436-1,024	N/A	Aqueous	GC 1	10/15/07	10/15/07	071015B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	103	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report

Environmental Resolutions, Inc.
 601 North McDowell Blvd.
 Petaluma, CA 94954-2312

Date Received: 10/13/07
 Work Order No: 07-10-1051
 Preparation: EPA 5030B
 Method: EPA 8021B
 Units: ug/L


Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID		
W-PSP-1	07-10-1051-1	10/12/07	Aqueous	GC 8	10/16/07	10/16/07	071016B01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	96	70-130							
W-INT-2	07-10-1051-2	10/12/07	Aqueous	GC 8	10/16/07	10/16/07	071016B01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	100	70-130							
W-INT-1	07-10-1051-3	10/12/07	Aqueous	GC 8	10/16/07	10/16/07	071016B01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	96	70-130							
W-INF	07-10-1051-4	10/12/07	Aqueous	GC 8	10/16/07	10/16/07	071016B01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	6.0	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	98	70-130							
Method Blank	099-12-283-250	N/A	Aqueous	GC 8	10/16/07	10/16/07	071016B01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	102	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/13/07
Work Order No: 07-10-1051
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-INT-2	Aqueous	GC 1	10/15/07	10/15/07	071015S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	99	95	68-122	4	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/13/07
Work Order No: 07-10-1051
Preparation: EPA 5030B
Method: EPA 8021B

Project ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 8	10/16/07	10/16/07	071016S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	86	89	57-129	3	0-23	
Toluene	78	81	50-134	4	0-26	
Ethylbenzene	77	80	58-130	3	0-26	
p/m-Xylene	78	81	58-130	4	0-28	
o-Xylene	76	79	57-123	4	0-26	
Methyl-t-Butyl Ether (MTBE)	91	92	44-134	1	0-27	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 07-10-1051
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-1,024	Aqueous	GC 1	10/15/07	10/15/07	071015B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	100	97	78-120	3	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 07-10-1051
Preparation: EPA 5030B
Method: EPA 8021B

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-283-250	Aqueous	GC 8	10/16/07	10/16/07	071016B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	89	84	70-118	6	0-9	
Toluene	81	76	66-114	6	0-9	
Ethylbenzene	79	75	72-114	5	0-9	
p/m-Xylene	81	76	74-116	5	0-9	
o-Xylene	78	74	72-114	6	0-9	
Methyl-t-Butyl Ether (MTBE)	93	87	41-137	7	0-13	

RPD - Relative Percent Difference , CL - Control Limit

Glossary of Terms and Qualifiers


Work Order Number: 07-10-1051

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



CHAIN OF CUSTODY RECORD

1051



7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501



Consultant Name: Environmental Resolutions, Inc.

Address: 601 North McDowell Blvd.

City/State/Zip: Petaluma, California 94954

Project Manager: Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 2293 11X (October)

Sampler Name: (Print) Jon Heerman

Sampler Signature: Jon Heerman

ExxonMobil Engineer Jennifer C. Sedlachek

Telephone Number (510) 547-8196

Account #: 10228

PO #: 4508879005

Facility ID # 7-0238

Global ID# T0600101343

Site Address 2200 East 12th Street

City, State Zip Oakland, California

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions:						Matrix			Analyze For:									
		DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8020							
1																				
2																				
3																				
4																				

Relinquished by: J Heerman Date 10/12/07 Time 14:00 Received by: [Signature] Time 14:00

Relinquished by: [Signature] Date 10-12-07 Time (16:30) Received by Calscience: [Signature] Time 9:45

Laboratory Comments:
Temperature Upon Receipt:
Sample Containers Intact?
VOAs Free of Headspace?

WORK ORDER #: **07** - 1 0 - 1 0 5 1

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: ERI

DATE: 10/13/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature.
- °C Temperature blank.

LABORATORY (Other than Calscience Courier):

- °C Temperature blank.
- 3.3 °C IR thermometer.
- Ambient temperature.

Initial: HT

CUSTODY SEAL INTACT:

Sample(s): _____ Cooler: _____ No (Not Intact) : _____ Not Present: /

Initial: HT

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<u> / </u>	_____	_____
Sampler's name indicated on COC.....	<u> / </u>	_____	_____
Sample container label(s) consistent with custody papers.....	<u> / </u>	_____	_____
Sample container(s) intact and good condition.....	<u> / </u>	_____	_____
Correct containers and volume for analyses requested.....	<u> / </u>	_____	_____
Proper preservation noted on sample label(s).....	<u> / </u>	_____	_____
VOA vial(s) free of headspace.	<u> / </u>	_____	_____
Tedlar bag(s) free of condensation.....	_____	_____	<u> / </u>

Initial: HT

COMMENTS:

ATTACHMENT C

**ERI SOP-25:
"HYDROCARBONS REMOVED FROM A VADOSE WELL"**

**HYDROCARBONS REMOVED
FROM A VADOSE WELL
SOP-25**

Rev. 4/29/97

Rev: JO'C

**POUNDS OF HYDROCARBON IN A VAPOR
STREAM**

INPUT DATA:

- 1) Vapor flow rate acfm (usually by Pitot tube)
- 2) Vapor pressure at the flow measuring device (in inches of H₂O) (use {-} for vacuum)
- 3) Vapor temperature at the flow measuring device.
- 4) Hydrocarbon content of vapor (usually in mg/M³) for ppmv you need molecular weight.
- 5) Length of time (usually hours) over which flow rate occurred)

From periodic measurements, a calculation of total pounds of hydrocarbons removed from a well or from a system is calculated. The input data listed above are measured at a point in time. To calculate quantities removed, some assumptions must be made about what was happening between measurements. The following assumptions will be used for the sake of consistency:

ASSUMPTIONS:

- 1) Vapor flow for the period equals the average of the initial and final reading for the period.
- 2) Pressure and temperature for the entire period will be the final reading.
- 3) Hydrocarbon concentration for the period equals the average of the initial and final reading.
- 4) The hours of operation can be taken from an hour meter, an electric meter or will be assumed to be equal to the time between measurements.
- 5) If the unit is found down - try to determine how many hours it did operate and use the data taken for the previous period to make the calculations. Restart the unit and then take data to start the next period.

SAMPLE DATA AND CALCULATIONS

		Date				
1/6/95	11:00	70	-46	2000	120	
1/7/95	13:00	55	-50	1350	90	
1/8/95	10:00	80	-13	750	100	7.4

Calculate the pounds of hydrocarbon removed from the system during the basis period from 13:00 (1:00 pm) on the 7th to 10 am on the 8th. Pressure and temperature of the measurements (at the flow meter) must be corrected to the P and T used to report the HC concentration (which are P = 1 atm and T = 70 deg F). 1 atm = 14.7psia, 760 mm Hg, or 407 in H₂O. T_{abs} = 460 + T deg F

Hours of operation = 21, T = 80, P = -13, HC = (1350+750)/2 = 1050 mg/M³, Flow = 95

$$21 \times 60 \times 95 \times \frac{(460+70)}{(460+80)} \times \frac{(407-13)}{407} \times \frac{28.3}{1000} \times \frac{1050}{1000} \times \frac{1}{454} = 7.4 \text{ lb}$$

$$\begin{matrix} \text{hr} & \text{min} & \text{cu ft} & & & & & & & & \\ \text{----} & \times \text{----} & \times \text{----} & \times & T_{\text{Corr}} & \times & P_{\text{Corr}} & \times & \frac{\text{M}^3}{\text{cu ft}} & \times & \frac{\text{g}}{\text{M}^3} & \times & \frac{\text{lb}}{\text{g}} & \times & \frac{\text{lb}}{\text{basis}} & = & \text{----} \end{matrix}$$

21 x 60 x 95 x 0.98 x 0.97 x 0.0283 x 1.050 x 1/454 = 7.4 lb.
cumulative lbs. (the running total) = the sum of all the previous periods.

Note: If results are given in ppm, an assumption about the molecular weight of the hydrocarbon must be made to get mg/M³. ppmv x molecular wt. /24.1 = mg/M³. (Use 102 for gasoline).