

**ExxonMobil**  
**Environmental Services Company**  
4096 Piedmont Avenue #194  
Oakland, California 94611  
510.547.8196  
510.547.8706 Fax  
jennifer.c.sedlachek@exxonmobil.com

**RECEIVED**

9:06 am, May 29, 2008

Alameda County  
Environmental Health

Jennifer C. Sedlachek  
Project Manager

**ExxonMobil**

May 15, 2008

Ms. Barbara Jakub, P.G.  
Alameda County Health Care Services Agency  
Department of Environmental Health  
1131 Harbor Bay Parkway, Room 250  
Alameda, California 94502-6577

**RE: Former Exxon RAS #70238/2200 East 12<sup>th</sup> Street, Oakland California.**

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled *Groundwater Monitoring and Remediation Status Report, First Quarter 2008*, dated May 15, 2008, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details remedial activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



JCS  
Jennifer C. Sedlachek  
Project Manager

Attachment: ERI's Groundwater Monitoring and Remediation Status Report, First Quarter 2008,  
dated May 15, 2008

cc: w/ attachment  
Mr. Robert C. Ehlers, M.S., P.E., The Valero Companies, Environmental Liability Management

w/o attachment  
Ms. Paula Sime, Environmental Resolutions, Inc.



*Southern California  
Northern California  
Pacific Northwest  
Southwest  
Texas  
Montana*

May 15, 2008  
ERI 229311.Q081

Ms. Jennifer C. Sedlachek  
ExxonMobil Environmental Services Company  
4096 Piedmont Avenue #194  
Oakland, California 94611

**SUBJECT** Groundwater Monitoring and Remediation Status Report, First Quarter 2008  
Former Exxon Service Station 70238  
2200 East 12<sup>th</sup> Street, Oakland, California

**Bay Area Air Quality Management District Permit to Operate No. 15044  
East Bay Municipal Utility District Discharge Permit No. 5051679-1**

## **INTRODUCTION**

At the request of Exxon Mobil Environmental Services Company, on behalf of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) performed first quarter 2008 groundwater monitoring and sampling activities at the subject site. This report covers select activities from December 7, 2008 through March 28, 2008. Relevant tables, plates, and appendices are included at the end of this report. Currently, the site operates as a Valero-branded service station.

## **GROUNDWATER MONITORING AND SAMPLING SUMMARY**

<b>Gauging and sampling dates:</b>	02/01/08
<b>Wells gauged and sampled:</b>	MW9A through MW9D, MW9I
<b>Presence of NAPL:</b>	Not observed
<b>Remediation system status on sampling date:</b>	Active
<b>Laboratory:</b>	TestAmerica Analytical Testing Corporation Morgan Hill, California
<b>Analyses performed:</b>	EPA Method 8015B TPHg EPA Method 8021B BTEX EPA Method 8260B MTBE, ETBE, DIPE, TAME, 1,2-DCA, EDB, TBA EPA Method 8206B ethanol (select samples)
<b>Waste disposal:</b>	64 gallons of purge and decon water transferred to remediation system on 2/01/08

## **Environmental Resolutions, Inc.**

601 North McDowell Blvd., Petaluma, CA 94954-2312 | Tel: 707.766.2000 | Fax: 707.789.0414 | Contractor # A/C10-611383

**REMEDIATION SYSTEM SUMMARY****Dual-Phase Extraction System**

The DPE system began operation in January 2004, extracting groundwater and soil vapor from four DPE wells (DPE1 through DPE4). Groundwater monitoring well MW9A was retrofitted for use as a DPE well and connected to the DPE system in May 2005. Extracted soil vapor was initially abated using a catalytic oxidizer; however, based on declining influent vapor concentrations, ERI removed the catalytic oxidizer in April 2007 and replaced it with two 400-pound vapor-phase GAC vessels arranged in series for vapor abatement. Treated vapor is discharged to the atmosphere in compliance with a Bay Area Air Quality Management District (BAAQMD) Permit to Operate.

Groundwater extracted by the DPE system is processed through two sediment filters and three 1,000-pound liquid-phase GAC vessels prior to discharge to the sanitary sewer in compliance with an East Bay Municipal Utility District (EBMUD) discharge permit. On a monthly basis, ERI collects soil vapor and water samples from influent, intermediate, and effluent sample ports.

<b>System start-up dates:</b>	<u>DPE System, Vapor-Phase</u>	March 2004
	<u>DPE System, Liquid-Phase</u>	January 2004
<b>System discharge permits:</b>	<u>DPE System, Vapor-Phase</u>	BAAQMD Permit No.15044
	<u>DPE System, Liquid-Phase</u>	EBMUD Wastewater Permit No. 5051679-1
<b>System reporting period:</b>		12/07/07 – 03/28/08
<b>System modifications during reporting period:</b>		None
<b>System status during reporting period:</b>		Active
<b>Laboratories:</b>		Calscience Environmental Laboratories, Inc. Garden Grove
<b>Analyses Performed:</b>	<u>DPE System, Vapor-Phase</u>	
	EPA TO-3(M)	TPHg
	EPA TO-15M	BTEX, MTBE
	<u>DPE System, Liquid-Phase</u>	
	EPA Method 8015B	TPHg
	EPA Method 8021B	BTEX, MTBE

In March 2008, ERI evaluated DPE system operational data and groundwater monitoring and sampling data, and submitted a request for authorization from the Alameda County Health Care Services to discontinue operation of the DPE system.

**System Performance:**

DPE System, Vapor-Phase

Period	Mass of TPHg Removed (Pounds)	Mass of MTBE Removed (Pounds)	Mass of Benzene Removed (Pounds)
12/07/07 – 03/28/08	<3.60	<0.076	<0.001
To Date:	<969.95	<37.188	<8.603

DPE System, Liquid-Phase

Period	Volume of Groundwater Treated (gallons)	Mass of TPHg Removed (pounds)	Mass of Benzene Removed (pounds)	Mass of MTBE Removed (pounds)
12/07/07 – 03/28/08	127,590	<0.053	<0.0005	<0.0054
To Date:	966,450	<1.954	<0.0162	<1.1354

**CONCLUSIONS AND RECOMMENDATIONS**

Groundwater elevations, groundwater flow direction, and dissolved-phase petroleum hydrocarbon concentrations are consistent with the historical data for the site. Off-site monitoring wells MW9F, MW9G, and MW9H are currently inaccessible because of encroachment permitting issues with the City of Oakland. ERI will continue to pursue access to wells MW9F, MW9G, and MW9H with the City of Oakland.

**DOCUMENT DISTRIBUTION**

ERI recommends forwarding copies of this report to:

Ms. Barbara Jakub, P.G.  
 Alameda County Health Care Services Agency  
 Department of Environmental Health  
 1131 Harbor Bay Parkway, Room 250  
 Alameda, California 94502-6577


Mr. Robert C. Ehlers, M.S., P.E.  
 The Valero Companies  
 Environmental Liability Management  
 685 West Third Street  
 Hanford, California 93230

**LIMITATIONS**

This report was prepared in accordance with generally accepted standards of environmental practice in California at the time this investigation was performed. This report has been prepared for Exxon Mobil, and any reliance on this report by third parties shall be at such party's sole risk.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.

Sincerely,  
Environmental Resolutions, Inc.



*Jennifer Lacy*  
Jennifer Lacy  
Senior Staff Scientist

*Heidi Dieffenbach-Carle*  
Heidi Dieffenbach-Carle  
P.G. 6793

SCANNED  
IMAGE


Enclosures:

Acronym List

- Plate 1: Site Vicinity Map
- Plate 2: Select Analytical Results
- Plate 3: Groundwater Elevation Map
  
- Table 1A: Cumulative Groundwater Monitoring and Sampling Data
- Table 1B: Additional Cumulative Groundwater Monitoring and Sampling Data
- Table 2: Well Construction Details
- Table 3: Operation and Performance Data for Dual-Phase Extraction System, Vapor-Phase
- Table 4: Operation and Performance Data for Dual-Phase Extraction System, Liquid-Phase
  
- Appendix A: Groundwater Sampling Protocol
- Appendix B: Laboratory Analytical Reports and Chain-of-Custody Records
- Appendix C: ERI SOP-25: "Hydrocarbons Removed from a Vadose Well"

**ACRONYM LIST**

µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acfm	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polynuclear aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethane or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethane
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m <sup>3</sup>	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		



3-D TopoQuads Copyright © 1999 DeLorme, Yarmouth, ME 04096 Source Data: USGS 550 ft Scale: 1:19,200 Detail: 13-0 Datum: WGS84

FN 2293TOP0


J:\2293\2293topo.dwg, mkjones

**EXPLANATION**



1/2-mile radius circle

**APPROXIMATE SCALE**



SOURCE:  
Modified from a map  
provided by  
DeLorme 3-D TopoQuads



**SITE VICINITY MAP**

FORMER EXXON SERVICE STATION 70238  
2200 East 12th Street  
Oakland, California

**PROJECT NO.**

2293

**PLATE**

1

Analyte Concentrations in ug/L  
 Sampled February 1, 2008


- 77k Total Petroleum Hydrocarbons as gasoline
- <0.50 Benzene
- 130 Methyl Tertiary Butyl Ether (EPA Method 8260B)
- <10 Tertiary Butyl Alcohol

< Less Than the Stated Laboratory Reporting Limit

ug/L Micrograms per Liter

k Hydrocarbon result partly due to individual peak(s) in quantitation range.

j Well not gauged and/or sampled due to encroachment permit restrictions.



SOURCE:  
 Modified from a map  
 provided by  
 Morrow Surveying

APPROXIMATE SCALE



FN: 22930005\_QM

J:\2293\QM\2008\08 1QTR QM.dwg. mkjones

**EXPLANATION**

MW9I  
 Groundwater Monitoring Well

DPE4  
 Dual-Phase Extraction Well

TP2  
 Tank Pit Well



**SELECT ANALYTICAL RESULTS**  
**February 1, 2008**  
 FORMER EXXON SERVICE STATION 70238  
 2200 East 12th Street  
 Oakland, California


**PROJECT NO.**

2293

**PLATE**

2





SOURCE:  
Modified from a map  
provided by  
Morrow Surveying

APPROXIMATE SCALE



FN: 22930005\_QM

F:\2293\QM\2008\08 1QTR QM.dwg, mkjones

**EXPLANATION**

MW9I

- Groundwater Monitoring Well
- 8.85 Groundwater elevation in feet;  
datum is mean sea level

8 - - - Line of Equal Groundwater Elevation;  
datum is mean sea level

DPE4

- Dual-Phase Extraction Well

j Well not gauged and/or sampled due  
to encroachment permit restrictions.

TP2

- Tank Pit Well



**GROUNDWATER ELEVATION MAP**  
**February 1, 2008**

FORMER EXXON SERVICE STATION 70238  
2200 East 12th Street  
Oakland, California

**PROJECT NO.**

2293

**PLATE**

3

**TABLE 1A  
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238  
2200 East 12th Street  
Oakland, California  
(Page 1 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	06/13/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9A	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9A	10/13/89	100.07 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9A	10/19/90	100.07 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/05/92	100.07 l	6.93	93.14	---	<50	---	---	1.1	1.8	0.6	1.3
MW9A	05/05/92	100.07 l	6.95	93.12	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	09/14/92	100.07 l	7.65	92.42	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	11/16/92	100.07 l	7.35	92.72	---	<50	---	---	1.1	<0.5	<0.5	<0.5
MW9A	02/03/93	100.07 l	7.85	92.22	---	140	---	---	17	19	1.6	20
MW9A	05/18/93	100.07 l	6.95	93.12	---	<50	---	---	0.8	<0.5	1.3	7
MW9A	08/26/93	100.07 l	7.14	92.93	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	11/04/93	100.07 l	7.23	92.84	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/04/94	100.07 l	6.70	93.37	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	05/31/94	100.07 l	6.74	93.33	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/26/94	11.46	7.06	4.40	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	05/15/95	11.46	6.32	5.14	---	<50	---	---	0.52	0.67	<0.5	<0.5
MW9A	11/02/95	11.46	7.16	4.30	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9A	04/26/96	11.46	6.33	5.13	No	---	---	---	---	---	---	---
MW9A	08/22/96	11.46	7.02	4.44	No	---	---	---	---	---	---	---
MW9A	02/24/97	11.46	---	---	---	---	---	---	---	---	---	---
MW9A	03/16/98	11.46	6.14	5.32	No	<200	40,000	---	7.9	<2.0	<2.0	<2.0
MW9A	04/21/98	11.46	6.29	5.17	No	<50	53,000	---	3.8	<0.5	<0.5	<0.5
MW9A	07/22/98	14.53	6.58	7.95	No	<250	18,000	---	<2.5	<2.5	<2.5	<2.5
MW9A	12/22/98	14.53	6.47	8.06	No	<50	5,200	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/26/99	14.53	6.38	8.15	No	<100	10,000	---	<1.0	<1.0	<1.0	<1.0
MW9A	05/27/99 a	14.53	6.56	7.97	No	<5,000	15,300	---	<50	<50	<50	<50
MW9A	08/03/99	14.53	9.39	5.14	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9A	12/03/99	14.53	6.52	8.01	No	<50	1,400	---	<0.5	<0.5	<0.5	0.67 b
MW9A	02/29/00	14.53	5.31	9.22	No	<50	20,000	---	1.2	<0.5	<0.5	<0.5
MW9A	05/18/00	14.53	6.31	8.22	No	<50	14,000	11,000	<0.5	<0.5	<0.5	<0.5
MW9A	07/24/00	14.53	6.54	7.99	No	<50	7,400	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/09/00	14.53	6.00	8.53	No	<50	2,300	---	<0.5	<0.5	<0.5	<0.5
MW9A	01/10/01	14.53	6.34	8.19	No	<50	3,700	---	<0.5	<0.5	<0.5	<0.5
MW9A	04/10/01	14.53	9.31	5.22	No	<50	11,000	---	<0.5	<0.5	<0.5	<0.5
MW9A	07/12/01	14.53	---	---	No	<50	3,600	---	<0.5	<0.5	<0.5	<0.5
MW9A	08/17/01 c	14.53	6.61	7.92	---	---	---	---	---	---	---	---
MW9A	10/11/01	14.53	7.03	7.50	No	<50	1,700	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/11/01	14.51	Well surveyed in compliance with AB2886 requirements.									
MW9A	01/11/02	14.51	5.93	8.58	No	2,090e	31,000e	---	18.6e	<0.50	<0.50	<0.50
MW9A	04/12/02	14.51	6.41	8.10	No	34,300	32,200	---	<5.00	<5.00	<5.00	<5.00
MW9A	07/12/02	14.51	6.64	7.87	No	6,760	8,070	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/11/02	14.51	6.76	7.75	No	2,420	2,860	3,040	<0.5	<0.5	<0.5	<0.5

**TABLE 1A  
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 2 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	01/10/03	14.51	5.90	8.61	No	38,800	51,900	---	103	15.0	<5.0	13.0
MW9A	04/09/03	14.51	6.38	8.13	No	34,200	38,600	---	14.0	<5.0	<5.0	<5.0
MW9A	07/22/03	14.51	6.56	7.95	No	20,200	19,500	---	0.50	<0.5	<0.5	<0.5
MW9A	10/01/03	14.51	6.72	7.79	No	9,460	---	7,620	0.70	<0.5	<0.5	<0.5
MW9A	01/06/04	14.51	5.89	8.62	No	8,540	11,600	---	<0.50	<0.5	<0.5	<0.5
MW9A	06/07/04	14.51	6.80	7.71	No	3,470	---	5,600	<0.50	<0.5	<0.5	<0.5
MW9A	08/30/04 d	14.51	---	---	---	---	---	---	---	---	---	---
MW9A	12/13/04	14.51	5.99	8.52	No	1,130	---	1,360	<0.50	<0.5	<0.5	<0.5
MW9A	03/14/05	14.51	6.03	8.48	No	2,150	---	2,560	0.80	<0.5	<0.5	<0.5
MW9A	06/08/05	14.51	14.33	0.18	No	1,610	---	2,040	<0.50	<0.5	<0.5	<0.5
MW9A	09/01/05	14.51	6.50	8.01	No	1,020	---	1,320	<0.50	<0.50	<0.50	<0.50
MW9A	12/09/05 i	14.51	16.50	-1.99	No	1,140	---	801	1.16	<0.50	<0.50	<0.50
MW9A	12/30/05	14.51	5.21	9.30	No	---	---	---	---	---	---	---
MW9A	03/07/06	14.51	16.01	-1.50	No	400	---	560	<2.5	<2.5	<2.5	<2.5
MW9A	06/26/06	14.51	6.10	8.41	No	390	---	430	<2.5	<2.5	<2.5	<2.5
MW9A	09/25/06	14.51	6.54	7.97	No	150	---	172	<0.50	<0.50	<0.50	<0.50
MW9A	12/15/06	14.51	16.21	-1.70	No	250k	---	190	<2.5	<2.5	<2.5	<2.5
MW9A	03/29/07	14.51	7.95	6.56	No	173	---	144	<0.50	<0.50	<0.50	0.54
MW9A	06/12/07	14.51	6.49	8.02	No	69k	---	77	<0.50	<0.50	<0.50	<0.50
MW9A	08/23/07	14.51	6.48	8.03	No	<50	---	46	<0.50	<0.50	<0.50	<0.50
MW9A	11/27/07	14.51	6.61	7.90	No	<50	---	36	<0.50	<0.50	<0.50	<0.50
<b>MW9A</b>	<b>02/01/08</b>	<b>14.51</b>	<b>5.56</b>	<b>8.95</b>	<b>No</b>	<b>&lt;50</b>	<b>---</b>	<b>14</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>
MW9B	06/13/88	---	---	---	---	---	---	---	350	7.8	66	160
MW9B	10/24/88	---	---	---	---	---	---	---	84	<1.0	3.1	3.2
MW9B	10/13/89	98.41	---	---	---	---	---	---	4.1	<0.5	<0.5	<3.0
MW9B	10/19/90	98.41	---	---	---	62	---	---	27	<0.5	2.3	<0.5
MW9B	02/05/92	98.41	5.95	92.46	---	60	---	---	14	<0.5	2.9	2.5
MW9B	05/05/92	98.41	5.92	92.49	---	620	---	---	180	2.4	8.4	2.2
MW9B	09/14/92	98.41	6.60	91.81	---	110	---	---	9.6	<0.5	<0.5	<0.5
MW9B	11/16/92	98.41	6.35	92.06	---	200	---	---	33	<0.5	4.2	1.4
MW9B	02/03/93	98.41	6.50	91.91	---	12,000	---	---	320	13	35	110
MW9B	05/18/93	98.41	6.42	91.99	---	180	---	---	1.1	<0.5	2.6	5.9
MW9B	08/26/93	98.41	6.28	92.13	---	180	---	---	36	<0.5	3	1.7
MW9B	11/04/93	98.41	6.23	92.18	---	98	---	---	13	<0.5	1.4	<0.5
MW9B	02/04/94	98.41	5.92	92.49	---	790	---	---	170	1.3	12	0.8
MW9B	05/31/94	98.41	9.22	89.19	---	1,000	---	---	150	2.5	8.0	2.1
MW9B	10/26/94	9.80	6.04	3.76	---	84	---	---	2.8	0.72	<0.5	<0.5
MW9B	05/15/95	9.80	5.34	4.46	---	2,800	---	---	420	25	27	6.7
MW9B	11/02/95	9.80	6.14	3.66	No	130	<10	---	3.3	<0.5	<0.5	<0.5
MW9B	04/26/96	9.80	5.66	4.14	No	270	70	---	130	2.8	6.7	<3
MW9B	08/22/96	9.80	6.16	3.64	No	210	31	---	5.7	6.8	1.1	9.2

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 3 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg ( $\mu\text{g/L}$ )	MTBE 8021B ( $\mu\text{g/L}$ )	MTBE 8260B ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )
MW9B	02/24/97	9.80	5.58	4.22	No	1,400	1,300	---	76	1.4	4.1	1.2
MW9B	03/16/98	12.83	5.32	7.51	No	860	1,500	---	140	2.0	1.1	<2.0
MW9B	04/21/98	12.83	5.49	7.34	No	1,800	18,000	---	300	<5.0	7.9	<5.0
MW9B	07/22/98	12.83	5.79	7.04	No	<500	26,000	---	13	<5.0	<5.0	<5.0
MW9B	12/22/98	12.83	5.69	7.14	No	700	21,000	---	110	3.1	9.1	14
MW9B	02/26/99	12.83	5.10	7.73	No	8,800	8,000	---	2,000	<25	52	38
MW9B	05/18/99	12.83	5.65	7.18	No	<10,000	42,100	---	158	<100	<100	<100
MW9B	08/03/99	12.83	6.24	6.59	No	960	24,900	---	<5.0	<5.0	<5.0	<5.0
MW9B	12/03/99	12.83	5.66	7.17	No	<50	1,000	---	<0.5	<0.5	<0.5	<0.5
MW9B	02/29/00	12.83	4.61	8.22	No	3,100	25,000	---	900	7	23	7.1
MW9B	05/18/00	12.83	5.54	7.29	No	780	34,000	26,000	150	<2.5	4.5	<2.5
MW9B	07/24/00	12.83	8.75	4.08	No	<250	39,000	---	8	<2.5	<2.5	<2.5
MW9B	10/09/00	12.83	4.84	7.99	No	<1,200	30,000	---	1.7	<0.5	<0.5	<0.5
MW9B	01/10/01	12.83	5.56	7.27	No	<250	32,000	---	5.3	<0.5	<0.5	<0.5
MW9B	04/10/01	12.83	5.40	7.43	No	360	27,000	---	69.0	<2.5	22.0	29.8
MW9B	07/12/01	12.83	---	---	No	<250	41,000	---	<2.5	<2.5	<2.5	<2.5
MW9B	08/17/01 c	12.83	5.83	7.00	---	---	---	---	---	---	---	---
MW9B	10/11/01	12.83	8.70	4.13	No	<250	24,000	---	<2.5	<2.5	<2.5	<2.5
MW9B	11/01/01	12.84	Well surveyed in compliance with AB2886 requirements.									
MW9B	01/11/02	12.84	5.16	7.68	No	9,170e	14,600e	---	66.0e	<10.0	54.0	<10.0
MW9B	04/12/02	12.84	5.57	7.27	No	29,600	28,600	---	12.0	<5.00	<5.00	<5.00
MW9B	07/12/02	12.84	5.81	7.03	No	20,200	27,700	---	<10.0	14.0	<10.0	16.0
MW9B	10/11/02 f	12.84	5.91	6.93	No	18,900	24,300	28,200	2.3	<0.5	<0.5	<0.5
MW9B	01/10/03	12.84	5.09	7.75	No	14,900	18,600	---	118	1.0	6.5	3.6
MW9B	04/09/03	12.84	5.51	7.33	No	21,800	24,900	---	51.0	<5.0	<5.0	<5.0
MW9B	07/22/03	12.84	6.09	6.75	No	33,500	36,900	---	<0.50	<0.5	<0.5	<0.5
MW9B	10/01/03	12.84	6.16	6.68	No	25,500	---	19,100	1.10	<0.5	<0.5	<0.5
MW9B	01/06/04	12.84	5.14	7.70	No	10,400	---	15,700	16.9	1.8	18.6	1.7
MW9B	06/07/04	12.84	9.47	3.37	No	3,910	---	1,960	<0.50	<0.5	<0.5	<0.5
MW9B	08/30/04	12.84	h	h	h	954h	---	925h	<0.50h	<0.5h	<0.5	<0.5h
MW9B	12/13/04	12.84	4.96	7.88	No	233	---	140	0.90	<0.5	<0.5	<0.5
MW9B	03/14/05	12.84	5.52	7.32	No	523	---	504	<0.50	<0.5	<0.5	<0.5
MW9B	06/08/05	12.84	6.70	6.14	No	114	---	130	<0.50	<0.5	<0.5	<0.5
MW9B	09/01/05	12.84	5.92	6.92	No	90.5	---	82.6	0.55	<0.50	<0.50	<0.50
MW9B	12/09/05	12.84	8.46	4.38	No	207	---	149	<0.50	<0.50	<0.50	<0.50
MW9B	12/30/05	12.84	4.59	8.25	No	---	---	---	---	---	---	---
MW9B	03/07/06	12.84	6.41	6.43	No	98	---	64	<0.50	<0.50	<0.50	<0.50
MW9B	06/26/06	12.84	5.71	7.13	No	130	---	39	0.63	<0.50	0.53	0.53
MW9B	09/25/06	12.84	6.35	6.49	No	<50.0	---	7.40	<0.50	<0.50	<0.50	<0.50
MW9B	12/15/06	12.84	6.77	6.07	No	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9B	03/29/07	12.84	6.40	6.44	No	197	---	225	<0.50	<0.50	<0.50	0.59
MW9B	06/12/07	12.84	6.05	6.79	No	53k	---	52	<0.50	<0.50	<0.50	<0.50

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 4 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9B	08/23/07	12.84	7.17	5.67	No	140k	---	230	<0.50	<0.50	<0.50	<0.50
MW9B	11/27/07	12.84	6.63	6.21	No	<50	---	36	<0.50	<0.50	<0.50	<0.50
<b>MW9B</b>	<b>02/01/08</b>	<b>12.84</b>	<b>5.31</b>	<b>7.53</b>	<b>No</b>	<b>&lt;50</b>	<b>---</b>	<b>15</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>
MW9C	06/13/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9C	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9C	10/13/89	99.73 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9C	10/19/90	99.73 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/05/92	99.73 l	6.44	93.29	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/05/92	99.73 l	6.50	93.23	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	09/14/92	99.73 l	7.00	92.73	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/16/92	99.73 l	6.72	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/03/93	99.73 l	5.75	93.98	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/18/93	99.73 l	6.72	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	08/26/93	99.73 l	6.84	92.89	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/04/93	99.73 l	6.90	92.83	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/04/94	99.73 l	6.28	93.45	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/31/94	99.73 l	6.42	93.31	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	10/26/94	11.14	6.80	4.34	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/15/95	11.14	5.72	5.42	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/02/95	11.14	6.88	4.26	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	04/26/96	11.14	6.28	4.86	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	08/22/96	11.14	6.65	4.49	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	03/16/98	11.14	5.51	5.63	No	<500	150,000	---	24	<5.0	<5.0	<5.0
MW9C	04/21/98	11.14	5.83	5.31	No	150	130,000	150,000	<0.5	<0.5	<0.5	<0.5
MW9C	07/22/98	14.19	6.43	7.76	No	<500	95,000	---	<5.0	<5.0	<5.0	<5.0
MW9C	12/22/98	14.19	6.16	8.03	No	<500	84,000	---	<5.0	<5.0	<5.0	<5.0
MW9C	02/26/99	14.19	5.46	8.73	No	<250	55,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/99	14.19	6.27	7.92	No	<25,000	68,900	---	<250	<250	<250	<250
MW9C	08/03/99	14.19	7.13	7.06	No	210	69,200	---	<1.0	1.3	<1.0	<1.0
MW9C	12/03/99	14.19	6.17	8.02	No	290	50,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	02/29/00	14.19	4.49	9.70	No	<250	40,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/00	14.19	5.96	8.23	No	<250	46,000	33,000	<2.5	<2.5	<2.5	<2.5
MW9C	07/24/00	14.19	6.47	7.72	No	<250	44,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	10/09/00	14.19	6.57	7.62	No	<250	39,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	01/10/01	14.19	6.09	8.10	No	<250	42,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	04/10/01	14.19	7.88	6.31	No	<250	35,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	07/12/01	14.19	---	---	No	<250	32,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	08/17/01 c	14.19	6.60	7.59	---	---	---	---	---	---	---	---
MW9C	10/11/01	14.19	6.67	7.52	No	<250	53,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	11/01/01	14.16	Well surveyed in compliance with AB2886 requirements.									
MW9C	01/11/02	14.16	5.29	8.87	No	2,470e	90,000e	---	0.90e	<0.50	<0.50	<0.50

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 5 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	04/12/02	14.16	6.14	8.02	No	70,400	66,800	---	<5.00	<5.00	<5.00	<5.00
MW9C	07/12/02	14.16	6.54	7.62	No	50,900	58,300	---	<500	<500	<500	<500
MW9C	10/11/02	14.16	6.73	7.43	No	52,100	58,800	76,000	<10.0	<10.0	<10.0	<10.0
MW9C	01/10/03	14.16	5.21	8.95	No	40,600	55,500	---	<0.5	<0.5	<0.5	<0.5
MW9C	04/09/03	14.16	6.08	8.08	No	24,700	29,600	---	<5.00	<5.0	<5.0	<5.0
MW9C	07/22/03	14.16	6.47	7.69	No	13,800	13,100	---	1.40	<0.5	<0.5	<0.5
MW9C	10/01/03	14.16	6.62	7.54	No	9,100	---	38,400	0.70	<0.5	<0.5	<0.5
MW9C	01/06/04	14.16	4.86	9.30	No	4,160	---	5,020	0.70	<0.5	<0.5	<0.5
MW9C	06/07/04	14.16	7.35	6.81	No	4,480	---	3,420	<0.50	<0.5	<0.5	<0.5
MW9C	08/30/04	14.16	h	h	h	1,950h	---	1,950h	<0.50h	<0.5h	<0.5h	<0.5h
MW9C	12/13/04	14.16	5.03	9.13	No	610	---	705	<0.50	<0.5	<0.5	<0.5
MW9C	03/14/05	14.16	5.63	8.53	No	906	---	1,110	<0.50	<0.5	<0.5	<0.5
MW9C	06/08/05	14.16	12.75	1.41	No	854	---	1,100	<0.50	<0.5	<0.5	<0.5
MW9C	09/01/05	14.16	6.95	7.21	No	361	---	409	<0.50	<0.50	<0.50	<0.50
MW9C	12/09/05	14.16	7.54	6.62	No	217	---	171	<0.50	<0.50	<0.50	<0.50
MW9C	12/30/05	14.16	4.21	9.95	No	---	---	---	---	---	---	---
MW9C	03/07/06	14.16	12.48	1.68	No	320	---	480	<2.0	<2.0	<2.0	<2.0
MW9C	06/26/06	14.16	6.36	7.80	No	350	---	300	<2.0	<2.0	<2.0	<2.0
MW9C	09/25/06	14.16	6.71	7.45	No	136	---	234	<0.50	<0.50	<0.50	<0.50
MW9C	12/15/06	14.16	12.21	1.95	No	190k	---	260	<1.0	<1.0	<1.0	<1.0
MW9C	03/29/07	14.16	12.30	1.86	No	483	---	396	<0.50	<0.50	<0.50	<0.50
MW9C	06/12/07	14.16	6.97	7.19	No	200k	---	250	<1.0	<1.0	<1.0	<1.0
MW9C	08/23/07	14.16	6.84	7.32	No	55k	---	51	<0.50	<0.50	<0.50	<0.50
MW9C	11/27/07	14.16	11.73	2.43	No	170k	---	230	<1.0	<1.0	<1.0	<1.0
<b>MW9C</b>	<b>02/01/08</b>	<b>14.16</b>	<b>11.22</b>	<b>2.94</b>	<b>No</b>	<b>77k</b>	<b>---</b>	<b>130</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>0.77</b>
MW9D	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9D	10/13/89	101.46 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9D	10/19/90	101.46 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/05/92	101.46 l	7.78	93.68	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/05/92	101.46 l	7.90	93.56	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	09/14/92	101.46 l	8.45	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/16/92	101.46 l	8.10	93.36	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/03/93	101.46 l	7.07	94.39	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/93	101.46 l	7.85	93.61	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/26/93	101.46 l	8.30	93.16	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/04/93	101.46 l	8.33	93.13	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/04/94	101.46 l	7.66	93.80	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/31/94	101.46 l	6.80	94.66	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/26/94	12.90	8.34	4.56	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/15/95	12.90	7.22	5.68	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/02/95	12.90	8.31	4.59	---	---	---	---	<0.5	<0.5	<0.5	<0.5

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 6 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg ( $\mu\text{g/L}$ )	MTBE 8021B ( $\mu\text{g/L}$ )	MTBE 8260B ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )
MW9D	04/26/96	12.90	7.58	5.32	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/22/96	12.90	8.12	4.78	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	03/16/98	12.90	6.94	5.96	No	<50	10	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/21/98	12.90	7.22	5.68	No	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/22/98	15.98	7.85	8.13	No	<50	13	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/22/98	15.98	7.58	8.40	No	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/26/99	15.98	6.42	9.56	No	<50	310	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/99	15.98	6.55	9.43	No	<2,500	13,500	---	<25	<25	<25	<25
MW9D	08/03/99	15.98	8.34	7.64	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/03/99	15.98	7.56	8.42	No	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/29/00	15.98	4.82	11.16	No	<50	2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/00	15.98	7.40	8.58	No	<50	6.2	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/24/00	15.98	7.91	8.07	No	<50	14	---	<0.5	<0.5	0.85	0.74
MW9D	10/09/00	15.98	8.02	7.96	No	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/01	15.98	7.26	8.72	No	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/10/01	15.98	7.32	8.66	No	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/12/01	15.98	--	--	No	<50	22	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/17/01 d	15.98	---	---	---	---	---	---	---	---	---	---
MW9D	10/11/01	15.98	8.16	7.82	No	<50	24	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/01/01	15.97	Well surveyed in compliance with AB2886 requirements.									
MW9D	01/11/02	15.97	6.64	9.33	No	352e	2.0e	---	<0.50	<0.50	<0.50	<0.50
MW9D	04/12/02	15.97	7.58	8.39	No	191	192	---	<0.50	<0.50	<0.50	<0.50
MW9D	07/12/02	15.97	8.01	7.96	No	108	124	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/11/02	15.97	8.13	7.84	No	187	243	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/03	15.97	5.98	9.99	No	386	132	---	4.1	<0.5	<0.5	<0.5
MW9D	04/09/03	15.97	7.53	8.44	No	468	292	---	3.80	<0.5	<0.5	<0.5
MW9D	07/22/03	15.97	7.87	8.10	No	446	339	---	0.70	<0.5	<0.5	<0.5
MW9D	10/01/03	15.97	8.04	7.93	No	402	---	362	<0.50	<0.5	<0.5	<0.5
MW9D	01/06/04	15.97	6.31	9.66	No	72.2	---	80.9	<0.50	<0.5	<0.5	<0.5
MW9D	06/07/04	15.97	8.17	7.80	No	237	---	353	<0.50	<0.5	<0.5	<0.5
MW9D	08/30/04 d	15.97	---	---	---	---	---	---	---	---	---	---
MW9D	12/13/04	15.97	5.39	10.58	No	379	---	353	4.80	0.7	<0.5	0.9
MW9D	03/14/05	15.97	6.93	9.04	No	<50.0	---	13.8	<0.50	<0.5	<0.5	<0.5
MW9D	06/08/05	15.97	8.83	7.14	No	<50.0	---	57.2	<0.50	<0.5	<0.5	<0.5
MW9D	09/01/05	15.97	7.99	7.98	No	64.3	---	51.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/09/05	15.97	7.96	8.01	No	56.3	---	33.0	<0.50	<0.50	<0.50	<0.50
MW9D	12/30/05 d	15.97	---	---	---	---	---	---	---	---	---	---
MW9D	03/07/06	15.97	6.19	9.78	No	<50	---	9.3	<0.50	<0.50	<0.50	<0.50
MW9D	06/26/06	15.97	7.68	8.29	No	<50	---	9.7	<0.50	<0.50	<0.50	<0.50
MW9D	09/25/06	15.97	8.00	7.97	No	<50.0	---	13.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/15/06	15.97	6.91	9.06	No	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9D	03/29/07	15.97	8.53	7.44	No	<50	---	6.91	<0.50	<0.50	<0.50	<0.50

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 7 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg ( $\mu\text{g/L}$ )	MTBE 8021B ( $\mu\text{g/L}$ )	MTBE 8260B ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )
MW9D	06/12/07	15.97	8.21	7.76	No	<50	---	9.8	<0.50	<0.50	<0.50	<0.50
MW9D	08/23/07	15.97	8.27	7.70	No	<50	---	15	<0.50	<0.50	<0.50	<0.50
MW9D	11/27/07	15.97	8.67	7.30	No	<50	---	21	<0.50	<0.50	<0.50	<0.50
<b>MW9D</b>	<b>02/01/08</b>	<b>15.97</b>	<b>6.24</b>	<b>9.73</b>	<b>No</b>	<b>&lt;50</b>	<b>---</b>	<b>4.7</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>
MW9E	10/24/88	---	---	---	---	---	---	---	1.3	<1.0	<2.0	<1.0
MW9E	10/13/89	---	---	---	---	---	---	---	15	<0.5	2.1	<3.0
MW9E	10/19/90	---	---	---	---	<50	---	---	4.0	<0.5	0.9	<0.5
MW9E	Oct-1990	Well destroyed.										
MW9F	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9F	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9F	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/05/92	96.96 l	5.81	91.15	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/05/92	96.96 l	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	09/14/92	96.96 l	---	---	---	---	---	---	---	---	---	---
MW9F	11/16/92	96.96 l	5.82	91.14	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/03/93	96.96 l	5.55	91.41	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/93	96.96 l	5.86	91.10	---	---	---	---	---	---	---	---
MW9F	05/19/93	96.96 l	---	---	---	<50	---	---	<0.5	---	1.2	6.8
MW9F	08/26/93	96.96 l	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/04/93	96.96 l	5.96	91.00	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/04/94	96.96 l	5.68	91.28	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/31/94	96.96 l	5.76	91.20	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/26/94	8.37	5.96	2.41	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/15/95	8.37	5.52	2.85	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/02/95	8.37	6.60	1.77	---	---	---	---	---	---	---	---
MW9F	04/26/96	8.37	6.50	1.87	No	<50	57	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/22/96	8.37	5.74	2.63	No	<50	5.8	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/24/97	8.37	---	---	No	<50	<30	---	<0.5	<0.5	<0.5	<0.5
MW9F	03/16/98	8.37	---	---	No	---	---	---	---	---	---	---
MW9F	04/21/98	8.37	---	---	---	---	---	---	---	---	---	---
MW9F	07/22/98	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	12/22/98	11.38	5.47	5.91	No	<50	81	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/26/99	11.38	5.35	6.03	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/99	11.38	5.62	5.76	No	<50	61.6	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/03/99	11.38	6.32	5.06	No	<50	3.10	---	<0.5	<0.5	<0.5	<0.5
MW9F	12/03/99	11.38	5.59	5.79	No	<50	<2	---	<0.5	<0.5	0.71	<0.5
MW9F	02/29/00	11.38	4.70	6.68	No	<50	52	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/00	11.38	5.37	6.01	No	<50	65	---	<0.5	<0.5	<0.5	<0.5
MW9F	07/24/00	11.38	5.65	5.73	No	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/09/00	11.38	5.71	5.67	No	<50	170	---	<0.5	<0.5	<0.5	<0.5







**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 10 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg ( $\mu\text{g/L}$ )	MTBE 8021B ( $\mu\text{g/L}$ )	MTBE 8260B ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )
MW9G	06/26/06 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	09/25/06	12.98	8.41	4.57	No	94.5	---	180	<0.50	<0.50	<0.50	<0.50
MW9G	12/15/06	12.98	5.30	7.68	No	50k	---	52	<0.50	<0.50	<0.50	<0.50
<b>MW9G</b>	<b>03/29/07 - present j</b>											
MW9H	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9H	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9H	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/05/92	97.14	7.70	89.44	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/05/92	97.14	8.12	89.02	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	09/14/92	97.14	---	---	---	---	---	---	---	---	---	---
MW9H	11/16/92	97.14	---	---	---	---	---	---	---	---	---	---
MW9H	02/03/93	97.14	7.72	89.42	---	280	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/93	97.14	8.12	89.02	---	<50	---	---	<0.5	<0.5	1.1	6.4
MW9H	08/26/93	97.14	8.14	89.00	---	<50	---	---	0.8	<0.5	<0.5	<0.5
MW9H	11/04/93	97.14	8.15	88.99	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/04/94	97.14	7.98	89.16	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/31/94	97.14	8.80	88.34	---	<50	---	---	0.92	1.1	<0.5	0.86
MW9H	10/26/94	8.58	8.12	0.46	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/15/95	8.58	7.88	0.70	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/02/95	8.58	8.40	0.18	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9H	04/26/96	8.58	8.05	0.53	No	---	---	---	---	---	---	---
MW9H	08/22/96	8.58	8.17	0.41	No	---	---	---	---	---	---	---
MW9H	02/24/97	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	03/16/98	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	04/21/98	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	07/22/98	11.61	---	---	---	---	---	---	---	---	---	---
MW9H	12/22/98	11.61	7.81	3.80	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/26/99	11.61	7.61	4.00	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/99	11.61	8.00	3.61	No	<50	3.98	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/03/99	11.61	6.05	5.56	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	12/03/99	11.61	5.32	6.29	No	<50	<2	---	<0.5	<0.5	<0.5	0.57 b
MW9H	02/29/00	11.61	7.10	4.51	No	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/00	11.61	7.84	3.77	No	<50	9.7	---	<0.5	<0.5	<0.5	<0.5
MW9H	07/24/00	11.61	7.94	3.67	No	<50	17	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/09/00	11.61	8.09	3.52	No	<50	13	---	<0.5	<0.5	<0.5	1.1
MW9H	01/10/01	11.61	7.89	3.72	No	<50	11	---	<0.5	<0.5	<0.5	0.5
MW9H	04/10/01	11.61	8.71	2.90	No	<50	44	---	<0.5	0.78	0.52	2.36
MW9H	07/12/01	11.61	---	---	No	<50	28	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/17/01 d	11.61	---	---	---	---	---	---	---	---	---	---
MW9H	10/11/01	11.61	8.15	3.46	No	<50	30	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/01/01	11.59	Well surveyed in compliance with AB2886 requirements.									

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 11 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg ( $\mu\text{g/L}$ )	MTBE 8021B ( $\mu\text{g/L}$ )	MTBE 8260B ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )
MW9H	01/11/02	11.59	7.48	4.11	No	<50.0	20.5e	---	<0.50	<0.50	<0.50	<0.50
MW9H	04/12/02	11.59	7.68	3.91	No	<50.0	32.8	---	<0.50	<0.50	<0.50	<0.50
MW9H	07/12/02	11.59	8.06	3.53	No	<50.0	34.6	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/11/02	11.59	7.83	3.76	No	<50.0	33.1	28.7	<0.5	<0.5	<0.5	<0.5
MW9H	01/10/03	11.59	7.39	4.20	No	<50.0	16.0	---	0.5	0.8	0.6	1.8
MW9H	04/09/03	11.59	7.69	3.90	No	<50.0	26.8	---	<0.50	<0.5	<0.5	<0.5
MW9H	07/22/03	11.59	7.94	3.65	No	55.3	34.7	---	<0.50	<0.5	<0.5	<0.5
MW9H	10/01/03	11.59	7.93	3.66	No	<50.0	---	32.3	<0.50	<0.5	<0.5	0.9
MW9H	01/06/04	11.59	7.27	4.32	No	<50.0	---	10	<0.50	<0.5	<0.5	<0.5
MW9H	06/07/04	11.59	7.99	3.60	No	50.6	---	71.7	<0.50	<0.5	<0.5	<0.5
MW9H	08/30/04	11.59	h	h	h	64.2h	---	51.0h	<0.50h	<0.5h	<0.50h	<0.5h
MW9H	12/13/04	11.59	7.22	4.37	No	<50.0	---	14.0	<0.50	<0.5	0.5	1.2
MW9H	03/14/05	11.59	6.96	4.63	No	<50.0	---	27.4	<0.50	<0.5	<0.5	<0.5
MW9H	06/08/05	11.59	7.53	4.06	No	52.6	---	68.8	<0.50	<0.5	<0.5	<0.5
MW9H	09/01/05	11.59	7.82	3.77	No	140	---	71.6	<0.50	<0.50	<0.50	<0.50
MW9H	12/09/05 j	---	---	---	---	---	---	---	---	---	---	---
MW9H	12/30/05	11.59	7.27	4.32	No	<50.0	---	13.7	<0.50	<0.50	<0.50	<0.50
MW9H	03/07/06 j	11.59	---	---	---	---	---	---	---	---	---	---
MW9H	06/26/06 j	11.59	---	---	---	---	---	---	---	---	---	---
MW9H	09/25/06	11.59	7.96	3.63	No	59.5	---	71.0	<0.50	<0.50	<0.50	<0.50
MW9H	12/15/06	11.59	7.42	4.17	No	57	---	21	<0.50	<0.50	<0.50	<0.50
<b>MW9H</b>	<b>03/29/07 - present j</b>											
MW9I	11/15/90	---	---	---	---	55	---	---	4.0	1.1	1.2	2.2
MW9I	02/05/92	98.66 l	5.56	93.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/05/92	98.66 l	5.60	93.06	---	<50	---	---	0.9	<0.5	<0.5	0.7
MW9I	09/14/92	98.66 l	6.12	92.54	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	11/16/92	98.66 l	5.82	92.84	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/03/93	98.66 l	4.92	93.74	---	240	---	---	46	1.1	2.3	2.1
MW9I	05/18/93	98.66 l	5.60	93.06	---	79	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/26/93	98.66 l	5.91	92.75	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	11/04/93	98.66 l	6.03	92.63	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/04/94	98.66 l	5.37	93.29	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/31/94	98.66 l	5.46	93.20	---	240	---	---	0.66	0.63	<0.5	1.4
MW9I	10/26/94	10.11	5.88	4.23	---	150	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/15/95	10.11	4.94	5.17	---	56	---	---	<0.5	0.82	<0.5	<0.5
MW9I	11/02/95	10.11	6.04	4.07	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9I	04/26/96	10.11	5.27	4.84	No	<50	99	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/22/96	10.11	5.66	4.45	No	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/24/97	10.11	5.24	4.87	No	120	9,100	---	<0.5	<0.5	<0.5	<0.5
MW9I	03/16/98	10.11	4.91	5.20	No	<200	59,000	---	13	<2.0	<2.0	<2.0
MW9I	04/21/98	10.11	5.08	5.03	No	<500	59,000	---	<5.0	<5.0	<5.0	<5.0

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70238  
2200 East 12th Street  
Oakland, California  
(Page 12 of 13)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg ( $\mu\text{g/L}$ )	MTBE 8021B ( $\mu\text{g/L}$ )	MTBE 8260B ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )
MW9I	07/22/98	13.14	5.44	7.70	No	<500	62,000	---	<5.0	<5.0	<5.0	<5.0
MW9I	12/22/98	13.14	5.32	7.82	No	200	51,000	---	1.7	<0.5	<0.5	<0.5
MW9I	02/26/99	13.14	4.71	8.43	No	<500	9,700	---	<5.0	<5.0	<5.0	<5.0
MW9I	05/18/99	13.14	5.30	7.84	No	<1,000	3,730	---	<10	<10	<10	<10
MW9I	08/03/99	13.14	5.98	7.16	No	<50	21,900	---	<0.5	0.650	<0.5	<0.5
MW9I	12/03/99	13.14	5.31	7.83	No	<250	2,000	---	3.9	2.9	<2.5	14
MW9I	02/29/00	13.14	4.20	8.94	No	50	16,000	---	0.74	<0.5	<0.5	<0.5
MW9I	05/18/00	13.14	5.12	8.02	No	<50	2,900	---	<0.5	<0.5	<0.5	<0.5
MW9I	07/24/00	13.14	5.41	7.73	No	<250	43,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	10/09/00	13.14	5.41	7.73	No	<2,500	54,000	---	1.6	<0.5	<0.5	<0.5
MW9I	01/10/01	13.14	5.24	7.90	No	<250	36,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	04/10/01	13.14	4.84	8.30	No	<50	4,800	---	<0.5	<0.5	<0.5	<0.5
MW9I	07/12/01	13.14	---	---	No	<50	8,400	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/17/01	13.14	6.49	6.65	---	---	---	---	---	---	---	---
MW9I	10/11/01	13.14	5.64	7.50	No	<250	38,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	11/01/01	13.13	Well surveyed in compliance with AB2886 requirements.									
MW9I	01/11/02	13.13	4.80	8.33	No	1,330e	5,400e	---	4.80e	<0.50	<0.50	<0.50
MW9I	04/12/02	13.13	5.22	7.91	No	1,460	1,480	---	<0.50	<0.50	<0.50	<0.50
MW9I	07/12/02	13.13	5.50	7.63	No	4,460	6,490	---	<0.5	<0.5	<0.5	<0.5
MW9I	10/11/02	13.13	5.35	7.78	No	31,300	37,700	51,000	<5.0	<5.0	<5.0	<5.0
MW9I	01/10/03	13.13	4.75	8.38	No	4,820	6,180	---	9.4	0.7	1.1	1.3
MW9I	04/09/03	13.13	5.15	7.98	No	2,130	1,510	---	22.3	1.9	1.5	1.5
MW9I	07/22/03	13.13	5.50	7.63	No	2,330	2,540	---	1.60	<0.5	<0.5	<0.5
MW9I	10/01/03	13.13	5.65	7.48	No	6,080	---	4,610	1.00	<0.5	<0.5	<0.5
MW9I	01/06/04	13.13	4.50	8.63	No	175	---	61.3	0.90	<0.5	0.5	<0.5
MW9I	06/07/04	13.13	6.87	6.26	No	4,620	---	3,410	<0.50	<0.5	<0.5	<0.5
MW9I	08/30/04	13.13	h	h	h	817h	---	847h	<0.50h	<0.5h	<0.5h	<0.5h
MW9I	12/13/04	13.13	4.47	8.66	No	<50.0	---	14.4	<0.50	<0.5	<0.5	<0.5
MW9I	03/14/05	13.13	5.05	8.08	No	96.7	---	44.9	<0.50	<0.5	<0.5	<0.5
MW9I	06/08/05	13.13	6.47	6.66	No	1,230	---	321	<0.50	<0.5	<0.5	0.8
MW9I	09/01/05	13.13	5.60	7.53	No	170	---	62.3	1.22	0.77	<0.50	<0.50
MW9I	12/09/05	13.13	6.82	6.31	No	78.3	---	81.0	<0.50	0.58	<0.50	<0.50
MW9I	12/30/05	13.13	4.23	8.90	No	---	---	---	---	---	---	---
MW9I	03/07/06	13.13	5.08	8.05	No	<50	---	0.96	<0.50	<0.50	<0.50	<0.50
MW9I	06/26/06	13.13	5.30	7.83	No	<50	---	3.7	<0.50	<0.50	<0.50	<0.50
MW9I	09/25/06	13.13	6.17	6.96	No	50.9	---	24.0	<0.50	<0.50	<0.50	<0.50
MW9I	12/15/06	13.13	5.45	7.68	No	<50	---	0.59	<0.50	<0.50	<0.50	<0.50
MW9I	03/29/07	13.13	6.35	6.78	No	<50	---	1.15	<0.50	<0.50	<0.50	0.62
MW9I	06/12/07	13.13	5.87	7.26	No	<50	---	0.53	<0.50	<0.50	<0.50	<0.50
MW9I	08/23/07	13.13	6.14	6.99	No	<50	---	0.86	<0.50	<0.50	<0.50	<0.50
MW9I	11/27/07	13.13	6.48	6.65	No	<50	---	0.69	<0.50	<0.50	<0.50	<0.50
<b>MW9I</b>	<b>02/01/08</b>	<b>13.13</b>	<b>4.28</b>	<b>8.85</b>	<b>No</b>	<b>&lt;50</b>	<b>---</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 13 of 13)

---

Notes:	=	
TOC	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
NAPL	=	Non-aqueous phase liquids.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
---	=	Not measured/Not sampled/Not analyzed.
a	=	Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	=	Analyte detected in the trip blank and/or bailer blank.
c	=	Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	=	Well inaccessible.
e	=	Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods.
f	=	Sample erroneously labeled MA9B on Chain-of-Custody form and laboratory report.
g	=	Insufficient sample volume to perform analyses.
h	=	Groundwater elevation data invalidated; analytical results suspect.
i	=	Well sampled using no-purge method.
j	=	Well not gauged and/or sampled due to encroachment permit restrictions.
k	=	Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	=	Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.







**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70238  
2200 East 12th Street  
Oakland, California  
(Page 3 of 6)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9D	10/01/03	<0.50	<0.50	235	<0.50	<0.50	<0.50	---
MW9D	01/06/04	<0.50	<0.50	51.8	<0.50	<0.50	<0.50	---
MW9D	06/07/04	---	---	---	---	---	---	<50.0
MW9D	08/30/04 h	---	---	---	---	---	---	---
MW9D	12/13/04	---	---	---	---	---	---	---
MW9D	03/14/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW9D	06/08/05	<0.50	<0.50	57.8	<0.50	<0.50	<0.50	<100
MW9D	09/01/05	---	---	---	---	---	---	---
MW9D	12/09/05	---	---	---	---	---	---	---
MW9D	12/30/05 d	---	---	---	---	---	---	---
MW9D	03/07/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	---
MW9D	06/26/06	---	---	---	---	---	---	---
MW9D	09/25/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW9D	12/15/06	<0.50	<0.50	<12	<0.50	<0.50	<0.50	---
MW9D	03/29/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW9D	06/12/07	<0.50	<0.50	<20	<0.50	<0.50	<0.50	---
MW9D	08/23/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---
MW9D	11/27/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---
<b>MW9D</b>	<b>02/01/08</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>5.1</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>---</b>
MW9E	10/24/88 - 10/19/90	Not analyzed for these analytes.						
MW9E	Oct-1990	Well destroyed.						
MW9F	12/06/88 - 07/12/02	Not analyzed for these analytes.						
MW9F	10/11/02	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW9F	01/10/03	---	---	---	---	---	---	---
MW9F	04/09/03	---	---	---	---	---	---	---
MW9F	07/22/03	---	---	---	---	---	---	---
MW9F	10/01/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW9F	01/06/04	<0.50	<0.50	13.7	<0.50	<0.50	<0.50	---
MW9F	06/07/04	---	---	---	---	---	---	<50.0
MW9F	08/30/04	---	---	---	---	---	---	<50.0j
MW9F	12/13/04	---	---	---	---	---	---	---
MW9F	03/14/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW9F	06/08/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW9F	09/01/05	---	---	---	---	---	---	---
MW9F	12/09/05 j	---	---	---	---	---	---	---
MW9F	12/30/05	---	---	---	---	---	---	---
MW9F	03/07/06 j	---	---	---	---	---	---	---
MW9F	06/26/06 j	---	---	---	---	---	---	---
MW9F	09/25/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---



**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70238  
2200 East 12th Street  
Oakland, California  
(Page 5 of 6)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9H	03/07/06 j	---	---	---	---	---	---	---
MW9H	06/26/06 j	---	---	---	---	---	---	---
MW9H	09/25/06	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---
MW9H	12/15/06	<0.50	<0.50	<12	<0.50	<0.50	<0.50	---
<b>MW9H</b>	<b>03/29/07 - present j</b>							
MW9I	11/15/90 - 07/12/02	Not analyzed for these analytes.						
MW9I	10/11/02	<0.50	24.1	<10.0	<0.50	<0.50	<0.50	---
MW9I	01/10/03	---	---	---	---	---	---	---
MW9I	04/09/03	---	---	---	---	---	---	---
MW9I	07/22/03	---	---	---	---	---	---	---
MW9I	10/01/03	<0.50	1.50	30,300	<0.50	<0.50	<0.50	---
MW9I	01/06/04	<0.50	<0.50	377	<0.50	<0.50	<0.50	---
MW9I	06/07/04	---	---	---	---	---	---	<50.0
MW9I	08/30/04	---	---	---	---	---	---	<50.0j
MW9I	12/13/04	---	---	---	---	---	---	---
MW9I	03/14/05	<0.50	<0.50	1,640	<0.50	<0.50	<0.50	<50.0
MW9I	06/08/05	<0.50	<0.50	47,000	<0.50	<0.50	<0.50	<100
MW9I	09/01/05	---	---	---	---	---	---	---
MW9I	12/09/05	---	---	---	---	---	---	---
MW9I	12/30/05	---	---	---	---	---	---	---
MW9I	03/07/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	<100
MW9I	06/26/06	---	---	---	---	---	---	<100
MW9I	09/25/06	<0.500	<0.500	10,300	<0.500	<0.500	<0.500	<50.0
MW9I	12/15/06	<0.50	<0.50	730	<0.50	<0.50	<0.50	<100
MW9I	03/29/07	<0.500	<0.500	632	<0.500	<0.500	<0.500	<50.0
MW9I	06/12/07	<0.50	<0.50	140	<0.50	<0.50	<0.50	---
MW9I	08/23/07	<0.50	<0.50	90	<0.50	<0.50	<0.50	<100
MW9I	11/27/07	<0.50	<0.50	15	<0.50	<0.50	<0.50	<100
<b>MW9I</b>	<b>02/01/08</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;100</b>

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238  
 2200 East 12th Street  
 Oakland, California  
 (Page 6 of 6)

---

Notes:	=	
TOC	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
NAPL	=	Non-aqueous phase liquids.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
---	=	Not measured/Not sampled/Not analyzed.
a	=	Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	=	Analyte detected in the trip blank and/or bailer blank.
c	=	Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	=	Well inaccessible.
e	=	Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods.
f	=	Sample erroneously labeled MA9B on Chain-of-Custody form and laboratory report.
g	=	Insufficient sample volume to perform analyses.
h	=	Groundwater elevation data invalidated; analytical results suspect.
i	=	Well sampled using no-purge method.
j	=	Well not gauged and/or sampled due to encroachment permit restrictions.
k	=	Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	=	Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.

**TABLE 2**  
**WELL CONSTRUCTION DETAILS**  
Former Exxon Service Station 70238  
2200 East 12th Street  
Oakland, California  
(Page 1 of 1)

Well ID	Date Well Installed	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet)	Well Depth (feet)	Well Casing Diameter (inches)	Well Casing Material	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
MW9A	06/10/88	14.51	8	18	18	2	PVC	8-18	0.020	NS	NS
MW9B	06/10/88	12.84	8	20	18	2	PVC	8-18	0.020	NS	NS
MW9C	06/10/88	14.16	8	17	18	2	PVC	8-18	0.020	NS	NS
MW9D	10/05/88	15.97	12	16.5	14	4	PVC	5-14	NS	NS	NS
MW9E	10/05/88	NS	12	18.5	14	NS	PVC	5-14	NS	NS	NS
MW9F	11/23/88	11.38	8	16	14	NS	PVC	4-14	NS	NS	NS
MW9G	11/22/88	12.98	8	16.5	14	NS	PVC	5-14	NS	NS	NS
MW9H	11/23/88	11.59	8	16.5	14	NS	PVC	5-14	NS	NS	NS
MW9I	11/02/90	13.13	12	16	16	4	NS	4-14	NS	NS	NS
DPE1	06/05/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE2	06/04/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE3	06/04/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE4	06/05/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
VP1	01/11/01	NS	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
VP2	01/11/01	NS	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand

Notes:  
= Top of well casing elevation; datum is mean sea level.  
NS = Not specified.  
PVC = Polyvinyl chloride.

TABLE 3  
 OPERATION AND PERFORMANCE DATA FOR DUAL-PHASE EXTRACTION SYSTEM, VAPOR PHASE  
 Former Exxon Service Station 70238  
 2200 East 12th Street  
 Oakland, California  
 (Page 1 of 11)

Date	FIELD MEASUREMENTS									LABORATORY ANALYTICAL RESULTS			TPHg Removal		MTBE Removal		Benzene Removal		Destruction Benzene	
	System Hours	Total Hours	Temp (deg F)	Vacuum ("Hg)	Pressure ("H <sub>2</sub> O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Period (lbs)	Cumulative (lbs)	Period (lbs)	Cumulative (lbs)	Period (lbs)	Cumulative (lbs)	Efficiency (%)	Emission (lbs/day)
03/01/04	System start up. Running on departure.																			
03/01/04	4	---	70	27.5	1.0	350	17.2	A-INF 4,389 A-EFF 26.1												
03/05/04	100	---	70	28.0	1.0	700	34.4	A-INF 599 A-EFF 9.0												
03/08/04	172	---	70	25.0	1.0	600	29.5	A-INF > 10,000 A-EFF 25.9	4,000 23	37 0.50	200 < 0.50	75.97	75.97	3.799	3.799	0.703	0.703	99.74	0.001	
03/12/04	268	---	70	26.0	1.0	750	36.9	A-INF > 10,000 A-EFF 9.0												
03/19/04	436	---	70	21.5	1.0	750	36.9	A-INF 6,500 A-EFF 6.0												
03/26/04	604	---	70	20.0	1.0	1,000	49.2	A-INF 500 A-EFF 1.0												
04/02/04	772	---	70	27.0	1.0	1,400	68.9	A-INF 285 A-EFF 1.0	87 < 10	0.60 < 0.10	15 < 0.50	225.65	301.63	11.871	15.669	2.076	2.779	99.65	0.001	
04/08/04	916	---	70	18.0	1.0	1,500	73.8	A-INF 5,700 A-EFF 4.0												
04/15/04	1,084	---	70	20.0	1.0	1,500	73.8	A-INF 9,600 A-EFF 17.0												
04/22/04	1,252	---	70	10.0	1.0	600	29.5	A-INF 750 A-EFF 2.0												
04/29/04	1,420	---	70	25.0	1.0	700	34.4	A-INF 920 A-EFF 4.0												
05/06/04	1,588	---	70	22.0	1.0	650	32.0	A-INF 5,600 A-EFF 7.0												
05/13/04	1,756	---	70	24	1.0	650	32.0	A-INF 3,200 A-EFF 2.0	1,200 < 10	9.1 < 0.10	52 < 0.50	119.45	421.08	6.218	21.888	0.900	3.679	99.94	0.0003	
05/21/04	1,948	---	70	24	1.0	550	27.1	A-INF 767 A-EFF 3.0												
05/27/04	2,092	---	70	25	1.0	600	29.5	A-INF 6,700 A-EFF 7.0												
06/03/04	2,260	---	70	25	1.0	650	32.0	A-INF 1,969 A-EFF 30.0	720 16	3.1 0.11	32 < 0.50	57.88	478.96	2.532	24.420	0.368	4.047	98.48	0.0003	
06/09/04	2,404	---	70	27	1.0	600	29.5	A-INF 1,150 A-EFF 16.0												
06/24/04	2,764	---	70	27	1.0	500	24.6	A-INF 1,000 A-EFF 10.0												
07/14/04	2,774	---	70	26	1.0	800	39.4	A-INF 1,500 A-EFF 28.0												
07/22/04	2,966	---	70	24	1.0	1,000	49.2	A-INF 120 A-EFF 10.0	400 37	3.4 0.35	13 0.55	60.03	538.99	2.412	26.832	0.348	4.395	91.67	0.0015	
08/05/04	409	3,375	---	---	---	---	---	A-INF --- A-EFF ---												
08/20/04	577	3,543	70	21	1.0	800	39.4	A-INF 711 A-EFF 20.0												
08/25/04	745	3,711	70	22	1.0	850	41.8	A-INF 120 A-EFF 11.0	850 92	5.4 0.4	< 25 1	79.27	618.25	< 2.410	< 29.242	0.558	4.953	90.83	0.0016	



TABLE 3  
 OPERATION AND PERFORMANCE DATA FOR DUAL-PHASE EXTRACTION SYSTEM, VAPOR PHASE  
 Former Exxon Service Station 70238  
 2200 East 12th Street  
 Oakland, California  
 (Page 3 of 11)

Date	FIELD MEASUREMENTS									LABORATORY ANALYTICAL RESULTS			TPHg Removal		MTBE Removal		Benzene Removal		Destruction Efficiency (%)	Benzene Emission (lbs/day)
	System Hours	Total Hours	Temp (deg F)	Vacuum ("Hg)	Pressure ("H <sub>2</sub> O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Period (lbs)	Cumulative (lbs)	Period (lbs)	Cumulative (lbs)	Period (lbs)	Cumulative (lbs)		
07/08/05	3,441	6,407	75	16	0.0	1,500	72.9	A-INF A-EFF	32.6 0.0											
07/15/05	3,510	6,476	74	18	0.0	1,400	68.2	A-INF A-EFF	67.2 0.1											
07/22/05	3,675	6,641	74	15	0.0	1,400	68.2	A-INF A-EFF	12.0 0.0											
07/29/05	3,844	6,810	72	16	0.0	1,000	48.9	A-INF A-EFF	4.0 0.0											
08/05/05	3,860	6,826	72	14	0.0	1,400	68.5	A-INF A-EFF	4.5 0.0											
08/12/05	3,860	6,826	72	14	0.0	1,400	68.5	A-INF A-EFF	4.5 0.0	< 5.00 < 5.00	< 0.500 < 0.500	< 0.500 < 0.500	< 6.44	< 863.39	< 0.472	< 34.709	< 0.456	< 7.265	100.00	0.0030
08/19/05	System down for pump repair/replacement.																			
08/19/05	3,867	6,833	---	---	---	---	---	A-INF A-EFF	---											
09/23/05	3,882	6,848	72	17	0.0	1,400	68.5	A-INF A-EFF	56.0 0.0	44.8 < 5.00	1.78 < 0.500	0.902 < 0.500	< 0.14	< 863.53	< 0.004	< 34.713	< 0.006	< 7.272	100.00	0.0031
09/30/05	4,048	7,014	72	12	0.0	1,400	68.5	A-INF A-EFF	5.1 0.0											
10/07/05	4,217	7,183	72	16	0.0	1,200	58.7	A-INF A-EFF	1.0 0.0	< 5.00 ---	< 0.500 ---	< 0.500 ---	< 1.98	< 865.51	< 0.056	< 34.769	< 0.091	< 7.362	100.00	
10/14/05	4,386	7,352	72	16	0.0	1,200	58.7	A-INF A-EFF	3.0 0.0											
10/21/05	4,400	7,366	72	18	0.0	1,200	58.7	A-INF A-EFF	0.0 0.0	< 5.00 < 5.00	< 0.500 < 0.500	< 0.500 < 0.500	< 0.20	< 865.71	< 0.020	< 34.789	< 0.020	< 7.382	100.00	0.0029
10/28/05	4,564	7,530	72	12	0.0	1,400	68.5	A-INF A-EFF	0.0 0.0											
11/04/05	4,735	7,701	72	16	0.0	1,400	68.5	A-INF A-EFF	4.0 0.0	7.48 < 5.00	< 0.500 < 0.500	< 0.500 < 0.500	< 0.50	< 866.21	< 0.040	< 34.829	< 0.040	< 7.422	100.00	0.0029
11/11/05	4,905	7,871	72	14	0.0	1,500	73.4	A-INF A-EFF	14.0 0.0											
11/18/05	5,068	8,034	72	18	0.0	1,400	68.5	A-INF A-EFF	26.0 0.0											
11/21/05	5,110	8,076	72	19	0.0	1,200	58.7	A-INF A-EFF	320.0 0.0											
12/05/05	5,371	8,337	72	16	0.0	1,500	73.4	A-INF A-EFF	28.0 0.0	30.0 < 5.00	1.77 < 0.500	7.62 < 0.500	< 3.16	< 869.37	< 0.685	< 35.514	< 0.191	< 7.614	100.00	0.0016
12/09/05	System shut down pending catalytic oxidizer repair.																			
12/09/05	5,540	8,506	72	18	0.0	1,300	63.6	A-INF A-EFF	100.0 0.0											
01/27/06	Catalytic oxidizer repair complete. Restart system and discharge to holding tank. Shut down system prior to departure.																			
01/27/06	5,546	8,512	72	18	0.0	1,400	68.5	A-INF A-EFF	0.0 0.0	< 5.00 < 5.00	< 0.500 < 0.500	< 0.500 < 0.500	< 0.81	< 870.18	< 0.188	< 35.702	< 0.053	< 7.666	100.00	0.0032
02/24/06	Restart system, resample, and discharge to holding tank. Shut down system prior to departure.																			
02/24/06	5,548	8,514	72	20	1.0	1,400	68.6	A-INF A-EFF	0.0 0.0	< 5.00 < 5.00	< 0.500 < 0.500	< 0.500 < 0.500	< 0.00	< 870.19	< 0.000	< 35.702	< 0.000	< 7.667	100.00	0.0031











**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR DUAL-PHASE EXTRACTION SYSTEM, VAPOR PHASE**  
Former Exxon Service Station 70238  
2200 East 12th Street  
Oakland, California  
(Page 8 of 11)

Date	FIELD MEASUREMENTS									LABORATORY ANALYTICAL RESULTS			TPHg Removal		MTBE Removal		Benzene Removal		Destruction Efficiency (%)	Benzene Emission (lbs/day)
	System Hours	Total Hours	Temp (deg F)	Vacuum ("Hg)	Pressure ("H <sub>2</sub> O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Period (lbs)	Cumulative (lbs)	Period (lbs)	Cumulative (lbs)	Period (lbs)	Cumulative (lbs)		
08/23/07	System running on arrival and departure.																			
	13,506	16,472	84	13	0.0	900	43.0	A-INF	53.0										100.00	
								A-INT	0.0											
								A-EFF	0.0											
08/31/07	System running on arrival and departure.																			
	13,671	16,637	90	14	0.0	900	42.6	A-INF	42.0										100.00	
								A-INT	0.0											
								A-EFF	0.0											
09/07/07	System running on arrival and departure.																			
	13,882	16,848	80	13	0.0	1,000	48.2	A-INF	1.0										100.00	
								A-INT	0.0											
								A-EFF	0.0											
09/14/07	System running on arrival and departure.																			
	14,030	16,996	80	12	0.0	900	43.4	A-INF	0.0	< 11	0.0074	0.12	< 5.28	< 963.24	< 0.054	< 36,942	< 0.044	< 8.601	100.00	0.0012
								A-INT	0.0	< 11	0.0050	0.17								
								A-EFF	0.0	< 11	0.0045	0.047								
09/21/07	System running on arrival and departure.																			
	14,198	17,164	80	12	0.0	1,000	48.2	A-INF	0.0										100.00	
								A-INT	0.0											
								A-EFF	0.0											
09/28/07	System down on arrival and running on departure.																			
	14,329	17,295	80	14	0.0	900	43.4	A-INF	0.0										100.00	
								A-INT	0.0											
								A-EFF	0.0											
10/02/07	System down on arrival and running on departure.																			
	14,348	17,314	70	20	0.0	1,000	49.1	A-INF	0.0										100.00	
								A-INT	0.0											
								A-EFF	0.0											
10/12/07	System running on arrival and departure.																			
	14,587	17,553	70	21	0.0	900	44.2	A-INF	0.0	< 11	0.0075	1.3b/0.67 c	< 1.00	< 964.24	< 0.065	< 37,007	< 0.001	< 8.601	100.00	0.00002
								A-INT	0.0	a	a	a								
								A-EFF	0.0	< 11	0.0062	0.016								
10/16/07	System running on arrival and departure.																			
	14,685	17,651	70	21	0.0	700	34.4	A-INF	0.0										100.00	
								A-INT	0.0											
								A-EFF	0.0											
10/21/07	System running on arrival and departure.																			
	14,828	17,794	70	21	0.0	700	34.4	A-INF	0.0										100.00	
								A-INT	0.0											
								A-EFF	0.0											
11/02/07	System running on arrival and departure.																			
	15,090	18,056	70	19	0.0	800	39.3	A-INF	0.0										100.00	
								A-INT	7.0											
								A-EFF	0.0											
11/09/07	System running on arrival and departure.																			
	15,240	18,206	70	19	0.0	800	39.3	A-INF	0.0	< 11	0.0018	0.18	< 1.12	< 965.36	< 0.075	< 37,083	< 0.000	< 8.602	100.00	0.0000
								A-INT	0.0	< 11	< 0.0016	0.16								
								A-EFF	0.0	< 11	0.0024	0.027								





**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR DUAL-PHASE EXTRACTION SYSTEM, VAPOR PHASE**  
Former Exxon Service Station 70238  
2200 East 12th Street  
Oakland, California  
(Page 11 of 11)

---

Notes:	
A-INF	= Influent vapor sample.
A-EFF	= Effluent vapor sample.
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using Stet T0-3(M); on and prior to 08/23/07, analyzed using EPA Method 8015B or 18M.
Benzene	= Benzene analyzed using EPA Method T0-15M; on and prior to 8/23/07, analyzed using EPA Method 8015B or 18M.
MTBE	= Methyl tertiary butyl ether analyzed using EPA Method T0-15M; on and prior to 8/23/07, analyzed using EPA Method 8015B or 18M.
Temp	= Temperature of vapor stream.
deg F	= Degrees Fahrenheit.
"Hg	= Inches of mercury vacuum.
"H2O	= Inches of water column.
PID	= Photo-ionization detector measurement.
acfm	= Actual cubic feet per minute.
scfm	= Standard cubic feet per minute.
ppmv	= Parts per million by volume.
fpm	= Feet per minute.
mg/M <sup>3</sup>	= Milligrams per cubic meter.
lbs	= Pounds.
lbs/day	= Pounds per day.
<	= Less than the stated laboratory reporting limit.
---	= Not sampled/Not analyzed/Not measured/Not calculated/Not applicable.
a	= Tedlar bag was received flat by the laboratory; analysis not performed.
b	= Concentration exceeded calibration range of instrument.
c	= Re-analysis for dilution performed past EPA recommended holding time.
d	= Sample analyzed past EPA recommended holding time.























**TABLE 4  
OPERATION AND PERFORMANCE DATA  
FOR DUAL-PHASE EXTRACTION SYSTEM, LIQUID-PHASE**

Former Exxon Service Station 70238

2200 East 12th Street

Oakland, California

(Page 10 of 10)

Date	System Hours (hours)	Eff. Totalizer Reading (gal)	Average Flow rate (gpm)	Total Flow per period (gal)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed		
						TPHg (µg/L)	TPHd (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
03/28/08	System running on arrival and departure.																	
	18.622	966,450	0.60	6,020	W-INF	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0	< 0.021	< 1.954	< 0.00021	< 0.0162	< 0.0021	< 1.1354
					W-INT1	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0						
					W-INT2	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0						
					W-PSP-1	< 50	---	< 0.50	< 0.50	< 0.50	< 1.0	< 5.0						

Notes:

- W-INF = Water influent combined.
- W-INT1 = Water intermediate after first carbon vessel.
- W-INT2 = Water intermediate after second carbon vessel.
- PSP-1 = Water effluent.
- TPHg = Total petroleum hydrocarbons as gasoline analyzed using modified EPA Method 8015M/8015B or LUFT GCMS.
- TPHd = Total petroleum hydrocarbons as diesel analyzed using modified EPA Method 8015M.
- BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B or 624.
- MTBE = Methyl tertiary butyl ether analyzed using EPA Method 8021B or 624.
- gal = Gallons.
- gpm = Gallons per minute.
- µg/L = Micrograms per liter.
- lbs = Pounds.
- = Not sampled/Not analyzed/Not measured/Not calculated/Not applicable.
- < = Less than the laboratory method reporting limit.
- a = Diesel-range organic compounds reported in sample; however, chromatogram pattern is not representative of diesel fuel.
- b = Diesel result was within the range diesel fuel. There was insufficient area for pattern match.
- c = Sample mislabeled as W-EFF on the Chain-of-Custody and laboratory report.
- d = Sample inadvertently misdated by laboratory. Correct sampling date is shown.

\* If value is below laboratory reporting limit, then detection limit value is used for removal calculations.

\*\* Indicates the concentrations of identifiable analytes are below the laboratory reporting limit unless otherwise noted.

**APPENDIX A**  
**GROUNDWATER SAMPLING PROTOCOL**

## GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with an ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume =  $\pi r^2 h(7.48)$  where:

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
$\pi$	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

## **APPENDIX B**

### **LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY RECORDS**

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

885 Jarvis Drive  
Morgan Hill, CA 95037  
(408) 776-9600  
FAX (408) 782-6308  
www.testamericainc.com

18 February, 2008

Paula Sime  
Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma, CA 94954

RECEIVED  
FEB 19 2008

BY:.....

RE: Exxon 7-0238  
Work Order: MRB0055

Enclosed are the results of analyses for samples received by the laboratory on 02/01/08 17:25. The samples arrived at a temperature of 1° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Tim Rhiney  
Project Manager

CA ELAP Certificate #1210

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
**Reported:**  
02/18/08 09:02

## ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
QCBB	MRB0055-01	Water	02/01/08 08:45	02/01/08 17:25
MW9A	MRB0055-02	Water	02/01/08 10:20	02/01/08 17:25
MW9B	MRB0055-03	Water	02/01/08 11:30	02/01/08 17:25
MW9C	MRB0055-04	Water	02/01/08 11:00	02/01/08 17:25
MW9D	MRB0055-05	Water	02/01/08 10:35	02/01/08 17:25
MW9I	MRB0055-06	Water	02/01/08 09:50	02/01/08 17:25

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
**Reported:**  
02/18/08 09:02

MW9A (MRB0055-02) Water Sampled: 02/01/08 10:20 Received: 02/01/08 17:25

## Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

### TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8B07004	02/07/08	02/07/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		113 %	85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99 %	75-125	"	"	"	"	"	

## Volatile Organic Compounds by EPA Method 8260B

### TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	8B05011	02/05/08	02/05/08	EPA 8260B	
<b>tert-Butyl alcohol</b>	<b>5.0</b>	5.0	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>14</b>	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		99 %	75-130	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		104 %	60-150	"	"	"	"	"	
Surrogate: Toluene-d8		90 %	75-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		84 %	55-130	"	"	"	"	"	



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
Reported:  
02/18/08 09:02

MW9B (MRB0055-03) Water Sampled: 02/01/08 11:30 Received: 02/01/08 17:25

## Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

### TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8B07004	02/07/08	02/07/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		109 %	85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		96 %	75-125	"	"	"	"	"	

## Volatile Organic Compounds by EPA Method 8260B

### TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	8B05011	02/05/08	02/05/08	EPA 8260B	
<b>tert-Butyl alcohol</b>	<b>29</b>	5.0	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>15</b>	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		98 %	75-130	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		104 %	60-150	"	"	"	"	"	
Surrogate: Toluene-d8		90 %	75-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		80 %	55-130	"	"	"	"	"	

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
Reported:  
02/18/08 09:02

MW9C (MRB0055-04) Water Sampled: 02/01/08 11:00 Received: 02/01/08 17:25

## Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

### TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Gasoline Range Organics (C4-C12)</b>	<b>77</b>	<b>50</b>	ug/l	1	8B07004	02/07/08	02/07/08	EPA 8015B/8021B	QP
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
<b>Xylenes (total)</b>	<b>0.77</b>	<b>0.50</b>	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		109 %	85-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		98 %	75-125	"	"	"	"	"	

## Volatile Organic Compounds by EPA Method 8260B

### TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	1.0	ug/l	2	8B05011	02/05/08	02/05/08	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	1.0	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	1.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	1.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>130</b>	<b>1.0</b>	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		100 %	75-130	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		107 %	60-150	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		86 %	75-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		80 %	55-130	"	"	"	"	"	

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
Reported:  
02/18/08 09:02

MW9D (MRB0055-05) Water Sampled: 02/01/08 10:35 Received: 02/01/08 17:25

## Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

### TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	8B05001	02/05/08	02/06/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		111 %	85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		94 %	75-125	"	"	"	"	"	

## Volatile Organic Compounds by EPA Method 8260B

### TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	8B05011	02/05/08	02/05/08	EPA 8260B	
<b>tert-Butyl alcohol</b>	<b>5.1</b>	5.0	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>4.7</b>	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		97 %	75-130	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		104 %	60-150	"	"	"	"	"	
Surrogate: Toluene-d8		87 %	75-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		78 %	55-130	"	"	"	"	"	

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
**Reported:**  
02/18/08 09:02

MW91 (MRB0055-06) Water Sampled: 02/01/08 09:50 Received: 02/01/08 17:25

## Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

### TestAmerica Morgan Hill

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Gasoline Range Organics (C4-C12)	ND	50		ug/l	1	8B05001	02/05/08	02/06/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		109 %		85-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		94 %		75-125	"	"	"	"	"	

## Volatile Organic Compounds by EPA Method 8260B

### TestAmerica Morgan Hill

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
tert-Amyl methyl ether	ND	0.50		ug/l	1	8B05011	02/05/08	02/05/08	EPA 8260B	
tert-Butyl alcohol	ND	5.0	"	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		101 %		75-130	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		107 %		60-150	"	"	"	"	"	
Surrogate: Toluene-d8		85 %		75-120	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		76 %		55-130	"	"	"	"	"	

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
Reported:  
02/18/08 09:02

## Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 8B05001 - EPA 5030B [P/T]</b>										
<b>Blank (8B05001-BLK1)</b>										
Prepared & Analyzed: 02/05/08										
Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.28	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.37	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	43.2		"	40.0		108	85-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	38.0		"	40.0		95	75-125			
<b>LCS (8B05001-BS1)</b>										
Prepared & Analyzed: 02/05/08										
Benzene	10.4	0.50	ug/l	10.0		104	70-130			
Toluene	10.4	0.50	"	10.0		104	70-130			
Ethylbenzene	10.1	0.50	"	10.0		101	70-130			
Xylenes (total)	30.6	0.50	"	30.0		102	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	42.5		"	40.0		106	85-120			
<b>LCS (8B05001-BS2)</b>										
Prepared & Analyzed: 02/05/08										
Gasoline Range Organics (C4-C12)	193	50	ug/l	250		77	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	40.5		"	40.0		101	75-125			
<b>LCS Dup (8B05001-BS2)</b>										
Prepared & Analyzed: 02/05/08										
Gasoline Range Organics (C4-C12)	189	50	ug/l	250		76	70-130	2	25	
<i>Surrogate: 4-Bromofluorobenzene</i>	40.5		"	40.0		101	75-125			
<b>Matrix Spike (8B05001-MS1)</b>										
Source: MRB0026-01 Prepared & Analyzed: 02/05/08										
Gasoline Range Organics (C4-C12)	87.3	50	ug/l	91.0	ND	96	70-130			
Benzene	10.6	0.50	"	10.0	ND	106	70-130			
Toluene	10.6	0.50	"	10.0	ND	106	70-130			
Ethylbenzene	10.4	0.50	"	10.0	ND	104	70-130			
Xylenes (total)	31.0	0.50	"	30.0	ND	103	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	42.5		"	40.0		106	85-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	38.2		"	40.0		95	75-125			

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
Reported:  
02/18/08 09:02

## Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control

### TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

#### Batch 8B05001 - EPA 5030B [P/T]

##### Matrix Spike Dup (8B05001-MSD1)

Source: MRB0026-01

Prepared & Analyzed: 02/05/08

Gasoline Range Organics (C4-C12)	83.5	50	ug/l	91.0	ND	92	70-130	5	25	
Benzene	10.3	0.50	"	10.0	ND	103	70-130	3	25	
Toluene	10.2	0.50	"	10.0	ND	102	70-130	4	25	
Ethylbenzene	10.0	0.50	"	10.0	ND	100	70-130	3	25	
Xylenes (total)	30.0	0.50	"	30.0	ND	100	70-130	3	25	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	42.6		"	40.0		107	85-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	37.8		"	40.0		94	75-125			

#### Batch 8B07004 - EPA 5030B [P/T]

##### Blank (8B07004-BLK1)

Prepared & Analyzed: 02/07/08

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.28	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.37	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	43.5		"	40.0		109	85-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	38.6		"	40.0		97	75-125			

##### LCS (8B07004-BS1)

Prepared & Analyzed: 02/07/08

Benzene	10.6	0.50	ug/l	10.0		106	70-130			
Toluene	10.7	0.50	"	10.0		107	70-130			
Ethylbenzene	10.4	0.50	"	10.0		104	70-130			
Xylenes (total)	31.2	0.50	"	30.0		104	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	42.7		"	40.0		107	85-120			

##### LCS (8B07004-BS2)

Prepared & Analyzed: 02/07/08

Gasoline Range Organics (C4-C12)	214	50	ug/l	250		86	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	41.3		"	40.0		103	75-125			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0238 Project Number: 7-0238 Project Manager: Paula Sime	MRB0055 Reported: 02/18/08 09:02
---	--	--

**Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control**  
**TestAmerica Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

**Batch 8B07004 - EPA 5030B [P/T]**

**LCS Dup (8B07004-BSD2)**

Prepared & Analyzed: 02/07/08

Gasoline Range Organics (C4-C12)	208	50	ug/l	250		83	70-130	3	25	
----------------------------------	-----	----	------	-----	--	----	--------	---	----	--

Surrogate: 4-Bromofluorobenzene	41.2		"	40.0		103	75-125			
---------------------------------	------	--	---	------	--	-----	--------	--	--	--

**Matrix Spike (8B07004-MS1)**

Source: MRB0048-01

Prepared & Analyzed: 02/07/08

Gasoline Range Organics (C4-C12)	85.7	50	ug/l	91.0	ND	94	70-130			
----------------------------------	------	----	------	------	----	----	--------	--	--	--

Benzene	10.2	0.50	"	10.0	ND	102	70-130			
---------	------	------	---	------	----	-----	--------	--	--	--

Toluene	10.2	0.50	"	10.0	ND	102	70-130			
---------	------	------	---	------	----	-----	--------	--	--	--

Ethylbenzene	10.1	0.50	"	10.0	ND	101	70-130			
--------------	------	------	---	------	----	-----	--------	--	--	--

Xylenes (total)	30.4	0.50	"	30.0	ND	101	70-130			
-----------------	------	------	---	------	----	-----	--------	--	--	--

Surrogate: a,a,a-Trifluorotoluene	43.1		"	40.0		108	85-120			
-----------------------------------	------	--	---	------	--	-----	--------	--	--	--

Surrogate: 4-Bromofluorobenzene	39.0		"	40.0		97	75-125			
---------------------------------	------	--	---	------	--	----	--------	--	--	--

**Matrix Spike Dup (8B07004-MSD1)**

Source: MRB0048-01

Prepared & Analyzed: 02/07/08

Gasoline Range Organics (C4-C12)	88.8	50	ug/l	91.0	ND	98	70-130	3	25	
----------------------------------	------	----	------	------	----	----	--------	---	----	--

Benzene	10.6	0.50	"	10.0	ND	106	70-130	3	25	
---------	------	------	---	------	----	-----	--------	---	----	--

Toluene	10.5	0.50	"	10.0	ND	105	70-130	2	25	
---------	------	------	---	------	----	-----	--------	---	----	--

Ethylbenzene	10.4	0.50	"	10.0	ND	104	70-130	3	25	
--------------	------	------	---	------	----	-----	--------	---	----	--

Xylenes (total)	31.2	0.50	"	30.0	ND	104	70-130	3	25	
-----------------	------	------	---	------	----	-----	--------	---	----	--

Surrogate: a,a,a-Trifluorotoluene	43.0		"	40.0		108	85-120			
-----------------------------------	------	--	---	------	--	-----	--------	--	--	--

Surrogate: 4-Bromofluorobenzene	38.8		"	40.0		97	75-125			
---------------------------------	------	--	---	------	--	----	--------	--	--	--

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
Reported:  
02/18/08 09:02

## Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

### Batch 8B05011 - EPA 5030B P/T

#### Blank (8B05011-BLK1)

Prepared & Analyzed: 02/05/08

tert-Amyl methyl ether	ND	0.25	ug/l							
tert-Amyl methyl ether	ND	0.25	"							
tert-Butyl alcohol	ND	2.5	"							
tert-Butyl alcohol	ND	2.5	"							
Di-isopropyl ether	ND	0.25	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethanol	ND	50	"							
Ethyl tert-butyl ether	ND	0.40	"							
Ethyl tert-butyl ether	ND	0.40	"							
Methyl tert-butyl ether	ND	0.25	"							
Methyl tert-butyl ether	ND	0.25	"							
<i>Surrogate: Dibromofluoromethane</i>	2.46		"	2.50		98	75-130			
<i>Surrogate: Dibromofluoromethane</i>	2.46		"	2.50		98	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.56		"	2.50		102	60-150			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.56		"	2.50		102	60-150			
<i>Surrogate: Toluene-d8</i>	2.35		"	2.50		94	75-120			
<i>Surrogate: Toluene-d8</i>	2.35		"	2.50		94	75-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.07		"	2.50		83	55-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.07		"	2.50		83	55-130			

#### LCS (8B05011-BS1)

Prepared & Analyzed: 02/05/08

tert-Amyl methyl ether	9.93	0.50	ug/l	10.0		99	70-130			
tert-Amyl methyl ether	9.93	0.50	"	10.0		99	70-130			
tert-Butyl alcohol	182	5.0	"	200		91	70-130			
tert-Butyl alcohol	182	5.0	"	200		91	70-130			
Di-isopropyl ether	10.3	0.50	"	10.0		103	70-130			
Di-isopropyl ether	10.3	0.50	"	10.0		103	70-130			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.



Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
Reported:  
02/18/08 09:02

## Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

### Batch 8B05011 - EPA 5030B P/T

#### LCS (8B05011-BS1)

Prepared & Analyzed: 02/05/08

1,2-Dibromoethane (EDB)	10.1	0.50	ug/l	10.0		101	70-130			
1,2-Dibromoethane (EDB)	10.1	0.50	"	10.0		101	70-130			
1,2-Dichloroethane	9.87	0.50	"	10.0		99	70-130			
1,2-Dichloroethane	9.87	0.50	"	10.0		99	70-130			
Ethanol	195	100	"	200		97	70-130			
Ethyl tert-butyl ether	9.81	0.50	"	10.0		98	70-130			
Ethyl tert-butyl ether	9.81	0.50	"	10.0		98	70-130			
Methyl tert-butyl ether	9.89	0.50	"	10.0		99	70-130			
Methyl tert-butyl ether	9.89	0.50	"	10.0		99	70-130			
<i>Surrogate: Dibromofluoromethane</i>	2.50		"	2.50		100	75-130			
<i>Surrogate: Dibromofluoromethane</i>	2.50		"	2.50		100	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.43		"	2.50		97	60-150			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.43		"	2.50		97	60-150			
<i>Surrogate: Toluene-d8</i>	2.45		"	2.50		98	75-120			
<i>Surrogate: Toluene-d8</i>	2.45		"	2.50		98	75-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.53		"	2.50		101	55-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.53		"	2.50		101	55-130			

#### Matrix Spike (8B05011-MS1)

Source: MRB0048-01

Prepared & Analyzed: 02/05/08

tert-Amyl methyl ether	11.2	0.50	ug/l	10.0	ND	112	70-130			
tert-Amyl methyl ether	11.2	0.50	"	10.0	ND	112	70-130			
tert-Butyl alcohol	194	5.0	"	200	3.36	95	70-130			
tert-Butyl alcohol	194	5.0	"	200	3.36	95	70-130			
Di-isopropyl ether	10.9	0.50	"	10.0	ND	109	70-130			
Di-isopropyl ether	10.9	0.50	"	10.0	ND	109	70-130			
1,2-Dibromoethane (EDB)	11.4	0.50	"	10.0	ND	114	70-130			
1,2-Dibromoethane (EDB)	11.4	0.50	"	10.0	ND	114	70-130			
1,2-Dichloroethane	11.0	0.50	"	10.0	ND	110	70-130			
1,2-Dichloroethane	11.0	0.50	"	10.0	ND	110	70-130			
Ethanol	198	100	"	200	ND	99	70-130			
Ethyl tert-butyl ether	10.8	0.50	"	10.0	ND	108	70-130			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
Reported:  
02/18/08 09:02

## Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

### Batch 8B05011 - EPA 5030B P/T

#### Matrix Spike (8B05011-MS1)

Source: MRB0048-01

Prepared & Analyzed: 02/05/08

Ethyl tert-butyl ether	10.8	0.50	ug/l	10.0	ND	108	70-130			
Methyl tert-butyl ether	13.0	0.50	"	10.0	1.76	112	70-130			
Methyl tert-butyl ether	13.0	0.50	"	10.0	1.76	112	70-130			

Surrogate: Dibromofluoromethane	2.56		"	2.50		102	75-130			
Surrogate: Dibromofluoromethane	2.56		"	2.50		102	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.48		"	2.50		99	60-150			
Surrogate: 1,2-Dichloroethane-d4	2.48		"	2.50		99	60-150			
Surrogate: Toluene-d8	2.50		"	2.50		100	75-120			
Surrogate: Toluene-d8	2.50		"	2.50		100	75-120			
Surrogate: 4-Bromofluorobenzene	2.62		"	2.50		105	55-130			
Surrogate: 4-Bromofluorobenzene	2.62		"	2.50		105	55-130			

#### Matrix Spike Dup (8B05011-MSD1)

Source: MRB0048-01

Prepared & Analyzed: 02/05/08

tert-Amyl methyl ether	12.7	0.50	ug/l	10.0	ND	127	70-130	12	25	
tert-Amyl methyl ether	12.7	0.50	"	10.0	ND	127	70-130	12	25	
tert-Butyl alcohol	213	5.0	"	200	3.36	105	70-130	9	25	
tert-Butyl alcohol	213	5.0	"	200	3.36	105	70-130	9	25	
Di-isopropyl ether	11.9	0.50	"	10.0	ND	119	70-130	8	25	
Di-isopropyl ether	11.9	0.50	"	10.0	ND	119	70-130	8	25	
1,2-Dibromoethane (EDB)	11.8	0.50	"	10.0	ND	118	70-130	4	25	
1,2-Dibromoethane (EDB)	11.8	0.50	"	10.0	ND	118	70-130	4	25	
1,2-Dichloroethane	11.6	0.50	"	10.0	ND	116	70-130	5	25	
1,2-Dichloroethane	11.6	0.50	"	10.0	ND	116	70-130	5	25	
Ethanol	224	100	"	200	ND	112	70-130	12	25	
Ethyl tert-butyl ether	11.6	0.50	"	10.0	ND	116	70-130	8	25	
Ethyl tert-butyl ether	11.6	0.50	"	10.0	ND	116	70-130	8	25	
Methyl tert-butyl ether	13.6	0.50	"	10.0	1.76	118	70-130	5	25	
Methyl tert-butyl ether	13.6	0.50	"	10.0	1.76	118	70-130	5	25	

Surrogate: Dibromofluoromethane	2.53		"	2.50		101	75-130			
Surrogate: Dibromofluoromethane	2.53		"	2.50		101	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.45		"	2.50		98	60-150			
Surrogate: 1,2-Dichloroethane-d4	2.45		"	2.50		98	60-150			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
**Reported:**  
02/18/08 09:02

## Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation		Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
		Limit	Units							

### Batch 8B05011 - EPA 5030B P/T

**Matrix Spike Dup (8B05011-MSD1)**

**Source: MRB0048-01**

**Prepared & Analyzed: 02/05/08**

Surrogate: Toluene-d8	2.48		ug/l	2.50		99	75-120			
Surrogate: Toluene-d8	2.48		"	2.50		99	75-120			
Surrogate: 4-Bromofluorobenzene	2.63		"	2.50		105	55-130			
Surrogate: 4-Bromofluorobenzene	2.63		"	2.50		105	55-130			

Environmental Resolutions (Exxon)  
601 North McDowell Blvd.  
Petaluma CA, 94954

Project: Exxon 7-0238  
Project Number: 7-0238  
Project Manager: Paula Sime

MRB0055  
**Reported:**  
02/18/08 09:02

## Notes and Definitions

QP Hydrocarbon result partly due to individual peak(s) in quantitation range.  
DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit  
NR Not Reported  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference

CHAIN OF CUSTODY RECORD

9



408-776-9600

Morgan Hill Division

885 Jarvis Drive

Morgan Hill, CA 95037



Consultant Name: Environmental Resolutions, Inc.

Address: 601 N. McDowell Blvd

City/State/Zip: Petaluma, California 94954

Project Manager Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 229313X

Sampler Name: (Print) LYNX ADAMAH

Sampler Signature: [Signature]

Lab Courier  Hand Deliver  Commercial Express  Other:

ExxonMobil Engineer Jennifer Sedlachek

Telephone Number (510) 547-8196

Account #: 10228

PO #: 4508212427

Facility ID #: 70238

Global ID#: T0600101343

Site Address 2200 East 12th Street

City, State Zip Oakland, California

TAT  
 24 hour  72 hour  
 48 hour  96 hour  
 8 day

PROVIDE:  
EDF Report

Special Instructions:  
7 CA Oxys = MTBE, ETBE, TAME, DIPE, TBA, 1,2-DCA, EDB.  
" TBA detection limit < 12 ug/L"

Matrix Analyze For:

Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Matrix							Analyze For:													
							Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8260B	7 CA Oxys 8260B	Ethanol 8260B													
QCBB -01	2/1/8	0845			HCI	2 VOAs	X				H	O	L	D													
MW9A -02	1	1020			HCI	6 VOAs	X				X	X	X	X	X												
MW9B -03	1	1130			HCI	6 VOAs	X				X	X	X	X													
MW9C -04	1	1100			HCI	6 VOAs	X				X	X	X	X													
MW9D -05	1	1035			HCI	6 VOAs	X				X	X	X	X													
<del>NO</del> MW9F <del>SAMPLE</del>					HCI	6 VOAs	X				X	X	X	X													
<del>NO</del> MW9G <del>SAMPLE</del>					HCI	6 VOAs	X				X	X	X	X													
<del>NO</del> MW9H <del>SAMPLE</del>					HCI	6 VOAs	X				X	X	X	X													
MW9I -06	2/1/8	0950			HCI	6 VOAs	X				X	X	X	X	X												

Relinquished by: [Signature] Date 2/1/8 Time 1315 Received by: [Signature] (TAMM) Date 2/1/08 Time 1340

Relinquished by: [Signature] Date 2/1/08 Time 1725 Received by TestAmerica: [Signature] Time 1725

Laboratory Comments:  
 Temperature Upon Receipt: 1.2  
 Sample Containers Intact? Y  
 VOAs Free of Headspace? Y

## TEST AMERICA SAMPLE RECEIPT LOG


**CLIENT NAME:** ERI - 70238  
**REC. BY (PRINT):** D LUNA  
**WORKORDER:** MR20055

**DATE REC'D AT LAB:** 2/1/08  
**TIME REC'D AT LAB:** 1725  
**DATE LOGGED IN:** 2/4/08

**For Regulatory Purposes?**  
 DRINKING WATER  
 WASTE WATER  
 OTHER

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESER VATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / <del>Absent</del> Intact / Broken*								<p style="font-size: 2em; transform: rotate(-45deg);">SEE COC 2/1/08</p> <p style="font-size: 1.5em; transform: rotate(-45deg);">D LUNA</p>
2. Chain-of-Custody <del>Present</del> / Absent*								
3. Traffic Reports or Packing List: Present / <del>Absent</del>								
4. Airbill: Airbill / Sticker Present / <del>Absent</del>								
5. Airbill #:								
6. Sample Labels: <del>Present</del> / Absent								
7. Sample IDs: <del>Listed</del> / Not Listed on Chain-of-Custody								
8. Sample Condition: <del>Intact</del> / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree? <del>Yes</del> / No*								
10. Sample received within hold time? <del>Yes</del> / No*								
11. Adequate sample volume received? <del>Yes</del> / No*								
12. Proper preservatives used? <del>Yes</del> / No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) <del>Yes</del> / No*								
14. Read Temp: <u>7.2</u> Correction Factor: <u>-1.0</u> Corrected Temp: <u>1.7</u> Is corrected temp. 0-6°C? <del>Yes</del> / No**								
**Exception (if any): Metals / Perchlorate DFF on Ice or Problem COC								

\*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.



February 01, 2008

Paula Sime  
Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 08-01-1456**  
**Client Reference: ExxonMobil 7-0238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 1/22/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Cecile deGuia".

Calscience Environmental  
Laboratories, Inc.  
Cecile deGuia  
Project Manager



### CASE NARRATIVE

**Calscience Work Order No.: 08-01-1456**  
**Client Reference: ExxonMobil 7-0238**

Six (3) air samples were received for Calscience work order 08-01-1456 on January 22, 2008. Testing was performed in accordance with the chain-of-custody instructions for TPH as gasoline by EPA TO-3M and for BTEX/MTBE by TO-15M.

Sample A-INT had insufficient sample remaining for EPA TO-15 dilution analysis. Therefore, result for Methyl-t-Butyl Ether is reported with an "E" qualifier.

A handwritten signature in black ink, appearing to be a stylized name, located at the bottom left of the page.





## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 01/22/08  
Work Order No: 08-01-1456  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-01-1456-1-A	01/18/08	Air	GC 13	N/A	01/22/08 11:38	080122L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INT	08-01-1456-2-A	01/18/08	Air	GC 13	N/A	01/22/08 12:39	080122L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	08-01-1456-3-A	01/18/08	Air	GC 13	N/A	01/22/08 12:50	080122L01


Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	098-01-005-1,155	N/A	Air	GC 13	N/A	01/22/08 8:49	080122L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 01/22/08  
Work Order No: 08-01-1456  
Preparation: N/A  
Method: EPA TO-15M  
Units: ppm (v/v)

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-01-1456-1-A	01/18/08	Air	GC/MS V	N/A	01/22/08 13:20	080122L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.040	0.0020	1	
Ethylbenzene	ND	0.00050	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	103	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INT	08-01-1456-2-A	01/18/08	Air	GC/MS V	N/A	01/22/08 15:00	080122L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00062	1.23		Xylenes (total)	0.0030	0.0012	1.23	
Toluene	0.0024	0.00062	1.23		Methyl-t-Butyl Ether (MTBE)	0.062	0.0025	1.23	E
Ethylbenzene	0.00069	0.00062	1.23						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	77	57-129			1,2-Dichloroethane-d4	103	47-137		
Toluene-d8	103	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	08-01-1456-3-A	01/18/08	Air	GC/MS V	N/A	01/22/08 14:10	080122L01


Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.00070	0.00050	1		Xylenes (total)	0.0042	0.0010	1	
Toluene	0.0041	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.0029	0.0020	1	
Ethylbenzene	0.00063	0.00050	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	91	57-129			1,2-Dichloroethane-d4	107	47-137		
Toluene-d8	104	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-09-002-6,725	N/A	Air	GC/MS V	N/A	01/22/08 12:31	080122L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	100	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 01/22/08  
Work Order No: 08-01-1456  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-01-1456-1-A	01/18/08	Air	GC 13	N/A	01/22/08 11:38	080122L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11	1		mg/m3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INT	08-01-1456-2-A	01/18/08	Air	GC 13	N/A	01/22/08 12:39	080122L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11	1		mg/m3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	08-01-1456-3-A	01/18/08	Air	GC 13	N/A	01/22/08 12:50	080122L01


Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11	1		mg/m3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	098-01-005-1,155	N/A	Air	GC 13	N/A	01/22/08 8:49	080122L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11	1		mg/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 01/22/08  
Work Order No: 08-01-1456  
Preparation: N/A  
Method: EPA TO-15M  
Units: mg/m3

Project: ExxonMobil 7-0238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-01-1456-1-A	01/18/08	Air	GC/MS V	N/A	01/22/08 13:20	080122L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.15	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	103	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INT	08-01-1456-2-A	01/18/08	Air	GC/MS V	N/A	01/22/08 15:00	080122L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0020	1.23		Xylenes (total)	0.013	0.0053	1.23	
Toluene	0.0089	0.0023	1.23		Methyl-t-Butyl Ether (MTBE)	0.22	0.0089	1.23	E
Ethylbenzene	0.0030	0.0027	1.23						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	77	57-129			1,2-Dichloroethane-d4	103	47-137		
Toluene-d8	103	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	08-01-1456-3-A	01/18/08	Air	GC/MS V	N/A	01/22/08 14:10	080122L01

Comment(s): -Sample was not received within recommended holding time.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0022	0.0016	1		Xylenes (total)	0.018	0.0043	1	
Toluene	0.016	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.010	0.0072	1	
Ethylbenzene	0.0027	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	91	57-129			1,2-Dichloroethane-d4	107	47-137		
Toluene-d8	104	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-09-002-6,725	N/A	Air	GC/MS V	N/A	01/22/08 12:31	080122L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	100	78-156							

RL - Reporting Limit, DF - Dilution Factor, Qual - Qualifiers





## Quality Control - Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 01/22/08  
Work Order No: 08-01-1456  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
08-01-1458-2	Air	GC 13	N/A	01/22/08	080122D01

<u>Parameter</u>	<u>Sample Conc</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	2300	2400	4	0-20	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 01/22/08  
Work Order No: 08-01-1456  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
08-01-1458-2	Air	GC 13	N/A	01/22/08	080122D01

<u>Parameter</u>	<u>Sample Conc.</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	8800	9200	4	0-20	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 08-01-1456  
Preparation: N/A  
Method: EPA TO-15M

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-09-002-6,725	Air	GC/MS V	N/A	01/22/08	080122L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	114	107	60-156	7	0-40	
Toluene	119	112	56-146	6	0-43	
Ethylbenzene	125	115	52-154	8	0-38	
p/m-Xylene	126	117	42-156	7	0-41	
o-Xylene	130	122	52-148	6	0-38	

RPD - Relative Percent Difference , CL - Control Limit

## Glossary of Terms and Qualifiers


Work Order Number: 08-01-1456

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



CHAIN OF CUSTODY RECORD

1456



Consultant Name: Environmental Resolutions, Inc.

ExxonMobil Engineer Jennifer C. Sedlachek

Address: 601 North McDowell Blvd.

Telephone Number (510) 547-8196

City/State/Zip: Petaluma, California 94954

Account #:

Project Manager Paula Sime

PO #: 4508879005

Telephone Number: (707) 766-2000

Facility ID # 7-0238

ERI Job Number: 2293 11X (monthly)

Global ID# T0600101343

Sampler Name: (Print) J Hermer

Site Address 2200 East 12th Street

Sampler Signature: J Hermer

City, State Zip Oakland, California

7440 LINCOLN WAY  
GARDEN GROVE, CA 92841

TEL: (714) 895-5494

FAX: (714) 894-7501



TAT  
 24 hour  72 hour  
 48 hour  96 hour  
 8 day

PROVIDE: **EDF Report**

Special Instructions:

Matrix		Analyze For:																
Water	Soil	Vapor	TPH/BTEX/MTBE TO-3M + TO-15															
		X	X															
		X	X															
		X	X															


Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER
A-EFF	11/18/08	1315		X	NA	1L Tedlar
A-INT		1330		X	NA	1L Tedlar
A-INF		1345		X	NA	1L Tedlar

Relinquished by: J Hermer Date 11/21/08 Time 9:00 Received by: [Signature] Time 1511

Relinquished by: [Signature] Date 1-21-08 Time 1730 Received by Calscience: [Signature] Time 0645

**Laboratory Comments:**  
 Temperature Upon Receipt:  
 Sample Containers Intact?  
 VOAs Free of Headspace?

Page 11 of 12



WORK ORDER #: 08 - 01 - 1456

Cooler 1 of 1

### SAMPLE RECEIPT FORM

CLIENT: ERD

DATE: 1/22/08

**TEMPERATURE – SAMPLES RECEIVED BY:**

**CALSCIENCE COURIER:**

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature.
- °C Temperature blank.

**LABORATORY (Other than Calscience Courier):**

- °C Temperature blank.
- °C IR thermometer.
- Ambient temperature.

Initial: JP

**CUSTODY SEAL INTACT:**

Sample(s): \_\_\_\_\_ Cooler: \_\_\_\_\_ No (Not Intact) : \_\_\_\_\_ Not Present:

Initial: JP

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/> E.S.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
VOA vial(s) free of headspace.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Initial: JP

**COMMENTS:**

Extra sample received for sample (-2) A Int 1/18/08 @ 13:30.

---



---




---



---



---



February 20, 2008

Paula Sime  
Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 08-02-0822**  
Client Reference: **ExxonMobil 70238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 2/12/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Cecile deGuia".

Calscience Environmental  
Laboratories, Inc.  
Cecile deGuia  
Project Manager





## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 70238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-02-0822-1-A	02/08/08 16:30	Air	GC 13	N/A	02/12/08 12:09	080212L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

A-INT	08-02-0822-2-A	02/08/08 16:40	Air	GC 13	N/A	02/12/08 13:02	080212L01
-------	----------------	-------------------	-----	-------	-----	-------------------	-----------

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

A-INF	08-02-0822-3-A	02/08/08 16:45	Air	GC 13	N/A	02/12/08 13:12	080212L01
-------	----------------	-------------------	-----	-------	-----	-------------------	-----------


Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

Method Blank	098-01-005-1,178	N/A	Air	GC 13	N/A	02/12/08 08:41	080212L01
--------------	------------------	-----	-----	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-15M  
Units: ppm (v/v)

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-02-0822-1-A	02/08/08 16:30	Air	GC/MS V	N/A	02/13/08 17:41	080213L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.014	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control</b>		<b>Qual</b>
		<b>Limits</b>					<b>Limits</b>		
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	114	47-137		
Toluene-d8	102	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INT	08-02-0822-2-A	02/08/08 16:40	Air	GC/MS V	N/A	02/14/08 14:36	080214L01

Comment(s): -Sample was not received within recommended holding time.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0010	2		Xylenes (total)	ND	0.0020	2	
Toluene	ND	0.0010	2		Methyl-t-Butyl Ether (MTBE)	0.064	0.0040	2	
Ethylbenzene	ND	0.0010	2						
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control</b>		<b>Qual</b>
		<b>Limits</b>					<b>Limits</b>		
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	135	47-137		
Toluene-d8	104	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	08-02-0822-3-A	02/08/08 16:45	Air	GC/MS V	N/A	02/14/08 15:25	080214L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0020	4		Xylenes (total)	ND	0.0040	4	
Toluene	ND	0.0020	4		Methyl-t-Butyl Ether (MTBE)	0.090	0.0080	4	
Ethylbenzene	ND	0.0020	4						
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control</b>		<b>Qual</b>
		<b>Limits</b>					<b>Limits</b>		
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	137	47-137		
Toluene-d8	100	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: 02/12/08  
 Work Order No: 08-02-0822  
 Preparation: N/A  
 Method: EPA TO-15M  
 Units: ppm (v/v)

Project: ExxonMobil 70238

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-09-002-6,788	N/A	Air	GC/MS V	N/A	02/13/08 09:21	080213L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	111	57-129			1,2-Dichloroethane-d4	132	47-137		
Toluene-d8	102	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-09-002-6,793	N/A	Air	GC/MS V	N/A	02/14/08 12:56	080214L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	107	57-129			1,2-Dichloroethane-d4	136	47-137		
Toluene-d8	100	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 02/12/08  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 70238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-02-0822-1-A	02/08/08 16:30	Air	GC 13	N/A	02/12/08 12:09	080212L01
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	11	1		mg/m3		
A-INT	08-02-0822-2-A	02/08/08 16:40	Air	GC 13	N/A	02/12/08 13:02	080212L01
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	11	1		mg/m3		
A-INF	08-02-0822-3-A	02/08/08 16:45	Air	GC 13	N/A	02/12/08 13:12	080212L01
Comment(s): -Sample was not received within recommended holding time.							
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	11	1		mg/m3		
Method Blank	098-01-005-1,178	N/A	Air	GC 13	N/A	02/12/08 08:41	080212L01
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>		
TPH as Gasoline	ND	11	1		mg/m3		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-15M  
Units: mg/m3

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-02-0822-1-A	02/08/08 16:30	Air	GC/MS V	N/A	02/13/08 17:41	080213L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.051	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	114	47-137		
Toluene-d8	102	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INT	08-02-0822-2-A	02/08/08 16:40	Air	GC/MS V	N/A	02/14/08 14:36	080214L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0032	2		Xylenes (total)	ND	0.0087	2	
Toluene	ND	0.0038	2		Methyl-t-Butyl Ether (MTBE)	0.23	0.014	2	
Ethylbenzene	ND	0.0043	2						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	135	47-137		
Toluene-d8	104	78-156							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	08-02-0822-3-A	02/08/08 16:45	Air	GC/MS V	N/A	02/14/08 15:25	080214L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0064	4		Xylenes (total)	ND	0.017	4	
Toluene	ND	0.0075	4		Methyl-t-Butyl Ether (MTBE)	0.33	0.029	4	
Ethylbenzene	ND	0.0087	4						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	137	47-137		
Toluene-d8	100	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-15M  
Units: mg/m3

Project: ExxonMobil 70238

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-09-002-6,788	N/A	Air	GC/MS V	N/A	02/13/08 09:21	080213L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	111	57-129			1,2-Dichloroethane-d4	132	47-137		
Toluene-d8	102	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-09-002-6,793	N/A	Air	GC/MS V	N/A	02/14/08 12:56	080214L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	107	57-129			1,2-Dichloroethane-d4	136	47-137		
Toluene-d8	100	78-156							

RL - Reporting Limit    DF - Dilution Factor    Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 02/12/08  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
08-02-0820-1	Air	GC 13	N/A	02/12/08	080212D01

Parameter	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
TPH as Gasoline	8.7	9.1	4	0-20	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 02/12/08  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
08-02-0820-1	Air	GC 13	N/A	02/12/08	080212D01

<u>Parameter</u>	<u>Sample Conc</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	33	35	4	0-20	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: N/A  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-15M

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-09-002-6,788	Air	GC/MS V	N/A	02/13/08	080213L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	91	91	60-156	0	0-40	
Toluene	103	103	56-146	1	0-43	
Ethylbenzene	110	111	52-154	1	0-38	
p/m-Xylene	116	117	42-156	1	0-41	
o-Xylene	121	123	52-148	1	0-38	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 08-02-0822  
Preparation: N/A  
Method: EPA TO-15M

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-09-002-6,793	Air	GC/MS V	N/A	02/14/08	080214L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	89	87	60-156	2	0-40	
Toluene	102	99	56-146	3	0-43	
Ethylbenzene	110	109	52-154	2	0-38	
p/m-Xylene	117	115	42-156	2	0-41	
o-Xylene	123	120	52-148	2	0-38	

RPD - Relative Percent Difference , CL - Control Limit

## Glossary of Terms and Qualifiers

Work Order Number: 08-02-0822

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



CHAIN OF CUSTODY RECORD

0822



7440 LINCOLN WAY  
GARDEN GROVE, CA 92841  
TEL: (714) 895-5494  
FAX: (714) 894-7501



Consultant Name: Environmental Resolutions, Inc.  
Address: 601 North McDowell Blvd.  
City/State/Zip: Petaluma, California 94954  
Project Manager: Paula Sime  
Telephone Number: (707) 766-2000  
ERI Job Number: 2293 11X (monthly)  
Sampler Name: (Print) A. OGA  
Sampler Signature: [Signature]

ExxonMobil Engineer Jennifer C. Sedlachek  
Telephone Number (510) 547-8196  
Account #: \_\_\_\_\_  
PO #: 4508879005  
Facility ID #: 7-0238  
Global ID# T0600101343  
Site Address 2200 East 12th Street  
City, State Zip Oakland, California

TAT  
 24 hour  72 hour  
 48 hour  96 hour  
 8 day

PROVIDE:  
EDF Report


Special Instructions:

							Matrix		Analyze For:																
							Water	Soil	Vapor	TPHg/BTEX/MTBE TO-3M + TO-15															
Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER																			
A-EFF	2/8	1630		X	NA	1L Tedlar			X	X															
A-INT	2/8	1640		X	NA	1L Tedlar			X	X															
A-INF	2/8	1645		X	NA	1L Tedlar			X	X															

Relinquished by: [Signature] Date 2/11/08 Time 1030 Received by: [Signature] Time 2/11/08  
Relinquished by: [Signature] Date 2-11-08 Time 1730 Received by Calscience: [Signature] Time 10/20

Laboratory Comments:  
Temperature Upon Receipt:  
Sample Containers Intact?  
VOAs Free of Headspace?

650 508879005



WORK ORDER #: 08 - 02 - 08 22

Cooler 0 of 0

SAMPLE RECEIPT FORM

CLIENT: ERI

DATE: 2/12/08

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [check]

Initial: JP

SAMPLE CONDITION:


Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: JP

COMMENTS:

Blank lines for handwritten comments.





April 07, 2008

Paula Sime  
Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 08-04-0131**  
**Client Reference: ExxonMobil 70238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 4/2/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in cursive script that reads "Cecile deGuia".

Calscience Environmental  
Laboratories, Inc.  
Cecile deGuia  
Project Manager





Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0131  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 70238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-04-0131-1-A	03/28/08 13:00	Air	GC 13	N/A	04/02/08 11:36	080402L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

A-INT	08-04-0131-2-A	03/28/08 13:15	Air	GC 13	N/A	04/02/08 12:26	080402L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

A-INF	08-04-0131-3-A	03/28/08 13:30	Air	GC 13	N/A	04/02/08 12:35	080402L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

Method Blank	098-01-005-1,250	N/A	Air	GC 13	N/A	04/02/08 07:38	080402L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	3.0	1		ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0131  
Preparation: N/A  
Method: EPA TO-15M  
Units: ppm (v/v)

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-04-0131-1-A	03/28/08 13:00	Air	GC/MS K	N/A	04/02/08 14:20	080402L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	0.0029	0.0010	1	
Toluene	0.0013	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.017	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	111	57-129			1,2-Dichloroethane-d4	118	47-137		
Toluene-d8	97	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INT	08-04-0131-2-A	03/28/08 13:15	Air	GC/MS K	N/A	04/02/08 15:07	080402L01

Comment(s): -Sample was not received within recommended holding time.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	0.00059	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.091	0.0080	4	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	113	47-137		
Toluene-d8	97	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	08-04-0131-3-A	03/28/08 13:30	Air	GC/MS K	N/A	04/02/08 15:55	080402L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	0.00058	0.00050	1		Methyl-t-Butyl Ether (MTBE)	0.048	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	115	47-137		
Toluene-d8	98	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: 04/02/08  
 Work Order No: 08-04-0131  
 Preparation: N/A  
 Method: EPA TO-15M  
 Units: ppm (v/v)


Project: ExxonMobil 70238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-09-002-6,980	N/A	Air	GC/MS K	N/A	04/02/08 10:55	080402L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0010	1	
Toluene	ND	0.00050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	113	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0131  
Preparation: N/A  
Method: EPA TO-3M

Project: ExxonMobil 70238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-04-0131-1-A	03/28/08 13:00	Air	GC 13	N/A	04/02/08 11:36	080402L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11	1		mg/m3

A-INT	08-04-0131-2-A	03/28/08 13:15	Air	GC 13	N/A	04/02/08 12:26	080402L01
-------	----------------	-------------------	-----	-------	-----	-------------------	-----------

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11	1		mg/m3

A-INF	08-04-0131-3-A	03/28/08 13:30	Air	GC 13	N/A	04/02/08 12:35	080402L01
-------	----------------	-------------------	-----	-------	-----	-------------------	-----------


Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11	1		mg/m3

Method Blank	098-01-005-1,250	N/A	Air	GC 13	N/A	04/02/08 07:38	080402L01
--------------	------------------	-----	-----	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11	1		mg/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0131  
Preparation: N/A  
Method: EPA TO-15M  
Units: mg/m3

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	08-04-0131-1-A	03/28/08 13:00	Air	GC/MS K	N/A	04/02/08 14:20	080402L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	0.013	0.0043	1	
Toluene	0.0049	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.060	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>
1,4-Bromofluorobenzene	111	57-129			1,2-Dichloroethane-d4	118	47-137		
Toluene-d8	97	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INT	08-04-0131-2-A	03/28/08 13:15	Air	GC/MS K	N/A	04/02/08 15:07	080402L01

Comment(s): -Sample was not received within recommended holding time.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	0.0022	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.33	0.029	4	
Ethylbenzene	ND	0.0022	1						
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	113	47-137		
Toluene-d8	97	78-156							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	08-04-0131-3-A	03/28/08 13:30	Air	GC/MS K	N/A	04/02/08 15:55	080402L01

Comment(s): -Sample was not received within recommended holding time.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	0.0022	0.0019	1		Methyl-t-Butyl Ether (MTBE)	0.17	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	115	47-137		
Toluene-d8	98	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0131  
Preparation: N/A  
Method: EPA TO-15M  
Units: mg/m3


Project: ExxonMobil 70238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-09-002-6,980	N/A	Air	GC/MS K	N/A	04/02/08 10:55	080402L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0043	1	
Toluene	ND	0.0019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	113	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Quality Control - Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0131  
Preparation: N/A  
Method: EPA TO-3M


Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
08-04-0209-1	Air	GC 13	N/A	04/02/08	080402D01

<u>Parameter</u>	<u>Sample Conc.</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	29	31	6	0-20	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 04/02/08  
Work Order No: 08-04-0131  
Preparation: N/A  
Method: EPA TO-3M


Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
08-04-0209-1	Air	GC 13	N/A	04/02/08	080402D01

<u>Parameter</u>	<u>Sample Conc.</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	110	120	6	0-20	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 08-04-0131  
Preparation: N/A  
Method: EPA TO-15M

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-09-002-6,980	Air	GC/MS K	N/A	04/02/08	080402L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	97	94	60-156	3	0-40	
Toluene	105	101	56-146	3	0-43	
Ethylbenzene	110	107	52-154	3	0-38	
p/m-Xylene	109	106	42-156	3	0-41	
o-Xylene	110	107	52-148	3	0-38	

RPD - Relative Percent Difference , CL - Control Limit



**Glossary of Terms and Qualifiers**

Work Order Number: 08-04-0131



<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

**CHAIN OF CUSTODY RECORD**


0131

 <p>7440 LINCOLN WAY GARDEN GROVE, CA 92841 TEL: (714) 895-5494 FAX: (714) 894-7501 <b>ExxonMobil</b></p>	Consultant Name: <u>Environmental Resolutions, Inc.</u>	ExxonMobil Engineer <u>Jennifer C. Sedlachek</u>
	Address: <u>601 North McDowell Blvd.</u>	Telephone Number: <u>(510) 547-8196</u>
	City/State/Zip: <u>Petaluma, California 94954</u>	Account #: _____
	Project Manager: <u>Paula Sime</u>	PO #: <u>4508879005</u>
	Telephone Number: <u>(707) 766-2000</u>	Facility ID #: <u>7-0238</u>
	ERI Job Number: <u>2293 11X (monthly)</u>	Global ID#: <u>T0600101343</u>
	Sampler Name: (Print) <u>J Hermann</u> Sampler Signature: 	Site Address: <u>2200 East 12th Street</u> City, State Zip: <u>Oakland, California</u>

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day		PROVIDE:  EDF Report	Special Instructions:							Matrix			Analyze For:												
										Water	Soil	Vapor	TPHg/BTEX/MTBE TO-3M + TO-15												
Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER																			
1 A-EFF	3/25/08	13 <sup>00</sup>		X	NA	1L Tedlar			X	X															
2 A-INT	u	13 <sup>15</sup>		X	NA	1L Tedlar			X	X															
3 A-INF	u	13 <sup>30</sup>		X	NA	1L Tedlar			X	X															

Relinquished by: <u>J Hermann</u> Date: <u>3/31/08</u> Time: <u>700</u>	Received by:  Time: <u>1505</u>	<b>Laboratory Comments:</b> Temperature Upon Receipt: Sample Containers Intact? VOAs Free of Headspace?
Relinquished by: <u>Tom O'Malley</u> Date: <u>4/1/08</u> Time: <u>1730</u>	Received by CalScience:  Time: <u>4100</u>	

650509258799



WORK ORDER #: 08 - 04 - 0131

Cooler 0 of 0

SAMPLE RECEIPT FORM

CLIENT: ERI

DATE: 4/2/08

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [checked]

Initial: JP


SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: JP

COMMENTS:

Blank lines for handwritten comments.



January 29, 2008

Paula Sime  
Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 08-01-1448**  
**Client Reference: ExxonMobil 7-0238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 1/22/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Cecile deGuia".

Calscience Environmental  
Laboratories, Inc.  
Cecile deGuia  
Project Manager



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 01/22/08  
Work Order No: 08-01-1448  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1-W EFF	08-01-1448-1-D	01/18/08	Aqueous	GC 29	01/23/08	01/23/08 11:16	080123B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	67	38-134			

W-INT-2	08-01-1448-2-D	01/18/08	Aqueous	GC 29	01/23/08	01/23/08 12:58	080123B01
---------	----------------	----------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	74	38-134			


W-INT-1	08-01-1448-3-D	01/18/08	Aqueous	GC 29	01/23/08	01/23/08 13:32	080123B01
---------	----------------	----------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	69	38-134			

W-INF	08-01-1448-4-D	01/18/08	Aqueous	GC 29	01/23/08	01/23/08 14:06	080123B01
-------	----------------	----------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	79	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 01/22/08  
Work Order No: 08-01-1448  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238


Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-436-1,388	N/A	Aqueous	GC 29	01/23/08	01/23/08 9:34	080123B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	76	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 01/22/08  
Work Order No: 08-01-1448  
Preparation: EPA 5030B  
Method: EPA 8021B  
Units: ug/L

Project: ExxonMobil 7-0238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1-W EFF	08-01-1448-1-D	01/18/08	Aqueous	GC 8	01/23/08	01/23/08 15:09	080123B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	111	70-130							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INT-2	08-01-1448-2-D	01/18/08	Aqueous	GC 8	01/23/08	01/23/08 17:30	080123B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	114	70-130							


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INT-1	08-01-1448-3-D	01/18/08	Aqueous	GC 8	01/23/08	01/23/08 18:05	080123B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	101	70-130							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INF	08-01-1448-4-D	01/18/08	Aqueous	GC 8	01/23/08	01/23/08 18:39	080123B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	113	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



### Analytical Report

Environmental Resolutions, Inc.  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: 01/22/08  
 Work Order No: 08-01-1448  
 Preparation: EPA 5030B  
 Method: EPA 8021B  
 Units: ug/L


Project: ExxonMobil 7-0238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-44	N/A	Aqueous	GC 8	01/23/08	01/23/08 12:50	080123B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	107	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



### Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 01/22/08  
Work Order No: 08-01-1448  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1-W EFF	Aqueous	GC 29	01/23/08	01/23/08	080123S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	106	108	68-122	2	0-18	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 01/22/08  
Work Order No: 08-01-1448  
Preparation: EPA 5030B  
Method: EPA 8021B

Project ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1-W EFF	Aqueous	GC 8	01/23/08	01/23/08	080123S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	97	57-129	6	0-23	
Toluene	98	102	50-134	4	0-26	
Ethylbenzene	104	106	58-130	2	0-26	
p/m-Xylene	119	121	58-130	2	0-28	
o-Xylene	85	87	57-123	2	0-26	
Methyl-t-Butyl Ether (MTBE)	105	90	44-134	16	0-27	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 08-01-1448  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-1,388	Aqueous	GC 29	01/23/08	01/23/08	080123B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	104	106	78-120	2	0-10	

RPD - Relative Percent Difference, CL - Control Limit

**Calscience**  
**Environmental Laboratories, Inc.**    **Quality Control - Laboratory Control Sample**

Environmental Resolutions, Inc.  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: N/A  
 Work Order No: 08-01-1448  
 Preparation: EPA 5030B  
 Method: EPA 8021B

Project: ExxonMobil 7-0238

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	Lab File ID	LCS Batch Number
099-12-667-44	Aqueous	GC 8	01/23/08	003F0301	080123B01
Parameter	Conc Added	Conc Recovered	LCS %Rec	%Rec CL	Qualifiers
Benzene	100	84.6	85	70-118	
Toluene	100	99.0	99	66-114	
Ethylbenzene	100	102	102	72-114	
p/m-Xylene	200	199	100	74-116	
o-Xylene	100	96.3	96	72-114	
Methyl-t-Butyl Ether (MTBE)	100	85.9	86	41-137	

RPD - Relative Percent Difference    CL - Control Limit


## Glossary of Terms and Qualifiers

Work Order Number: 08-01-1448

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

CHAIN OF CUSTODY RECORD

1448



7440 LINCOLN WAY  
GARDEN GROVE, CA 92841  
TEL: (714) 895-5494  
FAX: (714) 894-7501  
**ExxonMobil**

Consultant Name: Environmental Resolutions, Inc.  
Address: 601 North McDowell Blvd.  
City/State/Zip: Petaluma, California 94954  
Project Manager Paula Sime  
Telephone Number: (707) 766-2000  
ERI Job Number: 2293 11X (January)  
Sampler Name: (Print) \_\_\_\_\_  
Sampler Signature: \_\_\_\_\_

ExxonMobil Engineer Jennifer C. Sedlachek  
Telephone Number (510) 547-8196  
Account #: 10228  
PO #: 4508879005  
Facility ID # 7-0238  
Global ID# T0600101343  
Site Address 2200 East 12th Street  
City, State Zip Oakland, California

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions:						Matrix			Analyze For:								
		DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8020						

1  
2  
3  
4


Relinquished by: [Signature] Date 1/21/08 Time 9:00 Received by: [Signature] Time 1/21/08 15:11  
Relinquished by: [Signature] Date 1/21/08 Time 17:30 Received by Calscience: [Signature] Time 1/22/08 08:45

Laboratory Comments:  
Temperature Upon Receipt:  
Sample Containers Intact?  
VOAs Free of Headspace?



CHAIN OF CUSTODY RECORD

*(1448)*



7440 LINCOLN WAY  
GARDEN GROVE, CA 92841  
TEL: (714) 895-5494  
FAX: (714) 894-7501



Consultant Name: Environmental Resolutions, Inc.

Address: 601 North McDowell Blvd.

City/State/Zip: Petaluma, California 94954

Project Manager Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 2293 11X (January)

Sampler Name: (Print) \_\_\_\_\_

Sampler Signature: \_\_\_\_\_

ExxonMobil Engineer Jennifer C. Sedlachek

Telephone Number (510) 547-8196

Account #: 10228

PO #: 4508879005

Facility ID # 7-0238

Global ID# T0600101343

Site Address 2200 East 12th Street


City, State Zip Oakland, California

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions:					Matrix			Analyze For:								
							Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8020						
Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8020						
1 W-PSP-1 - W EFF		1400		X	HCL	5VOA	X			X	X	X						
2 W-INT-2		1430		X	HCL	5VOA	X			X	X	X						
3 W-INT-1		1500		X	HCL	5VOA	X			X	X	X						
4 W-INF		1530		X	HCL	5VOA	X			X	X	X						

Relinquished by: *J. Hermann* Date *1/21/08* Time *900* Received by: *[Signature]* Time *1/21/08 1511*

Relinquished by: *[Signature]* Date *1-21-08* Time *1730* Received by Calscience: *[Signature]* Time *1/22/08 0845*

Laboratory Comments:  
Temperature Upon Receipt:  
Sample Containers Intact?  
VOAs Free of Headspace?



WORK ORDER #: 08 - 01 - 1448

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: ERI

DATE: 1/22/08

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than CalScience Courier):

- 3.3 C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [check]

Initial: JP


SAMPLE CONDITION:

Table with 3 columns: Yes, No, N/A. Rows include Chain-Of-Custody document(s) received with samples, Sampler's name indicated on COC, Sample container label(s) consistent with custody papers, Sample container(s) intact and good condition, Correct containers and volume for analyses requested, Proper preservation noted on sample label(s), VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: JP

COMMENTS:

SAMPLES SAMPLING DATE (PER CONTAINER LABEL) IS 01/18/08, PCOP



February 19, 2008

Paula Sime  
Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 08-02-0816**  
Client Reference: **ExxonMobil 70238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 2/12/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read 'Cecile deGuia', is written over a horizontal line.

Calscience Environmental  
Laboratories, Inc.  
Cecile deGuia  
Project Manager





## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0816  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	08-02-0816-1-A	02/08/08 16:00	Aqueous	GC 1	02/13/08	02/13/08 15:29	080213B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	106	38-134			

W-INT-2	08-02-0816-2-A	02/08/08 16:10	Aqueous	GC 1	02/13/08	02/13/08 17:05	080213B01
---------	----------------	-------------------	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	105	38-134			


W-INT-1	08-02-0816-3-A	02/08/08 16:20	Aqueous	GC 1	02/13/08	02/13/08 17:37	080213B01
---------	----------------	-------------------	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	105	38-134			

W-INF	08-02-0816-4-A	02/08/08 16:30	Aqueous	GC 1	02/13/08	02/13/08 18:08	080213B01
-------	----------------	-------------------	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	107	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0816  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project: ExxonMobil 70238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-436-1,465	N/A	Aqueous	GC 1	02/13/08	02/13/08 12:50	080213B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	102	38-134			

RL - Reporting Limit    DF - Dilution Factor    Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0816  
Preparation: EPA 5030B  
Method: EPA 8021B  
Units: ug/L

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	08-02-0816-1-A	02/08/08 16:00	Aqueous	GC 8	02/14/08	02/15/08 09:49	080214B03

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	124	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INT-2	08-02-0816-2-B	02/08/08 16:10	Aqueous	GC 8	02/12/08	02/13/08 05:59	080212B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	99	70-130							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INT-1	08-02-0816-3-B	02/08/08 16:20	Aqueous	GC 8	02/12/08	02/13/08 06:34	080212B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	1.6	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	2.0	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	90	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INF	08-02-0816-4-B	02/08/08 16:30	Aqueous	GC 8	02/12/08	02/13/08 07:09	080212B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	87	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0816  
Preparation: EPA 5030B  
Method: EPA 8021B  
Units: ug/L

Project: ExxonMobil 70238

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-64	N/A	Aqueous	GC 8	02/12/08	02/12/08 16:36	080212B01


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	109	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-69	N/A	Aqueous	GC 8	02/14/08	02/14/08 20:23	080214B03

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	102	70-130							

RL - Reporting Limit    DF - Dilution Factor    Qual - Qualifiers





## Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 02/12/08  
Work Order No: 08-02-0816  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 1	02/13/08	02/13/08	080213S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	100	103	68-122	3	0-18	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 02/12/08  
Work Order No: 08-02-0816  
Preparation: EPA 5030B  
Method: EPA 8021B

Project ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-02-0669-1	Aqueous	GC 8	02/12/08	02/12/08	080212S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	84	95	57-129	12	0-23	
Toluene	95	109	50-134	14	0-26	
Ethylbenzene	99	113	58-130	13	0-26	
p/m-Xylene	98	109	58-130	11	0-28	
o-Xylene	96	107	57-123	11	0-26	
Methyl-t-Butyl Ether (MTBE)	90	96	44-134	6	0-27	

RPD - Relative Percent Difference, CL - Control Limit



## Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 02/12/08  
Work Order No: 08-02-0816  
Preparation: EPA 5030B  
Method: EPA 8021B


Project ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 8	02/14/08	02/15/08	080214S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	96	89	57-129	7	0-23	
Toluene	55	62	50-134	13	0-26	
Ethylbenzene	109	75	58-130	37	0-26	4
p/m-Xylene	107	74	58-130	36	0-28	4
o-Xylene	105	82	57-123	24	0-26	
Methyl-t-Butyl Ether (MTBE)	98	98	44-134	0	0-27	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: N/A  
 Work Order No: 08-02-0816  
 Preparation: EPA 5030B  
 Method: EPA 8015B (M)

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-1,465	Aqueous	GC 1	02/13/08	02/13/08	080213B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	109	111	78-120	2	0-10	

RPD - Relative Percent Difference , CL - Control Limit



**Calscience**  
**Environmental Laboratories, Inc.**    **Quality Control - Laboratory Control Sample**

Environmental Resolutions, Inc.  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: N/A  
 Work Order No: 08-02-0816  
 Preparation: EPA 5030B  
 Method: EPA 8021B


Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	Lab File ID	LCS Batch Number
099-12-667-64	Aqueous	GC 8	02/12/08	005F0501	080212B01

Parameter	Conc Added	Conc Recovered	LCS %Rec	%Rec CL	Qualifiers
Benzene	100	86.2	86	70-118	
Toluene	100	100	100	66-114	
Ethylbenzene	100	105	105	72-114	
p/m-Xylene	200	208	104	74-116	
o-Xylene	100	100	100	72-114	
Methyl-t-Butyl Ether (MTBE)	100	90.5	90	41-137	

RPD - Relative Percent Difference ,    CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: N/A  
Work Order No: 08-02-0816  
Preparation: EPA 5030B  
Method: EPA 8021B

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-69	Aqueous	GC 8	02/14/08	02/14/08	080214B03

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	96	91	70-118	6	0-9	
Toluene	103	102	66-114	1	0-9	
Ethylbenzene	110	105	72-114	4	0-9	
p/m-Xylene	109	104	74-116	5	0-9	
o-Xylene	106	101	72-114	5	0-9	
Methyl-t-Butyl Ether (MTBE)	99	93	41-137	7	0-13	

RPD - Relative Percent Difference , CL - Control Limit




## Glossary of Terms and Qualifiers

Work Order Number: 08-02-0816

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



CHAIN OF CUSTODY RECORD



7440 LINCOLN WAY  
GARDEN GROVE, CA 92641  
TEL: (714) 895-5494  
FAX: (714) 894-7501



Consultant Name: Environmental Resolutions, Inc.

Address: 601 North McDowell Blvd.

City/State/Zip: Petaluma, California 94954

Project Manager Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 2293 11X (February)

Sampler Name: (Print) A. O. S. A.

Sampler Signature: [Signature]

ExxonMobil Engineer Jennifer C. Sedlachek

Telephone Number (510) 547-8196

Account #: 10228

PO #: 4508879005

Facility ID # 7-0238

Global ID# T0600101343

Site Address 2200 East 12th Street

City, State Zip Oakland, California


TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions:						Matrix			Analyze For:								
		DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8020						
1		2/8	1600		X	HCL	5VOA	X			X	X	X						
2		2/8	1610		X	HCL	5VOA	X			X	X	X						
3		2/8	1620		X	HCL	5VOA	X			X	X	X						
4		2/8	1630		X	HCL	5VOA	X			X	X	X						

Relinquished by: [Signature] Date 2/11/08 Time 1000 Received by: [Signature] Time 2/11/08 1150

Relinquished by: [Signature] Date 2-11-08 Time 1730 Received by Calscience: [Signature] Time 2/12/08 1020

650 508914346

Laboratory Comments:  
Temperature Upon Receipt:  
Sample Containers Intact?  
VOAs Free of Headspace?



WORK ORDER #: 08 - 02 - 08 16

Cooler 1 of 1

### SAMPLE RECEIPT FORM

CLIENT: ERT

DATE: 2/12/08

**TEMPERATURE – SAMPLES RECEIVED BY:**

**CALSCIENCE COURIER:**

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature.
- °C Temperature blank.

**LABORATORY (Other than Calscience Courier):**

- 3.7 °C Temperature blank.
- °C IR thermometer.
- Ambient temperature.

Initial: JP

**CUSTODY SEAL INTACT:**

Sample(s): \_\_\_\_\_ Cooler: \_\_\_\_\_ No (Not Intact) : \_\_\_\_\_ Not Present:

Initial: JP

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VOA vial(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Initial: JP

**COMMENTS:**

---



---



---



---




---



---





April 14, 2008

Paula Sime  
Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

**Subject: Calscience Work Order No.: 08-04-0133**  
**Client Reference: ExxonMobil 70238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 4/2/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Cecile deGuia".

Calscience Environmental  
Laboratories, Inc.  
Cecile deGuia  
Project Manager





## Analytical Report

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0133  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	08-04-0133-1-E	03/28/08 14:00	Aqueous	GC 22	04/02/08	04/02/08 18:34	080402B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	75	38-134			

W-INT-2	08-04-0133-2-D	03/28/08 14:15	Aqueous	GC 22	04/02/08	04/02/08 19:08	080402B01
---------	----------------	-------------------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	73	38-134			


W-INT-1	08-04-0133-3-D	03/28/08 14:30	Aqueous	GC 22	04/02/08	04/02/08 20:50	080402B01
---------	----------------	-------------------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	72	38-134			

W-INF	08-04-0133-4-E	03/28/08 14:45	Aqueous	GC 22	04/02/08	04/02/08 21:24	080402B01
-------	----------------	-------------------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	69	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0133  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project: ExxonMobil 70238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-436-1,731	N/A	Aqueous	GC 22	04/02/08	04/02/08 11:11	080402B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	65	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0133  
Preparation: EPA 5030B  
Method: EPA 8021B  
Units: ug/L

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	08-04-0133-1-D	03/28/08 14:00	Aqueous	GC 8	04/07/08	04/07/08 14:16	080407B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
		<u>Limits</u>							
1,4-Bromofluorobenzene	83	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INT-2	08-04-0133-2-D	03/28/08 14:15	Aqueous	GC 8	04/07/08	04/07/08 14:51	080407B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
		<u>Limits</u>							
1,4-Bromofluorobenzene	93	70-130							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INT-1	08-04-0133-3-D	03/28/08 14:30	Aqueous	GC 8	04/07/08	04/07/08 16:35	080407B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
		<u>Limits</u>							
1,4-Bromofluorobenzene	92	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INF	08-04-0133-4-D	03/28/08 14:45	Aqueous	GC 8	04/07/08	04/07/08 18:53	080407B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
		<u>Limits</u>							
1,4-Bromofluorobenzene	82	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 04/02/08  
Work Order No: 08-04-0133  
Preparation: EPA 5030B  
Method: EPA 8021B  
Units: ug/L


Project: ExxonMobil 70238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-111	N/A	Aqueous	GC 8	04/07/08	04/07/08 12:33	080407B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	96	70-130							

RL - Reporting Limit    DF - Dilution Factor    Qual - Qualifiers



## Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 04/02/08  
Work Order No: 08-04-0133  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-04-0134-1	Aqueous	GC 22	04/02/08	04/02/08	080402S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	95	92	68-122	3	0-18	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 04/02/08  
Work Order No: 08-04-0133  
Preparation: EPA 5030B  
Method: EPA 8021B

Project ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 8	04/07/08	04/07/08	080407S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	91	93	57-129	2	0-23	
Toluene	104	91	50-134	13	0-26	
Ethylbenzene	109	94	58-130	14	0-26	
p/m-Xylene	106	92	58-130	14	0-28	
o-Xylene	102	89	57-123	14	0-26	
Methyl-t-Butyl Ether (MTBE)	89	96	44-134	8	0-27	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 08-04-0133  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-1,731	Aqueous	GC 22	04/02/08	04/02/08	080402B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	98	91	78-120	7	0-10	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 08-04-0133  
Preparation: EPA 5030B  
Method: EPA 8021B

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-111	Aqueous	GC 8	04/07/08	04/07/08	080407B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	94	70-118	5	0-9	
Toluene	95	91	66-114	4	0-9	
Ethylbenzene	99	96	72-114	4	0-9	
p/m-Xylene	97	93	74-116	5	0-9	
o-Xylene	94	90	72-114	5	0-9	
Methyl-t-Butyl Ether (MTBE)	100	95	41-137	5	0-13	

RPD - Relative Percent Difference , CL - Control Limit

## Glossary of Terms and Qualifiers

Work Order Number: 08-04-0133

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



CHAIN OF CUSTODY RECORD

0133



7440 LINCOLN WAY  
GARDEN GROVE, CA 92841  
TEL: (714) 895-5494  
FAX: (714) 894-7501



Consultant Name: Environmental Resolutions, Inc.

Address: 601 North McDowell Blvd.

City/State/Zip: Petaluma, California 94954

Project Manager: Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 2293 11X (March)

Sampler Name: (Print) Joni Herman

Sampler Signature: Joni Herman

ExxonMobil Engineer Jennifer C. Sedlachek

Telephone Number (510) 547-8196

Account #: 10228

PO #: 4508879005

Facility ID #: 7-0238

Global ID#: T0600101343

Site Address 2200 East 12th Street


City, State Zip Oakland, California

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions:						Matrix			Analyze For:									
		DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8020							

1  
2  
3  
4

Relinquished by: J. Herman Date 3/31/08 Time 70 Received by: [Signature] Time 1:05  
 Relinquished by: Tammy Date 4/1/08 Time 1730 Received by Calscience: [Signature] Time 4/1/08  
 509259345

Laboratory Comments:  
 Temperature Upon Receipt:  
 Sample Containers Intact?  
 VOAs Free of Headspace?



WORK ORDER #: 08 - 04 - 0123

Cooler 1 of 1

### SAMPLE RECEIPT FORM

CLIENT: ERD

DATE: 4/2/08

**TEMPERATURE – SAMPLES RECEIVED BY:**

<b>CALSCIENCE COURIER:</b>	<b>LABORATORY (Other than Calscience Courier):</b>
<input type="checkbox"/> Chilled, cooler with temperature blank provided.	<u>3.3</u> °C Temperature blank.
<input type="checkbox"/> Chilled, cooler without temperature blank.	<input type="checkbox"/> °C IR thermometer.
<input type="checkbox"/> Chilled and placed in cooler with wet ice.	<input type="checkbox"/> Ambient temperature.
<input type="checkbox"/> Ambient and placed in cooler with wet ice.	
<input type="checkbox"/> Ambient temperature.	
<input type="checkbox"/> °C Temperature blank.	

Initial: JP

**CUSTODY SEAL INTACT:**

Sample(s): \_\_\_\_\_ Cooler: \_\_\_\_\_ No (Not Intact) : \_\_\_\_\_ Not Present:

Initial: JP

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VOA vial(s) free of headspace. ....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Initial: JP

**COMMENTS:**

---



---



---



---



---



---

**APPENDIX C**

**ERI SOP-25:  
"HYDROCARBONS REMOVED FROM A VADOSE WELL"**

**HYDROCARBONS REMOVED  
FROM A VADOSE WELL  
SOP-25**

Rev. 4/29/97

Rev: JO'C

**POUNDS OF HYDROCARBON IN A VAPOR  
STREAM**

INPUT DATA:

- 1) Vapor flow rate acfm (usually by Pitot tube)
- 2) Vapor pressure at the flow measuring device (in inches of H<sub>2</sub>O) (use {-} for vacuum)
- 3) Vapor temperature at the flow measuring device.
- 4) Hydrocarbon content of vapor (usually in mg/M<sup>3</sup>) for ppmv you need molecular weight.
- 5) Length of time (usually hours) over which flow rate occurred)

From periodic measurements, a calculation of total pounds of hydrocarbons removed from a well or from a system is calculated. The input data listed above are measured at a point in time. To calculate quantities removed, some assumptions must be made about what was happening between measurements. The following assumptions will be used for the sake of consistency:

ASSUMPTIONS:

- 1) Vapor flow for the period equals the average of the initial and final reading for the period.
- 2) Pressure and temperature for the entire period will be the final reading.
- 3) Hydrocarbon concentration for the period equals the average of the initial and final reading.
- 4) The hours of operation can be taken from an hour meter, an electric meter or will be assumed to be equal to the time between measurements.
- 5) If the unit is found down - try to determine how many hours it did operate and use the data taken for the previous period to make the calculations. Restart the unit and then take data to start the next period.

SAMPLE DATA AND CALCULATIONS

	Date					
1/6/95 11:00	70	-46	2000	120		
1/7/95 13:00	55	-50	1350	90		
1/8/95 10:00	80	-13	750	100	7.4	

Calculate the pounds of hydrocarbon removed from the system during the basis period from 13:00 (1:00 pm) on the 7th to 10 am on the 8th. Pressure and temperature of the measurements (at the flow meter) must be corrected to the P and T used to report the HC concentration (which are P = 1 atm and T = 70 deg F). 1 atm = 14.7psia, 760 mm Hg, or 407 in H<sub>2</sub>O. T<sub>abs</sub> = 460 + T deg F

Hours of operation = 21, T = 80, P = -13, HC = (1350+750)/2 = 1050 mg/M<sup>3</sup>, Flow = 95

$$21 \times 60 \times 95 \times \frac{(460+70)}{(460+80)} \times \frac{(407-13)}{407} \times \frac{28.3}{1000} \times \frac{1050}{1000} \times \frac{1}{454} = 7.4 \text{ lb}$$

hr	min	cu ft	x	T <sub>Corr</sub>	x	P <sub>Corr</sub>	x	M <sup>3</sup>	g	lb	lb	=	-----
-----	x -----	x -----	x	T <sub>Corr</sub>	x	P <sub>Corr</sub>	x	cu ft	M <sup>3</sup>	g	g	=	-----
basis	hr	min									basis		

21 x 60 x 95 x 0.98 x 0.97 x 0.0283 x 1.050 x 1/454 = 7.4 lb.  
cumulative lbs. (the running total) = the sum of all the previous periods.

Note: If results are given in ppm, an assumption about the molecular weight of the hydrocarbon must be made to get mg/M<sup>3</sup>. ppmv x molecular wt. /24.1 = mg/M<sup>3</sup>. (Use 102 for gasoline).