

ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

RECEIVED

2:39 pm, Feb 09, 2009

Alameda County
Environmental Health

Jennifer C. Sedlachek
Project Manager

ExxonMobil

January 26, 2009

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70238/2200 East 12th Street, Oakland California.


Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled *Groundwater Monitoring and Remediation Status Report, Fourth Quarter 2008*, dated January 26, 2009, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring and sampling activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Groundwater Monitoring and Remediation Status Report, Fourth Quarter 2008, dated January 26, 2009

cc: w/ attachment
Mr. Shay Wideman, M.S., P.E., The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



*Southern California
Northern California
Central California
Pacific Northwest
New England
Southwest
Montana
Texas*

January 26, 2009
ERI 229311.Q084

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT **Groundwater Monitoring and Remediation Status Report, Fourth Quarter 2008**
Former Exxon Service Station 70238
2200 East 12th Street, Oakland, California

Alameda County Environmental Health Department Case No. RO#390

INTRODUCTION

At the request of ExxonMobil Environmental Services Company, on behalf of ExxonMobil Oil Corporation (ExxonMobil), Environmental Resolutions, Inc. (ERI) performed fourth quarter 2008 groundwater monitoring and sampling activities at the subject site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site operates as a Valero-branded service station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling dates:	10/07/08
Wells gauged and sampled:	MW9A through MW9D, MW9I
Presence of NAPL:	Not observed
Remediation system status on sampling date:	Inactive
Laboratory:	Calscience Environmental Laboratories, Inc., Garden Grove, California
Analyses performed:	EPA Method 8015B TPHg EPA Method 8260B BTEX, MTBE, ETBE, DIPE, TAME, 1,2-DCA, EDB, TBA, ethanol
Waste disposal:	46 gallons of purge and decon water delivered to InStrat, Inc., of Rio Vista, California, on 10/08/08

REMEDIATION SYSTEM SUMMARY

The remediation system at the site is currently shut down for post-remedial monitoring of site conditions.

Dual-Phase Extraction System

ERI operated a DPE system at the site from January 2004 to July 2008. The DPE system removed approximately 976.3 pounds of TPHg, 8.6 pounds of benzene, and 38.3 pounds of MTBE during its operational period. Details of the DPE system operation and performance are included in ERI's report, *Groundwater Monitoring and Remediation Status Report, Third Quarter 2008*, dated October 24, 2008.

CONCLUSIONS

Groundwater elevations, groundwater flow direction, and dissolved-phase petroleum hydrocarbon concentrations are consistent with the historical data for the site. Off-site monitoring wells MW9F, MW9G, and MW9H are currently inaccessible because of encroachment permitting issues with the City of Oakland. ERI will continue to pursue access to wells MW9F, MW9G, and MW9H with the City of Oakland.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

Mr. Shay Wideman
The Valero Companies
Director – Environmental Liability Management
685 West Third Street
Hanford, California 93230

LIMITATIONS

For any reports cited that were not generated by ERI, the data taken from those reports is used "as is" and is assumed to be accurate. ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these reports.

This report was prepared in accordance with generally accepted standards of environmental, geological and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.



Sincerely,
Environmental Resolutions, Inc.

Jennifer L. Lacy
 SCANNED
 IMAGE

Jennifer L. Lacy
Senior Staff Scientist

Heidi Dieffenbach-Carle
 SCANNED
 IMAGE

Heidi Dieffenbach-Carle
P.G. L. 6793

Enclosures:

Acronym List


- Plate 1 Site Vicinity Map
- Plate 2 Select Analytical Results
- Plate 3 Groundwater Elevation Map

- Table 1A Cumulative Groundwater Monitoring and Sampling Data
- Table 1B Additional Cumulative Groundwater Monitoring and Sampling Data
- Table 2 Well Construction Details

- Appendix A Groundwater Sampling Protocol
- Appendix B Laboratory Analytical Reports and Chain-of-Custody Records
- Appendix C Field Data Sheets
- Appendix D Waste Disposal Documentation

ACRONYM LIST


µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acfm	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polynuclear aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		




3-D TopoQuads Copyright © 1999 DeLorme Vermont, ME 04876 Source Data: USGS
 500 ft Scale: 1 : 19,100 Detail: 11.4 Datum: WGS84

FN 2293TOPO

EXPLANATION



APPROXIMATE SCALE



SOURCE:
 Modified from a map
 provided by
 DeLorme 3-D TopoQuads




SITE VICINITY MAP
 FORMER EXXON SERVICE STATION 70238
 2200 East 12th Street
 Oakland, California

PROJECT NO
 2293
PLATE
 1

Z:\EXXON\MOBILE\ERI\Mobil_Protects\022293 (70238) -Oakland\2293 AutoCad\22931topo.dwg MKRICH JOSTUA


Analyte Concentrations in ug/L
 Sampled October 7, 2008

- 120 Total Petroleum Hydrocarbons as gasoline
- <5.0 Benzene
- 150 Methyl Tertiary Butyl Ether (EPA Method 8260B)
- <5.0 Tertiary Butyl Alcohol
- < Less Than the Stated Laboratory Reporting Limit
- ug/L Micrograms per Liter
- j Well not gauged and/or sampled due to encroachment permit restrictions.



SOURCE:
 Modified from a map provided by Morrow Surveying

APPROXIMATE SCALE



FN: 22930005_QM

EXPLANATION

MW9I Groundwater Monitoring Well


DPE4 Dual-Phase Extraction Well

TP2 Tank Pit Well



SELECT ANALYTICAL RESULTS
October 7, 2008
 FORMER EXXON SERVICE STATION 70238
 2200 East 12th Street
 Oakland, California

PROJECT NO.
 2293
PLATE
 2



EXPLANATION

- MW9I
 Groundwater Monitoring Well
 7.54 Groundwater elevation in feet; datum is mean sea level
- DPE4
 Dual-Phase Extraction Well
- TP2
 Tank Pit Well
- 8.15 - - - Line of Equal Groundwater Elevation; datum is mean sea level
- j Well not gauged and/or sampled due to encroachment permit restrictions.



GROUNDWATER ELEVATION MAP
October 7, 2008
 FORMER EXXON SERVICE STATION 70238
 2200 East 12th Street
 Oakland, California

PROJECT NO.
2293

PLATE
3

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	06/13/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9A	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9A	10/13/89	100.07 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9A	10/19/90	100.07 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/05/92	100.07 l	6.93	93.14	---	<50	---	---	1.1	1.8	0.6	1.3
MW9A	05/05/92	100.07 l	6.95	93.12	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	09/14/92	100.07 l	7.65	92.42	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	11/16/92	100.07 l	7.35	92.72	---	<50	---	---	1.1	<0.5	<0.5	<0.5
MW9A	02/03/93	100.07 l	7.85	92.22	---	140	---	---	17	19	1.6	20
MW9A	05/18/93	100.07 l	6.95	93.12	---	<50	---	---	0.8	<0.5	1.3	7
MW9A	08/26/93	100.07 l	7.14	92.93	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	11/04/93	100.07 l	7.23	92.84	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/04/94	100.07 l	6.70	93.37	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	05/31/94	100.07 l	6.74	93.33	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/26/94	11.46	7.06	4.40	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9A	05/15/95	11.46	6.32	5.14	---	<50	---	---	0.52	0.67	<0.5	<0.5
MW9A	11/02/95	11.46	7.16	4.30	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9A	04/26/96	11.46	6.33	5.13	No	---	---	---	---	---	---	---
MW9A	08/22/96	11.46	7.02	4.44	No	---	---	---	---	---	---	---
MW9A	02/24/97	11.46	---	---	---	---	---	---	---	---	---	---
MW9A	03/16/98	11.46	6.14	5.32	No	<200	40,000	---	7.9	<2.0	<2.0	<2.0
MW9A	04/21/98	11.46	6.29	5.17	No	<50	53,000	---	3.8	<0.5	<0.5	<0.5
MW9A	07/22/98	14.53	6.58	7.95	No	<250	18,000	---	<2.5	<2.5	<2.5	<2.5
MW9A	12/22/98	14.53	6.47	8.06	No	<50	5,200	---	<0.5	<0.5	<0.5	<0.5
MW9A	02/26/99	14.53	6.38	8.15	No	<100	10,000	---	<1.0	<1.0	<1.0	<1.0
MW9A	05/27/99 a	14.53	6.56	7.97	No	<5,000	15,300	---	<50	<50	<50	<50
MW9A	08/03/99	14.53	9.39	5.14	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9A	12/03/99	14.53	6.52	8.01	No	<50	1,400	---	<0.5	<0.5	<0.5	0.67 b
MW9A	02/29/00	14.53	5.31	9.22	No	<50	20,000	---	1.2	<0.5	<0.5	<0.5
MW9A	05/18/00	14.53	6.31	8.22	No	<50	14,000	11,000	<0.5	<0.5	<0.5	<0.5
MW9A	07/24/00	14.53	6.54	7.99	No	<50	7,400	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/09/00	14.53	6.00	8.53	No	<50	2,300	---	<0.5	<0.5	<0.5	<0.5
MW9A	01/10/01	14.53	6.34	8.19	No	<50	3,700	---	<0.5	<0.5	<0.5	<0.5
MW9A	04/10/01	14.53	9.31	5.22	No	<50	11,000	---	<0.5	<0.5	<0.5	<0.5
MW9A	07/12/01	14.53	---	---	No	<50	3,600	---	<0.5	<0.5	<0.5	<0.5
MW9A	08/17/01 c	14.53	6.61	7.92	---	---	---	---	---	---	---	---
MW9A	10/11/01	14.51	Well surveyed in compliance with AB2886 requirements.									

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	10/11/01	14.53	7.03	7.50	No	<50	1,700	---	<0.5	<0.5	<0.5	<0.5
MW9A	01/11/02	14.51	5.93	8.58	No	2,090e	31,000e	---	18.6e	<0.50	<0.50	<0.50
MW9A	04/12/02	14.51	6.41	8.10	No	34,300	32,200	---	<5.00	<5.00	<5.00	<5.00
MW9A	07/12/02	14.51	6.64	7.87	No	6,760	8,070	---	<0.5	<0.5	<0.5	<0.5
MW9A	10/11/02	14.51	6.76	7.75	No	2,420	2,860	3,040	<0.5	<0.5	<0.5	<0.5
MW9A	01/10/03	14.51	5.90	8.61	No	38,800	51,900	---	103	15.0	<5.0	13.0
MW9A	04/09/03	14.51	6.38	8.13	No	34,200	38,600	---	14.0	<5.0	<5.0	<5.0
MW9A	07/22/03	14.51	6.56	7.95	No	20,200	19,500	---	0.50	<0.5	<0.5	<0.5
MW9A	10/01/03	14.51	6.72	7.79	No	9,460	---	7,620	0.70	<0.5	<0.5	<0.5
MW9A	01/06/04	14.51	5.89	8.62	No	8,540	11,600	---	<0.50	<0.5	<0.5	<0.5
MW9A	06/07/04	14.51	6.80	7.71	No	3,470	---	5,600	<0.50	<0.5	<0.5	<0.5
MW9A	08/30/04 d	14.51	---	---	---	---	---	---	---	---	---	---
MW9A	12/13/04	14.51	5.99	8.52	No	1,130	---	1,360	<0.50	<0.5	<0.5	<0.5
MW9A	03/14/05	14.51	6.03	8.48	No	2,150	---	2,560	0.80	<0.5	<0.5	<0.5
MW9A	06/08/05	14.51	14.33	0.18	No	1,610	---	2,040	<0.50	<0.5	<0.5	<0.5
MW9A	09/01/05	14.51	6.50	8.01	No	1,020	---	1,320	<0.50	<0.50	<0.50	<0.50
MW9A	12/09/05 i	14.51	16.50	-1.99	No	1,140	---	801	1.16	<0.50	<0.50	<0.50
MW9A	12/30/05	14.51	5.21	9.30	No	---	---	---	---	---	---	---
MW9A	03/07/06	14.51	16.01	-1.50	No	400	---	560	<2.5	<2.5	<2.5	<2.5
MW9A	06/26/06	14.51	6.10	8.41	No	390	---	430	<2.5	<2.5	<2.5	<2.5
MW9A	09/25/06	14.51	6.54	7.97	No	150	---	172	<0.50	<0.50	<0.50	<0.50
MW9A	12/15/06	14.51	16.21	-1.70	No	250k	---	190	<2.5	<2.5	<2.5	<2.5
MW9A	03/29/07	14.51	7.95	6.56	No	173	---	144	<0.50	<0.50	<0.50	0.54
MW9A	06/12/07	14.51	6.49	8.02	No	69k	---	77	<0.50	<0.50	<0.50	<0.50
MW9A	08/23/07	14.51	6.48	8.03	No	<50	---	46	<0.50	<0.50	<0.50	<0.50
MW9A	11/27/07	14.51	6.61	7.90	No	<50	---	36	<0.50	<0.50	<0.50	<0.50
MW9A	02/01/08	14.51	5.56	8.95	No	<50	---	14	<0.50	<0.50	<0.50	<0.50
MW9A	05/19/08	14.51	6.59	7.92	No	<50	---	43	<0.50	<0.50	<0.50	<0.50
MW9A	08/01/08	14.51	6.57	7.94	No	<50	---	41	<0.50	<0.50	<0.50	<0.50
MW9A	10/07/08	14.51	6.32	8.19	No	<50	---	19	<0.50	<0.50	<0.50	<0.50
MW9B	06/13/88	---	---	---	---	---	---	---	350	7.8	66	160
MW9B	10/24/88	---	---	---	---	---	---	---	84	<1.0	3.1	3.2
MW9B	10/13/89	98.41	---	---	---	---	---	---	4.1	<0.5	<0.5	<3.0
MW9B	10/19/90	98.41	---	---	---	62	---	---	27	<0.5	2.3	<0.5
MW9B	02/05/92	98.41	5.95	92.46	---	60	---	---	14	<0.5	2.9	2.5
MW9B	05/05/92	98.41	5.92	92.49	---	620	---	---	180	2.4	8.4	2.2
MW9B	09/14/92	98.41	6.60	91.81	---	110	---	---	9.6	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9B	11/16/92	98.41	6.35	92.06	---	200	---	---	33	<0.5	4.2	1.4
MW9B	02/03/93	98.41	6.50	91.91	---	12,000	---	---	320	13	35	110
MW9B	05/18/93	98.41	6.42	91.99	---	180	---	---	1.1	<0.5	2.6	5.9
MW9B	08/26/93	98.41	6.28	92.13	---	180	---	---	36	<0.5	3	1.7
MW9B	11/04/93	98.41	6.23	92.18	---	98	---	---	13	<0.5	1.4	<0.5
MW9B	02/04/94	98.41	5.92	92.49	---	790	---	---	170	1.3	12	0.8
MW9B	05/31/94	98.41	9.22	89.19	---	1,000	---	---	150	2.5	8.0	2.1
MW9B	10/26/94	9.80	6.04	3.76	---	84	---	---	2.8	0.72	<0.5	<0.5
MW9B	05/15/95	9.80	5.34	4.46	---	2,800	---	---	420	25	27	6.7
MW9B	11/02/95	9.80	6.14	3.66	No	130	<10	---	3.3	<0.5	<0.5	<0.5
MW9B	04/26/96	9.80	5.66	4.14	No	270	70	---	130	2.8	6.7	<3
MW9B	08/22/96	9.80	6.16	3.64	No	210	31	---	5.7	6.8	1.1	9.2
MW9B	02/24/97	9.80	5.58	4.22	No	1,400	1,300	---	76	1.4	4.1	1.2
MW9B	03/16/98	12.83	5.32	7.51	No	860	1,500	---	140	2.0	1.1	<2.0
MW9B	04/21/98	12.83	5.49	7.34	No	1,800	18,000	---	300	<5.0	7.9	<5.0
MW9B	07/22/98	12.83	5.79	7.04	No	<500	26,000	---	13	<5.0	<5.0	<5.0
MW9B	12/22/98	12.83	5.69	7.14	No	700	21,000	---	110	3.1	9.1	14
MW9B	02/26/99	12.83	5.10	7.73	No	8,800	8,000	---	2,000	<25	52	38
MW9B	05/18/99	12.83	5.65	7.18	No	<10,000	42,100	---	158	<100	<100	<100
MW9B	08/03/99	12.83	6.24	6.59	No	960	24,900	---	<5.0	<5.0	<5.0	<5.0
MW9B	12/03/99	12.83	5.66	7.17	No	<50	1,000	---	<0.5	<0.5	<0.5	<0.5
MW9B	02/29/00	12.83	4.61	8.22	No	3,100	25,000	---	900	7	23	7.1
MW9B	05/18/00	12.83	5.54	7.29	No	780	34,000	26,000	150	<2.5	4.5	<2.5
MW9B	07/24/00	12.83	8.75	4.08	No	<250	39,000	---	8	<2.5	<2.5	<2.5
MW9B	10/09/00	12.83	4.84	7.99	No	<1,200	30,000	---	1.7	<0.5	<0.5	<0.5
MW9B	01/10/01	12.83	5.56	7.27	No	<250	32,000	---	5.3	<0.5	<0.5	<0.5
MW9B	04/10/01	12.83	5.40	7.43	No	360	27,000	---	69.0	<2.5	22.0	29.8
MW9B	07/12/01	12.83	---	---	No	<250	41,000	---	<2.5	<2.5	<2.5	<2.5
MW9B	08/17/01 c	12.83	5.83	7.00	---	---	---	---	---	---	---	---
MW9B	10/11/01	12.83	8.70	4.13	No	<250	24,000	---	<2.5	<2.5	<2.5	<2.5
MW9B	11/01/01	12.84	Well surveyed in compliance with AB2886 requirements.									
MW9B	01/11/02	12.84	5.16	7.68	No	9,170e	14,600e	---	66.0e	<10.0	54.0	<10.0
MW9B	04/12/02	12.84	5.57	7.27	No	29,600	28,600	---	12.0	<5.00	<5.00	<5.00
MW9B	07/12/02	12.84	5.81	7.03	No	20,200	27,700	---	<10.0	14.0	<10.0	16.0
MW9B	10/11/02 f	12.84	5.91	6.93	No	18,900	24,300	28,200	2.3	<0.5	<0.5	<0.5
MW9B	01/10/03	12.84	5.09	7.75	No	14,900	18,600	---	118	1.0	6.5	3.6
MW9B	04/09/03	12.84	5.51	7.33	No	21,800	24,900	---	51.0	<5.0	<5.0	<5.0
MW9B	07/22/03	12.84	6.09	6.75	No	33,500	36,900	---	<0.50	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9B	10/01/03	12.84	6.16	6.68	No	25,500	---	19,100	1.10	<0.5	<0.5	<0.5
MW9B	01/06/04	12.84	5.14	7.70	No	10,400	---	15,700	16.9	1.8	18.6	1.7
MW9B	06/07/04	12.84	9.47	3.37	No	3,910	---	1,960	<0.50	<0.5	<0.5	<0.5
MW9B	08/30/04	12.84	h	h	h	954h	---	925h	<0.50h	<0.5h	<0.5	<0.5h
MW9B	12/13/04	12.84	4.96	7.88	No	233	---	140	0.90	<0.5	<0.5	<0.5
MW9B	03/14/05	12.84	5.52	7.32	No	523	---	504	<0.50	<0.5	<0.5	<0.5
MW9B	06/08/05	12.84	6.70	6.14	No	114	---	130	<0.50	<0.5	<0.5	<0.5
MW9B	09/01/05	12.84	5.92	6.92	No	90.5	---	82.6	0.55	<0.50	<0.50	<0.50
MW9B	12/09/05	12.84	8.46	4.38	No	207	---	149	<0.50	<0.50	<0.50	<0.50
MW9B	12/30/05	12.84	4.59	8.25	No	---	---	---	---	---	---	---
MW9B	03/07/06	12.84	6.41	6.43	No	98	---	64	<0.50	<0.50	<0.50	<0.50
MW9B	06/26/06	12.84	5.71	7.13	No	130	---	39	0.63	<0.50	0.53	0.53
MW9B	09/25/06	12.84	6.35	6.49	No	<50.0	---	7.40	<0.50	<0.50	<0.50	<0.50
MW9B	12/15/06	12.84	6.77	6.07	No	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9B	03/29/07	12.84	6.40	6.44	No	197	---	225	<0.50	<0.50	<0.50	0.59
MW9B	06/12/07	12.84	6.05	6.79	No	53k	---	52	<0.50	<0.50	<0.50	<0.50
MW9B	08/23/07	12.84	7.17	5.67	No	140k	---	230	<0.50	<0.50	<0.50	<0.50
MW9B	11/27/07	12.84	6.63	6.21	No	<50	---	36	<0.50	<0.50	<0.50	<0.50
MW9B	02/01/08	12.84	5.31	7.53	No	<50	---	15	<0.50	<0.50	<0.50	<0.50
MW9B	05/19/08	12.84	6.65	6.19	No	51k	---	73	<0.50	<0.50	<0.50	<0.50
MW9B	08/01/08	12.84	6.15	6.69	No	<50	---	63	<0.50	<0.50	<0.50	<0.50
MW9B	10/07/08	12.84	5.76	7.08	No	<50	---	6.3	<0.50	<0.50	<0.50	<0.50
MW9C	06/13/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9C	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9C	10/13/89	99.73 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9C	10/19/90	99.73 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/05/92	99.73 l	6.44	93.29	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/05/92	99.73 l	6.50	93.23	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	09/14/92	99.73 l	7.00	92.73	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/16/92	99.73 l	6.72	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/03/93	99.73 l	5.75	93.98	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/18/93	99.73 l	6.72	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	08/26/93	99.73 l	6.84	92.89	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/04/93	99.73 l	6.90	92.83	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	02/04/94	99.73 l	6.28	93.45	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	05/31/94	99.73 l	6.42	93.31	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	10/26/94	11.14	6.80	4.34	---	---	---	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	05/15/95	11.14	5.72	5.42	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	11/02/95	11.14	6.88	4.26	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	04/26/96	11.14	6.28	4.86	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	08/22/96	11.14	6.65	4.49	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9C	03/16/98	11.14	5.51	5.63	No	<500	150,000	---	24	<5.0	<5.0	<5.0
MW9C	04/21/98	11.14	5.83	5.31	No	150	130,000	150,000	<0.5	<0.5	<0.5	<0.5
MW9C	07/22/98	14.19	6.43	7.76	No	<500	95,000	---	<5.0	<5.0	<5.0	<5.0
MW9C	12/22/98	14.19	6.16	8.03	No	<500	84,000	---	<5.0	<5.0	<5.0	<5.0
MW9C	02/26/99	14.19	5.46	8.73	No	<250	55,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/99	14.19	6.27	7.92	No	<25,000	68,900	---	<250	<250	<250	<250
MW9C	08/03/99	14.19	7.13	7.06	No	210	69,200	---	<1.0	1.3	<1.0	<1.0
MW9C	12/03/99	14.19	6.17	8.02	No	290	50,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	02/29/00	14.19	4.49	9.70	No	<250	40,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/00	14.19	5.96	8.23	No	<250	46,000	33,000	<2.5	<2.5	<2.5	<2.5
MW9C	07/24/00	14.19	6.47	7.72	No	<250	44,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	10/09/00	14.19	6.57	7.62	No	<250	39,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	01/10/01	14.19	6.09	8.10	No	<250	42,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	04/10/01	14.19	7.88	6.31	No	<250	35,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	07/12/01	14.19	---	---	No	<250	32,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	08/17/01 c	14.19	6.60	7.59	---	---	---	---	---	---	---	---
MW9C	10/11/01	14.19	6.67	7.52	No	<250	53,000	---	<2.5	<2.5	<2.5	<2.5
MW9C	11/01/01	14.16	Well surveyed in compliance with AB2886 requirements.									
MW9C	01/11/02	14.16	5.29	8.87	No	2,470e	90,000e	---	0.90e	<0.50	<0.50	<0.50
MW9C	04/12/02	14.16	6.14	8.02	No	70,400	66,800	---	<5.00	<5.00	<5.00	<5.00
MW9C	07/12/02	14.16	6.54	7.62	No	50,900	58,300	---	<500	<500	<500	<500
MW9C	10/11/02	14.16	6.73	7.43	No	52,100	58,800	76,000	<10.0	<10.0	<10.0	<10.0
MW9C	01/10/03	14.16	5.21	8.95	No	40,600	55,500	---	<0.5	<0.5	<0.5	<0.5
MW9C	04/09/03	14.16	6.08	8.08	No	24,700	29,600	---	<5.00	<5.0	<5.0	<5.0
MW9C	07/22/03	14.16	6.47	7.69	No	13,800	13,100	---	1.40	<0.5	<0.5	<0.5
MW9C	10/01/03	14.16	6.62	7.54	No	9,100	---	38,400	0.70	<0.5	<0.5	<0.5
MW9C	01/06/04	14.16	4.86	9.30	No	4,160	---	5,020	0.70	<0.5	<0.5	<0.5
MW9C	06/07/04	14.16	7.35	6.81	No	4,480	---	3,420	<0.50	<0.5	<0.5	<0.5
MW9C	08/30/04	14.16	h	h	h	1,950h	---	1,950h	<0.50h	<0.5h	<0.5h	<0.5h
MW9C	12/13/04	14.16	5.03	9.13	No	610	---	705	<0.50	<0.5	<0.5	<0.5
MW9C	03/14/05	14.16	5.63	8.53	No	906	---	1,110	<0.50	<0.5	<0.5	<0.5
MW9C	06/08/05	14.16	12.75	1.41	No	854	---	1,100	<0.50	<0.5	<0.5	<0.5
MW9C	09/01/05	14.16	6.95	7.21	No	361	---	409	<0.50	<0.50	<0.50	<0.50
MW9C	12/09/05	14.16	7.54	6.62	No	217	---	171	<0.50	<0.50	<0.50	<0.50

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	12/30/05	14.16	4.21	9.95	No	---	---	---	---	---	---	---
MW9C	03/07/06	14.16	12.48	1.68	No	320	---	480	<2.0	<2.0	<2.0	<2.0
MW9C	06/26/06	14.16	6.36	7.80	No	350	---	300	<2.0	<2.0	<2.0	<2.0
MW9C	09/25/06	14.16	6.71	7.45	No	136	---	234	<0.50	<0.50	<0.50	<0.50
MW9C	12/15/06	14.16	12.21	1.95	No	190k	---	260	<1.0	<1.0	<1.0	<1.0
MW9C	03/29/07	14.16	12.30	1.86	No	483	---	396	<0.50	<0.50	<0.50	<0.50
MW9C	06/12/07	14.16	6.97	7.19	No	200k	---	250	<1.0	<1.0	<1.0	<1.0
MW9C	08/23/07	14.16	6.84	7.32	No	55k	---	51	<0.50	<0.50	<0.50	<0.50
MW9C	11/27/07	14.16	11.73	2.43	No	170k	---	230	<1.0	<1.0	<1.0	<1.0
MW9C	02/01/08	14.16	11.22	2.94	No	77k	---	130	<0.50	<0.50	<0.50	0.77
MW9C	05/19/08	14.16	10.70	3.46	No	75k	---	110	<0.50	<0.50	<0.50	<0.50
MW9C	08/01/08	14.16	7.24	6.92	No	61k	---	89	<0.50	<0.50	<0.50	<0.50
MW9C	10/07/08	14.16	6.67	7.49	No	120	---	150	<5.0	<5.0	<5.0	<5.0
MW9D	10/24/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9D	10/13/89	101.46 l	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9D	10/19/90	101.46 l	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/05/92	101.46 l	7.78	93.68	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/05/92	101.46 l	7.90	93.56	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	09/14/92	101.46 l	8.45	93.01	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/16/92	101.46 l	8.10	93.36	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/03/93	101.46 l	7.07	94.39	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/93	101.46 l	7.85	93.61	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/26/93	101.46 l	8.30	93.16	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/04/93	101.46 l	8.33	93.13	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/04/94	101.46 l	7.66	93.80	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/31/94	101.46 l	6.80	94.66	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/26/94	12.90	8.34	4.56	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/15/95	12.90	7.22	5.68	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/02/95	12.90	8.31	4.59	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/26/96	12.90	7.58	5.32	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/22/96	12.90	8.12	4.78	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	03/16/98	12.90	6.94	5.96	No	<50	10	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/21/98	12.90	7.22	5.68	No	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/22/98	15.98	7.85	8.13	No	<50	13	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/22/98	15.98	7.58	8.40	No	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/26/99	15.98	6.42	9.56	No	<50	310	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/99	15.98	6.55	9.43	No	<2,500	13,500	---	<25	<25	<25	<25

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9D	08/03/99	15.98	8.34	7.64	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/03/99	15.98	7.56	8.42	No	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/29/00	15.98	4.82	11.16	No	<50	2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/00	15.98	7.40	8.58	No	<50	6.2	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/24/00	15.98	7.91	8.07	No	<50	14	---	<0.5	<0.5	0.85	0.74
MW9D	10/09/00	15.98	8.02	7.96	No	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/01	15.98	7.26	8.72	No	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/10/01	15.98	7.32	8.66	No	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/12/01	15.98	--	--	No	<50	22	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/17/01 d	15.98	---	---	---	---	---	---	---	---	---	---
MW9D	10/11/01	15.98	8.16	7.82	No	<50	24	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/01/01	15.97	Well surveyed in compliance with AB2886 requirements.									
MW9D	01/11/02	15.97	6.64	9.33	No	352e	2.0e	---	<0.50	<0.50	<0.50	<0.50
MW9D	04/12/02	15.97	7.58	8.39	No	191	192	---	<0.50	<0.50	<0.50	<0.50
MW9D	07/12/02	15.97	8.01	7.96	No	108	124	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/11/02	15.97	8.13	7.84	No	187	243	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/03	15.97	5.98	9.99	No	386	132	---	4.1	<0.5	<0.5	<0.5
MW9D	04/09/03	15.97	7.53	8.44	No	468	292	---	3.80	<0.5	<0.5	<0.5
MW9D	07/22/03	15.97	7.87	8.10	No	446	339	---	0.70	<0.5	<0.5	<0.5
MW9D	10/01/03	15.97	8.04	7.93	No	402	---	362	<0.50	<0.5	<0.5	<0.5
MW9D	01/06/04	15.97	6.31	9.66	No	72.2	---	80.9	<0.50	<0.5	<0.5	<0.5
MW9D	06/07/04	15.97	8.17	7.80	No	237	---	353	<0.50	<0.5	<0.5	<0.5
MW9D	08/30/04 d	15.97	---	---	---	---	---	---	---	---	---	---
MW9D	12/13/04	15.97	5.39	10.58	No	379	---	353	4.80	0.7	<0.5	0.9
MW9D	03/14/05	15.97	6.93	9.04	No	<50.0	---	13.8	<0.50	<0.5	<0.5	<0.5
MW9D	06/08/05	15.97	8.83	7.14	No	<50.0	---	57.2	<0.50	<0.5	<0.5	<0.5
MW9D	09/01/05	15.97	7.99	7.98	No	64.3	---	51.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/09/05	15.97	7.96	8.01	No	56.3	---	33.0	<0.50	<0.50	<0.50	<0.50
MW9D	12/30/05 d	15.97	---	---	---	---	---	---	---	---	---	---
MW9D	03/07/06	15.97	6.19	9.78	No	<50	---	9.3	<0.50	<0.50	<0.50	<0.50
MW9D	06/26/06	15.97	7.68	8.29	No	<50	---	9.7	<0.50	<0.50	<0.50	<0.50
MW9D	09/25/06	15.97	8.00	7.97	No	<50.0	---	13.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/15/06	15.97	6.91	9.06	No	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9D	03/29/07	15.97	8.53	7.44	No	<50	---	6.91	<0.50	<0.50	<0.50	<0.50
MW9D	06/12/07	15.97	8.21	7.76	No	<50	---	9.8	<0.50	<0.50	<0.50	<0.50
MW9D	08/23/07	15.97	8.27	7.70	No	<50	---	15	<0.50	<0.50	<0.50	<0.50
MW9D	11/27/07	15.97	8.67	7.30	No	<50	---	21	<0.50	<0.50	<0.50	<0.50
MW9D	02/01/08	15.97	6.24	9.73	No	<50	---	4.7	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9D	05/19/08	15.97	8.64	7.33	No	<0.50	---	9.2	<0.50	<0.50	<0.50	<0.50
MW9D	08/01/08	15.97	8.45	7.52	No	<50	---	13	<0.50	<0.50	<0.50	<0.50
MW9D	10/07/08	15.97	8.00	7.97	No	<50	---	14	<0.50	<0.50	<0.50	<0.50
MW9E	10/24/88	---	---	---	---	---	---	---	1.3	<1.0	<2.0	<1.0
MW9E	10/13/89	---	---	---	---	---	---	---	15	<0.5	2.1	<3.0
MW9E	10/19/90	---	---	---	---	<50	---	---	4.0	<0.5	0.9	<0.5
MW9E	Oct-90	Well destroyed.										
MW9F	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9F	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9F	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/05/92	96.96	5.81	91.15	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/05/92	96.96	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	09/14/92	96.96	---	---	---	---	---	---	---	---	---	---
MW9F	11/16/92	96.96	5.82	91.14	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/03/93	96.96	5.55	91.41	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/93	96.96	5.86	91.10	---	---	---	---	---	---	---	---
MW9F	05/19/93	96.96	---	---	---	<50	---	---	<0.5	---	1.2	6.8
MW9F	08/26/93	96.96	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/04/93	96.96	5.96	91.00	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/04/94	96.96	5.68	91.28	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/31/94	96.96	5.76	91.20	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/26/94	8.37	5.96	2.41	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/15/95	8.37	5.52	2.85	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/02/95	8.37	6.60	1.77	---	---	---	---	---	---	---	---
MW9F	04/26/96	8.37	6.50	1.87	No	<50	57	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/22/96	8.37	5.74	2.63	No	<50	5.8	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/24/97	8.37	---	---	No	<50	<30	---	<0.5	<0.5	<0.5	<0.5
MW9F	03/16/98	8.37	---	---	No	---	---	---	---	---	---	---
MW9F	04/21/98	8.37	---	---	---	---	---	---	---	---	---	---
MW9F	07/22/98	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	12/22/98	11.38	5.47	5.91	No	<50	81	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/26/99	11.38	5.35	6.03	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/99	11.38	5.62	5.76	No	<50	61.6	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/03/99	11.38	6.32	5.06	No	<50	3.10	---	<0.5	<0.5	<0.5	<0.5
MW9F	12/03/99	11.38	5.59	5.79	No	<50	<2	---	<0.5	<0.5	0.71	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9F	02/29/00	11.38	4.70	6.68	No	<50	52	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/00	11.38	5.37	6.01	No	<50	65	---	<0.5	<0.5	<0.5	<0.5
MW9F	07/24/00	11.38	5.65	5.73	No	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/09/00	11.38	5.71	5.67	No	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9F	01/10/01	11.38	4.30	7.08	No	<50	140	---	<0.5	<0.5	<0.5	<0.5
MW9F	04/10/01	11.38	5.20	6.18	No	<50	50	---	<0.5	<0.5	<0.5	<0.5
MW9F	07/12/01	11.38	--	--	No	<50	190	---	<0.5	<0.5	<0.5	<0.5
MW9F	08/17/01 d	11.38	--	--	--	--	--	---	--	--	--	--
MW9F	10/11/01	11.38	5.82	5.56	No	<50	260	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/01/01	11.38	Well surveyed in compliance with AB2886 requirements.									
MW9F	01/11/02	11.38	5.12	6.26	No	<100	67.0e	---	<1.00	<1.00	<1.00	<1.00
MW9F	04/12/02	11.38	5.50	5.88	No	55.9	58.6	---	<0.50	<0.50	<0.50	<0.50
MW9F	07/12/02	11.38	5.65	5.73	No	102	121	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/11/02	11.38	5.67	5.71	No	99.9	128	138	<0.5	<0.5	<0.5	<0.5
MW9F	01/10/03	11.38	5.09	6.29	No	<50.0	45.5	---	<0.5	<0.5	<0.5	<0.5
MW9F	04/09/03	11.38	5.39	5.99	No	<50.0	50.8	---	<0.50	<0.5	<0.5	<0.5
MW9F	07/22/03	11.38	5.52	5.86	No	82.3	64.0	---	<0.50	<0.5	<0.5	<0.5
MW9F	10/01/03	11.38	5.59	5.79	No	67.0	--	56.4	<0.50	<0.5	<0.5	<0.5
MW9F	01/06/04	11.38	5.21	6.17	No	<50.0	--	36.7	<0.50	<0.5	<0.5	<0.5
MW9F	06/07/04	11.38	6.03	5.35	No	<50.0	--	20.5	<0.50	<0.5	<0.5	<0.5
MW9F	08/30/04	11.38	h	h	h	<50.0h	--	14.0h	<0.50h	<0.5h	<0.5h	<0.5h
MW9F	12/13/04	11.38	4.80	6.58	No	<50.0	--	13.4	<0.50	<0.5	<0.5	<0.5
MW9F	03/14/05	11.38	5.10	6.28	No	<50.0	--	4.20	<0.50	<0.5	<0.5	<0.5
MW9F	06/08/05	11.38	5.38	6.00	No	<50.0	--	8.70	<0.50	<0.5	<0.5	<0.5
MW9F	09/01/05	11.38	5.53	5.85	No	<50.0	---	19.6	<0.50	<0.50	<0.50	<0.50
MW9F	12/09/05 j	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	12/30/05	11.38	4.81	6.57	No	<50.0	---	7.01	<0.50	<0.50	<0.50	<0.50
MW9F	03/07/06 j	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	06/26/06 j	11.38	---	---	---	---	---	---	---	---	---	---
MW9F	09/25/06	11.38	5.56	5.82	No	<50.0	---	6.52	<0.50	<0.50	<0.50	<0.50
MW9F	12/15/06	11.38	5.10	6.28	No	<50	---	7.2	<0.50	<0.50	<0.50	<0.50
MW9F	03/29/07- Present j											
MW9G	12/06/88	---	---	---	---	---	---	---	0.8	<1.0	<2.0	<1.0
MW9G	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9G	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/05/92	98.51 l	5.59	92.92	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/05/92	98.51 l	5.60	92.91	---	<50	---	---	1.5	3.8	1	4.7

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9G	09/14/92	98.51	—	---	---	---	---	---	---	---	---	---
MW9G	11/16/92	98.51	5.78	92.73	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/03/93	98.51	5.05	93.46	---	64	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/93	98.51	5.62	92.89	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	08/26/93	98.51	5.86	92.65	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	11/04/93	98.51	5.96	92.55	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/04/94	98.51	5.48	93.03	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/31/94	98.51	5.50	93.01	---	---	---	---	---	---	---	---
MW9G	10/26/94	9.95	5.76	4.19	---	---	---	---	---	---	---	---
MW9G	05/15/95	9.95	4.88	5.07	---	---	---	---	---	---	---	---
MW9G	11/02/95	9.95	5.92	4.03	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9G	04/26/96	9.95	5.28	4.67	No	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9G	08/22/96	9.95	5.57	4.38	No	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/24/97	9.95	5.30	4.65	No	<50	240	---	<0.5	0.57	<0.5	0.62
MW9G	03/16/98	9.95	---	---	---	---	---	---	---	---	---	---
MW9G	04/21/98	9.95	---	---	---	---	---	---	---	---	---	---
MW9G	07/22/98	12.99	---	---	---	---	---	---	---	---	---	---
MW9G	12/22/98	12.99	5.28	7.71	No	<50	1,100	---	<0.5	<0.5	<0.5	<0.5
MW9G	02/26/99	12.99	5.31	7.68	No	<50	50	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/99	12.99	5.18	7.81	No	<1,000	3,990	---	<10	<10	<10	<10
MW9G	08/03/99	12.99	6.00	6.99	No	<50	1,340	---	<0.5	<0.5	<0.5	<0.5
MW9G	12/03/99	12.99	5.27	7.72	No	<50	<2	---	<0.5	<0.5	<0.5	0.55 b
MW9G	02/29/00	12.99	4.60	8.39	No	<50	7,900	---	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/00	12.99	5.16	7.83	No	<50	2,400	---	<0.5	<0.5	<0.5	<0.5
MW9G	07/24/00	12.99	5.20	7.79	No	<50	1,000	---	<0.5	<0.5	<0.5	<0.5
MW9G	10/09/00	12.99	5.26	7.73	No	<50	180	---	<0.5	<0.5	<0.5	<0.5
MW9G	01/10/01	12.99	5.18	7.81	No	<50	1,200	---	<0.5	<0.5	<0.5	<0.5
MW9G	04/10/01	12.99	5.08	7.91	No	<50	9,100	---	<0.5	<0.5	<0.5	<0.5
MW9G	07/12/01	12.99	—	—	No	<50	3,000	---	<0.5	<0.5	<0.5	<0.5
MW9G	08/17/01 d	12.99	---	---	---	---	---	---	---	---	---	---
MW9G	10/11/01	12.99	5.48	7.51	No	<50	1,600	---	<0.5	<0.5	<0.5	<0.5
MW9G	11/01/01	12.98	Well surveyed in compliance with AB2886 requirements.									
MW9G	01/11/02	12.98	4.97	8.01	No	419e	945e	---	<0.50	<0.50	<0.50	<0.50
MW9G	04/12/02	12.98	5.12	7.86	No	10,700	11,000	---	<0.50	<0.50	<0.50	<0.50
MW9G	07/12/02	12.98	5.31	7.67	No	2,310	3,140	---	<0.5	<0.5	<0.5	<0.5
MW9G	10/11/02	12.98	5.39	7.59	No	1,630	2,040	2,090	<0.5	<0.5	<0.5	<0.5
MW9G	01/10/03	12.98	4.90	8.08	No	367	566	---	<0.5	<0.5	<0.5	<0.5
MW9G	04/09/03	12.98	5.15	7.83	No	3,730	3,990	---	<0.50	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9G	07/22/03	12.98	5.30	7.68	No	1,070	968	---	<0.50	<0.5	<0.5	<0.5
MW9G	10/01/03	12.98	5.41	7.57	No	1,300	---	1,570	<0.50	<0.5	<0.5	<0.5
MW9G	01/06/04	12.98	4.92	8.06	No	568	---	918	<0.50	<0.5	<0.5	<0.5
MW9G	06/07/04	12.98	5.49	7.49	No	457	---	324	<0.50	<0.5	<0.5	<0.5
MW9G	08/30/04	12.98	h	h	h	428h	---	369h	<0.50h	<0.5h	<0.5h	<0.5h
MW9G	12/13/04	12.98	5.01	7.97	No	1,030	---	1,030	<0.50	<0.5	<0.5	<0.5
MW9G	03/14/05	12.98	4.98	8.00	No	395	---	451	<0.50	<0.5	<0.5	<0.5
MW9G	06/08/05	12.98	5.54	7.44	No	333	---	404	<0.50	<0.5	<0.5	<0.5
MW9G	09/01/05	12.98	6.35	6.63	No	218	---	308	<0.50	<0.50	<0.50	0.63
MW9G	12/09/05 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	12/30/05	12.98	4.83	8.15	No	75.3	---	69.9	<0.50	<0.50	<0.50	<0.50
MW9G	03/07/06 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	06/26/06 j	12.98	---	---	---	---	---	---	---	---	---	---
MW9G	09/25/06	12.98	8.41	4.57	No	94.5	---	180	<0.50	<0.50	<0.50	<0.50
MW9G	12/15/06	12.98	5.30	7.68	No	50k	---	52	<0.50	<0.50	<0.50	<0.50
MW9G	03/29/07- Present j											
MW9H	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9H	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9H	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/05/92	97.14	7.70	89.44	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/05/92	97.14	8.12	89.02	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	09/14/92	97.14	---	---	---	---	---	---	---	---	---	---
MW9H	11/16/92	97.14	---	---	---	---	---	---	---	---	---	---
MW9H	02/03/93	97.14	7.72	89.42	---	280	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/93	97.14	8.12	89.02	---	<50	---	---	<0.5	<0.5	1.1	6.4
MW9H	08/26/93	97.14	8.14	89.00	---	<50	---	---	0.8	<0.5	<0.5	<0.5
MW9H	11/04/93	97.14	8.15	88.99	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/04/94	97.14	7.98	89.16	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/31/94	97.14	8.80	88.34	---	<50	---	---	0.92	1.1	<0.5	0.86
MW9H	10/26/94	8.58	8.12	0.46	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/15/95	8.58	7.88	0.70	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/02/95	8.58	8.40	0.18	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9H	04/26/96	8.58	8.05	0.53	No	---	---	---	---	---	---	---
MW9H	08/22/96	8.58	8.17	0.41	No	---	---	---	---	---	---	---
MW9H	02/24/97	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	03/16/98	8.58	---	---	---	---	---	---	---	---	---	---
MW9H	04/21/98	8.58	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9H	07/22/98	11.61	---	---	---	---	---	---	---	---	---	---
MW9H	12/22/98	11.61	7.81	3.80	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	02/26/99	11.61	7.61	4.00	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/99	11.61	8.00	3.61	No	<50	3.98	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/03/99	11.61	6.05	5.56	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9H	12/03/99	11.61	5.32	6.29	No	<50	<2	---	<0.5	<0.5	<0.5	0.57 b
MW9H	02/29/00	11.61	7.10	4.51	No	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/00	11.61	7.84	3.77	No	<50	9.7	---	<0.5	<0.5	<0.5	<0.5
MW9H	07/24/00	11.61	7.94	3.67	No	<50	17	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/09/00	11.61	8.09	3.52	No	<50	13	---	<0.5	<0.5	<0.5	1.1
MW9H	01/10/01	11.61	7.89	3.72	No	<50	11	---	<0.5	<0.5	<0.5	0.5
MW9H	04/10/01	11.61	8.71	2.90	No	<50	44	---	<0.5	0.78	0.52	2.36
MW9H	07/12/01	11.61	--	--	No	<50	28	---	<0.5	<0.5	<0.5	<0.5
MW9H	08/17/01 d	11.61	---	---	---	---	---	---	---	---	---	---
MW9H	10/11/01	11.61	8.15	3.46	No	<50	30	---	<0.5	<0.5	<0.5	<0.5
MW9H	11/01/01	11.59	Well surveyed in compliance with AB2886 requirements.									
MW9H	01/11/02	11.59	7.48	4.11	No	<50.0	20.5e	---	<0.50	<0.50	<0.50	<0.50
MW9H	04/12/02	11.59	7.68	3.91	No	<50.0	32.8	---	<0.50	<0.50	<0.50	<0.50
MW9H	07/12/02	11.59	8.06	3.53	No	<50.0	34.6	---	<0.5	<0.5	<0.5	<0.5
MW9H	10/11/02	11.59	7.83	3.76	No	<50.0	33.1	28.7	<0.5	<0.5	<0.5	<0.5
MW9H	01/10/03	11.59	7.39	4.20	No	<50.0	16.0	---	0.5	0.8	0.6	1.8
MW9H	04/09/03	11.59	7.69	3.90	No	<50.0	26.8	---	<0.50	<0.5	<0.5	<0.5
MW9H	07/22/03	11.59	7.94	3.65	No	55.3	34.7	---	<0.50	<0.5	<0.5	<0.5
MW9H	10/01/03	11.59	7.93	3.66	No	<50.0	---	32.3	<0.50	<0.5	<0.5	0.9
MW9H	01/06/04	11.59	7.27	4.32	No	<50.0	---	10	<0.50	<0.5	<0.5	<0.5
MW9H	06/07/04	11.59	7.99	3.60	No	50.6	---	71.7	<0.50	<0.5	<0.5	<0.5
MW9H	08/30/04	11.59	h	h	h	64.2h	---	51.0h	<0.50h	<0.5h	<0.50h	<0.5h
MW9H	12/13/04	11.59	7.22	4.37	No	<50.0	---	14.0	<0.50	<0.5	0.5	1.2
MW9H	03/14/05	11.59	6.96	4.63	No	<50.0	---	27.4	<0.50	<0.5	<0.5	<0.5
MW9H	06/08/05	11.59	7.53	4.06	No	52.6	---	68.8	<0.50	<0.5	<0.5	<0.5
MW9H	09/01/05	11.59	7.82	3.77	No	140	---	71.6	<0.50	<0.50	<0.50	<0.50
MW9H	12/09/05 j	---	---	---	---	---	---	---	---	---	---	---
MW9H	12/30/05	11.59	7.27	4.32	No	<50.0	---	13.7	<0.50	<0.50	<0.50	<0.50
MW9H	03/07/06 j	11.59	---	---	---	---	---	---	---	---	---	---
MW9H	06/26/06 j	11.59	---	---	---	---	---	---	---	---	---	---
MW9H	09/25/06	11.59	7.96	3.63	No	59.5	---	71.0	<0.50	<0.50	<0.50	<0.50
MW9H	12/15/06	11.59	7.42	4.17	No	57	---	21	<0.50	<0.50	<0.50	<0.50
MW9H	03/29/07- Present j											

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9I	11/15/90	---	---	---	---	55	---	---	4.0	1.1	1.2	2.2
MW9I	02/05/92	98.66 I	5.56	93.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/05/92	98.66 I	5.60	93.06	---	<50	---	---	0.9	<0.5	<0.5	0.7
MW9I	09/14/92	98.66 I	6.12	92.54	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	11/16/92	98.66 I	5.82	92.84	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/03/93	98.66 I	4.92	93.74	---	240	---	---	46	1.1	2.3	2.1
MW9I	05/18/93	98.66 I	5.60	93.06	---	79	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/26/93	98.66 I	5.91	92.75	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	11/04/93	98.66 I	6.03	92.63	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/04/94	98.66 I	5.37	93.29	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/31/94	98.66 I	5.46	93.20	---	240	---	---	0.66	0.63	<0.5	1.4
MW9I	10/26/94	10.11	5.88	4.23	---	150	---	---	<0.5	<0.5	<0.5	<0.5
MW9I	05/15/95	10.11	4.94	5.17	---	56	---	---	<0.5	0.82	<0.5	<0.5
MW9I	11/02/95	10.11	6.04	4.07	No	<50	<10	---	<0.5	<0.5	<0.5	<0.5
MW9I	04/26/96	10.11	5.27	4.84	No	<50	99	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/22/96	10.11	5.66	4.45	No	<50	170	---	<0.5	<0.5	<0.5	<0.5
MW9I	02/24/97	10.11	5.24	4.87	No	120	9,100	---	<0.5	<0.5	<0.5	<0.5
MW9I	03/16/98	10.11	4.91	5.20	No	<200	59,000	---	13	<2.0	<2.0	<2.0
MW9I	04/21/98	10.11	5.08	5.03	No	<500	59,000	---	<5.0	<5.0	<5.0	<5.0
MW9I	07/22/98	13.14	5.44	7.70	No	<500	62,000	---	<5.0	<5.0	<5.0	<5.0
MW9I	12/22/98	13.14	5.32	7.82	No	200	51,000	---	1.7	<0.5	<0.5	<0.5
MW9I	02/26/99	13.14	4.71	8.43	No	<500	9,700	---	<5.0	<5.0	<5.0	<5.0
MW9I	05/18/99	13.14	5.30	7.84	No	<1,000	3,730	---	<10	<10	<10	<10
MW9I	08/03/99	13.14	5.98	7.16	No	<50	21,900	---	<0.5	0.650	<0.5	<0.5
MW9I	12/03/99	13.14	5.31	7.83	No	<250	2,000	---	3.9	2.9	<2.5	14
MW9I	02/29/00	13.14	4.20	8.94	No	50	16,000	---	0.74	<0.5	<0.5	<0.5
MW9I	05/18/00	13.14	5.12	8.02	No	<50	2,900	---	<0.5	<0.5	<0.5	<0.5
MW9I	07/24/00	13.14	5.41	7.73	No	<250	43,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	10/09/00	13.14	5.41	7.73	No	<2,500	54,000	---	1.6	<0.5	<0.5	<0.5
MW9I	01/10/01	13.14	5.24	7.90	No	<250	36,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	04/10/01	13.14	4.84	8.30	No	<50	4,800	---	<0.5	<0.5	<0.5	<0.5
MW9I	07/12/01	13.14	---	---	No	<50	8,400	---	<0.5	<0.5	<0.5	<0.5
MW9I	08/17/01	13.14	6.49	6.65	---	---	---	---	---	---	---	---
MW9I	10/11/01	13.14	5.64	7.50	No	<250	38,000	---	<2.5	<2.5	<2.5	<2.5
MW9I	11/01/01	13.13	Well surveyed in compliance with AB2886 requirements.					---	---	---	---	---
MW9I	01/11/02	13.13	4.80	8.33	No	1,330e	5,400e	---	4.80e	<0.50	<0.50	<0.50
MW9I	04/12/02	13.13	5.22	7.91	No	1,460	1,480	---	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9I	07/12/02	13.13	5.50	7.63	No	4,460	6,490	---	<0.5	<0.5	<0.5	<0.5
MW9I	10/11/02	13.13	5.35	7.78	No	31,300	37,700	51,000	<5.0	<5.0	<5.0	<5.0
MW9I	01/10/03	13.13	4.75	8.38	No	4,820	6,180	---	9.4	0.7	1.1	1.3
MW9I	04/09/03	13.13	5.15	7.98	No	2,130	1,510	---	22.3	1.9	1.5	1.5
MW9I	07/22/03	13.13	5.50	7.63	No	2,330	2,540	---	1.60	<0.5	<0.5	<0.5
MW9I	10/01/03	13.13	5.65	7.48	No	6,080	---	4,610	1.00	<0.5	<0.5	<0.5
MW9I	01/06/04	13.13	4.50	8.63	No	175	---	61.3	0.90	<0.5	0.5	<0.5
MW9I	06/07/04	13.13	6.87	6.26	No	4,620	---	3,410	<0.50	<0.5	<0.5	<0.5
MW9I	08/30/04	13.13	h	h	h	817h	---	847h	<0.50h	<0.5h	<0.5h	<0.5h
MW9I	12/13/04	13.13	4.47	8.66	No	<50.0	---	14.4	<0.50	<0.5	<0.5	<0.5
MW9I	03/14/05	13.13	5.05	8.08	No	96.7	---	44.9	<0.50	<0.5	<0.5	<0.5
MW9I	06/08/05	13.13	6.47	6.66	No	1,230	---	321	<0.50	<0.5	<0.5	0.8
MW9I	09/01/05	13.13	5.60	7.53	No	170	---	62.3	1.22	0.77	<0.50	<0.50
MW9I	12/09/05	13.13	6.82	6.31	No	78.3	---	81.0	<0.50	0.58	<0.50	<0.50
MW9I	12/30/05	13.13	4.23	8.90	No	---	---	---	---	---	---	---
MW9I	03/07/06	13.13	5.08	8.05	No	<50	---	0.96	<0.50	<0.50	<0.50	<0.50
MW9I	06/26/06	13.13	5.30	7.83	No	<50	---	3.7	<0.50	<0.50	<0.50	<0.50
MW9I	09/25/06	13.13	6.17	6.96	No	50.9	---	24.0	<0.50	<0.50	<0.50	<0.50
MW9I	12/15/06	13.13	5.45	7.68	No	<50	---	0.59	<0.50	<0.50	<0.50	<0.50
MW9I	03/29/07	13.13	6.35	6.78	No	<50	---	1.15	<0.50	<0.50	<0.50	0.62
MW9I	06/12/07	13.13	5.87	7.26	No	<50	---	0.53	<0.50	<0.50	<0.50	<0.50
MW9I	08/23/07	13.13	6.14	6.99	No	<50	---	0.86	<0.50	<0.50	<0.50	<0.50
MW9I	11/27/07	13.13	6.48	6.65	No	<50	---	0.69	<0.50	<0.50	<0.50	<0.50
MW9I	02/01/08	13.13	4.28	8.85	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	05/19/08	13.13	6.29	6.84	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	08/01/08	13.13	6.01	7.12	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	10/07/08	13.13	5.59	7.54	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Notes:	=	
TOC Elev.	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
NAPL	=	Non-aqueous phase liquid.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the stated laboratory reporting limit.
---	=	Not analyzed/Not measured/Not sampled.
a	=	Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	=	Analyte detected in the trip blank and/or bailer blank.
c	=	Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	=	Well inaccessible.
e	=	Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods
f	=	Sample erroneously labeled MA9B on Chain-of-Custody record and laboratory report.
g	=	Insufficient sample volume to perform analyses.
h	=	Groundwater elevation data invalidated; analytical results suspect.
i	=	Well sampled using no-purge method.
j	=	Well not gauged and/or sampled due to encroachment permit restrictions.
k	=	Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	=	Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9A	06/13/88 - 07/12/02	Not analyzed for these analytes.						
MW9A	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9A	01/10/03	---	---	---	---	---	---	---
MW9A	04/09/03	---	---	---	---	---	---	---
MW9A	07/22/03	---	---	---	---	---	---	---
MW9A	10/01/03	<0.50	<0.50	2.80	1,100	<0.50	<0.50	---
MW9A	01/06/04	<0.50	<0.50	4.90	11,900	<0.50	<0.50	---
MW9A	06/07/04	---	---	---	---	---	---	<2,500
MW9A	08/30/04 d	---	---	---	---	---	---	---
MW9A	12/13/04	---	---	---	---	---	---	---
MW9A	03/14/05	<0.50	<0.50	1.00	14,400	<0.50	<0.50	<50.0
MW9A	06/08/05	<0.50	<0.50	<0.50	22,400	<0.50	<0.50	<100
MW9A	09/01/05	---	---	---	---	---	---	---
MW9A	12/09/05	---	---	---	---	---	---	---
MW9A	12/30/05	---	---	---	---	---	---	---
MW9A	03/07/06	<5.0	<5.0	<5.0	5,600	<5.0	<5.0	<1,000
MW9A	06/26/06	---	---	---	---	---	---	<1,000
MW9A	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9A	12/15/06	<5.0	<5.0	<5.0	1,200	<5.0	<5.0	<1,000
MW9A	03/29/07	<0.500	<0.500	<0.500	297	<0.500	<0.500	<50.0
MW9A	06/12/07	<0.50	<0.50	<0.50	160	<0.50	<0.50	<100
MW9A	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	11/27/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	02/01/08	<0.50	<0.50	<0.50	5.0	<0.50	<0.50	<100
MW9A	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9B	06/13/88 - 07/12/02	Not analyzed for these analytes.						
MW9B	10/11/02 f	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9B	01/10/03	---	---	---	---	---	---	---
MW9B	04/09/03	---	---	---	---	---	---	---
MW9B	07/22/03	---	---	---	---	---	---	---
MW9B	10/01/03	<0.50	<0.50	9.70	2,430	<0.50	<0.50	---
MW9B	01/06/04	<0.50	<0.50	9.00	11,500	0.80	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
MW9B	06/07/04	---	---	---	---	---	---	<50.0	
MW9B	08/30/04	---	---	---	---	---	---	<50.0j	
MW9B	12/13/04	---	---	---	---	---	---	---	
MW9B	03/14/05	<0.50	<0.50	<0.50	4,800	<0.50	<0.50	<50.0	
MW9B	06/08/05	<0.50	<0.50	<0.50	2,320	<0.50	<0.50	<100	
MW9B	09/01/05	---	---	---	---	---	---	---	
MW9B	12/09/05	---	---	---	---	---	---	---	
MW9B	12/30/05	---	---	---	---	---	---	---	
MW9B	03/07/06	<0.50	<0.50	<0.50	1,200	<0.50	<0.50	---	
MW9B	06/26/06	---	---	---	---	---	---	---	
MW9B	09/25/06	<0.500	<0.500	<0.500	70.1	<0.500	<0.500	---	
MW9B	12/15/06	<0.50	<0.50	<0.50	56	<0.50	<0.50	---	
MW9B	03/29/07	<0.500	<0.500	<0.500	734	<0.500	<0.500	---	
MW9B	06/12/07	<0.50	<0.50	<0.50	270	<0.50	<0.50	---	
MW9B	08/23/07	<5.0	<5.0	<5.0	520	<5.0	<5.0	---	
MW9B	11/27/07	<0.50	<0.50	<0.50	51	<0.50	<0.50	---	
MW9B	02/01/08	<0.50	<0.50	<0.50	29	<0.50	<0.50	<100	
MW9B	05/19/08	<0.50	<0.50	<0.50	23	<0.50	<0.50	---	
MW9B	08/01/08	<0.50	<0.50	<0.50	16	<0.50	<0.50	---	
MW9B	10/07/08	<0.50	<0.50	<0.50	9.4	<0.50	<0.50	<50	
MW9C	06/13/88 - 07/12/02	Not analyzed for these analytes.							
MW9C	10/11/02	<0.50	<0.50	34.3	<10.0	<0.50	<0.50	---	
MW9C	01/10/03	---	---	---	---	---	---	---	
MW9C	04/09/03	---	---	---	---	---	---	---	
MW9C	07/22/03	---	---	---	---	---	---	---	
MW9C	10/01/03	<0.50	<0.50	2.70	38,400	<0.50	<0.50	---	
MW9C	01/06/04	<0.50	<0.50	2.50	90,700	0.80	<0.50	---	
MW9C	06/07/04	---	---	---	---	---	---	<50.0	
MW9C	08/30/04	---	---	---	---	---	---	<50.0j	
MW9C	12/13/04	---	---	---	---	---	---	---	
MW9C	03/14/05	<0.50	<0.50	<0.50	674	<0.50	<0.50	<50.0	
MW9C	06/08/05	<0.50	<0.50	<0.50	817	<0.50	<0.50	<100	
MW9C	09/01/05	---	---	---	---	---	---	---	
MW9C	12/09/05	---	---	---	---	---	---	---	
MW9C	12/30/05	---	---	---	---	---	---	---	

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9C	03/07/06	<2.5	<2.5	<2.5	160	<2.5	<2.5	---
MW9C	06/26/06	---	---	---	---	---	---	---
MW9C	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9C	12/15/06	<2.5	<2.5	<2.5	<60	<2.5	<2.5	---
MW9C	03/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9C	06/12/07	<2.5	<2.5	<2.5	<100	<2.5	<2.5	---
MW9C	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	11/27/07	<1.0	<1.0	<1.0	<20	<1.0	<1.0	---
MW9C	02/01/08	<1.0	<1.0	<1.0	<10	<1.0	<1.0	---
MW9C	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	10/07/08	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW9D	10/24/88 - 07/12/02	Not analyzed for these analytes.						
MW9D	10/11/02 g	---	---	---	---	---	---	---
MW9D	01/10/03	---	---	---	---	---	---	---
MW9D	04/09/03	---	---	---	---	---	---	---
MW9D	07/22/03	---	---	---	---	---	---	---
MW9D	10/01/03	<0.50	<0.50	<0.50	235	<0.50	<0.50	---
MW9D	01/06/04	<0.50	<0.50	<0.50	51.8	<0.50	<0.50	---
MW9D	06/07/04	---	---	---	---	---	---	<50.0
MW9D	08/30/04 h	---	---	---	---	---	---	---
MW9D	12/13/04	---	---	---	---	---	---	---
MW9D	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9D	06/08/05	<0.50	<0.50	<0.50	57.8	<0.50	<0.50	<100
MW9D	09/01/05	---	---	---	---	---	---	---
MW9D	12/09/05	---	---	---	---	---	---	---
MW9D	12/30/05 d	---	---	---	---	---	---	---
MW9D	03/07/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9D	06/26/06	---	---	---	---	---	---	---
MW9D	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9D	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	---
MW9D	03/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9D	06/12/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW9D	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	11/27/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9D	02/01/08	<0.50	<0.50	<0.50	5.1	<0.50	<0.50	---
MW9D	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9E	10/24/88 - 10/19/90	Not analyzed for these analytes.						
MW9E	Oct-90	Well destroyed.						
MW9F	12/06/88 - 07/12/02	Not analyzed for these analytes.						
MW9F	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9F	01/10/03	---	---	---	---	---	---	---
MW9F	04/09/03	---	---	---	---	---	---	---
MW9F	07/22/03	---	---	---	---	---	---	---
MW9F	10/01/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9F	01/06/04	<0.50	<0.50	<0.50	13.7	<0.50	<0.50	---
MW9F	06/07/04	---	---	---	---	---	---	<50.0
MW9F	08/30/04	---	---	---	---	---	---	<50.0j
MW9F	12/13/04	---	---	---	---	---	---	---
MW9F	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9F	06/08/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW9F	09/01/05	---	---	---	---	---	---	---
MW9F	12/09/05 j	---	---	---	---	---	---	---
MW9F	12/30/05	---	---	---	---	---	---	---
MW9F	03/07/06 j	---	---	---	---	---	---	---
MW9F	06/26/06 j	---	---	---	---	---	---	---
MW9F	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9F	12/15/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW9F	03/29/07 - Present j							
MW9G	12/06/88 - 07/12/02	Not analyzed for these analytes.						
MW9G	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9G	01/10/03	---	---	---	---	---	---	---
MW9G	04/09/03	---	---	---	---	---	---	---
MW9G	07/22/03	---	---	---	---	---	---	---
MW9G	10/01/03	<0.50	<0.50	<0.50	17.1	<0.50	<0.50	---
MW9G	01/06/04	<0.50	<0.50	<0.50	367	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9G	06/07/04	---	---	---	---	---	---	<50.0
MW9G	08/30/04	---	---	---	---	---	---	<50.0j
MW9G	12/13/04	---	---	---	---	---	---	---
MW9G	03/14/05	<0.50	<0.50	<0.50	569	<0.50	<0.50	<50.0
MW9G	06/08/05	<0.50	<0.50	<0.50	150	<0.50	<0.50	<100
MW9G	09/01/05	---	---	---	---	---	---	---
MW9G	12/09/05 j	---	---	---	---	---	---	---
MW9G	12/30/05	---	---	---	---	---	---	---
MW9G	03/07/06 j	---	---	---	---	---	---	---
MW9G	06/26/06 j	---	---	---	---	---	---	---
MW9G	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9G	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	---
MW9G	03/29/07 - Present j							
MW9H	12/06/88 - 10/19/90	Not analyzed for these analytes.						
MW9H	11/02/95	<50	<10	---	---	---	<0.5	<0.5
MW9H	04/26/96 - 07/12/02	Not analyzed for these analytes.						
MW9H	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9H	01/10/03	---	---	---	---	---	---	---
MW9H	04/09/03	---	---	---	---	---	---	---
MW9H	07/22/03	---	---	---	---	---	---	---
MW9H	10/01/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9H	01/06/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9H	06/07/04	---	---	---	---	---	---	<50.0
MW9H	08/30/04	---	---	---	---	---	---	<50.0j
MW9H	12/13/04	---	---	---	---	---	---	---
MW9H	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9H	06/08/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW9H	09/01/05	---	---	---	---	---	---	---
MW9H	12/09/05 j	---	---	---	---	---	---	---
MW9H	12/30/05	---	---	---	---	---	---	---
MW9H	03/07/06 j	---	---	---	---	---	---	---
MW9H	06/26/06 j	---	---	---	---	---	---	---
MW9H	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9H	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	---
MW9H	03/29/07 - Present j							

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9I	11/15/90 - 07/12/02	Not analyzed for these analytes.						
MW9I	10/11/02	<0.50	<0.50	24.1	<10.0	<0.50	<0.50	---
MW9I	01/10/03	---	---	---	---	---	---	---
MW9I	04/09/03	---	---	---	---	---	---	---
MW9I	07/22/03	---	---	---	---	---	---	---
MW9I	10/01/03	<0.50	<0.50	1.50	30,300	<0.50	<0.50	---
MW9I	01/06/04	<0.50	<0.50	<0.50	377	<0.50	<0.50	---
MW9I	06/07/04	---	---	---	---	---	---	<50.0
MW9I	08/30/04	---	---	---	---	---	---	<50.0j
MW9I	12/13/04	---	---	---	---	---	---	---
MW9I	03/14/05	<0.50	<0.50	<0.50	1,640	<0.50	<0.50	<50.0
MW9I	06/08/05	<0.50	<0.50	<0.50	47,000	<0.50	<0.50	<100
MW9I	09/01/05	---	---	---	---	---	---	---
MW9I	12/09/05	---	---	---	---	---	---	---
MW9I	12/30/05	---	---	---	---	---	---	---
MW9I	03/07/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW9I	06/26/06	---	---	---	---	---	---	<100
MW9I	09/25/06	<0.500	<0.500	<0.500	10,300	<0.500	<0.500	<50.0
MW9I	12/15/06	<0.50	<0.50	<0.50	730	<0.50	<0.50	<100
MW9I	03/29/07	<0.500	<0.500	<0.500	632	<0.500	<0.500	<50.0
MW9I	06/12/07	<0.50	<0.50	<0.50	140	<0.50	<0.50	---
MW9I	08/23/07	<0.50	<0.50	<0.50	90	<0.50	<0.50	<100
MW9I	11/27/07	<0.50	<0.50	<0.50	15	<0.50	<0.50	<100
MW9I	02/01/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW9I	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9I	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9I	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Notes:	
TOC Elev.	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquid.
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the stated laboratory reporting limit.
---	= Not analyzed/Not measured/Not sampled.
a	= Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	= Analyte detected in the trip blank and/or bailer blank.
c	= Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	= Well inaccessible.
e	= Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods
f	= Sample erroneously labeled MA9B on Chain-of-Custody record and laboratory report.
g	= Insufficient sample volume to perform analyses.
h	= Groundwater elevation data invalidated; analytical results suspect.
i	= Well sampled using no-purge method.
j	= Well not gauged and/or sampled due to encroachment permit restrictions.
k	= Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	= Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Well Installation Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW9A	06/10/88	14.51	8	18	18	2	PVC	8-18	0.020	NS	NS
MW9B	06/10/88	12.84	8	20	18	2	PVC	8-18	0.020	NS	NS
MW9C	06/10/88	14.16	8	17	18	2	PVC	8-18	0.020	NS	NS
MW9D	10/05/88	15.97	12	16.5	14	4	PVC	5-14	NS	NS	NS
MW9E	10/05/88	NS	12	18.5	14	4	PVC	5-14	NS	NS	NS
MW9F	11/23/88	11.38	8	16	14	4	PVC	4-14	NS	NS	NS
MW9G	11/22/88	12.98	8	16.5	14	4	PVC	5-14	NS	NS	NS
MW9H	11/23/88	11.59	8	16.5	14	4	PVC	5-14	NS	NS	NS
MW9I	11/02/90	13.13	12	16	16	4	NS	4-14	NS	NS	NS
DPE1	06/05/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE2	06/04/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE3	06/04/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE4	06/05/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
VP1	01/11/01	NS	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
VP2	01/11/01	NS	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- PVC = Polyvinyl chloride.
- feet bgs = feet below ground surface.
- NS = Not specified.

APPENDIX A

GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with an ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h (7.48)$ where:

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.


After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

APPENDIX B

**LABORATORY ANALYTICAL REPORTS
AND CHAIN-OF-CUSTODY RECORDS**



October 20, 2008

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

RECEIVED
OCT 23 2008

BY:.....

Subject: **Calscience Work Order No.: 08-10-0771**
Client Reference: ExxonMobil 70238

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/9/2008 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/09/08
Work Order No: 08-10-0771
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9A	08-10-0771-2-C	10/07/08 12:55	Aqueous	GC 25	10/10/08	10/10/08 10:05	081010B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9B	08-10-0771-3-C	10/07/08 13:10	Aqueous	GC 25	10/10/08	10/10/08 11:48	081010B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	86	38-134			


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9C	08-10-0771-4-C	10/07/08 13:20	Aqueous	GC 25	10/10/08	10/10/08 12:22	081010B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	120	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9D	08-10-0771-5-C	10/07/08 12:45	Aqueous	GC 25	10/10/08	10/10/08 12:56	081010B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/09/08
Work Order No: 08-10-0771
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70238

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9I	08-10-0771-6-C	10/07/08 12:35	Aqueous	GC 25	10/10/08	10/10/08 13:30	081010B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-436-2,375	N/A	Aqueous	GC 25	10/10/08	10/10/08 02:11	081010B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/09/08
Work Order No: 08-10-0771
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9A	08-10-0771-2-B	10/07/08 12:55	Aqueous	GC/MS Z	10/15/08	10/16/08 04:48	081015L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	19	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	5.0	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	100	73-157			Dibromofluoromethane	108	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	89	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9B	08-10-0771-3-B	10/07/08 13:10	Aqueous	GC/MS Z	10/15/08	10/16/08 05:20	081015L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	6.3	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	9.4	5.0	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	98	73-157			Dibromofluoromethane	105	82-142		
Toluene-d8	98	82-112			1,4-Bromofluorobenzene	87	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9C	08-10-0771-4-B	10/07/08 13:20	Aqueous	GC/MS Z	10/15/08	10/16/08 05:53	081015L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	5.0	10		Methyl-t-Butyl Ether (MTBE)	150	5.0	10	
1,2-Dibromoethane	ND	5.0	10		Tert-Butyl Alcohol (TBA)	ND	50	10	
1,2-Dichloroethane	ND	5.0	10		Diisopropyl Ether (DIPE)	ND	5.0	10	
Ethylbenzene	ND	5.0	10		Ethyl-t-Butyl Ether (ETBE)	ND	5.0	10	
Toluene	ND	5.0	10		Tert-Amyl-Methyl Ether (TAME)	ND	5.0	10	
Xylenes (total)	ND	5.0	10		Ethanol	ND	500	10	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	100	73-157			Dibromofluoromethane	108	82-142		
Toluene-d8	97	82-112			1,4-Bromofluorobenzene	90	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report

 Environmental Resolutions, Inc.
 601 North McDowell Blvd.
 Petaluma, CA 94954-2312

 Date Received: 10/09/08
 Work Order No: 08-10-0771
 Preparation: EPA 5030B
 Method: EPA 8260B
 Units: ug/L

Project: ExxonMobil 70238

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9D	08-10-0771-5-B	10/07/08 12:45	Aqueous	GC/MS Z	10/15/08	10/16/08 06:25	081015L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	14	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	5.0	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	99	73-157			Dibromofluoromethane	99	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	88	75-105		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9I	08-10-0771-6-B	10/07/08 12:35	Aqueous	GC/MS Z	10/15/08	10/16/08 06:57	081015L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	5.0	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	93	73-157			Dibromofluoromethane	95	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	88	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-650-213	N/A	Aqueous	GC/MS Z	10/15/08	10/16/08 02:40	081015L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	5.0	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	97	73-157			Dibromofluoromethane	97	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	89	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/09/08
Work Order No: 08-10-0771
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-0774-4	Aqueous	GC 25	10/10/08	10/10/08	081010S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	98	102	68-122	4	0-18	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/09/08
Work Order No: 08-10-0771
Preparation: EPA 5030B
Method: EPA 8260B

Project ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-0970-2	Aqueous	GC/MS Z	10/15/08	10/16/08	081015S02

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	103	104	86-122	2	0-8	
Carbon Tetrachloride	100	99	78-138	1	0-9	
Chlorobenzene	106	107	90-120	1	0-9	
1,2-Dibromoethane	110	107	70-130	2	0-30	
1,2-Dichlorobenzene	106	109	89-119	2	0-10	
1,1-Dichloroethene	101	98	52-142	3	0-23	
Ethylbenzene	106	108	70-130	2	0-30	
Toluene	105	106	85-127	1	0-12	
Trichloroethene	100	102	78-126	2	0-10	
Vinyl Chloride	105	104	56-140	1	0-21	
Methyl-t-Butyl Ether (MTBE)	99	96	64-136	3	0-28	
Tert-Butyl Alcohol (TBA)	105	104	27-183	2	0-60	
Diisopropyl Ether (DIPE)	91	90	78-126	2	0-16	
Ethyl-t-Butyl Ether (ETBE)	94	93	67-133	1	0-21	
Tert-Amyl-Methyl Ether (TAME)	103	103	63-141	0	0-21	
Ethanol	86	85	11-167	0	0-64	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 08-10-0771
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-2,375	Aqueous	GC 25	10/10/08	10/10/08	081010B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	106	106	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 08-10-0771
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-650-213	Aqueous	GC/MS Z	10/15/08	10/16/08	081015L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	100	103	87-117	82-122	3	0-7	
Carbon Tetrachloride	97	101	78-132	69-141	4	0-8	
Chlorobenzene	103	106	88-118	83-123	3	0-8	
1,2-Dibromoethane	106	106	80-120	73-127	0	0-20	
1,2-Dichlorobenzene	105	108	88-118	83-123	3	0-8	
1,1-Dichloroethene	99	102	71-131	61-141	4	0-14	
Ethylbenzene	102	108	80-120	73-127	6	0-20	
Toluene	103	106	85-127	78-134	3	0-7	
Trichloroethene	109	116	85-121	79-127	6	0-11	
Vinyl Chloride	108	110	64-136	52-148	2	0-10	
Methyl-t-Butyl Ether (MTBE)	97	97	67-133	56-144	1	0-16	
Tert-Butyl Alcohol (TBA)	102	101	34-154	14-174	1	0-19	
Diisopropyl Ether (DIPE)	88	91	80-122	73-129	3	0-8	
Ethyl-t-Butyl Ether (ETBE)	91	95	73-127	64-136	5	0-11	
Tert-Amyl-Methyl Ether (TAME)	100	103	69-135	58-146	3	0-12	
Ethanol	92	90	34-124	19-139	3	0-44	


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers




Work Order Number: 08-10-0771

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



CHAIN OF CUSTODY RECORD



Consultant Name: Environmental Resolutions, Inc.

ExxonMobil Engineer Jennifer C. Sedlachek

Address: 601 North McDowell Boulevard

Telephone Number (510) 547-8196

City/State/Zip: Petaluma, California 94954

Account #:

7440 Lincoln Way
Garden Grove, CA 92841

Project Manager Paula Sime

PO #: 4509345029

TEL: (714) 895-5494

Telephone Number: (707) 766-2000

Facility ID # 70238

FAX: (714) 894-7501

ERI Job Number: 229313X

Global ID# T0600101343



Sampler Name: (Print) Anthony Riccio

Site Address 2200 East 12th Street

Sampler Signature: [Signature]

City, State Zip Oakland, California


Shipping Method: Lab Courier Hand Deliver Commercial Express Other:

0771

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 8 day <input type="checkbox"/> 72 hour <input type="checkbox"/> 96 hour	PROVIDE: EDF Report	Special Instructions: 7 CA Olys= MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE. Set TBA detection limit at or below 12 ug/L.	Matrix			Analyze For:												
			Water	Soil	Vapor	TPHg 8015B	BTEX 8260B	MTBE 8260B	Oxygenates 8260B	Ethanol 8260B								
Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER												
1 QCB	10-7-08	1500			HCl	2 VOAs	X				H	O	L	D				
2 MW9A	10-7-08	1255			HCl	6 VOAs	X				X	X	X	X	X			
3 MW9B	10-7-08	1310			HCl	6 VOAs	X				X	X	X	X				
4 MW9C	10-7-08	1320			HCl	6 VOAs	X				X	X	X	X				
5 MW9D	10-7-08	1245			HCl	6 VOAs	X				X	X	X	X				
MW9E					HCl	6 VOAs	X				X	X	X	X				
MW9G					HCl	6 VOAs	X				X	X	X	X				
MW9H					HCl	6 VOAs	X				X	X	X	X				
6 MW9I	10-7-08	1235			HCl	6 VOAs	X				X	X	X	X	X			

Relinquished by: [Signature] Date 10/7/08 Time 1500 Received by: Tom Ormally CEC Date 10/8/08 Time 1104 Laboratory Comments:
 Relinquished by: Tom Ormally TO Date 10/8/08 Time 1730 Received by: [Signature] Date 10/9/08 Time 1530
 510512546

Temperature Upon Receipt:
Sample Containers Intact?
VOAs Free of Headpace?



WORK ORDER #: 08 - 10 - 0771

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: _____

DATE: 10/9/08

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

LABORATORY (Other than Calscience Courier):

- _____ Chilled, cooler with temperature blank provided. 2.9 °C Temperature blank.
- _____ Chilled, cooler without temperature blank. _____ °C IR Thermometer.
- _____ Chilled and placed in cooler with wet ice. _____ Ambient temperature (For Air & Filter Only).
- _____ Ambient and placed in cooler with wet ice.
- _____ Ambient temperature (For Air & Filter Only).
- _____ °C Temperature blank.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): _____ Cooler: _____ No (Not Intact): _____ Not Present:

Initial: JP

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	_____	_____
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	_____	_____
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/>	_____	_____
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	_____	_____
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	_____	_____
Proper preservation noted on sample label(s).....	_____	_____	_____
VOA vial(s) free of headspace.	_____	_____	_____
Tedlar bag(s) free of condensation.....	_____	_____	_____

Initial: JP

COMMENTS:

APPENDIX C

FIELD DATA SHEETS



DAILY FIELD REPORT

Environmental Resolutions, Inc.

PROJECT: 70238 JOB # + ACTIVITY: 2293-13x
 SUBJECT: _____ DATE: 10-7-04
 EQUIPMENT USED: _____ SHEET: _____ OF _____
 NAME: Anthony PROJECT MNGR: _____

onsite: 10:00

- check-in

Sunny, warm

- Safety

- open wells

mw91, mw90, mw9A, mw9B, mw9C

- DTW wells

- Purg

- Sample

dt wells mw9F, G, H, not done due to permits pending

31 purge

15 decan

46 gallons

offsite 1345

WATER SAMPLING SITE STATUS

Date: 10-7-05

Inspected by: NZ

ERI Job Number: 2243 Station No.: 70238

Site Address: 2200 East 17th St. Oakland

Well ID	Well Head Screws	Rubber Gasket	Well Cap Locking	Lock on Well Cap	Concrete Well Seal	Well Head PVC	Water in Well Vault	Well Cover	Fence/Gate Condition	# Drums	Drum Contents	Building Condition	Site Appearance	Comments / Well Covers
	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	Y/N	N/R/ok	N/R/ok	N/R/ok	s/w/e	g/v/o	N/R/ok	
mw49	2/1	ok	ok	ok	ok	ok	n	NO	ok					
9B	ok	ok	ok	ok	ok	ok	n	ok	ok					
9E 21	ok	ok	ok	ok	ok	ok	n	ok	ok					
9A	ok	ok	ok	ok	ok	ok	n	ok	ok					
9C 21	ok	ok	ok	ok	ok	ok	y	ok	ok					

N = Not repairable in time available-see comments. Y = Yes. s = Soil. g = Graffiti on walls.
 R = Repaired-see comments N = No. w = Water. v = Vagrants (or evidence of).
 ek = No action needed. e = Empty. o = Open (not secured).

MONITORING - FIELD LOG					
ERI #	2293		QRT	4th	2008
Client:	ExxonMobil		DATE:	10/7/08	
Site ID:	7-0238		TECH	ar	
ADDRESS:			PM:	Paula	
2200 East 12th St. Oakland, Ca			Total Purge Volume		
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
BB					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw9i	10:55	6			
	10:59	6	25.00	1012.00	6.94
		12			
		18			
TOTAL PURGE	11				
COMMENTS:	dry@11				
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw9d	11:17	5			
	11:21	5	20.50	657.00	6.54
	11:25	10	19.80	704.00	6.61
		15			
TOTAL PURGE	13				
COMMENTS:	dry@13				
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw9a	11:40	2			
	(11:42	2	22.30	763.00	6.67
	11:44	4	22.60	758.00	6.66
		6			
TOTAL PURGE	5				
COMMENTS:	dry@5				

MONITORING - FIELD LOG					
ERI #	2293		QRT	4th	2008
Client:	ExxonMobil		DATE:	10/7/08	
Site ID:	7-0238		TECH	ar	
ADDRESS:			PM:	Paula	
2200 East 12th St. Oakland, Ca			Total Purge Volume		
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw9b	11:59	2			
	12:01	2	23.10	656.00	6.56
	12:03	4	23.30	722.00	6.74
	12:04	6	22.90	735.00	6.80
COMMENTS:	6				
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw9c	12:14	2			
	12:16	2	23.00	762.00	6.70
	12:17	4	22.50	772.00	6.68
	12:19	6	22.30	776.00	6.65
TOTAL PURGE	6				
COMMENTS:					

APPENDIX D

WASTE DISPOSAL DOCUMENTATION

NON-HAZARDOUS WASTE MANIFEST

2084

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. EM 7-0238	2. Page 1 of 1
3. Generator's Name and Mailing Address Exxon Mobil Torrence, CA		EM 7-0238 2200 East 12th St Oakland, CA		ERI # 2293	
4. Generator's Phone ()		6. US EPA ID Number		A. State Transporter's ID	
5. Transporter 1 Company Name ERT		7. Transporter 2 Company Name		B. Transporter 1 Phone (707) 766-2024	
9. Designated Facility Name and Site Address ISI 1105 AIRPORT RD RIO VISTA, CA		10. US EPA ID Number		C. State Transporter's ID	
11. WASTE DESCRIPTION		12. Containers		D. Transporter 2 Phone	
		No. Type		E. State Facility's ID	
a. NON-HAZ PURGE WATER		1 poly 46		F. Facility's Phone 707-3743834	
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above COLOR - Clear ODOR - SOLIDS -		H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information 910 Y					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name		Signature		Date	
				Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date	
				Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date	
				Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name		Signature		Date	
ISI		Matthew Belcher		Month Day Year	
				10 8 03	

NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER

FACILITY