

ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sedlachek
Project Manager

RECEIVED

9:32 am, Sep 21, 2009

Alameda County
Environmental Health

ExxonMobil

September 4, 2009

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70238/2200 East 12th Street, Oakland California.

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled *Groundwater Monitoring Report, Third Quarter 2009*, dated September 4, 2009, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring and sampling activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Groundwater Monitoring Report, Third Quarter 2009, dated September 4, 2009

cc: w/ attachment
Mr. Shay Wideman, The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



VALUE, QUALITY, RESPONSE

*Southern California
Northern California
Central California
Pacific Northwest
New England
Southwest
Montana
Texas*

September 4, 2009
ERI 229313.Q093

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT **Groundwater Monitoring, Third Quarter 2009**
Former Exxon Service Station 70238
2200 East 12th Street, Oakland, California

Alameda County Environmental Health Department Case No. RO#390

INTRODUCTION

At the request of ExxonMobil Environmental Services Company, on behalf of ExxonMobil Oil Corporation (ExxonMobil), Environmental Resolutions, Inc. (ERI) performed third quarter 2009 groundwater monitoring and sampling activities at the subject site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site operates as a Valero-branded service station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling dates:	07/02/09
Wells gauged and sampled:	MW9A through MW9D, MW9I
Presence of NAPL:	Not observed
Laboratory:	Calscience Environmental Laboratories, Inc. Garden Grove, California
Analyses performed:	EPA Method 8015B TPHg EPA Method 8260B BTEX, MTBE, ETBE, DIPE, TAME, 1,2-DCA, EDB, TBA EPA Method 8260B Ethanol (select samples)
Waste disposal:	64 gallons of purge and decon water delivered to InStrat, Inc., of Rio Vista, California, on 07/10/09

REMEDIATION SYSTEM SUMMARY

The remediation system at the site is currently shut down for post-remedial monitoring of site conditions.

Dual-Phase Extraction System

ERI operated a DPE system at the site from January 2004 to July 2008. The DPE system removed approximately 976.3 pounds of TPHg, 8.6 pounds of benzene, and 38.3 pounds of MTBE during its operational period. Details of the DPE system operation and performance are included in ERI's report, *Groundwater Monitoring and Remediation Status Report, Third Quarter 2008*, dated October 24, 2008.

CONCLUSIONS

Groundwater elevations, groundwater flow direction, and dissolved-phase petroleum hydrocarbon concentrations are consistent with the historical data for the site. Off-site monitoring wells MW9F, MW9G, and MW9H are currently inaccessible because of encroachment permitting issues with the City of Oakland. ERI will continue to pursue access to wells MW9F, MW9G, and MW9H with the City of Oakland.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

Mr. Shay Wideman
The Valero Companies
Environmental Liability Management
685 West Third Street
Hanford, California 93230

LIMITATIONS

For any reports cited that were not generated by ERI, the data taken from those reports is used "as is" and is assumed to be accurate. ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these reports.

This report was prepared in accordance with generally accepted standards of environmental, geological, and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.



Sincerely,
Environmental Resolutions, Inc.

SCANNED
Jennifer Lacy
IMAGE

Jennifer L. Lacy
Senior Staff Scientist

SCANNED
Heidi Dieffenbach-Carle
IMAGE

Heidi Dieffenbach-Carle
P.G. 6793


Enclosures:

Acronym List

- | | |
|------------|--|
| Plate 1 | Site Vicinity Map |
| Plate 2 | Select Analytical Results |
| Plate 3 | Groundwater Elevation Map |
| Table 1A | Cumulative Groundwater Monitoring and Sampling Data |
| Table 1B | Additional Cumulative Groundwater Monitoring and Sampling Data |
| Table 2 | Well Construction Details |
| Appendix A | Groundwater Sampling Protocol |
| Appendix B | Laboratory Analytical Reports and Chain-of-Custody Records |
| Appendix C | Field Data Sheets |
| Appendix D | Waste Disposal Documentation |

ACRONYM LIST

µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acf m	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polycyclic aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL (RL)	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		



3-D Tops Quads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS

550 ft Scale: 1 : 19,360 Detail: 13-0 Datum: WGS84


FN 2293TOPO

EXPLANATION



1/2-mile radius circle

APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads



SITE VICINITY MAP

FORMER EXXON SERVICE STATION 70238
2200 East 12th Street
Oakland, California

PROJECT NO.
2293
PLATE
1

Analyte Concentrations in ug/L

Sampled July 2, 2009

Total Petroleum Hydrocarbons
as gasoline

Benzene


Methyl Tertiary Butyl Ether
(EPA Method 8260B)

Tertiary Butyl Alcohol


< Less Than the Stated Laboratory Reporting Limit

ug/L Micrograms per Liter

J Well not gauged and/or sampled due to encroachment permit restrictions.



APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
Morrow Surveying

FN: 2293 09 3QTR_QM

EXPLANATION

MW9I

Groundwater Monitoring Well

DPE4

Dual-Phase Extraction Well

TP2

Tank Pit Well



SELECT ANALYTICAL RESULTS

July 2, 2009


FORMER EXXON SERVICE STATION 70238
2200 East 12th Street
Oakland, California

PROJECT NO.

2293

PLATE

2



FN: 2293 09 3QTR_QM

EXPLANATION

MW9I

- Groundwater Monitoring Well
- 7.71 Groundwater elevation in feet; datum is mean sea level

8.25 — — — Line of Equal Groundwater Elevation; datum is mean sea level

DPE4

- Dual-Phase Extraction Well

J Well not gauged and/or sampled due to encroachment permit restrictions.

TP2

- Tank Pit Well



GROUNDWATER ELEVATION MAP
July 2, 2009
FORMER EXXON SERVICE STATION 70238
2200 East 12th Street
Oakland, California

PROJECT NO.

2293

PLATE

3

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	06/13/88	--	--	--	--	--	--	--	<0.5	<1.0	<2.0	<1.0
MW9A	10/24/88	--	--	--	--	--	--	--	<0.5	<1.0	<2.0	<1.0
MW9A	10/13/89	100.071	--	--	--	--	--	--	<0.5	<0.5	<0.5	<3.0
MW9A	10/19/90	100.071	--	--	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9A	02/05/92	100.071	6.93	93.14	--	<50	--	--	1.1	1.8	0.6	1.3
MW9A	05/05/92	100.071	6.95	93.12	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9A	09/14/92	100.071	7.65	92.42	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9A	11/16/92	100.071	7.35	92.72	--	<50	--	--	1.1	<0.5	<0.5	<0.5
MW9A	02/03/93	100.071	7.85	92.22	--	140	--	--	17	19	1.6	20
MW9A	05/18/93	100.071	6.95	93.12	--	<50	--	--	0.8	<0.5	1.3	7
MW9A	08/26/93	100.071	7.14	92.93	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9A	11/04/93	100.071	7.23	92.84	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9A	02/04/94	100.071	6.70	93.37	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9A	05/31/94	100.071	6.74	93.33	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9A	10/26/94	11.46	7.06	4.40	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9A	05/15/95	11.46	6.32	5.14	--	<50	--	--	0.52	0.67	<0.5	<0.5
MW9A	11/02/95	11.46	7.16	4.30	No	<50	<10	--	<0.5	<0.5	<0.5	<0.5
MW9A	04/26/96	11.46	6.33	5.13	No	--	--	--	--	--	--	--
MW9A	08/22/96	11.46	7.02	4.44	No	--	--	--	--	--	--	--
MW9A	02/24/97	11.46	--	--	--	--	--	--	--	--	--	--
MW9A	03/16/98	11.46	6.14	5.32	No	<200	40,000	--	7.9	<2.0	<2.0	<2.0
MW9A	04/21/98	11.46	6.29	5.17	No	<50	53,000	--	3.8	<0.5	<0.5	<0.5
MW9A	07/22/98	14.53	6.58	7.95	No	<250	18,000	--	<2.5	<2.5	<2.5	<2.5
MW9A	12/22/98	14.53	6.47	8.06	No	<50	5,200	--	<0.5	<0.5	<0.5	<0.5
MW9A	02/26/99	14.53	6.38	8.15	No	<100	10,000	--	<1.0	<1.0	<1.0	<1.0
MW9A	05/27/99 a	14.53	6.56	7.97	No	<5,000	15,300	--	<50	<50	<50	<50
MW9A	08/03/99	14.53	9.39	5.14	No	<50	<2.5	--	<0.5	<0.5	<0.5	<0.5
MW9A	12/03/99	14.53	6.52	8.01	No	<50	1,400	--	<0.5	<0.5	<0.5	0.67 b
MW9A	02/29/00	14.53	5.31	9.22	No	<50	20,000	--	1.2	<0.5	<0.5	<0.5
MW9A	05/18/00	14.53	6.31	8.22	No	<50	14,000	11,000	<0.5	<0.5	<0.5	<0.5
MW9A	07/24/00	14.53	6.54	7.99	No	<50	7,400	--	<0.5	<0.5	<0.5	<0.5
MW9A	10/09/00	14.53	6.00	8.53	No	<50	2,300	--	<0.5	<0.5	<0.5	<0.5
MW9A	01/10/01	14.53	6.34	8.19	No	<50	3,700	--	<0.5	<0.5	<0.5	<0.5
MW9A	04/10/01	14.53	9.31	5.22	No	<50	11,000	--	<0.5	<0.5	<0.5	<0.5
MW9A	07/12/01	14.53	--	--	No	<50	3,600	--	<0.5	<0.5	<0.5	<0.5
MW9A	08/17/01 c	14.53	6.61	7.92	--	--	--	--	--	--	--	--
MW9A	10/11/01	14.51										

Well surveyed in compliance with AB2886 requirements.

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9A	10/11/01	14.53	7.03	7.50	No	<50	1,700	--	<0.5	<0.5	<0.5	<0.5
MW9A	01/11/02	14.51	5.93	8.58	No	2,090e	31,000e	--	18.6e	<0.50	<0.50	<0.50
MW9A	04/12/02	14.51	6.41	8.10	No	34,300	32,200	--	<5.00	<5.00	<5.00	<5.00
MW9A	07/12/02	14.51	6.64	7.87	No	6,760	8,070	--	<0.5	<0.5	<0.5	<0.5
MW9A	10/11/02	14.51	6.76	7.75	No	2,420	2,860	3,040	<0.5	<0.5	<0.5	<0.5
MW9A	01/10/03	14.51	5.90	8.61	No	38,800	51,900	--	103	15.0	<5.0	13.0
MW9A	04/09/03	14.51	6.38	8.13	No	34,200	38,600	--	14.0	<5.0	<5.0	<5.0
MW9A	07/22/03	14.51	6.56	7.95	No	20,200	19,500	--	0.50	<0.5	<0.5	<0.5
MW9A	10/01/03	14.51	6.72	7.79	No	9,460	--	7,620	0.70	<0.5	<0.5	<0.5
MW9A	01/06/04	14.51	5.89	8.62	No	8,540	11,600	--	<0.50	<0.5	<0.5	<0.5
MW9A	06/07/04	14.51	6.80	7.71	No	3,470	--	5,600	<0.50	<0.5	<0.5	<0.5
MW9A	08/30/04 d	14.51	--	--	--	--	--	--	--	--	--	--
MW9A	12/13/04	14.51	5.99	8.52	No	1,130	--	1,360	<0.50	<0.5	<0.5	<0.5
MW9A	03/14/05	14.51	6.03	8.48	No	2,150	--	2,560	0.80	<0.5	<0.5	<0.5
MW9A	06/08/05	14.51	14.33	0.18	No	1,610	--	2,040	<0.50	<0.5	<0.5	<0.5
MW9A	09/01/05	14.51	6.50	8.01	No	1,020	--	1,320	<0.50	<0.50	<0.50	<0.50
MW9A	12/09/05 i	14.51	16.50	-1.99	No	1,140	--	801	1.16	<0.50	<0.50	<0.50
MW9A	12/30/05	14.51	5.21	9.30	No	--	--	--	--	--	--	--
MW9A	03/07/06	14.51	16.01	-1.50	No	400	--	560	<2.5	<2.5	<2.5	<2.5
MW9A	06/26/06	14.51	6.10	8.41	No	390	--	430	<2.5	<2.5	<2.5	<2.5
MW9A	09/25/06	14.51	6.54	7.97	No	150	--	172	<0.50	<0.50	<0.50	<0.50
MW9A	12/15/06	14.51	16.21	-1.70	No	250k	--	190	<2.5	<2.5	<2.5	<2.5
MW9A	03/29/07	14.51	7.95	6.56	No	173	--	144	<0.50	<0.50	<0.50	0.54
MW9A	06/12/07	14.51	6.49	8.02	No	69k	--	77	<0.50	<0.50	<0.50	<0.50
MW9A	08/23/07	14.51	6.48	8.03	No	<50	--	46	<0.50	<0.50	<0.50	<0.50
MW9A	11/27/07	14.51	6.61	7.90	No	<50	--	36	<0.50	<0.50	<0.50	<0.50
MW9A	02/01/08	14.51	5.56	8.95	No	<50	--	14	<0.50	<0.50	<0.50	<0.50
MW9A	05/19/08	14.51	6.59	7.92	No	<50	--	43	<0.50	<0.50	<0.50	<0.50
MW9A	08/01/08	14.51	6.57	7.94	No	<50	--	41	<0.50	<0.50	<0.50	<0.50
MW9A	10/07/08	14.51	6.32	8.19	No	<50	--	19	<0.50	<0.50	<0.50	<0.50
MW9A	01/30/09	14.51	5.96	8.55	No	<50	--	37	<0.50	<0.50	<0.50	<0.50
MW9A	04/01/09	14.51	5.95	8.56	No	68	--	91	<0.50	<0.50	<0.50	<0.50
MW9A	07/02/09	14.51	6.11	8.40	No	<50	--	40	<0.50	<0.50	<0.50	<0.50
MW9B	06/13/88	--	--	--	--	--	--	--	350	7.8	66	160
MW9B	10/24/88	--	--	--	--	--	--	--	84	<1.0	3.1	3.2
MW9B	10/13/89	98.411	--	--	--	--	--	--	4.1	<0.5	<0.5	<3.0
MW9B	10/19/90	98.411	--	--	--	62	--	--	27	<0.5	2.3	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)			
MW9B	02/05/92	98.41	5.95	92.46	—	60	—	—	14	<0.5	2.9	2.5			
MW9B	05/05/92	98.41	5.92	92.49	—	620	—	—	180	2.4	8.4	2.2			
MW9B	09/14/92	98.41	6.60	91.81	—	110	—	—	9.6	<0.5	<0.5	<0.5			
MW9B	11/16/92	98.41	6.35	92.06	—	200	—	—	33	<0.5	4.2	1.4			
MW9B	02/03/93	98.41	6.50	91.91	—	12,000	—	—	320	13	35	110			
MW9B	05/18/93	98.41	6.42	91.99	—	180	—	—	1.1	<0.5	2.6	5.9			
MW9B	08/26/93	98.41	6.28	92.13	—	180	—	—	36	<0.5	3	1.7			
MW9B	11/04/93	98.41	6.23	92.18	—	98	—	—	13	<0.5	1.4	<0.5			
MW9B	02/04/94	98.41	5.92	92.49	—	790	—	—	170	1.3	12	0.8			
MW9B	05/31/94	98.41	9.22	89.19	—	1,000	—	—	150	2.5	8.0	2.1			
MW9B	10/26/94	9.80	6.04	3.76	—	84	—	—	2.8	0.72	<0.5	<0.5			
MW9B	05/15/95	9.80	5.34	4.46	—	2,800	—	—	420	25	27	6.7			
MW9B	11/02/95	9.80	6.14	3.66	No	130	<10	—	3.3	<0.5	<0.5	<0.5			
MW9B	04/26/96	9.80	5.66	4.14	No	270	70	—	130	2.8	6.7	<3			
MW9B	08/22/96	9.80	6.16	3.64	No	210	31	—	5.7	6.8	1.1	9.2			
MW9B	02/24/97	9.80	5.58	4.22	No	1,400	1,300	—	76	1.4	4.1	1.2			
MW9B	03/16/98	12.83	5.32	7.51	No	860	1,500	—	140	2.0	1.1	<2.0			
MW9B	04/21/98	12.83	5.49	7.34	No	1,800	18,000	—	300	<5.0	7.9	<5.0			
MW9B	07/22/98	12.83	5.79	7.04	No	<500	26,000	—	13	<5.0	<5.0	<5.0			
MW9B	12/22/98	12.83	5.69	7.14	No	700	21,000	—	110	3.1	9.1	14			
MW9B	02/26/99	12.83	5.10	7.73	No	8,800	8,000	—	2,000	<25	52	38			
MW9B	05/18/99	12.83	5.65	7.18	No	<10,000	42,100	—	158	<100	<100	<100			
MW9B	08/03/99	12.83	6.24	6.59	No	960	24,900	—	<5.0	<5.0	<5.0	<5.0			
MW9B	12/03/99	12.83	5.66	7.17	No	<50	1,000	—	<0.5	<0.5	<0.5	<0.5			
MW9B	02/29/00	12.83	4.61	8.22	No	3,100	25,000	—	900	7	23	7.1			
MW9B	05/18/00	12.83	5.54	7.29	No	780	34,000	26,000	150	<2.5	4.5	<2.5			
MW9B	07/24/00	12.83	8.75	4.08	No	<250	39,000	—	8	<2.5	<2.5	<2.5			
MW9B	10/09/00	12.83	4.84	7.99	No	<1,200	30,000	—	1.7	<0.5	<0.5	<0.5			
MW9B	01/10/01	12.83	5.56	7.27	No	<250	32,000	—	5.3	<0.5	<0.5	<0.5			
MW9B	04/10/01	12.83	5.40	7.43	No	360	27,000	—	69.0	<2.5	22.0	29.8			
MW9B	07/12/01	12.83	—	—	No	<250	41,000	—	<2.5	<2.5	<2.5	<2.5			
MW9B	08/17/01 c	12.83	5.83	7.00	—	—	—	—	—	—	—	—			
MW9B	10/11/01	12.83	8.70	4.13	No	<250	24,000	—	<2.5	<2.5	<2.5	<2.5			
MW9B	11/01/01	12.84			Well surveyed in compliance with AB2886 requirements.										
MW9B	01/11/02	12.84	5.16	7.68	No	9,170e	14,600e	—	66.0e	<10.0	54.0	<10.0			
MW9B	04/12/02	12.84	5.57	7.27	No	29,600	28,600	—	12.0	<5.00	<5.00	<5.00			
MW9B	07/12/02	12.84	5.81	7.03	No	20,200	27,700	—	<10.0	14.0	<10.0	16.0			
MW9B	10/11/02 f	12.84	5.91	6.93	No	18,900	24,300	28,200	2.3	<0.5	<0.5	<0.5			

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9B	01/10/03	12.84	5.09	7.75	No	14,900	18,600	---	118	1.0	6.5	3.6
MW9B	04/09/03	12.84	5.51	7.33	No	21,800	24,900	---	51.0	<5.0	<5.0	<5.0
MW9B	07/22/03	12.84	6.09	6.75	No	33,500	36,900	---	<0.50	<0.5	<0.5	<0.5
MW9B	10/01/03	12.84	6.16	6.68	No	25,500	---	19,100	1.10	<0.5	<0.5	<0.5
MW9B	01/06/04	12.84	5.14	7.70	No	10,400	---	15,700	16.9	1.8	18.6	1.7
MW9B	06/07/04	12.84	9.47	3.37	No	3,910	---	1,960	<0.50	<0.5	<0.5	<0.5
MW9B	08/30/04	12.84	h	h	h	954h	---	925h	<0.50h	<0.5h	<0.5	<0.5h
MW9B	12/13/04	12.84	4.96	7.88	No	233	---	140	0.90	<0.5	<0.5	<0.5
MW9B	03/14/05	12.84	5.52	7.32	No	523	---	504	<0.50	<0.5	<0.5	<0.5
MW9B	06/08/05	12.84	6.70	6.14	No	114	---	130	<0.50	<0.5	<0.5	<0.5
MW9B	09/01/05	12.84	5.92	6.92	No	90.5	---	82.6	0.55	<0.50	<0.50	<0.50
MW9B	12/09/05	12.84	8.46	4.38	No	207	---	149	<0.50	<0.50	<0.50	<0.50
MW9B	12/30/05	12.84	4.59	8.25	No	—	---	—	—	—	—	—
MW9B	03/07/06	12.84	6.41	6.43	No	98	---	64	<0.50	<0.50	<0.50	<0.50
MW9B	06/26/06	12.84	5.71	7.13	No	130	---	39	0.63	<0.50	0.53	0.53
MW9B	09/25/06	12.84	6.35	6.49	No	<50.0	---	7.40	<0.50	<0.50	<0.50	<0.50
MW9B	12/15/06	12.84	6.77	6.07	No	<50	—	11	<0.50	<0.50	<0.50	<0.50
MW9B	03/29/07	12.84	6.40	6.44	No	197	—	225	<0.50	<0.50	<0.50	<0.50
MW9B	06/12/07	12.84	6.05	6.79	No	53k	—	52	<0.50	<0.50	<0.50	<0.50
MW9B	08/23/07	12.84	7.17	5.67	No	140k	—	230	<0.50	<0.50	<0.50	<0.50
MW9B	11/27/07	12.84	6.63	6.21	No	<50	—	36	<0.50	<0.50	<0.50	<0.50
MW9B	02/01/08	12.84	5.31	7.53	No	<50	—	15	<0.50	<0.50	<0.50	<0.50
MW9B	05/19/08	12.84	6.65	6.19	No	51k	—	73	<0.50	<0.50	<0.50	<0.50
MW9B	08/01/08	12.84	6.15	6.69	No	<50	—	63	<0.50	<0.50	<0.50	<0.50
MW9B	10/07/08	12.84	5.76	7.08	No	<50	—	6.3	<0.50	<0.50	<0.50	<0.50
MW9B	01/30/09	12.84	5.62	7.22	No	<50	—	4.5	<0.50	<0.50	<0.50	<0.50
MW9B	04/01/09	12.84	5.36	7.48	No	<50	—	2.8	<0.50	<0.50	<0.50	<0.50
MW9B	07/02/09	12.84	5.65	7.19	No	<50	—	1.4	<0.50	<0.50	<0.50	<0.50
MW9C	06/13/88	—	—	—	—	—	—	—	<0.5	<1.0	<2.0	<1.0
MW9C	10/24/88	—	—	—	—	—	—	—	<0.5	<1.0	<2.0	<1.0
MW9C	10/13/89	99.73 l	—	—	—	—	—	—	<0.5	<0.5	<0.5	<3.0
MW9C	10/19/90	99.73 l	—	—	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	02/05/92	99.73 l	6.44	93.29	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	05/05/92	99.73 l	6.50	93.23	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	09/14/92	99.73 l	7.00	92.73	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	11/16/92	99.73 l	6.72	93.01	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	02/03/93	99.73 l	5.75	93.98	—	<50	—	—	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	05/18/93	99.73 l	6.72	93.01	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	08/26/93	99.73 l	6.84	92.89	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	11/04/93	99.73 l	6.90	92.83	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	02/04/94	99.73 l	6.28	93.45	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	05/31/94	99.73 l	6.42	93.31	—	—	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	10/26/94	11.14	6.80	4.34	—	—	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	05/15/95	11.14	5.72	5.42	—	—	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	11/02/95	11.14	6.88	4.26	—	—	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	04/26/96	11.14	6.28	4.86	—	—	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	08/22/96	11.14	6.65	4.49	—	—	—	—	<0.5	<0.5	<0.5	<0.5
MW9C	03/16/98	11.14	5.51	5.63	No	<500	150,000	—	24	<5.0	<5.0	<5.0
MW9C	04/21/98	11.14	5.83	5.31	No	150	130,000	150,000	<0.5	<0.5	<0.5	<0.5
MW9C	07/22/98	14.19	6.43	7.76	No	<500	95,000	—	<5.0	<5.0	<5.0	<5.0
MW9C	12/22/98	14.19	6.16	8.03	No	<500	84,000	—	<5.0	<5.0	<5.0	<5.0
MW9C	02/26/99	14.19	5.46	8.73	No	<250	55,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/99	14.19	6.27	7.92	No	<25,000	68,900	—	<250	<250	<250	<250
MW9C	08/03/99	14.19	7.13	7.06	No	210	69,200	—	<1.0	1.3	<1.0	<1.0
MW9C	12/03/99	14.19	6.17	8.02	No	290	50,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	02/29/00	14.19	4.49	9.70	No	<250	40,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	05/18/00	14.19	5.96	8.23	No	<250	46,000	33,000	<2.5	<2.5	<2.5	<2.5
MW9C	07/24/00	14.19	6.47	7.72	No	<250	44,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	10/09/00	14.19	6.57	7.62	No	<250	39,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	01/10/01	14.19	6.09	8.10	No	<250	42,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	04/10/01	14.19	7.88	6.31	No	<250	35,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	07/12/01	14.19	—	—	No	<250	32,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	08/17/01 c	14.19	6.60	7.59	—	—	—	—	—	—	—	—
MW9C	10/11/01	14.19	6.67	7.52	No	<250	53,000	—	<2.5	<2.5	<2.5	<2.5
MW9C	11/01/01	14.16	Well surveyed in compliance with AB2886 requirements.									
MW9C	01/11/02	14.16	5.29	8.87	No	2,470e	90,000e	—	0.90e	<0.50	<0.50	<0.50
MW9C	04/12/02	14.16	6.14	8.02	No	70,400	66,800	—	<5.00	<5.00	<5.00	<5.00
MW9C	07/12/02	14.16	6.54	7.62	No	50,900	58,300	—	<500	<500	<500	<500
MW9C	10/11/02	14.16	6.73	7.43	No	52,100	58,800	76,000	<10.0	<10.0	<10.0	<10.0
MW9C	01/10/03	14.16	5.21	8.95	No	40,600	55,500	—	<0.5	<0.5	<0.5	<0.5
MW9C	04/09/03	14.16	6.08	8.08	No	24,700	29,600	—	<5.00	<5.0	<5.0	<5.0
MW9C	07/22/03	14.16	6.47	7.69	No	13,800	13,100	—	1.40	<0.5	<0.5	<0.5
MW9C	10/01/03	14.16	6.62	7.54	No	9,100	—	38,400	0.70	<0.5	<0.5	<0.5
MW9C	01/06/04	14.16	4.86	9.30	No	4,160	—	5,020	0.70	<0.5	<0.5	<0.5
MW9C	06/07/04	14.16	7.35	6.81	No	4,480	—	3,420	<0.50	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9C	08/30/04	14.16	h	h	h	1,950h	--	1,950h	<0.50h	<0.5h	<0.5h	<0.5h
MW9C	12/13/04	14.16	5.03	9.13	No	610	--	705	<0.50	<0.5	<0.5	<0.5
MW9C	03/14/05	14.16	5.63	8.53	No	906	--	1,110	<0.50	<0.5	<0.5	<0.5
MW9C	06/08/05	14.16	12.75	1.41	No	854	--	1,100	<0.50	<0.5	<0.5	<0.5
MW9C	09/01/05	14.16	6.95	7.21	No	361	--	409	<0.50	<0.50	<0.50	<0.50
MW9C	12/09/05	14.16	7.54	6.62	No	217	--	171	<0.50	<0.50	<0.50	<0.50
MW9C	12/30/05	14.16	4.21	9.95	No	--	--	--	--	--	--	--
MW9C	03/07/06	14.16	12.48	1.68	No	320	--	480	<2.0	<2.0	<2.0	<2.0
MW9C	06/26/06	14.16	6.36	7.80	No	350	--	300	<2.0	<2.0	<2.0	<2.0
MW9C	09/25/06	14.16	6.71	7.45	No	136	--	234	<0.50	<0.50	<0.50	<0.50
MW9C	12/15/06	14.16	12.21	1.95	No	190k	--	260	<1.0	<1.0	<1.0	<1.0
MW9C	03/29/07	14.16	12.30	1.86	No	483	--	396	<0.50	<0.50	<0.50	<0.50
MW9C	06/12/07	14.16	6.97	7.19	No	200k	--	250	<1.0	<1.0	<1.0	<1.0
MW9C	08/23/07	14.16	6.84	7.32	No	55k	--	51	<0.50	<0.50	<0.50	<0.50
MW9C	11/27/07	14.16	11.73	2.43	No	170k	--	230	<1.0	<1.0	<1.0	<1.0
MW9C	02/01/08	14.16	11.22	2.94	No	77k	--	130	<0.50	<0.50	<0.50	0.77
MW9C	05/19/08	14.16	10.70	3.46	No	75k	--	110	<0.50	<0.50	<0.50	<0.50
MW9C	08/01/08	14.16	7.24	6.92	No	61k	--	89	<0.50	<0.50	<0.50	<0.50
MW9C	10/07/08	14.16	6.67	7.49	No	120	--	150	<5.0	<5.0	<5.0	<5.0
MW9C	01/30/09	14.16	6.08	8.08	No	80	--	130	<0.50	<0.50	<0.50	<0.50
MW9C	04/01/09	14.16	5.98	8.18	No	91	--	12	<0.50	<0.50	<0.50	<0.50
MW9C	07/02/09	14.16	6.45	7.71	No	<50	--	69	<2.0	<2.0	<2.0	<2.0
MW9D	10/24/88	--	--	--	--	--	--	--	<0.5	<1.0	<2.0	<1.0
MW9D	10/13/89	101.46 l	--	--	--	--	--	--	<0.5	<0.5	<0.5	<3.0
MW9D	10/19/90	101.46 l	--	--	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	02/05/92	101.46 l	7.78	93.68	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	05/05/92	101.46 l	7.90	93.56	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	09/14/92	101.46 l	8.45	93.01	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	11/16/92	101.46 l	8.10	93.36	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	02/03/93	101.46 l	7.07	94.39	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/93	101.46 l	7.85	93.61	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	08/26/93	101.46 l	8.30	93.16	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	11/04/93	101.46 l	8.33	93.13	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	02/04/94	101.46 l	7.66	93.80	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	05/31/94	101.46 l	6.80	94.66	--	--	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	10/26/94	12.90	8.34	4.56	--	--	--	--	<0.5	<0.5	<0.5	<0.5
MW9D	05/15/95	12.90	7.22	5.68	--	--	--	--	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9D	11/02/95	12.90	8.31	4.59	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/26/96	12.90	7.58	5.32	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/22/96	12.90	8.12	4.78	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9D	03/16/98	12.90	6.94	5.96	No	<50	10	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/21/98	12.90	7.22	5.68	No	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/22/98	15.98	7.85	8.13	No	<50	13	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/22/98	15.98	7.58	8.40	No	<50	12	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/26/99	15.98	6.42	9.56	No	<50	310	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/99	15.98	6.55	9.43	No	<2,500	13,500	---	<25	<25	<25	<25
MW9D	08/03/99	15.98	8.34	7.64	No	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	12/03/99	15.98	7.56	8.42	No	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9D	02/29/00	15.98	4.82	11.16	No	<50	2.5	---	<0.5	<0.5	<0.5	<0.5
MW9D	05/18/00	15.98	7.40	8.58	No	<50	6.2	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/24/00	15.98	7.91	8.07	No	<50	14	---	<0.5	<0.5	0.85	0.74
MW9D	10/09/00	15.98	8.02	7.96	No	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/01	15.98	7.26	8.72	No	<50	18	---	<0.5	<0.5	<0.5	<0.5
MW9D	04/10/01	15.98	7.32	8.66	No	<50	14	---	<0.5	<0.5	<0.5	<0.5
MW9D	07/12/01	15.98	--	--	No	<50	22	---	<0.5	<0.5	<0.5	<0.5
MW9D	08/17/01 d	15.98	--	--	---	--	--	--	--	--	--	--
MW9D	10/11/01	15.98	8.16	7.82	No	<50	24	---	<0.5	<0.5	<0.5	<0.5
MW9D	11/01/01	15.97	Well surveyed in compliance with AB2886 requirements.									
MW9D	01/11/02	15.97	6.64	9.33	No	352e	2.0e	---	<0.50	<0.50	<0.50	<0.50
MW9D	04/12/02	15.97	7.58	8.39	No	191	192	---	<0.50	<0.50	<0.50	<0.50
MW9D	07/12/02	15.97	8.01	7.96	No	108	124	---	<0.5	<0.5	<0.5	<0.5
MW9D	10/11/02	15.97	8.13	7.84	No	187	243	---	<0.5	<0.5	<0.5	<0.5
MW9D	01/10/03	15.97	5.98	9.99	No	386	132	---	4.1	<0.5	<0.5	<0.5
MW9D	04/09/03	15.97	7.53	8.44	No	468	292	---	3.80	<0.5	<0.5	<0.5
MW9D	07/22/03	15.97	7.87	8.10	No	446	339	---	0.70	<0.5	<0.5	<0.5
MW9D	10/01/03	15.97	8.04	7.93	No	402	---	362	<0.50	<0.5	<0.5	<0.5
MW9D	01/06/04	15.97	6.31	9.66	No	72.2	---	80.9	<0.50	<0.5	<0.5	<0.5
MW9D	06/07/04	15.97	8.17	7.80	No	237	---	353	<0.50	<0.5	<0.5	<0.5
MW9D	08/30/04 d	15.97	--	--	---	--	--	--	--	--	--	--
MW9D	12/13/04	15.97	5.39	10.58	No	379	---	353	4.80	0.7	<0.5	0.9
MW9D	03/14/05	15.97	6.93	9.04	No	<50.0	---	13.8	<0.50	<0.5	<0.5	<0.5
MW9D	06/08/05	15.97	8.83	7.14	No	<50.0	---	57.2	<0.50	<0.5	<0.5	<0.5
MW9D	09/01/05	15.97	7.99	7.98	No	64.3	---	51.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/09/05	15.97	7.96	8.01	No	56.3	---	33.0	<0.50	<0.50	<0.50	<0.50
MW9D	12/30/05 d	15.97	--	--	---	--	--	--	--	--	--	--

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg ($\mu\text{g/L}$)	MTBE 8021B ($\mu\text{g/L}$)	MTBE 8260B ($\mu\text{g/L}$)	B ($\mu\text{g/L}$)	T ($\mu\text{g/L}$)	E ($\mu\text{g/L}$)	X ($\mu\text{g/L}$)
MW9D	03/07/06	15.97	6.19	9.78	No	<50	---	9.3	<0.50	<0.50	<0.50	<0.50
MW9D	06/26/06	15.97	7.68	8.29	No	<50	---	9.7	<0.50	<0.50	<0.50	<0.50
MW9D	09/25/06	15.97	8.00	7.97	No	<50.0	---	13.8	<0.50	<0.50	<0.50	<0.50
MW9D	12/15/06	15.97	6.91	9.06	No	<50	---	11	<0.50	<0.50	<0.50	<0.50
MW9D	03/29/07	15.97	8.53	7.44	No	<50	---	6.91	<0.50	<0.50	<0.50	<0.50
MW9D	06/12/07	15.97	8.21	7.76	No	<50	---	9.8	<0.50	<0.50	<0.50	<0.50
MW9D	08/23/07	15.97	8.27	7.70	No	<50	---	15	<0.50	<0.50	<0.50	<0.50
MW9D	11/27/07	15.97	8.67	7.30	No	<50	---	21	<0.50	<0.50	<0.50	<0.50
MW9D	02/01/08	15.97	6.24	9.73	No	<50	---	4.7	<0.50	<0.50	<0.50	<0.50
MW9D	05/19/08	15.97	8.64	7.33	No	<0.50	---	9.2	<0.50	<0.50	<0.50	<0.50
MW9D	08/01/08	15.97	8.45	7.52	No	<50	---	13	<0.50	<0.50	<0.50	<0.50
MW9D	10/07/08	15.97	8.00	7.97	No	<50	---	14	<0.50	<0.50	<0.50	<0.50
MW9D	01/30/09	15.97	7.42	8.55	No	<50	---	7.3	<0.50	<0.50	<0.50	<0.50
MW9D	04/01/09	15.97	7.34	8.63	No	<50	---	2.2	<0.50	<0.50	<0.50	<0.50
MW9D	07/02/09	15.97	7.71	8.26	No	<50	---	2.4	<0.50	<0.50	<0.50	<0.50
MW9E	10/24/88	---	---	---	---	---	---	---	1.3	<1.0	<2.0	<1.0
MW9E	10/13/89	---	---	---	---	---	---	---	15	<0.5	2.1	<3.0
MW9E	10/19/90	---	---	---	---	<50	---	---	4.0	<0.5	0.9	<0.5
MW9E	Oct-90	Well destroyed.										
MW9F	12/06/88	---	---	---	---	---	---	---	<0.5	<1.0	<2.0	<1.0
MW9F	10/13/89	---	---	---	---	---	---	---	<0.5	<0.5	<0.5	<3.0
MW9F	10/19/90	---	---	---	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/05/92	96.96 l	5.81	91.15	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/05/92	96.96 l	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	09/14/92	96.96 l	---	---	---	---	---	---	---	---	---	---
MW9F	11/16/92	96.96 l	5.82	91.14	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/03/93	96.96 l	5.55	91.41	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/93	96.96 l	5.86	91.10	---	---	---	---	---	---	---	---
MW9F	05/19/93	96.96 l	---	---	---	<50	---	---	<0.5	---	1.2	6.8
MW9F	08/26/93	96.96 l	5.86	91.10	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/04/93	96.96 l	5.96	91.00	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	02/04/94	96.96 l	5.68	91.28	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/31/94	96.96 l	5.76	91.20	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	10/26/94	8.37	5.96	2.41	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	05/15/95	8.37	5.52	2.85	---	---	---	---	<0.5	<0.5	<0.5	<0.5
MW9F	11/02/95	8.37	6.60	1.77	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9F	04/26/96	8.37	6.50	1.87	No	<50	57	--	<0.5	<0.5	<0.5	<0.5
MW9F	08/22/96	8.37	5.74	2.63	No	<50	5.8	--	<0.5	<0.5	<0.5	<0.5
MW9F	02/24/97	8.37	--	--	No	<50	<30	--	<0.5	<0.5	<0.5	<0.5
MW9F	03/16/98	8.37	--	--	No	--	--	--	<0.5	<0.5	<0.5	<0.5
MW9F	04/21/98	8.37	--	--	--	--	--	--	--	--	--	--
MW9F	07/22/98	11.38	--	--	--	--	--	--	--	--	--	--
MW9F	12/22/98	11.38	5.47	5.91	No	<50	81	--	<0.5	<0.5	<0.5	<0.5
MW9F	02/26/99	11.38	5.35	6.03	No	<50	<2.5	--	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/99	11.38	5.62	5.76	No	<50	61.6	--	<0.5	<0.5	<0.5	<0.5
MW9F	08/03/99	11.38	6.32	5.06	No	<50	3.10	--	<0.5	<0.5	<0.5	<0.5
MW9F	12/03/99	11.38	5.59	5.79	No	<50	<2	--	<0.5	<0.5	0.71	<0.5
MW9F	02/29/00	11.38	4.70	6.68	No	<50	52	--	<0.5	<0.5	<0.5	<0.5
MW9F	05/18/00	11.38	5.37	6.01	No	<50	65	--	<0.5	<0.5	<0.5	<0.5
MW9F	07/24/00	11.38	5.65	5.73	No	<50	170	--	<0.5	<0.5	<0.5	<0.5
MW9F	10/09/00	11.38	5.71	5.67	No	<50	170	--	<0.5	<0.5	<0.5	<0.5
MW9F	01/10/01	11.38	4.30	7.08	No	<50	140	--	<0.5	<0.5	<0.5	<0.5
MW9F	04/10/01	11.38	5.20	6.18	No	<50	50	--	<0.5	<0.5	<0.5	<0.5
MW9F	07/12/01	11.38	--	--	No	<50	190	--	<0.5	<0.5	<0.5	<0.5
MW9F	08/17/01 d	11.38	--	--	--	--	--	--	--	--	--	--
MW9F	10/11/01	11.38	5.82	5.56	No	<50	260	--	<0.5	<0.5	<0.5	<0.5
MW9F	11/01/01	11.38	Well surveyed in compliance with AB2886 requirements.									
MW9F	01/11/02	11.38	5.12	6.26	No	<100	67.0e	--	<1.00	<1.00	<1.00	<1.00
MW9F	04/12/02	11.38	5.50	5.88	No	55.9	58.6	--	<0.50	<0.50	<0.50	<0.50
MW9F	07/12/02	11.38	5.65	5.73	No	102	121	--	<0.5	<0.5	<0.5	<0.5
MW9F	10/11/02	11.38	5.67	5.71	No	99.9	128	138	<0.5	<0.5	<0.5	<0.5
MW9F	01/10/03	11.38	5.09	6.29	No	<50.0	45.5	--	<0.5	<0.5	<0.5	<0.5
MW9F	04/09/03	11.38	5.39	5.99	No	<50.0	50.8	--	<0.50	<0.5	<0.5	<0.5
MW9F	07/22/03	11.38	5.52	5.86	No	82.3	64.0	--	<0.50	<0.5	<0.5	<0.5
MW9F	10/01/03	11.38	5.59	5.79	No	67.0	--	56.4	<0.50	<0.5	<0.5	<0.5
MW9F	01/06/04	11.38	5.21	6.17	No	<50.0	--	36.7	<0.50	<0.5	<0.5	<0.5
MW9F	06/07/04	11.38	6.03	5.35	No	<50.0	--	20.5	<0.50	<0.5	<0.5	<0.5
MW9F	08/30/04	11.38	h	h	h	<50.0h	--	14.0h	<0.50h	<0.5h	<0.5h	<0.5h
MW9F	12/13/04	11.38	4.80	6.58	No	<50.0	--	13.4	<0.50	<0.5	<0.5	<0.5
MW9F	03/14/05	11.38	5.10	6.28	No	<50.0	--	4.20	<0.50	<0.5	<0.5	<0.5
MW9F	06/08/05	11.38	5.38	6.00	No	<50.0	--	8.70	<0.50	<0.5	<0.5	<0.5
MW9F	09/01/05	11.38	5.53	5.85	No	<50.0	--	19.6	<0.50	<0.50	<0.50	<0.50
MW9F	12/09/05 j	11.38	--	--	--	--	--	--	--	--	--	--
MW9F	12/30/05	11.38	4.81	6.57	No	<50.0	--	7.01	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9F	03/07/06 j	11.38	--	--	--	--	--	--	--	--	--	--
MW9F	06/26/06 j	11.38	--	--	--	--	--	--	--	--	--	--
MW9F	09/25/06	11.38	5.56	5.82	No	<50.0	--	6.52	<0.50	<0.50	<0.50	<0.50
MW9F	12/15/06	11.38	5.10	6.28	No	<50	--	7.2	<0.50	<0.50	<0.50	<0.50
MW9F	03/29/07- Present j											
MW9G	12/06/88	--	--	--	--	--	--	--	0.8	<1.0	<2.0	<1.0
MW9G	10/13/89	--	--	--	--	--	--	--	<0.5	<0.5	<0.5	<3.0
MW9G	10/19/90	--	--	--	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9G	02/05/92	98.51 l	5.59	92.92	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9G	05/05/92	98.51 l	5.60	92.91	--	<50	--	--	1.5	3.8	1	4.7
MW9G	09/14/92	98.51 l	--	--	--	--	--	--	--	--	--	--
MW9G	11/16/92	98.51 l	5.78	92.73	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9G	02/03/93	98.51 l	5.05	93.46	--	64	--	--	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/93	98.51 l	5.62	92.89	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9G	08/26/93	98.51 l	5.86	92.65	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9G	11/04/93	98.51 l	5.96	92.55	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9G	02/04/94	98.51 l	5.48	93.03	--	<50	--	--	<0.5	<0.5	<0.5	<0.5
MW9G	05/31/94	98.51 l	5.50	93.01	--	--	--	--	--	--	--	--
MW9G	10/26/94	9.95	5.76	4.19	--	--	--	--	--	--	--	--
MW9G	05/15/95	9.95	4.88	5.07	--	--	--	--	--	--	--	--
MW9G	11/02/95	9.95	5.92	4.03	No	<50	<10	--	<0.5	<0.5	<0.5	<0.5
MW9G	04/26/96	9.95	5.28	4.67	No	<50	18	--	<0.5	<0.5	<0.5	<0.5
MW9G	08/22/96	9.95	5.57	4.38	No	<50	18	--	<0.5	<0.5	<0.5	<0.5
MW9G	02/24/97	9.95	5.30	4.65	No	<50	240	--	<0.5	0.57	<0.5	0.62
MW9G	03/16/98	9.95	--	--	--	--	--	--	--	--	--	--
MW9G	04/21/98	9.95	--	--	--	--	--	--	--	--	--	--
MW9G	07/22/98	12.99	--	--	--	--	--	--	--	--	--	--
MW9G	12/22/98	12.99	5.28	7.71	No	<50	1,100	--	<0.5	<0.5	<0.5	<0.5
MW9G	02/26/99	12.99	5.31	7.68	No	<50	50	--	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/99	12.99	5.18	7.81	No	<1,000	3,990	--	<10	<10	<10	<10
MW9G	08/03/99	12.99	6.00	6.99	No	<50	1,340	--	<0.5	<0.5	<0.5	<0.5
MW9G	12/03/99	12.99	5.27	7.72	No	<50	<2	--	<0.5	<0.5	<0.5	0.55 b
MW9G	02/29/00	12.99	4.60	8.39	No	<50	7,900	--	<0.5	<0.5	<0.5	<0.5
MW9G	05/18/00	12.99	5.16	7.83	No	<50	2,400	--	<0.5	<0.5	<0.5	<0.5
MW9G	07/24/00	12.99	5.20	7.79	No	<50	1,000	--	<0.5	<0.5	<0.5	<0.5
MW9G	10/09/00	12.99	5.26	7.73	No	<50	180	--	<0.5	<0.5	<0.5	<0.5
MW9G	01/10/01	12.99	5.18	7.81	No	<50	1,200	--	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)		
MW9G	04/10/01	12.99	5.08	7.91	No	<50	9,100	--	<0.5	<0.5	<0.5	<0.5		
MW9G	07/12/01	12.99	--	--	No	<50	3,000	--	<0.5	<0.5	<0.5	<0.5		
MW9G	08/17/01 d	12.99	--	--	--	--	--	--	--	--	--	--		
MW9G	10/11/01	12.99	5.48	7.51	No	<50	1,600	--	<0.5	<0.5	<0.5	<0.5		
MW9G	11/01/01	12.98			Well surveyed in compliance with AB2886 requirements.									
MW9G	01/11/02	12.98	4.97	8.01	No	419e	945e	--	<0.50	<0.50	<0.50	<0.50		
MW9G	04/12/02	12.98	5.12	7.86	No	10,700	11,000	--	<0.50	<0.50	<0.50	<0.50		
MW9G	07/12/02	12.98	5.31	7.67	No	2,310	3,140	--	<0.5	<0.5	<0.5	<0.5		
MW9G	10/11/02	12.98	5.39	7.59	No	1,630	2,040	2,090	<0.5	<0.5	<0.5	<0.5		
MW9G	01/10/03	12.98	4.90	8.08	No	367	566	--	<0.5	<0.5	<0.5	<0.5		
MW9G	04/09/03	12.98	5.15	7.83	No	3,730	3,990	--	<0.50	<0.5	<0.5	<0.5		
MW9G	07/22/03	12.98	5.30	7.68	No	1,070	968	--	<0.50	<0.5	<0.5	<0.5		
MW9G	10/01/03	12.98	5.41	7.57	No	1,300	--	1,570	<0.50	<0.5	<0.5	<0.5		
MW9G	01/06/04	12.98	4.92	8.06	No	568	--	918	<0.50	<0.5	<0.5	<0.5		
MW9G	06/07/04	12.98	5.49	7.49	No	457	--	324	<0.50	<0.5	<0.5	<0.5		
MW9G	08/30/04	12.98	h	h		428h	--	369h	<0.50h	<0.5h	<0.5h	<0.5h		
MW9G	12/13/04	12.98	5.01	7.97	No	1,030	--	1,030	<0.50	<0.5	<0.5	<0.5		
MW9G	03/14/05	12.98	4.98	8.00	No	395	--	451	<0.50	<0.5	<0.5	<0.5		
MW9G	06/08/05	12.98	5.54	7.44	No	333	--	404	<0.50	<0.5	<0.5	<0.5		
MW9G	09/01/05	12.98	6.35	6.63	No	218	--	308	<0.50	<0.50	<0.50	0.63		
MW9G	12/09/05 j	12.98	--	--	--	--	--	--	--	--	--	--		
MW9G	12/30/05	12.98	4.83	8.15	No	75.3	--	69.9	<0.50	<0.50	<0.50	<0.50		
MW9G	03/07/06 j	12.98	--	--	--	--	--	--	--	--	--	--		
MW9G	06/26/06 j	12.98	--	--	--	--	--	--	--	--	--	--		
MW9G	09/25/06	12.98	8.41	4.57	No	94.5	--	180	<0.50	<0.50	<0.50	<0.50		
MW9G	12/15/06	12.98	5.30	7.68	No	50k	--	52	<0.50	<0.50	<0.50	<0.50		
MW9G	03/29/07- Present j													
MW9H	12/06/88	--	--	--	--	--	--	--	<0.5	<1.0	<2.0	<1.0		
MW9H	10/13/89	--	--	--	--	--	--	--	<0.5	<0.5	<0.5	<3.0		
MW9H	10/19/90	--	--	--	--	<50	--	--	<0.5	<0.5	<0.5	<0.5		
MW9H	02/05/92	97.14 l	7.70	89.44	--	<50	--	--	<0.5	<0.5	<0.5	<0.5		
MW9H	05/05/92	97.14 l	8.12	89.02	--	<50	--	--	<0.5	<0.5	<0.5	<0.5		
MW9H	09/14/92	97.14 l	--	--	--	--	--	--	--	--	--	--		
MW9H	11/16/92	97.14 l	--	--	--	--	--	--	--	--	--	--		
MW9H	02/03/93	97.14 l	7.72	89.42	--	280	--	--	<0.5	<0.5	<0.5	<0.5		
MW9H	05/18/93	97.14 l	8.12	89.02	--	<50	--	--	<0.5	<0.5	1.1	6.4		
MW9H	08/26/93	97.14 l	8.14	89.00	--	<50	--	--	0.8	<0.5	<0.5	<0.5		

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9H	11/04/93	97.14	8.15	88.99	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9H	02/04/94	97.14	7.98	89.16	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9H	05/31/94	97.14	8.80	88.34	—	<50	—	—	0.92	1.1	<0.5	0.86
MW9H	10/26/94	8.58	8.12	0.46	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9H	05/15/95	8.58	7.88	0.70	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW9H	11/02/95	8.58	8.40	0.18	No	<50	<10	—	<0.5	<0.5	<0.5	<0.5
MW9H	04/26/96	8.58	8.05	0.53	No	—	—	—	—	—	—	—
MW9H	08/22/96	8.58	8.17	0.41	No	—	—	—	—	—	—	—
MW9H	02/24/97	8.58	—	—	—	—	—	—	—	—	—	—
MW9H	03/16/98	8.58	—	—	—	—	—	—	—	—	—	—
MW9H	04/21/98	8.58	—	—	—	—	—	—	—	—	—	—
MW9H	07/22/98	11.61	—	—	—	—	—	—	—	—	—	—
MW9H	12/22/98	11.61	7.81	3.80	No	<50	<2.5	—	<0.5	<0.5	<0.5	<0.5
MW9H	02/26/99	11.61	7.61	4.00	No	<50	<2.5	—	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/99	11.61	8.00	3.61	No	<50	3.98	—	<0.5	<0.5	<0.5	<0.5
MW9H	08/03/99	11.61	6.05	5.56	No	<50	<2.5	—	<0.5	<0.5	<0.5	<0.5
MW9H	12/03/99	11.61	5.32	6.29	No	<50	<2	—	<0.5	<0.5	<0.5	0.57 b
MW9H	02/29/00	11.61	7.10	4.51	No	<50	<2	—	<0.5	<0.5	<0.5	<0.5
MW9H	05/18/00	11.61	7.84	3.77	No	<50	9.7	—	<0.5	<0.5	<0.5	<0.5
MW9H	07/24/00	11.61	7.94	3.67	No	<50	17	—	<0.5	<0.5	<0.5	<0.5
MW9H	10/09/00	11.61	8.09	3.52	No	<50	13	—	<0.5	<0.5	<0.5	1.1
MW9H	01/10/01	11.61	7.89	3.72	No	<50	11	—	<0.5	<0.5	<0.5	0.5
MW9H	04/10/01	11.61	8.71	2.90	No	<50	44	—	<0.5	0.78	0.52	2.36
MW9H	07/12/01	11.61	—	—	No	<50	28	—	<0.5	<0.5	<0.5	<0.5
MW9H	08/17/01 d	11.61	—	—	—	—	—	—	—	—	—	—
MW9H	10/11/01	11.61	8.15	3.46	No	<50	30	—	<0.5	<0.5	<0.5	<0.5
MW9H	11/01/01	11.59	Well surveyed in compliance with AB2886 requirements.					—	—	—	—	—
MW9H	01/11/02	11.59	7.48	4.11	No	<50.0	20.5e	—	<0.50	<0.50	<0.50	<0.50
MW9H	04/12/02	11.59	7.68	3.91	No	<50.0	32.8	—	<0.50	<0.50	<0.50	<0.50
MW9H	07/12/02	11.59	8.06	3.53	No	<50.0	34.6	—	<0.5	<0.5	<0.5	<0.5
MW9H	10/11/02	11.59	7.83	3.76	No	<50.0	33.1	28.7	<0.5	<0.5	<0.5	<0.5
MW9H	01/10/03	11.59	7.39	4.20	No	<50.0	16.0	—	0.5	0.8	0.6	1.8
MW9H	04/09/03	11.59	7.69	3.90	No	<50.0	26.8	—	<0.50	<0.5	<0.5	<0.5
MW9H	07/22/03	11.59	7.94	3.65	No	55.3	34.7	—	<0.50	<0.5	<0.5	<0.5
MW9H	10/01/03	11.59	7.93	3.66	No	<50.0	—	32.3	<0.50	<0.5	<0.5	0.9
MW9H	01/06/04	11.59	7.27	4.32	No	<50.0	—	10	<0.50	<0.5	<0.5	<0.5
MW9H	06/07/04	11.59	7.99	3.60	No	50.6	—	71.7	<0.50	<0.5	<0.5	<0.5
MW9H	08/30/04	11.59	h	h	h	64.2h	—	51.0h	<0.50h	<0.5h	<0.50h	<0.5h

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9H	12/13/04	11.59	7.22	4.37	No	<50.0	---	14.0	<0.50	<0.5	0.5	1.2
MW9H	03/14/05	11.59	6.96	4.63	No	<50.0	---	27.4	<0.50	<0.5	<0.5	<0.5
MW9H	06/08/05	11.59	7.53	4.06	No	52.6	---	68.8	<0.50	<0.5	<0.5	<0.5
MW9H	09/01/05	11.59	7.82	3.77	No	140	---	71.6	<0.50	<0.50	<0.50	<0.50
MW9H	12/09/05 j	—	—	—	—	—	—	—	—	—	—	—
MW9H	12/30/05	11.59	7.27	4.32	No	<50.0	---	13.7	<0.50	<0.50	<0.50	<0.50
MW9H	03/07/06 j	11.59	—	—	—	—	—	—	—	—	—	—
MW9H	06/26/06 j	11.59	—	—	—	—	—	—	—	—	—	—
MW9H	09/25/06	11.59	7.96	3.63	No	59.5	---	71.0	<0.50	<0.50	<0.50	<0.50
MW9H	12/15/06	11.59	7.42	4.17	No	57	---	21	<0.50	<0.50	<0.50	<0.50
MW9H	03/29/07- Present j	—	—	—	—	—	—	—	—	—	—	—
MW9I	11/15/90	—	—	—	—	55	---	—	4.0	1.1	1.2	2.2
MW9I	02/05/92	98.66 l	5.56	93.10	—	<50	---	—	<0.5	<0.5	<0.5	<0.5
MW9I	05/05/92	98.66 l	5.60	93.06	—	<50	---	—	0.9	<0.5	<0.5	0.7
MW9I	09/14/92	98.66 l	6.12	92.54	—	<50	---	—	<0.5	<0.5	<0.5	<0.5
MW9I	11/16/92	98.66 l	5.82	92.84	—	<50	---	—	<0.5	<0.5	<0.5	<0.5
MW9I	02/03/93	98.66 l	4.92	93.74	—	240	---	—	46	1.1	2.3	2.1
MW9I	05/18/93	98.66 l	5.60	93.06	—	79	---	—	<0.5	<0.5	<0.5	<0.5
MW9I	08/26/93	98.66 l	5.91	92.75	—	<50	---	—	<0.5	<0.5	<0.5	<0.5
MW9I	11/04/93	98.66 l	6.03	92.63	—	<50	---	—	<0.5	<0.5	<0.5	<0.5
MW9I	02/04/94	98.66 l	5.37	93.29	—	<50	---	—	<0.5	<0.5	<0.5	<0.5
MW9I	05/31/94	98.66 l	5.46	93.20	—	240	---	—	0.66	0.63	<0.5	1.4
MW9I	10/26/94	10.11	5.88	4.23	—	150	---	—	<0.5	<0.5	<0.5	<0.5
MW9I	05/15/95	10.11	4.94	5.17	—	56	---	—	<0.5	0.82	<0.5	<0.5
MW9I	11/02/95	10.11	6.04	4.07	No	<50	<10	—	<0.5	<0.5	<0.5	<0.5
MW9I	04/26/96	10.11	5.27	4.84	No	<50	99	—	<0.5	<0.5	<0.5	<0.5
MW9I	08/22/96	10.11	5.66	4.45	No	<50	170	—	<0.5	<0.5	<0.5	<0.5
MW9I	02/24/97	10.11	5.24	4.87	No	120	9,100	—	<0.5	<0.5	<0.5	<0.5
MW9I	03/16/98	10.11	4.91	5.20	No	<200	59,000	—	13	<2.0	<2.0	<2.0
MW9I	04/21/98	10.11	5.08	5.03	No	<500	59,000	—	<5.0	<5.0	<5.0	<5.0
MW9I	07/22/98	13.14	5.44	7.70	No	<500	62,000	—	<5.0	<5.0	<5.0	<5.0
MW9I	12/22/98	13.14	5.32	7.82	No	200	51,000	—	1.7	<0.5	<0.5	<0.5
MW9I	02/26/99	13.14	4.71	8.43	No	<500	9,700	—	<5.0	<5.0	<5.0	<5.0
MW9I	05/18/99	13.14	5.30	7.84	No	<1,000	3,730	—	<10	<10	<10	<10
MW9I	08/03/99	13.14	5.98	7.16	No	<50	21,900	—	<0.5	0.650	<0.5	<0.5
MW9I	12/03/99	13.14	5.31	7.83	No	<250	2,000	—	3.9	2.9	<2.5	14
MW9I	02/29/00	13.14	4.20	8.94	No	50	16,000	—	0.74	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9I	05/18/00	13.14	5.12	8.02	No	<50	2,900	--	<0.5	<0.5	<0.5	<0.5
MW9I	07/24/00	13.14	5.41	7.73	No	<250	43,000	--	<2.5	<2.5	<2.5	<2.5
MW9I	10/09/00	13.14	5.41	7.73	No	<2,500	54,000	--	1.6	<0.5	<0.5	<0.5
MW9I	01/10/01	13.14	5.24	7.90	No	<250	36,000	--	<2.5	<2.5	<2.5	<2.5
MW9I	04/10/01	13.14	4.84	8.30	No	<50	4,800	--	<0.5	<0.5	<0.5	<0.5
MW9I	07/12/01	13.14	--	--	No	<50	8,400	--	<0.5	<0.5	<0.5	<0.5
MW9I	08/17/01	13.14	6.49	6.65	--	--	--	--	--	--	--	--
MW9I	10/11/01	13.14	5.64	7.50	No	<250	38,000	--	<2.5	<2.5	<2.5	<2.5
MW9I	11/01/01	13.13	Well surveyed in compliance with AB2886 requirements.									
MW9I	01/11/02	13.13	4.80	8.33	No	1,330e	5,400e	--	4.80e	<0.50	<0.50	<0.50
MW9I	04/12/02	13.13	5.22	7.91	No	1,460	1,480	--	<0.50	<0.50	<0.50	<0.50
MW9I	07/12/02	13.13	5.50	7.63	No	4,460	6,490	--	<0.5	<0.5	<0.5	<0.5
MW9I	10/11/02	13.13	5.35	7.78	No	31,300	37,700	51,000	<5.0	<5.0	<5.0	<5.0
MW9I	01/10/03	13.13	4.75	8.38	No	4,820	6,180	--	9.4	0.7	1.1	1.3
MW9I	04/09/03	13.13	5.15	7.98	No	2,130	1,510	--	22.3	1.9	1.5	1.5
MW9I	07/22/03	13.13	5.50	7.63	No	2,330	2,540	--	1.60	<0.5	<0.5	<0.5
MW9I	10/01/03	13.13	5.65	7.48	No	6,080	--	4,610	1.00	<0.5	<0.5	<0.5
MW9I	01/06/04	13.13	4.50	8.63	No	175	--	61.3	0.90	<0.5	0.5	<0.5
MW9I	06/07/04	13.13	6.87	6.26	No	4,620	--	3,410	<0.50	<0.5	<0.5	<0.5
MW9I	08/30/04	13.13	h	h	h	817h	--	847h	<0.50h	<0.5h	<0.5h	<0.5h
MW9I	12/13/04	13.13	4.47	8.66	No	<50.0	--	14.4	<0.50	<0.5	<0.5	<0.5
MW9I	03/14/05	13.13	5.05	8.08	No	96.7	--	44.9	<0.50	<0.5	<0.5	<0.5
MW9I	06/08/05	13.13	6.47	6.66	No	1,230	--	321	<0.50	<0.5	<0.5	0.8
MW9I	09/01/05	13.13	5.60	7.53	No	170	--	62.3	1.22	0.77	<0.50	<0.50
MW9I	12/09/05	13.13	6.82	6.31	No	78.3	--	81.0	<0.50	0.58	<0.50	<0.50
MW9I	12/30/05	13.13	4.23	8.90	No	--	--	--	--	--	--	--
MW9I	03/07/06	13.13	5.08	8.05	No	<50	--	0.96	<0.50	<0.50	<0.50	<0.50
MW9I	06/26/06	13.13	5.30	7.83	No	<50	--	3.7	<0.50	<0.50	<0.50	<0.50
MW9I	09/25/06	13.13	6.17	6.96	No	50.9	--	24.0	<0.50	<0.50	<0.50	<0.50
MW9I	12/15/06	13.13	5.45	7.68	No	<50	--	0.59	<0.50	<0.50	<0.50	<0.50
MW9I	03/29/07	13.13	6.35	6.78	No	<50	--	1.15	<0.50	<0.50	<0.50	0.62
MW9I	06/12/07	13.13	5.87	7.26	No	<50	--	0.53	<0.50	<0.50	<0.50	<0.50
MW9I	08/23/07	13.13	6.14	6.99	No	<50	--	0.86	<0.50	<0.50	<0.50	<0.50
MW9I	11/27/07	13.13	6.48	6.65	No	<50	--	0.69	<0.50	<0.50	<0.50	<0.50
MW9I	02/01/08	13.13	4.28	8.85	No	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	05/19/08	13.13	6.29	6.84	No	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	08/01/08	13.13	6.01	7.12	No	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	10/07/08	13.13	5.59	7.54	No	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9I	01/30/09	13.13	5.05	8.08	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	04/01/09	13.13	4.99	8.14	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9I	07/02/09	13.13	5.42	7.71	No	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Notes:

TOC	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquids.
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	= Analyte detected in the trip blank and/or bailer blank.
c	= Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	= Well inaccessible.
e	= Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods.
f	= Sample erroneously labeled MA9B on Chain-of-Custody form and laboratory report.
g	= Insufficient sample volume to perform analyses.
h	= Groundwater elevation data invalidated; analytical results suspect.
i	= Well sampled using no-purge method.
j	= Well not gauged and/or sampled due to encroachment permit restrictions.
k	= Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	= Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	EDB ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	Ethanol ($\mu\text{g/L}$)
MW9A	06/13/88- 07/12/02	Not analyzed for these analytes.						
MW9A	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	—
MW9A	01/10/03	—	—	—	—	—	—	—
MW9A	04/09/03	—	—	—	—	—	—	—
MW9A	07/22/03	—	—	—	—	—	—	—
MW9A	10/01/03	<0.50	<0.50	2.80	1,100	<0.50	<0.50	—
MW9A	01/06/04	<0.50	<0.50	4.90	11,900	<0.50	<0.50	—
MW9A	06/07/04	—	—	—	—	—	—	<2,500
MW9A	08/30/04 d	—	—	—	—	—	—	—
MW9A	12/13/04	—	—	—	—	—	—	—
MW9A	03/14/05	<0.50	<0.50	1.00	14,400	<0.50	<0.50	<50.0
MW9A	06/08/05	<0.50	<0.50	<0.50	22,400	<0.50	<0.50	<100
MW9A	09/01/05	—	—	—	—	—	—	—
MW9A	12/09/05	—	—	—	—	—	—	—
MW9A	12/30/05	—	—	—	—	—	—	—
MW9A	03/07/06	<5.0	<5.0	<5.0	5,600	<5.0	<5.0	<1,000
MW9A	06/26/06	—	—	—	—	—	—	<1,000
MW9A	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9A	12/15/06	<5.0	<5.0	<5.0	1,200	<5.0	<5.0	<1,000
MW9A	03/29/07	<0.500	<0.500	<0.500	297	<0.500	<0.500	<50.0
MW9A	06/12/07	<0.50	<0.50	<0.50	160	<0.50	<0.50	<100
MW9A	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	11/27/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	02/01/08	<0.50	<0.50	<0.50	5.0	<0.50	<0.50	<100
MW9A	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9A	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9A	01/30/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9A	04/01/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	63
MW9A	07/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9B	06/13/88- 07/12/02	Not analyzed for these analytes.						
MW9B	10/11/02 f	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	—
MW9B	01/10/03	—	—	—	—	—	—	—
MW9B	04/09/03	—	—	—	—	—	—	—

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9B	07/22/03	—	—	—	—	—	—	—
MW9B	10/01/03	<0.50	<0.50	9.70	2,430	<0.50	<0.50	—
MW9B	01/06/04	<0.50	<0.50	9.00	11,500	0.80	<0.50	—
MW9B	06/07/04	—	—	—	—	—	—	<50.0
MW9B	08/30/04	—	—	—	—	—	—	<50.0j
MW9B	12/13/04	—	—	—	—	—	—	—
MW9B	03/14/05	<0.50	<0.50	<0.50	4,800	<0.50	<0.50	<50.0
MW9B	06/08/05	<0.50	<0.50	<0.50	2,320	<0.50	<0.50	<100
MW9B	09/01/05	—	—	—	—	—	—	—
MW9B	12/09/05	—	—	—	—	—	—	—
MW9B	12/30/05	—	—	—	—	—	—	—
MW9B	03/07/06	<0.50	<0.50	<0.50	1,200	<0.50	<0.50	—
MW9B	06/26/06	—	—	—	—	—	—	—
MW9B	09/25/06	<0.500	<0.500	<0.500	70.1	<0.500	<0.500	—
MW9B	12/15/06	<0.50	<0.50	<0.50	56	<0.50	<0.50	—
MW9B	03/29/07	<0.500	<0.500	<0.500	734	<0.500	<0.500	—
MW9B	06/12/07	<0.50	<0.50	<0.50	270	<0.50	<0.50	—
MW9B	08/23/07	<5.0	<5.0	<5.0	520	<5.0	<5.0	—
MW9B	11/27/07	<0.50	<0.50	<0.50	51	<0.50	<0.50	—
MW9B	02/01/08	<0.50	<0.50	<0.50	29	<0.50	<0.50	<100
MW9B	05/19/08	<0.50	<0.50	<0.50	23	<0.50	<0.50	—
MW9B	08/01/08	<0.50	<0.50	<0.50	16	<0.50	<0.50	—
MW9B	10/07/08	<0.50	<0.50	<0.50	9.4	<0.50	<0.50	<50
MW9B	01/30/09	<0.50	<0.50	<0.50	12	<0.50	<0.50	<50
MW9B	04/01/09	<0.50	<0.50	<0.50	10	<0.50	<0.50	—
MW9B	07/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	—
MW9C	06/13/88- 07/12/02	Not analyzed for these analytes.						
MW9C	10/11/02	<0.50	<0.50	34.3	<10.0	<0.50	<0.50	—
MW9C	01/10/03	—	—	—	—	—	—	—
MW9C	04/09/03	—	—	—	—	—	—	—
MW9C	07/22/03	—	—	—	—	—	—	—
MW9C	10/01/03	<0.50	<0.50	2.70	38,400	<0.50	<0.50	—
MW9C	01/06/04	<0.50	<0.50	2.50	90,700	0.80	<0.50	—
MW9C	06/07/04	—	—	—	—	—	—	<50.0
MW9C	08/30/04	—	—	—	—	—	—	<50.0j

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9C	12/13/04	---	---	---	---	---	---	---
MW9C	03/14/05	<0.50	<0.50	<0.50	674	<0.50	<0.50	<50.0
MW9C	06/08/05	<0.50	<0.50	<0.50	817	<0.50	<0.50	<100
MW9C	09/01/05	---	---	---	---	---	---	---
MW9C	12/09/05	---	---	---	---	---	---	---
MW9C	12/30/05	---	---	---	---	---	---	---
MW9C	03/07/06	<2.5	<2.5	<2.5	160	<2.5	<2.5	---
MW9C	06/26/06	---	---	---	---	---	---	---
MW9C	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9C	12/15/06	<2.5	<2.5	<2.5	<60	<2.5	<2.5	---
MW9C	03/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9C	06/12/07	<2.5	<2.5	<2.5	<100	<2.5	<2.5	---
MW9C	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	11/27/07	<1.0	<1.0	<1.0	<20	<1.0	<1.0	---
MW9C	02/01/08	<1.0	<1.0	<1.0	<10	<1.0	<1.0	---
MW9C	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9C	10/07/08	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW9C	01/30/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9C	04/01/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9C	07/02/09	<2.0	<2.0	<2.0	<20	<2.0	<2.0	---
MW9D	10/24/88- 07/12/02	Not analyzed for these analytes.						
MW9D	10/11/02 g	---	---	---	---	---	---	---
MW9D	01/10/03	---	---	---	---	---	---	---
MW9D	04/09/03	---	---	---	---	---	---	---
MW9D	07/22/03	---	---	---	---	---	---	---
MW9D	10/01/03	<0.50	<0.50	<0.50	235	<0.50	<0.50	---
MW9D	01/06/04	<0.50	<0.50	<0.50	51.8	<0.50	<0.50	---
MW9D	06/07/04	---	---	---	---	---	---	<50.0
MW9D	08/30/04 h	---	---	---	---	---	---	---
MW9D	12/13/04	---	---	---	---	---	---	---
MW9D	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9D	06/08/05	<0.50	<0.50	<0.50	57.8	<0.50	<0.50	<100
MW9D	09/01/05	---	---	---	---	---	---	---
MW9D	12/09/05	---	---	---	---	---	---	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9D	12/30/05 d	---	---	---	---	---	---	---
MW9D	03/07/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9D	06/26/06	---	---	---	---	---	---	---
MW9D	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9D	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	---
MW9D	03/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9D	06/12/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW9D	08/23/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	11/27/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	02/01/08	<0.50	<0.50	<0.50	5.1	<0.50	<0.50	---
MW9D	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9D	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9D	01/30/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9D	04/01/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9D	07/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9E	10/24/88- 10/19/90	Not analyzed for these analytes.						
MW9E	Oct-90	Well destroyed.						
MW9F	12/06/88- 07/12/02	Not analyzed for these analytes.						
MW9F	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9F	01/10/03	---	---	---	---	---	---	---
MW9F	04/09/03	---	---	---	---	---	---	---
MW9F	07/22/03	---	---	---	---	---	---	---
MW9F	10/01/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9F	01/06/04	<0.50	<0.50	<0.50	13.7	<0.50	<0.50	---
MW9F	06/07/04	---	---	---	---	---	---	<50.0
MW9F	08/30/04	---	---	---	---	---	---	<50.0j
MW9F	12/13/04	---	---	---	---	---	---	---
MW9F	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9F	06/08/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW9F	09/01/05	---	---	---	---	---	---	---
MW9F	12/09/05 j	---	---	---	---	---	---	---
MW9F	12/30/05	---	---	---	---	---	---	---
MW9F	03/07/06 j	---	---	---	---	---	---	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9F	06/26/06 j	--	--	--	--	--	--	--
MW9F	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	--
MW9F	12/15/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	--
MW9F	03/29/07 - Present j							
MW9G	12/06/88- 07/12/02	Not analyzed for these analytes.						
MW9G	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	--
MW9G	01/10/03	--	--	--	--	--	--	--
MW9G	04/09/03	--	--	--	--	--	--	--
MW9G	07/22/03	--	--	--	--	--	--	--
MW9G	10/01/03	<0.50	<0.50	<0.50	17.1	<0.50	<0.50	--
MW9G	01/06/04	<0.50	<0.50	<0.50	367	<0.50	<0.50	--
MW9G	06/07/04	--	--	--	--	--	--	<50.0
MW9G	08/30/04	--	--	--	--	--	--	<50.0j
MW9G	12/13/04	--	--	--	--	--	--	--
MW9G	03/14/05	<0.50	<0.50	<0.50	569	<0.50	<0.50	<50.0
MW9G	06/08/05	<0.50	<0.50	<0.50	150	<0.50	<0.50	<100
MW9G	09/01/05	--	--	--	--	--	--	--
MW9G	12/09/05 j	--	--	--	--	--	--	--
MW9G	12/30/05	--	--	--	--	--	--	--
MW9G	03/07/06 j	--	--	--	--	--	--	--
MW9G	06/26/06 j	--	--	--	--	--	--	--
MW9G	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	--
MW9G	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	--
MW9G	03/29/07 - Present j							
MW9H	12/06/88- 10/19/90	Not analyzed for these analytes.						
MW9H	11/02/95	<50	<10	--	--	--	<0.5	<0.5
MW9H	04/26/96 - 07/12/02	Not analyzed for these analytes.						
MW9H	10/11/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	--
MW9H	01/10/03	--	--	--	--	--	--	--
MW9H	04/09/03	--	--	--	--	--	--	--
MW9H	07/22/03	--	--	--	--	--	--	--
MW9H	10/01/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	--
MW9H	01/06/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	--
MW9H	06/07/04	--	--	--	--	--	--	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9H	08/30/04	--	--	--	--	--	--	<50.0j
MW9H	12/13/04	--	--	--	--	--	--	--
MW9H	03/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9H	06/08/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW9H	09/01/05	--	--	--	--	--	--	--
MW9H	12/09/05 j	--	--	--	--	--	--	--
MW9H	12/30/05	--	--	--	--	--	--	--
MW9H	03/07/06 j	--	--	--	--	--	--	--
MW9H	06/26/06 j	--	--	--	--	--	--	--
MW9H	09/25/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	--
MW9H	12/15/06	<0.50	<0.50	<0.50	<12	<0.50	<0.50	--
MW9H	03/29/07 - Present j							
MW9I	11/15/90 - 07/12/02	Not analyzed for these analytes.						
MW9I	10/11/02	<0.50	<0.50	24.1	<10.0	<0.50	<0.50	--
MW9I	01/10/03	--	--	--	--	--	--	--
MW9I	04/09/03	--	--	--	--	--	--	--
MW9I	07/22/03	--	--	--	--	--	--	--
MW9I	10/01/03	<0.50	<0.50	1.50	30,300	<0.50	<0.50	--
MW9I	01/06/04	<0.50	<0.50	<0.50	377	<0.50	<0.50	--
MW9I	06/07/04	--	--	--	--	--	--	<50.0
MW9I	08/30/04	--	--	--	--	--	--	<50.0j
MW9I	12/13/04	--	--	--	--	--	--	--
MW9I	03/14/05	<0.50	<0.50	<0.50	1,640	<0.50	<0.50	<50.0
MW9I	06/08/05	<0.50	<0.50	<0.50	47,000	<0.50	<0.50	<100
MW9I	09/01/05	--	--	--	--	--	--	--
MW9I	12/09/05	--	--	--	--	--	--	--
MW9I	12/30/05	--	--	--	--	--	--	--
MW9I	03/07/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW9I	06/26/06	--	--	--	--	--	--	<100
MW9I	09/25/06	<0.500	<0.500	<0.500	10,300	<0.500	<0.500	<50.0
MW9I	12/15/06	<0.50	<0.50	<0.50	730	<0.50	<0.50	<100
MW9I	03/29/07	<0.500	<0.500	<0.500	632	<0.500	<0.500	<50.0
MW9I	06/12/07	<0.50	<0.50	<0.50	140	<0.50	<0.50	--
MW9I	08/23/07	<0.50	<0.50	<0.50	90	<0.50	<0.50	<100
MW9I	11/27/07	<0.50	<0.50	<0.50	15	<0.50	<0.50	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9I	02/01/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW9I	05/19/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9I	08/01/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW9I	10/07/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9I	01/30/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9I	04/01/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9I	07/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70238
 2200 East 12th Street
 Oakland, California

Notes:

TOC	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquids.
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Miscalculation in field. Field technician may have inadvertently monitored and sampled the wrong well. Resampled 05/27/99.
b	= Analyte detected in the trip blank and/or bailer blank.
c	= Due to measurement error during initial sampling event, DTW was re-measured on 08/17/01. Samples were not taken.
d	= Well inaccessible.
e	= Samples collected after fourth quarter 2001 analyzed by TestAmerica, Incorporated. Reported concentrations may be affected by differing laboratory quantitation methods.
f	= Sample erroneously labeled MA9B on Chain-of-Custody form and laboratory report.
g	= Insufficient sample volume to perform analyses.
h	= Groundwater elevation data invalidated; analytical results suspect.
i	= Well sampled using no-purge method.
j	= Well not gauged and/or sampled due to encroachment permit restrictions.
k	= Hydrocarbon result partly due to individual peak(s) in quantitation range.
l	= Elevation relative to temporary benchmark with an arbitrary elevation of 100.0 feet.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70238
2200 East 12th Street
Oakland, California

Well ID	Well Installation Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW9A	06/10/88	14.51	8	18	18	2	PVC	8-18	0.020	NS	NS
MW9B	06/10/88	12.84	8	20	18	2	PVC	8-18	0.020	NS	NS
MW9C	06/10/88	14.16	8	17	18	2	PVC	8-18	0.020	NS	NS
MW9D	10/05/88	15.97	12	16.5	14	4	PVC	5-14	NS	NS	NS
MW9E	10/05/88	NS	12	18.5	14	4	PVC	5-14	NS	NS	NS
MW9F	11/23/88	11.38	8	16	14	4	PVC	4-14	NS	NS	NS
MW9G	11/22/88	12.98	8	16.5	14	4	PVC	5-14	NS	NS	NS
MW9H	11/23/88	11.59	8	16.5	14	4	PVC	5-14	NS	NS	NS
MW9I	11/02/90	13.13	12	16	16	4	NS	4-14	NS	NS	NS
DPE1	06/05/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE2	06/04/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE3	06/04/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
DPE4	06/05/03	NS	10	21	20	4	PVC	5-20	0.020	4-20	#3 Sand
VP1	01/11/01	NS	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
VP2	01/11/01	NS	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- PVC = Polyvinyl chloride.
- feet bgs = feet below ground surface.
- NS = Not specified.

APPENDIX A

GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with an ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

$$1 \text{ well casing volume} = \pi r^2 h (7.48) \text{ where:}$$

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.


After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

APPENDIX B

LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY RECORDS



July 16, 2009

RECEIVED
JUL 20 2009

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

BY: _____

Subject: **Calscience Work Order No.: 09-07-0391**
Client Reference: **ExxonMobil 70238**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 7/7/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 07/07/09
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9A	09-07-0391-2-D	07/02/09 13:11	Aqueous	GC 30	07/08/09	07/09/09 06:04	090708B02

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	85	38-134			

MW9B	09-07-0391-3-D	07/02/09 12:42	Aqueous	GC 30	07/08/09	07/09/09 06:38	090708B02
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	79	38-134			

MW9C	09-07-0391-4-D	07/02/09 13:30	Aqueous	GC 30	07/08/09	07/09/09 07:11	090708B02
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	79	38-134			


MW9D	09-07-0391-5-D	07/02/09 12:55	Aqueous	GC 30	07/08/09	07/09/09 07:44	090708B02
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	85	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 07/07/09
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70238

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW91	09-07-0391-6-D	07/02/09 12:29	Aqueous	GC 30	07/08/09	07/09/09 08:17	090708B02

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>				<u>Qual</u>	
1,4-Bromofluorobenzene	84	38-134			

Method Blank	099-12-436-3,512	N/A	Aqueous	GC 30	07/08/09	07/09/09 01:05	090708B02
--------------	------------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>				<u>Qual</u>	
1,4-Bromofluorobenzene	86	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 07/07/09
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70238

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9A	09-07-0391-2-A	07/02/09 13:11	Aqueous	GC/MS L	07/13/09	07/14/09 03:32	090713L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Toluene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	50	1	
Methyl-t-Butyl Ether (MTBE)	40	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		1,2-Dichloroethane	ND	0.50	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
1,2-Dichloroethane-d4	104	80-128			1,4-Bromofluorobenzene	90	68-120		
Dibromofluoromethane	114	80-127			Toluene-d8	99	80-120		


MW9I	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
	09-07-0391-6-A	07/02/09 12:29	Aqueous	GC/MS L	07/13/09	07/14/09 05:26	090713L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Toluene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		1,2-Dichloroethane	ND	0.50	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
1,2-Dichloroethane-d4	102	80-128			1,4-Bromofluorobenzene	92	68-120		
Dibromofluoromethane	108	80-127			Toluene-d8	101	80-120		

Method Blank	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
	099-12-880-162	N/A	Aqueous	GC/MS L	07/13/09	07/14/09 02:06	090713L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Toluene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		1,2-Dichloroethane	ND	0.50	1	
Surrogates:	REC (%)	Control		Qual	Surrogates:	REC (%)	Control		Qual
1,2-Dichloroethane-d4	104	80-128			1,4-Bromofluorobenzene	91	68-120		
Dibromofluoromethane	111	80-127			Toluene-d8	102	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 07/07/09
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70238

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW9B	09-07-0391-3-A	07/02/09 12:42	Aqueous	GC/MS L	07/13/09	07/14/09 02:34	090713L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Toluene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	1.4	0.50	1		1,2-Dichloroethane	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	104	80-128			1,4-Bromofluorobenzene	93	68-120		
Dibromofluoromethane	110	80-127			Toluene-d8	102	80-120		


MW9C	09-07-0391-4-A	07/02/09 13:30	Aqueous	GC/MS L	07/13/09	07/14/09 03:03	090713L02
------	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.0	4		Diisopropyl Ether (DIPE)	ND	2.0	4	
Toluene	ND	2.0	4		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	4	
Ethylbenzene	ND	2.0	4		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	4	
Xylenes (total)	ND	2.0	4		1,2-Dibromoethane	ND	2.0	4	
Methyl-t-Butyl Ether (MTBE)	69	2.0	4		1,2-Dichloroethane	ND	2.0	4	
Tert-Butyl Alcohol (TBA)	ND	20	4						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	97	80-128			1,4-Bromofluorobenzene	91	68-120		
Dibromofluoromethane	104	80-127			Toluene-d8	102	80-120		

MW9D	09-07-0391-5-A	07/02/09 12:55	Aqueous	GC/MS L	07/13/09	07/14/09 04:57	090713L02
------	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Toluene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	2.4	0.50	1		1,2-Dichloroethane	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	86	80-128			1,4-Bromofluorobenzene	92	68-120		
Dibromofluoromethane	99	80-127			Toluene-d8	99	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 07/07/09
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70238

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-884-174	N/A	Aqueous	GC/MS L	07/13/09	07/14/09 02:06	090713L02


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Toluene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	104	80-128			1,4-Bromofluorobenzene	91	68-120		
Dibromofluoromethane	111	80-127			Toluene-d8	102	80-120		

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 07/07/09
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ExxonMobil 70238


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-07-0115-3	Aqueous	GC 30	07/08/09	07/09/09	090708S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	94	102	68-122	8	0-18	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 07/07/09
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8260B

Project ExxonMobil 70238


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW9A	Aqueous	GC/MS L	07/13/09	07/14/09	090713S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	101	76-124	2	0-20	
Toluene	98	99	80-120	1	0-20	
Ethylbenzene	100	97	78-126	2	0-20	
Methyl-t-Butyl Ether (MTBE)	81	46	67-121	8	0-49	3
Tert-Butyl Alcohol (TBA)	97	112	36-162	14	0-30	
Diisopropyl Ether (DIPE)	91	79	60-138	14	0-45	
Ethyl-t-Butyl Ether (ETBE)	85	76	69-123	12	0-30	
Tert-Amyl-Methyl Ether (TAME)	86	84	65-120	2	0-20	
Ethanol	114	152	30-180	28	0-72	
1,1-Dichloroethene	107	103	73-127	4	0-20	
1,2-Dibromoethane	106	103	80-120	3	0-20	
1,2-Dichlorobenzene	102	101	80-120	1	0-20	
Carbon Tetrachloride	90	88	74-134	2	0-20	
Chlorobenzene	105	104	80-120	1	0-20	
Trichloroethene	102	100	77-120	1	0-20	
Vinyl Chloride	98	98	72-126	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 07/07/09
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8260B

Project ExxonMobil 70238


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW9A	Aqueous	GC/MS L	07/13/09	07/14/09	090713S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	101	76-124	2	0-20	
Toluene	98	99	80-120	1	0-20	
Ethylbenzene	100	97	78-126	2	0-20	
Methyl-t-Butyl Ether (MTBE)	81	46	67-121	8	0-49	3
Tert-Butyl Alcohol (TBA)	97	112	36-162	14	0-30	
Diisopropyl Ether (DIPE)	91	79	60-138	14	0-45	
Ethyl-t-Butyl Ether (ETBE)	85	76	69-123	12	0-30	
Tert-Amyl-Methyl Ether (TAME)	86	84	65-120	2	0-20	
Ethanol	114	152	30-180	28	0-72	
1,1-Dichloroethene	107	103	73-127	4	0-20	
1,2-Dibromoethane	106	103	80-120	3	0-20	
1,2-Dichlorobenzene	102	101	80-120	1	0-20	
Carbon Tetrachloride	90	88	74-134	2	0-20	
Chlorobenzene	105	104	80-120	1	0-20	
Trichloroethene	102	100	77-120	1	0-20	
Vinyl Chloride	98	98	72-126	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70238


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-3,512	Aqueous	GC 30	07/08/09	07/09/09	090708B02

Parameter	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	106	104	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-880-162	Aqueous	GC/MS L	07/13/09	07/14/09	090713L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	103	99	80-120	73-127	3	0-20	
Toluene	100	100	80-120	73-127	0	0-20	
Ethylbenzene	97	94	80-120	73-127	3	0-20	
Methyl-t-Butyl Ether (MTBE)	78	73	69-123	60-132	6	0-20	
Tert-Butyl Alcohol (TBA)	94	115	63-123	53-133	21	0-20	X
Diisopropyl Ether (DIPE)	94	77	59-137	46-150	20	0-37	
Ethyl-t-Butyl Ether (ETBE)	86	73	69-123	60-132	17	0-20	
Tert-Amyl-Methyl Ether (TAME)	85	84	70-120	62-128	0	0-20	
Ethanol	129	140	28-160	6-182	8	0-57	
1,1-Dichloroethene	85	78	78-126	70-134	8	0-28	
1,2-Dibromoethane	99	94	79-121	72-128	5	0-20	
1,2-Dichlorobenzene	100	95	80-120	73-127	5	0-20	
Carbon Tetrachloride	89	82	74-134	64-144	8	0-20	
Chlorobenzene	102	101	80-120	73-127	1	0-20	
Trichloroethene	100	97	79-127	71-135	3	0-20	
Vinyl Chloride	92	86	72-132	62-142	6	0-20	

Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1


LCS ME CL validation result : Pass

X: LCS/LCS Duplicate RPD was out of control (above the upper control limit). The spike and spike duplicate were within control limits and, therefore, the sample data was reported without further clarification.

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-07-0391
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70238

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number	
099-12-884-174	Aqueous	GC/MS L	07/13/09	07/14/09	090713L02	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL
Benzene	103	99	80-120	73-127	3	0-20
Toluene	100	100	80-120	73-127	0	0-20
Ethylbenzene	97	94	80-120	73-127	3	0-20
Methyl-t-Butyl Ether (MTBE)	78	73	69-123	60-132	6	0-20
Tert-Butyl Alcohol (TBA)	94	115	63-123	53-133	21	0-20
Diisopropyl Ether (DIPE)	94	77	59-137	46-150	20	0-37
Ethyl-t-Butyl Ether (ETBE)	86	73	69-123	60-132	17	0-20
Tert-Amyl-Methyl Ether (TAME)	85	84	70-120	62-128	0	0-20
Ethanol	129	140	28-160	6-182	8	0-57
1,1-Dichloroethene	85	78	78-126	70-134	8	0-28
1,2-Dibromoethane	99	94	79-121	72-128	5	0-20
1,2-Dichlorobenzene	100	95	80-120	73-127	5	0-20
Carbon Tetrachloride	89	82	74-134	64-144	8	0-20
Chlorobenzene	102	101	80-120	73-127	1	0-20
Trichloroethene	100	97	79-127	71-135	3	0-20
Vinyl Chloride	92	86	72-132	62-142	6	0-20

Total number of LCS compounds : 16

Total number of ME compounds : 0


Total number of ME compounds allowed : 1


LCS ME CL validation result : Pass

X: LCS/LCS Duplicate RPD was out of control (above the upper control limit). The spike and spike duplicate were within control limits and, therefore, the sample data was reported without further clarification.

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501






Glossary of Terms and Qualifiers



Work Order Number: 09-07-0391

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



CHAIN OF CUSTODY RECORD

0391


Page 1 of 1



**7440 Lincoln Way
Garden Grove, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501**

ExxonMobil

Shipping Method:

Consultant Name: Environmental Resolutions, Inc.
Address: 601 North McDowell Boulevard
City/State/Zip: Petaluma, California 94954
Project Manager Paula Sime
Telephone Number: (707) 766-2000
ERI Job Number: 229313X
Sampler Name: (Print) ISAAC NYRAM
Sampler Signature: 
Deliver Commercial Express Other:

TAT	<input type="checkbox"/> 24 hour	<input type="checkbox"/> 72 hour	PROVIDE: EDF Report	Special Instructions: 7 CA Oxys= MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE. Set TBA detection limit at or below 12 ug/L.					Matrix			Analyze For:			
									<input type="checkbox"/> 48 hour	<input type="checkbox"/> 96 hour	<input checked="" type="checkbox"/> 8 day	Water	Soil	Vapor	TPHg 8015B
Sample ID / Description				DATE	TIME	COMP	GRAB	PRESERV	NUMBER						
1	QCBB			7/2/09	1135			HCl	2 VOAs	X		H	O	L	D
2	MW9A				1315			HCl	6 VOAs	X		X	X	X	X
3	MW9B				1242			HCl	6 VOAs	X		X	X	X	X
4	MW9C				1330			HCl	6 VOAs	X		X	X	X	X
5	MW9D				1255			HCl	6 VOAs	X		X	X	X	X
	MW9F (Not Sampled)							HCl	6 VOAs	X		X	X	X	X
	MW9G (Not Sampled)							HCl	6 VOAs	X		X	X	X	X
	MW9H (Not Sampled)							HCl	6 VOAs	X		X	X	X	X
6	MW9I			7/2/09	1729			HCl	6 VOAs	X		X	X	X	X
Relinquished by: <i>ISAAC WHITMAN</i>				Date 7/2/09	Time 1345	Received by: <i>TOM O'MALLEY CER</i> Time 1025 7/6/09				Laboratory Comments:					
												Temperature Upon Receipt:			
												Sample Containers Intact?			
												VOAs Free of Headspace?			
Relinquished by: <i>Tom O'Malley CER</i>				Date 7/6/09	Time 1730	Received by: <i>MARY A. CO</i> Time 7/7/09 1030									

Relinquished by: ISAAC WHITMAN Date 7/2/09 Time 1345 Received by: TOM O'MALLEY CER Time 1025
7/6/09

Laboratory Comments:

Temperature Upon Receipt:

Sample Containers Intact?

VOAs Free of Headspace?

Relinquished by Tom O'Malley at date 7/6/09 Time 1730 Received by: Greg R. Cox Time 7/7/09
at #512+5241

VOAs Free of Headspace?

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: ERI

DATE: 07/07/09

TEMPERATURE: (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 2.9 °C - 0.2 °C (CF) = 2.7 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: PS

CUSTODY SEALS INTACT:

<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>PS</u>
<input type="checkbox"/> Sample	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: <u>JL</u>

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> COC not relinquished. <input type="checkbox"/> No date relinquished. <input type="checkbox"/> No time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____

Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____

Air: Tedlar® Summa® _____ Other: _____ Checked/Labeled by: JL

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar (Wide-mouth) B: Bottle (Narrow-mouth)

Reviewed by: JL

Preservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered

Scanned by: JL

APPENDIX C

FIELD DATA SHEETS

Daily Field Report

Environmental Resolutions, Inc.



Project ID #: 10284

ERI Job # 0226962009

Subject: 1/4 LY GW SAMPLING

Date: 7/2/2009

Equipment Used: SOLINST/HYDAC/PUMPS/BATTS'S/SAMPLING EQUIPMENT/ETC.

Sheet: 1

Name(s): INGRAM, ISAAC

Time Arrived On Site: 9:00 AM

Time Departed Site: 2:00 PM

Total Travel 2.5

9:00 AM -ARRIVED ON SITE
-INFORMED STATION OF WORK TO BE DONE
-SET UP EXCLUSION ZONE AND CHOCKED THE WHEELS ON VEHICLE
9:00 AM -HELD H&S MEETING/REVIEWED HOSPITAL ROUTE
-REVIEWED APPLICABLE JSA'S
-PERFORMED SPSA FOR: TRAFFIC
-SET UP EXCLUSION ZONE AROUND WELLS TO BE OPENED
-STARTED PAPERWORK FOR SITE AND LABELS
-SET UP DECON/WORK AREA AND DECON'D EQUIPMENT
9:30 AM -OPENED WELLS AND ALLOWED WELLS TO CHARGE
10:00 AM -STARTED MEASURING/FINISHED AT 10:30 AM
10:45 AM -STARTED PURGING/FINISHED AT 11:30 AM
12:00 PM -STARTED SAMPLING/FINISHED AT 2:00 PM
-DECON'D EQUIPMENT/CLEANED UP DECON STATION/LOADED TRUCK
-BROKE DOWN EXCLUSION ZONE/LOADED TRUCK
2:00 PM -ERI OFF SITE

*M/P/S 5 WELLS

*M/S 0 WELLS

*M/S LOW FLOW 0 WELLS

*MO 0 WELLS

*O/P 0 WELLS

*POTABLE 0 WELLS

*TOOK TWO AT 1:00 PM

TOTAL PURGED GALLONS: 49

*0 T/C SET UPS



DAILY FIELD REPORT

Environmental Resolutions, Inc.

PROJECT: 70238 JOB # + ACTIVITY: 229313X
SUBJECT: O&M DATE: 7/2/09
EQUIPMENT USED: - SHEET: 1 OF 1
NAME: L. MURAM PROJECT MNGR: Pawca

ONSITE 900

SUPER 930 ; CALL DAVID TO REVIEW SIGHTING + CHECK IN
SDEN WELLS 1000

DTW WELLS 1020 MW A, B, C, D, I

Purge wells 1045

SAMPLE WELLS 1200 - 145

TOTAL Purge	49
TOTAL DECON	15
TOTAL H ₂ O TO T47	64

OFFSITE 200 / 1400

WATER SAMPLING SITE STATUS

Date: 7/2/09

Inspected by: J. JAHRSAM

ERI Job Number: 2293 Station No.: 70238

Site Address: 2200 E 12th ST OAKLAND

N = Not repairable in time available-see comments.

Y = Yes.

s = Soil

$\alpha =$ Graffitti on walls

R = Repaired-see comments

$$N = N_0$$

w = Water

$v = \text{Vocants}$ (\approx evidence of)

ok = No action needed

$$N = N_0$$

w = Water.

v = Vagrants (or evidence)

MONITORING - FIELD LOG					
ERI #	2293		QRT	3rd	2009
Client:	ExxonMobil		DATE:	7/2/09	
Site ID:	7-0238		TECH	H	
ADDRESS:			PM:	Paula	
2200 East 12th St. Oakland, Ca			Total Purge Volume		
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
BB					
COMMENTS:					
		PRG			
MW9I	TIME	VOL	TEMP	COND	pH
	10:55	6		US	
	10:59	6	25.60	1292.00	6.39
	11:03	12	24.20	1327.00	6.66
	11:07	18	23.30	1259.00	6.67
TOTAL PURGE	18				
COMMENTS:					
		PRG			
MW9B	TIME	VOL	TEMP	COND	pH
	11:18	2		US	
	11:19	2	21.40	753.00	7.11
	11:20	4	21.80	718.00	6.56
	11:22	6	22.00	721.00	6.52
TOTAL PURGE	6				
COMMENTS:					
		PRG			
MW9D	TIME	VOL	TEMP	COND	pH
	11:32	5		US	
	11:36	5	20.70	574.00	6.27
	11:39	10	20.40	588.00	6.27
TOTAL PURGE	14				
COMMENTS:	DRY@14				

MONITORING - FIELD LOG					
ERI #	2293		QRT	3rd	2009
Client:	ExxonMobil		DATE:	7/2/09	
Site ID:	7-0238		TECH	II	
ADDRESS:			PM:	Paula	
2200 East 12th St. Oakland, Ca			Total Purge Volume		
		PRG			
MW9A	TIME	VOL	TEMP	COND	pH
	11:52	2			
	11:53	2	22.00	642.00	6.62
	11:00	4	21.50	597.00	6.47
TOTAL PURGE	5				
COMMENTS:	DRY@5				
		PRG			
MW9C	TIME	VOL	TEMP	COND	pH
	12:03	2		US	
	12:04	2	21.80	662.00	6.70
	12:05	4	21.60	660.00	6.67
	12:06	6	21.80	655.00	6.59
TOTAL PURGE	6				
COMMENTS:					
Total Purge	49.00				
Decon	15.00				
Total H2O	64.00				

Depth to Water Data		3rd	2009	Calc Case Volume for purge
ERI #	2293			2" WELL x 0.163
Site #	7-0238	Address:	220 East 12th St., Oakland, CA	4" WELL x 0.652
PM:	Paula Sime			6" WELL x 1.467
Date:	7/2/2009			r (squared) x 0.163
Tech:	II	Recharge formula:		
DTW Time		Step 1 ►	Calc 100% in feet ►	TD - PreDTW (ft) =
Start:		Step 2 ►	Calc PostDTW (ft) ►	TD - PostDTW (ft) =
Finish:		Take ratio of result from Step 2 and Step 1 to find % recharge		

WELL ID	TD	PreDTW	CASE D	CASE V	PostDTW	Rechrg 80%	Sample Time	DTP
MW 9A	17.52	6.11	2	1.86	6.2	Y		
MW 9B	17.58	5.65	2	1.94	5.75	Y		
MW 9C	16.00	6.45	2	1.56	6.54	Y		
MW 9D	14.76	7.71	4	4.60	7.85	Y		
MW 9F	13.95		4	9.10				
MW 9G	14.00		4	9.13				
MW 9H	14.17		4	9.24				
MW 9I	13.68	5.42	4	5.39	0.65	Y		

APPENDIX D

WASTE DISPOSAL DOCUMENTATION

Q093

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.	2. Page 1 of /
3. Generator's Name and Mailing Address <i>E41-70238 2200 E 12th St. Oakland, CA.</i>		4. Generator's Phone () <i>(707) 760-2024</i>		5. Transporter 1 Company Name <i>ERI</i>	
6. US EPA ID Number		7. Transporter 2 Company Name <i></i>		8. US EPA ID Number	
9. Designated Facility Name and Site Address <i>Instrat 1105 C Airport Rd. R.O. Vista, CA</i>		10. US EPA ID Number <i>1CARR00150599</i>		A. State Transporter's ID <i></i>	
11. WASTE DESCRIPTION a. <i>Non-Haz purge water</i>		12. Containers No. Type		B. Transporter 1 Phone <i>(707) 760-2024</i>	
b. <i></i>		13. Total Quantity		C. State Transporter's ID <i></i>	
c. <i></i>		14. Unit Wt./Vol.		D. Transporter 2 Phone <i></i>	
d. <i></i>				E. State Facility's ID <i></i>	
G. Additional Descriptions for Materials Listed Above Colors - <i>clear</i> Odors - <i>o</i> Solids - <i>o</i>		H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name		Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name		Signature		Date Month Day Year	