



EMCON

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

ENVIRONMENTAL
PROTECTION

96 SEP -5 PM 2:40

Date September 3, 1996
Project 20805-130.004

To:

Mr. Barney Chan
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harborbay Parkway, Suite 250
Alameda, California 94502-6577

3876

We are enclosing:

Copies	Description
<u>1</u>	<u>Second quarter 1996 groundwater monitoring results</u> <u>for ARCO service station 2185, Oakland, California</u>

For your:	<input checked="" type="checkbox"/>	Use	Sent by:	<input checked="" type="checkbox"/>	Regular Mail
	<input type="checkbox"/>	Approval		<input type="checkbox"/>	Standard Air
	<input type="checkbox"/>	Review		<input type="checkbox"/>	Courier
	<input type="checkbox"/>	Information		<input type="checkbox"/>	Other

Comments:

The enclosed groundwater monitoring report is being sent to you per the request of ARCO Products Company. Please call if you have questions or comments.


John C. Young
Project Manager

cc: Kevin Graves, RWQCB - SFBR
Paul Supple, ARCO Products Company
File





Date: September 3, 1996

Re: ARCO Station #

2185 • 9800 East 14th Street • Oakland, CA
Second Quarter 1996 Groundwater Monitoring Results

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached proposal or report are true and correct."

Submitted by:

A handwritten signature in black ink that reads "Paul Supple". The signature is written in a cursive style with a large initial "P".

Paul Supple
Environmental Engineer



EMCON

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

August 26, 1996
Project 20805-130.004

Mr. Paul Supple
ARCO Products Company
P.O. Box 6549
Moraga, California 94570

Re: Second quarter 1996 groundwater monitoring program results, ARCO service station 2185, Oakland, California

Dear Mr. Supple:

This letter presents the results of the second quarter 1996 groundwater monitoring program at ARCO Products Company (ARCO) service station 2185, 9800 East 14th Street, Oakland, California (Figure 1). The quarterly monitoring program complies with Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

LIMITATIONS


No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, such a finding should not therefore be construed as a guarantee of the absence of such conditions at the site, but rather as the result of the scope, limitations, and cost of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

EMCON


John C. Young, R.G. 6407
Project Manager



ARCO QUARTERLY REPORT

Station No.: 2185 Address: 9800 East 14th Street, Oakland, California
 EMCON Project No. 20805-130.004
 ARCO Environmental Engineer/Phone No.: Paul Supple /(510) 299-8891
 EMCON Project Manager/Phone No.: John C. Young /(408) 453-7300
 Primary Agency/Regulatory ID No.: ACHCSA /Barney Chan

WORK PERFORMED THIS QUARTER (Second- 1996):

1. Performed quarterly groundwater monitoring for second quarter 1996.
2. Prepared and submitted quarterly groundwater monitoring report for first quarter 1996.

WORK PROPOSED FOR NEXT QUARTER (Third- 1996):

1. Perform quarterly groundwater monitoring and sampling for third quarter 1996.
2. Prepare and submit quarterly groundwater monitoring report for second quarter 1996.
3. Prepare a risk-based corrective action evaluation.

QUARTERLY MONITORING:

Current Phase of Project: Quarterly Groundwater Monitoring
 Frequency of Sampling: Quarterly (groundwater)
 Frequency of Monitoring: Quarterly (groundwater)
 Is Floating Product (FP) Present On-site: Yes No
 Bulk Soil Removed to Date : 2,550 cubic yards of TPH impacted soil
 Bulk Soil Removed This Quarter : None
 Water Wells or Surface Waters,
 within 2000 ft., impacted by site: None
 Current Remediation Techniques: None
 Approximate Depth to Groundwater: 9.77 feet
 Groundwater Gradient (Average): 0.007 ft/ft toward west (consistent with past events)

ATTACHED:

- Table 1 - Groundwater Monitoring Data, Second Quarter 1996
- Table 2 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Figure 1 - Site Location
- Figure 2 - Groundwater Data, Second Quarter 1996
- Appendix A - Field Data Sheets, Second Quarter 1996 Groundwater Monitoring Event
- Appendix B - Analytical Results and Chain of Custody Documentation, Second Quarter 1996 Groundwater Monitoring Event

cc: Barney Chan, ACHCSA
 Kevin Graves, RWQCB - SFBR

Table 1
Groundwater Monitoring Data
Second Quarter 1996

ARCO Service Station 2185
 9800 East 14th Street, Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L
MW-1	05-30-96	29.15	10.05	19.10	ND	W	0.007	05-31-96	Not sampled: not scheduled for chemical analysis						
MW-2	05-30-96	28.47	9.89	18.58	ND	W	0.007	05-31-96	970	<9	<1	29	3	<5	--
MW-3	05-30-96	28.57	9.77	18.80	ND	W	0.007	05-31-96	2100	41	<5	57	15	890	--
MW-4	05-30-96	29.21	10.34	18.87	ND	W	0.007	05-31-96	Not sampled: not scheduled for chemical analysis						
MW-5	05-30-96	28.12	9.48	18.64	ND	W	0.007	05-31-96	Not sampled: not scheduled for chemical analysis						
MW-6	05-30-96	27.79	9.35	18.44	ND	W	0.007	05-31-96	Not sampled: not scheduled for chemical analysis						
MW-7	05-30-96	27.88	9.98	17.90	ND	W	0.007	05-31-96	<100*	<0.5	<0.5	<0.5	<0.5	<3	--
MW-8	05-30-96	28.08	9.68	18.40	ND	W	0.007	05-31-96	100	<0.5	<0.5	<0.6	<0.5	16	--
MW-9	05-30-96	27.73	10.50	17.23	ND	W	0.007	05-31-96	<50	0.6	<0.5	<0.5	<0.5	<8	--
MW-10	05-30-96	27.55	9.99	17.56	ND	W	0.007	05-31-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: methyl-tert-butyl ether

ND: none detected

W: west

--: not analyzed

*: chromatogram does not match the typical gasoline fingerprint

Table 2
 Historical Groundwater Elevation and Analytical Data
 Petroleum Hydrocarbons and Their Constituents
 1994 - Present*

ARCO Service Station 2185
 9800 East 14th Street, Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHC LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L
MW-1	02-08-94	29.15	11.29	17.86	ND	NR	NR								
MW-1	03-04-94	29.15	10.61	18.54	ND	NR	NR	03-04-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-1	05-10-94	29.15	11.12	18.03	ND	NR	NR	05-10-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-1	08-12-94	29.15	12.55	16.60	ND	SW	0.004	08-12-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-1	09-23-94	29.15	11.27	17.88	ND	NR	NR								
MW-1	11-22-94	29.15	11.12	18.03	ND	SW	0.003	11-22-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-1	03-15-95	29.15	8.50	20.65	ND	NW	0.01	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-1	05-30-95	29.15	10.28	18.87	ND	SW	0.005	05-30-95	Not sampled: not scheduled for chemical analysis						
MW-1	09-20-95	29.15	11.70	17.45	ND	WSW	0.005	09-20-95	Not sampled: not scheduled for chemical analysis						
MW-1	11-07-95	29.15	12.12	17.03	ND	WSW	0.004	11-07-95	Not sampled: not scheduled for chemical analysis						
MW-1	02-28-96	29.15	8.54	20.61	ND	NW	0.009	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--
MW-1	05-30-96	29.15	10.05	19.10	ND	W	0.007	05-31-96	Not sampled: not scheduled for chemical analysis						
MW-2	02-08-94	28.47	10.85	17.62	ND	NR	NR								
MW-2	03-04-94	28.47	10.16	18.31	ND	NR	NR	03-04-94	3100	49	<2.5	180	98	--	--
MW-2	05-10-94	28.47	10.70	17.77	ND	NR	NR	05-10-94	3100	39	<2.5	220	99	--	--
MW-2	08-12-94	28.47	12.12	16.35	ND	SW	0.004	08-12-94	1800	13	<2.5	120	35	--	--
MW-2	09-23-94	28.47	10.87	17.60	ND	NR	NR								
MW-2	11-22-94	28.47	10.65	17.82	ND	SW	0.003	11-22-94	2300	45	<0.5	190	93	--	--
MW-2	03-15-95	28.47	8.37	20.10	ND	NW	0.01	03-15-95	2100	7.4	<2.5	130	39	--	--
MW-2	05-30-95	28.47	9.95	18.52	ND	SW	0.005	05-30-95	1700	3.3	<2.5	120	31	--	--
MW-2	09-20-95	28.47	11.37	17.10	ND	WSW	0.005	09-21-95	1200	1	<1	68	16	<5	--
MW-2	11-07-95	28.47	11.73	16.74	ND	WSW	0.004	11-07-95	1100	<3	<3	74	14	<20	--
MW-2	02-28-96	28.47	8.12	20.35	ND	NW	0.009	02-29-96	2200	<3	<3	130	27	<20	--
MW-2	05-30-96	28.47	9.89	18.58	ND	W	0.007	05-31-96	970	<9	<1	29	3	<5	--

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1994 - Present*

ARCO Service Station 2185
 9800 East 14th Street, Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L
MW-3	02-08-94	28.57	10.93	17.64	ND	NR	NR								
MW-3	03-04-94	28.57	10.33	18.24	ND	NR	NR	03-04-94	17000	50	<10	790	1600	--	--
MW-3	05-10-94	28.57	10.77	17.80	ND	NR	NR	05-10-94	14000	32	<10	710	1200	--	--
MW-3	08-12-94	28.57	12.07	16.50	ND	SW	0.004	08-12-94	13000	37	<10	640	970	--	--
MW-3	09-23-94	28.57	10.94	17.63	ND	NR	NR								
MW-3	11-22-94	28.57	10.76	17.81	ND	SW	0.003	11-22-94	15000	150	<10	1300	2000	--	--
MW-3	03-15-95	28.57	8.47	20.10	ND	NW	0.01	03-15-95	2000	<2.5	<2.5	88	82	--	--
MW-3	05-30-95	28.57	10.03	18.54	ND	SW	0.005	05-30-95	2000	3.2	<2.5	70	46	--	--
MW-3	09-20-95	28.57	11.30	17.27	ND	WSW	0.005	09-21-95	2100	12	<3	77	38	280	--
MW-3	11-07-95	28.57	11.65	16.92	ND	WSW	0.004	11-07-95	3000	18	<3	120	62	--	430
MW-3	02-28-96	28.57	8.35	20.22	ND	NW	0.009	02-29-96	5100	83	<5	160	57	640	--
MW-3	05-30-96	28.57	9.77	18.80	ND	W	0.007	05-31-96	2100	41	<5	57	15	890	--
MW-4	02-08-94	29.21	11.54	17.67	ND	NR	NR								
MW-4	03-04-94	29.21	10.84	18.37	ND	NR	NR	03-04-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-4	05-10-94	29.21	11.38	17.83	ND	NR	NR	05-10-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-4	08-12-94	29.21	12.82	16.39	ND	SW	0.004	08-12-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-4	09-23-94	29.21	11.54	17.67	ND	NR	NR								
MW-4	11-22-94	29.21	11.35	17.86	ND	SW	0.003	11-22-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-4	03-15-95	29.21	8.69	20.52	ND	NW	0.01	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-4	05-30-95	29.21	10.57	18.64	ND	SW	0.005	05-30-95	Not sampled: not scheduled for chemical analysis						
MW-4	09-20-95	29.21	12.02	17.19	ND	WSW	0.005	09-20-95	Not sampled: not scheduled for chemical analysis						
MW-4	11-07-95	29.21	12.42	16.79	ND	WSW	0.004	11-07-95	Not sampled: not scheduled for chemical analysis						
MW-4	02-28-96	29.21	8.66	20.55	ND	NW	0.009	02-28-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--
MW-4	05-30-96	29.21	10.34	18.87	ND	W	0.007	05-31-96	Not sampled: not scheduled for chemical analysis						

Table 2
 Historical Groundwater Elevation and Analytical Data
 Petroleum Hydrocarbons and Their Constituents
 1994 - Present*

ARCO Service Station 2185
 9800 East 14th Street, Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240
		ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	02-08-94	28.12	10.53	17.59	ND	NR	NR								
MW-5	03-04-94	28.12	9.89	18.23	ND	NR	NR	03-04-94	540	0.9	0.6	16	6.3	--	--
MW-5	05-10-94	28.12	10.37	17.75	ND	NR	NR	05-10-94	1300	11	<2.5	110	68	--	--
MW-5	08-12-94	28.12	11.60	16.52	ND	SW	0.004	08-12-94	1500	10	<2.5	110	30	--	--
MW-5	09-23-94	28.12	10.52	17.60	ND	NR	NR								
MW-5	11-22-94	28.12	10.29	17.83	ND	SW	0.003	11-22-94	84	1	<0.5	5	2	--	--
MW-5	03-15-95	28.12	8.47	19.65	ND	NW	0.01	03-15-95	170	5.6	<0.5	17	11	--	--
MW-5	05-30-95	28.12	9.69	18.43	ND	SW	0.005	05-30-95	53	0.6	<0.5	4.8	2.8	--	--
MW-5	09-20-95	28.12	10.90	17.22	ND	WSW	0.005	09-21-95	1500	47	2	120	86	70	--
MW-5	11-07-95	28.12	11.20	16.92	ND	WSW	0.004	11-07-95	140	4.5	<0.5	8.3	16	10	--
MW-5	02-28-96	28.12	8.15	19.97	ND	NW	0.009	02-29-96	900	11	<1	59	29	99	--
MW-5	05-30-96	28.12	9.48	18.64	ND	W	0.007	05-31-96	Not sampled: not scheduled for chemical analysis						
MW-6	02-08-94	27.79	10.28	17.51	ND	NR	NR								
MW-6	03-04-94	27.79	9.67	18.12	ND	NR	NR	03-04-94	5800	320	<5	510	360	--	--
MW-6	05-10-94	27.79	10.13	17.66	ND	NR	NR	05-10-94	11000	470	<10	880	650	--	--
MW-6	08-12-94	27.79	11.44	16.35	ND	SW	0.004	08-12-94	4400	170	<10	390	210	--	--
MW-6	09-23-94	27.79	10.27	17.52	ND	NR	NR								
MW-6	11-22-94	27.79	10.10	17.69	ND	SW	0.003	11-22-94	7300	390	<5	940	640	--	--
MW-6	03-15-95	27.79	7.75	20.04	ND	NW	0.01	03-15-95	3600	77	<5	420	180	--	--
MW-6	05-30-95	27.79	9.48	18.31	ND	SW	0.005	05-30-95	5000	68	<5	530	250	--	--
MW-6	09-20-95	27.79	10.75	17.04	ND	WSW	0.005	09-21-95	3300	36	<5	360	120	<30	--
MW-6	11-07-95	27.79	11.06	16.73	ND	WSW	0.004	11-07-95	3500	33	<5	410	110	<30	--
MW-6	02-28-96	27.79	7.86	19.93	ND	NW	0.009	02-29-96	520	33	<5	480	160	<30	--
MW-6	05-30-96	27.79	9.35	18.44	ND	W	0.007	05-31-96	Not sampled: not scheduled for chemical analysis						

Table 2
 Historical Groundwater Elevation and Analytical Data
 Petroleum Hydrocarbons and Their Constituents
 1994 - Present*

ARCO Service Station 2185
 9800 East 14th Street, Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L
MW-7	02-08-94	27.88	10.83	17.05	ND	NR	NR								
MW-7	03-04-94	27.88	10.13	17.75	ND	NR	NR	03-04-94	320*	<0.5	<0.5	<0.5	<0.5	--	--
MW-7	05-10-94	27.88	10.68	17.20	ND	NR	NR	05-10-94	330*	0.6	<0.5	<0.5	<0.5	--	--
MW-7	08-12-94	27.88	12.05	15.83	ND	SW	0.004	08-12-94	360*	<0.5	<0.5	<0.5	<0.5	--	--
MW-7	09-23-94	27.88	10.85	17.03	ND	NR	NR								
MW-7	11-22-94	27.88	10.60	17.28	ND	SW	0.003	11-22-94	<50	<0.5	<0.5	<0.5	<0.5	--	--
MW-7	03-15-95	27.88	8.13	19.75	ND	NW	0.01	03-15-95	150*	<0.5	<0.5	<0.5	<0.5	--	--
MW-7	05-30-95	27.88	10.14	17.74	ND	SW	0.005	05-30-95	110*	<0.5	<0.5	<0.5	<0.5	--	--
MW-7	09-20-95	27.88	11.52	16.36	ND	WSW	0.005	09-20-95	<400*	<0.8	<0.5	<0.5	<0.5	<7	--
MW-7	11-07-95	27.88	11.70	16.18	ND	WSW	0.004	11-07-95	<500	2	<1	<1	<1	<20	--
MW-7	02-28-96	27.88	8.19	19.69	ND	NW	0.009	02-29-96	<300*	<0.5	<0.5	<0.5	<0.5	<6	--
MW-7	05-30-96	27.88	9.98	17.90	ND	W	0.007	05-31-96	<100*	<0.5	<0.5	<0.5	<0.5	<3	--
MW-8	08-12-94	NR	11.43	NR	ND	NR	NR	08-12-94	5100	12	<5	470	53	--	--
MW-8	09-23-94	NR	10.99	NR	ND	NR	NR								
MW-8	11-22-94	NR	10.42	NR	ND	NR	NR	11-22-94	2300	16	<0.5	140	4	--	--
MW-8	03-15-95	NR	8.43	NR	ND	NR	NR	03-15-95	280	<0.5	<0.5	0.7	0.7	--	--
MW-8	05-30-95	NR	9.86	NR	ND	NR	NR	05-30-95	390	<0.5	<0.5	<2	1.6	--	--
MW-8	09-20-95	28.08	11.07	17.01	ND	WSW	0.005	09-21-95	470	<0.5	<0.5	3	1.2	52	--
MW-8	11-07-95	28.08	11.40	16.68	ND	WSW	0.004	11-07-95	280	<0.5	<0.5	0.6	<0.5	94	--
MW-8	02-28-96	28.08	8.30	19.78	ND	NW	0.009	02-29-96	160	<0.5	<0.5	<0.9	<0.6	32	--
MW-8	05-30-96	28.08	9.68	18.40	ND	W	0.007	05-31-96	100	<0.5	<0.5	<0.6	<0.5	16	--

Table 2
 Historical Groundwater Elevation and Analytical Data
 Petroleum Hydrocarbons and Their Constituents
 1994 - Present*

ARCO Service Station 2185
 9800 East 14th Street, Oakland, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L
MW-9	09-20-95	27.73	11.67	16.06	ND	WSW	0.005	09-20-95	<50	<0.5	<0.5	<0.5	<0.5	<4	--
MW-9	11-07-95	27.73	11.70	16.03	ND	WSW	0.004	11-07-95	<50	<0.5	<0.5	<0.5	<0.5	<4	--
MW-9	02-28-96	27.73	9.23	18.50	ND	NW	0.009	02-29-96	<50	<0.5	<0.5	<0.5	<0.5	<5	--
MW-9	05-30-96	27.73	10.50	17.23	ND	W	0.007	05-31-96	<50	0.6	<0.5	<0.5	<0.5	<8	--
MW-10	09-20-95	27.55	10.65	16.90	ND	WSW	0.005	09-21-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--
MW-10	11-07-95	27.55	10.85	16.70	ND	WSW	0.004	11-07-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--
MW-10	02-28-96	27.55	9.38	18.17	ND	NW	0.009	02-29-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--
MW-10	05-30-96	27.55	9.99	17.56	ND	W	0.007	05-31-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl-tert-butyl ether

ND: none detected

NR: not reported; data not available or not measurable

SW: southwest

NW: northwest

WSW: west-southwest

W: west

*: chromatogram does not match the typical gasoline fingerprint


--: not analyzed or not applicable

** : For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 2185, Oakland, California*, (EMCON, February 27, 1996).



Base map from USGS 7.5' Quad. Maps:
Oakland East and San Leandro, California.
Photorevised 1980.

Scale : 0 2000 4000 Feet



EMCON


ARCO PRODUCTS COMPANY
SERVICE STATION 2185, 9800 E. 14TH STREET
QUARTERLY GROUNDWATER MONITORING
OAKLAND, CALIFORNIA

SITE LOCATION



FIGURE

1

PROJECT NO.
805-130.04



Base map modified from RESNA, 1994.



ARCO PRODUCTS COMPANY
SERVICE STATION 2185, 9800 E. 14TH STREET
QUARTERLY GROUNDWATER MONITORING
OAKLAND, CALIFORNIA
GROUNDWATER DATA
SECOND QUARTER 1996

FIGURE NO.
2
PROJECT NO.
805-130.004

APPENDIX A

**FIELD DATA SHEETS, SECOND QUARTER 1996
GROUNDWATER MONITORING EVENT**



WATER SAMPLE FIELD DATA SHEET

PROJECT NO: 21775-236-002
PURGED BY: J WILLIAMS
SAMPLED BY: ↓

SAMPLE ID: MW-2 (23)
CLIENT NAME: ARCO 2185
LOCATION: OAKLAND, CA

TYPE: Ground Water Surface Water Treatment Effluent Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 895
DEPTH TO WATER (feet): 9.89 CALCULATED PURGE (gal.): 26.87
DEPTH OF WELL (feet): 236 ACTUAL PURGE VOL. (gal.): 27

DATE PURGED: 05-31-96 Start (2400 Hr) 1311 End (2400 Hr) 1320
DATE SAMPLED: ↓ Start (2400 Hr) — End (2400 Hr) 1326

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1313</u>	<u>9</u>	<u>6.50</u>	<u>668</u>	<u>70.2</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1317</u>	<u>18</u>	<u>6.53</u>	<u>677</u>	<u>69.9</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1320</u>	<u>27</u>	<u>6.57</u>	<u>680</u>	<u>69.9</u>	<u>CLEAR</u>	<u>CLEAR</u>

D. O. (ppm): NR ODOR: STRONG NR NR
(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)

Field QC samples collected at this well: NR Parameters field filtered at this well: NR

PURGING EQUIPMENT

- 2" Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Well Wizard™
- Bailer (Teflon®)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated

SAMPLING EQUIPMENT

- 2" Bladder Pump
- DDL Sampler
- Dipper
- Well Wizard™
- Bailer (Teflon®)
- Bailer (Stainless Steel)
- Submersible Pump
- Dedicated

WELL INTEGRITY: OK LOCK #: ARCC

REMARKS: _____

Meter Calibration: Date: 5-31-96 Time: 1036 Meter Serial #: 9208 Temperature °F: _____
(EC 1000 _____ / _____) (DI _____) (pH 7 _____ / _____) (pH 10 _____ / _____) (pH 4 _____ / _____)

Location of previous calibration: _____

Signature: [Signature] Reviewed By: [Signature] Page 1 of 6



WATER SAMPLE FIELD DATA SHEET

EMCON ASSOCIATES

PROJECT NO: 21775-236-002

SAMPLE ID: MW-3

PURGED BY: J WILLIAMS

CLIENT NAME: ARCO 2185

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Ground Water Surface Water Treatment Effluent Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): <u>NR</u>	VOLUME IN CASING (gal.): <u>8.77</u>
DEPTH TO WATER (feet): <u>9.77</u>	CALCULATED PURGE (gal.): <u>26.32</u>
DEPTH OF WELL (feet): <u>23.2</u>	ACTUAL PURGE VOL. (gal.): <u>2.7</u>

DATE PURGED: <u>05-31-96</u>	Start (2400 Hr) <u>1339</u>	End (2400 Hr) <u>1349</u>
DATE SAMPLED: <u>↓</u>	Start (2400 Hr) _____	End (2400 Hr) <u>1354</u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1342</u>	<u>9</u>	<u>6.74</u>	<u>585</u>	<u>69.6</u>	<u>CLEAR</u>	<u>TRACE</u>
<u>1345</u>	<u>18</u>	<u>6.65</u>	<u>630</u>	<u>68.6</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1349</u>	<u>27</u>	<u>6.64</u>	<u>639</u>	<u>69.0</u>	<u>CLEAR</u>	<u>CLEAR</u>

D. O. (ppm): NR ODOR: STRONG COLOR: NR TURBIDITY: NR
(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)

Field QC samples collected at this well: NR Parameters field filtered at this well: NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)
<input checked="" type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK #: ARCO

REMARKS: _____

Meter Calibration: Date: 5-31-96 Time: 1056 Meter Serial #: 9208 Temperature °F: _____
 (EC 1000 _____ / _____) (DI _____) (pH 7 _____ / _____) (pH 10 _____ / _____) (pH 4 _____ / _____)
 Location of previous calibration: _____

Signature: [Signature] Reviewed By: GA Page 2 of 6



EMCON ASSOCIATES

WATER SAMPLE FIELD DATA SHEET

PROJECT NO: 21775-236-002
PURGED BY: J WILLIAMS
SAMPLED BY: ↓

SAMPLE ID: MW-7 (25)
CLIENT NAME: ARCO 2185
LOCATION: OAKLAND, CA

TYPE: Ground Water Surface Water Treatment Effluent Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 2.48
DEPTH TO WATER (feet): 9.98 CALCULATED PURGE (gal.): 7.45
DEPTH OF WELL (feet): 25.2 ACTUAL PURGE VOL. (gal.): 7.5

DATE PURGED: 05-31-96 Start (2400 Hr) 1206 End (2400 Hr) 1211
DATE SAMPLED: ↓ Start (2400 Hr) — End (2400 Hr) 1214

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1208</u>	<u>3</u>	<u>6.63</u>	<u>616</u>	<u>97.2</u>	<u>BROWN</u>	<u>HEAVY</u>
<u>1209</u>	<u>5.5</u>	<u>6.59</u>	<u>616</u>	<u>69.2</u>	<u>BROWN</u>	<u>HEAVY</u>
<u>1211</u>	<u>7.5</u>	<u>6.59</u>	<u>616</u>	<u>69.0</u>	<u>BROWN</u>	<u>HEAVY</u>

D. O. (ppm): NR ODOR: STRONG NR NR
(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)

Field QC samples collected at this well: NR Parameters field filtered at this well: NR

PURGING EQUIPMENT

- 2" Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Well Wizard™
- Bailer (Teflon®)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated

Other: _____

SAMPLING EQUIPMENT

- 2" Bladder Pump
- Bailer (Teflon®)
- DDL Sampler
- Dipper
- Well Wizard™
- Bailer (Stainless Steel)
- Submersible Pump
- Dedicated

Other: _____

WELL INTEGRITY: OK LOCK #: ARCO

REMARKS: _____

Meter Calibration: Date: 5-31-96 Time: 10:31 Meter Serial #: 9208 Temperature °F: _____
(EC 1000 _____ / _____) (DI _____) (pH 7 _____ / _____) (pH 10 _____ / _____) (pH 4 _____ / _____)

Location of previous calibration: _____

Signature: [Signature] Reviewed By: GA Page 3 of 6



EMCON
ASSOCIATES

WATER SAMPLE FIELD DATA SHEET

PROJECT NO: 21775-236-002 SAMPLE ID: MW-8
 PURGED BY: J WILLIAMS CLIENT NAME: ARCO 2185
 SAMPLED BY: J LOCATION: OAKLAND, CA

TYPE: Ground Water Surface Water Treatment Effluent Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 8.31
 DEPTH TO WATER (feet): 9.68 CALCULATED PURGE (gal.): 24.93
 DEPTH OF WELL (feet): 22.4 ACTUAL PURGE VOL. (gal.): 25

DATE PURGED: 05-31-96 Start (2400 Hr) 1235 End (2400 Hr) 1244
 DATE SAMPLED: J Start (2400 Hr) — End (2400 Hr) 1250

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1237</u>	<u>9</u>	<u>6.62</u>	<u>595</u>	<u>68.2</u>	<u>CLEAR</u>	<u>TRACE</u>
<u>1241</u>	<u>17</u>	<u>6.71</u>	<u>588</u>	<u>67.8</u>	<u>CLEAR</u>	<u>TRACE</u>
<u>1244</u>	<u>25</u>	<u>6.68</u>	<u>590</u>	<u>67.8</u>	<u>CLEAR</u>	<u>TRACE</u>

D. O. (ppm): NR ODOR: SLIGHT NR NR
(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)
 Field QC samples collected at this well: NR Parameters field filtered at this well: NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)
<input checked="" type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK #: ARCO

REMARKS: _____

Meter Calibration: Date: 5-31-96 Time: 10:36 Meter Serial #: 9205 Temperature °F: _____
 (EC 1000 _____ / _____) (DI _____) (pH 7 _____ / _____) (pH 10 _____ / _____) (pH 4 _____ / _____)
 Location of previous calibration: _____

Signature: [Signature] Reviewed By: [Signature] Page 4 of 6



EMCON ASSOCIATES

WATER SAMPLE FIELD DATA SHEET

PROJECT NO: 21775-236-002

SAMPLE ID: MW-9 (22)

PURGED BY: J WILLIAMS

CLIENT NAME: ARCO 2185

SAMPLED BY: J

LOCATION: OAKLAND, CA

TYPE: Ground Water Surface Water Treatment Effluent Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): <u>1112</u>	VOLUME IN CASING (gal.): <u>1.99</u>
DEPTH TO WATER (feet): <u>10.50</u>	CALCULATED PURGE (gal.): <u>5.97</u>
DEPTH OF WELL (feet): <u>22.7</u>	ACTUAL PURGE VOL. (gal.): <u>6</u>

DATE PURGED: <u>05-31-96</u>	Start (2400 Hr) <u>1100</u>	End (2400 Hr) <u>1105</u>
DATE SAMPLED: <u>J</u>	Start (2400 Hr) <u>—</u>	End (2400 Hr) <u>1110</u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1102</u>	<u>2</u>	<u>6.25</u>	<u>7.58</u>	<u>69.9</u>	<u>BROWN</u>	<u>HEAVY</u>
<u>1104</u>	<u>4</u>	<u>6.33</u>	<u>7.30</u>	<u>70.6</u>	<u>BROWN</u>	<u>HEAVY</u>
<u>1105</u>	<u>6</u>	<u>6.35</u>	<u>7.33</u>	<u>70.3</u>	<u>BROWN</u>	<u>HEAVY</u>

D. O. (ppm): NK ODOR: NONE COLOR: NK TURBIDITY: NK
(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)

Field QC samples collected at this well: NK Parameters field filtered at this well: NK

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2' Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2' Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)
<input checked="" type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK #: 3490

REMARKS: _____

Meter Calibration: Date: 5-31-96 Time: 1036 Meter Serial #: 9208 Temperature °F: 72.1
(EC 1000 970 / 1000) (DI _____) (pH 7 7.14 / 7.00) (pH 10 9.88 / 10.00) (pH 4 _____)

Location of previous calibration: _____

Signature: [Signature] Reviewed By: [Signature] Page 5 of 6



EMCON ASSOCIATES

WATER SAMPLE FIELD DATA SHEET

Rev. 3, 2/94

(22)

PROJECT NO: 21775-236-002

SAMPLE ID: MW-10

PURGED BY: J WILLIAMS

CLIENT NAME: ARCO 2185

SAMPLED BY: J

LOCATION: OAKLAND, CA

TYPE: Ground Water Surface Water Treatment Effluent Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 2.12

DEPTH TO WATER (feet): 9.99 CALCULATED PURGE (gal.): 6.37

DEPTH OF WELL (feet): 23.0 ACTUAL PURGE VOL. (gal.): 7

DATE PURGED: 05-31-96 Start (2400 Hr) 1128 End (2400 Hr) 1133

DATE SAMPLED: J Start (2400 Hr) — End (2400 Hr) 1137

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1130</u>	<u>3</u>	<u>6.59</u>	<u>601</u>	<u>70.9</u>	<u>BROWN</u>	<u>HEAVY</u>
<u>1132</u>	<u>5</u>	<u>6.59</u>	<u>595</u>	<u>70.0</u>	<u>BROWN</u>	<u>HEAVY</u>
<u>1133</u>	<u>7</u>	<u>6.59</u>	<u>596</u>	<u>70.0</u>	<u>BROWN</u>	<u>HEAVY</u>

D. O. (ppm): NR ODOR: None COLOR: NR TURBIDITY: ALL

(COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)

Field QC samples collected at this well:

Parameters field filtered at this well:

NR

NR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

- | | | | |
|------------------------------------------------------|---------------------------------------------------|------------------------------------------|------------------------------------------------------|
| <input type="checkbox"/> 2" Bladder Pump | <input type="checkbox"/> Bailer (Teflon®) | <input type="checkbox"/> 2" Bladder Pump | <input checked="" type="checkbox"/> Bailer (Teflon®) |
| <input checked="" type="checkbox"/> Centrifugal Pump | <input type="checkbox"/> Bailer (PVC) | <input type="checkbox"/> DDL Sampler | <input type="checkbox"/> Bailer (Stainless Steel) |
| <input type="checkbox"/> Submersible Pump | <input type="checkbox"/> Bailer (Stainless Steel) | <input type="checkbox"/> Dipper | <input type="checkbox"/> Submersible Pump |
| <input type="checkbox"/> Well Wizard™ | <input type="checkbox"/> Dedicated | <input type="checkbox"/> Well Wizard™ | <input type="checkbox"/> Dedicated |

Other: _____

Other: _____

WELL INTEGRITY: OK LOCK #: 390C

REMARKS: SHEAR

Meter Calibration: Date: 5-21-96 Time: 1036 Meter Serial #: 9208 Temperature °F: _____


(EC 1000 _____ / _____) (DI _____) (pH 7 _____ / _____) (pH 10 _____ / _____) (pH 4 _____ / _____)

Location of previous calibration: _____

Signature: [Signature] Reviewed By: JA Page 6 of 6

APPENDIX B

**ANALYTICAL RESULTS AND CHAIN OF CUSTODY
DOCUMENTATION, SECOND QUARTER 1996
GROUNDWATER MONITORING EVENT**



June 13, 1996

Service Request No: S9600870

Mr. John Young
EMCON
1921 Ringwood Ave.
San Jose, Ca 95131

Re: 2185 OAKLAND/20805-130.004/TO#19350.00

Dear Mr. Young:

The following pages contain analytical results for sample(s) received by the laboratory on May 31, 1996. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. Listed above -- to help expedite our service please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 9, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

If you have questions or further needs, please call me at (408) 428-1283.

Sincerely,

A handwritten signature in black ink, appearing to read "S.L. Green", written over a white background.

Steven L. Green
Project Chemist

A handwritten signature in black ink, appearing to read "Greg Anderson", written over a white background.

Greg Anderson
Regional QA Coordinator

CVR/smh

COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 2185 OAKLAND/20805-130.004/TO#19350.00
Sample Matrix: Water

Service Request: S9600870
Date Collected: 5/31/96
Date Received: 5/31/96
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	MW-9(22)	MW-10(22)	MW-7(25)
Lab Code:	S9600870-001	S9600870-002	S9600870-003
Date Analyzed:	6/11/96	6/11/96	6/11/96

Analyte	MRL			
TPH as Gasoline	50	ND	ND	<100**
Benzene	0.5	0.6	ND	ND
Toluene	0.5	ND	ND	ND
Ethylbenzene	0.5	ND	ND	ND
Total Xylenes	0.5	ND	ND	ND
Methyl <i>tert</i> -Butyl Ether	3	<8*	ND	ND

* Raised MRL due to matrix interference.

** Raised MRL due to Matrix Interference. The sample contains non-fuel components eluting in the gasoline range, and quantitated as gasoline. The chromatogram does not match the typical gasoline fingerprint.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 2185 OAKLAND/20805-130.004/TO#19350.00
Sample Matrix: Water

Service Request: S9600870
Date Collected: 5/31/96
Date Received: 5/31/96
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	MW-8(22)	MW-2(23)	MW-3(23)
Lab Code:	S9600870-004	S9600870-005	S9600870-006
Date Analyzed:	6/11/96	6/11/96	6/11-12/96

Analyte	MRL			
TPH as Gasoline	50	100	970	2,100
Benzene	0.5	ND	<9*	41
Toluene	0.5	ND	<1**	<5**
Ethylbenzene	0.5	<0.6*	29	57
Total Xylenes	0.5	ND	3	15
Methyl <i>tert</i> -Butyl Ether	3	16	<5**	890

* Raised MRL due to matrix interference.

** Raised MRL due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 2185 OAKLAND/20805-130.004/TO#19350.00
Sample Matrix: Water

Service Request: S9600870
Date Collected: 5/31/96
Date Received: 5/31/96
Date Extracted: NA

BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ug/L (ppb)

Sample Name:	Method Blank	Method Blank
Lab Code:	S960611-WB1	S960612-WB1
Date Analyzed:	6/11/96	6/12/96

Analyte	MRL		
TPH as Gasoline	50	ND	ND
Benzene	0.5	ND	ND
Toluene	0.5	ND	ND
Ethylbenzene	0.5	ND	ND
Total Xylenes	0.5	ND	ND
Methyl <i>tert</i> -Butyl Ether	3	ND	ND

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 2185 OAKLAND/20805-130.004/TO#19350.00
Sample Matrix: Water

Service Request: S9600870
Date Collected: 5/31/96
Date Received: 5/31/96
Date Extracted: NA
Date Analyzed: 6/11-12/96

Surrogate Recovery Summary
 BTEX, MTBE and TPH as Gasoline
 EPA Methods 5030/8020/California DHS LUFT Method

Sample Name	Lab Code	PID Detector	FID Detector
		Percent Recovery 4-Bromofluorobenzene	Percent Recovery α,α,α -Trifluorotoluene
MW-9(22)	S9600870-001	87	102
MW-10(22)	S9600870-002	98	103
MW-7(25)	S9600870-003	96	104
MW-8(22)	S9600871-004	96	105
MW-2(23)	S9600871-005	85	100*
MW-3(23)	S9600871-006	97	111
MW-9(22) (MS)	S9600870-001MS	100	104
MW-9(22) (DMS)	S9600870-001DMS	99	101
Method Blank	S960611-WB1	97	103
Method Blank	S960612-WB1	97	99

CAS Acceptance Limits: 69-116 69-116

* The surrogate used for this sample was 4-Bromofluorobenzene.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 2185 OAKLAND/20805-130.004/TO#19350.00
Sample Matrix: Water

Service Request: S9600870
Date Collected: 5/31/96
Date Received: 5/31/96
Date Extracted: NA
Date Analyzed: 6/11/96

Matrix Spike/Duplicate Matrix Spike Summary
 BTE
 EPA Methods 5030/8020
 Units: ug/L (ppb)

Sample Name: MW-9(22)
Lab Code: S9600870-001

Analyte	Spike Level		Sample Result	Spike Result		Percent Recovery				Relative Percent Difference
	MS	DMS		MS	DMS	CAS		Acceptance Limits		
						MS	DMS			
Benzene	25	25	0.6	25.0	24.4	98	95	75-135	2	
Toluene	25	25	ND	24.3	23.8	97	95	73-136	2	
Ethylbenzene	25	25	ND	24.2	23.6	97	94	69-142	3	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 2185 OAKLAND/20805-130.004/TO#19350.00

Service Request: S9600870
Date Analyzed: 6/11/96

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline
EPA Methods 5030/8020/California DHS LUFT Method
Units: ppb

Analyte	True Value	Result	Percent Recovery	CAS Percent Recovery Acceptance Limits
Benzene	25	23.6	94	85-115
Toluene	25	23.7	95	85-115
Ethylbenzene	25	23.4	94	85-115
Xylenes, Total	75	71.3	95	85-115
Gasoline	250	257	103	90-110
Methyl <i>tert</i> -Butyl Ether	50	45	90	85-115

ARCO Facility no. 2185 City (Facility) Oakland Project manager (Consultant) John Young
 ARCO engineer Mike Whelan Telephone no. (ARCO) Telephone no. (Consultant) (408)453-7300 Fax no. (Consultant) (408)453-0452
 Consultant name EMCON Address (Consultant) 1921 Ringwood Ave San Jose CA 95131

Laboratory name CAS
 Contract number

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH EPA 1601/8020/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM503E	EPA 801/8010	EPA 824/8240	EPA 825/8270	TCLP Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	CAM Metals EPA 8010/7000 TLC <input type="checkbox"/> STLC <input type="checkbox"/>	Lead Org./DHS Lead EPA 7420/7421 <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid														
MW-9(22)1	2	2		X		X	HCL	5/31/96	1110		X										
MW-10(22)2	2	2		X		X	HCL		1137		X										
MW-7(25)3	2	2		X		X	HCL		1214		X										
MW-8(22)4	2	2		X		X	HCL		1250		X										
MW-2(23)5	2	2		X		X	HCL		1326		X										
MW-3(23)6	2	2		X		X	HCL	V	1354		X										

Method of shipment
Sampler will deliver

Special detection Limit/reporting
Lowest Possible

Special QA/QC
As Normal

Remarks
2-40ml HCL
 VOAs

#20405-130.004
 Lab number
59600870

Turnaround time
 Priority Rush 1 Business Day
 Rush 2 Business Days
 Expedited 5 Business Days
 Standard 10 Business Days

Condition of sample: _____ Temperature received: _____
 Relinquished by sampler: [Signature] Date 5-31-96 Time 1515 Received by _____
 Relinquished by _____ Date _____ Time _____ Received by _____
 Relinquished by _____ Date _____ Time _____ Received by laboratory [Signature] Date 5-31-96 Time 1515