

Khatri, Paresh, Env. Health

Subject: RO0000393 -ARCO 785 E. Stanley Blvd., Livermore
Entry Type: Phone call

Start: Tue 6/3/2008 3:00 PM
End: Tue 6/3/2008 3:30 PM
Duration: 30 minutes

Categories: Phone Calls

I spoke with Paul Smith with Livermore Pleasanton Fire CUPA regarding the subject site. He informed ACEH that the station building will be relocated to where a remediation treatment system is currently located. I told him that I was not aware but I will follow up with BP/ARCO.

Khatri, Paresh, Env. Health

Subject: RO0000393 -ARCO 785 E. Stanley Blvd., Livermore
Entry Type: Phone call

Start: Tue 6/3/2008 4:00 PM
End: Tue 6/3/2008 4:10 PM
Duration: 10 minutes

Categories: Phone Calls

Spoke with Matt Herrick with Broadbent & Associates regarding the subject site. Matt said that BP is selling the station and the new buyer is moving the existing convenient store building. I asked Matt the status of the remediation system currently in-place since the relocation of the building appears to impact the existing treatment system. He said that the owner is aware of the system and has the plans necessary to modify its location in relation to the new building. I also asked whether the existing system has been evaluated to determine its effectiveness. Matt stated that BP/ARCO is required to operate this system due to a previous law suit. I told Matt that after I complete the review of the case, I may sent a letter requesting system evaluation.