

**FIRST QUARTER 2002  
GROUNDWATER MONITORING  
REPORT**

**TASK ORDER NUMBER 04-987901-VU  
CONTRACT NUMBER 43A0078**

**SOUTH OAKLAND  
MAINTENANCE STATION  
1112 29th AVENUE  
OAKLAND, CALIFORNIA**

Prepared for

**CALIFORNIA DEPARTMENT  
OF TRANSPORTATION  
District 4  
P.O. Box 23660  
Oakland, California**

Prepared by

**Professional Service Industries  
4703 Tidewater Avenue, Suite B  
Oakland, California 94601  
(510) 434-9200**

April 2, 2002  
575-1G026

**TABLE OF CONTENTS**

STATEMENT OF LIMITATIONS AND PROFESSIONAL CERTIFICATION..... i

1.0 INTRODUCTION ..... 1

    1.1 SITE DESCRIPTION AND HISTORY ..... 1

2.0 GROUNDWATER MONITORING ACTIVITIES ..... 4

    2.1 GROUNDWATER ELEVATION AND HYDRAULIC GRADIENT ..... 4

    2.2 GROUNDWATER SAMPLING.....4

    2.3 LABORATORY ANALYSIS AND RESULTS ..... 5

    2.4 COMPARISON OF GROUNDWATER RESULTS WITH REGULATORY  
    CRITERIA ..... 6

3.0 SUMMARY AND CONCLUSIONS ..... 7

**FIGURES**

- FIGURE 1: SITE LOCATION
- FIGURE 2: GROUNDWATER ELEVATION MAP - DECEMBER 5, 2001
- FIGURE 3: MTBE CONCENTRATION MAP - DECEMBER 5, 2001

**TABLES**

- TABLE 1: SUMMARY OF GROUNDWATER ELEVATION DATA
- TABLE 2: SUMMARY OF GROUNDWATER ANALYTICAL DATA

**APPENDICES**


- APPENDIX A: GROUNDWATER PURGE LOGS
- APPENDIX B: LABORATORY REPORTS AND CHAIN-OF-CUSTODY FORMS

**STATEMENT OF LIMITATIONS AND PROFESSIONAL CERTIFICATIONS**



Information provided in Professional Services Industries, Inc., (PSI) report number 575-1G026 is intended exclusively for the California Department of Transportation (Caltrans) for the evaluation of groundwater contamination as it pertains to the subject site. PSI is responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official view or policies of the State of California or the Federal Highway Administration. This report does not constitute a standard, specification, or regulation. The professional services provided have been performed in accordance with practices generally accepted by other geologists, hydrologists, hydrogeologists, engineers, and environmental scientists practicing in this field. No other warranty, either expressed or implied, is made. As with all subsurface investigations, there is no guarantee that the work conducted will identify any or all sources or locations of contamination.

This report is issued with the understanding that Caltrans is responsible for ensuring that the information contained in this report is brought to the attention of the appropriate regulatory agency. This report has been reviewed by a geologist who is registered in the State of California and whose signature and license number appear below.

**Professional Service Industries, Inc.**



Frank R. Poss  
Senior Hydrogeologist

  
Chris Merritt R.G. (5677)  
Project Geologist

## 1.0 INTRODUCTION

This report summarizes the results of the First Quarter 2002 groundwater monitoring and sampling activities conducted on March 4, 2002 at the South Oakland Maintenance Yard located in Oakland, California. The subject site location is presented on Figure 1. The purpose of this project is to comply with quarterly sampling requirements for Alameda County Department of Environmental Health. The work was conducted under Contract 43A0078 and Task Order Number 04-987901-VC.

### 1.1 SITE DESCRIPTION AND HISTORY

The site is currently used as a maintenance station by Caltrans. The maintenance station includes offices, a repair shop, a sign shop, and several material storage bins. The entire property covers approximately two acres. The site is paved with asphalt and is relatively flat. The Alameda/Oakland Estuary is approximately 0.5 miles southwest of the site.

One 4,000-gallon diesel underground storage tank (UST) and one 2,000-gallon gasoline UST were removed from the site on March 11, 1997. The tank pit was over-excavated and soil samples were collected. Sidewall and bottom samples collected from the excavation contained concentrations of Total Petroleum Hydrocarbons as Gasoline (TPH-G, [as high as 380 milligrams per kilogram (mg/kg)]), and Total Petroleum Hydrocarbons as Diesel (TPH-D, [as high as 21 mg/kg]). Concentrations of Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX), ranged from 0.010 to 48 mg/kg. Methyl Tertiary Butyl Ether (MTBE) concentrations ranged from 0.041 to 9.15 mg/kg. Groundwater samples were not collected (Caltrans, 1999).

On April 6 and 7, 1999, Boreholes B1 through B6 were drilled at the site. The borehole locations are presented in Figure 2. All of the boreholes were converted to 1.3-centimeter (cm) (0.5-inch) inside diameter temporary groundwater monitoring wells. Soil samples were collected from each borehole at depths of 1.52, 3, and 4.56 meters (5, 10, and 15 feet) below ground surface (bgs).

Soil samples were analyzed for TPH-G, TPH-D, and Volatile Organic Compounds (VOCs), by EPA Method 8260. TPH-G was detected in one soil sample (B6-10 [13 mg/kg]). None of the soil samples contained detectable concentrations of TPH-D. MTBE was the only VOC detected in the soil samples analyzed. MTBE was detected in the sample B5-1.5 meters (0.16 mg/kg). No other soil sample contained a detectable concentration of MTBE (PSI, 1999).

TPH-G was detected in groundwater samples collected from temporary Wells B3 (520 µg/l) and B4 (520 µg/l). No other groundwater samples collected contained detectable concentrations of TPH-G. No TPH-D was detected in any of the groundwater samples collected. Benzene was detected in the groundwater sample collected from Well WB3

(6.3 µg/l). MTBE was detected in the groundwater samples collected from Well WB5 (6,600 µg/l) and WB6 (24 µg/l). Concentrations of other gasoline related compounds were detected in groundwater samples collected from Wells WB1, WB3, WB4, and WB5. Chloroform was detected in groundwater samples collected from Wells WB4 (2.4 µg/l) and WB6 (2.7 µg/l). Tetrachloroethene (synonym Perchloroethene [PCE]) was detected in the groundwater sample collected from Well WB6 (12 µg/l) (PSI, 1999).

On August 13, 1999, Boreholes B7 through B9 were drilled at the site (Figure 2). The boreholes were drilled along the property boundary. Results of the sampling indicated the following:

- TPH-G concentrations were detected in one soil sample [B9-15 (0.54 mg/kg)] at the site.
- TPH-D was detected in one groundwater sample [WB7 (0.73 mg/l)]
- MTBE was detected in grab groundwater samples WB7 (5,600 µg/l) and WB8 (9.0 µg/l).

In June and July 2000, PSI completed a supplemental investigation, which included the installation of four monitoring wells at the site. The conclusions and recommendations of the investigation follows:

- None of the soil samples contained detectable concentrations of TPH-G, while TPH-D was detected in two soil samples at concentrations below regulatory concern.
- None of the soil samples contained detectable concentrations of VOCs with the exception of MTBE. The highest MTBE concentration detected was 0.52 mg/kg in soil sample B3-10. All of the MTBE concentrations detected were below first encountered groundwater.
- None of the groundwater samples contained detectable concentrations of TPH-D, while TPH-G was detected in two groundwater samples at a maximum concentration of 2.7 mg/l.
- VOCs were detected in the groundwater samples collected with only benzene and MTBE at concentrations greater than the State of California Primary Drinking Water Standard (PDWS) or Secondary Drinking Water Standard (SDWS). Based on the concentrations detected, MTBE is the primary contaminant of concern (COC).
- The report recommended continued groundwater monitoring and the installation of additional monitoring wells down gradient of monitoring well MW-3. Additionally, as TPH-D was not detected in the groundwater sample from monitoring well MW-3, the report recommended the analyses for TPH-D in this well be eliminated.

In August 2001, PSI completed a subsequent investigation into the lateral extent of groundwater contamination at the site. Three boreholes were drilled at the All Aboard Mini Storage facility located down gradient of the site. Soil and groundwater samples were collected from each of the boreholes. The samples were analyzed for TPH-G and VOCs. The conclusions and recommendations of the investigation follows:

- TPH-G and VOCs were not detected in any of the soil samples above laboratory detection limits.
- TPH-G was detected in the groundwater samples collected from monitoring well MW-1 (1.7 mg/l).
- VOCs were detected in the groundwater samples from the site. However, only MTBE were detected in concentrations greater than the PDWS. Based on the concentrations detected in the groundwater at the site, the primary COC is MTBE.
- The results of the groundwater sampling conducted at the All-Aboard Mini-Storage indicates that MTBE impacted groundwater above the PDWS has not migrated down gradient onto the All-Aboard Mini-Storage site (downgradient site).
- Based on the results of the soil and groundwater sample analyses, PSI recommends no further down-gradient investigation of the South Oakland Maintenance Station.
- For complete details see PSI's Hazardous Waste Preliminary Site Investigation Report, South Oakland Maintenance Station dated September 27, 2001.

On April 10<sup>th</sup>, 2002, further data was gathered from GEOCON concerning the sampling of the wells on March 27, 2001 and June 26, 2001. The additional groundwater elevation data as well as analytical results were added into Table 1 and Table 2. GEOCON reported the following:

- On March 27, 2001 MW-3 had a TPH-G concentration of 5.2 milligrams per liter (mg/l). MTBE concentrations were: 29 micrograms per liter (ug/l) for MW-1, 110 ug/l for MW-2, 5,500 ug/l in MW-3. MW-3 also had the following VOC concentrations: 220 ug/l of benzene, 5.9 ug/l of Toluene, 2.2 ug/l of Ethylbenzene, 12 ug/l of TAME, and 270 ug/l of Tert-butanol.
- On June 26, 2001 three wells had TPH-G levels that were above the laboratory detection limit. MW-1 had a TPH-G concentration of 0.24 ug/l, MW-2 had 0.11 ug/l, and MW-3 had 2.5 ug/l. MTBE was found in concentrations of 51 ug/l in MW-2 and 2,800 ug/l in MW-3. MW-3 also had the following VOC concentrations: a benzene concentration of 20 ug/l, 12 ug/l of TAME, and 230 ug/l of Tert-butanol.

## 2.0 GROUNDWATER MONITORING ACTIVITIES

### 2.1 GROUNDWATER ELEVATION AND HYDRAULIC GRADIENT

On March 4, 2002, static groundwater elevations were measured in wells MW-1 through MW-4 (Figure 2). The groundwater depths were measured using a groundwater interface probe. A summary of the depth to groundwater data collected during this monitoring event and previous monitoring events is presented in Table 1. Based on the groundwater data, the inferred groundwater flow direction beneath the site is to the west (Figure 2) with a hydraulic gradient of 0.014.

### 2.2 GROUNDWATER SAMPLING

Groundwater samples were collected from monitoring wells MW-1 through MW-4. Prior to the collection of groundwater samples, the monitoring wells were purged of a minimum of three well volumes of water until pH, conductivity, and temperature stabilized. The wells were allowed to recover to at least 80 percent of their original static groundwater levels prior to sampling.

The following procedures for well monitoring, well purging, and water sampling were implemented while sampling the wells:

1. All equipment was washed prior to entering the well with an Alconox solution, followed by two tap water rinses and a deionized water rinse.
2. Prior to purging the wells, depth-to-water was measured using an Solinst groundwater interface probe to an accuracy of approximately 0.01 foot. The measurements were made to the top of the well casing on the north side.
3. Monitoring wells at the site were prepared for sampling by purging the well of approximately 3 well volumes of water using disposable Teflon bailers.
4. Water samples were collected with a single-use Teflon bailer after the well had been purged and water in the well had equilibrated to approximately 80 percent of the static water level. The water collected was immediately decanted into laboratory-supplied vials and bottles. The containers were overfilled, capped, labeled, and placed in a chilled cooler prior to delivery to the laboratory for analysis.
5. Chain-of-custody procedures, including chain-of-custody forms, were used to document water sample handling and transport from collection to delivery to the laboratory for analyses.

6. Groundwater samples were delivered to the State-certified hazardous waste laboratory within approximately 48-hours of collection.
7. Purged water was contained in a DOT approved 55-gallon drum. The drum was labeled with the contents, date, well number, client name, and project number.

The groundwater monitoring purge logs are presented in Appendix A.

### 2.3 LABORATORY ANALYSIS AND RESULTS

The groundwater samples were submitted for analyses to Basic Laboratory of Redding, California, a State of California certified hazardous waste analytical laboratory. The samples were analyzed for the following:

- EPA 8015 modified - TPH-G;
- EPA 8260 - Volatile Organic Compounds (VOCs).

A summary of the laboratory results for groundwater samples is presented in Table 2. A copy of the laboratory reports and chain of custody records are presented in Appendix B. The following are the results of the groundwater sampling:

- TPH-G was detected in groundwater samples collected from monitoring wells MW-1 (0.69 mg/l) and MW-3 (3.23 mg/l). TPH-G concentrations have generally increased since the previous sampling results.

VOCs were detected in the groundwater samples with the highest concentrations detected in the groundwater sample collected from monitoring well MW-3. The compounds detected are common constituents of gasoline. The compound with the highest concentration was MTBE at 7,520 micrograms per liter ( $\mu\text{g/l}$ ) in monitoring well MW-3. MTBE concentrations increased in two of the monitoring wells and decreased in two of the monitoring wells since the previous sampling event.

### 2.4 COMPARISON OF GROUNDWATER RESULTS WITH REGULATORY CRITERIA

The concentrations of contaminants reported by the analytical laboratory were compared to PDWS or SDWS. The following samples were above their respective PDWS or SDWS.

- Benzene concentrations detected in groundwater samples MW-3 (18.3  $\mu\text{g/l}$ ).



- MTBE concentrations detected in groundwater samples MW-1 (55 µg/l) and MW-3 (7,520 µg/l).


Based on the concentrations detected in the groundwater at the site, the primary COC is MTBE. The concentrations of MTBE in each of the monitoring wells are shown in Figure 3. This figure indicates that the highest concentrations of MTBE were encountered in the groundwater samples collected in the monitoring well (MW-3) directly down gradient of the former USTs and in the well adjacent (MW-1) to the former USTs.

### 3.0 SUMMARY AND CONCLUSIONS

PSI performed a quarterly monitoring event on March 4, 2002. Groundwater samples were collected from monitoring wells MW-1 through MW-4. Based on measurements collected and analytical data the following conclusions are provided. Groundwater elevation data indicates the groundwater flow direction beneath the site is towards the west, with a hydraulic gradient of 0.014.

- TPH-G was detected in groundwater samples collected from monitoring wells MW-1 (0.69 mg/l) and MW-3 (3.23 mg/l).
- VOCs were detected in all four groundwater samples collected from the monitoring wells at the site. Only benzene and MTBE were detected in concentrations greater than the PDWS. Based on the concentrations detected in the groundwater at the site, the primary COC is MTBE.

Based on the results of this report, PSI recommends continued groundwater monitoring.





REFERENCE:  
U.S.G.S. OAKLAND EAST, CALIFORNIA, 1997

**PSI** ENVIRONMENTAL  
GEOTECHNICAL  
CONSTRUCTION  
CONSULTING • ENGINEERING • TESTING

SITE LOCATION  
CALTRANS MAINTENANCE STATION  
1112 29TH AVENUE  
OAKLAND, CALIFORNIA  
PROJECT NUMBER: 575-9G014



DATE: 3/23/99	CKD'D BY:	FIGURE NO.: 1
FILE NO.: 9G014-1		DRAWN BY: S. BOWERS



**EXPLANATION:**

- MW-4 (91.04) - GROUNDWATER MONITORING WELL LOCATION (GROUNDWATER ELEVATION GIVEN IN FEET MSL)
- 91.0 - GROUNDWATER ELEVATION CONTOUR (ELEVATION IN FEET MSL)

		4703 Tidelwater Avenue, Suite B Oakland, California 94601 (510) 434-9200		
		Project Name <b>CALTRANS MAINTENANCE STATION</b> 1112 20TH AVENUE, OAKLAND, CALIFORNIA	Drawn By B.B.	Date 1/02
Title <b>GROUNDWATER ELEVATION MAP</b> (March 4, 2002)		Approved By F.P.	Project No. 575-1G026	



**EXPLANATION:**

- MW-3** (2,240) - GROUNDWATER MONITORING WELL LOCATION
- CONCENTRATION (ug/L) OF MTBE DETECTED IN GROUNDWATER SAMPLES (ND INDICATES NOT DETECTED ABOVE LAB METHOD DETECTION LIMITS)

**PSI** Information  
To Build On  
Engineering • Consulting • Testing

4703 Tidewater Avenue, Suite B  
Oakland, California 94601  
(510) 434-9200

<b>Project Name:</b> CALTRANS MAINTENANCE STATION 1112 85TH AVENUE, OAKLAND, CALIFORNIA	<b>Drawn By:</b> B.B.	<b>Date:</b> 1/02	<b>File No.:</b> 1G026-03	<b>Figure No.:</b>  3
<b>Title:</b> MTBE CONCENTRATIONS IN GROUNDWATER (MARCH 4, 2002)	<b>Approved By:</b> F.P.	<b>Project No.:</b> 575-1G026		

**TABLE 1**  
**GROUNDWATER ELEVATION**  
**SOUTH OAKLAND MAINTENANCE STATION**  
**SOUTH OAKLAND, CALIFORNIA**

Sample Location	Date	TOC Elevation (feet msl)*	Depth To Groundwater	Groundwater Elevation (feet msl)*
MW-1	6/27/00	99.57	9.13	90.44
	9/11/00	99.57	9.52	90.05
	11/28/00	99.57	9.62	89.95
	3/27/01	99.57	8.79	90.78
	6/26/01	99.57	9.80	89.77
	12/5/01	99.57	8.32	91.25
	3/4/02	99.57	8.66	90.91
MW-2	6/27/00	98.91	9.05	89.86
	9/11/00	98.91	9.95	88.96
	11/28/00	98.91	9.94	88.97
	3/27/01	98.91	8.35	90.56
	6/26/01	98.91	10.76	88.15
	12/5/01	98.91	8.53	90.38
	3/4/02	98.91	8.25	90.66
MW-3	6/27/00	98.98	8.76	90.22
	9/11/00	98.98	9.28	89.70
	11/28/00	98.98	9.36	89.62
	3/27/01	98.98	8.35	90.63
	6/26/01	98.98	10.51	88.47
	12/5/01	98.98	8.05	90.93
	3/4/02	98.98	8.05	90.93
MW-4	6/27/00	99.04	8.74	90.30
	9/11/00	99.04	9.30	89.74
	11/28/00	99.04	9.32	89.72
	3/27/01	99.04	7.96	91.08
	6/26/01	99.04	9.56	89.48
	12/5/01	99.04	8.58	90.46
	3/4/02	99.04	8.00	91.04

**Notes:**

All measurements are recorded in feet.

\* TOC Measurements are from data supplied by Meridian Surveying

Feet msl = feet above mean sea level

**TABLE 2**  
**ANALYTICAL RESULTS FOR GROUNDWATER SAMPLES**  
**SOUTH OAKLAND MAINTENANCE STATION**  
**SOUTH OAKLAND, CALIFORNIA**

Sample I.D.	Date	TPH-G mg/l	TPH-D mg/l	MTBE µg/l	tert- Butanol (TBA) µg/l	tert-Amyl Methyl Ether (TAME) µg/l	Benzene µg/l	Toluene µg/l	Ethyl- benzene µg/l	Total Xylenes µg/l	ETBE µg/l	Di-isopropyl ether µg/l	Other VOCs µg/l
MW-1	6/27/00	0.85	--	880	<50	<5	20	<1.0	<1.0	19	--	--	--
	9/11/00	0.92	--	860	190	<5	14	<1.0	1.6	3.6	--	--	--
	11/28/00	<0.5	--	610	<250	<25	3.6	<2.5	<2.5	<7.5	--	--	--
	3/27/01	<0.20	--	29	<200	<5.0	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0
	6/26/01	0.24	--	200	<200	<5.0	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0
	8/24/01	<0.5	--	520	<1,200	<50	<25	<25	<25	<75	--	--	--
	12/5/01	0.388	--	505	<100	<0.5	3.5	<0.3	2.4	15.4	--	--	--
3/4/02	0.69	--	55	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	--	
MW-2	6/27/00	<0.5	--	86	<50	<5	<1.0	<1.0	<1.0	<3.0	--	--	--
	9/11/00	<0.5	--	110	<50	<5	<1.0	<1.0	<1.0	<3.0	--	--	--
	11/28/00	<0.5	--	130	<50	<5	<1.0	<1.0	<1.0	<3.0	--	--	--
	3/27/01	<0.20	--	110	<200	<5.0	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0
	6/26/01	0.11	--	51	<200	<5.0	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0
	8/24/01	<0.5	--	36	<100	<4	<2.0	<2.0	<2.0	<6.0	--	--	--
	12/5/01	0.06	--	79	<100	<0.5	<0.3	<0.3	<0.3	<0.6	--	--	--
3/4/02	<0.5	--	9	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	--	
MW-3	6/27/00	2.7	<0.4	5,000	1,500	11	73	1.7	1.2	4.6	--	--	--
	9/11/00	1.9	--	2,700	310	10	19	<1.0	<1.0	<3.0	--	--	--
	11/28/00	1.7	--	2,500	<1,000	<100	27	92	<10	<30	--	--	--
	3/27/01	5.2	--	5,500	270	12	220	5.9	2.2	<1.0	<5.0	<5.0	--
	6/26/01	2.5	--	2,800	230	12	20	<0.50	<0.50	<1.0	<5.0	<5.0	--
	8/24/01	1.7	--	2,800	<5,000	<200	<100	<100	<100	<300	--	--	--
	12/5/01	1.86	--	2,240	<5,000	<200	18.3	0.3	1.2	1	--	--	--
3/4/02	3.23	--	7,520	<50	11	94.2	0.8	2.4	6.9	<0.5	<0.5	--	

Sample I.D.	Date	TPH-G mg/l	TPH-D mg/l	MTBE µg/l	tert- Butanol (TBA) ug/l	tert-Amyl Methyl Ether (TAME) ug/l	Benzene µg/l	Toluene µg/l	Ethyl- benzene µg/l	Total Xylenes µg/l	ETBE ug/l	Di-isopropyl ether ug/l	Other VOCs ug/l
MW-4	6/27/00	<0.5	---	18	<50	<5	<1.0	<1.0	<1.0	<3.0	---	---	---
	9/11/00	<0.5	---	<1.0	<50	<5	<1.0	<1.0	<1.0	<3.0	---	---	---
	11/28/00	<0.5	---	<1.0	<50	<5	<0.5	<0.5	<0.5	<1.5	---	---	---
	3/27/01	<0.20	---	<5.0	<200	<5.0	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	Chloroform = 5.1
	6/26/01	<0.05	---	<5.0	<200	<5.0	<0.50	<0.50	<0.50	<1.0	<5.0	<5.0	<5.0
	8/24/01	<0.5	---	<2	<100	<4	<1.0	<1.0	<1.0	<3.0	---	---	---
	12/5/01	<0.05	---	<0.3	<100	<0.5	<0.3	<0.3	<0.3	<0.6	---	---	---
	3/4/02	<0.5	---	4.7	<0.5	<0.5	0.5	<0.5	<0.5	<1.0	<0.5	<0.5	---

**NOTES:**

TPH-D = Total Petroleum Hydrocarbons as Diesel by EPA Method 8015M.  
 TPH-G = Total Petroleum Hydrocarbons as Gasoline by EPA Method 8015M.  
 MTBE = Methyl Tertiary Butyl Ether  
 ETBE = Ethyl Tertiary Butylether  
 VOCs = Volatile Organic Compounds  
 mg/l = milligrams per liter  
 ug/l = micrograms per liter  
 --- = Not measured/ Not Available



**APPENDIX A**  
**GROUNDWATER PURGE LOGS**

# FLUID MEASUREMENT FIELD DATA

SHEET: 1 OF 1

DATE: 5/14/02		PROJECT NAME: CALTRANS S. OAKLAND			PROJECT NO:			
WATER LEVEL MEASUREMENT INSTRUMENT: SOLANUS					SERIAL NO:			
PRODUCT DETECTION INSTRUMENT:					SERIAL NO:			
EQUIP. DECON: <input checked="" type="checkbox"/> ALCONOX WASH <input type="checkbox"/> DIST/DEION 1 RINSE <input type="checkbox"/> ISOPROPNOL <input type="checkbox"/> ANALYTE FREE FINAL RINSE <input type="checkbox"/> TAP WATER FINAL RINSE <input type="checkbox"/> TAP WATER WASH <input type="checkbox"/> LIQUINOX WASH <input checked="" type="checkbox"/> DIST/DEION 2 RINSE <input type="checkbox"/> OTHER SOLVENT <input type="checkbox"/> DIST/DEION FINAL RINSE <input type="checkbox"/> AIR DRY								
WELL NUMBER	GROUND SURFACE ELEVATION	TOP OF CASING ELEVATION	DEPTH TO PRODUCT BELOW TOC	DEPTH TO WATER BELOW TOC	WELL DEPTH BELOW TOC	PRODUCT THICKNESS	WATER TABLE ELEVATION	ACTUAL TIME
MW-1				8.60'	25.18			1111
MW-2				4.25'	19.47			1113
MW-3				8.05'	20.20			1117
MW-4				8.00'	24.37			1120

REMEMBER TO CORRECT PRODUCT THICKNESS FOR DENSITY BEFORE CALCULATING WATER TABLE ELEVATION      PREPARED BY:

# WELL PURGING AND SAMPLING DATA

WELL NO: *MW-1*

DATE: \_\_\_\_\_ PROJECT NAME: *LT S. OAKLAND* PROJECT NO: \_\_\_\_\_

WEATHER CONDITIONS: *SUNNY, WARM*

WELL DIAMETER (IN.)  1  2  4  6  OTHER \_\_\_\_\_

SAMPLE TYPE:  GROUNDWATER  WASTEWATER  SURFACE WATER  OTHER

WELL DEPTH (TOC) *25.18* FT. DEPTH TO WATER BEFORE PURGING (TOC) *8.66* FT.

LENGTH OF WATER *16.52* FT. CALCULATED ONE WELL VOLUME<sup>1</sup>: *2.80* GAL.

PURGING DEVICE:  DEDICATED  DISPOSABLE  DECONTAMINATED

SAMPLING DEVICE:  DEDICATED  DISPOSABLE  DECONTAMINATED

EQUIP. DECON.  TAP WATER WASH  ISOPROPANOL  ANALYTE FREE FINAL RINSE  
 ALCONOX WASH  DIST/DEION 1 RINSE  OTHER SOLVENT  DIST/DEION FINAL RINSE  
 LIQUINOX WASH  DIST/DEION 2 RINSE  TAP WATER FINAL RINSE  AIR DRY

CONTAINER PRESERVATION:  LAB PRESERVED  FIELD PRESERVED

WATER ANALYZER MODEL & SERIAL NO: *MYRON L 602155*

ACTUAL TIME (MIN)	CUMUL. VOLUME PURGED (GAL)	TEMP <input type="checkbox"/> °F <input type="checkbox"/> °C	SPECIFIC CONDUCT.	pH	DISS. OXYGEN	TURBIDITY (NTUs)	WATER APPEAR CL=CLEAR CO=CLOUDY TU=TURBID	REMARKS (EVIDENT ODOR, COLOR, PID)
<i>1137</i>	<i>INITIAL</i>	<i>20.7</i>	<i>481</i>	<i>7.54</i>				
<i>1138</i>	<i>2.5</i>	<i>18.8</i>	<i>480</i>	<i>7.54</i>				
<i>1140</i>	<i>6.0</i>	<i>19.1</i>	<i>482</i>	<i>7.58</i>				
<i>1141</i>	<i>10.0</i>	<i>19.6</i>	<i>484</i>	<i>7.66</i>				
<i>1142</i>	<i>13.0</i>	<i>19.7</i>	<i>494</i>	<i>7.56</i>				

DEPTH TO WATER AFTER PURGING (TOC) \_\_\_\_\_ FT. SAMPLE FILTERED  YES  NO SIZE \_\_\_\_\_

NOTES: \_\_\_\_\_ SAMPLE TIME: *1150* ID# *MW-1*  
 DUPLICATE  TIME: \_\_\_\_\_ ID#:  
 EQUIP. BLANK:  TIME: \_\_\_\_\_ ID#:  
 PREPARED BY: \_\_\_\_\_

<sup>1</sup> A 1 FOOT LENGTH OF WATER = 0.05 GAL IN 1" DIA. PIPE 0.17 GAL IN 2" DIA PIPE 0.65 GAL IN 4" DIA PIPE 1.5 GAL IN 6" DIA PIPE

# WELL PURGING AND SAMPLING DATA

WELL NO: MW-2

DATE: 3/4/02 PROJECT NAME: CT S. OAKLAND PROJECT NO:

WEATHER CONDITIONS: SUNNY, WARM

WELL DIAMETER (IN.)  1  2  4  6  OTHER \_\_\_\_\_

SAMPLE TYPE:  GROUNDWATER  WASTEWATER  SURFACE WATER  OTHER

WELL DEPTH (TOC) 19.47 FT. DEPTH TO WATER BEFORE PURGING (TOC) 8.25 FT.

LENGTH OF WATER 11.22 FT. CALCULATED ONE WELL VOLUME<sup>1</sup>: 1.90 GAL.

PURGING DEVICE:  DEDICATED  DISPOSABLE  DECONTAMINATED

SAMPLING DEVICE:  DEDICATED  DISPOSABLE  DECONTAMINATED

EQUIP. DECON.  TAP WATER WASH  ISOPROPNOL  ANALYTE FREE FINAL RINSE  
 ALCONOX WASH  DIST/DEION 1 RINSE  OTHER SOLVENT  DIST/DEION FINAL RINSE  
 LIQUINOX WASH  DIST/DEION 2 RINSE  TAP WATER FINAL RINSE  AIR DRY

CONTAINER PRESERVATION:  LAB PRESERVED  FIELD PRESERVED

WATER ANALYZER MODEL & SERIAL NO: MEYRON L 602154

ACTUAL TIME (MIN)	CUMUL. VOLUME PURGED (GAL)	TEMP <input type="checkbox"/> °F <input checked="" type="checkbox"/> °C	SPECIFIC CONDUCT.	pH	DISS. OXYGEN	TURBIDITY (NTUs)	WATER APPEAR CL=CLEAR CO=CLOUDY TU=TURBID	REMARKS (EVIDENT ODOR, COLOR, PID)
1222	INITIAL	19.6	571	7.59			CL/CO	
1224	2.5	17.8	576	7.66			CO	
1226	5.0	17.9	585	7.65			↓	
1228	7.5	18.2	572	7.62			↓	
1230	10.0	18.4	576	7.62			↓	

DEPTH TO WATER AFTER PURGING (TOC) \_\_\_\_\_ FT. SAMPLE FILTERED  YES  NO SIZE \_\_\_\_\_

NOTES: VERY SLIGHT SHEEN OBSERVED IN PURGE WATER, TRANSIENT.

SAMPLE TIME: 1235 ID# MW-2

DUPLICATE  TIME: \_\_\_\_\_ ID#: \_\_\_\_\_

EQUIP. BLANK:  TIME: \_\_\_\_\_ ID#: \_\_\_\_\_

PREPARED BY: \_\_\_\_\_

<sup>1</sup>A 1 FOOT LENGTH OF WATER = 0.05 GAL IN 1" DIA. PIPE 0.17 GAL IN 2" DIA PIPE 0.85 GAL IN 4" DIA PIPE 1.5 GAL IN 6" DIA PIPE

# WELL PURGING AND SAMPLING DATA

WELL NO: MW-3

DATE: 3/4/02 PROJECT NAME: CT S. OAKLAND PROJECT NO:

WEATHER CONDITIONS: SUNNY, WARM

WELL DIAMETER (IN.)  1  2  4  6  OTHER \_\_\_\_\_

SAMPLE TYPE:  GROUNDWATER  WASTEWATER  SURFACE WATER  OTHER

WELL DEPTH (TOC) 20.20 FT. DEPTH TO WATER BEFORE PURGING (TOC) 8.05 FT.

LENGTH OF WATER 12.15 FT. CALCULATED ONE WELL VOLUME<sup>1</sup>: 2.06 GAL.

PURGING DEVICE:  DEDICATED  DISPOSABLE  DECONTAMINATED

SAMPLING DEVICE:  DEDICATED  DISPOSABLE  DECONTAMINATED

EQUIP. DECON.  TAP WATER WASH  ISOPROPNOL  ANALYTE FREE FINAL RINSE  
 ALCONOX WASH  DIST/DEION 1 RINSE  OTHER SOLVENT  DIST/DEION FINAL RINSE  
 LIQUINOX WASH  DIST/DEION 2 RINSE  TAP WATER FINAL RINSE  AIR DRY

CONTAINER PRESERVATION:  LAB PRESERVED  FIELD PRESERVED

WATER ANALYZER MODEL & SERIAL NO: MFRON L 602154

ACTUAL TIME (MIN)	CUMUL. VOLUME PURGED (GAL)	TEMP <input type="checkbox"/> °F <input type="checkbox"/> °C	SPECIFIC CONDUCT.	pH	DISS. OXYGEN	TURBIDITY (NTUs)	WATER APPEAR CL=CLEAR CO=CLOUDY TU=TURBID	REMARKS (EVIDENT ODOR, COLOR, PID)
1316	INITIAL	18.6	630	7.08				
1318	2.5	17.5	633	7.12				
1320	5.0	17.7	651	7.06				
1322	7.5	18.3	630	7.06				
1324	10.0	18.6	628	6.97				

DEPTH TO WATER AFTER PURGING (TOC) \_\_\_\_\_ FT. SAMPLE FILTERED  YES  NO SIZE \_\_\_\_\_

NOTES: 3 PSI DRUMS + 1 GEOCON DISPOSE ALL

SAMPLE TIME: 1330 ID# MW-3

DUPLICATE  TIME: \_\_\_\_\_ ID#: \_\_\_\_\_

EQUIP. BLANK:  TIME: \_\_\_\_\_ ID#: \_\_\_\_\_

PREPARED BY: \_\_\_\_\_

<sup>1</sup> A 1 FOOT LENGTH OF WATER = 0.05 GAL IN 1" DIA. PIPE 0.17 GAL IN 2" DIA PIPE 0.65 GAL IN 4" DIA PIPE 1.5 GAL IN 6" DIA PIPE

# WELL PURGING AND SAMPLING DATA

WELL NO: *MW-4*

DATE: *3/4/02* PROJECT NAME: *CT S. OAKLAND* PROJECT NO:

WEATHER CONDITIONS:

WELL DIAMETER (IN.)  1  2  4  6  OTHER \_\_\_\_\_

SAMPLE TYPE:  GROUNDWATER  WASTEWATER  SURFACE WATER  OTHER

WELL DEPTH (TOC) *24.37* FT. DEPTH TO WATER BEFORE PURGING (TOC) *8.00* FT.

LENGTH OF WATER *16.37* FT. CALCULATED ONE WELL VOLUME<sup>1</sup>: *2.78* GAL.

PURGING DEVICE:  DEDICATED  DISPOSABLE  DECONTAMINATED

SAMPLING DEVICE:  DEDICATED  DISPOSABLE  DECONTAMINATED

EQUIP. DECON.  TAP WATER WASH  ISOPROPANOL  ANALYTE FREE FINAL RINSE  
 ALCONOX WASH  DIST/DEION 1 RINSE  OTHER SOLVENT  DIST/DEION FINAL RINSE  
 LIQUINOX WASH  DIST/DEION 2 RINSE  TAP WATER FINAL RINSE  AIR DRY

CONTAINER PRESERVATION:  LAB PRESERVED  FIELD PRESERVED

WATER ANALYZER MODEL & SERIAL NO: *MYRON L 602154*

ACTUAL TIME (MIN)	CUMUL. VOLUME PURGED (GAL)	TEMP <input type="checkbox"/> °F <input type="checkbox"/> °C	SPECIFIC CONDUCT.	pH	DISS. OXYGEN	TURBIDITY (NTUs)	WATER APPEAR CL=CLEAR CO=CLOUDY TU=TURBID	REMARKS (EVIDENT ODOR, COLOR, PID)
<i>1250</i>	<i>INITIAL</i>	<i>18.8</i>	<i>490</i>	<i>7.31</i>			<i>CL</i>	
<i>1253</i>	<i>3.0</i>	<i>18.1</i>	<i>487</i>	<i>7.09</i>			<i>CO</i>	
<i>1255</i>	<i>6.0</i>	<i>18.2</i>	<i>488</i>	<i>7.08</i>			<i>CL</i>	
<i>1257</i>	<i>9.0</i>	<i>18.4</i>	<i>488</i>	<i>7.07</i>			<i>↓</i>	
<i>1259</i>	<i>12.0</i>	<i>18.4</i>	<i>487</i>	<i>7.08</i>			<i>↓</i>	

DEPTH TO WATER AFTER PURGING (TOC) \_\_\_\_\_ FT. SAMPLE FILTERED  YES  NO SIZE \_\_\_\_\_

NOTES: SAMPLE TIME: *1300* ID# *MW-4*  
 DUPLICATE  TIME: \_\_\_\_\_ ID#: \_\_\_\_\_  
 EQUIP. BLANK:  TIME: \_\_\_\_\_ ID#: \_\_\_\_\_  
 PREPARED BY: \_\_\_\_\_

<sup>1</sup> A 1 FOOT LENGTH OF WATER = 0.05 GAL IN 1" DIA. PIPE 0.17 GAL IN 2" DIA PIPE 0.65 GAL IN 4" DIA PIPE 1.5 GAL IN 6" DIA PIPE

# BASIC LABORATORY, INC.

**Report To:** P.S.I.  
 4703 TIDEWATER AVE., STE B  
 OAKLAND, CA 94601

**Attention:** FRANK POSS

**Project Name:** CALTRANS-S.OAKLAND

**Lab No:** 0203153  
**Date:** 03/21/02  
**Phone:** (510) 434-9200  
**Date Sampled:** 03/04/02  
**Date Received:** 03/05/02  
**Project No.:**

**Sample**

**Description:** WATER TESTING

**Page 1 of 9**

<b>Test:</b>	<b>TPH-Gas Range</b>		<b>Reporting</b>	<b>Date</b>
<b>Method:</b>	<b>Organics</b>	<b>4-Bromofluorobenzene</b>	<b>Limit</b>	<b>Analyzed</b>
	8015	Surrogate	ug/l	
<b>Units:</b>	ug/l	%		
<b>Control Limit:</b>		43-155		

**Sample ID**

Sample ID	1	2	3	4	5	Date Analyzed
MW-1	69	84.2	50	03/17/02		
MW-2	n	68.7	50	03/17/02		
MW-3	3230	76.8	50	03/17/02		
MW-4	n	77.0	50	03/17/02		

**Comments:** California D.O.H.S. Cert. #1677.  
 n - Not detected at the reporting limit.

**Reported by:** 

**APPENDIX B**

**LABORATORY REPORTS AND CHAIN-OF-CUSTODY FORMS**



# BASIC LABORATORY, INC.

## EPA METHOD 8260

**Report To:** P.S.I.  
 4703 TIDEWATER AVE., STE.B  
 OAKLAND, CA 94601

**Lab Number:** 0203153-1  
**Phone:** (510) 434-9200

**Attention:** FRANK POSS  
**Date Sampled:** 03/04/02  
**Date Received:** 03/05/02  
**Date Analyzed:** 03/17/02  
**Date Reported:** 03/21/02

**Project Name:** CALTRANS - S. OAKLAND  
**Sampling Location:**  
**Sample ID:** MW-1  
**Sample Matrix:** WATER  
**Sample Collected By:** CHRIS MERRITT

PAGE 2 OF 9

COMPOUND	RESULT	REPORTING UNITS	QUALIFICATION LIMIT
Acetone	n	ug/l	5
Acrylonitrile	n	ug/l	5
Benzene	n	ug/l	0.5
Bromobenzene	n	ug/l	0.5
Bromochloromethane	n	ug/l	0.5
Bromodichloromethane	n	ug/l	0.5
Bromoform	n	ug/l	0.5
Bromomethane	n	ug/l	0.5
2-Butanone (MEK)	n	ug/l	5
n-Butylbenzene	n	ug/l	0.5
sec-Butylbenzene	n	ug/l	0.5
tert-Butylbenzene	n	ug/l	0.5
Carbon Disulfide	n	ug/l	0.5
Carbon tetrachloride	n	ug/l	0.5
Chlorobenzene	n	ug/l	0.5
Chloroethane	n	ug/l	0.5
2-Chloroethylvinylether	n	ug/l	0.5
Chloroform	n	ug/l	0.5
Chloromethane	n	ug/l	0.5
2-Chlorotoluene	n	ug/l	0.5
4-Chlorotoluene	n	ug/l	0.5
Dibromochloromethane	n	ug/l	0.5
1,2-Dibromo-3-Chloropropane	n	ug/l	0.5
1,2-Dibromoethane	n	ug/l	0.5
Dibromomethane	n	ug/l	0.5
1,2-Dichlorobenzene	n	ug/l	0.5
1,3-Dichlorobenzene	n	ug/l	0.5
1,4-Dichlorobenzene	n	ug/l	0.5
Dichlorodifluoromethane	n	ug/l	0.5
1,1-Dichloroethane	n	ug/l	0.5
1,2-Dichloroethane	n	ug/l	0.5
1,1-Dichloroethene	n	ug/l	0.5
cis-1,2-Dichloroethene	n	ug/l	0.5
trans-1,2-Dichloroethene	n	ug/l	0.5
1,2-Dichloropropane	n	ug/l	0.5

# BASIC LABORATORY, INC.

EPA METHOD 8260

Report To:

P.S.I.

Lab Number:

0203153-1


PAGE 3 OF 9

COMPOUND	RESULT	REPORTING UNITS	QUALIFICATION LIMIT
1,3-Dichloropropane	n	ug/l	0.5
2,2-Dichloropropane	n	ug/l	0.5
1,1-Dichloropropene	n	ug/l	0.5
cis-1,3-Dichloropropene	n	ug/l	0.5
trans-1,3-Dichloropropene	n	ug/l	0.5
1,4-Dioxane	n	ug/l	25
Ethyl Benzene	n	ug/l	0.5
Ethyl-Tert-Butyl Ether (ETBE)	n	ug/l	0.5
Hexachlorobutadiene	n	ug/l	0.5
2-Hexanone (MBK)	n	ug/l	5
Isopropylbenzene	n	ug/l	0.5
Di-Isopropyl Ether (DIPE)	n	ug/l	0.5
p-Isopropyltoluene	n	ug/l	0.5
4-Methyl-2-Pentanone (MIBK)	n	ug/l	5
Methylene Chloride	n	ug/l	1
Methyl Tert-Butyl Ether (MTBE)	55.4	ug/l	0.5
Napthalene	n	ug/l	0.5
n-Propylbenzene	n	ug/l	0.5
Styrene	n	ug/l	0.5
Tert-Amyl Methyl Ether (TAME)	n	ug/l	0.5
tert - Butanol (TBA)	n	ug/l	50
1,1,1,2-Tetrachloroethane	n	ug/l	0.5
1,1,2,2-Tetrachloroethane	n	ug/l	0.5
Tetrachloroethene	n	ug/l	0.5
Tetrahydrofuran	n	ug/l	5
Toluene	n	ug/l	0.5
1,2,3-Trichlorobenzene	n	ug/l	0.5
1,2,4-Trichlorobenzene	n	ug/l	0.5
1,1,1-Trichloroethane	n	ug/l	0.5
1,1,2-Trichloroethane	n	ug/l	0.5
Trichloroethene	n	ug/l	0.5
1,1,2-Trichlorotrifluoroethane	n	ug/l	0.5
Trichlorofluoromethane	n	ug/l	0.5
1,2,3-Trichloropropane	n	ug/l	0.5
1,2,4-Trimethylbenzene	0.6	ug/l	0.5
1,3,5-Trimethylbenzene	n	ug/l	0.5
Vinyl Acetate	n	ug/l	0.5
Vinyl Chloride	n	ug/l	0.5
Total Xylenes	n	ug/l	1.
SURROGATES	RECOVERY	%	CONTROL LIMITS (%)
1,2-Dichloroethane-d4	93.1	%	32-157
Toluene-d8	92.1	%	76-129
4-Bromofluorobenzene	84.2	%	68-130

Comments:

California D.O.H.S Cert # 1677

n - Not detected at the qualification limit.

  
 Reported By

# BASIC LABORATORY, INC.

## EPA METHOD 8260

**Report To:** P.S.I.  
4703 TIDEWATER AVE., STE.B  
OAKLAND, CA 94601

**Lab Number:** 0203153-2  
**Phone:** (510) 434-9200

**Attention:** FRANK POSS

**Date Sampled:** 03/04/02

**Date Received:** 03/05/02

**Date Analyzed:** 03/17/02

**Project Name:** CALTRANS - S. OAKLAND

**Date Reported:** 03/21/02

**Sampling Location:**

**Sample ID:** MW-2

**Sample Matrix:** WATER

**Sample Collected By:** CHRIS MERRITT

PAGE 4 OF 9

COMPOUND	RESULT	REPORTING UNITS	QUALIFICATION LIMIT
Acetone	n	ug/l	5
Acrylonitrile	n	ug/l	5
Benzene	n	ug/l	0.5
Bromobenzene	n	ug/l	0.5
Bromochloromethane	n	ug/l	0.5
Bromodichloromethane	n	ug/l	0.5
Bromoform	n	ug/l	0.5
Bromomethane	n	ug/l	0.5
2-Butanone (MEK)	n	ug/l	5
n-Butylbenzene	n	ug/l	0.5
sec-Butylbenzene	n	ug/l	0.5
tert-Butylbenzene	n	ug/l	0.5
Carbon Disulfide	n	ug/l	0.5
Carbon tetrachloride	n	ug/l	0.5
Chlorobenzene	n	ug/l	0.5
Chloroethane	n	ug/l	0.5
2-Chloroethylvinylether	n	ug/l	0.5
Chloroform	n	ug/l	0.5
Chloromethane	n	ug/l	0.5
2-Chlorotoluene	n	ug/l	0.5
4-Chlorotoluene	n	ug/l	0.5
Dibromochloromethane	n	ug/l	0.5
1,2-Dibromo-3-Chloropropane	n	ug/l	0.5
1,2-Dibromoethane	n	ug/l	0.5
Dibromomethane	n	ug/l	0.5
1,2-Dichlorobenzene	n	ug/l	0.5
1,3-Dichlorobenzene	n	ug/l	0.5
1,4-Dichlorobenzene	n	ug/l	0.5
Dichlorodifluoromethane	n	ug/l	0.5
1,1-Dichloroethane	n	ug/l	0.5
1,2-Dichloroethane	n	ug/l	0.5
1,1-Dichloroethene	n	ug/l	0.5
cis-1,2-Dichloroethene	n	ug/l	0.5
trans-1,2-Dichloroethene	n	ug/l	0.5
1,2-Dichloropropane	n	ug/l	0.5

# BASIC LABORATORY, INC.

EPA METHOD 8260

Report To: P.S.I.

Lab Number: 0203153-2


PAGE 5 OF 9

COMPOUND	RESULT	REPORTING UNITS	QUALIFICATION LIMIT
1,3-Dichloropropane	n	ug/l	0.5
2,2-Dichloropropane	n	ug/l	0.5
1,1-Dichloropropene	n	ug/l	0.5
cis-1,3-Dichloropropene	n	ug/l	0.5
trans-1,3-Dichloropropene	n	ug/l	0.5
1,4-Dioxane	n	ug/l	25
Ethyl Benzene	n	ug/l	0.5
Ethyl-Tert-Butyl Ether (ETBE)	n	ug/l	0.5
Hexachlorobutadiene	n	ug/l	0.5
2-Hexanone (MBK)	n	ug/l	5
Isopropylbenzene	n	ug/l	0.5
Di-Isopropyl Ether (DIPE)	n	ug/l	0.5
p-Isopropyltoluene	n	ug/l	0.5
4-Methyl-2-Pentanone (MIBK)	n	ug/l	5
Methylene Chloride	n	ug/l	1
Methyl Tert-Butyl Ether (MTBE)	9.1	ug/l	0.5
Napthalene	n	ug/l	0.5
n-Propylbenzene	n	ug/l	0.5
Styrene	n	ug/l	0.5
Tert-Amyl Methyl Ether (TAME)	n	ug/l	0.5
tert - Butanol (TBA)	n	ug/l	50
1,1,1,2-Tetrachloroethane	n	ug/l	0.5
1,1,2,2-Tetrachloroethane	n	ug/l	0.5
Tetrachloroethane	n	ug/l	0.5
Tetrahydrofuran	n	ug/l	5
Toluene	n	ug/l	0.5
1,2,3-Trichlorobenzene	n	ug/l	0.5
1,2,4-Trichlorobenzene	n	ug/l	0.5
1,1,1-Trichloroethane	n	ug/l	0.5
1,1,2-Trichloroethane	n	ug/l	0.5
Trichloroethene	n	ug/l	0.5
1,1,2-Trichlorotrifluoroethane	n	ug/l	0.5
Trichlorofluoromethane	n	ug/l	0.5
1,2,3-Trichloropropane	n	ug/l	0.5
1,2,4-Trimethylbenzene	n	ug/l	0.5
1,3,5-Trimethylbenzene	n	ug/l	0.5
Vinyl Acetate	n	ug/l	0.5
Vinyl Chloride	n	ug/l	0.5
Total Xylenes	n	ug/l	1.
SURROGATES	RECOVERY	%	CONTROL LIMITS (%)
1,2-Dichloroethane-d4	83.6	%	32-157
Toluene-d8	76.0	%	76-129
4-Bromofluorobenzene	68.7	%	68-130

Comments:

California D.O.H.S Cert # 1677

n - Not detected at the qualification limit.

  
 Reported By

# BASIC LABORATORY, INC.

## EPA METHOD 8260

<b>Report To:</b>	P.S.I. 4703 TIDEWATER AVE., STE.B OAKLAND, CA 94601	<b>Lab Number:</b>	0203153-3
		<b>Phone:</b>	(510) 434-9200
<b>Attention:</b>	FRANK POSS	<b>Date Sampled:</b>	03/04/02
		<b>Date Received:</b>	03/05/02
<b>Project Name:</b>	CALTRANS - S. OAKLAND	<b>Date Analyzed:</b>	03/17/02
		<b>Date Reported:</b>	03/21/02
<b>Sampling Location:</b>			
<b>Sample ID:</b>	MW-3		
<b>Sample Matrix:</b>	WATER		
<b>Sample Collected By:</b>	CHRIS MERRITT		

PAGE 6 OF 9

COMPOUND	RESULT	REPORTING UNITS	QUALIFICATION LIMIT
Acetone	n	ug/l	5
Acrylonitrile	n	ug/l	5
Benzene	94.2	ug/l	0.5
Bromobenzene	n	ug/l	0.5
Bromochloromethane	n	ug/l	0.5
Bromodichloromethane	n	ug/l	0.5
Bromoform	n	ug/l	0.5
Bromomethane	n	ug/l	0.5
2-Butanone (MEK)	n	ug/l	5
n-Butylbenzene	n	ug/l	0.5
sec-Butylbenzene	n	ug/l	0.5
tert-Butylbenzene	n	ug/l	0.5
Carbon Disulfide	n	ug/l	0.5
Carbon tetrachloride	n	ug/l	0.5
Chlorobenzene	n	ug/l	0.5
Chloroethane	n	ug/l	0.5
2-Chloroethylvinylether	n	ug/l	0.5
Chloroform	n	ug/l	0.5
Chloromethane	n	ug/l	0.5
2-Chlorotoluene	n	ug/l	0.5
4-Chlorotoluene	n	ug/l	0.5
Dibromochloromethane	n	ug/l	0.5
1,2-Dibromo-3-Chloropropane	n	ug/l	0.5
1,2-Dibromoethane	n	ug/l	0.5
Dibromomethane	n	ug/l	0.5
1,2-Dichlorobenzene	n	ug/l	0.5
1,3-Dichlorobenzene	n	ug/l	0.5
1,4-Dichlorobenzene	n	ug/l	0.5
Dichlorodifluoromethane	n	ug/l	0.5
1,1-Dichloroethane	n	ug/l	0.5
1,2-Dichloroethane	n	ug/l	0.5
1,1-Dichloroethene	n	ug/l	0.5
cis-1,2-Dichloroethene	n	ug/l	0.5
trans-1,2-Dichloroethene	n	ug/l	0.5
1,2-Dichloropropane	n	ug/l	0.5

# BASIC LABORATORY, INC.

EPA METHOD 8260

Report To:

P.S.I.

Lab Number:

0203153-3


PAGE 7 OF 9

COMPOUND	RESULT	REPORTING UNITS	QUALIFICATION LIMIT
1,3-Dichloropropane	n	ug/l	0.5
2,2-Dichloropropane	n	ug/l	0.5
1,1-Dichloropropene	2.7	ug/l	0.5
cis-1,3-Dichloropropene	n	ug/l	0.5
trans-1,3-Dichloropropene	n	ug/l	0.5
1,4-Dioxane	n	ug/l	25
Ethyl Benzene	2.4	ug/l	0.5
Ethyl-Tert-Butyl Ether (ETBE)	n	ug/l	0.5
Hexachlorobutadiene	n	ug/l	0.5
2-Hexanone (MBK)	n	ug/l	5
Isopropylbenzene	0.9	ug/l	0.5
Di-Isopropyl Ether (DIPE)	n	ug/l	0.5
p-Isopropyltoluene	n	ug/l	0.5
4-Methyl-2-Pentanone (MIBK)	n	ug/l	5
Methylene Chloride	n	ug/l	1
Methyl Tert-Butyl Ether (MTBE)	7520	ug/l	0.5
Napthalene	1.3	ug/l	0.5
n-Propylbenzene	1.4	ug/l	0.5
Styrene	n	ug/l	0.5
Tert-Amyl Methyl Ether (TAME)	10.6	ug/l	0.5
tert - Butanol (TBA)	n	ug/l	50
1,1,1,2-Tetrachloroethane	n	ug/l	0.5
1,1,2,2-Tetrachloroethane	n	ug/l	0.5
Tetrachloroethene	n	ug/l	0.5
Tetrahydrofuran	n	ug/l	5
Toluene	0.8	ug/l	0.5
1,2,3-Trichlorobenzene	n	ug/l	0.5
1,2,4-Trichlorobenzene	n	ug/l	0.5
1,1,1-Trichloroethane	n	ug/l	0.5
1,1,2-Trichloroethane	n	ug/l	0.5
Trichloroethene	n	ug/l	0.5
1,1,2-Trichlorotrifluoroethane	n	ug/l	0.5
Trichlorofluoromethane	n	ug/l	0.5
1,2,3-Trichloropropane	n	ug/l	0.5
1,2,4-Trimethylbenzene	1.6	ug/l	0.5
1,3,5-Trimethylbenzene	n	ug/l	0.5
Vinyl Acetate	1.8	ug/l	0.5
Vinyl Chloride	n	ug/l	0.5
Total Xylenes	6.9	ug/l	1.
<b>SURROGATES</b>	<b>RECOVERY</b>	<b>%</b>	<b>CONTROL LIMITS (%)</b>
1,2-Dichloroethane-d4	91.6	%	32-157
Toluene-d8	88.4	%	76-129
4-Bromofluorobenzene	76.8	%	68-130

Comments:

California D.O.H.S Cert # 1677

n - Not detected at the qualification limit.

  
 Reported By

# BASIC LABORATORY, INC.

## EPA METHOD 8260

**Report To:** P.S.I.  
 4703 TIDEWATER AVE., STE.B  
 OAKLAND, CA 94601

**Lab Number:** 0203153-4  
**Phone:** (510) 434-9200

**Attention:** FRANK POSS  
**Date Sampled:** 03/04/02  
**Date Received:** 03/05/02  
**Date Analyzed:** 03/17/02  
**Date Reported:** 03/21/02

**Project Name:** CALTRANS - S. OAKLAND  
**Sampling Location:**  
**Sample ID:** MW-4  
**Sample Matrix:** WATER  
**Sample Collected By:** CHRIS MERRITT

PAGE 8 OF 9

COMPOUND	RESULT	REPORTING UNITS	QUALIFICATION LIMIT
Acetone	n	ug/l	5
Acrylonitrile	n	ug/l	5
Benzene	0.5	ug/l	0.5
Bromobenzene	n	ug/l	0.5
Bromochloromethane	n	ug/l	0.5
Bromodichloromethane	n	ug/l	0.5
Bromoform	n	ug/l	0.5
Bromomethane	n	ug/l	0.5
2-Butanone (MEK)	n	ug/l	5
n-Butylbenzene	n	ug/l	0.5
sec-Butylbenzene	n	ug/l	0.5
tert-Butylbenzene	n	ug/l	0.5
Carbon Disulfide	n	ug/l	0.5
Carbon tetrachloride	n	ug/l	0.5
Chlorobenzene	n	ug/l	0.5
Chloroethane	n	ug/l	0.5
2-Chloroethylvinylether	n	ug/l	0.5
Chloroform	4.6	ug/l	0.5
Chloromethane	n	ug/l	0.5
2-Chlorotoluene	n	ug/l	0.5
4-Chlorotoluene	n	ug/l	0.5
Dibromochloromethane	n	ug/l	0.5
1,2-Dibromo-3-Chloropropane	n	ug/l	0.5
1,2-Dibromoethane	n	ug/l	0.5
Dibromomethane	n	ug/l	0.5
1,2-Dichlorobenzene	n	ug/l	0.5
1,3-Dichlorobenzene	n	ug/l	0.5
1,4-Dichlorobenzene	n	ug/l	0.5
Dichlorodifluoromethane	n	ug/l	0.5
1,1-Dichloroethane	n	ug/l	0.5
1,2-Dichloroethane	n	ug/l	0.5
1,1-Dichloroethene	n	ug/l	0.5
cis-1,2-Dichloroethene	n	ug/l	0.5
trans-1,2-Dichloroethene	n	ug/l	0.5
1,2-Dichloropropane	n	ug/l	0.5

# BASIC LABORATORY, INC.

EPA METHOD 8260

Report To:

P.S.I.

Lab Number:

0203153-4


PAGE 9 OF 9

COMPOUND	RESULT	REPORTING UNITS	QUALIFICATION LIMIT
1,3-Dichloropropane	n	ug/l	0.5
2,2-Dichloropropane	n	ug/l	0.5
1,1-Dichloropropene	n	ug/l	0.5
cis-1,3-Dichloropropene	n	ug/l	0.5
trans-1,3-Dichloropropene	n	ug/l	0.5
1,4-Dioxane	n	ug/l	25
Ethyl Benzene	n	ug/l	0.5
Ethyl-Tert-Butyl Ether (ETBE)	n	ug/l	0.5
Hexachlorobutadiene	n	ug/l	0.5
2-Hexanone (MBK)	n	ug/l	5
Isopropylbenzene	n	ug/l	0.5
Di-isopropyl Ether (DiPE)	n	ug/l	0.5
p-Isopropyltoluene	n	ug/l	0.5
4-Methyl-2-Pentanone (MIBK)	n	ug/l	5
Methylene Chloride	n	ug/l	1
Methyl Tert-Butyl Ether (MTBE)	4.7	ug/l	0.5
Napthalene	n	ug/l	0.5
n-Propylbenzene	n	ug/l	0.5
Styrene	n	ug/l	0.5
Tert-Amyl Methyl Ether (TAME)	n	ug/l	0.5
tert - Butanol (TBA)	n	ug/l	50
1,1,1,2-Tetrachloroethane	n	ug/l	0.5
1,1,2,2-Tetrachloroethane	n	ug/l	0.5
Tetrachloroethene	n	ug/l	0.5
Tetrahydrofuran	n	ug/l	5
Toluene	n	ug/l	0.5
1,2,3-Trichlorobenzene	n	ug/l	0.5
1,2,4-Trichlorobenzene	n	ug/l	0.5
1,1,1-Trichloroethane	n	ug/l	0.5
1,1,2-Trichloroethane	n	ug/l	0.5
Trichloroethene	n	ug/l	0.5
1,1,2-Trichlorotrifluoroethane	n	ug/l	0.5
Trichlorofluoromethane	n	ug/l	0.5
1,2,3-Trichloropropane	n	ug/l	0.5
1,2,4-Trimethylbenzene	n	ug/l	0.5
1,3,5-Trimethylbenzene	n	ug/l	0.5
Vinyl Acetate	n	ug/l	0.5
Vinyl Chloride	n	ug/l	0.5
Total Xylenes	n	ug/l	1.
SURROGATES	RECOVERY	%	CONTROL LIMITS (%)
1,2-Dichloroethane-d4	87.7	%	32-157
Toluene-d8	82.7	%	76-129
4-Bromofluorobenzene	77.0	%	68-130

Comments:

California D.O.H.S Cert # 1677

n - Not detected at the qualification limit.

  
 Reported By



**BASIC LABORATORY CHAIN OF CUSTODY RECORD**  
 2218 Railroad Avenue, Redding, CA 96001 (530) 243-7234 FAX 243-7494

CLIENT NAME: **PSI** PROJECT NAME: **CACTRANS-S, OAKLAND** PROJECT #: \_\_\_\_\_ LAB #: **0203153**

ADDRESS: **1703 TIDEWATER AVE, SUITE B OAKLAND, CA 94601** REQUESTED COMP. DATE: **03/19/02** # SAMP: **4**

TURN AROUND TIME: STD  RUSH  PAGE 1 OF 1

PROJECT MANAGER: **FRANK POSS** ANALYSES REQUESTED

PHONE: **510 434-9200** FAX: **510-434-7676** E-MAIL: **FRANK.POSS@PSIUSA.COM** # \_\_\_\_\_

CHOICE TO: **SAME** PO#: \_\_\_\_\_

SPECIAL MAIL  E-MAIL  FAX

DATE	TIME	WATER	COMP	SOIL	SAMPLE DESCRIPTION	# OF BOTTLES	LAB ID	REMARKS
3/4/02	1150	X			MW-1	X	1	
	1255	X			MW-2	X	2	
	1330	X			MW-3	X	3	
	1300	X			MW-4	X	4	

RESERVATIONS  HNO<sub>3</sub>  H<sub>2</sub>SO<sub>4</sub>  NaOH  ZnAce/NaOH  HCL  Nathio

SAMPLED BY: **CHRIS MERRITT** DATE/TIME: **3/4/02 1130-1330** RELINQUISHED BY: **CHRIS MERRITT** DATE/TIME: **3/4/02 1730**

RECEIVED BY: \_\_\_\_\_ DATE/TIME: \_\_\_\_\_ RELINQUISHED BY: \_\_\_\_\_ DATE/TIME: \_\_\_\_\_

RECEIVED BY: \_\_\_\_\_ DATE/TIME: \_\_\_\_\_ RELINQUISHED BY: \_\_\_\_\_ DATE/TIME: \_\_\_\_\_

RECEIVED BY LAB: **Julie McNeal** DATE/TIME: **03/05/02** SAMPLE SHIPPED VIA: UPS POST BUS FED-EX OTHER \_\_\_\_\_