

January 13, 1999

RECEIVED

By Alameda County Environmental Health at 10:57 am, Jul 10, 2014

PROJECT REPORT
CONTAMINATED SOIL EXCAVATION
AND OFF-SITE DISPOSAL
(ASE JOB NO. 2908)
for
Emeryville Properties
1400 Park Avenue
Emeryville, California

Prepared for:

Emeryville Properties c/o Mr. William Lewerenz 650 Townsend Street San Francisco, CA 94103

Submitted by:

Aqua Science Engineers 208 West El Pintado Danville, CA 94526 (925) 820-9391



January 13, 1999

Emeryville Properties c/o Mr. William Lewerenz 650 Townsend Street, Suite 2261 San Francisco, CA 94103

SUBJECT:

SOIL EXCAVATION AND OFF-SITE DISPOSAL

Emeryville Properties 1400 Park Avenue Emeryville, California

Dear Mr. Lewerenz:

Aqua Science Engineers, Inc's. (ASE) was contracted by McKay & Company Construction to supply project management services related to the handling/disposal of contaminated soil generated during the construction of a truck dock at the subject site, see Figures 1 and 2.

STOCKPILED SOIL SAMPLING, NOVEMBER 4, 1998

ASE reported to the site on November 4, 1998 to collect a soil sample from the stockpiled soil, an estimated 200 cubic yards. The soil was excavated by Siteworks Construction, Inc. for a future truck dock. was called to the site due to the presence of areas of stained and odorous soil within the excavation. This estimated 200 cubic yards represented soil from just below the concrete surface to a depth of approximately 4feet below ground surface (bgs). Soil samples STK-A, STK-B, STK-C and STK-D were collected from within the soil pile and later composited by the laboratory and reported as STK (A-D). These samples were analyzed by Chromalab, Inc. of Pleasanton, CA (ELAP #1094) for total petroleum hydrocarbons as gasoline (TPH-G) by EPA Method 8015, total extractable petroleum hydrocarbons (TEPH) as diesel and motor-oil by EPA Method 8015, volatile organic compounds (VOCs) by EPA Method 8010, MTBE and BTEX by EPA Method 8020, total lead, WET lead, and total chromium by The analytical results are tabulated in the Tables EPA Method 6010. Section; the analytical report is attached in Appendix A.

SOIL PROFILING

The analytical results for the November 4, 1998 sampling were used to profile the soil into a local landfill. On November 17, 1998, ASE received confirmation from Forward, Inc. landfill in Manteca, California that the soil was suitable for acceptance as Class II, non-hazardous waste.

SOIL TRANSPORTATION AND DISPOSAL, NOVEMBER 19, 1998

On November 19, 1998 Siteworks Construction loaded trucks supplied by Denbeste Transportation for transport to the Forward, Inc. landfill in Manteca, CA where the soil was accepted as Class II, non-hazardous waste. On November 19, 1998, 257.78 tons of soil was removed from the site. See Appendix B for copies of the manifests and a letter from Forward, Inc.

SOIL EXCAVATION AND STOCKPILE SAMPLING, NOVEMBER 19, 1998

Additional soil was removed from the future truck dock November 19, 1998 by Siteworks Construction personnel. The additional tonnage represented soil removed to the final excavation depth approximately 7-feet bgs in some areas. The soil excavated on November 19, 1998 was stockpiled separately from the soil previously excavated. On November 19, 1998, ASE collected a stockpiled soil sample from the newly excavated soil. Soil samples STKP-A, STKP-B, STKP-C and STKP-D were collected from within the soil pile and later composited by the laboratory and reported as STKP (A-D). These samples were analyzed by McCampbell Analytical of Pacheco, California (ELAP #1644) for TPH-G by EPA Method 8015, TEPH as diesel by EPA Method 8015, VOCs by EPA Method 8010, MTBE and BTEX by EPA Method 8020, total lead and total chromium by EPA Method 6010. The analytical results are tabulated in the Tables Section; the analytical report is attached in Appendix A. The analytical results of the November 19, 1998 soil sample allowed for disposal of the soil excavated on November 19, 1998 at Forward, Inc. landfill.

SOIL TRANSPORTATION AND DISPOSAL, NOVEMBER 23, 1998

On November 23, 1998 Siteworks Construction loaded trucks supplied by Denbeste Transportation for transport to the Forward, Inc. landfill in Manteca, CA where the soil was accepted as Class II, non-hazardous waste. On November 23, 1998, 405.25 tons of soil was removed from the site. See Appendix B for copies of the manifests and the Forward, Inc. letter.

SOIL TRANSPORTATION AND DISPOSAL, DECEMBER 2, 1998

On December 2, 1998 Siteworks Construction loaded trucks supplied by Denbeste Transportation and Dellafosse Trucking for transport to the Forward, Inc. landfill in Manteca, CA where the soil was accepted as Class II, non-hazardous waste. On December 2, 1998, 184.31 tons of soil was removed from the site. See Appendix B for copies of the manifests and and the Forward, Inc. letter.

BOTTOM OF EXCAVATION SAMPLING, NOVEMBER 24, 1998

ASE collected four soil samples from the bottom of the excavation after overexcavation activities were completed by Siteworks Construction. Soil samples EB-N, EB-S, EB-W and EB-E were collected from the north, south, west, and eastern portions of the excavation bottom, respectively. These samples were analyzed by Chromalab for TPH-G by EPA Method 8015, TEPH as diesel and motor-oil by EPA Method 8015, VOCs by EPA Method 8010, MTBE and BTEX by EPA Method 8020, total lead and total chromium by EPA Method 6010. The analytical results are tabulated in the Tables Section; the analytical report is attached in Appendix A. No TPH-G, TEPH, VOCs, MTBE or BTEX was identified in any of the samples. No lead or chromium was detected above background levels.

CONCLUSIONS

A total of 847.34 tons of overexcavated soil was removed from the subject site and disposed of at the Forward, Inc. landfill facility in Manteca, California as Class II non-hazardous soil. Confirmation soil samples collected at the bottom of the excavation contained no detectable concentrations of TPH-G, TEPH, VOCs, MTBE or BTEX. No lead or chromium was detected above background levels. It is the opinion of ASE that no further environmental activities regarding this area of the site are warranted.

Should you have any questions or comments, please feel free to call me at (925) 820-9391.


Respectfully submitted,

AQUA SCIENCE ENGINEERS, INC.


David Allen, R.E.A.

Senior Project Manager

FIGURES



.77



TABLES

TABLE ONE

Summary of Chemical Analysis of **Soil** Samples

TPH-G, BTEX, and MTBE All results are in **parts per million**

SAMPLE	TPH	Marien	* The Charles	ETHYLE	TOTAL	48 SE SE
NAME, DEPTH	GAS	BENZENE	TOLUENE	BENZENE	XYLENES	MTBE
Bottom of Excavation		OF THE PARTY OF TH			Artis	Jilderie - Control
EB-N	< 1.0	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
EB-S	< 1.0	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
EB-E	< 1.0	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
EB-W	< 1.0	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Stockpiled Soil (11-4-98)						
STK (A-D)	< 1.0	< 0.005	0.014	0.0075	0.053	< 0.005
Stockpiled Soil (11-19-98)						
STKP (A-D)	1.9	< 0.005	0.008	< 0.005	0.019	< 0.005
						, ,
						·
EPA METHOD	8015M	8020	8020	8020	8020	8020
NOTES:	-			·		

Detectable concentrations are in **bold**.

Non-detectable concentrations are noted by the less than sign (<) followed by the laboratory detection limit.

TABLE TWO

Summary of Chemical Analysis of Soil Samples TEPH as Motor Oil and Diesel

All results are in parts per million

SAMPLE NAME & DEPTH	TEPH MOTOR OIL	TERH
Bottom Of Excavation		DIESEL TELL
EB-N	< 50	< 1.0
EB-S	< 50	< 1.0
ЕВ-Е	<50	< 1.0
EB-W	< 50	< 1.0
Stockpiled Soil (11-4-98)		
STK (A-D)	57	43
Stockpiled Soil (11-19-98)		
STKP (A-D)		75
EPA METHOD	8015M	8015M
NOTES:		

Detectable concentrations are in **bold**.

Non-detectable concentrations are noted by the less than sign (<) followed by the laboratory detection limit.

TABLE THREE

Summary of Chemical Analysis of **Soil Samples**Volatile Organic Compounds All results are in **parts per billion**

SAMPLE NAME AND DEPTH	TCE	VINYL	REMAINING VOCs
Bottom Of Excavation	- 一	OPLOIDE	
EB-N	< 5.0	< 5.0	< 5.0 - < 50
EB-S	< 5.0	< 5.0	<5.0 - < 50
EB-E	< 5.0	< 5.0	<5.0 - < 50
EB-W	< 5.0	< 5.0	< 5.0 - < 50
Stockpiled Soil (11-4-98)			
STK (A-D)	15	6.8	< 5.0 - < 50
Stockpiled Soil (11-19-98)			
STKP (A-D)	< 5.0	< 5.0	< 5.0 - < 50
	,		
EPA METHOD	8010	8010	8010
NOTES:			

Detectable concentrations are in bold.

Non-detectable concentrations are noted by the less than sign (<) followed by the laboratory detection limit.

TABLE FOUR

Summary of Chemical Analysis of Soil Samples Lead & Chromium

All results are in parts per million

SAMPLE	TOTAL	TOTAL TITLE	STLC
NAME & DEPTH	LEAD	CHROMIUM	LEAD
<u>Bottom of Excavation</u>	The state of the s		
EB-N	5.4	24	
EB-S	3.9	29	
EB-E	3.7	21	
EB-W	4.5	27	
Stockpiled Soil (11-4-98)			
STK (A-D)	120	30	2.7
Stockpiled Soil (11-19-98)			
STKP (A-D)	31	46	
EPA METHOD	6010	6010	6010
NOTES:		33.0	

Detectable concentrations are in bold.

Non-detectable concentrations are noted by the less than sign (<) followed by the laboratory detection limit.

APPENDIX A

Analytical Report
And
Chain of Custody Documentation

110 Second Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622
http://www.mccampbell.com E-mail: main@mccampbell.com

Aqua Science Engineers, Inc	Client Project ID: Emeryville Property;	Date Sampled: 11/19/98
2411 Old Crow Canyon Rd, #4	1400 Park Ave	Date Received: 11/19/98
San Ramon, CA 94583	Client Contact: Greg Schramm	Date Extracted: 11/19/98
	Client P.O:	Date Analyzed: 11/19/98

11/25/98

Dear Greg:

Enclosed are:

- 1). the results of 1 samples from your Emeryville Property; 1400 Park Ave project,
- 2). a QC report for the above samples
- 3). a copy of the chain of custody, and
- 4). a bill for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits. If you have any questions please contact me. McCampbell Analytical Laboratories strives for excellence in quality, service and cost. Thank you for your business and I look forward to working with you again.

Yours truly,

Edward Hamilton, Lab Director

110 Second Avenue South, #D7, Pacheco, CA 94553-5560 Telephone: 925-798-1620 Fax: 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com

	~ 						
Aqua Science Engineers, Inc	Client Project ID: Emeryville Property;	Date Sampled: 11/19/98					
2411 Old Crow Canyon Rd, #4	1400 Park Ave	Date Received: 11/19/98					
San Ramon, CA 94583	Client Contact: Greg Schramm	Date Extracted: 11/19/98					
	Client P.O:	Date Analyzed: 11/19/98					
Gasoline Range (C6-C12) Volatile Hydrogybons of Carly at 112 g							

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*, with Methyl tert-Butyl Ether* & BTEX* EPA methods 5030, modified 8015, and 8020 or 602; California RWQCB (SF Bay Region) method GCFID(5030)

Client ID Lab ID Ethylben-Matrix TPH(g)⁺ % Recovery **MTBE** Benzene Toluene Xylenes zene Surrogate 98860 STKP(A-D) S 1.9,f,b/j ND ND 0.008 ND 0.019 91 Reporting Limit unless W 50 ug/L 5.0 0.5 0.5 0.5 0.5 otherwise stated; ND means not detected above S 1.0 mg/kg 0.05 0.005 the reporting limit 0.005 0.005 0.005

^{*} water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP and SPLP extracts in ug/L

[#] cluttered chromatogram; sample peak coelutes with surrogate peak

^{*}The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment; j) no recognizable pattern.

110 Second Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622
http://www.mccampbell.com E-mail: main@mccampbell.com

Aqua Science Engineers, Ir		Project ID: Emeryville Property;	Date Sampled: 11/19/98		
2411 Old Crow Canyon Rd	l, #4	and it is	Date Received:	11/19/98	
San Ramon, CA 94583	Client	Contact: Greg Schramm	Date Extracted:	11/19/98	
	Client	P.O:	Date Analyzed:	11/19/98	
EPA methods modified 8015, and	Total Extract	able Hydrocarbons (C6-C44) as I	Diesel * GCFID(3550) or GCFI	ID(3510)	
Lab ID Client ID		TPH(total) ⁺		% Recovery Surrogate	
98860 STKP(A-D)) S	75,g		100	
			· · · · · · · · · · · · · · · · · · ·		
					
					
					
Reporting Limit unless otherwis stated; ND means not detected about		250 ug/L			
the reporting limit	S	5.0 mg/kg			

^{*} water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP / STLC / SPLP extracts in ug/L

^{*} cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

[†]The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant); d) gasoline range compounds are significant; e) medium boiling point pattern that does not match diesel (?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment.

110 Second Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622
http://www.mccampbell.com E-mail: main@mccampbell.com

Aqua Science Engineers, Inc		D: Emeryville Property;	Date Sampled: 11/19/98 Date Received: 11/19/98	
2411 Old Crow Canyon Rd, #4	1400 Park Ave			
San Ramon, CA 94583	Client Contact:	Greg Schramm	Date Extracted	l: 11/19/98
	Client P.O:		Date Analyzed	l: 11/19/98
EPA method 601 or 8010	Volati	le Halocarbons	1	
Lab ID	98860			η
Client ID	STKP(A-D)	 		
Matrix	S S	 		
Compound	· · · · · · · · · · · · · · · · · · ·	Concentrati	on .	<u> </u>
Bromodichloromethane	ND	Concentrati	O11	1
Bromoform ^(b)	ND	-		-
Bromomethane	ND	1		
Carbon Tetrachloride ^(c)	ND			 -
Chlorobenzene	ND			
Chloroethane	ND			
2-Chloroethyl Vinyl Ether(d)	ND			
Chloroform (c)	ND			
Chloromethane	ND		· · ·	1
Dibromochloromethane	ND			
1,2-Dichlorobenzene	ND	 		ļ
1,3-Dichlorobenzene	ND			
1,4-Dichlorobenzene	ND			
Dichlorodifluoromethane	ND			· · · · · · · · · · · · · · · · · · ·
I,1-Dichloroethane	ND			
1,2-Dichloroethane	ND			
1,1-Dichloroethene	ND			
cis 1,2-Dichloroethene	ND			· · · · · · · · · · · · · · · · · · ·
trans 1,2-Dichloroethene	ND			
1,2-Dichloropropane	ND			
cis 1,3-Dichloropropene	ND		· · · · · · · · · · · · · · · · · · ·	
trans 1,3-Dichloropropene	ND			
Methylene Chloride ^(f)	ND<20			
1,1,2,2-Tetrachloroethane	ND			
Tetrachloroethene	ND<25			
1,1,1-Trichloroethane	ND			
1,1,2-Trichloroethane	ND			
Trichloroethene	ND			
Trichlorofluoromethane	ND			
Vinyl Chloride ^(g)	ND			
% Recovery Surrogate	109			
Comments				

^{*} water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil and sludge samples in ug/kg, wipe samples in ug/wipe Reporting limit unless otherwise stated: water/TCLP/SPLP extracts, ND<0.5ug/L; soils and sludges, ND<5ug/kg; wipes, ND<0.2ug/wipe ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis

⁽b) tribromomethane; (c) tetrachloromethane; (d) (2-chloroethoxy) ethene; (e) trichloromethane; (f) dichloromethane; (g) chloroethene; (h) a lighter than water immiscible sheen is present; (i) liquid sample that contains greater than ~5 vol. % sediment; (j) sample diluted due to high organic content.



110 Second Avenue South, #D7, Pacheco, CA 94553-5560 Telephone: 925-798-1620 Fax: 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com

Aqua Science Engineers, Inc		Clier	nt Project ID: E	Emeryville Property;	Date Sampled: 11/19/98		
2411 Old (Crow Canyon Rd, #4	1400) Park Ave		Date Received:	11/19/98	
San Ramoi	n, CA 94583	Clien	nt Contact: Greg	g Schramm	Date Extracted:	11/19/98	
		Clien	nt P.O:		Date Analyzed:	11/19/98	
EPA analytica	al methods 6010/200.7, 23	39.2 ⁺	Lead & C	Chromium*			
Lab ID	Client ID	Matrix	Extraction °	Lead*	Chromium	% Recovery Surrogate	
98860	STKP(A-D)	S	TTLC	31	46	100	
-							
				+		 	
						 	
				 		ļ	
		 		-			
							
							
							
D T.		S	TTLC	3.0 mg/kg	0.5		
stated; ND me	imit unless otherwise ans not detected above eporting limit	w	TTLC	0.005 mg/L	0.005		
the re	porting fimit		STLC,TCLP	0.2 mg/L	0.05		

^{*} soil and sludge samples are reported in mg/kg, wipe samples in ug/wipe, and water samples and all STLC / SPLP / TCLP extracts in mg/L *Lead is analysed using EPA method 6010 (ICP)for soils, sludges, STLC & TCLP extracts and method 239.2 (AA Furnace) for water

[°] EPA extraction methods 1311(TCLP), 3010/3020(water, TTLC), 3040(organic matrices, TTLC), 3050(solids, TTLC); STLC - CA Title 22 * surrogate diluted out of range; N/A means surrogate not applicable to this analysis

[&]amp; reporting limit raised due matrix interference

i) liquid sample that contains greater than ~2 vol. % sediment; this sediment is extracted with the liquid, in accordance with EPA methodologies and can significantly effect reported metal concentrations.

QC REPORT FOR HYDROCARBON ANALYSES

Date: 11/19/98

Matrix: SOIL

	Concentration (mg/kg)			% Recovery			
Analyte	Sample			Amount			RPD
! 	(#95613) !	MS	MSD	Spiked	MS	MSD	
						· · · · · · · · · · · · · · · · · · ·	
TPH (gas)	0.000	2.065	2.169	2.03	102	107	4.9
Benzene	0.000	0.206	0.198	0.2	103	99	4.0
Toluene	0.000	0.206	0.206	0.2	103	103	0.0
Ethylbenzene	0.000	0.196	0.202	0.2	98	101	3.0
Xylenes	0.000	0.576	0.586	0.6	96	98	1.7
TPH(diesel)	0	312	307	300	104	102	1.6
TRPH (oil and grease)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

 $RPD = (MS - MSD) / (MS + MSD) \times 2 \times 100$

[%] Rec. = (MS - Sample) / amount spiked x 100

110 2nd Avenue South, #D7, Pacheco, CA 94553 Tele: 925-798-1620 Fax: 925-798-1622

QC REPORT FOR EPA 8010/8020/EDB

Date: 11/19/98-11/20/98 Matrix: SOIL

77	•	centrati	on (ug/k	_	% Recovery		· · · · · · · · · · · · · · · · · · ·
Analyte	Sample (#95613) 	MS	MSD	Amount Spiked	MS	MSD	RPD
 1,1-DCE Trichloroethene EDB Chlorobenzene	0 0 N/A 0	93 88 N/A 90	93 89 N/A 91	 100 100 N/A 100	93 88 N/A 90	93 89 N/A 91	0.0 1.1 N/A 1.1
Benzene Toluene Chlorobz (PID)	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A

% Rec. = (MS - Sample) / amount spiked x 100

 $RPD = (MS - MSD) / (MS + MSD) \times 2 \times 100$

QC REPORT FOR ICP and/or AA METALS

Date: 11/19/98-11/20/98

Matrix: SOIL

Extraction:

TTLC

	Concent			% Recovery			
Analyte		g/kg,mg/	L)	Amount			RPD
	Sample	MS	MSD	Spiked	MS	MSD	
				<u>- </u>			
Total Lead	0.0	5.26	5.20	5.0	105	104	1.3
Total Cadmium	0.0	5.59	5.57	5.0	112	111	0.4
Total Chromium	0.0	5.39	5.40	5.0	108	108	0.2
Total Nickel	0.0	5.13	5.05	5.0	103	101	1.7
Total Zinc 	0.0	5.46	5.47	5.0	109	109	0.1
 Total Copper	0.00	4.89	4.91	5.0	98	98	0.3
STLC Lead	 N/A 	N/A	N/A	N/A	N/A	N/A	N/A

[%] Rec. = (MS - Sample) / amount spiked x 100

RPD = (MS - MSD) / (MS + MSD) x 2 x 100

13057 XASE34

Aqua Science Engineers, Inc. 2411 Old Crow Canyon Road, #4, San Ramon, CA 94583 (925) 820-9391	(Ch	a	in		01	2	C	u	st	00	d	V				-	
FAX (925) 837-4853							-		_				/	PAC	3E	(of_L	
SAMPLER (SIGNATURE) (PI	IONE I	(.01	PRO	JECT :	NAME	E SM	214 v. 1)	• {	ropert	<u> </u>				JOB	NO.		108	
1 Capall 820	0-930	91	ADDRESS 1900 Park Ave emorys: 11e									DATE 11/19/198						
ANALYSIS REQUEST				SNC			g	}				ς (c	6		ıń	1		
SPECIAL INSTRUCTIONS:	& BTEX)20)			OCARBO	MATICS	S	RGANIC				DES	PA 814	PA 815	TES	2 2 5	(40h)	lead	
·	3 / MTBE 0/8015-8(SOLINE 0/8015)	SEL 0/8015)	BLE HAL 8010)	3LE ARC 8020)	E ORGAN 8240)	LATILE C 8270)	EASE	TALS (5)	(ETALS	PESTIC 8/8080)	DES (E	OCHLOF IDES (E	CYGENA 30)	CETRACT BOCAPASINS	_	i i	SITE
SAMPLE ID. DATE TIME MATRIX NO. OF SAMPLES	TPH-GAS / MTBE & BTEX (EPA 5030/8015-8020)	TPH-GASOLINE (EPA 5030/8015)	TPH-DIESEL (EPA 3510/8015)	PURGEABLE HALOCARBONS (EPA 601/8010)	PURGEABLE AROMATICS (EPA 602/8020)	VOLATILE ORGANICS (EPA 624/8240)	SEMI-VOLATILE ORGANICS (EPA 625/8270)	OIL & GREASE (EPA 5520)	LUFT METALS (5) (EPA 6010+7000)	CAM 17 METALS (EPA 6010+7000)	PCBs & PESTICIDES (EPA 608/8080)	ORGANOPHOSPHORUS PESTICIDES (EPA 8140)	ORGANOCHLORINE HERBICIDES (EPA 8150)	FUEL OXYGENATES (EPA 8260)	T-7-4L H-17-20 C6-1	Total	しった	COMPOSITE
STKP (A-D)1/19 8:45 SOIL 4	X			X				00		00		0 =	<u> </u>	<u> </u>	×	Έ	\times	X
																	200	20
																	3886	ַ U כ
																		
VOAS O&G	METALSI	THER					- j											
ICE/I® PRESERVATION																		
GOOD CONDITION AFPROPRIATE CONTAINERS												{					\dashv	
MEAD SYNGE ABOSENT CONTINUES OF																-		
RELINQUISHED BY: / RECEIVED BY: /	$\overline{}$	1100	DEL I	NOT ITE	TIED D	<u>-</u>	12:31	o Draw		<u></u> _		l	T					
The hour Lund Vo	ulle	1112	KELI	NOOIS	HED B	Y: Saft	/s	RECE	EIVED I					MENT PC		5 64	,	
(signature) (time) (signature)		(time)	(signa	ture)			(time)	(signa	iture)	<u>u: 1</u> _	X)O	(time		/	VIt:	48A1	2	
Gran Schramm 11/19 EDWARD PAR printed name) (date) (printed name)	KER 1							Gil	na f	J. 72	Huz	N (/ /		120	198	1 r	٠~١	- 1
		(date)	(printe	ed nam	e)		(date)	(print	ed nam	e)		(date)					
Company- ASE Company- ADD	DEU	VERY	Comp	any-				Comp	any-	MAI	<u>-</u>	//4		NOO	И		-	

Environmental Services (SDB)

November 5, 1998

Submission #: 9811068

AQUA SCIENCE ENGINEERS INC

Atten: Dave Allen

Project: EMERYVILLE PROPERTIES

Received: November 4, 1998

Project#: 2908

re: One sample for TEPH analysis.

Method: EPA 8015M

Client Sample ID: STK(A-D)

Spl#: 213910

Sampled: November 4, 1998

Matrix: SOIL

Run#:15763

Extracted: November 4, 1998

Analyzed: November 5, 1998

ANALYTE

RESULT

REPORTING LIMIT

BLANK RESULT BLANK DILUTION SPIKE FACTOR

DIESEL

(mg/Kg) 43

(mg/Kg)

(mg/Kg)

(왕)

1.0 N.D. Hydrocarbon reported does not match the pattern of our Diesel Standard.

Note:

Analyst

Environmental Services (SDB)

November 5, 1998

Submission #: 9811068

AQUA SCIENCE ENGINEERS INC

Atten: Dave Allen

Project: EMERYVILLE PROPERTIES

Project#: 2908

Received: November 4, 1998

re: One sample for Halogenated Volatile Organics by GC/MS analysis.

Method: 8010 Compounds by Method 8240A Nov 1990

Client Sample ID: STK(A-D)

Spl#: 213910

Matrix: SOIL

Sampled: November 4, 1998

Run#: 15808

Analyzed: November 5, 1998

ANALYTE	RESULT (ug/Kg)	REPORTING LIMIT (ug/Kg)	BLANK RESULT (ug/Kg)	BLANK SPIKE (%)	DILUTION FACTOR
BROMODICHLOROMETHANE	N.D.	5.0	N.D.		
BROMOFORM	N.D.	5.0	N.D.	- -	<u> </u>
BROMOMETHANE	N.D.	10	N.D.	~ -	1
CARBON TETRACHLORIDE	N.D.	5.0	N.D.		1
CHLOROBENZENE	N.D.	5.0	N.D.		1
CHLOROETHANE	N.D.	10		92.6	1
2-CHLOROETHYLVINYLETHER	N.D.	50	N.D.		1
CHLOROFORM	N.D.	5.0	N.D.		1
CHLOROMETHANE-	N.D.		Ŋ.D.		1
DIBROMOCHLOROMETHANE	N.D.	10	Ŋ.D.		1
1,2-DICHLOROBENZENE		5.0	N.D.		1
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	- -	ī
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.		- 1
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	- -	ī
1,2-DICHLOROETHANE	N.D.	5.0	N.D.		ī
1,1-DICHLOROETHENE	N.D.	5.0	N.D.		1
	N.D.	5.0	N.D.	93.0	ī
	N.D.	5.0	N.D.		1
1,2-DICHLOROETHENE (TRANS)	N.D.	5.0	N.D.		1
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.		1
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.		<u>_</u>
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.		1
METHYLENE CHLORIDE	N.D.	5.0	N.D.		1
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.		1
TETRACHLOROETHENE	N.D.	5.0	N.D.		1 1 1
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.		1
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	- -	1
TRICHLOROETHENE	15	5.0	N.D.		1
VINYL CHLORIDE	6.8	5.0		92.2	1
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.		1
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.		1
Note: Surrogate Recoveries	demonstrate	Matrix interfe	N.D. erence		1

June Zhao Analyst

Michael Verona Operations Manager

Environmental Services (SDB)

November 5, 1998

Submission #: 9811068

AQUA SCIENCE ENGINEERS INC

Atten: Dave Allen

Project: EMERYVILLE PROPERTIES

Received: November 4, 1998

Project#: 2908

re: One sample for Miscellaneous Metals analysis.

Method: EPA 3010A/3050A/6010A Nov 1990

Client Sample ID: STK(A-D)

Spl#: 213910

Sampled: November 4, 1998

Matrix: SOIL

Run#: 15795

Extracted: November 5, 1998

Analyzed: November 5, 1998

ANALYTE CHROMIUM	RESULT	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kq)	BLANK SPIKE (%)	DILUTION FACTOR
LEAD	120	1.0	N.D. N.D.	92.2 92.4	1 1

topher Arndt

Analyst

Verona

Environmental Services (SDB)

November 5, 1998

Submission #: 9811068

AQUA SCIENCE ENGINEERS INC

Atten: Dave Allen

Project: EMERYVILLE PROPERTIES

Received: November 4, 1998

Project#: 2908

re: One sample for Gasoline BTEX MTBE analysis.

Method: SW846 8020A Nov 1990 / 8015Mod

Client Sample ID: STK(A-D)

Spl#: 213910

Matrix: SOIL

Sampled: November 4, 1998

Run#:15800

Analyzed: November 5, 1998

ANALYTE GASOLINE	RESULT	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kg)	BLANK SPIKE (%)	DILUTION FACTOR
MTBE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. N.D. N.D. 0.014 0.0075 0.053	0.0050 0.0050 0.0050 0.0050 0.0050	N.D. N.D. N.D. N.D. N.D. N.D.	105 92 97 96 95	1 1 1 1

Hydrocarbon found in Gasoline Range is uncharacteristic of Gasoline Profile. If quantified using Gasoline's response factor, concentration

would equal 4.2mg/Kg.

Vincent Vancil

Analyst

Michael Verona F~

			. (d	(date)			mam b	(printe	(date)		(របស់- របស់ក្រ	oprinted SqmoS	1)		(printed 1 Compan	1	2	rinted name)
	50 H		1'-	V_ b		(smit))	ינו דסן 	<i>1</i> .	sngis)	(əmit)			nte)	nangiz)	(əmit)		(6	orutangiz)	(эшіз) / / /	wh	ignature)
	שיונ	T -		Y WENL		ORY:	TAЯO8	Z TVI	O C IAED E	RECE		:2	IED B	- T	KELIN			ED BX:	KECEIA	SHEDRY!		ELINQUISHED
			+	-				-	-						-							
				10.3																		
			115	11.3	A C																	
X	X	X	X	(m 22	10	70	(fi) P	(m)	GC.	æ0	æ(0	@<	- π	X			X	中	7105	54:81	7/11	(0-4)715
COMPOSITE	Total	ctal	CEPH S	FUEL OXY((EPA 8260)	RGANO	RGANOI ESTICID	CBs & PI PA 608/	CAM 17 METALS (EPA 6010+7000)	LUFT METALS (5) (EPA 6010+7000)	OIL & GREASE (EPA 5520)	EMI-VOL EPA 625/8	OLATILE EPA 624/8:	URGEAB EPA 602/8	URGEAB EPA 601/8	TPH-DIESEL (EPA 3510/8015)	TPH-GASOLINE (EPA 5030/8015)	TPH-GAS (EPA 5030	NO. OF	MATRIX	TIME	DATE	SAMPLE ID.
SITE	Lead	Chroniun	SC42 C 44	FUEL OXYGENATES (EPA 8260)	ORGANOCHLORINE HERBICIDES (EPA 8150)	ORGANOPHOSPHORUS PESTICIDES (EPA 8140)	PCBs & PESTICIDES (EPA 608/8080)	TALS 7000)	ALS (5) 7000)	ASE	SEMI-VOLATILE ORGANICS (EPA 625/8270)	VOLATILE ORGANICS (EPA 624/8240)	PURGEABLE AROMATICS (EPA 602/8020)	PURGEABLE HALOCARBONS (EPA 601/8010)	EL /8015)	OLINE /8015)	TPH-GAS / MTBE & BTEX (EPA 5030/8015-8020)					Shecive ins
_		· p-1	,	TAG				ハトカ		JNE.		Vd o	obl	SSE SS	Ida	 	682.	28.50	EON	IZ K	r K2	ANA
	7F /			DAC 10B		531	112)3	DOD d	37	ハノハン	12/3/V	V= 3	IMAN	HECL!	ЬВО	1	ONE I			(BRU	IGNATI	SAMPLER (SI
	/	<i>,</i>	Δ,	<i>></i> , a	. <i>1</i>	(p	0							86/G8/T	TENT:	na , na ,			/# 'pvo\ '2' 'c	885 † 6 uokup	636] СУ ;сом С	Zan Ramon, (925) (925) (925) (920-

Environmental Services (SDB)

November 10, 1998

Dave Allen Aqua Science Engineers, Inc. 2411 Old Crow Canyon Rd., Ste. 4 San Ramon, CA 94583

Re: TPH analyses for project Emeryville Properties

Dear Dave:

Included is a summary which describes the carbon ranges and related results for gasoline, diesel, and motor oil for submission 9811068, project Emeryville Properties.

TPH reportables for sample STK-(A-D) (9811068-213910) are the following:

Gasoline

 $C_{7}-C_{12}$

4.2 mg/Kg

Diesel

 C_{10} - C_{24}

43 mg/Kg

Motor Oil

 C_{24} - C_{44}

57 mg/Kg

If you have further questions, please do not hesitate to call Pierre Monette or me at (925) 484-1919.

Sincerely,

ChromaLab, Inc.

Jill Thomas

Quality Assurance Manager

Environmental Services (SDB)

November 9, 1998

Submission #: 9811106

AQUA SCIENCE ENGINEERS INC

Atten: Dave Allen

Project: EMERYVILLE PROPERTIES

Received: November 4, 1998

Project#: 2908

re: 1 sample for STLC Lead analysis.

Method: CA WET3005A/7420A

Sampled: November 4, 1998

Matrix: SOIL

Run#: 15843 Extracted: November 9, 1998

Analyzed: November 9, 1998

REPORTING BLANK BLANK DILUTION LEAD LIMIT RESULT SPIKE FACTOR #lq2 CLIENT SPL ID (mg/L)(mg/L)(mq/L)(왕) 214308 STK(A-D) N.D. 103

Barekzai

Analyst

Environmental Services (SDB) (DOHS 1094)

SUBA #: 9811106 REP: PM

CLIENT: ASE

DUE: 11/09/98

REF #:43006/9811068

New Submission No:_	45006
Order No:	

(2000) (2000)		
Original Submission Info Client Name: A SE Project Mgr: Project Name: Emeryville Propert Project No: 2908	Name of Caller:	
PO#: Date Received: 11/4/98 Submission No: 98/1068 BAMPLEID. DATE TIME MATRIX PRESER	TPH - Casoline [PPA 5030, 8015] W/BTEX (EPA 602, 8020) TPH - Diesel, TEPH [EPA 3510/3550, 8015] PURGEABLE AROMATICS BTEX (EPA 602, 8020) PURGEABLE AROMATICS EPA 601, 8010) VOLATILE ORCANICS [EPA 604, 8240, 524.2) BASE/NEUTRALS, ACIDS [EPA 624, 8240, 524.2) BASE/NEUTRALS, ACIDS [EPA 628, 8080) TOTAL OIL & GREASE [EPA 5520, 8+f. f-f) PCB [EPA 608, 8080) CAM METALS (17) PRIORITY POLLUTANT METALS (17) PRIORITY POLLUTANT	EXTRACTION (TCLP, STLC) STLC Pb NUMBER OF CONTAINERS
TK (A-D) 11/4/98 1344 501/		X 4

Environmental Services (SDB)

December 4, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#: 2908

re: One sample for Miscellaneous Metals analysis.

Method: EPA 3010A/3050A/6010A Nov 1990

Client Sample ID: EB-W

Spl#: 218112

Sampled: November 24, 1998 Run#: 16255

Matrix: SOIL

Extracted: December 2, 1998

Analyzed: December 2, 1998

ANALYTE CHROMIUM	RESULT (mg/Kg)	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kg)	BLANK SPIKE (%)	DILUTION FACTOR
LEAD	4.5	1.0	N.D. N.D.	98.8 99.5	1 1

Christopher Arndf Analyst

Environmental Services (SDB)

December 4, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#: 2908

re: One sample for Miscellaneous Metals analysis.

Method: EPA 3010A/3050A/6010A Nov 1990

Client Sample ID: EB-E

Spl#: 218111

Sampled: November 24, 1998

Matrix: SOIL

Run#: 16228

Extracted: December 1, 1998
Analyzed: December 1, 1998

REPORTING BLANK BLANK DILUTION RESULT LIMIT RESULT SPIKE FACTOR ANALYTE (mg/Kg) (mg/Kg) (mg/Kg) CHROMIUM (왕) 21 1.0 N.D. LEAD 103 $\bar{3}.7$ 1.0 N.D. 102 1

Christopher Arndt

Analyst

Michael Verona

Environmental Services (SDB)

December 4, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#: 2908

re: One sample for Miscellaneous Metals analysis.

Method: EPA 3010A/3050A/6010A Nov 1990

Client Sample ID: EB-S

Spl#: 218110

Sampled: November 24, 1998 Run#: 16228

Matrix: SOIL

Extracted: December 1, 1998

Analyzed: December 1, 1998

ANALYTE CHROMIUM	RESULT	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kg)	BLANK SPIKE (%)	DILUTION FACTOR
LEAD	3.9	1.0	N.D. N.D.	103 102	1

Christopher Ar

Analyst

Environmental Services (SDB)

December 4, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#:

2908

re: One sample for Miscellaneous Metals analysis.

Method: EPA 3010A/3050A/6010A Nov 1990

Client Sample ID: EB-N

Spl#: 218109

Matrix: SOIL

Sampled: November 24, 1998

16228 Run#:

Extracted: December 1, 1998 Analyzed: December 1, 1998

REPORTING BLANK BLANK DILUTION RESULT LIMIT RESULT SPIKE **FACTOR ANALYTE** (mg/Kg) (mg/Kg) (mg/Kg) (왕) CHROMIUM 24 1.0 N.D. 103 LEAD 5.4 1.0 N.D. 102

Christopher

Analyst

l Verona

941/431/213/11-112

Aqua Science Engineers, Inc. 2411 Old Crow Canyon Road, #4, San Ramon, CA 94583 (510) 820-9391 - FAX (510) 837-4853

SUBM N: 9811434 REP: PM

CLIENT: ASE

DUE: 12/04/98 REF H:43358 tody

DATE 11/25/48 PAGE 1 OF /

			·													
SAMPLERS (SIGNATURE) (1	HONE NO.)	PROJECT I	NAME	En	Hi uy:2	e f	i Opera	1eS		NO. 7908						
4/lakh		Y ADDRESS					·									
ANALYSIS REQUEST		£ 3	R)		Я	B&F)										
SPECIAL INSTRUCTIONS:	[] [] [] [] []	100 E	(RBO)	S	ACT DS	ы		5						ļ		
	把 1015) 距/B7 015-	55.00 OS	10)	(GMI	LS,	XF O	(5)	2000)	310)	ET .	,			Ī		
	TPH- GASOLLINE (FPA S030/8015) TPH- GASOLLINE/BTEX. (EPA S030/8015-8020)	TPH-DIESEL HYD. (EPA 3510/8015) CHAIN. PURGABLE AROMATICS (EPA 602/0020)	PURCABLE HALOCARBONS (EPA 601/8010)	VOLATILE ORGAUCS (EPA 624/8240)	BASE/NUETRALS, (EFA 625/6270)	OIL & GREASE (EPA 5520 ERF OF	LUFT PETALS (5) (EPA 6010+7000)	TITLE 22 (CAM 17) (EPA 6010+7000)	TCLP (EPA 1311/1310)	STLC- CAM WET . ! FPA 1311/1310)	REACTI VI TY CORROSI VI TY I GIU TABI LI TY	t .	(hucine	. [
NO. OF	2 C A SO A	A 35 CABI CABI	GABI A 60	ATTI	E/NC	, & C	F 4	LE 2 A 60	P 13	C- C	REACTI VI TY CORROSI VI T I CIU TABILI	ead	.10°	MTBE		
SAMPLE ID. DATE TIME MATRIX SAMPLES	TPH- TPH- (EPA		R. G.	IQA (EB	BAS (EF	OIL ED	(E)	H (H)	15F 197	STZ	REA COR 1 GE	2		آ کے		
EB - N 11/24 16:11 Scil 1		×	χ									4	Y	7		
EB-5 11/24 16:15 1	3										:					
4B-E 11/24 16-18 1 1 2B-W 11/24 16-20 1	X PROPERTY.															
2B-W 11/24 16-20 1	出上	V	V									U	V	V		
						-					·					
															_	
			<u> </u>													
	·															
	ļ															
		<u> </u>	<u> </u>			1					.,l		L			
RELINQUISHED BY: RECEIVED BY:		RELINQUI	SHED B	Y:				BY LA			сомм	ENTS:				
1/1/1/25 :						(2	lez	z fla	cel	3 17	字5		11.			
(signature) (time) 'signature)	(time)	(signature)	•		(time)	(signa	ture) _	_		(lime) 11/2	/	•	750	ay 9°C	_	
Grag Schramn 11/25/94						1112	XFA	wed	21	11/2	178		3	9ºC	K-P	
(printed name) (date) (printed name)	(date)	(printed na	mc)		(dutc)	(print	ed nam	ic)	0	(dalc)	100					
Company. ASC Company-		Company.				Comp	oany-	acol					,			

Environmental Services (SDB)

December 7, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Project#: 2908

Received: November 25, 1998

re: 3 samples for TEPH analysis.

Method: EPA 8015M

Matrix: SOIL

Extracted: November 30, 1998

Sampled: November 24, 1998 Run#:

Analyzed: December 6, 1998

Spl# CLIENT SPL ID	Diesel (mg/Kg)	Motor Oil (mg/Kg)	
218109 EB-N 218110 EB-S 218111 EB-E	N.D. N.D. N.D.	N.D. N.D. N.D.	
Reporting Limits Blank Result Blank Spike Result (%)	1.0 N.D. 83.1	50 N.D.	

16208

Carolyn House

Analyst

Analyst

Environmental Services (SDB)

December 2, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#: 2908

re: One sample for Gasoline BTEX MTBE analysis.

Method: SW846 8020A Nov 1990 / 8015Mod

Client Sample ID: EB-N

Spl#: 218109

Matrix: SOIL

Sampled: November 24, 1998 Run#:16240

Analyzed: December 1, 1998

ANALYTE GASOLINE	RESULT	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kg)	BLANK DILUTION SPIKE FACTOR (%)
MTBE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. N.D. N.D. N.D. N.D.	0.0050 0.0050 0.0050 0.0050 0.0050	N.D. N.D. N.D. N.D. N.D.	101 1 81 1 96 1 98 1 98 1 94 1

Craig Huntzinger

Analyst

Michael Verona

Environmental Services (SDB)

December 2, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#: 2908

re: One sample for Gasoline BTEX MTBE analysis.

Method: SW846 8020A Nov 1990 / 8015Mod

Client Sample ID: EB-S

Spl#: 218110

Matrix: SOIL

Sampled: November 24, 1998 Run#:16240

Analyzed: December 1, 1998

ANALYTE GASOLINE	RESULT (mg/Kg) N.D.	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kg)	BLANK DILUTION SPIKE FACTOR (%)
MTBE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. N.D. N.D. N.D. N.D.	0.0050 0.0050 0.0050 0.0050 0.0050	N.D. N.D. N.D. N.D. N.D. N.D.	101 1 81 1 96 1 98 1 98 1 94 1

Craig Huntzinger

Analyst

Michael Verona

Environmental Services (SDB)

December 2, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#: 2.908

re: One sample for Gasoline BTEX MTBE analysis.

Method: SW846 8020A Nov 1990 / 8015Mod

Client Sample ID: EB-E

Spl#: 218111

Matrix: SOIL

Sampled: November 24, 1998 Run#:16240

Analyzed: December 1, 1998

ANALYTE GASOLINE	RESULT	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kg)	BLANK DILUTION SPIKE FACTOR (%)
MTBE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. N.D. N.D. N.D. N.D.	0.0050 0.0050 0.0050 0.0050 0.0050	N.D. N.D. N.D. N.D. N.D. N.D.	101 1 81 1 96 1 98 1 98 1 94 1

Craig Huntzinger

Analyst

Michael Verona

Environmental Services (SDB)

December 2, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#: 2908

re: One sample for Gasoline BTEX MTBE analysis.

Method: SW846 8020A Nov 1990 / 8015Mod

Client Sample ID: EB-W

Spl#: 218112

Matrix: SOIL

Sampled: November 24, 1998

Run#:16240

Analyzed: December 1, 1998

ANALYTE	RESULT (mg/Kg)	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kg)	BLANK DILUTION SPIKE FACTOR (%)
GASOLINE MTBE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. N.D. N.D. N.D. N.D.	1.0 0.0050 0.0050 0.0050 0.0050	N.D. N.D. N.D. N.D. N.D. N.D.	101 1 81 1 96 1 98 1 98 1 94 1

Craig Huntzinger

Analyst

Michael Verona

Environmental Services (SDB)

December 1, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Received: November 25, 1998

Project#: 2908

re: One sample for Halogenated Volatile Organics by GC/MS analysis. Method: 8010 Compounds by Method 8240A Nov 1990

Client Sample ID: EB-N

Spl#: 218109

Matrix: SOIL

Sampled: November 24, 1998 Run#: 16232

Analyzed: November 30, 1998

ANALYTE	RESULT (ug/Kg)	REPORTING LIMIT (ug/Kg)	BLANK RESULT (ug/Kg)	BLANK I SPIKE (%)	DILUTION FACTOR
BROMODICHLOROMETHANE	N.D.	5.0	N.D.	(3)	1
BROMOFORM	N.D.	5.0	N.D.		1
BROMOMETHANE	N.D.	10	N.D.		.1 1
CARBON TETRACHLORIDE	N.D.	5.0	N.D.		i
CHLOROBENZENE	N.D.	5.0	N.D.	103	
CHLOROETHANE	N.D.	10	N.D.		1 1 1 1
2-CHLOROETHYLVINYLETHER	N.D.	50	N.D.		1
CHLOROFORM	N.D.	5.0	N.D.		1
CHLOROMETHANE	N.D.	10	N.D.		i
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.		
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.		1 1 1 1
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.		ī
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.		ī
1,1-DICHLOROETHANE	N.D.	5.0	N.D.		
1,2-DICHLOROETHANE	N.D.	5.0	N.D.		ī
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	95.6	1
1,2-DICHLOROETHENE (CIS)	N.D.	5.0	N.D.		1
1,2-DICHLOROETHENE (TRANS)	$\underline{\mathtt{N}}.\mathtt{D}.$	5.0	N.D.		1 1 1
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	·	1
CIS-1,3-DICHLOROPROPENE	Ŋ.D.	5.0	N.D.		1
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.		1
METHYLENE CHLORIDE	Ŋ.D.	5.0	N.D.	- -	1
1,1,2,2-TETRACHLOROETHANE TETRACHLOROETHENE	N.D.	5.0	N.D.		1 1
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.		1
1,1,1-TRICHLOROETHANE 1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	- -	1
TRICHLOROETHENE	N.D. N.D.	5.0	N.D.		1
VINYL CHLORIDE		5.0	Ŋ.D.	97.5	1
TRICHLOROTRIFLUOROETHANE	N.D. N.D.	5.0	N.D.		1 1 1
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.		1
	IN.D.	5.0	N.D.		1

June Zhao Analyst

Michael Verona Operations Manager

Environmental Services (SDB)

December 1, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Project#: 2908

Received: November 25, 1998

re: One sample for Halogenated Volatile Organics by GC/MS analysis.

Method: 8010 Compounds by Method 8240A Nov 1990

Client Sample ID: EB-S

Spl#: 218110

Matrix: SOIL

Sampled: November 24, 1998 Run#: 16232

Analyzed: November 30, 1998

			-		,
	RESULT	REPORTING LIMIT	BLANK RESULT	SPIKE	DILUTION FACTOR
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)	
BROMODICHLOROMETHANE	N.D.	5.0	N.D.		1
BROMOFORM	N.D.	5.0	N.D.		ī
BROMOMETHANE	N.D.	10	N.D.		Ī.
CARBON TETRACHLORIDE	N.D.	5.0	N.D.		ī
CHLOROBENZENE	N.D.	5.0	N.D.	103	Ť
CHLOROETHANE	N.D.	10	N.D.		Ť
2-CHLOROETHYLVINYLETHER	N.D.	50	N.D.	~ -	1
CHLOROFORM	N.D.	5.0	N.D.		7
CHLOROMETHANE	N.D.	10	N.D.		1
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	- -	. 1
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.		1
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.		1
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.		1
1,1-DICHLOROETHANE	N.D.	5.0	N.D.		1 1 1 1 1 1 1 1
1,2-DICHLOROETHANE	N.D.	5.0	N.D.		1
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	95.6	1
1,2-DICHLOROETHENE (CIS)	N.D.	5.0	N.D.	75.0	1
1,2-DICHLOROETHENE (TRANS)	N.D.	5.0	N.D.		i
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.		1
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.		1
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.		1 1 1 1
METHYLENE CHLORIDE	N.D.	5.0	N.D.		1
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.		1
TETRACHLOROETHENE	N.D.	5.0	N.D.		
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.		± 1
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.		1
TRICHLOROETHENE	N.D.	5.0	N.D.	97.5	<u> </u>
VINYL CHLORIDE	N.D.	5.0	N.D.	91.3	<u> </u>
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.		1 1 1 1 1
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.		⊥ ¬
	11.2.	٥.٠	ти • ти •		Τ

June Zhao Analyst

Operations Manager

Environmental Services (SDB)

December 1, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Project#: 2908

Received: November 25, 1998

re: One sample for Halogenated Volatile Organics by GC/MS analysis.

Method: 8010 Compounds by Method 8240A Nov 1990

Client Sample ID: EB-E

Spl#: 218111

Matrix: SOIL

Sampled: November 24, 1998 Run#: 16232

Analyzed: November 30, 1998

-			auty zea. ne	VCIIIDCI J	, 1990
7 17 T 17 17 17 17 17 17 17 17 17 17 17 17 17	RESULT	REPORTING LIMIT	BLANK RESULT	SPIKE	ILUTION FACTOR
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)	
BROMODICHLOROMETHANE	N.D.	5.0	N.D.		1
BROMOFORM	N.D.	5.0	N.D.		1
BROMOMETHANE	N.D.	10	N.D.		ī
CARBON TETRACHLORIDE	N.D.	5.0	N.D.		1
CHLOROBENZENE	N.D.	5.0	N.D.	103	1
CHLOROETHANE	N.D.	10	N.D.		1
2-CHLOROETHYLVINYLETHER	N.D.	50	N.D.		1
CHLOROFORM	N.D.	5.0	N.D.		1
CHLOROMETHANE	N.D.	10	N.D.		1
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.		1 1 1 1 1 1
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.		
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.		1
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.		1
1,1-DICHLOROETHANE	N.D.	5.0	N.D.		1 1 1 1 1
1,2-DICHLOROETHANE	N.D.	5.0	N.D.		1
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	95.6	± 1
1,2-DICHLOROETHENE (CIS)	N.D.	5.0	N.D.	95.6	1
1,2-DICHLOROETHENE (TRANS)	N.D.	5.0	N.D.	- -	1
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.		
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.		<u> </u>
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0		- -	1
METHYLENE CHLORIDE	N.D.	5.0	N.D. N.D.		1 1 1 1 1
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0			1
TETRACHLOROETHENE	N.D.		N.D.		Ţ
1,1,1~TRICHLOROETHANE	N.D.	5.0	N.D.		1
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.		1
TRICHLOROETHENE		5.0	N.D.		1
VINYL CHLORIDE	N.D.	5.0	N.D.	97.5	1 1 1 1
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.		1
TRICHLOROTRIFLUOROETHANE TRICHLOROFLUOROMETHANE	N.D.	5.0	Ŋ.D.		1
TITTCHTOKOLTOOKOMETHAME	N.D.	5.0	N.D.		1
			_		

June Zhao Analyst

Michael Verona Operations Manager

Environmental Services (SDB)

December 1, 1998

Submission #: 9811434

AQUA SCIENCE ENGINEERS INC

Atten: Robert Kitay

Project: EMERYVILLE PROPERTIES

Project#: 2908

Received: November 25, 1998

re: One sample for Halogenated Volatile Organics by GC/MS analysis.

Method: 8010 Compounds by Method 8240A Nov 1990

Client Sample ID: EB-W

Spl#: 218112

Matrix: SOIL

Sampled: November 24, 1998

Run#: 16232

Analyzed: November 30, 1998

ANALYTE BROMODICHLOPOMETUANE	RESULT	REPORTING LIMIT (ug/Kg)	BLANK RESULT (ug/Kg)	BLANK SPIKE (%)	DILUTION FACTOR
BROMODICHLOROMETHANE BROMOFORM BROMOMETHANE CARBON TETRACHLORIDE CHLOROBENZENE CHLOROETHANE 2-CHLOROETHYLVINYLETHER CHLOROMETHANE 1,2-DICHLOROMETHANE 1,2-DICHLOROBENZENE 1,3-DICHLOROBENZENE 1,4-DICHLOROETHANE 1,1-DICHLOROETHANE 1,2-DICHLOROETHANE 1,2-DICHLOROETHENE 1,2-DICHLOROETHENE 1,2-DICHLOROETHENE 1,2-DICHLOROETHENE 1,2-DICHLOROPROPANE CIS-1,3-DICHLOROPROPENE TRANS-1,3-DICHLOROPROPENE TRANS-1,3-DICHLOROPROPENE METHYLENE CHLORIDE 1,1,2-TETRACHLOROETHANE TETRACHLOROETHENE 1,1,1-TRICHLOROETHANE 1,1,2-TRICHLOROETHANE TRICHLOROETHENE			(ug/Kg) N.D. N.D.	(%) 103 95.6	FACTOR 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
VINYL CHLORIDE TRICHLOROTRIFLUOROETHANE TRICHLOROFLUOROMETHANE	N.D. N.D. N.D.	5.0 5.0 5.0	N.D. N.D. N.D. N.D.	97.5 	1 1 1 1

June Zhao Analyst

Operations Manager

APPENDIX B

Non-Hazardous Waste Manifests And Letter from Forward, Inc.



December 8, 1998

Aqua Science Engineers, Inc. Attention: Dave Allen 208 W. El Pintado Road Danville, CA 94526

Re: FORWARD, INC. Approval No. 774422
Hydrocarbon Contaminated Soil from
Emeryville Properties
1400 Park Ave., Emeryville, CA

Dear Mr. Allen:

FORWARD, INC. is pleased to confirm the disposal of 847.34 tons of material as referenced above. The material was received at our Manteca, California facility for disposal on 11/19/98, 11/23/98, 11/24/98 and 12/2/98. Five loads of the referenced material (105.55 tons) was not hauled by DenBeste Transportation. The material was placed in a Class 2 waste management unit.

Approval for this material was based on the information provided in the waste profile and associated materials submitted by Aqua Science Engineers, Inc. on behalf of Emeryville Properties (Generator). Acceptance of the waste is subject to the "Terms and Conditions" agreed to and signed by the Generator on the Waste Profile Form.

Thank you for the opportunity to be of service. Should you have any questions regarding this matter, please contact me or Customer Service at (800) 204-4242.

Sincerely,

FORWARD, INC.

Brodg Brown

Brad J. Bonner

Sales Manager

BB/



JOB ACCEPTANCE NO.	-774422
	REQUIRED PERSONAL PROF

17900
REQUIRED PERSONAL PROTECTIVE EQUIPMENT SIGNATURE REQUIRED PERSONAL PROTECTIVE EQUIPMENT RESPIRATOR HARD HARD HARD HARD TY-VEK SPECIAL HANDLING PROCEDURES:
FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NOTES: 9831050 TRUCK NUMBER 199000 /325 END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE ASBESTOS WOOD ASH OTHER



 	77	44	122	_
 			_	

CENTENTOS	117900
GENERATOR CONTROLL MAILING ADDRESS 650 TOWN SENCE ST, SUITE 20 GHY, STATE, ZIP CONTROL TY ANCISCO, CA 9/1/03 PHONE FIST 551-2694 CONTROL PERSON WASTE TYPE GENERATOR PROPERTY OF AUTHORIZED AGENT / TITLE DATE, WASTE TYPE	SPECIAL HANDLING PROCEDURES:
	RECEIVING FACILITY
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS WOOD ASH OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY 1400 PARK AVENUE	(209) 982-4298 PHONE
Good wills Od	(209) 982-1009 FAX
Emeryville, ca	(200) 002 1009 1AX
ADDRESS 930 Shilb ld CITY, STATE, ZIP PHONE SIGNATURE OF AUTHORIZED AGENT OF DRIVER DATE # ##################################	NOTES: TRUCK NUMBER 9405707 TAA GT 10024 TRANSFER END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE:	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH
*	☐ OTHER



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO. -774422 REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR Properties (FP) MAILING ADDRESS HARD HAT TY-VEK Townsend St., Suite 220 SPECIAL HANDLING PROCEDURES: ancisco, ca 94103 willed ASEhr, Agant RECEIVING FACILITY SLUDGE ☐ TREATMENT SOIL FORWARD INC. LANDFILL NON-FRIABLE ASBESTOS ☐ DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD ☐ CONSTRUCTION SOIL **ASH OTHER** MANTECA, CALIFORNIA 95336 GENERATING FACILITY (209) 982-4298 PHONE 1400 Part Avenue (209) 982-1009 FAX Emeryville, ca NAME enheste Trans TRUCK NUMBER **ADDRESS** 730 Shild Rd. CITY, STATE, ZIP PHONE (800)838-11/75 END DUMP BOTTOM DUMP **TRANSFER** SIGNATURE OF AUTHORIZED, AGENT OR DRIVER ROLL-OFF(S) FLAT-BED VAN **DRUMS** * CUBIC YARDS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) reasonable efforts to promptly notify Disposer of its inability to accept the DISPOSE BIO AERATE STOCKPILE OTHER waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site □ SOIL conditions are expected to change such that Forward will be able to accept the waste. ☐ SLUDGE **REMARKS** NON-FRIABLE **ASBESTOS** FACILITY TICKET NUMBER ☐ WOOD SIGNATURE OF AUTHORIZED AGENT ☐ ASH

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298



OB ACCEPTANCE NO.	-774422	>

	119900
MAILING ADDRESS OSO TOWNSENDST, SUITE 2001 BITY, STATE ZIP SIGNATURE OF AUTHORIZED AGENT / TITLE DATE SIGNATURE OF AUTHORIZED AGENT / TITLE DATE OF MASTE TYPE MASTE T	FOUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER PECIAL HANDLING PROCEDURES:
TREATMENT SOIL DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY HOO PAR & AVENUE SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
ADDRESS GO Shilob RD CITY, STATE, ZIP Windsol CA PHONE (Soo) 838-1477	NOTES: TRUCK NUMBER 9826212 1022 THUCK NUMBER 1022 END DUMP BOTTOM DUMP TRANSFER CK CH OLL-OFF(S) FLAT-BED CH CH CH CH CH CH CH CH CH C
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste.	BIC YARDS SPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	NON-FRIABLE ASBESTOS WOOD , ASH



JOB ACCEPTANCE NO.

-774422

CENEDATOR	119900
GENERATOR IN PROVIDE TROPETHES CE MAILING ADDRESS 450 TOWNSEN UST, Suite 226 CITY, STATE, ZIP SCAN HOUNCISCO, COL 94103 PHONE 115-551-2694 CONTACT PERSON WILLIAM LEWEVENZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE MACKET PROFESSOR MACKET PROFESSOR	PREQUIRED PERSONAL PROTECTIVE EQUIPMENT DIGUISES GOGGLES RESPIRATOR HARD HA TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER GENERATING FACILITY HOO PARK AVENUE SEMENYVILE, CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME Dense Trank Inc. ADDRESS 930 Shilolo Rd CITY, STATE, ZIP WINDSON CA PHONE (800) 838 -1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE **MUSIC MACHINE MACH	NOTES: TRUCK NUMBER 983488
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH
*	OTHER



JOB ACCEPTANCE NO.

-774422

GENERATOR CMENIVULE Properties MAILING ADDRESS MAILING ADDRESS MAILING ADDRESS MAILING ADDRESS MAILING ADDRESS MAILING ADDRESS MILLING A	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY HOO PARK PLENUE EMERLY HOLD CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME PADDRESS 730 Shift Pol. CITY, STATE, ZIP Window (F) PHONE 800) 838-1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER M. 10-98	NOTES: TRUCK NUMBER T-9B2542 Trice 0+42780 END DUMP BOTTOM DUMP TRANSFER PROLL-OFF(S) FLAT-BED VAN DRUMS D D
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER



JOB ACCEPTANCE NO. -77/11/22

waste for any reason. If Forward's refusal to accept the waste is based weather or other site conditions, Forward shall notify the Disposer when conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	SLUDGE NON-FRIABLE ASBESTOS WOOD ASH
waste for any reason. If Forward's refusal to accept the waste is based weather or other site conditions, Forward shall notify the Disposer when conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER	SLUDGE NON-FRIABLE ASBESTOS
waste for any reason. If Forward's refusal to accept the waste is based weather or other site conditions, Forward shall notify the Disposer when conditions are expected to change such that Forward will be able to acc the waste. REMARKS	SLUDGE NON-FRIABLE
waste for any reason. If Forward's refusal to accept the waste is based weather or other site conditions, Forward shall notify the Disposer when conditions are expected to change such that Forward will be able to accept the waste.	
waste for any reason. If Forward's refusal to accept the waste is based weather or other site conditions. Forward shall notify the Disposer when	
a inability to accept	I on Soll
impairs the safe and effective operation of the Landfill. Forward shall reasonable efforts to promptly notify Disposer of its inability to accept	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD)
Forward shall have no obligation to accept the waste if weather or of	than
FORWARD INC. LANDFILL	CUBIC YARDS
* 0a V 11-19-4	78
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	ROLL-OFF(S) FLAT-BED VAN DRUMS
PHONE 801) 838-1477	END DUMP BOTTOM DUMP TRANSFER
CITY, STATE, ZIP W; w &cor CA	
ADDRESS 930 5/1/06 121.	F18256 7869
NAME Den Best- Trans Inc.	NOTES: TRUCK NUMBER
Emeryvile, ca	(200) 002 1000 1700
1400 Part Avenue	(209) 982-4298 PHONE (209) 982-1009 FAX
GENERATING FACILITY	MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
CONSTRUCTION SOIL ASH OTHER	9999 SOUTH AUSTIN ROAD
☐ TREATMENT SOIL ☐ NON-FRIABLE ASBESTOS ☐ DISPOSAL SOIL ☐ WOOD	
	RECEIVING FACILITY
WASTE TYPE	9/9/
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
CONTACT, PERSON 5 () () () () () () () () () () () () ()	
PHONE 1101	
ESan Franciso Ca. 94110	OF LOTAL HANDLING PROCEDURES:
MAILING ADDRESS 650 TOWNSENDS SI, SUI KE	TY-VEK OTHER
	PJ GLOVES GOGGLES RESPIRATOR HARD HAT
ENERATOR LE Properties LE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT



· ····	THE THE MINICIAL WIND D
JOB ACCEPTANCE NO.	-774422

GENERATOR CHYPER UNITE PROPERTIES CEP MAILING ADDRESS OSO TOWNSEND SI, SUITE 786 CHY, STATE, ZIP SCHATTON CISCO, CA 94103 PHONE 415: 551-3694/ CONTACT PERSON LUICAM LEVER ENZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE MILLIAN LINE OF AUTHORIZED AGENT / TITLE DATE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY THOO PARK Avenue Emeryvile, Ca	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DEN BESTE Transfortations Inc. ADDRESS 305hi/6h Ad CITY, STATE, ZIP PHONE BD 838/477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ** Amale Mayellar 1/1998	NOTES: TRUCK NUMBER 9A05 101 Truckic 695 GT 10024 Trailer INCLESC END, DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH
*	OTHER



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	-774402
· · · · · · · · · · · · · · · · · · ·	

@ENERATOR.	REQUIRED PERSONAL PROTECTIVE EQUIPMENT
CMENINITE Properties MAILING ADDRESS M	GLOVES GOGGLES RESPIRATOR HARD HAT
GEO TOWNSENCISI, SUITE 220	SPECIAL HANDLING PROCEDURES:
PHONE Trancisco, Ca. 91/103	
<u>6</u> 415-551-2694	
CONTACT PERSON	
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
Esmid Wa Ascho, Agast for Er 11/19/98	
WASTE TYPE	RECEIVING FACILITY
□ SLUDGE	
TREATMENT SOIL NON-FRIABLE ASBESTOS O DISPOSAL SOIL WOOD	FORWARD INC. LANDFILL
CONSTRUCTION SOIL ASH	9999 SOUTH AUSTIN ROAD
OTHER	MANTECA, CALIFORNIA 95336
GENERATING FACILITY 1400 FORK AVENUE	(209) 982-4298 PHONE
	(209) 982-1009 FAX
Emerynile, Cle	
NAME TEN ESPOTATO !	NOTES: TRUCK NUMBER
# ADDRESS TRANSPORTATION	9334818 OZ-MACHAD
CITY, STATELZE	FT82518
PHONE 1944 19 10 10 10 10 10 10 10 10 10 10 10 10 10	
107-8-30/407	END DUMP BOTTOM DUMP TRANSFER
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	ROLL-OFF(S) FLAT-BED VAN DRUMS
* Danie Mackento 11-19-98	
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other	1
conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill Forward shall use	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD)
reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site	DISPOSE BIO AERATE STOCKPILE OTHER
conditions are expected to change such that Forward will be able to accept the waste. REMARKS	
REMARKS	SLUDGE NON-FRIABLE
FACILITY TICKET NUMBER	ASBESTOS
SIGNATURE OF AUTHORIZED AGENT	WOOD
SIGNATURE OF AUTHORIZED AGENT DATE	☐ WOOD ☐ ASH



JOB ACCEPTANCE NO. -774422

SPECIAL HANDLING PROCEDURES: SIGNATURE OF AUTHORIZED AGENT OF TITLE DATE SUBJECT OF SPECIAL HANDLING PROCEDURES: SU		11700
TREATMENT SOIL SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL 9999 SOUTH AUSTIN ROAD 9999 SOUTH AUSTIN ROAD 9999 SOUTH AUSTIN ROAD 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-4298 PHONE (209) 982-1009 FAX (CONTAGE PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE DESCRIPTION OF AUTHORIZED AGENT / TITLE DESC	GLOVES GOGGLES RESPIRATOR HAT TY-VEK OTHER
ADDRESS CITY, STATE, ZIP PHONE PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste or if the waste impairs the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER	SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS WOOD WOOD ASH OTHER GENERATING FACILITY CONSTRUCTION SOIL GENERATING FACILITY CONSTRUCTION SOIL CON	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER FORWARD) OTHER DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) OTHER STOCKPILE OTHER WOOD WOOD	ADDRESS ADDRESS CITY, STATE, ZIP SHOW PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	9B26232 DO7 FH82517 END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
→ ASH ☐ OTHER	FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD). DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	-774422
GENERATOR CONPENSIVE PROPERTIES ED) MAILING ADDRESS 050 TOWNSEND ST. SUITE DATE OF TYANCISCO, CA. 94103 PHONE 115.551-2691 CONTACT PERSON UNITED FAUTHORIZED AGENT/TITLE SIGNATURE OF AUTHORIZED AGENT/TITLE DATE MAILING DATE MINISTER MINIS	REQUIRED PERSONAL PROTECTIVE EQUIPMENT/ GLOVES
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY HOD PARK ALCOME EMERYMIE, CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME ADDRESS ADDRES	NOTES: TRUCK NUMBER 102-2 DT 42840 END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER



JOB ACCEPTANCE NO.	-774422
GENERATOR EMERYVIUE PROPERTIES MAILING ADDRESS GSO TOWNSENDST., SUITE 2261	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR TY-VEK OTHER
SAN FLANCISCO 94/03 PHONE 45-551-7694	SPECIAL HANDLING PROCEDURES: 1st cool 50719 (1st track) 1 requested hereture to site 11/23/98
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE DATE	
WASTE TYPE	RECEIVING FACILITY
SLUDGE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY	(209) 982-4298 PHONE
4MERILIME	(209) 982-1009 FAX
NAME DENDESTE TRUCKUC ADDRESS EN 930 SHILOB RD CITY, STATE, ZIP WINDSOR	NOTES: TRUCK NUMBER F-2 PT42791 Cq
PHONE 800 838 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE * Stew Augus 11-23-88	END PUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
	CURIO VA PRO
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SUDGE
REMARKS	NON-FRIABLE
	ASBESTOS
	□ WOOD
SIGNATURE OF AUTHORIZED AGENT DATE	□ ASH



WASTE TREATMENT AND DISPOSAL FACILITY

OB ACCEPTANCE NO.	-774422
-------------------	---------

WASTE TYPE SLUDGE	V THE GENERATOR	EMERYVILLE TROPERTIES LEP)	REQUIRED PERSONAL PROTECTIVE EQUIPMENT (GLOVES GOGGLES RESPIRATOR GHARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: 1 5 6 0 0 7 2 (rul Trock) 11/23/48
TREATMENT SOIL DISPOSAL SOIL SOIL SINSPOSAL SOIL SOIL SOIL SOIL SOIL SOIL SOIL SOI	D B		RECEIVING FACILITY
NAME ADDRESS CITY, STATE, ZIP PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER Impairs the safe and effective depresor of the waste or if the waste or any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste to a property notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste to a property notify Disposer of its inability to accept the waste to any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste of the	TO BE COMPLETE	☐ TREATMENT SOIL ☐ NON-FRIABLE ASBESTOS ☐ WOOD ☐ CONSTRUCTION SOIL ☐ ASH ☐ OTHER	9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
NAME ADDRESS OTTY, STATE, ZIP PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste or if the waste or if the waste impairs the safe and effective disposal of the waste or if t	i.	GENERATING FACILITY	l ' '
ADDRESS CITY, STATE, ZIP PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER TORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste reasonable efforts to promptly notify Disposer of its inability to accept the waste or other size conditions are expected to charge such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE SIGNATURE OF AUTHORIZED AGENT DATE PHONE END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SOIL SOIL SOIL NON-FRIABLE ASBESTOS NON-FRIABLE ASBESTOS WOOD ASH			
CITY, STATE, ZIP PHONE PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER TORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE SIGNATURE OF AUTHORIZED AGENT DATE END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SOIL SOIL NON-FRIABLE ASBESTOS ASBESTOS WOOD ASH	Ш	Amount to restrict the second state of the second state of the second state of the second state of the second	9826212 1022
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT: DATE CUBIC YARDS CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH			DT42840
** ** ** ** ** ** ** ** ** **		PHONE TO THE REPORT OF THE PROPERTY OF THE PRO	END DUMP BOTTOM DUMP TRANSFER
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) OTHER SOIL SOIL NON-FRIABLE ASBESTOS WOOD ASSH	E IIIVH	signature of authorized agent or driver Date * (1/23/9)	ROLL-OFF(S) FLAT-BED VAN DRUMS
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE SIGNATURE OF AUTHORIZED AGENT DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER DISPOSAL METHOD: NON-FRIABLE ASBESTOS WOOD ARRATE STOCKPILE OTHER DATE ASBESTOS ARRATE STOCKPILE OTHER DATE			CUBIC YARDS
conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) IDISPOSE BIO AERATE STOCKPILE OTHER OTHER OTHER WOOD AERATE STOCKPILE OTHER OTHER OTHER DISPOSAL METHOD: AERATE STOCKPILE OTHER OTHER OTHER ASBESTOS SOIL NON-FRIABLE ASBESTOS WOOD ASBESTOS ABOUTH ASH DATE			
	EMENTS		DISPOSE BIO AERATE STOCKPILE OTHER
		conditions are expected to change such that Forward will be able to accept the waste.	1 I I I I I I I I I I I I I I I I I I I
	Ë	REMARKS	NON-FRIABLE
		FACILITY TICKET NUMBER	□ WOOD
	P	SIGNATURE OF AUTHORIZED AGENT DATE	□ ASH
		*	



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO. —774422

MAILING ADDRESS 050 TOWNSEND ST. SUIR 2001 ENTY, STATE, ZIP SOLD HOUNSEND ST. SUIR 2001 ENTY, STATE, ZIP SOLD HOUNSEND ST. SUIR 2001 ENTY, STATE, ZIP SOLD HOUNSEND SUIR 2001 CONTACT PERSON SOLD HOUNSED AGENT / TITLE SIGNATURE OF AUTHORIZED AGENT / TITLE SOLD HOUSED AGENT / TITLE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT SECOND GOGGLES RESPIRATOR CHARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: (55 6 0 8 732 (30) Truck)
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS NOOD ASH OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DONAST-TIONS INC. ADDRESS CITY, STATE, ZIP WINDSOR PHONE (800) 838-1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	NOTES: TRUCK NUMBER \$ 44438
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH
*	OTHER



JOB ACCEPTANCE NO.

- 774477

1809	
GENERATOR EMCLYVILLE PROPERTIES (EP) MAILING ADDRESS GET JOWNSEND ST. SUITE 2201 GITY, STATE, ZIP SAN FRANCISCO CA 94103 PHONE 4(5 - SSI - 2694 CONTACT PERSON WILLIAM LENEXED 2 SIGNATURE OF AUTHORIZED AGENT / TITLE WASTE TYPE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR THARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: 15+ Ladd De 74 (FOR Truck) 1/24/48 RECEIVING FACILITY
SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DENBESSE TRUCKING ADDRESS 930 SH WAB KA CITY, STATE, ZIP LUDS OR CA PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER MANUAL	NOTES: TRUCK NUMBER SP46565 GT 994 END DUMP BOTTOM DUMP TRANSFER ROLL(OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH
*	

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298

MANIFEST # 65047



JOB ACCEPTANCE NO.

- 774422

<u>, </u>	
GENERATOR EMERYVIUM PROPERTES (EP) MAILING ADDRESS GSD TOWNSEND ST. SUITE 2261 CITY, STATE, ZIP STN FRANCISCO 94103 PHONE 415. SSI. 2694 CONTACT PERSON WILLIAM LEWEREN2 SIGNATURE OF AUTHORIZED AGENT / TITLE DATE DELLEWER LEWEREN LITTER SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT BELOVES GOGGLES RESPIRATOR GHARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: 1 St card 0 0 1032 (542 Truck) T requested here ten to site
WASTE TYPE SLUDGE SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER GENERATING FACILITY HOO PAPK AVENUE FUNCTION SO CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME () IN BESTE TRUCKING ADDRESS (30 SHILOB RD CITY, STATE, ZIP U/N () SOR PHONE 800 838-1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ** ** ** ** ** ** ** ** **	NOTES: TRUCK NUMBER 1/L-9C41447 TRUCK NUMBER 1/2 TRUCK NUMBER 1/3 END, DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL
*	☐ ASH ☐ OTHER



WASTE TREATMENT AND DISPOSAL FACILITY

	JOB ACCEPTANCE NO.	-774422
BY THE GENERATOR	GENERATOR EMFROUND TROPERTIES (EP) MAILING ADDRESS (SO TOWNSEND ST. SUITE 2261 CITY, STATE, ZIP SAN FRANKISCO CA 94103 PHONE 415. SS1. 2694 CONTACT PERSON WILLIAM LE WESTENZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR PARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: ist was Danie (6th trook) I required be retire to site RECEIVING FACILITY
TO BE COMPLETED	SLUDGE TREATMENT SOIL DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY LOO PARK AVENUE EMERYVIME A	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
TRANSPORTER HAULER MUST COMPLETE	NAME DEN BESTE MUCKING ADDRESS 930 SHILOB PD. CITY, STATE, ZIP ENINDSOR PHONE 800-838-1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	NOTES: TRUCK NUMBER 594997 6734509 END DUMP BOTTOM DUMP TRANSFER PROLL-OFF(S) FLAT-BED VAN DRUMS
EQUIREMENTS	FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or oth conditions impair the safe and effective disposal of the waste or if the was impairs the safe and effective operation of the Landfill. Forward shall reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) IN THE STOCKPILE OTHER ON SOIL
FACILITY REQUIF	the waste. REMARKS FACILITY TICKET NUMBER	SLUDGE NON-FRIABLE ASBESTOS WOOD

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 MANIFEST # 65052

OTHER



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	_77/1/102-
JOB ACCEPTANCE NO.	-11498
GENERATOR CMCLYLIE Troperties (EP) MAILING ADDRESS ASO TOWNSEN & S., Suite 2261 OUT, STATE-ZIP CONTACT PERSON CONTACT PE	
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
SENERATING FACILITY 1400 PARK AVENUE EMERYNTE, CA	(209) 982-4298 PHONE (209) 982-1009 FAX NOTES: TRUCK NUMBER
ADDRESS ADDRESS ADDRESS ATO SHILDS RD CITY, STATE, ZIP WINDS R PHONE BOO - 878 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE, 1/1/2/48	END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER
conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	-774422

GENERATOR EMERYVIUE PROPERTIES (EP) MAILING ADDRESS 650 TOWNSEND STREET, SUITE 2261 CITY, STATE, ZIP SAN FRANCISCO, CA 94103	REQUIRED PERSONAL-PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: (ST (WAD (0) 2) 1:30 (TYUCK 48)
PHONE (415) SSI-2694 CONTACT PERSON UE WEREN2 SIGNATURE OF AUTHORIZED AGENT / TITLE DATE MANUALLE MEREN2 AGENT / TITLE DATE MANUALLE MEREN2 AGENT / TITLE DATE	
WASTE TYPE SLUDGE SLUDGE NON-FRIABLE ASBESTOS WOOD CONSTRUCTION SOIL OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY 1400 PATEK AVENUE EMERYVIUE, CA	(209) 982-4298 PHONE (209) 982-1009 FAX
NAME DEN BESTE MUCKING ADDRESS Q30 SHIGB ROAD CITY, STATE, ZIP WINDSOL PHONE 800 878 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE * Jang Sama 11/23/78	NOTES: TRUCK NUMBER END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS \ \qquad \qquad \qquad \qquad
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE
REMARKS	NON-FRIABLE ASBESTOS
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	WOOD
*	☐ ASH ☐ OTHER



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.

-774422

	BEQUIRED PERSONAL PROTECTIVE EQUIPMENT
EMEMOVILLE PLOPERIUES (EP) MAILING ADDRESS	GLOVES GOGGLES RESPIRATOR HAT
GTO TOUNSEND ST. SUITE ZZE!	ODECIAL MANDLING PROCEDURES.
CITY STATE ZID	SPECIAL HANDLING PROCEDURES:
SAN FRANCISCO 94103	12 Cond (P) 2:50 (Truck 49)
# 415 - 551- 2694	
CONTACT PERSON WILLIAM LEWERENZ TRATE	
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
Skeind alle BEW. Agentil 11/23/	
WASTE TYPE	RECEIVING FACILITY
SLUDGE SLUDGE NON-FRIABLE ASBESTOS	FORWARD INC. LANDFILL
TREATMENT SOIL NON-FRIABLE ASBESTOS O D DISPOSAL SOIL WOOD	9999 SOUTH AUSTIN ROAD
CONSTRUCTION SOIL ASH	
OTHER	MANTECA, CALIFORNIA 95336
GENERATING FACILITY	(209) 982-4298 PHONE
1400 PARK FVENUE	(209) 982-1009 FAX
	(209) 902-10091AX
EVERYVIUE	
NAME	NOTES: TRUCK NUMBER
DENBESTE TWORKING	
130 SHILUB RD.	
CITY, STATE, ZIP	
PHONE	END DUMP BOTTOM DUMP TRANSFER
50 838- KE17	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	RO(L-OFF(S) FLAT-BED VAN DRUMS
* 11-23-98	
	Tourse MARRO
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD)
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the	DISPOSAL METHOD: (10 DE SONT EL EL ESTOCKPILE OTHER
reasonable efforts to promptly hotily bisposer of its mability to decore the waste for any reason. If Forward's refusal to accept the waste is based on waste for any reason. If Forward shall notify the Disposer when site	SOIL
waste for any reason. If forward shall notify the Disposer when site weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept	☐ SLUDGE
conditions impair the safe and effective disposal of the waste of it the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	NON-FRIABLE
FACILITY TICKET NUMBER	☐ ASBESTOS
SIGNATURE OF AUTHORIZED AGENT	
	ASH
*	☐ OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298

MANIFEST # 65073



WASTE TREATMENT AND DISPOSAL FACILITY

-774422 JOB ACCEPTANCE NO.

GENERATOR L'MEMUNIUG PROPERTIES (EP) MAILING ADDRESS 650 TOWNSLUD ST. SUITE 274 (CITY, STATE, ZIP SAN FRANCIS CO 94-3 PHONE H 475. S51. 26 94 CONTACT PERSON WILLIAM LEWESCUT SIGNATURE OF AUTHORIZED AGENT / TITLE DATE MULLIAM CHARLES (EP)	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR DEARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: 13+ Cocal (D) 3:40 (Truck 12)
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
GENERATING FACILITY 1400 PARK AUE FURRY UIUE	(209) 982-42301 FIONE (209) 982-1009 FAX NOTES: TRUCK NUMBER
NAME DESTE TRUCKING ADDRESS 930 5141 LOB 120 CITY, STATE, ZIP WINDSOIZ PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE # Juny Johns 11-23-98	9801858 #) 6734375 END DUMB BOTTOM DUMP TRANSFER D
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	ASBESTOS WOOD ASH OTHER



JOB ACCEPTANCE NO.

-774422

	GENERATOR EMERIVITIE PROPERTIES CEPI MAILING ADDRESS 050 TOWNSEROL ST, SUITE 22	TY-VEK OTHER
A COLUMN	enty, STATE, ZIP SCIN HANCISCO, Ca 94/103 PHONE	SPECIAL HANDLING PROCEDURES: 1 st Coul (D) 4:05 (Truck 1611)
तिस्वन्यम्	CONTACT PERSON COLLICIAN LOWER DATE SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
	* (auf Clly BS hr, Agent for EP 11/19/98	RECEIVING FACILITY
O BE COMPLETE	☐ TREATMENT SOIL ☐ NON-FRIABLE ASBESTOS ☐ WOOD ☐ ASH ☐ OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
	GENERATING FACILITY 1400 Park Avenue Emerguile, ca	(209) 982-4298 PHONE (209) 982-1009 FAX
COMPLETE	NAME DEN BESTE TRUCKING ADDRESS 930 SHILOS RO CITY, STATE, ZIP WILMD SOR	NOTES: TRUCK NUMBER New 7/0CR GO-34 HILLIC GT 34400
HAULER MUST	PHONE 878 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE * Luy Leun 11-23-9	END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
	FORWARD INC. LANDFILL	CUBIC YARDS
ž.		
UIREMENTS	Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the wast impairs the safe and effective operation of the Landfill. Forward shall us reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based of weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste.	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) OF COMPLETED BY FORWARD) AERATE STOCKPILE OTHER OTHER OTHER
REQUIREMENTS	conditions impair the safe and effective disposal of the waste or if the wast impairs the safe and effective operation of the Landfill. Forward shall us reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based to weather or other site conditions. Forward shall notify the Disposer when site	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER OTHER
CILITY REQUIREMENTS	conditions impair the safe and effective disposal of the waste or if the wast impairs the safe and effective operation of the Landfill. Forward shall us reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based to weather or other site conditions, Forward shall notify the Disposer when sit conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE
FACILITY REQUIREMENTS	conditions impair the safe and effective disposal of the waste or if the wast impairs the safe and effective operation of the Landfill. Forward shall us reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based of weather or other site conditions, Forward shall notify the Disposer when sit conditions are expected to change such that Forward will be able to accept the waste. REMARKS	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS



JOB ACCEPTANCE NO.

-774422

*	OTHER
	DATE ASH
conditions impair the safe and effective disposal of the waste o impairs the safe and effective operation of the Landfill. Forware reasonable efforts to promptly notify Disposer of its inability to waste for any reason. If Forward's refusal to accept the waste weather or other site conditions, Forward shall notify the Dispose conditions are expected to change such that Forward will be at the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT	wood
EACH ITY TICKET NUMBER	NON-FRIABLE ASRESTOS
the waste. REMARKS	□ SLUDGE
waste for any reason. If Forward's refusal to accept the waste weather or other site conditions, Forward shall notify the Disposoconditions are expected to change such that Forward will be a	poser when site L SOIL
impairs the safe and effective operation of the Landfill. Forware reasonable efforts to promptly notify Disposer of its inability to	orward shall use y to accept the DISPOSAL METHOD. (TO BE COMPLETED BY PORWARD)
Forward shall have no obligation to accept the waste if wea	weather or other
// FORWARD INC. LANDFILI	LL CUBIC YARDS
* May Mayla VI	1/ 23 /3 = = = = =
	DATE ROLL-OFF(S) FLAT-BED VAN DRUMS
PHONE 800 838- 1477	END DUMP BOTTOM DUMP TRANSFER
S CITY, STATE, ZIP	6710024
ADDRESS 930 SHILOB DD 1	
DENBESTE Thecana	9A05707 695
NAME	NOTES: TRUCK NUMBER
1400 Park Avenue Emeryville, Ca	(209) 982-1009 FAX
GENERATING FACILITY	(209) 982-4298 PHONE
OTHER	MANTECA, CALIFORNIA 95336
DISPOSAL SOIL WOOD CONSTRUCTION SOIL ASH	9999 SOUTH AUSTIN ROAD
☐ SLUDGE☐ TREATMENT SOIL☐ NON-FRIABLE AS	ASBESTOS FORWARD INC. LANDFILL
WASTE TYPE	RECEIVING FACILITY
*leville SE Inc, Agentor &	9 11/23/88
The second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section of the secti	DATE
9/5.55/.2694	
PHONE TO LOCAL OFF	7/03 15 6. e (Tuck)2)
050 Bunsend St, Suite	OF COME TANDEING PROCESS.
MAILING ADDRESS	TITY-VEK LIOTHER
GENERATOR COMENTALES COMENTALES C	(EP) REQUIRED PERSONAL PROTECTIVE EQUIPMENT

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298

MANIFEST # 65018



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.

-774422

GENERATOR EMERNIUE PROPERTES (EP)	REQUIRED PERSONAL PROTECTIVE EQUIPMENT
MAILING ADDRESS	TY-VEK OTHER
650 TOWNS END ST., SUITE ZZGT	SPECIAL HANDLING PROCEDURES:
5 SAN FRANCISCO 94103	Second load (D) @ 12:15 (Truck 141)
THONE 415, 551, 2694	
CONTACT DEDCOM	
WILLIAM WEWERENZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
Cherralle As Inc. Agention Er 11/23/98	
□ WASTE TYPE	RECEIVING FACILITY
□ SLUDGE	
TREATMENT SOIL NON-FRIABLE ASBESTOS	FORWARD INC. LANDFILL
DISPOSAL SOIL WOOD	9999 SOUTH AUSTIN ROAD
CONSTRUCTION SOIL ASH OTHER	MANTECA, CALIFORNIA 95336
P	(209) 982-4298 PHONE
GENERATING FACILITY	1 . 1
1400 PARK AVENUE	(209) 982-1009 FAX
GENERYVIUE CH	TRUCK NUMBER
NAME DENBESTE TRUCKING	NOTES: TRUCK NUMBER 19835144 Cq F.1
APDRESS TO A TOTAL A TOTAL TO A TOTAL TOTAL TO A TOTAL	
a30 SHILOB RO	DT4279/ Ca
CITY, STATE, ZIP WINDSOR	FND DUMP BOTTOM DUMP TRANSFER
PHONE 800 838- 1477	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	ROLL-OFF(S) FLAT-BED VAN DRUMS
11-23-98	
	CUBIC YARDS
FORWARD INC. LANDFILL	
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste	
	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD)
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the	DISPOSE BIO AERATE STOCKPILE OTHER
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site weather or other site conditions, Forward shall notify the Disposer when site	INCREASE BIO LAFRATE STOCKHIEL OTHER
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste.	DISPOSE BIO AERATE STOCKPILE OTHER
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	SOIL SLUDGE NON-FRIABLE
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER	SOIL DISPOSE BIO AERATE STOCKPILE OTHER SUDGE
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	SOIL SOIL SUDGE WOOD



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.

-774422

MAILING ADDRESS MAILING ADDRESS MILLING ADDRESS MILLING ADDRESS MILLING ADDRESS MILLING ADDRESS MILLING ADDRESS MILLING SI, SITE 2761 MILLING ADDRESS MILLING SI, SITE 2761 MILLING CA 941 = 3 PHONE HIT, SSI, 76 94 CONTACT PERSON MILLING UCWERENZ SIGNATURE OF AUTHORIZED AGENT / TITLE MILLING USAFRENZ M	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GALOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: Second (D) 12:00 (Truck #2)
WASTE TYPE SLUDGE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY LAOO PANK AVENUE EMANUIVE CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DEN PRESE PRUCKINE ADDRESS 930 SHILOB PO CITY, STATE, ZIP WIND SOR PHONE SOO 838 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER 11/28/58	NOTES: TRUCK NUMBER 9/326212) T 42840 END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD
SIGNATURE OF AUTHORIZED AGENT DATE *	□ ASH □ OTHER



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	-774422
--------------------	---------

<u>GENERATOR</u>	
CMEMILE HOPETIES (E) MAILING ADDRESS 650 TOWNSEND SI, Suite 22, GITY, STATE, ZIP GITY, STATE, ZIP FORM OF TY CONTACT, PERSON UNITED SIGNATURE OF AUTHORIZED AGENT / TITLE SIGNATURE OF AUTHORIZED AGENT / TITLE MAILING ADDRESS OF TOWNSEND SI, Suite 22, GITY, STATE, ZIP OF TOWNSEND SI, SUITE DATE ALLING HORIZED AGENT / TITLE DATE MILITARY OF THE SIGNATURE OF AUTHORIZED AGENT / TITLE THE SIGNATURE OF AUTHORIZED AGENT / TITLE MAILING ADDRESS OF TOWNSEND SI, SUITE 22, TOWNSE	SPECIAL HANDLING PROCEDURES: Se and is and (D) 12:30 (Touck #3)
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY 1400 FARK AUCHUE EMERYVITE, CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DENDETE TRUCKING ADDRESS 930 SHILOS ED. CITY, STATE, ZIP WINDS-R PHONE 800 838-1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ** Jeon 11-23-	NOTES: TRUCK NUMBER S 4 4443 P T 43 78 7 END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS TO DUMP DE DUMP TRANSFER D D D D D D D D D D D D D D D D D D D
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based or weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL



JOB ACCEPTANCE NO.

NON-HAZARDOUS WASTE MANIFEST

WASTE TREATMENT AND DISPOSAL FACILITY

_	174427

GENERATOR #MAILING ADDRESS GTO FOUNS GLO S. 51 PE 226 GTY, STATE 219 SAN FLANCISCO 9 41 03 PHONE ALS. 551. 2694 CONTACT PERSON CONTACT	MAILING ADDRESS GSO FOUNSEND ST. SNITE 226/ CITY, STATE, ZIP SAN FRANCISCO 94103 PHONE 415. SSI. 2694 CONTACT PERSON WILLIAM LEWERENZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS	GLOVES GOGGLES RESPIRATOR CHARD HATE TY-VEK OTHER
PHONE 415. 551. 2694 CONTACT PERSON WILLIAM LEWENSIZ SIGNATURE OF AUTHORIZED AGENT / TITLE WASTE TYPE TREATMENT SOIL SLUDGE MON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD CONSTRUCTION SOIL ASH OTHER GENERATING FACILITY (209) 982-4298 PHONE WADD PROKE AVENUE (209) 982-1009 FAX NAME DEN DESTR TO CHUCK SP 455 5 ADDRESS 93.0 SHIUDB PD CTZ 6994 TRUCK NUMBER SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE MUSTOR PHONE PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLLOFF(S) FLAT-BED VAN DRUMS FORWARD INC. LANDFILL CUBIC YARDS CUBIC YARDS CUBIC YARDS	PHONE 45. 551. 2694 CONTACT PERSON WILL LAW LEWERENZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS	RECEIVING FACILITY FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
WASTE TYPE TREATMENT SOIL SLUDGE NON-FRIABLE ASBESTOS PORWARD INC. LANDFILL DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL ASH 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 GENERATING FACILITY (209) 982-4298 PHONE LANDFILL (209) 982-1009 FAX NAME DIEN BESTE TWICKING ADDRESS SPY6565 TRUCK NUMBER ADDRESS SPY6565 SPY6565 CTZ 6994 LANDFILL SIGNATURE OF AUTHORIZED AGENT OR DRIVER ADDRESS FLATBED VAN DRIVER SO & 838 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLLOFF(S) FLATBED VAN DRIVES FORWARD INC. LANDFILL F	WASTE TYPE SLUDGE ON TREATMENT SOIL ON THE ASSESTOR	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
TREATMENT SOIL SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD ASH OTHER	SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
TREATMENT SOIL DISPOSAL SOIL D	TREATMENT SOIL NON-FRIABLE ASBESTOS	9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
GENERATING FACILITY 1400 PARK AVENUE EMELYULUE NAME DEN BESTE TIN CKINC ADDRESS 930 SHIUB PA CITY, STATE, ZIP IN INDSOR PHONE 800 838 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER TRUCK NUMBER TRUCK NUMBER 5 P 9 6 5 6 5 C-7 2 6 9 9 4 END DUMP BOTTOM DUMP TRANSFER ROLLFOFF(S) FLAT-BED VAN DRUMS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other		(209) 982-4298 PHONE
NAME DEN BESTE THICK NUMBER ADDRESS ADDRESS CITY, STATE, ZIP PHONE SO 838-1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER TORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other	GÉNERATING FACILITY	
NAME DEN BESTE TO CKING ADDRESS ADDRESS OITY, STATE, ZIP WINDSOR PHONE SO & 38 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER TORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other	1400 PARK AVENUE	(209) 982-1009 FΔY
ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS ADDRESS CITY, STATE, ZIP W INDSOR PHONE SO & 38 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER TRUCK NUMBER SP 9 6 5 6 5 G-7 2 6 9 9 4 END DUMP BOTTOM DUMP TRANSFER ROLLFOFF(S) FLAT-BED VAN DRUMS TRUCK NUMBER SP 9 6 5 6 5 TRUCK NUMBER SP 9 6 5 6	•	(200) 002 100017/
ADDRESS 930 SHIVOB PD CITY STATE, ZIP PHONE PHONE SO 838 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER TORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other		
CITY, STATE, ZIP PHONE PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER TORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other	ADDRESS	0176365 301
PHONE 80 838 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLLFOFF(S) FLAT-BED VAN DRUMS ** FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other	CITY, STATE, ZIP	G720994
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLLFOFF(S) FLAT-BED VAN DRUMS ** ** ** ** ** ** ** ** **	A Company of the comp	END DUMP POTTOM DUMP TRANSFER
* FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other	800 838- 1477	
Forward shall have no obligation to accept the waste if weather or other	11/27/	
Forward shall have no obligation to accept the waste if weather or other	FORWARD INC. LANDELL	CUBIC YARDS
conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward shall notify the Disposer when site of the safe conditions Forward shall notify the Disposer when site.		
reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions Forward shall notify the Disposer when site	conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill Forward shall use	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD)
weather or other site conditions Forward shall notify the Disposor when site	reasonable efforts to promptly notify Disposer of its inability to accept the	
conditions are expected to change such that Forward will be able to accept	weather or other site conditions, Forward shall notify the Disposer when site	SOIL
REMARKS:	■ REMARKS	
FACILITY TICKET NUMBER	AMAZA MAZA MAZA MAZA MAZA MAZA MAZA MAZ	NON-FRIABLE ASBESTOS
SIGNATURE OF AUTHORIZED AGENT DATE		WOOD
ENGRIPH OF THE PROPERTY OF THE		□ ASH
│ │ │ │ │ │ │ │ │ │ │ │ │ │ │ │ │ │ │	*	OTHER



INCORPORATED	TWOTE THE TIMENT AND BIOLOGAL LAGIETT
JOB ACCEPTANCE NO.	-774422
GENERATOR EMPLYVITE Properties (FP) MAILING ADDRESS 650 TOWNSEND St, Suite 2061 CITY, STATE ZIP PHONE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: SECOND COOL (D) & 1:45 (TOCK 5)
4/5.55/-2694 CONTACT PERSON LEWERENZ SIGNATURE OF AUTHORIZED AGENT/TITLE DATE *LUMINGULY ASELVE, Agant Lov KR 11/19/93	11/23/98
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY HOD PARK AVENUE EMERGYVALE, Ca	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DEN BRITE TRUCKUNG ADDRESS 930 SHILDBIRD CITY, STATE, ZIP WINSOR PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER #### 11-23-98	NOTES: TRUCK NUMBER 1k-9C41447 13 TeL-DT42788 END DUMP BOTTOM DUMP TRANSFER ROLK-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD
SIGNATURE OF AUTHORIZED AGENT DATE	□ ASH



JOB ACCEPTANCE NO.		-774	122
--------------------	--	------	-----

GENERATOR EMPLYUSE PROPERTIES - (EP) MAILING ADDRESS USO TOWNSEND St., SUITED AND OITY, STATE, ZIP WASTE TYPE PHONE CONTACT PERSON WASTE TYPE WASTE TYPE PHOPE PHONE CEP CEP PHONE CEP CEP CEP CEP CEP CEP CEP C	Second Load (D) 3:55 (Truck 46)
SLUDGE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY 1400 PORK AVENUE EMERYVITE, CA	(209) 982-4298 PHONE (209) 982-1009 FAX
NAME DEN BESTE TRUCTURE ADDRESS GITY, STATE, ZIP WIN SOR	NOTES: TRUCK NUMBER 5744907 6731506
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS \[\begin{array}{c ccccccccccccccccccccccccccccccccccc
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other	
impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste.	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL
Impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE
reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste.	DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS
	DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL ● ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298

MANIFEST # 65031



JOB ACCEPTANCE NO.	-714422
GENERATOR EMERUILLE PROPERTIES (EP) MAILING ADDRESS GSO TOWNSEND ST, SUITE 226 1 CITY, STATE, ZIP SAN FRANCISCO, CA 94(03) PHONE 415-551-2694 CONTACT PERSON WILLIAM LEWENGUZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE SMULLIAM LEWENGUZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT DELOVES GOGGLES RESPIRATOR DEARD HAS TY-VEK OTHER SPECIAL HANDLING PROCEDURES: The se willed to site order. Dho se willed to Asi
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL ASH OTHER GENERATING FACILITY	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
1400 PARK AVENUE EMERYVILLE, CA	(209) 982-4298 PHONE (209) 982-1009 FAX
NAME	NOTES: TRUCK NUMBER
DELLATOSSE TRUGEING ADDRESS 23953 SAKIAN RO. CITY, STATE, ZIP HAYWARD CO 94545 PHONE SIO - 783 - 5390 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ** Run Frull	END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
ADDRESS 2-3953 SAKIAN PO. CITY, STATE, ZIP THOUGHOUS PHONE 510-783-5390	END DUMP BOTTOM DUMP TRANSFER



JOB ACCEPTANCE NO.

-774422

GENERATOR EXECUTIVE PROJECTIVE (P) MAILING ADDRESS CS O TOWN SEND ST., SU ITE 2261 CITY, STATE, ZIP SPECIAL HANDLING PROCEDURES: THO TO SE PUBLIC SE P
□ SLUDGE
DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
(200) 902-4290 FINE EMERICALE (209) 982-1009 FAX
EMERYUIUE CA (209) 982-1009 FAX
NAME DENBESTE TRUCKING ADDRESS 930 SH(LOB RD. CITY, STATE, ZIP WINDGOR CA
PHONE FND DUMP BOTTOM DUMP TRANSFER
800.838.1477
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN DRUMS
1/2/2/6:
* Itc } 12/2/98
FORWARD INC. LANDFILL CUBIC YARDS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARI accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. SIGNATURE OF AUTHORIZED AGENT DATE
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. FACILITY TICKET NUMBER CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARI OTHER STOCKPILE) DISPOSE BIO AERATE STOCKPILE OTHER SLUDGE SULUDGE NON-FRIABLE ASBESTOS WOOD



JOB ACCEPTANCE NO.

NON-HAZARDOUS WASTE MANIFEST WASTE TREATMENT AND DISPOSAL FACILITY

-774422

L CONTROL CONT	
GENERATOR EMERICIUE PROVERTIES (EP) MAILING ADDRESS GSO TOUNJEND ST., SUITE 2261 CITY, STATE, ZIP SAN FRANCISCO CA 94103 PHONE 415. SSI- 2674 CONTACT PERSON WILLIAM LEWELENZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE **MUSHULL, ASE INC., Agrafin Er 12-2	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR GHARD HA TY-VEK OTHER SPECIAL HANDLING PROCEDURES: To point forward SY AT The.
WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL GENERATING FACILITY WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS OTHER GENERATING FACILITY WOOD OTHER GENERATING FACILITY WOOD OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DENBESTE \$ FUCKING ADDRESS 930 SHILOB PO, CITY, STATE, ZIP WINDSOR CA PHONE 800 - 838 - 1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE 142/95	NOTES: TRUCK NUMBER COS END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER



JOB ACCEPTANCE NO.	-774422
GENERATOR EMEMORING PROPERTIES (EP) MAILING ADDRESS 650 TOWNSEND ST., SUITE 2261 CITY, STATE, ZIP SM N FIZ ANCISCO, CA 74103 PHONE 415. SSI- ZEGE CONTACT PERSON WILLIAM LEWERENZ SIGNATURE OF AUTHORIZED AGENT / TITLE MALLIAM LEWERENZ WASTE TYPE	
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS WOOD ASH OTHER GENERATING FACILITY CONSTRUCTION SOIL AVENUE EMERMULUE (A	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DENBESTE TRUGUE ADDRESS 930 SH (COB R) CITY, STATE, ZIP WINDSOR, CH PHONE 838-1477 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ** Doll median	NOTES: TRUCK NUMBER 908 END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER



NON-HAZARDOUS WASTE MANIFEST

WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO -771177

	-114422
GENERATOR EMERICIAN PROPERTIES (EP) MAILING ADDRESS 650 TOWNSEND ST., SUITE ZZE(CITY STATE ZIP	REQUIRED PERSONAL PROTECTIVE EQUIPMENT DEPONDENT HARD HAT TY-VEK OTHER
SAN FRANCISCO, CA 941-3 PHONE 415-551-2694	SPECIAL HANDLING PROCEDURES:
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE **DECEMBERSON DECEMBERSON DATE DATE	
☐ WASTE TYPE	DECEMBRO FACILITY
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS WOOD CONSTRUCTION SOIL OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY	(209) 982-4298 PHONE
1400 PARK AVENUE EMERYVIUE	(209) 982-4298 PHONE (209) 982-1009 FAX
NAME DEN BESTE TRUCKING ADDRESS GOTY, STATE, ZIP WINDSE CA PHONE	NOTES: TRUCK NUMBER 7 END DUMP BOTTOM DUMP TRANSFER
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE + 2-58	ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste.	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE
REMARKŚ	NON-FRIABLE
FACILITY TICKET NUMBER	ASBESTOS
SIGNATURE OF AUTHORIZED AGENT DATE	WOOD
*	□ ASH
^	☐ OTHER



JOB ACCEPTANCE NO.	-77442Z
GENERATOR FUR EMULUE PROPERTIES (FP) MAILING ADDRESS GST TOWNSEND ST. SUITE 726 (CITY, STATE, ZIP SHOP FROM USCO, CA 940 - 3 PHONE CONTACT PERSON WILL CHAM USEN EPENT SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR PHARD HA TY-VEK OTHER SPECIAL HANDLING PROCEDURES: Puis truck was do in a jump of the situation of the situ
SUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS WOOD ASH OTHER GENERATING FACILITY FOO PAME BY E. FAMILY BY E. SLUDGE NON-FRIABLE ASBESTOS OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME M Laper ADDRESS 5220 Lodeto et CITY, STATE, ZIP CONCOR & Call F PHONE 682-2396 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE * Ma. Laper	NOTES: TRUCK NUMBER END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH

SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298



NON-HAZARDOUS WASTE MANIFEST

MASTE TOEATMENT	AND DIODE
""OIF INCAHMENT	AND DISPOSAL EXCILITY
	AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	-7744ZZ
GENERATOR ENEMOVINE PROPERTES (EP) MAILING ADDRESS 650 To WASEND ST., SUITE 726(CITY, STATE, ZIP SAN GRAPCICO A 94103 PHONE 415-55/-7694 CONTACT PERSON WILL/AM LEWERENZ SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE DESCRIPTION	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HABD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES: This brick was doing import for giteworks. He was switched to official a 2:15 and. Therefore, the bricks fee for this brock will be birted directly to Siteworks. ASE to pay forward, (i.e. for disposal enly. ASE to Sill Ed for \$12/for (D) only on this To RECEIVING FACILITY
SLUDGE SLUDGE NON-FRIABLE ASBESTOS WOOD CONSTRUCTION SOIL ASH OTHER GENERATING FACILITY HOD PAME AVE,	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
NAME LUPER TRUCKING ADDRESS 5220 Lodgto CT CITY, STATE, ZIP Conead Calife	(209) 982-1009 FAX NOTES: TRUCK NUMBER
PHONE 682-2396 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE 12-296	END DUMP BOTTOM DUMP TRANSFEB ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL	CUBIC YARDS
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS
SIGNATURE OF AUTHORIZED AGENT DATE	□ WOOD
CHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO	☐ ASH ☐ OTHER

INCORPORATEDNON-HAZAKDOUS WASTE MANIFEST WASTE TREATMENT AND DISPOSAL FACILITY JOB ACCEPTANCE NO. -774422 GENERATOR EMERYUIUE PROPERTES (ED) REQUIRED PERSONAL PROTECTIVE EQUIPMENT MAILING ADDRESS GOGGLES RESPIRATOR 650 TOWNSEND ST., SUITE 226/ TY-VEK OTHER HARD HAT CITY, STATE, ZIP SPECIAL HANDLING PROCEDURES: Str Ferralisco co q 4103 PHONE Trucking bill to go to siteworks 415-551- 2694 Disposall painty se to Rosward. Charge e. C. 172/to CONTACT PERSON WILLIAM LEWERENT SIGNATURE OF AUTHORIZED AGENT / TITLE Quisdle, ASE Inc. Acut for Ex WASTE TYPE RECEIVING FACILITY] SLUDGE ☐ TREATMENT SOIL NON-FRIABLE ASBESTOS 🔲 DISPOSAL SOIL FORWARD INC. LANDFILL WOOD CONSTRUCTION SOIL 9999 SOUTH AUSTIN ROAD ☐ ASH OTHER MANTECA, CALIFORNIA 95336 GENERATING FACILITY 140 PARK AVENUE (209) 982-4298 PHONE EMERGUIUE (209) 982-1009 FAX NAME DELLAFOSSE TRUCKING NOTES: TRUCK NUMBER ADDRESS 🔊 CITY, STATE, ZIP 953 SAKIAN HAYWARD, CA 5/0 783-5390 SIGNATURE OF AUTHORIZED AGENT OR DRIVER END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN **DRUMS** FORWARD INC. LANDFILL CUBIC YARDS Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site DISPOSE AERATE STOCKPILE OTHER BIO conditions are expected to change such that Forward will be able to accept REMARKS ☐ SLUDGE NON-FRIABLE ACILITY TICKET NUMBER **ASBESTOS** SIGNATURE OF AUTHORIZED AGENT ☐ ASH

EDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SCHEDULE CALL (209) 982-4298

MANIFEST # 65077

30 W



JOB ACCEPTANCE NO. -774422

-3	GENERATOR	
	MAILING ADDRESS	TY-VEK DOTHER
	CITY, STATE, ZIP	SPECIAL HANDLING PROCEDURES:
-	PHONE	Tricking bill to site works
	CONTACT PERSON	Disposed bill to be parilled As a
)	SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
	* MASTE TYPE	
13	WASTE TYPE	RECEIVING FACILITY
J. (1)	☐ TREATMENT SOIL ☐ SLUDGE ☐ NON-FRIABLE ASBESTOS ☐ DISPOSAL SOIL ☐ WOOD	FORWARD INC. LANDFILL
	CONSTRUCTION SOIL ASH	9999 SOUTH AUSTIN ROAD
2.		MANTECA, CALIFORNIA 95336
See The	GENERATING FACILITY 400 PARK AVENUE	(209) 982-4298 PHONE
4.5		(209) 982-1009 FAX
7	YMERYVILLE CA	(=13) 332 13331 AX
	NAME DELLATOSSE TRUCKINI-	NOTES: TRUCK NUMBER
	ADDRESS	I THOUSEN
	CITY, STATE, ZIP	
릙	PHONE	
	783-5390	END DUMP BOTTOM DUMP TRANSFER
	SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	BOLL OFF(S)
	<u>*/M/406/</u>	TIOLLE-OFF(S) FLAI-BED VAN DRUMS
_		
	FORWARD INC. LANDFILL	CUBIC YARDS
	Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the last of the last or if the waste or if	
ŀ	reasonable efforts to promptly potify Dispessor of its in the landfill. Forward shall use	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD)
	weather or other site conditions, Forward shall notify the Disposer when site	DISPOSE BIO AERATE STOCKPILE OTHER
ĺ	the waste. EMARKS	SLUDGE
		NON-FRIABLE
Γ/	ACILITY TICKET NUMBER	ASBESTOS
S	IGNATURE OF AUTHORIZED AGENT DATE	LI WOOD
k	-	□ ASH
		OTHER
	EDITING MUCT BE MADE	