


ENVIRONMENTAL  
PROTECTION  
90 APR -3 PM 2 52



**Electro-  
Coatings  
Inc.**

893 Carleton Street  
Berkeley, CA 94710  
Tel: 510/284-8332  
Fax: 510/284-7068

April 2, 1996

Susan L. Hugo  
Alameda County Dept. of Environmental Health  
Environmental Protection Division  
1131 Harbor Bay Parkway, #250  
Alameda, CA 94502-6577

RE: Results of Quarterly Groundwater Sampling at 1401 and 1421 Park Avenue  
on March 8, 1996

Dear Susan:

Enclosed is one copy of the subject report which was prepared for Electro-Coatings by Geraghty & Miller Inc. The next sampling event is scheduled for June, 1996.

The pilot test is nearly complete and the results being compiled and analyzed. We look forward to meeting with you as this work is complete.

Yours very truly,

Judy Garvens  
Administrative Manager

cc: Mr. Sum Arigala, RWQCB

25 APR -3 PM 2:52

March 21, 1996  
Project No. RC0304.003

Ms. Judy Garvens  
Administrative Manager  
Electro-Coatings Inc.  
893 Carleton Street  
Berkeley, California 94710

SUBJECT: Quarterly Groundwater Sampling Results, Electro-Coatings Facility at 1401 and  
1421 Park Avenue, Emeryville, California.

Dear Ms. Garvens:

This letter presents the results of the quarterly groundwater sampling activities performed on behalf of ECI at the Electro-Coatings Inc. (ECI) site referenced above. The scope of work for the quarterly sampling was presented in the Geraghty & Miller letter dated July 19, 1995. The Regional Water Quality Control Board (RWQCB) and the Alameda County Health Care Services Agency, Department of Environmental Health (ACDEH), reviewed and concurred with the scope of work (RWQCB letter to ECI dated July 28, 1995).

### FIELD ACTIVITIES AND LABORATORY ANALYSIS

Monitoring Wells MW-3A, MW-4, MW-6, MW-12, MW-13, MW-16, MW-17, MW-18, MW-18A, and MW-20 were sampled on March 8, 1996 as part of the quarterly groundwater monitoring program. Prior to purging, depth to water and total well depth measurements were obtained from each well. The wells were then purged of at least three casing volumes of water. The well purging was accomplished using an aboveground diaphragm pump. New polyethylene tubing was used for each well. The purged water was monitored for temperature, pH, and specific conductance. A summary of the field data is presented in Table 1. Depth-to-water and groundwater elevation data are presented in Table 2.

Following purging, groundwater samples were collected using a new polyethylene bailer for each well. The water samples were collected into the appropriate USEPA-approved containers, placed on ice, and transported to Sequoia Analytical Laboratory in Walnut Creek, California, along with chain-of-custody documentation.



## RESULTS

### **DEPTH TO WATER AND GROUNDWATER ELEVATIONS**

Depth to water ranged from 1.43 feet below ground surface (Well MW-20) to 5.94 feet below ground surface (Well MW-13). A summary of depth to water and groundwater elevations is presented in Table 2. The groundwater elevations and a groundwater contour map are presented in Figure 1. Based on the depth to water data recorded on March 8, 1996, the direction of groundwater flow is toward the west, which is consistent with the previous sampling event (Geraghty & Miller, January 15, 1996).

### **LABORATORY ANALYTICAL RESULTS**

#### Chromium Results

The historical and current analytical results for total and hexavalent chromium are summarized in Table 3 and the current results are presented in Figure 2. In general, the highest concentrations of both total and hexavalent chromium were detected in wells to the west of the ECI building and in the wells in Horton Street. The highest concentrations of both total and hexavalent chromium were detected in Well MW-13, on the ECI site. Decreasing concentrations were detected with increased distance downgradient of the ECI site in Wells MW-6 and MW-16. Of the 10 wells sampled as part of the quarterly sampling program, three (MW-3A, MW-18A, and MW-20) are deep wells. Hexavalent chromium was not detected in the water samples collected from these three deep wells. Total chromium was detected at 92 micrograms per liter ( $\mu\text{g/L}$ ) in well MW-3A and at 22  $\mu\text{g/L}$  in well MW-20 but was not detected in well MW-18A.


#### Purgeable Halocarbon Results

The historical and current analytical results for purgeable halocarbons are summarized in Table 4. Figure 3 presents the concentrations of trichloroethylene (TCE) and tetrachloroethylene (PCE) detected during the March 1996 sampling event. TCE, PCE, and cis- and trans-1,2-DCE were the most frequently detected halocarbons. TCE was the most frequently detected compound, and it was detected at the highest concentrations. The highest concentrations of TCE were detected in Wells MW-4 and MW-16, to the west of the ECI site. The concentration of TCE detected in the farthest downgradient well (Well MW-6) was approximately an order of magnitude less than the concentrations detected in Well MW-4. These results are similar to the results from the December 1995 sampling event.




Geraghty & Miller appreciates the opportunity to be of service. If you have any questions regarding this report, please do not hesitate to call.

Sincerely,  
GERAGHTY & MILLER, INC.



Jeffrey W. Hawkins, R.G.  
Senior Geologist



Gary W. Keyes, P. E.  
Principal Engineer/Associate  
Richmond, California Office Manager

Attachments:	Table 1	Summary of Field Data
	Table 2	Summary of Groundwater Elevation Data
	Table 3	Summary of Groundwater Analytical Data – Total and Hexavalent Chromium
	Table 4	Summary of Groundwater Analytical Data – Purgeable Halocarbons
	Figure 1	Groundwater Contour Map
	Figure 2	Groundwater Analytical Results, March 1996 – Total Chromium and Hexavalent Chromium
	Figure 3	Groundwater Analytical Results, March 1996 – TCE and PCE
	Attachment 1	Copies of Laboratory Analytical Reports and Chain-of-Custody Documentation



**Table 1: Summary of Field Sampling Data**  
 Electro-Coatings, Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Well	Date	Calculated	Actual Purge	Field Measurements			Depth to Water (feet)	Measured Depth of Well (feet)	Casing Diameter (inches)
		Purge Volume (a) (gallons)	Volume (gallons)	pH	SC ( $\mu$ mhos/cm)	Temperature ( $^{\circ}$ F)			
MW-3A	19-Sep-95	15	6 (c)	7.3	2,800	71.2	5.70	61.21	1.5
	14-Dec-95	3.41	4	7.0	2,000	65.6	5.00	16.10	
	6-Mar-96	17.34	8	6.0	1,190	76.5	4.73	61.05	
MW-4	19-Sep-95	4	4	7.1	1,970	70.9	6.50	19.9	1.5
	15-Dec-95	4.47	5	6.0	2,350	65.8	5.36	19.9	
	6-Mar-96	4.31	5	NM	2,050	69.3	5.90	19.9	
MW-6	19-Sep-95	3	5	7.0	1,482	70.3	3.72	16.24	1.5
	14-Dec-95	2.27	3	6.5	3,650	67.6	3.01	11.69	
	6-Mar-96	2.56	3	6.0	3,750	71.5	3.31	11.69	
MW-12	19-Sep-95	39	40	6.2	2,320	71.1	6.61	26.56	4
	14-Dec-95	56.10	60	6.0	2,180	69.1	5.12	26.70	
	6-Mar-96	54.70	55	6.0	2,570	71.9	5.61	26.65	
MW-13	19-Sep-95	36	35	6.4	2,610	69.6	6.94	15.00	6
	15-Dec-95	55.88	25 (b)	6.0	2,990	68.6	5.45	15.02	
	6-Mar-96	51.01	30 (b)	6.0	2,120	71.4	5.94	15.05	
MW-16	19-Sep-95	40	40	6.7	1,710	32.0	4.64	25.00	4
	14-Dec-95	54	55	6.5	2,750	64.4	4.28	25.05	
	6-Mar-96	54.70	55	6.0	1,800	59.8	4.01	25.05	



**Table 1: Summary of Field Sampling Data**  
 Electro-Coatings, Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Well	Date	Calculated Purge Volume (a) (gallons)	Actual Purge Volume (gallons)	-----Field Measurements-----			Depth to Water (feet)	Measured Depth of Well (feet)	Casing Diameter (inches)
				pH	SC ( $\mu$ mhos/cm)	Temperature ( $^{\circ}$ F)			
MW-17	19-Sep-95	39	40	6.8	2,410	72.1	4.78	24.5	4
	14-Dec-95	55.25	20 (b)	6.0	3,140	65.3	3.31	24.56	
	6-Mar-96	54.10	26 (b)	7.0	2,630	61.1	3.75	24.56	
MW-18	19-Sep-95	40	20 (b)	4.1	1,920	73.6	5.00	25.34	4
	14-Dec-95	56.86	57	5.0	3,140	69.2	3.48	25.35	
	6-Mar-96	55.69	55	5.0	2,480	69.0	3.96	25.38	
MW-18A	19-Sep-95	68	20 (c)	6.0	920	72.1	5.76	40.72	4
	15-Dec-95	91.31	40 (b)	6.5	1,960	64.9	5.66	40.72	
	6-Mar-96	96.17	80	6.0	810	67.8	3.86	40.85	
MW-20	19-Sep-95	89	90	6.9	2,530	68.4	2.47	47.97	4
	15-Dec-95	116.87	120	7.0	2,560	70.6	2.95	47.90	
	6-Mar-96	121.44	125	6.0	950	69.9	1.43	48.14	

(a) Based on three casing volumes.

(b) Purged dry.

(c) Represents approximately one casing volume. Equipment problems encountered during sampling.

SC = Specific Conductance



**Table 2: Summary of Groundwater Elevation Data**  
 Electro-Coatings Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Monitoring Well	Date Sampled	DTW (feet)	TOC (feet - MSL)	Groundwater Elevation (feet - MSL)
MW-1	19-Apr-95	Not Located		--
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-2	19-Apr-95	Not Located		--
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-3A	19-Apr-95	4.87	16.1	11.23
	19-Sep-95	5.70		10.40
	14-Dec-95	5.00		11.10
	6-Mar-96	4.73		11.37
MW-3B	19-Apr-95	6.76	16.3	9.54
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-3C	19-Apr-95	6.19	16.21	10.02
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-4	19-Apr-95	6.52	14.29	7.77
	19-Sep-95	6.50		7.79
	14-Dec-95	5.36		8.93
	6-Mar-96	5.90		8.39
MW-5	19-Apr-95	6.95	15.87	8.92
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-6	19-Apr-95	3.55	9.24	5.69
	19-Sep-95	3.72		5.52
	14-Dec-95	3.01		6.23
	6-Mar-96	3.31		5.93
MW-7	19-Apr-95	Not Located		--
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--



**Table 2: Summary of Groundwater Elevation Data**  
**Electro-Coatings Inc.**  
 1401 and 1421 Park Avenue, Emeryville, California

Monitoring Well	Date Sampled	DTW (feet)	TOC (feet - MSL)	Groundwater Elevation (feet - MSL)
MW-8	19-Apr-95	5.50	16.42	10.92
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-9	19-Apr-95	6.67	16.03	9.36
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-10	19-Apr-95	6.94	15.1	8.16
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-11	19-Apr-95	6.38	15.94	9.56
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-12	19-Apr-95	6.52	16.04	9.52
	19-Sep-95	6.61		9.43
	14-Dec-95	5.12		10.92
	6-Mar-96	5.61		10.43
MW-13	19-Apr-95	6.75	15.37	8.62
	19-Sep-95	6.94		8.43
	14-Dec-95	5.45		9.92
	6-Mar-96	5.94		9.43
MW-14	19-Apr-95	6.71	15.49	8.78
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-15	19-Apr-95	7.94	17.26	9.32
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-16	19-Apr-95	4.57	12.08	7.51
	19-Sep-95	4.64		7.44
	14-Dec-95	4.28		7.80
	6-Mar-96	4.01		8.07





**Table 2: Summary of Groundwater Elevation Data**  
 Electro-Coatings Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Monitoring Well	Date Sampled	DTW (feet)	TOC (feet - MSL)	Groundwater Elevation (feet - MSL)
MW-17	19-Apr-95	4.48	12.76	8.28
	19-Sep-95	4.78		7.98
	14-Dec-95	3.31		9.45
	6-Mar-96	3.75		9.01
MW-18	19-Apr-95	4.79	13.57	8.78
	19-Sep-95	5.00		8.57
	14-Dec-95	3.48		10.09
	6-Mar-96	3.96		9.61
MW-18A	19-Apr-95	4.67	13.36	8.69
	19-Sep-95	5.76		7.60
	14-Dec-95	5.60		7.76
	6-Mar-96	3.86		9.50
MW-19	19-Apr-95	Not Located		--
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--
MW-20	19-Apr-95	2.78	14.93	12.15
	19-Sep-95	2.47		12.46
	14-Dec-95	2.95		11.98
	6-Mar-96	1.43		13.50
MW-21	19-Apr-95	Not Located		--
	19-Sep-95	NM		--
	14-Dec-95	NM		--
	6-Mar-96	NM		--

## Notes:

NM = Not Measured as part of the quarterly sampling program.



**Table 3: Summary of Groundwater Analytical Data  
Total and Hexavalent Chromium**  
Electro-Coatings Inc.  
1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	Total Chromium ( $\mu\text{g/L}$ ) (a)	Hexavalent Chromium ( $\mu\text{g/L}$ ) (b)
MW-1	Aug-77	200	NA
	Sep-81	ND(<1)	NA
	Oct-81	1	NA
	Nov-81	2.5	NA
	Dec-81	32	NA
	Feb-85	ND(<20)	ND(<20)
	Oct-91	ND(<50)	50
	20-Apr-95	Not Located	
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	8-Mar-96	NS	NS
MW-2	Aug-77	60	NA
	Sep-81	ND(<1)	NA
	Oct-81	4	NA
	Nov-81	1.1	NA
	Dec-81	2	NA
	20-Apr-95	Not Located	
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	8-Mar-96	NS	NS
	MW-3A	Aug-77	50
Sep-81		ND (<1)	NA
Oct-81		ND (<1)	NA
Nov-81		230	NA
Dec-81		14	NA
Feb-85		770	80
Oct-91		130	ND (<500)
20-Apr-95		36	ND (<5.0)
19-Sep-95		65	ND (<5.0)
14-Dec-95		110	7.5
8-Mar-96		92	ND (<5.0)



**Table 3: Summary of Groundwater Analytical Data  
Total and Hexavalent Chromium**  
Electro-Coatings Inc.  
1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	Total Chromium (ug/L) (a)	Hexavalent Chromium (ug/L) (b)
MW-3B	Aug-77	60	NA
	Sep-81	ND (<1)	NA
	Oct-81	480	NA
	Nov-81	2,000	NA
	Dec-81	190	NA
	Feb-85	NA	NA
	Oct-91	110,000	100,000
	20-Apr-95	8,000	7,600
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	<b>8-Mar-96</b>	<b>NS</b>	<b>NS</b>
	MW-3C	Aug-77	18,000
Sep-81		30,000	NA
Oct-81		28,000	NA
Nov-81		22,000	NA
Dec-81		17,000	NA
Feb-85		7,250	6,300
Oct-91		2,300	1,600
20-Apr-95		1,400	ND (<5.0)
19-Sep-95		NS	NS
15-Dec-95		NS	NS
<b>8-Mar-96</b>		<b>NS</b>	<b>NS</b>
MW-4		Aug-77	90,000
	Sep-81	57,000	NA
	Oct-81	61,000	NA
	Nov-81	56,000	NA
	Dec-81	55,000	NA
	Feb-85	59,000	59,000
	Jun-91	17,000	17,800
	Oct-91	22,000	22,000
	Jul-94	NA	6,300
	21-Apr-95	16,000	17,000
	19-Sep-95	14,000	15,000
	15-Dec-95	16,000	16,000
<b>8-Mar-96</b>	<b>16,000</b>	<b>23,000</b>	



**Table 3: Summary of Groundwater Analytical Data  
Total and Hexavalent Chromium**  
Electro-Coatings Inc.  
1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	Total Chromium ( $\mu\text{g/L}$ ) (a)	Hexavalent Chromium ( $\mu\text{g/L}$ ) (b)
MW-5	Aug-77	360,000	295,000
	Sep-81	NA	NA
	Oct-81	880,000	2,240
	Nov-81	610,000	NA
	Dec-81	280,000	NA
	Feb-85	480,000	480,000
	Jun-91	390,000	NA
	Oct-91	260,000	250,000
	Jul-94	NA	454,000
	21-Apr-95	140,000	160,000
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	<b>8-Mar-96</b>	<b>NS</b>	<b>NS</b>
MW-6	Sep-81	630	NA
	Oct-81	80	NA
	Nov-81	790	NA
	Dec-81	630	NA
	Feb-85	3,330	3,300
	Jun-91	NA	NA
	Oct-91	31,000	25,000
	Jul-94	NA	4,800
	20-Apr-95	39,000	40,000
	19-Sep-95	45,000	43,000
	14-Dec-95	35,000	50,000
	<b>8-Mar-96</b>	<b>42,000</b>	<b>50,000</b>
MW-7	20-Apr-95	Not Located	
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	<b>8-Mar-96</b>	<b>NS</b>	<b>NS</b>



**Table 3: Summary of Groundwater Analytical Data  
Total and Hexavalent Chromium**  
Electro-Coatings Inc.  
1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	Total Chromium ( $\mu\text{g/L}$ ) (a)	Hexavalent Chromium ( $\mu\text{g/L}$ ) (b)
MW-8	Sep-81	ND (<1)	NA
	Oct-81	2	NA
	Nov-81	3	NA
	Dec-81	70	NA
	Feb-85	ND (<20)	ND (<20)
	Jun-91	NA	NA
	Oct-91	ND (<50)	ND (<10)
	21-Apr-95	33	ND (<5.0)
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	8-Mar-96	NS	NS
MW-9	Jan-81	258,000	185,000
	Sep-81	NA	NA
	Oct-81	NA	NA
	Nov-81	NA	NA
	Dec-81	NA	NA
	Feb-85	892,000	877,000
	Jun-91	NA	NA
	Oct-91	140,000	130,000
	21-Apr-95	66,000	70,000
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
8-Mar-96	NS	NS	
MW-10	Jan-81	17,000	14,000
	Sep-81	NA	NA
	Oct-81	NA	NA
	Nov-81	NA	NA
	Dec-81	NA	NA
	Feb-85	746,000	740,000
	Jun-91	NA	NA
	Oct-91	490,000	450,000
	21-Apr-95	160,000	170,000
	19-Sep-95	NS	NS
	15-Dec-09	NS	NS
8-Mar-96	NS	NS	



**Table 3: Summary of Groundwater Analytical Data  
Total and Hexavalent Chromium**  
Electro-Coatings Inc.  
1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	Total Chromium (ug/L) (a)	Hexavalent Chromium (ug/L) (b)
MW-11	Jan-81	129,000	115,000
	Jul-81	340	34
	Sep-81	NA	NA
	Oct-81	NA	NA
	Nov-81	NA	NA
	Dec-81	NA	NA
	Feb-85	2,440	2,410
	Jun-91	NA	NA
	Oct-91	470	410
	20-Apr-95	420	950
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	<b>8-Mar-96</b>	<b>NS</b>	<b>NS</b>
MW-12	Jan-81	32,000	12,000
	Jul-81	NA	NA
	Sep-81	NA	NA
	Oct-81	NA	NA
	Nov-81	NA	NA
	Dec-81	NA	NA
	Feb-85	240,000	240,000
	Jun-91	38,000	29,700
	Oct-91	44,000	39,000
	20-Apr-95	10,000	10,000
	19-Sep-95	18,000	19,000
	14-Dec-95	17,000	20,000
	<b>8-Mar-96</b>	<b>250</b>	<b>12</b>
MW-13	Jan-81	381,000	325,000
	Jul-81	NA	NA
	Sep-81	NA	NA
	Oct-81	NA	NA
	Nov-81	NA	NA
	Dec-81	NA	NA
	Feb-85	676,000	676,000
	Jun-91	NA	NA
	Oct-91	510,000	430,000
	Jul-94	230,000	130,000
	20-Apr-95	210,000	220,000
	19-Sep-95	200,000	210,000
	15-Dec-95	170,000	210,000
<b>8-Mar-96</b>	<b>170,000</b>	<b>200,000</b>	



**Table 3: Summary of Groundwater Analytical Data  
Total and Hexavalent Chromium**  
Electro-Coatings Inc.  
1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	Total Chromium ( $\mu\text{g/L}$ ) (a)	Hexavalent Chromium ( $\mu\text{g/L}$ ) (b)
MW-14	Feb-85	654,000	632,000
	Jun-91	NA	
	Oct-91	320,000	310,000
	Jul-94	NA	
	21-Apr-95	130,000	140,000
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	<b>8-Mar-96</b>	<b>NS</b>	<b>NS</b>
MW-15	Feb-85	ND (<20)	ND (<20)
	Jun-91	30	NA
	Oct-91	ND (<50)	ND (<10)
	Jul-94	NA	ND (<10)
	21-Apr-95	ND (<10)	ND (<5.0)
	19-Sep-95	NS	NS
	15-Dec-95	NS	NS
	<b>8-Mar-96</b>	<b>NS</b>	<b>NS</b>
MW-16	Feb-85	460,000	460,000
	Jun-91	NA	NA
	Oct-91	240,000	290,000
	Jul-94	120,000	320,000
	20-Apr-95	100,000	100,000
	19-Sep-95	83,000	87,000
	14-Dec-95	57,000	74,000
	<b>8-Mar-96</b>	<b>73,000</b>	<b>83,000</b>
MW-17	Feb-85	90,000	38,200
	Jun-91	NA	NA
	Oct-91	250,000	300,000
	Jul-94	190,000	200,000
	20-Apr-95	150,000	160,000
	19-Sep-95	170,000	180,000
	14-Dec-95	160,000	200,000
	<b>8-Mar-96</b>	<b>140,000</b>	<b>150,000</b>



**Table 3: Summary of Groundwater Analytical Data  
Total and Hexavalent Chromium**  
Electro-Coatings Inc.  
1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	Total Chromium ( $\mu\text{g/L}$ ) (a)	Hexavalent Chromium ( $\mu\text{g/L}$ ) (b)
MW-18	Feb-85	60,500	55,000
	Jun-91	NA	NA
	Oct-91	31,000	24,000
	Jul-94	NA	NA
	22-Apr-95	24,000	23,000
	19-Sep-95	25,000	27,000
	14-Dec-95	20,000	22,000
	<b>8-Mar-96</b>	<b>22,000</b>	<b>23,000</b>
MW-18A	Jun-83	20	ND (<20)
	Feb-85	ND (<20)	ND (<20)
	Oct-91	ND (<50)	ND (<10)
	20-Apr-95	ND (<10)	ND (<5.0)
	19-Sep-95	ND (<10)	ND (<5.0)
	<b>15-Dec-95</b>	<b>17</b>	<b>ND (&lt;5.0)</b>
	<b>8-Mar-96</b>	<b>ND (&lt;50)</b>	<b>ND (&lt;5.0)</b>
	MW-19	Jun-83	NA (<20)
Feb-85		20	20
Oct-91		NA	NA
20-Apr-95		Not Located	
19-Sep-95		NS	NS
<b>15-Dec-95</b>		<b>NS</b>	<b>NS</b>
<b>8-Mar-96</b>		<b>NS</b>	<b>NS</b>
MW-20		Jun-83	1,300
	Aug-83	90	40
	Feb-85	ND (<20)	ND (<20)
	Oct-91	ND (<50)	14
	21-Apr-95	ND (<10)	ND (<5.0)
	19-Sep-95	ND (<10)	ND (<5.0)
	15-Dec-95	22	ND (<5.0)
	<b>8-Mar-96</b>	<b>22</b>	<b>ND (&lt;5.0)</b>
	MW-21	Jun-83	20
Feb-85		40	ND (<20)
20-Apr-95		Not Located	
19-Sep-95		NS	NS
15-Dec-95		NS	NS
<b>8-Mar-96</b>		<b>NS</b>	<b>NS</b>

Notes appear on the following page.





**Table 3: Summary of Groundwater Analytical Data  
Total and Hexavalent Chromium**  
Electro-Coatings Inc.  
1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	Total Chromium ( $\mu\text{g/L}$ ) (a)	Hexavalent Chromium ( $\mu\text{g/L}$ ) (b)
-----------------	-----------------	--	---

- (a) Analysis by USEPA Method 200.7.  
 (b) Analysis by USEPA Method 7196.  
 NA Not Analyzed  
 NS Not Sampled as part of the quarterly monitoring program.  
 ND( ) Not detected; laboratory method detection limit in parentheses.  
 $\mu\text{g/L}$  Micrograms per liter.



**Table 4: Summary of Groundwater Analytical Data - Purgeable Halocarbons**  
 Electro-Coatings Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	TCE ( $\mu\text{g/L}$ ) (a)	PCE ( $\mu\text{g/L}$ ) (a)	TCA ( $\mu\text{g/L}$ ) (a)	1,1-DCE ( $\mu\text{g/L}$ ) (a)	trans 1,2-DCE ( $\mu\text{g/L}$ ) (a)	cis 1,2-DCE ( $\mu\text{g/L}$ ) (a)	1,1-DCA ( $\mu\text{g/L}$ ) (a)	1,2-DCA ( $\mu\text{g/L}$ ) (a)	Chloro- benzene ( $\mu\text{g/L}$ ) (a)	1,2-Dichloro- benzene ( $\mu\text{g/L}$ ) (a)	Vinyl Chloride ( $\mu\text{g/L}$ ) (a)
MW-1	21-Mar-85	33	21	ND (<0.5)	ND (<0.5)	ND (<0.5)	NR	ND (<0.5)	NR	NR	NR	ND (<0.5)
	15-Nov-91	11	0.6	ND (<0.5)	0.5	4.8	NR	1.6	NR	NR	NR	ND (<1)
	20-Apr-95	Not Located										
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
	MW-2	15-Nov-91	Not Sampled									
20-Apr-95		Not Located										
19-Sep-95		Not Sampled as Part of Quarterly Monitoring Program										
15-Dec-95		Not Sampled as Part of Quarterly Monitoring Program										
8-Mar-96		Not Sampled as Part of Quarterly Monitoring Program										
MW-3A	29-Oct-91	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	NR	ND (<0.5)	NR	NR	NR	ND (<1)
	20-Apr-95	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<1.0)
	19-Sep-95	0.56	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<1.0)
	14-Dec-95	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1.0)
	8-Mar-96	ND (<0.50)	190	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<100)
	MW-3B	29-Oct-91	650	6.8	ND (<0.5)	13	45	NR	1.2	NR	NR	NR
20-Apr-95		260	ND (<10)	ND (<10)	ND (<10)	23	17	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
19-Sep-95		Not Sampled as Part of Quarterly Monitoring Program										
15-Dec-95		Not Sampled as Part of Quarterly Monitoring Program										
8-Mar-96		Not Sampled as Part of Quarterly Monitoring Program										
MW-3C	11-Jun-85	150	1.7	2.4	ND (<0.5)	23	NR	ND (<0.5)	NR	NR	NR	ND (<0.5)
	21-Oct-91	180	1.7	34	61	26	NR	5.4	NR	NR	NR	18
	20-Apr-95	30	ND (<0.5)	0.66	1.6	ND (<0.5)	11	2.0	ND (<0.5)	ND (<0.5)	ND (<0.5)	2.2
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										



**Table 4: Summary of Groundwater Analytical Data - Purgeable Halocarbons**  
 Electro-Coatings Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	TCE ( $\mu\text{g/L}$ ) (a)	PCE ( $\mu\text{g/L}$ ) (a)	TCA ( $\mu\text{g/L}$ ) (a)	1,1-DCE ( $\mu\text{g/L}$ ) (a)	trans 1,2-DCE ( $\mu\text{g/L}$ ) (a)	cis 1,2-DCE ( $\mu\text{g/L}$ ) (a)	1,1-DCA ( $\mu\text{g/L}$ ) (a)	1,2-DCA ( $\mu\text{g/L}$ ) (a)	Chloro- benzene ( $\mu\text{g/L}$ ) (a)	1,2-Dichloro- benzene ( $\mu\text{g/L}$ ) (a)	Vinyl Chloride ( $\mu\text{g/L}$ ) (a)
MW-4	4-Nov-91	2,100	31	ND(<5)	ND(<5)	269	NR	ND(<5)	NR	NR	NR	10
	28-Jul-94	6,500	NA	NA	NA	NA	NR	NA	NR	NR	NR	NA
	21-Apr-95	4,400	ND (<50)	ND (<50)	ND (<50)	ND (<50)	430	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<100)
	19-Sep-95	3,500	65	ND (<50)	ND (<50)	92	590	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<100)
	15-Dec-95	2,900	27	ND (<10)	ND (<10)	44	330	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
	8-Mar-96	3,100	84	ND (<50)	ND (<50)	ND (<50)	360	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<100)
MW-5	4-Nov-91	410	8.9	1.3	4.2	120	NR	42				54
	21-Apr-95	210	10	ND (<5)	ND (<5)	13	31	13	ND (<5)	ND (<5)	ND (<5)	ND (<10)
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
MW-6	11-Jun-85	220	ND (<0.5)	3.9	ND (<5)	54	NR	ND (<5)	NR	NR	NR	ND (<5)
	5-Nov-91	420	5.9	6.4	29	78	NR	ND (<0.5)	NR	NR	NR	19
	28-Jul-94	790	NA	NA	NA	NA	NR	NA	NR	NR	NR	NA
	20-Apr-95	320	ND (<10)	ND (<10)	34	ND (<10)	55	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
	19-Sep-95	210	6.4	ND (<5)	46	12	48	ND (<5)	ND (<5)	5.1	ND (<5)	13
	14-Dec-95	400	ND (<10)	ND (<10)	74	ND (<10)	53	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
	8-Mar-96	290	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<100)
MW-7	20-Apr-95	Not Located										
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
MW-8	10-Jun-85	46	18	ND (<1)	ND (<1)	19	NR	1	NR	NR	NR	3
	11-Jun-85	93	35	ND (<0.5)	1	32	NR	1	NR	NR	NR	NA
	5-Nov-91	38	35	ND (<0.5)	0.8	23	NR	1.8	NR	NR	NR	4.9
	21-Apr-95	40	18	ND (<1.0)	ND (<1.0)	6.7	46	1.2	5.6	ND (<1.0)	ND (<1.0)	16
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program											



**Table 4: Summary of Groundwater Analytical Data - Purgeable Halocarbons**  
 Electro-Coatings Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	TCE ( $\mu\text{g/L}$ ) (a)	PCE ( $\mu\text{g/L}$ ) (a)	TCA ( $\mu\text{g/L}$ ) (a)	1,1-DCE ( $\mu\text{g/L}$ ) (a)	trans 1,2-DCE ( $\mu\text{g/L}$ ) (a)	cis 1,2-DCE ( $\mu\text{g/L}$ ) (a)	1,1-DCA ( $\mu\text{g/L}$ ) (a)	1,2-DCA ( $\mu\text{g/L}$ ) (a)	Chloro- benzene ( $\mu\text{g/L}$ ) (a)	1,2-Dichloro- benzene ( $\mu\text{g/L}$ ) (a)	Vinyl Chloride ( $\mu\text{g/L}$ ) (a)
MW-9	13-Jun-85	700	26	ND (<5)	ND (<5)	31	NR	ND (<5)	NR	NR	NR	ND (<5)
	30-Oct-91	200	11	ND (<0.5)	ND (<0.5)	13	NR	1.3	NR	NR	NR	ND (<1)
	21-Apr-95	73	13	ND (<2)	ND (<2)	ND (<2)	6.4	ND (<2)	ND (<2)	ND (<2)	ND (<2)	ND (<4)
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
MW-10	12-Jun-85	5,100	81	ND (<50)	ND (<50)	ND (<50)	NR	ND (<50)	NR	NR	NR	ND (<50)
	12-Jun-85	12,000	ND (<50)	ND (<50)	ND (<50)	600	NR	ND (<50)	NR	NR	NR	NA
	7-Nov-91	14,000	ND (<50)	6,500	3,800	640	NR	ND (<50)	NR	NR	NR	ND (<100)
	21-Apr-95	10,000	ND (<100)	1,000	1,200	ND (<100)	900	ND (<100)	ND (<100)	ND (<100)	ND (<100)	ND (<200)
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program											
MW-11	12-Jun-85	19	5.3	1.3	ND (<0.5)	3.4	NR	ND (<0.5)	NR	NR	NR	ND (<0.5)
	15-Nov-91	10	1.5	ND (<0.5)	ND (<0.5)	3.1	NR	ND (<0.5)	NR	NR	NR	ND (<1)
	20-Apr-95	67	7.4	ND (<5)	ND (<5)	ND (<5)	6.2	ND (<5)	ND (<5)	ND (<5)	ND (<5)	ND (<10)
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
MW-12	11-Nov-91	130	10	4.6	3.3	9	NR	1.3	NR	NR	NR	ND (<2)
	20-Apr-95	52	9.4	3.9	9.0	ND (<2.5)	5.0	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<5)
	19-Sep-95	67	14	7.2	15	3.8	9.1	1.6	2.9	ND (<1.3)	ND (<1.3)	ND (<2.5)
	15-Dec-95	79	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
	8-Mar-96	ND (<50)	850	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<100)
	MW-13	8-Nov-91	630	8.9	ND (<5)	6.8	89	NR	15	NR	NR	NR
28-Jul-94		770	NA	NA	NA	NA	NR	NA	NR	NR	NR	NA
20-Apr-95		360	8.9	ND (<5)	ND (<5)	16	70	14	ND (<5)	ND (<5)	ND (<5)	20
19-Sep-95		240	12.0	ND (<5)	ND (<5)	25	72	18	ND (<5)	ND (<5)	ND (<5)	42
15-Dec-95		380	ND (<10)	ND (<10)	ND (<10)	17	68	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
8-Mar-96		270	ND (<50)	ND (<50)	ND (<50)	ND (<50)	68	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<100)



**Table 4: Summary of Groundwater Analytical Data - Purgeable Halocarbons**  
 Electro-Coatings Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	TCE ( $\mu\text{g/L}$ ) (a)	PCE ( $\mu\text{g/L}$ ) (a)	TCA ( $\mu\text{g/L}$ ) (a)	1,1-DCE ( $\mu\text{g/L}$ ) (a)	trans	cis	1,1-DCA ( $\mu\text{g/L}$ ) (a)	1,2-DCA ( $\mu\text{g/L}$ ) (a)	Chloro- benzene ( $\mu\text{g/L}$ ) (a)	1,2-Dichloro- benzene ( $\mu\text{g/L}$ ) (a)	Vinyl Chloride ( $\mu\text{g/L}$ ) (a)
						1,2-DCE ( $\mu\text{g/L}$ ) (a)	1,2-DCE ( $\mu\text{g/L}$ ) (a)					
MW-14	21-Mar-85	580	26	ND (<0.5)	ND (<0.5)	ND (<0.5)	NR	ND (<0.5)	NR	NR	NR	ND (<0.5)
	11-Nov-91	4,300	13	17	13	150	NR	19	NR	NR	NR	30
	21-Apr-95	8,100	ND (<10)	ND (<10)	ND (<10)	ND (<10)	36	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
MW-15	13-Jun-85	1,200	ND(<50)	ND(<50)	ND(<50)	410	NR	ND(<50)	NR	NR	NR	ND(<50)
	21-Nov-91	650	ND(<5)	ND (<5)	ND (<5)	220	NR	ND (<5)	NR	NR	NR	ND (<10)
	21-Apr-95	300	ND (<10)	ND (<10)	ND (<10)	130	88	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
MW-16	21-Mar-85	360	42	ND (<0.5)	ND (<0.5)	ND (<0.5)	NR	ND (<0.5)	NR	NR	NR	ND (<0.5)
	19-Nov-91	19,000	ND(<5)	1,300	1,200	2299	NR	ND (<5)	NR	NR	NR	420
	28-Jul-94	22,000	NA	NA	NA	NA	NR	NA	NR	NR	NR	NA
	20-Apr-95	10,000	13	180	390	67	2,400	28	ND (<10)	12	ND (<10)	300
	19-Sep-95	7,800	ND (<125)	190	590	190	2,500	ND (<125)	ND (<125)	ND (<125)	ND (<125)	730
	14-Dec-95	11,000	ND (<0.50)	140	620	100	2,300	26	ND (<0.50)	ND (<0.50)	ND (<0.50)	460
	8-Mar-96	9,900	ND (<200)	ND (<200)	460	ND (<200)	2,400	ND (<200)	ND (<200)	ND (<200)	ND (<200)	ND (<400)
MW-17	13-Jun-85	200	18	22	46	23	NR	ND (<5)	NR	NR	NR	ND (<5)
	19-Nov-91	460	8.9	30	54	54	NR	7.8	NR	NR	NR	420
	28-Jul-95	780	NA	NA	NA	NA	NR	NA	NR	NR	NR	NA
	20-Apr-95	410	ND (<10)	ND (<10)	37	11	42	ND (<10)	ND (<10)	31	17	ND (<20)
	19-Sep-95	260	9.8	11	42	23	50	ND (<5)	ND (<5)	52	28	ND (<10)
	14-Dec-95	360	13	ND (<10)	38	ND (<10)	24	ND (<10)	ND (<10)	27	15	ND (<20)
	8-Mar-96	310	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<100)



**Table 4: Summary of Groundwater Analytical Data - Purgeable Halocarbons**  
 Electro-Coatings Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	TCE ( $\mu\text{g/L}$ ) (a)	PCE ( $\mu\text{g/L}$ ) (a)	TCA ( $\mu\text{g/L}$ ) (a)	1,1-DCE ( $\mu\text{g/L}$ ) (a)	trans 1,2-DCE ( $\mu\text{g/L}$ ) (a)	cis 1,2-DCE ( $\mu\text{g/L}$ ) (a)	1,1-DCA ( $\mu\text{g/L}$ ) (a)	1,2-DCA ( $\mu\text{g/L}$ ) (a)	Chloro- benzene ( $\mu\text{g/L}$ ) (a)	1,2-Dichloro- benzene ( $\mu\text{g/L}$ ) (a)	Vinyl Chloride ( $\mu\text{g/L}$ ) (a)
MW-18	12-Jun-85	430	32	52	ND (<0.5)	140	NR	ND (<0.5)	NR	NR	NR	ND (<0.5)
	12-Jun-85	340	ND (<50)	66	ND (<50)	ND (<50)	NR	ND (<50)	NR	NR	NR	NA
	19-Nov-91	560	11	23	ND (<5)	160	NR	ND (<5)	NR	NR	NR	30
	22-Apr-95	330	ND (<10)	16	ND (<10)	13	35	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
	19-Sep-95	200	14	16	ND (<5)	20	34	ND (<5)	ND (<5)	ND (<5)	ND (<5)	ND (<10)
	14-Dec-95	280	ND (<10)	ND (<10)	ND (<10)	ND (<10)	18	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<20)
	8-Mar-96	200	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<50)	ND (<100)
MW-18A	13-Jun-85	10	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	NR	ND (<0.5)	NR	NR	NR	ND (<0.5)
	19-Nov-91	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	NR	ND (<0.5)	NR	NR	NR	ND (<1)
	20-Apr-95	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<1.0)
	19-Sep-95	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<1.0)
	15-Dec-95	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1.0)
	8-Mar-96	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1.0)
MW-19	21-Mar-85	91	23	ND (<0.5)	ND (<0.5)	ND (<0.5)	NR	ND (<0.5)	NR	NR	NR	ND (<0.5)
	20-Apr-95	Not Located		---	---	---	---	---	---	---	---	---
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
MW-20	15-Nov-91	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	NR	ND (<0.5)	NR	NR	NR	ND (<1)
	21-Apr-95	3.5	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<1.0)
	19-Sep-95	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<0.5)	ND (<1.0)
	15-Dec-95	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1.0)
	8-Mar-96	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1.0)



**Table 4: Summary of Groundwater Analytical Data - Purgeable Halocarbons**  
 Electro-Coatings Inc.  
 1401 and 1421 Park Avenue, Emeryville, California

Monitor Well	Date Sampled	TCE (µg/L) (a)	PCE (µg/L) (a)	TCA (µg/L) (a)	1,1-DCE (µg/L) (a)	trans 1,2-DCE (µg/L) (a)	cis 1,2-DCE (µg/L) (a)	1,1-DCA (µg/L) (a)	1,2-DCA (µg/L) (a)	Chloro- benzene (µg/L) (a)	1,2-Dichloro- benzene (µg/L) (a)	Vinyl Chloride (µg/L) (a)
MW-21	13-Jun-85	2,200	ND(<50)	110	NA (<50)	800	NR	NA (<50)	NR	NR	NR	NA (<50)
	21-Apr-95	Not Located		---	---	---	---	---	---	---	---	---
	19-Sep-95	Not Sampled as Part of Quarterly Monitoring Program										
	15-Dec-95	Not Sampled as Part of Quarterly Monitoring Program										
	8-Mar-96	Not Sampled as Part of Quarterly Monitoring Program										
TB-LB	8-Mar-96	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1.0)

NR - Not Reported

NA - Not Analyzed

(a) Analysis by USEPA Method 601

ND() Not detected; laboratory method detection limit in parentheses.

TB-LB Trip blank-laboratory blank.


µg/L Micrograms per liter.





**ATTACHMENT 1**


**COPIES OF LABORATORY ANALYTICAL REPORTS  
AND CHAIN OF CUSTODY DOCUMENTATION**





**EXPLANATION**


-  Monitor Well
- MW-1
- (8.07) Groundwater elevation (feet)
- (a) Deep well - not used for groundwater monitoring
- NM Not Measured
-  8.0' Groundwater elevation contour (feet); dashed where inferred; queried where uncertain




**GROUNDWATER CONTOUR MAP - MARCH 1996**

Electro-Coatings, Inc.  
 1401 and 1421 Park Avenue  
 Emeryville, California

FIGURE  
**1**





**GROUNDWATER ANALYTICAL RESULTS—TCE and PCE—MARCH 1996**

Electro-Coatings, Inc.  
 1401 and 1421 Park Avenue  
 Emeryville, California

**ATTACHMENT 1**

**COPIES OF LABORATORY ANALYTICAL REPORTS  
AND CHAIN OF CUSTODY DOCUMENTATION**



# Sequoia Analytical

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233  
 404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673  
 819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Geraghty & Miller, Inc.	Client Project ID: #RC0304.002	Sampled: Mar 8, 1996
1050 Marina Way South	Sample Descript: Water, MW-3A	Received: Mar 8, 1996
Richmond, CA 94804	Analysis Method: EPA 5030/8010	Analyzed: Mar 14, 1996
Attention: Paul Hehn	Lab Number: 603-0458	Reported: Mar 19, 1996

QC Batch Number: GC031496801007A

Instrument ID: HP-7

## HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	50	N.D.
Bromoform.....	50	N.D.
Bromomethane.....	100	N.D.
Carbon tetrachloride.....	50	N.D.
Chlorobenzene.....	50	N.D.
Chloroethane.....	100	N.D.
2-Chloroethylvinyl ether.....	100	N.D.
Chloroform.....	50	N.D.
Chloromethane.....	100	N.D.
Dibromochloromethane.....	50	N.D.
1,3-Dichlorobenzene.....	50	N.D.
1,4-Dichlorobenzene.....	50	N.D.
1,2-Dichlorobenzene.....	50	N.D.
1,1-Dichloroethane.....	50	N.D.
1,2-Dichloroethane.....	50	N.D.
1,1-Dichloroethene.....	50	N.D.
cis-1,2-Dichloroethene.....	50	N.D.
trans-1,2-Dichloroethene.....	50	N.D.
1,2-Dichloropropane.....	50	N.D.
cis-1,3-Dichloropropene.....	50	N.D.
trans-1,3-Dichloropropene.....	50	N.D.
Methylene chloride.....	500	N.D.
1,1,2,2-Tetrachloroethane.....	50	N.D.
<b>Tetrachloroethene.....</b>	<b>50</b>	<b>190</b>
1,1,1-Trichloroethane.....	50	N.D.
1,1,2-Trichloroethane.....	50	N.D.
Trichloroethene.....	50	N.D.
Trichlorofluoromethane.....	50	N.D.
Vinyl chloride.....	100	N.D.
Freon 113.....	50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150	116
4-Bromofluorobenzene.....	50 150	81

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager



Geraghty & Miller, Inc.	Client Project ID: #RC0304.002	Sampled: Mar 8, 1996
1050 Marina Way South	Sample Descript: Water, MW-4	Received: Mar 8, 1996
Richmond, CA 94804	Analysis Method: EPA 5030/8010	Analyzed: Mar 14, 1996
Attention: Paul Hehn	Lab Number: 603-0459	Reported: Mar 19, 1996

QC Batch Number: GC031496801007A

Instrument ID: HP-7

**HALOGENATED VOLATILE ORGANICS (EPA 8010)**

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	50	N.D.
Bromoform.....	50	N.D.
Bromomethane.....	100	N.D.
Carbon tetrachloride.....	50	N.D.
Chlorobenzene.....	50	N.D.
Chloroethane.....	100	N.D.
2-Chloroethylvinyl ether.....	100	N.D.
Chloroform.....	50	N.D.
Chloromethane.....	100	N.D.
Dibromochloromethane.....	50	N.D.
1,3-Dichlorobenzene.....	50	N.D.
1,4-Dichlorobenzene.....	50	N.D.
1,2-Dichlorobenzene.....	50	N.D.
1,1-Dichloroethane.....	50	N.D.
1,2-Dichloroethane.....	50	N.D.
1,1-Dichloroethene.....	50	N.D.
<b>cis-1,2-Dichloroethene.....</b>	<b>50</b>	<b>360</b>
trans-1,2-Dichloroethene.....	50	N.D.
1,2-Dichloropropane.....	50	N.D.
cis-1,3-Dichloropropene.....	50	N.D.
trans-1,3-Dichloropropene.....	50	N.D.
Methylene chloride.....	500	N.D.
1,1,2,2-Tetrachloroethane.....	50	N.D.
<b>Tetrachloroethene.....</b>	<b>50</b>	<b>84</b>
1,1,1-Trichloroethane.....	50	N.D.
1,1,2-Trichloroethane.....	50	N.D.
<b>Trichloroethene.....</b>	<b>50</b>	<b>3,100</b>
Trichlorofluoromethane.....	50	N.D.
Vinyl chloride.....	100	N.D.
Freon 113.....	50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150	103
4-Bromofluorobenzene.....	50 150	85

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL, #1271

*Kevin Van Slambrook*  
 Kevin Van Slambrook  
 Project Manager



Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Sample Descript: Water, MW-6  
Analysis Method: EPA 5030/8010  
Lab Number: 603-0460

Sampled: Mar 8, 1996  
Received: Mar 8, 1996  
Analyzed: Mar 14, 1996  
Reported: Mar 19, 1996

QC Batch Number: GC031496801007A

Instrument ID: HP-7

**HALOGENATED VOLATILE ORGANICS (EPA 8010)**

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	50	N.D.
Bromoform.....	50	N.D.
Bromomethane.....	100	N.D.
Carbon tetrachloride.....	50	N.D.
Chlorobenzene.....	50	N.D.
Chloroethane.....	100	N.D.
2-Chloroethylvinyl ether.....	100	N.D.
Chloroform.....	50	N.D.
Chloromethane.....	100	N.D.
Dibromochloromethane.....	50	N.D.
1,3-Dichlorobenzene.....	50	N.D.
1,4-Dichlorobenzene.....	50	N.D.
1,2-Dichlorobenzene.....	50	N.D.
1,1-Dichloroethane.....	50	N.D.
1,2-Dichloroethane.....	50	N.D.
1,1-Dichloroethene.....	50	N.D.
cis-1,2-Dichloroethene.....	50	N.D.
trans-1,2-Dichloroethene.....	50	N.D.
1,2-Dichloropropane.....	50	N.D.
cis-1,3-Dichloropropene.....	50	N.D.
trans-1,3-Dichloropropene.....	50	N.D.
Methylene chloride.....	500	N.D.
1,1,2,2-Tetrachloroethane.....	50	N.D.
Tetrachloroethene.....	50	N.D.
1,1,1-Trichloroethane.....	50	N.D.
1,1,2-Trichloroethane.....	50	N.D.
<b>Trichloroethene.....</b>	<b>50</b>	<b>290</b>
Trichlorofluoromethane.....	50	N.D.
Vinyl chloride.....	100	N.D.
Freon 113.....	50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150.....	91
4-Bromofluorobenzene.....	50 150.....	88

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager





# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Sample Descript: Water, MW-12  
Analysis Method: EPA 5030/8010  
Lab Number: 603-0461

Sampled: Mar 8, 1996  
Received: Mar 8, 1996  
Analyzed: Mar 14, 1996  
Reported: Mar 19, 1996

QC Batch Number: GC031496801007A

Instrument ID: HP-7

## HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	50	N.D.
Bromoform.....	50	N.D.
Bromomethane.....	100	N.D.
Carbon tetrachloride.....	50	N.D.
Chlorobenzene.....	50	N.D.
Chloroethane.....	100	N.D.
2-Chloroethylvinyl ether.....	100	N.D.
Chloroform.....	50	N.D.
Chloromethane.....	100	N.D.
Dibromochloromethane.....	50	N.D.
1,3-Dichlorobenzene.....	50	N.D.
1,4-Dichlorobenzene.....	50	N.D.
1,2-Dichlorobenzene.....	50	N.D.
1,1-Dichloroethane.....	50	N.D.
1,2-Dichloroethane.....	50	N.D.
1,1-Dichloroethene.....	50	N.D.
cis-1,2-Dichloroethene.....	50	N.D.
trans-1,2-Dichloroethene.....	50	N.D.
1,2-Dichloropropane.....	50	N.D.
cis-1,3-Dichloropropene.....	50	N.D.
trans-1,3-Dichloropropene.....	50	N.D.
Methylene chloride.....	500	N.D.
1,1,2,2-Tetrachloroethane.....	50	N.D.
<b>Tetrachloroethene.....</b>	<b>50</b>	<b>850</b>
1,1,1-Trichloroethane.....	50	N.D.
1,1,2-Trichloroethane.....	50	N.D.
Trichloroethene.....	50	N.D.
Trichlorofluoromethane.....	50	N.D.
Vinyl chloride.....	100	N.D.
Freon 113.....	50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150.....	82
4-Bromofluorobenzene.....	50 150.....	83

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager





# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Sample Descript: Water, MW-13  
Analysis Method: EPA 5030/8010  
Lab Number: 603-0462

Sampled: Mar 8, 1996  
Received: Mar 8, 1996  
Analyzed: Mar 14, 1996  
Reported: Mar 19, 1996

QC Batch Number: GC031496801007A

Instrument ID: HP-7

## HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	50	N.D.
Bromoform.....	50	N.D.
Bromomethane.....	100	N.D.
Carbon tetrachloride.....	50	N.D.
Chlorobenzene.....	50	N.D.
Chloroethane.....	100	N.D.
2-Chloroethylvinyl ether.....	100	N.D.
Chloroform.....	50	N.D.
Chloromethane.....	100	N.D.
Dibromochloromethane.....	50	N.D.
1,3-Dichlorobenzene.....	50	N.D.
1,4-Dichlorobenzene.....	50	N.D.
1,2-Dichlorobenzene.....	50	N.D.
1,1-Dichloroethane.....	50	N.D.
1,2-Dichloroethane.....	50	N.D.
1,1-Dichloroethene.....	50	N.D.
<b>cis-1,2-Dichloroethene.....</b>	<b>50</b>	<b>57</b>
trans-1,2-Dichloroethene.....	50	N.D.
1,2-Dichloropropane.....	50	N.D.
cis-1,3-Dichloropropene.....	50	N.D.
trans-1,3-Dichloropropene.....	50	N.D.
Methylene chloride.....	500	N.D.
1,1,2,2-Tetrachloroethane.....	50	N.D.
Tetrachloroethene.....	50	N.D.
1,1,1-Trichloroethane.....	50	N.D.
1,1,2-Trichloroethane.....	50	N.D.
<b>Trichloroethene.....</b>	<b>50</b>	<b>270</b>
Trichlorofluoromethane.....	50	N.D.
Vinyl chloride.....	100	N.D.
Freon 113.....	50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150.....	83
4-Bromofluorobenzene.....	50 150.....	84

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager



Geraghty & Miller, Inc.	Client Project ID: #RC0304.002	Sampled: Mar 8, 1996
1050 Marina Way South	Sample Descript: Water, MW-16	Received: Mar 8, 1996
Richmond, CA 94804	Analysis Method: EPA 5030/8010	Analyzed: Mar 15, 1996
Attention: Paul Hehn	Lab Number: 603-0463	Reported: Mar 19, 1996

QC Batch Number: GC031596801007A

Instrument ID: HP-7

**HALOGENATED VOLATILE ORGANICS (EPA 8010)**

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	200	N.D.
Bromoform.....	200	N.D.
Bromomethane.....	400	N.D.
Carbon tetrachloride.....	200	N.D.
Chlorobenzene.....	200	N.D.
Chloroethane.....	400	N.D.
2-Chloroethylvinyl ether.....	400	N.D.
Chloroform.....	200	N.D.
Chloromethane.....	400	N.D.
Dibromochloromethane.....	200	N.D.
1,3-Dichlorobenzene.....	200	N.D.
1,4-Dichlorobenzene.....	200	N.D.
1,2-Dichlorobenzene.....	200	N.D.
1,1-Dichloroethane.....	200	N.D.
1,2-Dichloroethane.....	200	N.D.
<b>1,1-Dichloroethene.....</b>	<b>200</b>	<b>460</b>
<b>cis-1,2-Dichloroethene.....</b>	<b>200</b>	<b>2,400</b>
trans-1,2-Dichloroethene.....	200	N.D.
1,2-Dichloropropane.....	200	N.D.
cis-1,3-Dichloropropene.....	200	N.D.
trans-1,3-Dichloropropene.....	200	N.D.
Methylene chloride.....	2,000	N.D.
1,1,2,2-Tetrachloroethane.....	200	N.D.
Tetrachloroethene.....	200	N.D.
1,1,1-Trichloroethane.....	200	N.D.
1,1,2-Trichloroethane.....	200	N.D.
<b>Trichloroethene.....</b>	<b>200</b>	<b>9,900</b>
Trichlorofluoromethane.....	200	N.D.
Vinyl chloride.....	400	N.D.
Freon 113.....	200	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150	102
4-Bromofluorobenzene.....	50 150	94

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager





Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Sample Descript: Water, MW-17  
Analysis Method: EPA 5030/8010  
Lab Number: 603-0464

Sampled: Mar 8, 1996  
Received: Mar 8, 1996  
Analyzed: Mar 14, 1996  
Reported: Mar 19, 1996

QC Batch Number: GC031496801007A

Instrument ID: HP-7

**HALOGENATED VOLATILE ORGANICS (EPA 8010)**

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	50	N.D.
Bromoform.....	50	N.D.
Bromomethane.....	100	N.D.
Carbon tetrachloride.....	50	N.D.
Chlorobenzene.....	50	N.D.
Chloroethane.....	100	N.D.
2-Chloroethylvinyl ether.....	100	N.D.
Chloroform.....	50	N.D.
Chloromethane.....	100	N.D.
Dibromochloromethane.....	50	N.D.
1,3-Dichlorobenzene.....	50	N.D.
1,4-Dichlorobenzene.....	50	N.D.
1,2-Dichlorobenzene.....	50	N.D.
1,1-Dichloroethane.....	50	N.D.
1,2-Dichloroethane.....	50	N.D.
1,1-Dichloroethene.....	50	N.D.
cis-1,2-Dichloroethene.....	50	N.D.
trans-1,2-Dichloroethene.....	50	N.D.
1,2-Dichloropropane.....	50	N.D.
cis-1,3-Dichloropropene.....	50	N.D.
trans-1,3-Dichloropropene.....	50	N.D.
Methylene chloride.....	500	N.D.
1,1,2,2-Tetrachloroethane.....	50	N.D.
Tetrachloroethene.....	50	N.D.
1,1,1-Trichloroethane.....	50	N.D.
1,1,2-Trichloroethane.....	50	N.D.
<b>Trichloroethene.....</b>	<b>50</b>	<b>310</b>
Trichlorofluoromethane.....	50	N.D.
Vinyl chloride.....	100	N.D.
Freon 113.....	50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150	95
4-Bromofluorobenzene.....	50 150	91

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager



Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Sample Descript: Water, MW-18  
Analysis Method: EPA 5030/8010  
Lab Number: 603-0465

Sampled: Mar 8, 1996  
Received: Mar 8, 1996  
Analyzed: Mar 14, 1996  
Reported: Mar 19, 1996

QC Batch Number: GC031496801007A

Instrument ID: HP-7

**HALOGENATED VOLATILE ORGANICS (EPA 8010)**

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	50	N.D.
Bromoform.....	50	N.D.
Bromomethane.....	100	N.D.
Carbon tetrachloride.....	50	N.D.
Chlorobenzene.....	50	N.D.
Chloroethane.....	100	N.D.
2-Chloroethylvinyl ether.....	100	N.D.
Chloroform.....	50	N.D.
Chloromethane.....	100	N.D.
Dibromochloromethane.....	50	N.D.
1,3-Dichlorobenzene.....	50	N.D.
1,4-Dichlorobenzene.....	50	N.D.
1,2-Dichlorobenzene.....	50	N.D.
1,1-Dichloroethane.....	50	N.D.
1,2-Dichloroethane.....	50	N.D.
1,1-Dichloroethene.....	50	N.D.
cis-1,2-Dichloroethene.....	50	N.D.
trans-1,2-Dichloroethene.....	50	N.D.
1,2-Dichloropropane.....	50	N.D.
cis-1,3-Dichloropropene.....	50	N.D.
trans-1,3-Dichloropropene.....	50	N.D.
Methylene chloride.....	500	N.D.
1,1,2,2-Tetrachloroethane.....	50	N.D.
Tetrachloroethene.....	50	N.D.
1,1,1-Trichloroethane.....	50	N.D.
1,1,2-Trichloroethane.....	50	N.D.
<b>Trichloroethene.....</b>	<b>50</b>	<b>200</b>
Trichlorofluoromethane.....	50	N.D.
Vinyl chloride.....	100	N.D.
Freon 113.....	50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150	92
4-Bromofluorobenzene.....	50 150	80

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager





# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Sample Descript: Water, MW-18A  
Analysis Method: EPA 5030/8010  
Lab Number: 603-0466

Sampled: Mar 8, 1996  
Received: Mar 8, 1996  
Analyzed: Mar 15, 1996  
Reported: Mar 19, 1996

QC Batch Number: GC031596801007A


Instrument ID: HP-7

## HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	0.50	N.D.
Bromoform.....	0.50	N.D.
Bromomethane.....	1.0	N.D.
Carbon tetrachloride.....	0.50	N.D.
Chlorobenzene.....	0.50	N.D.
Chloroethane.....	1.0	N.D.
2-Chloroethylvinyl ether.....	1.0	N.D.
Chloroform.....	0.50	N.D.
Chloromethane.....	1.0	N.D.
Dibromochloromethane.....	0.50	N.D.
1,3-Dichlorobenzene.....	0.50	N.D.
1,4-Dichlorobenzene.....	0.50	N.D.
1,2-Dichlorobenzene.....	0.50	N.D.
1,1-Dichloroethane.....	0.50	N.D.
1,2-Dichloroethane.....	0.50	N.D.
1,1-Dichloroethene.....	0.50	N.D.
cis-1,2-Dichloroethene.....	0.50	N.D.
trans-1,2-Dichloroethene.....	0.50	N.D.
1,2-Dichloropropane.....	0.50	N.D.
cis-1,3-Dichloropropene.....	0.50	N.D.
trans-1,3-Dichloropropene.....	0.50	N.D.
Methylene chloride.....	5.0	N.D.
1,1,2,2-Tetrachloroethane.....	0.50	N.D.
Tetrachloroethene.....	0.50	N.D.
1,1,1-Trichloroethane.....	0.50	N.D.
1,1,2-Trichloroethane.....	0.50	N.D.
Trichloroethene.....	0.50	N.D.
Trichlorofluoromethane.....	0.50	N.D.
Vinyl chloride.....	1.0	N.D.
Freon 113.....	0.50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150	108
4-Bromofluorobenzene.....	50 150	89

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

  
Kevin Van Slambrook  
Project Manager



# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Geraghty & Miller, Inc. 1050 Marina Way South Richmond, CA 94804 Attention: Paul Hehn	Client Project ID: #RC0304.002 Sample Descript: Water, MW-20 Analysis Method: EPA 5030/8010 Lab Number: 603-0467	Sampled: Mar 8, 1996 Received: Mar 8, 1996 Analyzed: Mar 18, 1996 Reported: Mar 19, 1996
--	---	---

QC Batch Number: GC031896801007A

Instrument ID: HP-7

## HALOGENATED VOLATILE ORGANICS (EPA 8010)

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	0.50	N.D.
Bromoform.....	0.50	N.D.
Bromomethane.....	1.0	N.D.
Carbon tetrachloride.....	0.50	N.D.
Chlorobenzene.....	0.50	N.D.
Chloroethane.....	1.0	N.D.
2-Chloroethylvinyl ether.....	1.0	N.D.
Chloroform.....	0.50	N.D.
Chloromethane.....	1.0	N.D.
Dibromochloromethane.....	0.50	N.D.
1,3-Dichlorobenzene.....	0.50	N.D.
1,4-Dichlorobenzene.....	0.50	N.D.
1,2-Dichlorobenzene.....	0.50	N.D.
1,1-Dichloroethane.....	0.50	N.D.
1,2-Dichloroethane.....	0.50	N.D.
1,1-Dichloroethene.....	0.50	N.D.
cis-1,2-Dichloroethene.....	0.50	N.D.
trans-1,2-Dichloroethene.....	0.50	N.D.
1,2-Dichloropropane.....	0.50	N.D.
cis-1,3-Dichloropropene.....	0.50	N.D.
trans-1,3-Dichloropropene.....	0.50	N.D.
Methylene chloride.....	5.0	N.D.
1,1,2,2-Tetrachloroethane.....	0.50	N.D.
Tetrachloroethene.....	0.50	N.D.
1,1,1-Trichloroethane.....	0.50	N.D.
1,1,2-Trichloroethane.....	0.50	N.D.
Trichloroethene.....	0.50	N.D.
Trichlorofluoromethane.....	0.50	N.D.
Vinyl chloride.....	1.0	N.D.
Freon 113.....	0.50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50 150.....	103
4-Bromofluorobenzene.....	50 150.....	89

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager





Geraghty & Miller, Inc. 1050 Marina Way South Richmond, CA 94804 Attention: Paul Hehn	Client Project ID: #RC0304.002 Sample Descript: Water, TB-LB Analysis Method: EPA 5030/8010 Lab Number: 603-0468	Sampled: Mar 8, 1996 Received: Mar 8, 1996 Analyzed: Mar 14, 1996 Reported: Mar 19, 1996
--	---	---

QC Batch Number: GC031496801007A  
Instrument ID: HP-7

**HALOGENATED VOLATILE ORGANICS (EPA 8010)**

Analyte	Detection Limit µg/L	Sample Results µg/L
Bromodichloromethane.....	0.50	N.D.
Bromoform.....	0.50	N.D.
Bromomethane.....	1.0	N.D.
Carbon tetrachloride.....	0.50	N.D.
Chlorobenzene.....	0.50	N.D.
Chloroethane.....	1.0	N.D.
2-Chloroethylvinyl ether.....	1.0	N.D.
Chloroform.....	0.50	N.D.
Chloromethane.....	1.0	N.D.
Dibromochloromethane.....	0.50	N.D.
1,3-Dichlorobenzene.....	0.50	N.D.
1,4-Dichlorobenzene.....	0.50	N.D.
1,2-Dichlorobenzene.....	0.50	N.D.
1,1-Dichloroethane.....	0.50	N.D.
1,2-Dichloroethane.....	0.50	N.D.
1,1-Dichloroethene.....	0.50	N.D.
cis-1,2-Dichloroethene.....	0.50	N.D.
trans-1,2-Dichloroethene.....	0.50	N.D.
1,2-Dichloropropane.....	0.50	N.D.
cis-1,3-Dichloropropene.....	0.50	N.D.
trans-1,3-Dichloropropene.....	0.50	N.D.
Methylene chloride.....	5.0	N.D.
1,1,2,2-Tetrachloroethane.....	0.50	N.D.
Tetrachloroethene.....	0.50	N.D.
1,1,1-Trichloroethane.....	0.50	N.D.
1,1,2-Trichloroethane.....	0.50	N.D.
Trichloroethene.....	0.50	N.D.
Trichlorofluoromethane.....	0.50	N.D.
Vinyl chloride.....	1.0	N.D.
Freon 113.....	0.50	N.D.
<b>Surrogates</b>	<b>Control Limit %</b>	<b>% Recovery</b>
Dibromodifluoromethane.....	50	102
4-Bromofluorobenzene.....	50	84

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

*Kevin Van Slambrook*  
Kevin Van Slambrook  
Project Manager





# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Sample Descript: Water  
Analysis for: Dissolved Chromium  
First Sample #: 603-0458

Sampled: Mar 8, 1996  
Received: Mar 8, 1996  
Extracted: Mar 12, 1996  
Analyzed: Mar 15, 1996  
Reported: Mar 19, 1996

## LABORATORY ANALYSIS FOR: Dissolved Chromium

Sample Number	Sample Description	Detection Limit mg/L	Sample Result mg/L	QC Batch Number	Instrument ID
603-0458	MW-3A	0.050	0.092	ME0312962007MDA	MV-1
603-0459	MW-4	0.050	16	ME0312962007MDA	MV-1
603-0460	MW-6	0.050	42	ME0312962007MDA	MV-1
603-0461	MW-12	0.050	0.25	ME0312962007MDA	MV-1
603-0462	MW-13	0.050	170	ME0312962007MDA	MV-1
603-0463	MW-16	0.050	73	ME0312962007MDA	MV-1
603-0464	MW-17	0.050	140	ME0312962007MDA	MV-1
603-0465	MW-18	0.050	22	ME0312962007MDA	MV-1
603-0466	MW-18A	0.050	N.D.	ME0312962007MDA	MV-1
603-0467	MW-20	0.050	0.11	ME0312962007MDA	MV-1

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager





# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Sample Descript: Water  
Analysis for: Dissolved Hexvalent Chromium  
First Sample #: 603-0458

Sampled: Mar 8, 1996  
Received: Mar 8, 1996  
Analyzed: Mar 8, 1996  
Reported: Mar 19, 1996

## LABORATORY ANALYSIS FOR: Dissolved Hexvalent Chromium

Sample Number	Sample Description	Detection Limit mg/L	Sample Result mg/L	QC Batch Number	Instrument ID
603-0458	MW-3A	0.0050	N.D.	IN030896719613A	INSPC-1
603-0459	MW-4	0.0050	23	IN030896719613A	INSPC-1
603-0460	MW-6	0.0050	50	IN030896719613A	INSPC-1
603-0461	MW-12	0.0050	0.012	IN030896719613A	INSPC-1
603-0462	MW-13	0.0050	200	IN030896719613A	INSPC-1
603-0463	MW-16	0.0050	83	IN030896719613A	INSPC-1
603-0464	MW-17	0.0050	150	IN030896719613A	INSPC-1
603-0465	MW-18	0.0050	23	IN030896719613A	INSPC-1
603-0466	MW-18A	0.0050	N.D.	IN030896719613A	INSPC-1
603-0467	MW-20	0.0050	N.D.	IN030896719613A	INSPC-1

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager





Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Matrix: Liquid

QC Sample Group: 6030458-468

Reported: Mar 19, 1996

**QUALITY CONTROL DATA REPORT**

Analyte:	1,1-Dichloro-ethene	Trichloro-ethene	Chloro-benzene	1,1-Dichloro-ethene	Trichloro-ethene	Chloro-benzene
QC Batch#:	GC031496 801007A	GC031496 801007A	GC031496 801007A	GC031596 801007A	GC031596 801007A	GC031596 801007A
Analy. Method:	EPA 8010	EPA 8010	EPA 8010	EPA 8010	EPA 8010	EPA 8010
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030
Analyst:	I.Dalvand	I.Dalvand	I.Dalvand	I.Dalvand	I.Dalvand	I.Dalvand
MS/MSD #:	6030279	6030279	6030279	6030345	6030345	6030345
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	3/14/96	3/14/96	3/14/96	3/15/96	3/15/96	3/15/96
Analyzed Date:	3/14/96	3/14/96	3/14/96	3/15/96	3/15/96	3/15/96
Instrument I.D.#:	HP-7	HP-7	HP-7	HP-7	HP-7	HP-7
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	10 µg/L	10 µg/L	10 µg/L
Result:	8.7	10	9.3	8.8	8.7	8.5
MS % Recovery:	87	100	93	88	87	85
Dup. Result:	8.6	8.5	9.3	8.7	9.0	8.6
MSD % Recov.:	86	85	93	87	90	86
RPD:	1.2	16	0.0	1.1	3.4	1.2
RPD Limit:	0-30	0-30	0-30	0-30	0-30	0-30

LCS #:	LCS031496	LCS031496	LCS031496	LCS031596	LCS031596	LCS031596
Prepared Date:	3/14/96	3/14/96	3/14/96	3/15/96	3/15/96	3/15/96
Analyzed Date:	3/14/96	3/14/96	3/14/96	3/15/96	3/15/96	3/15/96
Instrument I.D.#:	HP-7	HP-7	HP-7	HP-7	HP-7	HP-7
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	10 µg/L	10 µg/L	10 µg/L
LCS Result:	9.3	9.1	8.9	9.6	9.3	8.7
LCS % Recov.:	93	91	89	96	93	87

MS/MSD LCS Control Limits	28-167	35-146	38-150	28-167	35-146	38-150
---------------------------	--------	--------	--------	--------	--------	--------

**Please Note:**  
The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

\*\* MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

SEQUOIA ANALYTICAL, #1271

Kevin Van Slambrook  
Project Manager





# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite B

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Geraghty & Miller, Inc.  
1050 Marina Way South  
Richmond, CA 94804  
Attention: Paul Hehn

Client Project ID: #RC0304.002  
Matrix: Liquid

QC Sample Group: 6030458-468

Reported: Mar 19, 1996

## QUALITY CONTROL DATA REPORT

Analyte:	1,1-Dichloro-ethene	Trichloro-ethene	Chloro-benzene	Dissolved Chromium	Dissolved Hexavalent Chromium
QC Batch#:	GC031896 801007A	GC031896 801007A	GC031896 801007A	ME031296 2007MDA	IN030896 7196I3A
Analy. Method:	EPA 8010	EPA 8010	EPA 8010	EPA 218.1	EPA 7196
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 200.7	EPA 7196
Analyst:	I.Dalvand	I.Dalvand	I.Dalvand	T. Le	R. Salinas
MS/MSD #:	6030595	6030595	6030595	6030365	6030467
Sample Conc.:	N.D.	N.D.	N.D.	0.14 mg/L	N.D.
Prepared Date:	3/18/96	3/18/96	3/18/96	3/12/96	3/8/96
Analyzed Date:	3/18/96	3/18/96	3/18/96	3/15/96	3/8/96
Instrument I.D.#:	HP-7	HP-7	HP-7	MV-1	INSPC-1
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	1.0 mg/L	0.050 mg/L
Result:	8.5	8.7	8.9	1.2	0.050
MS % Recovery:	85	87	89	106	100
Dup. Result:	9.7	9.9	9.1	1.3	0.050
MSD % Recov.:	97	99	91	116	100
RPD:	13	13	2.2	8.0	0.0
RPD Limit:	0-30	0-30	0-30	0-20	0-20

LCS #:	LCS031896	LCS031896	LCS031896	BLK031296	7196YB03A-3
Prepared Date:	3/18/96	3/18/96	3/18/96	3/12/96	3/8/96
Analyzed Date:	3/18/96	3/18/96	3/18/96	3/15/96	3/8/96
Instrument I.D.#:	HP-7	HP-7	HP-7	MV-1	INSPC-1
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	1.0 mg/L	0.050 mg/L
LCS Result:	10	9.6	9.0	1.0	0.050
LCS % Recov.:	100	96	90	100	100

MS/MSD LCS Control Limits	28-167	35-146	38-150	75-125	70-130
---------------------------	--------	--------	--------	--------	--------

**Please Note:**

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

\*\* MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

SEQUOIA ANALYTICAL, #1271

*Kevin Van Slambrook*  
Kevin Van Slambrook  
Project Manager

Project Number RC0304.002  
Project Location ECI/Emeryville  
Laboratory Sequoia  
Sampler(s)/Affiliation Geraghty & Miller G.C.

SAMPLE BOTTLE / CONTAINER DESCRIPTION

TOTAL DISSOLVED CHROMIUM (ADD: 7)

DISSOLVED CHROMIUM (7196)

HALOGENATED VOLATILE ORGANICS (8.D10)

SAMPLE IDENTITY	Code	Date/Time Sampled	Lab ID	TOTAL
MW-3A	L	3-8-96 11:20		6030458 H-E
MW-4		1:30		6030459
Mw-6		1:25		6030460
MW-12		11:10		6030461
MW-13		10:10		6030462
MW-16		8:30		6030463
MW-17		8:40		6030464
MW-18		1:10		6030465
MW-18A		1:15		6030466
MW-20		10:00		6030467
TB-LB				6030468
* For Dissolved Analysis, Filter the sample in the lab prior to digestion & analysis				

Sample Code: L = Liquid; S = Solid; A = Air

Total No. of Bottles/Containers 51

Relinquished by: <u>[Signature]</u>	Organization: <u>G&amp;M</u>	Date: <u>3/8/96</u> Time: <u>4:00</u>	Seal Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Received by: <u>[Signature]</u>	Organization: <u>Seq</u>	Date: <u>3/8/96</u> Time: <u>4:00</u>	
Relinquished by: <u>[Signature]</u>	Organization: <u>Seq</u>	Date: <u>3/8/96</u> Time: <u>17:45</u>	Seal Intact? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Received by: <u>[Signature]</u>	Organization: <u>Seq</u>	Date: <u>3/8/96</u> Time: <u>17:45</u>	

Special Instructions/Remarks: \_\_\_\_\_

Delivery Method:  In Person  Common Carrier  Lab Courier  Other