



Atlantic Richfield Company
(a BP affiliated company)

RECEIVED

9:50 am, Nov 02, 2007

Alameda County
Environmental Health



P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

30 October 2007

Re: Third Quarter 2007 Semi-Annual Ground-Water Monitoring Report
Former BP Service Station # 11133
2220 98th Avenue
Oakland, California
ACEH Case #RO0000403

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Submitted by:

Paul Supple
Environmental Business Manager

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by

**Third Quarter 2007 Semi-Annual
Ground-Water Monitoring Report**
Former BP Service Station #11133
2220 98th Avenue
Oakland, California

 **BROADBENT & ASSOCIATES, INC.**
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL

1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

30 October 2007

Project No. 06-08-656

Broadbent & Associates, Inc.
1324 Mangrove Ave., Suite 212
Chico, CA 95926
Voice (530) 566-1400
Fax (530) 566-1401



30 October 2007

Project No. 06-08-656

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: Third Quarter 2007 Semi-Annual Ground-Water Monitoring Report, Former BP Service Station #11133, 2220 98th Avenue, Oakland, Alameda County, California;
ACEH Case #RO0000403

Dear Mr. Supple:

Provided herein is the *Third Quarter 2007 Semi-Annual Ground-Water Monitoring Report* for Former BP Service Station #11133 (herein referred to as Station #11133) located at 2220 98th Avenue, Oakland, California (Property). This report presents the results of ground-water monitoring conducted at Station #11133 during the Third Quarter of 2007.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.

A handwritten signature in black ink that reads "Thomas A. Venus".

Thomas A. Venus, P.E.
Senior Engineer

A handwritten signature in black ink that reads "Robert H. Miller".

Robert H. Miller, P.G., C.HG.
Principal Hydrogeologist



Enclosure

cc: Mr. Steven Plunkett, Alameda County Environmental Health (Submitted via ACEH ftp site)
Ms. Shelby Lathrop, ConocoPhillips, 76 Broadway, Sacramento, California 95818
Electronic copy uploaded to GeoTracker

STATION #11133 SEMI-ANNUAL GROUNDWATER MONITORING REPORT

Facility: #11133	Address: 2220 98 th Avenue, Oakland
Environmental Business Manager:	Mr. Paul Supple
Consulting Co./Contact Persons:	Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400
Primary Agency/Regulatory ID No.:	Alameda County Environmental Health (ACEH) ACEH Case #RO0000403
Consultant Project No.:	06-08-656
Facility Permits/Permitting Agency:	NA

WORK PERFORMED THIS QUARTER (Third Quarter 2007):

1. Prepared and submitted Second Quarter 2007 Status Report.
2. Conducted semi-annual ground-water monitoring/sampling for Third Quarter 2007.
Work performed by Stratus Environmental, Inc. (Stratus) on 10 July 2007.

WORK PROPOSED FOR NEXT QUARTER (Fourth Quarter 2007):

1. Prepared and submitted this Third Quarter 2007 Semi-Annual Ground-Water Monitoring Report (contained herein).
2. No environmental work is scheduled for the Fourth Quarter 2007.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	<u>Ground-water monitoring/sampling</u>
Frequency of ground-water monitoring:	<u>Semi-Annually (1Q & 3Q): Wells MW-1, MW-2, MW-3, AW-1 through AW-9, RW-1</u>
Frequency of ground-water sampling:	<u>Semi-Annually (1Q & 3Q): Wells MW-1, MW-3, AW-1, AW-4, AW-5, AW-6, and RW-1</u> <u>Annually (1Q): Well AW-2</u> <u>Not Sampled: Wells MW-2, AW-3, AW-7, AW-8, AW-9</u>
Is free product (FP) present on-site:	<u>No</u>
FP recovered this quarter:	<u>None</u>
Current remediation techniques:	<u>NA</u>
Depth to ground water (below TOC):	<u>10.45 ft (MW-2) to 19.00 ft (AW-5)</u>
General ground-water flow direction:	<u>West</u>
Approximate hydraulic gradient:	<u>0.01 ft/ft</u>

DISCUSSION:

Third Quarter 2007 semi-annual ground-water monitoring and sampling was conducted at Station #11133 on 10 July 2007 by Stratus. Water levels were gauged in 12 of the 13 wells scheduled to be gauged at the Site. Stratus reported that well A-7 could not be located and that a sheen was present in well MW-1. No other irregularities were noted during water level gauging. Depth to ground-water measurements ranged from 10.45 ft at well MW-2 to 19.00 ft at well AW-5. Resulting ground-water surface elevations ranged from 25.05 ft above mean sea level in well MW-2 to 19.13 ft at well AW-9. Water level elevations were between historic minimum and maximum ranges for each well, as summarized in Table 1. Water level elevations yielded a potentiometric ground-water flow direction and gradient towards the west at approximately 0.01 ft/ft. Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground-water and respective ground-water elevations

are summarized in Table 1. Current and historic ground-water flow directions and gradients are provided in Table 3. Potentiometric ground-water elevation contours are presented in Drawing 1.

Consistent with the current ground-water sampling schedule, water samples were collected from seven wells: AW-1, AW-4, AW-5, AW-6, MW-1, MW-3, and RW-1. No irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to Test America Analytical Testing Corporation (Morgan Hill, California), for analysis of Gasoline Range Organics (GRO, C4-12) by the LUFT GCMS Method; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and tert-Amyl methyl ether (TAME), tert-Butyl alcohol (TBA), Di-isopropyl ether(DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Ethanol, Ethyl tert-butyl ether (ETBE), and Methyl tert-butyl ether (MTBE) by EPA Method 8260B. The laboratory reported that the GRO concentration for the sample from well AW-6 was partly due to individual peak(s) in the quantitation range. No other irregularities were encountered during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline range organics (GRO) were detected above the laboratory reporting limits in six of the seven wells sampled at concentrations up to 4,200 micrograms per liter ($\mu\text{g}/\text{L}$) in well AW-1. Benzene was detected above the laboratory reporting limit in four of the seven wells sampled at concentrations up to 560 $\mu\text{g}/\text{L}$ in well AW-1. Toluene was detected above the laboratory reporting limit in two of the seven wells sampled at concentrations up to 12 $\mu\text{g}/\text{L}$ in well AW-1. Ethylbenzene was detected above the laboratory reporting limit in four of the seven wells sampled at concentrations up to 93 $\mu\text{g}/\text{L}$ in well AW-1. Total Xylenes were detected above the laboratory reporting limit in four of the seven wells sampled at concentrations up to 40 $\mu\text{g}/\text{L}$ in well AW-1. TAME was detected above the laboratory reporting limit in four of the seven wells sampled at concentrations up to 890 $\mu\text{g}/\text{L}$ in well AW-6. TBA was detected above the laboratory reporting limit in well AW-5 at a concentration of 110 $\mu\text{g}/\text{L}$. MTBE was detected above the laboratory reporting limit in each of the seven wells sampled at concentrations up to 3,900 $\mu\text{g}/\text{L}$ in well AW-6. The remaining fuel additives and oxygenates were not detected above their laboratory reporting limits in the seven wells sampled this quarter.

Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well, with the following exceptions: the TAME concentration reported in well AW-1 was the lowest on record for this well; the TBA concentration reported in well AW-5 was the lowest on record; the GRO, benzene, ethlybenzene, and total xylene concentrations reported in well MW-1 were the lowest on record for this well; and the benzene, toluene, total xylene and MTBE concentrations reported in well RW-1 were the lowest on record for this well. Historic laboratory analytical results are summarized in Table 1 and Table 2. A copy of the Laboratory Analytical Report, including chain-of-custody documentation is provided in Appendix A. Third Quarter 2007 groundwater monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 Database. Upload confirmation pages have been provided in Appendix C.


CLOSURE:

The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Test America (Morgan Hill, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation.

Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, 10 July 2007, Former BP Service Station #11133, 2220 98th Avenue, Oakland, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #11133, 2220 98th Avenue, Oakland, CA
- Table 2. Summary of Fuel Additives Analytical Data, Station #11133, 2220 98th Avenue, Oakland, CA
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #11133, 2220 98th Avenue, Oakland, CA
- Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets, Laboratory Report and Chain-of-Custody Documentation)
- Appendix B. GeoTracker Upload Confirmation



0 60 120
SCALE (ft)



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
1324 Mangrove Ave. Suite 212, Chico, California 95926
Project No.: 06-08-656 Date: 08/08/07

Former BP Service Station #11133
2220 98th Avenue
Oakland, California

Ground-Water Elevation Contour
and Analytical Summary Map
10 July 2007

Drawing 1

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-1																
4/5/1991	--	38.11	25.44	--	12.67	4,100	1,500	69	100	83	--	--	SUP	--		
4/1/1992	--	38.11	23.22	--	14.89	--	--	--	--	--	--	--	--	--	--	
4/2/1992	--	38.11	--	--	--	11,000	1,800	210	210	490	--	--	APP	--		
7/6/1992	--	38.11	24.89	--	13.22	6,500	4,000	40	290	530	--	--	ANA	--		
10/7/1992	--	38.11	26.55	--	11.56	4,700	1,500	41	47	300	--	--	ANA	--		
10/7/1992	--	38.11	--	--	--	2,900	1,200	25	37	210	--	--	ANA	--	e	
1/14/1993	--	38.11	23.73	--	14.38	2,800	830	31	140	240	--	--	PACE	--	m	
1/14/1993	--	38.11	--	--	--	4,100	1,700	28	130	230	--	--	PACE	--	m, e	
4/22/1993	--	38.11	--	--	--	39,000	14,000	530	1,800	6,100	987	--	PACE	--	c, m	
7/15/1993	--	38.11	22.50	--	15.61	6,200	2,200	28	210	540	838	--	PACE	--	c, m	
10/21/1993	--	38.11	24.32	--	13.79	2,400	820	13	55	120	832	--	PACE	--	c, m	
1/27/1994	--	38.11	23.72	--	14.39	3,500	1,400	26	130	220	650	--	PACE	--	c, n	
4/21/1994	--	38.11	22.48	--	15.63	40,000	12,000	1,900	1,600	5,000	1,119	1.4	PACE	--	m	
9/9/1994	--	38.11	--	--	--	3,900	1,900	5.5	190	240	--	--	PACE	--	e	
9/9/1994	--	38.11	23.04	--	15.07	3,500	1,600	5	200	250	--	2.1	PACE	--	m	
12/21/1994	--	38.11	21.70	--	16.41	7,600	3,100	36	370	320	855	1.6	PACE	--	m	
1/30/1995	--	38.11	17.71	--	20.40	35,000	23,000	650	3,200	4,100	--	1.7	ATI	--		
4/10/1995	--	38.11	20.04	--	18.07	60,000	18,000	2,000	4,300	11,000	--	7.9	ATI	--		
4/10/1995	--	38.11	--	--	--	56,000	17,000	2,000	3,900	10,000	--	--	ATI	--	e	
6/29/1995	--	38.11	--	--	--	86,000	12,000	8,400	4,800	18,000	--	--	ATI	--	e	
6/29/1995	--	38.11	20.60	--	17.51	72,000	10,000	7,300	4,200	15,000	--	6.2	ATI	--		
9/18/1995	--	38.11	21.87	--	16.24	--	--	--	--	--	--	--	--	--	--	
9/19/1995	--	38.11	--	--	--	65,000	12,000	3,100	4,400	14,000	1,000	8.5	ATI	--		
12/7/1995	--	38.11	22.06	--	16.05	25,000	8,700	<50	2,500	1,300	1,100	2.9	ATI	--		
3/28/1996	--	38.11	16.91	--	21.20	24,000	11,000	<100	3,200	3,390	<1000	6.6	SPL	--		
6/20/1996	--	38.11	20.82	--	17.29	38,000	6,900	1,100	3,200	7,300	<100	6.4	SPL	--		
10/11/1996	--	38.11	23.20	--	14.91	33,000	8,500	69	3,300	4,230	580	6.3	SPL	--		
1/2/1997	--	38.11	20.41	--	17.70	32,000	8,000	<50	3,100	2,300	700	6.7	SPL	--		
4/14/1997	--	38.11	21.61	--	16.50	--	--	--	--	--	--	--	--	--		
4/15/1997	--	38.11	--	--	--	31,000	5,000	160	2,400	4,540	340	5.4	SPL	--		
7/2/1997	--	38.11	21.17	--	16.94	26,000	5,800	<100	2,600	2,200	<1000	6.2	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-1 Cont.																
9/30/1997	--	38.11	21.48	--	16.63	29,000	9,200	17	1,400	130	560	6.9	SPL	--		
1/21/1998	--	38.11	20.02	--	18.09	50,000	6,900	450	3,200	4,450	720	5.8	SPL	--		
4/9/1998	--	38.11	13.37	--	24.74	--	--	--	--	--	--	--	--	--	--	
4/10/1998	--	38.11	--	--	--	46,000	5,800	1,900	3,000	7,400	1,000	4.3	SPL	--		
6/19/1998	--	38.11	19.12	--	18.99	42,000	6,600	200	3,000	3,350	660	4.9	SPL	--		
6/19/1998	--	38.11	--	--	--	43,000	6,800	260	3,100	3,490	620	--	SPL	--	e	
11/30/1998	--	38.11	21.13	--	16.98	23,000	6,700	<25	3,100	130	710/820	--	SPL	--	g	
1/21/1999	--	38.11	20.77	--	17.34	25,000	4,800	54	2,800	780	1,000	--	SPL	--		
4/30/1999	--	38.11	20.80	--	17.31	21,000	5,300	67	2,800	750	1,500	--	SPL	--		
7/9/1999	--	38.11	20.41	--	17.70	11,000	3,000	<10	760	180	1,300	--	SPL	--		
11/3/1999	--	38.11	20.82	--	17.29	--	--	--	--	--	--	--	--	--		
1/12/2000	--	38.11	19.99	--	18.12	330,000	5,300	10	2,900	560	2,200	--	PACE	--		
4/13/2000	--	38.11	20.14	--	17.97	--	--	--	--	--	--	--	--	--		
5/24/2000	--	38.11	20.17	--	17.94	--	--	--	--	--	--	--	--	--		
6/1/2000	--	38.11	23.05	--	15.06	--	--	--	--	--	--	--	--	--		
6/8/2000	--	38.11	17.08	--	21.03	--	--	--	--	--	--	--	--	--		
6/15/2000	--	38.11	16.93	--	21.18	--	--	--	--	--	--	--	--	--		
7/26/2000	--	38.11	20.07	--	18.04	15,000	290	98	77	220	37,000	--	PACE	--		
10/24/2000	--	38.11	20.10	--	18.01	--	--	--	--	--	--	--	--	--		
1/19/2001	--	38.11	19.82	--	18.29	7,600	2,220	10.9	415	58.4	1,630	--	PACE	--		
7/24/2001	--	38.11	19.86	--	18.25	9,600	2,140	6.34	281	43	1,440	--	PACE	--		
1/18/2002	--	38.11	15.60	--	22.51	20,000	2,170	75.2	1,800	2,080	1,250	--	PACE	--		
8/1/2002	--	38.11	19.55	--	18.56	14,000	2,150	<12.5	197	42.4	1,120	--	PACE	--		
1/16/2003	--	38.11	16.32	--	21.79	15,000	2,300	75	1,600	1,800	1,100	--	SEQ	--	p	
7/7/2003	--	38.11	19.80	--	18.31	9,700	1,600	<25	540	110	1,100	--	SEQ	--	q, u	
02/05/2004	--	38.11	18.75	--	19.36	12,000	2,000	<50	820	590	930	--	SEQM	6.7		
07/01/2004	P	38.11	19.72	--	18.39	9,900	2,600	<25	300	<25	1,100	--	SEQM	6.5		
03/16/2005	P	38.11	18.78	--	19.33	10,000	1,100	30	630	560	720	0.8	SEQM	6.7		
07/22/2005	P	38.11	15.53	--	22.58	8,000	770	5.4	520	50	510	--	SEQM	6.5		
01/25/2006	P	38.11	18.10	--	20.01	6,400	1,200	10	490	290	490	--	SEQM	7.0		
7/6/2006	P	38.11	17.44	--	20.67	6,200	1,300	70	570	180	270	--	TAMC	6.8		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-1 Cont.																
1/8/2007	P	38.11	16.74	--	21.37	3700	690	19	110	30	380	2.53	TAMC	6.77		
7/10/2007	P	38.11	17.30	--	20.81	4,200	560	12	93	40	220	1.79	TAMC	6.90		
AW-2																
4/5/1991	--	36.83	22.36	--	14.47	<50	<0.3	<0.3	<0.3	<0.3	--	--	SUP	--		
4/1/1992	--	36.83	20.81	--	16.02	--	--	--	--	--	--	--	--	--	--	
4/2/1992	--	36.83	--	--	--	130	25	2.3	0.7	2.1	--	--	APP	--		
7/6/1992	--	36.83	23.57	--	13.26	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
10/7/1992	--	36.83	25.24	--	11.59	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
1/14/1993	--	36.83	20.82	--	16.01	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
4/22/1993	--	36.83	19.37	--	17.46	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
7/15/1993	--	36.83	21.29	--	15.54	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	m	
10/21/1993	--	36.83	23.14	--	13.69	<50	1.3	1.1	0.9	2.1	<5.0	--	PACE	--	m	
1/27/1994	--	36.83	22.34	--	14.49	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
4/21/1994	--	36.83	21.15	--	15.68	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.0	PACE	--	m	
9/9/1994	--	36.83	22.09	--	14.74	<50	<0.5	<0.5	<0.5	<0.5	--	4.1	PACE	--	m	
12/21/1994	--	36.83	20.12	--	16.71	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.0	PACE	--	m	
1/30/1995	--	36.83	16.65	--	20.18	<50	<0.50	<0.50	<0.50	<1.0	--	2.5	ATI	--		
4/10/1995	--	36.83	16.22	--	20.61	<50	<0.50	<0.50	<0.50	<1.0	--	4.4	ATI	--		
6/29/1995	--	36.83	17.55	--	19.28	<50	<0.50	<0.50	<0.50	<1.0	--	7.8	ATI	--		
9/18/1995	--	36.83	19.87	--	16.96	--	--	--	--	--	--	--	--	--		
9/19/1995	--	36.83	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	ATI	--	e	
9/19/1995	--	36.83	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	4.5	ATI	--		
12/7/1995	--	36.83	21.31	--	15.52	<50	<0.50	<0.50	<0.50	<1.0	<5.0	4.9	ATI	--		
3/28/1996	--	36.83	15.61	--	21.22	<50	<0.5	<1	<1	<1	<10	4.1	SPL	--		
6/20/1996	--	36.83	16.30	--	20.53	<50	<0.5	<1	<1	<1	<10	5.2	SPL	--		
10/11/1996	--	36.83	19.60	--	17.23	<50	<0.5	<1.0	<1.0	<1.0	<10	6.0	SPL	--		
1/2/1997	--	36.83	15.97	--	20.86	<50	<0.5	<1.0	<1.0	<1.0	<10	6.1	SPL	--		
4/14/1997	--	36.83	17.19	--	19.64	<50	<0.5	<1.0	<1.0	<1.0	<10	5.3	SPL	--		
7/2/1997	--	36.83	18.11	--	18.72	<50	<0.5	<1.0	<1.0	<1.0	<10	5.7	SPL	--		
9/30/1997	--	36.83	18.52	--	18.31	<50	<0.5	<1.0	<1.0	<1.0	860	5.4	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-2 Cont.																
1/21/1998	--	36.83	14.46	--	22.37	160	13	<1.0	<1.0	<1.0	110	4.9	SPL	--		
4/9/1998	--	36.83	12.85	--	23.98	--	--	--	--	--	--	--	--	--	--	
4/10/1998	--	36.83	--	--	--	<50	<0.5	<1.0	<1.0	<1.0	<10	3.9	SPL	--		
6/19/1998	--	36.83	14.37	--	22.46	60	<0.5	<1.0	<1.0	<1.0	<10	3.6	SPL	--		
11/30/1998	--	36.83	16.90	--	19.93	--	--	--	--	--	--	--	--	--	--	
1/21/1999	--	36.83	16.87	--	19.96	<50	<1.0	<1.0	<1.0	<1.0	<1.0	--	SPL	--		
4/30/1999	--	36.83	17.01	--	19.82	--	--	--	--	--	--	--	--	--	--	
7/9/1999	--	36.83	17.83	--	19.00	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	36.83	19.74	--	17.09	--	--	--	--	--	--	--	--	--	--	
1/12/2000	--	36.83	19.90	--	16.93	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	PACE	--		
4/13/2000	--	36.83	19.75	--	17.08	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	36.83	19.86	--	16.97	--	--	--	--	--	--	--	--	--	--	
10/24/2000	--	36.83	18.77	--	18.06	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	36.83	--	--	--	--	--	--	--	--	--	--	--	--	f	
7/24/2001	--	36.83	--	--	--	--	--	--	--	--	--	--	--	--	f	
1/18/2002	--	36.83	15.17	--	21.66	<50	<0.5	<0.5	<0.5	<1.0	<0.5	--	PACE	--		
8/1/2002	--	36.83	17.17	--	19.66	--	--	--	--	--	--	--	--	--	--	
1/16/2003	--	36.83	14.81	--	22.02	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	SEQ	--	p	
7/7/2003	--	36.83	16.65	--	20.18	--	--	--	--	--	--	--	--	--	--	
02/05/2004	--	36.83	15.37	--	21.46	<50	3.0	<0.50	<0.50	<0.50	5.1	--	SEQM	6.6		
07/01/2004	--	36.83	17.55	--	19.28	--	--	--	--	--	--	--	--	--	--	
03/16/2005	P	36.83	14.58	--	22.25	<50	0.75	<0.50	1.1	1.1	<0.50	1.7	SEQM	6.7		
07/22/2005	--	36.83	15.41	--	21.42	--	--	--	--	--	--	--	--	--	--	
01/25/2006	P	36.83	14.17	--	22.66	280	110	<1.0	3.9	8.7	12	--	SEQM	7.1		
7/6/2006	--	36.83	14.00	--	22.83	--	--	--	--	--	--	--	--	--	--	
1/8/2007	P	36.83	15.85	--	20.98	1900	550	160	58	180	40	2.09	TAMC	7.2		
7/10/2007	--	36.83	17.25	--	19.58	--	--	--	--	--	--	--	--	--	--	
AW-3																
4/5/1991	--	39.13	23.90	--	15.23	5,200	980	450	95	310	--	--	SUP	--		
4/1/1992	--	39.13	22.50	--	16.63	4,700	890	47	43	110	--	--	APP	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-3 Cont.																
7/6/1992	--	39.13	23.26	--	15.87	3,900	3,100	30	80	99	--	--	ANA	--		
10/7/1992	--	39.13	24.75	--	14.38	5,000	2,600	<0.5	<0.5	59	--	--	ANA	--		
1/14/1993	--	39.13	23.59	--	15.54	350	250	<0.5	<0.5	<0.5	--	--	PACE	--	m	
4/22/1993	--	39.13	19.42	--	19.71	240	71	2.4	0.6	4	--	--	PACE	--	m	
7/15/1993	--	39.13	20.09	--	19.04	650	71	2.8	1.5	1.1	37.3	--	PACE	--	c, m	
10/21/1993	--	39.13	--	--	--	170	6.1	2	1.7	4.4	--	--	PACE	--	e	
10/21/1993	--	39.13	21.88	--	17.25	160	4.8	1.7	1.6	3.6	8.95	--	PACE	--	m	
1/27/1994	--	39.13	22.33	--	16.80	92	2.1	<0.5	<0.5	<0.5	7.37	--	PACE	--	m	
1/27/1994	--	39.13	--	--	--	90	2.9	0.5	<0.5	<0.5	--	--	PACE	--	e	
4/21/1994	--	39.13	20.96	--	18.17	150	3.6	0.8	0.9	2.5	9.36	1.3	PACE	--	m	
9/9/1994	--	39.13	21.60	--	17.53	53	<0.5	<0.5	<0.5	<0.5	--	1.9	PACE	--	m	
12/21/1994	--	39.13	--	--	--	--	--	--	--	--	--	--	--	--	f	
1/30/1995	--	39.13	--	--	--	--	--	--	--	--	--	--	--	--	f	
4/10/1995	--	39.13	--	--	--	--	--	--	--	--	--	--	--	--	f	
6/29/1995	--	39.13	15.41	--	23.72	<50	<0.50	<0.50	<0.50	<1.0	--	8.0	ATI	--		
9/18/1995	--	39.13	17.83	--	21.30	--	--	--	--	--	--	--	--	--	--	
9/19/1995	--	39.13	--	--	--	61,000	11,000	2,900	4,100	13,000	790	7.4	ATI	--		
12/7/1995	--	39.13	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	ATI	--	e	
12/7/1995	--	39.13	19.27	--	19.86	<50	<0.50	<0.50	<0.50	<1.0	<5.0	3.4	ATI	--		
3/28/1996	--	39.13	13.85	--	25.28	<50	<0.5	<1	<1	<1	<10	4.1	SPL	--		
3/28/1996	--	39.13	--	--	--	<50	<0.5	<1	<1	<1	<10	--	SPL	--	e	
6/20/1996	--	39.13	14.47	--	24.66	<50	<0.5	<1	<1	<1	<10	4.2	SPL	--		
6/20/1996	--	39.13	--	--	--	<50	<0.5	<1	<1	<1	<10	--	SPL	--	e	
10/11/1996	--	39.13	--	--	--	<50	<0.5	<1.0	<1.0	<1.0	<10	--	SPL	--	e	
10/11/1996	--	39.13	17.97	--	21.16	<50	<0.5	<1.0	<1.0	<1.0	<10	4.7	SPL	--		
1/2/1997	--	39.13	13.00	--	26.13	<50	<0.5	<1.0	<1.0	<1.0	<10	5.6	SPL	--		
4/14/1997	--	39.13	14.36	--	24.77	<50	<0.5	<1.0	<1.0	<1.0	<10	5.0	SPL	--		
4/15/1997	--	39.13	--	--	--	<50	<0.5	<1.0	<1.0	<1.0	<10	--	SPL	--	e	
7/2/1997	--	39.13	15.87	--	23.26	<50	<0.5	<1.0	<1.0	<1.0	<10	5.4	SPL	--		
9/30/1997	--	39.13	17.50	--	21.63	<250	<2.5	<5.0	<5.0	<5.0	810	5.7	SPL	--		
1/21/1998	--	39.13	11.98	--	27.15	140	<0.5	<1.0	<1.0	<1.0	99	4.6	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-3 Cont.																
1/21/1998	--	39.13	--	--	--	150	<0.5	<1.0	<1.0	1.2	110	--	SPL	--	e	
4/9/1998	--	39.13	9.45	--	29.68	--	--	--	--	--	--	--	--	--	--	
4/10/1998	--	39.13	--	--	--	<50	<0.5	<1.0	1.4	1.7	<10	--	SPL	--	e	
4/10/1998	--	39.13	--	--	--	<50	<0.5	<1.0	<1.0	1.6	<10	4.5	SPL	--		
6/19/1998	--	39.13	12.13	--	27.00	<50	<0.5	<1.0	<1.0	<1.0	<10	4.4	SPL	--		
11/30/1998	--	39.13	15.91	--	23.22	--	--	--	--	--	--	--	--	--	--	
1/21/1999	--	39.13	15.93	--	23.20	<50	<1.0	<1.0	<1.0	<1.0	<1.0	--	SPL	--		
4/30/1999	--	39.13	15.98	--	23.15	--	--	--	--	--	--	--	--	--	--	
7/9/1999	--	39.13	14.58	--	24.55	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	39.13	17.43	--	21.70	--	--	--	--	--	--	--	--	--	--	
1/12/2000	--	39.13	18.30	--	20.83	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	PACE	--		
4/13/2000	--	39.13	18.89	--	20.24	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	39.13	18.67	--	20.46	--	--	--	--	--	--	--	--	--	--	
10/24/2000	--	39.13	18.98	--	20.15	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	39.13	16.74	--	22.39	--	--	--	--	--	--	--	--	--	--	
7/24/2001	--	39.13	18.55	--	20.58	--	--	--	--	--	--	--	--	--	--	
1/18/2002	--	39.13	14.49	--	24.64	--	--	--	--	--	--	--	--	--	--	
8/1/2002	--	39.13	14.27	--	24.86	--	--	--	--	--	--	--	--	--	--	
1/16/2003	--	39.13	14.25	--	24.88	--	--	--	--	--	--	--	--	--	--	
7/7/2003	--	39.13	14.70	--	24.43	--	--	--	--	--	--	--	--	--	--	
02/05/2004	--	39.13	14.61	--	24.52	--	--	--	--	--	--	--	--	--	--	
07/01/2004	--	39.13	15.62	--	23.51	--	--	--	--	--	--	--	--	--	--	
03/16/2005	P	39.13	12.70	--	26.43	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	SEQM	7.3		
07/22/2005	--	39.13	13.44	--	25.69	--	--	--	--	--	--	--	--	--	--	
01/25/2006	--	39.13	13.56	--	25.57	--	--	--	--	--	--	--	--	--	--	
7/6/2006	--	39.13	11.60	--	27.53	--	--	--	--	--	--	--	--	--	--	
1/8/2007	--	39.13	14.97	--	24.16	--	--	--	--	--	--	--	--	--	--	
7/10/2007	--	39.13	15.81	--	23.32	--	--	--	--	--	--	--	--	--	--	
AW-4																
4/5/1991	--	39.08	25.12	--	13.96	110,000	40,000	13,000	2,000	5,500	--	--	SUP	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-4 Cont.																
4/1/1992	--	39.08	--	--	--	210,000	55,000	23,000	2,900	7,000	--	--	APP	--	e	
4/1/1992	--	39.08	23.56	--	15.52	230,000	57,000	31,000	2,900	7,600	--	--	APP	--		
7/6/1992	--	39.08	25.87	--	13.21	38,000	16,000	5,400	2,000	6,100	--	--	ANA	--		
10/7/1992	--	39.08	27.53	--	11.55	120,000	41,000	26,000	4,700	13,000	--	--	ANA	--		
1/14/1993	--	39.08	24.12	--	14.96	62,000	18,000	14,000	2,700	7,700	1,400	--	PACE	--	c, m	
4/22/1993	--	39.08	21.47	--	17.61	18,000	1,100	2,100	320	3,500	--	--	PACE	--	m	
7/15/1993	--	39.08	23.30	--	15.78	21,000	820	2,300	590	3,800	1,978	--	PACE	--	c, m	
10/21/1993	--	39.08	25.08	--	14.00	11,000	570	83	630	2,300	4,600	--	PACE	--	c, m	
1/27/1994	--	39.08	24.61	--	14.47	12,000	420	460	600	2,200	6,400	--	PACE	--	c, m	
4/21/1994	--	39.08	22.96	--	16.12	12,000	110	250	150	1,900	16,010	1.5	PACE	--	c, m	
4/21/1994	--	39.08	--	--	--	14,000	71	160	29	1,200	13,000	--	PACE	--	c, e	
9/9/1994	--	39.08	23.85	--	15.23	9,700	75	64	280	2,000	--	2.1	PACE	--	m	
12/21/1994	--	39.08	--	--	--	--	--	--	--	--	--	--	--	--	f	
1/30/1995	--	39.08	--	--	--	--	--	--	--	--	--	--	--	--	f	
4/10/1995	--	39.08	18.07	--	21.01	3,700	69	8.7	44	130	--	8.5	ATI	--		
6/29/1995	--	39.08	19.25	--	19.83	8,000	62	190	190	1,100	--	7.5	ATI	--		
9/18/1995	--	39.08	20.73	--	18.35	--	--	--	--	--	--	--	--	--		
9/19/1995	--	39.08	--	--	--	12,000	660	1,600	200	1,900	7,100	8.3	ATI	--		
12/7/1995	--	39.08	22.49	--	16.59	41,000	8,400	7,200	710	6,300	5,200	3.6	ATI	--		
3/28/1996	--	39.08	16.49	--	22.59	--	--	--	--	--	--	--	--	--	f	
6/20/1996	--	39.08	16.00	--	23.08	<50	<0.5	<1	<1	<1	12	--	SPL	--		
10/11/1996	--	39.08	19.52	--	19.56	36,000	12,000	5,500	<25	3,800	880/1000	6.2	SPL	--	g	
1/2/1997	--	39.08	--	--	--	<50	61	3.8	3.5	8.1	110	--	SPL	--	e	
1/2/1997	--	39.08	15.80	--	23.28	<50	<0.5	<1.0	<1.0	<1.0	22	6.4	SPL	--		
4/14/1997	--	39.08	17.01	--	22.07	--	--	--	--	--	--	--	--	--		
4/15/1997	--	39.08	--	--	--	<50	<0.5	<1.0	<1.0	<1.0	<10	5.4	SPL	--		
7/2/1997	--	39.08	19.68	--	19.40	<50	21	<1.0	<1.0	<1.0	41	4.1	SPL	--		
9/30/1997	--	39.08	22.71	--	16.37	--	--	--	--	--	--	--	--	--	f	
1/21/1998	--	39.08	15.89	--	23.19	13,000	2,900	<10	230	314	3,100	3.9	SPL	--		
4/9/1998	--	39.08	13.50	--	25.58	--	--	--	--	--	--	--	--	--		
4/10/1998	--	39.08	--	--	--	890	<0.5	<1	<1	<1	730	4.9	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-4 Cont.																
6/19/1998	--	39.08	14.75	--	24.33	60	<0.5	<1.0	<1.0	<1.0	34	4.3	SPL	--		
11/30/1998	--	39.08	19.25	--	19.83	--	--	--	--	--	--	--	--	--	--	
1/21/1999	--	39.08	18.94	--	20.14	3,700	830	93	200	360	30	--	--	--	--	
4/30/1999	--	39.08	19.10	--	19.98	--	--	--	--	--	--	--	--	--	--	
7/9/1999	--	39.08	18.93	--	20.15	76,000	12,000	6,600	2,000	8,700	320	--	SPL	--		
11/3/1999	--	39.08	20.65	--	18.43	--	--	--	--	--	--	--	--	--	--	
1/12/2000	--	39.08	21.21	--	17.87	67,000	12,000	3,500	2,900	15,000	280	--	PACE	--		
4/13/2000	--	39.08	21.33	--	17.75	--	--	--	--	--	--	--	--	--	--	
5/24/2000	--	39.08	19.84	--	19.24	--	--	--	--	--	--	--	--	--	--	
6/1/2000	--	39.08	19.04	--	20.04	--	--	--	--	--	--	--	--	--	--	
6/8/2000	--	39.08	18.32	--	20.76	--	--	--	--	--	--	--	--	--	--	
6/15/2000	--	39.08	16.70	--	22.38	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	39.08	21.50	--	17.58	910	<0.5	<0.5	<0.5	<0.5	3,500	--	PACE	--		
10/24/2000	--	39.08	22.00	--	17.08	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	39.08	18.97	--	20.11	6,600	2,460	24	497	534	267	--	PACE	--		
7/24/2001	--	39.08	18.55	--	20.53	5,100	1,080	143	409	827	115	--	PACE	--		
1/18/2002	--	39.08	17.22	--	21.86	3,900	442	241	157	681	85.3	--	PACE	--		
8/1/2002	--	39.08	--	--	--	--	--	--	--	--	--	--	--	--	f	
1/16/2003	--	39.08	16.85	--	22.23	2,900	260	160	120	590	<120	--	SEQ	--	p	
7/7/2003	--	39.08	17.94	--	21.14	600	90	7.9	18	36	56	--	SEQ	--	q	
02/05/2004	--	39.08	16.94	--	22.14	420	40	3.1	15	27	40	--	SEQM	6.8		
07/01/2004	P	39.08	18.24	--	20.84	6,000	970	200	310	1,500	64	--	SEQM	6.7		
03/16/2005	P	39.08	16.16	--	22.92	3,600	71	31	200	870	23	0.6	SEQM	6.5		
07/22/2005	P	39.08	15.89	--	23.19	4,800	750	48	300	840	59	--	SEQM	6.7		
01/25/2006	P	39.08	15.48	--	23.60	<500	13	<5.0	14	62	12	--	SEQM	7.0		
7/6/2006	P	39.08	14.87	--	24.21	2,800	430	21	230	680	39	--	TAMC	6.7		
1/8/2007	P	39.08	16.48	--	22.60	190	6.6	<0.50	4.1	14	38	3.00	TAMC	6.80		
7/10/2007	P	39.08	17.95	--	21.13	160	2.7	<0.50	0.90	1.0	27	2.54	TAMC	7.19		
AW-5																
4/5/1991	--	38.51	25.48	--	13.03	420	31	7.5	20	68	--	--	SUP	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-5 Cont.																
4/1/1992	--	38.51	23.95	--	14.56	--	--	--	--	--	--	--	--	--	--	
4/2/1992	--	38.51	--	--	--	4,000	270	63	190	290	--	--	APP	--		
7/6/1992	--	38.51	26.48	--	12.03	1,400	160	<2.5	250	58	--	--	ANA	--		
10/7/1992	--	38.51	28.18	--	10.33	360	12	0.6	8.7	5	--	--	ANA	--		
1/14/1993	--	38.51	24.15	--	14.36	1,700	270	7.5	130	62	--	--	PACE	--	m	
4/22/1993	--	38.51	22.43	--	16.08	2,700	780	30	220	180	--	--	PACE	--	m	
4/22/1993	--	38.51	--	--	--	3,500	780	29	240	210	--	--	PACE	--	m, e	
7/15/1993	--	38.51	--	--	--	1,300	68	8.3	64	99	<50	--	PACE	--	m, e	
7/15/1993	--	38.51	24.31	--	14.20	1,300	69	16	67	120	<50	--	PACE	--	m	
10/21/1993	--	38.51	26.05	--	12.46	510	9.6	1.5	17	45	75	--	PACE	--	c, m	
1/27/1994	--	38.51	26.42	--	12.09	420	3.3	<0.5	1	0.9	48.9	--	PACE	--	m	
4/21/1994	--	38.51	24.36	--	14.15	1,000	110	25	56	27	75	1.3	PACE	--	c, m	
9/9/1994	--	38.51	24.55	--	13.96	210	<0.5	<0.5	0.5	0.9	--	2.7	PACE	--	m	
12/21/1994	--	38.51	22.30	--	16.21	410	<0.5	20	4.3	1.4	114	1.1	PACE	--	m	
12/21/1994	--	38.51	--	--	--	340	<0.5	15	3.3	1.4	104	--	PACE	--	m, e	
1/30/1995	--	38.51	18.88	--	19.63	210	0.6	11	8.8	2	--	1.5	ATI	--		
4/10/1995	--	38.51	18.44	--	20.07	500	1.4	0.59	6.5	4.3	--	8.3	ATI	--		
6/29/1995	--	38.51	19.92	--	18.59	490	1.2	0.58	7.3	2.2	--	6.9	ATI	--	d	
9/18/1995	--	38.51	22.15	--	16.36	--	--	--	--	--	--	--	--	--	--	
9/19/1995	--	38.51	--	--	--	260	0.62	<0.50	3.1	1.1	110	8.2	ATI	--		
12/7/1995	--	38.51	23.75	--	14.76	60	<0.50	<0.50	<0.50	<1.0	210	4.3	ATI	--		
3/28/1996	--	38.51	17.76	--	20.75	<50	<0.5	<1	<1	<1	63	3.0	SPL	--		
6/20/1996	--	38.51	18.46	--	20.05	<50	<0.5	<1	<1	<1	<10	3.6	SPL	--		
10/11/1996	--	38.51	21.84	--	16.67	<50	<0.5	<1.0	<1.0	<1.0	<10	4.5	SPL	--		
1/2/1997	--	38.51	18.01	--	20.50	<50	<0.5	<1.0	<1.0	<1.0	<10	4.6	SPL	--		
4/14/1997	--	38.51	19.35	--	19.16	<50	<0.5	<1.0	<1.0	<1.0	<10	5.1	SPL	--		
7/2/1997	--	38.51	20.29	--	18.22	<50	<0.5	<1.0	<1.0	<1.0	<10	4.0	SPL	--		
9/30/1997	--	38.51	23.15	--	15.36	<250	<2.5	<5.0	<5.0	<5.0	1,300	6.3	SPL	--		
1/21/1998	--	38.51	17.33	--	21.18	6,100	<0.5	2.1	<1.0	<1.0	3,700	4.5	SPL	--		
4/9/1998	--	38.51	15.25	--	23.26	--	--	--	--	--	--	--	--	--	--	
4/10/1998	--	38.51	--	--	--	3,500	<0.5	<1.0	<1.0	<1.0	3,000	5.4	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-5 Cont.																
6/19/1998	--	38.51	17.39	--	21.12	3,300	<0.5	<1.0	<1.0	<1.0	2,500	5.2	SPL	--		
11/30/1998	--	38.51	--	--	--	--	--	--	--	--	--	--	--	--	f	
1/21/1999	--	38.51	21.22	--	17.29	2,800	<1.0	<1.0	<1.0	<1.0	1,800	--	SPL	--		
4/30/1999	--	38.51	21.50	--	17.01	--	--	--	--	--	--	--	--	--	--	
7/9/1999	--	38.51	20.15	--	18.36	4,000	<1.0	<1.0	<1.0	<1.0	3400/3500	--	SPL	--	g	
11/3/1999	--	38.51	22.04	--	16.47	--	--	--	--	--	--	--	--	--	--	
1/12/2000	--	38.51	22.59	--	15.92	1,000	7.3	30	6.7	40	4,600	--	PACE	--	j (TPH-g/GRO)	
4/13/2000	--	38.51	23.11	--	15.40	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	38.51	22.72	--	15.79	1,800	94	35	5.9	27	16,000	--	PACE	--		
10/24/2000	--	38.51	20.15	--	18.36	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	38.51	19.79	--	18.72	2,600	<0.5	<0.5	<0.5	<0.5	4,580	--	PACE	--		
7/24/2001	--	38.51	20.17	--	18.34	5,400	18.4	17.2	<12.5	40.8	5,170	--	PACE	--		
1/18/2002	--	38.51	17.34	--	21.17	3,800	343	0.738	<0.5	<1.0	3,750	--	PACE	--		
8/1/2002	--	38.51	19.49	--	19.02	5,300	<12.5	<12.5	<12.5	<25	3,470	--	PACE	--		
1/16/2003	--	38.51	17.30	--	21.21	1,400	140	<10	<10	<10	1,600	--	SEQ	--	p	
7/7/2003	--	38.51	18.43	--	20.08	1,400	<10	<10	<10	<10	980	--	SEQ	--	q	
02/05/2004	--	38.51	17.24	--	21.27	1,800	<10	<10	<10	<10	810	--	SEQM	6.7		
07/01/2004	P	38.51	19.43	--	19.08	1,100	<5.0	<5.0	<5.0	<5.0	550	--	SEQM	6.6		
03/16/2005	P	38.51	15.30	--	23.21	<5,000	<50	<50	<50	130	890	2.1	SEQM	6.7		
07/22/2005	P	38.51	17.22	--	21.29	<500	5.2	<5.0	<5.0	6.9	390	--	SEQM	6.6		
01/25/2006	P	38.51	15.28	--	23.23	<500	<5.0	<5.0	<5.0	<5.0	26	--	SEQM	7.0		
7/6/2006	P	38.51	15.93	--	22.58	220	<5.0	<5.0	<5.0	<5.0	170	--	TAMC	6.5		
1/8/2007	P	38.51	17.90	--	20.61	170	<2.5	<2.5	<2.5	<2.5	220	5.22	TAMC	6.84		
7/10/2007	P	38.51	19.00	--	19.51	350	<2.5	<2.5	<2.5	<2.5	360	1.96	TAMC	7.02		
AW-6																
4/5/1991	--	37.08	22.48	--	14.60	1,100	80	19	1.4	230	--	--	SUP	--		
4/1/1992	--	37.08	22.50	--	14.58	--	--	--	--	--	--	--	--	--		
4/2/1992	--	37.08	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	APP	--		
7/6/1992	--	37.08	22.74	--	14.34	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
10/7/1992	--	37.08	24.64	--	12.44	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-6 Cont.																
1/14/1993	--	37.08	22.36	--	14.72	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
4/22/1993	--	37.08	22.82	--	14.26	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
7/15/1993	--	37.08	20.49	--	16.59	<50	<0.5	<0.5	<0.5	0.8	<5.0	--	PACE	--	m	
10/21/1993	--	37.08	22.84	--	14.24	<50	0.5	0.6	<0.5	0.7	<5.0	--	PACE	--	m	
1/27/1994	--	37.08	22.33	--	14.75	<50	<0.5	0.9	3.1	12	<5.0	--	PACE	--	m	
4/21/1994	--	37.08	20.66	--	16.42	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.7	PACE	--	m	
9/9/1994	--	37.08	21.57	--	15.51	<50	0.9	<0.5	<0.5	0.5	--	2.9	PACE	--	m	
12/21/1994	--	37.08	19.40	--	17.68	<50	1.8	0.8	0.8	3.2	5.19	1.1	PACE	--	m	
1/30/1995	--	37.08	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	--	--	ATI	--	e	
1/30/1995	--	37.08	16.74	--	20.34	<50	<0.50	<0.50	<0.50	<1.0	--	2.2	ATI	--		
4/10/1995	--	37.08	16.01	--	21.07	<50	<0.50	<0.50	<0.50	<1.0	--	8.6	ATI	--		
6/29/1995	--	37.08	17.54	--	19.54	<50	<0.50	<0.50	<0.50	<1.0	--	6.3	ATI	--		
9/18/1995	--	37.08	19.65	--	17.43	--	--	--	--	--	--	--	--	--	--	
9/19/1995	--	37.08	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	25	8.3	ATI	--		
12/7/1995	--	37.08	20.35	--	16.73	<50	<0.50	<0.50	<0.50	<1.0	16	4.7	ATI	--		
3/28/1996	--	37.08	14.99	--	22.09	<50	<0.5	<1	<1	<1	<10	4.0	SPL	--		
6/20/1996	--	37.08	15.59	--	21.49	<50	<0.5	<1	<1	<1	<10	4.6	SPL	--		
10/11/1996	--	37.08	19.09	--	17.99	<50	<0.5	<1.0	<1.0	<1.0	<10	5.3	SPL	--		
1/2/1997	--	37.08	15.11	--	21.97	<50	<0.5	<1.0	<1.0	<1.0	<10	5.5	SPL	--		
4/14/1997	--	37.08	16.25	--	20.83	<50	<0.5	<1.0	<1.0	<1.0	<10	3.9	SPL	--		
7/2/1997	--	37.08	17.99	--	19.09	<50	<0.5	<1.0	<1.0	<1.0	<10	5.2	SPL	--		
9/30/1997	--	37.08	20.50	--	16.58	<50	<0.5	<1.0	<1.0	<1.0	<10	6.0	SPL	--		
1/21/1998	--	37.08	15.72	--	21.36	160	<0.5	<1.0	<1.0	<1.0	110	5.0	SPL	--		
4/9/1998	--	37.08	13.31	--	23.77	--	--	--	--	--	--	--	--	--		
4/10/1998	--	37.08	--	--	--	370	<0.5	<1.0	<1.0	<1.0	300	4.3	SPL	--		
6/19/1998	--	37.08	15.18	--	21.90	830	2	<1.0	<1.0	<1.0	690	4.0	SPL	--		
11/30/1998	--	37.08	--	--	--	--	--	--	--	--	--	--	--	--	f	
1/21/1999	--	37.08	15.78	--	21.30	2,300	<1.0	<1.0	<1.0	<1.0	1,900	--	SPL	--		
4/30/1999	--	37.08	16.01	--	21.07	--	--	--	--	--	--	--	--	--		
7/9/1999	--	37.08	17.63	--	19.45	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	37.08	18.42	--	18.66	--	--	--	--	--	--	--	--	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-6 Cont.																
1/12/2000	--	37.08	19.92	--	17.16	<50	<0.5	<0.5	<0.5	<0.5	2,700	--	PACE	--		
4/13/2000	--	37.08	19.87	--	17.21	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	37.08	19.99	--	17.09	--	--	--	--	--	--	--	--	--	--	
10/24/2000	--	37.08	18.12	--	18.96	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	37.08	17.04	--	20.04	2,700	<0.5	<0.5	<0.5	<0.5	4,850	--	PACE	--		
7/24/2001	--	37.08	17.83	--	19.25	--	--	--	--	--	--	--	--	--	--	
1/18/2002	--	37.08	15.54	--	21.54	5,500	614	<0.5	<0.5	<1.0	5,390	--	PACE	--		
8/1/2002	--	37.08	16.98	--	20.10	--	--	--	--	--	--	--	--	--	--	
1/16/2003	--	37.08	15.05	--	22.03	2,900	<20	<20	<20	63	2,500	--	SEQ	--	p	
7/7/2003	--	37.08	16.58	--	20.50	--	--	--	--	--	--	--	--	--	--	
02/05/2004	--	37.08	15.84	--	21.24	7,000	<50	<50	<50	<50	5,400	--	SEQM	6.7		
07/01/2004	P	37.08	17.91	--	19.17	9,600	<50	<50	<50	<50	4,600	--	SEQM	6.5		
03/16/2005	P	37.08	16.04	--	21.04	6,700	<25	<25	<25	<25	4,400	3.0	SEQM	6.8		
07/22/2005	P	37.08	14.20	--	22.88	<5,000	<50	<50	<50	<50	5,500	--	SEQM	6.7		
01/25/2006	P	37.08	14.17	--	22.91	<5,000	<50	<50	<50	<50	3,000	--	SEQM	7.0		
7/6/2006	P	37.08	14.82	--	22.26	3,100	<50	<50	<50	<50	2,800	--	TAMC	6.5		
1/8/2007	P	37.08	15.72	--	21.36	5100	<50	<50	<50	<50	7400	3.18	TAMC	6.78		
7/10/2007	P	37.08	16.99	--	20.09	3,700	<100	<100	<100	<100	3,900	2.09	TAMC	6.83	w	
AW-7																
4/5/1991	--	37.60	23.38	--	14.22	<50	0.4	0.7	<0.3	<0.3	--	--	SUP	--		
4/1/1992	--	37.60	21.92	--	15.68	--	--	--	--	--	--	--	--	--		
4/2/1992	--	37.60	--	--	--	<50	<0.5	3.2	1	5.4	--	--	APP	--		
7/6/1992	--	37.60	24.50	--	13.10	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
10/7/1992	--	37.60	26.18	--	11.42	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
1/14/1993	--	37.60	22.03	--	15.57	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
4/22/1993	--	37.60	21.18	--	16.42	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
7/15/1993	--	37.60	22.09	--	15.51	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	m	
10/21/1993	--	37.60	24.05	--	13.55	51	5	4.2	3.5	8.2	<5.0	--	PACE	--	m	
1/27/1994	--	37.60	23.40	--	14.20	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	m	
4/21/1994	--	37.60	22.24	--	15.36	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.5	PACE	--	m	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-7 Cont.																
9/9/1994	--	37.60	22.94	--	14.66	<50	<0.5	<0.5	<0.5	0.5	--	4.3	PACE	--	m	
12/21/1994	--	37.60	20.86	--	16.74	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.2	PACE	--	m	
1/30/1995	--	37.60	17.51	--	20.09	<50	<0.50	<0.50	<0.50	<1.0	--	2.7	ATI	--		
4/10/1995	--	37.60	16.69	--	20.91	<50	<0.50	<0.50	<0.50	<1.0	--	4.8	ATI	--		
6/29/1995	--	37.60	18.33	--	19.27	<50	<0.50	<0.50	<0.50	<1.0	--	7.6	ATI	--		
9/18/1995	--	37.60	20.68	--	16.92	--	--	--	--	--	--	--	--	--	--	
9/19/1995	--	37.60	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	5.1	ATI	--		
12/7/1995	--	37.60	22.15	--	15.45	<50	<0.50	<0.50	<0.50	<1.0	<5.0	5.2	ATI	--		
3/28/1996	--	37.60	16.38	--	21.22	<50	<0.5	<1	<1	<1	<10	3.9	SPL	--		
6/20/1996	--	37.60	17.02	--	20.58	<50	<0.5	<1	<1	<1	<10	5.0	SPL	--		
10/11/1996	--	37.60	20.47	--	17.13	<50	<0.5	<1.0	<1.0	<1.0	<10	6.3	SPL	--		
1/2/1997	--	37.60	16.70	--	20.90	<50	<0.5	<1.0	<1.0	<1.0	<10	6.2	SPL	--		
4/14/1997	--	37.60	17.96	--	19.64	<50	<0.5	<1.0	<1.0	<1.0	<10	5.0	SPL	--		
7/2/1997	--	37.60	19.11	--	18.49	<50	<0.5	<1.0	<1.0	<1.0	<10	5.4	SPL	--		
9/30/1997	--	37.60	22.97	--	14.63	<250	<2.5	<5.0	<5.0	<5.0	1,100	6.5	SPL	--		
1/21/1998	--	37.60	16.50	--	21.10	<50	<0.5	<1.0	<1.0	<1.0	<10	4.9	SPL	--		
4/9/1998	--	37.60	13.56	--	24.04	<50	<0.5	<1.0	<1.0	<1.0	<10	4.9	SPL	--		
6/19/1998	--	37.60	15.41	--	22.19	<50	<0.5	<1.0	<1.0	<1.0	<10	4.4	SPL	--		
11/30/1998	--	37.60	18.90	--	18.70	--	--	--	--	--	--	--	--	--	--	
1/21/1999	--	37.60	18.39	--	19.21	--	--	--	--	--	--	--	--	--	--	
4/30/1999	--	37.60	18.54	--	19.06	--	--	--	--	--	--	--	--	--	--	
7/9/1999	--	37.60	17.98	--	19.62	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	37.60	20.22	--	17.38	--	--	--	--	--	--	--	--	--	--	
1/12/2000	--	37.60	19.46	--	18.14	--	--	--	--	--	--	--	--	--	--	
4/13/2000	--	37.60	19.59	--	18.01	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	37.60	19.69	--	17.91	--	--	--	--	--	--	--	--	--	--	
10/24/2000	--	37.60	18.78	--	18.82	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	f	
7/25/2001	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	f	
1/18/2002	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	o	
8/1/2002	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	o	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-7 Cont.																
1/16/2003	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	--	o
7/7/2003	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	--	o
02/05/2004	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	--	o
07/01/2004	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	--	o
03/16/2005	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	--	o
07/22/2005	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	--	o
01/25/2006	--	37.60	--	--	--	--	--	--	--	--	--	--	--	--	--	o
AW-8																
4/5/1991	--	40.86	26.68	--	14.18	80	1.9	2.2	0.5	1.3	--	--	SUP	--		
4/1/1992	--	40.86	25.11	--	15.75	73	<0.5	0.7	<0.5	0.6	--	--	APP	--		
7/6/1992	--	40.86	26.43	--	14.43	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
10/7/1992	--	40.86	28.59	--	12.27	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
1/14/1993	--	40.86	25.55	--	15.31	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
4/22/1993	--	40.86	22.29	--	18.57	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
7/15/1993	--	40.86	23.42	--	17.44	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	m	
10/21/1993	--	40.86	25.15	--	15.71	<50	1.9	1.8	1.3	3.3	<5.0	--	PACE	--	m	
1/27/1994	--	40.86	25.42	--	15.44	<50	<0.5	0.5	0.6	8.5	<5.0	--	PACE	--	m	
4/21/1994	--	40.86	24.14	--	16.72	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.5	PACE	--	m	
9/9/1994	--	40.86	24.55	--	16.31	<50	<0.5	<0.5	<0.5	<0.5	--	2.4	PACE	--	m	
12/21/1994	--	40.86	22.72	--	18.14	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.1	PACE	--	m	
1/30/1995	--	40.86	19.75	--	21.11	<50	<0.50	1	<0.50	1	--	0.8	ATI	--		
4/10/1995	--	40.86	17.78	--	23.08	<50	<0.50	<0.50	<0.50	<1.0	--	8.3	ATI	--		
6/29/1995	--	40.86	18.18	--	22.68	<50	<0.50	<0.50	<0.50	<1.0	--	8.3	ATI	--		
9/18/1995	--	40.86	20.20	--	20.66	--	--	--	--	--	--	--	--	--	--	
9/19/1995	--	40.86	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	7.7	ATI	--		
12/7/1995	--	40.86	21.54	--	19.32	<50	<0.50	<0.50	<0.50	<1.0	<5.0	4.4	ATI	--		
3/28/1996	--	40.86	15.77	--	25.09	<50	<0.5	<1	<1	<1	<10	3.8	SPL	--		
6/20/1996	--	40.86	16.41	--	24.45	<50	<0.5	<1	<1	<1	<10	3.6	SPL	--		
10/11/1996	--	40.86	19.90	--	20.96	<50	<0.5	<1.0	<1.0	<1.0	<10	6.4	SPL	--		
1/2/1997	--	40.86	15.89	--	24.97	<50	<0.5	<1.0	<1.0	<1.0	<10	5.9	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-8 Cont.																
4/14/1997	--	40.86	17.07	--	23.79	<50	<0.5	<1.0	<1.0	<1.0	<10	4.6	SPL	--		
7/2/1997	--	40.86	18.67	--	22.19	<50	<0.5	<1.0	<1.0	<1.0	<10	5.6	SPL	--		
9/30/1997	--	40.86	22.52	--	18.34	<50	<5	<10	<10	<10	820	6.7	SPL	--		
1/21/1998	--	40.86	16.01	--	24.85	<50	<0.5	<1.0	<1.0	<1.0	<10	5.2	SPL	--		
4/9/1998	--	40.86	11.18	--	29.68	<50	<0.5	<1.0	<1.0	<1.0	<10	4.4	SPL	--		
6/19/1998	--	40.86	13.01	--	27.85	<50	<0.5	<1.0	<1.0	<1.0	<10	4.1	SPL	--		
11/30/1998	--	40.86	17.46	--	23.40	--	--	--	--	--	--	--	--	--	--	
1/21/1999	--	40.86	17.47	--	23.39	--	--	--	--	--	--	--	--	--	--	
4/30/1999	--	40.86	17.60	--	23.26	--	--	--	--	--	--	--	--	--	--	
7/9/1999	--	40.86	16.50	--	24.36	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	40.86	19.29	--	21.57	--	--	--	--	--	--	--	--	--	--	
1/12/2000	--	40.86	21.49	--	19.37	--	--	--	--	--	--	--	--	--	--	
4/13/2000	--	40.86	21.60	--	19.26	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	40.86	21.53	--	19.33	--	--	--	--	--	--	--	--	--	--	
10/24/2000	--	40.86	19.37	--	21.49	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	40.86	18.60	--	22.26	--	--	--	--	--	--	--	--	--	--	
7/24/2001	--	40.86	18.22	--	22.64	--	--	--	--	--	--	--	--	--	--	
1/18/2002	--	40.86	16.29	--	24.57	--	--	--	--	--	--	--	--	--	--	
8/1/2002	--	40.86	17.25	--	23.61	--	--	--	--	--	--	--	--	--	--	
1/16/2003	--	40.86	15.82	--	25.04	--	--	--	--	--	--	--	--	--	--	
7/7/2003	--	40.86	18.55	--	22.31	--	--	--	--	--	--	--	--	--	--	
02/05/2004	--	40.86	--	--	--	--	--	--	--	--	--	--	--	--	t	
07/01/2004	--	40.86	18.25	--	22.61	--	--	--	--	--	--	--	--	--	t	
03/16/2005	P	40.86	15.20	--	25.66	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.5	SEQM	7.3		
07/22/2005	--	40.86	--	--	--	--	--	--	--	--	--	--	--	--	f	
01/25/2006	--	40.86	--	--	--	--	--	--	--	--	--	--	--	--	f	
7/6/2006	--	40.86	13.05	--	27.81	--	--	--	--	--	--	--	--	--	--	
1/8/2007	--	40.86	16.57	--	24.29	--	--	--	--	--	--	--	--	--	--	
7/10/2007	--	40.86	17.73	--	23.13	--	--	--	--	--	--	--	--	--	--	
AW-9																

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
AW-9 Cont.																
1/2/1997	--	37.78	10.00	--	27.78	<50	<0.5	<1.0	<1.0	<1.0	<10	6.7	SPL	--		
4/14/1997	--	37.78	--	--	--	--	--	--	--	--	--	--	--	--	f	
7/2/1997	--	37.78	12.71	--	25.07	<50	<0.5	<1.0	<1.0	<1.0	<10	6.0	SPL	--		
9/30/1997	--	37.78	21.22	--	16.56	<50	<0.5	<1.0	<1.0	<1.0	<10	6.8	SPL	--		
1/21/1998	--	37.78	10.26	--	27.52	<50	<0.5	<1.0	<1.0	<1.0	<10	5.3	SPL	--		
4/9/1998	--	37.78	6.77	--	31.01	<50	<0.5	<1.0	<1.0	<1.0	<10	5.6	SPL	--		
6/19/1998	--	37.78	8.96	--	28.82	<50	<0.5	<1.0	<1.0	<1.0	<10	4.8	SPL	--		
1/8/2007	--	37.78	17.35	--	20.43	--	--	--	--	--	--	--	--	--	--	
7/10/2007	--	37.78	18.65	--	19.13	--	--	--	--	--	--	--	--	--	--	
MW-1																
4/5/1991	--	34.46	--	--	--	--	--	--	--	--	--	--	--	--	--	
4/1/1992	--	34.46	11.25	--	23.21	--	--	--	--	--	--	--	--	--	--	
7/6/1992	--	34.46	13.61	--	20.85	--	--	--	--	--	--	--	--	--	--	
10/7/1992	--	34.46	15.15	--	19.31	--	--	--	--	--	--	--	--	--	--	
1/14/1993	--	34.46	10.73	--	23.73	--	--	--	--	--	--	--	--	--	--	
4/22/1993	--	34.46	11.64	--	22.82	--	--	--	--	--	--	--	--	--	--	
7/15/1993	--	34.46	13.50	--	20.96	--	--	--	--	--	--	--	--	--	--	
10/21/1993	--	34.46	15.21	--	19.25	--	--	--	--	--	--	--	--	--	--	
1/27/1994	--	34.46	17.48	--	16.98	--	--	--	--	--	--	--	--	--	--	
4/21/1994	--	34.46	10.94	--	23.52	110,000	1,400	9,100	3,400	30,000	11,000	1.6	PACE	--	c	
9/9/1994	--	34.46	13.80	--	20.66	--	--	--	--	--	--	--	--	--	--	
12/21/1994	--	34.46	12.60	--	21.86	--	--	--	--	--	--	--	--	--	--	
1/30/1995	--	34.46	--	--	--	--	--	--	--	--	--	--	--	--		
4/10/1995	--	34.46	10.62	--	23.84	--	--	--	--	--	--	--	--	--	--	
6/29/1995	--	34.46	18.72	--	15.74	--	--	--	--	--	--	--	--	--	--	
9/18/1995	--	34.46	12.92	--	21.54	--	--	--	--	--	--	--	--	--	--	
12/7/1995	--	34.46	13.82	--	20.64	--	--	--	--	--	--	--	--	--	--	
3/28/1996	--	34.46	10.03	--	24.43	--	--	--	--	--	--	--	--	--	--	
6/20/1996	--	34.46	11.29	--	23.17	--	--	--	--	--	--	--	--	--	--	
10/11/1996	--	34.46	14.86	--	19.60	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-1 Cont.																
1/2/1997	--	34.46	11.03	--	23.43	--	--	--	--	--	--	--	--	--	--	
4/14/1997	--	34.46	12.25	--	22.21	--	--	--	--	--	--	--	--	--	--	
4/15/1997	--	34.46	--	--	--	35,000	130	650	1,700	8,200	4,800	--	SPL	--		
7/2/1997	--	34.46	14.11	--	20.35	42,000	<250	<500	2,000	9,600	<5000	5.5	SPL	--		
9/30/1997	--	34.46	14.40	--	20.06	61,000	130	1,100	2,700	14,600	2,000	6.7	SPL	--		
1/21/1998	--	34.46	7.99	--	26.47	14,000	11	60	310	1,790	1,300	4.5	SPL	--		
4/9/1998	--	34.46	7.89	--	26.57	--	--	--	--	--	--	--	--	--	--	
4/10/1998	--	34.46	--	--	--	45,000	380	520	2,100	6,800	9,300	5.3	SPL	--		
6/19/1998	--	34.46	10.31	--	24.15	35,000	170	100	1,100	3,590	5,000	4.9	SPL	--		
11/30/1998	--	34.46	11.16	--	23.30	10,000	100	24	350	1,040	1800/2800	--	SPL	--	g	
1/21/1999	--	34.46	10.76	--	23.70	18,000	120	37	590	1,800	2,700	--	SPL	--		
4/30/1999	--	34.46	10.78	--	23.68	17,000	240	89	1,100	1,900	1,600	--	SPL	--		
7/9/1999	--	34.46	12.62	--	21.84	58,000	140	100	1,800	6,900	1,200	--	SPL	--		
11/3/1999	--	34.46	14.00	--	20.46	20,000	62	42	620	2,100	630	--	PACE	--		
1/12/2000	--	34.46	15.25	--	19.21	72,000	110	120	2,400	8,200	630	--	PACE	--		
4/13/2000	--	34.46	15.57	--	18.89	37,000	300	32	1,000	1,700	810	--	PACE	--		
5/24/2000	--	34.46	11.75	--	22.71	--	--	--	--	--	--	--	--	--	--	
6/1/2000	--	34.46	11.41	--	23.05	--	--	--	--	--	--	--	--	--	--	
6/8/2000	--	34.46	11.68	--	22.78	--	--	--	--	--	--	--	--	--	--	
6/15/2000	--	34.46	11.85	--	22.61	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	34.46	16.19	--	18.27	10,000	480	210	470	710	1,100	--	PACE	--		
10/24/2000	--	34.46	13.89	--	20.57	9,900	31	7.2	550	1,200	4,400	--	PACE	--		
1/19/2001	--	34.46	12.90	--	21.56	57,000	199	7.66	1,170	3,260	514	--	PACE	--		
7/24/2001	--	34.46	13.55	--	20.91	27,000	96.7	<5.0	548	1,460	285	--	PACE	--		
1/18/2002	--	34.46	10.91	--	23.55	25,000	150	31.5	597	1,040	138	--	PACE	--		
8/1/2002	--	34.46	12.97	--	21.49	25,000	80.2	17.7	714	1,280	489	--	PACE	--		
1/16/2003	--	34.46	10.45	--	24.01	22,000	170	110	630	670	<500	--	SEQ	--	p	
7/7/2003	--	34.46	12.40	--	22.06	9,900	42	<5.0	160	150	24	--	SEQ	--	q, u	
02/05/2004	--	34.46	10.26	--	24.20	6,200	56	11	250	210	9.2	--	SEQM	6.9		
07/01/2004	--	34.46	13.20	--	21.26	18,000	<50	<50	210	300	<50	--	SEQM	--	u	
03/16/2005	P	34.46	9.62	--	24.84	7,600	33	5.4	200	130	<5.0	0.9	SEQM	6.9		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-1 Cont.																
07/22/2005	P	34.46	11.23	--	23.23	15,000	<10	<10	110	130	<10	--	SEQM	6.8	u	
01/25/2006	P	34.46	8.75	--	25.71	8,300	8.4	4.8	130	120	<2.5	--	SEQM	7.3	u	
7/6/2006	P	34.46	10.36	--	24.10	5,100	<2.5	<2.5	16	12	<2.5	--	TAMC	6.9		
1/8/2007	P	34.46	11.55	--	22.91	2700	4.6	0.66	35	27	2.1	1.83	TAMC	6.92		
7/10/2007	P	34.46	13.01	SHEEN	21.45	1,800	1.9	<0.50	13	4.8	2.4	2.16	TAMC	7.04		
MW-2																
4/5/1991	--	35.50	16.62	--	18.88	<50	0.6	0.9	<0.3	<0.3	--	--	SUP	--		
4/1/1992	--	35.50	11.25	--	24.25	--	--	--	--	--	--	--	--	--		
4/2/1992	--	35.50	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	APP	--		
7/6/1992	--	35.50	12.72	--	22.78	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
10/7/1992	--	35.50	15.08	--	20.42	<50	<0.5	1.8	<0.5	2.3	--	--	ANA	--		
1/14/1993	--	35.50	9.69	--	25.81	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	m	
4/22/1993	--	35.50	10.46	--	25.04	<50	<0.5	<0.5	<0.5	<0.5	30	--	PACE	--	c	
7/15/1993	--	35.50	12.02	--	23.48	<50	<0.5	<0.5	<0.5	<0.5	21.7	--	PACE	--	c, m	
10/21/1993	--	35.50	13.12	--	22.38	<50	0.7	0.9	<0.5	0.9	14.9	--	PACE	--	m	
1/27/1994	--	35.50	12.01	--	23.49	<50	0.6	<0.5	<0.5	<0.5	11.5	--	PACE	--	m	
4/21/1994	--	35.50	10.60	--	24.90	<50	<0.5	<0.5	<0.5	<0.5	11.4	1.1	PACE	--	m	
9/9/1994	--	35.50	12.42	--	23.08	<50	<0.5	<0.5	<0.5	0.6	--	2.2	PACE	--	m	
12/21/1994	--	35.50	10.85	--	24.65	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.2	PACE	--	m	
1/30/1995	--	35.50	8.38	--	27.12	<50	<0.50	<0.50	<0.50	<1.0	--	1.7	ATI	--		
4/10/1995	--	35.50	9.00	--	26.50	<50	<0.50	<0.50	<0.50	<1.0	--	7.8	ATI	--		
6/29/1995	--	35.50	9.91	--	25.59	<50	<0.50	<0.50	<0.50	<1.0	--	9.1	ATI	--		
9/18/1995	--	35.50	10.98	--	24.52	--	--	--	--	--	--	--	--	--		
9/19/1995	--	35.50	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	7.2	ATI	--		
12/7/1995	--	35.50	12.30	--	23.20	<50	<0.50	<0.50	<0.50	<1.0	<5.0	2.4	ATI	--		
3/28/1996	--	35.50	8.57	--	26.93	<50	<0.5	<1	<1	<1	<10	3.2	SPL	--		
6/20/1996	--	35.50	9.77	--	25.73	<50	<0.5	<1	<1	<1	<10	4.2	SPL	--		
10/11/1996	--	35.50	13.32	--	22.18	<50	<0.5	<1.0	<1.0	<1.0	<10	6.3	SPL	--		
1/2/1997	--	35.50	9.60	--	25.90	<50	<0.5	<1.0	<1.0	<1.0	<10	6.7	SPL	--		
4/14/1997	--	35.50	10.93	--	24.57	<50	<0.5	<1.0	<1.0	<1.0	<10	5.7	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-2 Cont.																
7/2/1997	--	35.50	12.57	--	22.93	<50	<0.5	<1.0	<1.0	<1.0	<10	5.9	SPL	--		
9/30/1997	--	35.50	12.91	--	22.59	<50	<0.5	<1.0	<1.0	<1.0	<10	6.3	SPL	--		
1/21/1998	--	35.50	10.12	--	25.38	160	<0.5	<1.0	<1.0	<1.0	100	5.4	SPL	--		
4/9/1998	--	35.50	6.82	--	28.68	--	--	--	--	--	--	--	--	--	--	
4/10/1998	--	35.50	--	--	--	<50	1	<1.0	<1.0	<1.0	23	5.0	SPL	--		
6/19/1998	--	35.50	9.00	--	26.50	<50	<0.5	<1.0	<1.0	<1.0	<10	4.9	SPL	--		
11/30/1998	--	35.50	9.44	--	26.06	--	--	--	--	--	--	--	--	--	--	
1/21/1999	--	35.50	8.96	--	26.54	<50	<1.0	<1.0	<1.0	<1.0	1.9	--	SPL	--		
4/30/1999	--	35.50	9.15	--	26.35	--	--	--	--	--	--	--	--	--	--	
7/9/1999	--	35.50	10.82	--	24.68	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	35.50	11.86	--	23.64	--	--	--	--	--	--	--	--	--	--	
1/12/2000	--	35.50	12.35	--	23.15	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	PACE	--		
4/13/2000	--	35.50	13.01	--	22.49	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	35.50	13.01	--	22.49	--	--	--	--	--	--	--	--	--	--	
10/24/2000	--	35.50	11.57	--	23.93	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	35.50	10.52	--	24.98	--	--	--	--	--	--	--	--	--	--	
7/24/2001	--	35.50	11.13	--	24.37	--	--	--	--	--	--	--	--	--	--	
1/18/2002	--	35.50	8.85	--	26.65	--	--	--	--	--	--	--	--	--	--	
8/1/2002	--	35.50	10.47	--	25.03	--	--	--	--	--	--	--	--	--	--	
1/14/2003	--	35.50	8.49	--	27.01	--	--	--	--	--	--	--	--	--	--	
7/7/2003	--	35.50	9.63	--	25.87	--	--	--	--	--	--	--	--	--	--	
02/05/2004	--	35.50	8.40	--	27.10	--	--	--	--	--	--	--	--	--	--	
07/01/2004	NP	35.50	9.94	--	25.56	--	--	--	--	--	--	--	--	--	--	
03/16/2005	P	35.50	8.39	--	27.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.3	SEQM	7.1		
07/22/2005	--	35.50	8.80	--	26.70	--	--	--	--	--	--	--	--	--	--	
01/25/2006	--	35.50	7.85	--	27.65	--	--	--	--	--	--	--	--	--	--	
7/6/2006	--	35.50	8.33	--	27.17	--	--	--	--	--	--	--	--	--	--	
1/8/2007	--	35.50	9.35	--	26.15	--	--	--	--	--	--	--	--	--	--	
7/10/2007	--	35.50	10.45	--	25.05	--	--	--	--	--	--	--	--	--	--	
MW-3																

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-3 Cont.																
4/5/1991	--	36.53	17.84	--	18.69	<50	<0.3	<0.3	<0.3	<0.3	--	--	SUP	--		
4/1/1992	--	36.53	15.64	--	20.89	--	--	--	--	--	--	--	--	--	--	
4/2/1992	--	36.53	--	--	--	<50	1.4	<0.5	<0.5	<0.5	--	--	APP	--		
7/6/1992	--	36.53	19.03	--	17.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
10/7/1992	--	36.53	21.83	--	14.70	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--		
1/14/1993	--	36.53	15.96	--	20.57	350	<0.5	<0.5	<0.5	<0.5	714	--	PACE	--	c, m	
4/22/1993	--	36.53	16.20	--	20.33	2,800	<0.5	<0.5	<0.5	<0.5	3,600	--	PACE	--	c, m	
7/15/1993	--	36.53	16.82	--	19.71	1,400	1.2	<0.5	2	3.5	2,204	--	PACE	--	c, m	
10/21/1993	--	36.53	18.84	--	17.69	370	2.1	2.3	2.3	6	847	--	PACE	--	c, m	
1/27/1994	--	36.53	18.00	--	18.53	1,300	6.3	<0.5	<0.5	<0.5	3,892	--	PACE	--	c, m	
4/21/1994	--	36.53	16.62	--	19.91	2,000	<0.5	<0.5	<0.5	<0.5	3,864	1.4	PACE	--	c, m	
9/9/1994	--	36.53	18.38	--	18.15	1,300	<0.5	<0.5	0.5	1.2	--	3.0	PACE	--	m	
12/21/1994	--	36.53	15.28	--	21.25	420	16	0.7	3.5	5.9	800	1.9	PACE	--	m	
1/30/1995	--	36.53	12.62	--	23.91	<50	<0.50	<0.50	<0.50	<1.0	--	2.5	ATI	--		
4/10/1995	--	36.53	12.41	--	24.12	150	<0.50	<0.50	<0.50	<1.0	--	6.9	ATI	--		
6/29/1995	--	36.53	14.95	--	21.58	100	<0.50	<0.50	<0.50	<1.0	--	6.4	ATI	--	d (TPH-g)	
9/18/1995	--	36.53	15.82	--	20.71	--	--	--	--	--	--	--	--	--		
9/19/1995	--	36.53	--	--	--	82	<0.50	<0.50	<0.50	<1.0	260	7.0	ATI	--		
12/7/1995	--	36.53	17.09	--	19.44	<50	<0.50	<0.50	<0.50	<1.0	91	4.5	ATI	--		
3/28/1996	--	36.53	11.90	--	24.63	<50	<0.5	<1	<1	<1	230	4.2	SPL	--		
6/20/1996	--	36.53	12.66	--	23.87	260	<0.5	<1	<1	<1	370	4.4	SPL	--		
10/11/1996	--	36.53	16.23	--	20.30	330	<0.5	<1.0	<1.0	<1.0	440	5.8	SPL	--		
1/2/1997	--	36.53	12.17	--	24.36	<50	<0.5	<1.0	<1.0	<1.0	140	6.0	SPL	--		
4/14/1997	--	36.53	13.45	--	23.08	--	--	--	--	--	--	--	--	--		
4/15/1997	--	36.53	--	--	--	1,500	<0.5	<1.0	<1.0	<1.0	1,800	5.6	SPL	--		
7/2/1997	--	36.53	15.60	--	20.93	880	<0.5	<1.0	<1.0	<1.0	940	5.3	SPL	--		
9/30/1997	--	36.53	17.16	--	19.37	40,000	13,000	2,400	870	3,100	510	6.6	SPL	--		
1/21/1998	--	36.53	11.77	--	24.76	120	<0.5	<1.0	<1.0	<1.0	98	4.7	SPL	--		
4/9/1998	--	36.53	9.42	--	27.11	950	<0.5	<1.0	<1.0	<1.0	890	5.7	SPL	--		
6/19/1998	--	36.53	12.09	--	24.44	1,800	<0.5	<1.0	<1.0	<1.0	1,900	4.7	SPL	--		
6/19/1998	--	36.53	15.28	--	21.25	1,800	<0.5	<1.0	<1.0	<1.0	1,900	4.7	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-3 Cont.																
1/21/1999	--	36.53	14.67	--	21.86	1,100	<1.0	<1.0	<1.0	<1.0	1,200	--	SPL	--		
4/30/1999	--	36.53	16.00	--	20.53	--	--	--	--	--	--	--	--	--	--	
7/9/1999	--	36.53	14.64	--	21.89	470	<1.0	<1.0	<1.0	<1.0	460/470	--	SPL	--	g	
11/3/1999	--	36.53	16.39	--	20.14	--	--	--	--	--	--	--	--	--	--	
1/12/2000	--	36.53	16.80	--	19.73	<50	<0.5	<0.5	<0.5	<0.5	34	--	PACE	--		
4/13/2000	--	36.53	16.43	--	20.10	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	36.53	16.93	--	19.60	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	PACE	--		
10/24/2000	--	36.53	15.69	--	20.84	--	--	--	--	--	--	--	--	--	--	
1/19/2001	--	36.53	14.84	--	21.69	<50	<0.5	<0.5	<0.5	1	25.9	--	PACE	--		
7/23/2001	--	36.53	15.11	--	21.42	62	<0.5	<0.5	<0.5	<1.5	28.7	--	PACE	--		
1/18/2002	--	36.53	12.37	--	24.16	<50	<0.5	<0.5	<0.5	<1.0	17.8	--	PACE	--		
8/1/2002	--	36.53	14.44	--	22.09	66	<0.5	<0.5	<0.5	<1.0	<0.5	--	PACE	--		
1/16/2003	--	36.53	12.07	--	24.46	<50	<0.50	<0.50	<0.50	<0.50	20	--	SEQ	--	p	
7/7/2003	--	36.53	13.90	--	22.63	<50	<0.50	<0.50	<0.50	<0.50	8.8	--	SEQ	--	q	
02/05/2004	--	36.53	12.60	--	23.93	<50	<0.50	<0.50	<0.50	<0.50	4.6	--	SEQM	7.0		
07/01/2004	--	36.53	14.57	--	21.96	<50	<0.50	<0.50	<0.50	<0.50	3.3	--	SEQM	--		
03/16/2005	P	36.53	11.03	--	25.50	<50	<0.50	<0.50	<0.50	<0.50	4.4	1.5	SEQM	6.8		
07/22/2005	P	36.53	12.68	--	23.85	<50	<0.50	<0.50	<0.50	<0.50	4.1	--	SEQM	6.8		
01/25/2006	P	36.53	11.35	--	25.18	81	<0.50	<0.50	<0.50	<0.50	3.0	--	SEQM	6.9		
7/6/2006	P	36.53	11.47	--	25.06	<50	<0.50	<0.50	<0.50	<0.50	3.0	--	TAMC	6.9		
1/8/2007	P	36.53	12.92	--	23.61	<50	<0.50	<0.50	<0.50	<0.50	3.2	2.87	TAMC	7.12		
7/10/2007	P	36.53	14.46	--	22.07	<50	<0.50	<0.50	<0.50	<0.50	2.8	2.87	TAMC	7.25		
QC-2																
10/7/1992	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	ANA	--	i	
1/14/1993	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	i, m	
4/22/1993	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	i, m	
7/15/1993	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	i, m	
10/21/1993	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	i	
1/27/1994	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	i	
4/21/1994	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	i	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
QC-2 Cont.						<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	i	
9/9/1994	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	i	
12/21/1994	--	37.73	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	i	
1/30/1995	--	37.73	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	--	--	ATI	--	i	
4/10/1995	--	37.73	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	--	--	ATI	--	i	
6/27/1995	--	37.73	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	--	--	ATI	--	i	
9/19/1995	--	37.73	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	ATI	--	i	
12/7/1995	--	37.73	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	ATI	--	i	
3/28/1996	--	37.73	--	--	--	<50	<0.5	<1	<1	<1	<10	--	SPL	--	i	
6/20/1996	--	37.73	--	--	--	<50	<0.5	<1	<1	<1	<10	--	SPL	--	i	
RW-1																
4/5/1991	--	37.73	--	--	--	--	--	--	--	--	--	--	--	--	--	
4/1/1992	--	37.73	22.81	--	14.92	--	--	--	--	--	--	--	--	--	--	
7/6/1992	--	37.73	26.92	--	10.81	--	--	--	--	--	--	--	--	--	--	
10/7/1992	--	37.73	28.51	--	9.22	--	--	--	--	--	--	--	--	--	--	
1/14/1993	--	37.73	23.75	--	13.98	--	--	--	--	--	--	--	--	--	--	
4/22/1993	--	37.73	22.70	--	15.03	--	--	--	--	--	--	--	--	--	--	
7/15/1993	--	37.73	26.10	--	11.63	--	--	--	--	--	--	--	--	--	--	
10/21/1993	--	37.73	25.40	--	12.33	--	--	--	--	--	--	--	--	--	--	
1/27/1994	--	37.73	28.02	--	9.71	--	--	--	--	--	--	--	--	--	--	
4/21/1994	--	37.73	23.10	--	14.63	--	--	--	--	--	--	--	--	--	--	
9/9/1994	--	37.73	24.39	--	13.34	--	--	--	--	--	--	--	--	--	--	
12/21/1994	--	37.73	--	--	--	--	--	--	--	--	--	--	--	--	--	h
12/7/1995	--	37.73	25.71	--	12.02	150,000	34,000	35,000	4,300	21,000	2,700	--	ATI	--		
3/28/1996	--	37.73	16.75	--	20.98	--	--	--	--	--	--	--	--	--	--	
6/20/1996	--	37.73	25.10	--	12.63	--	--	--	--	--	--	--	--	--	--	h
10/11/1996	--	37.73	25.51	--	12.22	130,000	20,000	32,000	2,800	20,700	1400/1200	7.4	SPL	--	g	
1/2/1997	--	37.73	24.49	--	13.24	--	--	--	--	--	--	--	--	--	--	
4/14/1997	--	37.73	23.99	--	13.74	--	--	--	--	--	--	--	--	--	--	
4/15/1997	--	37.73	--	--	--	1,800,000	38,000	190,000	48,000	281,000	<25000	--	SPL	--		
7/2/1997	--	37.73	16.40	--	21.33	140,000	19,000	55,000	4,400	32,400	<10000	5.7	SPL	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
RW-1 Cont.																
7/2/1997	--	37.73	--	--	--	130,000	19,000	54,000	4,700	33,400	<10000	--	SPL	--	e	
9/30/1997	--	37.73	--	--	--	140,000	17,000	29,000	2,500	15,900	1,200	--	SPL	--	e	
9/30/1997	--	37.73	27.97	--	9.76	110,000	13,000	22,000	2,000	12,500	1,100	7.0	SPL	--		
1/21/1998	--	37.73	14.14	--	23.59	270,000	21,000	48,000	3,500	25,000	1,100	4.8	SPL	--		
4/9/1998	--	37.73	25.01	--	12.72	--	--	--	--	--	--	--	--	--	--	
4/10/1998	--	37.73	--	--	--	220,000	26,000	46,000	4,400	24,500	<2500	5.1	SPL	--		
6/19/1998	--	37.73	11.43	--	26.30	180,000	19,000	32,000	3,000	17,400	<2500	4.6	SPL	--		
11/30/1998	--	37.73	7.87	--	29.86	--	--	--	--	--	--	--	--	--	--	
1/21/1999	--	37.73	18.90	--	18.83	260,000	24,000	46,000	5,100	30,000	1,700	--	SPL	--		
7/9/1999	--	37.73	18.58	--	19.15	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	37.73	20.85	--	16.88	160,000	19,000	37,000	3,800	25,000	1,500	--	PACE	--		
1/12/2000	--	37.73	21.20	--	16.53	240,000	18,000	46,000	5,800	26,000	2,100	--	PACE	--		
4/13/2000	--	37.73	21.71	--	16.02	120,000	2,100	33,000	2,800	28,000	1,500	--	PACE	--		
5/24/2000	--	37.73	21.89	--	15.84	--	--	--	--	--	--	--	--	--	--	
6/1/2000	--	37.73	16.30	--	21.43	--	--	--	--	--	--	--	--	--	--	
6/8/2000	--	37.73	17.88	--	19.85	--	--	--	--	--	--	--	--	--	--	
6/15/2000	--	37.73	16.72	--	21.01	--	--	--	--	--	--	--	--	--	--	
6/20/2000	--	37.73	21.04	--	16.69	--	--	--	--	--	--	--	--	--	--	
7/7/2000	--	37.73	17.21	--	20.52	--	--	--	--	--	--	--	--	--	--	
7/20/2000	--	37.73	21.87	--	15.86	--	--	--	--	--	--	--	--	--	--	
7/26/2000	--	37.73	21.45	--	16.28	67,000	160	5,300	2,100	18,000	1,100	--	PACE	--		
7/31/2000	--	37.73	22.11	--	15.62	--	--	--	--	--	--	--	--	--	--	
8/8/2000	--	37.73	17.80	--	19.93	--	--	--	--	--	--	--	--	--	--	
8/16/2000	--	37.73	17.92	--	19.81	--	--	--	--	--	--	--	--	--	--	
8/23/2000	--	37.73	18.11	--	19.62	--	--	--	--	--	--	--	--	--	--	
10/24/2000	--	37.73	18.93	--	18.80	--	--	--	--	--	--	--	--	--	--	
10/25/2000	--	37.73	19.04	--	18.69	360,000	18,000	78,000	34,000	180,000	2,100	--	PACE	--	k	
1/19/2001	--	37.73	18.19	--	19.54	110,000	9,450	19,600	3,510	21,100	1,270	--	PACE	--		
7/24/2001	--	37.73	17.93	--	19.80	--	--	--	--	--	--	--	--	--	1	
1/18/2002	--	37.73	14.87	--	22.86	63,000	2,060	4,370	1,770	13,900	491	--	PACE	--		
8/1/2002	--	37.73	16.84	--	20.89	60,000	1,210	2,200	1,520	10,600	390	--	PACE	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
RW-1 Cont.																
1/16/2003	--	37.73	14.42	--	23.31	34,000	2,500	2,700	780	5,300	680	--	SEQ	--	p	
7/7/2003	--	37.73	16.11	--	21.62	50,000	640	280	1,600	10,000	<250	--	SEQ	--	q, u	
07/01/2004	P	37.73	16.75	--	20.98	47,000	320	87	1,900	7,500	72	--	SEQM	6.7		
03/16/2005	P	37.73	12.48	--	25.25	17,000	28	23	350	590	53	1.0	SEQM	6.8		
07/22/2005	P	37.73	14.40	--	23.33	5,900	50	35	120	220	51	--	SEQM	6.7	u	
01/25/2006	P	37.73	12.00	--	25.73	7,000	22	5.9	190	--	34	--	SEQM	7.1		
7/6/2006	P	37.73	13.01	--	24.72	16,000	37	14	470	230	64	--	TAMC	6.8		
1/8/2007	P	37.73	14.75	--	22.98	2400	16	10	56	54	22	3.61	TAMC	6.86		
7/10/2007	P	37.73	16.21	--	21.52	3,800	4.4	2.8	72	22	21	2.65	TAMC	6.98		
VEW-4																
07/22/2005	P	--	14.04	--	--	680	41	24	20	67	<0.50	--	SEQM	6.8		
VEW-5																
07/22/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	v	
VEW-8																
07/22/2005	P	--	14.24	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	6.8		

ABBREVIATIONS & SYMBOLS:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit

DO = Dissolved oxygen

DTW = Depth to water in ft bgs

ft bgs = Feet below ground surface

ft MSL = Feet above mean sea level

GRO = Gasoline range organics

GWE = Groundwater elevation in ft MSL

mg/L = Milligrams per liter

MTBE = Methyl tert-butyl ether

NP = Well not purged prior to sampling

P = Well purged prior to sampling

TOC = Top of casing in ft MSL

TPH-g = Total petroleum hydrocarbons as gasoline

µg/L = Micrograms per liter

ANA = Anametrix, Inc.

PACE = Pace, Inc.

ATI = Analytical Technologies, Inc.

CEI = Ceimic Corporation

SPL = Southern Petroleum Laboratories

SEQ/SEQM= Sequoia Analytical/Sequoia Morgan Hill Laboratories

FOOTNOTES:

c = A copy of the documentation for this data is included in Appendix C of Alistoreport 10-025-13-003.

d = MTBE peak. See documentation in Appendix C of Alisto report 10-025-13-003.

e = Blind duplicate.

f = Well inaccessible.

g = EPA Methods 8020/8260 used.

h = Well not monitored and/or sampled due to vapor extraction system.

i = Travel blank.

j = This gasoline does not include MTBE.

k = Well was sampled on a different date from the other wells due to lack of proper equipment.

l = Unable to sample due to nature of product.

m = A copy of the documentation for this data is included in Blaine Tech Services, Inc., Report 010724-B-2. The data for sampling events January 14, 1993 and April 22, 1993 has been destroyed. No chromatograms could be located for samples AW-2 on January 27, 1994, and for samples AW-1, AW-2, AW-3, AW-4, AW-5, AW-6, AW-7, AW-8, MW-2 and MW-3 on September 9, 1994.

n = On June 1, 2001, after reviewing chromatograms, Sequoia reported the value as <5.0.

o = Unable to locate well.

p = TPH-g data analyzed by EPA Method 8015B modified; BTEX and MTBE by EPA Method 8021B

q = TPH-g, BTEX, and MTBE analyzed by EPA method 8260B beginning on the third quarter 2003 sampling event 07/07/03.

r = Discrete peak at C5.

t = Well was not gauged during the quarter due to an oversite by the technician.

u = Sheen in well.

v = Well was dry.

w = Hydrocarbon result partly due to individ. peak(s) in quant. range.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

GWEs adjusted assuming a specific gravity of 0.75 for free product

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
AW-1									
7/7/2003	<5,000	<1,000	1,100	<25	<25	190	--	--	
02/05/2004	<10,000	<2,000	930	<50	<50	160	<50	<50	
07/01/2004	<5,000	<1,000	1,100	<25	<25	170	<25	<25	
03/16/2005	<5,000	<1,000	720	<25	<25	130	<25	<25	
07/22/2005	<1,000	<200	510	<5.0	<5.0	93	31	<5.0	
01/25/2006	<6,000	<400	490	<10	<10	94	21	<10	
7/6/2006	<6,000	<400	270	<10	<10	49	<10	<10	
1/8/2007	<3000	240	380	<5.0	<5.0	64	<5.0	--	
7/10/2007	<6,000	<400	220	<10	<10	36	<10	<10	
AW-2									
02/05/2004	<100	<20	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	
03/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/25/2006	<600	<40	12	<1.0	<1.0	1.0	<1.0	<1.0	
1/8/2007	<3000	<200	40	<5.0	<5.0	<5.0	<5.0	--	
AW-3									
03/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
AW-4									
7/7/2003	<1,000	<200	56	<5.0	<5.0	<5.0	--	--	
02/05/2004	<200	<40	40	<1.0	<1.0	3.7	<1.0	<1.0	
07/01/2004	<1,000	<200	64	<5.0	<5.0	9.6	<5.0	<5.0	
03/16/2005	<500	<100	23	<2.5	<2.5	<2.5	<2.5	<2.5	
07/22/2005	<2,000	<400	59	<10	<10	<10	<10	<10	
01/25/2006	<3,000	<200	12	<5.0	<5.0	<5.0	<5.0	<5.0	
7/6/2006	<3,000	<5.0	39	<5.0	<5.0	<5.0	<5.0	<5.0	
1/8/2007	<300	<20	38	<0.50	<0.50	6.2	<0.50	--	
7/10/2007	<300	<20	27	<0.50	<0.50	4.2	<0.50	<0.50	
AW-5									
7/7/2003	<2,000	1,200	980	<10	<10	210	--	--	
02/05/2004	<2,000	1,200	810	<10	<10	160	<10	<10	

Table 2. Summary of Fuel Additives Analytical Data

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
AW-5 Cont.									
07/01/2004	<1,000	1,600	550	<5.0	<5.0	94	<5.0	<5.0	
03/16/2005	<10,000	2,100	890	<50	<50	190	<50	<50	
07/22/2005	<1,000	370	390	<5.0	<5.0	78	<5.0	<5.0	
01/25/2006	<3,000	580	26	<5.0	<5.0	5.2	<5.0	<5.0	
7/6/2006	<3,000	240	170	<5.0	<5.0	37	<5.0	<5.0	
1/8/2007	<1500	240	220	<2.5	<2.5	51	<2.5	--	
7/10/2007	<1,500	110	360	<2.5	<2.5	92	<2.5	<2.5	
AW-6									
02/05/2004	<10,000	<2,000	5,400	<50	<50	1,800	<50	<50	
07/01/2004	<10,000	<2,000	4,600	<50	<50	1,600	<50	<50	
03/16/2005	<5,000	<1,000	4,400	<25	<25	1,400	<25	<25	
07/22/2005	<10,000	<2,000	5,500	<50	<50	1,400	<50	<50	
01/25/2006	<30,000	<2,000	3,000	<50	<50	940	<50	<50	
7/6/2006	<30,000	<2,000	2,800	<50	<50	780	<50	<50	
1/8/2007	<30000	<2000	7400	<50	<50	1900	<50	--	
7/10/2007	<60,000	<4,000	3,900	<100	<100	890	<100	<100	
AW-7									
AW-8									
03/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	a
MW-1									
7/7/2003	<1,000	<200	24	<5.0	<5.0	<5.0	--	--	
02/05/2004	<1,000	<200	9.2	<5.0	<5.0	<5.0	<5.0	<5.0	
07/01/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
03/16/2005	<1,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
07/22/2005	<2,000	<400	<10	<10	<10	<10	<10	<10	
01/25/2006	<1,500	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	
7/6/2006	<1,500	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	
1/8/2007	<300	<20	2.1	<0.50	<0.50	<0.50	<0.50	--	
7/10/2007	<300	<20	2.4	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data

Station #11133, 2220 98th Ave., Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2									
03/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
7/7/2003	<100	<20	8.8	<0.50	<0.50	0.65	--	--	
02/05/2004	<100	<20	4.6	<0.50	<0.50	<0.50	<0.50	<0.50	
07/01/2004	<100	<20	3.3	<0.50	<0.50	<0.50	<0.50	<0.50	
03/16/2005	<100	<20	4.4	<0.50	<0.50	<0.50	<0.50	<0.50	
07/22/2005	<100	<20	4.1	<0.50	<0.50	<0.50	<0.50	<0.50	
01/25/2006	<300	<20	3.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/6/2006	<300	<50	3.0	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2007	<300	<20	3.2	<0.50	<0.50	<0.50	<0.50	--	
7/10/2007	<300	<20	2.8	<0.50	<0.50	<0.50	<0.50	<0.50	
RW-1									
7/7/2003	<50,000	<10,000	<250	<250	<250	<250	--	--	
07/01/2004	<10,000	<2,000	72	<50	<50	<50	<50	<50	
03/16/2005	<2,000	<400	53	<10	<10	<10	<10	<10	
07/22/2005	<500	<100	51	<2.5	<2.5	5.6	<2.5	<2.5	
01/25/2006	<3,000	<200	34	<5.0	<5.0	<5.0	<5.0	<5.0	
7/6/2006	<6,000	<400	64	<10	<10	<10	<10	<10	
1/8/2007	<6000	<400	22	<10	<10	<10	<10	--	
7/10/2007	<600	<40	21	<1.0	<1.0	<1.0	<1.0	<1.0	
VEW-4									
07/22/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
VEW-5									
VEW-8									
07/22/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

ABBREVIATIONS & SYMBOLS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
1,2-DCA = 1,2-Dichloroethane
DIPE = Di-isopropyl ether
EDB = 1,2-Dibromoethane
ETBE = Ethyl tert-butyl ether
MTBE = Methyl tert-butyl ether
TAME = tert-Amyl methyl ether
TBA = tert-Butyl alcohol
µg/L = Micrograms per Liter

FOOTNOTES:

a = Calibration verification for ethanol is within method limits but outside contractual limits.

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient**Station #11133, 2220 98th Ave., Oakland, CA**

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
1/25/2006	Variable: East to Southwest	0.03 to 0.09
7/6/2006	Variable: East to W towards Center	0.04 to 0.05
1/8/2007	Variable: East to W towards Center	0.03 to 0.05
7/10/2007	West	0.01

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

**STRATUS GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, LABORATORY REPORT
AND CHAIN-OF-CUSTODY DOCUMENTATION)**



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

July 26, 2007

Mr. Rob Miller
Broadbent & Associates, Inc.
2000 Kirman Avenue
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 11133, located at 2220 98th Avenue, Oakland, California

General Information

Data Submittal Prepared / Reviewed by: Sandy Hayes / Jay Johnson

Phone Number: (530) 676-6000

On-Site Supplier Representative: Jerry Gonzales

Sampling Date: July 10, 2007

Arrival: 11:00 *Departure:* 15:45

Weather Conditions: Clear

Unusual Field Conditions: None

Scope of Work Performed: Quarterly monitoring and sampling

Variations from Work Scope: Well AW-7 could not be located. A Stratus technician will visit the site to try to locate.

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include bill of lading, field data sheets, chain of custody documentation, and certified analytical results. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.

Jay R. Johnson, P.G.
Project Manager



Attachments:

- Bill of Lading
- Field Data Sheets
- Chain of Custody Documentation
- Certified Analytical Results

CC: Mr. Paul Supple, BP/ARCO

NO. 662240

NON-HAZARDOUS WASTE DATA FORM

SITE:

EPA
I.D.
NO.

NOT REQUIRED

NAME: BP WEST COAST PRODUCTS LLC ARCO # 11133

ADDRESS: P.O. BOX 80249
RANCHO SANTA MARGARITAPROFILE
NO.

CITY, STATE, ZIP: CA 92689

PHONE NO.: (714) 750-1111

CONTAINERS: No. VOLUME 214 WEIGHT

TYPE: TANK TRUCK DUMP TRUCK DRUMS CARTONS OTHERWASTE DESCRIPTION: **NON-HAZARDOUS WATER**
COMPONENTS OF WASTEGENERATING PROCESS: **WELL PURGING/DECON WATER**
COMPONENTS OF WASTE

1. WATER 99-100%

5. _____

2. TPH <1%

6. _____

3. _____

7. BEST#

4. _____

8. _____

PROPERTIES: SOLID LIQUID SLUDGE SLURRY OTHERHANDLING INSTRUCTIONS: **WEAR ALL APPROPRIATE PROTECTIVE CLOTHING**THE GENERATOR CERTIFIES THAT THE
WASTE AS DESCRIBED IS 100%
NON-HAZARDOUS.*Larry Moonhart*
Larry Moonhart, BEST for BP
TYPED OR PRINTED FULL NAME & SIGNATURE

7/16/03

DATE

Transporter #1
NAME: STRATUS ENVIRONMENTAL

Transporter #2

EPA
I.D.
NO.

DATE

ADDRESS: 3330 CAMERON PARK DRIVE STE 550

SERVICE ORDER NO.

CITY, STATE, ZIP: CAMERON PARK CA 95682

PICK UP DATE

PHONE NO. 530-676-6004

7/16/03

TRUCK, UNIT, I.D. NO.

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

NAME: SEAPORT REFINING & ENVIRONMENTAL, LLC

EPA
I.D.
NO.

DISPOSAL METHOD

ADDRESS: 700 SEAPORT BLVD.

 LANDFILL OTHER

CITY, STATE, ZIP: REDWOOD CITY, CA 94063

PHONE NO. 650-354-1024

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O	RF/CD	HWDF	NONE	DISCREPANCY

BP ALAMEDA PORTFOLIO

HYDROLOGIC DATA SHEET

100

DP 15:145

Gauge Date: 7-10-13

Project Name: *Oakland - 2220 98th Avenue*

Field Technician: 246

Project Number: 11133

TOC = Top of Well Casing Elevation

DTP = Depth to Free Product (FP or NAPH) Below TOC

DTW = Depth to Groundwater Below TOC

DTW = Depth to Groundwater Below TOC

DIA = Well Casing Diameter

ELEV = Groundwater Elevation

DUP = Duplicate

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #:	11133	PURGED BY:	<i>J.W.</i>	WELL I.D.:	<i>N.W. 1</i>		
CLIENT NAME:		SAMPLED BY:	<i>J.W.</i>	SAMPLE I.D.:	<i>N.W. 1</i>		
LOCATION:	Oakland - 2220 98th Avenue			QA SAMPLES:			
DATE PURGED	<i>7/10/07</i>	START (2400hr)	<i>12:47</i>	END (2400hr)	<i>12:59</i>		
DATE SAMPLED	<i>7/10/07</i>	SAMPLE TIME (2400hr)	<i>12:55</i>				
SAMPLE TYPE:	Groundwater <input checked="" type="checkbox"/>	Surface Water		Treatment Effluent			
CASING DIAMETER:	2" <input checked="" type="checkbox"/>	3" <input type="checkbox"/>	4" <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	8" <input type="checkbox"/>	Other <input type="checkbox"/>
Casing Volume: (gallons per foot)	<i>(0.17)</i>	<i>(0.38)</i>	<i>(0.67)</i>	<i>(1.02)</i>	<i>(1.50)</i>	<i>(2.60)</i>	<i>()</i>
DEPTH TO BOTTOM (feet) =	<i>28.18</i>			CASING VOLUME (gal) =	<i>2.5</i>		
DEPTH TO WATER (feet) =	<i>13.07</i>			CALCULATED PURGE (gal) =	<i>6.7</i>		
WATER COLUMN HEIGHT (feet) =	<i>15.1</i>			ACTUAL PURGE (gal) =	<i>6.0</i>		
FIELD MEASUREMENTS							
DATE	TIME (2400hr)	VOLUME (gal)	TEMP (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<i>7/10/07</i>	<i>13:48</i>	<i>2.5</i>	<i>73.9</i>	<i>649</i>	<i>6.82</i>	<i>Clear</i>	
<i>7/10/07</i>	<i>13:49</i>	<i>5.5</i>	<i>73.3</i>	<i>622</i>	<i>6.92</i>	<i>Cloudy</i>	
<i>7/10/07</i>	<i>13:50</i>	<i>8.0</i>	<i>23.4</i>	<i>682</i>	<i>7.04</i>	<i>Cloudy</i>	
SAMPLE INFORMATION							
SAMPLE DEPTH TO WATER:	<i>14.60</i>			SAMPLE TURBIDITY: <i>Clear</i>			
80% RECHARGE:	<input checked="" type="checkbox"/> YES	NO	ANALYSES: <i>Set water order</i>				
ODOR:	<i>Yes</i>						
	SAMPLE VESSEL / PRESERVATIVE: <i>3 Vol-HCl</i>						
PURGING EQUIPMENT				SAMPLING EQUIPMENT			
Bladder Pump	Bailer (Teflon)	Bladder Pump	Bailer (Teflon)				
<input checked="" type="checkbox"/> Centrifugal Pump	Bailer (PVC)	<input checked="" type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (PVC or <input checked="" type="checkbox"/> disposable)				
Submersible Pump	Bailer (Stainless Steel)	Submersible Pump	Bailer (Stainless Steel)				
Peristaltic Pump	Dedicated	Peristaltic Pump	Dedicated				
Other:		Other:					
Pump Depth:	<i>25</i>						
WELL INTEGRITY:				LOCK#:			
REMARKS:	<i>CT Show tank well</i>						
Do 2:16							
SIGNATURE:	<i>[Signature]</i>			Page <input type="text"/> of <input type="text"/>			

BP ALAMEDA PORTFOLIO
WATER SAMPLE FIELD DATA SHEET

PROJECT #: <u>11133</u>	PURGED BY: <u>J.C.</u>	WELL I.D.: <u>MW-3</u>					
CLIENT NAME:	SAMPLED BY: <u>J.C.</u>	SAMPLE I.D.: <u>MW-3</u>					
LOCATION: <u>Oakland - 2220 98th Avenue</u>	QA SAMPLES: _____						
DATE PURGED <u>7/10/07</u>	START (2400hr) <u>14:08</u>	END (2400hr) <u>14:10</u>					
DATE SAMPLED <u>7/10/07</u>	SAMPLE TIME (2400hr) <u>14:10</u>						
SAMPLE TYPE: <u>Groundwater</u> <input checked="" type="checkbox"/>	<u>Surface Water</u> <input type="checkbox"/>	<u>Treatment Effluent</u> <input type="checkbox"/>					
<u>Treatment Effluent</u> <input type="checkbox"/>	<u>Other</u> <input type="checkbox"/>						
CASING DIAMETER: <u>2"</u>	<u>3"</u>	<u>4"</u>	<u>5"</u>	<u>6"</u>	<u>8"</u>	Other _____	
Casing Volume: (gallons per foot)	(0.17)	(0.38)	(0.67)	(1.02)	(1.50)	(2.60)	
DEPTH TO BOTTOM (feet) = <u>54.00</u>	CASING VOLUME (gal) = <u>3.1</u>						
DEPTH TO WATER (feet) = <u>16.27</u>	CALCULATED PURGE (gal) = <u>10.0</u>						
WATER COLUMN HEIGHT (feet) = <u>19.6</u>	ACTUAL PURGE (gal) = <u>10.5</u>						
FIELD MEASUREMENTS							
DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>7/10/07</u>	<u>14:08</u>	<u>3.1</u>	<u>71.2</u>	<u>435.6</u>	<u>7.3</u>	<u>Clear</u>	
<u>7/10/07</u>	<u>14:09</u>	<u>3.1</u>	<u>71.2</u>	<u>417.5</u>	<u>7.3</u>	<u>+</u>	
<u>7/10/07</u>	<u>14:10</u>	<u>10.5</u>	<u>71.5</u>	<u>411.2</u>	<u>7.3</u>	<u>+</u>	
SAMPLE INFORMATION							
SAMPLE DEPTH TO WATER: <u>16.27</u>	SAMPLE TURBIDITY: <u>Clear</u>						
80% RECHARGE: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	ANALYSES: <u>See work order</u>						
ODOR: <u>Yes</u>	SAMPLE VESSEL / PRESERVATIVE: <u>3 Vac-Jars</u>						
PURGING EQUIPMENT				SAMPLING EQUIPMENT			
<input checked="" type="checkbox"/> Bladder Pump	Bailer (Teflon)	<input checked="" type="checkbox"/> Bladder Pump	Bailer (Teflon)				
<input checked="" type="checkbox"/> Centrifugal Pump	Bailer (PVC)	<input checked="" type="checkbox"/> Centrifugal Pump	Bailer (PVC or <input checked="" type="checkbox"/> disposable)				
<input checked="" type="checkbox"/> Submersible Pump	Bailer (Stainless Steel)	<input checked="" type="checkbox"/> Submersible Pump	Bailer (Stainless Steel)				
<input checked="" type="checkbox"/> Peristaltic Pump	Dedicated	<input checked="" type="checkbox"/> Peristaltic Pump	Dedicated				
Other: _____	Other: _____						
Pump Depth: <u>10</u>							
WELL INTEGRITY: <u>Good</u>	LOCK #: <u>Master</u>						
REMARKS: <u>DO 2.83</u>							
SIGNATURE: <u>[Signature]</u>				Page <u>1</u> of <u>1</u>			

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 11133	PURGED BY: <i>JG</i>	WELL I.D.: <i>11133</i>					
CLIENT NAME:	SAMPLED BY: <i>JG</i>	SAMPLE I.D.: <i>11133</i>					
LOCATION: Oakland - 2220 98th Avenue	QA SAMPLES: _____						
DATE PURGED <i>7-10-07</i>	START (2400hr) <i>14:25</i>	END (2400hr) <i>14:28</i>					
DATE SAMPLED <i>7-10-07</i>	SAMPLE TIME (2400hr) <i>14:40</i>						
SAMPLE TYPE: Groundwater <input checked="" type="checkbox"/>	Surface Water <input type="checkbox"/>	Treatment Effluent <input type="checkbox"/>					
CASING DIAMETER: 2" <input checked="" type="checkbox"/>	3" <input type="checkbox"/>	4" <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	8" <input type="checkbox"/>	Other <input type="checkbox"/>	
Casing Volume: (gallons per foot)	(0.17)	(0.38)	(0.67)	(1.02)	(1.50)	(2.60)	
DEPTH TO BOTTOM (feet) =	<i>28.40</i>		CASING VOLUME (gal) =		<i>3.5</i>		
DEPTH TO WATER (feet) =	<i>17.30</i>		CALCULATED PURGE (gal) =		<i>10.7</i>		
WATER COLUMN HEIGHT (feet) =	<i>21.1</i>		ACTUAL PURGE (gal) =		<i>11.0</i>		
FIELD MEASUREMENTS							
DATE <i>7-10-07</i>	TIME (2400hr) <i>14:26</i>	VOLUME (gal) <i>3.5</i>	TEMP. (degrees F) <i>25.1</i>	CONDUCTIVITY ($\mu\text{mhos/cm}$) <i>808</i>	pH (units) <i>6.99</i>	COLOR (visual) <i>clear</i>	TURBIDITY (NTU) <i>0</i>
	<i>14:27</i>	<i>3.5</i>	<i>25.2</i>	<i>876</i>	<i>6.97</i>	<i>1</i>	<i>0</i>
	<i>14:28</i>	<i>11.0</i>	<i>25.2</i>	<i>888</i>	<i>6.90</i>	<i>1</i>	<i>0</i>
SAMPLE INFORMATION							
SAMPLE DEPTH TO WATER: <i>17.63</i>	ANALYSES: <i>See next order</i>				SAMPLE TURBIDITY: <i>clear</i>		
80% RECHARGE: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO							
ODOR: <i>yes</i>	SAMPLE VESSEL / PRESERVATIVE: <i>5000-Acc</i>						
PURGING EQUIPMENT				SAMPLING EQUIPMENT			
Bladder Pump <input checked="" type="checkbox"/>	Bailer (Teflon) <input type="checkbox"/>	Bladder Pump <input checked="" type="checkbox"/>	Bailer (Teflon) <input checked="" type="checkbox"/>				
Centrifugal Pump <input type="checkbox"/>	Bailer (PVC) <input type="checkbox"/>	Centrifugal Pump <input type="checkbox"/>	Bailer (PVC or <input checked="" type="checkbox"/> disposable) <input type="checkbox"/>				
Submersible Pump <input type="checkbox"/>	Bailer (Stainless Steel) <input type="checkbox"/>	Submersible Pump <input type="checkbox"/>	Bailer (Stainless Steel) <input type="checkbox"/>				
Peristaltic Pump <input type="checkbox"/>	Dedicated <input type="checkbox"/>	Peristaltic Pump <input type="checkbox"/>	Dedicated <input type="checkbox"/>				
Other: _____	Other: _____						
Pump Depth: <i>35</i>							
WELL INTEGRITY: <i>good</i>	LOCK #: <i>M876</i>						
REMARKS: <i>Do 1.79</i>							
SIGNATURE: <i>[Signature]</i>	Page <input type="text"/> of <input type="text"/>						

BP ALAMEDA PORTFOLIO
WATER SAMPLE FIELD DATA SHEET

PROJECT #: 11133 PURGED BY: *S* WELL I.D.: *A-104*
CLIENT NAME: SAMPLED BY: *S* SAMPLE I.D.: *A-W-4*
LOCATION: Oakland - 2220 98th Avenue QA SAMPLES:

DATE PURGED 7/10/87 START (2400hr) 12:32 END (2400hr) 12:36
DATE SAMPLED 7/10/87 SAMPLE TIME (2400hr) 12:45
SAMPLE TYPE: Groundwater x Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" 3" 4" 5" 6" 8" Other
 Casing Volume: (gallons per foot) 2" (0.17) 3" (0.38) 4" (0.67) 5" (1.02) 6" (1.50) 8" (2.60) Other

DEPTH TO BOTTOM (feet) = 32.63 Casing Volume (gal) = 7.5
DEPTH TO WATER (feet) = 19.95 CALCULATED PURGE (gal) = 7.5
WATER COLUMN HEIGHT (feet) = 14.7 ACTUAL PURGE (gal) = 8.0

FIELD MEASUREMENTS

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 12 ft SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: *System review 0182*

ODOR: BP SAMPLE VESSEL (PRESERVATIVE): G-109-H-61

PURGING EQUIPMENT

 Bladder Pump	 Bailer (Teflon)
 Centrifugal Pump	 Bailer (PVC)
 Submersible Pump	 Bailer (Stainless Steel)
 Peristaltic Pump	 Dedicated

Other:

SAMPLING EQUIPMENT

<input type="checkbox"/> Bladder Pump	Bailer (Teflon)
<input checked="" type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (PVC or <input checked="" type="checkbox"/> disposable)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Peristaltic Pump	<input type="checkbox"/> Dedicated

Other:

WELL INTEGRITY: *Good*

LOCK #4: *Mead*

REMARKS- DQ 3-54

SIGNATURE: _____ Page ____ of ____

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #:	11133	PURGED BY:	<i>J.C.</i>	WELL I.D.:	<i>AW-5</i>			
CLIENT NAME:		SAMPLED BY:	<i>J.C.</i>	SAMPLE I.D.:	<i>AW-5</i>			
LOCATION:	Oakland - 2220 98th Avenue			QA SAMPLES:				
DATE PURGED	<i>7/10/07</i>	START (2400hr)	<i>12:55</i>	END (2400hr)	<i>13:09</i>			
DATE SAMPLED	<i>7/10/07</i>	SAMPLE TIME (2400hr)	<i>13:10</i>					
SAMPLE TYPE:	Groundwater <input checked="" type="checkbox"/>	Surface Water <input type="checkbox"/>	Treatment Effluent <input type="checkbox"/>	Other <input type="checkbox"/>				
CASING DIAMETER:	2" <input type="checkbox"/>	3" <input type="checkbox"/>	4" <input checked="" type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	8" <input type="checkbox"/>	Other <input type="checkbox"/>	
Casing Volume: (gallons per foot)	(0.17)	(0.38)	(0.67)	(1.02)	(1.50)	(2.60)	()	
DEPTH TO BOTTOM (feet) =	<i>42.80</i>			CASING VOLUME (gal) =	<i>16.0</i>			
DEPTH TO WATER (feet) =	<i>19.00</i>			CALCULATED PURGE (gal) =	<i>48.0</i>			
WATER COLUMN HEIGHT (feet) =	<i>23.8</i>			ACTUAL PURGE (gal) =	<i>48.5</i>			
FIELD MEASUREMENTS								
DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)	
<i>7/10/07</i>	<i>12:58</i>	<i>160</i>	<i>71.7</i>	<i>624</i>	<i>7.8</i>	<i>Clear</i>		
<i>/</i>	<i>13:01</i>	<i>373</i>	<i>71.8</i>	<i>622</i>	<i>7.06</i>	<i>+</i>		
<i>/</i>	<i>13:04</i>	<i>495</i>	<i>72.1</i>	<i>567</i>	<i>5.02</i>	<i>+</i>		
SAMPLE INFORMATION								
SAMPLE DEPTH TO WATER:	<i>23.18</i>			SAMPLE TURBIDITY:	<i>Clear</i>			
80% RECHARGE:	<input checked="" type="checkbox"/> YES	NO	ANALYSES: <i>Water sample analysis pending</i>					
ODOR:	<i>yes</i>		SAMPLE VESSEL / PRESERVATIVE: <i>2 liter HDPE</i>					
PURGING EQUIPMENT				SAMPLING EQUIPMENT				
<input checked="" type="checkbox"/> Bladder Pump	Bailer (Teflon)	<input checked="" type="checkbox"/> Bladder Pump	Bailer (Teflon)					
<input checked="" type="checkbox"/> Centrifugal Pump	Bailer (PVC)	<input checked="" type="checkbox"/> Centrifugal Pump	Bailer (PVC or <input checked="" type="checkbox"/> disposable)					
<input checked="" type="checkbox"/> Submersible Pump	Bailer (Stainless Steel)	<input checked="" type="checkbox"/> Submersible Pump	Bailer (Stainless Steel)					
<input checked="" type="checkbox"/> Peristaltic Pump	Dedicated	<input checked="" type="checkbox"/> Peristaltic Pump	Dedicated					
Other:		Other:						
Pump Depth:	<i>25</i>							
WELL INTEGRITY:	<i>Good</i>			LOCK#:	<i>Mast er</i>			
REMARKS:	<i>DO 196</i>							
SIGNATURE:	<i>[Signature]</i>							
Page <input type="text"/> of <input type="text"/>								

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #:	11133	PURGED BY:	<i>Jc</i>	WELL I.D.:	<i>AV-6</i>		
CLIENT NAME:		SAMPLED BY:	<i>J</i>	SAMPLE I.D.:	<i>AV-6</i>		
LOCATION:	Oakland - 2220 98th Avenue			QA SAMPLES:			
DATE PURGED	<i>7/10/07</i>	START (2400hr)	<i>13:15</i>	END (2400hr)	<i>13:24</i>		
DATE SAMPLED	<i>7/10/07</i>	SAMPLE TIME (2400hr)	<i>13:35</i>				
SAMPLE TYPE:	Groundwater <input checked="" type="checkbox"/>	Surface Water		Treatment Effluent			
CASING DIAMETER:	2"	3"	<input checked="" type="checkbox"/> 4"	5"	6"	8"	Other
Casing Volume: (gallons per foot)	(0.17)	(0.38)	(0.67)	(1.02)	(1.50)	(2.60)	()
DEPTH TO BOTTOM (feet) =	<i>34.00</i>			CASING VOLUME (gal) =	<i>11.3</i>		
DEPTH TO WATER (feet) =	<i>16.79</i>			CALCULATED PURGE (gal) =	<i>31.1</i>		
WATER COLUMN HEIGHT (feet) =	<i>17.0</i>			ACTUAL PURGE (gal) =	<i>34.5</i>		
FIELD MEASUREMENTS							
DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<i>7/10/07</i>	<i>13:18</i>	<i>11.3</i>	<i>72.8</i>	<i>396</i>	<i>7.07</i>	<i>clear</i>	
	<i>13:21</i>	<i>22.6</i>	<i>74.0</i>	<i>417.2</i>	<i>6.22</i>		
	<i>13:24</i>	<i>34.5</i>	<i>73.8</i>	<i>418.1</i>	<i>6.83</i>		
SAMPLE INFORMATION							
SAMPLE DEPTH TO WATER:	<i>20.31</i>			SAMPLE TURBIDITY:	<i>clear</i>		
80% RECHARGE:	<input checked="" type="checkbox"/> YES	NO	ANALYSES:	<i>see work order</i>			
ODOR:	<i>none</i>						
SAMPLE VESSEL / PRESERVATIVE:							
PURGING EQUIPMENT				SAMPLING EQUIPMENT			
Bladder Pump	Bailer (Teflon)	Bladder Pump	Bailer (Teflon)				
Centrifugal Pump	Bailer (PVC)	Centrifugal Pump	Bailer (PVC or <input checked="" type="checkbox"/> disposable)				
Submersible Pump	Bailer (Stainless Steel)	Submersible Pump	Bailer (Stainless Steel)				
Peristaltic Pump	Dedicated	Peristaltic Pump	Dedicated				
Other:		Other:					
Pump Depth:	<i>30</i>						
WELL INTEGRITY:	<i>Good</i>			LOCK#:	<i>Morley</i>		
REMARKS:	<i>Do 2.09</i>						
SIGNATURE:	<i>[Signature]</i>						
	Page <i>1</i> of <i>1</i>						

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #: <u>11133</u>	PURGED BY: <u>30</u>	WELL I.D.: <u>RW-1</u>					
CLIENT NAME: _____	SAMPLED BY: <u>26</u>	SAMPLE I.D.: <u>RW-1</u>					
LOCATION: <u>Oakland - 2220 98th Avenue</u>	QA SAMPLES: _____						
DATE PURGED <u>7/10/07</u>	START (2400hr) <u>14:50</u>	END (2400hr) <u>15:30</u>					
DATE SAMPLED <u>7/10/07</u>	SAMPLE TIME (2400hr) <u>15:25</u>						
SAMPLE TYPE: <u>Groundwater</u> <input checked="" type="checkbox"/>	<u>Surface Water</u> <input type="checkbox"/>	<u>Treatment Effluent</u> <input type="checkbox"/>					
<u>Treatment Effluent</u> <input type="checkbox"/>	<u>Other</u> <input type="checkbox"/>						
CASING DIAMETER: <u>2"</u>	<u>3"</u>	<u>4"</u>	<u>5"</u>	<u>6"</u>	<u>8"</u>	Other <u>()</u>	
Casing Volume: (gallons per foot)	<u>(0.17)</u>	<u>(0.38)</u>	<u>(0.67)</u>	<u>(1.02)</u>	<u>(1.50)</u>	<u>(2.60)</u>	
DEPTH TO BOTTOM (feet) = <u>37.10</u>	CASING VOLUME (gal) = <u>31.3</u>						
DEPTH TO WATER (feet) = <u>16.21</u>	CALCULATED PURGE (gal) = <u>940</u>						
WATER COLUMN HEIGHT (feet) = <u>20.8</u>	ACTUAL PURGE (gal) = <u>99</u>						
FIELD MEASUREMENTS							
DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>7/10/07</u>	<u>14:55</u>	<u>263</u>	<u>24.9</u>	<u>7.28</u>	<u>7.01</u>	<u>clear</u>	
<u>/</u>	<u>15:00</u>	<u>63</u>	<u>26.0</u>	<u>7.48</u>	<u>7.01</u>	<u>1</u>	
<u>/</u>	<u>15:05</u>	<u>21</u>	<u>23.5</u>	<u>7.22</u>	<u>6.78</u>	<u>1</u>	
SAMPLE INFORMATION							
SAMPLE DEPTH TO WATER: <u>18.93</u>	SAMPLE TURBIDITY: <u>1.00</u>						
80% RECHARGE: <u>Y</u> YES <u>N</u> NO	ANALYSES: <u>See work order</u>						
ODOR: <u>yes</u>	SAMPLE VESSEL / PRESERVATIVE: <u>3Vox-1cc</u>						
PURGING EQUIPMENT				SAMPLING EQUIPMENT			
<input checked="" type="checkbox"/> Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input checked="" type="checkbox"/> Bladder Pump	<input type="checkbox"/> Bailer (Teflon)				
<input checked="" type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input checked="" type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (PVC or <input checked="" type="checkbox"/> disposable)				
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Submersible Pump	<input checked="" type="checkbox"/> Bailer (Stainless Steel)				
<input type="checkbox"/> Peristaltic Pump	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Peristaltic Pump	<input type="checkbox"/> Dedicated				
Other: _____							
Pump Depth: <u>35</u>							
WELL INTEGRITY: <u>good</u>	LOCK #: <u>Most co</u>						
REMARKS: <u>D.O 2.65</u>							
SIGNATURE: <u>J. H. G.</u>							
							Page <u>1</u> of <u>1</u>

Wellhead Observation Form

Account: _____

Sampled by: Jerry Date: 1/10/21



Chain of Custody Record

Project Name: ARCO 11133

BP BU/AR Region/Envos Segment: BP > Americas > West > Retail > Alameda > 11133

State or Lead Regulatory Agency:

Requested Due Date (mm/dd/yy):

Page 1 of 1

On-site Time: 1100	Temp: 65
Off-site Time: 1545	Temp: 75
Sky Conditions: overcast	
Meteorological Events: none	
Wind Speed: 5 N	Direction:

Lab Name: TestAmerica	BP/AR Facility No.: 11133	Consultant/Contractor: Stratus Environmental Inc.
Address: 885 Jarvis Drive	BP/AR Facility Address: 2220 98th Avenue, Oakland	Address: 3330 Cameron Park Drive, Suite 550
Morgan Hill, CA 95037	Site Lat/Long:	Cameron Park, CA 95682
Lab PM: Lisa Race	California Global ID No.: T0600100210	Consultant/Contractor Project No.:
Tele/Fax: 408-782-8156 408-782-6308 (fax)	Envos Project No.: G07TT-0037	Consultant/Contractor PM: Jay Johnson
BP/AR PM Contact: Paul Supple	Provision or OOC (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level 1 with EDF
San Ramon, CA	Sub Phase/Task: 03-Analytical	E-mail EDD To: shayes@stratusinc.net
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.

Item No.	Sample Description	Time	Date	Soil/Solid	Water/Liquid	Air	Matrix	Laboratory No.	No. of Containers	Preservative					Requested Analysis					Sample Point Lat/Long and Comments Oxy* = MTBE, TAME, ETBE, DIPE, TBA	
										Unpreserved	H2SO4	HNO3	HCl	Methanol	MTBE/TEXOXY*	T2-DCA	Ethanol	EDB	DRO	DBP	
1	MW-1	1355	7/10/07	X					3			X			X	X	X	X			
2	MW-3	1417		X					3			X			X	X	X	X			
3	AW-1	1440		X					3			X			X	X	X	X			
4	AW-4	1245		X					6			X			X	X	X	X			
5	AW-5	1310		X					3			X			X	X	X	X			
6	AW-6	1335		X					3			X			X	X	X	X			
7	RW-1	1525		X					3			X			X	X	X	X			
8	TB11133 7/10/2007	500		X					3			X			X	X	X	X			5102-1
9																					
10																					

Player's Name: Jerry Gonzales	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Player's Company: Doclos Env		7/10/07	1445	Jerry Gonzales	7/10/07	1445
ment Date:						
ment Method:						
ment Tracking No.:						

If Instructions: Please cc results to rmiller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No

26 July, 2007

Jay Johnson
Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park, CA 95682

RE: BP Heritage #11133, Oakland, CA
Work Order: MQG0510

Enclosed are the results of analyses for samples received by the laboratory on 07/12/07 19:45. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa Race
Senior Project Manager

CA ELAP Certificate # 1210

The results in this laboratory report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the BPGCLN Technical Specifications, applicable Federal, State, local regulations and certification requirements as well as the methodologies as described in laboratory SOPs reviewed by the BPGCLN. This entire report was reviewed and approved for release.

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	MQG0510-01	Water	07/10/07 13:55	07/12/07 19:45
MW-3	MQG0510-02	Water	07/10/07 14:17	07/12/07 19:45
AW-1	MQG0510-03	Water	07/10/07 14:40	07/12/07 19:45
AW-4	MQG0510-04	Water	07/10/07 12:45	07/12/07 19:45
AW-5	MQG0510-05	Water	07/10/07 13:10	07/12/07 19:45
AW-6	MQG0510-06	Water	07/10/07 13:35	07/12/07 19:45
RW-1	MQG0510-07	Water	07/10/07 15:25	07/12/07 19:45
TB11133 07102007	MQG0510-08	Water	07/10/07 05:00	07/12/07 19:45

The carbon range for the TPH-GRO has been changed from C6-C10 to C4-C12. The carbon range for TPH-DRO has been changed from C10-C28 to C10-C36. EPA 8015B has been modified to better meet the requirements of California regulatory agencies.

These samples were received with no custody seals.

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Total Purgeable Hydrocarbons by GC/MS (CA LUFT)
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (MQG0510-01) Water Sampled: 07/10/07 13:55 Received: 07/12/07 19:45									
Gasoline Range Organics (C4-C12)	1800	50	ug/l	1	7G17034	07/17/07	07/18/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4	108 %	60-125	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	110 %	75-120	"	"	"	"	"	"	
Surrogate: Toluene-d8	105 %	80-120	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	104 %	60-135	"	"	"	"	"	"	
MW-3 (MQG0510-02) Water Sampled: 07/10/07 14:17 Received: 07/12/07 19:45									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	7G17034	07/17/07	07/18/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4	99 %	60-125	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	98 %	75-120	"	"	"	"	"	"	
Surrogate: Toluene-d8	101 %	80-120	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	60-135	"	"	"	"	"	"	
AW-1 (MQG0510-03) Water Sampled: 07/10/07 14:40 Received: 07/12/07 19:45									
Gasoline Range Organics (C4-C12)	4200	1000	ug/l	20	7G17034	07/17/07	07/18/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4	102 %	60-125	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	99 %	75-120	"	"	"	"	"	"	
Surrogate: Toluene-d8	99 %	80-120	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	98 %	60-135	"	"	"	"	"	"	
AW-4 (MQG0510-04) Water Sampled: 07/10/07 12:45 Received: 07/12/07 19:45									
Gasoline Range Organics (C4-C12)	160	50	ug/l	1	7G17034	07/17/07	07/18/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4	105 %	60-125	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	101 %	75-120	"	"	"	"	"	"	
Surrogate: Toluene-d8	99 %	80-120	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99 %	60-135	"	"	"	"	"	"	

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Total Purgeable Hydrocarbons by GC/MS (CA LUFT)
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
AW-5 (MQG0510-05) Water Sampled: 07/10/07 13:10 Received: 07/12/07 19:45									
Gasoline Range Organics (C4-C12)	350	250	ug/l	5	7G17034	07/17/07	07/18/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4	98 %	60-125		"	"	"	"	"	
Surrogate: Dibromofluoromethane	98 %	75-120		"	"	"	"	"	
Surrogate: Toluene-d8	98 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	60-135		"	"	"	"	"	
AW-6 (MQG0510-06) Water Sampled: 07/10/07 13:35 Received: 07/12/07 19:45									
Gasoline Range Organics (C4-C12)	3700	1000	ug/l	20	7G18021	07/18/07	07/19/07	LUFT GCMS	PV
Surrogate: 1,2-Dichloroethane-d4	90 %	60-125		"	"	"	"	"	
Surrogate: Dibromofluoromethane	93 %	75-120		"	"	"	"	"	
Surrogate: Toluene-d8	82 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	67 %	60-135		"	"	"	"	"	
RW-1 (MQG0510-07) Water Sampled: 07/10/07 15:25 Received: 07/12/07 19:45									
Gasoline Range Organics (C4-C12)	3800	100	ug/l	2	7G17034	07/17/07	07/18/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4	106 %	60-125		"	"	"	"	"	
Surrogate: Dibromofluoromethane	99 %	75-120		"	"	"	"	"	
Surrogate: Toluene-d8	98 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	60-135		"	"	"	"	"	

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (MQG0510-01) Water Sampled: 07/10/07 13:55 Received: 07/12/07 19:45									
tert-Amyl methyl ether	ND	0.50	ug/l	1	7G17034	07/17/07	07/18/07	EPA 8260B	
Benzene	1.9	0.50	"	"	"	"	"	"	"
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	"
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	"
Ethanol	ND	300	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	13	0.50	"	"	"	"	"	"	"
Methyl tert-butyl ether	2.4	0.50	"	"	"	"	"	"	"
Toluene	ND	0.50	"	"	"	"	"	"	"
Xylenes (total)	4.8	0.50	"	"	"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>	<i>110 %</i>		<i>75-120</i>		"	"	"	"	"
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>108 %</i>		<i>60-125</i>		"	"	"	"	"
<i>Surrogate: Toluene-d8</i>	<i>105 %</i>		<i>80-120</i>		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>104 %</i>		<i>60-135</i>		"	"	"	"	"
MW-3 (MQG0510-02) Water Sampled: 07/10/07 14:17 Received: 07/12/07 19:45									
tert-Amyl methyl ether	ND	0.50	ug/l	1	7G17034	07/17/07	07/18/07	EPA 8260B	
Benzene	ND	0.50	"	"	"	"	"	"	"
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	"
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	"
Ethanol	ND	300	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
Methyl tert-butyl ether	2.8	0.50	"	"	"	"	"	"	"
Toluene	ND	0.50	"	"	"	"	"	"	"
Xylenes (total)	ND	0.50	"	"	"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>	<i>98 %</i>		<i>75-120</i>		"	"	"	"	"
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>99 %</i>		<i>60-125</i>		"	"	"	"	"
<i>Surrogate: Toluene-d8</i>	<i>101 %</i>		<i>80-120</i>		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>101 %</i>		<i>60-135</i>		"	"	"	"	"

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
AW-1 (MQG0510-03) Water Sampled: 07/10/07 14:40 Received: 07/12/07 19:45									
tert-Amyl methyl ether	36	10	ug/l	20	7G17034	07/17/07	07/18/07	EPA 8260B	
Benzene	560	10	"	"	"	"	"	"	"
tert-Butyl alcohol	ND	400	"	"	"	"	"	"	"
Di-isopropyl ether	ND	10	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	10	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	10	"	"	"	"	"	"	"
Ethanol	ND	6000	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	10	"	"	"	"	"	"	"
Ethylbenzene	93	10	"	"	"	"	"	"	"
Methyl tert-butyl ether	220	10	"	"	"	"	"	"	"
Toluene	12	10	"	"	"	"	"	"	"
Xylenes (total)	40	10	"	"	"	"	"	"	"
Surrogate: Dibromofluoromethane	99 %	75-120	"	"	"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4	102 %	60-125	"	"	"	"	"	"	"
Surrogate: Toluene-d8	99 %	80-120	"	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene	98 %	60-135	"	"	"	"	"	"	"
AW-4 (MQG0510-04) Water Sampled: 07/10/07 12:45 Received: 07/12/07 19:45									
tert-Amyl methyl ether	4.2	0.50	ug/l	1	7G17034	07/17/07	07/18/07	EPA 8260B	
Benzene	2.7	0.50	"	"	"	"	"	"	"
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	"
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	"
Ethanol	ND	300	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	0.90	0.50	"	"	"	"	"	"	"
Methyl tert-butyl ether	27	0.50	"	"	"	"	"	"	"
Toluene	ND	0.50	"	"	"	"	"	"	"
Xylenes (total)	1.0	0.50	"	"	"	"	"	"	"
Surrogate: Dibromofluoromethane	101 %	75-120	"	"	"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4	105 %	60-125	"	"	"	"	"	"	"
Surrogate: Toluene-d8	99 %	80-120	"	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene	99 %	60-135	"	"	"	"	"	"	"

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
AW-5 (MQG0510-05) Water Sampled: 07/10/07 13:10 Received: 07/12/07 19:45									
tert-Amyl methyl ether	92	2.5	ug/l	5	7G17034	07/17/07	07/18/07	EPA 8260B	
Benzene	ND	2.5	"	"	"	"	"	"	"
tert-Butyl alcohol	110	100	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.5	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	2.5	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	2.5	"	"	"	"	"	"	"
Ethanol	ND	1500	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.5	"	"	"	"	"	"	"
Ethylbenzene	ND	2.5	"	"	"	"	"	"	"
Methyl tert-butyl ether	360	2.5	"	"	"	"	"	"	"
Toluene	ND	2.5	"	"	"	"	"	"	"
Xylenes (total)	ND	2.5	"	"	"	"	"	"	"
Surrogate: Dibromofluoromethane	98 %	75-120		"	"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4	98 %	60-125		"	"	"	"	"	"
Surrogate: Toluene-d8	98 %	80-120		"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene	103 %	60-135		"	"	"	"	"	"

AW-6 (MQG0510-06) Water Sampled: 07/10/07 13:35 Received: 07/12/07 19:45

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
AW-6 (MQG0510-06) Water Sampled: 07/10/07 13:35 Received: 07/12/07 19:45									
tert-Amyl methyl ether	890	100	ug/l	200	7G17034	07/17/07	07/18/07	EPA 8260B	
Benzene	ND	100	"	"	"	"	"	"	"
tert-Butyl alcohol	ND	4000	"	"	"	"	"	"	"
Di-isopropyl ether	ND	100	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	100	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	100	"	"	"	"	"	"	"
Ethanol	ND	60000	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	100	"	"	"	"	"	"	"
Ethylbenzene	ND	100	"	"	"	"	"	"	"
Methyl tert-butyl ether	3900	100	"	"	"	"	"	"	"
Toluene	ND	100	"	"	"	"	"	"	"
Xylenes (total)	ND	100	"	"	"	"	"	"	"
Surrogate: Dibromofluoromethane	96 %	75-120		"	"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4	86 %	60-125		"	"	"	"	"	"
Surrogate: Toluene-d8	93 %	80-120		"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene	100 %	60-135		"	"	"	"	"	"

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
RW-1 (MQG0510-07) Water Sampled: 07/10/07 15:25 Received: 07/12/07 19:45									
tert-Amyl methyl ether	ND	1.0	ug/l	2	7G17034	07/17/07	07/18/07	EPA 8260B	
Benzene	4.4	1.0	"	"	"	"	"	"	"
tert-Butyl alcohol	ND	40	"	"	"	"	"	"	"
Di-isopropyl ether	ND	1.0	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	1.0	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	1.0	"	"	"	"	"	"	"
Ethanol	ND	600	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	"
Ethylbenzene	72	1.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	21	1.0	"	"	"	"	"	"	"
Toluene	2.8	1.0	"	"	"	"	"	"	"
Xylenes (total)	22	1.0	"	"	"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>	99 %	75-120	"	"	"	"	"	"	"
<i>Surrogate: 1,2-Dichloroethane-d4</i>	106 %	60-125	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>	98 %	80-120	"	"	"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>	100 %	60-135	"	"	"	"	"	"	"

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Total Purgeable Hydrocarbons by GC/MS (CA LUFT) - Quality Control

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 7G17034 - EPA 5030B P/T / LUFT GCMS

Blank (7G17034-BLK1)

Prepared: 07/17/07 Analyzed: 07/18/07

Gasoline Range Organics (C4-C12)	ND	50	ug/l							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.38	"		2.50		95	60-125			
<i>Surrogate: Dibromoformmethane</i>	2.44	"		2.50		98	75-120			
<i>Surrogate: Toluene-d8</i>	2.36	"		2.50		94	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.44	"		2.50		98	60-135			

Laboratory Control Sample (7G17034-BS2)

Prepared & Analyzed: 07/17/07

Gasoline Range Organics (C4-C12)	457	50	ug/l	500		91	65-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.56	"		2.50		102	60-125			
<i>Surrogate: Dibromoformmethane</i>	2.57	"		2.50		103	75-120			
<i>Surrogate: Toluene-d8</i>	2.50	"		2.50		100	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.65	"		2.50		106	60-135			

Laboratory Control Sample Dup (7G17034-BSD2)

Prepared & Analyzed: 07/17/07

Gasoline Range Organics (C4-C12)	457	50	ug/l	500		91	65-120	0.02	20	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.37	"		2.50		95	60-125			
<i>Surrogate: Dibromoformmethane</i>	2.29	"		2.50		92	75-120			
<i>Surrogate: Toluene-d8</i>	2.39	"		2.50		96	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.67	"		2.50		107	60-135			

Batch 7G18021 - EPA 5030B P/T / LUFT GCMS

Blank (7G18021-BLK1)

Prepared & Analyzed: 07/18/07

Gasoline Range Organics (C4-C12)	ND	50	ug/l							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.57	"		2.50		103	60-125			
<i>Surrogate: Dibromoformmethane</i>	2.47	"		2.50		99	75-120			
<i>Surrogate: Toluene-d8</i>	2.17	"		2.50		87	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	1.86	"		2.50		74	60-135			

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Total Purgeable Hydrocarbons by GC/MS (CA LUFT) - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7G18021 - EPA 5030B P/T / LUFT GCMS

Laboratory Control Sample (7G18021-BS2)							Prepared & Analyzed: 07/18/07			
Gasoline Range Organics (C4-C12)	380	50	ug/l	500	76	65-120				
Surrogate: 1,2-Dichloroethane-d4	2.29		"	2.50	92	60-125				
Surrogate: Dibromofluoromethane	2.29		"	2.50	92	75-120				
Surrogate: Toluene-d8	2.59		"	2.50	104	80-120				
Surrogate: 4-Bromofluorobenzene	2.47		"	2.50	99	60-135				

Laboratory Control Sample Dup (7G18021-BSD2)							Prepared & Analyzed: 07/18/07			
Gasoline Range Organics (C4-C12)	369	50	ug/l	500	74	65-120	3	20		
Surrogate: 1,2-Dichloroethane-d4	2.44		"	2.50	98	60-125				
Surrogate: Dibromofluoromethane	2.43		"	2.50	97	75-120				
Surrogate: Toluene-d8	2.58		"	2.50	103	80-120				
Surrogate: 4-Bromofluorobenzene	2.58		"	2.50	103	60-135				

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 7G17034 - EPA 5030B P/T / EPA 8260B

Blank (7G17034-BLK1) Prepared: 07/17/07 Analyzed: 07/18/07

tert-Amyl methyl ether	ND	0.50	ug/l							
Benzene	ND	0.50	"							
tert-Butyl alcohol	ND	20	"							
Di-isopropyl ether	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
Ethanol	ND	300	"							
Ethyl tert-butyl ether	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Methyl tert-butyl ether	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
<i>Surrogate: Dibromofluoromethane</i>	2.44		"	2.50		98	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.38		"	2.50		95	60-125			
<i>Surrogate: Toluene-d8</i>	2.36		"	2.50		94	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.44		"	2.50		98	60-135			

Laboratory Control Sample (7G17034-BS1)

Prepared & Analyzed: 07/17/07

tert-Amyl methyl ether	8.61	0.50	ug/l	10.0		86	65-135			
Benzene	8.54	0.50	"	10.0		85	75-120			
tert-Butyl alcohol	173	20	"	200		86	60-135			
Di-isopropyl ether	8.69	0.50	"	10.0		87	70-130			
1,2-Dibromoethane (EDB)	9.00	0.50	"	10.0		90	80-135			
1,2-Dichloroethane	9.46	0.50	"	10.0		95	70-125			
Ethanol	140	300	"	200		70	15-150			
Ethyl tert-butyl ether	8.84	0.50	"	10.0		88	65-130			
Ethylbenzene	8.88	0.50	"	10.0		89	75-120			
Methyl tert-butyl ether	9.34	0.50	"	10.0		93	50-140			
Toluene	9.34	0.50	"	10.0		93	75-120			
Xylenes (total)	26.4	0.50	"	30.0		88	75-130			
<i>Surrogate: Dibromofluoromethane</i>	2.45		"	2.50		98	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.39		"	2.50		96	60-125			
<i>Surrogate: Toluene-d8</i>	2.60		"	2.50		104	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.54		"	2.50		102	60-135			

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7G17034 - EPA 5030B P/T / EPA 8260B

Matrix Spike (7G17034-MS1)	Source: MQG0510-04	Prepared & Analyzed: 07/17/07							
tert-Amyl methyl ether	13.1	0.50	ug/l	10.0	4.20	89	65-135		
Benzene	13.2	0.50	"	10.0	2.73	104	75-120		
tert-Butyl alcohol	191	20	"	200	ND	95	60-135		
Di-isopropyl ether	9.76	0.50	"	10.0	ND	98	70-130		
1,2-Dibromoethane (EDB)	9.39	0.50	"	10.0	ND	94	80-135		
1,2-Dichloroethane	9.48	0.50	"	10.0	ND	95	70-125		
Ethanol	154	300	"	200	ND	77	15-150		
Ethyl tert-butyl ether	9.57	0.50	"	10.0	ND	96	65-130		
Ethylbenzene	10.9	0.50	"	10.0	0.900	100	75-120		
Methyl tert-butyl ether	33.2	0.50	"	10.0	27.0	63	50-140		
Toluene	10.2	0.50	"	10.0	ND	102	75-120		
Xylenes (total)	31.5	0.50	"	30.0	1.01	102	75-130		
<i>Surrogate: Dibromofluoromethane</i>	2.39		"	2.50		96	75-120		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.25		"	2.50		90	60-125		
<i>Surrogate: Toluene-d8</i>	2.60		"	2.50		104	80-120		
<i>Surrogate: 4-Bromofluorobenzene</i>	2.57		"	2.50		103	60-135		

Matrix Spike Dup (7G17034-MSD1)	Source: MQG0510-04	Prepared & Analyzed: 07/17/07							
tert-Amyl methyl ether	14.0	0.50	ug/l	10.0	4.20	98	65-135	6	25
Benzene	13.2	0.50	"	10.0	2.73	104	75-120	0.2	20
tert-Butyl alcohol	207	20	"	200	ND	104	60-135	8	25
Di-isopropyl ether	10.0	0.50	"	10.0	ND	100	70-130	3	25
1,2-Dibromoethane (EDB)	9.95	0.50	"	10.0	ND	100	80-135	6	30
1,2-Dichloroethane	10.0	0.50	"	10.0	ND	100	70-125	5	25
Ethanol	176	300	"	200	ND	88	15-150	13	25
Ethyl tert-butyl ether	9.73	0.50	"	10.0	ND	97	65-130	2	25
Ethylbenzene	10.8	0.50	"	10.0	0.900	99	75-120	1	20
Methyl tert-butyl ether	36.8	0.50	"	10.0	27.0	98	50-140	10	25
Toluene	10.6	0.50	"	10.0	ND	106	75-120	4	25
Xylenes (total)	29.9	0.50	"	30.0	1.01	96	75-130	5	20
<i>Surrogate: Dibromofluoromethane</i>	2.45		"	2.50		98	75-120		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.42		"	2.50		97	60-125		
<i>Surrogate: Toluene-d8</i>	2.40		"	2.50		96	80-120		
<i>Surrogate: 4-Bromofluorobenzene</i>	2.43		"	2.50		97	60-135		

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11133, Oakland, CA
Project Number: G07TT-0037
Project Manager: Jay Johnson

MQG0510
Reported:
07/26/07 10:30

Notes and Definitions

PV	Hydrocarbon result partly due to individ. peak(s) in quant. range
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference



bp
The BP logo is faintly visible behind the company name.

Chain of Custody Record

Project Name: ARCO 11133

BP BU/AR Region/Envos Segment: BP > Americas > West > Retail > Alameda >11133

State or Lead Regulatory Agency:

Requested Due Date (mm/dd/yy):

Page 1 of 1

On-site Time: 1100	Temp: 65
Off-site Time: 1545	Temp: 75
Sky Conditions: Overcast	
Meteorological Events: None	
Wind Speed: 5 N	Direction:

Lab Name: TestAmerica	BP/AR Facility No.: 11133	Consultant/Contractor: Stratus Environmental, Inc.
Address: 885 Jarvis Drive	BP/AR Facility Address: 2220 98th Avenue, Oakland	Address: 3330 Cameron Park Drive, Suite 550
Morgan Hill, CA 95037	Site Lat/Long:	Cameron Park, CA 95682
Lab PM: Lisa Race	California Global ID No.: T0600100210	Consultant/Contractor Project No.:
Tele/Fax: 408-782-8156 408-782-6308 (fax)	Envos Project No.: G07TT-0037	Consultant/Contractor PM: Jay Johnson
BP/AR PM Contact: Paul Supple	Provision or OOC (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level I with EDF
San Ramon, CA	Sub Phase/Task: 03-Analytical	E-mail EDD To: shayes@stratusinc.net
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.

Item No.	Sample Description	Time	Date	Matrix	Laboratory No.	No. of Containers	Preservative		Requested Analysis				Sample Point Lat/Long and Comments	
							Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO/TEX/Oxy*		
1	MW-1	1355	7-10-07	X		3			X		X	X		
2	MW-3	1417		X		3			X		X	X		
3	AW-1	1440		X		3			X		X	X		
4	AW-4	1245		X		6			X		X	X		
5	AW-5	1310		X		3			X		X	X		
6	AW-6	1335		X		3			X		X	X		
7	RW-1	1525		X		3			X		X	X		
8	TB11133	07/10/2007	560	X		3			X		X	X		Hold
9														
10														

Sampler's Name: Jerry Gonzales	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: Douglas ENV		7/10/07	1145	Stratus Env	7/12/07	1145
Shipment Date:		7/12/07	1540	Jerry Test	7/12/07	1540
Shipment Method:		7/12/07	1945	July 12/07 1540 TAKH	7/12/07	1945
Shipment Tracking No:						

Special Instructions: Please cc results to rmiller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: 3.0 °F | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: Arco 11133
 REC. BY (PRINT) A.M.
 WORKORDER: MQ60510

DATE REC'D AT LAB: 7/12/07
 TIME REC'D AT LAB: 1945
 DATE LOGGED IN: 7/16/07

For Regulatory Purposes? Yes
 DRINKING WATER YES / NO
 WASTE WATER YES / NO

CIRCLE THE APPROPRIATE RESPONSE		LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s)	Present / <input checked="" type="checkbox"/> Absent Intact / Broken*								
2. Chain-of-Custody	Present / <input checked="" type="checkbox"/> Absent*								
3. Traffic Reports or Packing List:	Present / <input checked="" type="checkbox"/> Absent								
4. Airbill:	Airbill / Sticker Present / <input checked="" type="checkbox"/> Absent								
5. Airbill #:									
6. Sample Labels:	Present / <input checked="" type="checkbox"/> Absent								
7. Sample IDs:	Listed / <input checked="" type="checkbox"/> Not Listed on Chain-of-Custody								
8. Sample Condition:	Intact / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree?	Yes / <input checked="" type="checkbox"/> No*								
10. Sample received within hold time?	Yes / <input checked="" type="checkbox"/> No*								
11. Adequate sample volume received?	Yes / <input checked="" type="checkbox"/> No*								
12. Proper preservatives used?	Yes / <input checked="" type="checkbox"/> No*								
13. Trip Blank / Tempo Blank Received? (circle which, if yes)	Yes / <input checked="" type="checkbox"/> No*								
14. Read Temp: Corrected Temp: Is corrected temp 4 +/- 2°C?	5.0 °C 3.0 °C Yes / <input checked="" type="checkbox"/> No** (Acceptance range for samples requiring thermal pres.)								
*Exception (if any): METALS / DFF ON ICE or Problem COC									

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

UPLOADING A GEO_WELL FILE

Processing is complete. No errors were found!
Your file has been successfully submitted!

Submittal Title: 3Q07 GEO_WELL 11133

Facility Global ID: T0600100210

Facility Name: BP #11133

Submittal Date/Time: 10/25/2007 10:53:34 AM

Confirmation Number: 8604369938

[Back to Main Menu](#)

Logged in as BROADBENT-C
(CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

Your EDF file has been successfully uploaded!

Confirmation Number: 7140405237

Date/Time of Submittal: 10/18/2007 2:11:12 PM

Facility Global ID: T0600100210

Facility Name: BP #11133

Submittal Title: 3Q07 GW Monitoring

Submittal Type: GW Monitoring Report

Click [here](#) to view the detections report for this upload.

BP #11133 2220 98TH OAKLAND, CA 94603	Regional Board - Case #: <u>01-0224</u> SAN FRANCISCO BAY RWQCB (REGION 2)
	Local Agency (lead agency) - Case #: <u>RO0000403</u> ALAMEDA COUNTY LOP - (SP)

CONF #	TITLE	QUARTER
7140405237	3Q07 GW Monitoring	Q3 2007
SUBMITTED BY	SUBMIT DATE	STATUS
Broadbent & Associates, Inc.	10/18/2007	PENDING REVIEW

SAMPLE DETECTIONS REPORT

# FIELD POINTS SAMPLED	7
# FIELD POINTS WITH DETECTIONS	7
# FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL	6
SAMPLE MATRIX TYPES	WATER

METHOD QA/QC REPORT

METHODS USED	8260FA,8260TPH
TESTED FOR REQUIRED ANALYTES?	Y
LAB NOTE DATA QUALIFIERS	Y

QA/QC FOR 8021/8260 SERIES SAMPLES

TECHNICAL HOLDING TIME VIOLATIONS	0
METHOD HOLDING TIME VIOLATIONS	0
LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT	0
LAB BLANK DETECTIONS	0
DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING?	
- LAB METHOD BLANK	Y
- MATRIX SPIKE	N
- MATRIX SPIKE DUPLICATE	N
- BLANK SPIKE	Y
- SURROGATE SPIKE	Y

WATER SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	Y
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	Y
SURROGATE SPIKES % RECOVERY BETWEEN 85-115%	Y
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%	Y

SOIL SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	n/a
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	n/a
SURROGATE SPIKES % RECOVERY BETWEEN 70-125%	n/a
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%	n/a

FIELD QC SAMPLES

<u>SAMPLE</u>	<u>COLLECTED</u>	<u>DETECTIONS > REPDL</u>
QCTB SAMPLES	N	0
QCCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as BROADBENT-C (CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).