

Environmental Management
Company
6001 Bollinger Canyon Rd, L4050
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

Karen Streich
Project Manager

Alameda County

SEP 23 2003

Environmental Health

ChevronTexaco

September 24, _____, 2003

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-8341

Address: 3540 Mac Arthur Blvd., Oakland, CA

I have reviewed the attached routine groundwater monitoring report dated September 09, 2003.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich
Project Manager

Enclosure: Report

SEP 9 2003


GETTLER-RYAN INC.

Environmental Health

TRANSMITTAL

September 9, 2003

G-R #386346

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, California 94608

CC: Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-8341
3530 MacArthur Boulevard
Oakland, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	September 4, 2003	Groundwater Monitoring and Sampling Report Third Quarter - Event of August 4, 2003

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **September 23, 2003**, at which time the final report will be distributed to the following:

cc: Mr. Don Hwang, Alameda County Health Care Services, Dept. of Environmental Health, 1153 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Chuck Headlee, RWQCB-S.F. Bay Region, 1515 Clay St., Suite 1400, Oakland, CA 94612

Enclosures

trans/9-8341-KS



GETTLER-RYAN INC.

September 4, 2003
G-R Job #386346

Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Third Quarter Event of August 4, 2003
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Robert C. Mallory
Registered Geologist, No. 7285




Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



EXPLANATION

- ◆ Groundwater monitoring well
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- 99.99--- Groundwater elevation contour, dashed where inferred

Approximate groundwater flow direction at a gradient of 0.03 Ft./Ft.



GETTLER - RYAN INC.
 8747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-8341
 3530 MacArthur Boulevard
 Oakland, California

FIGURE
1

JOB NUMBER
386346

REVIEWED BY

DATE
 August 4, 2003

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL♦ (ppb)
MW-1										
04/04/96	202.47	198.65	3.82	<50	<0.5	<0.5	<0.5	<0.5	ND	--
11/01/96	202.47	197.45	5.02	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/06/97	202.47	199.72	2.75	<50	<0.5	<0.5	<0.5	<0.5	14	--
04/14/97	202.47	197.71	4.76	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/17/97	202.47	196.72	5.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	202.47	196.97	5.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/04/98	202.47	199.80	2.67	<50	4.2	<0.5	<0.5	<0.5	94	--
04/03/98	202.47	197.06	5.41	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	202.47	192.26	10.21	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/26/98	202.47	195.66	6.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/18/99	202.47	196.05	6.42	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
04/15/99	202.47	197.13	5.34	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
07/22/99	202.47	196.97	5.50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/13/99	202.47	196.43	6.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/21/00	202.47	197.11	5.36	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/00	202.47	197.60	4.87	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
07/12/00	202.47	197.05	5.42	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
10/05/00	202.47	196.79	5.68	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
01/05/01	202.47	197.30	5.17	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
04/05/01	202.47	197.83	4.64	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/20/01	202.47	197.29	5.18	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
11/26/01	202.47	197.65	4.82	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	202.47	197.68	4.79	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/07/02	202.47	197.55	4.92	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/02/02	202.47	197.36	5.11	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/11/02	202.47	197.40	5.07	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/03/03	202.47	197.69	4.78	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/05/03	202.47	198.86	3.61	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/04/03⁴	202.47	197.39	5.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL♦ (ppb)
MW-2										
04/04/96	198.88	196.07	2.81	<50	<0.5	<0.5	<0.5	<0.5	6,100	--
11/01/96	198.88	195.27	3.61	<500	<5.0	<5.0	<5.0	<5.0	2,600	--
01/06/97	198.88	195.97	2.91	<2,000	31	<20	<20	<20	4,000	--
04/14/97	198.88	195.43	3.45	<2,000	<20	<20	<20	<20	5,100/5,800 ¹	--
07/17/97	198.88	194.98	3.90	<500	<5.0	<5.0	<5.0	<5.0	2,300/2,900 ¹	--
10/29/97	198.88	192.96	5.92	120 ²	12	<0.5	<0.5	<0.5	810/900 ¹	--
02/04/98	198.88	195.05	3.83	<1,000	<10	<10	<10	<10	2,100/2,800 ¹	--
04/03/98	198.88	191.55	7.33	<1,000	<10	<10	<10	<10	3,800/3,600 ¹	--
07/29/98	198.88	189.86	9.02	120 ³	<0.5	<0.5	<0.5	<0.5	2,800/3,900 ¹	--
10/26/98	198.88	192.77	6.11	<50	<0.5	<0.5	<0.5	<0.5	1,200	--
01/18/99	198.88	194.67	4.21	<1,000	<10	<10	<10	10.5	2,530	--
04/15/99	198.88	194.56	4.32	<50	<0.5	<0.5	<0.5	<0.5	5,270	--
07/22/99	198.88	193.73	5.15	<50	8.92	<0.5	<0.5	<0.5	1,450	--
10/13/99	198.88	192.23	6.65	<250	<2.5	<2.5	<2.5	<2.5	1,740	--
01/21/00	198.88	192.78	6.10	69.6	<0.5	<0.5	<0.5	<0.5	1,110	--
04/10/00	198.88	194.42	4.46	<500	<5.0	<5.0	<5.0	<5.0	1,700	--
07/12/00	198.88	195.24	3.64	<50.0	<0.500	<0.500	<0.500	<0.500	187	--
10/05/00	198.88	194.06	4.82	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
01/05/01	198.88	195.17	3.71	<50	<0.50	<0.50	<0.50	<0.50	1,800	--
04/05/01	198.88	192.94	5.94	<50	<0.50	<0.50	<0.50	<0.50	5,500	--
08/20/01	198.88	193.18	5.70	<50	<0.50	<0.50	<0.50	<0.50	2,000	--
11/26/01	198.88	193.55	5.33	<50	<0.50	<0.50	<0.50	<1.5	990	--
02/14/02	198.88	194.42	4.46	58	<0.50	<0.50	<0.50	<1.5	1,200	--
05/07/02	198.88	194.49	4.39	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/02/02	198.88	194.81	4.07	<50	<0.50	<0.50	<0.50	<1.5	490	--
11/11/02	198.88	194.76	4.12	<50	<0.50	<0.50	<0.50	<1.5	470	--
02/03/03	198.88	193.93	4.95	<50	<0.50	<0.50	<0.50	<1.5	690	--
05/05/03	198.88	194.38	4.50	<50	<0.5	<0.5	<0.5	<1.5	680	--
08/04/03⁴	198.88	195.02	3.86	<50	<0.5	<0.5	<0.5	<0.5	460	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL♦ (ppb)
MW-3										
04/04/96	199.10	195.22	3.88	<50	<0.5	<0.5	<0.5	<0.5	ND	--
11/01/96	199.10	194.91	4.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/06/97	199.10	195.29	3.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/14/97	199.10	194.93	4.17	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/17/97	199.10	194.92	4.18	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	199.10	193.90	5.20	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/04/98	199.10	194.71	4.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/98	199.10	195.78	3.32	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	199.10	189.24	9.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/26/98	199.10	193.59	5.51	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/18/99	199.10	194.68	4.42	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
04/15/99	199.10	194.54	4.56	<50	<0.5	<0.5	<0.5	1.16	<5.0	--
07/22/99	199.10	192.45	6.65	<50	<0.5	<0.5	<0.5	<0.5	3.94	--
10/13/99	199.10	193.79	5.31	<50	<0.5	<0.5	<0.5	<0.5	6.55	--
01/21/00	199.10	193.18	5.92	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/00	199.10	194.32	4.78	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
07/12/00	199.10	193.86	5.24	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
10/05/00	199.10	195.17	3.93	<50.0	<0.500	<0.500	<0.500	<0.500	39.7	--
01/05/01	199.10	194.85	4.25	<50	<0.50	<0.50	<0.50	<0.50	2.9	--
04/05/01	199.10	194.72	4.38	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/20/01	199.10	194.35	4.75	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
11/26/01	199.10	193.60	5.50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	199.10	194.82	4.28	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/07/02	199.10	194.58	4.52	85	<0.50	<0.50	<0.50	<1.5	610	--
08/02/02	199.10	194.72	4.38	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/11/02	199.10	195.04	4.06	<50	<0.50	<0.50	<0.50	<1.5	4.5	--
02/03/03	199.10	194.02	5.08	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/05/03	199.10	194.50	4.60	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/04/03⁴	199.10	194.75	4.35	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL◆ (ppb)
TRIP BLANK										
11/01/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/06/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/14/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/17/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/04/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/26/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
01/18/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
04/15/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/22/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/13/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/21/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
07/12/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
10/05/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
01/05/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
04/05/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/20/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
QA										
11/26/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/07/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/02/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/11/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/03/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/05/03	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/04/03 ⁴	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-8341
3530 MacArthur Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and analytical results prior to April 10, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

ND = Not Detected

-- = Not Measured/Not Analyzed

(ppb) = Parts per billion

QA = Quality Assurance/Trip Blank

◆ Ethanol by EPA Method 8260.

¹ Confirmation run.

² Chromatogram report indicates an unidentified hydrocarbon and gas.

³ Chromatogram report indicates an unidentified hydrocarbon.

⁴ BTEX and MTBE by EPA Method 8260.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-8341 Job Number: 386346
 Site Address: 3530 Macarthur Blvd. Event Date: 8/4/03 (inclusive)
 City: Oakland, CA Sampler: C.A.

Well ID: MW-1 Date Monitored: 8/4/03 Well Condition: ~~8/4/03~~ OK
 Well Diameter: 2 in.
 Total Depth: 26.85 ft.
 Depth to Water: 5.08 ft.
 $21.77 \times VF \ 0.17 = 3.7 \times 3 \text{ (case volume)} = \text{Estimated Purge Volume: } 12 \text{ gal.}$

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 2 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1105 Weather Conditions: Clear
 Sample Time/Date: 1135 8/4/03 Water Color: Clear Odor: NO
 Purging Flow Rate: 2.5 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1109</u>	<u>4</u>	<u>7.04</u>	<u>563</u>	<u>26.0</u>	_____	_____
<u>1112</u>	<u>8</u>	<u>6.93</u>	<u>547</u>	<u>25.9</u>	_____	_____
<u>1116</u>	<u>12</u>	<u>6.89</u>	<u>540</u>	<u>25.4</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-8341 Job Number: 386346
 Site Address: 3530 Macarthur Blvd. Event Date: 8/4/03 (inclusive)
 City: Oakland, CA Sampler: G.M.

Well ID: MW-2 Date Monitored: 8/4/03 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 3318 ft.
 Depth to Water: 3.86 ft.
 $29.32 \times VF \ 0.17 = 4.98 \times 3 \text{ (case volume) = Estimated Purge Volume: } 15 \text{ gal.}$

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump ✓
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1140 Weather Conditions: Clear
 Sample Time/Date: 1215 8/4/03 Water Color: Clear Odor: NO
 Purging Flow Rate: >1.5 gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1148</u>	<u>5</u>	<u>7.07</u>	<u>558</u>	<u>25.8</u>	_____	_____
<u>1153</u>	<u>10</u>	<u>7.01</u>	<u>543</u>	<u>25.9</u>	_____	_____
<u>1200</u>	<u>16</u>	<u>6.94</u>	<u>476</u>	<u>25.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>2</u>	<u>4</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-8341 Job Number: 386346
 Site Address: 3530 Macarthur Blvd. Event Date: 8/4/03 (inclusive)
 City: Oakland, CA Sampler: G.R.

Well ID: MW-3 Date Monitored: 8/4/03 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 32.20 ft.
 Depth to Water: 4.35 ft.
 $27.85 \times VF \ 0.17 = 4.73 \times 3 \text{ (case volume) = Estimated Purge Volume: } 14.25 \text{ gal.}$

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1230 Weather Conditions: Clear
 Sample Time/Date: 1300 8/4/03 Water Color: Clear Odor: NO
 Purging Flow Rate: 21.5 gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1240</u>	<u>5</u>	<u>7.03</u>	<u>548</u>	<u>25.9</u>	_____	_____
<u>1244</u>	<u>10</u>	<u>6.98</u>	<u>541</u>	<u>25.8</u>	_____	_____
<u>1249</u>	<u>15</u>	<u>6.84</u>	<u>543</u>	<u>25.9</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



080603-003

For Lancaster Laboratories use only
 Acc't. #: 10904 Sample #: 4096206-09 Ser#: 862256

Facility #: <u>SS#9-8341 G-R#386346 Global ID#T0600101790</u> Site Address: <u>3530 MACARTHUR BLVD., OAKLAND, CA</u> Chevron PM: <u>KS</u> Lead Consultant: <u>CAMBRIA</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>G. Rogers</u> Service Order #: _____ <input type="checkbox"/> Non SAR: _____			Matrix Potable Water <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Air <input type="checkbox"/>			Analyses Requested <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="10">Preservation Codes</th> </tr> <tr> <th>H</th><th>H</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td><td><input checked="" type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td> </tr> <tr> <td>BTEX + MTBE 8260</td><td>8021 <input type="checkbox"/></td><td>TPH 8015 MOD</td><td>GRO <input type="checkbox"/></td><td>TPH 8015 MOD DRO</td><td>Silica Gel Cleanup <input type="checkbox"/></td><td>8260 full scan</td><td>Oxygenates</td><td>Lead 7420</td><td>7421 <input type="checkbox"/></td> </tr> <tr> <td colspan="10" style="text-align: center;">Ethanol (9260)</td> </tr> </tbody> </table>										Preservation Codes										H	H									<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BTEX + MTBE 8260	8021 <input type="checkbox"/>	TPH 8015 MOD	GRO <input type="checkbox"/>	TPH 8015 MOD DRO	Silica Gel Cleanup <input type="checkbox"/>	8260 full scan	Oxygenates	Lead 7420	7421 <input type="checkbox"/>	Ethanol (9260)										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds. 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits		
Preservation Codes																																																																				
H	H																																																																			
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																											
BTEX + MTBE 8260	8021 <input type="checkbox"/>	TPH 8015 MOD	GRO <input type="checkbox"/>	TPH 8015 MOD DRO	Silica Gel Cleanup <input type="checkbox"/>	8260 full scan	Oxygenates	Lead 7420	7421 <input type="checkbox"/>																																																											
Ethanol (9260)																																																																				
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421	Comments / Remarks																																																			
QA	8/4/03								6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																																								
MW-1		1135	X			X			6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																																								
MW-2		1215	X			X			6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																																								
MW-3		1300	X			X			6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																																								

Turnaround Time Requested (TAT) (please circle) STD. TAT <input checked="" type="checkbox"/> 24 hour 72 hour 48 hour 4 day 5 day	Relinquished by: <u>[Signature]</u>	Date: <u>8/4/03</u>	Time: _____	Received by: <u>[Signature]</u>	Date: <u>8/5/03</u>	Time: <u>1230</u>
	Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Data Package Options (please circle if required) QC Summary Type I — Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk	Relinquished by: <u>Bernard Arroyo</u>	Date: <u>8/4/03</u>	Time: _____	Received by: <u>Airborne</u>	Date: <u>8/6/03</u>	Time: _____
	Relinquished by Commercial Carrier:	UPS FedEx Other <input checked="" type="checkbox"/> <u>Airborne</u>	Date: _____	Time: _____	Received by: <u>[Signature]</u>	Date: <u>8/7/03</u>
Temperature Upon Receipt: <u>2.2 C°</u>				Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

ANALYTICAL RESULTS

Prepared for:

RECEIVED

ChevronTexaco
6001 Bollinger Canyon Rd L4310

San Ramon CA 94583
925-842-8582

Prepared by: [Signature]

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 862256. Samples arrived at the laboratory on Thursday, August 07, 2003. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-030804	NA Water	4096206
MW-1-W-030804	Grab Water	4096207
MW-2-W-030804	Grab Water	4096208
MW-3-W-030804	Grab Water	4096209


ELECTRONIC Gettler-Ryan
COPY TO
1 COPY TO Cambria C/O Gettler- Ryan

Attn: Cheryl Hansen

Attn: Deanna L. Harding

Questions? Contact your Client Services Representative
Teresa L Cunningham at (717) 656-2300.

Respectfully Submitted,



Robert E. Mellinger
Senior Chemist, Coordinator

Lancaster Laboratories Sample No. WW 4096206

Collected: 08/04/2003 00:00

Account Number: 10904

Submitted: 08/07/2003 09:25

ChevronTexaco

Reported: 08/19/2003 at 15:07

6001 Bollinger Canyon Rd L4310

Discard: 09/19/2003

QA-T-030804

NA

Water

San Ramon CA 94583

Facility# 98341 Job# 386346

GRD

3530 Macarthur Oakland T0600101790 QA

790TB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received	Units	Dilution Factor
				Method		
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/08/2003 16:46		K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	08/15/2003 10:12		Seth J Good	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/08/2003 16:46		K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/15/2003 10:12		Seth J Good	n.a.

Lancaster Laboratories Sample No. WW 4096207

Collected: 08/04/2003 11:35 by GR

Account Number: 10904

 Submitted: 08/07/2003 09:25
 Reported: 08/19/2003 at 15:07
 Discard: 09/19/2003

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310

MW-1-W-030804 Grab Water

San Ramon CA 94583

 Facility# 98341 Job# 386346 GRD
 3530 Macarthur Oakland T0600101790 MW-1

790M1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	08/08/2003 19:19	K. Robert Caulfeild-James	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	08/15/2003 05:18	Marla S Lord	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/08/2003 19:19	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/15/2003 05:18	Marla S Lord	n.a.

Lancaster Laboratories Sample No. WW 4096208

Collected: 08/04/2003 12:15 by GR

Account Number: 10904

Submitted: 08/07/2003 09:25

ChevronTexaco

Reported: 08/19/2003 at 15:07

6001 Bollinger Canyon Rd L4310

Discard: 09/19/2003

MW-2-W-030804

Grab

Water

San Ramon CA 94583

Facility# 98341 Job# 386346

GRD

3530 Macarthur Oakland T0600101790 MW-2

790M2

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	460.	3.	ug/l	5
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/08/2003 19:50	K. Robert Caulfeild-James	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	08/15/2003 10:38	Seth J Good	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	08/15/2003 11:04	Seth J Good	5
01146	GC VOA Water Prep	SW-846 5030B	1	08/08/2003 19:50	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/15/2003 10:38	Seth J Good	n.a.

Lancaster Laboratories Sample No. WW 4096209

Collected: 08/04/2003 13:00 by GR

Account Number: 10904

Submitted: 08/07/2003 09:25

ChevronTexaco

Reported: 08/19/2003 at 15:07

6001 Bollinger Canyon Rd L4310

Discard: 09/19/2003

MW-3-W-030804

Grab Water

San Ramon CA 94583

 Facility# 98341 Job# 386346
 3530 Macarthur Oakland T0600101790 MW-3

GRD

790M3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/08/2003 20:20	K. Robert Caulfeild-James	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	08/15/2003 11:31	Seth J Good	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/08/2003 20:20	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/15/2003 11:31	Seth J Good	n.a.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 08/19/03 at 03:07 PM

Group Number: 862256

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 03220A16A TPH-GRO - Waters	N.D.	50.	ug/l	108	111	70-130	2	30
Sample number(s): 4096206-4096209								
Batch number: N032262AB Ethanol	N.D.	50.	ug/l	99		43-159		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	104		77-127		
Benzene	N.D.	0.5	ug/l	106		85-117		
Toluene	N.D.	0.5	ug/l	103		85-115		
Ethylbenzene	N.D.	0.5	ug/l	109		82-119		
Xylene (Total)	N.D.	0.5	ug/l	112		84-120		
Sample number(s): 4096206,4096208-4096209								
Batch number: N032262AC Ethanol	N.D.	50.	ug/l	99		43-159		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	104		77-127		
Benzene	N.D.	0.5	ug/l	106		85-117		
Toluene	N.D.	0.5	ug/l	103		85-115		
Ethylbenzene	N.D.	0.5	ug/l	109		82-119		
Xylene (Total)	N.D.	0.5	ug/l	112		84-120		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 03220A16A TPH-GRO - Waters	118		70-130					
Sample number(s): 4096206-4096209								
Batch number: N032262AB Ethanol	76	90	34-163	17	30			
Methyl Tertiary Butyl Ether	105	107	69-134	2	30			
Benzene	113	116	83-128	3	30			
Toluene	110	112	83-127	1	30			
Ethylbenzene	116	117	82-134	1	30			
Xylene (Total)	118	120	82-130	2	30			
Sample number(s): 4096206,4096208-4096209								
Batch number: N032262AC Ethanol	76	90	34-163	17	30			
Methyl Tertiary Butyl Ether	105	107	69-134	2	30			
Benzene	113	116	83-128	3	30			
Toluene	110	112	83-127	1	30			
Ethylbenzene	116	117	82-134	1	30			
Xylene (Total)	118	120	82-130	2	30			

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 03220A16A
 Trifluorotoluene-F

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 08/19/03 at 03:07 PM

Group Number: 862256

Surrogate Quality Control

4096206 111
4096207 107
4096208 108
4096209 112
Blank 111
LCS 116
LCSD 113
MS 116

Limits: 57-146

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
Batch number: N032262AB

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4096207	97	94	97	93
Blank	97	97	96	92
LCS	97	99	97	96
MS	97	97	97	95
MSD	98	98	97	95

Limits: 81-120 82-112 85-112 83-113

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
Batch number: N032262AC

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4096206	98	97	96	91
4096208	98	96	95	91
4096209	98	97	95	91
Blank	98	98	96	91
LCS	97	99	97	96
MS	97	97	97	95
MSD	98	98	97	95

Limits: 81-120 82-112 85-112 83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result falls within the Method Detection Limit (MDL) and Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.