

RECEIVED

3:39 pm, Feb 05, 2009

Alameda County  
Environmental Health



76 Broadway  
Sacramento, California 95818

February 4, 2009

Barbara Jakub  
Alameda County Health Agency  
1131 Harbor Bay parkway, Suite250  
Alameda, California 94502-577

Re: ***Quarterly Summary Report—First Quarter 2008***  
**76 Service Station # 3135 RO # 0408**  
**6535 San Leandro Street**  
**Oakland, CA**

Dear Ms. Jakub:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,

A handwritten signature in black ink, appearing to read "Terry L. Grayson".

Terry L. Grayson  
Site Manager  
Risk Management & Remediation

February 4, 2009

Ms. Barbara Jakub  
Alameda County Health Agency  
1131 Harbor Bay Parkway  
Alameda, California 94502

**Re: Quarterly Summary Report – First Quarter 2008**

76 Service Station No. 3135  
6535 San Leandro St  
Oakland, California


Dear Ms. Jakub,



On behalf of ConocoPhillips Company (ConocoPhillips), Delta Consultants (Delta) is submitting the subject report and forwarding a copy of TRC's Semi-Annual Monitoring Report, October 2007 through March 2008, dated April 16, 2008, for the above site. TRC has uploaded a copy of their report to the GeoTracker database.

Please contact me at (916) 503-1261 if you have questions.

Sincerely,  
**DELTA CONSULTANTS**



Enclosure

cc: Mr. Terry Grayson, ConocoPhillips (electronic copy only)

a member of:



**QUARTERLY SUMMARY REPORT**  
**First Quarter 2008**

76 Service Station No. 3135  
845 66<sup>th</sup> Avenue  
Oakland, California

County: Alameda

**PREVIOUS SITE ACTIVITY**

The subject site is an active service station located on the northwest corner of San Leandro Street and 66<sup>th</sup> Avenue in Oakland, California. Station facilities currently include two gasoline underground storage tanks (USTs), a 550-gallon waste oil UST, three dispenser islands under canopies, and a service station building. The product dispensers utilize a balanced vapor recovery system.

Historical data indicate that the site has been a service station sine 1947. Renovation of the site first occurred in 1967, when the size of the site expanded to its current configuration.

1989 Two 10,000- gallon gasoline USTs, one 280-gallon wast oil UST and product piping were removed from the site. Confirmation soil samples collected from the UST pit indicated low residual maximum concentrations of Total Petroleum Hydrocarbons as gasoline (TPH-g), benzene, and Total Oil and Grease (TOG). After confirmation soil sampling, approximately 5,000 gallons of groundwater were removed from the UST pit and disposed offsite. A groundwater sample was collected and analyzed after recharge of the UST pit and contained TPH-g at 7,900 parts per billion (ppb) and benzene ate 850 ppb. Confirmation soil samples collected from the product piping trench indicated low maximum residual concentrations of TPH-g and benzene.

April 1990 Two shallow soil borings were advanced and three groundwater monitoring wells were installed to depths of approximately 22 feet below ground surface (bgs).

August 1990 Three groundwater-monitoring wells (MW-4 through MW-6) were installed.

January 1991 A hydropunch survey was performed at the site.

March 1991 The pre-1967 UST pit was over-excavated, and two concrete slabs were removed from depths of approximately 8.5 and 10 feet bgs. Approximately 2,000 cubic yards of impacted soil was removed from the site and properly disposed. Over-excavation was limited by existing product piping. Confirmation soil samples from the former UST pit indicated low to moderate residual concentrations

of TPH-g. Approximately 20,000 gallons of groundwater were pumped from the former UST pit prior to backfilling and properly disposed.

September 1992 Three offsite groundwater monitoring wells were installed in the streets.

April 1993 One groundwater monitoring well was installed at the site.

August 1998 Oxygen Releasing Compound (ORC) was installed in monitoring well MW-6 to assist with biological attenuation of hydrocarbon compounds. Starting in 1999, the following bioattenuation parameters have been measured at the site: nitrate, sulfate, ferrous iron, dissolved oxygen, and, oxidation-reduction potential. According to Gettler-Ryan, Inc.'s (GR) Annual Monitoring and Sampling Report dated April 19, 2001, review of these parameters indicates that bioattenuation is occurring at the site.

July 2001 One offsite well boring was installed to a depth of 20 feet bgs.

October 2003 Site environmental consulting responsibilities were transferred to TRC.

## **SENSITIVE RECEPTORS**

February 27, 2006 TRC completed a sensitive receptor survey for the site. According to the California Department of Water Resources (DWR) records, no water supply wells were located within a one-half mile distance of the Site. Surface water bodies within a one-half mile of the Site include Damon Slough and Lion Creek, located approximately 775 feet south and 525 feet southeast of the site, respectively.

## **FIRST QUARTER 2008 GROUNDWATER MONITORING AND SAMPLING**

Currently, seven onsite and four offsite wells are monitored semi-annually during the first and third quarters.

During the most recent groundwater monitoring and sampling event conducted on March 24, 2008, depth to groundwater ranged from 4.92 feet (MW-7) to 6.61 feet (MW-1) below top of casing (TOC). The groundwater flow direction was reported east at a gradient of 0.01 feet per foot (ft/ft); this is inconsistent with the reported groundwater flow of the previous sampling event, which was a gradient of 0.003 ft/ft north (September 26, 2007). Historical groundwater flow directions have been quite variable at the site.

Analytical results from the First Quarter 2008 event are discussed below. Groundwater samples were analyzed for TPH-G by EPA Method 8015M, benzene, toluene, ethylbenzene and total xylenes (BTEX) by EPA Method 8021B, and volatile organic compounds by EPA Method 8260. Analysis for MTBE was by EPA Method 8021B and 8260B.

**Liquid Phase Hydrocarbon (LPH)** LPH was not observed in any of the wells sampled this quarter.

**Total Petroleum Hydrocarbons as Gasoline (TPH-G)** Reported in three of the eleven wells sampled with a maximum concentration of 3,400 micrograms per liter ( $\mu\text{g/l}$ ) in well MW-6. This is an increase from a maximum 790  $\mu\text{g/l}$  in well MW-2 during the previous sampling event.

**Benzene** Reported in two of the eleven wells sampled with a maximum concentration of 9.8  $\mu\text{g/l}$  in well MW-6 during the previous sampling event. This is an increase from a maximum 2.3  $\mu\text{g/l}$  in MW-2 during the previous sampling event.

**Methyl tertiary Butyl Ether (MTBE)** Reported in seven of the eleven wells sampled with a maximum concentration of 35  $\mu\text{g/l}$  in well MW-2, a decrease from 25  $\mu\text{g/l}$  in well MW-2 during the previous sampling event. ConocoPhillips has not sold MTBE-containing gasoline since January 2001; thus, it is not likely that increased concentrations are due to a new release of MTBE.

### **REMEDIATION STATUS**

Remediation is not currently being conducted at the site.

### **CHARACTERIZATION STATUS**

The area exhibiting the highest TPH-G is located in the vicinity of monitoring wells MW-2 and MW-6, along the corner of San Leandro Street and 66<sup>th</sup> Avenue. Benzene concentrations have been detected in these monitoring wells as well.

### **RECENT CORRESPONDENCE**

No correspondence was received this quarter.


### **THIS QUARTER ACTIVITIES (First Quarter 2008)**

- TRC monitored and sampled the groundwater monitoring well network on March 24, 2008. TRC prepared a *Quarterly Semi-Annual Monitoring Report, October 2007 through March 2008*, dated April 16, 2008

### **NEXT QUARTER ACTIVITIES (Second Quarter 2008)**

- TRC will conduct the next groundwater monitoring and sampling event third quarter 2008.

### **CONSULTANT: Delta Consultants**



21 Technology Drive  
Irvine, CA 92618

949.727.9336 PHONE  
949.727.7399 FAX

[www.TRCsolutions.com](http://www.TRCsolutions.com)

DATE: April 16, 2008

TO: ConocoPhillips Company  
76 Broadway  
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: 76 STATION 3135  
845 66<sup>th</sup> AVENUE  
OAKLAND, CALIFORNIA

RE: SEMI-ANNUAL MONITORING REPORT  
OCTOBER 2007 THROUGH MARCH 2008

Dear Mr. Borgh:

Please find enclosed our Semi-Annual Monitoring Report for 76 Station 3135, located at 845 66<sup>th</sup> Avenue, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan  
Groundwater Program Operations Manager

CC: Mr. Daniel Davis, Delta Consultants (2 copies)

Enclosures  
20-0400/3135R09.QMS


**SEMI-ANNUAL MONITORING REPORT  
OCTOBER 2007 THROUGH MARCH 2008**

76 STATION 3135  
845 66<sup>th</sup> Avenue  
Oakland, California

Prepared For:

Mr. Bill Borgh  
CONOCOPHILLIPS COMPANY  
76 Broadway  
Sacramento, California 95818

By:



Dennis E. Jensen

Senior Project Geologist, Irvine Operations

Date: 4/15/08

LIST OF ATTACHMENTS	
Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 03/24/08 Groundwater Sampling Field Notes – 03/24/08
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

## **Summary of Gauging and Sampling Activities**

**October 2007 through March 2008**

**76 Station 3135**

**845 66th Avenue**

**Oakland, CA**

---

Project Coordinator: **Bill Borgh**  
Telephone: **916-558-7612**

Water Sampling Contractor: **TRC**  
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **03/24/08**

### **Sample Points**

Groundwater wells: **7** onsite, **4** offsite      Points gauged: **11**      Points sampled: **11**

Purging method: **Diaphragm pump**

Purge water disposal: **Onyx/Rodeo Unit 100**

Other Sample Points: **0**      Type: **n/a**

### **Liquid Phase Hydrocarbons (LPH)**

Sample Points with LPH: **0**      Maximum thickness (feet): **n/a**

LPH removal frequency: **n/a**      Method: **n/a**

Treatment or disposal of water/LPH: **n/a**

### **Hydrogeologic Parameters**

Depth to groundwater (below TOC):      Minimum: **4.92 feet**      Maximum: **6.61 feet**

Average groundwater elevation (relative to available local datum): **-1.69 feet**

Average change in groundwater elevation since previous event: **1.25 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.01 ft/ft, east**

Previous event: **0.003 ft/ft, north (09/26/07)**

### **Selected Laboratory Results**

Sample Points with detected **Benzene**: **2**      Sample Points above MCL (1.0 µg/l): **2**

Maximum reported benzene concentration: **9.8 µg/l (MW-6)**

Sample Points with **TPH-G by GC/MS** **3**      Maximum: **3,400 µg/l (MW-6)**

Sample Points with **MTBE 8260B** **7**      Maximum: **35 µg/l (MW-2)**

### **Notes:**

---

# TABLES

## TABLE KEY

### STANDARD ABBREVIATIONS

--	= not analyzed, measured, or collected
LPH	= liquid-phase hydrocarbons
Trace	= less than 0.01 foot of LPH in well
$\mu\text{g/l}$	= micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	= milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	= not detected at or above laboratory detection limit
TOC	= top of casing (surveyed reference elevation)

### ANALYTICS

BTEX	= benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	= di-isopropyl ether
ETBE	= ethyl tertiary butyl ether
MTBE	= methyl tertiary butyl ether
PCB	= polychlorinated biphenyls
PCE	= tetrachloroethene
TBA	= tertiary butyl alcohol
ICA	= trichloroethane
ICE	= trichloroethylene
IPH-G	= total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	= total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	= total petroleum hydrocarbons with diesel distinction
TRPH	= total recoverable petroleum hydrocarbons
TAME	= tertiary amyl methyl ether
1,1-DCA	= 1,1-dichloroethane
1,2-DCA	= 1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	= 1,1-dichloroethene
1,2-DCE	= 1,2-dichloroethene (cis- and trans-)

### NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation - Measured Depth to Water + (D<sub>p</sub> x LPH Thickness), where D<sub>p</sub> is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures)
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to re-survey.

### REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 3135 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

## Contents of Tables 1 and 2

### Site: 76 Station 3135

#### Current Event

<b>Table 1</b>	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
<b>Table 1a</b>	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrous	Nitrate	Sulfate	Pre-purge Dissolved Oxygen	Pre-purge ORP

#### Historic Data

<b>Table 2</b>	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments	
<b>Table 2a</b>	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrous	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP

**Table 1**  
**CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 24, 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-1</b>														
03/24/08	4.96	6.61	0.00	-1.65	1.33	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.2	
<b>MW-2</b>														
03/24/08	3.56	5.31	0.00	-1.75	1.21	--	1600	1.5	ND<0.50	56	35	--	35	
<b>MW-3</b>														
03/24/08	3.12	5.30	0.00	-2.18	0.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4	
<b>MW-4</b>														
03/24/08	5.01	5.47	0.00	-0.46	2.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-5</b>														
03/24/08	4.31	5.94	0.00	-1.63	1.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.63	
<b>MW-6</b>														
03/24/08	4.05	5.91	0.00	-1.86	1.22	--	3400	9.8	0.99	160	370	--	23	
<b>MW-7</b>														
03/24/08	4.45	4.92	0.00	-0.47	2.59	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-8</b>														
03/24/08	4.43	6.49	0.00	-2.06	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.53	
<b>MW-9</b>														
03/24/08	4.60	6.21	0.00	-1.61	1.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-10</b>														
03/24/08	2.69	4.99	0.00	-2.30	0.71	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.6	
<b>MW-11</b>														
03/24/08	2.63	5.23	0.00	-2.60	-0.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

**Table 1 a**  
**ADDITIONAL CURRENT ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Iron Ferrou (µg/l)	Nitrate (mg/l)	Sulfate (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)
<b>MW-1</b> 03/24/08	--	--	ND<250	--	--	--	--	--	2800	ND<0.10	24	.44	110
<b>MW-2</b> 03/24/08	--	--	ND<250	--	--	--	--	--	20000	ND<0.10	27	.41	12
<b>MW-3</b> 03/24/08	--	--	ND<250	--	--	--	--	--	7400	ND<0.10	76	.59	25
<b>MW-4</b> 03/24/08	--	--	ND<250	--	--	--	--	--	160	6.9	42	.72	32
<b>MW-5</b> 03/24/08	--	--	ND<250	--	--	--	--	--	2800	0.45	43	0.54	80
<b>MW-6</b> 03/24/08	--	--	ND<250	--	--	--	--	--	2500	ND<0.10	36	1.32	84
<b>MW-7</b> 03/24/08	--	--	ND<250	--	--	--	--	--	2200	0.21	36	1.01	117
<b>MW-8</b> 03/24/08	--	--	ND<250	--	--	--	--	--	160	ND<0.10	47	.71	121
<b>MW-9</b> 03/24/08	--	--	ND<250	--	--	--	--	--	170	7.8	27	0.80	60
<b>MW-10</b> 03/24/08	--	--	ND<250	--	--	--	--	--	830	ND<0.10	37	1.03	77
<b>MW-11</b> 03/24/08	ND<50	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	1.13	152

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-1</b>														
05/11/90	--	--	0.00	--	--	22000	--	590	42	1200	3600	--	--	
08/28/90	--	--	0.00	--	--	1700	--	140	1.4	180	150	--	--	
11/26/90	--	--	0.00	--	--	2900	--	160	2.3	330	320	--	--	
02/21/91	--	--	0.00	--	--	26000	--	280	39	1200	1900	--	--	
08/05/91	--	--	0.00	--	--	1200	--	95	6.2	230	80	--	--	
11/05/91	--	--	0.00	--	--	4900	--	80	ND	150	160	--	--	
02/07/92	--	--	0.00	--	--	220	--	2.1	ND	10	16	--	--	
05/05/92	--	--	0.00	--	--	310	--	5.7	ND	7.1	15	--	--	
08/03/92	--	--	0.00	--	--	980	--	22	0.69	77	82	--	--	
11/03/92	--	--	0.00	--	--	1100	--	28	ND	80	78	--	--	
02/03/93	--	--	0.00	--	--	94	--	ND	ND	1.4	1.6	--	--	
03/01/93	5.18	7.30	0.00	-2.12	--	--	--	--	--	--	--	--	--	
04/01/93	5.18	7.12	0.00	-1.94	0.18	--	--	--	--	--	--	--	--	
05/17/93	5.18	8.25	0.00	-3.07	-1.13	960	--	39	ND	57	60	--	--	
06/15/93	5.18	--	--	--	--	--	--	--	--	--	--	--	Inaccessible	
07/14/93	5.18	9.48	0.00	-4.30	--	--	--	--	--	--	--	--	--	
08/13/93	5.18	10.00	0.00	-4.82	-0.52	860	--	3.5	ND	17	20	--	--	
09/13/93	5.18	10.40	0.00	-5.22	-0.40	--	--	--	--	--	--	--	--	
10/14/93	5.18	10.73	0.00	-5.55	-0.33	--	--	--	--	--	--	--	--	
11/11/93	4.99	10.80	0.00	-5.81	-0.26	930	--	7.3	ND	25	19	--	--	
12/14/93	4.99	9.50	0.00	-4.51	1.30	--	--	--	--	--	--	--	--	
01/10/94	4.99	9.80	0.00	-4.81	-0.30	--	--	--	--	--	--	--	--	
02/10/94	4.99	8.58	0.00	-3.59	1.22	170	--	0.9	2.3	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-1 continued</b>														
03/14/94	4.99	7.73	0.00	-2.74	0.85	--	--	--	--	--	--	--	--	--
04/23/94	4.99	8.28	0.00	-3.29	-0.55	--	--	--	--	--	--	--	--	--
05/05/94	4.99	8.11	0.00	-3.12	0.17	96	--	ND	ND	ND	ND	--	--	--
06/07/94	4.99	8.09	0.00	-3.10	0.02	--	--	--	--	--	--	--	--	--
07/05/94	4.99	8.43	0.00	-3.44	-0.34	--	--	--	--	--	--	--	--	--
08/02/94	4.99	8.76	0.00	-3.77	-0.33	700	--	13	0.62	2	3.6	--	--	--
11/07/94	4.99	8.26	0.00	-3.27	0.50	890	--	16	ND	31	21	--	--	--
12/03/94	4.99	6.59	0.00	-1.60	1.67	--	--	--	--	--	--	--	--	--
01/10/95	4.99	6.12	0.00	-1.13	0.47	--	--	--	--	--	--	--	--	--
02/01/95	4.99	6.04	0.00	-1.05	0.08	120	--	1.7	ND	ND	ND	--	--	--
03/03/95	4.99	6.73	0.00	-1.74	-0.69	--	--	--	--	--	--	--	--	--
05/02/95	4.99	6.57	0.00	-1.58	0.16	460	--	14	ND	14	13	--	--	--
08/01/95	4.99	7.70	0.00	-2.71	-1.13	190	--	4	ND	3.7	2.4	--	--	--
11/01/95	4.99	9.08	0.00	-4.09	-1.38	160	--	2.5	ND	0.82	0.57	280	--	--
02/01/96	4.99	6.22	0.00	-1.23	2.86	240	--	8.7	2	ND	0.66	250	--	--
02/04/97	4.99	8.48	0.00	-3.49	-2.26	120	--	0.58	ND	ND	ND	150	--	--
02/05/98	4.99	5.50	0.00	-0.51	2.98	130	--	1.3	ND	2.7	11	220	--	--
02/04/99	4.99	6.58	0.00	-1.59	-1.08	1600	--	74	16	ND	ND	680	850	--
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/02/00	4.99	6.69	0.00	-1.70	--	174	--	5.70	1.41	ND	ND	839	787	--
03/05/01	4.99	6.58	0.00	-1.59	0.11	510	--	12.7	0.875	2.57	ND	572	585	--
08/10/01	4.99	7.31	0.00	-2.32	-0.73	--	--	--	--	--	--	--	--	--
02/22/02	4.96	6.25	0.00	-1.29	1.03	910	--	2	ND<1.0	2.3	ND<1.0	410	500	--
03/10/03	4.96	6.89	0.00	-1.93	-0.64	--	ND<500	ND<5.0	ND<5.0	ND<5.0	ND<10	--	480	--

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-1 continued</b>														
02/05/04	4.96	6.40	0.00	-1.44	0.49	--	600	ND<0.50	ND<0.50	ND<0.50	2.7	--	36	
08/26/04	4.96	7.60	0.00	-2.64	-1.20	--	290	ND<0.5	ND<0.5	ND<0.5	ND<1	--	4.6	
02/14/05	4.96	6.53	0.00	-1.57	1.07	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	26	
09/27/05	4.96	7.93	0.00	-2.97	-1.40	--	190	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	
03/27/06	4.96	5.41	0.00	-0.45	2.52	--	460	ND<0.50	ND<0.50	0.91	ND<1.0	--	4.7	
09/20/06	4.96	7.70	0.00	-2.74	-2.29	--	220	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.8	
03/20/07	4.96	6.45	0.00	-1.49	1.25	--	300	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	2.6	
09/26/07	4.96	7.94	0.00	-2.98	-1.49	--	69	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.1	
03/24/08	4.96	6.61	0.00	-1.65	1.33	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.2	
<b>MW-2</b>														
05/11/90	--	--	0.00	--	--	65000	--	3300	3300	4100	12000	--	--	
08/28/90	--	--	0.00	--	--	27000	--	2600	1300	1900	3000	--	--	
11/26/90	--	--	0.00	--	--	15000	--	1600	450	1100	2100	--	--	
02/21/91	--	--	0.00	--	--	3400	--	160	61	200	490	--	--	
08/05/91	--	--	0.00	--	--	33000	--	2900	190	3400	7900	--	--	
11/05/91	--	--	0.00	--	--	110000	--	4200	200	3400	8600	--	--	
02/07/92	--	--	0.00	--	--	11000	--	1400	30	1900	1400	--	--	
05/05/92	--	--	0.00	--	--	26000	--	2300	110	2700	6900	--	--	
08/03/92	--	--	0.00	--	--	37000	--	4500	480	3300	9700	--	--	
11/03/92	--	--	0.00	--	--	40000	--	5600	130	3000	6100	--	--	
02/03/93	--	--	0.00	--	--	9300	--	780	68	830	1200	--	--	
03/01/93	3.83	5.92	0.00	-2.09	--	--	--	--	--	--	--	--	--	
04/01/93	3.83	5.76	0.00	-1.93	0.16	--	--	--	--	--	--	--	--	
05/17/93	3.83	7.08	0.00	-3.25	-1.32	46000	--	4400	510	2900	9900	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-2 continued</b>														
06/15/93	3.83	7.02	0.00	-3.19	0.06	--	--	--	--	--	--	--	--	--
07/14/93	3.83	8.13	0.00	-4.30	-1.11	--	--	--	--	--	--	--	--	--
08/13/93	3.83	8.64	0.00	-4.81	-0.51	44000	--	5100	600	2900	8500	--	--	--
09/13/93	3.83	9.00	0.00	-5.17	-0.36	--	--	--	--	--	--	--	--	--
10/14/93	3.83	9.03	0.00	-5.20	-0.03	--	--	--	--	--	--	--	--	--
11/11/93	3.57	9.22	0.00	-5.65	-0.45	36000	--	4800	970	3000	8100	--	--	--
12/14/93	3.57	8.05	0.00	-4.48	1.17	--	--	--	--	--	--	--	--	--
01/10/94	3.57	8.29	0.00	-4.72	-0.24	--	--	--	--	--	--	--	--	--
02/10/94	3.57	6.93	0.00	-3.36	1.36	12000	--	1000	17	880	940	--	--	--
03/14/94	3.57	6.41	0.00	-2.84	0.52	--	--	--	--	--	--	--	--	--
04/23/94	3.57	6.66	0.00	-3.09	-0.25	--	--	--	--	--	--	--	--	--
05/05/94	3.57	6.38	0.00	-2.81	0.28	36000	--	3200	670	2700	9600	--	--	--
06/07/94	3.57	6.33	0.00	-2.76	0.05	--	--	--	--	--	--	--	--	--
07/05/94	3.57	6.52	0.00	-2.95	-0.19	--	--	--	--	--	--	--	--	--
08/02/94	3.57	6.75	0.00	-3.18	-0.23	32000	--	2400	2200	2900	12000	--	--	--
11/07/94	3.57	6.04	0.00	-2.47	0.71	49000	--	1700	2000	3000	10000	--	--	--
12/03/94	3.57	4.95	0.00	-1.38	1.09	--	--	--	--	--	--	--	--	--
01/10/95	3.57	4.59	0.00	-1.02	0.36	--	--	--	--	--	--	--	--	--
02/01/95	3.57	4.54	0.00	-0.97	0.05	9300	--	300	210	630	2600	--	--	--
03/03/95	3.57	5.17	0.00	-1.60	-0.63	--	--	--	--	--	--	--	--	--
05/02/95	3.57	5.03	0.00	-1.46	0.14	5600	--	150	ND	150	180	--	--	--
08/01/95	3.57	6.16	0.00	-2.59	-1.13	13000	--	700	140	1400	5500	--	--	--
11/01/95	3.57	7.30	0.00	-3.73	-1.14	18000	--	490	110	1300	4600	190	--	--
02/01/96	3.57	4.57	0.00	-1.00	2.73	22000	--	470	77	1400	5900	ND	--	--

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-2 continued</b>														
02/04/97	3.57	7.10	0.00	-3.53	-2.53	100	--	ND	0.89	ND	ND	81	--	
02/05/98	3.57	4.12	0.00	-0.55	2.98	330	--	2.6	2.6	17	58	5.5	--	
08/28/98	3.57	6.26	0.00	-2.69	-2.14	--	--	--	--	--	--	--	--	
02/04/99	3.57	5.01	0.00	-1.44	1.25	ND	--	ND	0.54	0.6	1.5	19	16	
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/02/00	3.57	5.35	0.00	-1.78	--	ND	--	ND	ND	ND	ND	163	150	
03/05/01	3.57	5.26	0.00	-1.69	0.09	658	--	5.53	ND	70	152	108	--	
08/10/01	3.57	6.03	0.00	-2.46	-0.77	--	--	--	--	--	--	--	--	
02/22/02	3.56	4.81	0.00	-1.25	1.21	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	16	18	
03/10/03	3.56	6.72	0.00	-3.16	-1.91	--	430	2.8	ND<0.50	48	76	--	68	
02/05/04	3.56	4.65	0.00	-1.09	2.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
08/26/04	3.56	5.86	0.00	-2.30	-1.21	--	210	ND<0.5	ND<0.5	0.62	1.1	--	1.7	
02/14/05	3.56	5.39	0.00	-1.83	0.47	--	290	ND<0.50	ND<0.50	1.8	1.9	--	5.7	
09/27/05	3.56	6.53	0.00	-2.97	-1.14	--	580	0.91	ND<0.50	16	21	--	45	
03/27/06	3.56	5.25	0.00	-1.69	1.28	--	1800	4.3	ND<0.50	81	84	--	32	
09/20/06	3.56	6.39	0.00	-2.83	-1.14	--	520	ND<0.50	ND<0.50	2.8	1.9	--	32	
03/20/07	3.56	5.17	0.00	-1.61	1.22	--	2100	2.2	ND<0.50	62	52	--	31	
09/26/07	3.56	6.52	0.00	-2.96	-1.35	--	790	2.3	ND<0.50	49	47	--	25	
03/24/08	3.56	5.31	0.00	-1.75	1.21	--	1600	1.5	ND<0.50	56	35	--	35	
<b>MW-3</b>														
05/11/90	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
08/28/90	--	--	0.00	--	--	ND	--	ND	ND	ND	0.7	--	--	
11/26/90	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
02/21/91	--	--	0.00	--	--	ND	--	ND	ND	ND	0.64	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-3 continued</b>														
08/05/91	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
11/05/91	--	--	0.00	--	--	31	--	ND	ND	ND	0.65	--	--	
02/07/92	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
05/05/92	--	--	0.00	--	--	ND	--	ND	ND	0.43	1.8	--	--	
08/03/92	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
11/03/92	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
02/03/93	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
03/01/93	3.30	4.84	0.00	-1.54	--	--	--	--	--	--	--	--	--	
04/01/93	3.30	4.60	0.00	-1.30	0.24	--	--	--	--	--	--	--	--	
05/17/93	3.30	5.47	0.00	-2.17	-0.87	ND	--	ND	ND	ND	ND	--	--	
06/15/93	3.30	5.57	0.00	-2.27	-0.10	--	--	--	--	--	--	--	--	
07/14/93	3.30	6.92	0.00	-3.62	-1.35	--	--	--	--	--	--	--	--	
08/13/93	3.30	7.85	0.00	-4.55	-0.93	ND	--	ND	ND	ND	ND	--	--	
09/13/93	3.30	8.42	0.00	-5.12	-0.57	--	--	--	--	--	--	--	--	
10/14/93	3.30	8.90	0.00	-5.60	-0.48	--	--	--	--	--	--	--	--	
11/11/93	3.12	8.92	0.00	-5.80	-0.20	ND	--	ND	ND	ND	ND	--	--	
12/14/93	3.12	7.36	0.00	-4.24	1.56	--	--	--	--	--	--	--	--	
01/10/94	3.12	7.54	0.00	-4.42	-0.18	--	--	--	--	--	--	--	--	
02/10/94	3.12	6.23	0.00	-3.11	1.31	ND	--	ND	ND	ND	0.84	--	--	
03/14/94	3.12	5.56	0.00	-2.44	0.67	--	--	--	--	--	--	--	--	
04/23/94	3.12	7.72	0.00	-4.60	-2.16	--	--	--	--	--	--	--	--	
05/05/94	3.12	5.50	0.00	-2.38	2.22	62	--	ND	ND	ND	ND	--	--	
06/07/94	3.12	5.35	0.00	-2.23	0.15	--	--	--	--	--	--	--	--	
07/02/94	3.12	5.46	0.00	-2.34	-0.11	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
<b>MW-3 continued</b>														
08/02/94	3.12	5.84	0.00	-2.72	-0.38	150	--	ND	ND	ND	ND	--	--	
11/07/94	3.12	6.05	0.00	-2.93	-0.21	94	--	ND	ND	ND	ND	--	--	
12/03/94	3.12	4.51	0.00	-1.39	1.54	--	--	--	--	--	--	--	--	
01/10/95	3.12	3.82	0.00	-0.70	0.69	--	--	--	--	--	--	--	--	
02/01/95	3.12	3.84	0.00	-0.72	-0.02	100	--	ND	ND	ND	ND	--	--	
03/03/95	3.12	4.27	0.00	-1.15	-0.43	--	--	--	--	--	--	--	--	
05/02/95	3.12	4.11	0.00	-0.99	0.16	360	--	ND	ND	ND	ND	--	--	
08/01/95	3.12	5.10	0.00	-1.98	-0.99	ND	--	ND	ND	ND	ND	--	--	
11/01/95	3.12	6.65	0.00	-3.53	-1.55	ND	--	ND	ND	ND	ND	200	--	
02/01/96	3.12	4.29	0.00	-1.17	2.36	ND	--	ND	ND	ND	ND	190	--	
02/04/97	3.12	6.43	0.00	-3.31	-2.14	ND	--	ND	ND	ND	ND	ND	--	
02/05/98	3.12	4.68	0.00	-1.56	1.75	ND	--	ND	ND	ND	ND	490	--	
02/04/99	3.12	4.62	0.00	-1.50	0.06	ND	--	ND	ND	ND	ND	480	530	
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/02/00	3.12	5.16	0.00	-2.04	--	ND	--	ND	ND	ND	ND	250	346	
03/05/01	3.12	5.07	0.00	-1.95	0.09	ND	--	ND	ND	ND	ND	167	--	
08/10/01	3.12	5.82	0.00	-2.70	-0.75	--	--	--	--	--	--	--	--	
02/22/02	3.12	4.58	0.00	-1.46	1.24	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	240	280	
03/10/03	3.12	4.73	0.00	-1.61	-0.15	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	100	
02/05/04	3.12	4.20	0.00	-1.08	0.53	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11	
08/26/04	3.12	5.61	0.00	-2.49	-1.41	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	2.9	
02/14/05	3.12	4.98	0.00	-1.86	0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.2	
09/27/05	3.12	6.05	0.00	-2.93	-1.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.6	
03/27/06	3.12	5.22	0.00	-2.10	0.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.3	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-3 continued</b>														
09/20/06	3.12	5.82	0.00	-2.70	-0.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	4.3	
03/20/07	3.12	5.25	0.00	-2.13	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.2	
09/26/07	3.12	6.05	0.00	-2.93	-0.80	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.8	
03/24/08	3.12	5.30	0.00	-2.18	0.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.4	
<b>MW-4</b>														
08/28/90	--	--	--	--	--	62000	--	810	72	4400	4600	--	--	
11/26/90	--	--	--	--	--	49000	--	360	36	3800	11000	--	--	
02/21/91	--	--	--	--	--	33000	--	210	21	3800	12000	--	--	
08/05/91	--	--	--	--	--	37000	--	310	70	3600	9700	--	--	
11/05/91	--	--	--	--	--	140000	--	320	ND	4800	13000	--	--	
02/07/92	--	--	--	--	--	8100	--	24	4.9	1800	3200	--	--	
05/05/92	--	--	--	--	--	15000	--	82	12	2000	5600	--	--	
08/03/92	--	--	--	--	--	24000	--	61	ND	2100	5400	--	--	
11/03/92	--	--	--	--	--	36000	--	69	ND	3000	7400	--	--	
02/03/93	--	--	--	--	--	370	--	2.6	ND	1.2	53	--	--	
03/01/93	5.27	7.63	0.00	-2.36	--	--	--	--	--	--	--	--	--	
04/01/93	5.27	7.25	0.00	-1.98	0.38	--	--	--	--	--	--	--	--	
05/17/93	5.27	8.46	0.00	-3.19	-1.21	2500	--	ND	ND	170	410	--	--	
06/15/93	5.27	9.00	0.00	-3.73	-0.54	--	--	--	--	--	--	--	--	
07/14/93	5.27	9.74	0.00	-4.47	-0.74	--	--	--	--	--	--	--	--	
08/13/93	5.27	10.23	0.00	-4.96	-0.49	19000	--	ND	ND	1600	4100	--	--	
09/13/93	5.27	10.62	0.00	-5.35	-0.39	--	--	--	--	--	--	--	--	
10/14/93	5.27	10.84	0.00	-5.57	-0.22	--	--	--	--	--	--	--	--	
11/11/93	4.93	10.88	0.00	-5.95	-0.38	16000	--	110	12	1800	3800	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M)	TPH-G (GC/MS)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-4 continued</b>														
12/14/93	4.93	9.60	0.00	-4.67	1.28	--	--	--	--	--	--	--	--	
01/10/94	4.93	9.92	0.00	-4.99	-0.32	--	--	--	--	--	--	--	--	
02/10/94	4.93	8.79	0.00	-3.86	1.13	830	--	3.5	1.4	36	80	--	--	
03/14/94	4.93	7.91	0.00	-2.98	0.88	--	--	--	--	--	--	--	--	
04/23/94	4.93	8.41	0.00	-3.48	-0.50	--	--	--	--	--	--	--	--	
05/05/94	4.93	8.27	0.00	-3.34	0.14	6900	--	17	ND	480	1300	--	--	
06/07/94	4.93	8.27	0.00	-3.34	0.00	--	--	--	--	--	--	--	--	
07/05/94	4.93	8.58	0.00	-3.65	-0.31	--	--	--	--	--	--	--	--	
08/02/94	4.93	8.91	0.00	-3.98	-0.33	17000	--	38	ND	1800	4300	--	--	
11/07/94	4.93	8.64	0.00	-3.71	0.27	20000	--	84	17	1500	3000	--	--	
12/03/94	4.93	6.78	0.00	-1.85	1.86	--	--	--	--	--	--	--	--	
01/10/95	4.93	6.35	0.00	-1.42	0.43	--	--	--	--	--	--	--	--	
02/01/95	4.93	5.73	0.00	-0.80	0.62	ND	--	ND	ND	ND	ND	--	--	
03/03/95	4.93	6.82	0.00	-1.89	-1.09	--	--	--	--	--	--	--	--	
05/02/95	4.93	5.74	0.00	-0.81	1.08	5400	--	36	ND	130	710	--	--	
08/01/95	4.93	7.78	0.00	-2.85	-2.04	7900	--	21	ND	210	860	--	--	
11/01/95	4.93	9.16	0.00	-4.23	-1.38	4900	--	12	ND	190	710	210	--	
02/01/96	4.93	4.64	0.00	0.29	4.52	91	--	2.7	ND	1.2	6.8	7.8	--	
02/04/97	4.93	8.65	0.00	-3.72	-4.01	130	--	0.58	ND	ND	ND	150	--	
02/05/98	4.93	--	0.00	--	--	--	--	--	--	--	--	--	Paved Over	
02/04/99	4.93	4.04	0.00	0.89	--	ND	--	ND	ND	ND	ND	ND	--	
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/02/00	4.93	4.07	0.00	0.86	--	ND	--	ND	ND	ND	ND	ND	--	
03/05/01	4.93	4.14	0.00	0.79	-0.07	ND	--	ND	ND	ND	ND	2.55	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-4 continued</b>														
08/10/01	4.93	4.77	0.00	0.16	-0.63	--	--	--	--	--	--	--	--	
02/22/02	5.01	3.87	0.00	1.14	0.98	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/10/03	5.01	4.12	0.00	0.89	-0.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
02/05/04	5.01	5.30	0.00	-0.29	-1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
08/26/04	5.01	7.68	0.00	-2.67	-2.38	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	0.50	
02/14/05	5.01	5.33	0.00	-0.32	2.35	--	240	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	5.01	7.97	0.00	-2.96	-2.64	--	300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	5.01	5.31	0.00	-0.30	2.66	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/20/06	5.01	7.74	0.00	-2.73	-2.43	--	490	ND<0.50	ND<0.50	0.52	ND<0.50	--	ND<0.50	
03/20/07	5.01	4.16	0.00	0.85	3.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/26/07	5.01	8.02	0.00	-3.01	-3.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/24/08	5.01	5.47	0.00	-0.46	2.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-5</b>														
08/28/90	--	--	--	--	--	ND	--	ND	ND	ND	1.2	--	--	
11/26/90	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/21/91	--	--	--	--	--	56	--	ND	ND	ND	4.7	--	--	
08/05/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/05/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/07/92	--	--	--	--	--	ND	--	ND	ND	0.36	0.94	--	--	
05/05/92	--	--	--	--	--	ND	--	ND	ND	0.42	1.4	--	--	
08/03/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
11/03/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/03/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
03/01/93	4.61	6.68	0.00	-2.07	--	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M)	TPH-G (GC/MS)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-5 continued</b>														
04/01/93	4.61	6.51	0.00	-1.90	0.17	--	--	--	--	--	--	--	--	
05/17/93	4.61	7.75	0.00	-3.14	-1.24	ND	--	ND	ND	ND	ND	--	--	
06/15/93	4.61	8.18	0.00	-3.57	-0.43	--	--	--	--	--	--	--	--	
07/14/93	4.61	8.98	0.00	-4.37	-0.80	--	--	--	--	--	--	--	--	
08/13/93	4.61	9.49	0.00	-4.88	-0.51	ND	--	ND	ND	ND	ND	--	--	
09/13/93	4.61	9.88	0.00	-5.27	-0.39	--	--	--	--	--	--	--	--	
10/14/93	4.61	10.04	0.00	-5.43	-0.16	--	--	--	--	--	--	--	--	
11/11/93	4.27	10.13	0.00	-5.86	-0.43	ND	--	ND	ND	ND	ND	--	--	
12/14/93	4.27	8.85	0.00	-4.58	1.28	--	--	--	--	--	--	--	--	
01/10/94	4.27	9.10	0.00	-4.83	-0.25	--	--	--	--	--	--	--	--	
02/10/94	4.27	7.71	0.00	-3.44	1.39	ND	--	ND	ND	ND	0.59	--	--	
03/14/94	4.27	7.02	0.00	-2.75	0.69	--	--	--	--	--	--	--	--	
04/23/94	4.27	7.57	0.00	-3.30	-0.55	--	--	--	--	--	--	--	--	
05/05/94	4.27	7.38	0.00	-3.11	0.19	--	--	--	--	--	--	--	--	
06/07/94	4.27	7.39	0.00	-3.12	-0.01	--	--	--	--	--	--	--	--	
07/05/94	4.27	7.72	0.00	-3.45	-0.33	--	--	--	--	--	--	--	--	
08/02/94	4.27	8.05	0.00	-3.78	-0.33	ND	--	ND	ND	ND	ND	--	--	
11/07/94	4.27	7.56	0.00	-3.29	0.49	--	--	--	--	--	--	--	--	
12/03/94	4.27	5.80	0.00	-1.53	1.76	--	--	--	--	--	--	--	--	
01/10/95	4.27	5.37	0.00	-1.10	0.43	--	--	--	--	--	--	--	--	
02/01/95	4.27	5.24	0.00	-0.97	0.13	ND	--	ND	ND	ND	ND	--	--	
03/03/95	4.27	5.99	0.00	-1.72	-0.75	--	--	--	--	--	--	--	--	
05/02/95	4.27	5.85	0.00	-1.58	0.14	--	--	--	--	--	--	--	--	
08/01/95	4.27	7.00	0.00	-2.73	-1.15	ND	--	ND	ND	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-5 continued</b>														
11/01/95	4.27	8.40	0.00	-4.13	-1.40	--	--	--	--	--	--	--	--	
02/01/96	4.27	5.45	0.00	-1.18	2.95	ND	--	ND	ND	ND	ND	0.72	--	
02/04/97	4.27	7.82	0.00	-3.55	-2.37	ND	--	ND	ND	ND	ND	ND	--	
02/05/98	4.27	3.85	0.00	0.42	3.97	ND	--	ND	ND	ND	ND	490	--	
02/04/99	4.27	5.85	0.00	-1.58	-2.00	ND	--	ND	ND	ND	ND	23	26	
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/02/00	4.27	5.94	0.00	-1.67	--	ND	--	ND	ND	ND	ND	ND	--	
03/05/01	4.27	5.85	0.00	-1.58	0.09	ND	--	ND	ND	ND	ND	ND	--	
08/10/01	4.27	6.53	0.00	-2.26	-0.68	--	--	--	--	--	--	--	--	
02/22/02	4.31	5.54	0.00	-1.23	1.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	9.6	11	
03/10/03	4.31	6.93	0.00	-2.62	-1.39	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.6	
02/05/04	4.31	6.72	0.00	-2.41	0.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.7	
08/26/04	4.31	6.90	0.00	-2.59	-0.18	--	ND<50	ND<0.5	2.8	0.56	3.2	--	2.9	
02/14/05	4.31	5.83	0.00	-1.52	1.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.4	
09/27/05	4.31	7.51	0.00	-3.20	-1.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.55	
03/27/06	4.31	4.63	0.00	-0.32	2.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.92	
09/20/06	4.31	6.96	0.00	-2.65	-2.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.0	
03/20/07	4.31	5.77	0.00	-1.46	1.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.62	
09/26/07	4.31	7.22	0.00	-2.91	-1.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/24/08	4.31	5.94	0.00	-1.63	1.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.63	
<b>MW-6</b>														
08/28/90	--	--	--	--	--	12000	--	1700	1400	230	2100	--	--	
11/26/90	--	--	--	--	--	4000	--	800	120	250	440	--	--	
02/21/91	--	--	--	--	--	750	--	77	14	23	140	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-6 continued</b>														
08/05/91	--	--	--	--	--	860	--	130	11	92	150	--	--	
11/05/91	--	--	--	--	--	7100	--	200	ND	190	580	--	--	
02/07/92	--	--	--	--	--	180	--	22	0.68	22	20	--	--	
05/05/92	--	--	--	--	--	ND	--	ND	ND	ND	1.3	--	--	
08/03/92	--	--	--	--	--	1100	--	180	1.1	62	78	--	--	
11/03/92	--	--	--	--	--	920	--	45	0.76	12	110	--	--	
02/03/93	--	--	--	--	--	ND	--	1.2	ND	ND	ND	--	--	
03/01/93	4.31	6.20	0.00	-1.89	--	--	--	--	--	--	--	--	--	
04/01/93	4.31	6.04	0.00	-1.73	0.16	--	--	--	--	--	--	--	--	
05/17/93	4.31	7.50	0.00	-3.19	-1.46	4900	--	890	46	210	530	--	--	
06/15/93	4.31	7.76	0.00	-3.45	-0.26	--	--	--	--	--	--	--	--	
07/14/93	4.31	8.69	0.00	-4.38	-0.93	--	--	--	--	--	--	--	--	
08/13/93	4.31	9.20	0.00	-4.89	-0.51	2300	--	330	ND	95	40	--	--	
09/13/93	4.31	9.59	0.00	-5.28	-0.39	--	--	--	--	--	--	--	--	
10/14/93	4.31	9.75	0.00	-5.44	-0.16	--	--	--	--	--	--	--	--	
11/11/93	4.03	9.87	0.00	-5.84	-0.40	3000	--	470	ND	220	270	--	--	
12/14/93	4.03	8.60	0.00	-4.57	1.27	--	--	--	--	--	--	--	--	
01/10/94	4.03	8.81	0.00	-4.78	-0.21	--	--	--	--	--	--	--	--	
02/10/94	4.03	7.23	0.00	-3.20	1.58	ND	--	3.5	ND	1.5	ND	--	--	
03/14/94	4.03	6.68	0.00	-2.65	0.55	--	--	--	--	--	--	--	--	
04/23/94	4.03	7.24	0.00	-3.21	-0.56	--	--	--	--	--	--	--	--	
05/05/94	4.03	7.01	0.00	-2.98	0.23	2600	--	430	99	24	420	--	--	
06/07/94	4.03	7.02	0.00	-2.99	-0.01	--	--	--	--	--	--	--	--	
07/05/94	4.03	7.41	0.00	-3.38	-0.39	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-6 continued</b>														
08/02/94	4.03	7.66	0.00	-3.63	-0.25	28000	--	2200	940	1600	7500	--	--	
11/07/94	4.03	6.78	0.00	-2.75	0.88	23000	--	3800	970	1400	4700	--	--	
12/03/94	4.03	5.44	0.00	-1.41	1.34	--	--	--	--	--	--	--	--	
01/10/95	4.03	5.00	0.00	-0.97	0.44	--	--	--	--	--	--	--	--	
02/01/95	4.03	4.98	0.00	-0.95	0.02	55000	--	7700	9100	4500	20000	--	--	
03/03/95	4.03	5.71	0.00	-1.68	-0.73	--	--	--	--	--	--	--	--	
05/02/95	4.03	5.58	0.00	-1.55	0.13	59000	--	4700	4400	4000	18000	--	--	
08/01/95	4.03	6.76	0.00	-2.73	-1.18	23000	--	1400	510	940	7300	--	--	
11/01/95	4.03	8.10	0.00	-4.07	-1.34	24000	--	1100	200	1900	6000	170	--	
02/01/96	4.03	5.09	0.00	-1.06	3.01	58000	--	2700	1800	4200	17000	ND	--	
02/04/97	4.03	7.61	0.00	-3.58	-2.52	95	--	ND	1	ND	ND	96	--	
02/05/98	4.03	4.55	0.00	-0.52	3.06	44000	--	2100	1600	5200	20000	2800	--	
08/28/98	4.03	6.95	0.00	-2.92	-2.40	--	--	--	--	--	--	--	--	
02/04/99	4.03	5.59	0.00	-1.56	1.36	37000	--	480	250	2900	10000	ND	--	
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/02/00	4.03	6.24	0.00	-2.21	--	24300	--	313	42	1880	5490	604	357	
03/05/01	4.03	6.29	0.00	-2.26	-0.05	29300	--	272	66.8	2180	7380	1120	--	
08/10/01	4.03	7.11	0.00	-3.08	-0.82	--	--	--	--	--	--	--	--	
02/22/02	4.05	5.37	0.00	-1.32	1.76	22000	--	180	ND<50	1300	3100	760	790	
03/10/03	4.05	5.95	0.00	-1.90	-0.58	--	1200	13	ND<1.0	53	45	--	150	
02/05/04	4.05	5.45	0.00	-1.40	0.50	--	8400	100	12	770	980	--	270	
08/26/04	4.05	6.76	0.00	-2.71	-1.31	--	4700	15	1.2	390	470	--	180	
02/14/05	4.05	5.75	0.00	-1.70	1.01	--	6600	44	8.5	640	750	--	160	
09/27/05	4.05	7.19	0.00	-3.14	-1.44	--	2300	3.2	0.60	160	270	--	24	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethylbenzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-6 continued</b>														
03/27/06	4.05	4.70	0.00	-0.65	2.49	--	12000	73	16	750	2300	--	90	
09/20/06	4.05	7.02	0.00	-2.97	-2.32	--	2900	10	ND<2.5	240	160	--	47	
03/20/07	4.05	5.82	0.00	-1.77	1.20	--	2400	9.4	ND<2.5	160	290	--	28	
09/26/07	4.05	7.13	0.00	-3.08	-1.31	--	780	ND<2.5	ND<2.5	74	81	--	13	
03/24/08	4.05	5.91	0.00	-1.86	1.22	--	3400	9.8	0.99	160	370	--	23	
<b>MW-7</b>														
05/11/93	4.84	4.52	0.00	0.32	--	--	--	--	--	--	--	--	--	
05/17/93	4.84	7.00	0.00	-2.16	-2.48	ND	--	ND	ND	ND	ND	--	--	
06/15/93	4.84	7.47	0.00	-2.63	-0.47	--	--	--	--	--	--	--	--	
07/14/93	4.84	8.55	0.00	-3.71	-1.08	--	--	--	--	--	--	--	--	
08/13/93	4.84	9.23	0.00	-4.39	-0.68	ND	--	ND	ND	ND	ND	--	--	
09/13/93	4.84	10.08	0.00	-5.24	-0.85	--	--	--	--	--	--	--	--	
10/14/93	4.84	10.25	0.00	-5.41	-0.17	--	--	--	--	--	--	--	--	
11/11/93	4.42	10.27	0.00	-5.85	-0.44	ND	--	ND	ND	ND	ND	--	--	
12/14/93	4.42	8.52	0.00	-4.10	1.75	--	--	--	--	--	--	--	--	
01/10/94	4.42	9.30	0.00	-4.88	-0.78	--	--	--	--	--	--	--	--	
02/10/94	4.42	7.93	0.00	-3.51	1.37	ND	--	ND	ND	ND	ND	--	--	
03/14/94	4.42	6.78	0.00	-2.36	1.15	--	--	--	--	--	--	--	--	
04/23/94	4.42	--	0.00	--	--	--	--	--	--	--	--	--	Inaccessible	
05/05/94	4.42	7.13	0.00	-2.71	--	--	--	--	--	--	--	--	Sampled semi-annually	
06/07/94	4.42	7.09	0.00	-2.67	0.04	--	--	--	--	--	--	--	--	
07/05/94	4.42	7.49	0.00	-3.07	-0.40	--	--	--	--	--	--	--	--	
08/02/94	4.42	7.98	0.00	-3.56	-0.49	ND	--	ND	ND	ND	0.63	--	--	
11/07/94	4.42	7.86	0.00	-3.44	0.12	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-7 continued</b>														
12/03/94	4.42	5.95	0.00	-1.53	1.91	--	--	--	--	--	--	--	--	
01/10/95	4.42	5.50	0.00	-1.08	0.45	--	--	--	--	--	--	--	--	
02/01/95	4.42	5.43	0.00	-1.01	0.07	ND	--	ND	ND	ND	ND	--	--	
03/03/95	4.42	5.97	0.00	-1.55	-0.54	--	--	--	--	--	--	--	--	
05/02/95	4.42	5.73	0.00	-1.31	0.24	--	--	--	--	--	--	--	--	
08/01/95	4.42	7.62	0.00	-3.20	-1.89	ND	--	ND	ND	ND	ND	--	--	
11/01/95	4.42	8.58	0.00	-4.16	-0.96	--	--	--	--	--	--	--	--	
02/01/96	4.42	5.77	0.00	-1.35	2.81	ND	--	ND	ND	ND	ND	1.4	--	
02/04/97	4.42	7.64	0.00	-3.22	-1.87	ND	--	ND	ND	ND	ND	ND	--	
02/05/98	4.42	--	0.00	--	--	--	--	--	--	--	--	--	--	Paved Over
02/04/99	4.42	5.54	0.00	-1.12	--	ND	--	ND	ND	ND	ND	ND	--	
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/02/00	4.42	5.75	0.00	-1.33	--	ND	--	ND	ND	ND	ND	ND	--	
03/05/01	4.42	5.66	0.00	-1.24	0.09	ND	--	ND	ND	ND	ND	ND	--	
08/10/01	4.42	6.28	0.00	-1.86	-0.62	--	--	--	--	--	--	--	--	
02/22/02	4.45	4.98	0.00	-0.53	1.33	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/10/03	4.45	5.39	0.00	-0.94	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
02/05/04	4.45	5.10	0.00	-0.65	0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
08/26/04	4.45	6.98	0.00	-2.53	-1.88	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
02/14/05	4.45	6.19	0.00	-1.74	0.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	4.45	7.45	0.00	-3.00	-1.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	4.45	4.72	0.00	-0.27	2.73	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/20/06	4.45	7.20	0.00	-2.75	-2.48	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/20/07	4.45	6.04	0.00	-1.59	1.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-7 continued</b>														
09/26/07	4.45	7.51	0.00	-3.06	-1.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/24/08	4.45	4.92	0.00	-0.47	2.59	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-8</b>														
11/03/92	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
02/03/93	--	--	0.00	--	--	ND	--	ND	ND	ND	ND	--	--	
03/01/93	5.12	6.64	0.00	-1.52	--	--	--	--	--	--	--	--	--	
04/01/93	5.12	6.55	0.00	-1.43	0.09	--	--	--	--	--	--	--	--	
05/17/93	5.12	8.25	0.00	-3.13	-1.70	ND	--	ND	ND	ND	ND	--	--	
06/15/93	5.12	8.67	0.00	-3.55	-0.42	--	--	--	--	--	--	--	--	
07/14/93	5.12	9.47	0.00	-4.35	-0.80	--	--	--	--	--	--	--	--	
08/13/93	5.12	10.00	0.00	-4.88	-0.53	ND	--	ND	ND	ND	ND	--	--	
09/13/93	5.12	10.40	0.00	-5.28	-0.40	--	--	--	--	--	--	--	--	
10/14/93	5.12	10.23	0.00	-5.11	0.17	--	--	--	--	--	--	--	--	
11/11/93	4.43	10.22	0.00	-5.79	-0.68	ND	--	ND	ND	ND	ND	--	--	
12/14/93	4.43	9.00	0.00	-4.57	1.22	--	--	--	--	--	--	--	--	
01/10/94	4.43	9.17	0.00	-4.74	-0.17	--	--	--	--	--	--	--	--	
02/10/94	4.43	7.23	0.00	-2.80	1.94	ND	--	ND	ND	ND	ND	--	--	
03/14/94	4.43	6.94	0.00	-2.51	0.29	--	--	--	--	--	--	--	--	
04/23/94	4.43	7.63	0.00	-3.20	-0.69	--	--	--	--	--	--	--	--	
05/05/94	4.43	7.39	0.00	-2.96	0.24	--	--	--	--	--	--	--	--	Sampled semi-annually
06/07/94	4.43	7.44	0.00	-3.01	-0.05	--	--	--	--	--	--	--	--	
07/05/94	4.43	7.86	0.00	-3.43	-0.42	--	--	--	--	--	--	--	--	
08/02/94	4.43	8.23	0.00	-3.80	-0.37	ND	--	ND	ND	ND	ND	--	--	
11/07/94	4.43	6.56	0.00	-2.13	1.67	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-8 continued</b>														
12/03/94	4.43	5.60	0.00	-1.17	0.96	--	--	--	--	--	--	--	--	--
01/10/95	4.43	4.90	0.00	-0.47	0.70	--	--	--	--	--	--	--	--	--
02/01/95	4.43	5.02	0.00	-0.59	-0.12	ND	--	ND	ND	ND	ND	--	--	--
03/03/95	4.43	5.81	0.00	-1.38	-0.79	--	--	--	--	--	--	--	--	--
05/02/95	4.43	5.73	0.00	-1.30	0.08	--	--	--	--	--	--	--	--	--
08/01/95	4.43	7.11	0.00	-2.68	-1.38	ND	--	ND	ND	ND	ND	--	--	--
11/01/95	4.43	8.98	0.00	-4.55	-1.87	--	--	--	--	--	--	--	--	--
02/01/96	4.43	5.52	0.00	-1.09	3.46	ND	--	ND	ND	ND	ND	1.3	--	--
02/04/97	4.43	8.07	0.00	-3.64	-2.55	ND	--	ND	ND	ND	ND	ND	--	--
02/05/98	4.43	4.97	0.00	-0.54	3.10	ND	--	ND	ND	ND	ND	ND	--	--
02/04/99	4.43	6.12	0.00	-1.69	-1.15	ND	--	ND	ND	ND	ND	ND	--	--
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/02/00	4.43	6.11	0.00	-1.68	--	ND	--	ND	ND	ND	ND	ND	--	--
03/05/01	4.43	6.05	0.00	-1.62	0.06	ND	--	ND	ND	ND	ND	ND	--	--
02/22/02	4.43	5.90	0.00	-1.47	0.15	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
03/10/03	4.43	6.56	0.00	-2.13	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
02/05/04	4.43	6.25	0.00	-1.82	0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
08/26/04	4.43	7.33	0.00	-2.90	-1.08	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
02/14/05	4.43	6.09	0.00	-1.66	1.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	4.43	7.47	0.00	-3.04	-1.38	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	4.43	5.48	0.00	-1.05	1.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.4	
09/20/06	4.43	7.23	0.00	-2.80	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/20/07	4.43	6.37	0.00	-1.94	0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/26/07	4.43	7.67	0.00	-3.24	-1.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
<b>MW-8 continued</b>														
03/24/08	4.43	6.49	0.00	-2.06	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.53	
<b>MW-9</b>														
11/03/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/03/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
03/01/93	4.84	6.22	0.00	-1.38	--	--	--	--	--	--	--	--	--	
04/01/93	4.84	6.17	0.00	-1.33	0.05	--	--	--	--	--	--	--	--	
05/17/93	4.84	7.95	0.00	-3.11	-1.78	ND	--	ND	ND	ND	ND	--	--	
06/15/93	4.84	8.34	0.00	-3.50	-0.39	--	--	--	--	--	--	--	--	
07/14/93	4.84	9.13	0.00	-4.29	-0.79	--	--	--	--	--	--	--	--	
08/13/93	4.84	9.69	0.00	-4.85	-0.56	ND	--	ND	ND	ND	ND	--	--	
09/13/93	4.84	10.10	0.00	-5.26	-0.41	--	--	--	--	--	--	--	--	
10/14/93	4.84	10.23	0.00	-5.39	-0.13	--	--	--	--	--	--	--	--	
11/11/93	4.60	10.39	0.00	-5.79	-0.40	ND	--	ND	ND	ND	ND	--	--	
12/14/93	4.60	9.14	0.00	-4.54	1.25	--	--	--	--	--	--	--	--	
01/10/94	4.60	9.27	0.00	-4.67	-0.13	--	--	--	--	--	--	--	--	
02/10/94	4.60	7.20	0.00	-2.60	2.07	ND	--	ND	ND	ND	ND	--	--	
03/14/94	4.60	7.06	0.00	-2.46	0.14	--	--	--	--	--	--	--	--	
04/23/94	4.60	7.79	0.00	-3.19	-0.73	--	--	--	--	--	--	--	--	
05/05/94	4.60	7.52	0.00	-2.92	0.27	--	--	--	--	--	--	--	--	
06/07/94	4.60	7.54	0.00	-2.94	-0.02	--	--	--	--	--	--	--	--	
07/05/94	4.60	7.98	0.00	-3.38	-0.44	--	--	--	--	--	--	--	--	
08/02/94	4.60	8.34	0.00	-3.74	-0.36	ND	--	ND	ND	ND	ND	--	--	
11/07/94	4.60	6.44	0.00	-1.84	1.90	--	--	--	--	--	--	--	--	
12/03/94	4.60	5.68	0.00	-1.08	0.76	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-9 continued</b>														
01/10/95	4.60	4.98	0.00	-0.38	0.70	--	--	--	--	--	--	--	--	--
02/01/95	4.60	5.18	0.00	-0.58	-0.20	ND	--	ND	ND	ND	ND	--	--	--
03/03/95	4.60	5.90	0.00	-1.30	-0.72	--	--	--	--	--	--	--	--	--
05/02/95	4.60	5.86	0.00	-1.26	0.04	--	--	--	--	--	--	--	--	--
08/01/95	4.60	7.30	0.00	-2.70	-1.44	ND	--	ND	ND	ND	ND	--	--	--
11/01/95	4.60	8.66	0.00	-4.06	-1.36	--	--	--	--	--	--	--	--	--
02/01/96	4.60	5.14	0.00	-0.54	3.52	ND	--	ND	ND	ND	ND	ND	--	--
02/04/97	4.60	8.12	0.00	-3.52	-2.98	ND	--	ND	ND	ND	ND	ND	--	--
02/05/98	4.60	4.95	0.00	-0.35	3.17	ND	--	ND	ND	ND	ND	ND	--	--
02/04/99	4.60	5.81	0.00	-1.21	-0.86	ND	--	ND	ND	ND	ND	ND	--	--
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/02/00	4.60	5.71	0.00	-1.11	--	ND	--	ND	ND	ND	ND	ND	--	--
03/05/01	4.60	5.67	0.00	-1.07	0.04	ND	--	ND	ND	ND	ND	ND	--	--
02/22/02	4.60	5.61	0.00	-1.01	0.06	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--
03/10/03	4.60	6.16	0.00	-1.56	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	--
02/05/04	4.60	5.58	0.00	-0.98	0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	--
08/26/04	4.60	7.13	0.00	-2.53	-1.55	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	--
02/14/05	4.60	5.92	0.00	-1.32	1.21	--	ND<50	ND<0.50	ND<0.50	0.72	1.0	--	ND<0.50	--
09/27/05	4.60	7.43	0.00	-2.83	-1.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
03/27/06	4.60	5.14	0.00	-0.54	2.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
09/20/06	4.60	7.25	0.00	-2.65	-2.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	--
03/20/07	4.60	5.97	0.00	-1.37	1.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	--
09/26/07	4.60	7.43	0.00	-2.83	-1.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	--
03/24/08	4.60	6.21	0.00	-1.61	1.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-10</b>														
11/03/92	--	--	0.00	--	--	740	--	11	2.1	32	56	--	--	
02/03/93	--	--	0.00	--	--	1200	--	ND	ND	ND	ND	--	--	
03/01/93	3.34	5.82	0.00	-2.48	--	--	--	--	--	--	--	--	--	
04/01/93	3.34	5.69	0.00	-2.35	0.13	--	--	--	--	--	--	--	--	
05/17/93	3.34	7.04	0.00	-3.70	-1.35	1200	--	ND	ND	ND	ND	--	--	
06/15/93	3.34	7.22	0.00	-3.88	-0.18	--	--	--	--	--	--	--	--	
07/14/93	3.34	8.01	0.00	-4.67	-0.79	--	--	--	--	--	--	--	--	
08/13/93	3.34	8.42	0.00	-5.08	-0.41	1500	--	ND	ND	41	21	--	--	
09/13/93	3.34	8.74	0.00	-5.40	-0.32	--	--	--	--	--	--	--	--	
10/14/93	3.34	8.57	0.00	-5.23	0.17	--	--	--	--	--	--	--	--	
11/11/93	2.69	8.59	0.00	-5.90	-0.67	1600	--	ND	ND	ND	ND	--	--	
12/14/93	2.69	7.50	0.00	-4.81	1.09	--	--	--	--	--	--	--	--	
01/10/94	2.69	7.69	0.00	-5.00	-0.19	--	--	--	--	--	--	--	--	
02/10/94	2.69	8.21	0.00	-5.52	-0.52	1480	--	ND	ND	ND	ND	--	--	
03/14/94	2.69	5.56	0.00	-2.87	2.65	--	--	--	--	--	--	--	--	
04/23/94	2.69	6.22	0.00	-3.53	-0.66	--	--	--	--	--	--	--	--	
05/05/94	2.69	6.03	0.00	-3.34	0.19	1000	--	ND	ND	ND	ND	--	--	
06/07/94	2.69	6.10	0.00	-3.41	-0.07	--	--	--	--	--	--	--	--	
07/05/94	2.69	6.38	0.00	-3.69	-0.28	--	--	--	--	--	--	--	--	
08/02/94	2.69	6.67	0.00	-3.98	-0.29	95	--	ND	ND	ND	ND	--	--	
11/07/94	2.69	6.08	0.00	-3.39	0.59	1100	--	ND	ND	ND	ND	--	--	
12/03/94	2.69	4.68	0.00	-1.99	1.40	--	--	--	--	--	--	--	--	
01/10/95	2.69	4.21	0.00	-1.52	0.47	--	--	--	--	--	--	--	--	
02/01/95	2.69	4.26	0.00	-1.57	-0.05	560	--	ND	ND	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-10 continued</b>														
03/03/95	2.69	4.94	0.00	-2.25	-0.68	--	--	--	--	--	--	--	--	
05/02/95	2.69	4.80	0.00	-2.11	0.14	840	--	ND	ND	ND	9.5	--	--	
08/01/95	2.69	5.79	0.00	-3.10	-0.99	ND	--	ND	ND	ND	ND	--	--	
11/01/95	2.69	6.95	0.00	-4.26	-1.16	ND	--	ND	ND	ND	ND	830	--	
02/01/96	2.69	4.31	0.00	-1.62	2.64	ND	--	ND	ND	ND	ND	1300	--	
02/04/97	2.69	6.59	0.00	-3.90	-2.28	ND	--	ND	ND	ND	ND	ND	--	
02/05/98	2.69	3.76	0.00	-1.07	2.83	ND	--	ND	ND	ND	ND	500	--	
02/04/99	2.69	4.68	0.00	-1.99	-0.92	ND	--	ND	ND	ND	ND	620	850	
02/12/99	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/02/00	2.69	4.85	0.00	-2.16	--	ND	--	ND	ND	ND	ND	737	696	
03/05/01	2.69	4.81	0.00	-2.12	0.04	ND	--	ND	ND	ND	ND	121	--	
02/22/02	2.69	4.53	0.00	-1.84	0.28	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	870	780	
03/10/03	2.69	4.98	0.00	-2.29	-0.45	--	370	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	320	
02/05/04	2.69	5.32	0.00	-2.63	-0.34	--	320	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	300	
08/26/04	2.69	5.45	0.00	-2.76	-0.13	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	13	
02/14/05	2.69	4.81	0.00	-2.12	0.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
09/27/05	2.69	5.97	0.00	-3.28	-1.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.2	
03/27/06	2.69	3.87	0.00	-1.18	2.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.8	
09/20/06	2.69	6.77	0.00	-4.08	-2.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	5.3	
03/20/07	2.69	4.88	0.00	-2.19	1.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.7	
09/26/07	2.69	5.70	0.00	-3.01	-0.82	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7.5	
03/24/08	2.69	4.99	0.00	-2.30	0.71	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.6	
<b>MW-11</b>														
08/10/01	2.63	5.70	0.00	-3.07	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<2.0	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**May 1990 Through March 2008**  
**76 Station 3135**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	( $\mu\text{g/l}$ )								
<b>MW-11 continued</b>														
02/22/02	2.63	5.43	0.00	-2.80	0.27	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<2.0	
03/10/03	2.63	5.41	0.00	-2.78	0.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
02/05/04	2.63	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible, locked gate
08/26/04	2.63	5.35	0.00	-2.72	--	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1	--	ND<0.5	
02/14/05	2.63	5.12	0.00	-2.49	0.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/27/05	2.63	5.18	0.00	-2.55	-0.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	2.63	4.88	0.00	-2.25	0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/20/06	2.63	5.53	0.00	-2.90	-0.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/20/07	2.63	5.28	0.00	-2.65	0.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/26/07	2.63	4.98	0.00	-2.35	0.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/24/08	2.63	5.23	0.00	-2.60	-0.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-1</b>														
02/21/91	690	--	--	--	--	--	--	--	--	--	--	--	--	--
08/05/91	200	--	--	--	--	--	--	--	--	--	--	--	--	--
11/05/91	260	--	--	--	--	--	--	--	--	--	--	--	--	--
02/07/92	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/92	120	--	--	--	--	--	--	--	--	--	--	--	--	--
08/03/92	220	--	--	--	--	--	--	--	--	--	--	--	--	--
11/03/92	400	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	490	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	170	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	160	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	130	--	--	--	--	--	--	--	--	--	--	--	--	--
11/07/94	270	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/02/95	120	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	86	--	--	--	--	--	--	--	--	--	--	--	--	--
11/01/95	190	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	90	--	--	--	--	--	--	--	--	--	--	--	--	--
02/04/99	--	--	--	--	--	--	--	--	--	7.0	4.4	-54	3.56	--
02/12/99	--	--	--	--	--	--	--	--	3300	--	--	470	--	--
02/02/00	--	--	--	--	--	--	--	--	45.6	ND	13.7	484	3.83	--
03/05/01	--	ND	ND	ND	ND	ND	ND	ND	16.1	3.41	7.12	492	3.97	--
02/22/02	--	ND<330	ND<1700	ND<6.7	ND<6.7	ND<6.7	ND<6.7	ND<6.7	ND<100	ND<0.50	3.4	210	4.38	--
03/10/03	--	ND<1000	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20	4200	ND<1.0	8.3	180	1.2	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-1 continued</b>														
02/05/04	--	--	ND<500	--	--	--	--	--	3000	ND<1.0	3.4	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	--	3200	ND<0.88	11	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	--	2000	ND<1.0	41	-89	1.52	--
09/27/05	--	--	ND<250	--	--	--	--	--	6200	ND<0.10	52	--	4.39	-90
03/27/06	--	--	ND<250	--	--	--	--	--	2700	ND<1.0	22	--	0.64	-013
09/20/06	--	--	ND<250	--	--	--	--	--	4900	ND<0.10	23	--	0.73	-100
03/20/07	--	--	ND<250	--	--	--	--	--	4700	ND<0.10	26	--	0.84	-97
09/26/07	--	--	ND<250	--	--	--	--	--	2200	ND<0.10	65	--	0.27	-72
03/24/08	--	--	ND<250	--	--	--	--	--	2800	ND<0.10	24	--	.44	110
<b>MW-2</b>														
08/28/90	3100	--	--	--	--	--	--	--	--	--	--	--	--	--
11/26/90	3800	--	--	--	--	--	--	--	--	--	--	--	--	--
02/21/91	7000	--	--	--	--	--	--	--	--	--	--	--	--	--
08/05/91	4200	--	--	--	--	--	--	--	--	--	--	--	--	--
11/05/91	3900	--	--	--	--	--	--	--	--	--	--	--	--	--
02/07/92	2300	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/92	4600	--	--	--	--	--	--	--	--	--	--	--	--	--
08/03/92	3300	--	--	--	--	--	--	--	--	--	--	--	--	--
11/03/92	9600	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	3900	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	5500	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	2800	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	7000	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	2000	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/94	3100	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	8500	--	--	--	--	--	--	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrous	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-2 continued</b>														
11/07/94	3100	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	1800	--	--	--	--	--	--	--	--	--	--	--	--	--
05/02/95	2300	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	2900	--	--	--	--	--	--	--	--	--	--	--	--	--
11/01/95	4100	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	5500	--	--	--	--	--	--	--	--	--	--	--	--	--
08/28/98	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--
02/04/99	--	--	--	--	--	--	--	--	ND	12	-104	3.64	--	--
02/12/99	--	--	--	--	--	--	--	4300	--	--	380	--	--	--
02/02/00	--	--	--	--	--	--	--	1700	ND	15.2	55.3	3.28	--	--
03/05/01	--	--	--	--	--	--	--	81.2	2.91	53.7	480	2.9	--	--
02/22/02	--	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<0.50	38	270	2.66	--
03/10/03	--	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	11000	ND<1.0	34	110	1.2	--
02/05/04	--	--	ND<500	--	--	--	--	--	7600	ND<1.0	26	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	--	7000	ND<0.44	3.3	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	--	4600	ND<1.0	24	--	2.50	--
09/27/05	--	--	ND<250	--	--	--	--	--	32000	ND<0.10	4.2	--	5.22	-103
03/27/06	--	--	ND<250	--	--	--	--	--	37000	ND<0.10	15	--	0.73	-102
09/20/06	--	--	ND<250	--	--	--	--	--	24000	ND<0.10	9.4	--	1.01	-64
03/20/07	--	--	ND<250	--	--	--	--	--	64000	ND<0.10	2.7	--	0.82	-118
09/26/07	--	--	ND<250	--	--	--	--	--	21000	ND<0.10	ND<1.0	--	0.52	-77
03/24/08	--	--	ND<250	--	--	--	--	--	20000	ND<0.10	27	--	.41	12
<b>MW-3</b>														
08/05/91	63	--	--	--	--	--	--	--	--	--	--	--	--	--
11/05/91	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/07/92	ND	--	--	--	--	--	--	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-3 continued</b>														
05/05/92	56	--	--	--	--	--	--	--	--	--	--	--	--	--
08/03/92	58	--	--	--	--	--	--	--	--	--	--	--	--	--
11/03/92	52	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	53	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	51	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	50	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/94	66	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	76	--	--	--	--	--	--	--	--	--	--	--	--	--
11/07/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/02/95	56	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
11/01/95	200	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	160	--	--	--	--	--	--	--	--	--	--	--	--	--
02/04/99	--	--	--	--	--	--	--	--	--	ND	47	-064	5.34	--
02/12/99	--	--	--	--	--	--	--	--	1400	--	--	460	--	--
02/02/00	--	--	--	--	--	--	--	--	123	ND	26	45	6.06	--
03/05/01	--	--	--	--	--	--	--	--	27.9	3.52	70.1	476	4.93	--
02/22/02	--	ND<250	ND<1200	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<100	ND<0.50	49	250	4.16	--
03/10/03	--	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	10000	ND<1.0	76	200	1.2	--
02/05/04	--	--	ND<500	--	--	--	--	--	7300	ND<1.0	68	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	--	7200	ND<0.44	15	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	--	2200	ND<1.0	50	-58	3.42	--
09/27/05	--	--	ND<250	--	--	--	--	--	7900	ND<0.10	34	--	2.39	-109

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-3 continued</b>														
03/27/06	--	--	ND<250	--	--	--	--	--	7300	ND<0.20	120	--	1.31	-037
09/20/06	--	--	ND<250	--	--	--	--	--	6100	ND<0.10	94	--	0.61	-89
03/20/07	--	--	ND<250	--	--	--	--	--	7900	ND<0.10	95	--	0.70	-102
09/26/07	--	--	ND<250	--	--	--	--	--	8000	ND<0.10	57	--	0.27	-72
03/24/08	--	--	ND<250	--	--	--	--	--	7400	ND<0.10	76	--	.59	25
<b>MW-4</b>														
02/21/91	4100	--	--	--	--	--	--	--	--	--	--	--	--	--
08/05/91	6200	--	--	--	--	--	--	--	--	--	--	--	--	--
11/05/91	7700	--	--	--	--	--	--	--	--	--	--	--	--	--
02/07/92	2300	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/92	3200	--	--	--	--	--	--	--	--	--	--	--	--	--
08/03/92	2400	--	--	--	--	--	--	--	--	--	--	--	--	--
11/03/92	8300	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	720	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	3100	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	2000	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	4000	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	170	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/94	2000	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	2500	--	--	--	--	--	--	--	--	--	--	--	--	--
11/07/94	2200	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/02/95	2500	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	3400	--	--	--	--	--	--	--	--	--	--	--	--	--
11/01/95	3300	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	ND	--	--	--	--	--	--	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-4 continued</b>														
02/04/99	--	--	--	--	--	--	--	--	--	5.4	15	7	6.46	--
02/12/99	--	--	--	--	--	--	--	--	6000	--	--	610	--	--
02/02/00	--	--	--	--	--	--	--	--	3000	10.3	38.4	61	5.93	--
03/05/01	--	--	--	--	--	--	--	--	114	4.63	5.65	474	5.37	--
02/22/02	--	--	--	--	--	--	--	--	260	15	27	590	4.95	--
03/10/03	--	--	--	--	--	--	--	--	1200	15	42	230	0.8	--
02/05/04	--	--	ND<500	--	--	--	--	--	ND<200	ND<1.0	25	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	--	160	0.64	87	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	--	67	37	54	15	1.90	--
09/27/05	--	--	ND<250	--	--	--	--	--	120	0.46	63	--	5.10	-21
03/27/06	--	--	ND<250	--	--	--	--	--	160	14	51	--	1.66	-038
09/20/06	--	--	ND<250	--	--	--	--	--	250	0.39	50	--	1.44	-47
03/20/07	--	--	ND<250	--	--	--	--	--	540	7.3	40	--	5.69	-59
09/26/07	--	--	ND<250	--	--	--	--	--	ND<100	0.47	52	--	1.21	-24
03/24/08	--	--	ND<250	--	--	--	--	--	160	6.9	42	--	.72	32
<b>MW-5</b>														
08/05/91	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
11/05/91	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/07/92	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/92	72	--	--	--	--	--	--	--	--	--	--	--	--	--
08/03/92	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
11/03/92	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-5 continued</b>														
02/10/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/04/99	--	--	--	--	--	--	--	--	--	10	79	102	--	--
02/12/99	--	--	--	--	--	--	--	--	160	--	--	480	--	--
02/02/00	--	--	--	--	--	--	--	--	20.8	12.1	98.4	83.7	--	--
03/05/01	--	--	--	--	--	--	--	--	123	3.49	5.43	470	--	--
02/22/02	--	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<100	ND<0.50	39	630	--	--
03/10/03	--	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	2400	ND<1.0	47	230	--	--
02/05/04	--	--	ND<500	--	--	--	--	--	6900	ND<1.0	33	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	--	3100	1.8	36	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	--	1700	2.7	54	-64	1.38	--
09/27/05	--	--	ND<250	--	--	--	--	--	2500	1.4	68	--	5.12	-97
03/27/06	--	--	ND<250	--	--	--	--	--	2700	0.75	59	--	0.71	-116
09/20/06	--	--	ND<250	--	--	--	--	--	3300	0.38	42	--	0.65	-32
03/20/07	--	--	ND<250	--	--	--	--	--	4800	0.71	54	--	4.55	-57
09/26/07	--	--	ND<250	--	--	--	--	--	750	1.1	62	--	0.05	-39
03/24/08	--	--	ND<250	--	--	--	--	--	2800	0.45	43	--	0.54	80
<b>MW-6</b>														
08/28/90	1000	--	--	--	--	--	--	--	--	--	--	--	--	--
11/26/90	320	--	--	--	--	--	--	--	--	--	--	--	--	--
02/21/91	160	--	--	--	--	--	--	--	--	--	--	--	--	--
08/05/91	130	--	--	--	--	--	--	--	--	--	--	--	--	--
11/05/91	300	--	--	--	--	--	--	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-6 continued</b>														
02/07/92	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/92	47	--	--	--	--	--	--	--	--	--	--	--	--	--
08/03/92	170	--	--	--	--	--	--	--	--	--	--	--	--	--
11/03/92	220	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	1400	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	440	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	650	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/94	630	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	2400	--	--	--	--	--	--	--	--	--	--	--	--	--
11/07/94	770	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	2700	--	--	--	--	--	--	--	--	--	--	--	--	--
05/02/95	3600	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	2800	--	--	--	--	--	--	--	--	--	--	--	--	--
11/01/95	4300	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	3700	--	--	--	--	--	--	--	--	--	--	--	--	--
02/04/99	--	--	--	--	--	--	--	--	ND	4.8	-034	--	--	--
02/12/99	--	--	--	--	--	--	--	3200	--	--	400	--	--	--
02/02/00	--	--	--	--	--	--	--	217	ND	8.91	71.5	3.12	--	--
03/05/01	--	--	--	--	--	--	--	79.1	2.95	ND	467	2.84	--	--
02/22/02	--	ND<500	ND<2500	ND<10	ND<10	ND<10	ND<10	ND<10	ND<100	ND<0.50	ND<0.50	540	3.25	--
03/10/03	--	ND<200	ND<1000	ND<4.0	ND<4.0	ND<4.0	ND<4.0	ND<4.0	1700	ND<1.0	38	230	2.8	--
02/05/04	--	--	ND<5000	--	--	--	--	--	1100	ND<1.0	ND<1.0	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	--	5600	ND<0.88	1.8	--	--	--
02/14/05	--	--	ND<500	--	--	--	--	--	1500	ND<1.0	11	-97	2.38	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	( $\mu\text{g/l}$ )	( $\mu\text{g/l}$ )	( $\mu\text{g/l}$ )	( $\mu\text{g/l}$ )	( $\mu\text{g/l}$ )	( $\mu\text{g/l}$ )	( $\mu\text{g/l}$ )	( $\mu\text{g/l}$ )	( $\mu\text{g/l}$ )	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-6 continued</b>														
09/27/05	--	--	ND<250	--	--	--	--	--	2000	ND<0.10	48	--	4.18	-087
03/27/06	--	--	ND<250	--	--	--	--	--	7500	ND<0.10	4.6	--	0.89	0.94
09/20/06	--	--	ND<1200	--	--	--	--	--	5700	ND<0.10	12	--	0.70	-126
03/20/07	--	--	ND<1200	--	--	--	--	--	6700	ND<0.10	38	--	0.87	-94
09/26/07	--	--	ND<1200	--	--	--	--	--	3200	ND<0.10	48	--	0.36	-93
03/24/08	--	--	ND<250	--	--	--	--	--	2500	ND<0.10	36	--	1.32	84
<b>MW-7</b>														
05/17/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	66	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	96	--	--	--	--	--	--	--	--	--	--	--	--	--
02/04/99	--	--	--	--	--	--	--	--	ND	4.6	-71	5.05	--	--
02/12/99	--	--	--	--	--	--	--	--	1800	--	--	450	--	--
02/02/00	--	--	--	--	--	--	--	--	812	ND	6.43	84	4.58	--
03/05/01	--	--	--	--	--	--	--	--	124	3.2	ND	464	4.81	--
02/22/02	--	--	--	--	--	--	--	--	ND<100	ND<0.50	2.4	610	4.14	--
03/10/03	--	--	--	--	--	--	--	--	5300	ND<1.0	14	230	1.4	--
02/05/04	--	--	ND<500	--	--	--	--	--	2600	ND<1.0	31	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	--	2900	ND<0.44	6.7	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	--	870	ND<1.0	41	-63	2.21	--
09/27/05	--	--	ND<250	--	--	--	--	--	5700	ND<0.10	12	--	6.74	-78
03/27/06	--	--	ND<250	--	--	--	--	--	5600	ND<0.10	51	--	0.79	-076

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-7 continued</b>														
09/20/06	--	--	ND<250	--	--	--	--	--	3600	ND<0.10	12	--	0.96	-79
03/20/07	--	--	ND<250	--	--	--	--	--	3900	ND<0.10	25	--	3.39	-71
09/26/07	--	--	ND<250	--	--	--	--	--	2900	ND<0.10	1.5	--	1.09	-60
03/24/08	--	--	ND<250	--	--	--	--	--	2200	0.21	36	--	1.01	117
<b>MW-8</b>														
11/03/92	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	110	--	--	--	--	--	--	--	--	--	--	--	--	--
02/04/99	--	--	--	--	--	--	--	--	ND	41	90	4.95	--	--
02/12/99	--	--	--	--	--	--	--	150	--	--	470	--	--	--
02/02/00	--	--	--	--	--	--	--	ND	ND	47.5	111	5.24	--	--
03/05/01	--	--	--	--	--	--	--	ND	25	28.8	455	4.71	--	--
02/22/02	--	--	--	--	--	--	--	ND<100	0.56	37	630	5.1	--	--
03/10/03	--	--	--	--	--	--	--	ND<200	ND<1.0	50	280	1.4	--	--
02/05/04	--	--	ND<500	--	--	--	--	ND<200	ND<1.0	46	--	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	ND<100	ND<0.44	50	--	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	110	ND<1.0	49	25	1.30	--	--
09/27/05	--	--	ND<250	--	--	--	--	ND<100	ND<0.10	51	--	6.62	024	
03/27/06	--	--	ND<250	--	--	--	--	ND<100	ND<0.10	42	--	1.61	-021	

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-8 continued</b>														
09/20/06	--	--	ND<250	--	--	--	--	--	ND<100	ND<0.10	46	--	2.25	55
03/20/07	--	--	ND<250	--	--	--	--	--	ND<100	ND<0.10	45	--	6.37	5
09/26/07	--	--	ND<250	--	--	--	--	--	ND<100	ND<0.10	46	--	0.97	126
03/24/08	--	--	ND<250	--	--	--	--	--	160	ND<0.10	47	--	.71	121
<b>MW-9</b>														
11/03/92	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	65	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	76	--	--	--	--	--	--	--	--	--	--	--	--	--
02/04/99	--	--	--	--	--	--	--	--	22	30	78	4.77	--	--
02/12/99	--	--	--	--	--	--	--	260	--	--	470	--	--	--
02/02/00	--	--	--	--	--	--	--	ND	20.6	36.5	172	5.12	--	--
03/05/01	--	--	--	--	--	--	--	ND	27.1	30.5	468	5.28	--	--
02/22/02	--	--	--	--	--	--	--	ND<100	22	28	620	5.33	--	--
03/10/03	--	--	--	--	--	--	--	ND<200	27	29	250	1.1	--	--
02/05/04	--	--	ND<500	--	--	--	--	ND<200	ND<1.0	32	--	--	--	--
08/26/04	--	--	ND<1000	--	--	--	--	ND<100	28.6	27	--	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	55	32	30	-64	2.16	--	--
09/27/05	--	--	ND<250	--	--	--	--	ND<100	7.0	27	--	3.28	-008	
03/27/06	--	--	ND<250	--	--	--	--	160	8.2	28	--	1.78	-016	


**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-9 continued</b>														
09/20/06	--	--	ND<250	--	--	--	--	--	100	6.8	28	--	1.91	19
03/20/07	--	--	ND<250	--	--	--	--	--	320	7.0	26	--	1.40	-
09/26/07	--	--	ND<250	--	--	--	--	--	ND<100	6.4	25	--	1.81	111
03/24/08	--	--	ND<250	--	--	--	--	--	170	7.8	27	--	0.80	60
<b>MW-10</b>														
11/03/92	160	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
05/17/93	ND	--	--	--	--	--	--	--	--	--	--	--	--	--
08/13/93	97	--	--	--	--	--	--	--	--	--	--	--	--	--
11/11/93	88	--	--	--	--	--	--	--	--	--	--	--	--	--
02/10/94	71	--	--	--	--	--	--	--	--	--	--	--	--	--
05/05/94	55	--	--	--	--	--	--	--	--	--	--	--	--	--
08/02/94	110	--	--	--	--	--	--	--	--	--	--	--	--	--
11/07/94	120	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/95	72	--	--	--	--	--	--	--	--	--	--	--	--	--
05/02/95	99	--	--	--	--	--	--	--	--	--	--	--	--	--
08/01/95	260	--	--	--	--	--	--	--	--	--	--	--	--	--
11/01/95	280	--	--	--	--	--	--	--	--	--	--	--	--	--
02/01/96	320	--	--	--	--	--	--	--	--	--	--	--	--	--
02/04/99	--	--	--	--	--	--	--	--	--	ND	36	94	4.02	--
02/12/99	--	--	--	--	--	--	--	--	240	--	--	470	--	--
02/02/00	--	--	--	--	--	--	--	--	16.5	ND	40.1	110	4.84	--
03/05/01	--	--	--	--	--	--	--	--	24.8	3.17	66.7	461	3.7	--
02/22/02	--	ND<620	ND<3100	ND<12	ND<12	ND<12	ND<12	ND<12	ND<100	ND<0.50	30	590	4.58	--
03/10/03	--	ND<500	ND<2500	ND<10	ND<10	ND<10	ND<10	ND<10	ND<200	ND<1.0	45	270	1.6	--
02/05/04	--	--	ND<2500	--	--	--	--	--	ND<200	ND<1.0	45	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 3135**

Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Sulfate	Redox Potential (ORP-Lab)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mV)
<b>MW-10 continued</b>														
08/26/04	--	--	ND<1000	--	--	--	--	--	1100	ND<0.44	49	--	--	--
02/14/05	--	--	ND<50	--	--	--	--	--	490	ND<1.0	31	-17	2.02	--
09/27/05	--	--	ND<250	--	--	--	--	--	120	ND<0.10	35	--	4.20	-031
03/27/06	--	--	ND<250	--	--	--	--	--	290	ND<0.10	38	--	2.17	022
09/20/06	--	--	ND<250	--	--	--	--	--	2000	ND<0.10	35	--	1.52	-20
03/20/07	--	--	ND<250	--	--	--	--	--	990	ND<0.10	36	--	6.90	30
09/26/07	--	--	ND<250	--	--	--	--	--	1000	ND<0.10	38	--	0.43	30
03/24/08	--	--	ND<250	--	--	--	--	--	830	ND<0.10	37	--	1.03	77
<b>MW-11</b>														
08/10/01	110	ND<100	ND<1000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
02/22/02	99	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	3.57	--
03/10/03	75	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	1.5	--
08/26/04	ND<200	ND<12	ND<1000	ND<0.5	ND<0.5	ND<1	ND<1	ND<1	--	--	--	--	--	--
02/14/05	ND<50	ND<5.0	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
09/27/05	ND<200	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	5.37	-52
03/27/06	ND<200	43	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	1.18	-044
09/20/06	ND<50	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	1.02	-59
03/20/07	66	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	1.03	-27
09/26/07	74	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	0.33	-73
03/24/08	ND<50	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	1.13	152

# FIGURES



0      1/4      1/2      3/4      1 MILE

SCALE 1: 24,000



SOURCE:

United States Geological Survey  
7.5 Minute Topographic Map:  
Oakland West Quadrangle



PROJECT: 154771

FACILITY:

76 STATION 3135  
845 66th AVENUE  
OAKLAND, CALIFORNIA

VICINITY MAP




FIGURE 1

### LEGEND

MW-11 Monitoring Well with Groundwater Elevation (feet)

-0.50 Groundwater Elevation Contour

General Direction of Groundwater Flow



### NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank.



PROJECT: 154771


FACILITY:  
76 STATION 3135  
845 66TH AVENUE  
OAKLAND, CALIFORNIA

**GROUNDWATER ELEVATION  
CONTOUR MAP**  
March 24, 2008

**FIGURE 2**

### LEGEND

- MW-11 Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ( $\mu\text{g/l}$ )
- 1,000 — Dissolved-Phase TPH-G (GC/MS) Contour ( $\mu\text{g/l}$ )



SCALE (FEET)

0 80

### NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.  
 $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report.  
UST = underground storage tank.




PROJECT: 154771
FACILITY: 76 STATION 3135 845 66TH AVENUE OAKLAND, CALIFORNIA

DISSOLVED-PHASE TPH-G (GC/MS)  
CONCENTRATION MAP  
March 24, 2008

FIGURE 3

### LEGEND

- MW-11 Monitoring Well with Dissolved-Phase Benzene Concentration ( $\mu\text{g/l}$ )
- 1.0 Dissolved-Phase Benzene Contour ( $\mu\text{g/l}$ )



### NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
 $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report.  
 UST = underground storage tank.


	PROJECT: 154771	DISSOLVED-PHASE BENZENE CONCENTRATION MAP March 24, 2008
	FACILITY: 76 STATION 3135 845 66TH AVENUE OAKLAND, CALIFORNIA	

FIGURE 4

### LEGEND

MW-11 Monitoring Well with Dissolved-Phase MTBE Concentration ( $\mu\text{g/l}$ )

10 Dissolved-Phase MTBE Contour ( $\mu\text{g/l}$ )



### NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.

MTBE = methyl tertiary butyl ether.

$\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report.

UST = underground storage tank. Results obtained using EPA Method 8260B.



PROJECT: 154771


FACILITY:  
76 STATION 3135  
845 66TH AVENUE  
OAKLAND, CALIFORNIA

DISSOLVED-PHASE MTBE CONCENTRATION MAP  
March 24, 2008

FIGURE 5


# GRAPHS

Groundwater Elevations vs. Time  
76 Station 3135




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time  
76 Station 3135











Groundwater Elevations vs. Time  
76 Station 3135




Elevations may have been corrected for apparent changes due to resurvey

### Benzene Concentrations vs Time

76 Station 3135



**Benzene Concentrations vs Time**  
76 Station 3135



## GENERAL FIELD PROCEDURES

### **Groundwater Monitoring and Sampling Assignments**

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

### **Fluid Level Measurements**

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

### **Purging and Groundwater Parameter Measurement**

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

## **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable,  $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

## **Sequence of Gauging, Purging and Sampling**

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

## **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

## **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

## FIELD MONITORING DATA SHEET

Technician: Andrew Vidlers

Job #/Task #: 154771 FA20

Date: 03/24/08

Site # 335

Project Manager A. Collins

Page 1 of 1

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vilwers

Site: 3135

Project No.: 154771

Date: 03/24/08

Well No. MW-9

Depth to Water (feet) 6.21

Total Depth (feet) 23.08

Water Column (feet) 16.87

80% Recharge Depth(feet) 9.58

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE						0.80	60	
0821		3	533.6	16.7	7.84				
		6	524.7	17.1	7.66				
0823		9	569.1	16.4	7.98				
Static at Time Sampled			Total Gallons Purged			Sample Time			
6.92			9			0827			
Comments:									

Well No. MW-8

Depth to Water (feet) 6.49

Total Depth (feet) 23.50

Water Column (feet) 17.01

80% Recharge Depth(feet) 9.89

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE						.71	121	
0840	0841	3	695.2	17.3	6.74				
		6	715.0	17.7	6.71				
0843		9	703.7	16.8	6.76				
Static at Time Sampled			Total Gallons Purged			Sample Time			
8.62			9			0847			
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidwers

Site: 3135

Project No.: 154771

Date: 03/29/08

Well No. MW-11

Purge Method: DIA

Depth to Water (feet) 5.23

Depth to Product (feet) —

Total Depth (feet) 20.55

LPH & Water Recovered (gallons) —

Water Column (feet) 15.32

Casing Diameter (Inches) 2

80% Recharge Depth(feet) 12.89

1 Well Volume (gallons) 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE						1.13	152	
0757		2	1563	17.6	6.73				
		4	1571	17.9	6.73				
	0758	6	1585	17.5	6.74				
Static at Time Sampled			Total Gallons Purged			Sample Time			
6.81			6			0803			
Comments:									

Well No. MW-7

Purge Method: DIA

Depth to Water (feet) 4.92

Depth to Product (feet) —

Total Depth (feet) 19.80

LPH & Water Recovered (gallons) —

Water Column (feet) 14.88

Casing Diameter (Inches) 2

80% Recharge Depth(feet) 8.00

1 Well Volume (gallons) 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0904		2	1180	16.4	6.74				
		4	1191	17.7	6.75				
	0905	6	1186	18.2	6.76				
PRE	PURGE						1.01	117	
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.63			6			0910			
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vanders

Site: 3135

Project No.: 154771

Date: 03/24/08

Well No. MW-5

Depth to Water (feet): 5.94

Total Depth (feet) 25.90

Water Column (feet) 19.96

80% Recharge Depth(feet): 9.93

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE	-					0.54	80	
0924		3	1014	18.3	6.93				
		6	996.4	18.5	6.86				
0926		9	987.2	18.6	6.82				
Static at Time Sampled			Total Gallons Purged			Sample Time			
6.72			9			0931			
Comments:									

Well No. MW-4

Depth to Water (feet): 5.47

Total Depth (feet) 25.00

Water Column (feet) 19.53

80% Recharge Depth(feet): 9.38

Purge Method: DIA

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE	-					.72	32	
0940		3	989.2	19.3	6.94				
0942		6	981.9	19.0	6.94				
0942 AV		9							
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.49			6			1207			
Comments: Went dry @ 6 gallons. Did not recharge in 45 min.									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vanders

Site: 3135

Project No.: 154771

Date: 03/24/08

Well No. MW-1

Purge Method: DIA

Depth to Water (feet): 6.61

Depth to Product (feet): —

Total Depth (feet) 22.65

LPH & Water Recovered (gallons): —

Water Column (feet): 16.04

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 9.82

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE						.44	110	
0959		3	1544	20.2	7.20				
		6	1670	19.6	7.13				
	1007	9	1785	19.6	7.06				
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.92			9			1008			
Comments:									

Well No. MW-3

Purge Method: DIA

Depth to Water (feet): 5.30

Depth to Product (feet): —

Total Depth (feet) 21.60

LPH & Water Recovered (gallons): —

Water Column (feet): 16.30

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 8.56

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE						.59	25	
1023		3	1165	19.8	6.98				
		6	1083	18.3	6.92				
	1025	9	1064	18.7	6.87				
Static at Time Sampled			Total Gallons Purged			Sample Time			
8.56			9			1035			
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidwans

Site: 3135

Project No.: 154771

Date: 03/24/08

Well No. MW-10

Depth to Water (feet): 1.99

Purge Method: DIA

Total Depth (feet) 21.10

Depth to Product (feet): —

Water Column (feet) 16.11

LPH & Water Recovered (gallons): —

80% Recharge Depth(feet) 8.21

Casing Diameter (Inches): 2

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE						103	77	
1101		3	1249	21.5	7.36				
		6	1327	20.0	7.31				
	1103	9	1347	19.6	7.27				
Static at Time Sampled			Total Gallons Purged			Sample Time			
5.91			9			1108			
Comments:									

Well No. MW-6

Depth to Water (feet) 5.91

Purge Method: DIA

Total Depth (feet) 25.79

Depth to Product (feet): —

Water Column (feet) 19.88

LPH & Water Recovered (gallons): —

80% Recharge Depth(feet) 9.89

Casing Diameter (Inches): 2

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE						132	84	
1123		3	1336	21.6	7.47				
		6	1241	20.6	7.42				
	1125	9	1199	20.5	7.37				
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.03			9			1130			
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidwers

Site: 3135

Project No.: 154771

Date: 03/24/08

Well No. MW-2

Purge Method: DIA

Depth to Water (feet): 5.31

Depth to Product (feet): —

Total Depth (feet) 22.50

LPH & Water Recovered (gallons): —

Water Column (feet) 17.19

Casing Diameter (Inches): 2

80% Recharge Depth(feet) 8.75

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
PRE	PURGE						,41	,12	
1141		3	762.1	21.4	6.94				
		6	734.0	19.7	6.87				
	1143	9	779.7	19.5	6.81				
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.69			9			1148			
Comments:									

Well No. \_\_\_\_\_

Purge Method: \_\_\_\_\_

Depth to Water (feet): \_\_\_\_\_

Depth to Product (feet): \_\_\_\_\_

Total Depth (feet) \_\_\_\_\_

LPH & Water Recovered (gallons): \_\_\_\_\_

Water Column (feet): \_\_\_\_\_

Casing Diameter (Inches): \_\_\_\_\_

80% Recharge Depth(feet): \_\_\_\_\_

1 Well Volume (gallons): \_\_\_\_\_

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
Static at Time Sampled			Total Gallons Purged			Sample Time			
Comments:									



Date of Report: 04/01/2008

Anju Farfan

TRC  
21 Technology Drive  
Irvine, CA 92618

RE: 3135  
BC Work Order: 0803831

Enclosed are the results of analyses for samples received by the laboratory on 03/24/2008 20:50. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature of 'Molly Meyers'.

Contact Person: Molly Meyers  
Client Service Rep

A horizontal line intended for an authorized signature.

Authorized Signature



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
0803831-01	COC Number: --- Project Number: 3135 Sampling Location: MW-9 Sampling Point: MW-9 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 08:27 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0803831-02	COC Number: --- Project Number: 3135 Sampling Location: MW-8 Sampling Point: MW-8 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 08:47 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0803831-03	COC Number: --- Project Number: 3135 Sampling Location: MW-11 Sampling Point: MW-11 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 08:03 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0803831-04	COC Number: --- Project Number: 3135 Sampling Location: MW-7 Sampling Point: MW-7 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 09:10 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0803831-05	COC Number: --- Project Number: 3135 Sampling Location: MW-5 Sampling Point: MW-5 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 09:31 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
0803831-06	COC Number: --- Project Number: 3135 Sampling Location: MW-4 Sampling Point: MW-4 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 12:07 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0803831-07	COC Number: --- Project Number: 3135 Sampling Location: MW-1 Sampling Point: MW-1 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 10:08 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0803831-08	COC Number: --- Project Number: 3135 Sampling Location: MW-3 Sampling Point: MW-3 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 10:35 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0803831-09	COC Number: --- Project Number: 3135 Sampling Location: MW-10 Sampling Point: MW-10 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 11:08 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	
0803831-10	COC Number: --- Project Number: 3135 Sampling Location: MW-6 Sampling Point: MW-6 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 11:30 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:	



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
0803831-11	COC Number: --- Project Number: 3135 Sampling Location: MW-2 Sampling Point: MW-2 Sampled By: TRCI	Receive Date: 03/24/2008 20:50 Sampling Date: 03/24/2008 11:48 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600101488 Matrix: W Samle QC Type (SACode): CS Cooler ID:



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-01	Client Sample Name: 3135, MW-9, MW-9, 3/24/2008 8:27:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359	ND	
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359		
4-Bromofluorobenzene (Surrogate)	96.1	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 17:27	ANO	MS-V4	1	BCR1359		



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-01	Client Sample Name: 3135, MW-9, MW-9, 3/24/2008 8:27:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Nitrate as N	7.8	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 09:01	FAD	IC1	1	BC1451	ND
Sulfate	27	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 09:01	FAD	IC1	1	BC1451	ND
Iron (II) Species	170	ug/L	100		SM-3500-F $\epsilon$	03/25/08	03/25/08 03:25	MRM	SPEC05	1	BC1431	ND



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-02	Client Sample Name: 3135, MW-8, MW-8, 3/24/2008 8:47:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	ND
Methyl t-butyl ether	0.53	ug/L	0.50		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	ND
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	ND
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	ND
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	
Toluene-d8 (Surrogate)	99.6	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	
4-Bromofluorobenzene (Surrogate)	96.6	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 17:51	ANO	MS-V4	1	BCR1359	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-02	Client Sample Name: 3135, MW-8, MW-8, 3/24/2008 8:47:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals	
Nitrate as N	ND	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 10:02	FAD	IC1	1	BCR1451	ND	
Sulfate	47	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 10:02	FAD	IC1	1	BCR1451	ND	
Iron (II) Species	160	ug/L	100		SM-3500-Fc	03/25/08	03/25/08 03:25	MRM	SPEC05	1	BCR1431	ND	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-03	Client Sample Name: 3135, MW-11, MW-11, 3/24/2008 8:03:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359	ND	
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359		
Toluene-d8 (Surrogate)	99.1	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359		
4-Bromofluorobenzene (Surrogate)	98.3	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:09	ANO	MS-V4	1	BCR1359		



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Total Petroleum Hydrocarbons

BCL Sample ID:	0803831-03	Client Sample Name: 3135, MW-11, MW-11, 3/24/2008 8:03:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	03/25/08	03/27/08 08:25	PTL	GC-5	1	BCR1621	ND
Tetracosane (Surrogate)	46.2	%	28 - 139 (LCL - UCL)		Luft/TPHd	03/25/08	03/27/08 08:25	PTL	GC-5	1	BCR1621	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-04	Client Sample Name: 3135, MW-7, MW-7, 3/24/2008 9:10:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	ND
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	ND
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	ND
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	
4-Bromofluorobenzene (Surrogate)	98.9	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:33	ANO	MS-V4	1	BCR1359	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-04	Client Sample Name: 3135, MW-7, MW-7, 3/24/2008 9:10:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Nitrate as N	0.21	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 10:17	FAD	IC1	1	BRCA1451	ND	
Sulfate	36	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 10:17	FAD	IC1	1	BRCA1451	ND	
Iron (II) Species	2200	ug/L	100		SM-3500-Ft	03/25/08	03/25/08 03:25	MRM	SPEC05	1	BRCA1431	ND	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-05	Client Sample Name: 3135, MW-5, MW-5, 3/24/2008 9:31:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	QC	MB	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	ND
Methyl t-butyl ether	0.63	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	ND
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	ND
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	ND
1,2-Dichloroethane-d4 (Surrogate)	107	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	
4-Bromofluorobenzene (Surrogate)	99.3	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/25/08 23:58	ANO	MS-V4	1	BCR1359	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-05	Client Sample Name: 3135, MW-5, MW-5, 3/24/2008 9:31:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Nitrate as N	0.45	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 10:32	FAD	IC1	1	BRCA1451	ND
Sulfate	43	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 10:32	FAD	IC1	1	BRCA1451	ND
Iron (II) Species	2800	ug/L	100		SM-3500-F	03/25/08	03/25/08 03:25	MRM	SPEC05	1	BRCA1431	ND



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-06	Client Sample Name: 3135, MW-4, MW-4, 3/24/2008 12:07:00PM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	QC	MB	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	ND
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	ND
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	ND
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	ND
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	
4-Bromofluorobenzene (Surrogate)	99.4	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 00:22	ANO	MS-V4	1	BCR1359	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-06	Client Sample Name: 3135, MW-4, MW-4, 3/24/2008 12:07:00PM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Nitrate as N	6.9	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 10:47	FAD	IC1	1	BCR1451	ND	
Sulfate	42	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 10:47	FAD	IC1	1	BCR1451	ND	
Iron (II) Species	160	ug/L	100		SM-3500-F	03/25/08	03/25/08 03:25	MRM	SPEC05	1	BCR1431	ND	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-07	Client Sample Name: 3135, MW-1, MW-1, 3/24/2008 10:08:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	ND
Methyl t-butyl ether	2.2	ug/L	0.50		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	ND
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	ND
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	ND
Total Purgeable Petroleum Hydrocarbons	250	ug/L	50		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	ND
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	
4-Bromofluorobenzene (Surrogate)	99.1	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 00:46	ANO	MS-V4	1	BCR1359	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-07	Client Sample Name: 3135, MW-1, MW-1, 3/24/2008 10:08:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB Bias	Lab Quals	
Nitrate as N	ND	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 16:36	FAD	IC1	1	BCR1451	ND
Sulfate	24	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 16:36	FAD	IC1	1	BCR1451	ND
Iron (II) Species	2800	ug/L	100		SM-3500-Fe	03/25/08	03/25/08 03:25	MRM	SPEC05	1	BCR1431	ND



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-08	Client Sample Name: 3135, MW-3, MW-3, 3/24/2008 10:35:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359	ND	
Methyl t-butyl ether	2.4	ug/L	0.50		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359	ND	
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359		
4-Bromofluorobenzene (Surrogate)	98.2	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 01:11	ANO	MS-V4	1	BCR1359		



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-08	Client Sample Name: 3135, MW-3, MW-3, 3/24/2008 10:35:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals	
Nitrate as N	ND	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 12:18	FAD	IC1	1	BRCA1451	ND
Sulfate	76	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 12:18	FAD	IC1	1	BRCA1451	ND
Iron (II) Species	7400	ug/L	200		SM-3500-F	03/25/08	03/25/08 03:25	MRM	SPEC05	2	BRCA1431	ND
												A01



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-09	Client Sample Name: 3135, MW-10, MW-10, 3/24/2008 11:08:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	QC	MB	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	ND
Ethylbenzene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	ND
Methyl t-butyl ether	3.6	ug/L	0.50		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	ND
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	ND
Total Xylenes	ND	ug/L	1.0		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	ND
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	ND
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	ND
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	
Toluene-d8 (Surrogate)	99.8	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	
4-Bromofluorobenzene (Surrogate)	97.3	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/26/08 01:35	ANO	MS-V4	1	BCR1359	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-09	Client Sample Name: 3135, MW-10, MW-10, 3/24/2008 11:08:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals	
Nitrate as N	ND	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 16:51	FAD	IC1	1	BCR1451	ND	
Sulfate	37	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 16:51	FAD	IC1	1	BCR1451	ND	
Iron (II) Species	830	ug/L	100		SM-3500-F <sub>e</sub>	03/25/08	03/25/08 03:25	MRM	SPEC05	1	BCR1431	ND	

BC

LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-10	Client Sample Name: 3135, MW-6, MW-6, 3/24/2008 11:30:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	QC	MB	Lab Quals
Benzene	9.8	ug/L	0.50		EPA-8260	03/25/08	03/28/08 02:36	ANO	MS-V4	1	BCR1359	ND
Ethylbenzene	160	ug/L	2.5		EPA-8260	03/25/08	03/29/08 06:13	ANO	MS-V4	5	BCR1359	ND
Methyl t-butyl ether	23	ug/L	0.50		EPA-8260	03/25/08	03/28/08 02:36	ANO	MS-V4	1	BCR1359	ND
Toluene	0.99	ug/L	0.50		EPA-8260	03/25/08	03/28/08 02:36	ANO	MS-V4	1	BCR1359	ND
Total Xylenes	370	ug/L	5.0		EPA-8260	03/25/08	03/29/08 06:13	ANO	MS-V4	5	BCR1359	ND
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/28/08 02:36	ANO	MS-V4	1	BCR1359	ND
Total Purgeable Petroleum Hydrocarbons	3400	ug/L	250		EPA-8260	03/25/08	03/29/08 06:13	ANO	MS-V4	5	BCR1359	ND
1,2-Dichloroethane-d4 (Surrogate)	100	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/29/08 06:13	ANO	MS-V4	5	BCR1359	
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/28/08 02:36	ANO	MS-V4	1	BCR1359	
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/29/08 06:13	ANO	MS-V4	5	BCR1359	
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/28/08 02:36	ANO	MS-V4	1	BCR1359	
4-Bromofluorobenzene (Surrogate)	98.1	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/29/08 06:13	ANO	MS-V4	5	BCR1359	
4-Bromofluorobenzene (Surrogate)	95.3	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/28/08 02:36	ANO	MS-V4	1	BCR1359	

BC

LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-10	Client Sample Name: 3135, MW-6, MW-6, 3/24/2008 11:30:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals
Nitrate as N	ND	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 12:48	FAD	IC1	1	BC1452	ND
Sulfate	36	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 12:48	FAD	IC1	1	BC1452	ND
Iron (II) Species	2500	ug/L	100		SM-3500-F€	03/25/08	03/25/08 03:25	MRM	SPEC05	1	BC1431	ND

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0803831-11	Client Sample Name: 3135, MW-2, MW-2, 3/24/2008 11:48:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Benzene	1.5	ug/L	0.50		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359	ND	
Ethylbenzene	56	ug/L	0.50		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359	ND	
Methyl t-butyl ether	35	ug/L	0.50		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359	ND	
Toluene	ND	ug/L	0.50		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359	ND	
Total Xylenes	35	ug/L	1.0		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359	ND	
Ethanol	ND	ug/L	250		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359	ND	
Total Purgeable Petroleum Hydrocarbons	1600	ug/L	50		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359	ND	
1,2-Dichloroethane-d4 (Surrogate)	96.6	%	76 - 114 (LCL - UCL)		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359		
Toluene-d8 (Surrogate)	99.8	%	88 - 110 (LCL - UCL)		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359		
4-Bromofluorobenzene (Surrogate)	94.5	%	86 - 115 (LCL - UCL)		EPA-8260	03/25/08	03/28/08 03:01	ANO	MS-V4	1	BCR1359		



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

BCL Sample ID:	0803831-11	Client Sample Name: 3135, MW-2, MW-2, 3/24/2008 11:48:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	Batch ID	MB Bias	Lab Quals	
Nitrate as N	ND	mg/L	0.10		EPA-300.0	03/25/08	03/25/08 13:49	FAD	IC1	1	BCR1451	ND	
Sulfate	27	mg/L	1.0		EPA-300.0	03/25/08	03/25/08 13:49	FAD	IC1	1	BCR1451	ND	
Iron (II) Species	20000	ug/L	500		SM-3500-F	03/25/08	03/25/08 03:25	MRM	SPEC05	5	BCR1432	ND	
												A01	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BRC1359	Matrix Spike	0803727-03	0	28.700	25.000	ug/L	115	115	20	70 - 130
		Matrix Spike Duplicate	0803727-03	0	27.830	25.000	ug/L	3.5	111	20	70 - 130
Toluene	BRC1359	Matrix Spike	0803727-03	0	28.970	25.000	ug/L	116	116	20	70 - 130
		Matrix Spike Duplicate	0803727-03	0	27.410	25.000	ug/L	5.3	110	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRC1359	Matrix Spike	0803727-03	ND	10.690	10.000	ug/L	107	107	20	76 - 114
		Matrix Spike Duplicate	0803727-03	ND	10.340	10.000	ug/L	103	103	20	76 - 114
Toluene-d8 (Surrogate)	BRC1359	Matrix Spike	0803727-03	ND	10.220	10.000	ug/L	102	102	20	88 - 110
		Matrix Spike Duplicate	0803727-03	ND	10.230	10.000	ug/L	102	102	20	88 - 110
4-Bromofluorobenzene (Surrogate)	BRC1359	Matrix Spike	0803727-03	ND	10.050	10.000	ug/L	100	100	20	86 - 115
		Matrix Spike Duplicate	0803727-03	ND	9.9200	10.000	ug/L	99.2	99.2	20	86 - 115



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Total Petroleum Hydrocarbons

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Diesel Range Organics (C12 - C24)	BRC1621	Matrix Spike	0802904-33	0	326.89	500.00	ug/L	65.4			36 - 130
		Matrix Spike Duplicate	0802904-33	0	364.66	500.00	ug/L	10.8	72.9	30	36 - 130
Tetracosane (Surrogate)	BRC1621	Matrix Spike	0802904-33	ND	13.623	20.000	ug/L		68.1		28 - 139
		Matrix Spike Duplicate	0802904-33	ND	14.050	20.000	ug/L		70.2		28 - 139



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Iron (II) Species	BRC1431	Duplicate	0803829-03	33.333	ND		ug/L		10		
Iron (II) Species	BRC1432	Duplicate	0803831-11	20372	20415		ug/L	0.2	10		A01
Nitrate as N	BRC1451	Duplicate	0803831-01	7.8450	7.9260		mg/L	1.0	10		
		Matrix Spike	0803831-01	7.8450	13.012	5.0505	mg/L		102		80 - 120
		Matrix Spike Duplicate	0803831-01	7.8450	12.993	5.0505	mg/L	0	102	10	80 - 120
Sulfate	BRC1451	Duplicate	0803831-01	26.785	26.904		mg/L	0.4	10		
		Matrix Spike	0803831-01	26.785	133.18	101.01	mg/L		105		80 - 120
		Matrix Spike Duplicate	0803831-01	26.785	133.41	101.01	mg/L	0.9	106	10	80 - 120
Nitrate as N	BRC1452	Duplicate	0803831-10	0	ND		mg/L		10		
		Matrix Spike	0803831-10	0	5.1030	5.0505	mg/L		101		80 - 120
		Matrix Spike Duplicate	0803831-10	0	5.0970	5.0505	mg/L	0	101	10	80 - 120
Sulfate	BRC1452	Duplicate	0803831-10	35.551	35.698		mg/L	0.4	10		
		Matrix Spike	0803831-10	35.551	141.50	101.01	mg/L		105		80 - 120
		Matrix Spike Duplicate	0803831-10	35.551	140.88	101.01	mg/L	1.0	104	10	80 - 120



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Control Limits			
								Percent Recovery	RPD	Percent Recovery	RPD
Benzene	BRC1359	BRC1359-BS1	LCS	26.550	25.000	0.50	ug/L	106		70 - 130	
Toluene	BRC1359	BRC1359-BS1	LCS	26.130	25.000	0.50	ug/L	105		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BRC1359	BRC1359-BS1	LCS	10.250	10.000		ug/L	102		76 - 114	
Toluene-d8 (Surrogate)	BRC1359	BRC1359-BS1	LCS	10.040	10.000		ug/L	100		88 - 110	
4-Bromofluorobenzene (Surrogate)	BRC1359	BRC1359-BS1	LCS	9.7500	10.000		ug/L	97.5		86 - 115	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Total Petroleum Hydrocarbons

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Control Limits			
								Percent Recovery	RPD	Percent Recovery	RPD
Diesel Range Organics (C12 - C24)	BRC1621	BRC1621-BS1	LCS	316.83	500.00	50	ug/L	63.4		48 - 125	
Tetracosane (Surrogate)	BRC1621	BRC1621-BS1	LCS	11.669	20.000		ug/L	58.3		28 - 139	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Control Limits			
								Percent Recovery	RPD	Percent Recovery	RPD
Iron (II) Species	BRC1431	BRC1431-BS1	LCS	1930.0	2000.0	100	ug/L	96.5		90 - 110	
Iron (II) Species	BRC1432	BRC1432-BS1	LCS	1930.0	2000.0	100	ug/L	96.5		90 - 110	
Nitrate as N	BRC1451	BRC1451-BS1	LCS	5.0620	5.0000	0.10	mg/L	101		90 - 110	
Sulfate	BRC1451	BRC1451-BS1	LCS	102.62	100.00	1.0	mg/L	103		90 - 110	
Nitrate as N	BRC1452	BRC1452-BS1	LCS	5.0980	5.0000	0.10	mg/L	102		90 - 110	
Sulfate	BRC1452	BRC1452-BS1	LCS	103.50	100.00	1.0	mg/L	104		90 - 110	



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
Toluene	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
Total Xylenes	BRCP1359	BRCP1359-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BRCP1359	BRCP1359-BLK1	ND	ug/L	10		
Diisopropyl ether	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
Ethanol	BRCP1359	BRCP1359-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BRCP1359	BRCP1359-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BRCP1359	BRCP1359-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRCP1359	BRCP1359-BLK1	112	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRCP1359	BRCP1359-BLK1	100	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRCP1359	BRCP1359-BLK1	100	%	86 - 115 (LCL - UCL)		



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Total Petroleum Hydrocarbons

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Diesel Range Organics (C12 - C24)	BRCA621	BRCA621-BLK1	ND	ug/L	50		
Tetracosane (Surrogate)	BRCA621	BRCA621-BLK1	64.3	%	28 - 139 (LCL - UCL)		



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

## Water Analysis (General Chemistry)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Iron (II) Species	BRCA431	BRCA431-BLK1	ND	ug/L	100		
Iron (II) Species	BRCA432	BRCA432-BLK1	ND	ug/L	100		
Nitrate as N	BRCA451	BRCA451-BLK1	ND	mg/L	0.10		
Sulfate	BRCA451	BRCA451-BLK1	ND	mg/L	1.0		
Nitrate as N	BRCA452	BRCA452-BLK1	ND	mg/L	0.10		
Sulfate	BRCA452	BRCA452-BLK1	ND	mg/L	1.0		



LABORATORIES, INC.

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 3135  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/01/2008 12:35

### Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.

Submission #: 0803831

Project Code:

TB Batch #

## SHIPPING INFORMATION

Federal Express  UPS  Hand Delivery   
 BC Lab Field Service  Other  (Specify) \_\_\_\_\_

## SHIPPING CONTAINER

Ice Chest  Box  None   
 Other  (Specify) \_\_\_\_\_

Refrigerant: Ice  Blue Ice  None  Other  Comments: \_\_\_\_\_

Custody Seals: Ice Chest  Containers  None  Comments:  
 Intact? Yes  No

All samples received? Yes  No  All samples containers intact? Yes  No  Description(s) match COC? Yes  No

**COC Received**  
 YES       NO

Ice Chest ID Blue  
 Temperature: 1 °C  
 Thermometer ID: 48

Emissivity .97  
 Container LEA

Date/Time 3/24/2100  
 Analyst Init JNW

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL	C	C	C	C	C	C	C	C	C	C
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A.3	A.3	A.3	A.3	A.3	A.3	A.3	A.3	A.3	A.3
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON	B	B	B	B	B	B	B	B	B	B
ENCORE										

Comments: \_\_\_\_\_

Sample Numbering Completed By: JNWDate/Time: 02/20/2100 3/24

Submission #: 0803831

Project Code:

TB Batch #

## SHIPPING INFORMATION

Federal Express  UPS  Hand Delivery   
 BC Lab Field Service  Other  (Specify) \_\_\_\_\_

## SHIPPING CONTAINER

Ice Chest  Box   
 None  Other  (Specify) \_\_\_\_\_

Refrigerant: Ice  Blue Ice  None  Other  Comments: \_\_\_\_\_

Custody Seals: Ice Chest  Containers  None  Comments:  
 Intact? Yes  No

All samples received? Yes  No  All samples containers intact? Yes  No  Description(s) match COC? Yes  No

**COC Received**  
 YES  NO

Ice Chest ID: Blue  
 Temperature: -1 °C  
 Thermometer ID: 43

Emissivity  
 Container: AF

Date/Time 3/24 21:00  
 Analyst Init. JW

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED	C									
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
ZoZ. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK	A.3									
40ml VOA VIAL										
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 801SM										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON	B									
ENCORE										

Comments: \_\_\_\_\_

Sample Numbering Completed By: (JNW)

Date/Time: 2200 3/24

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308  
(661) 327-4911 FAX (661) 327-1918

0803831

pg 1 of 2

## CHAIN OF CUSTODY

## Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015	8260 full list w/ oxygenates	BTEX/MTBE/OXYS BY 8260B	ETHANOL by 8260B	TPH -G by GC/MS	E/EDC by 8260B	BTEX/MTBE by 8260B	Ferric Iron, Nitrate & Sulfate	Turnaround Time Requested
Address: 815 66th Ave		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan													
City: Oakland		4-digit site#: 3135													
State: CA Zip:		Project #: 154771													
Conoco Phillips Mgr: Bill Bengt		Sampler Name: Andrew Vidher's													
Lab#	Sample Description	Field Point Name			Date & Time Sampled										
CHK BY	DISTRIBUTION	MW-9			03/24/08 0827	GW				X	X	X	X	STD	
	DISP. SUMMARY	MW-8			0847					X	X	X	X		
	SUB OUT	MW-11			0803		X	X	X	X	X	X	X		
	-4	MW-7			0910				X		X	X	X		
	SOFT HOLDING TIME	MW-5			0931							X	X		
	NH <sub>3</sub> NO <sub>2</sub> OP SS	MW-4			1207							X	X		
	20 CH <sub>3</sub> BOD MBAS COT	MW-1			1008							X	X		
		MW-3			1035							X	X		

Comments: T060101488

Relinquished by: (Signature)

Relinquished by: (Signature)

Relinquished by: (Signature)

R. Reynolds 3/24/08

Received by:  
Stored in fridgeReceived by:  
R. ReynoldsReceived by:  
R. ReynoldsReceived by:  
R. ReynoldsDate & Time  
03/24/08 1408Date & Time  
3/24/08 1520Date & Time  
3/24/08 1815Date & Time  
3/24/08 2050

R. Reynolds 3/24/08 2050 from Wards 3/24 2050

## **BC LABORATORIES, INC.**

4100 Atlas Court Bakersfield, CA 93308  
(661) 327-4911 FAX (661) 327-1918

pg. 2 of 2

## **CHAIN OF CUSTODY**

## **Analysis Requested**

Comments:	Relinquished by: (Signature)	Received by:	Date & Time
GLOBAL ID: T0600101488		stored in frdg	03/24/08 1408
	Relinquished by: (Signature)	Received by:	Date & Time
		Ross Dickey	3/24/08 1520

## **STATEMENTS**

### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring wells was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water containing a significant amount of liquid-phase hydrocarbons was accumulated separately in drums for transportation and disposal by others.

### **Limitations**

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.