



GETTLER-RYAN INC.

TRANSMITTAL

May 9, 2001
G-R #180225

MAY 25 2001

TO: Mr. David B. De Witt
Tosco Marketing Company
2000 Crow Canyon Place, Suite 400
San Ramon, California 94583

CC: Mr. Glen Matteucci
ERI, Inc.
73 Digital Drive, Suite 100
Novato, California

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Tosco 76 Service Station #1156**
4276 MacArthur Boulevard
Oakland, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	May 4, 2001	Groundwater Monitoring and Sampling Report Second Quarter - Event of April 4, 2001

COMMENTS:

This report is being sent to you for your review/comment, prior to being distributed on your behalf. If no comments are received by **May 22, 2001**, this report will be distributed to the following:

cc: Ms. Eva Chu, Alameda County Health Care Services, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502
Mr. Bob Hale, Alameda County Public Works Agency, Water Resources Section, 951 Turner Court, Suite 300,
Hayward, CA 94545

Enclosure

trans/1156-DBD



GETTLER - RYAN INC.

May 4, 2001
G-R Job #180225

Mr. David B. De Witt
Tosco Marketing Company
2000 Crow Canyon Place, Suite 400
San Ramon, California 94583

RE: Second Quarter Event of April 4, 2001
Groundwater Monitoring & Sampling Report
Tosco 76 Service Station #1156
4276 MacArthur Boulevard
Oakland, California

Dear Mr. De Witt:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and all wells were checked for the presence of separate-phase hydrocarbons. Separate-phase hydrocarbons were not present in any of the wells. Static water level data and groundwater elevations are summarized in Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells as specified by G-R Standard Operating Procedure - Groundwater Sampling (attached). The field data sheets are also attached. The samples were analyzed by Sequoia Analytical. Analytical results are summarized in Tables 1 and 2. A Concentration Map is included as Figure 2. The chain of custody document and laboratory analytical reports are also attached.

Sincerely,


Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Figure 2: Concentration Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports

1156.qml



Source: Figure modified from drawing provided by Gettler-Ryan Inc.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Tosco 76 Service Station #1156
 4276 MacArthur Boulevard
 Oakland, California

FIGURE
1


PROJECT NUMBER
 180225

REVIEWED BY

DATE
 April 4, 2001

REVISED DATE

FILE NAME: P:\Enviro\Tosco\1156\Q01-1156.DWG | Layout Tab: Pot2



Source: Figure modified from drawing provided by Gettler-Ryan Inc.



CONCENTRATION MAP
 Tosco 76 Service Station #1156
 4276 MacArthur Boulevard
 Oakland, California

FIGURE

2

PROJECT NUMBER
180225

REVIEWED BY

DATE
April 4, 2001

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Tosco 76 Service Station #1156
4276 MacArthur Boulevard
Oakland, California

WELL ID/ TOC*	DATE	DTW (ft.)	S.I. (ft. bgs)	GWE (msl)	Product Thickness (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-1												
174.86	07/20/99 ⁵	7.50	5.0-25.0	167.36	--	16,000 ²	120,000	11,000	27,000	3,300	18,000	ND ¹
	09/28/99	8.75		166.11	<0.01	2,410 ²	6,020 ⁶	1,030	1,040	68.5	412	321/333 ³
	01/07/00	9.05		165.83**	0.02	7,870 ^{2,4}	72,700 ⁶	7,410	13,900	2,070	9,620	ND ¹
	03/31/00	7.18		167.68	0.00	3,600 ²	92,000 ⁶	10,000	23,000	3,200	14,000	ND ¹
	07/14/00	7.68		167.18	0.00	8,580 ²	108,000 ⁶	8,250	18,700	3,750	17,800	ND ¹
	10/03/00	7.99		166.87	0.00	9,260 ²	96,000 ⁶	8,760	20,000	3,350	15,600	ND ¹
	01/03/01	9.18		165.68	0.00	11,000 ⁸	37,000 ⁶	5,800	13,000	1,700	8,100	2,200
	04/04/01	8.05		166.81	0.00	14,000⁸	86,900⁶	7,780	18,500	2,470	11,800	¹ND/481³
MW-2												
173.01	07/20/99	5.40	5.0-25.0	167.61	--	--	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹	4,500/11,000 ^{3,4}
	09/28/99	5.60		167.41	0.00	--	1,390 ⁶	124	ND ¹	62.9	43.1	5,280/6,150 ³
	01/07/00	5.92		167.09	0.00	--	1,450 ⁶	99.0	ND ¹	23.8	16.0	33,100
	03/31/00	5.23		167.78	0.00	--	ND ¹	42	ND ¹	ND ¹	ND ¹	17,000
	07/14/00	5.52		167.49	0.00	--	ND ¹	44.7	ND ¹	ND ¹	ND ¹	66,500
	10/03/00	6.04		166.97	0.00	--	ND ¹	56.7	ND ¹	ND ¹	ND ¹	57,500
	01/03/01	6.42		166.59	0.00	--	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹	49,000
	04/04/01	6.14		166.87	0.00	--	ND¹	ND¹	ND¹	ND¹	ND¹	38,700/37,800³
MW-3												
178.44	07/20/99	8.50	5.0-25.0	169.94	--	--	1,000	76	52	79	76	330
	09/28/99	8.31		170.13	0.00	--	1,860 ⁶	174	95.4	71.8	135	443/288 ³
	01/07/00	8.56		169.88	0.00	--	28,400 ⁶	2,450	3,090	1,560	3,910	1,940
	03/31/00	8.42		170.02	0.00	--	26,000 ⁶	1,300	2,900	2,600	3,500	2,800
	07/14/00	8.61		169.83	0.00	--	24,500 ⁶	1,850	2,630	2,750	3,900	548
	10/03/00	9.14		169.30	0.00	--	22,000 ⁶	1,910	2,020	2,400	2,680	965
	01/03/01	9.06		169.38	0.00	--	14,000 ⁶	1,600	1,100	2,300	1,400	3,300
	04/04/01	8.98		169.46	0.00	--	19,600⁶	1,150	1,470	2,100	1,820	1,050/450³

Table 1
Groundwater Monitoring Data and Analytical Results
 Tosco 76 Service Station #1156
 4276 MacArthur Boulevard
 Oakland, California

WELL ID/ TOC*	DATE	DTW (ft.)	S.I. (ft. bgs)	GWE (msl)	Product		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					Thickness (ft.)								
MW-4													
179.10	07/20/99	7.40	5.0-25.0	171.70	--	--	--	69	2.7	0.77	ND	7.1	100
	09/28/99	7.19		171.91	0.00	--	--	4,050 ⁶	1,250	72.0	51.3	133	416/459 ³
	01/07/00	8.98		170.12	0.00	--	--	7,010 ⁶	2,260	167	271	276	764
	03/31/00	7.26		171.84	0.00	--	--	5,500 ⁶	1,800	230	330	400	1,000
	07/14/00	7.67		171.43	0.00	--	--	7,940 ⁶	2,810	332	450	247	1,530
	10/03/00	8.12		170.98	0.00	--	--	11,400 ⁶	3,110	437	519	816	1,040
	01/03/01 ⁷	9.10		170.00	0.00	--	--	8,600 ⁶	2,500	340	480	960	850
	04/04/01	8.63		170.47	0.00	--	--	9,950 ⁶	2,380	126	416	725	1,140/819 ³
Trip Blank													
TB-LB	07/20/99	--		--	--	--	--	--	--	--	--	--	--
	09/28/99	--		--	--	--	--	ND	ND	ND	ND	ND	ND
	01/07/00	--		--	--	--	--	ND	ND	ND	ND	ND	ND
	03/31/00	--		--	--	--	--	ND	ND	ND	ND	ND	ND
	07/14/00	--		--	--	--	--	ND	ND	ND	ND	ND	ND
	10/03/00	--		--	--	--	--	ND	ND	ND	ND	ND	ND
	01/03/01	--		--	--	--	--	ND	ND	ND	ND	ND	ND
	04/04/01	--		--	--	--	--	ND	ND	ND	ND	ND	ND

Table 1
Groundwater Monitoring Data and Analytical Results
Tosco 76 Service Station #1156
4276 MacArthur Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to September 28, 1999, were compiled from reports prepared by Environmental Resolutions, Inc.

TOC = Top of Casing	B = Benzene	(ppb) = Parts per billion
DTW = Depth to Water	T = Toluene	ND = Not Detected
(ft.) = Feet	E = Ethylbenzene	-- = Not Measured/Not Analyzed
S.I. = Screen Interval	X = Xylenes	
(ft. bgs) = Feet Below Ground Surface	MTBE = Methyl tertiary butyl ether	
GWE = Groundwater Elevation		
(msl) = Mean sea level		
TPH-D = Total Petroleum Hydrocarbons as Diesel		
TPH-G = Total Petroleum Hydrocarbons as Gasoline		

* TOC elevations are based on City of Oakland Benchmark No. 3967, (Elevation = 174.40 feet, msl).

** GWE has been corrected due to the presence of free product; correction factor: $[(TOC - DTW) + (Product\ Thickness \times 0.77)]$.

¹ Detection limit raised. Refer to analytical reports.

² Laboratory report indicates unidentified hydrocarbons C9-C24.

³ MTBE by EPA Method 8260.

⁴ Laboratory analyzed sample past EPA recommended holding time.

⁵ Total Recoverable Petroleum Oil was ND.

⁶ Laboratory report indicates gasoline C6-C12.

⁷ This sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.

⁸ Laboratory report indicates unidentified hydrocarbons <C16.

Table 2
Groundwater Analytical Results
 Tosco 76 Service Station #1156
 4276 MacArthur Boulevard
 Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	HVOCs (ppb)	SVOCs (ppb)
MW-1	07/20/99	--	--	11,000 ³	--	--	--	--	--	ND ¹	ND ²
	09/28/99	--	ND ⁶	333	ND ⁶	ND ⁶	ND ⁶	--	--	ND ⁴	ND ⁵
	01/07/00	--	--	--	--	--	--	--	--	ND ^{7,8}	ND ⁹
	03/31/00	--	--	--	--	--	--	--	--	-- ¹¹	ND ¹⁰
	07/14/00	--	--	--	--	--	--	--	--	ND ¹²	ND ¹³
	10/03/00	--	--	--	--	--	--	--	--	ND ¹⁵	ND ¹⁴
	01/03/01	--	--	--	--	--	--	--	--	ND ¹⁵	ND ¹⁶
	04/04/01	ND ⁶	ND ⁶	481	ND ⁶	ND ⁶	ND ⁶	ND ⁶	ND ⁶	ND ¹⁷	ND ¹⁸
MW-2	09/28/99	--	ND ⁶	6,150	ND ⁶	ND ⁶	ND ⁶	--	--	--	--
	04/04/01	ND ⁶	ND ⁶	37,800	ND ⁶	ND ⁶	ND ⁶	ND ⁶	ND ⁶	--	--
MW-3	09/28/99	--	ND ⁶	288	ND ⁶	ND ⁶	8.80	--	--	--	--
	04/04/01	ND ⁶	ND ⁶	450	ND ⁶	ND ⁶	ND ⁶	ND ⁶	ND ⁶	--	--
MW-4	09/28/99	--	ND ⁶	459	ND ⁶	ND ⁶	ND ⁶	--	--	--	--
	04/04/01	ND ⁶	ND ⁶	819	ND ⁶	ND ⁶	ND ⁶	ND ⁶	ND ⁶	--	--

Table 2
Groundwater Analytical Results
 Tosco 76 Service Station #1156
 4276 MacArthur Boulevard
 Oakland, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to September 28, 1999, were compiled from reports prepared by Environmental Resolutions, Inc.

TBA = Tertiary butyl alcohol
 MTBE = Methyl tertiary butyl ether
 DIPE = Di-isopropyl ether
 ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether
 EDB = 1,2-Dibromoethane
 HVOCs = Halogenated Volatile Organic Compounds
 SVOCs = Semi-Volatile Organic Compounds

(ppb) = Parts per billion
 ND = Not Detected
 -- = Not Analyzed

- ¹ All HVOCs were ND except for Chlorobenzene at 12 ppb; 1,2-Dichlorobenzene (1,2-DCB) at 3.9 ppb; 1,1-Dichloroethane (1,1-DCA) at 2.0 ppb; 1,2-Dichloroethane (1,2-DCA) at 20 ppb; cis-1,2-Dichloroethene (cis-1,2-DCE) at 3.6 ppb; and 1,2-Dichloropropane (1,2-DCP) at 0.92 ppb.
- ² All SVOCs were ND except for Benzyl alcohol at 37 ppb; 2,4-Dimethylphenol at 140 ppb; 2-Methylnaphthalene at 240 ppb; 4-Methylphenol at 27 ppb; and Naphthalene at 600 ppb.
- ³ Laboratory analyzed sample past EPA recommended holding time.
- ⁴ All HVOCs were ND except for Benzene at 6,130 ppb; Ethylbenzene at 1,590 ppb; Naphthalene at 534 ppb; Toluene at 11,900 ppb; 1,2,4-Trimethylbenzene at 1,240 ppb; 1,3,5-Trimethylbenzene at 318 ppb; and Total Xylenes at 7,360 ppb.
- ⁵ All SVOCs were ND (with a raised detection limit) except for 2,4-Dimethylphenol at 13.6 ppb; 2-Methylnaphthalene at 87.4 ppb; 2-Methylphenol at 26.4; 4-Methylphenol at 35.6; and Naphthalene at 292 ppb.
- ⁶ Detection limit raised. Refer to analytical reports.
- ⁷ All HVOCs were ND (with a raised detection limit) except for Benzene at 8,380 ppb; Ethylbenzene at 2,380 ppb; Naphthalene at 1,050 ppb; n-Propylbenzene at 371 ppb; Toluene at 17,600 ppb; 1,2,4-Trimethylbenzene at 2,210 ppb; 1,3,5-Trimethylbenzene at 597 ppb; and Total Xylenes at 10,800 ppb.
- ⁸ EPA Method 8260 for HVOCs.
- ⁹ All SVOCs were ND (with a raised detection limit) except for 2-Methylnaphthalene at 315 ppb and Naphthalene at 615 ppb.
- ¹⁰ All SVOCs were ND except for Bis(2-ethylhexyl)phthalate at 10 ppb; 1,2-DCB at 6.2 ppb; 2-Methylnaphthalene at 73 ppb; 2-Methylphenol at 31 ppb; 4-Methylphenol at 18 ppb; and Naphthalene at 140 ppb. Laboratory report indicates all SVOCs were analyzed outside the EPA recommended holding time.
- ¹¹ Laboratory did not analyze for HVOCs.
- ¹² All HVOCs were ND (with a raised detection limit) except for Tetrachloroethene at 334 ppb.
- ¹³ All SVOCs were ND (with a raised detection limit) except for 2-Methylnaphthalene at 300 ppb and Naphthalene at 690 ppb.
- ¹⁴ All SVOCs were ND (with a raised detection limit) except for Benzoic acid at 362 ppb; Bis(2-ethylhexyl)phthalate at 51.6 ppb; 2-Methylnaphthalene at 98.1 ppb; 4-Methylphenol at 28.9 ppb; and Naphthalene at 361 ppb.
- ¹⁵ All HVOCs were ND (with a raised detection limit).
- ¹⁶ All SVOCs were ND (with a raised detection limit) except for 2-Methylnaphthalene at 180 ppb and Naphthalene at 400 ppb.

Table 2
Groundwater Analytical Results
Tosco 76 Service Station #1156
4276 MacArthur Boulevard
Oakland, California

EXPLANATIONS CONT:

- ¹⁷ All HVOCs were ND except for cis-1,2-DCA at 3.4 ppb; 1,2-DCA at 5.7 ppb; Chlorobenzene at 5.6 ppb; and 1,2-DCB at 4.6 ppb.
- ¹⁸ All SVOCs were ND except for Benzoic acid at 28 ppb; Bis(2-ethylhexyl)phthalate at 55 ppb; 2-Methylnaphthalene at 78 ppb; and Naphthalene at 490 ppb.

ANALYTICAL METHODS:

EPA Method 8260 for Oxygenate Compounds
EPA Method 8010 for HVOCs
EPA Method 8270 for SVOCs

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, temperature, pH and electrical conductivity are measured. If purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. The measurements are taken a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Tosco Marketing Company, the purge water and decontamination water generated during sampling activities is transported to Tosco - San Francisco Area Refinery, located in Rodeo, California.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility # 1156 Job#: 180225
 Address: 4276 MacArthur Date: 4-4-01
 City: Oakland, CA. Sampler: Joc

Well ID MW-1 Well Condition: O.K.

Well Diameter 2 in Hydrocarbon Thickness: 0 in. Amount Bailed (product/water): 0 (gal.)
 Total Depth 25.17 ft
 Depth to Water 8.05 ft

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

$17.12 \times VF \ 0.17 = 2.91 \times 3 \text{ (case volume)} = \text{Estimated Purge Volume: } 9 \text{ (gal.)}$

Purge Equipment: Disposable Bailer
 Bailer
 Stack
Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 1:18 Weather Conditions: cloudy
 Sampling Time: 1:43 P.M. Water Color: clear Odor: yes
 Purging Flow Rate: 1 gpm Sediment Description: _____
 Did well de-water? _____ If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity $\mu\text{mhos/cm} \times 10^3$	Temperature F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1:30</u>	<u>3</u>	<u>7.08</u>	<u>0.95</u>	<u>72.1</u>			
<u>1:32</u>	<u>6</u>	<u>7.12</u>	<u>0.90</u>	<u>72.6</u>			
<u>1:34</u>	<u>9</u>	<u>7.06</u>	<u>0.92</u>	<u>72.2</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>3 Vol</u>	<u>Y</u>	<u>HCL</u>	<u>Seq.</u>	<u>TPHG, BTEX, MTBE</u>
	<u>2 Vol</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>(6) Oxy's 1,2, DCA-EDS by 8260</u>
	<u>2 Vol</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>HVOC's by 8010</u>
	<u>1 Amb.</u>	<u>"</u>	<u>-</u>	<u>"</u>	<u>TPHD</u>
	<u>1 Amb.</u>	<u>"</u>	<u>-</u>	<u>"</u>	<u>HVOC's by 8270</u>

COMMENTS: _____

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility # 1156 Job#: 180225
 Address: 4276 MacArthur Date: 4-4-01
 City: Oakland, CA Sampler: Joe

Well ID MW-2 Well Condition: O.K.
 Well Diameter 2 in. Hydrocarbon Thickness: 0 in. Amount Bailed (product/water): 0 (gal.)
 Total Depth 25.48 ft.
 Depth to Water 6.14 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

19.34 x VF 0.17 = 3.28 x 3 (case volume) = Estimated Purge Volume: 10 (gal.)

Purge Equipment: Disposable Bailer, Bailer, Stack, Suction, Grundfos, Other: _____
 Sampling Equipment: Disposable Bailer, Bailer, Pressure Bailer, Grab Sample, Other: _____

Starting Time: 12:41 Weather Conditions: cloudy
 Sampling Time: 1:08 p.m. Water Color: clear Odor: yes
 Purging Flow Rate: 1 gpm Sediment Description: _____
 Did well de-water? _____ If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity $\mu\text{mhos/cm} \times 10^2$	Temperature F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>12:53</u>	<u>3.5</u>	<u>7.18</u>	<u>2.20</u>	<u>71.0</u>			
<u>12:55</u>	<u>7</u>	<u>7.19</u>	<u>2.25</u>	<u>71.4</u>			
<u>12:58</u>	<u>10</u>	<u>7.26</u>	<u>2.22</u>	<u>71.2</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>3 vol</u>	<u>Y</u>	<u>HCL</u>	<u>Seq.</u>	<u>TPHG, BTEX, MTBE</u>
	<u>2 vol</u>	<u> </u>	<u> </u>	<u> </u>	<u>(6) Oxy's 1,2, DCA, EDB by 8260</u>

COMMENTS: _____

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility # 1156 Job#: 180225
 Address: 4276 MacArthur Date: 4-4-01
 City: Oakland, CA Sampler: Joe

Well ID: MW-3 Well Condition: O.K.
 Well Diameter: 2 in. Hydrocarbon Thickness: 0 in. Amount Bailed (product/water): 0 (gal.)
 Total Depth: 25.03 ft
 Depth to Water: 8.98 ft

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

16.05 x VF 0.17 = 2.73 x 3 (case volume) = Estimated Purge Volume: 8.5 (gal.)

Purge Equipment: Disposable Bailer Sampling Equipment: Disposable Bailer
Bailer
Stack
Suction Pressure Bailer
Grundfos Grab Sample
 Other: _____

Starting Time: 11:52 Weather Conditions: cloudy
 Sampling Time: 12:30 p.m. Water Color: clear Odor: yes
 Purging Flow Rate: 1 gpm. Sediment Description: _____
 Did well de-water? _____ If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm X	Temperature F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>12:08</u>	<u>3</u>	<u>6.95</u>	<u>2.10</u>	<u>73.0</u>			
<u>12:16</u>	<u>5</u>	<u>6.90</u>	<u>1.92</u>	<u>72.6</u>			
<u>12:12</u>	<u>8.5</u>	<u>6.97</u>	<u>1.95</u>	<u>72.1</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>3 Vol</u>	<u>Y</u>	<u>HCL</u>	<u>Seq.</u>	<u>TPHG, BTEX, MTBE</u>
	<u>2 Vol</u>	<u> </u>	<u>"</u>	<u>"</u>	<u>(6) oxy's 1,2, DCA-EDB by 8260</u>

COMMENTS: _____

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/
Facility # 1156
Address: 4276 MacArthur
City: Oakland, CA

Job#: 180225
Date: 4-4-01
Sampler: Joc

Well ID: MW-4
Well Diameter: 2 in
Total Depth: 25.32 ft
Depth to Water: 8.63 ft

Well Condition: O.K.
Hydrocarbon Thickness: 0 in. Amount Bailed (product/water): 0 (gal.)
Volume Factor (VF) 2" = 0.17 3" = 0.38 4" = 0.66
6" = 1.50 12" = 5.80

16.69 x VF 0.17 = 2.84 x 3 (case volume) = Estimated Purge Volume: 8.5 (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 11:16
Sampling Time: 11:40 A.M.
Purging Flow Rate: 1 gpm
Did well de-water? _____

Weather Conditions: cloudy
Water Color: clear Odor: yes
Sediment Description: _____
If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity $\mu\text{mhos/cm} \times 10^3$	Temperature F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>11:25</u>	<u>3</u>	<u>7.41</u>	<u>4.19</u>	<u>70.7</u>	_____	_____	_____
<u>11:27</u>	<u>5.5</u>	<u>7.50</u>	<u>4.23</u>	<u>71.4</u>	_____	_____	_____
<u>11:29</u>	<u>8.5</u>	<u>7.43</u>	<u>4.25</u>	<u>71.6</u>	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>3 vol</u>	<u>Y</u>	<u>HCL</u>	<u>Seq.</u>	<u>TPH, BTEX, MTBE</u>
	<u>2 vol</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>(6) Oxy's 1/2, DCA-EDS 4/8/260</u>

COMMENTS: _____



**Sequoia
Analytical**

1551 Industrial Road
San Carlos, CA 94070-4111
(650) 232-9600
FAX (650) 232-9612
www.sequoialabs.com

April 19 , 2001

Deanna Harding
Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin, CA 94568
RE: Tosco(1) / L104027

Enclosed are the results of analyses for samples received by the laboratory on 04/04/01. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Latonya K. Pelt

Latonya Pelt
Project Manager

CA ELAP Certificate Number 2360

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TB-LB	L104027-01	Water	04/04/01 00:00	04/04/01 16:50
MW-1	L104027-02	Water	04/04/01 13:43	04/04/01 16:50
MW-2	L104027-03	Water	04/04/01 13:08	04/04/01 16:50
MW-3	L104027-04	Water	04/04/01 12:30	04/04/01 16:50
MW-4	L104027-05	Water	04/04/01 11:40	04/04/01 16:50

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TB-LB (L104027-01) Water Sampled: 04/04/01 00:00 Received: 04/04/01 16:50									
Purgeable Hydrocarbons as Gasoline	ND	50.0	ug/l	1	1040048	04/13/01	04/13/01	DHS LUFT	
Benzene	ND	0.500	"	"	"	"	"	"	
Toluene	ND	0.500	"	"	"	"	"	"	
Ethylbenzene	ND	0.500	"	"	"	"	"	"	
Xylenes (total)	ND	0.500	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.00	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		89.8 %	70-130		"	"	"	"	
MW-1 (L104027-02) Water Sampled: 04/04/01 13:43 Received: 04/04/01 16:50									
Purgeable Hydrocarbons as Gasoline	86900	20000	ug/l	400	1040052	04/14/01	04/14/01	DHS LUFT	P-01
Benzene	7780	200	"	"	"	"	"	"	
Toluene	18500	200	"	"	"	"	"	"	
Ethylbenzene	2470	200	"	"	"	"	"	"	
Xylenes (total)	11800	200	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2000	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		95.3 %	70-130		"	"	"	"	
MW-2 (L104027-03) Water Sampled: 04/04/01 13:08 Received: 04/04/01 16:50									
Purgeable Hydrocarbons as Gasoline	ND	5000	ug/l	100	1040048	04/13/01	04/13/01	DHS LUFT	
Benzene	ND	50.0	"	"	"	"	"	"	
Toluene	ND	50.0	"	"	"	"	"	"	
Ethylbenzene	ND	50.0	"	"	"	"	"	"	
Xylenes (total)	ND	50.0	"	"	"	"	"	"	
Methyl tert-butyl ether	38700	2500	"	500	"	"	04/14/01	"	M-04
Surrogate: a,a,a-Trifluorotoluene		90.9 %	70-130		"	"	04/13/01	"	

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-3 (L104027-04) Water Sampled: 04/04/01 12:30 Received: 04/04/01 16:50									
Purgeable Hydrocarbons as Gasoline	19600	5000	ug/l	100	1040052	04/14/01	04/14/01	DHS LUFT	P-01
Benzene	1150	50.0	"	"	"	"	"	"	
Toluene	1470	50.0	"	"	"	"	"	"	
Ethylbenzene	2100	50.0	"	"	"	"	"	"	
Xylenes (total)	1820	50.0	"	"	"	"	"	"	
Methyl tert-butyl ether	1050	500	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		95.7 %		70-130	"	"	"	"	
MW-4 (L104027-05) Water Sampled: 04/04/01 11:40 Received: 04/04/01 16:50									
Purgeable Hydrocarbons as Gasoline	9950	2500	ug/l	50	1040052	04/14/01	04/14/01	DHS LUFT	P-01
Benzene	2380	25.0	"	"	"	"	"	"	
Toluene	126	25.0	"	"	"	"	"	"	
Ethylbenzene	416	25.0	"	"	"	"	"	"	
Xylenes (total)	725	25.0	"	"	"	"	"	"	
Methyl tert-butyl ether	1140	250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		99.3 %		70-130	"	"	"	"	

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Volatile Organic 8 Oxygenated Compounds by EPA Method 8260B
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
MW-1 (L104027-02) Water									O-04	
		Sampled: 04/04/01 13:43 Received: 04/04/01 16:50								
Ethanol	ND	50000	ug/l	50	1040017	04/05/01	04/05/01	EPA 8260B		
1,2-Dibromoethane	ND	100	"	"	"	"	"	"		
1,2-Dichloroethane	ND	100	"	"	"	"	"	"		
Di-isopropyl ether	ND	100	"	"	"	"	"	"		
Ethyl tert-butyl ether	ND	100	"	"	"	"	"	"		
Methyl tert-butyl ether	481	100	"	"	"	"	"	"		
Tert-amyl methyl ether	ND	100	"	"	"	"	"	"		
Tert-butyl alcohol	ND	5000	"	"	"	"	"	"		
<i>Surrogate: 1,2-Dichloroethane-d4</i>		90.8 %		76-114	"	"	"	"		
<i>Surrogate: Toluene-d8</i>		101 %		88-110	"	"	"	"		
MW-2 (L104027-03) Water										
		Sampled: 04/04/01 13:08 Received: 04/04/01 16:50								
Ethanol	ND	250000	ug/l	250	1040017	04/05/01	04/05/01	EPA 8260B		
1,2-Dibromoethane	ND	500	"	"	"	"	"	"		
1,2-Dichloroethane	ND	500	"	"	"	"	"	"		
Di-isopropyl ether	ND	500	"	"	"	"	"	"		
Ethyl tert-butyl ether	ND	500	"	"	"	"	"	"		
Methyl tert-butyl ether	37800	500	"	"	"	"	"	"		
Tert-amyl methyl ether	ND	500	"	"	"	"	"	"		
Tert-butyl alcohol	ND	25000	"	"	"	"	"	"		
<i>Surrogate: 1,2-Dichloroethane-d4</i>		90.6 %		76-114	"	"	"	"		
<i>Surrogate: Toluene-d8</i>		102 %		88-110	"	"	"	"		
MW-3 (L104027-04) Water										
		Sampled: 04/04/01 12:30 Received: 04/04/01 16:50								
Ethanol	ND	10000	ug/l	10	1040017	04/05/01	04/05/01	EPA 8260B		
1,2-Dibromoethane	ND	20.0	"	"	"	"	"	"		
1,2-Dichloroethane	ND	20.0	"	"	"	"	"	"		
Di-isopropyl ether	ND	20.0	"	"	"	"	"	"		
Ethyl tert-butyl ether	ND	20.0	"	"	"	"	"	"		
Methyl tert-butyl ether	450	20.0	"	"	"	"	"	"		
Tert-amyl methyl ether	ND	20.0	"	"	"	"	"	"		
Tert-butyl alcohol	ND	1000	"	"	"	"	"	"		
<i>Surrogate: 1,2-Dichloroethane-d4</i>		93.2 %		76-114	"	"	"	"		
<i>Surrogate: Toluene-d8</i>		102 %		88-110	"	"	"	"		

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

Project: Tosco(1)
 Project Number: Tosco (76) SS#1156
 Project Manager: Deanna Harding

Reported:
 04/19/01 09:35

Volatile Organic 8 Oxygenated Compounds by EPA Method 8260B
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-4 (L104027-05) Water Sampled: 04/04/01 11:40 Received: 04/04/01 16:50									
Ethanol	ND	10000	ug/l	10	1040017	04/05/01	04/05/01	EPA 8260B	
1,2-Dibromoethane	ND	20.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	20.0	"	"	"	"	"	"	
Di-isopropyl ether	ND	20.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	20.0	"	"	"	"	"	"	
Methyl tert-butyl ether	819	20.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	20.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	1000	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		<i>100 %</i>		<i>76-114</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>103 %</i>		<i>88-110</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Diesel Hydrocarbons (C9-C24) by DHS LUFT
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (L104027-02) Water Sampled: 04/04/01 13:43 Received: 04/04/01 16:50									
Diesel Range Hydrocarbons	14000	500	ug/l	10	1D12014	04/12/01	04/13/01	EPA 8015M	D-11
<i>Surrogate: n-Pentacosane</i>		<i>170 %</i>	<i>50-150</i>		"	"	"	"	<i>S-02</i>

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

Project: Tosco(1)
 Project Number: Tosco (76) SS#1156
 Project Manager: Deanna Harding

Reported:
 04/19/01 09:35

Volatile Organic Compounds by EPA Method 8010B
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (L104027-02) Water Sampled: 04/04/01 13:43 Received: 04/04/01 16:50									
Chloromethane	ND	2.0	ug/l	1	1D11016	04/12/01	04/12/01	EPA 8010B	
Vinyl chloride	ND	1.0	"	"	"	"	"	"	
Bromomethane	ND	1.2	"	"	"	"	"	"	
Chloroethane	ND	1.0	"	"	"	"	"	"	
Trichlorofluoromethane	ND	0.60	"	"	"	"	"	"	
Freon 113	ND	1.0	"	"	"	"	"	"	
1,1-Dichloroethene	ND	1.0	"	"	"	"	"	"	
Methylene chloride	ND	10	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	1.0	"	"	"	"	"	"	
1,1-Dichloroethane	ND	1.0	"	"	"	"	"	"	
cis-1,2-Dichloroethene	3.4	1.0	"	"	"	"	"	"	
Chloroform	ND	1.0	"	"	"	"	"	"	
1,1,1-Trichloroethane	ND	1.0	"	"	"	"	"	"	
Carbon tetrachloride	ND	1.0	"	"	"	"	"	"	
1,2-Dichloroethane	5.7	1.6	"	"	"	"	"	"	
Trichloroethene	ND	1.1	"	"	"	"	"	"	
1,2-Dichloropropane	ND	1.0	"	"	"	"	"	"	
Bromodichloromethane	ND	1.0	"	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	1.0	"	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.60	"	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.50	"	"	"	"	"	"	
Tetrachloroethene	ND	0.60	"	"	"	"	"	"	
Dibromochloromethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane	ND	1.0	"	"	"	"	"	"	
Chlorobenzene	5.6	1.0	"	"	"	"	"	"	
Bromoform	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.50	"	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.60	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	1.2	"	"	"	"	"	"	
1,2-Dichlorobenzene	4.6	1.2	"	"	"	"	"	"	
Surrogate: Dibromodifluoromethane		144 %		50-150	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		117 %		50-150	"	"	"	"	

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

Project: Tosco(1)
 Project Number: Tosco (76) SS#1156
 Project Manager: Deanna Harding

Reported:
 04/19/01 09:35

Semivolatile Organic Compounds by EPA Method 8270C
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (L104027-02) Water Sampled: 04/04/01 13:43 Received: 04/04/01 16:50									
Acenaphthene	ND	5.0	ug/l	1	1D06021	04/06/01	04/11/01	EPA 8270C	
Acenaphthylene	ND	5.0	"	"	"	"	"	"	
Aniline	ND	5.0	"	"	"	"	"	"	
Anthracene	ND	5.0	"	"	"	"	"	"	
Benzoic acid	28	10	"	"	"	"	"	"	
Benzo (a) anthracene	ND	5.0	"	"	"	"	"	"	
Benzo (b) fluoranthene	ND	5.0	"	"	"	"	"	"	
Benzo (k) fluoranthene	ND	5.0	"	"	"	"	"	"	
Benzo (ghi) perylene	ND	5.0	"	"	"	"	"	"	
Benzo[a]pyrene	ND	5.0	"	"	"	"	"	"	
Benzyl alcohol	ND	5.0	"	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	5.0	"	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	5.0	"	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	5.0	"	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	55	10	"	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	5.0	"	"	"	"	"	"	
Butyl benzyl phthalate	ND	50	"	"	"	"	"	"	
4-Chloroaniline	ND	25	"	"	"	"	"	"	
2-Chloronaphthalene	ND	5.0	"	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	5.0	"	"	"	"	"	"	
2-Chlorophenol	ND	5.0	"	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	5.0	"	"	"	"	"	"	
Chrysene	ND	5.0	"	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	10	"	"	"	"	"	"	
Dibenzofuran	ND	5.0	"	"	"	"	"	"	
Di-n-butyl phthalate	ND	10	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	5.0	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	5.0	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	10	"	"	"	"	"	"	
3,3'-Dichlorobenzidine	ND	10	"	"	"	"	"	"	
2,4-Dichlorophenol	ND	5.0	"	"	"	"	"	"	
Diethyl phthalate	ND	5.0	"	"	"	"	"	"	
2,4-Dimethylphenol	ND	5.0	"	"	"	"	"	"	
Dimethyl phthalate	ND	5.0	"	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10	"	"	"	"	"	"	
2,4-Dinitrophenol	ND	10	"	"	"	"	"	"	
2,4-Dinitrotoluene	ND	10	"	"	"	"	"	"	
2,6-Dinitrotoluene	ND	10	"	"	"	"	"	"	
Di-n-octyl phthalate	ND	10	"	"	"	"	"	"	
Fluoranthene	ND	5.0	"	"	"	"	"	"	

Sequoia Analytical - San Carlos

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Semivolatile Organic Compounds by EPA Method 8270C
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (L104027-02) Water Sampled: 04/04/01 13:43 Received: 04/04/01 16:50									
Fluorene	ND	5.0	ug/l	1	1D06021	04/06/01	04/11/01	EPA 8270C	
Hexachlorobenzene	ND	10	"	"	"	"	"	"	
Hexachlorobutadiene	ND	10	"	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	10	"	"	"	"	"	"	
Hexachloroethane	ND	5.0	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	10	"	"	"	"	"	"	
Isophorone	ND	5.0	"	"	"	"	"	"	
2-Methylnaphthalene	78	5.0	"	"	"	"	"	"	
2-Methylphenol	ND	5.0	"	"	"	"	"	"	
4-Methylphenol	ND	5.0	"	"	"	"	"	"	
Naphthalene	490	50	"	10	"	"	"	"	
2-Nitroaniline	ND	10	"	1	"	"	"	"	
3-Nitroaniline	ND	10	"	"	"	"	"	"	
4-Nitroaniline	ND	20	"	"	"	"	"	"	
Nitrobenzene	ND	5.0	"	"	"	"	"	"	
2-Nitrophenol	ND	5.0	"	"	"	"	"	"	
4-Nitrophenol	ND	10	"	"	"	"	"	"	
N-Nitrosodimethylamine	ND	5.0	"	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	5.0	"	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	5.0	"	"	"	"	"	"	
Pentachlorophenol	ND	10	"	"	"	"	"	"	
Phenanthrene	ND	5.0	"	"	"	"	"	"	
Phenol	ND	5.0	"	"	"	"	"	"	
Pyrene	ND	5.0	"	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	5.0	"	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	10	"	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	10	"	"	"	"	"	"	
Surrogate: 2-Fluorophenol		4.35 %		21-110	"	"	"	"	A-01
Surrogate: Phenol-d6		34.1 %		10-110	"	"	"	"	
Surrogate: Nitrobenzene-d5		46.7 %		35-114	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		99.9 %		43-116	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		103 %		10-123	"	"	"	"	
Surrogate: p-Terphenyl-d14		103 %		33-141	"	"	"	"	

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1040048 - EPA 5030B (P/T)										
Blank (1040048-BLK1)										
Prepared & Analyzed: 04/13/01										
Purgeable Hydrocarbons as Gasoline	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	5.00	"							
Surrogate: a,a,a-Trifluorotoluene	7.96		"	10.0		79.6	70-130			
LCS (1040048-BS1)										
Prepared & Analyzed: 04/13/01										
Benzene	8.49	0.500	ug/l	10.0		84.9	70-130			
Toluene	8.65	0.500	"	10.0		86.5	70-130			
Ethylbenzene	8.49	0.500	"	10.0		84.9	70-130			
Xylenes (total)	25.8	0.500	"	30.0		86.0	70-130			
Surrogate: a,a,a-Trifluorotoluene	8.26		"	10.0		82.6	70-130			
LCS (1040048-BS2)										
Prepared & Analyzed: 04/13/01										
Purgeable Hydrocarbons as Gasoline	263	50.0	ug/l	250		105	70-130			
Surrogate: a,a,a-Trifluorotoluene	9.63		"	10.0		96.3	70-130			
Matrix Spike (1040048-MS1)										
Source: L104025-05 Prepared & Analyzed: 04/13/01										
Purgeable Hydrocarbons as Gasoline	229	50.0	ug/l	250	ND	91.6	60-140			
Surrogate: a,a,a-Trifluorotoluene	7.92		"	10.0		79.2	70-130			
Matrix Spike Dup (1040048-MSD1)										
Source: L104025-05 Prepared & Analyzed: 04/13/01										
Purgeable Hydrocarbons as Gasoline	267	50.0	ug/l	250	ND	107	60-140	15.3	25	
Surrogate: a,a,a-Trifluorotoluene	9.18		"	10.0		91.8	70-130			

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1040052 - EPA 5030B (P/T)

Prepared & Analyzed: 04/14/01

Blank (1040052-BLK1)

Purgeable Hydrocarbons as Gasoline	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	5.00	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.97		"	10.0		99.7	70-130			

Prepared & Analyzed: 04/16/01

Blank (1040052-BLK2)

Purgeable Hydrocarbons as Gasoline	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	5.00	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	11.7		"	10.0		117	70-130			

Prepared & Analyzed: 04/14/01

LCS (1040052-BS1)

Benzene	10.9	0.500	ug/l	10.0		109	70-130			
Toluene	10.7	0.500	"	10.0		107	70-130			
Ethylbenzene	11.3	0.500	"	10.0		113	70-130			
Xylenes (total)	34.0	0.500	"	30.0		113	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	10.5		"	10.0		105	70-130			

Prepared & Analyzed: 04/14/01

LCS (1040052-BS2)

Purgeable Hydrocarbons as Gasoline	266	50.0	ug/l	250		106	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	10.8		"	10.0		108	70-130			

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1040052 - EPA 5030B (P/T)

LCS (1040052-BS3)

Prepared & Analyzed: 04/16/01

Benzene	10.2	0.500	ug/l	10.0		102	70-130			
Toluene	10.2	0.500	"	10.0		102	70-130			
Ethylbenzene	10.4	0.500	"	10.0		104	70-130			
Xylenes (total)	31.1	0.500	"	30.0		104	70-130			
Surrogate: a,a,a-Trifluorotoluene	12.6		"	10.0		126	70-130			

LCS (1040052-BS4)

Prepared & Analyzed: 04/16/01

Purgeable Hydrocarbons as Gasoline	241	50.0	ug/l	250		96.4	70-130			
Surrogate: a,a,a-Trifluorotoluene	12.5		"	10.0		125	70-130			

Matrix Spike (1040052-MS1)

Source: L104037-02

Prepared & Analyzed: 04/14/01

Benzene	10.6	0.500	ug/l	10.0	ND	106	60-140			
Toluene	10.5	0.500	"	10.0	ND	105	60-140			
Ethylbenzene	10.7	0.500	"	10.0	ND	107	60-140			
Xylenes (total)	32.2	0.500	"	30.0	ND	107	60-140			
Surrogate: a,a,a-Trifluorotoluene	9.95		"	10.0		99.5	70-130			

Matrix Spike Dup (1040052-MSD1)

Source: L104037-02

Prepared & Analyzed: 04/14/01

Benzene	10.9	0.500	ug/l	10.0	ND	109	60-140	2.79	25	
Toluene	10.6	0.500	"	10.0	ND	106	60-140	0.948	25	
Ethylbenzene	10.8	0.500	"	10.0	ND	108	60-140	0.930	25	
Xylenes (total)	32.4	0.500	"	30.0	ND	108	60-140	0.619	25	
Surrogate: a,a,a-Trifluorotoluene	9.94		"	10.0		99.4	70-130			

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Volatile Organic 8 Oxygenated Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1040017 - EPA 5030B [P/T]

Prepared & Analyzed: 04/05/01

Blank (1040017-BLK1)

Ethanol	ND	1000	ug/l							
1,2-Dibromoethane	ND	2.00	"							
1,2-Dichloroethane	ND	2.00	"							
Di-isopropyl ether	ND	2.00	"							
Ethyl tert-butyl ether	ND	2.00	"							
Methyl tert-butyl ether	ND	2.00	"							
Tert-amyl methyl ether	ND	2.00	"							
Tert-butyl alcohol	ND	100	"							
Surrogate: 1,2-Dichloroethane-d4	48.0		"	50.0		96.0	76-114			
Surrogate: Toluene-d8	52.7		"	50.0		105	88-110			

Prepared & Analyzed: 04/05/01

LCS (1040017-BS1)

Methyl tert-butyl ether	44.5	2.00	ug/l	50.0		89.0	70-130			
Surrogate: 1,2-Dichloroethane-d4	45.8		"	50.0		91.6	76-114			
Surrogate: Toluene-d8	51.2		"	50.0		102	88-110			

Matrix Spike (1040017-MS1)

Source: L104025-05

Prepared & Analyzed: 04/05/01

Methyl tert-butyl ether	80.0	2.00	ug/l	50.0	38.2	83.6	60-140			
Surrogate: 1,2-Dichloroethane-d4	47.0		"	50.0		94.0	76-114			
Surrogate: Toluene-d8	51.7		"	50.0		103	88-110			

Matrix Spike Dup (1040017-MSD1)

Source: L104025-05

Prepared & Analyzed: 04/05/01

Methyl tert-butyl ether	79.3	2.00	ug/l	50.0	38.2	82.2	60-140	0.879	25	
Surrogate: 1,2-Dichloroethane-d4	47.6		"	50.0		95.2	76-114			
Surrogate: Toluene-d8	51.1		"	50.0		102	88-110			

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

Project: Tosco(1)
 Project Number: Tosco (76) SS#1156
 Project Manager: Deanna Harding

Reported:
 04/19/01 09:35

Diesel Hydrocarbons (C9-C24) by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D12014 - EPA 3510B

Blank (1D12014-BLK1)

Prepared & Analyzed: 04/12/01

Diesel Range Hydrocarbons	ND	50	ug/l							
Surrogate: n-Pentacosane	24.7		"	33.3		74.2	50-150			

LCS (1D12014-BS1)

Prepared & Analyzed: 04/12/01

Diesel Range Hydrocarbons	463	50	ug/l	500		92.6	60-140			
Surrogate: n-Pentacosane	27.0		"	33.3		81.1	50-150			

LCS Dup (1D12014-BSD1)

Prepared & Analyzed: 04/12/01

Diesel Range Hydrocarbons	232	50	ug/l	500		46.4	60-140	66.5	50	Q-01
Surrogate: n-Pentacosane	20.3		"	33.3		61.0	50-150			

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Volatile Organic Compounds by EPA Method 8010B - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D11016 - EPA 5030B [P/T]

Prepared & Analyzed: 04/12/01

Blank (1D11016-BLK2)

Chloromethane	ND	2.0	ug/l							
Vinyl chloride	ND	1.0	"							
Bromomethane	ND	1.2	"							
Chloroethane	ND	1.0	"							
Trichlorofluoromethane	ND	0.60	"							
Freon 113	ND	1.0	"							
1,1-Dichloroethene	ND	1.0	"							
Methylene chloride	ND	10	"							
trans-1,2-Dichloroethene	ND	1.0	"							
1,1-Dichloroethane	ND	1.0	"							
cis-1,2-Dichloroethene	ND	1.0	"							
Chloroform	ND	1.0	"							
1,1,1-Trichloroethane	ND	1.0	"							
Carbon tetrachloride	ND	1.0	"							
1,2-Dichloroethane	ND	1.6	"							
Trichloroethene	ND	1.1	"							
1,2-Dichloropropane	ND	1.0	"							
Bromodichloromethane	ND	1.0	"							
cis-1,3-Dichloropropene	ND	1.0	"							
trans-1,3-Dichloropropene	ND	0.60	"							
1,1,2-Trichloroethane	ND	0.50	"							
Tetrachloroethene	ND	0.60	"							
Dibromochloromethane	ND	0.50	"							
1,2-Dibromoethane	ND	1.0	"							
Chlorobenzene	ND	1.0	"							
Bromoform	ND	0.50	"							
1,2,3-Trichloropropane	ND	0.50	"							
1,1,1,2-Tetrachloroethane	ND	0.60	"							
1,3-Dichlorobenzene	ND	0.50	"							
1,4-Dichlorobenzene	ND	1.2	"							
1,2-Dichlorobenzene	ND	1.2	"							
Surrogate: Dibromodifluoromethane	15.0		"	10.0		150	50-150			
Surrogate: 1-Chloro-2-fluorobenzene	9.77		"	10.0		97.7	50-150			
Surrogate: 4-Bromofluorobenzene	11.2		"	10.0		112	50-150			

Sequoia Analytical - San Carlos

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

Project: Tosco(1)
 Project Number: Tosco (76) SS#1156
 Project Manager: Deanna Harding

Reported:
 04/19/01 09:35

Volatile Organic Compounds by EPA Method 8010B - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D11016 - EPA 5030B [P/T]

LCS (1D11016-BS2)

Prepared & Analyzed: 04/12/01

1,1-Dichloroethene	24.4	1.0	ug/l	20.0		122	65-135			
Trichloroethene	23.0	1.1	"	20.0		115	70-130			
Chlorobenzene	21.5	1.0	"	20.0		108	70-130			
Surrogate: Dibromodifluoromethane	15.0		"	10.0		150	50-150			
Surrogate: 1-Chloro-2-fluorobenzene	11.1		"	10.0		111	50-150			
Surrogate: 4-Bromofluorobenzene	13.2		"	10.0		132	50-150			

Matrix Spike (1D11016-MS1)

Source: W104219-01

Prepared: 04/11/01

Analyzed: 04/13/01

1,1-Dichloroethene	23.1	1.0	ug/l	20.0	ND	116	60-140			
Trichloroethene	22.3	1.1	"	20.0	ND	111	60-140			
Chlorobenzene	22.5	1.0	"	20.0	ND	113	60-140			
Surrogate: Dibromodifluoromethane	12.1		"	10.0		121	50-150			
Surrogate: 1-Chloro-2-fluorobenzene	12.2		"	10.0		122	50-150			
Surrogate: 4-Bromofluorobenzene	14.8		"	10.0		148	50-150			

Matrix Spike Dup (1D11016-MSD1)

Source: W104219-01

Prepared: 04/11/01

Analyzed: 04/12/01

1,1-Dichloroethene	22.9	1.0	ug/l	20.0	ND	114	60-140	0.870	25	
Trichloroethene	20.6	1.1	"	20.0	ND	103	60-140	7.93	25	
Chlorobenzene	18.8	1.0	"	20.0	ND	94.0	60-140	17.9	25	
Surrogate: Dibromodifluoromethane	10.2		"	10.0		102	50-150			
Surrogate: 1-Chloro-2-fluorobenzene	10.0		"	10.0		100	50-150			
Surrogate: 4-Bromofluorobenzene	11.0		"	10.0		110	50-150			

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D06021 - EPA 3510B Sep Funnel

Prepared: 04/06/01 Analyzed: 04/10/01

Blank (1D06021-BLK1)

Acenaphthene	ND	5.0	ug/l
Acenaphthylene	ND	5.0	"
Aniline	ND	5.0	"
Anthracene	ND	5.0	"
Benzoic acid	ND	10	"
Benzo (a) anthracene	ND	5.0	"
Benzo (b) fluoranthene	ND	5.0	"
Benzo (k) fluoranthene	ND	5.0	"
Benzo (ghi) perylene	ND	5.0	"
Benzo[a]pyrene	ND	5.0	"
Benzyl alcohol	ND	5.0	"
Bis(2-chloroethoxy)methane	ND	5.0	"
Bis(2-chloroethyl)ether	ND	5.0	"
Bis(2-chloroisopropyl)ether	ND	5.0	"
Bis(2-ethylhexyl)phthalate	ND	10	"
4-Bromophenyl phenyl ether	ND	5.0	"
Butyl benzyl phthalate	ND	50	"
4-Chloroaniline	ND	25	"
2-Chloronaphthalene	ND	5.0	"
4-Chloro-3-methylphenol	ND	5.0	"
2-Chlorophenol	ND	5.0	"
4-Chlorophenyl phenyl ether	ND	5.0	"
Chrysene	ND	5.0	"
Dibenz (a,h) anthracene	ND	10	"
Dibenzofuran	ND	5.0	"
Di-n-butyl phthalate	ND	10	"
1,2-Dichlorobenzene	ND	5.0	"
1,3-Dichlorobenzene	ND	5.0	"
1,4-Dichlorobenzene	ND	10	"
3,3'-Dichlorobenzidine	ND	10	"
2,4-Dichlorophenol	ND	5.0	"
Diethyl phthalate	ND	5.0	"
2,4-Dimethylphenol	ND	5.0	"
Dimethyl phthalate	ND	5.0	"
4,6-Dinitro-2-methylphenol	ND	10	"
2,4-Dinitrophenol	ND	10	"

Sequoia Analytical - San Carlos

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

Project: Tosco(1)
 Project Number: Tosco (76) SS#1156
 Project Manager: Deanna Harding

Reported:
 04/19/01 09:35

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D06021 - EPA 3510B Sep Funnel

Blank (1D06021-BLK1)

Prepared: 04/06/01 Analyzed: 04/10/01

2,4-Dinitrotoluene	ND	10	ug/l							
2,6-Dinitrotoluene	ND	10	"							
Di-n-octyl phthalate	ND	10	"							
Fluoranthene	ND	5.0	"							
Fluorene	ND	5.0	"							
Hexachlorobenzene	ND	10	"							
Hexachlorobutadiene	ND	10	"							
Hexachlorocyclopentadiene	ND	10	"							
Hexachloroethane	ND	5.0	"							
Indeno (1,2,3-cd) pyrene	ND	10	"							
Isophorone	ND	5.0	"							
2-Methylnaphthalene	ND	5.0	"							
2-Methylphenol	ND	5.0	"							
4-Methylphenol	ND	5.0	"							
Naphthalene	ND	5.0	"							
2-Nitroaniline	ND	10	"							
3-Nitroaniline	ND	10	"							
4-Nitroaniline	ND	20	"							
Nitrobenzene	ND	5.0	"							
2-Nitrophenol	ND	5.0	"							
4-Nitrophenol	ND	10	"							
N-Nitrosodimethylamine	ND	5.0	"							
N-Nitrosodiphenylamine	ND	5.0	"							
N-Nitrosodi-n-propylamine	ND	5.0	"							
Pentachlorophenol	ND	10	"							
Phenanthrene	ND	5.0	"							
Phenol	ND	5.0	"							
Pyrene	ND	5.0	"							
1,2,4-Trichlorobenzene	ND	5.0	"							
2,4,5-Trichlorophenol	ND	10	"							
2,4,6-Trichlorophenol	ND	10	"							
Surrogate: 2-Fluorophenol	66.4		"	150		44.3	21-110			
Surrogate: Phenol-d6	40.4		"	150		26.9	10-110			
Surrogate: Nitrobenzene-d5	68.9		"	100		68.9	35-114			
Surrogate: 2-Fluorobiphenyl	74.0		"	100		74.0	43-116			

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1D06021 - EPA 3510B Sep Funnel

Prepared: 04/06/01 Analyzed: 04/10/01

Blank (1D06021-BLK1)

Surrogate: 2,4,6-Tribromophenol	101		ug/l	150		67.3	10-123			
Surrogate: p-Terphenyl-d14	69.5		"	100		69.5	33-141			

Prepared: 04/06/01 Analyzed: 04/10/01

LCS (1D06021-BS1)

Acenaphthene	59.9	5.0	ug/l	100		59.9	46-118			
4-Chloro-3-methylphenol	95.1	5.0	"	150		63.4	23-97			
2-Chlorophenol	85.0	5.0	"	150		56.7	27-123			
1,4-Dichlorobenzene	40.0	10	"	100		40.0	36-97			
2,4-Dinitrotoluene	67.2	10	"	100		67.2	24-96			
4-Nitrophenol	43.5	10	"	150		29.0	10-80			
N-Nitrosodi-n-propylamine	74.7	5.0	"	100		74.7	41-116			
Pentachlorophenol	104	10	"	150		69.3	9-103			
Phenol	36.8	5.0	"	150		24.5	12-110			
Pyrene	66.1	5.0	"	100		66.1	26-127			
1,2,4-Trichlorobenzene	45.8	5.0	"	100		45.8	39-98			
Surrogate: 2-Fluorophenol	61.4		"	150		40.9	21-110			
Surrogate: Phenol-d6	40.6		"	150		27.1	10-110			
Surrogate: Nitrobenzene-d5	70.1		"	100		70.1	35-114			
Surrogate: 2-Fluorobiphenyl	68.6		"	100		68.6	43-116			
Surrogate: 2,4,6-Tribromophenol	114		"	150		76.0	10-123			
Surrogate: p-Terphenyl-d14	63.7		"	100		63.7	33-141			

Prepared: 04/06/01 Analyzed: 04/10/01

LCS Dup (1D06021-BSD1)

Acenaphthene	63.2	5.0	ug/l	100		63.2	46-118	5.36	30	
4-Chloro-3-methylphenol	97.3	5.0	"	150		64.9	23-97	2.29	30	
2-Chlorophenol	86.9	5.0	"	150		57.9	27-123	2.21	30	
1,4-Dichlorobenzene	43.3	10	"	100		43.3	36-97	7.92	30	
2,4-Dinitrotoluene	64.4	10	"	100		64.4	24-96	4.26	30	
4-Nitrophenol	33.7	10	"	150		22.5	10-80	25.4	30	
N-Nitrosodi-n-propylamine	69.6	5.0	"	100		69.6	41-116	7.07	30	
Pentachlorophenol	99.7	10	"	150		66.5	9-103	4.22	30	
Phenol	37.8	5.0	"	150		25.2	12-110	2.68	30	
Pyrene	70.9	5.0	"	100		70.9	26-127	7.01	30	
1,2,4-Trichlorobenzene	52.1	5.0	"	100		52.1	39-98	12.9	30	
Surrogate: 2-Fluorophenol	61.0		"	150		40.7	21-110			
Surrogate: Phenol-d6	39.0		"	150		26.0	10-110			

Sequoia Analytical - San Carlos

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Semivolatile Organic Compounds by EPA Method 8270C - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 1D06021 - EPA 3510B Sep Funnel

LCS Dup (1D06021-BSD1)

Prepared: 04/06/01 Analyzed: 04/10/01

Surrogate: Nitrobenzene-d5	70.7		ug/l	100		70.7	35-114			
Surrogate: 2-Fluorobiphenyl	69.0		"	100		69.0	43-116			
Surrogate: 2,4,6-Tribromophenol	104		"	150		69.3	10-123			
Surrogate: p-Terphenyl-d14	65.5		"	100		65.5	33-141			

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Tosco (76) SS#1156
Project Manager: Deanna Harding

Reported:
04/19/01 09:35

Notes and Definitions

- A-01 Surrogate recovery on the 10X run passed at 51% recovery.
- D-11 Chromatogram Pattern: Unidentified Hydrocarbons < C16
- M-04 MTBE was reported from second analysis.
- O-04 This sample was diluted due to high non-target compounds.
- P-01 Chromatogram Pattern: Gasoline C6-C12
- Q-01 The spike recovery for this QC sample is outside of established control limits. Review of associated batch QC indicates the recovery for this analyte does not represent an out-of-control condition for the batch.
- S-02 The surrogate recovery for this sample cannot be accurately quantified due to interference from coeluting organic compounds present in the sample.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference