

RECEIVED

By dehloptoxic at 8:54 am, Oct 27, 2006



76 Broadway
Sacramento, California 95818

October 17, 2006

Mr. Don Hwang
Alameda County Health Agency
1131 Harbor Bay Parkway
Alameda, California 94502

Re: **Report Transmittal**
Quarterly Summary Report – Third Quarter 2006
76 Service Station #1156
4276 MacArthur Blvd
Oakland, CA

Dear Mr. Hwang:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact

Shelby S. Lathrop (Contractor)
ConocoPhillips
Risk Management & Remediation
76 Broadway
Sacramento, CA 95818
Phone: 916-558-7609
Fax: 916-558-7639

Sincerely,

A handwritten signature in black ink that reads "Thomas H. Kosel". The signature is written in a cursive, flowing style.

Thomas Kosel
Risk Management & Remediation

Attachment

October 20, 2006

Mr. Donald Hwang
Alameda County Department of Public Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

Re: Quarterly Summary Report – Third Quarter 2006
Delta Project No. C101156021



Dear Mr. Hwang:

On behalf of ConocoPhillips (COP), Delta Consultants (Delta) is forwarding the quarterly summary report for the following location:

<u>Service Station</u>	<u>Location</u>
76 Service Station No. 1156	4276 MacArthur Boulevard Oakland, California


Sincerely,
Delta Consultants

A handwritten signature in black ink, appearing to read "Ben Wright".

Ben Wright
Staff Geologist

A handwritten signature in black ink, appearing to read "Daniel J. Davis".

Daniel J. Davis, R.G.
Senior Project Manager



Forward: TRC - Quarterly Monitoring Report

cc: Ms. Shelby Lathrop, ConocoPhillips (electronic copy)
Mr. Bob Hale, Alameda County Public Works Agency,
Water Resources Section, 951 Turner Court, Suite 300,
Hayward, CA 94545

QUARTERLY SUMMARY REPORT
Third Quarter 2006
76 Service Station No. 1156
4276 MacArthur Boulevard
Oakland, California

PREVIOUS ASSESSMENT

The site is located at the northeast corner of MacArthur Boulevard and High Street in Oakland, California. Two 12,000-gallon gasoline underground storage tanks (USTs) are present in the southwestern portion of the site and two dispenser islands are present on the site, one to the northwest and one to the east of the USTs. A station building is present in the northern portion of the site. There are currently seven groundwater monitoring wells (MW-1 through MW-7) and one tank backfill well (TP-1) located at and in the vicinity of the site. Properties in the immediate vicinity of the site are utilized for commercial and residential purposes.

In 1997, Pacific Environmental Group Inc. (PEG) advanced 5 soil/gas probes in the vicinity of the USTs, dispenser islands, and product lines to depths ranging from 3 to 15 feet below ground surface (bgs). Elevated soil vapor concentrations of TPH-G, benzene, and MTBE were detected up to 4,700, 70, and 140 micrograms per liter ($\mu\text{g/l}$), respectively. In 1998, Tosco Marketing Company (Tosco, now ConocoPhillips) removed one 280-gallon used-oil UST, and removed and replaced two 10,000-gallon gasoline USTs and associated piping and dispensers. The new USTs were installed in a separate excavation. TPH as diesel (TPH-D), TPH-G, benzene, and total recoverable petroleum hydrocarbons (TRPH) were detected in the soil sample from the used-oil UST excavation at concentrations of 78,000, 130, 0.55, and 8,400 milligrams per kilogram (mg/kg), respectively. Following the over-excavation of approximately 4.6 tons of soil from the used-oil UST excavation, concentrations of TPH-D, TPH-G, benzene, and TRPH were detected in soil samples collected from the used-oil UST excavation at concentrations up to 560, 81, 0.64, and 360 mg/kg, respectively. TPH-G and benzene were detected in the soil samples from the gasoline UST excavation, dispenser islands, and product lines at concentrations up to 1,200 and 1.6 mg/kg, respectively. A groundwater sample collected from the gasoline UST excavation was reported to contain TPH-G and MTBE at concentrations of 41,000 and 1,800 $\mu\text{g/l}$, respectively. Benzene was not detected in the groundwater sample at or above the laboratory detection limit.

In 1999, Environmental Resolutions Inc. (ERI) conducted a soil and groundwater assessment which included the installation of four on-site groundwater monitoring wells (MW-1 through MW-4). Soil samples collected from the borings at a depth of 10.5 feet bgs were reported to contain TPH-G, benzene, and MTBE at concentrations up to 6,800, 2.6, and 0.71 mg/kg, respectively. The soil sample from MW-1, near the former used-oil UST, was additionally analyzed for TPH-D and TRPH, which were detected at concentrations of 140 and 73 mg/kg,

respectively. A deep sample (20.5 feet bgs) collected from MW-4 did not contain TPH-G, benzene, or MTBE at or above the laboratory detection limit. Quarterly groundwater monitoring and sampling commenced July 1999 and is currently ongoing.

In July 2001, ERI installed a UST pit backfill well (TP-1) and initiated monthly purging of groundwater from the UST excavation. Bi-weekly groundwater purging was conducted at the site on wells TP-1 and MW-1 from July 2001 through December 2004. In addition, during June 2004, the biweekly purging events included monitor well MW-7. Approximately 1,600 gallons were removed from well MW-7 with a cumulative total of approximately 476,000 gallons removed from the site through December 2004.

In August 2001, ERI installed three offsite monitor wells (MW-5 through MW-7). TPH-G and MTBE were not detected in the soil samples from the well borings. Benzene was detected in one soil sample (MW-7) at a concentration of 0.18 mg/kg.

ATC Associates became the new lead consultant for the site in January 2005. A work plan was submitted on May 24, 2005 for on-site and off-site subsurface evaluation.

Delta Consultants became the new consultant for the site in September 2005.

SENSITIVE RECEPTORS

2001 – A GeoTracker database search was conducted which revealed four public water supply wells owned by the East Bay Regional Park District (Park District) within one-half mile of the site. Representatives from the Park District reported having no knowledge or records of any wells located in this area and indicated that the wells may have belonged to the East Bay Municipal Utility District (EBMUD); however, EBMUD was also reported to have no knowledge or records of any wells located in this area.

2001 – A Department of Water Resources (DWR) database search was conducted which revealed four water supply wells belonging to Mills College within the search area. A representative from Mills College indicated that all wells associated with Mills College had been destroyed and that Mills College was now connected to a municipal water supply. The DRW search also revealed a well located at 3397 Arkansas Street, approximately 880 feet outside of the search area. No other wells, surface water bodies, or potentially sensitive environmental habitats were identified during ERI's field receptor search.

MONITORING AND SAMPLING

The monitor well network is currently sampled on a quarterly basis. During the most recent groundwater monitoring event, conducted on July 28, 2006, depths to groundwater ranged from 1.57 feet (MW-5) to 6.67 feet (MW-7) below top of

casing (TOC). The groundwater flow direction was southwest at a gradient of 0.04 foot per foot (ft/ft), consistent with historic events.

Historic groundwater flow directions are shown in Attachment A.

Maximum detectable hydrocarbon concentrations of TPH-G, TPH-D, and BTEX in groundwater samples collected during the July 2006 monitoring and sampling event continue to be reported from monitoring well MW-1. Concentrations of TPH-G, TPH-D, and benzene in monitoring well MW-1 were reported as 74,000 µg/l, 5,100 µg/l, and 6,600 µg/l, respectively. The maximum concentration of MTBE was reported in monitoring well MW-7 with a concentration of 5,300 µg/l. The concentrations detected during the third quarter 2006 are consistent with the concentrations observed over the previous three quarters.

REMEDIATION STATUS

No active remediation is presently ongoing at this site.

Approximately 1,350 tons of soil and backfill were removed during the 1998 UST removal. As of December 23, 2004, approximately 476,015 gallons of groundwater was pumped from the site during bi-weekly groundwater extraction from wells MW-1, MW-7, and TP-1. The groundwater extraction program was discontinued in January 2005.

Delta plans to conduct a pilot test to evaluate oxygen injection as a feasible method of remediation at the site.

CHARACTERIZATION STATUS

A sensitive receptor survey will be conducted as part of evaluating environmental risk from the site. A former Shell service station downgradient from the site currently has elevated petroleum hydrocarbons present in groundwater as evidenced in samples collected from onsite monitor wells (86,600 µg/l TPPH, 4,890 µg/l benzene, 2,790 µg/l MTBE in groundwater samples from Shell monitor well MW-3).

RECENT CORRESPONDENCE

No recent correspondence was documented during this reporting period.

THIS QUARTER ACTIVITIES (Third Quarter 2006)

1. TRC conducted the quarterly monitoring and sampling event at the site.

WASTE DISPOSAL SUMMARY

No waste was disposed of from the site during this reporting period.

NEXT QUARTER ACTIVITIES (Fourth Quarter 2006)


1. TRC will conduct the quarterly groundwater monitoring and sampling event at the site.
2. Delta will submit a work plan to conduct a feasibility test for oxygen injection as a remedial method at the site. The feasibility test will be initiated within 60 days of work plan submittal unless otherwise directed by Alameda County Department of Health Services.

CONSULTANT: Delta Consultants

Attachment A – Historic Groundwater Flow Directions

Attachment A
Historic Groundwater Flow Directions

Historic Groundwater Flow Directions
ConocoPhillips Site No. 1156
4276 MacArthur Boulevard
Oakland, California



■ Groundwater Flow Direction

Legend
Concentric circles represent
quarterly monitoring events
Third Quarter 1999 through Third
Quarter 2006
27 data points shown



September 11, 2006

ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. THOMAS H. KOSEL
SITE: 76 STATION 1156
4276 MACARTHUR BOULEVARD
OAKLAND, CALIFORNIA
RE: QUARTERLY MONITORING REPORT
JULY THROUGH SEPTEMBER 2006

Dear Mr. Kosel:

Please find enclosed our Quarterly Monitoring Report for 76 Station 1156, located 4276 MacArthur Boulevard, Oakland, California. If you have any questions regarding this report, please call us at (949) 753-0101.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read 'Anju Farfan'.

Anju Farfan
QMS Operations Manager

CC: Mr. Daniel Davis, Delta Environmental Consultants, Inc (3 copies)

Enclosures
20-0400/1156R12.QMS





**QUARTERLY MONITORING REPORT
JULY THROUGH SEPTEMBER 2006**

76 STATION 1156
4276 MacArthur Boulevard
Oakland, California

Prepared For:

Mr. Thomas H. Kosel
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations
September 5, 2006



LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	<p>Table Key</p> <p>Contents of Tables</p> <p>Table 1: Current Fluid Levels and Selected Analytical Results</p> <p>Table 1a: Additional Current Analytical Results</p> <p>Table 1b: Additional Current Analytical Results</p> <p>Table 1c: Additional Current Analytical Results</p> <p>Table 1d: Additional Current Analytical Results</p> <p>Table 1e: Additional Current Analytical Results</p> <p>Table 1f: Additional Current Analytical Results</p> <p>Table 1g: Additional Current Analytical Results</p> <p>Table 2: Historic Fluid Levels and Selected Analytical Results</p> <p>Table 2a: Additional Historic Analytical Results</p> <p>Table 2b: Additional Historic Analytical Results</p> <p>Table 2c: Additional Historic Analytical Results</p> <p>Table 2d: Additional Historic Analytical Results</p> <p>Table 2e: Additional Historic Analytical Results</p> <p>Table 2f: Additional Historic Analytical Results</p> <p>Table 2g: Additional Historic Analytical Results</p> <p>Table 2h: Additional Historic Analytical Results</p>
Coordinated Event Data	<p><i>Shell Station</i></p> <p>Well Concentrations</p>
Figures	<p>Figure 1: Vicinity Map</p> <p>Figure 2: Groundwater Elevation Contour Map</p> <p>Figure 3: Dissolved-Phase TPH-G Concentration Map</p> <p>Figure 4: Dissolved-Phase Benzene Concentration Map</p> <p>Figure 5: Dissolved-Phase MTBE Concentration Map</p>
Graphs	<p>Groundwater Elevations vs. Time</p> <p>Benzene Concentrations vs. Time</p> <p>MTBE Concentrations vs. Time</p>
Field Activities	<p>General Field Procedures</p> <p>Field Monitoring Data Sheet -- 7/28/06</p> <p>Groundwater Sampling Field Notes -- 07/28/06</p>
Laboratory Reports	<p>Official Laboratory Reports</p> <p>Quality Control Reports</p> <p>Chain of Custody Records</p>
Statements	<p>Purge Water Disposal</p> <p>Limitations</p>

Summary of Gauging and Sampling Activities
July 2006 through September 2006
76 Station 1156
4276 MacArthur Boulevard
Oakland, CA

Project Coordinator: **Thomas Kosel**
Telephone: **916-558-7666**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **07/28/06**

Sample Points

Groundwater wells: **4** onsite, **3** offsite Wells gauged: **7** Wells sampled: **7**

Purging method: **Diaphragm pump**

Purge water disposal: **Onyx/Rodeo Unit 100**

Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Wells with LPH: **0** Maximum thickness (feet): **n/a**

LPH removal frequency: **n/a**

Method: **n/a**

Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **1.57 feet** Maximum: **6.67 feet**

Average groundwater elevation (relative to available local datum): **169.65 feet**

Average change in groundwater elevation since previous event: **-0.90 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.04 ft/ft, southwest**

Previous event: **0.05 ft/ft, west (04/28/06)**

Selected Laboratory Results

Wells with detected **Benzene**: **6**

Wells above MCL (1.0 µg/l): **5**

Maximum reported benzene concentration: **6,600 µg/l (MW-1)**

Wells with **TPH-G**: **6**

Maximum: **74,000 µg/l (MW-1)**

Wells with **MTBE**: **6**

Maximum: **5,300 µg/l (MW-7)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$, where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 1156 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables

Site: 76 Station 1156

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments		
Table 1a	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Bromo- dichloro- methane	Bromo- form	Bromo- methane	Carbon Tetra- chloride	Chloro- benzene	Chloro- ethane	Chloroform
Table 1b	Well/ Date	Chloro- methane	Dibromo- chloro- methane	1,2- Dichloro- benzene	1,3- Dichloro- benzene	1,4- Dichloro- benzene	Dichloro- difluoro- methane	1,1-DCA	1,1-DCE	cis- 1,2- DCE	trans- 1,2- DCE	1,2- Dichloro- propane	cis-1,3- Dichloro- propene	trans-1,3- Dichloro- propene	Methylene chloride	1,1,2,2- Tetrachloro- ethane
Table 1c	Well/ Date	Tetrachloro- ethene (PCE)	Trichloro- trifluoro- ethane	1,1,1- Trichloro- ethane	1,1,2- Trichloro- ethane	Trichloro- ethene (TCE)	Trichloro- fluoro- methane	Vinyl chloride	Acena- phthene	Acena- phthylene (svoc)	Anthra- cene	Benzo[a]- anthracene	Benzo[a]- pyrene	Benzo[b]- fluor- anthene	Benzo- [g,h,i]- perylene	Benzo[k]- fluor- anthene
Table 1d	Well/ Date	Benzoic Acid	Benzyl Alcohol	Bis(2- chloro- ethoxy)	Bis(2- chloro- ethyl) ether	Bis(2- chloro- isopropyl)-	Bis(2-ethyl- hexyl) phthalate	4-Bromo- phenyl phenyl	Butyl benzyl phthalate	4-Chloro- 3- methyl- phenol	4-Chloro- aniline	2-Chloro- naphtha- lene	2-Chloro- phenol	4-Chloro- phenyl phenyl	Chrysene	Dibenzo- [a,h]- anthracene
Table 1e	Well/ Date	Dibenzo- furan	1,2- Dichloro- benzene	1,3- Dichloro- benzene	1,4- Dichloro- benzene	3,3- Dichloro- benzidine	2,4- Dichloro- phenol	Diethyl phthalate	2,4- Dimethyl- phenol	Dimethyl phthalate	Di-n-butyl phthalate	2,4-Dinitro- phenol	2,4-Dinitro- toluene	2,6-Dinitro- toluene	Di-n-octyl phthalate	Fluoran- thene
Table 1f	Well/ Date	Fluorene	Hexachloro- benzene	HCBD (svoc)	Hexachloro cyclopenta- diene	Hexachloro -ethane	Indeno- [1,2,3-c,d] pyrene	Isophorone	2-Methyl- naphtha- lene	2-Methyl- phenol	Naphtha- lene (svoc)	2-Nitro- aniline	3-Nitro- aniline	4-Nitro- aniline	Nitro- benzene	2-Nitro- phenol
Table 1g	Well/ Date	4-Nitro- phenol	N- nitrosodi- n- propyl-	N-Nitro- sodiphenyl- amine	Pentachloro - phenol	Phen- anthrene	Phenol	Pyrene	1,2,4- Trichloro- benzene	2,4,6- Trichloro- phenol	2,4,5- Trichloro- phenol					

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments		
Table 2a	Well/ Date	TPH-D	TBA	Ethanol (8015B)	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaph- thylene	Bromo- dichloro- methane	Bromo- form	Bromo- methane	Carbon Tetra- chloride	Chloro- benzene
Table 2b	Well/ Date	Chloro- ethane	Chloroform	Chloro- methane	Dibromo- chloro- methane	1,2- Dichloro- benzene	1,3- Dichloro- benzene	1,4- Dichloro- benzene	Dichloro- difluoro- methane	1,1-DCA	1,1-DCE	cis- 1,2- DCE	trans- 1,2- DCE	1,2- Dichloro- propane	cis-1,3- Dichloro- propene	trans-1,3- Dichloro- propene

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 28, 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1		(Screen Interval in feet: 5.0-25.0)												
07/28/06	177.54	5.32	0.00	172.22	-0.47	74000	--	6600	12000	3100	13000	330	220	
MW-2		(Screen Interval in feet: 5.0-25.0)												
07/28/06	173.50	4.34	0.00	169.16	-0.59	3000	--	2.0	ND<1.5	ND<1.5	ND<3.0	3000	2900	
MW-3		(Screen Interval in feet: 5.0-25.0)												
07/28/06	178.13	6.21	0.00	171.92	-1.20	4700	--	160	240	510	730	250	150	
MW-4		(Screen Interval in feet: 5.0-25.0)												
07/28/06	178.96	4.63	0.00	174.33	-0.69	550	--	120	2.1	12	19	170	150	
MW-5		(Screen Interval in feet: DNA)												
07/28/06	169.18	1.57	0.00	167.61	-0.55	480	--	0.34	ND<0.30	ND<0.30	ND<0.60	440	420	
MW-6		(Screen Interval in feet: DNA)												
07/28/06	169.04	1.68	0.00	167.36	-1.68	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	ND<1.0	ND<0.50	
MW-7		(Screen Interval in feet: DNA)												
07/28/06	171.64	6.67	0.00	164.97	-1.10	5400	--	5.2	ND<3.0	ND<3.0	ND<6.0	5000	5300	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 1156

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Bromo- dichloro- methane (µg/l)	Bromo- form (µg/l)	Bromo- methane (µg/l)	Carbon Tetra- chloride (µg/l)	Chloro- benzene (µg/l)	Chloro- ethane (µg/l)	Chloroform (µg/l)
MW-1															
07/28/06	5100	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-2															
07/28/06	--	5100	ND<6200	ND<12	ND<12	ND<12	ND<12	ND<12	--	--	--	--	--	--	--
MW-3															
07/28/06	--	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--	--
MW-4															
07/28/06	--	64	ND<250	ND<0.50	5.8	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--	--
MW-5															
07/28/06	--	ND<100	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--	--	--
MW-6															
07/28/06	--	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--	--
MW-7															
07/28/06	--	1300	ND<6200	ND<12	ND<12	ND<12	ND<12	ND<12	--	--	--	--	--	--	--

Table 1 b
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Chloro-methane	Dibromo-chloro-methane	1,2-Dichloro-benzene	1,3-Dichloro-benzene	1,4-Dichloro-benzene	Dichloro-difluoro-methane	1,1-DCA	1,1-DCE	cis- 1,2-DCE	trans- 1,2-DCE	1,2-Dichloro-propane	cis-1,3-Dichloro-propene	trans-1,3-Dichloro-propene	Methylene chloride	1,1,2,2-Tetrachloro-ethane
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-1															
07/28/06	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	4.5	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<0.50

Table 1 c
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Tetrachloro-ethene (PCE) (µg/l)	Trichloro-trifluoro-ethane (µg/l)	1,1,1-Trichloro-ethane (µg/l)	1,1,2-Trichloro-ethane (µg/l)	Trichloro-ethene (TCE) (µg/l)	Trichloro-fluoro-methane (µg/l)	Vinyl chloride (µg/l)	Acena-phthene (µg/l)	Acena-phthylene (svoc) (µg/l)	Anthra-cene (µg/l)	Benzo[a]-anthracene (µg/l)	Benzo[a]-pyrene (µg/l)	Benzo[b]-fluor-anthene (µg/l)	Benzo-[g,h,l]-perylene (µg/l)	Benzo[k]-fluor-anthene (µg/l)
MW-1 07/28/06	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10

Table 1 d
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Benzoic Acid (µg/l)	Benzyl Alcohol (µg/l)	Bis(2-chloro-ethoxy) methane (µg/l)	Bis(2-chloro-ethyl) ether (µg/l)	Bis(2-chloro-isopropyl) ether (µg/l)	Bis(2-ethyl-hexyl) phthalate (µg/l)	4-Bromo-phenyl ether (µg/l)	Butyl benzyl phthalate (µg/l)	4-Chloro-3-methyl-phenol (µg/l)	4-Chloro-aniline (µg/l)	2-Chloro-naphthalene (µg/l)	2-Chloro-phenol (µg/l)	4-Chloro-phenyl ether (µg/l)	Chrysene (µg/l)	Dibenzo-[a,h]-anthracene (µg/l)
MW-1 07/28/06	ND<50	ND<10	ND<10	ND<10	ND<10	33	ND<10	ND<10	ND<25	ND<10	ND<10	ND<10	ND<10	ND<10	ND<15

Table 1 e
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Dibenzo- furan (µg/l)	1,2- Dichloro- benzene (svoc) (µg/l)	1,3- Dichloro- benzene (svoc) (µg/l)	1,4- Dichloro- benzene (svoc) (µg/l)	3,3- Dichloro- benzidine (µg/l)	2,4- Dichloro- phenol (µg/l)	Diethyl phthalate (µg/l)	2,4- Dimethyl- phenol (µg/l)	Dimethyl phthalate (µg/l)	Di-n-butyl phthalate (µg/l)	2,4- Dinitro- phenol (µg/l)	2,4- Dinitro- toluene (µg/l)	2,6- Dinitro- toluene (µg/l)	Di-n-octyl phthalate (µg/l)	Fluoran- thene (µg/l)
MW-1 07/28/06	ND<10	ND<10	ND<10	ND<10	ND<50	ND<10	ND<10	ND<10	ND<10	ND<10	ND<50	ND<10	ND<10	ND<10	ND<10

Table 1 f
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Fluorene (µg/l)	Hexachloro- benzene (µg/l)	HCBD (svoc) (µg/l)	Hexachloro- cyclopenta- diene (µg/l)	Hexachloro- ethane (µg/l)	Indeno- [1,2,3-c,d] pyrene (µg/l)	Isophorone (µg/l)	2-Methyl- naphtha- lene (µg/l)	2-Methyl- phenol (µg/l)	Naphtha- lene (svoc) (µg/l)	2-Nitro- aniline (µg/l)	3-Nitro- aniline (µg/l)	4-Nitro- aniline (µg/l)	Nitro- benzene (µg/l)	2-Nitro- phenol (µg/l)
MW-1 07/28/06	ND<10	ND<10	ND<5.0	ND<10	ND<10	ND<10	ND<10	280	ND<10	660	ND<10	ND<10	ND<25	ND<10	ND<10

Table 1 g
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 1156

Date Sampled	4-Nitro- phenol (µg/l)	N-nitrosodi- n-propyl- amine (µg/l)	N-Nitro- sodiphenyl- amine (µg/l)	Pentachloro- phenol (µg/l)	Phen- anthrene (µg/l)	Phenol (µg/l)	Pyrene (µg/l)	1,2,4- Trichloro- benzene (svoc) (µg/l)	2,4,6- Trichloro- phenol (µg/l)	2,4,5- Trichloro- phenol (µg/l)
MW-1 07/28/06	ND<10	ND<10	ND<10	ND<50	ND<10	ND<10	ND<10	ND<10	ND<25	ND<25

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through July 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 (Screen Interval in feet: 5.0-25.0)														
07/20/99	174.86	7.50	0.00	167.36	--	120000	--	11000	27000	3300	18000	ND	--	
09/28/99	174.86	8.75	0.00	166.11	-1.25	6020	--	1030	1040	68.5	412	321	333	
01/07/00	174.86	9.05	0.02	165.82	-0.29	72700	--	7410	13900	2070	9620	ND	--	GWE corrected
03/31/00	174.86	7.18	0.00	167.68	1.86	92000	--	10000	23000	3200	14000	ND	--	
07/14/00	174.86	7.68	0.00	167.18	-0.50	108000	--	8250	18700	3750	17800	ND	--	
10/03/00	174.86	7.99	0.00	166.87	-0.31	96000	--	8760	20000	3350	15600	ND	--	
01/03/01	174.86	9.18	0.00	165.68	-1.19	37000	--	5800	13000	1700	8100	2200	--	
04/04/01	174.86	8.05	0.00	166.81	1.13	86900	--	7780	18500	2470	11800	ND	481	
07/17/01	174.86	7.01	0.00	167.85	1.04	79000	--	5600	11000	2800	12000	ND	230	
10/03/01	177.54	7.89	0.00	169.65	1.80	99000	--	8200	18000	3000	16000	ND<2500	--	
10/05/01	177.54	7.91	0.00	169.63	-0.02	--	--	--	--	--	--	--	--	
01/28/02	177.54	5.98	0.00	171.56	1.93	110000	--	8900	19000	2600	12000	3000	440	
04/25/02	177.54	6.19	0.00	171.35	-0.21	93000	--	8100	18000	3000	15000	810	670	
07/18/02	177.54	6.99	0.00	170.55	-0.80	69000	--	5400	10000	2100	10000	ND<500	620	
10/07/02	177.54	7.73	0.00	169.81	-0.74	82000	--	9200	20000	2600	13000	1300	760	
01/06/03	177.54	5.48	0.00	172.06	2.25	82000	--	6500	18000	2700	11000	ND<1000	790	
04/07/03	177.54	6.30	0.00	171.24	-0.82	74000	--	7000	15000	2400	11000	1000	800	
07/07/03	177.54	6.47	0.00	171.07	-0.17	60000	--	6400	11000	2600	11000	600	530	
10/09/03	177.54	7.85	0.00	169.69	-1.38	91000	81000	8100	17000	3200	14000	--	660	Sampled for TPH-G by 8015M on 11/14/03.
01/14/04	177.54	6.69	0.00	170.85	1.16	98000	--	8000	21000	2600	15000	ND<1300	ND<800	
04/28/04	177.54	6.43	0.00	171.11	0.26	93000	--	9000	20000	1300	10000	1400	560	
07/12/04	177.54	7.44	0.00	170.10	-1.01	57000	--	6900	7200	1600	580	490	440	
10/25/04	177.54	7.54	0.00	170.00	-0.10	66000	--	7300	19000	2700	14000	ND<1300	330	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through July 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
01/17/05	177.54	5.79	0.00	171.75	1.75	86000	--	8600	21000	3200	15000	ND<1300	570	
04/06/05	177.54	4.93	0.00	172.61	0.86	85000	--	8400	20000	3200	16000	ND<1300	580	
07/08/05	177.54	5.35	0.00	172.19	-0.42	69000	--	7100	17000	2700	14000	ND<1300	290	
10/07/05	177.54	5.96	0.00	171.58	-0.61	68000	--	5900	8300	1800	8300	330	250	
01/27/06	177.54	5.08	0.00	172.46	0.88	94000	--	7400	19000	3700	14000	450	360	
04/28/06	177.54	4.85	0.00	172.69	0.23	74000	--	6400	13000	2300	10000	460	280	
07/28/06	177.54	5.32	0.00	172.22	-0.47	74000	--	6600	12000	3100	13000	330	220	
MW-2 (Screen Interval in feet: 5.0-25.0)														
07/20/99	173.01	5.40	--	167.61	--	ND	--	ND	ND	ND	ND	4500	11000	
09/28/99	173.01	5.60	0.00	167.41	-0.20	1390	--	124	ND	62.9	43.1	5280	6150	
01/07/00	173.01	5.92	0.00	167.09	-0.32	1450	--	99	ND	23.8	16	33100	--	
03/31/00	173.01	5.23	0.00	167.78	0.69	ND	--	42	ND	ND	ND	17000	--	
07/14/00	173.01	5.52	0.00	167.49	-0.29	ND	--	44.7	ND	ND	ND	66500	--	
10/03/00	173.01	6.04	0.00	166.97	-0.52	ND	--	56.7	ND	ND	ND	57500	--	
01/03/01	173.01	6.42	0.00	166.59	-0.38	ND	--	ND	ND	ND	ND	49000	--	
04/04/01	173.01	6.14	0.00	166.87	0.28	ND	--	ND	ND	ND	ND	38700	37800	
07/17/01	173.01	5.30	0.00	167.71	0.84	ND	--	ND	ND	ND	ND	65000	56000	
10/03/01	173.50	7.38	0.00	166.12	-1.59	ND<250	--	2.7	ND<2.5	ND<2.5	ND<2.5	14000	18000	
01/28/02	173.50	5.68	0.00	167.82	1.70	ND<250	--	2.5	4.4	2.8	7.4	11000	10000	
04/25/02	173.50	5.82	0.00	167.68	-0.14	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	8400	8100	
07/18/02	173.50	6.90	0.00	166.60	-1.08	ND<500	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	4300	8800	
10/07/02	173.50	7.54	0.00	165.96	-0.64	4300	--	ND<10	27	21	75	7100	5900	
01/06/03	173.50	6.79	0.00	166.71	0.75	5900	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	31000	35000	
04/07/03	173.50	6.49	0.00	167.01	0.30	1500	--	ND<10	14	11	38	2000	1500	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through July 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
07/07/03	173.50	6.72	0.00	166.78	-0.23	ND<2500	--	ND<25	ND<25	ND<25	ND<25	5500	8300	
10/09/03	173.50	7.16	0.00	166.34	-0.44	3500	ND<5000	ND<50	ND<50	ND<50	ND<100	--	8500	Sampled for TPH-G by 8015M on 11/14/03.
01/14/04	173.50	5.53	0.00	167.97	1.63	3200	--	ND<25	ND<25	ND<25	ND<25	2600	3200	
04/28/04	173.50	5.21	0.00	168.29	0.32	22000	--	ND<3	9.2	ND<3	ND<6	35000	22000	
07/12/04	173.50	5.83	0.00	167.67	-0.62	1700	--	3.8	18	2.6	16	3000	3000	
10/25/04	173.50	6.89	0.00	166.61	-1.06	3400	--	ND<25	ND<25	ND<25	ND<25	1800	1600	
01/17/05	173.50	5.70	0.00	167.80	1.19	1700	--	ND<10	ND<10	ND<10	ND<10	1600	1500	
04/06/05	173.50	4.50	0.00	169.00	1.20	3000	--	ND<20	ND<20	ND<20	ND<20	2500	3200	
07/08/05	173.50	4.69	0.00	168.81	-0.19	ND<2000	--	ND<20	ND<20	ND<20	ND<20	2900	3100	
10/07/05	173.50	4.61	0.00	168.89	0.08	7500	--	6.7	6.6	ND<3.0	ND<6.0	5900	5200	
01/27/06	173.50	4.10	0.00	169.40	0.51	2500	--	1.0	2.6	ND<0.30	ND<0.60	2600	2800	
04/28/06	173.50	3.75	0.00	169.75	0.35	3100	--	9.4	3.6	0.94	3.4	3700	3600	
07/28/06	173.50	4.34	0.00	169.16	-0.59	3000	--	2.0	ND<1.5	ND<1.5	ND<3.0	3000	2900	
MW-3 (Screen Interval in feet: 5.0-25.0)														
07/20/99	178.44	8.50	--	169.94	--	1000	--	76	52	79	76	330	--	
09/28/99	178.44	8.31	0.00	170.13	0.19	1860	--	174	95.4	71.8	135	443	288	
01/07/00	178.44	8.56	0.00	169.88	-0.25	28400	--	2450	3090	1560	3910	1940	--	
03/31/00	178.44	8.42	0.00	170.02	0.14	26000	--	1300	2900	2600	3500	2800	--	
07/14/00	178.44	8.61	0.00	169.83	-0.19	24500	--	1850	2630	2750	3900	548	--	
10/03/00	178.44	9.14	0.00	169.30	-0.53	22000	--	1910	2020	2400	2680	965	--	
01/03/01	178.44	9.06	0.00	169.38	0.08	14000	--	1600	1100	2300	1400	3300	--	
04/04/01	178.44	8.98	0.00	169.46	0.08	19600	--	1150	1470	2100	1820	1050	450	
07/17/01	178.44	7.46	0.00	170.98	1.52	26000	--	1500	2100	2100	3400	ND	350	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through July 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
10/03/01	178.13	9.81	0.00	168.32	-2.66	22000	--	830	1900	1700	3000	ND<1000	--	
01/28/02	178.13	7.39	0.00	170.74	2.42	30000	--	880	2600	1800	4300	3200	210	
04/25/02	178.13	7.86	0.00	170.27	-0.47	18000	--	500	2000	1300	3800	500	260	
07/18/02	178.13	8.83	0.00	169.30	-0.97	37000	--	1800	3800	2200	8000	ND<250	270	
10/07/02	178.13	9.71	0.00	168.42	-0.88	26000	--	600	2000	1800	6400	ND<120	ND<200	
01/06/03	178.13	7.40	0.00	170.73	2.31	27000	--	800	2100	2000	6400	440	110	
04/07/03	178.13	8.17	0.00	169.96	-0.77	28000	--	660	2200	1900	6300	440	100	
07/07/03	178.13	8.35	0.00	169.78	-0.18	33000	--	1200	2500	2700	8300	280	100	
10/09/03	178.13	9.39	0.00	168.74	-1.04	3800	6000	120	260	390	1200	--	190	Sampled for TPH-G by 8015M on 11/14/03.
01/14/04	178.13	6.86	0.00	171.27	2.53	5100	--	120	240	310	720	190	230	
04/28/04	178.13	6.63	0.00	171.50	0.23	7300	--	250	440	580	1300	740	240	
07/12/04	178.13	7.41	0.00	170.72	-0.78	5500	--	350	310	120	350	180	100	
10/25/04	178.13	8.81	0.00	169.32	-1.40	3300	--	96	140	270	490	94	260	
01/17/05	178.13	6.37	0.00	171.76	2.44	3400	--	150	270	360	750	55	200	
04/06/05	178.13	4.69	0.00	173.44	1.68	14000	--	420	1300	1000	3100	ND<250	200	
07/08/05	178.13	5.23	0.00	172.90	-0.54	5000	--	180	290	500	800	ND<250	150	
10/07/05	178.13	6.35	0.00	171.78	-1.12	6800	--	270	120	ND<0.30	210	260	180	
01/27/06	178.13	5.24	0.00	172.89	1.11	3200	--	120	140	270	460	280	250	
04/28/06	178.13	5.01	0.00	173.12	0.23	4500	--	130	250	380	670	230	180	
07/28/06	178.13	6.21	0.00	171.92	-1.20	4700	--	160	240	510	730	250	150	
MW-4 (Screen Interval in feet: 5.0-25.0)														
07/20/99	179.10	7.40	--	171.70	--	69	--	2.7	0.77	ND	7.1	100	--	
09/28/99	179.10	7.19	0.00	171.91	0.21	4050	--	1250	72	51.3	133	416	459	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through July 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
01/07/00	179.10	8.98	0.00	170.12	-1.79	7010	--	2260	167	271	276	764	--	
03/31/00	179.10	7.26	0.00	171.84	1.72	5500	--	1800	230	330	400	1000	--	
07/14/00	179.10	7.67	0.00	171.43	-0.41	7940	--	2810	332	450	247	1530	--	
10/03/00	179.10	8.12	0.00	170.98	-0.45	11400	--	3110	437	519	816	1040	--	
01/03/01	179.10	9.10	0.00	170.00	-0.98	8600	--	2500	340	480	960	850	--	
04/04/01	179.10	8.63	0.00	170.47	0.47	9950	--	2380	126	416	725	1140	819	
07/17/01	179.10	6.49	0.00	172.61	2.14	10000	--	2300	110	410	800	1200	900	
10/03/01	178.96	7.01	0.00	171.95	-0.66	7800	--	2100	85	380	390	580	820	
01/28/02	178.96	6.21	0.00	172.75	0.80	12000	--	2100	130	350	670	1100	500	
04/25/02	178.96	5.49	0.00	173.47	0.72	3300	--	1300	42	270	250	680	600	
07/18/02	178.96	8.28	0.00	170.68	-2.79	4800	--	1300	71	290	220	530	760	
10/07/02	178.96	7.49	0.00	171.47	0.79	5100	--	1400	110	330	380	650	540	
01/06/03	178.96	6.36	0.00	172.60	1.13	5600	--	1100	57	260	320	370	520	
04/07/03	178.96	6.24	0.00	172.72	0.12	5100	--	1100	55	190	370	550	420	
07/07/03	178.96	6.43	0.00	172.53	-0.19	3000	--	920	28	170	330	480	450	
10/09/03	178.96	7.97	0.00	170.99	-1.54	530	700	100	2.2	5.4	14	--	270	Sampled for TPH-G by 8015M on 11/14/03.
01/14/04	178.96	6.30	0.00	172.66	1.67	530	--	88	4.1	9.9	11	150	180	
04/28/04	178.96	5.68	0.00	173.28	0.62	1200	--	200	5.3	21	13	490	310	
07/12/04	178.96	6.48	0.00	172.48	-0.80	3600	--	1000	14	260	72	710	470	
10/25/04	178.96	6.85	0.00	172.11	-0.37	490	--	34	ND<2.5	ND<2.5	ND<2.5	200	170	
01/17/05	178.96	4.56	0.00	174.40	2.29	620	--	100	2.6	15	8.0	240	200	
04/06/05	178.96	2.90	0.00	176.06	1.66	630	--	81	9.6	16	41	ND<25	26	
07/08/05	178.96	3.74	0.00	175.22	-0.84	980	--	170	24	44	140	ND<25	64	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through July 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
10/07/05	178.96	4.24	0.00	174.72	-0.50	4900	--	1100	11	110	110	370	310	
01/27/06	178.96	3.65	0.00	175.31	0.59	2800	--	580	20	130	230	320	240	
04/28/06	178.96	3.94	0.00	175.02	-0.29	710	--	110	2.4	21	22	140	140	
07/28/06	178.96	4.63	0.00	174.33	-0.69	550	--	120	2.1	12	19	170	150	
MW-5 (Screen Interval in feet: DNA)														
10/03/01	169.18	2.81	0.00	166.37	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1800	2100	
01/28/02	169.18	1.88	0.00	167.30	0.93	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	650	550	
04/25/02	169.18	1.99	0.00	167.19	-0.11	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2200	2400	
07/18/02	169.18	2.49	0.00	166.69	-0.50	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	530	690	
10/07/02	169.18	2.80	0.00	166.38	-0.31	140	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	300	330	
01/06/03	169.18	1.86	0.00	167.32	0.94	120	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	410	350	
04/07/03	169.18	2.15	0.00	167.03	-0.29	220	--	0.53	ND<0.50	ND<0.50	ND<0.50	450	420	
07/07/03	169.18	2.26	0.00	166.92	-0.11	120	--	ND<1.2	ND<1.2	ND<1.2	ND<1.2	220	200	
10/09/03	169.18	2.72	0.00	166.46	-0.46	560	210	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	290	Sampled for TPH-G by 8015M on 11/14/03.
01/14/04	169.18	2.00	0.00	167.18	0.72	560	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5	670	760	
04/28/04	169.18	2.01	0.00	167.17	-0.01	760	--	ND<0.3	1.8	ND<0.3	ND<0.6	1200	790	
07/12/04	169.18	2.56	0.00	166.62	-0.55	96	--	1.8	3.3	0.54	3.6	2.8	ND<0.5	
10/25/04	169.18	2.43	0.00	166.75	0.13	1100	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	780	1100	
01/17/05	169.18	1.49	0.00	167.69	0.94	720	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	530	550	
04/06/05	169.18	0.95	0.00	168.23	0.54	830	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	600	760	
07/08/05	169.18	1.49	0.00	167.69	-0.54	ND<500	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	570	630	
10/07/05	169.18	1.92	0.00	167.26	-0.43	540	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	530	490	
01/27/06	169.18	2.03	0.00	167.15	-0.11	490	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	580	610	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through July 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
04/28/06	169.18	1.02	0.00	168.16	1.01	430	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	590	520	
07/28/06	169.18	1.57	0.00	167.61	-0.55	480	--	0.34	ND<0.30	ND<0.30	ND<0.60	440	420	
MW-6 (Screen Interval in feet: DNA)														
10/03/01	169.04	2.87	0.00	166.17	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	200	270	
01/28/02	169.04	1.82	0.00	167.22	1.05	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
04/25/02	169.04	2.01	0.00	167.03	-0.19	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
07/18/02	169.04	2.44	0.00	166.60	-0.43	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	ND<2.0	
10/07/02	169.04	2.72	0.00	166.32	-0.28	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	ND<2.0	
01/06/03	169.04	1.90	0.00	167.14	0.82	ND<50	--	0.62	1.2	1.2	3.5	ND<2.0	ND<2.0	
04/07/03	169.04	2.02	0.00	167.02	-0.12	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	46	46	
07/07/03	169.04	2.21	0.00	166.83	-0.19	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	ND<2.0	
10/09/03	169.04	2.71	0.00	166.33	-0.50	ND<50	ND<50	0.95	3.0	1.4	5.5	--	ND<2.0	Sampled for TPH-G by 8015M on 11/14/03.
01/14/04	169.04	2.00	0.00	167.04	0.71	ND<50	--	ND<0.50	0.57	ND<0.50	0.64	ND<5.0	ND<2.0	
04/28/04	169.04	2.18	0.00	166.86	-0.18	ND<50	--	0.39	0.78	ND<0.3	ND<0.6	ND<1	ND<0.5	
07/12/04	169.04	2.69	0.00	166.35	-0.51	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	6.4	ND<0.5	
10/25/04	169.04	2.46	0.00	166.58	0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	0.57	
01/17/05	169.04	1.54	0.00	167.50	0.92	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<0.50	
04/06/05	169.04	1.15	0.00	167.89	0.39	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<0.50	
07/08/05	169.04	1.05	0.00	167.99	0.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<0.50	
10/07/05	169.04	1.90	0.00	167.14	-0.85	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	ND<1.0	ND<0.50	
01/27/06	169.04	1.32	0.00	167.72	0.58	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	ND<1.0	ND<0.50	
04/28/06	169.04	0.00	0.00	169.04	1.32	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	ND<1.0	ND<0.50	
07/28/06	169.04	1.68	0.00	167.36	-1.68	ND<50	--	ND<0.30	ND<0.30	ND<0.30	ND<0.60	ND<1.0	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through July 2006
76 Station 1156

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-7 (Screen Interval in feet: DNA)														
10/03/01	171.64	7.62	0.00	164.02	--	10000	--	210	ND<50	ND<50	800	35000	40000	
01/28/02	171.64	7.21	0.00	164.43	0.41	ND<1000	--	ND<10	ND<10	ND<10	ND<10	42000	38000	
04/25/02	171.64	7.25	0.00	164.39	-0.04	ND<5000	--	660	ND<50	ND<50	ND<50	42000	45000	
07/18/02	171.64	8.12	0.00	163.52	-0.87	ND<5000	--	130	ND<50	ND<50	ND<50	51000	53000	
10/07/02	171.64	7.71	0.00	163.93	0.41	18000	--	ND<50	ND<50	ND<50	ND<50	33000	38000	
01/06/03	171.64	7.63	0.00	164.01	0.08	410	--	0.61	1.0	0.89	2.9	3900	3100	
04/07/03	171.64	7.58	0.00	164.06	0.05	13000	--	ND<20	ND<20	ND<20	ND<20	32000	28000	
07/07/03	171.64	7.56	0.00	164.08	0.02	990	--	8.2	ND<0.50	1.2	ND<0.50	36000	45000	
10/09/03	171.64	7.72	0.00	163.92	-0.16	6800	ND<13000	ND<130	ND<130	ND<130	ND<250	--	20000	Sampled for TPH-G by 8015M on 11/14/03.
01/14/04	171.64	6.97	0.00	164.67	0.75	19000	--	ND<100	ND<100	ND<100	ND<100	20000	25000	
04/28/04	171.64	8.70	0.00	162.94	-1.73	19000	--	ND<3	ND<3	ND<3	ND<6	30000	21000	
07/12/04	171.64	9.44	0.00	162.20	-0.74	12000	--	28	14	330	200	12000	11000	
10/25/04	171.64	7.23	0.00	164.41	2.21	28000	--	ND<250	ND<250	ND<250	ND<250	13000	14000	
01/17/05	171.64	6.30	0.00	165.34	0.93	15000	--	ND<100	ND<100	ND<100	ND<100	17000	16000	
04/06/05	171.64	5.96	0.00	165.68	0.34	13000	--	ND<100	ND<100	ND<100	ND<100	14000	17000	
07/08/05	171.64	6.45	0.00	165.19	-0.49	ND<10000	--	ND<100	ND<100	ND<100	ND<100	8600	11000	
10/07/05	171.64	6.78	0.00	164.86	-0.33	13000	--	ND<3.0	ND<3.0	ND<3.0	ND<6.0	9400	9800	
01/27/06	171.64	5.82	0.00	165.82	0.96	8200	--	0.64	1.6	ND<0.30	ND<0.60	9900	7900	
04/28/06	171.64	5.57	0.00	166.07	0.25	6900	--	0.88	1.5	0.34	1.0	9600	11000	
07/28/06	171.64	6.67	0.00	164.97	-1.10	5400	--	5.2	ND<3.0	ND<3.0	ND<6.0	5000	5300	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8015B) (mg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaphthylene (µg/l)	Bromo-dichloro-methane (µg/l)	Bromo-form (µg/l)	Bromo-methane (µg/l)	Carbon Tetra-chloride (µg/l)	Chloro-benzene (µg/l)
MW-1															
07/20/99	16000	--	--	--	--	--	--	--	--	--	--	--	--	--	12
09/28/99	2410	ND	--	--	--	--	ND	ND	ND	--	--	--	--	--	--
01/07/00	7870	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/31/00	3600	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/14/00	8580	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/03/00	9260	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/03/01	11000	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/04/01	14000	ND	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	5.6
07/17/01	2200	ND	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
10/05/01	13000	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/28/02	4400	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/25/02	9000	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/18/02	9200	ND<100	--	ND<2500000	ND<10	ND<10	ND<10	ND<10	ND<10	--	--	--	--	--	5.9
10/07/02	3400	ND<10000	--	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200	--	--	--	--	--	--
01/06/03	5100	ND<20000	--	ND<100000000	ND<400	ND<400	ND<400	ND<400	ND<400	--	--	--	--	--	--
04/07/03	2800	ND<10000	--	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200	--	--	--	--	--	--
07/07/03	7000	ND<25000	ND<120000	--	ND<500	ND<500	ND<500	ND<500	ND<500	--	--	--	--	--	ND<120
10/09/03	4300	ND<20000	--	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	--	--	--	--	--
01/14/04	6200	ND<40000	--	ND<200000	ND<800	ND<800	ND<800	ND<800	ND<800	--	--	--	--	--	--
04/28/04	--	800	--	ND<1000	ND<50	ND<50	ND<1	ND<1	ND<1	--	--	--	--	--	--
07/12/04	270	1100	--	ND<20000	ND<10	ND<10	ND<20	ND<20	ND<20	ND<2	ND<10	ND<10	ND<20	ND<10	ND<10
10/25/04	5100	ND<2000	--	ND<20000	ND<200	ND<200	ND<400	ND<200	ND<200	--	--	--	--	--	--
01/17/05	6400	3100	--	ND<20000	ND<200	ND<200	ND<400	ND<200	ND<200	--	--	--	--	--	--
04/06/05	2800	1500	--	ND<10000	ND<100	ND<100	ND<100	ND<100	ND<100	--	--	--	--	--	--
07/08/05	6400	ND<1300	--	ND<13000	ND<130	3.8	ND<130	ND<130	ND<130	--	ND<0.50	ND<2.0	ND<1.0	ND<0.50	12
10/07/05	5500	680	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	TPH-D	TBA	Ethanol (8015B)	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Bromo-dichloromethane	Bromo-form	Bromo-methane	Carbon Tetra-chloride	Chloro-benzene
	(µg/l)	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-1 continued															
01/27/06	9000	ND<500	--	ND<12000	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--	--
04/28/06	9200	ND<500	--	ND<12000	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--	--
07/28/06	5100	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
MW-2															
09/28/99	--	ND	--	--	--	--	ND	ND	ND	--	--	--	--	--	--
04/04/01	--	ND	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
07/17/01	--	ND	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
07/18/02	--	ND<1000	--	ND<25000000	ND<100	ND<100	ND<100	ND<100	ND<100	--	--	--	--	--	--
10/07/02	--	ND<20000	--	ND<100000000	ND<400	ND<400	ND<400	ND<400	ND<400	--	--	--	--	--	--
01/06/03	--	ND<50000	--	ND<250000000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	--	--	--	--	--
04/07/03	--	ND<2000	--	ND<10000000	ND<40	ND<40	ND<40	ND<40	ND<40	--	--	--	--	--	--
07/07/03	--	ND<5000	--	ND<25000000	ND<100	ND<100	ND<100	ND<100	ND<100	--	--	--	--	--	--
10/09/03	--	ND<10000	--	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	--	--	--	--	--
01/14/04	--	ND<2500	--	ND<13000	ND<50	ND<50	ND<50	ND<50	ND<50	--	--	--	--	--	--
04/28/04	--	13000	--	ND<1000	ND<0.5	ND<0.5	ND<1	ND<1	11	--	--	--	--	--	--
07/12/04	--	110	--	ND<4000	ND<3	ND<3	ND<5	ND<5	ND<5	--	--	--	--	--	--
10/25/04	--	1100	--	ND<1300	ND<13	ND<13	ND<25	ND<13	ND<13	--	--	--	--	--	--
01/17/05	--	1200	--	ND<1300	ND<13	ND<13	ND<25	ND<13	ND<13	--	--	--	--	--	--
04/06/05	--	2800	--	ND<2500	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--	--
07/08/05	--	4300	--	ND<2500	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--	--
10/07/05	--	8700	--	ND<250	ND<0.50	1.4	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
01/27/06	--	5200	--	ND<12000	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--	--
04/28/06	--	6700	--	ND<250	ND<0.50	1.4	ND<0.50	ND<0.50	1.6	--	--	--	--	--	--
07/28/06	--	5100	--	ND<6200	ND<12	ND<12	ND<12	ND<12	ND<12	--	--	--	--	--	--
MW-3															
09/28/99	--	ND	--	--	--	--	ND	ND	8.80	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8015B) (mg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph- thylene (µg/l)	Bromo- dichloro- methane (µg/l)	Bromo- form (µg/l)	Bromo- methane (µg/l)	Carbon Tetra- chloride (µg/l)	Chloro- benzene (µg/l)
MW-3 continued															
04/04/01	--	ND	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
07/17/01	--	ND	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
07/18/02	--	ND<50	--	ND<1200000	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--	--
10/07/02	--	ND<10000	--	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200	--	--	--	--	--	--
01/06/03	--	ND<4000	--	23000000	ND<80	ND<80	ND<80	ND<80	ND<80	--	--	--	--	--	--
04/07/03	--	ND<4000	--	ND<20000000	ND<80	ND<80	ND<80	ND<80	ND<80	--	--	--	--	--	--
07/07/03	--	ND<2000	--	ND<10000000	ND<40	ND<40	ND<40	ND<40	ND<40	--	--	--	--	--	--
10/09/03	--	ND<1000	--	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20	--	--	--	--	--	--
01/14/04	--	ND<1000	--	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20	--	--	--	--	--	--
04/28/04	--	ND<12	--	ND<1000	ND<3	ND<3	ND<1	ND<1	ND<1	--	--	--	--	--	--
07/12/04	--	350	--	ND<20000	ND<10	ND<10	ND<20	ND<20	ND<20	--	--	--	--	--	--
10/25/04	--	39	--	ND<250	ND<2.5	ND<2.5	ND<5.0	ND<2.5	ND<2.5	--	--	--	--	--	--
01/17/05	--	120	--	ND<250	ND<2.5	ND<2.5	ND<5.0	ND<2.5	ND<2.5	--	--	--	--	--	--
04/06/05	--	150	--	ND<1000	ND<10	ND<10	ND<10	ND<10	ND<10	--	--	--	--	--	--
07/08/05	--	64	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	--	--	--	--	--
10/07/05	--	ND<200	--	ND<5000	ND<10	ND<10	ND<10	ND<10	ND<10	--	--	--	--	--	--
01/27/06	--	ND<10	--	ND<250	ND<0.50	1.5	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
04/28/06	--	190	--	ND<250	ND<0.50	0.63	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
07/28/06	--	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
MW-4															
09/28/99	--	ND	--	--	--	--	ND	ND	ND	--	--	--	--	--	--
04/04/01	--	ND	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
07/17/01	--	ND	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
07/18/02	--	ND<100	--	ND<2500000	ND<10	49	ND<10	ND<10	ND<10	--	--	--	--	--	--
10/07/02	--	ND<10000	--	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200	--	--	--	--	--	--
01/06/03	--	ND<1000	--	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8015B) (mg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph- thylene (µg/l)	Bromo- dichloro- methane (µg/l)	Bromo- form (µg/l)	Bromo- methane (µg/l)	Carbon Tetra- chloride (µg/l)	Chloro- benzene (µg/l)
MW-4 continued															
04/07/03	--	ND<1000	--	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20	--	--	--	--	--	--
07/07/03	--	ND<1000	--	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20	--	--	--	--	--	--
10/09/03	--	ND<200	--	ND<1000	ND<4.0	ND<4.0	ND<4.0	ND<4.0	ND<4.0	--	--	--	--	--	--
01/14/04	--	ND<200	--	ND<1000	ND<4.0	6.5	ND<4.0	ND<4.0	ND<4.0	--	--	--	--	--	--
04/28/04	--	150	--	ND<1000	ND<0.5	ND<0.5	ND<1	ND<1	ND<1	--	--	--	--	--	--
07/12/04	--	210	--	ND<4000	ND<3	14	ND<5	ND<5	ND<5	--	--	--	--	--	--
10/25/04	--	38	--	ND<100	ND<1.0	2.0	ND<2.0	ND<1.0	ND<1.0	--	--	--	--	--	--
01/17/05	--	110	--	ND<100	ND<1.0	3.6	ND<2.0	ND<1.0	ND<1.0	--	--	--	--	--	--
04/06/05	--	ND<25	--	73000	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	--	--	--	--	--
07/08/05	--	29	--	ND<50	ND<0.50	1.2	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
10/07/05	--	210	--	ND<250	ND<0.50	26	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
01/27/06	--	280	--	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--	--
04/28/06	--	130	--	ND<250	ND<0.50	0.97	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
07/28/06	--	64	--	ND<250	ND<0.50	5.8	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
MW-5															
07/18/02	--	ND<20	--	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
10/07/02	--	ND<100	--	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
01/06/03	ND<50	ND<100	--	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	ND<0.50
04/07/03	--	ND<500	--	ND<2500000	ND<10	ND<10	ND<10	ND<10	ND<10	--	--	--	--	--	--
07/07/03	--	ND<200	--	ND<1000000	ND<4.0	ND<4.0	ND<4.0	ND<4.0	ND<4.0	--	--	--	--	--	--
10/09/03	--	ND<200	--	ND<1000	ND<4.0	ND<4.0	ND<4.0	ND<4.0	ND<4.0	--	--	--	--	--	--
01/14/04	--	ND<2000	--	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	--	--	--	--	--
04/28/04	--	ND<12	--	ND<1000	ND<0.5	1.8	ND<1	ND<1	ND<1	--	--	--	--	--	--
07/12/04	--	ND<12	--	ND<800	ND<0.5	0.76	ND<1	ND<1	ND<1	--	--	--	--	--	--
10/25/04	--	ND<500	--	ND<5000	ND<50	ND<50	ND<100	ND<50	ND<50	--	--	--	--	--	--
01/17/05	--	100	--	ND<250	ND<2.5	ND<2.5	ND<5.0	ND<2.5	ND<2.5	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8015B) (mg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph- thylene (µg/l)	Bromo- dichloro- methane (µg/l)	Bromo- form (µg/l)	Bromo- methane (µg/l)	Carbon Tetra- chloride (µg/l)	Chloro- benzene (µg/l)
MW-5 continued															
04/06/05	--	7.6	--	ND<50	ND<0.50	1.4	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
07/08/05	--	180	--	ND<500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--	--
10/07/05	--	ND<10	--	ND<250	ND<0.50	1.0	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
01/27/06	--	1000	--	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--	--
04/28/06	--	130	--	ND<250	ND<0.50	0.95	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
07/28/06	--	ND<100	--	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--	--
MW-6															
07/18/02	--	ND<20	--	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
10/07/02	--	ND<100	--	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
01/06/03	--	ND<100	--	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
04/07/03	--	ND<100	--	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
07/07/03	--	ND<100	--	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
10/09/03	--	ND<100	--	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
01/14/04	--	ND<100	--	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--	--
04/28/04	--	ND<12	--	ND<1000	ND<0.5	ND<0.5	ND<1	ND<1	ND<1	--	--	--	--	--	--
07/12/04	--	ND<12	--	ND<800	ND<0.5	ND<0.5	ND<1	ND<1	ND<1	--	--	--	--	--	--
10/25/04	--	ND<5.0	--	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	--	--	--	--	--
01/17/05	--	ND<5.0	--	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	--	--	--	--	--
04/06/05	--	ND<5.0	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
07/08/05	--	ND<5.0	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
10/07/05	--	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
01/27/06	--	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
04/28/06	--	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
07/28/06	--	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	--
MW-7															
07/18/02	--	33000	--	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8015B) (mg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph- thylene (µg/l)	Bromo- dichloro- methane (µg/l)	Bromo- form (µg/l)	Bromo- methane (µg/l)	Carbon Tetra- chloride (µg/l)	Chloro- benzene (µg/l)
MW-7 continued															
10/07/02	--	26000	--	ND<10000000C	ND<400	ND<400	ND<400	ND<400	ND<400	--	--	--	--	--	--
01/06/03	ND<50	ND<10000	--	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200	--	--	--	--	--	ND<50
04/07/03	--	ND<40000	--	ND<20000000C	ND<800	ND<800	ND<800	ND<800	ND<800	--	--	--	--	--	--
07/07/03	--	27000	--	ND<10000000C	ND<400	ND<400	ND<400	ND<400	ND<400	--	--	--	--	--	--
10/09/03	--	ND<25000	--	ND<130000	ND<500	ND<500	ND<500	ND<500	ND<500	--	--	--	--	--	--
01/14/04	--	ND<40000	--	ND<200000	ND<800	ND<800	ND<800	ND<800	ND<800	--	--	--	--	--	--
04/28/04	--	9200	--	ND<1000	ND<0.5	6.8	ND<1	ND<1	12	--	--	--	--	--	--
07/12/04	--	4600	--	ND<8000	ND<5	5.1	ND<10	ND<10	ND<10	--	--	--	--	--	--
10/25/04	--	3900	--	ND<5000	ND<50	ND<50	ND<100	ND<50	ND<50	--	--	--	--	--	--
01/17/05	--	4200	--	ND<5000	ND<50	ND<50	ND<100	ND<50	ND<50	--	--	--	--	--	--
04/06/05	--	4200	--	ND<10000	ND<0.50	6.4	ND<0.50	ND<0.50	9.3	--	--	--	--	--	--
07/08/05	--	4300	--	ND<5000	ND<50	ND<50	ND<50	ND<50	ND<50	--	--	--	--	--	--
10/07/05	--	1100	--	ND<12000	ND<25	ND<25	ND<25	ND<25	ND<25	--	--	--	--	--	--
01/27/06	--	1600	--	ND<25000	ND<50	ND<50	ND<50	ND<50	ND<50	--	--	--	--	--	--
04/28/06	--	2900	--	ND<250	ND<0.50	3.4	ND<0.50	ND<0.50	6.3	--	--	--	--	--	--
07/28/06	--	1300	--	ND<6200	ND<12	ND<12	ND<12	ND<12	ND<12	--	--	--	--	--	--

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-DCA	1,1-DCE	cis- 1,2-DCE	trans- 1,2-DCE	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-1															
07/20/99	--	--	--	--	3.9	--	--	--	2.0	--	3.6	--	0.92	--	--
03/31/00	--	--	--	--	6.2	--	--	--	--	--	--	--	--	--	--
04/04/01	--	--	--	--	4.6	--	--	--	--	--	3.4	--	--	--	--
07/17/01	--	--	--	--	18	--	--	--	--	--	--	--	--	--	--
07/18/02	1.1	--	--	--	5.8	--	1.3	--	--	--	1.3	--	--	--	--
07/07/03	--	--	--	--	--	--	--	--	--	--	ND<120	--	--	--	--
07/12/04	ND<10	ND<10	ND<10	ND<10	ND<2	ND<2	ND<2	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10
07/08/05	1.0	ND<0.50	ND<1.0	ND<0.50	9.0	ND<0.50	1.2	ND<1.0	1.3	ND<0.50	3.1	ND<0.50	ND<0.50	ND<0.50	ND<0.50
07/28/06	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	4.5	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-5															
01/06/03	--	--	--	--	--	--	--	--	--	--	ND<0.50	--	--	--	--
MW-7															
01/06/03	--	--	--	--	--	--	--	--	--	--	ND<50	--	--	--	--

Table 2 c
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Hexachlorobutadiene (µg/l)	Methylene chloride (µg/l)	Naphthalene (µg/l)	n-Propylbenzene (µg/l)	1,1,2,2-Tetrachloroethane (µg/l)	Tetrachloroethene (PCE) (µg/l)	Trichlorotrifluoroethane (µg/l)	1,2,4-Trichlorobenzene (µg/l)	1,1,1-Trichloroethane (µg/l)	1,1,2-Trichloroethane (µg/l)	Trichloroethene (TCE) (µg/l)	Trichlorofluoromethane (µg/l)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Vinyl chloride (µg/l)
MW-1															
07/20/99	--	--	600	--	--	--	--	--	--	--	--	--	--	--	--
09/28/99	--	--	534	--	--	--	--	--	--	--	--	--	1240	318	--
01/07/00	--	--	1050	371	--	--	--	--	--	--	--	--	2210	597	--
03/31/00	--	--	140	--	--	--	--	--	--	--	--	--	--	--	--
07/14/00	--	--	690	--	--	334	--	--	--	--	--	--	--	--	--
10/03/00	--	--	361	--	--	--	--	--	--	--	--	--	--	--	--
01/03/01	--	--	400	--	--	--	--	--	--	--	--	--	--	--	--
04/04/01	--	--	490	--	--	--	--	--	--	--	--	--	--	--	--
07/17/01	--	--	740	--	--	--	--	--	--	--	--	--	--	--	--
07/18/02	--	--	910	--	--	ND<0.60	--	--	--	--	--	--	--	--	--
07/07/03	--	--	850	--	--	ND<120	--	--	--	--	--	--	--	--	--
07/12/04	ND<2	ND<20	450	--	ND<10	ND<10	ND<10	ND<2	ND<10	ND<10	ND<10	ND<10	--	--	ND<10
07/08/05	ND<20	ND<5.0	250	--	ND<0.50	ND<0.50	ND<0.50	ND<20	ND<0.50	ND<0.50	0.73	ND<1.0	--	--	ND<0.50
07/28/06	--	ND<1.0	--	--	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	ND<0.50
MW-5															
01/06/03	--	--	ND<10	--	--	ND<0.50	--	--	--	--	--	--	--	--	--
MW-7															
01/06/03	--	--	ND<10	--	--	ND<50	--	--	--	--	--	--	--	--	--

Table 2 d
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Acena-phthene (µg/l)	Acena-phthylene (svoc) (µg/l)	Anthra-cene (µg/l)	Benzo[a]-anthracene (µg/l)	Benzo[a]-pyrene (µg/l)	Benzo[b]-fluor-anthene (µg/l)	Benzo-[g,h,l]-perylene (µg/l)	Benzo[k]-fluor-anthene (µg/l)	Benzoic Acid (µg/l)	Benzyl Alcohol (µg/l)	Bis(2-chloro-ethoxy) methane (µg/l)	Bis(2-chloro-ethyl) ether (µg/l)	Bis(2-chloro-ethyl) ether isopropyl-ether (µg/l)	Bis(2-ethyl-hexyl) phthalate (µg/l)	4-Bromo-phenyl phenyl ether (µg/l)
MW-1															
03/31/00	--	--	--	--	--	--	--	--	--	--	--	--	--	10	--
10/03/00	--	--	--	--	--	--	--	--	--	--	--	--	--	51.6	--
04/04/01	--	--	--	--	--	--	--	--	--	--	--	--	--	55	--
07/17/01	--	--	--	--	--	--	--	--	--	--	--	--	--	400	--
07/18/02	--	--	--	--	--	--	--	--	--	--	--	--	--	120	--
07/07/03	--	--	--	--	--	--	--	--	--	--	--	--	--	70	--
07/12/04	ND<2	--	ND<2	ND<2	ND<2	ND<2	ND<2	ND<2	--	--	--	--	--	ND<5	--
07/28/06	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<50	ND<10	ND<10	ND<10	ND<10	33	ND<10
MW-5															
01/06/03	--	--	--	--	--	--	--	--	--	--	--	--	--	ND<5.0	--
MW-7															
01/06/03	--	--	--	--	--	--	--	--	--	--	--	--	--	ND<5.0	--

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Butyl benzyl phthalate (µg/l)	4-Chloro-3-methyl-phenol (µg/l)	4-Chloro-aniline (µg/l)	2-Chloro-naphthalene (µg/l)	2-Chloro-phenol (µg/l)	4-Chloro-phenyl phenyl ether (µg/l)	Chrysene (µg/l)	Dibenzo-[a,h]-anthracene (µg/l)	Dibenzo-furan (µg/l)	1,2-Dichloro-benzene (svoc) (µg/l)	1,3-Dichloro-benzene (svoc) (µg/l)	1,4-Dichloro-benzene (svoc) (µg/l)	3,3-Dichloro-benzidine (µg/l)	2,4-Dichloro-phenol (µg/l)	Diethyl phthalate (µg/l)
MW-1															
07/12/04	--	--	--	--	--	--	ND<2	ND<3	--	--	--	--	--	--	--
07/28/06	ND<10	ND<25	ND<10	ND<10	ND<10	ND<10	ND<10	ND<15	ND<10	ND<10	ND<10	ND<10	ND<50	ND<10	ND<10

Table 2 f
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	2,4- Dimethyl- phenol (µg/l)	Dimethyl phthalate (µg/l)	Di-n-butyl phthalate (µg/l)	2,4- Dinitro- phenol (µg/l)	2,4- Dinitro- toluene (µg/l)	2,6- Dinitro- toluene (µg/l)	Di-n-octyl phthalate (µg/l)	Fluoran- thene (µg/l)	Fluorene (µg/l)	Hexachloro- benzene (µg/l)	HCBD (svoc) (µg/l)	Hexachloro cyclopenta- diene (µg/l)	Hexachloro ethane (µg/l)	Indeno- [1,2,3-c,d] pyrene (µg/l)	Isophorone (µg/l)
MW-1															
07/12/04	--	--	--	--	--	--	--	ND<2	ND<2	--	--	--	--	ND<2	--
07/28/06	ND<10	ND<10	ND<10	ND<50	ND<10	ND<10	ND<10	ND<10	ND<10	ND<10	ND<5.0	ND<10	ND<10	ND<10	ND<10

Table 2 g
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	2-Methylnaphthalene (µg/l)	2-Methylphenol (µg/l)	4-Methylphenol (µg/l)	Naphthalene (svoc) (µg/l)	2-Nitroaniline (µg/l)	3-Nitroaniline (µg/l)	4-Nitroaniline (µg/l)	Nitrobenzene (µg/l)	2-Nitrophenol (µg/l)	4-Nitrophenol (µg/l)	N-nitrosodipropylamine (µg/l)	N-Nitrosodiphenylamine (µg/l)	Pentachlorophenol (µg/l)	Phenanthrene (µg/l)	Phenol (µg/l)
MW-1															
07/20/99	240	--	27	--	--	--	--	--	--	--	--	--	--	--	--
09/28/99	87.4	26.4	35.6	--	--	--	--	--	--	--	--	--	--	--	--
01/07/00	315	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/31/00	73	31	18	--	--	--	--	--	--	--	--	--	--	--	--
07/14/00	300	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/03/00	98.1	--	28.9	--	--	--	--	--	--	--	--	--	--	--	--
01/03/01	180	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/04/01	78	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/17/01	290	47	25	--	--	--	--	--	--	--	--	--	--	--	--
07/18/02	420	13	25	--	--	--	--	--	--	--	--	--	--	--	--
07/07/03	260	ND<5.0	22	--	--	--	--	--	--	--	--	--	--	--	--
07/12/04	--	--	--	--	--	--	--	--	--	--	--	--	--	ND<2	--
07/28/06	280	ND<10	--	660	ND<10	ND<10	ND<25	ND<10	ND<10	ND<10	ND<10	ND<10	ND<50	ND<10	ND<10
MW-5															
01/06/03	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--	--	--	--	--	--	--	--
MW-7															
01/06/03	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--	--	--	--	--	--	--	--

Table 2 h
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

Date Sampled	Pyrene (µg/l)	1,2,4- Trichloro- benzene (svoc) (µg/l)	2,4,6- Trichloro- phenol (µg/l)	2,4,5- Trichloro- phenol (µg/l)
MW-1				
07/12/04	ND<2	--	--	--
07/28/06	ND<10	ND<10	ND<25	ND<25

COORDINATED EVENT DATA

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-1	11/17/1993	410	21	11	7.9	47	NA	NA	NA	NA	NA	NA	NA	175.79	8.59	NA	167.20	NA	NA	NA
MW-1	01/20/1994	1,200	180	19	48	47	NA	NA	NA	NA	NA	NA	NA	175.79	8.22	NA	167.57	NA	NA	NA
MW-1	04/25/1994	3,100	610	<10	130	27	NA	NA	NA	NA	NA	NA	NA	175.79	7.63	NA	168.16	NA	NA	NA
MW-1	07/07/1994	2,400	1,000	10	250	20	NA	NA	NA	NA	NA	NA	NA	175.79	8.31	NA	167.48	NA	NA	NA
MW-1	10/27/1994	2,200	500	3.1	72	1.8	NA	NA	NA	NA	NA	NA	NA	175.79	8.84	NA	166.95	NA	NA	NA
MW-1	11/17/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	175.79	7.60	NA	168.19	NA	NA	NA
MW-1	11/28/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	175.79	7.56	NA	168.23	NA	NA	NA
MW-1	01/13/1995	570	75	2.5	6.7	11	NA	NA	NA	NA	NA	NA	NA	175.79	7.11	NA	168.68	NA	NA	NA
MW-1	04/12/1995	1,800	480	<5.0	79	<5.0	NA	NA	NA	NA	NA	NA	NA	175.79	7.08	NA	168.71	NA	NA	NA
MW-1	07/25/1995	120	15	1.1	2.1	2.9	NA	NA	NA	NA	NA	NA	NA	175.79	7.73	NA	168.06	NA	NA	NA
MW-1 (D)	07/25/1995	300	88	2.4	11	6.5	NA	NA	NA	NA	NA	NA	NA	175.79	7.73	NA	168.06	NA	NA	NA
MW-1	10/18/1995	130	9.5	0.8	1.3	1.7	NA	NA	NA	NA	NA	NA	NA	175.79	8.42	NA	167.37	NA	NA	NA
MW-1 (D)	10/18/1995	120	11	0.8	1.4	1.8	NA	NA	NA	NA	NA	NA	NA	175.79	8.42	NA	167.37	NA	NA	NA
MW-1	01/17/1996	250	22	0.9	1.6	2.3	NA	NA	NA	NA	NA	NA	NA	175.79	7.83	NA	167.96	NA	NA	NA
MW-1	04/25/1996	<50	4.6	<0.5	<0.5	0.6	500b	NA	NA	NA	NA	NA	NA	175.79	7.35	NA	168.44	NA	NA	NA
MW-1	07/17/1996	<250	15	<2.5	<2.5	<2.5	540	NA	NA	NA	NA	NA	NA	175.79	7.70	NA	168.09	NA	NA	NA
MW-1	10/01/1996	1,200	500	12	57	82	1,900	NA	NA	NA	NA	NA	NA	175.79	8.07	NA	167.72	NA	NA	NA
MW-1	01/22/1997	640	170	4.3	33	33	1,200	NA	NA	NA	NA	NA	NA	175.79	7.21	NA	168.58	NA	NA	NA
MW-1	04/08/1997	<200	34	<2.0	3.3	4.3	950	NA	NA	NA	NA	NA	NA	175.79	7.75	NA	168.04	NA	NA	NA
MW-1 (D)	04/08/1997	<200	66	<2.0	6.4	8	740	NA	NA	NA	NA	NA	NA	175.79	7.75	NA	168.04	NA	NA	NA
MW-1	07/08/1997	190	49	1.2	5.8	8.6	560	NA	NA	NA	NA	NA	NA	175.79	8.01	NA	167.78	NA	NA	NA
MW-1	10/08/1997	<100	7	<1.0	<1.0	<1.0	620	NA	NA	NA	NA	NA	NA	175.79	8.10	NA	167.69	NA	NA	NA
MW-1	01/09/1998	970	390	12	48	71	1,200	NA	NA	NA	NA	NA	NA	175.79	7.14	NA	168.65	NA	NA	NA
MW-1	04/13/1998	<50	136	<0.50	1.5	1.8	170	NA	NA	NA	NA	NA	NA	175.79	6.78	NA	169.01	NA	NA	NA
MW-1	07/17/1998	2,500	750	11	88	67	150	NA	NA	NA	NA	NA	NA	175.79	7.28	NA	168.51	NA	NA	NA
MW-1	10/02/1998	8,000	970	36	270	440	35	NA	NA	NA	NA	NA	NA	175.79	7.77	NA	168.02	NA	NA	NA
MW-1	02/03/1999	210	56	0.82	<0.50	3.2	220	NA	NA	NA	NA	NA	NA	175.79	7.45	NA	168.34	NA	1.4	NA
MW-1	04/29/1999	<50	4.5	<0.50	0.56	<0.50	140	196	NA	NA	NA	NA	NA	175.79	7.58	NA	168.21	NA	1.2	140
MW-1	07/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	120	111*	NA	NA	NA	NA	NA	175.79	8.51	NA	167.28	NA	1.0	NA
MW-1	11/01/1999	<50.0	<0.500	<0.500	<0.500	<0.500	2.90	NA	NA	NA	NA	NA	NA	175.79	8.30	NA	167.49	NA	1.4	-71
MW-1	01/17/2000	<50	<0.50	<0.50	<0.50	<0.50	3.30	NA	NA	NA	NA	NA	NA	175.79	8.04	NA	167.75	NA	16.9	64
MW-1	04/17/2000	<50.0	1.08	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	175.79	8.00	NA	167.79	NA	1.8	112

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-1	07/26/2000	125	54.3	2.16	5.45	9.86	33.1	NA	NA	NA	NA	NA	NA	175.79	7.52	NA	168.27	NA	13.2	-140
MW-1	10/12/2000	101	40.7	2.68	3.00	5.18	25.0	NA	NA	NA	NA	NA	NA	175.79	7.71	NA	168.08	NA	>20	534
MW-1	01/15/2001	<50.0	0.633	<0.500	0.505	1.74	<2.50	NA	NA	NA	NA	NA	NA	175.79	7.33	NA	168.46	NA	16.9	-127
MW-1	04/09/2001	<50.0	<0.500	<0.500	<0.500	0.927	<2.50	NA	NA	NA	NA	NA	NA	175.79	7.68	NA	168.11	NA	12.8	-117
MW-1	07/24/2001	<50	4.0	0.65	0.53	1.3	NA	<5.0	NA	NA	NA	NA	NA	175.79	8.00	NA	167.79	NA	>20	43
MW-1	10/31/2001	<50	4.4	<0.50	<0.50	0.98	NA	<5.0	NA	NA	NA	NA	NA	175.79	7.94	NA	167.85	NA	13.6	123
MW-1	01/10/2002	<50	2.2	<0.50	<0.50	1.2	NA	6.1	NA	NA	NA	NA	NA	175.79	7.63	NA	168.16	NA	0.1	63
MW-1	04/25/2002	<50	2.0	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	175.79	7.76	NA	168.03	NA	0.3	54
MW-1	07/18/2002	<50	6.1	<0.50	<0.50	0.98	NA	<5.0	NA	NA	NA	NA	NA	175.79	8.29	NA	167.50	NA	1.1	32
MW-1	10/07/2002	500	17	14	11	60	NA	9.0	NA	NA	NA	NA	NA	175.76	8.34	NA	167.42	NA	2.8	-26
MW-1	01/06/2003	<50	12	<0.50	0.73	0.58	NA	14	NA	NA	NA	NA	NA	175.76	7.18	NA	168.58	NA	0.5	-22
MW-1	04/07/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	12	NA	NA	NA	<5.0	NA	175.76	7.75	NA	168.01	NA	0.7	-24
MW-1	07/07/2003	<50	6.6	<0.50	<0.50	<1.0	NA	8.1	NA	NA	NA	<5.0	NA	175.76	7.75	NA	168.01	NA	0.5	16
MW-1	10/09/2003	<50	1.9	<0.50	<0.50	<1.0	NA	22	NA	NA	NA	<5.0	NA	175.76	8.45	NA	167.31	NA	0.7	80
MW-1	01/14/2004	<100	19	<1.0	<1.0	<2.0	NA	180	NA	NA	NA	63	NA	175.76	7.45	NA	168.31	NA	0.8	242
MW-1	04/28/2004	<50	2.1	<0.50	<0.50	<1.0	NA	110	NA	NA	NA	33	NA	175.76	8.25	NA	167.51	NA	0.5	64
MW-1	07/12/2004	<50	2.5	<0.50	<0.50	<1.0	NA	120	<2.0	<2.0	<2.0	26	<50	175.76	6.20	NA	169.56	NA	0.5	72
MW-1	10/25/2004	<500	<5.0	<5.0	<5.0	<10	NA	550	NA	NA	NA	240	NA	175.76	7.98	NA	167.78	NA	3.15	-72
MW-1	01/17/2005	<250	8.0	<2.5	<2.5	<5.0	NA	500	NA	NA	NA	310	NA	175.76	7.42	NA	168.34	NA	0.2	9
MW-1	04/06/2005	<250	<2.5	<2.5	<2.5	<5.0	NA	230	NA	NA	NA	330*	NA	175.76	8.15	NA	167.61	NA	2.49	143
MW-1	07/08/2005	<50	<0.50	<0.50	<0.50	<0.50	NA	380	<0.50	<0.50	<0.50	510	<5.0	175.76	7.45	NA	168.31	NA	1.1	12
MW-1	10/07/2005	<500 c	<5.0	<5.0	<5.0	<10	NA	1,600	NA	NA	NA	1,600	NA	175.76	7.72	NA	168.04	NA	NA	NA
MW-1	01/27/2006	1,720	6.92	<0.500	<0.500	<0.500	NA	1,270	NA	NA	NA	1,380	NA	175.76	6.68	NA	169.08	NA	NA	NA
MW-1	04/28/2006	2,420	6.90	1.19	<0.500	0.980	NA	2,080	NA	NA	NA	1,870	NA	175.76	6.67	NA	169.09	NA	NA	NA
MW-1	07/28/2006	3,230	2.06	<0.500	<0.500	<0.500	NA	1,770	<0.500	<0.500	1.14	1,730	<50.0	175.76	7.65	NA	168.11	NA	NA	NA
MW-2	11/17/1993	31,000	9,400	4,600	1,000	3,900	NA	NA	NA	NA	NA	NA	NA	170.91	12.31	NA	158.60	NA	NA	NA
MW-2	01/20/1994	40,000	6,900	5,600	780	4,100	NA	NA	NA	NA	NA	NA	NA	170.91	11.48	NA	159.43	NA	NA	NA
MW-2 (D)	01/20/1994	41,000	7,200	6,200	900	4,800	NA	NA	NA	NA	NA	NA	NA	170.91	11.48	NA	159.43	NA	NA	NA
MW-2	04/25/1994	60,000	9,300	6,100	1,400	6,200	NA	NA	NA	NA	NA	NA	NA	170.91	10.84	NA	160.07	NA	NA	NA
MW-2	07/07/1994	280,000a	40,000	26,000	8,100	32,000	NA	NA	NA	NA	NA	NA	NA	170.91	11.89	NA	159.02	NA	NA	NA
MW-2 (D)	07/07/1994	53,000	13,000	6,600	2,000	8,400	NA	NA	NA	NA	NA	NA	NA	170.91	11.89	NA	159.02	NA	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-2	10/27/1994	130,000	14,000	12,000	2,400	13,000	NA	NA	NA	NA	NA	NA	NA	170.91	12.89	NA	158.02	NA	NA	NA
MW-2 (D)	10/27/1994	390,000	8,800	7,000	1,700	11,000	NA	NA	NA	NA	NA	NA	NA	170.91	12.89	NA	158.02	NA	NA	NA
MW-2	11/17/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	9.11	NA	161.80	NA	NA	NA
MW-2	11/28/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	9.22	NA	161.69	NA	NA	NA
MW-2	01/13/1995	75,000	5,900	12,000	3,100	17,000	NA	NA	NA	NA	NA	NA	NA	170.91	8.10	NA	162.81	NA	NA	NA
MW-2	04/12/1995	100,000	8,500	11,000	2,400	12,000	NA	NA	NA	NA	NA	NA	NA	170.91	10.12	NA	160.79	NA	NA	NA
MW-2 (D)	04/12/1995	80,000	4,200	9,300	2,500	12,000	NA	NA	NA	NA	NA	NA	NA	170.91	10.12	NA	160.79	NA	NA	NA
MW-2	07/25/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	11.53	NA	159.80	0.52	NA	NA
MW-2	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	14.02	NA	156.99	0.13	NA	NA
MW-2	01/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	10.27	NA	160.78	0.17	NA	NA
MW-2	04/25/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	11.68	NA	159.25	0.03	NA	NA
MW-2	07/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	12.78	NA	158.81	0.48	NA	NA
MW-2	10/01/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	14.21	NA	156.70	0.28	NA	NA
MW-2	01/22/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	10.92	NA	160.08	0.11	NA	NA
MW-2	04/08/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	14.12	NA	156.95	0.20	NA	NA
MW-2	07/08/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	14.98	NA	156.08	0.19	NA	NA
MW-2	10/08/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	12.97	NA	157.98	0.05	NA	NA
MW-2	01/08/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	12.54	NA	158.43	0.08	NA	NA
MW-2	04/13/1998	180,000	2,800	5,200	2,400	13,000	71,000	NA	NA	NA	NA	NA	NA	170.91	10.05	NA	160.86	NA	NA	NA
MW-2	07/17/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	11.75	NA	159.24	0.10	NA	NA
MW-2	10/02/1998	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	16.78	NA	154.22	0.11	NA	NA
MW-2	02/03/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	9.90	9.82	161.07	0.08	NA	NA
MW-2	04/29/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	9.86	9.81	161.09	0.05	NA	NA
MW-2	07/23/1999	65,800	6,500	4,480	1,960	8,960	46,600	58,500*	NA	NA	NA	NA	NA	170.91	14.45	NA	156.46	NA	1.4	NA
MW-2	11/01/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.91	11.84	11.81	159.09	0.03	NA	NA
MW-2	01/17/2000	46,000	6,000	2,400	1,500	5,500	50,000	31,000	NA	NA	NA	NA	NA	170.91	11.00	NA	159.91	NA	1.3	-54
MW-2	04/17/2000	96,300	8,150	10,200	2,820	14,900	112,000	108,000	NA	NA	NA	NA	NA	170.91	11.06	NA	159.85	NA	2.6	125
MW-2	07/26/2000	72,400	8,680	5,620	2,810	13,400	66,200	46,300	NA	NA	NA	NA	NA	170.91	12.82	NA	158.09	NA	2.2	113
MW-2	10/12/2000	63,200	5,840	4,180	2,310	11,100	61,200	66,600	NA	NA	NA	NA	NA	170.91	11.32	NA	159.59	NA	0.4	55
MW-2	01/15/2001	59,700	2,630	4,800	2,050	11,500	44,400	5,080	NA	NA	NA	NA	NA	170.91	10.19	NA	160.72	NA	1.1	-22
MW-2	04/09/2001	56,900	1,860	2,550	1,810	9,720	40,000	46,600	NA	NA	NA	NA	NA	170.91	11.15	NA	159.76	NA	1.0	-55
MW-2	07/24/2001	84,000	3,000	4,600	2,500	13,000	NA	41,000	NA	NA	NA	NA	NA	170.91	11.67	NA	159.24	NA	0.2	53

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-2	10/31/2001	45,000	2,200	3,000	1,500	7,700	NA	29,000	<50	<50	<50	51,000	<500	170.91	11.04	NA	159.87	NA	1.2	-17
MW-2	01/10/2002	28,000	840	740	760	3,300	NA	32,000	NA	NA	NA	NA	NA	170.91	9.58	NA	161.33	NA	2.1	-76
MW-2	04/25/2002	41,000	1,900	2,000	1,200	6,900	NA	17,000	NA	NA	NA	NA	NA	170.91	11.40	NA	159.51	NA	0.8	-95
MW-2	07/18/2002	87,000	2,000	2,200	1,400	10,000	NA	19,000	NA	NA	NA	NA	NA	170.91	12.68	NA	158.23	NA	0.7	-34
MW-2	10/07/2002	110,000	3,900	6,700	2,700	15,000	NA	20,000	NA	NA	NA	NA	NA	170.88	11.58	NA	159.30	NA	1.4	-52
MW-2	01/06/2003	65,000	2,400	3,500	1,400	8,600	NA	26,000	NA	NA	NA	NA	NA	170.88	9.09	NA	161.79	NA	0.4	40
MW-2	04/07/2003	57,000	1,900	2,500	1,700	8,600	NA	37,000	NA	NA	NA	34,000	NA	170.88	11.08	NA	159.80	NA	1.0	60
MW-2	07/07/2003	34,000	4,000	4,200	1,600	8,500	NA	51,000	NA	NA	NA	44,000	NA	170.88	11.27	NA	159.61	NA	1.3	-17
MW-2	10/09/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.88	11.64	11.61	159.26	0.03	NA	NA
MW-2	10/20/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.88	11.88	11.84	159.03	0.04	NA	NA
MW-2	01/14/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.88	10.96	10.95	159.93	0.01	NA	NA
MW-2	04/28/2004	35,000	2,200	2,200	2,300	8,200	NA	26,000	NA	NA	NA	28,000	NA	170.88	11.05	NA	159.83	NA	0.1	-96
MW-2	07/12/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.88	12.12	12.09	158.78	0.03	NA	NA
MW-2	10/25/2004	60,000	2,900	2,300	2,300	7,600	NA	27,000	NA	NA	NA	26,000	NA	170.88	11.23	NA	159.65	NA	1.62	-69
MW-2	01/17/2005	62,000	1,900	1,800	1,800	5,700	NA	22,000	NA	NA	NA	21,000	NA	170.88	8.78	NA	162.10	NA	0.8	-102
MW-2	04/06/2005	40,000	1,500	940	1,600	2,900	NA	23,000	NA	NA	NA	23,000	NA	170.88	9.23	NA	161.65	NA	0.60	-104
MW-2	07/08/2005	50,000	2,300	1,500	1,700	6,600	NA	24,000	<150	<150	<150	25,000	<1,500	170.88	10.99	10.97	159.91	0.02	0.01	-41
MW-2	10/07/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.88	12.15	12.13	158.75	0.02	NA	NA
MW-2	01/27/2006	56,800	1,270	1,280	1,520	5,370	NA	8,210	NA	NA	NA	10,600	NA	170.88	9.55	NA	161.33	NA	NA	NA
MW-2	03/16/2006	82,100	1,230	1,310	1,350	4,630	NA	9,020	NA	NA	NA	9,690	NA	170.88	8.10	NA	162.78	NA	NA	NA
MW-2	04/28/2006	81,400	1,200	1,610	1,660	5,580	NA	10,800	NA	NA	NA	11,100	NA	170.88	9.25	NA	161.63	NA	NA	NA
MW-2	05/15/2006	119,000	2,210	3,800	2,330	8,900	NA	15,600	NA	NA	NA	12,200	NA	170.88	10.28	NA	160.60	NA	NA	NA
MW-2	06/19/2006	121,000	1,680	3,830	2,990	12,400	NA	10,700	NA	NA	NA	9,310	NA	170.88	10.90	NA	159.98	NA	NA	NA
MW-2	07/28/2006	172,000	3,590	3,450	2,840	8,210	NA	22,800	<0.500	<0.500	<0.500	11,300	<50.0	170.88	11.84	NA	159.04	NA	NA	NA
MW-3	11/17/1993	18,000	5,400	660	720	2,200	NA	NA	NA	NA	NA	NA	NA	174.61	15.40	NA	159.21	NA	NA	NA
MW-3	01/20/1994	55,000	13,000	2,600	2,200	6,500	NA	NA	NA	NA	NA	NA	NA	174.61	14.61	NA	160.00	NA	NA	NA
MW-3	04/25/1994	96,000	11,000	1,600	3,100	9,900	NA	NA	NA	NA	NA	NA	NA	174.61	13.12	NA	161.49	NA	NA	NA
MW-3 (D)	04/25/1994	78,000	12,000	1,900	2,600	7,300	NA	NA	NA	NA	NA	NA	NA	174.61	13.12	NA	161.49	NA	NA	NA
MW-3	07/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	14.54	NA	160.07	0.02	NA	NA
MW-3	10/27/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	15.62	NA	159.03	0.05	NA	NA
MW-3	11/17/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	13.83	NA	160.78	NA	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-3	11/28/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	14.02	NA	160.59	NA	NA	NA
MW-3	01/13/1995	180,000	3,200	2,700	1,700	5,200	NA	NA	NA	NA	NA	NA	NA	174.61	12.13	NA	162.48	NA	NA	NA
MW-3 (D)	01/13/1995	23,000	4,000	690	960	3,000	NA	NA	NA	NA	NA	NA	NA	174.61	12.13	NA	162.48	NA	NA	NA
MW-3	04/12/1995	56,000	8,700	1,500	2,100	6,300	NA	NA	NA	NA	NA	NA	NA	174.61	12.96	NA	161.65	NA	NA	NA
MW-3	07/25/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	14.28	NA	160.38	0.06	NA	NA
MW-3	10/18/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	15.88	NA	158.77	0.05	NA	NA
MW-3	01/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	13.86	NA	160.94	0.24	NA	NA
MW-3	04/25/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	13.82	NA	160.81	0.02	NA	NA
MW-3	07/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	16.11	NA	158.52	0.03	NA	NA
MW-3	10/01/1996	46,000	7,300	530	1,700	3,900	3,200	NA	NA	NA	NA	NA	NA	174.61	16.56	NA	158.05	NA	NA	NA
MW-3 (D)	10/01/1996	47,000	7,100	530	1,700	4,000	2,900	NA	NA	NA	NA	NA	NA	174.61	16.56	NA	158.05	NA	NA	NA
MW-3	01/22/1997	82,000	5,200	1,300	2,800	8,900	1,100	NA	NA	NA	NA	NA	NA	174.61	13.07	NA	161.54	NA	NA	NA
MW-3 (D)	01/22/1997	61,000	8,400	1,100	2,300	7,000	2,700	NA	NA	NA	NA	NA	NA	174.61	13.07	NA	161.54	NA	NA	NA
MW-3	04/08/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.61	17.09	NA	157.54	0.03	NA	NA
MW-3	07/08/1997	56,000	8,800	580	2,000	4,900	2,800	NA	NA	NA	NA	NA	NA	174.61	15.85	NA	158.76	NA	NA	NA
MW-3	10/08/1997	48,000	8,000	590	1,700	3,400	5,100	NA	NA	NA	NA	NA	NA	174.61	16.22	NA	158.39	NA	NA	NA
MW-3	01/08/1998	47,000	9,400	810	2,300	4,700	6,300	NA	NA	NA	NA	NA	NA	174.61	13.80	NA	160.81	NA	NA	NA
MW-3 (D)	01/08/1998	48,000	8,100	750	2,000	4,100	5,800	NA	NA	NA	NA	NA	NA	174.61	13.80	NA	160.81	NA	NA	NA
MW-3	04/13/1998	32,000	6,800	540	1,400	3,400	4,000	NA	NA	NA	NA	NA	NA	174.61	12.97	NA	161.64	NA	NA	NA
MW-3 (D)	04/13/1998	36,000	7,300	660	1,600	3,700	4,000	NA	NA	NA	NA	NA	NA	174.61	12.97	NA	161.64	NA	NA	NA
MW-3	07/17/1998	71,000	11,000	590	2,200	6,900	3,900	NA	NA	NA	NA	NA	NA	174.61	11.51	NA	163.10	NA	NA	NA
MW-3 (D)	07/17/1998	76,000	12,000	700	2,600	8,000	3,000	NA	NA	NA	NA	NA	NA	174.61	11.51	NA	163.10	NA	NA	NA
MW-3	10/02/1998	66,000	8,900	510	2,000	4,900	4,600	NA	NA	NA	NA	NA	NA	174.61	16.50	NA	158.11	NA	NA	NA
MW-3 (D)	10/02/1998	59,000	9,400	460	2,000	4,900	4,700	NA	NA	NA	NA	NA	NA	174.61	16.50	NA	158.11	NA	NA	NA
MW-3	02/03/1999	36,000	6,800	300	1,600	2,900	18,000	NA	NA	NA	NA	NA	NA	174.61	15.21	NA	159.40	NA	1.3	NA
MW-3	04/29/1999	45,000	8,100	580	2,200	5,800	4,700	5,150	NA	NA	NA	NA	NA	174.61	15.43	NA	159.18	NA	1.5	-68
MW-3	07/23/1999	29,400	3,540	215	810	3,800	4,720	6,950*	NA	NA	NA	NA	NA	174.61	14.95	NA	159.66	NA	1.3	NA
MW-3	11/01/1999	20,000	4,190	294	1,060	1,740	5,540	8,590	NA	NA	NA	NA	NA	174.61	14.66	NA	159.95	NA	0.6	-110
MW-3	01/17/2000	17,000	3,900	89	1,100	1,200	7,900	NA	NA	NA	NA	NA	NA	174.61	13.94	NA	160.67	NA	1.3	-40
MW-3	04/17/2000	28,100	5,240	247	1,540	2,750	16,600	NA	NA	NA	NA	NA	NA	174.61	14.00	NA	160.61	NA	1.1	-86
MW-3	07/26/2000	24,300	6,680	159	1,610	1,640	17,100	NA	NA	NA	NA	NA	NA	174.61	13.72	NA	160.89	NA	0.9	-70
MW-3	10/12/2000	14,300	2,630	86.7	241	1,360	16,300	NA	NA	NA	NA	NA	NA	174.61	14.15	NA	160.46	NA	0.9	50

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-3	01/15/2001	22,100	4,400	266	977	2,990	13,200	NA	NA	NA	NA	NA	NA	174.61	13.05	NA	161.56	NA	1.3	-40
MW-3	04/09/2001	33,800	7,100	147	1,700	2,660	13,000	NA	NA	NA	NA	NA	NA	174.61	13.59	NA	161.02	NA	0.6	-56
MW-3	07/24/2001	220,000	5,600	1,900	4,400	19,000	NA	12,000	NA	NA	NA	NA	NA	174.61	14.43	NA	160.18	NA	0.4	29
MW-3	10/31/2001	65,000	2,700	510	1,800	7,200	NA	9,800	<20	<20	<20	5,200	<500	174.61	14.59	NA	160.02	NA	0.9	-27
MW-3	01/10/2002	66,000	2,400	490	1,700	6,600	NA	5,500	NA	NA	NA	NA	NA	174.61	12.65	NA	161.96	NA	1.7	-76
MW-3	04/25/2002	55,000	4,600	460	2,400	6,900	NA	8,100	NA	NA	NA	NA	NA	174.61	14.13	NA	160.48	NA	1.2	-96
MW-3	07/18/2002	56,000	3,300	270	1,700	5,000	NA	8,400	NA	NA	NA	NA	NA	174.61	15.48	15.45	159.15	0.03	0.8	-41
MW-3	10/07/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.59	14.60	14.40	160.15	0.20	NA	NA
MW-3	01/06/2003	57,000	3,200	330	1,800	5,400	NA	5,100	NA	NA	NA	NA	NA	174.59	11.62	11.60	162.99	0.02	0.4	33
MW-3	04/07/2003	57,000	6,200	500	2,400	6,700	NA	8,200	NA	NA	NA	3,900	NA	174.59	13.80	NA	160.79	NA	0.5	61
MW-3	07/07/2003	28,000	4,900	300	1,500	4,100	NA	7,900	NA	NA	NA	4,700	NA	174.59	14.00	NA	160.59	NA	1.0	-11
MW-3	10/09/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.59	14.44	14.36	160.21	0.08	NA	NA
MW-3	10/20/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.59	14.68	14.61	159.97	0.07	NA	NA
MW-3	01/14/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.59	12.47	12.45	162.14	0.02	NA	NA
MW-3	04/28/2004	32,000	7,300	190	2,100	4,300	NA	3,700	NA	NA	NA	2,500	NA	174.59	13.66	NA	160.93	NA	0.1	-16
MW-3	07/12/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.59	14.87	14.83	159.75	0.04	NA	NA
MW-3	10/25/2004	49,000	5,100	61	1,800	3,600	NA	5,400	NA	NA	NA	2,700	NA	174.59	14.12	NA	160.47	NA	2.70	-59
MW-3	01/17/2005	57,000	8,000	190	2,000	4,000	NA	4,600	NA	NA	NA	3,300	NA	174.59	10.59	NA	164.00	NA	0.2	-18
MW-3	04/06/2005	57,000	7,300	180	2,200	3,300	NA	4,100	NA	NA	NA	2,700	NA	174.59	10.58	NA	164.01	NA	0.95	-77
MW-3	07/08/2005	28,000	2,900	47	1,100	2,000	NA	2,800	<20	<20	<20	1,900	<200	174.59	13.46	NA	161.13	NA	0.1	-51
MW-3	10/07/2005	23,000	3,200	39	960	1,300	NA	2,600	NA	NA	NA	1,900	NA	174.59	14.76	NA	159.83	NA	NA	NA
MW-3	01/27/2006	38,500	6,520	139	1,350	2,160	NA	1,940	NA	NA	NA	1,490	NA	174.59	11.69	NA	162.90	NA	NA	NA
MW-3	03/16/2006	65,100	5,280	181	1,580	2,520	NA	2,410	NA	NA	NA	12,300	NA	174.59	10.08	NA	164.51	NA	NA	NA
MW-3	04/28/2006	<1000	4,330	157	1,480	2,690	NA	2,470	NA	NA	NA	1,520	NA	174.59	3.31	NA	171.28	NA	NA	NA
MW-3	05/15/2006	69,600	6,100	159	1,690	2,640	NA	3,520	NA	NA	NA	1,720	NA	174.59	12.69	NA	161.90	NA	NA	NA
MW-3	06/19/2006	103,000	5,070	117	2,210	3,950	NA	2,790	NA	NA	NA	1,080	NA	174.59	13.28	NA	161.31	NA	NA	NA
MW-3	07/28/2006	86,600	4,890	85.7	1,570	2,250	NA	2,790	7.28	<0.500	<0.500	1,260	<50.0	174.59	14.72	NA	159.87	NA	NA	NA
MW-4	11/17/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	164.06	6.62	NA	157.44	NA	NA	NA
MW-4	11/28/1994	2,900	200	17	76	260	NA	NA	NA	NA	NA	NA	NA	164.06	6.11	NA	157.95	NA	NA	NA
MW-4	01/13/1995	1,900	130	5.6	13	40	NA	NA	NA	NA	NA	NA	NA	164.06	6.05	NA	158.01	NA	NA	NA
MW-4	04/12/1995	680	150	<2.0	10	13	NA	NA	NA	NA	NA	NA	NA	164.06	6.31	NA	157.75	NA	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-4	07/25/1995	340	100	0.8	8.8	3	NA	NA	NA	NA	NA	NA	NA	164.06	7.36	NA	156.70	NA	NA	NA
MW-4	10/18/1995	150	31	<0.5	3.5	0.8	NA	NA	NA	NA	NA	NA	NA	164.06	8.54	NA	155.52	NA	NA	NA
MW-4	01/17/1996	290	14	<0.5	1.8	0.8	NA	NA	NA	NA	NA	NA	NA	164.06	8.48	NA	155.58	NA	NA	NA
MW-4	04/25/1996	<500	65	<5	<5	<5	1,700	NA	NA	NA	NA	NA	NA	164.06	7.40	NA	156.66	NA	NA	NA
MW-4 (D)	04/25/1996	<500	66	<5	8.7	<5	1,500	NA	NA	NA	NA	NA	NA	164.06	7.40	NA	156.66	NA	NA	NA
MW-4	07/17/1996	<500	84	<5.0	6.5	<5.0	1,500	NA	NA	NA	NA	NA	NA	164.06	7.75	NA	156.31	NA	NA	NA
MW-4 (D)	07/17/1996	<500	54	<5.0	<5.0	<5.0	1,700	2,100	NA	NA	NA	NA	NA	164.06	7.75	NA	156.31	NA	NA	NA
MW-4	10/01/1996	<500	1.9	<5.0	<5.0	<5.0	3,000	NA	NA	NA	NA	NA	NA	164.06	8.82	NA	155.24	NA	NA	NA
MW-4	01/22/1997	580	130	<2.5	18	5.2	1,200	NA	NA	NA	NA	NA	NA	164.06	7.51	NA	156.55	NA	NA	NA
MW-4	04/08/1997	770	200	7	26	55	1,500	8	NA	NA	NA	NA	NA	164.06	7.18	NA	156.88	NA	NA	NA
MW-4	07/08/1997	570	78	<5.0	14	11	1,200	NA	NA	NA	NA	NA	NA	164.06	9.00	NA	155.06	NA	NA	NA
MW-4 (D)	07/08/1997	640	81	<5.0	16	19	1,600	NA	NA	NA	NA	NA	NA	164.06	9.00	NA	155.06	NA	NA	NA
MW-4	10/08/1997	<500	40	<5.0	7.4	5.4	1,400	NA	NA	NA	NA	NA	NA	164.06	8.97	NA	155.09	NA	NA	NA
MW-4 (D)	10/08/1997	<500	36	<5.0	5.9	<5.0	1,400	NA	NA	NA	NA	NA	NA	164.06	8.97	NA	155.09	NA	NA	NA
MW-4	01/08/1998	<1,000	55	<10	13	<10	2,000	NA	NA	NA	NA	NA	NA	164.06	7.90	NA	156.16	NA	NA	NA
MW-4	04/13/1998	350	110	2.4	20	26	<2.5	NA	NA	NA	NA	NA	NA	164.06	7.35	NA	156.71	NA	NA	NA
MW-4	07/17/1998	210	66	0.78	5.4	9.8	1,700	NA	NA	NA	NA	NA	NA	164.06	6.95	NA	157.11	NA	NA	NA
MW-4	10/02/1998	<50	0.69	<0.50	<0.50	<0.50	2,900	NA	NA	NA	NA	NA	NA	164.06	7.35	NA	156.71	NA	NA	NA
MW-4	02/03/1999	560	120	2.5	29	34	6,800	NA	NA	NA	NA	NA	NA	164.06	7.71	NA	156.35	NA	0.9	NA
MW-4	04/29/1999	390	80	1.9	13	19	7,000	8,360	NA	NA	NA	NA	NA	164.06	7.83	NA	156.23	NA	1.1	-125
MW-4	07/23/1999	460	93.6	8.40	25.2	28.8	3,760	6,000*	NA	NA	NA	NA	NA	164.06	11.33	NA	152.73	NA	0.9	NA
MW-4	11/01/1999	77.3	0.520	<0.500	<0.500	<0.500	539	NA	NA	NA	NA	NA	NA	164.06	10.66	NA	153.40	NA	2.8	3
MW-4	01/17/2000	160	27	<0.50	12	6.3	12,000	NA	NA	NA	NA	NA	NA	164.06	10.15	NA	153.91	NA	3.9	-17
MW-4	04/17/2000	<500	26	6.38	9.35	10.4	9,070	NA	NA	NA	NA	NA	NA	164.06	10.10	NA	153.96	NA	1.7	-129
MW-4	07/26/2000	<500	22.7	<5.00	7.59	6.96	7,660	NA	NA	NA	NA	NA	NA	164.06	10.09	NA	153.97	NA	1.4	-137
MW-4	10/12/2000	172	19.8	<0.500	7.47	4.50	8,290	NA	NA	NA	NA	NA	NA	164.06	9.35	NA	154.71	NA	3.5	529
MW-4	01/15/2001	53.6	1.50	<0.500	2.45	1.80	9,260	NA	NA	NA	NA	NA	NA	164.06	8.77	NA	155.29	NA	2.3	53
MW-4	04/09/2001	<500	<5.00	<5.00	<5.00	5.52	10,300	NA	NA	NA	NA	NA	NA	164.06	7.75	NA	156.31	NA	1.0	-133
MW-4	07/24/2001	58	3.8	<0.50	3.2	2.9	NA	1,700	NA	NA	NA	NA	NA	164.06	10.07	NA	153.99	NA	0.5	106
MW-4	10/31/2001	<1,000	<10	<10	<10	<10	NA	7,400	NA	NA	NA	NA	NA	164.06	9.97	NA	154.09	NA	0.8	22
MW-4	01/10/2002	<2,000	<20	<20	<20	<20	NA	12,000	NA	NA	NA	NA	NA	164.06	8.53	NA	155.53	NA	8.9	224
MW-4	04/25/2002	<2,000	<20	<20	<20	<20	NA	7,900	NA	NA	NA	NA	NA	164.06	7.33	NA	156.73	NA	3.6	-84

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-4	07/18/2002	<2,000	<20	<20	<20	<20	NA	7,200	NA	NA	NA	NA	NA	164.06	9.05	NA	155.01	NA	1.7	120
MW-4	10/07/2002	<1,000	<10	<10	<10	<10	NA	3,300	NA	NA	NA	NA	NA	164.03	9.06	NA	154.97	NA	2.5	33
MW-4	01/06/2003	<500	21	<5.0	<5.0	<5.0	NA	2,500	NA	NA	NA	NA	NA	164.03	7.09	NA	156.94	NA	0.5	55
MW-4	04/07/2003	<2,500	<25	<25	<25	<50	NA	1,700	NA	NA	NA	5,900	NA	164.03	8.26	NA	155.77	NA	1.2	69
MW-4	07/07/2003	<2,500	<25	<25	<25	<50	NA	860	NA	NA	NA	6,900	NA	164.03	8.92	NA	155.11	NA	0.5	-3
MW-4	10/09/2003	<500	<5.0	<5.0	<5.0	<10	NA	420	NA	NA	NA	6,700	NA	164.03	8.91	NA	155.12	NA	0.7	171
MW-4	01/14/2004	<1,000	24	<10	<10	<20	NA	500	NA	NA	NA	7,200	NA	164.03	8.34	NA	155.69	NA	1.2	140
MW-4	04/28/2004	<500	6.0	<5.0	<5.0	<10	NA	310	NA	NA	NA	5,200	NA	164.03	7.55	NA	156.48	NA	0.4	69
MW-4	07/12/2004	<500	11	<5.0	7.8	<10	NA	370	<20	<20	<20	5,900	<500	164.03	8.12	NA	155.91	NA	0.5	142
MW-4	10/25/2004	<500	<5.0	<5.0	5.6	<10	NA	280	NA	NA	NA	4,300	NA	164.03	7.85	NA	156.18	NA	1.90	-70
MW-4	01/17/2005	<1,000	56	<10	10	<20	NA	380	NA	NA	NA	8,400	NA	164.03	6.08	NA	157.95	NA	0.4	6
MW-4	04/06/2005	<1,000	52	<10	11	<20	NA	450	NA	NA	NA	12,000	NA	164.03	8.10	NA	155.93	NA	0.49	11
MW-4	07/08/2005	<400	30	<4.0	6.0	<4.0	NA	250	<4.0	<4.0	<4.0	9,600	<40	164.03	7.50	NA	156.53	NA	0.6	71
MW-4	07/08/2005	<400	30	<4.0	6.0	<4.0	NA	250	<4.0	<4.0	<4.0	9,600	<40	164.03	7.50	NA	156.53	NA	0.6	71
MW-4	10/07/2005	<1,000	<10	<10	<10	<20	NA	200	NA	NA	NA	8,900	NA	164.03	8.30	NA	155.73	NA	NA	NA
MW-4	01/27/2006	1,140	34.3	2.37	8.69	12.0	NA	198	NA	NA	NA	32,100	NA	164.03	8.55	NA	155.48	NA	NA	NA
MW-4	04/28/2006	1,490	46.8	2.80	21.2	24.8	NA	344	NA	NA	NA	14,800	NA	164.03	9.02	NA	155.01	NA	NA	NA
MW-4	07/28/2006	951	5.09	<0.500	<0.500	<0.500	NA	169	1.57	<0.500	<0.500	4,830	<50.0	164.03	9.19	NA	154.84	NA	NA	NA
MW-5	01/04/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.62	NA	NA	NA	NA	NA
MW-5	01/10/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	110	NA	NA	NA	NA	NA	164.06	5.88	NA	158.18	NA	3.3	172
MW-5	04/25/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	73	NA	NA	NA	NA	NA	164.06	6.81	NA	157.25	NA	0.3	-44
MW-5	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	75	NA	NA	NA	NA	NA	164.06	7.38	NA	156.68	NA	0.4	170
MW-5	10/07/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	41	NA	NA	NA	NA	NA	164.14	6.75	NA	157.39	NA	1.5	16
MW-5	01/06/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	81	NA	NA	NA	NA	NA	164.14	5.96	NA	158.18	NA	0.6	166
MW-5	04/07/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	77	NA	NA	NA	28	NA	164.14	6.51	NA	157.63	NA	0.8	174
MW-5	07/07/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	32	NA	NA	NA	23	NA	164.14	6.44	NA	157.70	NA	0.3	-17
MW-5	10/09/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	59	NA	NA	NA	40	NA	164.14	7.05	NA	157.09	NA	0.9	17
MW-5	01/14/2004	<50	<0.50	0.76	<0.50	<1.0	NA	47	NA	NA	NA	17	NA	164.14	6.29	NA	157.85	NA	1.6	209
MW-5	04/28/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	31	NA	NA	NA	11	NA	164.14	6.84	NA	157.30	NA	0.4	136
MW-5	07/12/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	47	<2.0	<2.0	<2.0	12	<50	164.14	7.57	NA	156.57	NA	0.4	90
MW-5	10/25/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	41	NA	NA	NA	13	NA	164.14	6.50	NA	157.64	NA	1.74	-21

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
MW-5	01/17/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	41	NA	NA	NA	12	NA	164.14	5.83	NA	158.31	NA	0.1	-7
MW-5	04/06/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	12	NA	NA	NA	<5.0	NA	164.14	5.91	NA	158.23	NA	1.05	-62
MW-5	07/08/2005	<50	<0.50	<0.50	<0.50	<0.50	NA	26	<0.50	<0.50	<0.50	18	<5.0	164.14	6.78	NA	157.36	NA	1.2	81
MW-5	10/07/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	28	NA	NA	NA	24	NA	164.14	7.64	NA	156.50	NA	NA	NA
MW-5	01/27/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	26.7	NA	NA	NA	46.3	NA	164.14	6.21	NA	157.93	NA	NA	NA
MW-5	04/28/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	39.1	NA	NA	NA	15.0	NA	164.14	6.05	NA	158.09	NA	NA	NA
MW-5	07/28/2006	103	<0.500	<0.500	<0.500	<0.500	NA	35.5	<0.500	<0.500	<0.500	<10.0	<50.0	164.14	7.54	NA	156.60	NA	NA	NA
MW-6	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	169.89	10.25	NA	159.64	NA	NA	NA
MW-6	07/28/2006	19,200	1,290	41.7	141	245	NA	777	3.37	<0.500	<0.500	8,340	<50.0	169.89	11.00	NA	158.89	NA	NA	NA
MW-7	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	170.87	9.59	NA	161.28	NA	NA	NA
MW-7	07/28/2006	5,860	72.0	6.67	25.4	165	NA	3,940	<0.500	<0.500	2.89	1,420	<50.0	170.87	10.08	NA	160.79	NA	NA	NA
MW-8	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	174.13	4.53	NA	169.60	NA	NA	NA
MW-8	07/28/2006	2,300	<0.500	<0.500	<0.500	<0.500	NA	1,380	<0.500	<0.500	0.950	<10.0	<50.0	174.13	4.55	NA	169.58	NA	NA	NA
MW-9	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	175.20	6.41	NA	168.79	NA	NA	NA
MW-9	07/28/2006	5,690	19.2	2.64	2.02	57.7	NA	5,780	<0.500	<0.500	2.74	166	<50.0	175.20	6.69	NA	168.51	NA	NA	NA
TB-1	04/29/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.00	NA	NA	NA	3.8	-132
TB-1	11/01/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.65	NA	NA	NA	0.2	-165
TB-1	01/17/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.72	NA	NA	NA	0.8	-178
TB-1	04/17/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.65	NA	NA	NA	0.5	-152
TB-1	07/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.13	NA	NA	NA	1.0	-124
TB-1	10/12/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.20	NA	NA	NA	0.7	-73
TB-1	01/15/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.09	NA	NA	NA	1.2	-118
TB-1	04/09/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.96	NA	NA	NA	1.0	-72
TB-1	07/24/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.03	NA	NA	NA	1.4	31
TB-1	10/31/2001	1,000	85	<10	<10	42	NA	4,100	NA	NA	NA	NA	NA	NA	5.89	NA	NA	NA	1.8	88
TB-1	01/10/2002	5,000	410	390	65	620	NA	9,000	NA	NA	NA	NA	NA	NA	7.47	NA	NA	NA	2.0	95
TB-1	04/25/2002	5,000	780	60	49	91	NA	6,000	NA	NA	NA	NA	NA	NA	11.71	NA	NA	NA	1.7	-136

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
TB-1	07/18/2002	Insufficient water		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.50	NA	NA	NA	NA	NA
TB-1	10/07/2002	4,600	480	36	98	200	NA	4,000	NA	NA	NA	NA	NA	NA	12.95	NA	NA	NA	1.6	-48
TB-1	01/06/2003	130	30	<0.50	<0.50	0.78	NA	330	NA	NA	NA	NA	NA	NA	5.56	NA	NA	NA	0.4	-20
TB-2	04/29/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.76	NA	NA	NA	4.2	-108
TB-2	11/01/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.33	NA	NA	NA	0.5	-148
TB-2	01/17/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.79	NA	NA	NA	0.7	-162
TB-2	04/17/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.75	NA	NA	NA	0.9	-121
TB-2	07/26/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.73	NA	NA	NA	0.9	-85
TB-2	10/12/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.05	NA	NA	NA	0.6	-47
TB-2	01/15/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.87	NA	NA	NA	0.7	-91
TB-2	04/09/2001	46,600	1,240	1,310	1,110	12,100	31,300	NA	NA	NA	NA	NA	NA	NA	3.76	NA	NA	NA	0.8	-24
TB-2	07/24/2001	11,000	630	<25	310	200	NA	11,000	NA	NA	NA	NA	NA	NA	4.75	NA	NA	NA	0.4	-51
TB-2	10/31/2001	7,500	530	1,500	100	500	NA	2,500	NA	NA	NA	NA	NA	NA	4.24	NA	NA	NA	0.6	-7
TB-2	01/10/2002	<5,000	480	47	34	110	NA	12,000	NA	NA	NA	NA	NA	NA	6.26	NA	NA	NA	1.3	-81
TB-2	04/25/2002	4,700	470	140	<20	80	NA	7,400	NA	NA	NA	NA	NA	NA	11.78	NA	NA	NA	0.9	-107
TB-2	07/18/2002	7,500	630	650	<25	390	NA	44,000	NA	NA	NA	NA	NA	NA	12.34	NA	NA	NA	0.9	-67
TB-2	10/07/2002	<10,000	580	<100	<100	180	NA	30,000	NA	NA	NA	NA	NA	NA	11.62	NA	NA	NA	1.0	-41
TB-2	01/06/2003	120	4.8	<0.50	<0.50	2.0	NA	220	NA	NA	NA	NA	NA	NA	4.35	NA	NA	NA	0.5	-515

WELL CONCENTRATIONS
Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	Depth to SPH (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)	ORP Reading (mV)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-------------------	--------------	----------------------------	--------------------------	--------------------------	---------------------------	------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to July 24, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to July 24, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

DO = Dissolved Oxygens

ppm = Parts per million

ORP = Oxidation Reduction Potential

mV = Millivolts

Notes:

a = Ground water surface had a sheen when sampled.

b = MTBE value is estimated by Sequoia Analytical of Redwood City, CA.

c = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.

* = Sample analyzed outside the EPA recommended holding time.

Ethanol analyzed by EPA Method 8260B.


Site surveyed March 14, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

When separate-phase hydrocarbons are present, ground water elevation is adjusted using the relation: Corrected ground water elevation = Top-of-Casing Elevation - Depth to Water + (0.8 x Hydrocarbon Thickness).

Wells MW-6, MW-7, MW-8 and MW-9 surveyed July 12, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.

FIGURES

PS = 1:1 L:\VICINITY MAP S\1156vm.dwg Jun 09, 2006 - 9:29am lwinters



SCALE 1:24,000

SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
Oakland East Quadrangle




QUADRANGLE
LOCATION

VICINITY MAP

76 Station 1156
4276 MacArthur Boulevard
Oakland, California

TRC

FIGURE 1



LEGEND

- MW-7 ⊕ 76 Station Monitoring Well with Groundwater Elevation (feet)
- MW-9 ⊕ Shell Monitoring Well
- TB2 ∅ Destroyed Shell Well
- 174.00 — Groundwater Elevation Contour
- ➔ General Direction of Groundwater Flow

NOTES:
 Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank. Shell Station data provided by Blaine Tech; not included in groundwater contour interpretation.

GROUNDWATER ELEVATION CONTOUR MAP
 July 28, 2006

76 Station 1156
 4276 MacArthur Boulevard
 Oakland, California





FIGURE 2



LEGEND

MW-7 ⊕ 76 Station Monitoring Well with Dissolved-Phase TPH-G Concentration (µg/l)

MW-9 ⊕ Shell Monitoring Well with Dissolved-Phase TPPH Concentration (µg/l)

TB2 ∅ Destroyed Shell Well

NOTES:

TPH-G = total petroleum hydrocarbons as gasoline.
 TPPH = total purgeable petroleum hydrocarbons.
 µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
 UST = underground storage tank. TPH-G results obtained using EPA Method 8015. Shell Station data provided by Blaine Tech; TPPH results obtained using EPA Method 8260B.

**DISSOLVED-PHASE TPH-G
 CONCENTRATION MAP
 July 28, 2006**

76 Station 1156
 4276 MacArthur Boulevard
 Oakland, California





FIGURE 3



LEGEND

MW-7 ⊕ 76 Station Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)

MW-9 ⊕ Shell Monitoring Well

TB2 ∅ Destroyed Shell Well

NOTES:

$\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Shell Station data provided by Blaine Tech.

DISSOLVED-PHASE BENZENE CONCENTRATION MAP
July 28, 2006

76 Station 1156
 4276 MacArthur Boulevard
 Oakland, California





FIGURE 4



LEGEND

MW-7 ⊕ 76 Station Monitoring Well with Dissolved-Phase MTBE Concentration ($\mu\text{g/l}$)

MW-9 ⊕ Shell Monitoring Well

TB2 ∅ Destroyed Shell Well

NOTES:

MTBE = methyl tertiary butyl ether.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
 UST = underground storage tank. Shell Station data provided by Blaine Tech. Results obtained using EPA Method 8260B.

DISSOLVED-PHASE MTBE CONCENTRATION MAP
July 28, 2006

76 Station 1156
 4276 MacArthur Boulevard
 Oakland, California





FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 1156










Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 1156










Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 1156



MTBE Concentrations vs Time
76 Station 1156



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyor's mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: JOE

Job #/Task #: 41060001

Date: 07-28-06

Site # 1156

Project Manager A. Collins

Page 1 of 1

Well #	Time Gauged	TOC	Total Depth	Depth to Water	Depth to Product	Product Thickness (feet)	Time Sampled	Misc. Well Notes
MW-6	0523	X	24.92	1.68	—	—	0728	2"
MW-5	0531	X	25.28	1.57	—	—	0755	2"
MW-7	0554	X	23.79	6.67	—	—	1120	2"
MW-2	0609	X	25.12	4.34	—	—	1054	2"
MW-4	0616	X	25.24	4.63	—	—	1015	2"
MW-3	0621	X	24.97	6.21	—	—	1028	2"
MW-1	0628	X	25.05	5.32	—	—	1040	2"

FIELD DATA COMPLETE	QA/QC	COC	WELL BOX CONDITION SHEETS
WTT CERTIFICATE	MANIFEST	DRUM INVENTORY	TRAFFIC CONTROL

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 1156

Project No.: 41060001

Date: 07-28-06

Well No.: MW-7

Purge Method: DIA

Depth to Water (feet): 6.67

Depth to Product (feet): —

Total Depth (feet): 23.79

LPH & Water Recovered (gallons): —

Water Column (feet): 17.12

Casing Diameter (Inches): 2"

80% Recharge Depth (feet): 10.09

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F [⊙] C)	pH	Turbidity	D.O.
0818			3	996	18.9	6.87		
			6	1009	18.9	7.00		
	0821		9	1022	18.9	6.89		
Static at Time Sampled		Total Gallons Purged			Time Sampled			
7.82		9			1120			
Comments:								

Well No.: MW-2

Purge Method: DIA

Depth to Water (feet): 4.34

Depth to Product (feet): —

Total Depth (feet): 25.12

LPH & Water Recovered (gallons): —

Water Column (feet): 20.78

Casing Diameter (Inches): 2"

80% Recharge Depth (feet): 8.49

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F [⊙] C)	pH	Turbidity	D.O.
0840			3	708	21.5	7.29		
0839			6	762	19.5	7.01		
	0843		9	761	19.8	6.99		
	0817							
Static at Time Sampled		Total Gallons Purged			Time Sampled			
11.31		9			1008 1054			
Comments: <u>DID NOT RECHARGE IN 2 HRS</u>								

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 1156

Project No.: 41060001

Date: 07-28-06

Well No.: MW-1

Purge Method: DIA

Depth to Water (feet): 5.32

Depth to Product (feet):

Total Depth (feet): 25.05

LPH & Water Recovered (gallons):

Water Column (feet): 19.73

Casing Diameter (Inches): 2"

80% Recharge Depth (feet): 9.26

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temperature (F. C)	pH	Turbidity	D.O.
0946			3	1004	19.8	7.44		
			6	1003	20.2	7.42		
	0948		9	992	20.6	7.26		
Static at Time Sampled			Total Gallons Purged		Time Sampled			
9.26			9		1040			
Comments: _____								

Well No.: _____

Purge Method: _____

Depth to Water (feet): _____

Depth to Product (feet): _____

Total Depth (feet): _____

LPH & Water Recovered (gallons): _____

Water Column (feet): _____

Casing Diameter (Inches): _____

80% Recharge Depth (feet): _____

1 Well Volume (gallons): _____

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temperature (F. C)	pH	Turbidity	D.O.
Static at Time Sampled			Total Gallons Purged		Time Sampled			
Comments: _____								

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 1156

Project No.: 41060001

Date: 07-28-06

Well No.: MW-6

Purge Method: DIA

Depth to Water (feet): 1.68

Depth to Product (feet): —

Total Depth (feet): 24.92

LPH & Water Recovered (gallons): —

Water Column (feet): 23.24

Casing Diameter (Inches): 2"

80% Recharge Depth (feet): 6.32

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F) (C)	pH	Turbidity	D.O.
0716			4	778	18.5	7.56		
			8	727	20.5	7.45		
	0718		12	749	19.7	7.15		
Static at Time Sampled		Total Gallons Purged			Time Sampled			
3.40		12			0728			
Comments:								

Well No.: MW-5

Purge Method: DIA

Depth to Water (feet): 1.57

Depth to Product (feet): —

Total Depth (feet): 25.28

LPH & Water Recovered (gallons): —

Water Column (feet): 23.71

Casing Diameter (Inches): 2"

80% Recharge Depth (feet): 6.31

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F) (C)	pH	Turbidity	D.O.
0742			4	835	21.0	7.36		
			8	851	20.8	7.03		
	0744		12	669	20.3	7.06		
Static at Time Sampled		Total Gallons Purged			Time Sampled			
3.53		12			0755			
Comments:								

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 1156

Project No.: 41060001

Date: 07-28-06

Well No.: MW-4

Purge Method: DIA

Depth to Water (feet): 4.63

Depth to Product (feet): —

Total Depth (feet): 25.24

LPH & Water Recovered (gallons): —

Water Column (feet): 20.61

Casing Diameter (Inches): 2"

80% Recharge Depth (feet): 8.75

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. $\text{\textcircled{C}}$)	pH	Turbidity	D.O.
0906			3	764	22.2	6.73		
			6	759	21.3	6.88		
	0909		9	760	20.7	6.80		
Static at Time Sampled		Total Gallons Purged		Time Sampled				
8.40		9		1015				
Comments:								

Well No.: MW-3

Purge Method: DIA

Depth to Water (feet): 6.21

Depth to Product (feet): —

Total Depth (feet): 24.97

LPH & Water Recovered (gallons): —

Water Column (feet): 18.76

Casing Diameter (Inches): 2"

80% Recharge Depth (feet): 9.96

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. $\text{\textcircled{C}}$)	pH	Turbidity	D.O.
0924			3	745	20.3	6.87		
			6	787	21.7	6.71		
	0926		9	745	21.4	6.84		
Static at Time Sampled		Total Gallons Purged		Time Sampled				
7.74		9		1028				
Comments:								



Laboratories, Inc

Date of Report: 08/15/2006

Anju Farfan

TRC Alton Geoscience

21 Technology Drive
Irvine, CA 92618-2302

RE: 1156

BC Lab Number: 0607685

Enclosed are the results of analyses for samples received by the laboratory on 07/31/06 21:05. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Vanessa Hooker", written over a horizontal line.

Contact Person: Vanessa Hooker

Client Service Rep

A handwritten signature in black ink, consisting of several overlapping loops and strokes, written over a horizontal line.

Authorized Signature



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
0607685-01	COC Number:	---	Receive Date: 07/31/06 21:05
	Project Number:	1156	Sampling Date: 07/28/06 10:40
	Sampling Location:	MW-1	Sample Depth: ---
	Sampling Point:	MW-1	Sample Matrix: Water
	Sampled By:	Joe Lewis of TRCI	Delivery Work Order: Global ID: T0600102279 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0607685-02	COC Number:	---	Receive Date: 07/31/06 21:05
	Project Number:	1156	Sampling Date: 07/28/06 10:54
	Sampling Location:	MW-2	Sample Depth: ---
	Sampling Point:	MW-2	Sample Matrix: Water
	Sampled By:	Joe Lewis of TRCI	Delivery Work Order: Global ID: T0600102279 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0607685-03	COC Number:	---	Receive Date: 07/31/06 21:05
	Project Number:	1156	Sampling Date: 07/28/06 10:28
	Sampling Location:	MW-3	Sample Depth: ---
	Sampling Point:	MW-3	Sample Matrix: Water
	Sampled By:	Joe Lewis of TRCI	Delivery Work Order: Global ID: T0600102279 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0607685-04	COC Number:	---	Receive Date: 07/31/06 21:05
	Project Number:	1156	Sampling Date: 07/28/06 10:15
	Sampling Location:	MW-4	Sample Depth: ---
	Sampling Point:	MW-4	Sample Matrix: Water
	Sampled By:	Joe Lewis of TRCI	Delivery Work Order: Global ID: T0600102279 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0607685-05	COC Number:	---	Receive Date: 07/31/06 21:05
	Project Number:	1156	Sampling Date: 07/28/06 07:55
	Sampling Location:	MW-5	Sample Depth: ---
	Sampling Point:	MW-5	Sample Matrix: Water
	Sampled By:	Joe Lewis of TRCI	Delivery Work Order: Global ID: T0600102279 Matrix: W Sample QC Type (SACode): CS Cooler ID:



TRC Alton Geoscience 21 Technology Drive Irvine CA, 92618-2302	Project: 1156 Project Number: [none] Project Manager: Anju Farfan	Reported: 08/15/06 14:20
--	---	--------------------------

Laboratory / Client Sample Cross Reference

Laboratory Client Sample Information

0607685-06 COC Number: --- Project Number: 1156 Sampling Location: MW-6 Sampling Point: MW-6 Sampled By: Joe Lewis of TRCI	Receive Date: 07/31/06 21:05 Sampling Date: 07/28/06 07:28 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600102279 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0607685-07 COC Number: --- Project Number: 1156 Sampling Location: MW-7 Sampling Point: MW-7 Sampled By: Joe Lewis of TRCI	Receive Date: 07/31/06 21:05 Sampling Date: 07/28/06 11:20 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600102279 Matrix: W Sample QC Type (SACode): CS Cooler ID:



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0607685-01 Client Sample Name: 1156, MW-1, MW-1, 7/28/2006 10:40:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
Bromodichloromethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Bromoform	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Bromomethane	ND	ug/L	1.0		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Carbon tetrachloride	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Chlorobenzene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Chloroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Chloroform	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Chloromethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Dibromochloromethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	V11
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichlorobenzene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
1,3-Dichlorobenzene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
1,4-Dichlorobenzene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Dichlorodifluoromethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
1,1-Dichloroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
1,1-Dichloroethene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
cis-1,2-Dichloroethene	4.5	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
trans-1,2-Dichloroethene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichloropropane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
cis-1,3-Dichloropropene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
trans-1,3-Dichloropropene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	
Methylene chloride	ND	ug/L	1.0		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND	



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0607685-01		Client Sample Name: 1156, MW-1, MW-1, 7/28/2006 10:40:00AM, Joe Lewis												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Methyl t-butyl ether	220	ug/L	50		EPA-8260	08/03/06	08/07/06 16:55	MWB	MS-V13	100	BPH0189	ND	A01	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
Tetrachloroethene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
1,1,1-Trichloroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
1,1,2-Trichloroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
Trichloroethene	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
Trichlorofluoromethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
Vinyl chloride	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
t-Butyl alcohol	ND	ug/L	10		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
Ethanol	ND	ug/L	250		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189	ND		
1,2-Dichloroethane-d4 (Surrogate)	146	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189		S09	
1,2-Dichloroethane-d4 (Surrogate)	93.7	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 16:55	MWB	MS-V13	100	BPH0189			
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 16:55	MWB	MS-V13	100	BPH0189			
Toluene-d8 (Surrogate)	97.5	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189			
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 01:35	MWB	MS-V13	1	BPH0189			
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 16:55	MWB	MS-V13	100	BPH0189			



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0607685-01 Client Sample Name: 1156, MW-1, MW-1, 7/28/2006 10:40:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
Acenaphthene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Acenaphthylene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Anthracene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Benzo[a]anthracene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Benzo[b]fluoranthene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10, V11
Benzo[k]fluoranthene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Benzo[a]pyrene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Benzo[g,h,i]perylene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Benzoic acid	ND	ug/L	50		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Benzyl alcohol	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Benzyl butyl phthalate	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
bis(2-Chloroethoxy)methane	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
bis(2-Chloroethyl) ether	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
bis(2-Chloroisopropyl)ether	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
bis(2-Ethylhexyl)phthalate	33	ug/L	20		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	15	A10, M03
4-Bromophenyl phenyl ether	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
4-Chloroaniline	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2-Chloronaphthalene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
4-Chlorophenyl phenyl ether	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Chrysene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Dibenzo[a,h]anthracene	ND	ug/L	15		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Dibenzofuran	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
1,2-Dichlorobenzene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10

TRC Alton Geoscience
 21 Technology Drive
 Irvine CA, 92618-2302

 Project: 1156
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0607685-01		Client Sample Name: 1156, MW-1, MW-1, 7/28/2006 10:40:00AM, Joe Lewis												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
1,3-Dichlorobenzene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
1,4-Dichlorobenzene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
3,3-Dichlorobenzidine	ND	ug/L	50		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Diethyl phthalate	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Dimethyl phthalate	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Di-n-butyl phthalate	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	1.3	A10	
2,4-Dinitrotoluene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
2,6-Dinitrotoluene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Di-n-octyl phthalate	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Fluoranthene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Fluorene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Hexachlorobenzene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Hexachlorobutadiene	ND	ug/L	5.0		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	2.3	A10	
Hexachlorocyclopentadiene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Hexachloroethane	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	1.8	A10	
Indeno[1,2,3-cd]pyrene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Isophorone	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
2-Methylnaphthalene	280	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
Naphthalene	660	ug/L	20		EPA-8270C	08/03/06	08/14/06 20:21	SKC	MS-B2	10.00	BPH0481	ND	A09	
2-Nitroaniline	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
3-Nitroaniline	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	
4-Nitroaniline	ND	ug/L	25		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10, V11	
Nitrobenzene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10	



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0607685-01 Client Sample Name: 1156, MW-1, MW-1, 7/28/2006 10:40:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
N-Nitrosodi-N-propylamine	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
N-Nitrosodiphenylamine	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Phenanthrene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Pyrene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
1,2,4-Trichlorobenzene	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	1.6	A10
4-Chloro-3-methylphenol	ND	ug/L	25		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2-Chlorophenol	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2,4-Dichlorophenol	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2,4-Dimethylphenol	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
4,6-Dinitro-2-methylphenol	ND	ug/L	50		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2,4-Dinitrophenol	ND	ug/L	50		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2-Methylphenol	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
3- & 4-Methylphenol	25	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2-Nitrophenol	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
4-Nitrophenol	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10, V11
Pentachlorophenol	ND	ug/L	50		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
Phenol	ND	ug/L	10		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2,4,5-Trichlorophenol	ND	ug/L	25		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2,4,6-Trichlorophenol	ND	ug/L	25		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481	ND	A10
2-Fluorophenol (Surrogate)	34.2	%	19 - 86 (LCL - UCL)		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481		A10
Phenol-d5 (Surrogate)	58.2	%	23 - 64 (LCL - UCL)		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481		A10
Nitrobenzene-d5 (Surrogate)	34.5	%	49 - 113 (LCL - UCL)		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481		A10, S09
2-Fluorobiphenyl (Surrogate)	107	%	37 - 110 (LCL - UCL)		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481		A10



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0607685-01		Client Sample Name: 1156, MW-1, MW-1, 7/28/2006 10:40:00AM, Joe Lewis											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
2,4,6-Tribromophenol (Surrogate)	112	%	41 - 127 (LCL - UCL)		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481		A10
p-Terphenyl-d14 (Surrogate)	110	%	18 - 183 (LCL - UCL)		EPA-8270C	08/03/06	08/14/06 19:50	SKC	MS-B2	5	BPH0481		A10



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0607685-01 | **Client Sample Name:** 1156, MW-1, MW-1, 7/28/2006 10:40:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	6600	ug/L	30		EPA-8021	08/01/06	08/03/06 00:56	CAW	GC-V4	100	BPH0330	ND	A01
Toluene	12000	ug/L	300		EPA-8021	08/01/06	08/03/06 00:30	CAW	GC-V4	1000	BPH0330	ND	A01
Ethylbenzene	3100	ug/L	30		EPA-8021	08/01/06	08/03/06 00:56	CAW	GC-V4	100	BPH0330	ND	A01
Methyl t-butyl ether	330	ug/L	100		EPA-8021	08/01/06	08/03/06 00:56	CAW	GC-V4	100	BPH0330	ND	A01
Total Xylenes	13000	ug/L	60		EPA-8021	08/01/06	08/03/06 00:56	CAW	GC-V4	100	BPH0330	ND	A01
Gasoline Range Organics (C4 - C12)	74000	ug/L	5000		Luft	08/01/06	08/03/06 00:56	CAW	GC-V4	100	BPH0330	ND	A01
a,a,a-Trifluorotoluene (PID Surrogate)	91.6	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 00:30	CAW	GC-V4	1000	BPH0330		
a,a,a-Trifluorotoluene (PID Surrogate)	104	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 00:56	CAW	GC-V4	100	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	92.6	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 00:30	CAW	GC-V4	1	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	96.2	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 00:56	CAW	GC-V4	100	BPH0330		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Total Petroleum Hydrocarbons

BCL Sample ID: 0607685-01		Client Sample Name: 1156, MW-1, MW-1, 7/28/2006 10:40:00AM, Joe Lewis											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	5100	ug/L	500		Luf/TPHd	08/07/06	08/14/06 12:39	VTR	GC-13A	10.00	BPH0636	ND	A01, A52
Tetracosane (Surrogate)	56.0	%	42 - 125 (LCL - UCL)		Luf/TPHd	08/07/06	08/14/06 12:39	VTR	GC-13A	10.00	BPH0636		V11



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0607685-02 | **Client Sample Name:** 1156, MW-2, MW-2, 7/28/2006 10:54:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
1,2-Dibromoethane	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189	ND	A01
1,2-Dichloroethane	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189	ND	A01
Methyl t-butyl ether	2900	ug/L	25		EPA-8260	08/03/06	08/07/06 16:08	MWB	MS-V13	50	BPH0189	ND	A01
t-Amyl Methyl ether	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189	ND	A01
t-Butyl alcohol	5100	ug/L	250		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189	ND	A01
Diisopropyl ether	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189	ND	A01
Ethanol	ND	ug/L	6200		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189	ND	A01
Ethyl t-butyl ether	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	87.9	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 16:08	MWB	MS-V13	50	BPH0189		
1,2-Dichloroethane-d4 (Surrogate)	96.2	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189		
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189		
Toluene-d8 (Surrogate)	105	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 16:08	MWB	MS-V13	50	BPH0189		
4-Bromofluorobenzene (Surrogate)	96.6	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 16:08	MWB	MS-V13	50	BPH0189		
4-Bromofluorobenzene (Surrogate)	88.6	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 19:43	MWB	MS-V13	25	BPH0189		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0607685-02 Client Sample Name: 1156, MW-2, MW-2, 7/28/2006 10:54:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	2.0	ug/L	1.5		EPA-8021	08/01/06	08/03/06 02:14	CAW	GC-V4	5	BPH0330	ND	A01
Toluene	ND	ug/L	1.5		EPA-8021	08/01/06	08/03/06 02:14	CAW	GC-V4	5	BPH0330	ND	A01
Ethylbenzene	ND	ug/L	1.5		EPA-8021	08/01/06	08/03/06 02:14	CAW	GC-V4	5	BPH0330	ND	A01
Methyl t-butyl ether	3000	ug/L	100		EPA-8021	08/01/06	08/03/06 01:48	CAW	GC-V4	100	BPH0330	ND	A01
Total Xylenes	ND	ug/L	3.0		EPA-8021	08/01/06	08/03/06 02:14	CAW	GC-V4	5	BPH0330	ND	A01
Gasoline Range Organics (C4 - C12)	3000	ug/L	250		Luft	08/01/06	08/03/06 02:14	CAW	GC-V4	5	BPH0330	ND	A01, A53
a,a,a-Trifluorotoluene (PID Surrogate)	85.8	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 01:48	CAW	GC-V4	100	BPH0330		
a,a,a-Trifluorotoluene (PID Surrogate)	91.1	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 02:14	CAW	GC-V4	5	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	101	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 01:48	CAW	GC-V4	1	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	93.8	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 02:14	CAW	GC-V4	5	BPH0330		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0607685-03 | **Client Sample Name:** 1156, MW-3, MW-3, 7/28/2006 10:28:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189	ND	
Methyl t-butyl ether	150	ug/L	12		EPA-8260	08/03/06	08/07/06 15:44	MWB	MS-V13	25	BPH0189	ND	A01
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189	ND	
Ethanol	ND	ug/L	250		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189		
1,2-Dichloroethane-d4 (Surrogate)	86.0	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 15:44	MWB	MS-V13	25	BPH0189		
Toluene-d8 (Surrogate)	104	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 15:44	MWB	MS-V13	25	BPH0189		
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189		
4-Bromofluorobenzene (Surrogate)	106	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 01:59	MWB	MS-V13	1	BPH0189		
4-Bromofluorobenzene (Surrogate)	97.5	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 15:44	MWB	MS-V13	25	BPH0189		

TRC Alton Geoscience
 21 Technology Drive
 Irvine CA, 92618-2302

 Project: 1156
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0607685-03		Client Sample Name: 1156, MW-3, MW-3, 7/28/2006 10:28:00AM, Joe Lewis												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Benzene	160	ug/L	1.5		EPA-8021	08/01/06	08/03/06 04:49	CAW	GC-V4	5	BPH0330	ND	A01	
Toluene	240	ug/L	1.5		EPA-8021	08/01/06	08/03/06 04:49	CAW	GC-V4	5	BPH0330	ND	A01	
Ethylbenzene	510	ug/L	3.0		EPA-8021	08/01/06	08/03/06 12:54	CAW	GC-V4	10	BPH0330	ND	A01	
Methyl t-butyl ether	250	ug/L	5.0		EPA-8021	08/01/06	08/03/06 04:49	CAW	GC-V4	5	BPH0330	ND	A01	
Total Xylenes	730	ug/L	3.0		EPA-8021	08/01/06	08/03/06 04:49	CAW	GC-V4	5	BPH0330	ND	A01	
Gasoline Range Organics (C4 - C12)	4700	ug/L	250		Luft	08/01/06	08/03/06 04:49	CAW	GC-V4	5	BPH0330	ND	A01	
a,a,a-Trifluorotoluene (PID Surrogate)	99.3	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 12:54	CAW	GC-V4	10	BPH0330			
a,a,a-Trifluorotoluene (PID Surrogate)	98.8	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 04:49	CAW	GC-V4	5	BPH0330			
a,a,a-Trifluorotoluene (FID Surrogate)	102	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 12:54	CAW	GC-V4	1	BPH0330			
a,a,a-Trifluorotoluene (FID Surrogate)	101	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 04:49	CAW	GC-V4	5	BPH0330			



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0607685-04 | **Client Sample Name:** 1156, MW-4, MW-4, 7/28/2006 10:15:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichloroethane	5.8	ug/L	0.50		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189	ND	
Methyl t-butyl ether	150	ug/L	5.0		EPA-8260	08/03/06	08/07/06 15:21	MWB	MS-V13	10	BPH0189	ND	A01
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189	ND	
t-Butyl alcohol	64	ug/L	10		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189	ND	
Ethanol	ND	ug/L	250		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichloroethane-d4 (Surrogate)	90.3	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189		
1,2-Dichloroethane-d4 (Surrogate)	91.5	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 15:21	MWB	MS-V13	10	BPH0189		
Toluene-d8 (Surrogate)	104	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 15:21	MWB	MS-V13	10	BPH0189		
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189		
4-Bromofluorobenzene (Surrogate)	107	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/04/06 02:23	MWB	MS-V13	1	BPH0189		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 15:21	MWB	MS-V13	10	BPH0189		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0607685-04 | **Client Sample Name:** 1156, MW-4, MW-4, 7/28/2006 10:15:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	120	ug/L	1.5		EPA-8021	08/01/06	08/03/06 05:15	CAW	GC-V4	5	BPH0330	ND	A01
Toluene	2.1	ug/L	0.30		EPA-8021	08/01/06	08/03/06 05:41	CAW	GC-V4	1	BPH0330	ND	
Ethylbenzene	12	ug/L	0.30		EPA-8021	08/01/06	08/03/06 05:41	CAW	GC-V4	1	BPH0330	ND	
Methyl t-butyl ether	170	ug/L	5.0		EPA-8021	08/01/06	08/03/06 05:15	CAW	GC-V4	5	BPH0330	ND	A01
Total Xylenes	19	ug/L	0.60		EPA-8021	08/01/06	08/03/06 05:41	CAW	GC-V4	1	BPH0330	ND	
Gasoline Range Organics (C4 - C12)	550	ug/L	50		Luft	08/01/06	08/03/06 05:41	CAW	GC-V4	1	BPH0330	ND	
a,a,a-Trifluorotoluene (PID Surrogate)	97.5	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 05:15	CAW	GC-V4	5	BPH0330		
a,a,a-Trifluorotoluene (PID Surrogate)	81.0	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 05:41	CAW	GC-V4	1	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	98.0	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 05:15	CAW	GC-V4	1	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	77.5	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 05:41	CAW	GC-V4	1	BPH0330		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0607685-05 Client Sample Name: 1156, MW-5, MW-5, 7/28/2006 7:55:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
1,2-Dibromoethane	ND	ug/L	5.0		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189	ND	A01
1,2-Dichloroethane	ND	ug/L	5.0		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189	ND	A01
Methyl t-butyl ether	420	ug/L	5.0		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189	ND	A01
t-Amyl Methyl ether	ND	ug/L	5.0		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189	ND	A01
t-Butyl alcohol	ND	ug/L	100		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189	ND	A01
Diisopropyl ether	ND	ug/L	5.0		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189	ND	A01
Ethanol	ND	ug/L	2500		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189	ND	A01
Ethyl t-butyl ether	ND	ug/L	5.0		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189		
Toluene-d8 (Surrogate)	103	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189		
4-Bromofluorobenzene (Surrogate)	90.5	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 18:57	MWB	MS-V13	10	BPH0189		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0607685-05 | **Client Sample Name:** 1156, MW-5, MW-5, 7/28/2006 7:55:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	0.34	ug/L	0.30		EPA-8021	08/01/06	08/03/06 14:38	CAW	GC-V4	1	BPH0330	ND	
Toluene	ND	ug/L	0.30		EPA-8021	08/01/06	08/03/06 14:38	CAW	GC-V4	1	BPH0330	ND	
Ethylbenzene	ND	ug/L	0.30		EPA-8021	08/01/06	08/03/06 14:38	CAW	GC-V4	1	BPH0330	ND	
Methyl t-butyl ether	440	ug/L	10		EPA-8021	08/01/06	08/03/06 06:33	CAW	GC-V4	10	BPH0330	ND	A01
Total Xylenes	ND	ug/L	0.60		EPA-8021	08/01/06	08/03/06 14:38	CAW	GC-V4	1	BPH0330	ND	
Gasoline Range Organics (C4 - C12)	480	ug/L	50		Luft	08/01/06	08/03/06 14:38	CAW	GC-V4	1	BPH0330	ND	A53
a,a,a-Trifluorotoluene (PID Surrogate)	85.9	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 06:33	CAW	GC-V4	10	BPH0330		
a,a,a-Trifluorotoluene (PID Surrogate)	89.2	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 14:38	CAW	GC-V4	1	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	94.7	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 06:33	CAW	GC-V4	1	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	90.5	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 14:38	CAW	GC-V4	1	BPH0330		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0607685-06 | **Client Sample Name:** 1156, MW-6, MW-6, 7/28/2006 7:28:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189	ND	
Ethanol	ND	ug/L	250		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189	ND	
1,2-Dichloroethane-d4 (Surrogate)	98.4	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189		
4-Bromofluorobenzene (Surrogate)	91.9	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 14:15	MWB	MS-V13	1	BPH0189		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0607685-06		Client Sample Name: 1156, MW-6, MW-6, 7/28/2006 7:28:00AM, Joe Lewis											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.30		EPA-8021	08/01/06	08/02/06 21:29	CAW	GC-V4	1	BPH0330	ND	
Toluene	ND	ug/L	0.30		EPA-8021	08/01/06	08/02/06 21:29	CAW	GC-V4	1	BPH0330	ND	
Ethylbenzene	ND	ug/L	0.30		EPA-8021	08/01/06	08/02/06 21:29	CAW	GC-V4	1	BPH0330	ND	
Methyl t-butyl ether	ND	ug/L	1.0		EPA-8021	08/01/06	08/02/06 21:29	CAW	GC-V4	1	BPH0330	ND	
Total Xylenes	ND	ug/L	0.60		EPA-8021	08/01/06	08/02/06 21:29	CAW	GC-V4	1	BPH0330	ND	
Gasoline Range Organics (C4 - C12)	ND	ug/L	50		Luft	08/01/06	08/02/06 21:29	CAW	GC-V4	1	BPH0330	ND	
a,a,a-Trifluorotoluene (PID Surrogate)	83.0	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/02/06 21:29	CAW	GC-V4	1	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	99.1	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/02/06 21:29	CAW	GC-V4	1	BPH0330		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0607685-07 | **Client Sample Name:** 1156, MW-7, MW-7, 7/28/2006 11:20:00AM, Joe Lewis

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
1,2-Dibromoethane	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189	ND	A01
1,2-Dichloroethane	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189	ND	A01
Methyl t-butyl ether	5300	ug/L	100		EPA-8260	08/03/06	08/07/06 17:18	MWB	MS-V13	200	BPH0189	ND	A01
t-Amyl Methyl ether	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189	ND	A01
t-Butyl alcohol	1300	ug/L	250		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189	ND	A01
Diisopropyl ether	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189	ND	A01
Ethanol	ND	ug/L	6200		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189	ND	A01
Ethyl t-butyl ether	ND	ug/L	12		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	89.9	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 17:18	MWB	MS-V13	200	BPH0189		
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189		
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189		
Toluene-d8 (Surrogate)	104	%	88 - 110 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 17:18	MWB	MS-V13	200	BPH0189		
4-Bromofluorobenzene (Surrogate)	96.8	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/07/06 17:18	MWB	MS-V13	200	BPH0189		
4-Bromofluorobenzene (Surrogate)	89.6	%	86 - 115 (LCL - UCL)		EPA-8260	08/03/06	08/03/06 19:20	MWB	MS-V13	25	BPH0189		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0607685-07		Client Sample Name: 1156, MW-7, MW-7, 7/28/2006 11:20:00AM, Joe Lewis											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	5.2	ug/L	3.0		EPA-8021	08/01/06	08/03/06 08:16	CAW	GC-V4	10	BPH0330	ND	A01
Toluene	ND	ug/L	3.0		EPA-8021	08/01/06	08/03/06 08:16	CAW	GC-V4	10	BPH0330	ND	A01
Ethylbenzene	ND	ug/L	3.0		EPA-8021	08/01/06	08/03/06 08:16	CAW	GC-V4	10	BPH0330	ND	A01
Methyl t-butyl ether	5000	ug/L	100		EPA-8021	08/01/06	08/07/06 15:50	CAW	GC-V4	100	BPH0330	ND	A01
Total Xylenes	ND	ug/L	6.0		EPA-8021	08/01/06	08/03/06 08:16	CAW	GC-V4	10	BPH0330	ND	A01
Gasoline Range Organics (C4 - C12)	5400	ug/L	500		Luft	08/01/06	08/03/06 08:16	CAW	GC-V4	10	BPH0330	ND	A01, A53
a,a,a-Trifluorotoluene (PID Surrogate)	84.5	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/07/06 15:50	CAW	GC-V4	100	BPH0330		
a,a,a-Trifluorotoluene (PID Surrogate)	87.0	%	70 - 130 (LCL - UCL)		EPA-8021	08/01/06	08/03/06 08:16	CAW	GC-V4	10	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	96.3	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/07/06 15:50	CAW	GC-V4	1	BPH0330		
a,a,a-Trifluorotoluene (FID Surrogate)	87.9	%	70 - 130 (LCL - UCL)		Luft	08/01/06	08/03/06 08:16	CAW	GC-V4	10	BPH0330		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260) Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery
Bromodichloromethane	BPH0189	Matrix Spike	0607683-02	ND	23.120	25.000	ug/L		92.5		70 - 130
		Matrix Spike Duplicate	0607683-02	ND	23.420	25.000	ug/L	1.29	93.7	20	70 - 130
Chlorobenzene	BPH0189	Matrix Spike	0607683-02	ND	23.930	25.000	ug/L		95.7		70 - 130
		Matrix Spike Duplicate	0607683-02	ND	24.920	25.000	ug/L	4.09	99.7	20	70 - 130
Chloroethane	BPH0189	Matrix Spike	0607683-02	ND	25.570	25.000	ug/L		102		70 - 130
		Matrix Spike Duplicate	0607683-02	ND	25.960	25.000	ug/L	1.94	104	20	70 - 130
1,4-Dichlorobenzene	BPH0189	Matrix Spike	0607683-02	ND	23.540	25.000	ug/L		94.2		70 - 130
		Matrix Spike Duplicate	0607683-02	ND	24.080	25.000	ug/L	2.20	96.3	20	70 - 130
1,1-Dichloroethane	BPH0189	Matrix Spike	0607683-02	ND	25.020	25.000	ug/L		100		70 - 130
		Matrix Spike Duplicate	0607683-02	ND	25.210	25.000	ug/L	0.995	101	20	70 - 130
1,1-Dichloroethene	BPH0189	Matrix Spike	0607683-02	ND	25.040	25.000	ug/L		100		70 - 130
		Matrix Spike Duplicate	0607683-02	ND	25.460	25.000	ug/L	1.98	102	20	70 - 130
Trichloroethene	BPH0189	Matrix Spike	0607683-02	ND	21.020	25.000	ug/L		84.1		70 - 130
		Matrix Spike Duplicate	0607683-02	ND	21.830	25.000	ug/L	3.73	87.3	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BPH0189	Matrix Spike	0607683-02	ND	11.050	10.000	ug/L		110		76 - 114
		Matrix Spike Duplicate	0607683-02	ND	10.410	10.000	ug/L		104		76 - 114
Toluene-d8 (Surrogate)	BPH0189	Matrix Spike	0607683-02	ND	10.190	10.000	ug/L		102		88 - 110
		Matrix Spike Duplicate	0607683-02	ND	10.140	10.000	ug/L		101		88 - 110
4-Bromofluorobenzene (Surrogate)	BPH0189	Matrix Spike	0607683-02	ND	9.6100	10.000	ug/L		96.1		86 - 115
		Matrix Spike Duplicate	0607683-02	ND	9.9300	10.000	ug/L		99.3		86 - 115



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C) Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Acenaphthene	BPH0481	Matrix Spike	0605234-58	ND	70.830	80.000	ug/L		88.5		28 - 117
		Matrix Spike Duplicate	0605234-58	ND	72.989	80.000	ug/L	3.01	91.2	24	28 - 117
1,4-Dichlorobenzene	BPH0481	Matrix Spike	0605234-58	ND	60.479	80.000	ug/L		75.6		29 - 119
		Matrix Spike Duplicate	0605234-58	ND	64.303	80.000	ug/L	6.15	80.4	28	29 - 119
2,4-Dinitrotoluene	BPH0481	Matrix Spike	0605234-58	ND	71.470	80.000	ug/L		89.3		36 - 124
		Matrix Spike Duplicate	0605234-58	ND	73.159	80.000	ug/L	2.32	91.4	25	36 - 124
Hexachlorobenzene	BPH0481	Matrix Spike	0605234-58	ND	77.444	80.000	ug/L		96.8		36 - 131
		Matrix Spike Duplicate	0605234-58	ND	79.127	80.000	ug/L	2.15	98.9	24	36 - 131
Hexachlorobutadiene	BPH0481	Matrix Spike	0605234-58	0.44906	59.429	80.000	ug/L		73.7		32 - 102
		Matrix Spike Duplicate	0605234-58	0.44906	62.267	80.000	ug/L	4.77	77.3	24	32 - 102
Hexachloroethane	BPH0481	Matrix Spike	0605234-58	0.36204	57.247	80.000	ug/L		71.1		23 - 112
		Matrix Spike Duplicate	0605234-58	0.36204	60.953	80.000	ug/L	6.27	75.7	29	23 - 112
Nitrobenzene	BPH0481	Matrix Spike	0605234-58	ND	66.569	80.000	ug/L		83.2		45 - 115
		Matrix Spike Duplicate	0605234-58	ND	68.728	80.000	ug/L	3.19	85.9	28	45 - 115
N-Nitrosodi-N-propylamine	BPH0481	Matrix Spike	0605234-58	ND	63.725	80.000	ug/L		79.7		39 - 104
		Matrix Spike Duplicate	0605234-58	ND	65.829	80.000	ug/L	3.21	82.3	30	39 - 104
Pyrene	BPH0481	Matrix Spike	0605234-58	ND	75.824	80.000	ug/L		94.8		30 - 125
		Matrix Spike Duplicate	0605234-58	ND	77.326	80.000	ug/L	1.98	96.7	25	30 - 125
1,2,4-Trichlorobenzene	BPH0481	Matrix Spike	0605234-58	0.31541	66.146	80.000	ug/L		82.3		36 - 111
		Matrix Spike Duplicate	0605234-58	0.31541	67.609	80.000	ug/L	2.16	84.1	23	36 - 111
4-Chloro-3-methylphenol	BPH0481	Matrix Spike	0605234-58	ND	76.444	80.000	ug/L		95.6		52 - 122
		Matrix Spike Duplicate	0605234-58	ND	79.973	80.000	ug/L	4.50	100	22	52 - 122
2-Chlorophenol	BPH0481	Matrix Spike	0605234-58	ND	59.212	80.000	ug/L		74.0		37 - 104
		Matrix Spike Duplicate	0605234-58	ND	61.924	80.000	ug/L	4.49	77.4	21	37 - 104
2-Methylphenol	BPH0481	Matrix Spike	0605234-58	ND	62.235	80.000	ug/L		77.8		41 - 111
		Matrix Spike Duplicate	0605234-58	ND	64.252	80.000	ug/L	3.16	80.3	20	41 - 111

TRC Alton Geoscience
 21 Technology Drive
 Irvine CA, 92618-2302

 Project: 1156
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
3- & 4-Methylphenol	BPH0481	Matrix Spike	0605234-58	ND	85.849	160.00	ug/L		53.7		58 - 176 Q03
		Matrix Spike Duplicate	0605234-58	ND	89.357	160.00	ug/L	3.84	55.8	21	58 - 176 Q03
4-Nitrophenol	BPH0481	Matrix Spike	0605234-58	ND	51.070	80.000	ug/L		63.8		11 - 79
		Matrix Spike Duplicate	0605234-58	ND	52.106	80.000	ug/L	2.02	65.1	21	11 - 79
Pentachlorophenol	BPH0481	Matrix Spike	0605234-58	ND	72.670	80.000	ug/L		90.8		36 - 135
		Matrix Spike Duplicate	0605234-58	ND	74.214	80.000	ug/L	2.18	92.8	19	36 - 135
Phenol	BPH0481	Matrix Spike	0605234-58	ND	29.127	80.000	ug/L		36.4		18 - 57
		Matrix Spike Duplicate	0605234-58	ND	30.403	80.000	ug/L	4.30	38.0	22	18 - 57
2,4,6-Trichlorophenol	BPH0481	Matrix Spike	0605234-58	ND	68.011	80.000	ug/L		85.0		36 - 129
		Matrix Spike Duplicate	0605234-58	ND	70.722	80.000	ug/L	3.92	88.4	26	36 - 129
2-Fluorophenol (Surrogate)	BPH0481	Matrix Spike	0605234-58	ND	54.430	80.000	ug/L		68.0		19 - 86
		Matrix Spike Duplicate	0605234-58	ND	56.290	80.000	ug/L		70.4		19 - 86
Phenol-d5 (Surrogate)	BPH0481	Matrix Spike	0605234-58	ND	35.670	80.000	ug/L		44.6		23 - 64
		Matrix Spike Duplicate	0605234-58	ND	37.390	80.000	ug/L		46.7		23 - 64
Nitrobenzene-d5 (Surrogate)	BPH0481	Matrix Spike	0605234-58	ND	73.626	80.000	ug/L		92.0		49 - 113
		Matrix Spike Duplicate	0605234-58	ND	77.100	80.000	ug/L		96.4		49 - 113
2-Fluorobiphenyl (Surrogate)	BPH0481	Matrix Spike	0605234-58	ND	73.418	80.000	ug/L		91.8		37 - 110
		Matrix Spike Duplicate	0605234-58	ND	76.710	80.000	ug/L		95.9		37 - 110
2,4,6-Tribromophenol (Surrogate)	BPH0481	Matrix Spike	0605234-58	ND	89.734	80.000	ug/L		112		41 - 127
		Matrix Spike Duplicate	0605234-58	ND	93.940	80.000	ug/L		117		41 - 127
p-Terphenyl-d14 (Surrogate)	BPH0481	Matrix Spike	0605234-58	ND	46.292	40.000	ug/L		116		18 - 183
		Matrix Spike Duplicate	0605234-58	ND	44.680	40.000	ug/L		112		18 - 183



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Benzene	BPH0330	Matrix Spike	0606841-41	ND	35.230	40.000	ug/L		88.1		70 - 130
		Matrix Spike Duplicate	0606841-41	ND	35.615	40.000	ug/L	1.02	89.0	20	70 - 130
Toluene	BPH0330	Matrix Spike	0606841-41	ND	35.537	40.000	ug/L		88.8		70 - 130
		Matrix Spike Duplicate	0606841-41	ND	35.802	40.000	ug/L	0.785	89.5	20	70 - 130
Ethylbenzene	BPH0330	Matrix Spike	0606841-41	ND	36.875	40.000	ug/L		92.2		70 - 130
		Matrix Spike Duplicate	0606841-41	ND	37.197	40.000	ug/L	0.864	93.0	20	70 - 130
Methyl t-butyl ether	BPH0330	Matrix Spike	0606841-41	ND	39.294	40.000	ug/L		98.2		70 - 130
		Matrix Spike Duplicate	0606841-41	ND	36.293	40.000	ug/L	7.94	90.7	20	70 - 130
Total Xylenes	BPH0330	Matrix Spike	0606841-41	ND	111.04	120.00	ug/L		92.5		70 - 130
		Matrix Spike Duplicate	0606841-41	ND	111.84	120.00	ug/L	0.754	93.2	20	70 - 130
Gasoline Range Organics (C4 - C12)	BPH0330	Matrix Spike	0606841-41	ND	850.52	1000.0	ug/L		85.1		70 - 130
		Matrix Spike Duplicate	0606841-41	ND	855.11	1000.0	ug/L	0.469	85.5	20	70 - 130
a,a,a-Trifluorotoluene (PID Surrogate)	BPH0330	Matrix Spike	0606841-41	ND	35.648	40.000	ug/L		89.1		70 - 130
		Matrix Spike Duplicate	0606841-41	ND	35.044	40.000	ug/L		87.6		70 - 130
a,a,a-Trifluorotoluene (FID Surrogate)	BPH0330	Matrix Spike	0606841-41	ND	37.672	40.000	ug/L		94.2		70 - 130
		Matrix Spike Duplicate	0606841-41	ND	38.326	40.000	ug/L		95.8		70 - 130



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Total Petroleum Hydrocarbons Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery
Diesel Range Organics (C12 - C24)	BPH0636	Matrix Spike	0606841-72	ND	416.46	500.00	ug/L		83.3		41 - 139
		Matrix Spike Duplicate	0606841-72	ND	377.60	500.00	ug/L	9.82	75.5	30	41 - 139
Tetracosane (Surrogate)	BPH0636	Matrix Spike	0606841-72	ND	16.205	20.000	ug/L		81.0		42 - 125
		Matrix Spike Duplicate	0606841-72	ND	14.348	20.000	ug/L		71.7		42 - 125



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260) Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Bromodichloromethane	BPH0189	BPH0189-BS1	LCS	23.660	25.000	0.50	ug/L	94.6		70 - 130		
Chlorobenzene	BPH0189	BPH0189-BS1	LCS	24.170	25.000	0.50	ug/L	96.7		70 - 130		
Chloroethane	BPH0189	BPH0189-BS1	LCS	25.970	25.000	0.50	ug/L	104		70 - 130		
1,4-Dichlorobenzene	BPH0189	BPH0189-BS1	LCS	23.860	25.000	0.50	ug/L	95.4		70 - 130		
1,1-Dichloroethane	BPH0189	BPH0189-BS1	LCS	25.300	25.000	0.50	ug/L	101		70 - 130		
1,1-Dichloroethene	BPH0189	BPH0189-BS1	LCS	26.330	25.000	0.50	ug/L	105		70 - 130		
Trichloroethene	BPH0189	BPH0189-BS1	LCS	22.590	25.000	0.50	ug/L	90.4		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BPH0189	BPH0189-BS1	LCS	9.9900	10.000		ug/L	99.9		76 - 114		
Toluene-d8 (Surrogate)	BPH0189	BPH0189-BS1	LCS	10.110	10.000		ug/L	101		88 - 110		
4-Bromofluorobenzene (Surrogate)	BPH0189	BPH0189-BS1	LCS	9.6900	10.000		ug/L	96.9		86 - 115		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C) Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		Lab Quals
									RPD	Percent Recovery	
Acenaphthene	BPH0481	BPH0481-BS1	LCS	77.880	80.000	2.0	ug/L	97.4		43 - 106	
1,4-Dichlorobenzene	BPH0481	BPH0481-BS1	LCS	68.745	80.000	2.0	ug/L	85.9		35 - 116	
2,4-Dinitrotoluene	BPH0481	BPH0481-BS1	LCS	74.686	80.000	2.0	ug/L	93.4		50 - 112	
Hexachlorobenzene	BPH0481	BPH0481-BS1	LCS	82.349	80.000	2.0	ug/L	103		38 - 130	
Hexachlorobutadiene	BPH0481	BPH0481-BS1	LCS	68.140	80.000	1.0	ug/L	85.2		44 - 96	
Hexachloroethane	BPH0481	BPH0481-BS1	LCS	64.666	80.000	2.0	ug/L	80.8		30 - 115	
Nitrobenzene	BPH0481	BPH0481-BS1	LCS	73.197	80.000	2.0	ug/L	91.5		53 - 114	
N-Nitrosodi-N-propylamine	BPH0481	BPH0481-BS1	LCS	70.297	80.000	2.0	ug/L	87.9		42 - 109	
Pyrene	BPH0481	BPH0481-BS1	LCS	84.048	80.000	2.0	ug/L	105		47 - 119	
1,2,4-Trichlorobenzene	BPH0481	BPH0481-BS1	LCS	73.966	80.000	2.0	ug/L	92.5		51 - 108	
4-Chloro-3-methylphenol	BPH0481	BPH0481-BS1	LCS	84.855	80.000	5.0	ug/L	106		55 - 116	
2-Chlorophenol	BPH0481	BPH0481-BS1	LCS	66.239	80.000	2.0	ug/L	82.8		37 - 112	
2-Methylphenol	BPH0481	BPH0481-BS1	LCS	68.339	80.000	2.0	ug/L	85.4		45 - 110	
3- & 4-Methylphenol	BPH0481	BPH0481-BS1	LCS	96.200	160.00	2.0	ug/L	60.1		69 - 111	L01
4-Nitrophenol	BPH0481	BPH0481-BS1	LCS	54.947	80.000	2.0	ug/L	68.7		17 - 67	L01
Pentachlorophenol	BPH0481	BPH0481-BS1	LCS	79.917	80.000	10	ug/L	99.9		42 - 116	
Phenol	BPH0481	BPH0481-BS1	LCS	32.707	80.000	2.0	ug/L	40.9		21 - 61	
2,4,6-Trichlorophenol	BPH0481	BPH0481-BS1	LCS	74.496	80.000	5.0	ug/L	93.1		42 - 111	
2-Fluorophenol (Surrogate)	BPH0481	BPH0481-BS1	LCS	60.260	80.000		ug/L	75.3		19 - 86	
Phenol-d5 (Surrogate)	BPH0481	BPH0481-BS1	LCS	40.250	80.000		ug/L	50.3		23 - 64	
Nitrobenzene-d5 (Surrogate)	BPH0481	BPH0481-BS1	LCS	81.260	80.000		ug/L	102		49 - 113	
2-Fluorobiphenyl (Surrogate)	BPH0481	BPH0481-BS1	LCS	80.320	80.000		ug/L	100		37 - 110	
2,4,6-Tribromophenol (Surrogate)	BPH0481	BPH0481-BS1	LCS	99.380	80.000		ug/L	124		41 - 127	
p-Terphenyl-d14 (Surrogate)	BPH0481	BPH0481-BS1	LCS	49.630	40.000		ug/L	124		18 - 183	



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Benzene	BPH0330	BPH0330-BS1	LCS	35.549	40.000	0.30	ug/L	88.9		85 - 115		
Toluene	BPH0330	BPH0330-BS1	LCS	35.657	40.000	0.30	ug/L	89.1		85 - 115		
Ethylbenzene	BPH0330	BPH0330-BS1	LCS	37.126	40.000	0.30	ug/L	92.8		85 - 115		
Methyl t-butyl ether	BPH0330	BPH0330-BS1	LCS	37.657	40.000	1.0	ug/L	94.1		85 - 115		
Total Xylenes	BPH0330	BPH0330-BS1	LCS	111.48	120.00	0.60	ug/L	92.9		85 - 115		
Gasoline Range Organics (C4 - C12)	BPH0330	BPH0330-BS1	LCS	854.44	1000.0	50	ug/L	85.4		85 - 115		
a,a,a-Trifluorotoluene (PID Surrogate)	BPH0330	BPH0330-BS1	LCS	35.133	40.000		ug/L	87.8		70 - 130		
a,a,a-Trifluorotoluene (FID Surrogate)	BPH0330	BPH0330-BS1	LCS	38.238	40.000		ug/L	95.6		70 - 130		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Total Petroleum Hydrocarbons Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Diesel Range Organics (C12 - C24)	BPH0636	BPH0636-BS1	LCS	464.57	500.00	50	ug/L	92.9		62 - 101		
Tetracosane (Surrogate)	BPH0636	BPH0636-BS1	LCS	17.349	20.000		ug/L	86.7		42 - 125		

TRC Alton Geoscience
 21 Technology Drive
 Irvine CA, 92618-2302

 Project: 1156
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Bromodichloromethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.11	
Bromoform	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.22	
Bromomethane	BPH0189	BPH0189-BLK1	ND	ug/L	1.0	0.19	
Carbon tetrachloride	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.14	
Chlorobenzene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.12	
Chloroethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.38	
Chloroform	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.076	
Chloromethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.14	
Dibromochloromethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.099	
1,2-Dibromoethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.24	
1,2-Dichlorobenzene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.11	
1,3-Dichlorobenzene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.073	
1,4-Dichlorobenzene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.099	
Dichlorodifluoromethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.17	
1,1-Dichloroethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.10	
1,2-Dichloroethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.15	
1,1-Dichloroethene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.15	
cis-1,2-Dichloroethene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.20	
trans-1,2-Dichloroethene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.18	
1,2-Dichloropropane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.092	
cis-1,3-Dichloropropene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.077	
trans-1,3-Dichloropropene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.15	
Methylene chloride	BPH0189	BPH0189-BLK1	ND	ug/L	1.0	0.16	
Methyl t-butyl ether	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.13	
1,1,2,2-Tetrachloroethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.14	



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Volatile Organic Analysis (EPA Method 8260) Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Tetrachloroethene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.18	
1,1,1-Trichloroethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.27	
1,1,2-Trichloroethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.14	
Trichloroethene	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.18	
Trichlorofluoromethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.13	
1,1,2-Trichloro-1,2,2-trifluoroethane	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.11	
Vinyl chloride	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.16	
t-Amyl Methyl ether	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.49	
t-Butyl alcohol	BPH0189	BPH0189-BLK1	ND	ug/L	10	9.3	
Diisopropyl ether	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.25	
Ethanol	BPH0189	BPH0189-BLK1	ND	ug/L	250	110	
Ethyl t-butyl ether	BPH0189	BPH0189-BLK1	ND	ug/L	0.50	0.25	
1,2-Dichloroethane-d4 (Surrogate)	BPH0189	BPH0189-BLK1	106	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BPH0189	BPH0189-BLK1	101	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BPH0189	BPH0189-BLK1	92.3	%	86 - 115 (LCL - UCL)		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C) Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Acenaphthene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.35	
Acenaphthylene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.32	
Anthracene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.27	
Benzo[a]anthracene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.34	
Benzo[b]fluoranthene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.38	
Benzo[k]fluoranthene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.47	
Benzo[a]pyrene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.45	
Benzo[g,h,i]perylene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.56	
Benzoic acid	BPH0481	BPH0481-BLK1	ND	ug/L	10	0.61	
Benzyl alcohol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.44	
Benzyl butyl phthalate	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.32	
bis(2-Chloroethoxy)methane	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	1.6	
bis(2-Chloroethyl) ether	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.49	
bis(2-Chloroisopropyl)ether	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.57	
bis(2-Ethylhexyl)phthalate	BPH0481	BPH0481-BLK1	2.9817	ug/L	4.0	0.98	M03
4-Bromophenyl phenyl ether	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.40	
4-Chloroaniline	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.99	
2-Chloronaphthalene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.41	
4-Chlorophenyl phenyl ether	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.33	
Chrysene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.30	
Dibenzo[a,h]anthracene	BPH0481	BPH0481-BLK1	ND	ug/L	3.0	0.48	
Dibenzofuran	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.37	
1,2-Dichlorobenzene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.35	
1,3-Dichlorobenzene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.35	
1,4-Dichlorobenzene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.25	

TRC Alton Geoscience
 21 Technology Drive
 Irvine CA, 92618-2302

 Project: 1156
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
3,3-Dichlorobenzidine	BPH0481	BPH0481-BLK1	ND	ug/L	10	1.5	
Diethyl phthalate	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.34	
Dimethyl phthalate	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.32	
Di-n-butyl phthalate	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.40	
2,4-Dinitrotoluene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.39	
2,6-Dinitrotoluene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.48	
Di-n-octyl phthalate	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.41	
Fluoranthene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.30	
Fluorene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.36	
Hexachlorobenzene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.35	
Hexachlorobutadiene	BPH0481	BPH0481-BLK1	0.44906	ug/L	1.0	0.40	
Hexachlorocyclopentadiene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.36	
Hexachloroethane	BPH0481	BPH0481-BLK1	0.36204	ug/L	2.0	0.29	
Indeno[1,2,3-cd]pyrene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.47	
Isophorone	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.31	
2-Methylnaphthalene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.27	
Naphthalene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.30	
2-Nitroaniline	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.82	
3-Nitroaniline	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	1.6	
4-Nitroaniline	BPH0481	BPH0481-BLK1	ND	ug/L	5.0	0.44	
Nitrobenzene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.37	
N-Nitrosodi-N-propylamine	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.88	
N-Nitrosodiphenylamine	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.42	
Phenanthrene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.29	
Pyrene	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.29	



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C) Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
1,2,4-Trichlorobenzene	BPH0481	BPH0481-BLK1	0.31541	ug/L	2.0	0.26	
4-Chloro-3-methylphenol	BPH0481	BPH0481-BLK1	ND	ug/L	5.0	0.39	
2-Chlorophenol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.39	
2,4-Dichlorophenol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.37	
2,4-Dimethylphenol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	1.5	
4,6-Dinitro-2-methylphenol	BPH0481	BPH0481-BLK1	ND	ug/L	10	2.5	
2,4-Dinitrophenol	BPH0481	BPH0481-BLK1	ND	ug/L	10	0.35	
2-Methylphenol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	1.3	
3- & 4-Methylphenol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	1.4	
2-Nitrophenol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.33	
4-Nitrophenol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.35	
Pentachlorophenol	BPH0481	BPH0481-BLK1	ND	ug/L	10	0.55	
Phenol	BPH0481	BPH0481-BLK1	ND	ug/L	2.0	0.30	
2,4,5-Trichlorophenol	BPH0481	BPH0481-BLK1	ND	ug/L	5.0	0.37	
2,4,6-Trichlorophenol	BPH0481	BPH0481-BLK1	ND	ug/L	5.0	0.47	
2-Fluorophenol (Surrogate)	BPH0481	BPH0481-BLK1	63.5	%	19 - 86 (LCL - UCL)		
Phenol-d5 (Surrogate)	BPH0481	BPH0481-BLK1	42.6	%	23 - 64 (LCL - UCL)		
Nitrobenzene-d5 (Surrogate)	BPH0481	BPH0481-BLK1	90.7	%	49 - 113 (LCL - UCL)		
2-Fluorobiphenyl (Surrogate)	BPH0481	BPH0481-BLK1	95.3	%	37 - 110 (LCL - UCL)		
2,4,6-Tribromophenol (Surrogate)	BPH0481	BPH0481-BLK1	107	%	41 - 127 (LCL - UCL)		
p-Terphenyl-d14 (Surrogate)	BPH0481	BPH0481-BLK1	112	%	18 - 183 (LCL - UCL)		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Purgeable Aromatics and Total Petroleum Hydrocarbons Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BPH0330	BPH0330-BLK1	ND	ug/L	0.30	0.033	
Toluene	BPH0330	BPH0330-BLK1	ND	ug/L	0.30	0.093	
Ethylbenzene	BPH0330	BPH0330-BLK1	ND	ug/L	0.30	0.035	
Methyl t-butyl ether	BPH0330	BPH0330-BLK1	ND	ug/L	1.0	0.033	
Total Xylenes	BPH0330	BPH0330-BLK1	ND	ug/L	0.60	0.098	
Gasoline Range Organics (C4 - C12)	BPH0330	BPH0330-BLK1	ND	ug/L	50	6.5	
a,a,a-Trifluorotoluene (PID Surrogate)	BPH0330	BPH0330-BLK1	70.2	%	70 - 130 (LCL - UCL)		
a,a,a-Trifluorotoluene (FID Surrogate)	BPH0330	BPH0330-BLK1	88.5	%	70 - 130 (LCL - UCL)		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Total Petroleum Hydrocarbons Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Diesel Range Organics (C12 - C24)	BPH0636	BPH0636-BLK1	ND	ug/L	50	26	
Tetracosane (Surrogate)	BPH0636	BPH0636-BLK1	79.4	%	42 - 125 (LCL - UCL)		



TRC Alton Geoscience
21 Technology Drive
Irvine CA, 92618-2302

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 08/15/06 14:20

Notes and Definitions

- V11 The Continuing Calibration Verification (CCV) recovery is not within established control limits.
- S09 The surrogate recovery on the sample for this compound was not within the control limits
- Q03 Matrix spike recovery(s) is(are) not within the control limits.
- M03 Analyte detected in the Method Blank at a level between the PQL and the MDL.
- L01 The Laboratory Control Sample Water (LCSW) recovery is not within laboratory established control limits.
- J Estimated value
- A53 Chromatogram not typical of gasoline.
- A52 Chromatogram not typical of diesel.
- A10 PQL's and MDL's were raised due to matrix interference.
- A09 PQL's were raised due to high concentration of target analytes requiring sample dilution.
- A01 PQL's and MDL's are raised due to sample dilution.
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Submission #: 06-07685

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery BC Lab Field Service Other (Specify)

SHIPPING CONTAINER

Ice Chest None Box Other (Specify)

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals: Ice Chest Containers None Intact? Yes No Intact? Yes No Comments:

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received YES NO

Ice Chest ID: BLW
Temperature: 1.5 °C
Thermometer ID: #48

Emissivity: 0.98
Container: Ota

Date/Time: 7/3/06
Analyst Init: OTD

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PLA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A.9	A.6	A.6	A.6	A.6	A.6	A.6			
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER	C.0									
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
ELASTIC BAG										
FERROUS IRON										
ENCORE										

Comments:
Sample Numbering Completed By: AMR Date/Time: 8/1/06 1030

Submission #: 06-07685

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery BC Lab Field Service Other (Specify)

SHIPPING CONTAINER

Ice Chest None Box Other (Specify)

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals: Ice Chest Containers None Comments:

Intact? Yes No

Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No

Description(s) match COC? Yes No

COC Received YES NO

Ice Chest ID: B/W
Temperature: 2.4 °C
Thermometer ID: 48

Emissivity: 0.97
Container: Q+A

Date/Time: 7/3/16
Analyst Init: AMK

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL										
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER	B									
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: Sample Numbering Completed By: AMK Date/Time: 8/1/16 0030

BC LABORATORIES, INC.

4100 Atlas Court □ Bakersfield, CA 93308
(661) 327-4911 □ FAX (661) 327-1918

CHAIN OF CUSTODY

Analysis Requested

#06-07685

Circle one: Phillips 66 / Unocal		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015	HVOC's (8010 list) by 8021B	OXYS BY 8260B, MTBE (8260)	ETHANOL by 8260B	SVOC's by 8270	EDB/EDC by 8260B			Turnaround Time Requested
Address: 4276 MacArthur		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan													
City: Oakland		4-digit site#: 1156													
		Work Order# 1112TRC502													
State: CA	Zip:	Project #: 41060001/FA20													
COP Manager: Thomas Kosel		Sampler Name: Joe L													
Lab#	Sample Description	Field Point Name	Date & Time Sampled												
		-1 MW-1 ✓	07-28-06 1040	GW	X		X	X	X	X	X			STD	
		-2 MW-2 ✓	1054	GW	X				X	X		X		STD	
		-3 MW-3 ✓	1028	GW	X				X	X		X		STD	
		-4 MW-4 ✓	1015	GW	X				X	X		X		STD	
		-5 MW-5 ✓	0755	GW	X				X	X		X		STD	
		-6 MW-6 ✓	0728	GW	X				X	X		X		STD	
		-7 MW-7 ✓	1120	GW	X				X	X		X		STD	

CHK BY	DISTRIBUTION
<i>[Signature]</i>	<i>[Signature]</i>
	SUB-OUT <input type="checkbox"/>

Comments:	Relinquished by: <i>[Signature]</i>	Received by: refrigerator	Date & Time: 07-28-06 1435
	Relinquished by (Signature): <i>[Signature]</i>	Received by: <i>[Signature]</i>	Date & Time: 7/31/06 1435
	Relinquished by (Signature): <i>[Signature]</i>	Received by: <i>[Signature]</i>	Date & Time: 7/31/06 1755

(A) = ANALYSIS (C) = CONTAINER (P) = PRESERVATIVE
No. cal. *[Signature]* 7/31/06 P 2105 *[Signature]* 7/31/06 2100

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by Onyx Transportation, Inc., to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures - Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water containing a significant amount of liquid-phase hydrocarbons was accumulated separately in drums for transportation and disposal by Filter Recycling, Inc.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.