



76 Broadway
Sacramento, California 95818

RECEIVED

10:28 am, Jul 17, 2008

Alameda County
Environmental Health

July 14, 2008

Mr. Jerry Wickham
Alameda County Health Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

**Re: Quarterly Summary Report – 2nd Quarter 2008
76 Station No. 1156
4276 MacArthur Boulevard
Oakland, California**

Dear Mr. Wickham,

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (916) 558-7612.

Sincerely,

Bill Borgh
Site Manager – Risk Management and Remediation

Attachment

July 14, 2008

Mr. Jerry Wickham
Alameda County Department of Public Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502


Re: Quarterly Summary Report – Second Quarter 2008
Delta Project No. C1Q1156604

Dear Mr. Jerry Wickham:


On behalf of ConocoPhillips Company (COP), Delta Consultants (Delta) is submitting the Quarterly Summary Report - Second Quarter 2008 and forwarding a copy of TRC's *Quarterly Monitoring Report, April through June 2008*, dated May 7, 2008 for the following location:

| <u>Service Station</u> | <u>Location</u> |
|-----------------------------|---|
| 76 Service Station No. 1156 | 4276 MacArthur Boulevard Oakland, California |

Sincerely,
DELTA CONSULTANTS



Dennis S. Dettloff, P.G.
Senior Project Manager
California Registered Professional Geologist No. 7480



cc: Mr. William Borgh, ConocoPhillips (electronic copy)
Mr. Bob Hale, Alameda County Public Works Agency,
Water Resources Section

QUARTERLY SUMMARY REPORT
Second Quarter 2008
76 Service Station No. 1156
4276 MacArthur Boulevard
Oakland, California

SITE DESCRIPTION

The site is located at the northeast corner of MacArthur Boulevard and High Street in Oakland, California. Two 12,000-gallon gasoline underground storage tanks (USTs) are located in the southwestern portion of the site and two dispenser islands are located at the site, one to the northwest and one to the east of the USTs. A station building is located in the northern portion of the site. There are currently eight groundwater monitoring wells (MW-1 through MW-8) and one tank backfill well (TP-1) located at and in the vicinity of the site. Properties in the immediate vicinity of the site are utilized for commercial and residential purposes.

PREVIOUS ASSESSMENT

In 1997, Pacific Environmental Group Inc. (PEG) advanced 5 soil/gas probes in the vicinity of the USTs, dispenser islands, and product lines to depths ranging from 3 to 15 feet below the ground surface (bgs). Elevated soil vapor concentrations of total petroleum hydrocarbons as gasoline (TPHg), benzene, and methyl tertiary butyl ether (MTBE) were reported at concentrations up to 4,700, 70, and 140 micrograms per liter ($\mu\text{g/L}$), respectively.

In 1998, Tosco Marketing Company (Tosco) removed one 280-gallon used-oil UST, and removed and replaced two 10,000-gallon gasoline USTs, associated piping, and fuel dispensers. The new USTs were installed in a separate excavation. Total petroleum hydrocarbons as diesel (TPHd), TPHg, benzene, and total recoverable petroleum hydrocarbons (TRPH) were reported in the soil sample collected from the used-oil UST excavation at concentrations of 78,000 milligrams per kilogram (mg/kg), 130 mg/kg, 0.55 mg/kg, and 8,400 mg/kg, respectively. Following the over-excavation of approximately 4.6 tons of soil from the used-oil UST excavation, concentrations of TPHd, TPHg, benzene, and TRPH were reported in soil samples collected from the used-oil UST excavation at concentrations up to 560, 81, 0.64, and 360 mg/kg, respectively. TPHg and benzene were reported in the soil samples collected from the gasoline UST excavation, dispenser islands, and product lines at concentrations up to 1,200 mg/kg and 1.6 mg/kg, respectively. Analytical data from a groundwater sample collected from the gasoline UST excavation indicated that TPHg and MTBE were present at concentrations of 41,000 $\mu\text{g/L}$ and 1,800 $\mu\text{g/L}$, respectively. Benzene was reported to be below the laboratory's indicated reporting limit in the groundwater sample collected for analysis.

In 1999, Environmental Resolutions Inc. (ERI) conducted a soil and groundwater assessment which included the installation of four on-site groundwater monitoring wells (MW-1 through MW-4). Analytical data from the soil samples collected from the borings at a depth of 10.5 feet bgs indicated TPHg, benzene, and MTBE were present at concentrations up to 6,800 mg/kg, 2.6 mg/kg, and 0.71 mg/kg, respectively. The soil sample from MW-1, near the former used-oil UST, was also analyzed for TPHd and TRPH. Analytical data from this soil sample indicated TPHd and TRPH were present at concentrations of 140 mg/kg and 73 mg/kg, respectively.

Analytical data from an additional soil sample collected at a depth of 20.5 feet bgs from the MW-4 boring indicated that TPHg, benzene, and MTBE were not present above the laboratory's indicated reporting limits. Quarterly groundwater monitoring and sampling activities commenced in July 1999 and are currently ongoing.

In July 2001, ERI installed a UST pit backfill well (TP-1) and initiated monthly purging of groundwater from the UST excavation. Bi-weekly groundwater purging was conducted at the site using wells TP-1 and MW-1 from July 2001 through December 2004.

In addition, during June 2004, the biweekly purging events included monitor well MW-7. Approximately 1,600 gallons of groundwater were removed from monitoring well MW-7 with a cumulative total of approximately 476,015 gallons removed from the site through December 2004.

In August 2001, ERI installed three off-site monitoring wells (MW-5 through MW-7). Analytical data from soil samples collected from these well borings indicated TPHg and MTBE were not present above the laboratory's indicated reporting limits. Analytical data indicated benzene was present in one soil sample collected from MW-7 at a concentration of 0.18 mg/kg.

ATC Associates became the new lead consultant for the site in January 2005.

Delta Consultants became the new consultant for the site in September 2005.

In October 2007, Delta advanced six soil borings on-site and installed an additional monitoring well, off-site, down-gradient of the former waste-oil tank location. The details of this investigation were presented in Delta's *Site Investigation Report*, dated December 28, 2007.

SENSITIVE RECEPTORS

2001 – A GeoTracker database search was conducted which indicated that four public water supply wells owned by the East Bay Regional Park District (Park District) are present within one-half mile of the site. Representatives from the Park District reported having no knowledge or records of any wells located in this area and indicated that the wells may have belonged to the East Bay Municipal Utility District (EBMUD); however, EBMUD also reported no knowledge or records of any wells located in this area.

2001 – A Department of Water Resources (DWR) database search was conducted which indicated four water supply wells belonging to Mills College were present within the one-half mile search area. A representative from Mills College indicated that all wells associated with Mills College had been destroyed and Mills College was now connected to a municipal water supply. The DWR search also indicated a well was located at 3397 Arkansas Street, approximately 880 feet outside of the search area. No other wells, surface water bodies, or potentially sensitive environmental habitats were identified during ERI's field receptor search.

2006 – A survey entailing a visit to the DWR office in Sacramento was conducted to examine well log records and identify domestic wells within the survey area. The DWR

survey provided two potential receptors within one mile of the site; one irrigation well located 0.9 miles northwest of the site and one domestic/irrigation well located 1.0 mile northeast of the site. Two additional potential receptors were identified, although the specific addresses could not be verified.

MONITORING AND SAMPLING

The monitor well network is currently sampled on a quarterly basis. During the most recent groundwater monitoring event, conducted on April 4, 2008, depths to groundwater ranged from 0.55 feet (MW-8) to 6.80 feet (MW-7) below top of casing (TOC). The groundwater flow direction and gradient was interpreted to be to the west at 0.007 foot per foot (ft/ft), consistent with historic events. Historic groundwater flow directions are shown on a rose diagram presented as Attachment A.

Contaminants of Concern:

TPHg: TPHg was above the laboratory's indicated reporting limits in monitoring wells MW-1 (71,000 µg/L), MW-2 (1,400 µg/L), MW-3 (7,500 µg/L), MW-4 (180 µg/L), MW-5 (210 µg/L), and MW-7 (1,800 µg/L) during the current event. However, laboratory notes indicate that the TPHg reported in samples collected from monitoring wells MW-2, MW-5, and MW-7 is entirely due to MTBE.

Benzene: Benzene was above the laboratory's indicated reporting limits in monitoring wells MW-1 (6,800 µg/L), MW-2 (15 µg/L), MW-3 (270 µg/L), MW-4 (11 µg/L), MW-7 (0.72 µg/L), and MW-8 (0.76 µg/L) during the current event.

MTBE: MTBE was above the laboratory's indicated reporting limits, when analyzed by EPA Method 8260B, in monitoring wells MW-1 (160 µg/L), MW-2 (2,100 µg/L), MW-3 (120 µg/L), MW-4 (110 µg/L), MW-5 (260 µg/L), and MW-7 (2,700 µg/L) during the current event.

Additionally, toluene was above the laboratory's indicated reporting limits in monitoring wells MW-1 (12,000 µg/L), MW-2 (2.1 µg/L), MW-3 (390 µg/L), MW-4 (2.0 µg/L), MW-6 (0.40 µg/L), MW-7 (0.58 µg/L), and MW-8 (1.6 µg/L). Ethyl-benzene was above the laboratory's indicated reporting limits in monitoring wells MW-1 (3,300 µg/L), MW-2 (0.76 µg/L), MW-3 (810 µg/L), MW-4 (0.67 µg/L), and MW-8 (0.72 µg/L). Total xylenes were above the laboratory's indicated reporting limits in monitoring wells MW-1 (13,000 µg/L), MW-3 (1,200 µg/L), MW-4 (2.9 µg/L), MW-6 (0.71 µg/L), and MW-8 (2.3 µg/L). 1,2-dichloroethane was above the laboratory's indicated reporting limit in monitoring wells MW-4 (1.0 µg/L) and MW-5 (1.4 µg/L). Tertiary butyl alcohol (TBA) was above the laboratory's indicated reporting limits in monitoring wells MW-1 (770 µg/L), MW-2 (5,800 µg/L), MW-4 (27 µg/L), and MW-7 (1,400 µg/L). TPHd was above the laboratory's indicated reporting limit in monitoring well MW-1 (15,000 µg/L).

During the first quarter 2007 monitoring and sampling event groundwater samples were collected from monitoring wells MW-2 and MW-4 for heterotrophic plate count (HPC). The HPC analytical data indicate that the dissolved oxygen (DO) in the groundwater in the vicinity of monitoring well MW-2 is depleted thus limiting the growth of natural bacterial populations. The HPC analytical data indicate that the DO in the groundwater in the vicinity of monitoring well MW-4 is also depleted but to a lesser extent than in the vicinity of monitoring well MW-2. Therefore, if oxygen were

introduced into the groundwater, via oxygen injection, the increased oxygen would likely stimulate the growth of natural bacterial populations thus increasing the degradation of the petroleum hydrocarbons in the groundwater.

REMEDIATION STATUS

No active remediation is presently ongoing at this site.

Approximately 1,350 tons of soil and backfill were removed during the 1998 UST removal. As of December 23, 2004, approximately 476,015 gallons of groundwater was pumped from the site during bi-weekly groundwater extraction from wells MW-1, MW-7, and TP-1. The groundwater extraction program was discontinued in December 2004.

CHARACTERIZATION STATUS

A former Shell service station down-gradient from the site currently has elevated petroleum hydrocarbons present in groundwater as evidenced in samples collected from on-site monitor wells (24,000 µg/L total purgeable petroleum hydrocarbons (TPPH), 3,300 µg/L benzene, and 1,900 µg/L MTBE in groundwater samples from Shell monitor well MW-3).

RECENT CORRESPONDENCE

A letter dated April 25, 2008 requested that COP submit a revised Corrective Action Plan (CAP) for the site.

THIS QUARTER ACTIVITIES (Second Quarter 2008)

1. TRC conducted the quarterly monitoring and sampling event at the site.

WASTE DISPOSAL SUMMARY

No waste was disposed of from the site during this reporting period.

NEXT QUARTER ACTIVITIES (Third Quarter 2008)


1. TRC will conduct the quarterly groundwater monitoring and sampling event at the site.
2. Delta will prepare a revised Corrective Action Plan for this site.

CONSULTANT: Delta Consultants

Attachment A – Historic Groundwater Flow Directions

Attachment A
Historic Groundwater Flow Directions

Historic Groundwater Flow Directions
ConocoPhillips Site No. 1156
 4276 MacArthur Boulevard
 Oakland, California



Legend
 Concentric circles represent
 quarterly monitoring events
 Third Quarter 1999 through
 Second Quarter 2008
 35 data points shown

■ Groundwater Flow Direction



21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

MAY 9 1 2008

DATE: May 7, 2008

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: 76 STATION 1156
4276 MACARTHUR BOULEVARD
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2008

Dear Mr. Borgh:

Please find enclosed our Quarterly Monitoring Report for 76 Station 1156, located 4276 MacArthur Boulevard, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan".

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Dennis Dettloff, Delta Consultants (2 copies)

Enclosures
20-0400/1156R19.QMS

**QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2008**

76 STATION 1156
4276 MacArthur Boulevard
Oakland, California

Prepared For:

Mr. Bill Borgh
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:




Senior Project Geologist, Irvine Operations

Date: 5/6/08



LIST OF ATTACHMENTS

| | |
|------------------------|---|
| Summary Sheet | Summary of Gauging and Sampling Activities |
| Tables | Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results Table 2b: Additional Historic Analytical Results Table 2c: Additional Historic Analytical Results Table 2d: Additional Historic Analytical Results Table 2e: Additional Historic Analytical Results Table 2f: Additional Historic Analytical Results Table 2g: Additional Historic Analytical Results Table 2h: Additional Historic Analytical Results |
| Coordinated Event Data | <i>Former Shell Station</i> Well Concentrations |
| Figures | Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map |
| Graphs | Groundwater Elevations vs. Time Benzene Concentrations vs. Time MTBE Concentrations vs. Time |
| Field Activities | General Field Procedures Field Monitoring Data Sheet – 04/04/08 Groundwater Sampling Field Notes – 04/04/08 |
| Laboratory Reports | Official Laboratory Reports Quality Control Reports Chain of Custody Records |
| Statements | Purge Water Disposal Limitations |

Summary of Gauging and Sampling Activities
April 2008 through June 2008
76 Station 1156
4276 MacArthur Boulevard
Oakland, CA

Project Coordinator: **Bill Borgh**
Telephone: **916-558-7612**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **04/04/08**

Sample Points

Groundwater wells: **4 onsite, 4 offsite** Points gauged: **8** Points sampled: **8**
Purging method: **Diaphragm pump**
Purge water disposal: **Onyx/Rodeo Unit 100**
Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): **n/a**
LPH removal frequency: **n/a** Method: **n/a**
Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **0.55 feet** Maximum: **6.8 feet**
Average groundwater elevation (relative to available local datum): **169.58 feet**
Average change in groundwater elevation since previous event: **-0.69 feet**
Interpreted groundwater gradient and flow direction:
 Current event: **0.007 ft/ft, west**
 Previous event: **0.05 ft/ft, west (01/09/08)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **6** Sample Points above MCL (1.0 µg/l): **4**
 Maximum reported benzene concentration: **6,800 µg/l (MW-1)**

Sample Points with **TPH-G** **6** Maximum: **71,000 µg/l (MW-1)**
Sample Points with **MTBE 8260B** **6** Maximum: **2,700 µg/l (MW-7)**

Notes:

This report presents the results of groundwater monitoring and sampling activities performed by TRC. Please contact the primary consultant for other specific information on this site.

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

| | | |
|-------|---|---|
| -- | = | not analyzed, measured, or collected |
| LPH | = | liquid-phase hydrocarbons |
| Trace | = | less than 0.01 foot of LPH in well |
| µg/l | = | micrograms per liter (approx. equivalent to parts per billion, ppb) |
| mg/l | = | milligrams per liter (approx. equivalent to parts per million, ppm) |
| ND < | = | not detected at or above laboratory detection limit |
| TOC | = | top of casing (surveyed reference elevation) |

ANALYTES

| | | |
|---------------|---|---|
| BTEX | = | benzene, toluene, ethylbenzene, and (total) xylenes |
| DIPE | = | di-isopropyl ether |
| ETBE | = | ethyl tertiary butyl ether |
| MTBE | = | methyl tertiary butyl ether |
| PCB | = | polychlorinated biphenyls |
| PCE | = | tetrachloroethene |
| TBA | = | tertiary butyl alcohol |
| TCA | = | trichloroethane |
| TCE | = | trichloroethene |
| TPH-G | = | total petroleum hydrocarbons with gasoline distinction |
| TPH-G (GC/MS) | = | total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B |
| TPH-D | = | total petroleum hydrocarbons with diesel distinction |
| TRPH | = | total recoverable petroleum hydrocarbons |
| TAME | = | tertiary amyl methyl ether |
| 1,1-DCA | = | 1,1-dichloroethane |
| 1,2-DCA | = | 1,2-dichloroethane (same as EDC, ethylene dichloride) |
| 1,1-DCE | = | 1,1-dichloroethene |
| 1,2-DCE | = | 1,2-dichloroethene (cis- and trans-) |
| DNA | = | data not available |

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$, where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 1156 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 1156

Current Event

| Table 1 | Well/ Date | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|---------|------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|----------|
|---------|------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|----------|

| Table 1a | Well/ Date | TPH-D | TBA | Ethanol (8260B) | Ethylene dibromide (EDB) | 1,2-DCA (EDC) | DIPE | ETBE | TAME |
|----------|------------|-------|-----|-----------------|--------------------------|---------------|------|------|------|
|----------|------------|-------|-----|-----------------|--------------------------|---------------|------|------|------|

Historic Data

| Table 2 | Well/ Date | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|---------|------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|----------|
|---------|------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|--------------|---------------|--------------|--------------|----------|

| Table 2a | Well/ Date | TPH-D | TBA | Ethanol (8015B) | Ethanol (8260B) | Ethylene dibromide (EDB) | 1,2-DCA (EDC) | DIPE | ETBE | TAME | Acenaphthylene | Bromodichloromethane | Bromoform | Bromo-methane | Carbon Tetrachloride |
|----------|------------|-------|-----|-----------------|-----------------|--------------------------|---------------|------|------|------|----------------|----------------------|-----------|---------------|----------------------|
|----------|------------|-------|-----|-----------------|-----------------|--------------------------|---------------|------|------|------|----------------|----------------------|-----------|---------------|----------------------|

| Table 2b | Well/ Date | Chloroethane | Chloroform | Chloromethane | Dibromochloromethane | 1,2-Dichlorobenzene | 1,3-Dichlorobenzene | 1,4-Dichlorobenzene | Dichlorodifluoromethane | 1,1-DCA | 1,1-DCE | cis-1,2-DCE | trans-1,2-DCE | 1,2-Dichloropropane | cis-1,3-Dichloropropene | trans-1,3-Dichloropropene |
|----------|------------|--------------|------------|---------------|----------------------|---------------------|---------------------|---------------------|-------------------------|---------|---------|-------------|---------------|---------------------|-------------------------|---------------------------|
|----------|------------|--------------|------------|---------------|----------------------|---------------------|---------------------|---------------------|-------------------------|---------|---------|-------------|---------------|---------------------|-------------------------|---------------------------|

| Table 2c | Well/ Date | Hexachlorobutadiene | Methylene chloride | Naphthalene | n-Propylbenzene | 1,1,2,2-Tetrachloroethane | 1,2,4-Trichlorobenzene | 1,1,1-Trichloroethane | 1,2,4-Trichlorobenzene | 1,1,1-Trichloroethane | Benzyl Alcohol | Bis(2-chloroethoxy) | Trichloroethene (TCE) | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Vinyl chloride |
|----------|------------|---------------------|--------------------|-------------|-----------------|---------------------------|------------------------|-----------------------|------------------------|-----------------------|----------------|---------------------|-----------------------|------------------------|------------------------|----------------|
|----------|------------|---------------------|--------------------|-------------|-----------------|---------------------------|------------------------|-----------------------|------------------------|-----------------------|----------------|---------------------|-----------------------|------------------------|------------------------|----------------|

| Table 2d | Well/ Date | Acenaphthene | Acenaphthylene (svoc) | Anthracene | Benzo[a]anthracene | Benzo[a]pyrene | Benzo[b]fluoranthene | Benzo[g,h,i]perylene | Benzofluoranthene | Benzoic Acid | Benzyl Alcohol | Bis(2-chloroethyl) ether | Bis(2-chloroethoxy) | Bis(2-chloroethyl) ether isopropyl- | Bis(2-ethylhexyl) phthalate | 4-Bromophenyl ether |
|----------|------------|--------------|-----------------------|------------|--------------------|----------------|----------------------|----------------------|-------------------|--------------|----------------|--------------------------|---------------------|-------------------------------------|-----------------------------|---------------------|
|----------|------------|--------------|-----------------------|------------|--------------------|----------------|----------------------|----------------------|-------------------|--------------|----------------|--------------------------|---------------------|-------------------------------------|-----------------------------|---------------------|

| Table 2e | Well/ Date | Butylbenzyl phthalate | 4-Chloro-3-methylphenol | 4-Chloroaniline | 2-Chloronaphthalene | 2-Chlorophenol | 4-Chlorophenyl phenyl | Chrysene | Dibenzofluoranthene | Dibenzofuran | 1,2-Dichlorobenzene | 1,4-Dichlorobenzene | 3,3-Dichlorobenzidine | 2,4-Dichlorophenol | Diethyl phthalate |
|----------|------------|-----------------------|-------------------------|-----------------|---------------------|----------------|-----------------------|----------|---------------------|--------------|---------------------|---------------------|-----------------------|--------------------|-------------------|
|----------|------------|-----------------------|-------------------------|-----------------|---------------------|----------------|-----------------------|----------|---------------------|--------------|---------------------|---------------------|-----------------------|--------------------|-------------------|

| Table 2f | Well/ Date | 2,4-Dimethylphenol | Dimethyl phthalate | Di-n-butyl phthalate | 2,4-Dinitrophenol | 2,4-Dinitrotoluene | 2,6-Dinitrotoluene | Di-n-octyl phthalate | Fluoranthene | Fluorene | Hexachlorobenzene | Hexachlorocyclopentadiene | Hexachloroethane | Indeno[1,2,3-c,d]pyrene | Isophorone |
|----------|------------|--------------------|--------------------|----------------------|-------------------|--------------------|--------------------|----------------------|--------------|----------|-------------------|---------------------------|------------------|-------------------------|------------|
|----------|------------|--------------------|--------------------|----------------------|-------------------|--------------------|--------------------|----------------------|--------------|----------|-------------------|---------------------------|------------------|-------------------------|------------|

| Table 2g | Well/ Date | 2-Methyl-4-dinitrophenol | 2-Methylnaphthalene | 2-Methylphenol | 4-Methylphenol | Naphthalene (svoc) | 2-Nitroaniline | 3-Nitroaniline | 4-Nitroaniline | Nitrobenzene | 2-Nitrophenol | 4-Nitrophenol | N-nitrosodiphenylamine | N-Nitrosodiphenylamine | Penta-chlorophenol | Phenanthrene |
|----------|------------|--------------------------|---------------------|----------------|----------------|--------------------|----------------|----------------|----------------|--------------|---------------|---------------|------------------------|------------------------|--------------------|--------------|
|----------|------------|--------------------------|---------------------|----------------|----------------|--------------------|----------------|----------------|----------------|--------------|---------------|---------------|------------------------|------------------------|--------------------|--------------|

| Table 2h | Well/ Date | Phenol | Pyrene | 1,2,4-Trichlorobenzene | 2,4,6-Trichlorophenol | 2,4,5-Trichlorophenol |
|----------|------------|--------|--------|------------------------|-----------------------|-----------------------|
|----------|------------|--------|--------|------------------------|-----------------------|-----------------------|

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
 April 4, 2008
 76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|--------------------------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|---------------------|----------------------|---------------------|---------------------|----------|
| MW-1 | 04/04/08 177.54 | 5.25 | 0.00 | 172.29 | -0.10 | 71000 | -- | 6800 | 12000 | 3300 | 13000 | -- | 160 | |
| | | (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | |
| MW-2 | 04/04/08 173.50 | 3.52 | 0.00 | 169.98 | -0.49 | 1400 | -- | 15 | 2.1 | 0.76 | ND<0.60 | -- | 2100 | |
| | | (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | |
| MW-3 | 04/04/08 178.13 | 5.69 | 0.00 | 172.44 | -2.04 | 7500 | -- | 270 | 390 | 810 | 1200 | -- | 120 | |
| | | (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | |
| MW-4 | 04/04/08 178.96 | 4.20 | 0.00 | 174.76 | -0.80 | 180 | -- | 11 | 2.0 | 0.67 | 2.9 | -- | 110 | |
| | | (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | |
| MW-5 | 04/04/08 169.18 | 1.72 | 0.00 | 167.46 | -0.63 | 210 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | -- | 260 | |
| | | (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | |
| MW-6 | 04/04/08 169.04 | 1.60 | 0.00 | 167.44 | -0.50 | ND<50 | -- | ND<0.30 | 0.40 | ND<0.30 | 0.71 | -- | ND<0.50 | |
| | | (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | |
| MW-7 | 04/04/08 171.64 | 6.80 | 0.00 | 164.84 | -0.82 | 1800 | -- | 0.72 | 0.58 | ND<0.30 | ND<0.60 | -- | 2700 | |
| | | (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | |
| MW-8 | 04/04/08 167.97 | 0.55 | 0.00 | 167.42 | -0.12 | ND<50 | -- | 0.76 | 1.6 | 0.72 | 2.3 | -- | ND<0.50 | |
| | | (Screen Interval in feet: 15.0-25.0) | | | | | | | | | | | | |

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) |
|-------------------------|-----------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|
| MW-1 04/04/08 | 15000 | 770 | ND<5000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 |
| MW-2 04/04/08 | -- | 5800 | ND<1200 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 |
| MW-3 04/04/08 | -- | ND<50 | ND<1200 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 |
| MW-4 04/04/08 | -- | 27 | ND<250 | ND<0.50 | 1.0 | ND<0.50 | ND<0.50 | ND<0.50 |
| MW-5 04/04/08 | -- | ND<10 | ND<250 | ND<0.50 | 1.4 | ND<0.50 | ND<0.50 | ND<0.50 |
| MW-6 04/04/08 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |
| MW-7 04/04/08 | -- | 1400 | ND<6200 | ND<12 | ND<12 | ND<12 | ND<12 | ND<12 |
| MW-8 04/04/08 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|---|
| MW-1 (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | | | |
| 07/20/99 | 174.86 | 7.50 | 0.00 | 167.36 | -- | 120000 | -- | 11000 | 27000 | 3300 | 18000 | ND | -- | |
| 09/28/99 | 174.86 | 8.75 | 0.00 | 166.11 | -1.25 | 6020 | -- | 1030 | 1040 | 68.5 | 412 | 321 | 333 | |
| 01/07/00 | 174.86 | 9.05 | 0.02 | 165.82 | -0.29 | 72700 | -- | 7410 | 13900 | 2070 | 9620 | ND | -- | GWE corrected |
| 03/31/00 | 174.86 | 7.18 | 0.00 | 167.68 | 1.86 | 92000 | -- | 10000 | 23000 | 3200 | 14000 | ND | -- | |
| 07/14/00 | 174.86 | 7.68 | 0.00 | 167.18 | -0.50 | 108000 | -- | 8250 | 18700 | 3750 | 17800 | ND | -- | |
| 10/03/00 | 174.86 | 7.99 | 0.00 | 166.87 | -0.31 | 96000 | -- | 8760 | 20000 | 3350 | 15600 | ND | -- | |
| 01/03/01 | 174.86 | 9.18 | 0.00 | 165.68 | -1.19 | 37000 | -- | 5800 | 13000 | 1700 | 8100 | 2200 | -- | |
| 04/04/01 | 174.86 | 8.05 | 0.00 | 166.81 | 1.13 | 86900 | -- | 7780 | 18500 | 2470 | 11800 | ND | 481 | |
| 07/17/01 | 174.86 | 7.01 | 0.00 | 167.85 | 1.04 | 79000 | -- | 5600 | 11000 | 2800 | 12000 | ND | 230 | |
| 10/03/01 | 177.54 | 7.89 | 0.00 | 169.65 | 1.80 | 99000 | -- | 8200 | 18000 | 3000 | 16000 | ND<2500 | -- | |
| 10/05/01 | 177.54 | 7.91 | 0.00 | 169.63 | -0.02 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 01/28/02 | 177.54 | 5.98 | 0.00 | 171.56 | 1.93 | 110000 | -- | 8900 | 19000 | 2600 | 12000 | 3000 | 440 | |
| 04/25/02 | 177.54 | 6.19 | 0.00 | 171.35 | -0.21 | 93000 | -- | 8100 | 18000 | 3000 | 15000 | 810 | 670 | |
| 07/18/02 | 177.54 | 6.99 | 0.00 | 170.55 | -0.80 | 69000 | -- | 5400 | 10000 | 2100 | 10000 | ND<500 | 620 | |
| 10/07/02 | 177.54 | 7.73 | 0.00 | 169.81 | -0.74 | 82000 | -- | 9200 | 20000 | 2600 | 13000 | 1300 | 760 | |
| 01/06/03 | 177.54 | 5.48 | 0.00 | 172.06 | 2.25 | 82000 | -- | 6500 | 18000 | 2700 | 11000 | ND<1000 | 790 | |
| 04/07/03 | 177.54 | 6.30 | 0.00 | 171.24 | -0.82 | 74000 | -- | 7000 | 15000 | 2400 | 11000 | 1000 | 800 | |
| 07/07/03 | 177.54 | 6.47 | 0.00 | 171.07 | -0.17 | 60000 | -- | 6400 | 11000 | 2600 | 11000 | 600 | 530 | |
| 10/09/03 | 177.54 | 7.85 | 0.00 | 169.69 | -1.38 | 91000 | 81000 | 8100 | 17000 | 3200 | 14000 | -- | 660 | Sampled for TPH-G by 8015M on 11/14/03. |
| 01/14/04 | 177.54 | 6.69 | 0.00 | 170.85 | 1.16 | 98000 | -- | 8000 | 21000 | 2600 | 15000 | ND<1300 | ND<800 | |
| 04/28/04 | 177.54 | 6.43 | 0.00 | 171.11 | 0.26 | 93000 | -- | 9000 | 20000 | 1300 | 10000 | 1400 | 560 | |
| 07/12/04 | 177.54 | 7.44 | 0.00 | 170.10 | -1.01 | 57000 | -- | 6900 | 7200 | 1600 | 580 | 490 | 440 | |
| 10/25/04 | 177.54 | 7.54 | 0.00 | 170.00 | -0.10 | 66000 | -- | 7300 | 19000 | 2700 | 14000 | ND<1300 | 330 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|-------------------------------|
| MW-1 continued | | | | | | | | | | | | | | |
| 01/17/05 | 177.54 | 5.79 | 0.00 | 171.75 | 1.75 | 86000 | -- | 8600 | 21000 | 3200 | 15000 | ND<1300 | 570 | |
| 04/06/05 | 177.54 | 4.93 | 0.00 | 172.61 | 0.86 | 85000 | -- | 8400 | 20000 | 3200 | 16000 | ND<1300 | 580 | |
| 07/08/05 | 177.54 | 5.35 | 0.00 | 172.19 | -0.42 | 69000 | -- | 7100 | 17000 | 2700 | 14000 | ND<1300 | 290 | |
| 10/07/05 | 177.54 | 5.96 | 0.00 | 171.58 | -0.61 | 68000 | -- | 5900 | 8300 | 1800 | 8300 | 330 | 250 | |
| 01/27/06 | 177.54 | 5.08 | 0.00 | 172.46 | 0.88 | 94000 | -- | 7400 | 19000 | 3700 | 14000 | 450 | 360 | |
| 04/28/06 | 177.54 | 4.85 | 0.00 | 172.69 | 0.23 | 74000 | -- | 6400 | 13000 | 2300 | 10000 | 460 | 280 | |
| 07/28/06 | 177.54 | 5.32 | 0.00 | 172.22 | -0.47 | 74000 | -- | 6600 | 12000 | 3100 | 13000 | 330 | 220 | |
| 10/27/06 | 177.54 | 6.13 | 0.00 | 171.41 | -0.81 | 100000 | -- | 8300 | 20000 | 3600 | 16000 | 280 | 250 | |
| 01/10/07 | 177.54 | 5.47 | 0.00 | 172.07 | 0.66 | 84000 | -- | 7100 | 15000 | 2600 | 13000 | 350 | 260 | |
| 04/13/07 | 177.54 | 5.60 | 0.00 | 171.94 | -0.13 | 27000 | -- | 5600 | 840 | 2300 | 3200 | 270 | 220 | |
| 07/19/07 | 177.54 | 5.69 | 0.00 | 171.85 | -0.09 | 83000 | -- | 6000 | 15000 | 2600 | 13000 | 1000 | 200 | |
| 10/08/07 | 177.54 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Gate locked; no key available |
| 01/09/08 | 177.54 | 5.15 | 0.00 | 172.39 | -- | 40000 | -- | 6000 | 4800 | 2600 | 5100 | 840 | 170 | Gauged on 1/18/08 |
| 04/04/08 | 177.54 | 5.25 | 0.00 | 172.29 | -0.10 | 71000 | -- | 6800 | 12000 | 3300 | 13000 | -- | 160 | |
| MW-2 (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | | | |
| 07/20/99 | 173.01 | 5.40 | -- | 167.61 | -- | ND | -- | ND | ND | ND | ND | 4500 | 11000 | |
| 09/28/99 | 173.01 | 5.60 | 0.00 | 167.41 | -0.20 | 1390 | -- | 124 | ND | 62.9 | 43.1 | 5280 | 6150 | |
| 01/07/00 | 173.01 | 5.92 | 0.00 | 167.09 | -0.32 | 1450 | -- | 99 | ND | 23.8 | 16 | 33100 | -- | |
| 03/31/00 | 173.01 | 5.23 | 0.00 | 167.78 | 0.69 | ND | -- | 42 | ND | ND | ND | 17000 | -- | |
| 07/14/00 | 173.01 | 5.52 | 0.00 | 167.49 | -0.29 | ND | -- | 44.7 | ND | ND | ND | 66500 | -- | |
| 10/03/00 | 173.01 | 6.04 | 0.00 | 166.97 | -0.52 | ND | -- | 56.7 | ND | ND | ND | 57500 | -- | |
| 01/03/01 | 173.01 | 6.42 | 0.00 | 166.59 | -0.38 | ND | -- | ND | ND | ND | ND | 49000 | -- | |
| 04/04/01 | 173.01 | 6.14 | 0.00 | 166.87 | 0.28 | ND | -- | ND | ND | ND | ND | 38700 | 37800 | |
| 07/17/01 | 173.01 | 5.30 | 0.00 | 167.71 | 0.84 | ND | -- | ND | ND | ND | ND | 65000 | 56000 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|---|
| MW-2 continued | | | | | | | | | | | | | | |
| 10/03/01 | 173.50 | 7.38 | 0.00 | 166.12 | -1.59 | ND<250 | -- | 2.7 | ND<2.5 | ND<2.5 | ND<2.5 | 14000 | 18000 | |
| 01/28/02 | 173.50 | 5.68 | 0.00 | 167.82 | 1.70 | ND<250 | -- | 2.5 | 4.4 | 2.8 | 7.4 | 11000 | 10000 | |
| 04/25/02 | 173.50 | 5.82 | 0.00 | 167.68 | -0.14 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 8400 | 8100 | |
| 07/18/02 | 173.50 | 6.90 | 0.00 | 166.60 | -1.08 | ND<500 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 4300 | 8800 | |
| 10/07/02 | 173.50 | 7.54 | 0.00 | 165.96 | -0.64 | 4300 | -- | ND<10 | 27 | 21 | 75 | 7100 | 5900 | |
| 01/06/03 | 173.50 | 6.79 | 0.00 | 166.71 | 0.75 | 5900 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 31000 | 35000 | |
| 04/07/03 | 173.50 | 6.49 | 0.00 | 167.01 | 0.30 | 1500 | -- | ND<10 | 14 | 11 | 38 | 2000 | 1500 | |
| 07/07/03 | 173.50 | 6.72 | 0.00 | 166.78 | -0.23 | ND<2500 | -- | ND<25 | ND<25 | ND<25 | ND<25 | 5500 | 8300 | |
| 10/09/03 | 173.50 | 7.16 | 0.00 | 166.34 | -0.44 | 3500 | ND<5000 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 8500 | Sampled for TPH-G by 8015M on 11/14/03. |
| 01/14/04 | 173.50 | 5.53 | 0.00 | 167.97 | 1.63 | 3200 | -- | ND<25 | ND<25 | ND<25 | ND<25 | 2600 | 3200 | |
| 04/28/04 | 173.50 | 5.21 | 0.00 | 168.29 | 0.32 | 22000 | -- | ND<3 | 9.2 | ND<3 | ND<6 | 35000 | 22000 | |
| 07/12/04 | 173.50 | 5.83 | 0.00 | 167.67 | -0.62 | 1700 | -- | 3.8 | 18 | 2.6 | 16 | 3000 | 3000 | |
| 10/25/04 | 173.50 | 6.89 | 0.00 | 166.61 | -1.06 | 3400 | -- | ND<25 | ND<25 | ND<25 | ND<25 | 1800 | 1600 | |
| 01/17/05 | 173.50 | 5.70 | 0.00 | 167.80 | 1.19 | 1700 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 1600 | 1500 | |
| 04/06/05 | 173.50 | 4.50 | 0.00 | 169.00 | 1.20 | 3000 | -- | ND<20 | ND<20 | ND<20 | ND<20 | 2500 | 3200 | |
| 07/08/05 | 173.50 | 4.69 | 0.00 | 168.81 | -0.19 | ND<2000 | -- | ND<20 | ND<20 | ND<20 | ND<20 | 2900 | 3100 | |
| 10/07/05 | 173.50 | 4.61 | 0.00 | 168.89 | 0.08 | 7500 | -- | 6.7 | 6.6 | ND<3.0 | ND<6.0 | 5900 | 5200 | |
| 01/27/06 | 173.50 | 4.10 | 0.00 | 169.40 | 0.51 | 2500 | -- | 1.0 | 2.6 | ND<0.30 | ND<0.60 | 2600 | 2800 | |
| 04/28/06 | 173.50 | 3.75 | 0.00 | 169.75 | 0.35 | 3100 | -- | 9.4 | 3.6 | 0.94 | 3.4 | 3700 | 3600 | |
| 07/28/06 | 173.50 | 4.34 | 0.00 | 169.16 | -0.59 | 3000 | -- | 2.0 | ND<1.5 | ND<1.5 | ND<3.0 | 3000 | 2900 | |
| 10/27/06 | 173.50 | 5.62 | 0.00 | 167.88 | -1.28 | 1800 | -- | 1.5 | ND<1.5 | ND<1.5 | ND<3.0 | 1600 | 1300 | |
| 01/10/07 | 173.50 | 4.02 | 0.00 | 169.48 | 1.60 | 2100 | -- | 1.1 | ND<0.60 | ND<0.60 | ND<1.2 | 2300 | 2000 | |
| 04/13/07 | 173.50 | 4.03 | 0.00 | 169.47 | -0.01 | 3300 | -- | 12 | 1.6 | 0.46 | 1.1 | 3600 | 3200 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|---------------------|----------------------|---------------------|---------------------|---|
| MW-2 continued | | | | | | | | | | | | | | |
| 07/19/07 | 173.50 | 4.41 | 0.00 | 169.09 | -0.38 | 2500 | -- | 21 | 0.64 | 5.1 | 1.5 | 2000 | 2000 | |
| 10/08/07 | 173.50 | 4.93 | 0.00 | 168.57 | -0.52 | 3400 | -- | 38 | 1.6 | 13 | 2.1 | 5000 | 4000 | |
| 01/09/08 | 173.50 | 3.03 | 0.00 | 170.47 | 1.90 | 1700 | -- | 6.2 | 2.5 | 0.61 | 0.91 | 2100 | 2200 | Gauged on 1/18/08 |
| 04/04/08 | 173.50 | 3.52 | 0.00 | 169.98 | -0.49 | 1400 | -- | 15 | 2.1 | 0.76 | ND<0.60 | -- | 2100 | |
| MW-3 (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | | | |
| 07/20/99 | 178.44 | 8.50 | -- | 169.94 | -- | 1000 | -- | 76 | 52 | 79 | 76 | 330 | -- | |
| 09/28/99 | 178.44 | 8.31 | 0.00 | 170.13 | 0.19 | 1860 | -- | 174 | 95.4 | 71.8 | 135 | 443 | 288 | |
| 01/07/00 | 178.44 | 8.56 | 0.00 | 169.88 | -0.25 | 28400 | -- | 2450 | 3090 | 1560 | 3910 | 1940 | -- | |
| 03/31/00 | 178.44 | 8.42 | 0.00 | 170.02 | 0.14 | 26000 | -- | 1300 | 2900 | 2600 | 3500 | 2800 | -- | |
| 07/14/00 | 178.44 | 8.61 | 0.00 | 169.83 | -0.19 | 24500 | -- | 1850 | 2630 | 2750 | 3900 | 548 | -- | |
| 10/03/00 | 178.44 | 9.14 | 0.00 | 169.30 | -0.53 | 22000 | -- | 1910 | 2020 | 2400 | 2680 | 965 | -- | |
| 01/03/01 | 178.44 | 9.06 | 0.00 | 169.38 | 0.08 | 14000 | -- | 1600 | 1100 | 2300 | 1400 | 3300 | -- | |
| 04/04/01 | 178.44 | 8.98 | 0.00 | 169.46 | 0.08 | 19600 | -- | 1150 | 1470 | 2100 | 1820 | 1050 | 450 | |
| 07/17/01 | 178.44 | 7.46 | 0.00 | 170.98 | 1.52 | 26000 | -- | 1500 | 2100 | 2100 | 3400 | ND | 350 | |
| 10/03/01 | 178.13 | 9.81 | 0.00 | 168.32 | -2.66 | 22000 | -- | 830 | 1900 | 1700 | 3000 | ND<1000 | -- | |
| 01/28/02 | 178.13 | 7.39 | 0.00 | 170.74 | 2.42 | 30000 | -- | 880 | 2600 | 1800 | 4300 | 3200 | 210 | |
| 04/25/02 | 178.13 | 7.86 | 0.00 | 170.27 | -0.47 | 18000 | -- | 500 | 2000 | 1300 | 3800 | 500 | 260 | |
| 07/18/02 | 178.13 | 8.83 | 0.00 | 169.30 | -0.97 | 37000 | -- | 1800 | 3800 | 2200 | 8000 | ND<250 | 270 | |
| 10/07/02 | 178.13 | 9.71 | 0.00 | 168.42 | -0.88 | 26000 | -- | 600 | 2000 | 1800 | 6400 | ND<120 | ND<200 | |
| 01/06/03 | 178.13 | 7.40 | 0.00 | 170.73 | 2.31 | 27000 | -- | 800 | 2100 | 2000 | 6400 | 440 | 110 | |
| 04/07/03 | 178.13 | 8.17 | 0.00 | 169.96 | -0.77 | 28000 | -- | 660 | 2200 | 1900 | 6300 | 440 | 100 | |
| 07/07/03 | 178.13 | 8.35 | 0.00 | 169.78 | -0.18 | 33000 | -- | 1200 | 2500 | 2700 | 8300 | 280 | 100 | |
| 10/09/03 | 178.13 | 9.39 | 0.00 | 168.74 | -1.04 | 3800 | 6000 | 120 | 260 | 390 | 1200 | -- | 190 | Sampled for TPH-G by 8015M on 11/14/03. |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|---|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|-------------------|
| (feet) | (feet) | (feet) | (feet) | (feet) | (feet) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | |
| MW-3 continued | | | | | | | | | | | | | | |
| 01/14/04 | 178.13 | 6.86 | 0.00 | 171.27 | 2.53 | 5100 | -- | 120 | 240 | 310 | 720 | 190 | 230 | |
| 04/28/04 | 178.13 | 6.63 | 0.00 | 171.50 | 0.23 | 7300 | -- | 250 | 440 | 580 | 1300 | 740 | 240 | |
| 07/12/04 | 178.13 | 7.41 | 0.00 | 170.72 | -0.78 | 5500 | -- | 350 | 310 | 120 | 350 | 180 | 100 | |
| 10/25/04 | 178.13 | 8.81 | 0.00 | 169.32 | -1.40 | 3300 | -- | 96 | 140 | 270 | 490 | 94 | 260 | |
| 01/17/05 | 178.13 | 6.37 | 0.00 | 171.76 | 2.44 | 3400 | -- | 150 | 270 | 360 | 750 | 55 | 200 | |
| 04/06/05 | 178.13 | 4.69 | 0.00 | 173.44 | 1.68 | 14000 | -- | 420 | 1300 | 1000 | 3100 | ND<250 | 200 | |
| 07/08/05 | 178.13 | 5.23 | 0.00 | 172.90 | -0.54 | 5000 | -- | 180 | 290 | 500 | 800 | ND<250 | 150 | |
| 10/07/05 | 178.13 | 6.35 | 0.00 | 171.78 | -1.12 | 6800 | -- | 270 | 120 | ND<0.30 | 210 | 260 | 180 | |
| 01/27/06 | 178.13 | 5.24 | 0.00 | 172.89 | 1.11 | 3200 | -- | 120 | 140 | 270 | 460 | 280 | 250 | |
| 04/28/06 | 178.13 | 5.01 | 0.00 | 173.12 | 0.23 | 4500 | -- | 130 | 250 | 380 | 670 | 230 | 180 | |
| 07/28/06 | 178.13 | 6.21 | 0.00 | 171.92 | -1.20 | 4700 | -- | 160 | 240 | 510 | 730 | 250 | 150 | |
| 10/27/06 | 178.13 | 6.93 | 0.00 | 171.20 | -0.72 | 3700 | -- | 150 | 160 | 460 | 530 | 250 | 140 | |
| 01/10/07 | 178.13 | 5.93 | 0.00 | 172.20 | 1.00 | 4800 | -- | 180 | 160 | 550 | 600 | 230 | 150 | |
| 04/13/07 | 178.13 | 6.10 | 0.00 | 172.03 | -0.17 | 5100 | -- | 180 | 240 | 550 | 710 | 230 | 160 | |
| 07/19/07 | 178.13 | 6.51 | 0.00 | 171.62 | -0.41 | 2000 | -- | 110 | 64 | 220 | 190 | 190 | 180 | |
| 10/08/07 | 178.13 | 7.05 | 0.00 | 171.08 | -0.54 | 2100 | -- | 72 | 65 | 180 | 290 | 180 | 120 | |
| 01/09/08 | 178.13 | 3.65 | 0.00 | 174.48 | 3.40 | 4200 | -- | 200 | 160 | 510 | 580 | 290 | 120 | Gauged on 1/18/08 |
| 04/04/08 | 178.13 | 5.69 | 0.00 | 172.44 | -2.04 | 7500 | -- | 270 | 390 | 810 | 1200 | -- | 120 | |
| MW-4 (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | | | |
| 07/20/99 | 179.10 | 7.40 | -- | 171.70 | -- | 69 | -- | 2.7 | 0.77 | ND | 7.1 | 100 | -- | |
| 09/28/99 | 179.10 | 7.19 | 0.00 | 171.91 | 0.21 | 4050 | -- | 1250 | 72 | 51.3 | 133 | 416 | 459 | |
| 01/07/00 | 179.10 | 8.98 | 0.00 | 170.12 | -1.79 | 7010 | -- | 2260 | 167 | 271 | 276 | 764 | -- | |
| 03/31/00 | 179.10 | 7.26 | 0.00 | 171.84 | 1.72 | 5500 | -- | 1800 | 230 | 330 | 400 | 1000 | -- | |
| 07/14/00 | 179.10 | 7.67 | 0.00 | 171.43 | -0.41 | 7940 | -- | 2810 | 332 | 450 | 247 | 1530 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|--|
| MW-4 continued | | | | | | | | | | | | | | |
| 10/03/00 | 179.10 | 8.12 | 0.00 | 170.98 | -0.45 | 11400 | -- | 3110 | 437 | 519 | 816 | 1040 | -- | |
| 01/03/01 | 179.10 | 9.10 | 0.00 | 170.00 | -0.98 | 8600 | -- | 2500 | 340 | 480 | 960 | 850 | -- | |
| 04/04/01 | 179.10 | 8.63 | 0.00 | 170.47 | 0.47 | 9950 | -- | 2380 | 126 | 416 | 725 | 1140 | 819 | |
| 07/17/01 | 179.10 | 6.49 | 0.00 | 172.61 | 2.14 | 10000 | -- | 2300 | 110 | 410 | 800 | 1200 | 900 | |
| 10/03/01 | 178.96 | 7.01 | 0.00 | 171.95 | -0.66 | 7800 | -- | 2100 | 85 | 380 | 390 | 580 | 820 | |
| 01/28/02 | 178.96 | 6.21 | 0.00 | 172.75 | 0.80 | 12000 | -- | 2100 | 130 | 350 | 670 | 1100 | 500 | |
| 04/25/02 | 178.96 | 5.49 | 0.00 | 173.47 | 0.72 | 3300 | -- | 1300 | 42 | 270 | 250 | 680 | 600 | |
| 07/18/02 | 178.96 | 8.28 | 0.00 | 170.68 | -2.79 | 4800 | -- | 1300 | 71 | 290 | 220 | 530 | 760 | |
| 10/07/02 | 178.96 | 7.49 | 0.00 | 171.47 | 0.79 | 5100 | -- | 1400 | 110 | 330 | 380 | 650 | 540 | |
| 01/06/03 | 178.96 | 6.36 | 0.00 | 172.60 | 1.13 | 5600 | -- | 1100 | 57 | 260 | 320 | 370 | 520 | |
| 04/07/03 | 178.96 | 6.24 | 0.00 | 172.72 | 0.12 | 5100 | -- | 1100 | 55 | 190 | 370 | 550 | 420 | |
| 07/07/03 | 178.96 | 6.43 | 0.00 | 172.53 | -0.19 | 3000 | -- | 920 | 28 | 170 | 330 | 480 | 450 | |
| 10/09/03 | 178.96 | 7.97 | 0.00 | 170.99 | -1.54 | 530 | 700 | 100 | 2.2 | 5.4 | 14 | -- | 270 | Sampled for TPH-G by 8015M on 11/14/03. |
| 01/14/04 | 178.96 | 6.30 | 0.00 | 172.66 | 1.67 | 530 | -- | 88 | 4.1 | 9.9 | 11 | 150 | 180 | |
| 04/28/04 | 178.96 | 5.68 | 0.00 | 173.28 | 0.62 | 1200 | -- | 200 | 5.3 | 21 | 13 | 490 | 310 | |
| 07/12/04 | 178.96 | 6.48 | 0.00 | 172.48 | -0.80 | 3600 | -- | 1000 | 14 | 260 | 72 | 710 | 470 | |
| 10/25/04 | 178.96 | 6.85 | 0.00 | 172.11 | -0.37 | 490 | -- | 34 | ND<2.5 | ND<2.5 | ND<2.5 | 200 | 170 | |
| 01/17/05 | 178.96 | 4.56 | 0.00 | 174.40 | 2.29 | 620 | -- | 100 | 2.6 | 15 | 8.0 | 240 | 200 | |
| 04/06/05 | 178.96 | 2.90 | 0.00 | 176.06 | 1.66 | 630 | -- | 81 | 9.6 | 16 | 41 | ND<25 | 26 | |
| 07/08/05 | 178.96 | 3.74 | 0.00 | 175.22 | -0.84 | 980 | -- | 170 | 24 | 44 | 140 | ND<25 | 64 | |
| 10/07/05 | 178.96 | 4.24 | 0.00 | 174.72 | -0.50 | 4900 | -- | 1100 | 11 | 110 | 110 | 370 | 310 | |
| 01/27/06 | 178.96 | 3.65 | 0.00 | 175.31 | 0.59 | 2800 | -- | 580 | 20 | 130 | 230 | 320 | 240 | |
| 04/28/06 | 178.96 | 3.94 | 0.00 | 175.02 | -0.29 | 710 | -- | 110 | 2.4 | 21 | 22 | 140 | 140 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|---|
| MW-4 continued | | | | | | | | | | | | | | |
| 07/28/06 | 178.96 | 4.63 | 0.00 | 174.33 | -0.69 | 550 | -- | 120 | 2.1 | 12 | 19 | 170 | 150 | |
| 10/27/06 | 178.96 | 5.19 | 0.00 | 173.77 | -0.56 | 260 | -- | 37 | 2.0 | 1.9 | 6.7 | 130 | 130 | |
| 01/10/07 | 178.96 | 4.82 | 0.00 | 174.14 | 0.37 | 270 | -- | 29 | 0.72 | 1.8 | 2.7 | 160 | 150 | |
| 04/13/07 | 178.96 | 4.25 | 0.00 | 174.71 | 0.57 | 390 | -- | 53 | 1.2 | 3.1 | 4.1 | 210 | 160 | |
| 07/19/07 | 178.96 | 5.35 | 0.00 | 173.61 | -1.10 | 210 | -- | 8.0 | 1.0 | 1.4 | 4.5 | 120 | 130 | |
| 10/08/07 | 178.96 | 5.48 | 0.00 | 173.48 | -0.13 | 290 | -- | 17 | 2.3 | 3.8 | 14 | 160 | 150 | |
| 01/09/08 | 178.96 | 3.40 | 0.00 | 175.56 | 2.08 | 770 | -- | 190 | 5.9 | 21 | 40 | 210 | 220 | Gauged on 1/18/08 |
| 04/04/08 | 178.96 | 4.20 | 0.00 | 174.76 | -0.80 | 180 | -- | 11 | 2.0 | 0.67 | 2.9 | -- | 110 | |
| MW-5 (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | | | |
| 10/03/01 | 169.18 | 2.81 | 0.00 | 166.37 | -- | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1800 | 2100 | |
| 01/28/02 | 169.18 | 1.88 | 0.00 | 167.30 | 0.93 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 650 | 550 | |
| 04/25/02 | 169.18 | 1.99 | 0.00 | 167.19 | -0.11 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2200 | 2400 | |
| 07/18/02 | 169.18 | 2.49 | 0.00 | 166.69 | -0.50 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 530 | 690 | |
| 10/07/02 | 169.18 | 2.80 | 0.00 | 166.38 | -0.31 | 140 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 300 | 330 | |
| 01/06/03 | 169.18 | 1.86 | 0.00 | 167.32 | 0.94 | 120 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 410 | 350 | |
| 04/07/03 | 169.18 | 2.15 | 0.00 | 167.03 | -0.29 | 220 | -- | 0.53 | ND<0.50 | ND<0.50 | ND<0.50 | 450 | 420 | |
| 07/07/03 | 169.18 | 2.26 | 0.00 | 166.92 | -0.11 | 120 | -- | ND<1.2 | ND<1.2 | ND<1.2 | ND<1.2 | 220 | 200 | |
| 10/09/03 | 169.18 | 2.72 | 0.00 | 166.46 | -0.46 | 560 | 210 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 290 | Sampled for TPH-G by 8015M on 11/14/03. |
| 01/14/04 | 169.18 | 2.00 | 0.00 | 167.18 | 0.72 | 560 | -- | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | 670 | 760 | |
| 04/28/04 | 169.18 | 2.01 | 0.00 | 167.17 | -0.01 | 760 | -- | ND<0.3 | 1.8 | ND<0.3 | ND<0.6 | 1200 | 790 | |
| 07/12/04 | 169.18 | 2.56 | 0.00 | 166.62 | -0.55 | 96 | -- | 1.8 | 3.3 | 0.54 | 3.6 | 2.8 | ND<0.5 | |
| 10/25/04 | 169.18 | 2.43 | 0.00 | 166.75 | 0.13 | 1100 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 780 | 1100 | |
| 01/17/05 | 169.18 | 1.49 | 0.00 | 167.69 | 0.94 | 720 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 530 | 550 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|---|
| MW-5 continued | | | | | | | | | | | | | | |
| 04/06/05 | 169.18 | 0.95 | 0.00 | 168.23 | 0.54 | 830 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 600 | 760 | |
| 07/08/05 | 169.18 | 1.49 | 0.00 | 167.69 | -0.54 | ND<500 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 570 | 630 | |
| 10/07/05 | 169.18 | 1.92 | 0.00 | 167.26 | -0.43 | 540 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | 530 | 490 | |
| 01/27/06 | 169.18 | 2.03 | 0.00 | 167.15 | -0.11 | 490 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | 580 | 610 | |
| 04/28/06 | 169.18 | 1.02 | 0.00 | 168.16 | 1.01 | 430 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | 590 | 520 | |
| 07/28/06 | 169.18 | 1.57 | 0.00 | 167.61 | -0.55 | 480 | -- | 0.34 | ND<0.30 | ND<0.30 | ND<0.60 | 440 | 420 | |
| 10/27/06 | 169.18 | 2.20 | 0.00 | 166.98 | -0.63 | 420 | -- | 0.34 | ND<0.30 | ND<0.30 | ND<0.60 | 460 | 390 | |
| 01/10/07 | 169.18 | 1.57 | 0.00 | 167.61 | 0.63 | 390 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | 430 | 420 | |
| 04/13/07 | 169.18 | 1.89 | 0.00 | 167.29 | -0.32 | 170 | -- | 3.8 | 5.9 | 1.5 | 3.8 | 160 | 120 | |
| 07/19/07 | 169.18 | 1.92 | 0.00 | 167.26 | -0.03 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | 19 | 23 | |
| 10/08/07 | 169.18 | 2.28 | 0.00 | 166.90 | -0.36 | 200 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | 310 | 280 | |
| 01/09/08 | 169.18 | 1.09 | 0.00 | 168.09 | 1.19 | 150 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | 170 | 170 | |
| 04/04/08 | 169.18 | 1.72 | 0.00 | 167.46 | -0.63 | 210 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | -- | 260 | Gauged on 1/18/08 |
| MW-6 (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | | | |
| 10/03/01 | 169.04 | 2.87 | 0.00 | 166.17 | -- | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 200 | 270 | |
| 01/28/02 | 169.04 | 1.82 | 0.00 | 167.22 | 1.05 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 04/25/02 | 169.04 | 2.01 | 0.00 | 167.03 | -0.19 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 07/18/02 | 169.04 | 2.44 | 0.00 | 166.60 | -0.43 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | ND<2.0 | |
| 10/07/02 | 169.04 | 2.72 | 0.00 | 166.32 | -0.28 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | ND<2.0 | |
| 01/06/03 | 169.04 | 1.90 | 0.00 | 167.14 | 0.82 | ND<50 | -- | 0.62 | 1.2 | 1.2 | 3.5 | ND<2.0 | ND<2.0 | |
| 04/07/03 | 169.04 | 2.02 | 0.00 | 167.02 | -0.12 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 46 | 46 | |
| 07/07/03 | 169.04 | 2.21 | 0.00 | 166.83 | -0.19 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.0 | ND<2.0 | |
| 10/09/03 | 169.04 | 2.71 | 0.00 | 166.33 | -0.50 | ND<50 | ND<50 | 0.95 | 3.0 | 1.4 | 5.5 | -- | ND<2.0 | Sampled for TPH-G by 8015M on 11/14/03. |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|-------------------|
| MW-6 continued | | | | | | | | | | | | | | |
| 01/14/04 | 169.04 | 2.00 | 0.00 | 167.04 | 0.71 | ND<50 | -- | ND<0.50 | 0.57 | ND<0.50 | 0.64 | ND<5.0 | ND<2.0 | |
| 04/28/04 | 169.04 | 2.18 | 0.00 | 166.86 | -0.18 | ND<50 | -- | 0.39 | 0.78 | ND<0.3 | ND<0.6 | ND<1 | ND<0.5 | |
| 07/12/04 | 169.04 | 2.69 | 0.00 | 166.35 | -0.51 | ND<50 | -- | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.6 | 6.4 | ND<0.5 | |
| 10/25/04 | 169.04 | 2.46 | 0.00 | 166.58 | 0.23 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | 0.57 | |
| 01/17/05 | 169.04 | 1.54 | 0.00 | 167.50 | 0.92 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | ND<0.50 | |
| 04/06/05 | 169.04 | 1.15 | 0.00 | 167.89 | 0.39 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | ND<0.50 | |
| 07/08/05 | 169.04 | 1.05 | 0.00 | 167.99 | 0.10 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | ND<0.50 | |
| 10/07/05 | 169.04 | 1.90 | 0.00 | 167.14 | -0.85 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 01/27/06 | 169.04 | 1.32 | 0.00 | 167.72 | 0.58 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 04/28/06 | 169.04 | 0.00 | 0.00 | 169.04 | 1.32 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 07/28/06 | 169.04 | 1.68 | 0.00 | 167.36 | -1.68 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 10/27/06 | 169.04 | 1.98 | 0.00 | 167.06 | -0.30 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 01/10/07 | 169.04 | 1.60 | 0.00 | 167.44 | 0.38 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 04/13/07 | 169.04 | 2.01 | 0.00 | 167.03 | -0.41 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 07/19/07 | 169.04 | 1.96 | 0.00 | 167.08 | 0.05 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 10/08/07 | 169.04 | 2.35 | 0.00 | 166.69 | -0.39 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | 0.80 | |
| 01/09/08 | 169.04 | 1.10 | 0.00 | 167.94 | 1.25 | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | Gauged on 1/18/08 |
| 04/04/08 | 169.04 | 1.60 | 0.00 | 167.44 | -0.50 | ND<50 | -- | ND<0.30 | 0.40 | ND<0.30 | 0.71 | -- | ND<0.50 | |
| MW-7 (Screen Interval in feet: 5.0-25.0) | | | | | | | | | | | | | | |
| 10/03/01 | 171.64 | 7.62 | 0.00 | 164.02 | -- | 10000 | -- | 210 | ND<50 | ND<50 | 800 | 35000 | 40000 | |
| 01/28/02 | 171.64 | 7.21 | 0.00 | 164.43 | 0.41 | ND<1000 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 42000 | 38000 | |
| 04/25/02 | 171.64 | 7.25 | 0.00 | 164.39 | -0.04 | ND<5000 | -- | 660 | ND<50 | ND<50 | ND<50 | 42000 | 45000 | |
| 07/18/02 | 171.64 | 8.12 | 0.00 | 163.52 | -0.87 | ND<5000 | -- | 130 | ND<50 | ND<50 | ND<50 | 51000 | 53000 | |
| 10/07/02 | 171.64 | 7.71 | 0.00 | 163.93 | 0.41 | 18000 | -- | ND<50 | ND<50 | ND<50 | ND<50 | 33000 | 38000 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|-----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|---|
| (feet) | (feet) | (feet) | (feet) | (feet) | (feet) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | |
| MW-7 continued | | | | | | | | | | | | | | |
| 01/06/03 | 171.64 | 7.63 | 0.00 | 164.01 | 0.08 | 410 | -- | 0.61 | 1.0 | 0.89 | 2.9 | 3900 | 3100 | |
| 04/07/03 | 171.64 | 7.58 | 0.00 | 164.06 | 0.05 | 13000 | -- | ND<20 | ND<20 | ND<20 | ND<20 | 32000 | 28000 | |
| 07/07/03 | 171.64 | 7.56 | 0.00 | 164.08 | 0.02 | 990 | -- | 8.2 | ND<0.50 | 1.2 | ND<0.50 | 36000 | 45000 | |
| 10/09/03 | 171.64 | 7.72 | 0.00 | 163.92 | -0.16 | 6800 | ND<13000 | ND<130 | ND<130 | ND<130 | ND<250 | -- | 20000 | Sampled for TPH-G by 8015M on 11/14/03. |
| 01/14/04 | 171.64 | 6.97 | 0.00 | 164.67 | 0.75 | 19000 | -- | ND<100 | ND<100 | ND<100 | ND<100 | 20000 | 25000 | |
| 04/28/04 | 171.64 | 8.70 | 0.00 | 162.94 | -1.73 | 19000 | -- | ND<3 | ND<3 | ND<3 | ND<6 | 30000 | 21000 | |
| 07/12/04 | 171.64 | 9.44 | 0.00 | 162.20 | -0.74 | 12000 | -- | 28 | 14 | 330 | 200 | 12000 | 11000 | |
| 10/25/04 | 171.64 | 7.23 | 0.00 | 164.41 | 2.21 | 28000 | -- | ND<250 | ND<250 | ND<250 | ND<250 | 13000 | 14000 | |
| 01/17/05 | 171.64 | 6.30 | 0.00 | 165.34 | 0.93 | 15000 | -- | ND<100 | ND<100 | ND<100 | ND<100 | 17000 | 16000 | |
| 04/06/05 | 171.64 | 5.96 | 0.00 | 165.68 | 0.34 | 13000 | -- | ND<100 | ND<100 | ND<100 | ND<100 | 14000 | 17000 | |
| 07/08/05 | 171.64 | 6.45 | 0.00 | 165.19 | -0.49 | ND<10000 | -- | ND<100 | ND<100 | ND<100 | ND<100 | 8600 | 11000 | |
| 10/07/05 | 171.64 | 6.78 | 0.00 | 164.86 | -0.33 | 13000 | -- | ND<3.0 | ND<3.0 | ND<3.0 | ND<6.0 | 9400 | 9800 | |
| 01/27/06 | 171.64 | 5.82 | 0.00 | 165.82 | 0.96 | 8200 | -- | 0.64 | 1.6 | ND<0.30 | ND<0.60 | 9900 | 7900 | |
| 04/28/06 | 171.64 | 5.57 | 0.00 | 166.07 | 0.25 | 6900 | -- | 0.88 | 1.5 | 0.34 | 1.0 | 9600 | 11000 | |
| 07/28/06 | 171.64 | 6.67 | 0.00 | 164.97 | -1.10 | 5400 | -- | 5.2 | ND<3.0 | ND<3.0 | ND<6.0 | 5000 | 5300 | |
| 10/27/06 | 171.64 | 6.93 | 0.00 | 164.71 | -0.26 | 4500 | -- | ND<1.5 | ND<1.5 | ND<1.5 | ND<3.0 | 4700 | 3700 | |
| 01/10/07 | 171.64 | 6.41 | 0.00 | 165.23 | 0.52 | 4000 | -- | ND<1.2 | ND<1.2 | ND<1.2 | ND<2.4 | 4400 | 4400 | |
| 04/13/07 | 171.64 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Paved over |
| 07/19/07 | 171.64 | 7.10 | 0.00 | 164.54 | -- | 2700 | -- | 0.57 | ND<0.30 | ND<0.30 | ND<0.60 | 2700 | 3300 | |
| 10/08/07 | 171.64 | 7.42 | 0.00 | 164.22 | -0.32 | 1600 | -- | 0.47 | 0.49 | ND<0.30 | ND<0.60 | 2500 | 2200 | |
| 01/09/08 | 171.64 | 5.98 | 0.00 | 165.66 | 1.44 | 1500 | -- | 0.45 | 0.49 | ND<0.30 | ND<0.60 | 1900 | 1900 | Gauged on 1/18/08 |
| 04/04/08 | 171.64 | 6.80 | 0.00 | 164.84 | -0.82 | 1800 | -- | 0.72 | 0.58 | ND<0.30 | ND<0.60 | -- | 2700 | |

MW-8 (Screen Interval in feet: 15.0-25.0)

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1999 Through April 2008
76 Station 1156

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-8 continued | | | | | | | | | | | | | | |
| 01/18/08 | 167.97 | 0.43 | 0.00 | 167.54 | -- | ND<50 | -- | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 04/04/08 | 167.97 | 0.55 | 0.00 | 167.42 | -0.12 | ND<50 | -- | 0.76 | 1.6 | 0.72 | 2.3 | -- | ND<0.50 | |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8015B) (mg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Bromo- dichloro- methane (µg/l) | Bromo- form (µg/l) | Bromo- methane (µg/l) | Carbon Tetra- chloride (µg/l) | Chloro- benzene (µg/l) |
|--------------|-----------------|---------------|------------------------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|--|--------------------------|-----------------------------|--|------------------------------|
| MW-1 | | | | | | | | | | | | | | | |
| 07/20/99 | 16000 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 12 |
| 09/28/99 | 2410 | ND | -- | -- | -- | -- | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 01/07/00 | 7870 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/00 | 3600 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/14/00 | 8580 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/03/00 | 9260 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/03/01 | 11000 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/04/01 | 14000 | ND | -- | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- | 5.6 |
| 07/17/01 | 2200 | ND | -- | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 10/05/01 | 13000 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/28/02 | 4400 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/25/02 | 9000 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/18/02 | 9200 | ND<100 | -- | ND<2500000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | -- | 5.9 |
| 10/07/02 | 3400 | ND<10000 | -- | ND<50000000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | -- | -- | -- | -- | -- |
| 01/06/03 | 5100 | ND<20000 | -- | ND<100000000 | ND<400 | ND<400 | ND<400 | ND<400 | ND<400 | -- | -- | -- | -- | -- | -- |
| 04/07/03 | 2800 | ND<10000 | -- | ND<50000000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | -- | -- | -- | -- | -- |
| 07/07/03 | 7000 | ND<25000 | ND<120000 | -- | ND<500 | ND<500 | ND<500 | ND<500 | ND<500 | -- | -- | -- | -- | -- | ND<120 |
| 10/09/03 | 4300 | ND<20000 | -- | ND<1000000 | ND<400 | ND<400 | ND<400 | ND<400 | ND<400 | -- | -- | -- | -- | -- | -- |
| 01/14/04 | 6200 | ND<40000 | -- | ND<2000000 | ND<800 | ND<800 | ND<800 | ND<800 | ND<800 | -- | -- | -- | -- | -- | -- |
| 04/28/04 | -- | 800 | -- | ND<1000 | ND<50 | ND<50 | ND<1 | ND<1 | ND<1 | -- | -- | -- | -- | -- | -- |
| 07/12/04 | 270 | 1100 | -- | ND<20000 | ND<10 | ND<10 | ND<20 | ND<20 | ND<20 | ND<2 | ND<10 | ND<10 | ND<20 | ND<10 | ND<10 |
| 10/25/04 | 5100 | ND<2000 | -- | ND<20000 | ND<200 | ND<200 | ND<400 | ND<200 | ND<200 | -- | -- | -- | -- | -- | -- |
| 01/17/05 | 6400 | 3100 | -- | ND<20000 | ND<200 | ND<200 | ND<400 | ND<200 | ND<200 | -- | -- | -- | -- | -- | -- |
| 04/06/05 | 2800 | 1500 | -- | ND<10000 | ND<100 | ND<100 | ND<100 | ND<100 | ND<100 | -- | -- | -- | -- | -- | -- |
| 07/08/05 | 6400 | ND<1300 | -- | ND<13000 | ND<130 | 3.8 | ND<130 | ND<130 | ND<130 | -- | ND<0.50 | ND<2.0 | ND<1.0 | ND<0.50 | 12 |
| 10/07/05 | 5500 | 680 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8015B) (mg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Bromo- dichloro- methane (µg/l) | Bromo- form (µg/l) | Bromo- methane (µg/l) | Carbon Tetra- chloride (µg/l) | Chloro- benzene (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|--|--------------------------|-----------------------------|--|------------------------------|
| MW-1 continued | | | | | | | | | | | | | | | |
| 01/27/06 | 9000 | ND<500 | -- | ND<12000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | -- | -- |
| 04/28/06 | 9200 | ND<500 | -- | ND<12000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | -- | -- |
| 07/28/06 | 5100 | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 |
| 10/27/06 | 4600 | ND<2500 | -- | ND<62000 | ND<120 | ND<120 | ND<120 | ND<120 | ND<120 | -- | -- | -- | -- | -- | -- |
| 01/10/07 | 12000 | ND<1000 | -- | ND<25000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | -- | -- | -- | -- | -- | -- |
| 04/13/07 | 8400 | 730 | -- | ND<250 | ND<0.50 | 0.68 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/19/07 | 10000 | ND<1000 | -- | ND<25000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | -- | ND<50 | ND<50 | ND<100 | ND<50 | ND<50 |
| 01/09/08 | 12000 | ND<250 | -- | ND<6200 | ND<12 | ND<12 | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | -- | -- |
| 04/04/08 | 15000 | 770 | -- | ND<5000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | -- | -- |
| MW-2 | | | | | | | | | | | | | | | |
| 09/28/99 | -- | ND | -- | -- | -- | -- | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 04/04/01 | -- | ND | -- | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 07/17/01 | -- | ND | -- | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 07/18/02 | -- | ND<1000 | -- | ND<25000000 | ND<100 | ND<100 | ND<100 | ND<100 | ND<100 | -- | -- | -- | -- | -- | -- |
| 10/07/02 | -- | ND<20000 | -- | ND<100000000 | ND<400 | ND<400 | ND<400 | ND<400 | ND<400 | -- | -- | -- | -- | -- | -- |
| 01/06/03 | -- | ND<50000 | -- | ND<250000000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | -- | -- | -- | -- | -- | -- |
| 04/07/03 | -- | ND<2000 | -- | ND<10000000 | ND<40 | ND<40 | ND<40 | ND<40 | ND<40 | -- | -- | -- | -- | -- | -- |
| 07/07/03 | -- | ND<5000 | -- | ND<250000000 | ND<100 | ND<100 | ND<100 | ND<100 | ND<100 | -- | -- | -- | -- | -- | -- |
| 10/09/03 | -- | ND<10000 | -- | ND<50000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | -- | -- | -- | -- | -- |
| 01/14/04 | -- | ND<2500 | -- | ND<13000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | -- | -- | -- | -- | -- | -- |
| 04/28/04 | -- | 13000 | -- | ND<1000 | ND<0.5 | ND<0.5 | ND<1 | ND<1 | 11 | -- | -- | -- | -- | -- | -- |
| 07/12/04 | -- | 110 | -- | ND<4000 | ND<3 | ND<3 | ND<5 | ND<5 | ND<5 | -- | -- | -- | -- | -- | -- |
| 10/25/04 | -- | 1100 | -- | ND<1300 | ND<13 | ND<13 | ND<25 | ND<13 | ND<13 | -- | -- | -- | -- | -- | -- |
| 01/17/05 | -- | 1200 | -- | ND<1300 | ND<13 | ND<13 | ND<25 | ND<13 | ND<13 | -- | -- | -- | -- | -- | -- |
| 04/06/05 | -- | 2800 | -- | ND<2500 | ND<25 | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | -- | -- |
| 07/08/05 | -- | 4300 | -- | ND<2500 | ND<25 | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8015B) (mg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Bromo- dichloro- methane (µg/l) | Bromo- form (µg/l) | Bromo- methane (µg/l) | Carbon Tetra- chloride (µg/l) | Chloro- benzene (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|--|--------------------------|-----------------------------|--|------------------------------|
| MW-2 continued | | | | | | | | | | | | | | | |
| 10/07/05 | -- | 8700 | -- | ND<250 | ND<0.50 | 1.4 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/27/06 | -- | 5200 | -- | ND<12000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | -- | -- |
| 04/28/06 | -- | 6700 | -- | ND<250 | ND<0.50 | 1.4 | ND<0.50 | ND<0.50 | 1.6 | -- | -- | -- | -- | -- | -- |
| 07/28/06 | -- | 5100 | -- | ND<6200 | ND<12 | ND<12 | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | -- | -- |
| 10/27/06 | -- | 6600 | -- | ND<1200 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |
| 01/10/07 | -- | 6000 | -- | ND<1200 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |
| 04/13/07 | -- | 7400 | -- | ND<6200 | ND<12 | ND<12 | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | -- | -- |
| 07/19/07 | -- | 6200 | -- | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 10/08/07 | -- | 20000 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/09/08 | -- | 9900 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/04/08 | -- | 5800 | -- | ND<1200 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |
| MW-3 | | | | | | | | | | | | | | | |
| 09/28/99 | -- | ND | -- | -- | -- | -- | ND | ND | 8.80 | -- | -- | -- | -- | -- | -- |
| 04/04/01 | -- | ND | -- | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 07/17/01 | -- | ND | -- | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 07/18/02 | -- | ND<50 | -- | ND<1200000 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 10/07/02 | -- | ND<10000 | -- | ND<50000000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | -- | -- | -- | -- | -- |
| 01/06/03 | -- | ND<4000 | -- | 23000000 | ND<80 | ND<80 | ND<80 | ND<80 | ND<80 | -- | -- | -- | -- | -- | -- |
| 04/07/03 | -- | ND<4000 | -- | ND<20000000 | ND<80 | ND<80 | ND<80 | ND<80 | ND<80 | -- | -- | -- | -- | -- | -- |
| 07/07/03 | -- | ND<2000 | -- | ND<10000000 | ND<40 | ND<40 | ND<40 | ND<40 | ND<40 | -- | -- | -- | -- | -- | -- |
| 10/09/03 | -- | ND<1000 | -- | ND<5000 | ND<20 | ND<20 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | -- | -- |
| 01/14/04 | -- | ND<1000 | -- | ND<5000 | ND<20 | ND<20 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | -- | -- |
| 04/28/04 | -- | ND<12 | -- | ND<1000 | ND<3 | ND<3 | ND<1 | ND<1 | ND<1 | -- | -- | -- | -- | -- | -- |
| 07/12/04 | -- | 350 | -- | ND<20000 | ND<10 | ND<10 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | -- | -- |
| 10/25/04 | -- | 39 | -- | ND<250 | ND<2.5 | ND<2.5 | ND<5.0 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |
| 01/17/05 | -- | 120 | -- | ND<250 | ND<2.5 | ND<2.5 | ND<5.0 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8015B) (mg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Bromo- dichloro- methane (µg/l) | Bromo- form (µg/l) | Bromo- methane (µg/l) | Carbon Tetra- chloride (µg/l) | Chloro- benzene (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|--|--------------------------|-----------------------------|--|------------------------------|
| MW-3 continued | | | | | | | | | | | | | | | |
| 04/06/05 | -- | 150 | -- | ND<1000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | -- | -- |
| 07/08/05 | -- | 64 | -- | ND<250 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |
| 10/07/05 | -- | ND<200 | -- | ND<5000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | -- | -- |
| 01/27/06 | -- | ND<10 | -- | ND<250 | ND<0.50 | 1.5 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/28/06 | -- | 190 | -- | ND<250 | ND<0.50 | 0.63 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/28/06 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/27/06 | -- | ND<10 | -- | ND<250 | ND<0.50 | 1.3 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/10/07 | -- | 66 | -- | ND<250 | ND<0.50 | 1.4 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/13/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | 1.2 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/19/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/08/07 | -- | ND<20 | -- | ND<500 | ND<1.0 | 1.1 | ND<1.0 | ND<1.0 | ND<1.0 | -- | -- | -- | -- | -- | -- |
| 01/09/08 | -- | ND<20 | -- | ND<500 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | -- | -- | -- | -- | -- | -- |
| 04/04/08 | -- | ND<50 | -- | ND<1200 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |
| MW-4 | | | | | | | | | | | | | | | |
| 09/28/99 | -- | ND | -- | -- | -- | -- | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 04/04/01 | -- | ND | -- | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 07/17/01 | -- | ND | -- | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | -- | -- |
| 07/18/02 | -- | ND<100 | -- | ND<2500000 | ND<10 | 49 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | -- | -- |
| 10/07/02 | -- | ND<10000 | -- | ND<5000000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | -- | -- | -- | -- | -- |
| 01/06/03 | -- | ND<1000 | -- | ND<5000000 | ND<20 | ND<20 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | -- | -- |
| 04/07/03 | -- | ND<1000 | -- | ND<5000000 | ND<20 | ND<20 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | -- | -- |
| 07/07/03 | -- | ND<1000 | -- | ND<5000000 | ND<20 | ND<20 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | -- | -- |
| 10/09/03 | -- | ND<200 | -- | ND<1000 | ND<4.0 | ND<4.0 | ND<4.0 | ND<4.0 | ND<4.0 | -- | -- | -- | -- | -- | -- |
| 01/14/04 | -- | ND<200 | -- | ND<1000 | ND<4.0 | 6.5 | ND<4.0 | ND<4.0 | ND<4.0 | -- | -- | -- | -- | -- | -- |
| 04/28/04 | -- | 150 | -- | ND<1000 | ND<0.5 | ND<0.5 | ND<1 | ND<1 | ND<1 | -- | -- | -- | -- | -- | -- |
| 07/12/04 | -- | 210 | -- | ND<4000 | ND<3 | 14 | ND<5 | ND<5 | ND<5 | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D | TBA | Ethanol (8015B) | Ethanol (8260B) | Ethylene-dibromide (EDB) | 1,2-DCA (EDC) | DIPE | ETBE | TAME | Acenaphthylene | Bromo-dichloro-methane | Bromo-form | Bromo-methane | Carbon Tetra-chloride | Chloro-benzene |
|-----------------------|--------|---------|-----------------|-----------------|--------------------------|---------------|---------|---------|---------|----------------|------------------------|------------|---------------|-----------------------|----------------|
| | (µg/l) | (µg/l) | (mg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) |
| MW-4 continued | | | | | | | | | | | | | | | |
| 10/25/04 | -- | 38 | -- | ND<100 | ND<1.0 | 2.0 | ND<2.0 | ND<1.0 | ND<1.0 | -- | -- | -- | -- | -- | -- |
| 01/17/05 | -- | 110 | -- | ND<100 | ND<1.0 | 3.6 | ND<2.0 | ND<1.0 | ND<1.0 | -- | -- | -- | -- | -- | -- |
| 04/06/05 | -- | ND<25 | -- | 73000 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |
| 07/08/05 | -- | 29 | -- | ND<50 | ND<0.50 | 1.2 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/07/05 | -- | 210 | -- | ND<250 | ND<0.50 | 26 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/27/06 | -- | 280 | -- | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 04/28/06 | -- | 130 | -- | ND<250 | ND<0.50 | 0.97 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/28/06 | -- | 64 | -- | ND<250 | ND<0.50 | 5.8 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/27/06 | -- | 54 | -- | ND<250 | ND<0.50 | 1.5 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/10/07 | -- | 33 | -- | 310 | ND<0.50 | 1.9 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/13/07 | -- | 82 | -- | ND<250 | ND<0.50 | 0.77 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/19/07 | -- | 13 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/08/07 | -- | ND<20 | -- | ND<500 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | -- | -- | -- | -- | -- | -- |
| 01/09/08 | -- | ND<20 | -- | ND<500 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | -- | -- | -- | -- | -- | -- |
| 04/04/08 | -- | 27 | -- | ND<250 | ND<0.50 | 1.0 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| MW-5 | | | | | | | | | | | | | | | |
| 07/18/02 | -- | ND<20 | -- | ND<500000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 10/07/02 | -- | ND<100 | -- | ND<500000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 01/06/03 | ND<50 | ND<100 | -- | ND<500000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | ND<0.50 |
| 04/07/03 | -- | ND<500 | -- | ND<2500000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | -- | -- |
| 07/07/03 | -- | ND<200 | -- | ND<1000000 | ND<4.0 | ND<4.0 | ND<4.0 | ND<4.0 | ND<4.0 | -- | -- | -- | -- | -- | -- |
| 10/09/03 | -- | ND<200 | -- | ND<1000 | ND<4.0 | ND<4.0 | ND<4.0 | ND<4.0 | ND<4.0 | -- | -- | -- | -- | -- | -- |
| 01/14/04 | -- | ND<2000 | -- | ND<10000 | ND<40 | ND<40 | ND<40 | ND<40 | ND<40 | -- | -- | -- | -- | -- | -- |
| 04/28/04 | -- | ND<12 | -- | ND<1000 | ND<0.5 | 1.8 | ND<1 | ND<1 | ND<1 | -- | -- | -- | -- | -- | -- |
| 07/12/04 | -- | ND<12 | -- | ND<800 | ND<0.5 | 0.76 | ND<1 | ND<1 | ND<1 | -- | -- | -- | -- | -- | -- |
| 10/25/04 | -- | ND<500 | -- | ND<5000 | ND<50 | ND<50 | ND<100 | ND<50 | ND<50 | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8015B) (mg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Bromo- dichloro- methane (µg/l) | Bromo- form (µg/l) | Bromo- methane (µg/l) | Carbon Tetra- chloride (µg/l) | Chloro- benzene (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|--|--------------------------|-----------------------------|--|------------------------------|
| MW-5 continued | | | | | | | | | | | | | | | |
| 01/17/05 | -- | 100 | -- | ND<250 | ND<2.5 | ND<2.5 | ND<5.0 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | -- | -- |
| 04/06/05 | -- | 7.6 | -- | ND<50 | ND<0.50 | 1.4 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/08/05 | -- | 180 | -- | ND<500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 10/07/05 | -- | ND<10 | -- | ND<250 | ND<0.50 | 1.0 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/27/06 | -- | 1000 | -- | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 04/28/06 | -- | 130 | -- | ND<250 | ND<0.50 | 0.95 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/28/06 | -- | ND<100 | -- | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 10/27/06 | -- | 43 | -- | ND<250 | ND<0.50 | 1.5 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/10/07 | -- | 28 | -- | ND<250 | ND<0.50 | 1.7 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/13/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | 0.84 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/19/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<5.0 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/08/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | 1.3 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/09/08 | -- | ND<10 | -- | ND<250 | ND<0.50 | 1.2 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/04/08 | -- | ND<10 | -- | ND<250 | ND<0.50 | 1.4 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| MW-6 | | | | | | | | | | | | | | | |
| 07/18/02 | -- | ND<20 | -- | ND<500000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 10/07/02 | -- | ND<100 | -- | ND<500000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 01/06/03 | -- | ND<100 | -- | ND<500000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 04/07/03 | -- | ND<100 | -- | ND<500000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 07/07/03 | -- | ND<100 | -- | ND<500000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 10/09/03 | -- | ND<100 | -- | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 01/14/04 | -- | ND<100 | -- | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | -- | -- |
| 04/28/04 | -- | ND<12 | -- | ND<1000 | ND<0.5 | ND<0.5 | ND<1 | ND<1 | ND<1 | -- | -- | -- | -- | -- | -- |
| 07/12/04 | -- | ND<12 | -- | ND<800 | ND<0.5 | ND<0.5 | ND<1 | ND<1 | ND<1 | -- | -- | -- | -- | -- | -- |
| 10/25/04 | -- | ND<5.0 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/17/05 | -- | ND<5.0 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8015B) (mg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Bromo- dichloro- methane (µg/l) | Bromo- form (µg/l) | Bromo- methane (µg/l) | Carbon Tetra- chloride (µg/l) | Chloro- benzene (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|--|--------------------------|-----------------------------|--|------------------------------|
| MW-6 continued | | | | | | | | | | | | | | | |
| 04/06/05 | -- | ND<5.0 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/08/05 | -- | ND<5.0 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/07/05 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/27/06 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/28/06 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/28/06 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/27/06 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/10/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/13/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 07/19/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 10/08/07 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 01/09/08 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/04/08 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| MW-7 | | | | | | | | | | | | | | | |
| 07/18/02 | -- | 33000 | -- | ND<5000000 | ND<20 | ND<20 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | -- | -- |
| 10/07/02 | -- | 26000 | -- | ND<10000000 | ND<400 | ND<400 | ND<400 | ND<400 | ND<400 | -- | -- | -- | -- | -- | -- |
| 01/06/03 | ND<50 | ND<10000 | -- | ND<50000000 | ND<200 | ND<200 | ND<200 | ND<200 | ND<200 | -- | -- | -- | -- | -- | ND<50 |
| 04/07/03 | -- | ND<40000 | -- | ND<20000000 | ND<800 | ND<800 | ND<800 | ND<800 | ND<800 | -- | -- | -- | -- | -- | -- |
| 07/07/03 | -- | 27000 | -- | ND<10000000 | ND<400 | ND<400 | ND<400 | ND<400 | ND<400 | -- | -- | -- | -- | -- | -- |
| 10/09/03 | -- | ND<25000 | -- | ND<130000 | ND<500 | ND<500 | ND<500 | ND<500 | ND<500 | -- | -- | -- | -- | -- | -- |
| 01/14/04 | -- | ND<40000 | -- | ND<200000 | ND<800 | ND<800 | ND<800 | ND<800 | ND<800 | -- | -- | -- | -- | -- | -- |
| 04/28/04 | -- | 9200 | -- | ND<1000 | ND<0.5 | 6.8 | ND<1 | ND<1 | 12 | -- | -- | -- | -- | -- | -- |
| 07/12/04 | -- | 4600 | -- | ND<8000 | ND<5 | 5.1 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | -- | -- |
| 10/25/04 | -- | 3900 | -- | ND<5000 | ND<50 | ND<50 | ND<100 | ND<50 | ND<50 | -- | -- | -- | -- | -- | -- |
| 01/17/05 | -- | 4200 | -- | ND<5000 | ND<50 | ND<50 | ND<100 | ND<50 | ND<50 | -- | -- | -- | -- | -- | -- |
| 04/06/05 | -- | 4200 | -- | ND<10000 | ND<0.50 | 6.4 | ND<0.50 | ND<0.50 | 9.3 | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8015B) (mg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Acenaph- thylene (µg/l) | Bromo- dichloro- methane (µg/l) | Bromo- form (µg/l) | Bromo- methane (µg/l) | Carbon Tetra- chloride (µg/l) | Chloro- benzene (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-------------------------------|--|--------------------------|-----------------------------|--|------------------------------|
| MW-7 continued | | | | | | | | | | | | | | | |
| 07/08/05 | -- | 4300 | -- | ND<5000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | -- | -- | -- | -- | -- | -- |
| 10/07/05 | -- | 1100 | -- | ND<12000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | -- | -- |
| 01/27/06 | -- | 1600 | -- | ND<25000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | -- | -- | -- | -- | -- | -- |
| 04/28/06 | -- | 2900 | -- | ND<250 | ND<0.50 | 3.4 | ND<0.50 | ND<0.50 | 6.3 | -- | -- | -- | -- | -- | -- |
| 07/28/06 | -- | 1300 | -- | ND<6200 | ND<12 | ND<12 | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | -- | -- |
| 10/27/06 | -- | 1700 | -- | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 01/10/07 | 12000 | 1300 | -- | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 07/19/07 | -- | ND<100 | -- | ND<2500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- |
| 10/08/07 | -- | ND<500 | -- | ND<12000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | -- | -- |
| 01/09/08 | -- | 2700 | -- | ND<250 | ND<0.50 | 1.2 | ND<0.50 | ND<0.50 | 1.1 | -- | -- | -- | -- | -- | -- |
| 04/04/08 | -- | 1400 | -- | ND<6200 | ND<12 | ND<12 | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | -- | -- |
| MW-8 | | | | | | | | | | | | | | | |
| 01/18/08 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |
| 04/04/08 | -- | ND<10 | -- | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | Chloroethane (µg/l) | Chloroform (µg/l) | Chloromethane (µg/l) | Dibromochloromethane (µg/l) | 1,2-Dichlorobenzene (µg/l) | 1,3-Dichlorobenzene (µg/l) | 1,4-Dichlorobenzene (µg/l) | Dichlorodifluoromethane (µg/l) | 1,1-DCA (µg/l) | 1,1-DCE (µg/l) | cis-1,2-DCE (µg/l) | trans-1,2-DCE (µg/l) | 1,2-Dichloropropane (µg/l) | cis-1,3-Dichloropropene (µg/l) | trans-1,3-Dichloropropene (µg/l) |
|--------------|------------------------|----------------------|-------------------------|--------------------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------------------|-------------------|-------------------|-----------------------|-------------------------|-------------------------------|-----------------------------------|-------------------------------------|
| MW-1 | | | | | | | | | | | | | | | |
| 07/20/99 | -- | -- | -- | -- | 3.9 | -- | -- | -- | 2.0 | -- | 3.6 | -- | 0.92 | -- | -- |
| 03/31/00 | -- | -- | -- | -- | 6.2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/04/01 | -- | -- | -- | -- | 4.6 | -- | -- | -- | -- | -- | 3.4 | -- | -- | -- | -- |
| 07/17/01 | -- | -- | -- | -- | 18 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/18/02 | 1.1 | -- | -- | -- | 5.8 | -- | 1.3 | -- | -- | -- | 1.3 | -- | -- | -- | -- |
| 07/07/03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND<120 | -- | -- | -- | -- |
| 07/12/04 | ND<10 | ND<10 | ND<10 | ND<10 | ND<2 | ND<2 | ND<2 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 |
| 07/08/05 | 1.0 | ND<0.50 | ND<1.0 | ND<0.50 | 9.0 | ND<0.50 | 1.2 | ND<1.0 | 1.3 | ND<0.50 | 3.1 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |
| 07/28/06 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 4.5 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |
| 07/19/07 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 |
| MW-5 | | | | | | | | | | | | | | | |
| 01/06/03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND<0.50 | -- | -- | -- | -- |
| MW-7 | | | | | | | | | | | | | | | |
| 01/06/03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND<50 | -- | -- | -- | -- |

Table 2 c
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | Hexachlorobutadiene | Methylene chloride | Naphthalene | n-Propylbenzene | 1,1,2,2-Tetrachloroethane | Tetrachloroethene (PCE) | Trichlorotrifluoroethane | 1,2,4-Trichlorobenzene | 1,1,1-Trichloroethane | 1,1,2-Trichloroethane | Trichloroethene (TCE) | Trichlorofluoromethane | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Vinyl chloride |
|--------------|---------------------|--------------------|-------------|-----------------|---------------------------|-------------------------|--------------------------|------------------------|-----------------------|-----------------------|-----------------------|------------------------|------------------------|------------------------|----------------|
| | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) |
| MW-1 | | | | | | | | | | | | | | | |
| 07/20/99 | -- | -- | 600 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/99 | -- | -- | 534 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1240 | 318 | -- |
| 01/07/00 | -- | -- | 1050 | 371 | -- | -- | -- | -- | -- | -- | -- | -- | 2210 | 597 | -- |
| 03/31/00 | -- | -- | 140 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/14/00 | -- | -- | 690 | -- | -- | 334 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/03/00 | -- | -- | 361 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/03/01 | -- | -- | 400 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/04/01 | -- | -- | 490 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/17/01 | -- | -- | 740 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/18/02 | -- | -- | 910 | -- | -- | ND<0.60 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/07/03 | -- | -- | 850 | -- | -- | ND<120 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/12/04 | ND<2 | ND<20 | 450 | -- | ND<10 | ND<10 | ND<10 | ND<2 | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | ND<10 |
| 07/08/05 | ND<20 | ND<5.0 | 250 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<20 | ND<0.50 | ND<0.50 | 0.73 | ND<1.0 | -- | -- | ND<0.50 |
| 07/28/06 | -- | ND<1.0 | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | ND<0.50 |
| 07/19/07 | -- | ND<100 | -- | -- | ND<50 | ND<50 | ND<50 | -- | ND<50 | ND<50 | ND<50 | ND<50 | -- | -- | ND<50 |
| MW-5 | | | | | | | | | | | | | | | |
| 01/06/03 | -- | -- | ND<10 | -- | -- | ND<0.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | | | | | | | | | | | | | | | |
| 01/06/03 | -- | -- | ND<10 | -- | -- | ND<50 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 2 d
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | Acena- phthene (µg/l) | Acena- phthylene (svoc) (µg/l) | Anthra- cene (µg/l) | Benzo[a]- anthracene (µg/l) | Benzo[a]- pyrene (µg/l) | Benzo[b]- fluor- anthene (µg/l) | Benzo- [g,h,l]- perylene (µg/l) | Benzo[k]- fluor- anthene (µg/l) | Benzoic Acid (µg/l) | Benzyl Alcohol (µg/l) | Bis(2- chloro- ethoxy) methane (µg/l) | Bis(2- chloro- ethyl) ether (µg/l) | Bis(2- chloro- isopropyl)- ether (µg/l) | Bis(2-ethyl- hexyl) phthalate (µg/l) | 4-Bromo- pheny phe- nyl ether (µg/l) |
|--------------|-----------------------------|---|---------------------------|-----------------------------------|-------------------------------|--|--|--|---------------------------|-----------------------------|---|---|---|---|---|
| MW-1 | | | | | | | | | | | | | | | |
| 03/31/00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 10 | -- |
| 10/03/00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 51.6 | -- |
| 04/04/01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 55 | -- |
| 07/17/01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 400 | -- |
| 07/18/02 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 120 | -- |
| 07/07/03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 70 | -- |
| 07/12/04 | ND<2 | -- | ND<2 | ND<2 | ND<2 | ND<2 | ND<2 | ND<2 | -- | -- | -- | -- | -- | ND<5 | -- |
| 07/28/06 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<50 | ND<10 | ND<10 | ND<10 | ND<10 | 33 | ND<10 |
| 07/19/07 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<11 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<4.4 | ND<2.2 |
| MW-5 | | | | | | | | | | | | | | | |
| 01/06/03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND<5.0 | -- |
| MW-7 | | | | | | | | | | | | | | | |
| 01/06/03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND<5.0 | -- |

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | Butylbenzyl phthalate (µg/l) | 4-Chloro-3-methylphenol (µg/l) | 4-Chloroaniline (µg/l) | 2-Chloronaphthalene (µg/l) | 2-Chlorophenol (µg/l) | 4-Chlorophenyl phenyl ether (µg/l) | Chrysene (µg/l) | Dibenzo[a,h]anthracene (µg/l) | Dibenzo-furan (µg/l) | 1,2-Dichlorobenzene (svoc) (µg/l) | 1,3-Dichlorobenzene (svoc) (µg/l) | 1,4-Dichlorobenzene (svoc) (µg/l) | 3,3-Dichlorobenzidine (µg/l) | 2,4-Dichlorophenol (µg/l) | Diethyl phthalate (µg/l) |
|--------------|---------------------------------|-----------------------------------|---------------------------|-------------------------------|--------------------------|---------------------------------------|--------------------|----------------------------------|-------------------------|--------------------------------------|--------------------------------------|--------------------------------------|---------------------------------|------------------------------|-----------------------------|
| MW-1 | | | | | | | | | | | | | | | |
| 07/12/04 | -- | -- | -- | -- | -- | -- | ND<2 | ND<3 | -- | -- | -- | -- | -- | -- | -- |
| 07/28/06 | ND<10 | ND<25 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<15 | ND<10 | ND<10 | ND<10 | ND<10 | ND<50 | ND<10 | ND<10 |
| 07/19/07 | ND<2.2 | ND<5.5 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<3.3 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<11 | ND<2.2 | ND<2.2 |

Table 2 f
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | 2,4-Dimethylphenol (µg/l) | Dimethyl phthalate (µg/l) | Di-n-butyl phthalate (µg/l) | 2,4-Dinitrophenol (µg/l) | 2,4-Dinitrotoluene (µg/l) | 2,6-Dinitrotoluene (µg/l) | Di-n-octyl phthalate (µg/l) | Fluoranthene (µg/l) | Fluorene (µg/l) | Hexachlorobenzene (µg/l) | HCBD (svoc) (µg/l) | Hexachlorocyclopentadiene (µg/l) | Hexachloroethane (µg/l) | Indeno-[1,2,3-c,d]pyrene (µg/l) | Isophorone (µg/l) |
|--------------|------------------------------|------------------------------|--------------------------------|-----------------------------|------------------------------|------------------------------|--------------------------------|------------------------|--------------------|-----------------------------|-----------------------|-------------------------------------|----------------------------|------------------------------------|----------------------|
| MW-1 | | | | | | | | | | | | | | | |
| 07/12/04 | -- | -- | -- | -- | -- | -- | -- | ND<2 | ND<2 | -- | -- | -- | -- | ND<2 | -- |
| 07/28/06 | ND<10 | ND<10 | ND<10 | ND<50 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<5.0 | ND<10 | ND<10 | ND<10 | ND<10 |
| 07/19/07 | ND<2.2 | ND<2.2 | ND<2.2 | ND<11 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<1.1 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 |

Table 2 g
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | 2-Methyl-4,6-dinitrophenol | 2-Methylnaphthalene | 2-Methylphenol | 4-Methylphenol | Naphthalene (svoc) | 2-Nitroaniline | 3-Nitroaniline | 4-Nitroaniline | Nitrobenzene | 2-Nitrophenol | 4-Nitrophenol | N-nitrosodipropylamine | N-Nitrosodiphenylamine | Pentachlorophenol | Phenanthrene |
|--------------|----------------------------|---------------------|----------------|----------------|--------------------|----------------|----------------|----------------|--------------|---------------|---------------|------------------------|------------------------|-------------------|--------------|
| | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) |
| MW-1 | | | | | | | | | | | | | | | |
| 07/20/99 | -- | 240 | -- | 27 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/99 | -- | 87.4 | 26.4 | 35.6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/07/00 | -- | 315 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/00 | -- | 73 | 31 | 18 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/14/00 | -- | 300 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/03/00 | -- | 98.1 | -- | 28.9 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/03/01 | -- | 180 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/04/01 | -- | 78 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/17/01 | -- | 290 | 47 | 25 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/18/02 | -- | 420 | 13 | 25 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/07/03 | -- | 260 | ND<5.0 | 22 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/12/04 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND<2 |
| 07/28/06 | -- | 280 | ND<10 | -- | 660 | ND<10 | ND<10 | ND<25 | ND<10 | ND<10 | ND<10 | ND<10 | ND<10 | ND<50 | ND<10 |
| 07/19/07 | ND<11 | 230 | 29 | -- | 770 | ND<2.2 | ND<2.2 | ND<5.5 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<2.2 | ND<11 | ND<2.2 |
| MW-5 | | | | | | | | | | | | | | | |
| 01/06/03 | -- | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | | | | | | | | | | | | | | | |
| 01/06/03 | -- | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 2 h
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 1156

| Date Sampled | Phenol (µg/l) | Pyrene (µg/l) | 1,2,4- Trichloro- benzene (svoc) (µg/l) | 2,4,6- Trichloro- phenol (µg/l) | 2,4,5- Trichloro- phenol (µg/l) |
|-----------------|------------------|------------------|---|--|--|
| MW-1 | | | | | |
| 07/12/04 | -- | ND<2 | -- | -- | -- |
| 07/28/06 | ND<10 | ND<10 | ND<10 | ND<25 | ND<25 |
| 07/19/07 | ND<2.2 | ND<2.2 | ND<2.2 | ND<5.5 | ND<5.5 |

COORDINATED EVENT DATA

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|----------|------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-1 | 11/17/1993 | 410 | 21 | 11 | 7.9 | 47 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 8.59 | NA | 167.20 | NA | NA | NA |
| MW-1 | 1/20/1994 | 1,200 | 180 | 19 | 48 | 47 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 8.22 | NA | 167.57 | NA | NA | NA |
| MW-1 | 4/25/1994 | 3,100 | 610 | <10 | 130 | 27 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 7.63 | NA | 168.16 | NA | NA | NA |
| MW-1 | 7/7/1994 | 2,400 | 1,000 | 10 | 250 | 20 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 8.31 | NA | 167.48 | NA | NA | NA |
| MW-1 | 10/27/1994 | 2,200 | 500 | 3.1 | 72 | 1.8 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 8.84 | NA | 166.95 | NA | NA | NA |
| MW-1 | 11/17/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 175.79 | 7.60 | NA | 168.19 | NA | NA | NA |
| MW-1 | 11/28/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 175.79 | 7.56 | NA | 168.23 | NA | NA | NA |
| MW-1 | 1/13/1995 | 570 | 75 | 2.5 | 6.7 | 11 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 7.11 | NA | 168.68 | NA | NA | NA |
| MW-1 | 4/12/1995 | 1,800 | 480 | <5.0 | 79 | <5.0 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 7.08 | NA | 168.71 | NA | NA | NA |
| MW-1 | 7/25/1995 | 120 | 15 | 1.1 | 2.1 | 2.9 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 7.73 | NA | 168.06 | NA | NA | NA |
| MW-1 (D) | 7/25/1995 | 300 | 88 | 2.4 | 11 | 6.5 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 7.73 | NA | 168.06 | NA | NA | NA |
| MW-1 | 10/18/1995 | 130 | 9.5 | 0.8 | 1.3 | 1.7 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 8.42 | NA | 167.37 | NA | NA | NA |
| MW-1 (D) | 10/18/1995 | 120 | 11 | 0.8 | 1.4 | 1.8 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 8.42 | NA | 167.37 | NA | NA | NA |
| MW-1 | 1/17/1996 | 250 | 22 | 0.9 | 1.6 | 2.3 | NA | NA | NA | NA | NA | NA | NA | 175.79 | 7.83 | NA | 167.96 | NA | NA | NA |
| MW-1 | 4/25/1996 | <50 | 4.6 | <0.5 | <0.5 | 0.6 | 500b | NA | NA | NA | NA | NA | NA | 175.79 | 7.35 | NA | 168.44 | NA | NA | NA |
| MW-1 | 7/17/1996 | <250 | 15 | <2.5 | <2.5 | <2.5 | 540 | NA | NA | NA | NA | NA | NA | 175.79 | 7.70 | NA | 168.09 | NA | NA | NA |
| MW-1 | 10/11/1996 | 1,200 | 500 | 12 | 57 | 82 | 1,900 | NA | NA | NA | NA | NA | NA | 175.79 | 8.07 | NA | 167.72 | NA | NA | NA |
| MW-1 | 1/22/1997 | 640 | 170 | 4.3 | 33 | 33 | 1,200 | NA | NA | NA | NA | NA | NA | 175.79 | 7.21 | NA | 168.58 | NA | NA | NA |
| MW-1 | 4/8/1997 | <200 | 34 | <2.0 | 3.3 | 4.3 | 950 | NA | NA | NA | NA | NA | NA | 175.79 | 7.75 | NA | 168.04 | NA | NA | NA |
| MW-1 (D) | 4/8/1997 | <200 | 66 | <2.0 | 6.4 | 8 | 740 | NA | NA | NA | NA | NA | NA | 175.79 | 7.75 | NA | 168.04 | NA | NA | NA |
| MW-1 | 7/8/1997 | 190 | 49 | 1.2 | 5.8 | 8.6 | 560 | NA | NA | NA | NA | NA | NA | 175.79 | 8.01 | NA | 167.78 | NA | NA | NA |
| MW-1 | 10/8/1997 | <100 | 7 | <1.0 | <1.0 | <1.0 | 620 | NA | NA | NA | NA | NA | NA | 175.79 | 8.10 | NA | 167.69 | NA | NA | NA |
| MW-1 | 1/9/1998 | 970 | 390 | 12 | 48 | 71 | 1,200 | NA | NA | NA | NA | NA | NA | 175.79 | 7.14 | NA | 168.65 | NA | NA | NA |
| MW-1 | 4/13/1998 | <50 | 136 | <0.50 | 1.5 | 1.8 | 170 | NA | NA | NA | NA | NA | NA | 175.79 | 6.78 | NA | 169.01 | NA | NA | NA |
| MW-1 | 7/17/1998 | 2,500 | 750 | 11 | 88 | 67 | 150 | NA | NA | NA | NA | NA | NA | 175.79 | 7.28 | NA | 168.51 | NA | NA | NA |
| MW-1 | 10/2/1998 | 8,000 | 970 | 36 | 270 | 440 | 35 | NA | NA | NA | NA | NA | NA | 175.79 | 7.77 | NA | 168.02 | NA | NA | NA |
| MW-1 | 2/3/1999 | 210 | 56 | 0.82 | <0.50 | 3.2 | 220 | NA | NA | NA | NA | NA | NA | 175.79 | 7.45 | NA | 168.34 | NA | 1.4 | NA |
| MW-1 | 4/29/1999 | <50 | 4.5 | <0.50 | 0.56 | <0.50 | 140 | 196 | NA | NA | NA | NA | NA | 175.79 | 7.58 | NA | 168.21 | NA | 1.2 | 140 |
| MW-1 | 7/23/1999 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 120 | 111* | NA | NA | NA | NA | NA | 175.79 | 8.51 | NA | 167.28 | NA | 1.0 | NA |
| MW-1 | 11/1/1999 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 2.90 | NA | NA | NA | NA | NA | NA | 175.79 | 8.30 | NA | 167.49 | NA | 1.4 | -71 |
| MW-1 | 1/17/2000 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.30 | NA | NA | NA | NA | NA | NA | 175.79 | 8.04 | NA | 167.75 | NA | 16.9 | 64 |
| MW-1 | 4/17/2000 | <50.0 | 1.08 | <0.500 | <0.500 | <0.500 | <2.50 | NA | NA | NA | NA | NA | NA | 175.79 | 8.00 | NA | 167.79 | NA | 1.8 | 112 |
| MW-1 | 7/26/2000 | 125 | 54.3 | 2.16 | 5.45 | 9.86 | 33.1 | NA | NA | NA | NA | NA | NA | 175.79 | 7.52 | NA | 168.27 | NA | 13.2 | -140 |
| MW-1 | 10/12/2000 | 101 | 40.7 | 2.68 | 3.00 | 5.18 | 25.0 | NA | NA | NA | NA | NA | NA | 175.79 | 7.71 | NA | 168.08 | NA | >20 | 534 |
| MW-1 | 1/15/2001 | <50.0 | 0.633 | <0.500 | 0.505 | 1.74 | <2.50 | NA | NA | NA | NA | NA | NA | 175.79 | 7.33 | NA | 168.46 | NA | 16.9 | -127 |
| MW-1 | 4/9/2001 | <50.0 | <0.500 | <0.500 | <0.500 | 0.927 | <2.50 | NA | NA | NA | NA | NA | NA | 175.79 | 7.68 | NA | 168.11 | NA | 12.8 | -117 |
| MW-1 | 7/24/2001 | <50 | 4.0 | 0.65 | 0.53 | 1.3 | NA | <5.0 | NA | NA | NA | NA | NA | 175.79 | 8.00 | NA | 167.79 | NA | >20 | 43 |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|----------|------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-1 | 10/31/2001 | <50 | 4.4 | <0.50 | <0.50 | 0.98 | NA | <5.0 | NA | NA | NA | NA | NA | 175.79 | 7.94 | NA | 167.85 | NA | 13.6 | 123 |
| MW-1 | 1/10/2002 | <50 | 2.2 | <0.50 | <0.50 | 1.2 | NA | 6.1 | NA | NA | NA | NA | NA | 175.79 | 7.63 | NA | 168.16 | NA | 0.1 | 63 |
| MW-1 | 4/25/2002 | <50 | 2.0 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | NA | 175.79 | 7.76 | NA | 168.03 | NA | 0.3 | 54 |
| MW-1 | 7/18/2002 | <50 | 6.1 | <0.50 | <0.50 | 0.98 | NA | <5.0 | NA | NA | NA | NA | NA | 175.79 | 8.29 | NA | 167.50 | NA | 1.1 | 32 |
| MW-1 | 10/7/2002 | 500 | 17 | 14 | 11 | 60 | NA | 9.0 | NA | NA | NA | NA | NA | 175.76 | 8.34 | NA | 167.42 | NA | 2.8 | -26 |
| MW-1 | 1/6/2003 | <50 | 12 | <0.50 | 0.73 | 0.58 | NA | 14 | NA | NA | NA | NA | NA | 175.76 | 7.18 | NA | 168.58 | NA | 0.5 | -22 |
| MW-1 | 4/7/2003 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 12 | NA | NA | NA | <5.0 | NA | 175.76 | 7.75 | NA | 168.01 | NA | 0.7 | -24 |
| MW-1 | 7/7/2003 | <50 | 6.6 | <0.50 | <0.50 | <1.0 | NA | 8.1 | NA | NA | NA | <5.0 | NA | 175.76 | 7.75 | NA | 168.01 | NA | 0.5 | 16 |
| MW-1 | 10/9/2003 | <50 | 1.9 | <0.50 | <0.50 | <1.0 | NA | 22 | NA | NA | NA | <5.0 | NA | 175.76 | 8.45 | NA | 167.31 | NA | 0.7 | 80 |
| MW-1 | 1/14/2004 | <100 | 19 | <1.0 | <1.0 | <2.0 | NA | 180 | NA | NA | NA | 63 | NA | 175.76 | 7.45 | NA | 168.31 | NA | 0.8 | 242 |
| MW-1 | 4/28/2004 | <50 | 2.1 | <0.50 | <0.50 | <1.0 | NA | 110 | NA | NA | NA | 33 | NA | 175.76 | 8.25 | NA | 167.51 | NA | 0.5 | 64 |
| MW-1 | 7/12/2004 | <50 | 2.5 | <0.50 | <0.50 | <1.0 | NA | 120 | <2.0 | <2.0 | <2.0 | 26 | <50 | 175.76 | 6.20 | NA | 169.56 | NA | 0.5 | 72 |
| MW-1 | 10/25/2004 | <500 | <5.0 | <5.0 | <5.0 | <10 | NA | 550 | NA | NA | NA | 240 | NA | 175.76 | 7.98 | NA | 167.78 | NA | 3.15 | -72 |
| MW-1 | 1/17/2005 | <250 | 8.0 | <2.5 | <2.5 | <5.0 | NA | 500 | NA | NA | NA | 310 | NA | 175.76 | 7.42 | NA | 168.34 | NA | 0.2 | 9 |
| MW-1 | 4/6/2005 | <250 | <2.5 | <2.5 | <2.5 | <5.0 | NA | 230 | NA | NA | NA | 330* | NA | 175.76 | 8.15 | NA | 167.61 | NA | 2.49 | 143 |
| MW-1 | 7/8/2005 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | NA | 380 | <0.50 | <0.50 | <0.50 | 510 | <5.0 | 175.76 | 7.45 | NA | 168.31 | NA | 1.1 | 12 |
| MW-1 | 10/7/2005 | <500 c | <5.0 | <5.0 | <5.0 | <10 | NA | 1,600 | NA | NA | NA | 1,600 | NA | 175.76 | 7.72 | NA | 168.04 | NA | NA | NA |
| MW-1 | 1/27/2006 | 1,720 | 6.92 | <0.500 | <0.500 | <0.500 | NA | 1,270 | NA | NA | NA | 1,380 | NA | 175.76 | 6.68 | NA | 169.08 | NA | NA | NA |
| MW-1 | 4/28/2006 | 2,420 | 6.90 | 1.19 | <0.500 | 0.980 | NA | 2,080 | NA | NA | NA | 1,870 | NA | 175.76 | 6.67 | NA | 169.09 | NA | NA | NA |
| MW-1 | 7/28/2006 | 3,230 | 2.06 | <0.500 | <0.500 | <0.500 | NA | 1,770 | <0.500 | <0.500 | 1.14 | 1,730 | <50.0 | 175.76 | 7.65 | NA | 168.11 | NA | NA | NA |
| MW-1 | 10/27/2006 | 1,020 | 3.22 | <0.500 | 1.72 | <0.500 | NA | 690 | NA | NA | NA | 884 | NA | 175.76 | 7.90 | NA | 167.86 | NA | NA | NA |
| MW-1 | 1/10/2007 | 1,100 | 3.0 | <0.50 | <0.50 | <1.0 | NA | 2,300 | NA | NA | NA | 2,900 | NA | 175.76 | 7.62 | NA | 168.14 | NA | NA | NA |
| MW-1 | 4/13/2007 | 620 g,h | 7.1 | 0.24 i | <1.0 | <1.0 | NA | 2,800 | NA | NA | NA | 3,600 | NA | 175.76 | 6.98 | NA | 168.78 | NA | NA | NA |
| MW-1 | 7/9/2007 | 960 g,h | 4.3 i | <20 | <20 | <20 | NA | 1,900 | <40 | <40 | <40 | 2,100 | <2,000 | 175.76 | 7.60 | NA | 168.16 | NA | NA | NA |
| MW-1 | 10/8/2007 | 590 g,h | 5.9 i | <20 | <20 | <20 | NA | 3,200 | NA | NA | NA | 2,200 | NA | 175.76 | 8.05 | NA | 167.71 | NA | NA | NA |
| MW-1 | 1/9/2008 | 470 g,h | 36 | <10 | <10 | <10 | NA | 660 | NA | NA | NA | 1,300 | NA | 175.76 | 6.99 | NA | 168.77 | NA | NA | NA |
| MW-1 | 4/4/2008 | 2,200 | <10 | <20 | <20 | <20 | NA | 2,000 | NA | NA | NA | 1,500 | NA | 175.76 | 6.94 | NA | 168.82 | NA | NA | NA |
| MW-2 | 11/17/1993 | 31,000 | 9,400 | 4,600 | 1,000 | 3,900 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 12.31 | NA | 158.60 | NA | NA | NA |
| MW-2 | 1/20/1994 | 40,000 | 6,900 | 5,600 | 780 | 4,100 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 11.48 | NA | 159.43 | NA | NA | NA |
| MW-2 (D) | 1/20/1994 | 41,000 | 7,200 | 6,200 | 900 | 4,800 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 11.48 | NA | 159.43 | NA | NA | NA |
| MW-2 | 4/25/1994 | 60,000 | 9,300 | 6,100 | 1,400 | 6,200 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 10.84 | NA | 160.07 | NA | NA | NA |
| MW-2 | 7/7/1994 | 280,000a | 40,000 | 26,000 | 8,100 | 32,000 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 11.89 | NA | 159.02 | NA | NA | NA |
| MW-2 (D) | 7/7/1994 | 53,000 | 13,000 | 6,600 | 2,000 | 8,400 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 11.89 | NA | 159.02 | NA | NA | NA |
| MW-2 | 10/27/1994 | 130,000 | 14,000 | 12,000 | 2,400 | 13,000 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 12.89 | NA | 158.02 | NA | NA | NA |
| MW-2 (D) | 10/27/1994 | 390,000 | 8,800 | 7,000 | 1,700 | 11,000 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 12.89 | NA | 158.02 | NA | NA | NA |
| MW-2 | 11/17/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 9.11 | NA | 161.80 | NA | NA | NA |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|----------|------------|-------------|----------|----------|----------|----------|------------------|------------------|-------------|-------------|-------------|------------|----------------|-----------|----------------------|--------------------|--------------------|---------------------|------------------|------------------|
| MW-2 | 11/28/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 9.22 | NA | 161.69 | NA | NA | NA |
| MW-2 | 1/13/1995 | 75,000 | 5,900 | 12,000 | 3,100 | 17,000 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 8.10 | NA | 162.81 | NA | NA | NA |
| MW-2 | 4/12/1995 | 100,000 | 8,500 | 11,000 | 2,400 | 12,000 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 10.12 | NA | 160.79 | NA | NA | NA |
| MW-2 (D) | 4/12/1995 | 80,000 | 4,200 | 9,300 | 2,500 | 12,000 | NA | NA | NA | NA | NA | NA | NA | 170.91 | 10.12 | NA | 160.79 | NA | NA | NA |
| MW-2 | 7/25/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 11.53 | NA | 159.80 | 0.52 | NA | NA |
| MW-2 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 14.02 | NA | 156.99 | 0.13 | NA | NA |
| MW-2 | 1/17/1996 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 10.27 | NA | 160.78 | 0.17 | NA | NA |
| MW-2 | 4/25/1996 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 11.68 | NA | 159.25 | 0.03 | NA | NA |
| MW-2 | 7/17/1996 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 12.78 | NA | 158.81 | 0.48 | NA | NA |
| MW-2 | 10/11/1996 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 14.21 | NA | 156.70 | 0.28 | NA | NA |
| MW-2 | 1/22/1997 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 10.92 | NA | 160.08 | 0.11 | NA | NA |
| MW-2 | 4/8/1997 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 14.12 | NA | 156.95 | 0.20 | NA | NA |
| MW-2 | 7/8/1997 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 14.98 | NA | 156.08 | 0.19 | NA | NA |
| MW-2 | 10/8/1997 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 12.97 | NA | 157.98 | 0.05 | NA | NA |
| MW-2 | 1/8/1998 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 12.54 | NA | 158.43 | 0.08 | NA | NA |
| MW-2 | 4/13/1998 | 180,000 | 2,800 | 5,200 | 2,400 | 13,000 | 71,000 | NA | NA | NA | NA | NA | NA | 170.91 | 10.05 | NA | 160.86 | NA | NA | NA |
| MW-2 | 7/17/1998 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 11.75 | NA | 159.24 | 0.10 | NA | NA |
| MW-2 | 10/21/1998 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 16.78 | NA | 154.22 | 0.11 | NA | NA |
| MW-2 | 2/3/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 9.90 | 9.82 | 161.07 | 0.08 | NA | NA |
| MW-2 | 4/29/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 9.86 | 9.81 | 161.09 | 0.05 | NA | NA |
| MW-2 | 7/23/1999 | 65,800 | 6,500 | 4,480 | 1,960 | 8,960 | 46,600 | 58,500* | NA | NA | NA | NA | NA | 170.91 | 14.45 | NA | 156.46 | NA | 1.4 | NA |
| MW-2 | 11/11/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.91 | 11.84 | 11.81 | 159.09 | 0.03 | NA | NA |
| MW-2 | 1/17/2000 | 46,000 | 6,000 | 2,400 | 1,500 | 5,500 | 50,000 | 31,000 | NA | NA | NA | NA | NA | 170.91 | 11.00 | NA | 159.91 | NA | 1.3 | -54 |
| MW-2 | 4/17/2000 | 96,300 | 8,150 | 10,200 | 2,820 | 14,900 | 112,000 | 108,000 | NA | NA | NA | NA | NA | 170.91 | 11.06 | NA | 159.85 | NA | 2.6 | 125 |
| MW-2 | 7/26/2000 | 72,400 | 8,680 | 5,620 | 2,810 | 13,400 | 66,200 | 46,300 | NA | NA | NA | NA | NA | 170.91 | 12.82 | NA | 158.09 | NA | 2.2 | 113 |
| MW-2 | 10/12/2000 | 63,200 | 5,840 | 4,180 | 2,310 | 11,100 | 61,200 | 66,600 | NA | NA | NA | NA | NA | 170.91 | 11.32 | NA | 159.59 | NA | 0.4 | 55 |
| MW-2 | 1/15/2001 | 59,700 | 2,630 | 4,800 | 2,050 | 11,500 | 44,400 | 5,080 | NA | NA | NA | NA | NA | 170.91 | 10.19 | NA | 160.72 | NA | 1.1 | -22 |
| MW-2 | 4/9/2001 | 56,900 | 1,860 | 2,550 | 1,810 | 9,720 | 40,000 | 46,600 | NA | NA | NA | NA | NA | 170.91 | 11.15 | NA | 159.76 | NA | 1.0 | -65 |
| MW-2 | 7/24/2001 | 84,000 | 3,000 | 4,600 | 2,500 | 13,000 | NA | 41,000 | NA | NA | NA | NA | NA | 170.91 | 11.67 | NA | 159.24 | NA | 0.2 | 53 |
| MW-2 | 10/31/2001 | 45,000 | 2,200 | 3,000 | 1,500 | 7,700 | NA | 29,000 | <50 | <50 | <50 | 51,000 | <500 | 170.91 | 11.04 | NA | 159.87 | NA | 1.2 | -17 |
| MW-2 | 1/10/2002 | 28,000 | 840 | 740 | 760 | 3,300 | NA | 32,000 | NA | NA | NA | NA | NA | 170.91 | 9.58 | NA | 161.33 | NA | 2.1 | -76 |
| MW-2 | 4/25/2002 | 41,000 | 1,900 | 2,000 | 1,200 | 6,900 | NA | 17,000 | NA | NA | NA | NA | NA | 170.91 | 11.40 | NA | 159.51 | NA | 0.8 | -95 |
| MW-2 | 7/18/2002 | 87,000 | 2,000 | 2,200 | 1,400 | 10,000 | NA | 19,000 | NA | NA | NA | NA | NA | 170.91 | 12.68 | NA | 158.23 | NA | 0.7 | -34 |
| MW-2 | 10/7/2002 | 110,000 | 3,900 | 6,700 | 2,700 | 15,000 | NA | 20,000 | NA | NA | NA | NA | NA | 170.88 | 11.58 | NA | 159.30 | NA | 1.4 | -52 |
| MW-2 | 1/6/2003 | 65,000 | 2,400 | 3,500 | 1,400 | 8,600 | NA | 26,000 | NA | NA | NA | NA | NA | 170.88 | 9.09 | NA | 161.79 | NA | 0.4 | 40 |
| MW-2 | 4/7/2003 | 57,000 | 1,900 | 2,500 | 1,700 | 8,600 | NA | 37,000 | NA | NA | NA | 34,000 | NA | 170.88 | 11.08 | NA | 159.80 | NA | 1.0 | 60 |
| MW-2 | 7/7/2003 | 34,000 | 4,000 | 4,200 | 1,600 | 8,500 | NA | 51,000 | NA | NA | NA | 44,000 | NA | 170.88 | 11.27 | NA | 159.61 | NA | 1.3 | -17 |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|---------|------------|-------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-2 | 10/9/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 11.64 | 11.61 | 159.26 | 0.03 | NA | NA |
| MW-2 | 10/20/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 11.88 | 11.84 | 159.03 | 0.04 | NA | NA |
| MW-2 | 1/14/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 10.96 | 10.95 | 159.93 | 0.01 | NA | NA |
| MW-2 | 4/28/2004 | 35,000 | 2,200 | 2,200 | 2,300 | 8,200 | NA | 26,000 | NA | NA | NA | 28,000 | NA | 170.88 | 11.05 | NA | 159.83 | NA | 0.1 | -96 |
| MW-2 | 7/12/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 12.12 | 12.09 | 158.78 | 0.03 | NA | NA |
| MW-2 | 10/25/2004 | 60,000 | 2,900 | 2,300 | 2,300 | 7,600 | NA | 27,000 | NA | NA | NA | 26,000 | NA | 170.88 | 11.23 | NA | 159.65 | NA | 1.62 | -69 |
| MW-2 | 1/17/2005 | 62,000 | 1,900 | 1,800 | 1,800 | 5,700 | NA | 22,000 | NA | NA | NA | 21,000 | NA | 170.88 | 8.78 | NA | 162.10 | NA | 0.8 | -102 |
| MW-2 | 4/6/2005 | 40,000 | 1,500 | 940 | 1,600 | 2,900 | NA | 23,000 | NA | NA | NA | 23,000 | NA | 170.88 | 9.23 | NA | 161.65 | NA | 0.60 | -104 |
| MW-2 | 7/8/2005 | 50,000 | 2,300 | 1,500 | 1,700 | 6,600 | NA | 24,000 | <150 | <150 | <150 | 25,000 | <1,500 | 170.88 | 10.99 | 10.97 | 159.91 | 0.02 | 0.01 | -41 |
| MW-2 | 10/7/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 12.15 | 12.13 | 158.75 | 0.02 | NA | NA |
| MW-2 | 1/27/2006 | 56,800 | 1,270 | 1,280 | 1,520 | 5,370 | NA | 8,210 | NA | NA | NA | 10,600 | NA | 170.88 | 9.55 | NA | 161.33 | NA | NA | NA |
| MW-2 | 3/16/2006 | 82,100 | 1,230 | 1,310 | 1,350 | 4,630 | NA | 9,020 | NA | NA | NA | 9,690 | NA | 170.88 | 8.10 | NA | 162.78 | NA | NA | NA |
| MW-2 | 4/28/2006 | 81,400 | 1,200 | 1,610 | 1,660 | 5,580 | NA | 10,800 | NA | NA | NA | 11,100 | NA | 170.88 | 9.25 | NA | 161.63 | NA | NA | NA |
| MW-2 | 5/15/2006 | 119,000 | 2,210 | 3,800 | 2,330 | 8,900 | NA | 15,600 | NA | NA | NA | 12,200 | NA | 170.88 | 10.28 | NA | 160.60 | NA | NA | NA |
| MW-2 | 6/19/2006 | 121,000 | 1,680 | 3,830 | 2,990 | 12,400 | NA | 10,700 | NA | NA | NA | 9,310 | NA | 170.88 | 10.90 | NA | 159.98 | NA | NA | NA |
| MW-2 | 7/28/2006 | 172,000 | 3,590 | 3,450 | 2,840 | 8,210 | NA | 22,800 | <0.500 | <0.500 | <0.500 | 11,300 | <50.0 | 170.88 | 11.84 | NA | 159.04 | NA | NA | NA |
| MW-2 | 8/31/2006 | 91,200 | 1,590 | 3,710 | 2,570 | 11,700 | NA | 3,520 | NA | NA | NA | 3,940 | NA | 170.88 | 18.03 | NA | 152.85 | NA | NA | NA |
| MW-2 | 9/26/2006 | 50,000 | 2,300 | 1,300 | 1,600 | 6,700 | NA | 17,000 | NA | NA | NA | 19,000 | NA | 170.88 | 10.23 | NA | 160.65 | NA | NA | NA |
| MW-2 | 10/27/2006 | 159,000 | 5,200 | 3,890 | 2,600 | 12,500 | NA | 18,100 | NA | NA | NA | 9,230 d | NA | 170.88 | 12.11 | NA | 158.77 | NA | NA | NA |
| MW-2 | 11/22/2006 | 53,000 | 1,500 | 960 | 1,800 | 7,100 | NA | 9,600 | NA | NA | NA | 12,000 | NA | 170.88 | 11.35 | NA | 159.53 | NA | NA | NA |
| MW-2 | 12/26/2006 | Well inaccessible | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | NA | NA | NA | NA | NA | NA |
| MW-2 | 1/10/2007 | 45,000 | 2,700 | 1,700 | 1,400 | 5,800 | NA | 13,000 | NA | NA | NA | 11,000 | NA | 170.88 | 10.21 | NA | 160.67 | NA | NA | NA |
| MW-2 | 2/19/2007 | 13,000 | 1,800 | 1,900 | 1,500 | 5,900 | NA | 7,400 | NA | NA | NA | 11,000 | NA | 170.88 | 9.22 | NA | 161.66 | NA | NA | NA |
| MW-2 | 3/16/2007 | 52,000 | 2,600 | 2,300 | 2,000 | 7,300 | NA | 9,100 | NA | NA | NA | 12,000 | NA | 170.88 | 9.88 | NA | 161.00 | NA | NA | NA |
| MW-2 | 4/13/2007 | 60,000 g | 2,200 | 2,100 | 2,300 | 7,900 | NA | 13,000 | NA | NA | NA | 20,000 | NA | 170.88 | 10.61 | 10.59 | 160.29 | 0.02 | NA | NA |
| MW-2 | 7/9/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 11.77 | 11.66 | 159.20 | 0.11 | NA | NA |
| MW-2 | 10/8/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 12.70 | 12.51 | 158.33 | 0.19 | NA | NA |
| MW-2 | 11/19/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 8.00 | NA | 162.88 | NA | NA | NA |
| MW-2 | 12/10/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 6.49 | NA | 164.39 | NA | NA | NA |
| MW-2 | 1/9/2008 | Unable to access | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | NA | NA | NA | NA | NA | NA |
| MW-2 | 1/22/2008 | Unable to access | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | NA | NA | NA | NA | NA | NA |
| MW-2 | 2/21/2008 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 8.86 | NA | 162.02 | NA | NA | NA |
| MW-2 | 3/20/2008 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | 10.24 | 10.22 | 160.66 | 0.02 | NA | NA |
| MW-2 | 4/4/2008 | Unable to access | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.88 | NA | NA | NA | NA | NA | NA |
| MW-3 | 11/17/1993 | 18,000 | 5,400 | 660 | 720 | 2,200 | NA | NA | NA | NA | NA | NA | NA | 174.61 | 15.40 | NA | 159.21 | NA | NA | NA |
| MW-3 | 1/20/1994 | 55,000 | 13,000 | 2,600 | 2,200 | 6,500 | NA | NA | NA | NA | NA | NA | NA | 174.61 | 14.61 | NA | 160.00 | NA | NA | NA |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|----------|------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-3 | 4/25/1994 | 96,000 | 11,000 | 1,600 | 3,100 | 9,900 | NA | NA | NA | NA | NA | NA | NA | 174.61 | 13.12 | NA | 161.49 | NA | NA | NA |
| MW-3 (D) | 4/25/1994 | 78,000 | 12,000 | 1,900 | 2,600 | 7,300 | NA | NA | NA | NA | NA | NA | NA | 174.61 | 13.12 | NA | 161.49 | NA | NA | NA |
| MW-3 | 7/7/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 14.54 | NA | 160.07 | 0.02 | NA | NA |
| MW-3 | 10/27/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 15.62 | NA | 159.03 | 0.05 | NA | NA |
| MW-3 | 11/17/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 13.83 | NA | 160.78 | NA | NA | NA |
| MW-3 | 11/28/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 14.02 | NA | 160.59 | NA | NA | NA |
| MW-3 | 1/13/1995 | 180,000 | 3,200 | 2,700 | 1,700 | 5,200 | NA | NA | NA | NA | NA | NA | NA | 174.61 | 12.13 | NA | 162.48 | NA | NA | NA |
| MW-3 (D) | 1/13/1995 | 23,000 | 4,000 | 690 | 960 | 3,000 | NA | NA | NA | NA | NA | NA | NA | 174.61 | 12.13 | NA | 162.48 | NA | NA | NA |
| MW-3 | 4/12/1995 | 56,000 | 8,700 | 1,500 | 2,100 | 6,300 | NA | NA | NA | NA | NA | NA | NA | 174.61 | 12.96 | NA | 161.65 | NA | NA | NA |
| MW-3 | 7/25/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 14.28 | NA | 160.38 | 0.06 | NA | NA |
| MW-3 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 15.88 | NA | 158.77 | 0.05 | NA | NA |
| MW-3 | 1/17/1996 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 13.86 | NA | 160.94 | 0.24 | NA | NA |
| MW-3 | 4/25/1996 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 13.82 | NA | 160.81 | 0.02 | NA | NA |
| MW-3 | 7/17/1996 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 16.11 | NA | 158.52 | 0.03 | NA | NA |
| MW-3 | 10/1/1996 | 46,000 | 7,300 | 530 | 1,700 | 3,900 | 3,200 | NA | NA | NA | NA | NA | NA | 174.61 | 16.56 | NA | 158.05 | NA | NA | NA |
| MW-3 (D) | 10/1/1996 | 47,000 | 7,100 | 530 | 1,700 | 4,000 | 2,900 | NA | NA | NA | NA | NA | NA | 174.61 | 16.56 | NA | 158.05 | NA | NA | NA |
| MW-3 | 1/22/1997 | 82,000 | 5,200 | 1,300 | 2,800 | 8,900 | 1,100 | NA | NA | NA | NA | NA | NA | 174.61 | 13.07 | NA | 161.54 | NA | NA | NA |
| MW-3 (D) | 1/22/1997 | 61,000 | 8,400 | 1,100 | 2,300 | 7,000 | 2,700 | NA | NA | NA | NA | NA | NA | 174.61 | 13.07 | NA | 161.54 | NA | NA | NA |
| MW-3 | 4/8/1997 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.61 | 17.09 | NA | 157.54 | 0.03 | NA | NA |
| MW-3 | 7/8/1997 | 56,000 | 8,800 | 580 | 2,000 | 4,900 | 2,800 | NA | NA | NA | NA | NA | NA | 174.61 | 15.85 | NA | 158.76 | NA | NA | NA |
| MW-3 | 10/8/1997 | 48,000 | 8,000 | 590 | 1,700 | 3,400 | 5,100 | NA | NA | NA | NA | NA | NA | 174.61 | 16.22 | NA | 158.39 | NA | NA | NA |
| MW-3 | 1/8/1998 | 47,000 | 9,400 | 810 | 2,300 | 4,700 | 6,300 | NA | NA | NA | NA | NA | NA | 174.61 | 13.80 | NA | 160.81 | NA | NA | NA |
| MW-3 (D) | 1/8/1998 | 48,000 | 8,100 | 750 | 2,000 | 4,100 | 5,800 | NA | NA | NA | NA | NA | NA | 174.61 | 13.80 | NA | 160.81 | NA | NA | NA |
| MW-3 | 4/13/1998 | 32,000 | 6,800 | 540 | 1,400 | 3,400 | 4,000 | NA | NA | NA | NA | NA | NA | 174.61 | 12.97 | NA | 161.64 | NA | NA | NA |
| MW-3 (D) | 4/13/1998 | 36,000 | 7,300 | 660 | 1,600 | 3,700 | 4,000 | NA | NA | NA | NA | NA | NA | 174.61 | 12.97 | NA | 161.64 | NA | NA | NA |
| MW-3 | 7/17/1998 | 71,000 | 11,000 | 590 | 2,200 | 6,900 | 3,900 | NA | NA | NA | NA | NA | NA | 174.61 | 11.51 | NA | 163.10 | NA | NA | NA |
| MW-3 (D) | 7/17/1998 | 76,000 | 12,000 | 700 | 2,600 | 8,000 | 3,000 | NA | NA | NA | NA | NA | NA | 174.61 | 11.51 | NA | 163.10 | NA | NA | NA |
| MW-3 | 10/2/1998 | 68,000 | 8,900 | 510 | 2,000 | 4,900 | 4,600 | NA | NA | NA | NA | NA | NA | 174.61 | 16.50 | NA | 158.11 | NA | NA | NA |
| MW-3 (D) | 10/2/1998 | 59,000 | 9,400 | 460 | 2,000 | 4,900 | 4,700 | NA | NA | NA | NA | NA | NA | 174.61 | 16.50 | NA | 158.11 | NA | NA | NA |
| MW-3 | 2/3/1999 | 36,000 | 6,800 | 300 | 1,600 | 2,900 | 18,000 | NA | NA | NA | NA | NA | NA | 174.61 | 15.21 | NA | 159.40 | NA | 1.3 | NA |
| MW-3 | 4/29/1999 | 45,000 | 8,100 | 580 | 2,200 | 5,800 | 4,700 | 5,150 | NA | NA | NA | NA | NA | 174.61 | 15.43 | NA | 159.18 | NA | 1.5 | -68 |
| MW-3 | 7/23/1999 | 29,400 | 3,540 | 215 | 810 | 3,800 | 4,720 | 6,950* | NA | NA | NA | NA | NA | 174.61 | 14.95 | NA | 159.66 | NA | 1.3 | NA |
| MW-3 | 11/1/1999 | 20,000 | 4,190 | 294 | 1,060 | 1,740 | 5,540 | 8,590 | NA | NA | NA | NA | NA | 174.61 | 14.66 | NA | 159.95 | NA | 0.6 | -110 |
| MW-3 | 1/17/2000 | 17,000 | 3,900 | 89 | 1,100 | 1,200 | 7,900 | NA | NA | NA | NA | NA | NA | 174.61 | 13.94 | NA | 160.67 | NA | 1.3 | -40 |
| MW-3 | 4/17/2000 | 28,100 | 5,240 | 247 | 1,540 | 2,750 | 16,600 | NA | NA | NA | NA | NA | NA | 174.61 | 14.00 | NA | 160.61 | NA | 1.1 | -86 |
| MW-3 | 7/26/2000 | 24,300 | 6,680 | 159 | 1,610 | 1,640 | 17,100 | NA | NA | NA | NA | NA | NA | 174.61 | 13.72 | NA | 160.89 | NA | 0.9 | -70 |
| MW-3 | 10/12/2000 | 14,300 | 2,630 | 86.7 | 241 | 1,360 | 16,300 | NA | NA | NA | NA | NA | NA | 174.61 | 14.15 | NA | 160.46 | NA | 0.9 | 50 |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|---------|------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-3 | 1/15/2001 | 22,100 | 4,400 | 266 | 977 | 2,990 | 13,200 | NA | NA | NA | NA | NA | NA | 174.61 | 13.05 | NA | 161.56 | NA | 1.3 | -40 |
| MW-3 | 4/9/2001 | 33,800 | 7,100 | 147 | 1,700 | 2,660 | 13,000 | NA | NA | NA | NA | NA | NA | 174.61 | 13.59 | NA | 161.02 | NA | 0.6 | -56 |
| MW-3 | 7/24/2001 | 220,000 | 5,600 | 1,900 | 4,400 | 19,000 | NA | 12,000 | NA | NA | NA | NA | NA | 174.61 | 14.43 | NA | 160.18 | NA | 0.4 | 29 |
| MW-3 | 10/31/2001 | 65,000 | 2,700 | 510 | 1,800 | 7,200 | NA | 9,800 | <20 | <20 | <20 | 5,200 | <500 | 174.61 | 14.59 | NA | 160.02 | NA | 0.9 | -27 |
| MW-3 | 1/10/2002 | 66,000 | 2,400 | 490 | 1,700 | 6,600 | NA | 5,500 | NA | NA | NA | NA | NA | 174.61 | 12.65 | NA | 161.96 | NA | 1.7 | -76 |
| MW-3 | 4/25/2002 | 55,000 | 4,600 | 460 | 2,400 | 6,900 | NA | 8,100 | NA | NA | NA | NA | NA | 174.61 | 14.13 | NA | 160.48 | NA | 1.2 | -96 |
| MW-3 | 7/18/2002 | 56,000 | 3,300 | 270 | 1,700 | 5,000 | NA | 8,400 | NA | NA | NA | NA | NA | 174.61 | 15.48 | 15.45 | 159.15 | 0.03 | 0.8 | -41 |
| MW-3 | 10/7/2002 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 14.60 | 14.40 | 160.15 | 0.20 | NA | NA |
| MW-3 | 1/6/2003 | 57,000 | 3,200 | 330 | 1,800 | 5,400 | NA | 5,100 | NA | NA | NA | NA | NA | 174.59 | 11.62 | 11.60 | 162.99 | 0.02 | 0.4 | 33 |
| MW-3 | 4/7/2003 | 57,000 | 6,200 | 500 | 2,400 | 6,700 | NA | 8,200 | NA | NA | NA | 3,900 | NA | 174.59 | 13.80 | NA | 160.79 | NA | 0.5 | 61 |
| MW-3 | 7/7/2003 | 28,000 | 4,900 | 300 | 1,500 | 4,100 | NA | 7,900 | NA | NA | NA | 4,700 | NA | 174.59 | 14.00 | NA | 160.59 | NA | 1.0 | -11 |
| MW-3 | 10/9/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 14.44 | 14.36 | 160.21 | 0.08 | NA | NA |
| MW-3 | 10/20/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 14.68 | 14.61 | 159.97 | 0.07 | NA | NA |
| MW-3 | 1/14/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 12.47 | 12.45 | 162.14 | 0.02 | NA | NA |
| MW-3 | 4/28/2004 | 32,000 | 7,300 | 190 | 2,100 | 4,300 | NA | 3,700 | NA | NA | NA | 2,500 | NA | 174.59 | 13.66 | NA | 160.93 | NA | 0.1 | -16 |
| MW-3 | 7/12/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 14.87 | 14.83 | 159.75 | 0.04 | NA | NA |
| MW-3 | 10/25/2004 | 49,000 | 5,100 | 61 | 1,800 | 3,600 | NA | 5,400 | NA | NA | NA | 2,700 | NA | 174.59 | 14.12 | NA | 160.47 | NA | 2.70 | -59 |
| MW-3 | 1/17/2005 | 57,000 | 8,000 | 190 | 2,000 | 4,000 | NA | 4,600 | NA | NA | NA | 3,300 | NA | 174.59 | 10.59 | NA | 164.00 | NA | 0.2 | -18 |
| MW-3 | 4/6/2005 | 57,000 | 7,300 | 180 | 2,200 | 3,300 | NA | 4,100 | NA | NA | NA | 2,700 | NA | 174.59 | 10.58 | NA | 164.01 | NA | 0.95 | -77 |
| MW-3 | 7/8/2005 | 28,000 | 2,900 | 47 | 1,100 | 2,000 | NA | 2,800 | <20 | <20 | <20 | 1,900 | <200 | 174.59 | 13.46 | NA | 161.13 | NA | 0.1 | -51 |
| MW-3 | 10/7/2005 | 23,000 | 3,200 | 39 | 960 | 1,300 | NA | 2,600 | NA | NA | NA | 1,900 | NA | 174.59 | 14.76 | NA | 159.83 | NA | NA | NA |
| MW-3 | 1/27/2006 | 38,500 | 6,520 | 139 | 1,350 | 2,160 | NA | 1,940 | NA | NA | NA | 1,490 | NA | 174.59 | 11.69 | NA | 162.90 | NA | NA | NA |
| MW-3 | 3/16/2006 | 65,100 | 5,280 | 181 | 1,580 | 2,520 | NA | 2,410 | NA | NA | NA | 12,300 | NA | 174.59 | 10.08 | NA | 164.51 | NA | NA | NA |
| MW-3 | 4/28/2006 | <1000 | 4,330 | 157 | 1,480 | 2,690 | NA | 2,470 | NA | NA | NA | 1,520 | NA | 174.59 | 3.31 | NA | 171.28 | NA | NA | NA |
| MW-3 | 5/15/2006 | 69,600 | 6,100 | 159 | 1,690 | 2,640 | NA | 3,520 | NA | NA | NA | 1,720 | NA | 174.59 | 12.69 | NA | 161.90 | NA | NA | NA |
| MW-3 | 6/19/2006 | 103,000 | 5,070 | 117 | 2,210 | 3,950 | NA | 2,790 | NA | NA | NA | 1,080 | NA | 174.59 | 13.28 | NA | 161.31 | NA | NA | NA |
| MW-3 | 7/28/2006 | 86,600 | 4,890 | 85.7 | 1,570 | 2,250 | NA | 2,790 | 7.28 | <0.500 | <0.500 | 1,260 | <50.0 | 174.59 | 14.72 | NA | 159.87 | NA | NA | NA |
| MW-3 | 8/31/2006 | 45,700 | 4,600 | 204 | 1,740 | 2,680 | NA | 2,580 | NA | NA | NA | 1,520 | NA | 174.59 | 14.75 | NA | 159.84 | NA | NA | NA |
| MW-3 | 9/26/2006 | 29,000 | 3,900 | 76 | 1,500 | 2,100 | NA | 2,700 | NA | NA | NA | 1,500 | NA | 174.59 | 14.97 | NA | 159.62 | NA | NA | NA |
| MW-3 | 10/27/2006 | 41,000 | 3,690 | 65.2 | 1,210 | 1,650 | NA | 1,760 | NA | NA | NA | 867 d | NA | 174.59 | 15.00 | NA | 159.59 | NA | NA | NA |
| MW-3 | 11/22/2006 | 30,000 | 3,300 | 51 | 810 | 1,500 | NA | 1,900 | NA | NA | NA | 1,300 | NA | 174.59 | 14.26 | NA | 160.33 | NA | NA | NA |
| MW-3 | 12/26/2006 | 31,000 | 2,500 | 56 | 1,100 | 1,500 | NA | 2,200 | NA | NA | NA | 2,000 | NA | 174.59 | 12.52 | NA | 162.07 | NA | NA | NA |
| MW-3 | 1/10/2007 | 18,000 | 2,600 | 43 | 750 | 940 | NA | 2,100 | NA | NA | NA | 2,100 | NA | 174.59 | 12.81 | NA | 161.78 | NA | NA | NA |
| MW-3 | 2/19/2007 | 27,000 | 3,800 | 110 | 1,200 | 1,500 | NA | 2,400 | NA | NA | NA | 3,200 | NA | 174.59 | 11.65 | NA | 162.94 | NA | NA | NA |
| MW-3 | 3/16/2007 | 25,000 | 4,000 | 80 | 1,300 | 1,500 | NA | 2,100 | NA | NA | NA | 2,400 | NA | 174.59 | 12.20 | NA | 162.39 | NA | NA | NA |
| MW-3 | 4/13/2007 | 30,000 g | 4,400 | 73 | 1,500 | 1,920 | NA | 2,800 | NA | NA | NA | 3,900 | NA | 174.59 | 13.37 | NA | 161.22 | NA | NA | NA |
| MW-3 | 7/9/2007 | 25,000 g | 3,800 | 57 | 1,400 | 1,456 | NA | 1,900 | <100 | <100 | <100 | 1,500 | <5,000 | 174.59 | 14.30 | NA | 160.29 | NA | NA | NA |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|----------|------------|------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-3 | 10/8/2007 | 20,000 g | 3,200 | 35 i | 1,300 | 1,124 i | NA | 1,700 | NA | NA | NA | 1,500 | NA | 174.59 | 15.19 | 15.18 | 159.41 | 0.01 | NA | NA |
| MW-3 | 11/19/2007 | Unable to access | | | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | NA | NA | NA | NA | NA | NA |
| MW-3 | 11/30/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 14.07 | NA | 160.52 | NA | NA | NA |
| MW-3 | 12/10/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 13.78 | NA | 160.81 | NA | NA | NA |
| MW-3 | 1/9/2008 | 33,000 g | 2,800 | 34 | 910 | 782 i | NA | 1,000 | NA | NA | NA | 1,100 | NA | 174.59 | 11.09 | NA | 163.50 | NA | NA | NA |
| MW-3 | 2/21/2008 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 12.22 | NA | 162.37 | NA | NA | NA |
| MW-3 | 3/20/2008 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.59 | 13.03 | NA | 161.56 | NA | NA | NA |
| MW-3 | 4/4/2008 | 24,000 | 3,300 | 55 | 1,100 | 844 | NA | 1,900 | NA | NA | NA | 1,200 | NA | 174.59 | 13.41 | NA | 161.18 | NA | NA | NA |
| MW-4 | 11/17/1994 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 164.06 | 6.62 | NA | 157.44 | NA | NA | NA |
| MW-4 | 11/28/1994 | 2,900 | 200 | 17 | 76 | 260 | NA | NA | NA | NA | NA | NA | NA | 164.06 | 6.11 | NA | 157.95 | NA | NA | NA |
| MW-4 | 1/13/1995 | 1,900 | 130 | 5.6 | 13 | 40 | NA | NA | NA | NA | NA | NA | NA | 164.06 | 6.05 | NA | 158.01 | NA | NA | NA |
| MW-4 | 4/12/1995 | 680 | 150 | <2.0 | 10 | 13 | NA | NA | NA | NA | NA | NA | NA | 164.06 | 6.31 | NA | 157.75 | NA | NA | NA |
| MW-4 | 7/25/1995 | 340 | 100 | 0.8 | 8.8 | 3 | NA | NA | NA | NA | NA | NA | NA | 164.06 | 7.36 | NA | 156.70 | NA | NA | NA |
| MW-4 | 10/18/1995 | 150 | 31 | <0.5 | 3.5 | 0.8 | NA | NA | NA | NA | NA | NA | NA | 164.06 | 8.54 | NA | 155.52 | NA | NA | NA |
| MW-4 | 1/17/1996 | 290 | 14 | <0.5 | 1.8 | 0.8 | NA | NA | NA | NA | NA | NA | NA | 164.06 | 8.48 | NA | 155.58 | NA | NA | NA |
| MW-4 | 4/25/1996 | <500 | 65 | <5 | <5 | <5 | 1,700 | NA | NA | NA | NA | NA | NA | 164.06 | 7.40 | NA | 156.66 | NA | NA | NA |
| MW-4 (D) | 4/25/1996 | <500 | 66 | <5 | 8.7 | <5 | 1,500 | NA | NA | NA | NA | NA | NA | 164.06 | 7.40 | NA | 156.66 | NA | NA | NA |
| MW-4 | 7/17/1996 | <500 | 84 | <5.0 | 6.5 | <5.0 | 1,500 | NA | NA | NA | NA | NA | NA | 164.06 | 7.75 | NA | 156.31 | NA | NA | NA |
| MW-4 (D) | 7/17/1996 | <500 | 54 | <5.0 | <5.0 | <5.0 | 1,700 | 2,100 | NA | NA | NA | NA | NA | 164.06 | 7.75 | NA | 156.31 | NA | NA | NA |
| MW-4 | 10/1/1996 | <500 | 1.9 | <5.0 | <5.0 | <5.0 | 3,000 | NA | NA | NA | NA | NA | NA | 164.06 | 8.82 | NA | 155.24 | NA | NA | NA |
| MW-4 | 1/22/1997 | 580 | 130 | <2.5 | 18 | 5.2 | 1,200 | NA | NA | NA | NA | NA | NA | 164.06 | 7.51 | NA | 156.55 | NA | NA | NA |
| MW-4 | 4/8/1997 | 770 | 200 | 7 | 26 | 55 | 1,500 | 8 | NA | NA | NA | NA | NA | 164.06 | 7.18 | NA | 156.88 | NA | NA | NA |
| MW-4 | 7/8/1997 | 570 | 78 | <5.0 | 14 | 11 | 1,200 | NA | NA | NA | NA | NA | NA | 164.06 | 9.00 | NA | 155.06 | NA | NA | NA |
| MW-4 (D) | 7/8/1997 | 640 | 81 | <5.0 | 16 | 19 | 1,600 | NA | NA | NA | NA | NA | NA | 164.06 | 9.00 | NA | 155.06 | NA | NA | NA |
| MW-4 | 10/8/1997 | <500 | 40 | <5.0 | 7.4 | 5.4 | 1,400 | NA | NA | NA | NA | NA | NA | 164.06 | 8.97 | NA | 155.09 | NA | NA | NA |
| MW-4 (D) | 10/8/1997 | <500 | 36 | <5.0 | 5.9 | <5.0 | 1,400 | NA | NA | NA | NA | NA | NA | 164.06 | 8.97 | NA | 155.09 | NA | NA | NA |
| MW-4 | 1/8/1998 | <1,000 | 55 | <10 | 13 | <10 | 2,000 | NA | NA | NA | NA | NA | NA | 164.06 | 7.90 | NA | 156.16 | NA | NA | NA |
| MW-4 | 4/13/1998 | 350 | 110 | 2.4 | 20 | 26 | <2.5 | NA | NA | NA | NA | NA | NA | 164.06 | 7.35 | NA | 156.71 | NA | NA | NA |
| MW-4 | 7/17/1998 | 210 | 66 | 0.78 | 5.4 | 9.8 | 1,700 | NA | NA | NA | NA | NA | NA | 164.06 | 6.95 | NA | 157.11 | NA | NA | NA |
| MW-4 | 10/2/1998 | <50 | 0.69 | <0.50 | <0.50 | <0.50 | 2,900 | NA | NA | NA | NA | NA | NA | 164.06 | 7.35 | NA | 156.71 | NA | NA | NA |
| MW-4 | 2/3/1999 | 560 | 120 | 2.5 | 29 | 34 | 6,800 | NA | NA | NA | NA | NA | NA | 164.06 | 7.71 | NA | 156.35 | NA | 0.9 | NA |
| MW-4 | 4/29/1999 | 390 | 80 | 1.9 | 13 | 19 | 7,000 | 8,360 | NA | NA | NA | NA | NA | 164.06 | 7.83 | NA | 156.23 | NA | 1.1 | -125 |
| MW-4 | 7/23/1999 | 460 | 93.6 | 8.40 | 25.2 | 28.8 | 3,760 | 6,000* | NA | NA | NA | NA | NA | 164.06 | 11.33 | NA | 152.73 | NA | 0.9 | NA |
| MW-4 | 11/11/1999 | 77.3 | 0.520 | <0.500 | <0.500 | <0.500 | 539 | NA | NA | NA | NA | NA | NA | 164.06 | 10.66 | NA | 153.40 | NA | 2.8 | 3 |
| MW-4 | 1/17/2000 | 160 | 27 | <0.50 | 12 | 6.3 | 12,000 | NA | NA | NA | NA | NA | NA | 164.06 | 10.15 | NA | 153.91 | NA | 3.9 | -17 |
| MW-4 | 4/17/2000 | <500 | 26 | 6.38 | 9.35 | 10.4 | 9,070 | NA | NA | NA | NA | NA | NA | 164.06 | 10.10 | NA | 153.96 | NA | 1.7 | -129 |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|---------|------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-4 | 7/26/2000 | <500 | 22.7 | <5.00 | 7.59 | 6.96 | 7,660 | NA | NA | NA | NA | NA | NA | 164.06 | 10.09 | NA | 153.97 | NA | 1.4 | -137 |
| MW-4 | 10/12/2000 | 172 | 19.8 | <0.500 | 7.47 | 4.50 | 8,290 | NA | NA | NA | NA | NA | NA | 164.06 | 9.35 | NA | 154.71 | NA | 3.5 | 529 |
| MW-4 | 1/15/2001 | 53.6 | 1.50 | <0.500 | 2.45 | 1.80 | 9,260 | NA | NA | NA | NA | NA | NA | 164.06 | 8.77 | NA | 155.29 | NA | 2.3 | 53 |
| MW-4 | 4/9/2001 | <500 | <5.00 | <5.00 | <5.00 | 5.52 | 10,300 | NA | NA | NA | NA | NA | NA | 164.06 | 7.75 | NA | 156.31 | NA | 1.0 | -133 |
| MW-4 | 7/24/2001 | 58 | 3.8 | <0.50 | 3.2 | 2.9 | NA | 1,700 | NA | NA | NA | NA | NA | 164.06 | 10.07 | NA | 153.99 | NA | 0.5 | 106 |
| MW-4 | 10/31/2001 | <1,000 | <10 | <10 | <10 | <10 | NA | 7,400 | NA | NA | NA | NA | NA | 164.06 | 9.97 | NA | 154.09 | NA | 0.8 | 22 |
| MW-4 | 1/10/2002 | <2,000 | <20 | <20 | <20 | <20 | NA | 12,000 | NA | NA | NA | NA | NA | 164.06 | 8.53 | NA | 155.53 | NA | 8.9 | 224 |
| MW-4 | 4/25/2002 | <2,000 | <20 | <20 | <20 | <20 | NA | 7,900 | NA | NA | NA | NA | NA | 164.06 | 7.33 | NA | 156.73 | NA | 3.6 | -84 |
| MW-4 | 7/18/2002 | <2,000 | <20 | <20 | <20 | <20 | NA | 7,200 | NA | NA | NA | NA | NA | 164.06 | 9.05 | NA | 155.01 | NA | 1.7 | 120 |
| MW-4 | 10/7/2002 | <1,000 | <10 | <10 | <10 | <10 | NA | 3,300 | NA | NA | NA | NA | NA | 164.06 | 9.06 | NA | 154.97 | NA | 2.5 | 33 |
| MW-4 | 1/6/2003 | <500 | 21 | <5.0 | <5.0 | <5.0 | NA | 2,500 | NA | NA | NA | NA | NA | 164.03 | 7.09 | NA | 156.94 | NA | 0.5 | 55 |
| MW-4 | 4/7/2003 | <2,500 | <25 | <25 | <25 | <50 | NA | 1,700 | NA | NA | NA | 5,900 | NA | 164.03 | 8.26 | NA | 155.77 | NA | 1.2 | 69 |
| MW-4 | 7/7/2003 | <2,500 | <25 | <25 | <25 | <50 | NA | 860 | NA | NA | NA | 6,900 | NA | 164.03 | 8.92 | NA | 155.11 | NA | 0.5 | -3 |
| MW-4 | 10/9/2003 | <500 | <5.0 | <5.0 | <5.0 | <10 | NA | 420 | NA | NA | NA | 6,700 | NA | 164.03 | 8.91 | NA | 155.12 | NA | 0.7 | 171 |
| MW-4 | 1/14/2004 | <1,000 | 24 | <10 | <10 | <20 | NA | 500 | NA | NA | NA | 7,200 | NA | 164.03 | 8.34 | NA | 155.69 | NA | 1.2 | 140 |
| MW-4 | 4/28/2004 | <500 | 6.0 | <5.0 | <5.0 | <10 | NA | 310 | NA | NA | NA | 5,200 | NA | 164.03 | 7.55 | NA | 156.48 | NA | 0.4 | 69 |
| MW-4 | 7/12/2004 | <500 | 11 | <5.0 | 7.8 | <10 | NA | 370 | <20 | <20 | <20 | 5,900 | <500 | 164.03 | 8.12 | NA | 155.91 | NA | 0.5 | 142 |
| MW-4 | 10/25/2004 | <500 | <5.0 | <5.0 | 5.6 | <10 | NA | 280 | NA | NA | NA | 4,300 | NA | 164.03 | 7.85 | NA | 156.18 | NA | 1.90 | -70 |
| MW-4 | 1/17/2005 | <1,000 | 56 | <10 | 10 | <20 | NA | 380 | NA | NA | NA | 8,400 | NA | 164.03 | 6.08 | NA | 157.95 | NA | 0.4 | 6 |
| MW-4 | 4/6/2005 | <1,000 | 52 | <10 | 11 | <20 | NA | 450 | NA | NA | NA | 12,000 | NA | 164.03 | 8.10 | NA | 155.93 | NA | 0.49 | 11 |
| MW-4 | 7/8/2005 | <400 | 30 | <4.0 | 6.0 | <4.0 | NA | 250 | <4.0 | <4.0 | <4.0 | 9,600 | <40 | 164.03 | 7.50 | NA | 156.53 | NA | 0.6 | 71 |
| MW-4 | 7/8/2005 | <400 | 30 | <4.0 | 6.0 | <4.0 | NA | 250 | <4.0 | <4.0 | <4.0 | 9,600 | <40 | 164.03 | 7.50 | NA | 156.53 | NA | 0.6 | 71 |
| MW-4 | 10/7/2005 | <1,000 | <10 | <10 | <10 | <20 | NA | 200 | NA | NA | NA | 8,900 | NA | 164.03 | 8.30 | NA | 155.73 | NA | NA | NA |
| MW-4 | 1/27/2006 | 1,140 | 34.3 | 2.37 | 8.69 | 12.0 | NA | 198 | NA | NA | NA | 32,100 | NA | 164.03 | 8.55 | NA | 155.48 | NA | NA | NA |
| MW-4 | 4/28/2006 | 1,490 | 46.8 | 2.80 | 21.2 | 24.8 | NA | 344 | NA | NA | NA | 14,800 | NA | 164.03 | 9.02 | NA | 155.01 | NA | NA | NA |
| MW-4 | 7/28/2006 | 951 | 5.09 | <0.500 | <0.500 | <0.500 | NA | 169 | 1.57 | <0.500 | <0.500 | 4,830 | <50.0 | 164.03 | 9.19 | NA | 154.84 | NA | NA | NA |
| MW-4 | 10/27/2006 | 1,620 | 21.5 | 2.65 | 13.2 | 10.3 | NA | 173 | NA | NA | NA | 5,150 | NA | 164.03 | 9.01 | NA | 155.02 | NA | NA | NA |
| MW-4 | 1/10/2007 | 740 | 56 | 2.4 | 23 | 24 | NA | 190 | NA | NA | NA | 7,500 f | NA | 164.03 | 6.95 | NA | 157.08 | NA | NA | NA |
| MW-4 | 4/13/2007 | 1,500 g | 130 | 20 | 100 | 138 | NA | 120 | NA | NA | NA | 6,300 | NA | 164.03 | 7.51 | NA | 156.52 | NA | NA | NA |
| MW-4 | 7/9/2007 | 650 g | 65 | 5.3 l | 36 | 33.2 l | NA | 130 | <20 | <20 | <20 | 6,000 | <1,000 | 164.03 | 7.85 | NA | 156.18 | NA | NA | NA |
| MW-4 | 10/8/2007 | 840 g | 100 | 23 | 70 | 120 | NA | 120 | NA | NA | NA | 5,300 | NA | 164.03 | 8.50 | NA | 155.53 | NA | NA | NA |
| MW-4 | 1/9/2008 | 2,200 g | 130 | 38 | 130 | 264 | NA | 160 | NA | NA | NA | 5,400 | NA | 164.03 | 8.33 | NA | 155.70 | NA | NA | NA |
| MW-4 | 4/4/2008 | 1,700 | 93 | 24 | 74 | 145 | NA | 110 | NA | NA | NA | 3,700 | NA | 164.03 | 6.63 | NA | 157.40 | NA | NA | NA |
| MW-5 | 1/4/2002 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.62 | NA | NA | NA | NA | NA | NA |
| MW-5 | 1/10/2002 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | NA | 110 | NA | NA | NA | NA | NA | 164.06 | 5.88 | NA | 158.18 | NA | 3.3 | 172 |
| MW-5 | 4/25/2002 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | NA | 73 | NA | NA | NA | NA | NA | 164.06 | 6.81 | NA | 157.25 | NA | 0.3 | -44 |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|---------|------------|------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-5 | 7/18/2002 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | NA | 75 | NA | NA | NA | NA | NA | 164.06 | 7.38 | NA | 156.68 | NA | 0.4 | 170 |
| MW-5 | 10/7/2002 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | NA | 41 | NA | NA | NA | NA | NA | 164.14 | 6.75 | NA | 157.39 | NA | 1.5 | 16 |
| MW-5 | 1/6/2003 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | NA | 81 | NA | NA | NA | NA | NA | 164.14 | 5.96 | NA | 158.18 | NA | 0.6 | 166 |
| MW-5 | 4/7/2003 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 77 | NA | NA | NA | 28 | NA | 164.14 | 6.51 | NA | 157.63 | NA | 0.8 | 174 |
| MW-5 | 7/7/2003 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 32 | NA | NA | NA | 23 | NA | 164.14 | 6.44 | NA | 157.70 | NA | 0.3 | -17 |
| MW-5 | 10/9/2003 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 59 | NA | NA | NA | 40 | NA | 164.14 | 7.05 | NA | 157.09 | NA | 0.9 | 17 |
| MW-5 | 1/14/2004 | <50 | <0.50 | 0.76 | <0.50 | <1.0 | NA | 47 | NA | NA | NA | 17 | NA | 164.14 | 6.29 | NA | 157.85 | NA | 1.6 | 209 |
| MW-5 | 4/28/2004 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 31 | NA | NA | NA | 11 | NA | 164.14 | 6.84 | NA | 157.30 | NA | 0.4 | 136 |
| MW-5 | 7/12/2004 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 47 | <2.0 | <2.0 | <2.0 | 12 | <50 | 164.14 | 7.57 | NA | 156.57 | NA | 0.4 | 90 |
| MW-5 | 10/25/2004 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 41 | NA | NA | NA | 13 | NA | 164.14 | 6.50 | NA | 157.64 | NA | 1.74 | -21 |
| MW-5 | 1/17/2005 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 41 | NA | NA | NA | 12 | NA | 164.14 | 5.83 | NA | 158.31 | NA | 0.1 | -7 |
| MW-5 | 4/6/2005 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 12 | NA | NA | NA | <5.0 | NA | 164.14 | 5.91 | NA | 158.23 | NA | 1.05 | -62 |
| MW-5 | 7/8/2005 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | NA | 26 | <0.50 | <0.50 | <0.50 | 18 | <5.0 | 164.14 | 6.78 | NA | 157.36 | NA | 1.2 | 81 |
| MW-5 | 10/7/2005 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 28 | NA | NA | NA | 24 | NA | 164.14 | 7.64 | NA | 156.50 | NA | NA | NA |
| MW-5 | 1/27/2006 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | NA | 26.7 | NA | NA | NA | 46.3 | NA | 164.14 | 6.21 | NA | 157.93 | NA | NA | NA |
| MW-5 | 4/28/2006 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | NA | 39.1 | NA | NA | NA | 15.0 | NA | 164.14 | 6.05 | NA | 158.09 | NA | NA | NA |
| MW-5 | 7/28/2006 | 103 | <0.500 | <0.500 | <0.500 | <0.500 | NA | 35.5 | <0.500 | <0.500 | <0.500 | <10.0 | <50.0 | 164.14 | 7.54 | NA | 156.60 | NA | NA | NA |
| MW-5 | 10/27/2006 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | NA | 19.7 | NA | NA | NA | 26.0 d | NA | 164.14 | 7.91 | NA | 156.23 | NA | NA | NA |
| MW-5 | 1/10/2007 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 11 | NA | NA | NA | 16 | NA | 164.14 | 6.38 | NA | 157.76 | NA | NA | NA |
| MW-5 | 4/13/2007 | 76 g,h | <0.50 | <1.0 | <1.0 | <1.0 | NA | 35 | NA | NA | NA | 37 | NA | 164.14 | 6.58 | NA | 157.56 | NA | NA | NA |
| MW-5 | 7/9/2007 | <50 g | <0.50 | <1.0 | <1.0 | <1.0 | NA | 26 | <2.0 | <2.0 | <2.0 | 34 | <100 | 164.14 | 7.28 | NA | 156.86 | NA | NA | NA |
| MW-5 | 10/8/2007 | <50 g | <0.50 | <1.0 | <1.0 | <1.0 | NA | 25 | NA | NA | NA | 28 | NA | 164.14 | 8.01 | NA | 156.13 | NA | NA | NA |
| MW-5 | 1/9/2008 | <50 g | 0.15 i | <1.0 | <1.0 | <1.0 | NA | 11 | NA | NA | NA | 7.6 i | NA | 164.14 | 5.45 | NA | 158.69 | NA | NA | NA |
| MW-5 | 4/4/2008 | 50 | <0.50 | <1.0 | <1.0 | <1.0 | NA | 17 | NA | NA | NA | <10 | NA | 164.14 | 6.61 | NA | 157.53 | NA | NA | NA |
| MW-6 | 6/26/2006 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 169.89 | 10.25 | NA | 159.64 | NA | NA | NA |
| MW-6 | 7/28/2006 | 19,200 | 1,290 | 41.7 | 141 | 245 | NA | 777 | 3.37 | <0.500 | <0.500 | 8,340 | <50.0 | 169.89 | 11.00 | NA | 158.89 | NA | NA | NA |
| MW-6 | 10/27/2006 | 11,400 | 1,250 | 41.0 | 155 | 242 | NA | 569 | NA | NA | NA | 7,270 | NA | 169.89 | 11.41 | NA | 158.48 | NA | NA | NA |
| MW-6 | 1/10/2007 | 7,000 | 1,000 | 26 | 270 | 240 | NA | 770 | NA | NA | NA | 17,000 | NA | 169.89 | 9.43 | NA | 160.46 | NA | NA | NA |
| MW-6 | 4/13/2007 | 4,200 g | 820 | 22 | 72 | 71 | NA | 490 | NA | NA | NA | 9,500 | NA | 169.89 | 9.81 | NA | 160.08 | NA | NA | NA |
| MW-6 | 7/9/2007 | 6,100 g | 960 | 23 | 65 | 116 | NA | 280 | <40 | <40 | <40 | 8,400 | <2,000 | 169.89 | 10.80 | NA | 159.09 | NA | NA | NA |
| MW-6 | 10/8/2007 | 3,600 g | 960 | 17 i | 27 | 76 i | NA | 260 | NA | NA | NA | 7,000 | NA | 169.89 | 11.64 | NA | 158.25 | NA | NA | NA |
| MW-6 | 1/9/2008 | Unable to access | | | NA | NA | NA | NA | NA | NA | NA | NA | NA | 169.89 | NA | NA | NA | NA | NA | NA |
| MW-6 | 1/22/2008 | 4,100 g | 610 | 14 i | 31 | 19 i | NA | 180 | NA | NA | NA | 7,700 | NA | 169.89 | 8.81 | NA | 161.08 | NA | NA | NA |
| MW-6 | 4/4/2008 | 6,100 | 760 | <20 | 20 | 29 | NA | 240 | NA | NA | NA | 6,900 | NA | 169.89 | 10.01 | NA | 159.88 | NA | NA | NA |
| MW-7 | 6/26/2006 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.87 | 9.59 | NA | 161.28 | NA | NA | NA |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|---------|------------|------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| MW-7 | 7/28/2006 | 5,860 | 72.0 | 6.67 | 25.4 | 165 | NA | 3,940 | <0.500 | <0.500 | 2.89 | 1,420 | <50.0 | 170.87 | 10.08 | NA | 160.79 | NA | NA | NA |
| MW-7 | 10/27/2006 | 1,180 | 8.67 | <0.500 | 2.48 | 7.52 | NA | 1,100 | NA | NA | NA | 184 | NA | 170.87 | 10.13 | NA | 160.74 | NA | NA | NA |
| MW-7 | 1/10/2007 | 1,000 | 12 | <5.0 | <5.0 | <10 | NA | 2,200 f | NA | NA | NA | 2,400 | NA | 170.87 | 8.41 | NA | 162.46 | NA | NA | NA |
| MW-7 | 4/13/2007 | 1,100 g,h | 54 | <20 | 18.1 | 23.5 i | NA | 2,500 | NA | NA | NA | 3,800 | NA | 170.87 | 8.25 | NA | 162.62 | NA | NA | NA |
| MW-7 | 7/9/2007 | 1,100 g | 41 | <20 | 8.8 i | 4.5 i | NA | 2,000 | <40 | <40 | <40 | 1,200 | <2,000 | 170.87 | 9.22 | NA | 161.65 | NA | NA | NA |
| MW-7 | 10/8/2007 | 400 g | 25 | <20 | <20 | <20 | NA | 1,500 | NA | NA | NA | 740 | NA | 170.87 | 9.41 | NA | 161.46 | NA | NA | NA |
| MW-7 | 1/9/2008 | Unable to access | | | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.87 | NA | NA | NA | NA | NA | NA |
| MW-7 | 1/22/2008 | 160 g | 32 | <10 | <10 | <10 | NA | 1,900 | NA | NA | NA | 820 | NA | 170.87 | 7.63 | NA | 163.24 | NA | NA | NA |
| MW-7 | 4/4/2008 | Unable to access | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 170.87 | NA | NA | NA | NA | NA | NA |
| MW-8 | 6/26/2006 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 174.13 | 4.53 | NA | 169.60 | NA | NA | NA |
| MW-8 | 7/28/2006 | 2,300 | <0.500 | <0.500 | <0.500 | <0.500 | NA | 1,380 | <0.500 | <0.500 | 0.950 | <10.0 | <50.0 | 174.13 | 4.55 | NA | 169.58 | NA | NA | NA |
| MW-8 | 10/27/2006 | 1,570 | 2.79 e | <0.500 | <0.500 | <0.500 | NA | 1,280 e | NA | NA | NA | <10.0 | NA | 174.13 | 4.87 | NA | 169.26 | NA | NA | NA |
| MW-8 | 1/10/2007 | 540 | <2.5 | <2.5 | <2.5 | <5.0 | NA | 1,200 f | NA | NA | NA | 750 | NA | 174.13 | 4.17 | NA | 169.96 | NA | NA | NA |
| MW-8 | 4/13/2007 | 450 g,h | <5.0 | <10 | <10 | <10 | NA | 1,400 | NA | NA | NA | <100 | NA | 174.13 | 4.13 | NA | 170.00 | NA | NA | NA |
| MW-8 | 7/9/2007 | 590 g | <5.0 | <10 | <10 | <10 | NA | 1,000 | <20 | <20 | <20 | <100 | <1,000 | 174.13 | 6.33 | NA | 167.80 | NA | NA | NA |
| MW-8 | 10/8/2007 | 270 g,h | <5.0 | <10 | <10 | <10 | NA | 1,200 | NA | NA | NA | <100 | NA | 174.13 | 5.63 | NA | 168.50 | NA | NA | NA |
| MW-8 | 1/9/2008 | 200 g,h | <2.5 | <5.0 | <5.0 | <5.0 | NA | 370 | NA | NA | NA | <50 | NA | 174.13 | 4.17 | NA | 169.96 | NA | NA | NA |
| MW-8 | 4/4/2008 | 1,000 | <5.0 | <10 | <10 | <10 | NA | 930 | NA | NA | NA | <100 | NA | 174.13 | 4.36 | NA | 169.77 | NA | NA | NA |
| MW-9 | 6/26/2006 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 175.20 | 6.41 | NA | 168.79 | NA | NA | NA |
| MW-9 | 7/28/2006 | 5,690 | 19.2 | 2.64 | 2.02 | 57.7 | NA | 5,780 | <0.500 | <0.500 | 2.74 | 166 | <50.0 | 175.20 | 6.69 | NA | 168.51 | NA | NA | NA |
| MW-9 | 10/27/2006 | 2,710 | 34.2 | <0.500 | 2.76 | 4.75 | NA | 2,140 | NA | NA | NA | 29.2 d | NA | 175.20 | 6.90 | NA | 168.30 | NA | NA | NA |
| MW-9 | 1/10/2007 | 1,500 | 340 | 6.8 | 8.9 | 27 | NA | 2,300 f | NA | NA | NA | 1,400 | NA | 175.20 | 6.14 | NA | 169.06 | NA | NA | NA |
| MW-9 | 4/13/2007 | 1,600 g,h | 390 | 4.1 i | 8.6 i | 4.7 i | NA | 3,700 | NA | NA | NA | 120 | NA | 175.20 | 6.17 | NA | 169.03 | NA | NA | NA |
| MW-9 | 7/9/2007 | 1,200 g | 55 | <25 | <25 | <25 | NA | 2,500 | <50 | <50 | <50 | <250 | <2,500 | 175.20 | 6.65 | NA | 168.55 | NA | NA | NA |
| MW-9 | 10/8/2007 | 520 g,h | 9.1 i | <25 | <25 | <25 | NA | 2,500 | NA | NA | NA | <250 | NA | 175.20 | 7.58 | NA | 167.62 | NA | NA | NA |
| MW-9 | 1/9/2008 | 350 g,h | 3.4 i | <10 | <10 | <10 | NA | 650 | NA | NA | NA | <100 | NA | 175.20 | 6.30 | NA | 168.90 | NA | NA | NA |
| MW-9 | 4/4/2008 | 1,500 | 88 | <10 | <10 | <10 | NA | 1,200 | NA | NA | NA | <100 | NA | 175.20 | 6.05 | NA | 169.15 | NA | NA | NA |
| TB-1 | 4/29/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.00 | NA | NA | NA | 3.8 | -132 |
| TB-1 | 11/1/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.65 | NA | NA | NA | 0.2 | -165 |
| TB-1 | 1/17/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.72 | NA | NA | NA | 0.8 | -178 |
| TB-1 | 4/17/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.65 | NA | NA | NA | 0.5 | -152 |
| TB-1 | 7/26/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.13 | NA | NA | NA | 1.0 | -124 |
| TB-1 | 10/12/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.20 | NA | NA | NA | 0.7 | -73 |
| TB-1 | 1/15/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.09 | NA | NA | NA | 1.2 | -118 |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|---------|------------|--------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
| TB-1 | 4/9/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 4.96 | NA | NA | NA | 1.0 | -72 |
| TB-1 | 7/24/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.03 | NA | NA | NA | 1.4 | 31 |
| TB-1 | 10/31/2001 | 1,000 | 85 | <10 | <10 | 42 | NA | 4,100 | NA | NA | NA | NA | NA | NA | 5.89 | NA | NA | NA | 1.8 | 88 |
| TB-1 | 1/10/2002 | 5,000 | 410 | 390 | 65 | 620 | NA | 9,000 | NA | NA | NA | NA | NA | NA | 7.47 | NA | NA | NA | 2.0 | 95 |
| TB-1 | 4/25/2002 | 5,000 | 780 | 60 | 49 | 91 | NA | 6,000 | NA | NA | NA | NA | NA | NA | 11.71 | NA | NA | NA | 1.7 | -136 |
| TB-1 | 7/18/2002 | Insufficient water | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 13.50 | NA | NA | NA | NA | NA |
| TB-1 | 10/7/2002 | 4,600 | 480 | 36 | 98 | 200 | NA | 4,000 | NA | NA | NA | NA | NA | NA | 12.95 | NA | NA | NA | 1.6 | -48 |
| TB-1 | 1/6/2003 | 130 | 30 | <0.50 | <0.50 | 0.78 | NA | 330 | NA | NA | NA | NA | NA | NA | 5.56 | NA | NA | NA | 0.4 | -20 |
| TB-2 | 4/29/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 4.76 | NA | NA | NA | 4.2 | -108 |
| TB-2 | 11/1/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.33 | NA | NA | NA | 0.5 | -148 |
| TB-2 | 1/17/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.79 | NA | NA | NA | 0.7 | -162 |
| TB-2 | 4/17/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.75 | NA | NA | NA | 0.9 | -121 |
| TB-2 | 7/26/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 4.73 | NA | NA | NA | 0.9 | -85 |
| TB-2 | 10/12/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 4.05 | NA | NA | NA | 0.6 | -47 |
| TB-2 | 1/15/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 3.87 | NA | NA | NA | 0.7 | -91 |
| TB-2 | 4/9/2001 | 46,600 | 1,240 | 1,310 | 1,110 | 12,100 | 31,300 | NA | NA | NA | NA | NA | NA | NA | 3.76 | NA | NA | NA | 0.8 | -24 |
| TB-2 | 7/24/2001 | 11,000 | 630 | <25 | 310 | 200 | NA | 11,000 | NA | NA | NA | NA | NA | NA | 4.75 | NA | NA | NA | 0.4 | -51 |
| TB-2 | 10/31/2001 | 7,500 | 530 | 1,500 | 100 | 500 | NA | 2,500 | NA | NA | NA | NA | NA | NA | 4.24 | NA | NA | NA | 0.6 | -7 |
| TB-2 | 1/10/2002 | <5,000 | 480 | 47 | 34 | 110 | NA | 12,000 | NA | NA | NA | NA | NA | NA | 6.26 | NA | NA | NA | 1.3 | -81 |
| TB-2 | 4/25/2002 | 4,700 | 470 | 140 | <20 | 80 | NA | 7,400 | NA | NA | NA | NA | NA | NA | 11.78 | NA | NA | NA | 0.9 | -107 |
| TB-2 | 7/18/2002 | 7,500 | 630 | 650 | <25 | 390 | NA | 44,000 | NA | NA | NA | NA | NA | NA | 12.34 | NA | NA | NA | 0.9 | -67 |
| TB-2 | 10/7/2002 | <10,000 | 580 | <100 | <100 | 180 | NA | 30,000 | NA | NA | NA | NA | NA | NA | 11.62 | NA | NA | NA | 1.0 | -41 |
| TB-2 | 1/6/2003 | 120 | 4.8 | <0.50 | <0.50 | 2.0 | NA | 220 | NA | NA | NA | NA | NA | NA | 4.35 | NA | NA | NA | 0.5 | -515 |

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|---------|------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
|---------|------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to July 24, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to July 24, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

DO = Dissolved Oxygens

ppm = Parts per million

ORP = Oxidation Reduction Potential

mV = Millivolts

WELL CONCENTRATIONS
Former Shell-branded Service Station
4255 MacArthur Boulevard
Oakland, CA

| Well ID | Date | TPPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | Ethanol (ug/L) | TOC (MSL) | Depth to Water (ft.) | Depth to SPH (ft.) | GW Elevation (MSL) | SPH Thickness (ft.) | DO Reading (ppm) | ORP Reading (mV) |
|---------|------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|
|---------|------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|-------------------|--------------|----------------------------|--------------------------|--------------------------|---------------------------|------------------------|------------------------|

Notes:

a = Ground water surface had a sheen when sampled.

b = MTBE value is estimated by Sequoia Analytical of Redwood City, CA.

c = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.

d = Secondary ion abundances were outside method requirements. Identification based on analytical judgement.

e = pH > 2

f = Initial analysis within holding time. Reanalysis for the required dilution or confirmation was past holding time.

g = Analyzed by EPA Method 8015B (M).

h = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

i = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

* = Sample analyzed outside the EPA recommended holding time.

Ethanol analyzed by EPA Method 8260B.


Site surveyed March 14, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

When separate-phase hydrocarbons are present, ground water elevation is adjusted using the relation: Corrected ground water elevation = Top-of-Casing Elevation - Depth to Water + (0.8 x Hydrocarbon Thickness).

Wells MW-6, MW-7, MW-8 and MW-9 surveyed July 12, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.

FIGURES

PS-1:1 L:\QMS VICINITY MAP S01156vm.dwg Aug 01, 2007 - 2:38pm cwong




SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
Oakland East Quadrangle

0 1/4 1/2 3/4 1 MILE



SCALE 1:24,000



QUADRANGLE
LOCATION




PROJECT: 125703

FACILITY:

76 STATION 1156
4276 MACARTHUR BOUENVARD
OAKLAND, CALIFORNIA

VICINITY MAP

FIGURE 1



LEGEND

- MW-8 ⊕ 76 Station Monitoring Well with Groundwater Elevation (feet)
- MW-9 ⊙ Shell Monitoring Well
- TB2 ⊘ Destroyed Shell Well
- 174.00 — Groundwater Elevation Contour
- ➔ General Direction of Groundwater Flow

NOTES:


Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. NA = not analyzed, measured, or collected. UST = underground storage tank. Shell data supplied by Blaine Tech; not included in contour interpretation.



PROJECT: 154771
 FACILITY:
 76 STATION 1156
 4276 MACARTHUR BOULEVARD
 OAKLAND, CALIFORNIA

**GROUNDWATER ELEVATION
 CONTOUR MAP**
 April 4, 2008

FIGURE 2



LEGEND

- MW-8 76 Station Monitoring Well with Dissolved-Phase TPH-G Concentration ($\mu\text{g/l}$)
- MW-9 Shell Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)
- TB2 Destroyed Shell Well

HIGH STREET

SCALE (FEET)



NOTES


TPH-G = total petroleum hydrocarbons as gasoline.
 TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.
 () = representative historical data. UST = underground storage tank. Shell data supplied by Blaine Tech;
 TPH-G Results obtained using EPA Method 8015.



PROJECT: 154771
 FACILITY:
 76 STATION 1156
 4276 MACARTHUR BOULEVARD
 OAKLAND, CALIFORNIA

**DISSOLVED-PHASE TPH-G
 CONCENTRATION MAP**
 April 4, 2008

FIGURE 3



LEGEND

MW-8 76 Monitoring Station Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)

MW-9 Shell Monitoring Well

TB2 Destroyed Shell Well

NOTES:

$\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. NA = not analyzed, measured, or collected. () = representative historical data. UST = underground storage tank. Shell data supplied by Blaine Tech.




PROJECT: 154771

FACILITY:
76 STATION 1156
4276 MACARTHUR BOULEVARD
OAKLAND, CALIFORNIA

**DISSOLVED-PHASE BENZENE
CONCENTRATION MAP
April 4, 2008**

FIGURE 4



LEGEND

MW-8 ⊕ 76 Station Monitoring Well with Dissolved-Phase MTBE Concentration (µg/l)

MW-9 ⊙ Shell Monitoring Well

TB2 ∅ Destroyed Shell Well

NOTES:

MTBE = methyl tertiary butyl ether. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. NA = not analyzed, measured, or collected. () = representative historical data. UST = underground storage tank. Shell data supplied by Blaine Tech. Results obtained using EPA Method 8260B.

SCALE (FEET)




PROJECT: 154771
 FACILITY:
 76 STATION 1156
 4276 MACARTHUR BOULEVARD
 OAKLAND, CALIFORNIA

**DISSOLVED-PHASE MTBE
 CONCENTRATION MAP**
 April 4, 2008

FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 1156











Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 1156











Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 1156



MTBE Concentrations vs Time
76 Station 1156



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: Dick

Job #/Task #: 15477/FA20

Date: 4/04/08

Site # 1156

Project Manager A. Collins

Page 1 of 1

| Well # | TOC | Time Gauged | Total Depth | Depth to Water | Depth to Product | Product Thickness (feet) | Time Sampled | Misc. Well Notes |
|--------|-----|-------------|-------------|----------------|------------------|--------------------------|--------------|------------------|
| MW-8 | ✓ | 0624 | 25.00 | 0.55 | — | — | 1155 | 2" |
| MW-6 | ✓ | 0628 | 24.91 | 1.60 | — | — | 1205 | 2" |
| MW-5 | ✓ | 0642 | 25.32 | 1.72 | — | — | 1112 | 2" |
| MW-7 | ✓ | 0657 | 23.90 | 6.80 | — | — | 1140 | 2" |
| MW-2 | ✓ | 0724 | 25.12 | 3.52 | — | — | 1020 | 2" |
| MW-4 | ✓ | 0733 | 25.10 | 4.20 | — | — | 1010 | 2" |
| MW-3 | ✓ | 0739 | 24.72 | 5.64 | — | — | 0940 | 2" |
| MW-1 | ✓ | 0744 | 25.00 | 5.25 | — | — | 1000 | 2" |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

FIELD DATA COMPLETE QA/QC COC WELL BOX CONDITION SHEETS

MANIFEST DRUM INVENTORY TRAFFIC CONTROL



GROUNDWATER SAMPLING FIELD NOTES

Technician: Rick R

Site: 115C

Project No.: 154771

Date: 4/04/08

Well No. MW-8

Purge Method: DIA

Depth to Water (feet): 0.55

Depth to Product (feet): _____

Total Depth (feet): 25.00

LPH & Water Recovered (gallons): _____

Water Column (feet): 24.45

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 5.44

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| <u>1042</u> | | | <u>4</u> | <u>744.0</u> | <u>17.2</u> | <u>7.91</u> | | | |
| | | | <u>8</u> | <u>763.0</u> | <u>17.4</u> | <u>7.90</u> | | | |
| | <u>1045</u> | | <u>12</u> | <u>752.0</u> | <u>17.3</u> | <u>7.82</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>1.13</u> | | | <u>12</u> | | <u>1155</u> | | | | |
| Comments: | | | | | | | | | |

Well No. MW-6

Purge Method: DIA

Depth to Water (feet): 1.60

Depth to Product (feet): _____

Total Depth (feet): 24.91

LPH & Water Recovered (gallons): _____

Water Column (feet): 23.31

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 6.26

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| <u>1050</u> | | | <u>4</u> | <u>833.4</u> | <u>17.3</u> | <u>7.50</u> | | | |
| | | | <u>8</u> | <u>833.5</u> | <u>17.4</u> | <u>7.51</u> | | | |
| | <u>1053</u> | | <u>12</u> | <u>830.3</u> | <u>17.2</u> | <u>7.46</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>2.33</u> | | | <u>12</u> | | <u>1205</u> | | | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: Dick R.

Site: 1156

Project No.: 154771

Date: 4/04/08

Well No. MW-5

Purge Method: DIA

Depth to Water (feet): 1.72

Depth to Product (feet):

Total Depth (feet): 25.32

LPH & Water Recovered (gallons):

Water Column (feet): 23.60

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 6.44

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F. °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|-------------|-----|-----------|
| <u>1104</u> | | | <u>4</u> | <u>914.0</u> | <u>18.3</u> | <u>7.35</u> | | | |
| | | | <u>8</u> | <u>912.0</u> | <u>18.1</u> | <u>7.20</u> | | | |
| | <u>1107</u> | | <u>12</u> | <u>909.9</u> | <u>17.6</u> | <u>7.14</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>6.30</u> | | | <u>12</u> | | <u>1112</u> | | | | |
| Comments: | | | | | | | | | |

Well No. MW-7

Purge Method: DIA

Depth to Water (feet): 6.80

Depth to Product (feet):

Total Depth (feet): 23.90

LPH & Water Recovered (gallons):

Water Column (feet): 17.10

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 10.22

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F. °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|-------------|-----|-----------|
| <u>1124</u> | | | <u>3</u> | <u>1126.0</u> | <u>18.8</u> | <u>7.11</u> | | | |
| | | | <u>6</u> | <u>970.1</u> | <u>18.7</u> | <u>7.05</u> | | | |
| | <u>1126</u> | | <u>9</u> | <u>970.0</u> | <u>17.9</u> | <u>7.05</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>10.20</u> | | | <u>9</u> | | <u>1140</u> | | | | |
| Comments: | | | | | | | | | |



GROUNDWATER SAMPLING FIELD NOTES

Technician: Dick R.

Site: 1156

Project No.: 154771

Date: 4/04/08

Well No. MW-2

Purge Method: DIA

Depth to Water (feet): 3.52

Depth to Product (feet): _____

Total Depth (feet): 25.12

LPH & Water Recovered (gallons): _____

Water Column (feet): 21.60

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 7.84

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|-------------|-----|-----------|
| <u>0835</u> | | | <u>4</u> | <u>760.7</u> | <u>15.0</u> | <u>7.34</u> | | | |
| | | | <u>8</u> | <u>798.8</u> | <u>16.6</u> | <u>7.17</u> | | | |
| | <u>0839</u> | | <u>12</u> | <u>817.7</u> | <u>16.9</u> | <u>7.08</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>7:18</u> | | | <u>12</u> | | <u>RR 1010 1020</u> | | | | |
| Comments: | | | | | | | | | |

Well No. MW-4

Purge Method: DIA

Depth to Water (feet): 4.20

Depth to Product (feet): _____

Total Depth (feet): 29.10

LPH & Water Recovered (gallons): _____

Water Column (feet): 20.90

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 8.38

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| <u>0849</u> | | | <u>4</u> | <u>847.7</u> | <u>17.1</u> | <u>7.00</u> | | | |
| | | | <u>8</u> | <u>847.3</u> | <u>17.2</u> | <u>7.05</u> | | | |
| | <u>0852</u> | | <u>12</u> | <u>869.0</u> | <u>17.5</u> | <u>7.20</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>7:18</u> | | | <u>12</u> | | <u>1010</u> | | | | |
| Comments: | | | | | | | | | |



GROUNDWATER SAMPLING FIELD NOTES

Technician: Rick R

Site: 1156

Project No.: 154771

Date: 4/04/08

Well No. MW-3

Purge Method: DIA

Depth to Water (feet): 5.60

Depth to Product (feet):

Total Depth (feet): 24.72

LPH & Water Recovered (gallons):

Water Column (feet): 19.12

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 9.42

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F. °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|-------------|-----|-----------|
| <u>0858</u> | | | <u>3</u> | <u>849.5</u> | <u>17.1</u> | <u>7.15</u> | | | |
| | | | <u>6</u> | <u>844.8</u> | <u>17.2</u> | <u>7.12</u> | | | |
| | <u>0901</u> | | <u>9</u> | <u>812.2</u> | <u>17.4</u> | <u>7.02</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>8.60</u> | | | <u>9</u> | | <u>0940</u> | | | | |
| Comments: | | | | | | | | | |

Well No. ~~MW-2~~ MW-1

Purge Method: DIA

Depth to Water (feet): 5.25

Depth to Product (feet):

Total Depth (feet): 25.00

LPH & Water Recovered (gallons):

Water Column (feet): 19.75

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 9.20

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F. °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|-------------|-----|-----------|
| <u>0909</u> | | | <u>3</u> | <u>916.9</u> | <u>16.3</u> | <u>7.43</u> | | | |
| | | | <u>6</u> | <u>920.2</u> | <u>16.8</u> | <u>7.49</u> | | | |
| | <u>0912</u> | | <u>9</u> | <u>949.1</u> | <u>16.7</u> | <u>7.75</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>9.00</u> | | | <u>9</u> | | <u>1000</u> | | | | |
| Comments: | | | | | | | | | |



Date of Report: 05/14/2008

Anju Farfan

TRC

21 Technology Drive
Irvine, CA 92618

RE: 1156

BC Work Order: 0804471

Enclosed are the results of analyses for samples received by the laboratory on 04/07/2008 20:40. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | | Receive Date: | Sampling Date: | Sample Depth: | Sample Matrix: | Delivery Work Order: | Global ID: | Matrix: | Sample QC Type (SACode): | Cooler ID: |
|------------|---------------------------|------|--|------------------|------------------|---------------|----------------|----------------------|-------------|---------|--------------------------|------------|
| 0804471-01 | COC Number: | --- | | 04/07/2008 20:40 | 04/04/2008 11:55 | --- | Water | | T0600102279 | W | CS | |
| | Project Number: | 1156 | | | | | | | | | | |
| | Sampling Location: | MW-8 | | | | | | | | | | |
| | Sampling Point: | MW-8 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0804471-02 | COC Number: | --- | | 04/07/2008 20:40 | 04/04/2008 12:05 | --- | Water | | T0600102279 | W | CS | |
| | Project Number: | 1156 | | | | | | | | | | |
| | Sampling Location: | MW-6 | | | | | | | | | | |
| | Sampling Point: | MW-6 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0804471-03 | COC Number: | --- | | 04/07/2008 20:40 | 04/04/2008 11:12 | --- | Water | | T0600102279 | W | CS | |
| | Project Number: | 1156 | | | | | | | | | | |
| | Sampling Location: | MW-5 | | | | | | | | | | |
| | Sampling Point: | MW-5 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0804471-04 | COC Number: | --- | | 04/07/2008 20:40 | 04/04/2008 11:40 | --- | Water | | T0600102279 | W | CS | |
| | Project Number: | 1156 | | | | | | | | | | |
| | Sampling Location: | MW-7 | | | | | | | | | | |
| | Sampling Point: | MW-7 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0804471-05 | COC Number: | --- | | 04/07/2008 20:40 | 04/04/2008 10:20 | --- | Water | | T0600102279 | W | CS | |
| | Project Number: | 1156 | | | | | | | | | | |
| | Sampling Location: | MW-2 | | | | | | | | | | |
| | Sampling Point: | MW-2 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | | Receive Date: | Sampling Date: | Sample Depth: | Sample Matrix: | Delivery Work Order: | Global ID: | Matrix: | Sample QC Type (SACode): | Cooler ID: |
|------------|---------------------------|------|--|------------------|------------------|---------------|----------------|----------------------|-------------|---------|--------------------------|------------|
| 0804471-06 | COC Number: | --- | | 04/07/2008 20:40 | 04/04/2008 10:10 | --- | Water | | T0600102279 | W | CS | |
| | Project Number: | 1156 | | | | | | | | | | |
| | Sampling Location: | MW-4 | | | | | | | | | | |
| | Sampling Point: | MW-4 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0804471-07 | COC Number: | --- | | 04/07/2008 20:40 | 04/04/2008 09:40 | --- | Water | | T0600102279 | W | CS | |
| | Project Number: | 1156 | | | | | | | | | | |
| | Sampling Location: | MW-3 | | | | | | | | | | |
| | Sampling Point: | MW-3 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0804471-08 | COC Number: | --- | | 04/07/2008 20:40 | 04/04/2008 10:00 | --- | Water | | T0600102279 | W | CS | |
| | Project Number: | 1156 | | | | | | | | | | |
| | Sampling Location: | MW-1 | | | | | | | | | | |
| | Sampling Point: | MW-1 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0804471-01 | | Client Sample Name: 1156, MW-8, MW-8, 4/4/2008 11:55:00AM | | | | | | | | | | | |
|-----------------------------------|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quafs |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | ND | |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | ND | |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | ND | |
| t-Butyl alcohol | ND | ug/L | 10 | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | ND | |
| Diisopropyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | ND | |
| Ethanol | ND | ug/L | 250 | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | ND | |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 105 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | | |
| Toluene-d8 (Surrogate) | 100 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | | |
| 4-Bromofluorobenzene (Surrogate) | 100 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/16/08 02:34 | ken | MS-V12 | 1 | BRD0875 | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

| BCL Sample ID: 0804471-01 | | Client Sample Name: 1156, MW-8, MW-8, 4/4/2008 11:55:00AM | | | | | | | | | | | |
|--|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | 0.76 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 04:45 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Toluene | 1.6 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 04:45 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Ethylbenzene | 0.72 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 04:45 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Total Xylenes | 2.3 | ug/L | 0.60 | | EPA-8021 | 04/08/08 | 04/09/08 04:45 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Gasoline Range Organics (C4 - C12) | ND | ug/L | 50 | | Luft | 04/08/08 | 04/09/08 04:45 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| a,a,a-Trifluorotoluene (PID Surrogate) | 85.7 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 04:45 | JCC | GC-V4 | 1 | BRD0458 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 95.9 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 04:45 | JCC | GC-V4 | 1 | BRD0458 | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0804471-02 | | Client Sample Name: 1156, MW-6, MW-6, 4/4/2008 12:05:00PM | | | | | | | | | | | |
|-----------------------------------|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| t-Butyl alcohol | ND | ug/L | 10 | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| Diisopropyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| Ethanol | ND | ug/L | 250 | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 95.0 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | | |
| Toluene-d8 (Surrogate) | 93.8 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | | |
| 4-Bromofluorobenzene (Surrogate) | 109 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 11:53 | SDU | MS-V10 | 1 | BRD0475 | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0804471-02 Client Sample Name: 1156, MW-6, MW-6, 4/4/2008 12:05:00PM

| Constituent | Result | Units | PQL | MDL | Method | Prep | Run | Analyst | Instru- ment ID | Dilution | QC | MB | Lab |
|--|--------|-------|----------------------|-----|----------|----------|----------------|---------|--------------------|----------|----------|------|-------|
| | | | | | | Date | Date/Time | | | | Batch ID | Bias | Quals |
| Benzene | ND | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 05:07 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Toluene | 0.40 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 05:07 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Ethylbenzene | ND | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 05:07 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Total Xylenes | 0.71 | ug/L | 0.60 | | EPA-8021 | 04/08/08 | 04/09/08 05:07 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Gasoline Range Organics (C4 - C12) | ND | ug/L | 50 | | Luft | 04/08/08 | 04/09/08 05:07 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| a,a,a-Trifluorotoluene (PID Surrogate) | 86.7 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 05:07 | JCC | GC-V4 | 1 | BRD0458 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 94.8 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 05:07 | JCC | GC-V4 | 1 | BRD0458 | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0804471-03 | | Client Sample Name: 1156, MW-5, MW-5, 4/4/2008 11:12:00AM | | | | | | | | | | | | |
|-----------------------------------|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quais | |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | ND | | |
| 1,2-Dichloroethane | 1.4 | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | ND | | |
| Methyl t-butyl ether | 260 | ug/L | 2.5 | | EPA-8260 | 04/09/08 | 04/14/08 10:45 | SDU | MS-V10 | 5 | BRD0475 | ND | A01 | |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | ND | | |
| t-Butyl alcohol | ND | ug/L | 10 | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | ND | | |
| Diisopropyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | ND | | |
| Ethanol | ND | ug/L | 250 | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | ND | | |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | ND | | |
| 1,2-Dichloroethane-d4 (Surrogate) | 103 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 10:45 | SDU | MS-V10 | 5 | BRD0475 | | | |
| 1,2-Dichloroethane-d4 (Surrogate) | 97.9 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | | | |
| Toluene-d8 (Surrogate) | 96.7 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | | | |
| Toluene-d8 (Surrogate) | 99.0 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 10:45 | SDU | MS-V10 | 5 | BRD0475 | | | |
| 4-Bromofluorobenzene (Surrogate) | 97.9 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 10:45 | SDU | MS-V10 | 5 | BRD0475 | | | |
| 4-Bromofluorobenzene (Surrogate) | 108 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 12:10 | SDU | MS-V10 | 1 | BRD0475 | | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

| BCL Sample ID: 0804471-03 | | Client Sample Name: 1156, MW-5, MW-5, 4/4/2008 11:12:00AM | | | | | | | | | | | |
|--|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 05:28 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Toluene | ND | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 05:28 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Ethylbenzene | ND | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 05:28 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Total Xylenes | ND | ug/L | 0.60 | | EPA-8021 | 04/08/08 | 04/09/08 05:28 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Gasoline Range Organics (C4 - C12) | 210 | ug/L | 50 | | Luft | 04/08/08 | 04/09/08 05:28 | JCC | GC-V4 | 1 | BRD0458 | ND | A91 |
| a,a,a-Trifluorotoluene (PID Surrogate) | 86.0 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 05:28 | JCC | GC-V4 | 1 | BRD0458 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 93.6 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 05:28 | JCC | GC-V4 | 1 | BRD0458 | | |

TRC
 21 Technology Drive
 Irvine, CA 92618

Project: 1156
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0804471-04 Client Sample Name: 1156, MW-7, MW-7, 4/4/2008 11:40:00AM

| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
|-----------------------------------|--------|-------|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| 1,2-Dibromoethane | ND | ug/L | 12 | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | ND | A01 |
| 1,2-Dichloroethane | ND | ug/L | 12 | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | ND | A01 |
| Methyl t-butyl ether | 2700 | ug/L | 25 | | EPA-8260 | 04/08/08 | 04/15/08 12:01 | SDU | MS-V10 | 50 | BRD0475 | ND | A01 |
| t-Amyl Methyl ether | ND | ug/L | 12 | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | ND | A01 |
| t-Butyl alcohol | 1400 | ug/L | 250 | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | ND | A01 |
| Diisopropyl ether | ND | ug/L | 12 | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | ND | A01 |
| Ethanol | ND | ug/L | 6200 | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | ND | A01 |
| Ethyl t-butyl ether | ND | ug/L | 12 | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | ND | A01 |
| 1,2-Dichloroethane-d4 (Surrogate) | 108 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/15/08 12:01 | SDU | MS-V10 | 50 | BRD0475 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | 97.3 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | | |
| Toluene-d8 (Surrogate) | 95.1 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | | |
| Toluene-d8 (Surrogate) | 100 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/15/08 12:01 | SDU | MS-V10 | 50 | BRD0475 | | |
| 4-Bromofluorobenzene (Surrogate) | 98.1 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/15/08 12:01 | SDU | MS-V10 | 50 | BRD0475 | | |
| 4-Bromofluorobenzene (Surrogate) | 103 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 15:26 | SDU | MS-V10 | 25 | BRD0475 | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0804471-04 Client Sample Name: 1156, MW-7, MW-7, 4/4/2008 11:40:00AM

| Constituent | Result | Units | PQL | MDL | Method | Prep | Run | Analyst | Instru- ment ID | Dilution | QC | MB | Lab |
|--|--------|-------|----------------------|-----|----------|----------|----------------|---------|--------------------|----------|----------|------|-------|
| | | | | | | Date | Date/Time | | | | Batch ID | Bias | Quals |
| Benzene | 0.72 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 06:11 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Toluene | 0.58 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 06:11 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Ethylbenzene | ND | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 06:11 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Total Xylenes | ND | ug/L | 0.60 | | EPA-8021 | 04/08/08 | 04/09/08 06:11 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Gasoline Range Organics (C4 - C12) | 1800 | ug/L | 50 | | Luft | 04/08/08 | 04/09/08 06:11 | JCC | GC-V4 | 1 | BRD0458 | ND | A91 |
| a,a,a-Trifluorotoluene (PID Surrogate) | 94.3 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 06:11 | JCC | GC-V4 | 1 | BRD0458 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 97.6 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 06:11 | JCC | GC-V4 | 1 | BRD0458 | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0804471-05 | | Client Sample Name: 1156, MW-2, MW-2, 4/4/2008 10:20:00AM | | | | | | | | | | | | |
|-----------------------------------|--------|---|----------------------|-----|----------|-----------|----------------|---------|-----------------|----------|-------------|---------|-----------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru- ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals | |
| 1,2-Dibromoethane | ND | ug/L | 2.5 | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | ND | A01 | |
| 1,2-Dichloroethane | ND | ug/L | 2.5 | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | ND | A01 | |
| Methyl t-butyl ether | 2100 | ug/L | 12 | | EPA-8260 | 04/08/08 | 04/08/08 15:43 | SDU | MS-V10 | 25 | BRD0475 | ND | A01 | |
| t-Amyl Methyl ether | ND | ug/L | 2.5 | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | ND | A01 | |
| t-Butyl alcohol | 5800 | ug/L | 50 | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | ND | A01 | |
| Diisopropyl ether | ND | ug/L | 2.5 | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | ND | A01 | |
| Ethanol | ND | ug/L | 1200 | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | ND | A01 | |
| Ethyl t-butyl ether | ND | ug/L | 2.5 | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | ND | A01 | |
| 1,2-Dichloroethane-d4 (Surrogate) | 99.8 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 15:43 | SDU | MS-V10 | 25 | BRD0475 | | | |
| 1,2-Dichloroethane-d4 (Surrogate) | 97.9 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | | | |
| Toluene-d8 (Surrogate) | 96.1 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 15:43 | SDU | MS-V10 | 25 | BRD0475 | | | |
| Toluene-d8 (Surrogate) | 98.9 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | | | |
| 4-Bromofluorobenzene (Surrogate) | 105 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 15:43 | SDU | MS-V10 | 25 | BRD0475 | | | |
| 4-Bromofluorobenzene (Surrogate) | 100 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 11:03 | SDU | MS-V10 | 5 | BRD0475 | | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

| BCL Sample ID: 0804471-05 | | Client Sample Name: 1156, MW-2, MW-2, 4/4/2008 10:20:00AM | | | | | | | | | | | |
|--|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | 15 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 06:54 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Toluene | 2.1 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 06:54 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Ethylbenzene | 0.76 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 06:54 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Total Xylenes | ND | ug/L | 0.60 | | EPA-8021 | 04/08/08 | 04/09/08 06:54 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Gasoline Range Organics (C4 - C12) | 1400 | ug/L | 50 | | Luft | 04/08/08 | 04/09/08 06:54 | JCC | GC-V4 | 1 | BRD0458 | ND | A91 |
| a,a,a-Trifluorotoluene (PID Surrogate) | 100 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 06:54 | JCC | GC-V4 | 1 | BRD0458 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 98.0 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 06:54 | JCC | GC-V4 | 1 | BRD0458 | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0804471-06 | | Client Sample Name: 1156, MW-4, MW-4, 4/4/2008 10:10:00AM | | | | | | | | | | | |
|-----------------------------------|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| 1,2-Dichloroethane | 1.0 | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| Methyl t-butyl ether | 110 | ug/L | 1.0 | | EPA-8260 | 04/09/08 | 04/14/08 10:27 | SDU | MS-V10 | 2 | BRD0475 | ND | A01 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| t-Butyl alcohol | 27 | ug/L | 10 | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| Diisopropyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| Ethanol | ND | ug/L | 250 | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 105 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 10:27 | SDU | MS-V10 | 2 | BRD0475 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | 97.3 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | | |
| Toluene-d8 (Surrogate) | 93.8 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | | |
| Toluene-d8 (Surrogate) | 100 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 10:27 | SDU | MS-V10 | 2 | BRD0475 | | |
| 4-Bromofluorobenzene (Surrogate) | 104 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/08/08 | 04/08/08 12:28 | SDU | MS-V10 | 1 | BRD0475 | | |
| 4-Bromofluorobenzene (Surrogate) | 99.4 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/09/08 | 04/14/08 10:27 | SDU | MS-V10 | 2 | BRD0475 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.
4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0804471-06 Client Sample Name: 1156, MW-4, MW-4, 4/4/2008 10:10:00AM

| Constituent | Result | Units | PQL | MDL | Method | Prep | Run | Analyst | Instru- ment ID | Dilution | QC | MB | Lab |
|--|--------|-------|----------------------|-----|----------|----------|----------------|---------|--------------------|----------|----------|------|-------|
| | | | | | | Date | Date/Time | | | | Batch ID | Bias | Quals |
| Benzene | 11 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 09:46 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Toluene | 2.0 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 09:46 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Ethylbenzene | 0.67 | ug/L | 0.30 | | EPA-8021 | 04/08/08 | 04/09/08 09:46 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Total Xylenes | 2.9 | ug/L | 0.60 | | EPA-8021 | 04/08/08 | 04/09/08 09:46 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| Gasoline Range Organics (C4 - C12) | 180 | ug/L | 50 | | Luft | 04/08/08 | 04/09/08 09:46 | JCC | GC-V4 | 1 | BRD0458 | ND | |
| a,a,a-Trifluorotoluene (PID Surrogate) | 94.9 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 09:46 | JCC | GC-V4 | 1 | BRD0458 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 92.7 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 09:46 | JCC | GC-V4 | 1 | BRD0458 | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0804471-07 | | Client Sample Name: 1156, MW-3, MW-3, 4/4/2008 9:40:00AM | | | | | | | | | | | | |
|-----------------------------------|--------|--|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quats | |
| 1,2-Dibromoethane | ND | ug/L | 2.5 | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | ND | A01 | |
| 1,2-Dichloroethane | ND | ug/L | 2.5 | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | ND | A01 | |
| Methyl t-butyl ether | 120 | ug/L | 2.5 | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | ND | A01 | |
| t-Amyl Methyl ether | ND | ug/L | 2.5 | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | ND | A01 | |
| t-Butyl alcohol | ND | ug/L | 50 | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | ND | A01 | |
| Diisopropyl ether | ND | ug/L | 2.5 | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | ND | A01 | |
| Ethanol | ND | ug/L | 1200 | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | ND | A01 | |
| Ethyl t-butyl ether | ND | ug/L | 2.5 | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | ND | A01 | |
| 1,2-Dichloroethane-d4 (Surrogate) | 100 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | | | |
| Toluene-d8 (Surrogate) | 98.4 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | | | |
| 4-Bromofluorobenzene (Surrogate) | 97.3 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/15/08 22:12 | ken | MS-V12 | 5 | BRD0875 | | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

| BCL Sample ID: 0804471-07 | | Client Sample Name: 1156, MW-3, MW-3, 4/4/2008 9:40:00AM | | | | | | | | | | | | |
|--|--------|--|----------------------|-----|----------|-----------|----------------|---------|-----------------|----------|-------------|---------|-----------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru- ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals | |
| Benzene | 270 | ug/L | 3.0 | | EPA-8021 | 04/08/08 | 04/09/08 10:07 | JCC | GC-V4 | 10 | BRD0458 | ND | A01 | |
| Toluene | 390 | ug/L | 3.0 | | EPA-8021 | 04/08/08 | 04/09/08 10:07 | JCC | GC-V4 | 10 | BRD0458 | ND | A01 | |
| Ethylbenzene | 810 | ug/L | 3.0 | | EPA-8021 | 04/08/08 | 04/09/08 10:07 | JCC | GC-V4 | 10 | BRD0458 | ND | A01 | |
| Total Xylenes | 1200 | ug/L | 6.0 | | EPA-8021 | 04/08/08 | 04/09/08 10:07 | JCC | GC-V4 | 10 | BRD0458 | ND | A01 | |
| Gasoline Range Organics (C4 - C12) | 7500 | ug/L | 500 | | Luft | 04/08/08 | 04/09/08 10:07 | JCC | GC-V4 | 10 | BRD0458 | ND | A01 | |
| a,a,a-Trifluorotoluene (PID Surrogate) | 99.8 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 10:07 | JCC | GC-V4 | 10 | BRD0458 | | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 109 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 10:07 | JCC | GC-V4 | 10 | BRD0458 | | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0804471-08 | | Client Sample Name: 1156, MW-1, MW-1, 4/4/2008 10:00:00AM | | | | | | | | | | | | |
|-----------------------------------|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals | |
| 1,2-Dibromoethane | ND | ug/L | 10 | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | ND | A01 | |
| 1,2-Dichloroethane | ND | ug/L | 10 | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | ND | A01 | |
| Methyl t-butyl ether | 160 | ug/L | 10 | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | ND | A01 | |
| t-Amyl Methyl ether | ND | ug/L | 10 | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | ND | A01 | |
| t-Butyl alcohol | 770 | ug/L | 200 | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | ND | A01 | |
| Diisopropyl ether | ND | ug/L | 10 | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | ND | A01 | |
| Ethanol | ND | ug/L | 5000 | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | ND | A01 | |
| Ethyl t-butyl ether | ND | ug/L | 10 | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | ND | A01 | |
| 1,2-Dichloroethane-d4 (Surrogate) | 98.9 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | | | |
| Toluene-d8 (Surrogate) | 98.7 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | | | |
| 4-Bromofluorobenzene (Surrogate) | 94.5 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 04/14/08 | 04/15/08 01:01 | ken | MS-V12 | 20 | BRD0875 | | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID: 0804471-08 Client Sample Name: 1156, MW-1, MW-1, 4/4/2008 10:00:00AM

| Constituent | Result | Units | PQL | MDL | Method | Prep | Run | Analyst | Instru- ment ID | Dilution | QC | MB | Lab |
|--|--------|-------|----------------------|-----|----------|----------|----------------|---------|--------------------|----------|----------|------|-------|
| | | | | | | Date | Date/Time | | | | Batch ID | Bias | Quals |
| Benzene | 6800 | ug/L | 30 | | EPA-8021 | 04/08/08 | 04/09/08 07:16 | JCC | GC-V4 | 100 | BRD0458 | ND | A01 |
| Toluene | 12000 | ug/L | 60 | | EPA-8021 | 04/08/08 | 04/09/08 11:11 | JCC | GC-V4 | 200 | BRD0458 | ND | A01 |
| Ethylbenzene | 3300 | ug/L | 30 | | EPA-8021 | 04/08/08 | 04/09/08 07:16 | JCC | GC-V4 | 100 | BRD0458 | ND | A01 |
| Total Xylenes | 13000 | ug/L | 60 | | EPA-8021 | 04/08/08 | 04/09/08 07:16 | JCC | GC-V4 | 100 | BRD0458 | ND | A01 |
| Gasoline Range Organics (C4 - C12) | 71000 | ug/L | 5000 | | Luft | 04/08/08 | 04/09/08 07:16 | JCC | GC-V4 | 100 | BRD0458 | ND | A01 |
| a,a,a-Trifluorotoluene (PID Surrogate) | 103 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 07:16 | JCC | GC-V4 | 100 | BRD0458 | | |
| a,a,a-Trifluorotoluene (PID Surrogate) | 93.1 | % | 70 - 130 (LCL - UCL) | | EPA-8021 | 04/08/08 | 04/09/08 11:11 | JCC | GC-V4 | 200 | BRD0458 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 92.9 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 11:11 | JCC | GC-V4 | 1 | BRD0458 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | 107 | % | 70 - 130 (LCL - UCL) | | Luft | 04/08/08 | 04/09/08 07:16 | JCC | GC-V4 | 100 | BRD0458 | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Total Petroleum Hydrocarbons

| BCL Sample ID: 0804471-08 | | Client Sample Name: 1156, MW-1, MW-1, 4/4/2008 10:00:00AM | | | | | | | | | | | | |
|-----------------------------------|--------|---|----------------------|-----|-----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals | |
| Diesel Range Organics (C12 - C24) | 15000 | ug/L | 2500 | | Luft/TPHd | 04/09/08 | 04/11/08 09:45 | PTL | GC-5 | 50 | BRD0651 | ND | A01 | |
| Tetracosane (Surrogate) | 0 | % | 28 - 139 (LCL - UCL) | | Luft/TPHd | 04/09/08 | 04/11/08 09:45 | PTL | GC-5 | 50 | BRD0651 | | A01,A17 | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

| Constituent | Batch ID | QC Sample Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Percent Recovery | Control Limits | |
|-----------------------------------|----------|------------------------|------------------|---------------|--------|-------------|-------|-----|------------------|----------------|----------------------------|
| | | | | | | | | | | RPD | Percent Recovery Lab Quals |
| 1,2-Dichloroethane-d4 (Surrogate) | BRD0475 | Matrix Spike | 0804456-03 | ND | 9.4700 | 10.000 | ug/L | | 94.7 | | 76 - 114 |
| | | Matrix Spike Duplicate | 0804456-03 | ND | 9.7400 | 10.000 | ug/L | | 97.4 | | 76 - 114 |
| Toluene-d8 (Surrogate) | BRD0475 | Matrix Spike | 0804456-03 | ND | 9.5500 | 10.000 | ug/L | | 95.5 | | 88 - 110 |
| | | Matrix Spike Duplicate | 0804456-03 | ND | 9.8700 | 10.000 | ug/L | | 98.7 | | 88 - 110 |
| 4-Bromofluorobenzene (Surrogate) | BRD0475 | Matrix Spike | 0804456-03 | ND | 10.490 | 10.000 | ug/L | | 105 | | 86 - 115 |
| | | Matrix Spike Duplicate | 0804456-03 | ND | 10.530 | 10.000 | ug/L | | 105 | | 86 - 115 |
| 1,2-Dichloroethane-d4 (Surrogate) | BRD0875 | Matrix Spike | 0802904-89 | ND | 9.9400 | 10.000 | ug/L | | 99.4 | | 76 - 114 |
| | | Matrix Spike Duplicate | 0802904-89 | ND | 9.9700 | 10.000 | ug/L | | 99.7 | | 76 - 114 |
| Toluene-d8 (Surrogate) | BRD0875 | Matrix Spike | 0802904-89 | ND | 10.090 | 10.000 | ug/L | | 101 | | 88 - 110 |
| | | Matrix Spike Duplicate | 0802904-89 | ND | 10.060 | 10.000 | ug/L | | 101 | | 88 - 110 |
| 4-Bromofluorobenzene (Surrogate) | BRD0875 | Matrix Spike | 0802904-89 | ND | 9.8300 | 10.000 | ug/L | | 98.3 | | 86 - 115 |
| | | Matrix Spike Duplicate | 0802904-89 | ND | 9.9600 | 10.000 | ug/L | | 99.6 | | 86 - 115 |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Precision & Accuracy

| Constituent | Batch ID | QC Sample Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Percent Recovery | Control Limits | |
|--|----------|------------------------|------------------|---------------|--------|-------------|-------|-----|------------------|----------------|----------------------------|
| | | | | | | | | | | RPD | Percent Recovery Lab Quals |
| Benzene | BRD0458 | Matrix Spike | 0802904-67 | 0 | 41.407 | 40.000 | ug/L | | 104 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0802904-67 | 0 | 39.900 | 40.000 | ug/L | 4.1 | 99.8 | 20 | 70 - 130 |
| Toluene | BRD0458 | Matrix Spike | 0802904-67 | 0 | 41.567 | 40.000 | ug/L | | 104 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0802904-67 | 0 | 40.044 | 40.000 | ug/L | 3.9 | 100 | 20 | 70 - 130 |
| Ethylbenzene | BRD0458 | Matrix Spike | 0802904-67 | 0 | 41.465 | 40.000 | ug/L | | 104 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0802904-67 | 0 | 39.665 | 40.000 | ug/L | 4.7 | 99.2 | 20 | 70 - 130 |
| Total Xylenes | BRD0458 | Matrix Spike | 0802904-67 | 0 | 124.60 | 120.00 | ug/L | | 104 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0802904-67 | 0 | 119.65 | 120.00 | ug/L | 4.2 | 99.7 | 20 | 70 - 130 |
| Gasoline Range Organics (C4 - C12) | BRD0458 | Matrix Spike | 0802904-67 | 0 | 950.24 | 1000.0 | ug/L | | 95.0 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0802904-67 | 0 | 949.22 | 1000.0 | ug/L | 0.1 | 94.9 | 20 | 70 - 130 |
| a,a,a-Trifluorotoluene (PID Surrogate) | BRD0458 | Matrix Spike | 0802904-67 | ND | 36.147 | 40.000 | ug/L | | 90.4 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0802904-67 | ND | 37.272 | 40.000 | ug/L | | 93.2 | | 70 - 130 |
| a,a,a-Trifluorotoluene (FID Surrogate) | BRD0458 | Matrix Spike | 0802904-67 | ND | 37.677 | 40.000 | ug/L | | 94.2 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0802904-67 | ND | 38.968 | 40.000 | ug/L | | 97.4 | | 70 - 130 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.
4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

TRC
 21 Technology Drive
 Irvine, CA 92618

 Project: 1156
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Total Petroleum Hydrocarbons

Quality Control Report - Precision & Accuracy

| Constituent | Batch ID | QC Sample Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Percent Recovery | Control Limits | |
|-----------------------------------|----------|------------------------|------------------|---------------|--------|-------------|-------|-----|------------------|----------------|----------------------------|
| | | | | | | | | | | RPD | Percent Recovery Lab Quals |
| Diesel Range Organics (C12 - C24) | BRD0651 | Matrix Spike | 0802904-68 | 0 | 345.74 | 500.00 | ug/L | | 69.1 | | 36 - 130 |
| | | Matrix Spike Duplicate | 0802904-68 | 0 | 350.56 | 500.00 | ug/L | 1.4 | 70.1 | 30 | 36 - 130 |
| Tetracosane (Surrogate) | BRD0651 | Matrix Spike | 0802904-68 | ND | 12.983 | 20.000 | ug/L | | 64.9 | | 28 - 139 |
| | | Matrix Spike Duplicate | 0802904-68 | ND | 13.323 | 20.000 | ug/L | | 66.6 | | 28 - 139 |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

| Constituent | Batch ID | QC Sample ID | QC Type | Result | Spike Level | PQL | Units | Percent Recovery | RPD | Control Limits | | Lab Quals |
|-----------------------------------|----------|--------------|---------|--------|-------------|-----|-------|------------------|-----|------------------|-----|-----------|
| | | | | | | | | | | Percent Recovery | RPD | |
| 1,2-Dichloroethane-d4 (Surrogate) | BRD0475 | BRD0475-BS1 | LCS | 9.3500 | 10.000 | | ug/L | 93.5 | | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BRD0475 | BRD0475-BS1 | LCS | 9.8200 | 10.000 | | ug/L | 98.2 | | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BRD0475 | BRD0475-BS1 | LCS | 10.230 | 10.000 | | ug/L | 102 | | 86 - 115 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BRD0875 | BRD0875-BS1 | LCS | 9.7100 | 10.000 | | ug/L | 97.1 | | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BRD0875 | BRD0875-BS1 | LCS | 10.140 | 10.000 | | ug/L | 101 | | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BRD0875 | BRD0875-BS1 | LCS | 9.8200 | 10.000 | | ug/L | 98.2 | | 86 - 115 | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons Quality Control Report - Laboratory Control Sample

| Constituent | Batch ID | QC Sample ID | QC Type | Result | Spike Level | PQL | Units | Percent Recovery | RPD | Control Limits | | Lab Quals |
|--|----------|--------------|---------|--------|-------------|------|-------|------------------|-----|------------------|-----|-----------|
| | | | | | | | | | | Percent Recovery | RPD | |
| Benzene | BRD0458 | BRD0458-BS1 | LCS | 41.361 | 40.000 | 0.30 | ug/L | 103 | | 85 - 115 | | |
| Toluene | BRD0458 | BRD0458-BS1 | LCS | 41.542 | 40.000 | 0.30 | ug/L | 104 | | 85 - 115 | | |
| Ethylbenzene | BRD0458 | BRD0458-BS1 | LCS | 41.208 | 40.000 | 0.30 | ug/L | 103 | | 85 - 115 | | |
| Total Xylenes | BRD0458 | BRD0458-BS1 | LCS | 124.02 | 120.00 | 0.60 | ug/L | 103 | | 85 - 115 | | |
| Gasoline Range Organics (C4 - C12) | BRD0458 | BRD0458-BS1 | LCS | 951.99 | 1000.0 | 50 | ug/L | 95.2 | | 85 - 115 | | |
| a,a,a-Trifluorotoluene (PID Surrogate) | BRD0458 | BRD0458-BS1 | LCS | 36.751 | 40.000 | | ug/L | 91.9 | | 70 - 130 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | BRD0458 | BRD0458-BS1 | LCS | 37.556 | 40.000 | | ug/L | 93.9 | | 70 - 130 | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Total Petroleum Hydrocarbons

Quality Control Report - Laboratory Control Sample

| Constituent | Batch ID | QC Sample ID | QC Type | Result | Spike Level | PQL | Units | Percent Recovery | RPD | Control Limits | | Lab Quals |
|-----------------------------------|----------|--------------|---------|--------|-------------|-----|-------|------------------|-----|------------------|-----|-----------|
| | | | | | | | | | | Percent Recovery | RPD | |
| Diesel Range Organics (C12 - C24) | BRD0651 | BRD0651-BS1 | LCS | 325.08 | 500.00 | 50 | ug/L | 65.0 | | 48 - 125 | | |
| Tetracosane (Surrogate) | BRD0651 | BRD0651-BS1 | LCS | 12.722 | 20.000 | | ug/L | 63.6 | | 28 - 139 | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

| Constituent | Batch ID | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-----------------------------------|----------|--------------|-----------|-------|----------------------|-----|-----------|
| 1,2-Dibromoethane | BRD0475 | BRD0475-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dichloroethane | BRD0475 | BRD0475-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BRD0475 | BRD0475-BLK1 | ND | ug/L | 0.50 | | |
| t-Amyl Methyl ether | BRD0475 | BRD0475-BLK1 | ND | ug/L | 0.50 | | |
| t-Butyl alcohol | BRD0475 | BRD0475-BLK1 | ND | ug/L | 10 | | |
| Diisopropyl ether | BRD0475 | BRD0475-BLK1 | ND | ug/L | 0.50 | | |
| Ethanol | BRD0475 | BRD0475-BLK1 | ND | ug/L | 250 | | |
| Ethyl t-butyl ether | BRD0475 | BRD0475-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BRD0475 | BRD0475-BLK1 | 99.2 | % | 76 - 114 (LCL - UCL) | | |
| Toluene-d8 (Surrogate) | BRD0475 | BRD0475-BLK1 | 94.8 | % | 88 - 110 (LCL - UCL) | | |
| 4-Bromofluorobenzene (Surrogate) | BRD0475 | BRD0475-BLK1 | 104 | % | 86 - 115 (LCL - UCL) | | |
| 1,2-Dibromoethane | BRD0875 | BRD0875-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dichloroethane | BRD0875 | BRD0875-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BRD0875 | BRD0875-BLK1 | ND | ug/L | 0.50 | | |
| t-Amyl Methyl ether | BRD0875 | BRD0875-BLK1 | ND | ug/L | 0.50 | | |
| t-Butyl alcohol | BRD0875 | BRD0875-BLK1 | ND | ug/L | 10 | | |
| Diisopropyl ether | BRD0875 | BRD0875-BLK1 | ND | ug/L | 0.50 | | |
| Ethanol | BRD0875 | BRD0875-BLK1 | ND | ug/L | 250 | | |
| Ethyl t-butyl ether | BRD0875 | BRD0875-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BRD0875 | BRD0875-BLK1 | 102 | % | 76 - 114 (LCL - UCL) | | |
| Toluene-d8 (Surrogate) | BRD0875 | BRD0875-BLK1 | 99.0 | % | 88 - 110 (LCL - UCL) | | |
| 4-Bromofluorobenzene (Surrogate) | BRD0875 | BRD0875-BLK1 | 102 | % | 86 - 115 (LCL - UCL) | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Method Blank Analysis

| Constituent | Batch ID | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|--|----------|--------------|-----------|-------|----------------------|-----|-----------|
| Benzene | BRD0458 | BRD0458-BLK1 | ND | ug/L | 0.30 | | |
| Toluene | BRD0458 | BRD0458-BLK1 | ND | ug/L | 0.30 | | |
| Ethylbenzene | BRD0458 | BRD0458-BLK1 | ND | ug/L | 0.30 | | |
| Total Xylenes | BRD0458 | BRD0458-BLK1 | ND | ug/L | 0.60 | | |
| Gasoline Range Organics (C4 - C12) | BRD0458 | BRD0458-BLK1 | ND | ug/L | 50 | | |
| a,a,a-Trifluorotoluene (PID Surrogate) | BRD0458 | BRD0458-BLK1 | 84.4 | % | 70 - 130 (LCL - UCL) | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | BRD0458 | BRD0458-BLK1 | 94.0 | % | 70 - 130 (LCL - UCL) | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Total Petroleum Hydrocarbons

Quality Control Report - Method Blank Analysis

| Constituent | Batch ID | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-----------------------------------|----------|--------------|-----------|-------|----------------------|-----|-----------|
| Diesel Range Organics (C12 - C24) | BRD0651 | BRD0651-BLK1 | ND | ug/L | 50 | | |
| Tetracosane (Surrogate) | BRD0651 | BRD0651-BLK1 | 77.6 | % | 28 - 139 (LCL - UCL) | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 1156
Project Number: [none]
Project Manager: Anju Farfan

Reported: 05/14/2008 10:47

Notes And Definitions

MDL Method Detection Limit
ND Analyte Not Detected at or above the reporting limit
PQL Practical Quantitation Limit
RPD Relative Percent Difference
A01 PQL's and MDL's are raised due to sample dilution.
A17 Surrogate not reportable due to sample dilution.
A91 TPH does not exhibit a "gasoline" pattern. TPH is entirely due to MTBE.

Submission #: 080447/

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER

Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals: Ice Chest Containers None Comments:

Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No

Description(s) match COC? Yes No

COC Received
 YES NO

Ice Chest ID Red
 Temperature A.V./C. 1.2 °C
 Thermometer ID: 48

Emissivity 95
 Container pe

Date/Time 4/7 2005
 Analyst Init JNW

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------------|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | | | | | | | | | | |
| PT PE UNPRESERVED | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | | | | | | | |
| 100ml TOTAL ORGANIC CARBON | | | | | | | | | | |
| QT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PLA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | <u>A-10</u> | <u>A-10</u> | <u>A-10</u> | <u>A-10</u> | <u>A-10</u> | <u>A-10</u> | <u>A-10</u> | <u>A-10</u> | | |
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL - 504 | | | | | | | | | | |
| QT EPA 508/608/8080 | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT QA/QC | | | | | | | | | | |
| QT AMBER | | | | | | | | | | |
| 8 OZ. JAR | | | | | | | | | | |
| 32 OZ. JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| FERROUS IRON | | | | | | | | | | |
| ENCORE | | | | | | | | | | |

Comments: Ambers have no label except for MW-1 on the lid
 Sample Numbering Completed By: JNW Date/Time: 4/7 2:45

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY 0804477

Analysis Requested

| | | | | | | | | | | | | | |
|---------------------------------|--|---|--|--|--------------------------------------|----------------------------------|--------------------|------------------------------|-------------------------|------------------|-----------------|--|---------------------------|
| Bill to: Conoco Phillips/ TRC | | Consultant Firm: TRC | | MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge | BTEX by 8021B Gas by 8015 | TPH GAS by 8015M per Adrienne #9 | TPH DIESEL by 8015 | 8260 full list w/ oxygenates | BTEX/MTBE/OXYS BY 8260B | ETHANOL by 8260B | TPH -G by GC/MS | B/MTBE/Oxys by 8260B EDB/EDC by 8260B | Turnaround Time Requested |
| Address: 4276 MacArthur Blvd | | 21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan | | | | | | | | | | | |
| City: OAKLAND | | 4-digit site#: 1156 Workorder # 01112-4509117919 | | | | | | | | | | | |
| State: CA Zip: | | Project #: 154771 | | | | | | | | | | | |
| Conoco Phillips Mgr: Bill Borgh | | Sampler Name: Rick R | | | | | | | | | | | |

| Lab# | Sample Description | Field Point Name | Date & Time Sampled | MATRIX | BTEX | TPH GAS | TPH DIESEL | 8260 | BTEX/MTBE/OXYS | ETHANOL | TPH -G | Turnaround Time Requested |
|------|--------------------|------------------|---------------------|--------|------|---------|------------|------|----------------|---------|--------|---------------------------|
| | | -1 MW-8 | 4/04/08 - 1155 | GW | X | * | | | | X | | 5TD |
| | | -2 MW-6 | 1205 | | | | | | | | | |
| | | -3 MW-5 | 1112 | | | | | | | | | |
| | | -4 MW-7 | 1140 | | | | | | | | | |
| | | -5 MW-2 | 1020 | | | | | | | | | |
| | | -6 MW-4 | 1010 | | | | | | | | | |
| | | -7 MW-3 | 0940 | | | | | | | | | |
| | | -8 MW-1 | 1000 | | | X | | | | | | |

CHK BY DISTRIBUTION
 JVP/SLM
 SUB-OUT

| | | | |
|---|--|-------------------------------------|-----------------------------|
| Comments: GLOBAL ID: T0600102279 | Relinquished by: (Signature) <i>[Signature]</i> | Received by: <i>Russ Vickroy</i> | Date & Time 4/04/08-1355 |
| | Relinquished by: (Signature) <i>[Signature]</i> 4/7/08 | Received by: <i>[Signature]</i> | Date & Time 4-7-08 1800 |
| | Relinquished by: (Signature) <i>[Signature]</i> 4-7-08 2040 | Received by: <i>[Signature]</i> | Date & Time 4/7/08 2040 |

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures - Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water containing a significant amount of liquid-phase hydrocarbons was accumulated separately in drums for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.