

## Khatri, Paresh, Env. Health

---

**From:** Khatri, Paresh, Env. Health  
**Sent:** Thursday, December 18, 2008 11:45 AM  
**To:** 'Goloubow, Ron'  
**Cc:** Drogos, Donna, Env. Health  
**Subject:** RE: Aspire Oakland ACEH approval letter

Hello Ron,

To clarify, a Corrective Action Plan (CAP) is still required. It was not requested in the most recent letter since we are still awaiting results from the extended pilot test in a Pilot Test Report. Based on results of the pilot testing, ACEH will issue a directive letter requesting preparation of a comprehensive CAP. Alternatively, you may incorporate the results of the Pilot test and submit a CAP to expedite site remediation. Please note that the CAP should include remediation of all chemicals of concerns at the site, including proposed site cleanup levels and cleanup goals with a  $10^{-6}$  exposure risk scenario.

Best regards,

Paresh C. Khatri  
Hazardous Materials Specialist  
Alameda County Environmental Health  
Local Oversight Program  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577

Phone: (510) 777-2478

Fax: (510) 337-9335

E-mail: [Paresh.Khatri@acgov.org](mailto:Paresh.Khatri@acgov.org)

<http://www.acgov.org/aceh/lop/lop.htm>

**Confidentiality Notice:** This e-mail message, including any attachments, is for the sole use of intended recipient(s) and may contain confidential and protected information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.

---

**From:** Goloubow, Ron [mailto:Ron.Goloubow@lfr.com]  
**Sent:** Thursday, December 18, 2008 11:28 AM  
**To:** Khatri, Paresh, Env. Health  
**Subject:** FW: Aspire Oakland ACEH approval letter

Paresh – Since the attached letter did not request the preparation of a corrective action plan (CAP) there was some confusion. Can you confirm that a CAP is necessary for the subject project?

Thanks Ron. .

Ron Goloubow  
LFR Inc.  
510-596-9550 Direct Dial  
510-501-1789 Cell  
510-652-4906 Facsimile  
[ron.goloubow@lfr.com](mailto:ron.goloubow@lfr.com)

---

**From:** Goloubow, Ron  
**Sent:** Tuesday, December 16, 2008 3:59 PM  
**To:** Gibbs, Alan; Goldstein, Lucas  
**Subject:** Aspire Oakland ACEH approval letter

Looks like we need to do some quarterly groundwater monitoring & reporting.

Ron Goloubow  
Senior Associate Geologist  
LFR Inc.  
1900 Powell Street, 12th Floor  
Emeryville, CA 94608-1827  
510-596-9550 Direct Dial  
510-501-1789 Cell  
510-652-4500 Main Number  
510-652-4906 Facsimile  
[ron.goloubow@lfr.com](mailto:ron.goloubow@lfr.com)  
Visit us at [www.lfr.com](http://www.lfr.com)

---

This message (including any attachments) is intended only for the use of the named addressee(s) and may contain information that is legally privileged, confidential or exempt from disclosure under applicable law. If you are not a named addressee, you are hereby notified that any use, dissemination, distribution or copying of this message is strictly prohibited. If you have received this message in error, please notify the original sender immediately by telephone or by return e-mail and delete this message, along with any attachments, from your computer. Thank you.

**Tracking:**

**Recipient**

'Golubow, Ron'

Drogos, Donna, Env. Health

**Delivery**

Delivered: 12/18/2008 11:45 AM