

**RECEIVED**

By Alameda County Environmental Health 3:06 pm, May 10, 2017

Mr. Keith Nowell  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: Grimit Auto Repair and Service, 1970 Seminary Boulevard, Oakland, California  
(Fuel Leak Case No. RO0000413)

Dear Mr. Nowell:

Stratus Environmental, Inc. (Stratus) has recently prepared a report entitled *Groundwater Monitoring and Sampling Report, Fourth Quarter 2016 and First Quarter 2017* on my behalf. The report was prepared in regards to Alameda County Fuel Leak Case No. RO0000413, for Grimit Auto Repair and Service, 1970 Seminary Boulevard, Oakland, California.

I have read and acknowledge the content, recommendations and/or conclusions contained in the attached document or report submitted on my behalf to ACDEH's FTP server and the SWRCBs GeoTracker website.

If you have any questions, please contact me via electronic mail at [peggy.h.garcia@sbcglobal.net](mailto:peggy.h.garcia@sbcglobal.net) or my daughter Angel LaMarca at [angelcpt@gmail.com](mailto:angelcpt@gmail.com).

Sincerely,



Ms. Peggy Garcia, Trustee, Grimit Family Trust

cc: Angel LaMarca



3330 Cameron Park Drive, Ste 550  
Cameron Park, California 95682  
(530) 676-6004 ~ Fax: (530) 676-6005

May 4, 2017  
Project No. 2090-1970-01

Mr. Keith Nowell  
Alameda County Environmental Health Department  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Groundwater Monitoring and Sampling Report  
Fourth Quarter 2016 and First Quarter 2017  
Former Gritmit Auto Repair and Service  
1970 Seminary Boulevard, Oakland, California  
Fuel Leak Case No. RO0000413


Dear Mr. Nowell:

Stratus Environmental, Inc. (Stratus) is submitting the attached report, on behalf of the Gritmit Family Trust, for the Former Gritmit Auto Repair and Service underground storage tank fuel leak case located at 1970 Seminary Boulevard, Oakland, California. This report presents a summary of environmental activities performed at the subject property during the fourth quarter 2016 and first quarter 2017. This report has been prepared in compliance with the Alameda County Environmental Health Department (ACEHD) and the California Regional Water Quality Control Board (CRWQCB) requirements for underground storage tank (UST) investigations.

If you have any questions regarding this report, please contact Scott Bittinger at (530) 676-2062 or via email at [sbittinger@stratusinc.net](mailto:sbittinger@stratusinc.net).

Sincerely,

**STRATUS ENVIRONMENTAL, INC.**

  
Scott G. Bittinger, P.G.  
Project Manager

  
Gowri S. Kowtha, P.E.  
Principal Engineer



Attachment: Groundwater Monitoring and Sampling Report, Fourth Quarter 2016 and First Quarter 2017

cc: Ms. Peggy Garcia, Trustee, Gritmit Family Trust (email: [peggy.h.garcia@sbcglobal.net](mailto:peggy.h.garcia@sbcglobal.net))  
Ms. Angel LaMarca (email: [angelcpt@gmail.com](mailto:angelcpt@gmail.com))  
Ms. Cherie McCaulou, California Regional Water Quality Control Board (via GeoTracker)

## **GRIMIT AUTO REPAIR & SERVICE GROUNDWATER MONITORING AND SAMPLING REPORT**

Facility Address: 1970 Seminary Boulevard, Oakland, California  
Consulting Co. / Contact Person: Stratus Environmental, Inc. / Scott Bittinger, P.G.  
Consultant Project No: 2090-1970-01  
Primary Agency/Regulatory ID No: Mr. Keith Nowell, Alameda County Environmental Health Department (ACEHD), Fuel Leak Case No. RO0000413

### **WORK PERFORMED THIS PERIOD (Fourth Quarter 2016 and First Quarter 2017):**

1. The first quarter 2017 groundwater monitoring and sampling event was performed on January 25, 2017.

### **WORK PROPOSED FOR NEXT PERIOD (Second and Third Quarter 2017):**

1. The next groundwater monitoring and sampling event is tentatively scheduled to be completed in July 2017.

Current Phase of Project: CAP/REM  
Frequency of Groundwater Monitoring: All monitoring wells = Semi-annually (1<sup>st</sup> & 3<sup>rd</sup> calendar quarters)  
Frequency of Groundwater Sampling: All monitoring wells = Semi-annually (1<sup>st</sup> & 3<sup>rd</sup> calendar quarters)  
Groundwater Sampling Date: January 25, 2017  
Is Free Product (FP) Present on Site: Intermittent sheen/free product at well MW-1  
Depth to Groundwater: 1.29 to 14.93 feet below the top of the well casing  
Groundwater Flow Direction : Not mathematically calculated due to large variability in groundwater levels within the monitoring well network (discussed between ACEHD and Stratus in May 2013 meeting). Based on distribution of fuel contaminants in groundwater, shallow groundwater flow appears to be predominately to the west-northwest. Under DPE conditions, inward groundwater flow towards wells used for extraction is likely occurring locally.

### **FINDINGS AND DISCUSSION:**

Stratus conducted groundwater monitoring and sampling activities on January 25, 2017. During this event, wells MW-1, MW-2, MW-4, MW-5, MW-6, MW-8, and MW-9 were gauged and sampled. On January 25, 2017, wells MW-3 and MW-7 could not be accessed. Groundwater samples were forwarded to a state-certified analytical laboratory to be analyzed for gasoline range organics (GRO) by EPA Method SW8015B/SW8260B, for benzene, toluene, ethylbenzene, and xylene (BTEX compounds), methyl tertiary butyl ether (MTBE), tertiary amyl methyl ether (TAME), di-isopropyl ether (DIPE), ethyl tertiary butyl ether (ETBE), tertiary butyl alcohol (TBA), 1,2-dichloroethane (1,2-DCA), 1,2-dibromoethane (EDB), and halogenated volatile organic compounds (HVOCs) by EPA Method 624/8260, and for oil & grease (O&G)

by EPA Method 1664A. Samples containing O&G are typically analyzed with and without silica gel cleanup (if detections are present in the samples). Table 1 provides depth to water measurements and groundwater elevations. Tables 2 through 4 present a summary of groundwater analytical data collected for the site's monitoring well network.

Field data sheets documenting measurements and observations collected by Stratus personnel are provided in Appendix A. A description of sampling and analysis procedures used by Stratus/laboratory personnel are provided in Appendix B. Certified analytical results provided by the analyzing laboratory (Alpha Analytical, Inc.) are presented in Appendix C.

### Groundwater Levels and Distribution of Groundwater Contaminants

Groundwater levels in the well network ranged from 1.29 to 14.93 feet below the top of the well casing on January 25, 2017. Given the dimensions and layout of the property (small acreage on flat land), very large variations in groundwater levels are observed within the site's well network. Due to this condition, preparation of groundwater elevation contour maps using the available data do not appear useful for assessing groundwater flow direction beneath the site, and thus Stratus has discontinued preparation of groundwater elevation contour maps (discussed in May 2013 meeting).

In general, most VOC impact is observed in the area near the former waste oil tank. Gasoline related fuel contaminants in shallow groundwater are present across most of the site property, with limited impact appearing to extend offsite. Figures 4 and 5 present a summary of petroleum hydrocarbon and VOC concentrations in groundwater, respectively, using data collected from the January 2017 well sampling event. Also included on Figures 4 and 5 are data from a January 2012 direct push soil boring investigation; these data are provided based on requests from ACEHD in the May 2013 meeting since the direct push boring data is useful in illustrating the lateral limits of impact to shallow groundwater.

The highest concentrations of GRO (12,000 micrograms per liter [ $\mu\text{g/L}$ ]) and benzene (200  $\mu\text{g/L}$ ) were reported in the sample collected from well MW-1. A petroleum sheen was observed from water purged from MW-1. GRO and benzene were also detected in samples collected from wells MW-4 (1,800  $\mu\text{g/L}$  and 240  $\mu\text{g/L}$ , respectively), MW-5 (380  $\mu\text{g/L}$  and 0.56  $\mu\text{g/L}$ , respectively), and MW-6 (1,200  $\mu\text{g/L}$  and 40  $\mu\text{g/L}$ , respectively). GRO was also detected at MW-9 (110  $\mu\text{g/L}$ ). Oil and grease was reported in the samples collected from well MW-1 (420,000  $\mu\text{g/L}$  without silica gel treatment, 260,000  $\mu\text{g/L}$  with silica gel treatment). MTBE was only detected in one well sample (MW-4, 2.6  $\mu\text{g/L}$ ).

At well MW-4, 1,2-dichlorobenzene, 1,3-dichlorobenzene, 1,4-dichlorobenzene, vinyl chloride (VC), cis-1,2-dichloroethane (cis-1,2-DCE), and trans-1,2-dichloroethane (trans-1,2-DCE) were detected at concentrations of 16  $\mu\text{g/L}$ , 4.5  $\mu\text{g/L}$ , 5.3  $\mu\text{g/L}$ , 88  $\mu\text{g/L}$ , 120  $\mu\text{g/L}$ , and 19  $\mu\text{g/L}$ , respectively. At well MW-8, tetrachlorethene (PCE), trichloroethene (TCE), VC, and cis-1,2-DCE were detected at concentrations of 1.1  $\mu\text{g/L}$ , 1.2  $\mu\text{g/L}$ , 1.1  $\mu\text{g/L}$ , and 2.6  $\mu\text{g/L}$ , respectively. TCE was also detected at MW-2 (7.5  $\mu\text{g/L}$ ), and cis-1,2-DCE was also detected at wells MW-2 (2.7  $\mu\text{g/L}$ ) and MW-5 (1.0  $\mu\text{g/L}$ ).

### **LIMITATIONS:**

This document was prepared in general accordance with accepted standards of care that existed at the time this work was performed. No other warranty, expressed or implied, is made. Conclusions and recommendations are based on field observations and data obtained from this work and previous investigations. It should be recognized that definition and evaluation of geologic conditions is a difficult and somewhat inexact science. Judgments leading to conclusions and recommendations are generally made with an incomplete knowledge of the subsurface conditions present. More extensive studies may be performed to reduce uncertainties. This document is solely for the use and information of our client unless otherwise noted.

**ATTACHMENTS:**

- Table 1 Groundwater Elevation Summary
- Table 2 Groundwater Analytical Summary for Petroleum Hydrocarbons
- Table 3 Analytical Results for Fuel Oxygenates and Additives
- Table 4 Analytical Results for Volatile Organic Compounds
- Figure 1 Site Location Map
- Figure 2 Site Plan
- Figure 3 Site Vicinity Map
- Figure 4 Petroleum Hydrocarbon Groundwater Analytical Summary Above 40' bgs
- Figure 5 Halogenated VOC Groundwater Analytical Summary Above 40' bgs
- Appendix A Field Data Sheets
- Appendix B Sampling and Analysis Procedures
- Appendix C Laboratory Analytical Reports and Chain-of-Custody Documentation
- Appendix D GeoTracker Data Upload Confirmation Sheets

**TABLE 1  
GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

<b>Well Number</b>	<b>Date</b>	<b>Depth to Water (ft bgs)</b>	<b>Well Casing Elevation (ft MSL)</b>	<b>LPH Apparent Thickness (ft)</b>	<b>Groundwater Elevation (corrected*) (ft MSL)</b>	
<b>MW-1</b> (deep)	07/22/00	21.93	36.99	sheen	15.06	
	01/29/01	19.49	36.99	0.01	17.51	
	07/28/01	19.84	36.99	sheen	17.15	
	02/03/02	16.03	36.99	0.01	20.97	
	07/23/02	20.45	36.99	0.01	16.55	
	01/20/03	15.08	36.99	0.02	21.92	
	07/30/03	19.06	36.99	0.02	17.94	
	01/27/04	16.45	36.99	sheen	20.54	
	07/22/04	20.22	40.02	0.08	19.86	
	01/20/05	13.92	40.02	sheen	26.10	
	07/20/05	16.76	40.02	sheen	23.26	
	01/26/06	14.40	40.02	0.01	25.63	
	07/27/06	17.66	40.02	sheen	22.36	
	01/24/07	17.43	40.02	0.02	22.60	
	07/18/07	19.31	40.02	0.17	20.84	
	02/15/08	14.80	40.02	0.02	25.23	
	07/25/08	20.21	40.02	0.42	20.12	
	01/23/09[1]	19.71	40.02	0.08	20.37	
	07/20/09	19.58	40.02	0.125	20.53	
	01/25/10[1]	13.69	40.02	0.125	26.42	
	07/29/10	21.20	40.02	0.40	19.12	
	01/31/11	19.12	40.02	0.21	21.06	
	07/12/11	20.90	40.02	0.30	19.34	
	01/17/12	20.89	42.91	0.06	22.06	
	07/16/12	19.75	42.91	sheen	23.16	
	01/14/13	16.58	42.91	sheen	26.33	
	07/15/13	21.73	42.91	0.05	21.22	
	01/30/14	23.45	42.91	0.20	19.60	
	09/30/14	23.39	42.91	sheen	19.52	
	02/24/15	25.80	42.91	sheen	17.11	
	06/30/15			Connected to system - not gauged		
	08/25/15			Connected to system - not gauged		
01/28/16	14.30	42.91	sheen	28.61		
07/19/16	22.84	42.91	sheen	20.07		
01/25/17	14.93	42.91	sheen	27.98		

**TABLE 1**  
**GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date	Depth to Water (ft bgs)	Well Casing Elevation (ft MSL)	LPH Apparent Thickness (ft)	Groundwater Elevation (corrected*) (ft MSL)
MW-2 (deep)	07/22/00	13.73	36.40	--	22.67
	01/29/01	12.25	36.40	--	24.15
	07/28/01[1]	16.73	36.40	--	19.67
	02/03/02	11.40	36.40	--	25.00
	07/23/02	13.42	36.40	--	22.98
	01/20/03	10.49	36.40	--	25.91
	07/30/03	13.47	36.40	--	22.93
	01/27/04	11.72	36.40	--	24.68
	07/22/04	13.86	39.42	--	25.56
	01/20/05	10.24	39.42	--	29.18
	07/20/05	12.34	39.42	--	27.08
	01/26/06	10.60	39.42	--	28.82
	07/27/06	13.02	39.42	--	26.40
	01/24/07	15.76	39.42	--	23.66
	07/18/07	13.91	39.42	--	25.51
	02/15/08	10.94	39.42	--	28.48
	07/25/08	14.29	39.42	--	25.13
	01/23/09[1]	20.17	39.42	--	19.25
	07/20/09	15.16	39.42	--	24.26
	01/25/10[1]	15.66	39.42	--	23.76
	07/29/10	12.58	39.42	--	26.84
	01/31/11	20.15	39.42	--	19.27
	07/12/11	11.12	39.42	--	28.30
	01/17/12	13.47	42.32	--	28.85
	07/16/12	12.18	42.32	--	30.14
	01/14/13	13.82	42.32	sheen	28.50
	07/15/13	12.48	42.32	--	29.84
	01/30/14	17.11	42.32	--	25.21
	09/30/14	19.41	42.32	--	22.91
	02/24/14	12.50	42.32	--	29.82
	06/30/15	13.87	42.32	--	28.45
	08/25/15	14.41	42.32	--	27.91
01/28/16	10.37	42.32	--	31.95	
07/19/16	19.37	42.32	--	22.95	
01/25/17	12.53	42.32	--	29.79	

**TABLE 1  
GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

<b>Well Number</b>	<b>Date</b>	<b>Depth to Water (ft bgs)</b>	<b>Well Casing Elevation (ft MSL)</b>	<b>LPH Apparent Thickness (ft)</b>	<b>Groundwater Elevation (corrected*) (ft MSL)</b>
<b>MW-3</b> (shallow)	07/22/00	9.41	36.94	--	27.53
	01/29/01	7.23	36.94	--	29.71
	07/28/01	8.63	36.94	--	28.31
	02/03/02	7.99	36.94	--	28.95
	07/23/02	10.17	36.94	--	26.77
	01/20/03	6.76	36.94	--	30.18
	07/30/03	10.13	36.94	--	26.81
	01/27/04	7.65	36.94	--	29.29
	07/22/04	11.29	39.95	--	28.66
	01/20/05	6.24	39.95	--	33.71
	07/20/05	9.03	39.95	--	30.92
	01/26/06	6.49	39.95	--	33.46
	07/27/06	8.80	39.95	--	31.15
	01/24/07	8.75	39.95	--	31.20
	07/18/07	11.29	39.95	--	28.66
	02/15/08	6.79	39.95	--	33.16
	07/25/08	12.40	39.95	--	27.55
	01/23/09[1]	9.72	39.95	--	30.23
	07/20/09	10.81	39.95	--	29.14
	01/25/10[1]	7.67	39.95	--	32.28
	07/29/10	10.42	39.95	--	29.53
	01/31/11	9.57	39.95	--	30.38
	07/12/11	9.87	39.95	--	30.08
	01/17/12	11.05	42.85	--	31.80
	07/16/12	10.45	42.85	--	32.40
	01/14/13	8.82	42.85	--	34.03
	07/15/13	10.31	42.85	--	32.54
	01/30/14	16.70	42.85	--	26.15
	09/30/14	13.82	42.85	--	29.03
	02/24/15	7.77	42.85	--	35.08
	06/30/15	13.32	42.85	--	29.53
	08/25/15	13.87	42.85	--	28.98
	01/28/16			Unable to Gauge - Car Parked Over Well	
07/19/16			Unable to Gauge - Car Parked Over Well		
01/25/17			Unable to Gauge - Car Parked Over Well		



**TABLE 1  
GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

<b>Well Number</b>	<b>Date</b>	<b>Depth to Water (ft bgs)</b>	<b>Well Casing Elevation (ft MSL)</b>	<b>LPH Apparent Thickness (ft)</b>	<b>Groundwater Elevation (corrected*) (ft MSL)</b>
<b>MW-4 (deep)</b>	07/22/00	20.67	36.47	--	15.80
	01/29/01	18.06	36.47	--	18.41
	07/28/01	20.80	36.47	--	15.67
	02/03/02	15.53	36.47	--	20.94
	07/23/02	20.26	36.47	--	16.21
	01/20/03	15.26	36.47	--	21.21
	07/30/03	20.23	36.47	--	16.24
	01/27/04	17.15	36.47	--	19.32
	07/22/04	21.28	36.49	--	15.21
	01/20/05	14.20	36.49	--	22.29
	07/20/05	17.64	36.49	--	18.85
	01/26/06	14.42	36.49	--	22.07
	07/27/06	18.51	36.49	--	17.98
	01/24/07	18.43	36.49	--	18.06
	07/18/07	20.59	36.49	--	15.90
	02/15/08	15.11	36.49	--	21.38
	07/25/08	21.12	36.49	--	15.37
	01/23/09[1]	19.99	36.49	--	16.50
	07/20/09	20.58	36.49	--	15.91
	01/25/10[1]	15.07	36.49	--	21.42
	07/29/10	21.25	36.49	--	15.24
	01/31/11	18.24	36.49	--	18.25
	07/12/11	19.38	36.49	--	17.11
	01/17/12	22.34	42.39	--	20.05
	07/16/12	21.53	42.39	--	20.86
	01/14/13	15.37	42.39	--	27.02
	07/15/13	22.79	42.39	--	19.60
	01/30/14	23.47	42.39	--	18.92
	09/30/14	23.25	42.39	--	19.14
	02/24/15	22.50	42.39	--	19.89
	06/30/15	22.77	42.39	--	19.62
	08/25/15	23.33	42.39	--	19.06
01/28/16	13.51	42.39	sheen	28.88	
07/19/16	21.31	42.39	sheen	21.08	
01/25/17	12.77	42.39	sheen	29.62	

**TABLE 1**  
**GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date	Depth to Water (ft bgs)	Well Casing Elevation (ft MSL)	LPH Apparent Thickness (ft)	Groundwater Elevation (corrected*) (ft MSL)
MW-5 (deep)	07/22/00	21.42	36.77	--	15.35
	01/29/01	20.79	36.77	--	15.98
	07/28/01	21.07	36.77	--	15.70
	02/03/02	17.67	36.77	--	19.10
	07/23/02	20.16	36.77	--	16.61
	01/20/03	17.21	36.77	--	19.56
	07/30/03	20.32	36.77	--	16.45
	01/27/04	18.34	36.77	--	18.43
	07/22/04	20.90	39.79	--	18.89
	01/20/05	15.89	39.79	--	23.90
	07/20/05	17.97	39.79	--	21.82
	01/26/06	15.49	39.79	--	24.30
	07/27/06	18.50	39.79	--	21.29
	01/24/07	18.76	39.79	--	21.03
	07/18/07	20.12	39.79	--	19.67
	02/15/08[1]	16.35	39.79	--	23.44
	07/25/08	20.57	39.79	--	19.22
	01/23/09[1]	19.42	39.79	--	20.37
	07/20/09	20.35	39.79	--	19.44
	01/25/10[1]	16.33	39.79	--	23.46
	07/29/10	19.47	39.79	--	20.32
	01/31/11	17.70	39.79	--	22.09
	07/12/11	17.91	39.79	--	21.88
	01/17/11	21.25	42.69	sheen	21.44
	07/16/12	19.74	42.69	sheen	22.95
	01/14/13	16.74	42.69	--	25.95
	07/15/13	21.24	42.69	--	21.45
	01/30/14	22.92	42.69	--	19.77
	09/30/14	23.01	42.69	--	19.68
	02/24/15	23.51	42.69	--	19.18
	06/30/15	25.67	42.69	--	17.02
	08/25/15	26.20	42.69	--	16.49
	01/28/16	16.48	42.69	--	26.21
07/19/16	21.22	42.69	--	21.47	
01/25/17	14.27	42.69	--	28.42	

**TABLE 1  
GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date	Depth to Water (ft bgs)	Well Casing Elevation (ft MSL)	LPH Apparent Thickness (ft)	Groundwater Elevation (corrected*) (ft MSL)
MW-6 (shallow)	07/22/00	11.50	36.42	--	24.92
	01/29/01	9.34	36.42	--	27.08
	07/28/01	NA	36.42	--	NA
	02/03/02	9.32	36.42	--	27.10
	07/23/02	11.33	36.42	--	25.09
	01/20/03	8.49	36.42	--	27.93
	07/30/03	11.35	36.42	--	25.07
	01/27/04	9.20	36.42	--	27.22
	07/22/04	11.13	39.44	--	28.31
	01/20/05	7.65	39.44	--	31.79
	07/20/05	10.02	39.44	--	29.42
	01/26/06	8.13	39.44	--	31.31
	07/27/06	10.59	39.44	--	28.85
	01/24/07	10.09	39.44	--	29.35
	07/18/07	11.06	39.44	--	28.38
	02/15/08	8.17	39.44	--	31.27
	07/25/08	11.30	39.44	--	28.14
	01/23/09[1]	9.82	39.44	--	29.62
	07/20/09	11.02	39.44	--	28.42
	01/25/10[1]	6.58	39.44	--	32.86
	07/29/10	10.72	39.44	--	28.72
	01/31/11	8.58	39.44	--	30.86
	07/12/11	9.32	39.44	--	30.12
	01/17/12	11.14	42.34	--	31.20
	07/16/12	10.11	42.34	--	32.23
	01/14/13	8.41	42.34	sheen	33.93
	07/15/13	9.92	42.34	--	32.42
	01/30/14	14.69	42.34	--	27.65
	09/30/14	11.37	42.34	--	30.97
	02/24/15	9.49	42.34	--	32.85
	06/30/15	11.51	42.34	--	30.83
	08/25/15	11.92	42.34	--	30.42
01/28/16	7.58	42.34	--	34.76	
07/19/16			Unable to Gauge - Car Parked Over Well		
01/25/17	7.19	42.34	--	35.15	

**TABLE 1  
GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date	Depth to Water (ft bgs)	Well Casing Elevation (ft MSL)	LPH Apparent Thickness (ft)	Groundwater Elevation (corrected*) (ft MSL)
MW-7 (deep)	07/22/00	19.85	36.83	--	16.98
	01/29/01	17.59	36.83	--	19.24
	07/28/01	20.05	36.83	--	16.78
	02/03/02	15.89	36.83	--	20.94
	07/23/02	19.57	36.83	--	17.26
	01/20/03	15.36	36.83	--	21.47
	07/30/03	19.21	36.83	--	17.62
	01/27/04	16.84	36.83	--	19.99
	07/22/04	20.17	39.84	--	19.67
	01/20/05	14.44	39.84	--	25.40
	07/20/05	17.26	39.84	--	22.58
	01/26/06	14.55	39.84	--	25.29
	07/27/06	18.13	39.84	--	21.71
	01/24/07	18.03	39.84	--	21.81
	07/18/07	19.76	39.84	--	20.08
	02/15/08	15.44	39.84	--	24.40
	01/23/09[1]	20.50	39.84	--	19.34
	01/23/09	19.08	39.84	--	20.76
	07/20/09	20.20	39.84	--	19.64
	01/25/10[1]	15.30	39.84	--	24.54
	07/29/10	19.60	39.84	--	20.24
	01/31/11	17.63	39.84	--	22.21
	07/12/11	17.77	39.84	--	22.07
	01/17/12	21.63	42.72	sheen	21.09
	07/16/12	19.81	42.72	sheen	22.91
	01/14/13	16.65	42.72	sheen	26.07
	07/15/13	21.67	42.72	--	21.05
	01/30/14	27.19	42.72	--	15.53
	09/30/14	23.41	42.72	--	19.31
	02/24/15	25.55	42.72	--	17.17
	06/30/15	26.67	42.72	--	16.05
	08/25/15	28.08	42.72	--	14.64
01/28/16	14.64	42.72	sheen	28.08	
07/19/16	21.27	42.72	sheen	21.45	
01/25/17			Unable to Gauge - No Access		

**TABLE 1  
GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

<b>Well Number</b>	<b>Date</b>	<b>Depth to Water (ft bgs)</b>	<b>Well Casing Elevation (ft MSL)</b>	<b>LPH Apparent Thickness (ft)</b>	<b>Groundwater Elevation (corrected*) (ft MSL)</b>
<b>MW-8</b> (shallow)	07/22/00	5.47	36.55	--	31.08
	01/29/01	3.01	36.55	--	33.54
	07/23/02	5.11	36.55	--	31.44
	01/20/03	3.57	36.55	--	32.98
	07/30/03	5.23	36.55	--	31.32
	01/27/04	4.26	36.55	--	32.29
	07/22/04	5.42	36.55	--	31.13
	01/20/05	3.39	36.55	--	33.16
	07/20/10	5.14	39.49	--	34.35
	01/26/06	3.70	39.49	--	35.79
	07/27/06	5.63	39.49	--	33.86
	01/24/07	4.87	39.49	--	34.62
	07/18/07	5.41	39.49	--	34.08
	02/15/08	3.77	39.49	--	35.72
	07/25/08	5.67	39.49	--	33.82
	01/23/09[1]	3.55	39.49	--	35.94
	07/20/09	5.71	39.49	--	33.78
	01/25/10[1]	1.15	39.49	--	38.34
	07/29/10	5.40	39.49	--	34.09
	01/31/11	3.16	39.49	--	36.33
	07/12/11	4.63	39.49	--	34.86
	01/17/12	5.26	42.42	--	37.16
	07/16/12	5.31	42.42	--	37.11
	01/14/13	4.15	42.42	--	38.27
	07/15/13	5.34	42.42	--	37.08
	01/30/14	5.20	42.42	--	37.22
	09/30/14	5.20	42.42	--	37.22
	02/24/15	3.87	42.42	--	38.55
	06/30/15	4.86	42.42	--	37.56
	08/25/15	5.25	42.42	--	37.17
01/28/16	2.20	42.42	--	40.22	
07/19/16	5.35	42.42	--	37.07	
01/25/17	1.29	42.42	--	41.13	

**TABLE 1  
GROUNDWATER ELEVATION SUMMARY**

Grimit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date	Depth to Water (ft bgs)	Well Casing Elevation (ft MSL)	LPH Apparent Thickness (ft)	Groundwater Elevation (corrected*) (ft MSL)
MW-9 (shallow)	07/22/00	15.78	36.70	--	20.92
	01/29/01	14.65	36.70	--	22.05
	07/28/01	15.33	36.70	--	21.37
	02/03/02	12.59	36.70	--	24.11
	07/23/02	15.27	36.70	--	21.43
	01/20/03	12.27	36.70	--	24.43
	07/30/03	14.85	36.70	--	21.85
	01/27/04	11.72	36.70	--	24.98
	07/22/04	15.17	39.71	--	24.54
	01/20/05	10.16	39.71	--	29.55
	07/20/05	12.12	39.71	--	27.59
	01/26/06	10.12	39.71	--	29.59
	07/27/06	12.52	39.71	--	27.19
	01/24/07	12.63	39.71	--	27.08
	07/18/07	13.77	39.71	--	25.94
	02/15/08	10.78	39.71	--	28.93
	07/25/08	13.93	39.71	--	25.78
	01/23/09[1]	13.08	39.71	--	26.63
	07/20/09	13.63	39.71	--	26.08
	01/25/10[1]	11.35	39.71	--	28.36
	07/29/10	12.49	39.71	--	27.22
	01/31/11	11.98	39.71	--	27.73
	07/12/11	11.98	39.71	--	27.73
	01/17/12	12.57	42.61	--	30.04
	07/16/12	12.48	42.61	--	30.13
	01/14/13	12.35	42.61	--	30.26
	07/15/13	13.35	42.61	--	29.26
	01/30/14	17.20	42.61	--	25.41
	09/30/14	18.61	42.61	--	24.00
	02/24/15	18.70	42.61	--	23.91
06/30/15	19.20	42.61	--	23.41	
08/25/15	19.22	42.61	--	23.39	
01/28/16			Unable to Gauge - Car Parked Over Well		
07/19/16	17.67	42.61	--	24.94	
01/25/17	14.08	42.61	--	28.53	

**Legend/Key:**

- ft bgs = feet below ground surface
- ft MSL = feet above mean sea level
- [1] = Well possibly not calibrated
- [2] = Well not stabilized; water level rising

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)	
MW-1 (deep)	07/22/00	37,000	320,000[1,2]	2,200	2,600	1,300	5,200	--	
	01/29/01	36,000	76,000[1,2]	2,100	2,300	1,200	4,500	--	
	07/28/01	99,000	86,000[1,2]	1,500	2,300	1,700	6,600	--	
	02/03/02	42,000	42,000[1,2]	1,200	1,300	1,100	3,900	--	
	07/23/02	53,000	170,000[1,2]	1,700	2,800	1,500	5,100	--	
	01/20/03	33,000	65,000[1,2]	2,100	2,500	1,300	4,400	--	
	07/30/03	24,000	55,000[1]	1,300	1,500	760	2,700	--	
	01/27/04	21,000	220,000[1]	1,600	1,500	1,100	3,200	--	
	07/22/04	31,000	780,000[1,2]	1,500	1,700	1,200	4,100	--	
	01/20/05	25,000	72,000[1,2]	1,300	1,400	1,000	2,800	--	
	07/20/05	22,000	500,000[1,2]	1,100	1,600	830	2,600	--	
	01/26/06	28,000	64,000[1,2]	1,600	1,500	1,200	3,500	--	
	07/27/06	25,000	NA	810	1,000	1,100	3,200	--	
	01/25/07	32,000	170,000[1]	990	960	1,100	3,500	--	
	07/19/07	32,000	1,100,000[1]	600	740	950	2,500	--	
	02/15/08	28,000	3,500,000[1,2]	930	780	940	2,500	--	
	07/25/08	28,000	NA	540	580	750	2,000	--	
	01/23/09	52,000	1,000,000[1,2]	420	350	1,400	3,600	--	
	07/21/09	19,000	46,000[1]	530	500	890	2,300	--	
	01/25/10	23,000	140,000[1,2]	780	540	850	2,200	--	
	07/29/10			Not Sampled - Free Product present					
	01/31/11			Not Sampled - Free Product present					
	07/12/11			Not Sampled - Free Product present					
	01/17/12			Not Sampled - Free Product present					
	07/16/12	16,000	73,000 / 41,000[3]	270	240	590	832	--	
	01/14/13	95,000	80,000 / 61,000[3]	310	310	700	1,520	--	
	07/15/13	48,000	<5,000	280	280	1,000	1,310	--	
01/30/14	62,000	320,000 / 190,00[3]	280	220	1,200	817	--		
09/30/14	24,000	14,000/ 9,300[3]	320	280	780	1,188	--		
02/24/15	17,000	260,000/ 130,000[3]	400	210	560	634	--		
06/30/15	5,900	130,000[5]/100,000[3]	40	9.1	9.1	216	--		
08/25/15	13,000	1,600,000[5]/530,000[3]	190[4]	47[4]	31[4]	222[4]	--		
01/28/16	18,000	380,000[5]/250,000[3]	130[4]	94[4]	<5.0	1,460[4]	--		
07/19/16	11,000	850,000[5]/530,000[3]	130[4]	130[4]	160[4]	580[4]	--		
01/25/17	12,000	420,000[5]/260,000[3]	200[4]	140[4]	240[4]	650	--		

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
MW-2 (deep)	07/22/00	180	<5,000[1,2]	10	ND	4.5	6.0	--
	01/29/01	130	<5,000[1,2]	16	ND	1.9	3.8	--
	07/28/01	<50	<5,000[1,2]	2.7	ND	0.64	0.69	--
	02/03/02	140	<5,000[1,2]	5.5	ND	9.0	12	--
	07/23/02	780	<5,000[1,2]	52	2.0	44	6.2	--
	01/20/03	1,900	<5,000[1,2]	120	10	120	94	--
	07/30/03	710	<5,000[1,2]	43	1.8	24	5.9	--
	01/27/04	180	<5,000[1,2]	10	<0.5	3.2	10	--
	07/22/04	<50	<5,000[1,2]	0.90	<0.5	<0.5	<0.5	--
	01/20/05	96	<5,000[1,2]	1.3	<0.5	1.5	1.0	--
	07/20/05	430	<5,000[1,2]	17	1.5	2.3	1.2	--
	01/26/06	120	<5,000[1,2]	5.3	<0.5	0.64	3.3	--
	07/27/06	89	<5,000[1,2]	3.1	<0.5	1.9	3.1	--
	01/25/07	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/19/07	100	<5,000[1,2]	1.1	<0.5	<0.5	<0.5	--
	02/15/08	460	<5,000[1,2]	25	0.75	3.7	3.2	--
	07/25/08	<50	<5,000[1,2]	0.66	<0.5	<0.5	<0.5	<0.5
	01/23/09	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/21/09	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	01/25/10	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/29/10	170	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/31/11	<50	<5,000	<0.50	<0.50	<0.50	0.60	--
	07/12/11	410	<5,000	1.3	<0.50	0.55	<0.50	--
	01/17/12	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	07/16/12	60	<5,000	1.6	<0.50	<0.50	<0.50	--
	01/14/13	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	07/15/13	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/31/14	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	09/30/14	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	02/24/15	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
06/30/15	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
08/25/15	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
01/28/16	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
07/19/16	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
01/25/17	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	



**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
MW-3 (shallow)	07/22/00	230	<5,000[1,2]	0.89	2.4	ND	ND	--
	01/29/01	450	<5,000[1]	1.1	1.6	11	3.6	--
	07/28/01	<50	<5,000[1]	<0.5	ND	ND	ND	--
	02/03/02	98	<5,000[1]	<0.5	ND	ND	ND	--
	07/23/02	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	01/20/03	700	<5,000[1]	1.6	0.56	41	21	--
	07/30/03	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	01/27/04	85	<5,000[1]	<0.5	<0.5	<0.5	0.87	--
	07/22/04	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	01/20/05	440	<5,000[1]	0.81	0.67	7.1	2.6	--
	07/20/05	130	<5,000[1]	<0.5	1.2	<0.5	<0.5	--
	01/26/06	790	<5,000[1]	1.0	1.0	12	3.4	--
	07/27/06	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	01/25/07	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	07/19/07	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	02/15/08	74	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	07/25/08	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	<0.5
	01/23/09	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	07/21/09	<50	<5,000[1]	<0.5	<0.5	<0.5	<0.5	--
	01/25/10	150	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/29/10	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/31/11	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	07/12/11	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/17/12	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	07/16/12	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/14/13	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	07/15/13	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/31/14	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	09/30/14	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	02/24/15	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	06/30/15	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--
08/25/15	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
01/28/16				Not Sampled - Car Parked Over Well				
07/19/16				Not Sampled - Car Parked Over Well				
01/25/17				Not Sampled - Car Parked Over Well				

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
MW-4 (deep)	07/22/00	2,700	7,000[1,2]	940	14	31	12	--
	01/29/01	2500	<5,000[1,2]	980	11	35	5	--
	07/28/01	1,100	90,000[1,2]	250	6.3	19	4.8	--
	02/03/02	2,100	7,400[1,2]	890	23	41	20	--
	07/23/02	1,200	<5,000[1,2]	490	11	22	8.8	--
	01/20/03	1,900	<5,000[1,2]	740	11	32	12	--
	07/30/03	1,700	<5,000[1,2]	440	8.9	18	6.1	--
	01/27/04	1,100	31,000[1,2]	350	10	17	5.0	--
	07/22/04	910	54,000[1,2]	210	7.9	19	6.5	--
	01/20/05	1,900	<5,000[1,2]	550	36	63	43	--
	07/20/05	1,300	<5,000[1,2]	310	11	36	12	--
	01/26/06	1,900	26,000[1,2]	500	16	40	12	--
	07/27/06	980	85,000[1,2]	340	13	18	8.8	--
	01/24/07	910	7,100[1,2]	230	5	15	4	--
	07/18/07	960	<5,000[1,2]	150	3.9	9.9	3.4	--
	02/15/08	1,500	12,000[1,2]	310	12	18	11	--
	07/25/08	1,000	7,800[1,2]	54	3.1	5.5	2.0	4.7
	01/23/09	1,000	<5,000[1,2]	200	5	9.3	2.3	--
	07/20/09	940	12,000[1,2]	230	8.8	6.5	8.0	--
	01/25/10	1,000	29,000[1,2]	240	6.9	20	8.9	--
	07/29/10	1,000	<5,000	190	7.8	15	4.0	--
	01/31/11	1,300	20,000 / <5,000[3]	280	14	17	4.6	--
	07/12/11	1,300	<5,000	88	5.8	18	0.84	--
	01/17/12	950	<5,000	40	2.1	6.6	0.99	--
	07/16/12	1,100	42,000 / 26,000[3]	130	9.8	12	4.1	--
	01/14/13	1,600	18000 / 16,000[3]	350	38	47	51.6	--
	07/15/13	890	<5,000	62	4.5	10	2.74	--
	01/31/14	740	<5,000	54	<2.0[1]	<2.0[1]	<2.0[1]	--
	09/30/14	1,500	<5,000	37	3.0	6.9	1.2	--
	02/24/15	350	15,000/ 11,000[3]	7.2	<1.0[4]	1.3	<1.0[4]	--
06/30/15	360	<5,000[5]	4.9	0.56	1.2	<0.50	--	
08/25/15	1,100	5,700[5]/<5,000[3]	5.1	3.5	6.8	2.5	--	
01/28/16	2,200	9,700[5]/7,000[3]	140[4]	14[4]	48[4]	177[4]	--	
07/19/16	1,300	12,000[5]/8,800[3]	97	4.4	14	29.7	--	
01/25/17	1,800	<5,000[5]	240[4]	7.1[4]	7.9[4]	10.2	--	

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
MW-5 (deep)	07/22/00	14,000	12,000[1,2]	290	140	770	630	--
	01/29/01	8,200	11,000[1,2]	180	42	420	250	--
	07/28/01	9,100	<5,000[1,2]	190	67	540	430	--
	02/03/02	11,000	<5,000[1]	250	160	730	540	--
	07/23/02	6,400	<5,000[1]	160	67	540	390	--
	01/20/03	7,300	<5,000[1,2]	190	80	480	310	--
	07/30/03	8,700	<5,000[1,2]	170	35	470	300	--
	01/27/04	7,600	<5,000[1]	220	50	460	290	--
	07/22/04	10,000	<5,000[1]	200	38	510	400	--
	01/20/05	8,500	<5,000[1,2]	130	63	430	280	--
	07/20/05	7,900	<5,000[1,2]	110	47	350	250	--
	01/26/06	8,000	<5,000[1]	170	53	410	270	--
	07/27/06	5,300	<5,000[1]	110	35	380	250	--
	01/25/07	1,300	<5,000[1,2]	17	6.1	34	46	--
	07/19/07	10,000	<5,000[1,2]	99	15	250	200	--
	02/15/08	9,900	<5,000[1,2]	120	26	290	200	--
	07/25/08	5,600	<5,000[1,2]	120	20	210	190	16
	01/23/09	6,600	<5,000[1,2]	68	18	220	110	--
	07/21/09	5,600	<5,000[1]	81	21	210	160	--
	01/25/10	2,800	<5,000[1,2]	32	11	100	64	--
	07/29/10	2,900	<5,000	23	6.9	130	70.6	--
	01/31/11	4,400	<5,000	25	12	170	78.1	--
	07/12/11	5,700	<5,000	30	11	190	89	--
	01/17/12	4,000	<5,000	25	5.4	150	54.1	--
	07/16/12	3,700	<5,000	28	6.4	140	52.0	--
	01/14/13	2,100	<5,000	11	8.1	90	41.3	--
	07/15/13	3,900	<5,000	27	5.1	110	31.2	--
01/31/14	1,600	<5,000	13	1.0	6.5	2.2	--	
09/30/14	3,000	<5,000	17	<1.0[4]	26	5.4	--	
02/24/15	80	<5,000	<0.50	<0.50	<0.50	<0.50	--	
06/30/15	110	<5,000[5]	<0.50	<0.50	<0.50	<0.50	<0.50	
08/25/15	230	<5,000[5]	1.0	<0.50	<0.50	<0.50	--	
01/28/16	5,500	<5,000[5]	15[4]	13[4]	160[4]	98.7[4]	--	
07/19/16	4,500	<5,000[5]	21[4]	8.5[4]	210[4]	101.7[4]	--	
01/25/17	380	<5,000[5]	0.56	<0.50	<0.50	<0.50	--	

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
MW-6 (shallow)	07/22/00	2,200	<5,000[1,2]	290	9.6	80	43	--
	01/29/01	2,500	<5,000[1,2]	220	11	150	230	--
	07/28/01	NA	<5,000[1,2]	--	--	--	--	--
	02/03/02	2,500	<5,000[1,2]	290	18	88	330	--
	07/23/02	1,100	<5,000[1,2]	160	6.5	54	35	--
	01/20/03	3,800	<5,000[1,2]	370	33	220	300	--
	07/30/03	2,000	<5,000[1,2]	250	4.8	50	24	--
	01/27/04	2,600	<5,000[1,2]	420	20	170	180	--
	07/22/04	1,200	<5,000[1,2]	110	3.2	36	17	--
	01/20/05	3,100	<5,000[1,2]	280	21	180	250	--
	07/20/05	730	<5,000[1,2]	66	4.4	25	26	--
	01/26/06	1,900	<5,000[1,2]	180	12	120	140	--
	07/27/06	670	<5,000[1,2]	120	5	17	15	--
	01/25/07	650	<5,000[1,2]	99	2.7	20	16	--
	07/19/07	4,200	<5,000[1,2]	360	18	47	55	--
	02/15/08	2,100	<5,000[1,2]	200	10	100	97	--
	07/25/08	370	<5,000[1,2]	27	3.1	2.2	2.7	<0.5
	01/23/09	330	<5,000[1,2]	69	3.6	11	8.1	--
	07/21/09	290	<5,000[1,2]	40	1.9	9.3	7.8	--
	01/25/10	740	<5,000[1,2]	80	4.9	54	62	--
	07/29/10	220	<5,000	25	0.68	7.3	4.9	--
	01/31/11	1,100	<5,000	85	5.3	75	69.4	--
	07/12/11	610	<5,000	47	2.5	34	27	--
	01/17/12	81	<5,000	13	0.62	4.6	5.8	--
	07/16/12	500	<5,000	26	0.97	14	10.48	--
	01/14/13	700	<5,000	65	3.9	64	53.0	--
	07/15/13	390	<5,000	22	1.3	18	17.1	--
01/30/14	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--	
09/30/14	140	<5,000	11	0.65	6.1	6.0	--	
02/24/15	570	<5,000	32	2.7	37	33.8	--	
06/30/15	<50	<5,000[5]	1.4	<0.50	<0.50	<0.50	--	
08/25/15	110	<5,000[5]	4.2	<0.50	<0.50	<0.50	--	
01/28/16	1,400	<5,000[5]	52[4]	5.7[4]	89[4]	74.7[4]	--	
07/19/16			Not Sampled - Car Parked Over Well					
01/25/17	1,200	<5,000[5]	40[4]	7.2[4]	140[4]	118.3	--	

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
MW-7 (deep)	07/22/00	7,400	10,000[1,2]	620	180	240	180	--
	01/29/01	4,000	7,000[1,2]	410	21	22	21	--
	07/28/01	4,200	<5,000[1,2]	540	120	110	110	--
	02/03/02	6,300	<5,000[1,2]	560	110	190	140	--
	07/23/02	3,400	<5,000[1,2]	440	6.3	87	61	--
	01/20/03	4,500	<5,000[1,2]	380	32	30	36	--
	07/30/03	5,300	<5,000[1,2]	460	34	43	52	--
	01/27/04	3,000	<5,000[1,2]	350	15	13	18	--
	07/22/04	3,600	<5,000[1,2]	440	10	10	25	--
	01/20/05	3,200	19,000[1,2]	320	31	29	34	--
	07/20/05	8,400	<5,000[1,2]	550	230	300	410	--
	01/26/06	3,300	32,000[1,2]	450	31	45	37	--
	07/27/06	3,800	<5,000[1,2]	530	85	38	94	--
	01/25/07	2,500	<5,000[1,2]	320	6.9	3.3	10	--
	07/19/07	2,700	<5,000[1,2]	280	10	5.9	18	--
	02/15/08	2,900	27,000[1,2]	230	15	12	18	--
	07/25/08	3,700	<5,000[1,2]	400	25	26	87	10
	01/23/09	2,500	<5,000[1,2]	230	5.4	2.9	5.6	--
	07/21/09	3,400	<5,000[1,2]	230	75	33	140	--
	01/25/10	3,900	5,200[1,2]	260	15	5.2	24	--
	07/29/10	3,600	<5,000	190	38	13	67.6	--
	01/31/11	5,400	14,000 / <5,000[3]	210	29	13	28.7	--
	07/12/11	5,500	<5,000	150	45	7.9	51.9	--
	01/17/12	3,300	<5,000	150	8.5	2.1	12.3	--
	07/16/12	4,200	<5,000	160	41	31	31.4	--
	01/14/13	3,000	<5,000	180	25	8.2	27.6	--
	07/15/13	3,300	<5,000	150	12	2.5	33.6	--
	01/30/14	3,500	<5,000	180	3.6	<1.5[1]	4.9	--
09/30/14	5,100	<5,000	200	50	130	216	--	
02/24/15	2,100	<5,000	47	<4.0[4]	<4.0[4]	<4.0[4]	--	
06/30/15	1,900	<5,000[5]	110	4.0	<1.0	<1.0	--	
08/25/15	1,800	<5,000[5]	50	1.7	<1.0	<1.0	--	
01/28/16	6,800	53,000[5]/43,000[3]	280[4]	98[4]	190[4]	178[4]	--	
07/19/16	7,900	12,000[5]/8,000[3]	110[4]	110[4]	320[4]	213[4]	--	
01/25/17				Not Sampled - No Access				

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
MW-8 (shallow)	07/22/00	ND	<5,000[1,2]	ND	ND	ND	ND	--
	01/29/01	ND	<5,000[1,2]	0.87	ND	ND	ND	--
	07/28/01	ND	<5,000[1,2]	ND	ND	ND	ND	--
	02/03/02	ND	<5,000[1,2]	ND	ND	ND	ND	--
	07/23/02	<50	<5,000[1,2]	0.87	<0.5	<0.5	<0.5	--
	01/20/03	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/30/03	<50	<5,000[1,2]	2.0	<0.5	<0.5	<0.5	--
	01/27/04	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/22/04	<50	<5,000[1,2]	1.2	<0.5	<0.5	<0.5	--
	01/20/05	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/20/05	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	01/26/06	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/27/06	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	01/25/07	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/19/07	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	02/15/08	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/25/08	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	<0.5
	01/23/09	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/21/09	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	01/25/10	<50	<5,000[1,2]	<0.5	<0.5	<0.5	<0.5	--
	07/29/10	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/31/11	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	07/12/11	61	<5,000	1.1	<0.50	<0.50	<0.50	--
	01/17/12	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	07/16/12	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/14/13	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	07/15/13	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	01/30/14	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	09/30/14	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
	02/24/15	<50	<5,000	<0.50	<0.50	<0.50	<0.50	--
06/30/15	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
08/25/15	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
01/28/16	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
07/19/16	<50	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	
01/25/17	<50	<5,000[5]	<0.50	<0.50	1.0	1.0	--	

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
MW-9 (shallow)	07/22/00	4,900	71,000[1,2]	93	15	240	250	--
	01/29/01	3,800	5,000	160	35	260	310	--
	07/28/01	5,700	<5,000[1,2]	43	27	210	420	--
	02/03/02	7,800	<5,000[1,2]	98	51	450	640	--
	07/23/02	2,300	<5,000[1,2]	29	14	120	96	--
	01/20/03	5,000	<5,000[1]	76	25	350	340	--
	07/30/03	570	<5,000[1,2]	7.2	1.2	14	4.8	--
	01/27/04	820	<5,000[1,2]	14	2.6	35	35	--
	07/22/04	460	<5,000[1,2]	5.3	1.2	4.0	7.2	--
	01/20/05	330	<5,000[1,2]	6.2	1.5	8.9	12	--
	07/20/05	260	<5,000[1,2]	1.7	2.0	<0.5	1.2	--
	01/26/06	260	<5,000[1]	1.0	2.9	<0.5	0.64	--
	07/27/06	410	<5,000[1]	1.1	1.4	0.52	<0.5	--
	01/24/07	440	<5,000[1]	1.4	1.5	2.9	7.5	--
	07/18/07	300	<5,000[1]	1.4	2.4	0.51	<0.5	--
	02/15/08	490	<5,000[1]	2.8	5.2	7.1	22	--
	07/25/08	520	<5,000[1]	1.0	4.1	0.63	<0.5	<0.5
	01/23/09	250	<5,000[1]	<0.5	3.7	<0.5	1.5	--
	07/20/09	910	<5,000[1,2]	2.5	4.8	2.6	2.4	--
	01/25/10	550	<5,000[1,2]	2.2	6.5	11	33	--
	07/29/10	670	<5,000	<0.50	<0.50	<0.50	1.1	--
	01/31/11	560	<5,000	<0.50	<0.50	<0.50	0.80	--
	07/12/11	930	<5,000	<0.50	<0.50	2.6	5.1	--
	01/17/12	1,400	<5,000	<0.50	<0.50	2.8	4.8	--
	07/16/12	430	<5,000	<0.50	<0.50	0.58	0.72	--
	01/14/13	2,100	<5,000	<0.50	0.64	28	35.6	--
	07/15/13	1,800	<5,000	0.58	<0.50	3.1	3.5	--
01/30/14	--	--	--	--	--	--	--	
09/30/14	--	--	--	--	--	--	--	
02/24/15	2,800	<5,000	5.8	<1.0[4]	14	16	--	
06/30/15				Unable to Sample - Well Dry				
08/25/15				Unable to Sample - Well Dry				
01/28/16				Not Sampled - Car Parked Over Well				
07/19/16	290	<5,000[5]	0.52	<0.50	<0.50	<0.50	--	
01/25/17	110	<5,000[5]	<0.50	<0.50	<0.50	<0.50	--	

**TABLE 2**  
**GROUNDWATER ANALYTICAL SUMMARY FOR PETROLEUM HYDROCARBONS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	GRO (µg/L)	Oil & Grease (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Napthalene (µg/L)
<b>Legend/Key:</b>								
GRO = Gasoline range organics								
ND= "not-detected" or below the Method Detection Limits								
Oil and Grease = analyzed by EPA Method 1664A.								
GRO = analyzed by EPA Method 8015B/8260B; all other analytes sampled by EPA Method 8260B								
-- = Not analyzed								
NA= Not available								
NT= Not tested								
µg/L = micrograms per liter								
[1]=Gravimetric Method								
[2]= HVOC detected								
[3]= Reported as Hexane Extractable Material (HEM) / SGT HEM								
[4]= Reporting limits were increased due to high concentrations of target analytes								
[5]= Reported as HEM								



**TABLE 3**  
**ANALYTICAL RESULTS FOR FUEL OXYGENATES AND ADDITIVES**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	MTBE (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	TAME (µg/L)	Methanol (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	1,2-EDB (µg/L)	
<b>MW-1</b> (deep)	07/25/08	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	01/23/09	<5.0	61	<5.0	<5.0	<5.0	<5,000	<500	<5.0	<5.0	
	07/21/09	<10.0	80	<10.0	<10.0	<10.0	<10,000	<1,000	<10.0	<10.0	
	01/25/10	<5.0	<20	<5.0	<5.0	<5.0	<5,000	<500	<5.0	<5.0	
	07/29/10	Not Sampled - Free Product present									
	01/31/11	Not Sampled - Free Product present									
	07/12/11	Not Sampled - Free Product present									
	01/17/12	Not Sampled - Free Product present									
	07/16/12	<10	<200	<20	<20	<20	--	--	<20	<40	
	01/14/13	<40[1]	<800[1]	<80[1]	<80[1]	<80[1]	--	--	<80[1]	<160[1]	
	07/15/13	<20[1]	<400[1]	<40[1]	<40[1]	<40[1]	--	--	<40[1]	<80[1]	
	01/30/14	<20[1]	<400[1]	<40[1]	<40[1]	<40[1]	--	--	<40[1]	<80[1]	
	09/30/14	<5.0[1]	<100[1]	<10[1]	<10[1]	<10[1]	--	--	<10[1]	<20[1]	
	02/24/15	<4.0[1]	<80[1]	<8.0[1]	--	<8.0[1]	--	--	<8.0[1]	<16[1]	
	06/30/15	<1.5[1]	<30[1]	<3.0[1]	<3.0[1]	<3.0[1]	--	--	<3.0[1]	<6.0[1]	
	08/25/15	<4.0[1]	<80[1]	<8.0[1]	<8.0[1]	<8.0[1]	--	--	<8.0[1]	<16[1]	
	01/28/16	<5.0[1]	<100[1]	<10[1]	<10[1]	<10[1]	--	--	<10[1]	<20[1]	
	07/19/16	<2.5[1]	52	<5.0[1]	<5.0[1]	<5.0[1]	--	--	<5.0[1]	<10[1]	
	01/25/17	<10[1]	<200[1]	<20[1]	<20[1]	<20[1]	--	--	<20[1]	<40[1]	
<b>MW-2</b> (deep)	07/25/08	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	1.3	<0.5	
	01/23/09	<0.5	2.4	<0.5	<0.5	<0.5	<500	<50	7.8	<0.5	
	07/21/09	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	9.7	<0.5	
	01/25/10	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	3.8	<0.5	
	07/29/10	<0.50	<10	<1.0	<1.0	<1.0	<5,000	<5,000	1.2	<2.0	
	01/31/11	<0.50	<10	<1.0	<1.0	<1.0	--	--	9.5	<2.0	
	07/12/11	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/17/12	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	07/16/12	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/14/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	07/15/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/31/14	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	09/30/14	<0.50	<10	<1.0	<1.0	<1.0	--	--	5.5	<2.0	
	02/24/15	<0.50	<10	<1.0	--	<1.0	--	--	<1.0	<2.0	
	06/30/15	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	08/25/15	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
01/28/16	<0.50	<10	<1.0	<1.0	<1.0	--	--	1.0	<2.0		
07/19/16	<0.50	<10	<1.0	<1.0	<1.0	--	--	6.1	<2.0		
01/25/17	<0.50	<10	<1.0	<1.0	<1.0	--	--	2.9	<2.0		
<b>MW-3</b> (shallow)	07/25/08	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
	01/23/09	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
	07/21/09	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
	01/25/10	<0.5	2.4	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
	07/29/10	<0.50	<10	<1.0	<1.0	<1.0	<5,000	<5,000	<1.0	<2.0	
	01/31/11	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	07/12/11	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/17/12	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	07/16/12	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/14/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	07/15/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/31/14	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	09/30/14	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	02/24/15	<0.50	<10	<1.0	--	<1.0	--	--	<1.0	<2.0	
	06/30/15	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	08/25/15	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/28/16	Unable to Sample - Car Parked Over Well									
07/19/16	Unable to Sample - Car Parked Over Well										
01/25/17	Unable to Sample - Car Parked Over Well										

**TABLE 3**  
**ANALYTICAL RESULTS FOR FUEL OXYGENATES AND ADDITIVES**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	MTBE (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	TAME (µg/L)	Methanol (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	1,2-EDB (µg/L)
<b>MW-4</b> (deep)	07/25/08	12	34	<2.5	<2.5	<2.5	<2,500	<250	<2.5	<2.5
	01/23/09	<5.0	<20	<5.0	<5.0	<5.0	<5,000	<500	<5.0	<0.5
	07/21/09	6.9	19	<2.5	<2.5	<2.5	<2,500	<250	<2.5	<2.5
	01/25/10	<5.0	<20	<5.0	<5.0	<5.0	<5,000	<500	<5.0	<0.5
	07/29/10	3.9	21	<2.0	<2.0	<2.0	<5,000	<5,000	<2.0	<4.0
	01/31/11	3.9	<30	<3.0	<3.0	<3.0	--	--	<3.0	<6.0
	07/12/11	3.1	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	01/17/12	3.1	16	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	07/16/12	2.8	<30	<3.0	<3.0	<3.0	--	--	<3.0	<6.0
	01/14/13	3.1	<30[1]	<3.0[1]	<3.0[1]	<3.0[1]	--	--	<3.0[1]	<6.0[1]
	07/15/13	3.6	16	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	01/31/14	4.6	<40[1]	<4.0[1]	<4.0[1]	<4.0[1]	--	--	<4.0[1]	<8.0[1]
	09/30/14	2.6	<20	<2.0	<2.0	<2.0	--	--	<2.0	<4.0
	02/24/15	1.2	<20[1]	<2.0[1]	--	<2.0[1]	--	--	<2.0[1]	<4.0[1]
	06/30/15	2.4	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	08/25/15	1.7	<10[1]	<1.0[1]	<1.0[1]	<1.0[1]	--	--	<1.0[1]	<2.0[1]
	01/28/16	1.5[1]	<30[1]	<3.0[1]	<3.0[1]	<3.0[1]	--	--	<3.0[1]	<6.0[1]
	07/19/16	1.4	14	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	01/25/17	2.6[1]	<30[1]	<3.0[1]	<3.0[1]	<3.0[1]	--	--	<3.0[1]	<6.0[1]
<b>MW-5</b> (deep)	07/25/08	<5.0	<20	<5.0	<5.0	<5.0	<5,000	<500	<5.0	<0.5
	01/23/09	<1.0	16	<1.0	<1.0	<1.0	<1,000	<100	2.6	<1.0
	07/21/09	<2.5	<10	<2.5	<2.5	<2.5	<2500	<250	<2.5	<2.5
	01/25/10	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5
	07/29/10	<1.0	<20	<2.0	<2.0	<2.0	<5,000	<5,000	<2.0	<4.0
	01/31/11	<1.0	<20	<2.0	<2.0	<2.0	--	--	<2.0	<4.0
	07/12/11	<2.5	<50	<5.0	<5.0	<5.0	--	--	<5.0	<10
	01/17/12	<1.0	<20	<2.0	<2.0	<2.0	--	--	<2.0	<4.0
	07/16/12	<1.0	<20	<2.0	<2.0	<2.0	--	--	<2.0	<4.0
	01/14/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	07/15/13	<1.0[1]	26	<2.0[1]	<2.0[1]	<2.0[1]	--	--	<2.0[1]	<4.0[1]
	01/31/14	<0.50	17	<1.0	<1.0	<1.0	--	--	6.2	<2.0
	09/30/14	<1.0[1]	<20[1]	<2.0[1]	<2.0[1]	<2.0[1]	--	--	<2.0[1]	<4.0[1]
	02/24/15	<0.50	<10	<1.0	--	<1.0	--	--	2.5	<2.0
	06/30/15	<0.50	<10	<1.0	<1.0	<1.0	--	--	13	<2.0
	08/25/15	<0.50	<10	<1.0	<1.0	<1.0	--	--	7.2	<2.0
01/28/16	<1.0[1]	<20[1]	<2.0[1]	<2.0[1]	<2.0[1]	--	--	4.1	<4.0[1]	
07/19/16	<1.0[1]	<20[1]	<2.0[1]	<2.0[1]	25	--	--	3.6	<4.0	
01/25/17	<0.50	<10	<1.0	<1.0	<1.0	--	--	2.9	<2.0	
<b>MW-6</b> (shallow)	07/25/08	<0.5	9.1	<0.5	<0.5	<0.5	<500	<50	0.75	<0.5
	01/23/09	<0.5	8.6	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5
	07/21/09	<0.5	8.2	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5
	01/25/10	<0.5	7.4	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5
	07/29/10	<0.50	<10	<1.0	<1.0	<1.0	<5,000	<5,000	<1.0	<2.0
	01/31/11	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	07/12/11	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	01/17/12	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	07/16/12	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	01/14/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	07/15/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	01/30/14	<0.50	<10	<1.0	<1.0	<1.0	--	--	1.4	<2.0
	09/30/14	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
	02/24/15	<0.50	<10	<1.0	--	<1.0	--	--	<1.0	<2.0
	06/30/15	<0.50	<10	<1.0	<1.0	<1.0	--	--	1.9	<2.0
	08/25/15	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0
01/28/16	<0.50[1]	<10[1]	<1.0[1]	<1.0[1]	<1.0[1]	--	--	<1.0[1]	<2.0[1]	
07/19/16				Unable to Sample - Car Parked Over Well						
01/25/17	<0.50[1]	<10[1]	<1.0[1]	<1.0[1]	<1.0[1]	--	--	<1.0[1]	<2.0[1]	

**TABLE 3**  
**ANALYTICAL RESULTS FOR FUEL OXYGENATES AND ADDITIVES**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	MTBE (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	TAME (µg/L)	Methanol (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	1,2-EDB (µg/L)	
<b>MW-7</b> (deep)	07/25/08	<5.0	<20	<5.0	<5.0	<5.0	<5,000	<500	<5.0	<5.0	
	01/23/09	<5.0	<20	<5.0	<5.0	<5.0	<5,000	<500	<5.0	<5.0	
	07/21/09	<2.5	<10	<2.5	<2.5	<2.5	<2500	<250	<2.5	<2.5	
	01/25/10	<5.0	<20	<5.0	<5.0	<5.0	<5,000	<500	<5.0	<0.5	
	07/29/10	<5.0	<100	<10	<10	<10	<5,000	<5,000	<10	<20	
	01/31/11	<1.5	<30	<3.0	<3.0	<3.0	--	--	<3.0	<6.0	
	07/12/11	<2.0	<40	<4.0	<4.0	<4.0	--	--	<4.0	<8.0	
	01/17/12	<1.0[1]	<20[1]	<2.0[1]	<2.0[1]	<2.0[1]	--	--	<2.0[1]	<4.0[1]	
	07/16/12	<1.0[1]	22	<2.0[1]	2.0	<2.0[1]	--	--	<2.0[1]	<4.0[1]	
	01/14/13	<1.0[1]	<20[1]	<2.0[1]	<2.0[1]	<2.0[1]	--	--	<2.0[1]	<4.0[1]	
	07/15/13	<2.0[1]	40	<4.0[1]	<4.0[1]	<4.0[1]	--	--	<4.0[1]	<8.0[1]	
	01/30/14	<1.5[1]	35	<3.0[1]	<3.0[1]	<3.0[1]	--	--	<3.0[1]	<6.0[1]	
	09/30/14	<1.0[1]	26	<2.0[1]	<2.0[1]	<2.0[1]	--	--	<2.0[1]	<4.0[1]	
	02/24/15	<4.0[1]	<80[1]	<8.0[1]	--	<8.0[1]	--	--	<8.0[1]	<16[1]	
	06/30/15	<1.0[1]	<20[1]	<2.0[1]	<2.0[1]	<2.0[1]	--	--	<2.0[1]	<4.0[1]	
	08/25/15	<1.0[1]	<20[1]	<2.0[1]	<2.0[1]	<2.0[1]	--	--	<2.0[1]	<4.0[1]	
	01/28/16	<1.5[1]	<30[1]	<3.0[1]	<3.0[1]	<3.0[1]	--	--	<3.0[1]	<6.0[1]	
	07/19/16	<1.5[1]	<30[1]	<3.0[1]	<3.0[1]	<3.0[1]	--	--	<3.0[1]	<6.0[1]	
	01/25/17	Unable to Sample - Car Parked Over Well									
	<b>MW-8</b> (shallow)	07/25/08	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5
01/23/09		<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
07/21/09		<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
01/25/10		<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
07/29/10		<0.50	<10	<1.0	<1.0	<1.0	<5,000	<5,000	<1.0	<2.0	
01/31/11		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
07/12/11		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
01/17/12		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
07/16/12		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
01/14/13		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
07/15/13		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
01/30/14		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
09/30/14		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
02/24/15		<0.50	<10	<1.0	--	<1.0	--	--	<1.0	<2.0	
06/30/15		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
08/25/15		<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
01/28/16	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0		
07/19/16	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0		
01/25/17	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0		

**TABLE 3**  
**ANALYTICAL RESULTS FOR FUEL OXYGENATES AND ADDITIVES**  
 Gritit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	MTBE (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	TAME (µg/L)	Methanol (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	1,2-EDB (µg/L)	
MW-9 (shallow)	07/25/08	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	0.75	<0.5	
	01/23/09	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
	07/21/09	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
	01/25/10	<0.5	<2.0	<0.5	<0.5	<0.5	<500	<50	<0.5	<0.5	
	07/29/10	<0.50	<10	<1.0	<1.0	<1.0	<5,000	<5,000	<1.0	<2.0	
	01/31/11	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	07/12/11	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/17/12	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	07/16/12	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/14/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	07/15/13	<0.50	<10	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
	01/30/14	--	--	--	--	--	--	--	--	--	
	09/30/14	--	--	--	--	--	--	--	--	--	
	02/24/15	<1.0[1]	<20[1]	<2.0[1]	--	<2.0[1]	--	--	<2.0[1]	<4.0[1]	
	06/30/15	Unable to Sample - Well Dry									
	08/25/15	Unable to Sample - Well Dry									
	01/28/16	Unable to Sample - Car Parked Over Well									
07/19/16	<0.50	11	<1.0	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	
01/25/17	<0.50	<10	<1.0	<1.0	<1.0	<1.0	--	--	<1.0	<2.0	

**Legend/Key:**

MTBE = Methyl tertiary butyl ether  
 TBA = Tertiary butyl alcohol  
 DIPE = Di-isopropyl ether  
 ETBE = Ethyl tertiary butyl ether  
 TAME = Tertiary amyl methyl ether  
 1,2-DCA = 1,2-Dichloroethane  
 1,2-EDB = Ethylene Dibromide (1,2-Dibromoethane)  
 NS= Not Sampled  
 -- = Not Analyzed  
 µg/L = micrograms per liter  
 [1] = Reporting limits were increased due to high concentrations of target analytes.

**TABLE 4**  
**ANALYTICAL RESULTS FOR VOLATILE ORGANIC COMPOUNDS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	CA (µg/L)	1,2-DCB (µg/L)	1,2-DCA (µg/L)	cis-1,2-DCE (µg/L)	trans-1,2-DCE (µg/L)	1,2-DCP (µg/L)	PCE (µg/L)	TCE (µg/L)	VC (µg/L)	
MW-1 (deep)	07/22/00[1]	<2.5	16.0	<2.5	15	<2.5	<2.5	<5.0	<2.5	8.2	
	01/29/01[1]	<10.0	23.0	<10	23	<10.0	<10.0	<10.0	<10.0	<10.0	
	07/28/01[1]	7.4	9.0	0.97	14	6.4	0.95	<0.5	<0.5	15	
	02/03/02[1]	5.5	10.0	1.4	23	5.5	0.59	<0.5	<0.5	7.4	
	07/23/02[1]	<10.0	2.5	<10.0	15	<10.0	<10.0	<10.0	<10.0	<10.0	
	01/20/03	<10.0	11	<10.0	36	<10.0	<10.0	<10.0	<10.0	11	
	07/30/03	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	
	01/27/04	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	
	07/22/04	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	<50.0	
	01/20/05[1]	81	<5.0	<5.0	27	<5.0	<5.0	<5.0	<5.0	32	
	07/20/05[1]	<5.0	9.8	<5.0	14	<5.0	<5.0	<5.0	<5.0	15	
	01/26/06	<25	<25	<25	<25	<25	<25	<25	<25	<25	
	07/27/06[1]	26	<10	<10	12	<10	<10	<10	<10	20	
	01/25/07	<10	<10	<10	<10	<10	<10	<10	<10	<10	
	07/19/07	<500	<500	<500	<500	<500	<500	<500	<500	<500	
	02/15/08	<5	<5	<5	14	<5	<5	<5	<5	16	
	07/25/08[1]	<50,000	<50,000	<50,000	<50,000	<50,000	<50,000	<50,000	<50,000	<50,000	
	01/23/09	<5	<5	<5	6.4	<5	<5	<5	<5	<5	
	07/21/09	<10	<10	<10	<10	<10	<10	<10	<10	<10	
	01/25/10	<5	<5	<5	11	<5	<5	<5	<5	<5	
	07/29/10				Not Sampled - Free Product present						
	01/31/11				Not Sampled - Free Product present						
	07/12/11				Not Sampled - Free Product present						
	01/17/12				Not Sampled - Free Product present						
	07/16/12	<20	<20	<20	<20	<20	<20	<20	<20	<20	
	01/14/13	<320[2]	<80[2]	<80[2]	<80[2]	<80[2]	<80[2]	<80[2]	<80[2]	<80[2]	
	07/15/13	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	
	01/30/14	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	<40[1]	
	09/30/14	<10[1]	<10[1]	<10[1]	<10[1]	<10[1]	<10[1]	<10[1]	<10[1]	<10[1]	
	02/24/15	<8.0[2]	8.8	<8.0[2]	21	<8.0[2]	<8.0[2]	<8.0[2]	<8.0[2]	<8.0[2]	
	06/30/15	<3.0[2]	<3.0[2]	<3.0[2]	4.7	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	
	08/25/15	<8.0[2]	<8.0[2]	<8.0[2]	16	<8.0[2]	<8.0[2]	<8.0[2]	<8.0[2]	<8.0[2]	
01/28/16	<10[2]	<10[2]	<10[2]	47	16	<10[2]	<10[2]	<10[2]	27		
07/19/16	6.0	<5.0[2]	<5.0[2]	<5.0[2]	6.9	<5.0[2]	<5.0[2]	<5.0[2]	<5.0[2]		
01/25/17	<20[2]	<20[2]	<20[2]	<20[2]	<20[2]	<20[2]	<20[2]	<20[2]	<20[2]		
MW-2 (deep)	07/22/00	<0.5	<0.5	17	10	<0.5	1.2	<0.5	12.0	<0.5	
	01/29/01	<0.5	<0.5	12	9.1	<0.5	0.9	<0.5	12.0	<0.5	
	07/28/01	<0.5	<0.5	9.7	7.8	<0.5	0.95	<0.5	12.0	<0.5	
	02/03/02	<0.5	<0.5	7.1	6.7	<0.5	0.72	<0.5	9.0	<0.5	
	07/23/02	<0.5	<0.5	1.7	2.1	<0.5	<0.5	<0.5	0.97	<0.5	
	01/20/03	<0.5	<0.5	1.6	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	
	07/30/03	<0.5	<0.5	1.7	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	
	01/27/04	<0.5	<0.5	14	8.9	<0.5	<0.5	<0.5	9.4	<0.5	
	07/22/04	<0.5	<0.5	6.6	6.5	<0.5	<0.5	<0.5	8.0	<0.5	
	01/20/05	<0.5	<0.5	8.7	7.8	<0.5	0.69	<0.5	12.0	<0.5	
	07/20/05	<0.5	<0.5	2.0	2.1	<0.5	<0.5	<0.5	1.2	<0.5	
	01/26/06	<0.5	<0.5	10	7.7	<0.5	0.69	<0.5	13.0	<0.5	
	07/27/06	<0.5	<0.5	13	10	<0.5	0.88	<0.5	13.0	<0.5	
	01/25/07	<0.5	<0.5	5.5	9.1	<0.5	0.64	<0.5	16.0	<0.5	
	07/19/07	<0.5	<0.5	5.3	4.6	<0.5	<0.5	<0.5	7.5	<0.5	
	02/15/08	<0.5	<0.5	<0.5	2.0	<0.5	<0.5	<0.5	2.1	<0.5	
	07/25/08	<0.5	<0.5	1.3	1.5	<0.5	<0.5	<0.5	4.8	<0.5	
	01/23/09	<0.5	<0.5	7.8	9.4	<0.5	0.88	<0.5	16	<0.5	
	07/21/09	<0.5	<0.5	9.7	8.3	<0.5	0.89	<0.5	15	<0.5	
	01/25/10	<0.5	<0.5	3.8	4.8	<0.5	<0.5	<0.5	9.0	<0.5	
	07/29/10	<1.0	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	01/31/11	<1.0	<1.0	9.5	6.5	<1.0	<1.0	<1.0	12	<1.0	
	07/12/11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	01/17/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	07/16/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	01/14/13	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	07/15/13	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	01/31/14	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
	09/30/14	<1.0	<1.0	<1.0	4.0	<1.0	<1.0	7.2	<1.0	<1.0	
	02/24/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.0	<1.0	
	06/30/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.1	<1.0	
	08/25/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.3	<1.0	
01/28/16	<1.0	<1.0	1.0	1.1	<1.0	<1.0	<1.0	4.3	<1.0		
07/19/16	<1.0	<1.0	6.1	4.2	<1.0	<1.0	<1.0	9.6	<1.0		
01/25/17	<1.0	<1.0	2.9	2.7	<1.0	<1.0	<1.0	7.5	<1.0		

**TABLE 4**  
**ANALYTICAL RESULTS FOR VOLATILE ORGANIC COMPOUNDS**  
 Gritit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	CA (µg/L)	1,2-DCB (µg/L)	1,2-DCA (µg/L)	cis-1,2-DCE (µg/L)	trans-1,2-DCE (µg/L)	1,2-DCP (µg/L)	PCE (µg/L)	TCE (µg/L)	VC (µg/L)
MW-3 (shallow)	07/22/00	<0.5	<0.5	0.52	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/29/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/28/01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/03/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/23/02	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/20/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/30/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/27/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/22/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/20/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/20/05	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/26/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/27/06[1]	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/25/07	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/19/07	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/15/08	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/25/08	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/23/09	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/21/09	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/25/10[1]	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/29/10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/31/11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/12/11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/17/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/16/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/14/13	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/15/13	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/31/14	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/14	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	02/24/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/30/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	08/25/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/28/16				Unable to Sample - Car Parked Over Well					
07/19/16				Unable to Sample - Car Parked Over Well						
01/25/17				Unable to Sample - Car Parked Over Well						
MW-4 (deep)	07/22/00	<10	38	<10	620	<10	<10	<10	19	97
	01/29/01	<5.0	35	<5.0	380	15	<5.0	<5.0	19	97
	07/28/01	<7.5	29	<5.0	310	18	<5.0	<5.0	8.4	150
	02/03/02[1]	<7.0	22	<7.0	310	16	<7.0	<7.0	20	120
	07/23/02	<0.5	30	<0.5	240	17	<0.5	<0.5	<0.5	230
	01/20/03	<10.0	28	<10.0	200	16	<10.0	<10.0	69	84
	07/30/03	<10.0	32	<10.0	230	13	<10.0	<10.0	13	290
	01/27/04[1]	<5.0	41	<5.0	370	25	<5.0	<5.0	32	310
	07/22/04[1]	<5.0	23	<5.0	120	13	<5.0	<5.0	9.6	280
	01/20/05[1]	<5.0	28	<5.0	320	23	<5.0	<5.0	81	130
	07/20/05[1]	<5.0	32	<5.0	230	18	<5.0	<5.0	<5.0	170
	01/26/06[1]	<5.0	31	<5.0	320	22	<5.0	<5.0	39	330
	07/27/06[1]	<5.0	24	<5.0	180	24	<5.0	<5.0	19	390
	01/25/07	<5.0	25	<5.0	170	15	<5.0	<5.0	<10	380
	07/19/07[1]	<5.0	28	<5.0	180	27	<5.0	<5.0	21	460
	02/15/08[1]	<5.0	31	<5.0	200	25	<5.0	<5.0	22	130
	07/25/08[1]	5.5	18	<2.5	110	17	<2.5	<2.5	21	87
	01/23/09[1]	<5.0	27	<5.0	150	23	<5.0	<5.0	<5.0	190
	07/21/09[1]	<2.5	22	<2.5	84	14	<2.5	<2.5	15	150
	01/25/10[1]	<5.0	25	<5.0	210	28	<5.0	<5.0	<5.0	240
	07/29/10	<2.0	23	<2.0	51	17	<2.0	<2.0	<2.0	190
	01/31/11	<3.0	22	<3.0	93	18	<3.0	<3.0	<3.0	160
	07/12/11	<1.0	18	<1.0	52	17	<1.0	<1.0	<1.0	100
	01/17/12	<1.0	20	<1.0	54	16	<1.0	<1.0	2.5	130
	07/16/12	<3.0[2]	17	<3.0[2]	30	17	<3.0[2]	<3.0[2]	<3.0[2]	250
	01/14/13	<3.0[2]	26	<3.0[2]	280	23	<3.0[2]	<3.0[2]	6.2	130
	07/15/13	<1.0	<1.0	<1.0	99	23	<1.0	<1.0	1.8	110
	01/31/14	<4.0[2]	21	<4.0[2]	360	24	<4.0[2]	<4.0[2]	28	110
	09/30/14	<2.0	18	<2.0	72	15	<2.0	<2.0	<2.0	110
	02/24/15	<2.0[2]	9.1	<2.0[2]	110	9.4	<2.0[2]	<2.0[2]	8.7	18
06/30/15	<1.0	6.0	<1.0	85	4.2	<1.0	<1.0	3.3	<1.0	
08/25/15	<1.0[2]	<1.0[2]	<1.0[2]	69	5.1	<1.0[2]	<1.0[2]	2.3	8.3	
01/28/16	<3.0[2]	14	<3.0[2]	370	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	140	
07/19/16	<1.0	9.1	<1.0	2.8	28	<1.0	<1.0	<1.0	8.1	
01/25/17	<3.0[2]	16[2]	<3.0[2]	120[2]	19[2]	<3.0[2]	<3.0[2]	<3.0[2]	88[2]	

**TABLE 4**  
**ANALYTICAL RESULTS FOR VOLATILE ORGANIC COMPOUNDS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	CA (µg/L)	1,2-DCB (µg/L)	1,2-DCA (µg/L)	cis-1,2-DCE (µg/L)	trans-1,2-DCE (µg/L)	1,2-DCP (µg/L)	PCE (µg/L)	TCE (µg/L)	VC (µg/L)
MW-5 (deep)	07/22/00	1.8	2.4	1.4	2.6	<1.0	<1.0	<1.0	<1.0	5.0
	01/29/01	<1.0	2.2	2.6	2.2	<1.0	<1.0	<1.0	<1.0	2.2
	07/28/01	1.4	1.3	1.7	1.4	<1.0	<1.0	<1.0	<1.0	2.6
	02/3/02[1]	1.8	2.0	2.1	3.9	0.95	<0.5	<0.5	<0.5	4.6
	07/23/02	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	01/20/03	<1.0	1.4	1.4	1.6	<1.0	<1.0	<1.0	<1.0	1.3
	07/30/03	<1.0	1.2	1.1	1.0	<1.0	<1.0	<1.0	<1.0	2.0
	01/27/04[1]	<1.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	07/22/04	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	01/20/05	1.1	0.84	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	07/20/05	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/26/06	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	07/27/06	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	01/25/07	<0.5	<0.5	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/19/07	<0.5	0.51	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/15/08	<0.5	<0.5	<0.5	0.9	<0.5	<0.5	<0.5	<0.5	<0.5
	07/25/08	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	01/23/09	<1.0	<1.0	2.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/21/09	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	01/25/10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5
	07/29/10	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	01/31/11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	07/12/11	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	01/17/12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	07/16/12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	01/14/13	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/15/13	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]
	01/31/14	<1.0	<1.0	6.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/14	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	3.9	<2.0[2]	<2.0[2]	<2.0[2]
	02/24/15	<1.0	<1.0	2.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	06/30/15	<1.0	<1.0	13	2.9	<1.0	<1.0	<1.0	2.6	<1.0
08/25/15	<1.0	<1.0	7.2	2.7	<1.0	<1.0	<1.0	2.1	<1.0	
01/28/16	<2.0[2]	<2.0[2]	4.1	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	
07/19/16	<2.0[2]	<2.0[2]	3.6	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	
01/25/17	<1.0	<1.0	2.9	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
MW-6 (shallow)	07/22/00	<0.5	<0.5	1.2	9.3	<0.5	<0.5	<0.5	<0.5	0.97
	01/29/01	<0.5	<0.5	1.1	11	<0.5	<0.5	<0.5	<0.5	0.77
	07/28/01	NA	NA	NA	NA	NA	NA	NA	NA	NA
	02/03/02	<0.5	<0.5	1.5	13	<0.5	<0.5	<0.5	<0.5	<0.5
	07/23/02	<1.0	<1.0	<1.0	9.3	<1.0	<1.0	<1.0	<1.0	<1.0
	01/20/03	<1.0	<1.0	1.8	14	<1.0	<1.0	<1.0	<1.0	<1.0
	07/30/03	<1.0	<0.5	1.3	7.6	<0.5	<0.5	<0.5	<0.5	2.7
	01/27/04[1]	<2.5	<2.5	<2.5	8.4	<2.5	<2.5	<2.5	<2.5	3.2
	07/22/04	<0.5	<0.5	1.3	3.3	<0.5	<0.5	<0.5	<0.5	<0.5
	01/20/05	<0.5	<0.5	0.99	8.7	<0.5	<0.5	<0.5	<0.5	<0.5
	07/20/05	<0.5	<0.5	0.79	4.5	<0.5	<0.5	<0.5	<0.5	0.65
	01/26/06	<0.5	<0.5	0.81	6.2	<0.5	<0.5	<0.5	<0.5	1.90
	07/27/06	<0.5	<0.5	0.82	4.4	<0.5	<0.5	<0.5	<0.5	1.10
	01/25/07	<0.5	<0.5	<0.5	2.4	<0.5	<0.5	<0.5	<0.5	1.30
	07/19/07	<0.5	<0.5	0.73	2.2	<0.5	<0.5	<0.5	<0.5	1.30
	02/15/08	<0.5	<0.5	<0.5	4.9	<0.5	<0.5	<0.5	<0.5	0.79
	07/25/08	<0.5	<0.5	0.75	0.81	<0.5	<0.5	<0.5	<0.5	<0.5
	01/23/09	<0.5	<0.5	<0.5	0.53	<0.5	<0.5	<0.5	<0.5	<0.5
	07/21/09	<0.5	<0.5	<0.5	0.66	<0.5	<0.5	<0.5	<0.5	<0.5
	01/25/10	<0.5	<0.5	<0.5	0.94	<0.5	<0.5	<0.5	<0.5	<0.5
	08/02/10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/31/11	<1.0	<1.0	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0
	07/12/11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/17/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/16/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/14/13	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/15/13	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
01/30/14	<1.0	<1.0	1.4	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
09/30/14	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
02/24/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
06/30/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
08/25/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
01/28/16	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	
07/19/16	Unable to Sample - Car Parked Over Well									
01/25/17	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	<1.0[2]	

**TABLE 4**  
**ANALYTICAL RESULTS FOR VOLATILE ORGANIC COMPOUNDS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California


Well Number	Date Collected	CA (µg/L)	1,2-DCB (µg/L)	1,2-DCA (µg/L)	cis-1,2-DCE (µg/L)	trans-1,2-DCE (µg/L)	1,2-DCP (µg/L)	PCE (µg/L)	TCE (µg/L)	VC (µg/L)
MW-7 (deep)	07/22/00[1]	<5	18	<5	170	<5	<5	<5	8	<5
	01/29/01[1]	<5	18	<5	170	<5	<5	<5	8	<5
	07/28/01[1]	<5	11	<5	170	<5	<5	<5	6.9	6.1
	02/03/02	<5.0	<5.0	<5.0	94	<5.0	<5.0	<5.0	30	<5.0
	07/23/02	<10.0	12.0	<10.0	180	<10.0	<10.0	<10.0	<10.0	<10.0
	01/20/03	<2.5	<2.5	<2.5	50	<2.5	<2.5	11	<2.5	<2.5
	07/30/03	<2.5	<2.5	<2.5	130	<2.5	<2.5	<2.5	<2.5	9.5
	01/27/04	<5.0	<5.0	<5.0	130	<5.0	<5.0	<5.0	20	24
	07/22/04	<5.0	<5.0	<5.0	120	<5.0	<5.0	<5.0	<5.0	<5.0
	01/20/05	<2.5	2.7	<2.5	110	<2.5	<2.5	<2.5	20	28
	07/20/05	<5.0	<5.0	<5.0	250	<5.0	<5.0	<5.0	<5.0	29
	01/26/06	<5.0	<5.0	<5.0	110	<5.0	<5.0	<5.0	<5.0	19
	07/27/06	<5.0	<5.0	<5.0	350	<5.0	<5.0	<5.0	<5.0	55
	01/25/07	<0.5	<0.5	<0.5	29	<0.5	<0.5	<0.5	<0.5	5.9
	07/19/07[1]	<0.5	<0.5	<0.5	210	<0.5	<0.5	<0.5	<0.5	31
	02/15/08[1]	<0.5	5.5	<0.5	220	<0.5	<0.5	<0.5	28	20
	07/25/08	<5.0	<5.0	<5.0	99	<5.0	<5.0	<5.0	<5.0	<5.0
	01/23/09	<5.0	<5.0	<5.0	190	<5.0	<5.0	<5.0	<5.0	26
	07/21/09	<2.5	<2.5	<2.5	82	<2.5	<2.5	<2.5	<2.5	<2.5
	01/25/10	<5.0	<5.0	<5.0	98	<5.0	<5.0	<5.0	<5.0	19
	07/29/10	<10	<10	<10	810	<10	<10	<10	<10	70
	01/31/11	<3.0	<3.0	<3.0	100	<3.0	<3.0	<3.0	5.1	24
	07/12/11	<4.0	<4.0	<4.0	190	<4.0	<4.0	<4.0	<4.0	43
	01/17/12	<2.0[2]	<2.0[2]	<2.0[2]	65	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	30
	07/16/12	<2.0[2]	<2.0[2]	<2.0[2]	180	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	52
	01/14/13	<2.0[2]	5.8	<2.0[2]	280	2.8	<2.0[2]	<2.0[2]	3.5	80
	07/15/13	<4.0[2]	<4.0[2]	<4.0[2]	67	<4.0[2]	<4.0[2]	<4.0[2]	<4.0[2]	56
	01/30/14	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	64
	09/30/14	<2.0[2]	<2.0[2]	<2.0[2]	13	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	84
	02/24/15	<8.0[2]	<8.0[2]	<8.0[2]	530	11	<8.0[2]	<8.0[2]	<8.0[2]	210
	06/30/15	<2.0[2]	<2.0[2]	<2.0[2]	16	<2.0[2]	<2.0[2]	<2.0[2]	3.9	16
	08/25/15	<2.0[2]	<2.0[2]	<2.0[2]	9.8	<2.0[2]	<2.0[2]	<2.0[2]	2.8	14
	01/28/16	<3.0[2]	<3.0[2]	<3.0[2]	93	4.5	<3.0[2]	<3.0[2]	3.1	6.7
07/19/16	<3.0[2]	<3.0[2]	<3.0[2]	110	<3.0[2]	<3.0[2]	<3.0[2]	<3.0[2]	5.2	
01/25/17				Unable to Sample - No Access						
MW-8 (shallow)	07/22/00	<0.5	<0.5	<0.5	1.7	<0.5	<0.5	2.4	1.6	<0.5
	01/29/01	<0.5	<0.5	<0.5	10	<0.5	<0.5	<5.0	8.8	<0.5
	07/28/01	<0.5	<0.5	<0.5	2.6	<0.5	<0.5	<1.5	2.1	<0.5
	02/03/02	<0.5	<0.5	<0.5	6.6	<0.5	<0.5	3.3	4.6	<0.5
	07/23/02	<0.5	<0.5	<0.5	8.4	<0.5	<0.5	3.5	5.2	<0.5
	01/20/03	<0.5	<0.5	<0.5	7.3	<0.5	<0.5	6	6.7	<0.5
	07/30/03	<0.5	<0.5	<0.5	25	<0.5	<0.5	15	20	<0.5
	01/27/04	<0.5	<0.5	<0.5	4	<0.5	<0.5	3.1	3.1	<0.5
	07/22/04	<0.5	<0.5	<0.5	20	<0.5	<0.5	8.3	13	<0.5
	01/20/05	<0.5	<0.5	<0.5	6.5	<0.5	<0.5	5.2	5.1	<0.5
	07/20/05	<0.5	<0.5	<0.5	1.7	<0.5	<0.5	1.4	1.2	<0.5
	01/26/06	<0.5	<0.5	<0.5	7.3	<0.5	<0.5	6.6	6.2	<0.5
	07/27/06	<0.5	<0.5	<0.5	10	<0.5	<0.5	6.8	7.3	<0.5
	01/25/07	<0.5	<0.5	<0.5	11	<0.5	<0.5	6.3	6.9	<0.5
	07/19/07	<0.5	<0.5	<0.5	0.52	<0.5	<0.5	0.94	0.73	<0.5
	02/15/08	<0.5	<0.5	<0.5	7.5	<0.5	<0.5	5.6	5.4	<0.5
	07/25/08	<0.5	<0.5	<0.5	0.58	<0.5	<0.5	<0.5	0.50	<0.5
	01/23/09	<0.5	<0.5	<0.5	4.9	<0.5	<0.5	2.7	3.3	<0.5
	07/21/09	<0.5	<0.5	<0.5	2.3	<0.5	<0.5	1.8	2.3	<0.5
	01/25/10	<0.5	<0.5	<0.5	1.6	<0.5	<0.5	1.2	1.2	<0.5
	07/29/10	<1.0	<1.0	<1.0	7.3	<1.0	<1.0	5.1	5.3	1.1
	01/31/11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/12/11	<1.0	<1.0	<1.0	31	<1.0	<1.0	12	15	2.4
01/17/12	<1.0	<1.0	<1.0	21	<1.0	<1.0	12	13	<1.0	
07/16/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
01/14/13	<1.0	<1.0	<1.0	4.3	<1.0	<1.0	2.7	3.0	<1.0	
07/15/13	<1.0	<1.0	<1.0	1.2	<1.0	<1.0	1.7	1.3	<1.0	
01/30/14	<1.0	<1.0	<1.0	3.1	<1.0	<1.0	2.4	2.4	<1.0	
09/30/14	<1.0	<1.0	<1.0	3.1	<1.0	<1.0	3.3	3.2	2.1	
02/24/15	<1.0	<1.0	<1.0	7.9	<1.0	<1.0	4.1	3.8	1.2	
06/30/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
08/25/15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
01/28/16	<1.0	<1.0	<1.0	2.8	<1.0	<1.0	1.8	1.6	1.1	
07/19/16	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
01/25/17	<1.0	<1.0	<1.0	2.6	<1.0	<1.0	1.1	1.2	1.1	



**TABLE 4**  
**ANALYTICAL RESULTS FOR VOLATILE ORGANIC COMPOUNDS**  
 Gritmit Auto Repair & Automotive Service, 1970 Seminary Boulevard, Oakland, California

Well Number	Date Collected	CA (µg/L)	1,2-DCB (µg/L)	1,2-DCA (µg/L)	cis-1,2-DCE (µg/L)	trans-1,2-DCE (µg/L)	1,2-DCP (µg/L)	PCE (µg/L)	TCE (µg/L)	VC (µg/L)
MW-9 (shallow)	07/22/00	<1	1.4	<1	1.6	<1	<1	<1	<1	<1
	01/29/01	<0.5	1.2	0.71	<0.5	8.2	<0.5	<5.0	<0.5	0.53
	07/28/01	<0.5	0.87	<0.5	0.92	<0.5	<0.5	<5.0	2.5	<0.5
	02/03/02	<0.5	1.2	<0.5	2.4	<0.5	<0.5	<0.5	<0.5	<0.5
	07/23/02	<2.5	3.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	01/20/03	<1	<1	<1	<1	<1	<1	<1	<1	<1
	07/30/03	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/27/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/22/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/20/05[1]	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/20/05	<0.5	0.59	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/26/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/27/06	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/25/07	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/19/07[1]	<0.5	0.68	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/15/08	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/25/08	<0.5	0.52	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/23/09	<0.5	0.69	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/20/09	<0.5	0.68	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	01/25/10	<0.5	0.68	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	07/29/10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/31/11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/12/11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/17/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/16/12	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	01/14/13	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	07/15/13	<1.0	<1.0	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<1.0
	01/30/14	--	--	--	--	--	--	--	--	--
	09/30/14	--	--	--	--	--	--	--	--	--
	02/24/15	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]	<2.0[2]
06/30/15	Unable to Sample - Well Dry									
08/25/15	Unable to Sample - Well Dry									
01/28/16	Unable to Sample - Car Parked Over Well									
07/19/16	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
01/25/17	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

**Legend/Key:**  
 CA= Chloroethane  
 1,2-DCB= 1,2-Dichlorobenzene  
 1,2-DCA= 1,2-dichloroethane  
 cis-1,2-DCE= cis-1,2-dichloroethene  
 trans-1,2-DCE= -1,2-dichloroethene  
 1,2-DCP=1,2-dichloropropane  
 PCE= Tetrachloroethene (perchloroethene)  
 TCE= trichloroethene  
 VC= vinyl chloride  
 ND= "not-detected" or below the Method Detection Limits  
 NA= Not Available  
 -- = Not analyzed  
 ft msl = feet above mean sea level  
 µg/L = micrograms per liter  
 [1] = Additional detections of VOCs noted, refer to GRIMIT/SEMINARY1-10GWSMPLREPORT, dated February 3, 2010.  
 [2] = Reporting limits were increased due to high concentrations of target analytes.  
 Note: The table presents the analytical results of select chemical parameters based on historical presence at the site.



GENERAL NOTES:  
 BASE MAP FROM U.S.G.S.  
 OAKLAND, CA.  
 7.5 MINUTE TOPOGRAPHIC  
 PHOTOREVISED 1996



QUADRANGLE LOCATION



APPROXIMATE SCALE

*STRATUS*  
 ENVIRONMENTAL, INC.

FORMER GRIMIT AUTO  
 1970 SEMINARY AVENUE  
 OAKLAND, CALIFORNIA

SITE LOCATION MAP

FIGURE

1


PROJECT NO.  
 2090-1970-01

LEGEND

- ⊕ MW-1 GROUNDWATER MONITORING WELL LOCATION
- ⊖ EX-1 APPROXIMATE EXTRACTION WELL LOCATION
- EB-1 APPROXIMATE EXPLORATORY BORING LOCATION
- ⊗ CPT-1 CPT/LIF BORING LOCATION
- ⊕ SV-1A SOIL VAPOR SAMPLING WELL LOCATION
- ⊙ DP-14A DIRECT PUSH BORING LOCATION



SEMINARY AVENUE



HARMON AVENUE

Grimit NSiteplan  
REV  
March 13, 2015  
JMP

*STRATUS*  
ENVIRONMENTAL, INC.



SCALE


FORMER GRIMIT AUTO  
1970 SEMINARY AVENUE  
OAKLAND, CALIFORNIA

SITE PLAN

FIGURE


2

PROJECT NO.  
2090-1970-1




- LEGEND
- MW-1 GROUNDWATER MONITORING WELL LOCATION
  - EX-1 APPROXIMATE EXTRACTION WELL LOCATION
  - EB-1 APPROXIMATE EXPLORATORY BORING LOCATION
  - ⊙ CPT-1 CPT/LIF BORING LOCATION
  - ⊕ SV-1A SOIL VAPOR SAMPLING WELL LOCATION
  - ⊙ DP-1A DIRECT PUSH BORING LOCATION

SEMINARY AVENUE



HOLWAY STREET

HARMON AVENUE




PATH NAME: Grimit Auto  
 DRAFTER INITIALS: JED  
 DATE LAST REVISED: July 27, 2015  
 FILENAME: Grimit Site Vicinity Map

FORMER GRIMIT AUTO  
 1970 SEMINARY AVENUE  
 OAKLAND, CALIFORNIA

SITE VICINITY MAP


FIGURE  
**3**  
 PROJECT NO.  
 2090-1970-1



LEGEND

- MW-1 GROUNDWATER MONITORING WELL LOCATION
- EB-1 APPROXIMATE EXPLORATORY BORING LOCATION
- CPT-1 CPT/LIF BORING LOCATION
- SV-1A SOIL VAPOR SAMPLING WELL LOCATION
- DP-1A DIRECT PUSH BORING LOCATION
- [ <50 ] GASOLINE RANGE ORGANICS (GRO) IN µg/L
- [ <0.50 ] BENZENE CONCENTRATION IN µg/L
- [ <0.50 ] METHYL TERTIARY BUTYL ETHER (MTBE) IN µg/L

DIRECT PUSH SAMPLES COLLECTED IN JANUARY 2012  
 WELL SAMPLES COLLECTED ON 01/25/17  
 GRO ANALYZED BY EPA METHOD SW8015B/SW8260B  
 BENZENE & MTBE ANALYZED BY EPA METHOD SW8260B  
 [NS] = NOT SAMPLED




INTERPRETED PREDOMINANT SHALLOW GROUNDWATER FLOW DIRECTION, BASED ON DISTRIBUTION OF FUEL CONTAMINANTS IN GROUNDWATER. BASED ON DISCUSSIONS BETWEEN STRATUS & ACEHD, GROUNDWATER ELEVATION CONTOUR MAPS ARE NO LONGER BEING PREPARED FOR THIS SITE.

NOTE:  
 DIRECT PUSH BORINGS SAMPLED IN JANUARY 2012  
 WELLS SAMPLED ON 01/25/17


**STRATUS**  
 ENVIRONMENTAL, INC.

PATH NAME: Gritit Auto/Quarterly  
 DRAFTER INITIALS: DMG  
 DATE LAST REVISED: February 17, 2017  
 FILENAME: Gritit Quarterly Figures




FORMER GRIMIT AUTO  
 1970 SEMINARY AVENUE  
 OAKLAND, CALIFORNIA  
 PETROLEUM HYDROCARBON  
 GROUNDWATER ANALYTICAL SUMMARY  
 ABOVE 40' bgs


FIGURE  
**4**  
 PROJECT NO.  
 2090-1970-01



- LEGEND**
- MW-1 GROUNDWATER MONITORING WELL LOCATION
  - EB-1 APPROXIMATE EXPLORATORY BORING LOCATION
  - ⊙ CPT-1 CPT/LIF BORING LOCATION
  - ⊙ SV-1A SOIL VAPOR SAMPLING WELL LOCATION
  - ⊙ DP-1A DIRECT PUSH BORING LOCATION
- |      |  |
|------|--|
| <1.0 | 1,2 DICHLOROBENZENE (1,2 DCB) IN µg/L            |
| <1.0 | 1,3 DICHLOROBENZENE (1,3 DCB) IN µg/L            |
| <1.0 | 1,4 DICHLOROBENZENE (1,4 DCB) IN µg/L            |
| <1.0 | TETRACHLOROETHENE (PCE) IN µg/L                  |
| <1.0 | TRICHLOROETHENE (TCE) IN µg/L                    |
| <1.0 | VINYL CHLORIDE (VC) IN µg/L                      |
| <1.0 | cis-1,2 DICHLOROETHENE (cis-1,2 DCE) IN µg/L     |
| <1.0 | trans-1,2 DICHLOROETHENE (trans-1,2 DCE) IN µg/L |
- DIRECT PUSH SAMPLES COLLECTED IN JANUARY 2012  
 WELL SAMPLES COLLECTED ON 01/25/17  
 1,2 DCB, 1,3 DCB, 1,4 DCB, PCE, TCE, VC, cis-1,2 DCE,  
 & trans-1,2 DCE ANALYZED BY EPA METHOD SW8260B  
 [NS] = NOT SAMPLED



PATH NAME: Gritit Auto/Quarterly  
 DRAFTER INITIALS: DMG  
 DATE LAST REVISED: February 17, 2017  
 FILENAME: Gritit Quarterly Figures



FORMER GRIMIT AUTO  
 1970 SEMINARY AVENUE  
 OAKLAND, CALIFORNIA  
 HALOGENATED VOC  
 GROUNDWATER ANALYTICAL SUMMARY  
 ABOVE 40' bgs

FIGURE  
**5**  
 PROJECT NO.  
 2090-1970-01

**APPENDIX A**  
**FIELD DATA SHEETS**



Site Address 1977 Seminary  
 City Oakton  
 Sampled by: \_\_\_\_\_  
 Signature CHILL

Site Number Garmit A10  
 Project Number \_\_\_\_\_  
 Project PM Scott  
 DATE 1-25-17

**ORIGINAL**

Water Level Data					Purge Volume Calculations					Purge Method				Sample Record			Field Data
Well ID	Time	Depth to Product (feet)	Depth to Water (feet)	Total Depth (feet)	Water column (feet)	Diameter (inches)	Multiplier	3 casing volumes (gallons)	Actual water purged (gallons)	No Purge	Bailer	Pump	other	DTW at sample time (feet)	Sample I.D	Sample Time	DO (mg/L)
MW-1	0853		14.93	34.60	19.67	2	.5	10	10		X						
MW-2	0847		12.53	35.10	22.57	2	.5	11	11		X			20.09	MW-1	1120	1.09
MW-3	CAIR					2	.5				X			24.50	MW-2	1045	1.00
MW-4	0850		12.79	34.60	21.81	2	.5	11	11		X				MW-3	-	
MW-5	0848		14.27	34.92	20.65	2	.5	10	1	X	X			19.38	MW-4	1110	0.87
MW-6	1052		7.19	18.25	11.06	2	.5	5	5		X			14.27	MW-5	0918	1.90
MW-7	stuff	lots				2	.5				X			10.05	MW-6	1130	2.77
MW-8	0857		1.29	19.12	17.83	2	.5	9	9		X				MW-7	-	
MW-9	0849		14.08	20.00	5.92	2	.5	3	1	X	X			1.30	MW-8	1012	1.59
														14.08	MW-9	0950	1.87

Multiplier  
 2" = 0.5 3" = 1.0 4" = 2.0 6" = 4.4

Please refer to groundwater sampling field procedures  
 pH/Conductivity/temperature Meter - Oakton Model PC-10  
 DO Meter - Oakton 300 Series (DO is always measured before purge)

CALIBRATION DATE \_\_\_\_\_  
 pH 4-15-17  
 Conductivity \_\_\_\_\_  
 DO \_\_\_\_\_





Site Address 1970 Seminary  
 City Cublin  
 Sampled By \_\_\_\_\_  
 Signature PHILL

**ORIGINAL**

Site Number Grimm Auto  
 Project Number \_\_\_\_\_  
 Project PM ROTH  
 DATE 1/25/17  
 Weather Conditions Clear

Well ID <u>MW-2</u> Comments: _____						Well ID <u>MW-5</u> Comments: _____									
Purge start time		Sheen	Y	N	Odor	Y	N	Purge start time		Sheen	Y	N	Odor	Y	N
	Temp C	pH	cond			gallons			Temp C	pH	cond			gallons	
time	<u>0900</u>	<u>17.5</u>	<u>6.91</u>	<u>685.8</u>		<u>8</u>		time	<u>0918</u>	<u>17.1</u>	<u>6.82</u>	<u>731.2</u>			
time	<u>0905</u>	<u>18.2</u>	<u>6.91</u>	<u>698.8</u>		<u>5</u>		time							
time	<u>0910</u>	<u>18.6</u>	<u>6.91</u>	<u>706.4</u>		<u>11</u>		time							
time	<u>0915</u>	<u>10.45</u>						time							
purge stop time		DO <u>1.00</u>		ORP <u>-7.0</u>				purge stop time		DO <u>1.90</u>		ORP <u>2.9</u>			
Well ID <u>MW-4</u> Comments: _____						Well ID <u>MW-9</u> Comments: _____									
Purge start time		Sheen	Y	N	Odor	Y	N	Purge start time		Sheen	Y	N	Odor	Y	N
	Temp C	pH	cond			gallons			Temp C	pH	cond			gallons	
time	<u>0930</u>	<u>17.7</u>	<u>6.87</u>	<u>648.5</u>		<u>8</u>		time	<u>0950</u>	<u>18.5</u>	<u>6.97</u>	<u>883.8</u>			
time	<u>0936</u>	<u>18.2</u>	<u>6.89</u>	<u>650.9</u>		<u>5</u>		time							
time	<u>0941</u>	<u>18.6</u>	<u>6.84</u>	<u>668.2</u>		<u>11</u>		time							
time	<u>1110</u>							time							
purge stop time		DO <u>0.87</u>		ORP <u>-2.7</u>				purge stop time		DO <u>1.87</u>		ORP <u>-9.7</u>			
Well ID <u>MW 6</u> Comments: _____						Well ID <u>MW 1</u> Comments: _____									
Purge start time		Sheen	Y	N	Odor	Y	N	Purge start time		Sheen	Y	N	Odor	Y	N
	Temp C	pH	cond			gallons			Temp C	pH	cond			gallons	
time	<u>0959</u>	<u>14.1</u>	<u>7.31</u>	<u>885.5</u>		<u>8</u>		time	<u>1020</u>	<u>17.6</u>	<u>6.89</u>	<u>789.1</u>		<u>8</u>	
time	<u>1003</u>	<u>14.3</u>	<u>7.18</u>	<u>658.6</u>		<u>4.0</u>		time	<u>1025</u>	<u>17.7</u>	<u>7.15</u>	<u>812.7</u>		<u>5</u>	
time	<u>1007</u>	<u>14.3</u>	<u>7.16</u>	<u>643.8</u>		<u>9</u>		time	<u>1030</u>	<u>17.8</u>	<u>7.18</u>	<u>820.6</u>		<u>10</u>	
time	<u>1012</u>							time	<u>1120</u>						
purge stop time		DO <u>1.59</u>		ORP <u>-28.2</u>				purge stop time		DO <u>1.09</u>		ORP <u>-6.1</u>			
Well ID <u>MW-6</u> Comments: _____						Well ID _____ Comments: _____									
Purge start time		Sheen	Y	N	Odor	Y	N	Purge start time		Sheen	Y	N	Odor	Y	N
	Temp C	pH	cond			gallons			Temp C	pH	cond			gallons	
time	<u>1055</u>	<u>16.3</u>	<u>7.27</u>	<u>473.1</u>		<u>8</u>		time							
time	<u>1058</u>	<u>17.1</u>	<u>6.95</u>	<u>482.5</u>		<u>2.5</u>		time							
time	<u>1102</u>	<u>17.4</u>	<u>6.90</u>	<u>501.6</u>		<u>5</u>		time							
time	<u>1130</u>							time							
purge stop time		DO <u>2.77</u>		ORP <u>-25.8</u>				purge stop time		DO		ORP			

24

# CHAIN OF CUSTODY



**Billing Information:**  
 Company: Stark's  
 Attn: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City, State, Zip: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_ Fax: \_\_\_\_\_

**Alpha Analytical, Inc.**  
 Main Laboratory: 255 Glendale Ave, Suite 21 Sparks, NV 89431  
**Satellite Service Centers:**  
 Northern CA: 9891 Horn Road, Suite C, Rancho Cordova, CA 95827  
 Southern CA: 1007 E. Dominguez St., Suite O, Carson, CA 90746  
 Northern NV: Elko, NV 89801  
 Southern NV: Las Vegas, NV 89120

1063  
 Phone: 775-355-1044  
 Fax: 775-355-0406  
 Phone: 916-366-8089  
 Phone: 714-386-2901  
 Phone: 775-388-7043  
 Phone: 702-281-4848  
 Page # 1 of 1

**Consultant/ Client Info:**  
 Company: Stark's  
 Address: \_\_\_\_\_  
 City, State, Zip: \_\_\_\_\_

**Job and Purchase Order Info:**  
 Job # \_\_\_\_\_  
 Job Name: Grunt Auto  
 P.O. #: \_\_\_\_\_

**Report Attention/Project Manager:**  
 Name: SWH  
 Email Address: \_\_\_\_\_  
 Phone #: \_\_\_\_\_  
 Cell #: \_\_\_\_\_

**QC Deliverable Info:**  
 EDD Required? Yes / No \_\_\_\_\_ EDF Required? Yes / No \_\_\_\_\_  
 Global ID: T0600100667  
 Data Validation Packages: III or IV

Samples Collected from which State? (circle one) AR CA KS NV OR WA DOD Site Other

Time Sampled (HHMM)	Date Sampled (MM/DD)	Matrix* (See Key Below)	Lab ID Number (For Lab Use Only)	Sample Description	TAT	# Containers* (See Key Below)	Analysis Requested										Remarks			
							Field Filtered?		GRD	Blex	Boxys	1,2 DCA	EDD	HVOC's	Oil + Grease					
Yes	No																			
1120	1/3	AQ		MW-1	STD	8	X	X	X	X	X	X	X	X						
1045	}	}		MW-2	}	8	X													
1110			MW-4	8																
0918			MW-5	8																
1150			MW-6	8																
1012			MW-8	8																
0930	1/3	AQ		MW-9	STD	8	X	X	X	X	X	X	X	X						

**ADDITIONAL INSTRUCTIONS:**  
oil + Grease with silica gel cleanup

I (field sampler) attest to the validity and authenticity of this sample(s). I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action. NAC 445.0636 (c) (2).

Sampled By: <u>OHILL</u> Relinquished by: (Signature/Affiliation): <u>Caroline Stark's</u>	Date: <u>012517</u>	Time: <u>1324</u>	Received by: (Signature/Affiliation): <u>E. F. M. CIANO</u>	Date: <u>012517</u>	Time: <u>1324</u>
Relinquished by: (Signature/Affiliation): _____	Date: _____	Time: _____	Received by: (Signature/Affiliation): _____	Date: _____	Time: _____
Relinquished by: (Signature/Affiliation): _____	Date: _____	Time: _____	Received by: (Signature/Affiliation): _____	Date: _____	Time: _____

\* Key: AQ - Aqueous AR - Air OT - Other So - Soil WA - Waste \*\* B - Brass L - Liter O - Orbo OT - Other P - Plastic S - Soil Jar T - Tedlar V - VOA  
**NOTE:** Samples are discarded 60 days after sample receipt unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

**APPENDIX B**

**SAMPLING AND ANALYSES PROCEDURES**

## **SAMPLING AND ANALYSIS PROCEDURES**

---

The sampling and analysis procedures as well as the quality assurance plan are contained in this appendix. The procedures and adherence to the quality assurance plan will provide for consistent and reproducible sampling methods; proper application of analytical methods; accurate and precise analytical results; and finally, these procedures will provide guidelines so that the overall objectives of the monitoring program are achieved.

### **Ground Water and Liquid-Phase Petroleum Hydrocarbon Depth Assessment**

A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the ground water depth in monitoring wells that do not contain LPH. Depth to ground water or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

### **Subjective Analysis of Ground Water**

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

### **Monitoring Well Purging and Sampling**

Monitoring wells are purged using a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water have been removed. If three well volumes can not be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a ground water sample is then removed from each of the wells using a disposable bailer.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air from remaining in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped.

The water sample is collected, labeled, and handled according to the Quality Assurance Plan. Water generated during the monitoring event is disposed of according to regulatory accepted method pertaining to the site.

### **QUALITY ASSURANCE PLAN**

Procedures to provide data quality should be established and documented so that conditions adverse to quality, such as deficiencies, deviations, nonconformants, defective material, services, and/or equipment, can be promptly identified and corrected.

#### **General Sample Collection and Handling Procedures**

Proper collection and handling are essential to ensure the quality of a sample. Each sample is collected in a suitable container, preserved correctly for the intended analysis, and stored prior to analysis for no longer than the maximum allowable holding time. Details on the procedures for collection and handling of samples used on this project can be found in this section.

#### **Soil and Water Sample Labeling and Preservation**

Label information includes a unique sample identification number, job identification number, date, and time. After labeling all soil and water samples are placed in a Ziploc<sup>®</sup> type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Upon recovery, the sample container is sealed to minimize the potential of volatilization and cross-contamination prior to chemical analysis. Soil sampling tubes are typically closed at each end with Teflon<sup>®</sup> sheeting and plastic caps. The sample is then placed in a Ziploc<sup>®</sup> type bag and sealed. The sample is labeled and refrigerated at approximately 4° Celsius for delivery, under strict chain-of-custody, to the analytical laboratory.

#### **Sample Identification and Chain-of-Custody Procedures**

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded on the borehole log or in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and

noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

### **Equipment Cleaning**

Sample bottles, caps, and septa used in sampling for volatile and semivolatile organics will be triple rinsed with high-purity deionized water. After being rinsed, sample bottles will be dried overnight at a temperature of 200°C. Sample caps and septa will be dried overnight at a temperature of 60°C. Sample bottles, caps, and septa will be protected from solvent contact between drying and actual use at the sampling site. Sampling containers will be used only once and discarded after analysis is complete.

Plastic bottles and caps used in sampling for metals will be soaked overnight in a 1-percent nitric acid solution. Next, the bottles and caps will be triple rinsed with deionized water. Finally, the bottles and caps will be air dried before being used at the site. Plastic bottles and caps will be constructed of linear polyethylene or polypropylene. Sampling containers will be used only once and discarded after analysis is complete. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Before the sampling event is started, equipment that will be placed in the well or will come in contact with groundwater will be disassembled and cleaned thoroughly with detergent water, and then steam cleaned with deionized water. Any parts that may absorb contaminants, such as plastic pump valves, etc. will be cleaned as described above or replaced.

During field sampling, equipment surfaces that are placed in the well or contact groundwater will be steam cleaned with deionized water before the next well is purged or sampled. Equipment blanks will be collected and analyzed from non-disposable sampling equipment that is used for collecting groundwater samples at the rate of one blank per twenty samples collected.

### **Internal Quality Assurance Checks**

Internal quality assurance procedures are designed to provide reliability of monitoring and measurement of data. Both field and laboratory quality assurance checks are necessary to evaluate the reliability of sampling and analysis results. Internal quality assurance procedures generally include:

#### - Laboratory Quality Assurance

- Documentation of instrument performance checks
- Documentation of instrument calibration
- Documentation of the traceability of instrument standards, samples, and data
- Documentation of analytical and QC methodology (QC methodology includes use of spiked samples, duplicate samples, split samples, use of reference blanks, and check standards to check method accuracy and precision)

#### - Field Quality Assurance

- Documentation of sample preservation and transportation
- Documentation of field instrument calibration and irregularities in performance

Internal laboratory quality assurance checks will be the responsibility of the contract laboratories. Data and reports submitted by field personnel and the contract laboratory will be reviewed and maintained in the project files.

#### **Types of Quality Control Checks**

Samples are analyzed using analytical methods outlined in EPA Manual SW 846 and approved by the California Regional Water Quality Control Board-Central Valley Region in the Leaking Underground Fuel Tanks (LUFT) manual and appendices. Standard contract laboratory quality control may include analysis or use of the following:

- Method blanks – reagent water used to prepare calibration standards, spike solutions, etc. is analyzed in the same manner as the sample to demonstrate that analytical interferences are under control.
- Matrix spiked samples – a known amount of spike solution containing selected constituents is added to the sample at concentrations at which the accuracy of the analytical method is to satisfactorily monitor and evaluate laboratory data quality.
- Split samples – a sample is split into two separate aliquots before analysis to assess the reproducibility of the analysis.
- Surrogate samples – samples are spiked with surrogate constituents at known concentrations to monitor both the performance of the analytical system and the effectiveness of the method in dealing with the sample matrix.
- Control charts – graphical presentation of spike or split sample results used to track the accuracy or precision of the analysis.
- Quality control check samples – when spiked sample analysis indicates atypical instrument performance, a quality check sample, which is prepared independently of the calibration standards and contains the constituents of interest, is analyzed to confirm that measurements were performed accurately.

- Calibration standards and devices – traceable standards or devices to set instrument response so that sample analysis results represent the absolute concentration of the constituent.

Field QA samples will be collected to assess sample handling procedures and conditions. Standard field quality control may include the use of the following, and will be collected and analyzed as outlined in EPA Manual SW 846.

- Field blanks – reagent water samples are prepared at the sampling location by the same procedure used to collect field groundwater samples and analyzed with the groundwater samples to assess the impact of sampling techniques on data quality. Typically, one field blank per twenty groundwater samples collected will be analyzed per sampling event.
- Field replicates – duplicate or triplicate samples are collected and analyzed to assess the reproducibility of the analytical data. One replicate groundwater sample per twenty samples collected will be analyzed per sampling event, unless otherwise specified. Triplicate samples will be collected only when specific conditions warrant and generally are sent to an alternate laboratory to confirm the accuracy of the routinely used laboratory.
- Trip blanks – reagent water samples are prepared before field work, transported and stored with the samples and analyzed to assess the impact of sample transport and storage for data quality. In the event that any analyte is detected in the field blank, a trip blank will be included in the subsequent groundwater sampling event.

Data reliability will be evaluated by the certified laboratory and reported on a cover sheet attached to the laboratory data report. Analytical data resulting from the testing of field or trip blanks will be included in the laboratory's report. Results from matrix spike, surrogate, and method blank testing will be reported, along with a statement of whether the samples were analyzed within the appropriate holding time.

Stratus will evaluate the laboratory's report on data reliability and note significant QC results that may make the data biased or unacceptable. Data viability will be performed as outlined in EPA Manual SW 846. If biased or unacceptable data is noted, corrective actions (including re-sample/re-analyze, etc.) will be evaluated on a site-specific basis.



## **APPENDIX C**

### **LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION**



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005  
Date Received : 01/26/17

Job: Gritmit Auto

Oil and Grease, HEM  
EPA Method 1664A

Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID: MW-1 Lab ID : STR17012603-01A Oil & Grease, HEM Date Sampled 01/25/17 11:20	420,000	5,000 µg/L	01/31/17	01/31/17
Client ID: MW-2 Lab ID : STR17012603-02A Oil & Grease, HEM Date Sampled 01/25/17 10:45	ND	5,000 µg/L	01/31/17	01/31/17
Client ID: MW-4 Lab ID : STR17012603-03A Oil & Grease, HEM Date Sampled 01/25/17 11:10	ND	5,000 µg/L	01/31/17	01/31/17
Client ID: MW-5 Lab ID : STR17012603-04A Oil & Grease, HEM Date Sampled 01/25/17 09:18	ND	5,000 µg/L	01/31/17	01/31/17
Client ID: MW-6 Lab ID : STR17012603-05A Oil & Grease, HEM Date Sampled 01/25/17 11:30	ND	5,000 µg/L	01/31/17	01/31/17
Client ID: MW-8 Lab ID : STR17012603-06A Oil & Grease, HEM Date Sampled 01/25/17 10:12	ND	5,000 µg/L	01/31/17	01/31/17
Client ID: MW-9 Lab ID : STR17012603-07A Oil & Grease, HEM Date Sampled 01/25/17 09:50	ND	5,000 µg/L	01/31/17	01/31/17

HEM = Hexane Extractable Material

ND = Not Detected

Reported in micrograms per Liter, per client request.



*Roger Scholl*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager

Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity : Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

*Randy Gardner*



*[Signature]*  
2/2/17

Report Date



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005  
Date Received : 01/26/17

Job: Gritmit Auto

Oil and Grease, SGT-HEM  
EPA Method 1664A

Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID: MW-1				
Lab ID : STR17012603-01A Oil & Grease, SGT-HEM	260,000	5,000 µg/L	02/01/17	02/01/17
Date Sampled 01/25/17 11:20				

SGT-HEM = Silica Gel Treated Hexane Extractable Material

Reported in micrograms per Liter, per client request.



*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager  
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity : Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



2/2/17

**Report Date**



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005  
Date Received : 01/26/17

Job: Gritmit Auto

### Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B / SW8260B

Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID : MW-1 Lab ID : STR17012603-01A Date Sampled 01/25/17 11:20	TPH-P (GRO) 12,000	2,000 µg/L	01/30/17 20:22	01/30/17 20:22
Client ID : MW-2 Lab ID : STR17012603-02A Date Sampled 01/25/17 10:45	TPH-P (GRO) ND	50 µg/L	01/30/17 14:06	01/30/17 14:06
Client ID : MW-4 Lab ID : STR17012603-03A Date Sampled 01/25/17 11:10	TPH-P (GRO) 1,800	300 µg/L	01/30/17 19:35	01/30/17 19:35
Client ID : MW-5 Lab ID : STR17012603-04A Date Sampled 01/25/17 09:18	TPH-P (GRO) 380	50 µg/L	01/30/17 14:30	01/30/17 14:30
Client ID : MW-6 Lab ID : STR17012603-05A Date Sampled 01/25/17 11:30	TPH-P (GRO) 1,200	100 µg/L	01/31/17 18:29	01/31/17 18:29
Client ID : MW-8 Lab ID : STR17012603-06A Date Sampled 01/25/17 10:12	TPH-P (GRO) ND	50 µg/L	01/30/17 15:17	01/30/17 15:17
Client ID : MW-9 Lab ID : STR17012603-07A Date Sampled 01/25/17 09:50	TPH-P (GRO) 110	50 µg/L	01/30/17 18:49	01/30/17 18:49

#### Gasoline Range Organics (GRO) C4-C13

ND = Not Detected

Reported in micrograms per Liter, per client request.



*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager  
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity : Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



*PS*  
2/2/17

**Report Date**



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861  
Job: Grit Auto

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005

Alpha Analytical Number: STR17012603-01A  
Client I.D. Number: MW-1

Sampled: 01/25/17 11:20  
Received: 01/26/17  
Extracted: 01/30/17 20:22  
Analyzed: 01/30/17 20:22

### Volatile Organics by GC/MS EPA Method 624/8260

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Chloromethane	ND	80 µg/L	26 1,1,2-Trichloroethane	ND	20 µg/L
2 Vinyl chloride	ND	20 µg/L	27 Toluene	140	10 µg/L
3 Chloroethane	ND	20 µg/L	28 Dibromochloromethane	ND	20 µg/L
4 Bromomethane	ND	80 µg/L	29 1,2-Dibromoethane (EDB)	ND	40 µg/L
5 Trichlorofluoromethane	ND	20 µg/L	30 Tetrachloroethene	ND	20 µg/L
6 1,1-Dichloroethene	ND	20 µg/L	31 Chlorobenzene	ND	20 µg/L
7 Tertiary Butyl Alcohol (TBA)	ND	200 µg/L	32 Ethylbenzene	240	10 µg/L
8 Dichloromethane	ND	80 µg/L	33 m,p-Xylene	510	10 µg/L
9 trans-1,2-Dichloroethene	ND	20 µg/L	34 Bromoform	ND	20 µg/L
10 Methyl tert-butyl ether (MTBE)	ND	10 µg/L	35 o-Xylene	140	10 µg/L
11 1,1-Dichloroethane	ND	20 µg/L	36 1,1,2,2-Tetrachloroethane	ND	20 µg/L
12 Di-isopropyl Ether (DIPE)	ND	20 µg/L	37 1,3-Dichlorobenzene	ND	20 µg/L
13 cis-1,2-Dichloroethene	ND	20 µg/L	38 1,4-Dichlorobenzene	ND	20 µg/L
14 Chloroform	ND	20 µg/L	39 1,2-Dichlorobenzene	ND	20 µg/L
15 Ethyl Tertiary Butyl Ether (ETBE)	ND	20 µg/L			
16 1,2-Dichloroethane	ND	20 µg/L			
17 1,1,1-Trichloroethane	ND	20 µg/L			
18 Carbon tetrachloride	ND	20 µg/L			
19 Benzene	200	10 µg/L			
20 Tertiary Amyl Methyl Ether (TAME)	ND	20 µg/L			
21 1,2-Dichloropropane	ND	20 µg/L			
22 Trichloroethene	ND	20 µg/L			
23 Bromodichloromethane	ND	20 µg/L			
24 cis-1,3-Dichloropropene	ND	20 µg/L			
25 trans-1,3-Dichloropropene	ND	20 µg/L			

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager

Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity: Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



*PS*  
2/2/17

Report Date

Page 1 of 1



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861  
Job: Gritmit Auto

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005

Alpha Analytical Number: STR17012603-02A  
Client I.D. Number: MW-2

Sampled: 01/25/17 10:45  
Received: 01/26/17  
Extracted: 01/30/17 14:06  
Analyzed: 01/30/17 14:06

### Volatile Organics by GC/MS EPA Method 624/8260

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Chloromethane	ND	2.0 µg/L	26 1,1,2-Trichloroethane	ND	1.0 µg/L
2 Vinyl chloride	ND	1.0 µg/L	27 Toluene	ND	0.50 µg/L
3 Chloroethane	ND	1.0 µg/L	28 Dibromochloromethane	ND	1.0 µg/L
4 Bromomethane	ND	2.0 µg/L	29 1,2-Dibromoethane (EDB)	ND	2.0 µg/L
5 Trichlorofluoromethane	ND	1.0 µg/L	30 Tetrachloroethene	ND	1.0 µg/L
6 1,1-Dichloroethene	ND	1.0 µg/L	31 Chlorobenzene	ND	1.0 µg/L
7 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	32 Ethylbenzene	ND	0.50 µg/L
8 Dichloromethane	ND	2.0 µg/L	33 m,p-Xylene	ND	0.50 µg/L
9 trans-1,2-Dichloroethene	ND	1.0 µg/L	34 Bromoform	ND	1.0 µg/L
10 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	35 o-Xylene	ND	0.50 µg/L
11 1,1-Dichloroethane	ND	1.0 µg/L	36 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
12 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	37 1,3-Dichlorobenzene	ND	1.0 µg/L
13 cis-1,2-Dichloroethene	2.7	1.0 µg/L	38 1,4-Dichlorobenzene	ND	1.0 µg/L
14 Chloroform	ND	1.0 µg/L	39 1,2-Dichlorobenzene	ND	1.0 µg/L
15 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L			
16 1,2-Dichloroethane	2.9	1.0 µg/L			
17 1,1,1-Trichloroethane	ND	1.0 µg/L			
18 Carbon tetrachloride	ND	1.0 µg/L			
19 Benzene	ND	0.50 µg/L			
20 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L			
21 1,2-Dichloropropane	ND	1.0 µg/L			
22 Trichloroethene	7.5	1.0 µg/L			
23 Bromodichloromethane	ND	1.0 µg/L			
24 cis-1,3-Dichloropropene	ND	1.0 µg/L			
25 trans-1,3-Dichloropropene	ND	1.0 µg/L			

ND = Not Detected

*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager  
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity: Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



*JSB*  
2/2/17

Report Date

Page 1 of 1



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861  
Job: Grit Auto

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005

Alpha Analytical Number: STR17012603-03A  
Client I.D. Number: MW-4

Sampled: 01/25/17 11:10  
Received: 01/26/17  
Extracted: 01/30/17 19:35  
Analyzed: 01/30/17 19:35

### Volatile Organics by GC/MS EPA Method 624/8260

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Chloromethane	ND	12 µg/L	26 1,1,2-Trichloroethane	ND	3.0 µg/L
2 Vinyl chloride	88	3.0 µg/L	27 Toluene	7.1	1.5 µg/L
3 Chloroethane	ND	3.0 µg/L	28 Dibromochloromethane	ND	3.0 µg/L
4 Bromomethane	ND	12 µg/L	29 1,2-Dibromoethane (EDB)	ND	6.0 µg/L
5 Trichlorofluoromethane	ND	3.0 µg/L	30 Tetrachloroethene	ND	3.0 µg/L
6 1,1-Dichloroethene	ND	3.0 µg/L	31 Chlorobenzene	ND	3.0 µg/L
7 Tertiary Butyl Alcohol (TBA)	ND	30 µg/L	32 Ethylbenzene	7.9	1.5 µg/L
8 Dichloromethane	ND	12 µg/L	33 m,p-Xylene	6.3	1.5 µg/L
9 trans-1,2-Dichloroethene	19	3.0 µg/L	34 Bromoform	ND	3.0 µg/L
10 Methyl tert-butyl ether (MTBE)	2.8	1.5 µg/L	35 o-Xylene	3.9	1.5 µg/L
11 1,1-Dichloroethane	ND	3.0 µg/L	36 1,1,2,2-Tetrachloroethane	ND	3.0 µg/L
12 Di-isopropyl Ether (DIPE)	ND	3.0 µg/L	37 1,3-Dichlorobenzene	4.5	3.0 µg/L
13 cis-1,2-Dichloroethene	120	3.0 µg/L	38 1,4-Dichlorobenzene	5.3	3.0 µg/L
14 Chloroform	ND	3.0 µg/L	39 1,2-Dichlorobenzene	16	3.0 µg/L
15 Ethyl Tertiary Butyl Ether (ETBE)	ND	3.0 µg/L			
16 1,2-Dichloroethane	ND	3.0 µg/L			
17 1,1,1-Trichloroethane	ND	3.0 µg/L			
18 Carbon tetrachloride	ND	3.0 µg/L			
19 Benzene	240	1.5 µg/L			
20 Tertiary Amyl Methyl Ether (TAME)	ND	3.0 µg/L			
21 1,2-Dichloropropane	ND	3.0 µg/L			
22 Trichloroethene	ND	3.0 µg/L			
23 Bromodichloromethane	ND	3.0 µg/L			
24 cis-1,3-Dichloropropene	ND	3.0 µg/L			
25 trans-1,3-Dichloropropene	ND	3.0 µg/L			

Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected



*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager  
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity: Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



*PS*  
2/2/17

Report Date

Page 1 of 1



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861  
Job: Grit Auto

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005

Alpha Analytical Number: STR17012603-04A  
Client I.D. Number: MW-5

Sampled: 01/25/17 09:18  
Received: 01/26/17  
Extracted: 01/30/17 14:30  
Analyzed: 01/30/17 14:30

### Volatile Organics by GC/MS EPA Method 624/8260

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Chloromethane	ND	2.0 µg/L	26 1,1,2-Trichloroethane	ND	1.0 µg/L
2 Vinyl chloride	ND	1.0 µg/L	27 Toluene	ND	0.50 µg/L
3 Chloroethane	ND	1.0 µg/L	28 Dibromochloromethane	ND	1.0 µg/L
4 Bromomethane	ND	2.0 µg/L	29 1,2-Dibromoethane (EDB)	ND	2.0 µg/L
5 Trichlorofluoromethane	ND	1.0 µg/L	30 Tetrachloroethene	ND	1.0 µg/L
6 1,1-Dichloroethene	ND	1.0 µg/L	31 Chlorobenzene	ND	1.0 µg/L
7 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	32 Ethylbenzene	ND	0.50 µg/L
8 Dichloromethane	ND	2.0 µg/L	33 m,p-Xylene	ND	0.50 µg/L
9 trans-1,2-Dichloroethene	ND	1.0 µg/L	34 Bromoform	ND	1.0 µg/L
10 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	35 o-Xylene	ND	0.50 µg/L
11 1,1-Dichloroethane	ND	1.0 µg/L	36 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
12 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	37 1,3-Dichlorobenzene	ND	1.0 µg/L
13 cis-1,2-Dichloroethene	1.0	1.0 µg/L	38 1,4-Dichlorobenzene	ND	1.0 µg/L
14 Chloroform	ND	1.0 µg/L	39 1,2-Dichlorobenzene	ND	1.0 µg/L
15 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L			
16 1,2-Dichloroethane	2.9	1.0 µg/L			
17 1,1,1-Trichloroethane	ND	1.0 µg/L			
18 Carbon tetrachloride	ND	1.0 µg/L			
19 Benzene	0.56	0.50 µg/L			
20 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L			
21 1,2-Dichloropropane	ND	1.0 µg/L			
22 Trichloroethene	ND	1.0 µg/L			
23 Bromodichloromethane	ND	1.0 µg/L			
24 cis-1,3-Dichloropropene	ND	1.0 µg/L			
25 trans-1,3-Dichloropropene	ND	1.0 µg/L			

ND = Not Detected

*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager

Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity: Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



*PS*  
2/2/17

Report Date

Page 1 of 1





# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861  
Job: Grit Auto

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005

Alpha Analytical Number: STR17012603-05A  
Client I.D. Number: MW-6

Sampled: 01/25/17 11:30  
Received: 01/26/17  
Extracted: 01/31/17 18:29  
Analyzed: 01/31/17 18:29

### Volatile Organics by GC/MS EPA Method 624/8260

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Chloromethane	ND	4.0 µg/L	26 1,1,2-Trichloroethane	ND	1.0 µg/L
2 Vinyl chloride	ND	1.0 µg/L	27 Toluene	7.2	0.50 µg/L
3 Chloroethane	ND	1.0 µg/L	28 Dibromochloromethane	ND	1.0 µg/L
4 Bromomethane	ND	4.0 µg/L	29 1,2-Dibromoethane (EDB)	ND	2.0 µg/L
5 Trichlorofluoromethane	ND	1.0 µg/L	30 Tetrachloroethene	ND	1.0 µg/L
6 1,1-Dichloroethene	ND	1.0 µg/L	31 Chlorobenzene	ND	1.0 µg/L
7 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	32 Ethylbenzene	140	0.50 µg/L
8 Dichloromethane	ND	4.0 µg/L	33 m,p-Xylene	110	0.50 µg/L
9 trans-1,2-Dichloroethene	ND	1.0 µg/L	34 Bromoform	ND	1.0 µg/L
10 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	35 o-Xylene	8.3	0.50 µg/L
11 1,1-Dichloroethane	ND	1.0 µg/L	36 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
12 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	37 1,3-Dichlorobenzene	ND	1.0 µg/L
13 cis-1,2-Dichloroethene	ND	1.0 µg/L	38 1,4-Dichlorobenzene	ND	1.0 µg/L
14 Chloroform	ND	1.0 µg/L	39 1,2-Dichlorobenzene	ND	1.0 µg/L
15 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L			
16 1,2-Dichloroethane	ND	1.0 µg/L			
17 1,1,1-Trichloroethane	ND	1.0 µg/L			
18 Carbon tetrachloride	ND	1.0 µg/L			
19 Benzene	40	0.50 µg/L			
20 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L			
21 1,2-Dichloropropane	ND	1.0 µg/L			
22 Trichloroethene	ND	1.0 µg/L			
23 Bromodichloromethane	ND	1.0 µg/L			
24 cis-1,3-Dichloropropene	ND	1.0 µg/L			
25 trans-1,3-Dichloropropene	ND	1.0 µg/L			

Some Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager

Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity: Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



*RS*  
2/2/17

Report Date

Page 1 of 1



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861  
Job: Grit Auto

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005

Alpha Analytical Number: STR17012603-06A  
Client I.D. Number: MW-8

Sampled: 01/25/17 10:12  
Received: 01/26/17  
Extracted: 01/30/17 15:17  
Analyzed: 01/30/17 15:17

### Volatile Organics by GC/MS EPA Method 624/8260

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Chloromethane	ND	2.0 µg/L	26 1,1,2-Trichloroethane	ND	1.0 µg/L
2 Vinyl chloride	1.1	1.0 µg/L	27 Toluene	ND	0.50 µg/L
3 Chloroethane	ND	1.0 µg/L	28 Dibromochloromethane	ND	1.0 µg/L
4 Bromomethane	ND	2.0 µg/L	29 1,2-Dibromoethane (EDB)	ND	2.0 µg/L
5 Trichlorofluoromethane	ND	1.0 µg/L	30 Tetrachloroethene	1.1	1.0 µg/L
6 1,1-Dichloroethene	ND	1.0 µg/L	31 Chlorobenzene	ND	1.0 µg/L
7 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	32 Ethylbenzene	1.0	0.50 µg/L
8 Dichloromethane	ND	2.0 µg/L	33 m,p-Xylene	1.0	0.50 µg/L
9 trans-1,2-Dichloroethene	ND	1.0 µg/L	34 Bromoform	ND	1.0 µg/L
10 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	35 o-Xylene	ND	0.50 µg/L
11 1,1-Dichloroethane	ND	1.0 µg/L	36 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
12 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	37 1,3-Dichlorobenzene	ND	1.0 µg/L
13 cis-1,2-Dichloroethene	2.6	1.0 µg/L	38 1,4-Dichlorobenzene	ND	1.0 µg/L
14 Chloroform	ND	1.0 µg/L	39 1,2-Dichlorobenzene	ND	1.0 µg/L
15 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L			
16 1,2-Dichloroethane	ND	1.0 µg/L			
17 1,1,1-Trichloroethane	ND	1.0 µg/L			
18 Carbon tetrachloride	ND	1.0 µg/L			
19 Benzene	ND	0.50 µg/L			
20 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L			
21 1,2-Dichloropropane	ND	1.0 µg/L			
22 Trichloroethene	1.2	1.0 µg/L			
23 Bromodichloromethane	ND	1.0 µg/L			
24 cis-1,3-Dichloropropene	ND	1.0 µg/L			
25 trans-1,3-Dichloropropene	ND	1.0 µg/L			

ND = Not Detected

*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager

Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity: Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



*[Signature]*

2/2/17

Report Date

Page 1 of 1



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

Stratus Environmental  
3330 Cameron Park Drive  
Cameron Park, CA 956828861  
Job: Gritmit Auto

Attn: Scott Bittinger  
Phone: (530) 676-2062  
Fax: (530) 676-6005

Alpha Analytical Number: STR17012603-07A  
Client I.D. Number: MW-9

Sampled: 01/25/17 09:50  
Received: 01/26/17  
Extracted: 01/30/17 18:49  
Analyzed: 01/30/17 18:49

### Volatile Organics by GC/MS EPA Method 624/8260

Compound	Concentration	Reporting Limit	Compound	Concentration	Reporting Limit
1 Chloromethane	ND	2.0 µg/L	26 1,1,2-Trichloroethane	ND	1.0 µg/L
2 Vinyl chloride	ND	1.0 µg/L	27 Toluene	ND	0.50 µg/L
3 Chloroethane	ND	1.0 µg/L	28 Dibromochloromethane	ND	1.0 µg/L
4 Bromomethane	ND	2.0 µg/L	29 1,2-Dibromoethane (EDB)	ND	2.0 µg/L
5 Trichlorofluoromethane	ND	1.0 µg/L	30 Tetrachloroethene	ND	1.0 µg/L
6 1,1-Dichloroethene	ND	1.0 µg/L	31 Chlorobenzene	ND	1.0 µg/L
7 Tertiary Butyl Alcohol (TBA)	ND	10 µg/L	32 Ethylbenzene	ND	0.50 µg/L
8 Dichloromethane	ND	2.0 µg/L	33 m,p-Xylene	ND	0.50 µg/L
9 trans-1,2-Dichloroethene	ND	1.0 µg/L	34 Bromoform	ND	1.0 µg/L
10 Methyl tert-butyl ether (MTBE)	ND	0.50 µg/L	35 o-Xylene	ND	0.50 µg/L
11 1,1-Dichloroethane	ND	1.0 µg/L	36 1,1,2,2-Tetrachloroethane	ND	1.0 µg/L
12 Di-isopropyl Ether (DIPE)	ND	1.0 µg/L	37 1,3-Dichlorobenzene	ND	1.0 µg/L
13 cis-1,2-Dichloroethene	ND	1.0 µg/L	38 1,4-Dichlorobenzene	ND	1.0 µg/L
14 Chloroform	ND	1.0 µg/L	39 1,2-Dichlorobenzene	ND	1.0 µg/L
15 Ethyl Tertiary Butyl Ether (ETBE)	ND	1.0 µg/L			
16 1,2-Dichloroethane	ND	1.0 µg/L			
17 1,1,1-Trichloroethane	ND	1.0 µg/L			
18 Carbon tetrachloride	ND	1.0 µg/L			
19 Benzene	ND	0.50 µg/L			
20 Tertiary Amyl Methyl Ether (TAME)	ND	1.0 µg/L			
21 1,2-Dichloropropane	ND	1.0 µg/L			
22 Trichloroethene	ND	1.0 µg/L			
23 Bromodichloromethane	ND	1.0 µg/L			
24 cis-1,3-Dichloropropene	ND	1.0 µg/L			
25 trans-1,3-Dichloropropene	ND	1.0 µg/L			

ND = Not Detected

*Roger Scholl*

*Randy Gardner*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager

Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha Analytical, Inc. certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Statement of Data Authenticity: Alpha Analytical, Inc. attests that the data reported has not been altered in any way.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.



*RS*

2/2/17

Report Date

Page 1 of 1



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:  
02-Feb-17

## QC Summary Report

Work Order:  
17012603

### Method Blank

File ID: 1	Type MBLK	Test Code: EPA Method 1664A								
Sample ID: MBLK	Units : µg/L	Run ID: MANUAL_170131J	Batch ID: W0131OG	Analysis Date: 01/31/2017 00:00				Prep Date: 01/31/2017 00:00		
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Oil & Grease, HEM	ND	5000								

### Laboratory Control Spike

File ID: 2	Type LCS	Test Code: EPA Method 1664A								
Sample ID: LCS	Units : µg/L	Run ID: MANUAL_170131J	Batch ID: W0131OG	Analysis Date: 01/31/2017 00:00				Prep Date: 01/31/2017 00:00		
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Oil & Grease, HEM	40500	5000	40000		101	78	114			

### Sample Matrix Spike

File ID: 3	Type MS	Test Code: EPA Method 1664A								
Sample ID: 17012521-01A	Units : µg/L	Run ID: MANUAL_170131J	Batch ID: W0131OG	Analysis Date: 01/31/2017 00:00				Prep Date: 01/31/2017 00:00		
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Oil & Grease, HEM	39700	5000	40000		0 99	78	114			

### Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

HEM = Hexane Extractable Material

Reported in micrograms per Liter, per client request.



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:  
02-Feb-17

## QC Summary Report

Work Order:  
17012603

### Method Blank

File ID: 1	Type MBLK	Test Code: EPA Method 1664A							Analysis Date: 02/01/2017 00:00	
Sample ID: MBLK	Units : µg/L	Batch ID: W0201SG			Run ID: MANUAL_170201C				Prep Date: 02/01/2017 00:00	
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Oil & Grease, SGT-HEM	ND	5000								

### Laboratory Control Spike

File ID: 2	Type LCS	Test Code: EPA Method 1664A							Analysis Date: 02/01/2017 00:00	
Sample ID: LCS	Units : µg/L	Batch ID: W0201SG			Run ID: MANUAL_170201C				Prep Date: 02/01/2017 00:00	
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Oil & Grease, SGT-HEM	21700	5000	20000		109	64	132			

### Sample Matrix Spike

File ID: 3	Type MS	Test Code: EPA Method 1664A							Analysis Date: 02/01/2017 00:00	
Sample ID: 17012521-01A	Units : µg/L	Batch ID: W0201SG			Run ID: MANUAL_170201C				Prep Date: 02/01/2017 00:00	
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Oil & Grease, SGT-HEM	16300	5000	20000		0	82	64	132		

### Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

SGT-HEM = Silica Gel Treated Hexane Extractable Material

Reported in micrograms per Liter, per client request.



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778

(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:  
01-Feb-17

## QC Summary Report

Work Order:  
17012603

### Method Blank

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	ND	50								
Surr: 1,2-Dichloroethane-d4	9.35		10		94	70	130			
Surr: Toluene-d8	11.6		10		116	70	130			
Surr: 4-Bromofluorobenzene	8.59		10		86	70	130			

### Laboratory Control Spike

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	389	50	400		97	70	130			
Surr: 1,2-Dichloroethane-d4	9.14		10		91	70	130			
Surr: Toluene-d8	11.4		10		114	70	130			
Surr: 4-Bromofluorobenzene	9.77		10		98	70	130			

### Sample Matrix Spike

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	1670	250	2000		84	46	167			
Surr: 1,2-Dichloroethane-d4	47.2		50		94	70	130			
Surr: Toluene-d8	56.2		50		112	70	130			
Surr: 4-Bromofluorobenzene	47.6		50		95	70	130			

### Sample Matrix Spike Duplicate

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	1740	250	2000		87	54	143	1673	4.0(23)	
Surr: 1,2-Dichloroethane-d4	48		50		96	70	130			
Surr: Toluene-d8	55.7		50		111	70	130			
Surr: 4-Bromofluorobenzene	47.4		50		95	70	130			

### Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Gasoline Range Organics (GRO) C4-C13

Reported in micrograms per Liter, per client request.



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:  
01-Feb-17

## QC Summary Report

Work Order:  
17012603

### Method Blank

Type MBLK Test Code: EPA Method SW8260B

File ID: 2	Batch ID: MS15W0130A	Analysis Date: 01/30/2017 13:19											
Sample ID: MBLK MS15W0130A	Run ID: MANUAL_170130C	Prep Date: 01/30/2017 13:19											
Analyte	Units : µg/L	Run ID: MANUAL_170130C	Prep Date: 01/30/2017 13:19	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Chloromethane	ND	2											
Vinyl chloride	ND	1											
Chloroethane	ND	1											
Bromomethane	ND	2											
Trichlorofluoromethane	ND	1											
1,1-Dichloroethene	ND	1											
Tertiary Butyl Alcohol (TBA)	ND	10											
Dichloromethane	ND	2											
trans-1,2-Dichloroethene	ND	1											
Methyl tert-butyl ether (MTBE)	ND	0.5											
1,1-Dichloroethane	ND	1											
Di-isopropyl Ether (DIPE)	ND	1											
cis-1,2-Dichloroethene	ND	1											
Chloroform	ND	1											
Ethyl Tertiary Butyl Ether (ETBE)	ND	1											
1,2-Dichloroethane	ND	1											
1,1,1-Trichloroethane	ND	1											
Carbon tetrachloride	ND	1											
Benzene	ND	0.5											
Tertiary Amyl Methyl Ether (TAME)	ND	1											
1,2-Dichloropropane	ND	1											
Trichloroethene	ND	1											
Bromodichloromethane	ND	1											
cis-1,3-Dichloropropene	ND	1											
trans-1,3-Dichloropropene	ND	1											
1,1,2-Trichloroethane	ND	1											
Toluene	ND	0.5											
Dibromochloromethane	ND	1											
1,2-Dibromoethane (EDB)	ND	2											
Tetrachloroethene	ND	1											
Chlorobenzene	ND	1											
Ethylbenzene	ND	0.5											
m,p-Xylene	ND	0.5											
Bromoform	ND	1											
o-Xylene	ND	0.5											
1,1,2,2-Tetrachloroethane	ND	1											
1,3-Dichlorobenzene	ND	1											
1,4-Dichlorobenzene	ND	1											
1,2-Dichlorobenzene	ND	1											
Surr: 1,2-Dichloroethane-d4	9.35		10		94	70	130						
Surr: Toluene-d8	11.6		10		116	70	130						
Surr: 4-Bromofluorobenzene	8.59		10		86	70	130						

### Laboratory Control Spike

Type LCS Test Code: EPA Method SW8260B

File ID: 1	Batch ID: MS15W0130A	Analysis Date: 01/30/2017 12:05											
Sample ID: LCS MS15W0130A	Run ID: MANUAL_170130C	Prep Date: 01/30/2017 12:05											
Analyte	Units : µg/L	Run ID: MANUAL_170130C	Prep Date: 01/30/2017 12:05	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
1,1-Dichloroethene	8.98	1	10		90	70	130						
Methyl tert-butyl ether (MTBE)	9.92	0.5	10		99	63	137						
Benzene	8.57	0.5	10		86	70	130						
Trichloroethene	8.95	1	10		90	68	138						
Toluene	9.09	0.5	10		91	70	130						
Chlorobenzene	9.43	1	10		94	70	130						
Ethylbenzene	8.96	0.5	10		90	70	130						
m,p-Xylene	8.47	0.5	10		85	65	139						
o-Xylene	8.31	0.5	10		83	70	130						
Surr: 1,2-Dichloroethane-d4	10.2		10		102	70	130						
Surr: Toluene-d8	11.1		10		111	70	130						
Surr: 4-Bromofluorobenzene	9.1		10		91	70	130						



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:  
01-Feb-17

## QC Summary Report

Work Order:  
17012603

### Sample Matrix Spike

File ID: 1	Type MS	Test Code: EPA Method SW8260B									
Sample ID: 17012603-02AMS	Units: µg/L	Batch ID: MS15W0130A					Analysis Date: 01/30/2017 21:33				
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual	
1,1-Dichloroethene	50.8	2.5	50	0	102	62	133				
Methyl tert-butyl ether (MTBE)	68	1.3	50	0	136	56	140				
Benzene	56.5	1.3	50	0	113	67	134				
Trichloroethene	59.9	2.5	50	7.5	105	68	138				
Toluene	56.8	1.3	50	0	114	38	130				
Chlorobenzene	57.6	2.5	50	0	115	70	130				
Ethylbenzene	50.8	1.3	50	0	102	70	130				
m,p-Xylene	47.9	1.3	50	0	96	65	139				
o-Xylene	50.7	1.3	50	0	101	69	130				
Surr: 1,2-Dichloroethane-d4	45.9		50		92	70	130				
Surr: Toluene-d8	56.2		50		112	70	130				
Surr: 4-Bromofluorobenzene	48.2		50		96	70	130				

### Sample Matrix Spike Duplicate

File ID: 2	Type MSD	Test Code: EPA Method SW8260B									
Sample ID: 17012603-02AMSD	Units: µg/L	Batch ID: MS15W0130A					Analysis Date: 01/30/2017 21:56				
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual	
1,1-Dichloroethene	58.7	2.5	50	0	117	62	133	50.78	14.5(35)		
Methyl tert-butyl ether (MTBE)	75.1	1.3	50	0	150	56	140	67.97	10.0(40)	M1	
Benzene	62.9	1.3	50	0	126	67	134	56.46	10.7(21)		
Trichloroethene	68.9	2.5	50	7.5	123	68	138	59.87	14.0(20)		
Toluene	63.6	1.3	50	0	127	38	130	56.84	11.2(20)		
Chlorobenzene	64.4	2.5	50	0	129	70	130	57.63	11.1(20)		
Ethylbenzene	58.6	1.3	50	0	117	70	130	50.8	14.2(20)		
m,p-Xylene	55.8	1.3	50	0	112	65	139	47.92	15.3(20)		
o-Xylene	58.2	1.3	50	0	116	69	130	50.69	13.7(20)		
Surr: 1,2-Dichloroethane-d4	46.9		50		94	70	130				
Surr: Toluene-d8	55		50		110	70	130				
Surr: 4-Bromofluorobenzene	47.5		50		95	70	130				

#### Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.



# CHAIN-OF-CUSTODY RECORD

**Alpha Analytical, Inc.**  
 255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778  
 TEL: (775) 355-1044 FAX: (775) 355-0406

# CA

**WorkOrder : STR17012603**  
**Report Due By : 5:00 PM On : 02-Feb-17**

**Client:**  
 Stratus Environmental  
 3330 Cameron Park Drive  
 Suite 550  
 Cameron Park, CA 95682-8861

Report Attention	Phone Number	EEmail Address
Scott Bittinger	(530) 676-2062 x	sbittinger@stratusinc.net

EDD Required : Yes

Sampled by : C. HILL


PO :  
 Client's COC # : 1063      Job : Gritmit Auto

Cooler Temp	Samples Received	Date Printed
2 °C	26-Jan-17	26-Jan-17

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Alpha Sample ID	Client Sample ID	Collection Matrix	Date	No. of Bottles			Requested Tests				Sample Remarks
				Alpha	Sub	TAT	OG_HEM_W	OG_SGT_W	TPH/P_W	VOC_W	
STR17012603-01A	MW-1	AQ	01/25/17 11:20	8	0	5	X	X	GAS-C	8260_Cs	
STR17012603-02A	MW-2	AQ	01/25/17 10:45	8	0	5	X	X	GAS-C	8260_Cs	
STR17012603-03A	MW-4	AQ	01/25/17 11:10	8	0	5	X	X	GAS-C	8260_Cs	
STR17012603-04A	MW-5	AQ	01/25/17 09:18	8	0	5	X	X	GAS-C	8260_Cs	
STR17012603-05A	MW-6	AQ	01/25/17 11:30	8	0	5	X	X	GAS-C	8260_Cs	
STR17012603-06A	MW-8	AQ	01/25/17 10:12	8	0	5	X	X	GAS-C	8260_Cs	
STR17012603-07A	MW-9	AQ	01/25/17 09:50	8	0	5	X	X	GAS-C	8260_Cs	

Comments: Security seals intact. Frozen ice. :

Logged in by:	Signature	Print Name	Company	Date/Time
		Meghanc.	Alpha Analytical, Inc.	1/26/17 1410

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other)      Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

# CHAIN OF CUSTODY

1063

**Billing Information:**

Company: Stark's  
 Attn: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City, State, Zip: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_ Fax: \_\_\_\_\_



**Alpha Analytical, Inc.**

Main Laboratory: 255 Glendale Ave, Suite 21 Sparks, NV 89431

Phone: 775-355-1044

Fax: 775-355-0406

**Satellite Service Centers:**

Northern CA: 9891 Horn Road, Suite C, Rancho Cordova, CA 95827

Phone: 916-366-9089

Southern CA: 1007 E. Dominguez St., Suite O, Carson, CA 90746

Phone: 714-386-2901

Northern NV: Elko, NV 89801

Phone: 775-388-7043

Southern NV: Las Vegas, NV 89120

Phone: 702-281-4848

Page # 1 of 1

**Consultant/Client Info:**

Company: Stark's  
 Address: \_\_\_\_\_  
 City, State, Zip: \_\_\_\_\_

**Job and Purchase Order Info:**

Job # \_\_\_\_\_  
 Job Name: Crmit Auto  
 P.O. #: \_\_\_\_\_

**Report Attention/Project Manager:**

Name: Scott  
 Email Address: \_\_\_\_\_  
 Phone #: \_\_\_\_\_  
 Cell #: \_\_\_\_\_

**QC Deliverable Info:**

EDD Required? Yes / No \_\_\_\_\_ EDF Required? Yes / No \_\_\_\_\_  
 Global ID: T0600100667  
 Data Validation Packages: III or IV \_\_\_\_\_

Samples Collected from which State? (circle one) AR CA KS NV OR WA DOD Site Other

Time Sampled (HHMM)	Date Sampled (MM/DD)	Matrix (See Key Below)	Lab ID Number (For Lab Use Only)	Sample Description	TAT	# Containers* (See Key Below)	Analysis Requested										Remarks			
							Field Filtered?	GRD	BHex	Boxys	1,2 DCA	EDB	HWOC's	Oil + Grease	Yes	No				
1120	1/3/17	AQ	STR17012603-01A	MW-1	SD	8	X	X	X	X	X	X	X	X						
1045	}	}	}	02A MW-2	}	8	X													
1110				03A MW-4		8	X													
0918				04A MW-5		8	X													
1130				05A MW-6		8	X													
1012				06A MW-8		8	X													
0950	1/3/17	AQ	01A MW-9		SD	8	X	X	X	X	X	X	X	X						

ADDITIONAL INSTRUCTIONS: oil + Grease with silica gel cleanup

I (field sampler) attest to the validity and authenticity of this sample(s). I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action. NAC 445.0636 (c) (2).

Sampled By: <u>OHILL</u>	Date: <u>012517</u>	Time: <u>1324</u>	Received by: (Signature/Affiliation): <u>E. F. M. C. I. A. M. O.</u>	Date: <u>012517</u>	Time: <u>1324</u>
Relinquished by: (Signature/Affiliation): <u>Stark's</u>	Date: _____	Time: _____	Received by: (Signature/Affiliation): <u>[Signature]</u>	Date: <u>1/26/17</u>	Time: <u>1355</u>
Relinquished by: (Signature/Affiliation): _____	Date: _____	Time: _____	Received by: (Signature/Affiliation): _____	Date: _____	Time: _____

\* Key: AQ - Aqueous AR-Air OT - Other So-Soil WA - Waste \*\* B - Brass L - Liter O - Orbo OT - Other P - Plastic S-Soil Jar T - Tedlar V - VOA

NOTE: Samples are discarded 60 days after sample receipt unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

**APPENDIX D**

**GEOTRACKER ELECTRONIC SUBMITTAL  
CONFIRMATIONS**

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A EDF FILE

## SUCCESS

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

<b><u>Submittal Type:</u></b>	<b>EDF</b>
<b><u>Report Title:</u></b>	<b>1st Quarter 2017 Groundwater Monitoring Analytical Results</b>
<b><u>Report Type:</u></b>	<b>Monitoring Report - Semi-Annually</b>
<b><u>Facility Global ID:</u></b>	<b>T0600100667</b>
<b><u>Facility Name:</u></b>	<b>GRIMIT AUTO REPAIR &amp; SERVICE</b>
<b><u>File Name:</u></b>	<b>17012603_EDF.zip</b>
<b><u>Organization Name:</u></b>	<b>Stratus Environmental, Inc.</b>
<b><u>Username:</u></b>	<b>STRATUS NOCAL</b>
<b><u>IP Address:</u></b>	<b>50.192.223.97</b>
<b><u>Submittal Date/Time:</u></b>	<b>2/21/2017 11:05:11 AM</b>
<b><u>Confirmation Number:</u></b>	<b>8590883255</b>

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2017 State of California

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A GEO\_WELL FILE

**SUCCESS**

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

<b><u>Submittal Type:</u></b>	<b>GEO_WELL</b>
<b><u>Report Title:</u></b>	<b>1st Quarter 2017 Groundwater Monitoring Geo_Well</b>
<b><u>Facility Global ID:</u></b>	<b>T0600100667</b>
<b><u>Facility Name:</u></b>	<b>GRIMIT AUTO REPAIR &amp; SERVICE</b>
<b><u>File Name:</u></b>	<b>GEO_WELL.zip</b>
<b><u>Organization Name:</u></b>	<b>Stratus Environmental, Inc.</b>
<b><u>Username:</u></b>	<b>STRATUS NOCAL</b>
<b><u>IP Address:</u></b>	<b>50.192.223.97</b>
<b><u>Submittal Date/Time:</u></b>	<b>1/30/2017 1:00:31 PM</b>
<b><u>Confirmation Number:</u></b>	<b>8040742874</b>

Copyright © 2017 State of California