

Detterman, Mark, Env. Health

From: Detterman, Mark, Env. Health
Sent: Monday, June 25, 2018 10:05 AM
To: 'Olton, Shane'
Cc: andrea.wing@shell.com; Cristin.Bruce@shell.com
Subject: RE: 4411 Foothill Blvd, Oakland, CA (PlaNet Site ID 10059562): Fuel Leak Case No. RO0000427 - Extension Request for Data Gap Investigation Work Plan and Tabular SCM

Shane,
Thanks for following up. The approach appears reasonable. Consequently, ACDEH has extended the submittal date of the Data Gap Work Plan and tabular SCM to October 3, 2018. The extended due date has been updated on GeoTracker.
I'll attempt to review the brief work plan with SOPs fairly quickly also.

Mark Detterman
Senior Geologist, PG, CEG
Senior Hazardous Materials Specialist
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF Copies of case files can be downloaded at:
<http://www.acgov.org/aceh/lop/ust.htm>

From: Olton, Shane [mailto:Shane.Olton@aecom.com]
Sent: Friday, June 22, 2018 5:38 PM
To: Detterman, Mark, Env. Health <Mark.Detterman@acgov.org>
Cc: andrea.wing@shell.com; Cristin.Bruce@shell.com
Subject: 4411 Foothill Blvd, Oakland, CA (PlaNet Site ID 10059562): Fuel Leak Case No. RO0000427 - Extension Request for Data Gap Investigation Work Plan and Tabular SCM

Hi Mark,

On behalf of Equilon Enterprises LLC dba Shell Oil Products US (Equilon), AECOM Technical Services, Inc. is submitting this extension request for submittal of a *Data Gap Investigation Work Plan and Tabular SCM* (SCM) for the above referenced site as requested in a directive from the Alameda County Department of Environmental Health (ACDEH), dated May 30, 2018. An extension for submittal of the SCM is requested from August 3, 2018 to October 3, 2018. Per our conversation this afternoon we recommend sampling select existing soil vapor wells (as requested in the ACDEH directive) prior to submittal of an updated SCM so that the most updated site information can be considered when evaluating the site and identifying potential data gaps, if any. A scope of work for sampling of existing soil vapor wells including propose wells and analysis, and a SOP will be forwarded to you via email by July 2, 2018 for your review and approval. Subsequent to submittal of the SCM, AECOM and Equilon would like to meet with the ACDEH to discuss the path forward for the site. Please let me know if you have any questions or comments.

We look forward to your response.

Regards,

Shane Olton, P.G.
Portfolio Manager, Site Assessment and Remediation Department
D +1-916-414-5849
M +1-530-908-4404
shane.olton@aecom.com

AECOM
2020 L Street, Suite 400
Sacramento, CA 95811, USA
T +1-916-414-5800
aecom.com

Built to deliver a better world

[LinkedIn](#) [Twitter](#) [Facebook](#) [Instagram](#)

