

March 17, 2003

✓ R0415

Amir K. Gholami, REHS
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Fourth Quarter 2002 Monitoring Report**
Former Shell Service Station
4411 Foothill Boulevard
Oakland, California
Incident #98995746
Cambria Project #245-0897-002



Dear Mr. Gholami:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

FOURTH QUARTER 2002 ACTIVITIES

Groundwater Monitoring: Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged and sampled all onsite wells, calculated groundwater elevations, and compiled the analytical data. Blaine's report, presenting the laboratory report and supporting field documents, is included as Attachment A. Joint sampling and gauging of the adjacent Chevron service station was coordinated and conducted with Chevron's contractor, Gettler Ryan Inc. Gettler-Ryan prepared a table of groundwater monitoring data for the Chevron service station, which is presented as Attachment B. Cambria compiled groundwater elevation and analytical data, and prepared a vicinity map, which includes previously submitted well survey information (Figure 1) and a groundwater elevation contour map (Figure 2).

ANTICIPATED FIRST QUARTER 2003 ACTIVITIES

Groundwater Monitoring: Blaine will gauge and sample all site wells and tabulate field and analytical data. Joint gauging and sampling of the adjacent Chevron service station will be coordinated with Gettler Ryan. Blaine will also conduct coordinated annual gauging and sampling at the adjacent BP Oil Company service station. Cambria will prepare a monitoring report.

**Cambria
Environmental
Technology, Inc.**


5900 Hollis Street
Suite A
Emeryville, CA 94608
Tel (510) 420-0700
Fax (510) 420-9170


CLOSING

We appreciate the opportunity to work with you on this project. Please call Matt Derby at (510) 420-3332, if you have any questions or comments.

Sincerely,
Cambria Environmental Technology, Inc




Anni Kreml
Senior Staff Scientist


Matthew W. Derby, P.E.
Senior Project Engineer




Figures: 1 - Vicinity/Area Well Survey Map
2 - Groundwater Elevation Contour Map

Attachments: A - Blaine Groundwater Monitoring Report and Field Notes
B - Gettler-Ryan / Chevron Groundwater Monitoring Data

cc: Karen Petryna, Shell Oil Products US, P.O. Box 7869, Burbank, CA, 91510-7869
Deanna Harding, Gettler Ryan, Inc., 747 Sierra Ct., Dublin, CA 94568
J.T. & Elizabeth G. Watters, Trs., 600 Caldwell Road, Oakland, CA 94611
Walter G. & Jeanette P Watters, Trs., 101 Jasmine Creek Drive, Corona Del Mar,
CA 92665
Mr. Chilton H. Lee, Esq., 2600 El Camino Real, Suite 603, Palo Alto, CA 94306-1705

G:\Oakland 4411 Foothill\QM\4q02\4q02q.doc



G:\OAK 4411 FOOTHILL\FIGURES\VIC-WELL-SURVEY.A1

EXPLANATION	
WELL	Monitoring well
WELL	Cathodic protection well
WELL	Test well
WELL	Industrial well
WELL	Destroyed well
	Subject site
	Study area


SOURCE: TOPOI MAPS

0 1/6 1/3 1/2 1
SCALE : 1" = 1/6 MILE

Former Shell Service Station
 4411 Foothill Boulevard
 Oakland, California
 Incident #98995746



**Vicinity/Area Well
 Survey Map**
 (1/2-Mile Radius)



G:\OAKLAND\4411FOOTHILL\FIGURES\4QM02.MP.A1

FIGURE 2

Former Shell Service Station
4411 Foothill Boulevard
Oakland, California
Incident #98995746

ATTACHMENT A
Blaine Groundwater Monitoring Report
and Field Notes

BLAINE
TECH SERVICES, INC.



1680 ROGERS AVENUE
SAN JOSE, CA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE
CONTRACTOR'S LICENSE #746684
www.blainetech.com

January 15, 2003

Karen Petryna
Shell Oil Products US
P.O. Box 7869
Burbank, CA 91510-7869

Fourth Quarter 2002 Groundwater Monitoring at
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Monitoring performed on December 11, 2002

Groundwater Monitoring Report 021211-DW-2

This report covers the routine monitoring of groundwater wells at this former Shell facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart
Project Coordinator

LG/jt

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Anni Kreml
Cambria Environmental Technology, Inc.
1144 65th Street, Ste. C
Oakland, CA 94608-2411

WELL CONCENTRATIONS
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
S-1	12/18/1992	41,000	NA	3,100	1,100	1,200	8,700	NA	NA	38.31	9.06	NA	NA
S-1	05/26/1993	39,000	6,000	1,300	4,700	1,500	7,800	NA	NA	38.31	NA	NA	NA
S-1	05/28/1993	NA	NA	NA	NA	NA	NA	NA	NA	38.31	12.13	26.18	NA
S-1	06/03/1993	NA	NA	NA	NA	NA	NA	NA	NA	38.31	8.89	29.42	NA
S-1	06/08/1993	NA	NA	NA	NA	NA	NA	NA	NA	38.31	8.80	29.51	NA
S-1	09/21/1993	34,000	5,900	480	5,000	3,800	18,000	NA	NA	38.31	10.40	27.91	NA
S-1	12/14/1993	25,000	13,000	1,100	5,000	2,200	11,000	NA	NA	38.31	9.66	28.65	NA
S-1	03/17/1994	57,000	1,600	1,300	5,400	2,100	11,000	NA	NA	38.31	8.20	30.11	NA
S-1	06/16/1994	57,000	3,000	1,600	6,000	2,000	13,000	NA	NA	38.31	9.41	28.90	NA
S-1	09/22/1994	39,000	ND	1,300	2,100	1,500	7,100	NA	NA	38.31	11.13	27.18	NA
S-1 a	12/15/1994	30,000	3,100	1,100	4,700	1,600	10,000	NA	NA	38.31	7.15	31.16	NA
S-1 a, b	03/30/1995	30,000	3,100	1,400	4,000	1,500	11,000	NA	NA	38.31	6.09	32.22	NA
S-1	06/20/1995	28,000	2,100	1,100	2,300	1,100	8,300	NA	NA	38.31	7.30	31.01	NA
S-1	09/20/1995	40,000	2,600	840	3,600	1,300	8,600	NA	NA	38.31	10.02	28.29	NA
S-1 a	12/06/1995	38,000	6,400	920	3,200	1,500	9,400	NA	NA	38.31	11.64	26.67	NA
S-1	03/21/1996	48,000	NA	700	4,200	1,100	8,600	NA	NA	38.31	6.87	31.44	NA
S-1	09/06/1996	41,000	4,100	830	2,600	2,100	12,000	<250	NA	38.31	10.50	27.81	NA
S-1	12/19/1996	40,000	2,500	540	3,100	1,900	9,800	920	NA	38.31	8.24	30.07	NA
S-1	03/17/1997	42,000	4,700	610	2,700	1,700	11,000	3,500	NA	38.31	7.26	31.05	NA
S-1	06/11/1997	28,000	4,000	540	960	1,300	5,300	220	NA	38.31	10.69	27.62	NA
S-1 (D)	06/11/1997	30,000	3,900	580	1,000	1,400	5,400	<125	NA	38.31	10.69	27.62	NA
S-1	09/17/1997	27,000	4,400	310	1,200	1,900	9,000	170	NA	38.31	10.26	28.05	NA
S-1 (D)	09/17/1997	27,000	4,400	270	1,200	1,900	9,000	170	NA	38.31	10.26	28.05	NA
S-1	12/11/1997	21,000	3,400	350	820	1,500	6,500	<125	NA	38.31	6.96	31.35	NA
S-1	03/16/1998	25,000	2,500	250	820	670	5,000	<125	NA	38.31	6.00	32.31	NA
S-1 (D)	03/16/1998	26,000	NA	250	840	720	5,100	<125	NA	38.31	6.00	32.31	5.3/3.7
S-1	06/23/1998	<1,000	230	280	14	23	15	6,100	7,800	38.31	6.31	32.00	3.8/2.4
S-1	09/01/1998	26,000	2,300	370	620	1,300	33	1,400	120	38.31	9.17	29.14	1.4/2.6
S-1	12/30/1998	29,900	1,970	174	732	1,680	5,740	182	NA	38.31	8.99	29.32	1.6/2.0

WELL CONCENTRATIONS
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
S-1	03/30/1999	14,200	1,150	1,360	260	1,070	3,580	<500	90.0	38.31	6.10	32.21	1.2/1.8
S-1	03/31/1999	NA	NA	NA	NA	NA	NA	NA	NA	38.31	7.84	30.47	NA
S-1	06/14/1999	20,200	4,280	135	407	825	5,000	705	NA	38.31	7.94	30.37	1.4/2.1
S-1	09/30/1999	18,300	3,120	189	531	1,250	4,740	322	NA	38.31	10.04	28.27	4.3/2.0
S-1	12/22/1999	2,450	444a	50.2	97.5	139	458	133	NA	38.31	9.42	28.89	1.8/2.3
S-1	03/09/2000	1,230d	1,200a	21.2d	115d	116d	411d	45.1d	NA	38.30	6.21	32.09	2.0/2.9
S-1	06/20/2000	755	352a	26.0	48.4	43.1	230	71.5	NA	38.30	9.18	29.12	2.0/2.4
S-1	09/05/2000	2,980	783a	43.5	117	168	871	192	NA	38.30	10.14	28.16	0.6/0.3
S-1	12/04/2000	399	238a	5.34	14.6	36.2	106	24.9	NA	38.30	10.10	28.20	8.6/9.8
S-1	12/12/2000	NA	NA	NA	NA	NA	NA	NA	NA	38.30	9.22	29.08	NA
S-1	03/08/2001	2,940	1,390a	49.6	52.9	21.8	749	87.6	NA	38.30	5.84	32.46	2.7e
S-1	06/07/2001	10,000	1,400	120	370	680	2,400	150	NA	38.30	8.80	29.50	6.2/2.2
S-1	09/13/2001	240	<200	1.8	8.9	16	53	NA	17	38.30	10.25	28.05	7.8/8.9
S-1	11/19/2001	1,400	<300	14	42	110	260	NA	27	38.30	9.87	28.43	7.7/7.3
S-1	03/18/2002	7,500	<300	40	370	560	2,000	NA	20	38.30	5.08	33.22	5.6/6.1
S-1	06/19/2002	1,000	180	4.7	36	68	250	NA	14	38.30	9.26	29.04	NA
S-1	09/11/2002	2,100	<350	8.1	68	180	820	NA	7.1	38.30	10.54	27.76	6.5
S-1	12/11/2002	4,100	<500	16	93	310	900	NA	<20	38.04	9.97	28.07	8.0

S-2	05/28/1993	NA	NA	NA	NA	NA	NA	NA	NA	38.79	9.51	29.28	NA
S-2	06/03/1993	NA	NA	NA	NA	NA	NA	NA	NA	38.79	9.51	29.28	NA
S-2	06/08/1993	NA	NA	NA	NA	NA	NA	NA	NA	38.79	9.57	29.22	NA
S-2	06/29/1993	1,300	NA	290	35	38	130	NA	NA	38.79	NA	NA	NA
S-2	09/21/1993	3,300	NA	870	24	190	120	NA	NA	38.79	10.54	28.25	NA
S-2	12/14/1993	1,300	NA	400	16	36	27	NA	NA	38.79	9.76	29.03	NA
S-2	03/17/1994	4,500	NA	610	27	92	110	NA	NA	38.79	9.92	28.87	NA
S-2 (D)	03/17/1994	4,000	NA	610	26	93	120	NA	NA	38.79	9.92	28.87	NA
S-2	06/16/1994	2,800	NA	690	45	97	140	NA	NA	38.79	10.11	28.68	NA
S-2	09/22/1994	4,000	NA	630	94	64	230	NA	NA	38.79	10.51	28.28	NA

WELL CONCENTRATIONS
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
S-2	12/15/1994	1,600	NA	450	300	67	130	NA	NA	38.79	9.12	29.67	NA
S-2 b	03/30/1995	8,200	NA	2,800	190	240	700	NA	NA	38.79	7.86	30.93	NA
S-2	06/20/1995	9,600	NA	2,600	160	170	500	NA	NA	38.79	9.51	29.28	NA
S-2	09/20/1995	4,200	NA	920	45	98	140	NA	NA	38.79	10.06	28.73	NA
S-2	12/06/1995	<5,000	NA	790	67	64	130	NA	NA	38.79	10.52	28.27	NA
S-2	03/21/1996	3,700	NA	850	45	96	170	NA	NA	38.79	8.60	30.19	NA
S-2	09/06/1996	2,400	NA	500	33	39	84	490	NA	38.79	10.50	28.29	NA
S-2	12/19/1996	1,200	NA	330	15	24	31	430	NA	38.79	9.40	29.39	NA
S-2	03/17/1997	4,100	NA	780	42	110	120	2,200	NA	38.79	9.82	28.97	NA
S-2	06/11/1997	760	NA	120	<5.0	7.0	7.6	900	NA	38.79	10.18	28.61	NA
S-2	09/17/1997	1,500	NA	230	8.6	40	27	480	NA	38.79	9.90	28.89	NA
S-2	12/11/1997	1,300	NA	240	15	33	57	280	NA	38.79	8.27	30.52	NA
S-2	03/16/1998	1,100	NA	830	48	<10	<10	4,700	4,800	38.79	7.97	30.82	7.0/4.3
S-2	06/23/1998	720	NA	46	6.8	50	68	50	8.8	38.79	8.20	30.59	4.2/3.8
S-2 (D)	06/23/1998	810	NA	49	7.1	50	70	49	8.8	38.79	8.20	30.59	4.2/3.8
S-2	09/01/1998	<2,000	NA	170	<20	<20	<20	9,300	12,000	38.79	9.85	28.94	1.9/1.6
S-2	12/30/1998	<5,000	NA	369	<50	<50	<50	14,300	NA	38.79	9.84	28.95	2.0/1.8
S-2	03/30/1999	<2,000	NA	234	<20.0	27.4	36.9	49,200	53,000	38.79	8.41	30.38	2.1/1.8
S-2	03/31/1999	NA	NA	NA	NA	NA	NA	NA	NA	38.79	8.67	30.12	NA
S-2	06/14/1999	<1,000	NA	175	<10.0	<10.0	11.1	67,500	NA	38.79	9.80	28.99	NA
S-2	09/30/1999	678	177a	135	8.22	14.9	25.8	17,100	17,000c	38.79	10.58	28.21	5.1/4.8
S-2	12/22/1999	316	142a	55.8	10.1	5.26	10.4	9,410	8,810	38.79	10.13	28.66	9.6/5.2
S-2	03/09/2000	2,670	630a	1,190d	62.7	84.1	125	29,200d	31,400c	38.78	7.88	30.90	7.6/5.0
S-2	06/20/2000	<5,000	401a	348	<50.0	50.4	127	35,800	33,900c	38.78	10.27	28.51	1.9/2.2
S-2	09/05/2000	<5,000	373a	106	<50.0	<50.0	<50.0	25,800	37,100c	38.78	10.19	28.59	0.5/1.6
S-2	12/04/2000	<250	1,730a	4.37	<2.50	<2.50	<2.50	4,500	5,130c	38.78	10.30	28.48	10.6/9.4
S-2	12/12/2000	NA	NA	NA	NA	NA	NA	NA	NA	38.78	9.66	29.12	NA
S-2	03/08/2001	<2,500	<51.3	318	45.7	53.5	88.5	15,500	17,500	38.78	8.57	30.21	2.7e
S-2	06/07/2001	18,000	11,000	450	170	390	2,200	13,000	18,000	38.78	9.39	29.39	1.1/2.0

WELL CONCENTRATIONS
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
S-2	09/13/2001	13,000	<5,000	140	110	350	1,400	NA	9,200	38.78	10.34	28.44	11.0/4.5
S-2	11/19/2001	15,000	8,700	71	27	86	330	NA	7,500	38.78	9.90	28.88	5.0/3.1
S-2	03/18/2002	3,700	14,000	93	<20	35	100	NA	7,500	38.78	9.91	28.87	0.9/4.2
S-2	06/19/2002	2,100	<2,000	92	<10	24	50	NA	4,700	38.78	9.98	28.80	NA
S-2	09/11/2002	2,100	<450	54	<5.0	19	55	NA	1,900	38.78	10.25	28.53	3.5
S-2	12/11/2002	570	1,900	9.4	<2.5	7.2	14	NA	1,100	38.47	9.99	28.48	2.0
S-3	05/28/1993	NA	NA	NA	NA	NA	NA	NA	NA	37.33	8.45	28.88	NA
S-3	06/03/1993	NA	NA	NA	NA	NA	NA	NA	NA	37.33	8.36	28.97	NA
S-3	01/19/1900	NA	NA	NA	NA	NA	NA	NA	NA	37.33	8.41	28.92	NA
S-3	06/29/1993	29,000	NA	1,500	1,800	950	6,200	NA	NA	37.33	NA	NA	NA
S-3	09/21/1993	15,000	NA	900	2,200	2,600	11,000	NA	NA	37.33	10.08	27.25	NA
S-3	12/94/1993	20,000	NA	1,100	2,400	1,800	8,500	NA	NA	37.33	8.80	28.53	NA
S-3	03/17/1994	14,000	NA	580	190	750	1,700	NA	NA	37.33	8.34	28.99	NA
S-3	06/16/1994	20,000	NA	700	690	1,400	4,100	NA	NA	37.33	9.12	28.21	NA
S-3 (D)	06/16/1994	19,000	NA	680	560	1,300	3,700	NA	NA	37.33	NA	NA	NA
S-3	09/22/1994	24,000	NA	630	1,100	1,400	5,700	NA	NA	37.33	10.27	27.06	NA
S-3 (D)	09/22/1994	25,000	NA	720	1,100	1,500	6,100	NA	NA	37.33	NA	NA	NA
S-3	12/15/1994	18,000	NA	520	800	1,100	4,200	NA	NA	37.33	7.81	29.52	NA
S-3 (D)	12/15/1994	23,000	NA	1,000	1,900	2,000	8,600	NA	NA	37.33	NA	NA	NA
S-3 b	03/30/1995	8,800	NA	360	730	700	3,700	NA	NA	37.33	7.06	30.27	NA
S-3 (D)	03/30/1995	7,600	NA	330	570	600	2,600	NA	NA	37.33	NA	NA	NA
S-3	06/20/1995	9,600	NA	510	170	960	1,700	NA	NA	37.33	8.15	29.18	NA
S-3 (D)	06/20/1995	9,800	NA	500	170	950	1,700	NA	NA	37.33	NA	NA	NA
S-3	09/20/1995	21,000	NA	400	560	1,300	4,600	NA	NA	37.33	9.32	28.01	NA
S-3	12/06/1995	24,000	NA	630	1,400	1,400	6,000	NA	NA	37.33	10.53	26.80	NA
S-3 (D)	12/06/1995	22,000	NA	630	1,200	1,400	5,500	NA	NA	37.33	NA	NA	NA
S-3	03/21/1996	9,100	NA	290	110	490	1,600	NA	NA	37.33	7.32	30.01	NA
S-3 (D)	03/21/1996	11,000	NA	310	250	540	2,100	NA	NA	37.33	NA	NA	NA

WELL CONCENTRATIONS
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
S-3	09/06/1996	15,000	NA	440	300	1,100	3,000	500	NA	37.33	10.10	27.23	NA
S-3 (D)	09/06/1996	11,000	NA	490	170	820	1,500	700	NA	37.33	NA	NA	NA
S-3	12/19/1996	12,000	NA	600	380	850	2,500	380	NA	37.33	8.36	28.97	NA
S-3 (D)	12/19/1996	12,000	NA	590	380	830	2,500	540	NA	37.33	8.36	28.97	NA
S-3	03/17/1997	12,000	NA	520	140	740	1,400	320	NA	37.33	8.57	28.76	NA
S-3 (D)	03/17/1997	9,600	NA	500	100	680	1,100	<250	NA	37.33	8.57	28.76	NA
S-3	06/11/1997	9,600	NA	510	94	740	1,100	410	NA	37.33	9.26	28.07	NA
S-3	09/17/1997	21,000	NA	140	560	1,800	7,200	130	NA	37.33	9.62	27.71	NA
S-3	12/11/1997	24,000	NA	530	970	1,600	6,900	950	NA	37.33	7.34	29.99	NA
S-3 (D)	12/11/1997	29,000	NA	520	1,000	1,600	7,300	970	NA	37.33	7.34	29.99	NA
S-3	03/16/1998	29,000	NA	840	810	1,700	6,000	<250	NA	37.33	5.75	31.58	3.0/3.4
S-3	06/23/1998	3,800	NA	90	220	240	1,400	<50	NA	37.33	5.98	31.35	4.2/2.0
S-3	09/01/1998	9,600	NA	480	120	870	1,800	490	<50	37.33	8.98	28.35	1.9/2.8
S-3 (D)	09/01/1998	9,200	NA	420	110	800	1,700	110	<50	37.33	8.98	28.35	1.9/2.8
S-3	12/30/1998	7,660	NA	240	103	410	834	64.9	NA	37.33	9.11	28.22	1.8/1.6
S-3	03/30/1999	2,070	NA	195	10.0	<5.00	48.6	354	64.6	37.33	6.95	30.38	1.3/1.5
S-3	03/31/1999	NA	NA	NA	NA	NA	NA	NA	NA	37.33	7.48	29.85	NA
S-3	06/14/1999	1,250	NA	37.4	17.4	110	109	118	NA	37.33	8.85	28.48	NA
S-3	09/30/1999	8,270	2,020a	226	113	686	1,440	184	NA	37.33	9.66	27.67	3.5/2.8
S-3	12/22/1999	9,530	2,270a	207	132	603	1,450	616	NA	37.33	9.50	27.83	0.98/0.8
S-3	03/09/2000	2,290d	1,600a	84.5d	17.0d	104d	105d	29.3d	NA	37.30	6.25	31.05	1.0/1.4
S-3	06/20/2000	5,570	2,900a	117	41.6	395	393	354	NA	37.30	9.67	27.63	1.8/2.0
S-3	09/05/2000	6,930	1,600a	127	85.5	354	535	509	NA	37.30	9.49	27.81	1.1/1.9
S-3	12/04/2000	8,390	1,460a	217	82.4	471	952	436	NA	37.30	9.23	28.07	1.1/1.5
S-3	12/12/2000	NA	NA	NA	NA	NA	NA	NA	NA	37.30	9.23	28.07	NA
S-3	03/08/2001	19,400	1,720a	465	772	1,230	3,830	160	NA	37.30	8.17	29.13	1.1f
S-3	06/07/2001	12,000	1,400	230	110	900	1,100	120	NA	37.30	8.78	28.52	0.8/0.9
S-3	09/13/2001	32,000	<2,000	400	880	2,000	7,000	NA	<100	37.30	9.93	27.37	3.7/2.9
S-3	11/19/2001	26,000	<2,000	160	210	990	4,100	NA	<50	37.30	9.33	27.97	2.9/1.9

WELL CONCENTRATIONS
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
S-3	03/18/2002	3,800	810	61	120	130	620	NA	5.0	37.30	7.03	30.27	1.1/4.7
S-3	06/19/2002	3,200	<500	48	81	160	360	NA	9.4	37.30	8.92	28.38	NA
S-3	09/11/2002	16,000	<1,100	230	570	980	3,900	NA	<50	37.30	9.54	27.76	3.0
S-3	12/11/2002	16,000	<1,500	130	270	770	3,000	NA	<50	36.85	9.23	27.62	1.6
S-4	03/29/2000	NA	NA	NA	NA	NA	NA	NA	NA	39.06	8.37	30.69	NA
S-4	03/31/2000	20,900	5,780a	4,570	272	595	997	4,490	4,450c	39.06	8.92	30.14	1.8/1.2
S-4	06/20/2000	19,500	244a	4,590	309	723	1,290	3,740	NA	39.06	8.77	30.29	2.7/2.9
S-4	09/05/2000	5,760	1,670a	841	54.2	162	115	1,040	NA	39.06	10.57	28.49	1.3/0.3
S-4	12/04/2000	3,990	1,050a	949	<10.0	118	48.3	1,120	NA	39.06	10.67	28.39	1.1/1.0
S-4	12/12/2000	NA	NA	NA	NA	NA	NA	NA	NA	39.06	10.64	28.42	NA
S-4	03/08/2001	20,100	5,840a	5,210	105	381	281	2,520	NA	39.06	8.44	30.62	1.0/0.9
S-4	06/07/2001	11,000	3,500	2,500	86	370	170	2,000	NA	39.06	10.57	28.49	0.7/0.6
S-4	09/13/2001	4,200	<800	790	14	110	48	NA	690	39.06	11.27	27.79	3.8/3.9
S-4	11/19/2001	2,300	<600	230	4.1	21	22	NA	590	39.06	10.83	28.23	3.6/1.6
S-4	03/18/2002	Unable to sample		NA	NA	NA	NA	NA	NA	39.06	8.75	30.31	NA
S-4	03/29/2002	14,000	NA	1,700	30	280	250	NA	960	39.06	8.85 g	30.21	3.0/3.1
S-4	06/19/2002	4,700	<1,500	620	9.5	84	37	NA	490	NA	10.37 h	NA	NA
S-4	09/11/2002	2,700	280	280	4.6	23	13	NA	410	NA	11.14	NA	0.6
S-4	12/11/2002	3,300	<900	320	5.7	24	15	NA	420	38.69	10.78	27.91	2.2
S-5	05/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.54	NA	NA
S-5	06/19/2002	16,000	<2,000	2,600	320	180	1,600	NA	5,300	NA	9.87	NA	NA
S-5	09/11/2002	8,800	<1,200	1,500	64	89	120	NA	5,600	NA	10.28	NA	0.9
S-5	12/11/2002	4,400	<1,000	280	61	130	130	NA	4,000	NA	9.87	NA	2.9
BW-A	09/30/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.55	NA	2.3
BW-A	12/22/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.52	NA	2.2
BW-A	03/09/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.99	NA	1.5

WELL CONCENTRATIONS
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
BW-A	06/20/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.69	NA	2.4
BW-A	09/05/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.43	NA	1.0
BW-A	12/04/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.96	NA	1.3
BW-A	12/12/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.71	NA	NA
BW-A	03/08/2001	<2,500	1,370a	46.6	<25.0	<25.0	<25.0	10,600	11,700	NA	6.38	NA	0.9/1.4
BW-A	06/07/2001	1,100	960	<10	<10	<10	17	7,200	NA	NA	9.82	NA	3.6/0.8
BW-A	09/13/2001	<2,000	460	<20	<20	<20	<50	NA	13,000	NA	10.49	NA	3.3/1.7
BW-A	11/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.89	NA	NA

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to September 13, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to September 13, 2001, analyzed by EPA Method 8020.

MTBE = Methyl-tertiary-butyl ether

TOB = Top of Box Elevation

TOC = Top - GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft = Feet

<n = Below detection limit

D = Duplicate sample

n/n = Pre-purge / Post-purge

NA = Not applicable

WELL CONCENTRATIONS
Former Shell Service Station
4411 Foothill Boulevard
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	---------------------------	--------------------------	------------------------

Notes:

a = Chromatogram pattern indicates an unidentified hydrocarbon.

b = National Environmental Testing, Inc. (NET), analyzed within hold time but further dilutions were required and analyzed out of hold time.

NET suggests that these should be considered minimum concentrations.

c = Sample analyzed outside the EPA recommended holding times.

d = Result reported was generated out of hold time.

e = Post-purge DO reading.

f = Pre-purge DO reading.

g = Estimated depth to water from top of box; TOB determined by using the survey data from 2/3/00 for the difference between TOB and TOC.

h = Estimated depth to water from TOB. Wellbox was destroyed. No new survey.

Wells S-1 through S-4 surveyed February 3, 2000, by Virgil Chavez Land Surveying of Vallejo, California.

Wells S-1 through S-4 surveyed March 5, 2002, by Virgil Chavez Land Surveying of Vallejo, California.

Beginning December 12, 2002, depth to water referenced to Top of Casing elevation.



Report Number : 30361

Date : 12/23/2002

Leon Gearhart
Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject : 5 Water Samples
Project Name : 4411 Foothill Boulevard, Oakland
Project Number : 021212-DW-2
P.O. Number : 98995746

Dear Mr. Gearhart,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". The signature is written in a cursive style with a large, looping initial "J".

Joel Kiff



Report Number : 30361

Date : 12/23/2002

Project Name : 4411 Foothill Boulevard, Oakland

Project Number : 021212-DW-2

Sample : S-1

Matrix : Water

Lab Number : 30361-01

Sample Date :12/11/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	16	2.0	ug/L	EPA 8260B	12/19/2002
Toluene	93	2.0	ug/L	EPA 8260B	12/19/2002
Ethylbenzene	310	2.0	ug/L	EPA 8260B	12/19/2002
Total Xylenes	900	2.0	ug/L	EPA 8260B	12/19/2002
Methyl-t-butyl ether (MTBE)	< 20	20	ug/L	EPA 8260B	12/19/2002
TPH as Gasoline	4100	200	ug/L	EPA 8260B	12/19/2002
Toluene - d8 (Surr)	102		% Recovery	EPA 8260B	12/19/2002
4-Bromofluorobenzene (Surr)	99.3		% Recovery	EPA 8260B	12/19/2002
TPH as Diesel	< 500	500	ug/L	M EPA 8015	12/21/2002

Approved By:  Joel Kiff



Report Number : 30361

Date : 12/23/2002

Project Name : 4411 Foothill Boulevard, Oakland

Project Number : 021212-DW-2

Sample : S-2

Matrix : Water

Lab Number : 30361-02

Sample Date :12/11/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	9.4	2.5	ug/L	EPA 8260B	12/19/2002
Toluene	< 2.5	2.5	ug/L	EPA 8260B	12/19/2002
Ethylbenzene	7.2	2.5	ug/L	EPA 8260B	12/19/2002
Total Xylenes	14	2.5	ug/L	EPA 8260B	12/19/2002
Methyl-t-butyl ether (MTBE)	1100	25	ug/L	EPA 8260B	12/19/2002
TPH as Gasoline	570	250	ug/L	EPA 8260B	12/19/2002
Toluene - d8 (Surr)	97.6		% Recovery	EPA 8260B	12/19/2002
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	12/19/2002
TPH as Diesel	1900	50	ug/L	M EPA 8015	12/21/2002

Approved By:  Joel Kiff



Report Number : 30361

Date : 12/23/2002

Project Name : 4411 Foothill Boulevard, Oakland

Project Number : 021212-DW-2

Sample : S-3

Matrix : Water

Lab Number : 30361-03

Sample Date :12/11/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	130	5.0	ug/L	EPA 8260B	12/19/2002
Toluene	270	5.0	ug/L	EPA 8260B	12/19/2002
Ethylbenzene	770	5.0	ug/L	EPA 8260B	12/19/2002
Total Xylenes	3000	5.0	ug/L	EPA 8260B	12/19/2002
Methyl-t-butyl ether (MTBE)	< 50	50	ug/L	EPA 8260B	12/19/2002
TPH as Gasoline	16000	500	ug/L	EPA 8260B	12/19/2002
Toluene - d8 (Surr)	99.3		% Recovery	EPA 8260B	12/19/2002
4-Bromofluorobenzene (Surr)	98.2		% Recovery	EPA 8260B	12/19/2002
TPH as Diesel	< 1500	1500	ug/L	M EPA 8015	12/21/2002

Approved By:  Joel Kiff



Report Number : 30361

Date : 12/23/2002

Project Name : 4411 Foothill Boulevard, Oakland

Project Number : 021212-DW-2

Sample : S-4

Matrix : Water

Lab Number : 30361-04

Sample Date :12/11/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	320	2.0	ug/L	EPA 8260B	12/19/2002
Toluene	5.7	2.0	ug/L	EPA 8260B	12/19/2002
Ethylbenzene	24	2.0	ug/L	EPA 8260B	12/19/2002
Total Xylenes	15	2.0	ug/L	EPA 8260B	12/19/2002
Methyl-t-butyl ether (MTBE)	420	20	ug/L	EPA 8260B	12/19/2002
TPH as Gasoline	3300	200	ug/L	EPA 8260B	12/19/2002
Toluene - d8 (Surr)	102		% Recovery	EPA 8260B	12/19/2002
4-Bromofluorobenzene (Surr)	98.7		% Recovery	EPA 8260B	12/19/2002
TPH as Diesel	< 900	900	ug/L	M EPA 8015	12/21/2002

Approved By:  Joel Kiff



Report Number : 30361

Date : 12/23/2002

Project Name : 4411 Foothill Boulevard, Oakland

Project Number : 021212-DW-2

Sample : S-5

Matrix : Water

Lab Number : 30361-05

Sample Date :12/11/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	280	10	ug/L	EPA 8260B	12/19/2002
Toluene	61	10	ug/L	EPA 8260B	12/19/2002
Ethylbenzene	130	10	ug/L	EPA 8260B	12/19/2002
Total Xylenes	130	10	ug/L	EPA 8260B	12/19/2002
Methyl-t-butyl ether (MTBE)	4000	100	ug/L	EPA 8260B	12/19/2002
TPH as Gasoline	4400	1000	ug/L	EPA 8260B	12/19/2002
Toluene - d8 (Surr)	97.5		% Recovery	EPA 8260B	12/19/2002
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	12/19/2002
TPH as Diesel	< 1000	1000	ug/L	M EPA 8015	12/21/2002

Approved By:  Joel Kiff

Report Number : 30361

Date : 12/23/2002


QC Report : Method Blank Data

Project Name : **4411 Foothill Boulevard, Oakland**

Project Number : **021212-DW-2**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
TPH as Diesel	< 50	50	ug/L	M EPA 8015	12/17/2002
Benzene	< 0.50	0.50	ug/L	EPA 8260B	12/18/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/18/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	12/18/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	12/18/2002
Methyl-t-butyl ether (MTBE)	< 5.0	5.0	ug/L	EPA 8260B	12/18/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	12/18/2002
Toluene - d8 (Surr)	98.0		%	EPA 8260B	12/18/2002
4-Bromofluorobenzene (Surr)	105		%	EPA 8260B	12/18/2002
Benzene	< 0.50	0.50	ug/L	EPA 8260B	12/18/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	12/18/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	12/18/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	12/18/2002
Methyl-t-butyl ether (MTBE)	< 5.0	5.0	ug/L	EPA 8260B	12/18/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	12/18/2002
Toluene - d8 (Surr)	97.9		%	EPA 8260B	12/18/2002
4-Bromofluorobenzene (Surr)	101		%	EPA 8260B	12/18/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
-----------	----------------	------------------------	-------	-----------------	---------------

Approved By: Joel Kiff


Report Number : 30361


Date : 12/23/2002

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : 4411 Foothill Boulevard,

Project Number : 021212-DW-2

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
TPH as Diesel	Blank	<50	1000	1000	753	734	ug/L	M EPA 8015	12/17/02	75.3	73.4	2.56	70-130	25
Benzene	30309-02	6.7	40.0	40.0	48.0	47.9	ug/L	EPA 8260B	12/18/02	103	103	0.194	70-130	25
Toluene	30309-02	2.6	40.0	40.0	42.5	42.5	ug/L	EPA 8260B	12/18/02	99.7	99.7	0.0752	70-130	25
Tert-Butanol	30309-02	5.3	200	200	196	198	ug/L	EPA 8260B	12/18/02	95.6	96.4	0.833	70-130	25
Methyl-t-Butyl Ether	30309-02	<0.50	40.0	40.0	41.3	42.1	ug/L	EPA 8260B	12/18/02	103	105	1.90	70-130	25
Benzene	30456-01	<0.50	40.0	40.0	40.7	40.6	ug/L	EPA 8260B	12/18/02	102	101	0.369	70-130	25
Toluene	30456-01	<0.50	40.0	40.0	40.6	40.4	ug/L	EPA 8260B	12/18/02	102	101	0.593	70-130	25
Tert-Butanol	30456-01	<5.0	200	200	191	194	ug/L	EPA 8260B	12/18/02	95.4	97.2	1.86	70-130	25
Methyl-t-Butyl Ether	30456-01	1.4	40.0	40.0	40.3	41.5	ug/L	EPA 8260B	12/18/02	97.3	100	2.96	70-130	25

Approved By:  Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

QC Report : Laboratory Control Sample (LCS)

Project Name : 4411 Foothill Boulevard,

Project Number : 021212-DW-2

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	12/18/02	108	70-130
Toluene	40.0	ug/L	EPA 8260B	12/18/02	103	70-130
Tert-Butanol	200	ug/L	EPA 8260B	12/18/02	94.3	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	12/18/02	102	70-130
Benzene	40.0	ug/L	EPA 8260B	12/18/02	99.9	70-130
Toluene	40.0	ug/L	EPA 8260B	12/18/02	100	70-130
Tert-Butanol	200	ug/L	EPA 8260B	12/18/02	98.7	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	12/18/02	94.3	70-130

KIFF ANALYTICAL, LLC

Approved By:


Joel Kiff

SHELL CHAIN OF CUSTODY RECORD

Lab Identification (if necessary):

Address:

City, State, Zip:

Shell Project Manager to be Invoiced:

SCIENCE & ENGINEERING
 TECHNICAL SERVICES
 CRMT HOUSTON

Karen Petryna

30361

INCIDENT NUMBER (S&E ONLY)

9 8 9 9 5 7 4 6

SAP or CRMT NUMBER (TS/CRMT)

DATE: 12-11-02

PAGE: 1 of 1

SAMPLING COMPANY: Blaine Tech Services	LOG CODE: BTSS	SITE ADDRESS (Street and City): 4411 Foothill Boulevard, Oakland	GLOBAL ID NO.: T0600101065
ADDRESS: 1680 Rogers Avenue, San Jose, CA 95112		EDF DELIVERABLE TO (Responsible Party or Designee): Anni Kremi	PHONE NO.: 510-420-3335
PROJECT CONTACT (Hardcopy or PDF Report to): Leon Gearhart		E-MAIL: ShellOaklandEDF@cambria-env.com	CONSULTANT PROJECT NO.: 021212-DW-2
TELEPHONE: 408-573-0555	FAX: 408-573-7771	E-MAIL: lgearhart@blainetech.com	BTS #
TURNAROUND TIME (BUSINESS DAYS): <input checked="" type="checkbox"/> 10 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 72 HOURS <input type="checkbox"/> 48 HOURS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> LESS THAN 24 HOURS			LAB USE ONLY
SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED <input type="checkbox"/>			

REQUESTED ANALYSIS

<input type="checkbox"/> LA - RWQCB REPORT FORMAT <input type="checkbox"/> UST AGENCY: _____ GC/MS MTBE CONFIRMATION: HIGHEST _____ HIGHEST per BORING _____ ALL _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">TPH - Gas, Purgeable</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">BTEX</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">MTBE (8021B - 5ppb RL)</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">MTBE (8280B - 0.5ppb RL)</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">Oxygenates (5) by (8280B)</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">Ethanol (8280B)</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">Methanol</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">1,2-DCA (8280B)</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">EDB (8280B)</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">TPH - Diesel, Extractable (8015m)</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">Nitrate</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">Sulfate</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">Ferrous Iron</th> <th style="writing-mode: vertical-rl; transform: rotate(180deg);">MTBE (8280B) Confirmation, See Note</th> </tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td> </tr> </table>	TPH - Gas, Purgeable	BTEX	MTBE (8021B - 5ppb RL)	MTBE (8280B - 0.5ppb RL)	Oxygenates (5) by (8280B)	Ethanol (8280B)	Methanol	1,2-DCA (8280B)	EDB (8280B)	TPH - Diesel, Extractable (8015m)	Nitrate	Sulfate	Ferrous Iron	MTBE (8280B) Confirmation, See Note															FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes TEMPERATURE ON RECEIPT C°
TPH - Gas, Purgeable	BTEX	MTBE (8021B - 5ppb RL)	MTBE (8280B - 0.5ppb RL)	Oxygenates (5) by (8280B)	Ethanol (8280B)	Methanol	1,2-DCA (8280B)	EDB (8280B)	TPH - Diesel, Extractable (8015m)	Nitrate	Sulfate	Ferrous Iron	MTBE (8280B) Confirmation, See Note																	

LAB USE ONLY	Field Sample Identification		SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTEX	MTBE (8021B - 5ppb RL)	MTBE (8280B - 0.5ppb RL)	Oxygenates (5) by (8280B)	Ethanol (8280B)	Methanol	1,2-DCA (8280B)	EDB (8280B)	TPH - Diesel, Extractable (8015m)	Nitrate	Sulfate	Ferrous Iron	MTBE (8280B) Confirmation, See Note	TEMPERATURE ON RECEIPT C°
			DATE	TIME																	
✓	S-1		12-11	15:26	W	5	X	X	X							X					01
✓	S-2			14:55			X	X	X							X					02
✓	S-3			15:05			X	X	X							X					03
✓	S-4			14:15			X	X	X							X					04
✓	S-5			14:35			X	X	X							X					05

Relinquished by: (Signature) <i>David C. Stolt</i>	Received by: (Signature) _____	Date: _____	Time: _____
Relinquished by: (Signature) _____	Received by: (Signature) _____	Date: _____	Time: _____
Relinquished by: (Signature) _____	Received by: (Signature) <i>John Cottle</i>	Date: 12/20/02	Time: 12:20

WELL GAUGING DATA

Project # 021217-DW2 Date 12-11-02 Client Shell

Site 4411 Foothill Blvd Oakland

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TQB or TOC
S-1	4	* gauged w/ o/c in well				9.97	24.40 24.58	↓
S-2	4	* gauged w/ o/c & stringer in well				9.99	22.10 22.54	
S-3	4					9.23	20.04 20.42	
S-4	4	odor				10.78	19.70 20.79	
S-5	4					9.87	22.03 22.63	

SHELL WELL MONITORING DATA SHEET

BTS #: 021212-DW-2	Site: 4411 Foothill Blvd Oakland
Sampler: Dave Walter	Date: 12-11-02
Well I.D.: S-1	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 24.40	Depth to Water (DTW): 9.97
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.85	

Purge Method: Bailer Disposable Bailer Middleburg <input checked="" type="checkbox"/> Electric Submersible	Water: Poristaltic Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____
---	---	---

$9.4 \text{ (Gals.)} \times 3 = 28.2 \text{ Gals.}$	Well Diameter Multiplier Well Diameter Multiplier 1" 0.04 4" 0.65 2" 0.16 6" 1.47 3" 0.37 Other radius ² * 0.163	
Case Volume	Specified Volumes	Calculated Volume

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
13:20	65.9	9.1	881	35	10	
13:27	66.7	9.3	835	50	20	
well dewatered @			20 gl.	DTW = 21.70		
15:20	60.1	8.4	691	42	—	odor

Did well dewater? Yes No Gallons actually evacuated: 20

Sampling Date: 12-11-02 Sampling Time: 15:20 Depth to Water: 19.01

Sample I.D.: S-1 Laboratory: Kiff SPL Other: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	9.0	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:		mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>021212-DW-2</u>	Site: <u>4411 Foothill Blvd Oakland</u>
Sampler: <u>Dave Walter</u>	Date: <u>12-11-02</u>
Well I.D.: <u>S-2</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>22.10</u>	Depth to Water (DTW): <u>9.98</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>12.41</u>	

Purge Method: <input type="checkbox"/> Bailor <input type="checkbox"/> Disposable Bailor <input type="checkbox"/> Middleburg <input checked="" type="checkbox"/> Electric Submersible	Water: <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailor <input type="checkbox"/> Disposable Bailor <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
--	---	--

$\frac{7.9 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{23.7 \text{ Gals.}}{\text{Calculated Volume}}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>(µS)</u>)	Turbidity (NTUs)	Gals. Removed	Observations
13:34	67.6	8.1	1114	74	8	odor
well dewatered @ 12 gal. DTW = 18.08						
14:55	68.2	7.6	1071	41	-	

Did well dewater? Yes No Gallons actually evacuated: 12

Sampling Date: 12-11-02 Sampling Time: 14:55 Depth to Water: 10.34

Sample I.D.: S-2 Laboratory: (Kiff) SPL Other: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

3B I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	<u>(Post-purge)</u>	mg/L
				2.0
D.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 021212-DW-2	Site: 4411 Foothill Blvd Oakland
Sampler: Dave Walter	Date: 12-11-02
Well I.D.: S-3	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 20.04	Depth to Water (DTW): 9.23
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.39	

Purge Method: <input type="checkbox"/> Bailor <input type="checkbox"/> Disposable Bailor <input type="checkbox"/> Middleburg <input checked="" type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailor <input type="checkbox"/> Disposable Bailor <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
--	---	--

$7.0 \text{ (Gals.)} \times 3 = 21 \text{ Gals.}$ I Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
13:54	67.1	7.5	911	42	7	
13:55	67.8	6.9	719	26	14	
well dewatered @ 14 gal DTW = 16.14						
15:05	62.3	7.1	592	21	-	odor

Did well dewater? Yes No Gallons actually evacuated: 14

Sampling Date: 12-11-02 Sampling Time: 15:05 Depth to Water: 10.53

Sample I.D.: S-3 Laboratory: Kiff SPL Other: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mEq/L	Post-purge:	1.6	mEq/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:		mV

SHELL WELL MONITORING DATA SHEET

BTS #: 02/212-DW-2	Site: 4411 Foothill Blvd Oakland
Sampler: Dave Walter	Date: 12-11-02
Well I.D.: 5-4	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 19.70	Depth to Water (DTW): 10.78
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.56	

Purge Method: Bailor Water Sampling Method: Bailor
 Disposable Bailor Peristaltic Disposable Bailor
 Middleburg Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

<u>5.8</u> (Gals.) X	<u>3</u>	=	<u>17.4</u> Gals.	
Case Volume	Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS)	Turbidity (NTUs)	Gals. Removed	Observations
14:05	65.6	6.8	1306	25	6	
	well dewatered @		10 gal.	DTW = 14.84		
14:15	63.1	6.8	1287	83	—	

Did well dewater? Yes No Gallons actually evacuated: 10

Sampling Date: 12-11-02 Sampling Time: 14:15 Depth to Water: 12.23

Sample I.D.: 5-4 Laboratory: KIFF SPL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:		mg/L		Post-purge:		mg/L
						<u>2.2</u>	
O.R.P. (if req'd):	Pre-purge:		mV		Post-purge:		mV

ATTACHMENT B
Gettler-Ryan
Groundwater Monitoring Data

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
C-1											
04/28/89	35.42	15.37	20.05	--	--	940	30	1.3	11	13	--
08/08/89	35.42	11.35	24.07	--	--	820	45	2.0	13	13	--
12/21/89	35.42	12.61	22.81	--	--	--	--	--	--	--	--
08/27/90	35.42	13.30	22.12	--	--	440	15	1.0	6.0	13	--
11/04/90	35.42	9.86	25.56	--	--	--	--	--	--	--	--
06/18/91	35.42	13.78	21.64	--	--	74	5.6	0.6	1.9	1.3	--
09/19/91	35.42	10.84	24.58	--	--	150	7.1	<0.5	2.3	3.0	--
12/20/91	35.42	9.25	26.17	--	--	250	10	<0.5	3.7	1.6	--
03/18/92	35.42	17.17	18.25	--	--	190	16	<0.5	8.5	3	--
07/14/92	35.42	7.81	27.61	--	--	20,000	480	2,200	510	2,900	--
10/08/92	35.42	10.98	24.44	--	--	360	34	4.6	19	12	--
01/08/93	35.42	15.74	19.68	--	--	120	9.1	0.5	5.1	1.8	--
04/14/93	35.42	19.04	16.38	--	--	190	74	0.6	1.0	2.0	--
07/16/93	35.42	--	--	--	--	--	--	--	--	--	--
07/27/93	35.42	26.03	9.39	--	--	300	12	<0.5	5.0	2.0	--
09/21/93	38.41	16.99	21.42	--	--	360	12	1.2	5.8	3.7	--
01/28/94	38.41	18.84	19.57	--	--	370	24	1.0	13	4.0	--
03/17/94	38.41	21.56	16.85	--	--	460	42	<0.5	6.7	3.7	--
06/16/94	38.41	20.58	17.83	--	--	320	20	0.7	8.7	3.0	--
09/22/94	38.41	18.15	20.26	--	--	380	24	0.6	8.8	1.9	--
12/15/94	38.41	22.59	15.82	--	--	280	23	7.6	7.8	13	--
03/30/95	38.41	26.39	12.02	--	--	2,200	890	8.9	15	<5.0	--
06/20/95	38.41	24.01	14.40	--	--	690	140	<2.0	9.4	2.8	--
09/20/95	38.41	24.59	13.82	--	--	730	27	78	26	130	--
12/06/95	38.41	17.81	20.60	--	--	220	16	<0.5	7.2	1.7	11
03/21/96	38.41	26.76	11.65	--	--	640	170	<2.0	6.7	<2.0	35
06/21/96	38.41	24.16	14.25	--	--	640	140	<1.2	8.7	2.0	23
09/06/96	38.41	21.66	16.75	--	--	460	24	0.56	10	2.4	43
12/19/96	38.41	24.43	13.98	--	--	790	120	22	13	19	<25
03/17/97	38.41	25.63	12.78	--	--	2,200	660	<10	15	<10	110
06/11/97	38.41	23.25	15.16	--	--	1,500	130	<2.0	16	3.4	130

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
C-1 (cont)											
09/17/97	38.41	21.47	16.94	--	--	910	160	23	13	49	180
12/11/97	38.41	25.23	13.18	--	--	2,000	270	7.0	53	7.4	460
03/12/98	38.41	28.92	9.49	--	--	3,100	1,300	<20	42	<20	760
06/23/98	38.41	28.19	10.22	--	--	1,300	650	6.9	22	6.5	290
09/01/98	38.41	21.43	16.98	--	--	270	6.0	<2.5	<2.5	<2.5	950
12/30/98	38.41	22.29	16.12	--	--	2,020	578	<5.0	<5.0	<5.0	1,720
03/31/99	38.41	24.53	13.88	--	--	2,140	776	5.89	<5.0	5.15	1,170
06/14/99	38.41	23.09	15.32	--	--	1,450	524	<5.0	<5.0	<5.0	1,150
06/14/99 ¹	38.41	23.09	15.32	--	--	--	--	--	--	--	1,360 ²
09/30/99	38.41	22.30	16.11	--	--	79	1.12	<0.5	1.07	<0.5	677
12/22/99	38.41	23.37	15.04	--	--	501	157	4.45	<2.5	4.81	744
03/09/00	38.41	31.28	7.13	--	--	3,300	2,500	28	37	<25	1,700
06/23/00 ³	38.41	25.86	12.55	0.00	0.00	2,200 ⁴	1,000	6.9	5.7	9.3	1,900
09/05/00 ³	38.41	21.28	17.13	0.00	0.00	<200	8.3	<2.0	<2.0	<2.0	1,000
12/04/00	38.41	21.48	16.93	0.00	0.00	1,400 ⁴	600	<5.0	<5.0	<5.0	1,500
03/08/01 ³	38.41	30.45	7.96	0.00	0.00	2,570	1,040	7.93	12.0	<5.00	1,470
06/07/01 ³	38.41	25.45	12.96	0.00	0.00	750 ⁴	220	5.6	4.8	2.6	2,500 ⁵
09/13/01 ³	38.41	19.91	18.50	0.00	0.00	670 ⁶	<5.0	<5.0	<5.0	<5.0	660
12/13/01 ³	38.41	23.02	15.39	0.00	0.00	1,100	340	2.1	0.95	7.9	630
03/08/02 ³	38.41	28.35	10.06	0.00	0.00	3,600	1,400	9.5	17	6.5	1,900
06/19/02 ³	38.41	24.92	13.49	0.00	0.00	1,300	220	3.4	2.7	<3.0	1,400
09/11/02 ³	38.41	21.18	17.23	0.00	0.00	400	22	<0.50	<0.50	<1.5	780
12/11/02 ³	38.41	19.81	18.60	0.00	0.00	180	4.2	<0.50	1.1	<1.5	350
C-2											
04/28/89	35.18	8.74	26.44	--	--	120,000	30,000	22,000	3,000	17,000	--
08/08/89	35.18	5.29	29.90	0.01	--	--	--	--	--	--	--
12/21/89	35.18	5.86	29.32	--	--	--	--	--	--	--	--
08/27/90	35.18	5.77	29.55	0.17	--	--	--	--	--	--	--
11/04/90	35.18	4.71	30.47	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-2 (cont)											
06/18/91	35.18	6.90	28.33	0.06	--	--	--	--	--	--	--
09/19/91	35.18	5.84	29.39	0.06	--	--	--	--	--	--	--
12/20/91	35.18	5.95	29.23	--	--	170,000	20,000	10,000	2,800	19,000	--
03/18/92	35.18	21.58	13.60	0.09	--	--	--	--	--	--	--
07/14/92	35.18	--	--	--	--	--	--	--	--	--	--
10/08/92	35.18	--	--	--	--	--	--	--	--	--	--
01/08/93	35.18	10.98	24.20	Sheen	--	79,000	14,000	7,200	3,500	16,000	--
04/14/93	35.18	--	--	--	--	--	--	--	--	--	--
07/16/93	35.18	5.03	30.15	--	--	2200	440	73	24	350	--
09/21/93	37.47	11.18	26.29	--	--	11,000	2,300	300	270	910	--
01/28/94	37.47	13.51	23.96	--	--	49,000	11,000	3,900	1,600	12,000	--
03/17/94	37.47	11.48	25.99	--	--	16,000	3,300	1,000	220	3,500	--
06/16/94	37.47	13.55	23.92	--	--	20,000	4,800	1,500	520	4,300	--
09/22/94	37.47	11.85	25.62	--	--	35,000	5,600	850	1,700	7,300	--
12/15/94	37.47	16.31	21.16	--	--	96,000	9,000	3,500	3,300	13,000	--
03/30/95	37.47	20.29	17.18	--	--	100,000	9,400	3,700	3,900	14,000	--
06/20/95	37.47	18.52	18.95	--	--	93,000	6,400	1,900	2,900	11,000	--
09/20/95	37.47	19.27	18.20	--	--	58,000	6,600	330	1,600	5,500	--
12/06/95	37.47	12.71	24.76	--	--	40,000	5,000	86	1,800	3,700	<500
03/21/96	37.47	21.30	16.17	0.00	0.13	--	--	--	--	--	--
06/21/96	37.47	19.34	18.15	0.02	0.03	--	--	--	--	--	--
09/06/96	37.47	16.36	21.14	0.04	0.08	--	--	--	--	--	--
12/19/96	37.47	19.94	17.55	0.03	0.05	--	--	--	--	--	--
03/17/97	37.47	18.88	18.59	--	--	58,000	4,800	1,200	1,800	6,300	3,400
06/11/97	37.47	16.17	21.30	--	--	40,000	5,500	720	1,400	4,100	3,100
09/17/97	37.47	14.33	23.14	--	--	30,000	4,800	220	1,200	1,800	3,200
12/11/97	37.47	20.26	17.21	--	--	76,000	6,100	1,300	2,200	8,000	3,800
03/12/98	37.47	23.30	14.17	--	--	45,000	6,000	1,400	1,800	5,900	2,700
06/23/98 ³	37.47	22.65	14.82	--	--	1,100,000	6,800	5,100	13,000	38,000	<1,000
09/01/98	37.47	15.69	21.78	--	--	9,700	300	8.2	6.2	250	3,700
12/30/98	37.47	15.61	21.86	--	--	110,000	4,790	1,300	841	5,570	2,420

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH						
					REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-2 (cont)											
03/31/99	37.47	20.57	16.90	--	--	48,000	4,800	1,110	1,520	5,450	2,160
06/14/99	37.47	17.32	20.15	Sheen	--	56,400	5,380	671	1,300	3,960	2,480
06/14/99 ¹	37.47	17.32	20.15	--	--	--	--	--	--	--	2,630 ²
09/30/99	37.47	14.50	22.97	--	--	22,100	623	<100	529	1,250	2,430
12/22/99	37.47	16.47	21.00	--	--	10,200	1,750	102	222	963	1,980
03/09/00	37.47	25.27	12.20	--	--	26,000	4,800	930	1,200	4,400	1,800
06/23/00 ³	37.47	18.53	18.94	0.00	0.00	29,000 ⁴	3,400	360	440	2,500	2,800
09/05/00 ³	37.47	17.01	20.46	0.00	0.00	35,000 ⁴	3,800	54	980	750	5,200
12/04/00	37.47	16.54	20.93	0.00	0.00	16,000 ⁴	2,500	120	360	1,100	2,100
03/08/01 ³	37.47	20.53	16.94	0.00	0.00	42,300	3,930	828	2,010	5,180	1,660
06/07/01 ³	37.47	18.13	19.34	0.00	0.00	15,000 ⁴	3,400	150	700	1,300	1,900
09/13/01 ³	37.47	15.28	22.19	0.00	0.00	9,600	1,200	<50	120	160	2,200
12/13/01 ³	37.47	19.87	17.60	0.00	0.00	33,000	3,200	430	1,300	3,700	1,400
03/08/02 ³	37.47	23.18	14.29	0.00	0.00	26,000	2,900	390	1,200	2,800	1,100
06/19/02 ³	37.47	18.36	19.11	0.00	0.00	19,000	3,000	100	720	1,100	1,400
09/11/02 ³	37.47	16.79	20.68	0.00	0.00	10,000	1,400	23	120	78	1,800
12/11/02 ³	37.47	15.36	22.11	0.00	0.00	8,700	1,300	24	100	250	1,900
C-3											
04/28/89	35.28	7.28	28.00	--	--	<500	1.7	<0.5	<0.5	<0.5	--
08/08/89	35.28	5.28	30.00	--	--	<500	1.0	<0.5	<0.5	<0.5	--
12/21/89	35.28	4.75	30.53	--	--	--	--	--	--	--	--
08/27/90	35.28	5.60	29.68	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
11/04/90	35.30	4.94	30.36	--	--	--	--	--	--	--	--
06/18/91	35.30	6.84	28.46	--	--	52	1.1	<0.5	<0.5	1.2	--
09/19/91	35.30	5.97	29.33	--	--	73	1.2	<0.5	<0.5	<0.5	--
12/20/91	35.30	5.53	29.77	--	--	<50	0.7	<0.5	<0.5	<0.5	--
03/18/92	35.30	9.55	25.75	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/14/92	35.30	7.43	27.87	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/08/92	35.30	6.75	28.55	--	--	<50	<0.5	<0.5	<0.5	0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)											
01/08/93	35.30	9.45	25.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	35.30	11.34	23.96	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/16/93	35.30	9.66	25.64	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/93	38.37	12.15	26.22	--	--	<50	0.7	<0.5	<0.5	<0.8	--
01/28/94	38.37	12.71	25.66	--	--	<50	2.0	<0.5	<0.5	1.0	--
03/17/94	38.37	13.42	24.95	--	--	<50	2.8	<0.5	0.6	1.5	--
06/16/94	38.37	14.06	24.31	--	--	<50	1.4	<0.5	<0.5	<0.5	--
09/22/94	38.37	13.33	25.04	--	--	<50	0.6	<0.5	<0.5	<0.5	--
12/15/94	38.37	16.15	22.22	--	--	<50	2.6	1.7	0.82	4.5	--
03/30/95	38.37	19.95	18.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/20/95	38.37	18.58	19.79	--	--	110	2.2	<0.5	<0.5	1.2	--
09/20/95	38.37	19.42	18.95	--	--	560	21	80	23	120	--
12/06/95	38.37	14.21	24.16	--	--	<50	0.73	<0.5	<0.5	0.67	<2.5
03/21/96	38.37	20.52	17.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/21/96	38.37	18.59	19.78	--	--	57	<0.5	<0.5	<0.5	<0.5	<2.5
09/06/96	38.37	16.74	21.63	--	--	<50	0.9	<0.5	<0.5	<0.5	<2.5
12/19/96	38.37	16.07	22.30	--	--	310	36	33	6.5	28	<2.5
03/17/97	38.37	19.42	18.95	--	--	54	1.1	<0.5	<0.5	0.76	<2.5
06/11/97	38.37	17.22	21.15	--	--	120	1.1	<0.5	<0.5	<0.5	<2.5
09/17/97	38.37	15.96	22.41	--	--	240	19	19	6.6	40	13
12/11/97	38.37	16.11	22.26	--	--	<50	1.8	<0.5	<0.5	0.5	<2.5
03/12/98	38.37	20.02	18.35	--	--	72	6.3	<0.5	0.64	3.1	2.6
06/23/98	38.37	19.33	19.04	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/01/98	38.37	18.40	19.97	--	--	200	6.8	0.31	0.52	2.0	<2.5
12/30/98	38.37	17.06	21.31	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
03/31/99	38.37	20.60	17.77	--	--	<50	<0.5	<0.5	<0.5	<0.5	12.6
06/14/99	38.37	20.12	18.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/30/99	38.37	17.18	21.19	--	--	79.2	3.04	0.794	<0.5	1.04	6.17
12/22/99	38.37	16.05	22.32	--	--	<50	1.53	1.08	<0.5	0.66	12
03/09/00	38.37	21.27	17.10	--	--	99	6.9	0.8	0.89	3.8	12
06/23/00	38.37	19.22	19.15	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)											
09/05/00	38.37	17.53	20.84	0.00	0.00	52 ⁴	4.3	<0.50	<0.50	0.93	29
12/04/00	38.37	17.17	21.20	0.00	0.00	70 ⁴	4.0	<0.50	<0.50	0.71	25
03/08/01	38.37	20.70	17.67	0.00	0.00	<50.0	0.873	<0.500	<0.500	<0.500	3.24
06/07/01	38.37	19.47	18.90	0.00	0.00	140 ⁴	16	0.67	1.4	3.8	30
09/13/01	38.37	17.36	21.01	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
12/13/01	38.37	18.57	19.80	0.00	0.00	<50	1.2	<0.50	<0.50	<1.5	15
03/08/02	38.37	20.59	17.78	0.00	0.00	82	5.4	<0.50	<0.50	<1.5	68
06/19/02	38.37	19.97	18.40	0.00	0.00	74	2.1	<0.50	<0.50	<1.5	77
09/11/02	38.37	18.20	20.17	0.00	0.00	110	4.7	<0.50	<0.50	<1.5	76
12/11/02	38.37	16.62	21.75	0.00	0.00	79	1.5	<0.50	<0.50	<1.5	96
C-4											
01/12/89	33.45	3.96	29.49	--	--	--	--	--	--	--	--
04/12/89	33.45	6.01	27.44	--	--	--	--	--	--	--	--
04/28/89	33.45	3.96	29.49	--	--	20,000	6,300	550	230	1,500	--
08/08/89	33.45	3.90	29.55	--	--	8,000	7,500	340	88	1,000	--
12/21/89	33.45	3.43	30.02	--	--	--	--	--	--	--	--
08/27/90	33.48	4.46	29.02	--	--	26,000	10,000	280	410	1,400	--
11/04/90	33.48	3.67	29.81	--	--	--	--	--	--	--	--
06/18/91	33.48	6.03	27.45	--	--	34,000	14,000	410	450	1,300	--
09/19/91	33.48	4.83	28.65	--	--	16,000	7,400	90	110	460	--
12/20/91	33.48	4.64	28.84	--	--	24,000	12,000	120	260	740	--
03/18/92	33.48	11.05	24.43	--	--	48,000	6,000	1,300	1,300	2,400	--
07/14/92	33.48	6.59	26.89	--	--	40,000	14,000	920	550	2,400	--
10/08/92	33.48	5.69	27.79	--	--	29,000	13,000	190	110	1,400	--
01/08/93	33.48	9.98	23.50	--	--	25,000	7,000	630	860	1,800	--
04/14/93	33.48	12.35	21.13	--	--	27,000	6,300	1,000	900	1,400	--
07/16/93	33.48	9.52	23.96	--	--	28,000	7,800	1,100	830	2,100	--
09/21/93	36.49	10.98	25.51	--	--	30,000	9,600	130	390	1,300	--
01/28/94	36.49	13.18	23.31	--	--	18,000	7,800	440	260	1,200	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-4 (cont)											
03/17/94	36.49	15.14	21.35	--	--	32,000	7,800	820	820	1,800	--
06/16/94	36.49	13.99	22.50	--	--	25,000	7,600	710	600	1,800	--
09/22/94	36.49	12.56	23.93	--	--	25,000	7,800	140	600	1,100	--
12/15/94	36.49	17.47	19.02	--	--	38,000	7,600	460	1,200	2,000	--
03/30/95	36.49	21.63	14.86	--	--	41,000	8,700	1,600	1,800	3,000	--
06/20/95	36.49	19.59	16.90	--	--	29,000	6,000	890	960	1,800	--
09/20/95	36.49	20.29	16.20	--	--	12,000	6,900	510	290	1,300	--
12/06/95	36.49	13.37	23.12	--	--	13,000	3,900	42	30	250	<250
03/21/96	36.49	22.39	14.10	--	--	39,000	4,800	640	1,000	1,800	<1,000
06/21/96	36.49	19.54	16.95	--	--	26,000	4,400	640	960	1,800	2,000
09/06/96	36.49	16.36	20.13	--	--	23,000	500	200	230	1,000	3,100
12/19/96	36.49	19.57	16.92	--	--	23,000	4,900	320	1,100	2,000	<250
03/17/97	36.49	19.09	17.40	--	--	30,000	5,800	700	1,400	2,200	1,700
06/11/97	36.49	18.15	18.34	--	--	29,000	4,400	520	790	1,800	2,000
09/17/97	36.49	15.03	21.46	--	--	17,000	4,300	140	940	1,100	4,600
12/11/97	36.49	19.84	16.65	--	--	12,000	2,500	130	300	1,000	1,400
03/12/98	36.49	19.90	16.59	--	--	46,000	11,000	1,500	2,300	5,000	3,400
06/23/98 ³	36.49	19.47	17.02	--	--	27,000	1,600	160	180	690	100
09/01/98	36.49	15.04	21.45	--	--	520	14	2.3	<0.5	4.8	61
12/30/98	36.49	15.07	21.42	--	--	122	14.1	1.86	<1.0	3.61	349
03/31/99	36.49	21.29	15.20	--	--	20,300	4,450	443	1,000	2,130	1,320
06/14/99	36.49	14.69	21.80	--	--	1,820	183	7.14	36.7	56.5	291
06/14/99 ¹	36.49	14.69	21.80	--	--	--	--	--	--	--	280 ²
09/30/99	36.49	16.68	19.81	--	--	1,030	11.6	2.14	29.2	68.7	91.5
12/22/99	36.49	16.22	20.27	--	--	217	4.45	0.765	2.82	8.21	70.2
03/09/00	36.49	23.13	13.36	--	--	8,300	2,600	270	510	1,400	650
06/23/00 ³	36.49	17.09	19.40	0.00	0.00	55 ⁴	1.2	<0.50	<0.50	<0.50	250
09/05/00 ³	36.49	15.06	21.43	0.00	0.00	110 ⁴	5.4	<0.50	<0.50	1.1	52
12/04/00	36.49	14.71	21.78	0.00	0.00	<50	<0.50	0.56	<0.50	1.1	22
03/08/01 ³	36.49	19.87	16.62	0.00	0.00	9,080	2,260	229	395	1,060	718
06/07/01 ³	36.49	16.89	19.60	0.00	0.00	800 ⁴	75	4.3	22	33	340

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
C-4 (cont)											
09/13/01 ³	36.49	14.78	21.71	0.00	0.00	<50	0.68	<0.50	<0.50	<0.50	18
12/13/01 ³	36.49	18.54	17.95	0.00	0.00	5,800	1,400	43	21	470	540
03/08/02 ³	36.49	19.71	16.78	0.00	0.00	7,000	1,300	67	280	390	610
06/19/02 ³	36.49	17.69	18.80	0.00	0.00	3,100	130	6.5	29	55	250
09/11/02 ³	36.49	16.19	20.30	0.00	0.00	820	6.2	1.0	2.2	2.5	26
12/11/02 ³	36.49	14.52	21.97	0.00	0.00	<50	0.74	<0.50	<0.50	<1.5	9.3
C-5											
08/27/90	35.50	5.67	29.83	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
11/14/90	35.50	4.94	30.56	--	--	--	--	--	--	--	--
06/18/91	35.50	6.98	28.52	--	--	<50	<0.5	<0.5	<0.5	--	--
09/19/91	35.50	5.99	29.51	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/91	35.50	5.54	29.96	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/18/92	35.50	9.58	25.92	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/14/92	35.50	7.50	28.00	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/08/92	35.50	6.85	28.65	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/08/93	35.50	9.48	26.02	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	35.50	11.46	24.04	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/16/93	35.50	10.29	25.21	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/93	38.50	12.14	26.36	--	--	60	10	8.1	1.9	9.4	--
01/28/94	38.50	12.60	25.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/17/94	38.50	14.00	24.50	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/16/94	38.50	14.10	24.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/22/94	38.50	13.34	25.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/94	38.50	15.61	22.89	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/30/95	38.50	19.96	18.54	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/20/95	38.50	18.37	20.13	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/20/95	38.50	14.16	24.34	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/95	38.50	14.40	24.10	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/21/96	38.50	20.10	18.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
C-5 (cont)											
06/21/96	38.50	18.23	20.27	--	--	<50	<0.5	<0.5	<0.5	<0.5	8.7
06/06/96	38.50	16.60	21.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/19/96	38.50	17.35	21.15	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/17/97	38.50	18.66	19.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/11/97	38.50	16.90	21.60	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/17/97	38.50	10.67	27.83	--	--	SAMPLED ANNUALLY		--	--	--	--
12/11/97	38.50	17.50	21.00	--	--	--	--	--	--	--	--
03/12/98	38.50	22.08	16.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/23/98	38.50	21.52	16.98	--	--	--	--	--	--	--	--
09/01/98	38.50	18.08	20.42	--	--	--	--	--	--	--	--
12/30/98	38.50	17.71	20.79	--	--	--	--	--	--	--	--
03/31/99	38.50	21.45	17.05	--	--	<50	<0.5	<0.5	<0.5	<0.5	15
06/14/99	38.50	21.02	17.48	--	--	--	--	--	--	--	--
09/30/99	38.50	19.77	18.73	--	--	--	--	--	--	--	--
12/22/99	38.50	16.32	22.18	--	--	--	--	--	--	--	--
03/09/00	38.50	21.52	16.98	--	--	<50	<0.5	<0.5	<0.5	0.87	3.5
06/23/00	38.50	18.85	19.65	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
09/05/00	38.50	18.03	20.47	0.00	0.00	--	--	--	--	--	--
12/04/00	38.50	17.04	21.46	0.00	0.00	--	--	--	--	--	--
03/08/01	38.50	20.97	17.53	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	5.15
06/07/01	38.50	19.00	19.50	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
09/13/01	38.50	17.07	21.43	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
12/13/01	38.50	18.66	19.84	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
03/08/02	38.50	20.32	18.18	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	3.5
06/19/02	38.50	19.62	18.88	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
09/11/02	38.50	17.94	20.56	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
12/11/02	38.50	16.68	21.82	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH						
					REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-6											
08/27/90	32.40	-11.71	44.11	--	--	7,200	2,100	6.0	41	300	--
11/14/90	32.40	-11.63	44.03	--	--	--	--	--	--	--	--
06/18/91	32.40	-11.09	43.49	--	--	4,400	2,500	18	160	77	--
09/19/91	32.40	-1.92	34.32	--	--	3,100	1,600	8.3	73	8.0	--
12/20/91	32.40	-8.95	41.35	--	--	4,400	1,300	3.2	74	10	--
03/18/92	32.40	-8.29	40.69	--	--	9,800	3,200	34	250	500	--
07/14/92	32.40	-6.49	38.89	--	--	6,500	2,200	100	96	240	--
10/08/92	32.40	-6.27	38.67	--	--	1,800	1,000	3.1	15	41	--
01/08/93	32.40	-5.41	37.81	--	--	5,200	1,600	6.8	63	120	--
04/14/93	32.40	-2.30	34.70	--	--	11,000	1,800	13	110	200	--
07/16/93	32.40	-1.47	33.87	--	--	4,800	820	10	41	57	--
09/21/93	35.40	1.42	33.98	--	--	4,100	1,200	<50	75	130	--
01/28/94	35.40	1.54	33.86	--	--	3,100	930	14	40	34	--
03/17/94	35.40	3.09	32.31	--	--	5,100	950	18	61	83	--
06/16/94	35.40	3.90	31.50	--	--	3,800	970	6.4	52	62	--
09/22/94	35.40	4.18	31.22	--	--	4,100	980	7.8	43	48	--
12/15/94	35.40	4.00	31.40	--	--	5,000	1,400	<20	73	61	--
03/30/95	35.40	9.02	26.38	--	--	5,500	1,700	<13	120	97	--
06/20/95	35.40	10.39	25.01	--	--	1,700	470	<10	29	16	--
09/20/95	35.40	11.35	24.05	--	--	3,500	770	<5.0	45	17	--
12/06/95	35.40	7.28	28.12	--	--	3,100	710	<10	41	20	<50
03/21/96	35.40	12.28	23.12	--	--	1,400	330	<2.5	15	8.1	19
06/21/96	35.40	11.90	23.50	--	--	2,200	560	<5.0	18	<5.0	77
09/06/96	35.40	10.57	24.83	--	--	2,800	720	<10	13	<10	160
12/19/96	35.40	10.90	24.50	--	--	830	320	<2.5	<2.5	<2.5	14
03/17/97	35.40	12.81	22.59	--	--	2,200	500	<10	25	<10	<50
06/11/97	35.40	11.64	23.76	--	--	3,000	570	<5.0	29	10	220
09/17/97	35.40	10.66	24.74	--	--	1,400	330	<5.0	<5.0	<5.0	76
12/11/97	35.40	10.75	24.65	--	--	1,600	230	<5.0	7.3	6.4	46
03/12/98	35.40	8.28	27.12	--	--	980	300	<5.0	15	12	49
06/23/98 ³	35.40	7.48	27.92	--	--	220	35	<0.5	2.5	1.1	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-6 (cont)											
09/01/98	35.40	3.80	31.60	--	--	1,800	370	2.8	19	5	44
12/30/98	35.40	3.58	31.82	--	--	1,600	244	<1.0	8.53	<1.0	54.9
03/31/99	35.40	9.34	26.06	--	--	741	92.2	<1.0	6.60	<1.0	27.9
06/14/99	35.40	5.72	29.68	--	--	434	110	<1.0	5.76	1.46	13
06/14/99 ¹	35.40	5.72	29.68	--	--	--	--	--	--	--	6.96 ²
09/30/99	35.40	12.34	23.06	--	--	481	92.7	<1.0	3.69	<1.0	32.9
12/22/99	35.40	12.85	22.55	--	--	1,310	158	2.16	5.5	1.41	113
03/09/00	35.40	15.37	20.03	--	--	470	120	0.74	5.0	2.5	36
06/23/00 ³	35.40	13.25	22.15	0.00	0.00	1,700 ⁴	210	<5.0	<5.0	5.8	64
09/05/00 ³	35.40	8.35	27.05	0.00	0.00	740 ⁴	99	0.60	5.1	2.2	80
12/04/00	35.40	10.25	25.15	0.00	0.00	450 ⁴	31	0.71	<0.50	<0.50	54
03/08/01 ³	35.40	11.56	23.84	0.00	0.00	1,550	228	3.93	19.9	32.5	46.2
06/07/01 ³	35.40	9.67	25.73	0.00	0.00	360 ⁴	21	1.8	2.4	3.8	100
09/13/01 ³	35.40	11.60	23.80	0.00	0.00	950	180	<5.0	5.9	<5.0	170
12/13/01 ³	35.40	10.21	25.19	0.00	0.00	2,000	170	0.86	6.4	4.1	77
03/08/02 ³	35.40	14.32	21.08	0.00	0.00	600	33	0.91	1.8	<1.5	90
06/19/02 ³	35.40	10.78	24.62	0.00	0.00	370	11	<0.50	<0.50	<1.5	88
09/11/02 ³	35.40	6.40	29.00	0.00	0.00	490	16	0.50	<0.50	<1.5	120
12/11/02 ³	35.40	11.22	24.18	0.00	0.00	430	17	<0.50	<0.50	<1.5	100
C-7											
08/27/90	32.17	-12.06	44.23	--	--	110	26	0.8	4.0	6.0	--
11/14/90	32.17	-11.94	44.11	--	--	--	--	--	--	--	--
06/18/91	32.17	-9.88	42.05	--	--	23,000	5,700	420	1,000	2,800	--
09/19/91	32.17	-9.55	41.72	--	--	26,000	4,600	330	970	2,400	--
12/20/91	32.17	-9.50	41.67	--	--	33,000	5,500	270	1,000	2,100	--
03/18/92	32.17	-9.03	41.20	--	--	27,000	5,800	410	1,300	3,300	--
07/14/92	32.17	-7.60	39.77	--	--	46,000	12,000	720	1,700	4,600	--
10/08/92	32.17	-6.97	39.14	--	--	22,000	6,800	370	1,300	3,200	--
01/08/93	32.17	-6.33	38.50	--	--	36,000	7,600	540	1,700	4,200	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-7 (cont)											
04/14/93	32.17	-3.76	35.93	--	--	23,000	3,100	450	670	1,900	--
07/16/93	32.17	-3.21	35.38	--	--	19,000	3,200	330	550	1,800	--
09/21/93	35.19	-0.27	35.46	--	--	17,000	2,700	160	410	760	--
01/28/94	35.19	-0.26	35.45	--	--	14,000	1,800	210	390	1,000	--
03/17/94	35.19	1.95	33.24	--	--	17,000	1,600	210	410	1,200	--
06/16/94	35.19	2.12	33.07	--	--	12,000	1,600	180	410	1,200	--
09/22/94	35.19	2.45	32.74	--	--	10,000	1,700	110	320	580	--
12/15/94	35.19	3.27	31.92	--	--	10,000	1,200	120	280	710	--
03/30/95	35.19	7.59	27.60	--	--	4,600	460	73	160	460	--
06/20/95	35.19	7.32	27.87	--	--	26,000	4,400	450	900	2,400	--
09/20/95	35.19	7.11	28.08	--	--	9,400	610	81	250	800	--
12/06/95	35.19	4.57	30.62	--	--	1,200	110	12	25	71	34
03/21/96	35.19	7.34	27.85	--	--	17,000	1,300	160	410	1,300	<100
09/06/96	35.19	6.84	28.35	--	--	15,000	3,400	<50	460	850	<250
12/19/96	35.19	6.08	29.11	--	--	530	9	0.5	0.85	3.4	<2.5
03/17/97	35.19	8.05	27.14	--	--	4,600	310	46	110	310	98
06/11/97	35.19	7.14	28.05	--	--	420	15	<0.5	3.3	5.1	<2.5
09/17/97	35.19	6.19	29.00	--	--	1,400	120	11	31	84	54
12/11/97	35.19	5.93	29.26	--	--	210	10	<0.5	0.97	1.6	<2.5
03/12/98	35.19	10.27	24.92	--	--	68	<0.5	<0.5	<0.5	<0.5	<2.5
06/23/98	35.19	9.89	25.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/01/98	35.19	8.92	26.27	--	--	570	24	1.4	8.4	22	24
12/30/98	35.19	8.67	26.52	--	--	<50	4.85	1.26	<0.5	1.29	167
03/31/99	35.19	10.43	24.76	--	--	53.1	<0.5	<0.5	<0.5	<0.5	<2.0
06/14/99	35.19	9.75	25.44	--	--	109	4.43	<0.5	<0.5	<0.5	<2.5
06/14/99 ¹	35.19	9.75	25.44	--	--	--	--	--	--	--	<2.0 ²
09/30/99	35.19	8.32	26.87	--	--	2,400	282	26.3	120	236	126
12/22/99	35.19	7.42	27.77	--	--	3,840	162	18.1	44.7	85.3	141
03/09/00	35.19	9.62	25.57	--	--	13,000	2,700	110	700	1,500	<130
06/23/00	35.19	9.53	25.66	0.00	0.00	190 ⁴	3.4	<0.50	<0.50	1.6	7.3
09/05/00	35.19	8.44	26.75	0.00	0.00	4,200 ⁴	330	26	120	200	190

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-7 (cont)											
12/04/00	35.19	8.03	27.16	0.00	0.00	2,600 ⁴	550	<5.0	73	62	<25
03/08/01	35.19	9.76	25.43	0.00	0.00	1,180	39.2	2.41	15.5	30.8	10.3
06/07/01	35.19	9.80	25.39	0.00	0.00	2,600 ⁴	440	14	110	130	56
09/13/01	35.19	8.58	26.61	0.00	0.00	23,000 ⁶	670	<100	150	210	<500
12/13/01	35.19	8.50	26.69	0.00	0.00	2,400	160	5.8	42	54	<10
03/08/02	35.19	10.39	24.80	0.00	0.00	3,900	380	21	110	160	<20
06/19/02	35.19	7.78	27.41	0.00	0.00	3,600	440	8.5	87	73	<10
09/11/02	35.19	9.41	25.78	0.00	0.00	11,000	1,800	18	360	380	<10
12/11/02	35.19	4.44	30.75	0.00	0.00	6,000	1,100	9.3	190	190	<10
C-8											
11/14/90	30.68	-12.61	43.29	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
06/18/91	30.68	-11.94	42.62	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/19/91	30.68	-11.04	41.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/91	30.68	-10.30	40.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/18/92	30.68	-9.34	40.02	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/14/92	30.68	-8.34	39.02	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/08/92	30.68	-8.00	38.68	--	--	<50	<0.5	<0.5	<0.5	1.1	--
01/08/93	30.68	-7.39	38.07	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	30.68	-5.31	35.99	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/16/93	30.68	-4.64	35.32	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/93	34.68	-0.62	35.30	--	--	<50	<0.5	<0.5	<0.5	<0.8	--
01/28/94	34.68	-0.93	35.61	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/17/94	34.68	0.31	34.37	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/16/94	34.68	1.32	33.36	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/22/94	34.68	1.86	32.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/94	34.68	2.32	32.36	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/30/95	34.68	5.44	29.24	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/20/95	34.68	6.34	28.34	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/20/95	34.68	5.20	29.48	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-8 (cont)											
12/06/95	34.68	3.76	30.92	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/21/96	34.68	6.03	28.65	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/21/96	34.68	6.78	27.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/06/96	34.68	5.98	28.70	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/19/96	34.68	4.98	29.70	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/17/97	34.68	6.92	27.76	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/11/97	34.68	5.87	28.81	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/17/97	34.68	5.32	29.36	--	--	SAMPLED ANNUALLY		--	--	--	--
12/11/97	34.68	4.88	29.80	--	--	--	--	--	--	--	--
03/12/98	34.68	8.95	25.73	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.6
06/23/98	34.68	8.38	26.30	--	--	--	--	--	--	--	--
09/01/98	34.68	8.17	26.51	--	--	--	--	--	--	--	--
12/30/98	34.68	7.79	26.89	--	--	--	--	--	--	--	--
03/31/99	34.68	8.32	26.36	--	--	<50	<0.5	<0.5	<0.5	<0.5	11.8
06/14/99	34.68	8.65	26.03	--	--	--	--	--	--	--	--
09/30/99	34.68	7.40	27.28	--	--	--	--	--	--	--	--
12/22/99	34.68	6.48	28.20	--	--	--	--	--	--	--	--
03/09/00	34.68	8.35	26.33	--	--	<50	<0.5	<0.5	<0.5	1.8	<2.5
06/23/00	34.68	8.49	26.19	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
09/05/00	34.68	7.71	26.97	0.00	0.00	--	--	--	--	--	--
12/04/00	34.68	7.26	27.42	0.00	0.00	--	--	--	--	--	--
03/08/01	34.68	8.58	26.10	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
06/07/01	34.68	8.89	25.79	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
09/13/01	34.68	7.87	26.81	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
12/13/01	34.68	7.52	27.16	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
03/08/02	34.68	9.38	25.30	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/19/02	34.68	9.75	24.93	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
09/11/02	34.68	8.76	25.92	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
12/11/02	34.68	7.37	27.31	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
C-9											
08/13/96	--	--	28.27	--	--	ND	ND	ND	ND	ND	ND
09/06/96	--	--	28.47	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/19/96	30.68	1.39	29.29	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/17/97	30.68	3.11	27.57	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/11/97	30.68	2.41	28.27	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/17/97	30.68	2.05	28.63	--	--	SAMPLED ANNUALLY		--	--	--	--
12/11/97	30.68	1.25	29.43	--	--	--	--	--	--	--	--
03/12/98	30.68	5.06	25.62	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/23/98	30.68	4.53	26.15	--	--	--	--	--	--	--	--
09/01/98	30.68	4.30	26.38	--	--	--	--	--	--	--	--
12/30/98	30.68	3.93	26.75	--	--	--	--	--	--	--	--
03/31/99	30.68	5.35	25.33	--	--	<50	<0.5	<0.5	<0.5	<0.5	12.5
06/14/99	30.68	4.16	26.52	--	--	--	--	--	--	--	--
09/30/99	30.68	3.89	26.79	--	--	--	--	--	--	--	--
12/22/99	30.68	2.99	27.69	--	--	--	--	--	--	--	--
03/09/00	30.68	4.64	26.04	--	--	<50	<0.5	<0.5	<0.5	0.75	<2.5
06/23/00	30.68	4.83	25.85	0.00	0.00	--	--	--	--	--	--
09/05/00	30.68	3.99	26.69	0.00	0.00	--	--	--	--	--	--
12/04/00	30.68	3.61	27.07	0.00	0.00	--	--	--	--	--	--
03/08/01	30.68	4.93	25.75	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
06/07/01	30.68	5.18	25.50	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
09/13/01	30.68	4.13	26.55	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
12/13/01	30.68	3.91	26.77	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
03/08/02	30.68	5.68	25.00	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/19/02	30.68	6.01	24.67	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
09/11/02	30.68	4.98	25.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
12/11/02	30.68	3.61	27.07	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
TRIP BLANK											
04/28/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
08/08/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
08/27/90	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
11/14/90	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
06/18/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/19/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/18/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/14/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/08/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/08/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/16/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.8	--
01/28/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/17/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/16/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/22/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/30/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/20/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/20/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/21/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/21/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/06/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/17/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/11/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/17/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK (cont)											
03/12/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/23/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/01/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/30/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
03/31/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
06/14/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/22/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/23/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/05/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
12/04/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
03/08/01	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
06/07/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/13/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA											
12/13/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/08/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/19/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/11/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/11/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbons Thickness

SPH = Separate Phase Hydrocarbons

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

ND = Not Detected

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

- ¹ Confirmation run.
- ² Sample were analyzed past hold-time, the results should be considered as estimated.
- ³ ORC present in well.
- ⁴ Laboratory report indicates gasoline C6-C12.
- ⁵ Laboratory report indicates sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.
- ⁶ Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.