



Chevron

ENVIRONMENTAL
PROTECTION

99 OCT 26 PM 3:55

Chevron U.S.A. Products Company
6001 Bollinger Canyon Rd. Bldg. L
P. O. Box 6004
San Ramon, CA 94583-0804

**Site Assessment and
Remediation Group**
Phone (510) 842-9500
Fax (510) 842-8370

Date: October 14, 1999
To: Distribution
Re: Groundwater Monitoring Report , 9-4930

The enclosed groundwater monitoring report has been properly reviewed by a Chevron authorized representative. Agency guidelines have been followed. Blaine Tech Services is authorized to distribute the report directly to interested parties.

If you have any questions, please call me at (510) 842-8695.

Sincerely,

Brett Hunter
Site Assessment and Remediation
Project Manager

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE

October 11, 1999

Brett Hunter
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

3rd Quarter 1999 Monitoring at 9-4930

Third Quarter 1999 Groundwater Monitoring at
Former Chevron Service Station Number 9-4930
3369 Castro Valley Boulevard
Castro Valley, CA

Monitoring Performed on August 24, 1999

Groundwater Sampling Report 990824-Y-4

This report covers the routine monitoring of groundwater wells at this Former Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table also contains new groundwater elevation calculations taken from the computer plotted gradient map, which is located in the **Professional Engineering Appendix**.


map, which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,



Scott Boor
Project Coordinator

SDB/cm

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

cc: Scott Seery, Alameda County Health Care Services
Chuck Headlee, RWQCB-S.F. Bay Region
Anna Counelis & Tula Gallanes
Greg Gurs. Gettler Ryan, Inc.
Bette Owen, Chevron (w/o enclosure)

Professional Engineering Appendix



CASTRO VALLEY BLVD.

96/1.4/15

FORMER PUMP ISLANDS (APPROX)

FORMER PUMP ISLANDS (APPROX)

FORMER UNDERGROUND STORAGE TANKS (APPROX)

450/1.2/2.5

MW-2
165.33

SCALE (ft)



EXISTING BUILDING

FORMER WASTE OIL TANK (APPROX)

450/0.9/2.5

MW-4
164.35


WILBEAM AVE.

TPH-G/benzene/MTBE
(ug/L)

352/0.5/2.5

MW-3
164.76

FORMER UNDERGROUND STORAGE TANKS (APPROX)



EXPLANATION

- ⊙ MONITORING WELL
- 164.76 GROUNDWATER ELEVATION (FT, MSL)
- 165.00 — GROUNDWATER ELEVATION CONTOUR (FT, MSL)
- ⇩ APPROXIMATE GROUNDWATER FLOW DIRECTION;
APPROXIMATE GRADIENT = 0.02

Basemap from Geoconsultants, Inc.

PREPARED BY

RRM
engineering contracting firm

Former Chevron Station 9-4930
3369 Castro Valley Boulevard
Castro Valley, California

GROUNDWATER ELEVATION CONTOUR MAP,
AUGUST 24, 1999

FIGURE:

1

PROJECT:

DAC04

Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	1,2-DCE	TCE	DCFM	PCE	MTBE
MW-1														
10/29/93	172.90	166.15	6.75	--	1000	11	17	32	110	--	--	--	--	--
02/25/94	172.90	166.80	6.10	--	250	6.0	1.0	5.0	3.0	--	--	--	--	--
04/04/94	172.90	166.14	6.76	--	--	--	--	--	--	--	--	--	--	--
04/29/94	172.90	166.35	6.55	--	--	--	--	--	--	--	--	--	--	--
06/13/94	172.90	166.12	6.78	--	670	35	3.5	43	3.9	0.8	16	14	47	--
06/30/94	172.90	166.06	6.84	--	--	--	--	--	--	--	--	--	--	--
07/28/94	172.90	166.03	6.87	--	--	--	--	--	--	--	--	--	--	--
08/31/94	172.90	166.00	6.90	--	560	43	9.5	25	5.0	1.3	19	13	65	--
11/11/94	172.90	167.00	5.90	--	460	53	4.0	50	3.4	--	--	--	--	--
02/01/95	172.90	166.88	6.02	--	240	25	0.6	4.0	<0.5	--	--	--	--	--
05/18/95	172.90	166.82	6.08	--	580	42	1.0	53	2.6	--	--	--	--	--
08/22/95	172.90	166.52	6.38	--	840	73	1.2	110	1.6	--	--	--	--	--
11/01/95	172.90	166.40	6.50	--	350	36	<0.5	30	<0.5	--	--	--	--	15
01/26/96	172.90	166.85	6.05	--	210	23	<0.5	12	<0.5	--	--	--	--	4.7
05/08/96	172.90	166.50	6.40	--	310	42	2.3	56	1.1	--	--	--	--	52
10/03/96	173.53	166.61	6.92	--	240	31	<0.5	1.7	<0.5	--	--	--	--	18
02/04/97	173.53	167.02	6.51	--	200	9.9	<0.5	3.7	<0.5	--	--	--	--	16
04/30/97	173.53	166.64	6.89	--	260	11	<0.5	17	<0.5	--	--	--	--	13
07/22/97	173.53	166.49	7.04	--	170	5.0	<0.5	<0.5	<0.5	--	--	--	--	<2.5
11/03/97	173.53	166.55	6.98	--	230	13	<0.5	7.8	0.68	--	--	--	--	*
02/11/98	173.53	167.52	6.01	--	110	3.1	0.63	<0.5	<0.5	--	--	--	--	<2.5
05/08/98	173.53	166.72	6.81	--	170	4.2	1.8	2.1	<0.5	--	--	--	--	<2.5
08/07/98	173.53	167.01	6.52	--	110	5.2	<0.5	6.7	<0.5	--	--	--	--	13
11/05/98	173.53	166.58	6.95	--	160	1.8	<0.5	<0.5	0.53	--	--	--	--	<2.5
03/02/99	173.53	166.97	6.56	--	119	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<5.0
05/17/99	173.53	166.89	6.64	--	153	3.17	<0.5	0.791	<0.5	--	--	--	--	<5.0
08/24/99	173.53	166.40	7.13	--	96.2	1.38	<0.5	<0.5	<0.5	--	--	--	--	14.7

* No value for MTBE could be determined; see lab report.

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	1,2- DCE	TCE	DCFM	PCE	MTBE
	Head Elev.	Water Elev.	To Water											
MW-2														
10/29/93	173.91	166.05	7.86	--	5600	140	3.2	17	330	--	--	--	--	--
02/25/94	173.91	166.96	6.95	--	820	41	<0.5	17	5.0	--	--	--	--	--
04/04/94	173.91	166.18	7.73	--	--	--	--	--	--	--	--	--	--	--
04/29/94	173.91	166.23	7.68	--	--	--	--	--	--	--	--	--	--	--
06/13/94	173.91	166.20	7.71	--	1100	160	0.8	64	2.0	<0.5	0.9	<0.5	2.0	--
06/30/94	173.91	165.87	8.04	--	--	--	--	--	--	--	--	--	--	--
07/28/94	173.91	165.99	7.92	--	--	--	--	--	--	--	--	--	--	--
08/31/94	173.91	165.98	7.93	--	190	7.1	4.1	3.1	1.2	<0.5	1.1	<0.5	4.5	--
11/11/94	173.91	167.08	6.83	--	440	120	<1.0	18	<1.0	--	--	--	--	--
02/01/95	173.91	167.77	6.14	--	240	81	<1.0	<1.0	<1.0	--	--	--	--	--
05/18/95	173.91	166.91	7.00	--	330	74	<0.5	26	1.3	--	--	--	--	--
08/22/95	173.91	166.58	7.33	--	390	84	<1.0	2.1	<1.0	--	--	--	--	--
11/01/95	173.91	166.54	7.37	--	190	46	<0.5	1.6	<0.5	--	--	--	--	<2.5
01/26/96	173.91	168.13	5.78	--	<50	13	<0.5	<0.5	<0.5	--	--	--	--	<2.5
05/08/96	173.91	166.76	7.15	--	<50	4.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
10/03/96	172.67	166.66	6.01	--	63	4.3	<0.5	<0.5	<0.5	--	--	--	--	<2.5
02/04/97	172.67	167.40	5.27	--	<50	1.6	<0.5	<0.5	<0.5	--	--	--	--	<2.5
04/30/97	172.67	166.74	5.93	--	<50	5.4	<0.5	0.8	<0.5	--	--	--	--	<2.5
07/22/97	172.67	166.53	6.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
11/03/97	172.67	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--
02/11/98	172.67	167.95	4.72	--	<50	0.52	0.63	<0.5	<0.5	--	--	--	--	<2.5
05/08/98	172.67	167.07	5.60	--	<50	1.1	1.2	<0.5	<0.5	--	--	--	--	<2.5
08/07/98	172.67	166.33	6.34	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
11/05/98	172.67	166.59	6.08	--	120	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
03/02/99	172.67	167.41	5.26	--	67	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<5.0
05/17/99	172.67	167.71	4.96	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<5.0
08/24/99	172.67	165.33	7.34	--	<50	1.18	<0.5	<0.5	<0.5	--	--	--	--	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	1,2- DCE	TCE	DCFM	PCE	MTBE
MW-3														
10/29/93	172.60	164.96	7.64	--	110	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/25/94	172.60	166.22	6.38	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
04/04/94	172.60	165.21	7.39	--	--	--	--	--	--	--	--	--	--	--
04/29/94	172.60	165.62	6.98	--	--	--	--	--	--	--	--	--	--	--
06/13/94	172.60	165.15	7.45	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	2.0	<0.5	220	--
06/30/94	172.60	165.05	7.55	--	--	--	--	--	--	--	--	--	--	--
07/28/94	172.60	164.93	7.67	--	--	--	--	--	--	--	--	--	--	--
08/31/94	172.60	164.81	7.79	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	320	--
11/11/94	172.60	165.73	6.87	Sampled biannually	--	--	--	--	--	--	--	--	--	--
02/01/95	172.60	167.03	5.57	--	89	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	172.60	165.79	6.81	--	--	--	--	--	--	--	--	--	--	--
08/22/95	172.60	165.35	7.25	--	190	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	172.60	165.70	6.90	--	--	--	--	--	--	--	--	--	--	--
01/26/96	172.60	167.35	5.25	--	160	<2.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
05/08/96	172.60	165.55	7.05	--	--	--	--	--	--	--	--	--	--	--
10/03/96	170.47	165.29	5.18	--	150	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
02/04/97	170.47	166.27	4.20	--	88	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
04/30/97	170.47	165.37	5.10	--	--	--	--	--	--	--	--	--	--	--
07/22/97	170.47	165.15	5.32	--	180	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
11/03/97	170.47	165.12	5.35	--	--	--	--	--	--	--	--	--	--	--
02/11/98	170.47	167.47	3.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
05/08/98	170.47	165.96	4.51	--	--	--	--	--	--	--	--	--	--	--
08/07/98	170.47	165.26	5.21	--	110	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
11/05/98	170.47	165.35	5.12	--	--	--	--	--	--	--	--	--	--	--
03/02/99	170.47	166.19	4.28	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<5.0
05/17/99	170.47	165.82	4.65	--	--	--	--	--	--	--	--	--	--	--
08/24/99	170.47	164.76	5.71	--	352	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Notes	Analytical results are in parts per billion (ppb)									
	Head Elev.	Water Elev.	To Water		TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	1,2-DCE	TCE	DCFM	PCE	MTBE
MW-4														
10/29/93	170.68	165.18	5.50	--	640	6.7	3.3	0.6	6.7	--	--	--	--	--
02/25/94	170.68	165.86	4.82	--	450	20	0.8	12	6.0	--	--	--	--	--
04/04/94	170.68	165.23	5.45	--	--	--	--	--	--	--	--	--	--	--
04/29/94	170.68	165.45	5.23	--	--	--	--	--	--	--	--	--	--	--
06/13/94	170.68	165.14	5.54	--	1700	130	1.4	100	11	22	59	13	180	--
06/30/94	170.68	165.13	5.55	--	--	--	--	--	--	--	--	--	--	--
07/28/94	170.68	165.06	5.62	--	--	--	--	--	--	--	--	--	--	--
08/31/94	170.68	165.00	5.68	--	800	17	3.5	9.3	4.4	25	53	22	510	--
11/11/94	170.68	165.46	5.22	--	500	26	<0.5	30	4.3	--	--	--	--	--
02/01/95	170.68	165.12	5.56	--	1600	180	<2.0	31	42	--	--	--	--	--
05/18/95	170.68	165.70	4.98	--	1300	130	<2.0	140	5.5	--	--	--	--	--
08/22/95	170.68	165.35	5.33	--	970	50	<1.2	75	<1.2	--	--	--	--	--
11/01/95	170.68	165.28	5.40	--	320	3.3	<0.5	4.1	<0.5	--	--	--	--	27
01/26/96	170.68	166.40	4.28	--	1400	65	<2.5	98	71	--	--	--	--	100
05/08/96	170.68	165.33	5.35	--	610	28	1.2	58	4.4	--	--	--	--	70
10/03/96	171.70	165.48	6.22	--	210	4.2	<0.5	<0.5	<0.5	--	--	--	--	12
02/04/97	171.70	166.57	5.13	--	60	4.4	<0.5	<0.5	<0.5	--	--	--	--	--
04/30/97	171.70	165.60	6.10	--	870	49	<2.0	100	<2.0	--	--	--	--	18
07/22/97	171.70	165.36	6.34	--	420	16	<0.5	23	<0.5	--	--	--	--	9.4
11/03/97	171.70	165.35	6.35	--	370	8.1	0.54	10	7.6	--	--	--	--	30
02/11/98	171.70	167.16	4.54	--	<50	2.0	0.58	<0.5	<0.5	--	--	--	--	<2.5
05/08/98	171.70	166.25	5.45	--	230	13	2.3	37	4.3	--	--	--	--	15
08/07/98	171.70	166.57	5.13	--	85	4.8	<0.5	11	0.87	--	--	--	--	57
11/05/98	171.70	165.31	6.39	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
03/02/99	171.70	166.65	5.05	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<5.0
05/17/99	171.70	166.40	5.30	--	<50	0.9	<0.5	0.843	<0.5	--	--	--	--	<5.0
08/24/99	171.70	164.35	7.35	--	<50	0.893	<0.5	<0.5	<0.5	--	--	--	--	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	1,2-DCE	TCE	DCFM	PCE	MTBE
TRIP BLANK														
02/25/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
06/13/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/11/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/01/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/22/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/26/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
05/08/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
10/03/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
02/04/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
04/30/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
07/22/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
02/11/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
05/08/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
08/07/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
11/05/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5
03/02/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<5.0
05/17/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<5.0
08/24/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<2.5

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on November 1, 1994.
 Earlier field data and analytical results are drawn from the September 27, 1994 Groundwater Technology, Inc. report.
 New survey information drawn from the October 11, 1996 Ron Archer Civil Engineer Inc. report.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons
 1,2-DCE = 1,2-Dichloroethene
 TCE = Trichloroethene
 DCFM = Dichlorodifluoromethane
 PCE = Tetrachloroethene
 MTBE = Methyl t-Butyl Ether

Analytical Appendix



September 7, 1999

Christine Lillie
Blaine Tech Services (Chev)
1680 Rogers Avenue
San Jose, CA 95112

RE: Chevron 9-4930/9080968

Dear Christine Lillie

Enclosed are the results of analyses for sample(s) received by the laboratory on August 25, 1999. Chromatograms for unidentified hydrocarbons are included in this report. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Wendy Bonnes
Project Manager

CA ELAP Certificate Number 1210



Blaine Tech Services (Chev)
1680 Rogers Avenue
San Jose, CA 95112

Project: Chevron 9-4930 (3369 Castro Valley Blvd.)
Project Number: 990824 Y4
Project Manager: Christine Lillie

Sampled: 8/24/99
Received: 8/25/99
Reported: 9/7/99

ANALYTICAL REPORT FOR 9080968

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
MW-1	9080968-01	Water	8/24/99
MW-2	9080968-02	Water	8/24/99
MW-3	9080968-03	Water	8/24/99
MW-4	9080968-04	Water	8/24/99
TB	9080968-05	Water	8/24/99



Blaine Tech Services (Chev) 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron 9-4930 (3369 Castro Valley Blvd.) Project Number: 990824 Y4 Project Manager: Christine Lillie	Sampled: 8/24/99 Received: 8/25/99 Reported: 9/7/99
---	--	---

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
MW-1				9080968-01			Water	
Purgeable Hydrocarbons	9090052	9/2/99	9/2/99		50.0	96.2	ug/l	1
Benzene	"	"	"		0.500	1.38	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.50	14.7	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		78.0	%	
MW-2				9080968-02			Water	
Purgeable Hydrocarbons	9090052	9/2/99	9/2/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	1.18	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.50	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		88.9	%	
MW-3				9080968-03			Water	
Purgeable Hydrocarbons	9090052	9/2/99	9/2/99		50.0	352	ug/l	1
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.50	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		79.6	%	
MW-4				9080968-04			Water	
Purgeable Hydrocarbons	9090052	9/2/99	9/2/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	0.893	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.50	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		88.5	%	
TB				9080968-05			Water	
Purgeable Hydrocarbons	9090052	9/2/99	9/2/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	



Blaine Tech Services (Chev) 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron 9-4930 (3369 Castro Valley Blvd.) Project Number: 990824 Y4 Project Manager: Christine Lillie	Sampled: 8/24/99 Received: 8/25/99 Reported: 9/7/99
---	--	---

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Morgan Hill**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
TB (continued)				9080968-05				
Methyl tert-butyl ether	9090052	9/2/99	9/2/99		2.50	ND	ug/l	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	70.0-130		86.7	%	

2/1



Blaine Tech Services (Chev) 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron 9-4930 (3369 Castro Valley Blvd.) Project Number: 990824 Y4 Project Manager: Christine Lillie	Sampled: 8/24/99 Received: 8/25/99 Reported: 9/7/99
---	--	---

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Batch: 9090052			Date Prepared: 9/2/99			Extraction Method: EPA 5030B [P/T]				
Blank			9090052-BLK1							
Purgeable Hydrocarbons	9/2/99			ND	ug/l	50.0				
Benzene	"			ND	"	0.500				
Toluene	"			ND	"	0.500				
Ethylbenzene	"			ND	"	0.500				
Xylenes (total)	"			ND	"	0.500				
Methyl tert-butyl ether	"			ND	"	2.50				
Surrogate: <i>a,a,a</i> -Trifluorotoluene	"	10.0		9.76	"	70.0-130	97.6			
LCS			9090052-BS1							
Benzene	9/2/99	10.0		9.04	ug/l	70.0-130	90.4			
Toluene	"	10.0		8.99	"	70.0-130	89.9			
Ethylbenzene	"	10.0		9.26	"	70.0-130	92.6			
Xylenes (total)	"	30.0		28.1	"	70.0-130	93.7			
Surrogate: <i>a,a,a</i> -Trifluorotoluene	"	10.0		9.34	"	70.0-130	93.4			
Matrix Spike			9090052-MS1		9080796-01					
Benzene	9/2/99	10.0	ND	9.21	ug/l	60.0-140	92.1			
Toluene	"	10.0	ND	9.19	"	60.0-140	91.9			
Ethylbenzene	"	10.0	ND	9.42	"	60.0-140	94.2			
Xylenes (total)	"	30.0	ND	28.3	"	60.0-140	94.3			
Surrogate: <i>a,a,a</i> -Trifluorotoluene	"	10.0		8.70	"	70.0-130	87.0			
Matrix Spike Dup			9090052-MSD1		9080796-01					
Benzene	9/2/99	10.0	ND	8.64	ug/l	60.0-140	86.4	25.0	6.39	
Toluene	"	10.0	ND	8.40	"	60.0-140	84.0	25.0	8.98	
Ethylbenzene	"	10.0	ND	8.66	"	60.0-140	86.6	25.0	8.41	
Xylenes (total)	"	30.0	ND	26.4	"	60.0-140	88.0	25.0	6.91	
Surrogate: <i>a,a,a</i> -Trifluorotoluene	"	10.0		8.26	"	70.0-130	82.6			



Blaine Tech Services (Chev) 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron 9-4930 (3369 Castro Valley Blvd.) Project Number: 990824 Y4 Project Manager: Christine Lillie	Sampled: 8/24/99 Received: 8/25/99 Reported: 9/7/99
---	--	---

Notes and Definitions


#	Note
---	------

- I Chromatogram Pattern: Unidentified Hydrocarbons C6-C12
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- Recov. Recovery
- RPD Relative Percent Difference

Chromatogram

Sample Name : 9080968-1
 FileName : S:\GHP_03\0905\902B005.raw
 Method : TPH
 Start Time : 0.00 min End Time : 21.32 min
 Scale Factor: -1.0 Plot Offset: 13 mV

Sample #: MW1
 Date : 9/9/99 14:52
 Time of Injection: 9/2/99 08:21
 Low Point : 13.21 mV High Point : 183.21 mV
 Plot Scale: 170.0 mV



Chromatogram

Sample Name : 9080968-1

FileName : S:\GHP_03\0905\902A005.raw

Method : TPH

Start Time : 0.00 min

Scale Factor: -1.0

End Time : 20.00 min

Plot Offset: 27 mV

Sample #: MW1

Date : 9/9/99 14:52


Time of Injection: 9/2/99 08:21

Low Point : 27.50 mV

Plot Scale: 300.0 mV

Page 1 of 1

High Point : 327.50 mV




Chromatogram

Sample Name : 9080968-3
FileName : S:\GHP_03\0905\902B007.raw
Method : TPH
Start Time : 0.00 min
Scale Factor: -1.0

Sample #: MW3
Date : 9/9/99 14:54
Time of Injection: 9/2/99 09:13
Low Point : 13.19 mV
Plot Scale: 170.0 mV

Page 1 of 1



Chromatogram

Sample Name : 9080968-3

FileName : S:\GHP_03\0905\902A007.raw

Method : TPH

Start Time : 0.00 min

Scale Factor: -1.0

End Time : 20.00 min

Plot Offset: 27 mV

Sample #: MW3

Date : 9/9/99 14:54


Time of Injection: 9/2/99 09:13

Low Point : 27.44 mV

Plot Scale: 300.0 mV

Page 1 of 1

High Point : 327.44 mV



Fax copy of Lab Report and COC to Chevron Contact: Yes No

Chain-of-Custody-Record

Chevron Products Co.
P.O. BOX 6004
San Ramon, CA 94583
FAX (925)842-8370

Chevron Facility Number 9-4930
Facility Address 3369 Castro Valley Blvd., Castro Valley
Consultant Project Number 950824 Y4
Consultant Name BLAINE TECH SERVICE, INC.
Address 1680 ROGERS AVE., SAN JOSE
Project Contact (Name) CHRISTINE LILLIE
(Phone) 408-573-0555 (Fax Number) 408-573-7771

Chevron Contact (Name) PHIL BRIGGS
(Phone) (925) 842-9136
Laboratory Name SEQUOIA
Laboratory Service Order 9144488
Laboratory Service Code ZZ02800
Samples Collected by (Name) B TAYLOR
Signature B Taylor

State Method: CA OR WA NW Series CO UT

Sample Number	Number of Containers	Matrix S = Soil A = Air W = Water C = Charcoal	Sample Preservation	Date/Time	State Method: <input type="checkbox"/> CA <input type="checkbox"/> OR <input type="checkbox"/> WA <input type="checkbox"/> NW Series <input type="checkbox"/> CO <input type="checkbox"/> UT													Remarks	
					BTEX/MTBE+TPH GAS (8020 + 8015)	BTEX + TPH GAS (8020 + 8015)	TPH Diesel (8015)	Oxygenates (8260)	Purgeable Hydrocarbons (8010)	Purgeable Organics (8260)	Extractable Organics (8270)	Oil and Grease (5520)	Metals (ICAP or AA) Cd, Cr, Pb, Zn, Ni	BTEX (8020)	BTEX/MTBE/Naph. (8020)	TPH - HClD	TPH-D Extended		Lab Sample No.
MW 1	3	W		8/24 1624	X														01
MW 2	1			154															02
MW 3	1			1605															03
MW 4	1			1525															04
TB	2																		05

950824 Y4

Relinquished By (Signature) <u>[Signature]</u>	Organization <u>BTS</u>	Date/Time <u>8/25/99 9:55</u>	Received By (Signature) <u>[Signature]</u>	Organization <u>Sequoia</u>	Date/Time <u>8/25/99 5:58</u>	iced Y/N	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 5 Days 10 Days As Contracted
Relinquished By (Signature) <u>[Signature]</u>	Organization	Date/Time <u>8/25/99</u>	Received By (Signature) <u>[Signature]</u>	Organization <u>S</u>	Date/Time <u>8/25/99 5:10</u>	iced Y/N	
Relinquished By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature)		Date/Time	iced Y/N	

Field Data Sheets

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>990824 Y4</u>	Station #: <u>9-4930</u>
Sampler: <u>BT</u>	Date: <u>8/24</u>
Well I.D.: <u>MW</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth: <u>18.12</u>	Depth to Water: <u>7.13</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: <u>Bailer</u> <u>Disposable Bailer</u> Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: <u>Bailer</u> <u>Disposable Bailer</u> Extraction Port Other: _____
--	---

<u>2</u>	x	<u>3</u>	=	<u>6</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>16 16</u>	<u>72.1</u>	<u>7.2</u>	<u>1103</u>	<u>2</u>	
<u>16 18</u>	<u>71.9</u>	<u>7.2</u>	<u>1091</u>	<u>4</u>	
<u>16 20</u>	<u>71.3</u>	<u>7.0</u>	<u>1087</u>	<u>6</u>	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: <u>6</u>
Sampling Time: <u>16 22</u>	Sampling Date: <u>8/24</u>
Sample I.D.: <u>MW1</u>	Laboratory: <u>Sequoia</u> CORE N. Creek Assoc. Labs
Analyzed for: <u>TPH-G</u> BTEX MTBE TPH-D Other:	
Duplicate I.D.:	Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd):	Pre-purge: <u>mg/L</u> Post-purge: <u>mg/L</u>
O.R.P. (if req'd):	Pre-purge: <u>mV</u> Post-purge: <u>mV</u>

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>990824 Y4</u>	Station #: <u>9-4930</u>
Sampler: <u>BT</u>	Date: <u>8/24</u>
Well I.D.: <u>MW</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: <u>16.62</u>	Depth to Water: <u>7.34</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: <u>Bailer</u> <u>Disposable Bailer</u> Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: <u>Bailer</u> <u>Disposable Bailer</u> Extraction Port Other: _____
--	---

1.5	x	3	=	4.5	Gals.
: Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1537	72.9	6.8	1721	2	
1540	71.3	6.6	611	4	
1542	71.0	6.6	614	5	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: <u>9</u>
Sampling Time: <u>1545</u>	Sampling Date: <u>8/24</u>
Sample I.D.: <u>MW2</u>	Laboratory: <u>Sequoia</u> CORE N. Creek Assoc. Labs

Analyzed for: <u>TPH-G</u> BTEX MTBE TPH-D Other:
Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L
O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>990824 Y4</u>	Station #: <u>9-4930</u>
Sampler: <u>BT</u>	Date: <u>8/24</u>
Well I.D.: <u>MW3</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth: <u>16.98</u>	Depth to Water: <u>5.71</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.165

Purge Method:

- Bailer
- Disposable Bailer
- Middleburg
- Electric Submersible
- Extraction Pump

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port

Other: _____

Other: _____

<u>2</u>	x	<u>3</u>	=	<u>6</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>1559</u>	<u>72.1</u>	<u>7.5</u>	<u>483</u>	<u>2</u>	
<u>1601</u>	<u>71.3</u>	<u>7.1</u>	<u>721</u>	<u>4</u>	
<u>1603</u>	<u>71.0</u>	<u>7.1</u>	<u>724</u>	<u>6</u>	

Did well dewater? Yes No Gallons actually evacuated: 6

Sampling Time: 1605 Sampling Date: 8/24

Sample I.D.: MW3 Laboratory: Séquoia CORE N. Creek Assoc. Labs

Analyzed for: (TPH-G BTEX MTBE) TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>990824 Y4</u>	Station #: <u>9-4930</u>
Sampler: <u>BT</u>	Date: <u>8/24</u>
Well I.D.: <u>MW7</u>	Well Diameter: <u>(2)</u> 3 4 6 8 <u> </u>
Total Well Depth: <u>17.65</u>	Depth to Water: <u>7.35</u>
Depth to Free Product: <u> </u>	Thickness of Free Product (feet): <u> </u>
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other:

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other:

<u>16</u>	<u>x</u>	<u>3</u>	<u>=</u>	<u>4.8</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>1518</u>	<u>72.9</u>	<u>7.1</u>	<u>1103</u>	<u>2</u>	
<u>1520</u>	<u>70.3</u>	<u>7.0</u>	<u>1091</u>	<u>4</u>	
<u>1522</u>	<u>69.8</u>	<u>7.0</u>	<u>1086</u>	<u>5</u>	

Did well dewater? Yes No Gallons actually evacuated: 5

Sampling Time: 1525 Sampling Date: 8/24

Sample I.D.: BW7 Laboratory: Sequoia CORE N. Creek Assoc. Labs

Analyzed for: (TPH-G) BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV