



GETTLER-RYAN INC.

LEWIS 31/12/02
[Signature]

TRANSMITTAL

January 22, 2002

G-R #386509

SMB 664 ✓ FEB 08 2002

TO: Mr. James Brownell
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670

CC: Mr. Thomas Bauhs
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: Former Chevron Service Station
#9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	January 8, 2002	Groundwater Monitoring and Sampling Report Fourth Quarter - Event of November 29, 2001

COMMENTS:

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *February 5, 2002*, at which time the final report will be distributed to the following:

- cc: Mr. Amir Gholami, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Alameda, CA 94502
 Mr. Greg Gurs, Gettler-Ryan Inc., 3140 Gold Camp Drive, Suite 170, Rancho Cordova, CA 95670
 Mr. Chuck Headlee, RWQCB - San Francisco Bay Region, 1515 Clay Street, Suite 1400, Oakland, CA 94612
 Ms. Anna Counelis and Tula Gallanes, 109 Casa Vieja, Orinda, CA 94563

Enclosures

trans/9-4930-tb



GETTLER-RYAN INC.

January 8, 2002
G-R Job #386509

Mr. Thomas Bauhs
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Fourth Quarter Event of November 29, 2001
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

Dear Mr. Bauhs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


- fce -

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Station #9-4930
 3369 Castro Valley Boulevard
 Castro Valley, California

FIGURE
1

PROJECT NUMBER
386509

REVIEWED BY

DATE
 November 29, 2001

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1													
10/29/93	172.90	166.15	6.75	1,000	11	17	32	110	--	--	--	--	--
02/25/94	172.90	166.80	6.10	250	6.0	1.0	5.0	3.0	--	--	--	--	--
04/04/94	172.90	166.14	6.76	--	--	--	--	--	--	--	--	--	--
04/29/94	172.90	166.35	6.55	--	--	--	--	--	--	--	--	--	--
06/13/94	172.90	166.12	6.78	670	35	3.5	43	3.9	--	0.8	16	14	47
06/30/94	172.90	166.06	6.84	--	--	--	--	--	--	--	--	--	--
07/28/94	172.90	166.03	6.87	--	--	--	--	--	--	--	--	--	--
08/31/94	172.90	166.00	6.90	560	43	9.5	25	5.0	--	1.3	19	13	65
11/11/94	172.90	167.00	5.90	460	53	4.0	50	3.4	--	--	--	--	--
02/01/95	172.90	166.88	6.02	240	25	0.6	4.0	<0.5	--	--	--	--	--
05/18/95	172.90	166.82	6.08	580	42	1.0	53	2.6	--	--	--	--	--
08/22/95	172.90	166.52	6.38	840	73	1.2	110	1.6	--	--	--	--	--
11/01/95	172.90	166.40	6.50	350	36	<0.5	30	<0.5	15	--	--	--	--
01/26/96	172.90	166.85	6.05	210	23	<0.5	12	<0.5	4.7	--	--	--	--
05/08/96	172.90	166.50	6.40	310	42	2.3	56	1.1	52	--	--	--	--
10/03/96	173.53	166.61	6.92	240	31	<0.5	1.7	<0.5	18	--	--	--	--
02/04/97	173.53	167.02	6.51	200	9.9	<0.5	3.7	<0.5	16	--	--	--	--
04/30/97	173.53	166.64	6.89	260	11	<0.5	17	<0.5	13	--	--	--	--
07/22/97	173.53	166.49	7.04	170	5.0	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	173.53	166.55	6.98	230	13	<0.5	7.8	0.68	-- ¹	--	--	--	--
02/11/98	173.53	167.52	6.01	110	3.1	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	173.53	166.72	6.81	170	4.2	1.8	2.1	<0.5	<2.5	--	--	--	--
08/07/98	173.53	167.01	6.52	110	5.2	<0.5	6.7	<0.5	13	--	--	--	--
11/05/98	173.53	166.58	6.95	160	1.8	<0.5	<0.5	0.53	<2.5	--	--	--	--
03/02/99	173.53	166.97	6.56	119	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	173.53	166.89	6.64	153	3.17	<0.5	0.791	<0.5	<5.0	--	--	--	--
08/24/99	173.53	166.40	7.13	96.2	1.38	<0.5	<0.5	<0.5	14.7	--	--	--	--
11/19/99	173.53	166.92	6.61	209	13.1	1.68	12.3	<0.5	3.79	--	--	--	--
02/03/00	173.53	168.30	5.23	95	1.4	<0.5	<0.5	<0.5	15	--	--	--	--
05/03/00	173.53	166.52	7.01	120 ²	0.92	<0.50	<0.50	<0.50	12	--	--	--	--
07/28/00	173.53	166.45	7.08	100 ²	<0.50	<0.50	<0.50	<0.50	21	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1 (cont)													
11/13/00	173.53	169.41	4.12	73.0 ³	1.14	<0.500	<0.500	<0.500	27.0	--	--	--	--
02/15/01	173.53	166.86	6.67	148 ⁴	2.34	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	173.53	166.48	7.05	97 ²	1.5	<0.50	<0.50	<0.50	3.0/2.1 ⁵	--	--	--	--
08/30/01 ⁶	173.53	166.21	7.32	410	4.8	<0.50	1.4	<0.50	--/ <5.0 ⁵	--	--	--	--
11/29/01	173.53	166.78	6.75	180	5.7	<0.50	2.3	<1.5	<2.5	--	--	--	--
MW-2													
10/29/93	173.91	166.05	7.86	5,600	140	3.2	17	330	--	--	--	--	--
02/25/94	173.91	166.96	6.95	820	41	<0.5	17	5.0	--	--	--	--	--
04/04/94	173.91	166.18	7.73	--	--	--	--	--	--	--	--	--	--
04/29/94	173.91	166.23	7.68	--	--	--	--	--	--	--	--	--	--
06/13/94	173.91	166.20	7.71	1,100	160	0.8	64	2.0	--	<0.5	0.9	<0.5	2.0
06/30/94	173.91	165.87	8.04	--	--	--	--	--	--	--	--	--	--
07/28/94	173.91	165.99	7.92	--	--	--	--	--	--	--	--	--	--
08/31/94	173.91	165.98	7.93	190	7.1	4.1	3.1	1.2	--	<0.5	1.1	<0.5	4.5
11/11/94	173.91	167.08	6.83	440	120	<1.0	18	<1.0	--	--	--	--	--
02/01/95	173.91	167.77	6.14	240	81	<1.0	<1.0	<1.0	--	--	--	--	--
05/18/95	173.91	166.91	7.00	330	74	<0.5	26	1.3	--	--	--	--	--
08/22/95	173.91	166.58	7.33	390	84	<1.0	2.1	<1.0	--	--	--	--	--
11/01/95	173.91	166.54	7.37	190	46	<0.5	1.6	<0.5	<2.5	--	--	--	--
01/26/96	173.91	168.13	5.78	<50	13	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	173.91	166.76	7.15	<50	4.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
10/03/96	172.67	166.66	6.01	63	4.3	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	172.67	167.40	5.27	<50	1.6	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	172.67	166.74	5.93	<50	5.4	<0.5	0.8	<0.5	<2.5	--	--	--	--
07/22/97	172.67	166.53	6.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	172.67	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/11/98	172.67	167.95	4.72	<50	0.52	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	172.67	167.07	5.60	<50	1.1	1.2	<0.5	<0.5	<2.5	--	--	--	--
08/07/98	172.67	166.33	6.34	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-2 (cont)													
11/05/98	172.67	166.59	6.08	120	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	172.67	167.41	5.26	67	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	172.67	167.71	4.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
08/24/99	172.67	165.33	7.34	<50	1.18	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	172.67	166.84	5.83	<50	4.29	0.907	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	172.67	167.24	5.43	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	172.67	166.81	5.86	100 ²	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	172.67	166.76	5.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	172.67	166.69	5.98	82.8 ³	0.825	<0.500	<0.500	<0.500	25.0	--	--	--	--
02/15/01	172.67	167.25	5.42	161 ⁴	0.808	<0.500	<0.500	<0.500	30.3	--	--	--	--
05/31/01	172.67	166.91	5.76	120 ²	3.0	<0.50	<0.50	<0.50	29/26 ⁵	--	--	--	--
08/30/01 ⁶	172.67	166.55	6.12	450	2.2	<0.50	<0.50	<0.50	-/27 ⁵	--	--	--	--
11/29/01	172.67	167.29	5.38	250	1.3	<0.50	<0.50	<1.5	17	--	--	--	--
MW-3													
10/29/93	172.60	164.96	7.64	110	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/25/94	172.60	166.22	6.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
04/04/94	172.60	165.21	7.39	--	--	--	--	--	--	--	--	--	--
04/29/94	172.60	165.62	6.98	--	--	--	--	--	--	--	--	--	--
06/13/94	172.60	165.15	7.45	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	2.0	<0.5	220
06/30/94	172.60	165.05	7.55	--	--	--	--	--	--	--	--	--	--
07/28/94	172.60	164.93	7.67	--	--	--	--	--	--	--	--	--	--
08/31/94	172.60	164.81	7.79	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	1.6	<0.5	320
11/11/94	172.60	165.73	6.87	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/01/95	172.60	167.03	5.57	89	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	172.60	165.79	6.81	--	--	--	--	--	--	--	--	--	--
08/22/95	172.60	165.35	7.25	190	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	172.60	165.70	6.90	--	--	--	--	--	--	--	--	--	--
01/26/96	172.60	167.35	5.25	160	<2.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	172.60	165.55	7.05	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-3 (cont)													
10/03/96	170.47	165.29	5.18	150	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	170.47	166.27	4.20	88	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	170.47	165.37	5.10	--	--	--	--	--	--	--	--	--	--
07/22/97	170.47	165.15	5.32	180	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	170.47	165.12	5.35	--	--	--	--	--	--	--	--	--	--
02/11/98	170.47	167.47	3.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	170.47	165.96	4.51	--	--	--	--	--	--	--	--	--	--
08/07/98	170.47	165.26	5.21	110	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	170.47	165.35	5.12	--	--	--	--	--	--	--	--	--	--
03/02/99	170.47	166.19	4.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	170.47	165.82	4.65	--	--	--	--	--	--	--	--	--	--
08/24/99	170.47	164.76	5.71	352	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	170.47	164.64	5.83	--	--	--	--	--	--	--	--	--	--
02/03/00	170.47	165.55	4.92	140	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	170.47	165.54	4.93	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
07/28/00	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
11/13/00	170.47	165.29	5.18	--	--	--	--	--	--	--	--	--	--
02/15/01	170.47	166.10	4.37	310 ⁴	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	170.47	165.62	4.85	230 ²	<1.0	<1.0	<1.0	<1.0	5.2/2.4 ⁵	--	--	--	--
08/30/01	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
11/29/01	170.47	166.12	4.35	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
MW-4													
10/29/93	170.68	165.18	5.50	640	6.7	3.3	0.6	6.7	--	--	--	--	--
02/25/94	170.68	165.86	4.82	450	20	0.8	12	6.0	--	--	--	--	--
04/04/94	170.68	165.23	5.45	--	--	--	--	--	--	--	--	--	--
04/29/94	170.68	165.45	5.23	--	--	--	--	--	--	--	--	--	--
06/13/94	170.68	165.14	5.54	1,700	130	1.4	100	11	--	22	59	13	180
06/30/94	170.68	165.13	5.55	--	--	--	--	--	--	--	--	--	--
07/28/94	170.68	165.06	5.62	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-4 (cont)													
08/31/94	170.68	165.00	5.68	800	17	3.5	9.3	4.4	--	25	53	22	510
11/11/94	170.68	165.46	5.22	500	26	<0.5	30	4.3	--	--	--	--	--
02/01/95	170.68	165.12	5.56	1,600	180	<2.0	31	42	--	--	--	--	--
05/18/95	170.68	165.70	4.98	1,300	130	<2.0	140	5.5	--	--	--	--	--
08/22/95	170.68	165.35	5.33	970	50	<1.2	75	<1.2	--	--	--	--	--
11/01/95	170.68	165.28	5.40	320	3.3	<0.5	4.1	<0.5	27	--	--	--	--
01/26/96	170.68	166.40	4.28	1,400	65	<2.5	98	71	100	--	--	--	--
05/08/96	170.68	165.33	5.35	610	28	1.2	58	4.4	70	--	--	--	--
10/03/96	171.70	165.48	6.22	210	4.2	<0.5	<0.5	<0.5	12	--	--	--	--
02/04/97	171.70	166.57	5.13	60	4.4	<0.5	<0.5	<0.5	--	--	--	--	--
04/30/97	171.70	165.60	6.10	870	49	<2.0	100	<2.0	18	--	--	--	--
07/22/97	171.70	165.36	6.34	420	16	<0.5	23	<0.5	9.4	--	--	--	--
11/03/97	171.70	165.35	6.35	370	8.1	0.54	10	7.6	30	--	--	--	--
02/11/98	171.70	167.16	4.54	<50	2.0	0.58	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	171.70	166.25	5.45	230	13	2.3	37	4.3	15	--	--	--	--
08/07/98	171.70	166.57	5.13	85	4.8	<0.5	11	0.87	57	--	--	--	--
11/05/98	171.70	165.31	6.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	171.70	166.65	5.05	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	171.70	166.40	5.30	<50	0.9	<0.5	0.843	<0.5	<5.0	--	--	--	--
08/24/99	171.70	164.35	7.35	<50	0.893	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	171.70	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/03/00	171.70	166.35	5.35	<50	<0.5	<0.5	<0.5	<0.5	2.9	--	--	--	--
05/03/00	171.70	165.72	5.98	110 ²	1.1	<0.50	0.51	<0.50	12	--	--	--	--
07/28/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING											
11/13/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING											
02/15/01	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING											
05/31/01	171.70	166.62	5.08	<50	0.63	<0.50	<0.50	<0.50	<2.5/ ² <2.0 ⁵	--	--	--	--
08/30/01 ⁶	171.70	165.30	6.40	560	3.6	<0.50	21	1.3	--/ ² <5.0 ⁵	--	--	--	--
11/29/01	171.70	166.05	5.65	210	1.5	<0.50	6.6	<1.5	<5.0	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
TRIP BLANK													
02/25/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
06/13/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/31/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/11/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/22/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
10/03/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
07/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/11/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
08/07/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
08/24/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
02/15/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
08/30/01 ⁶	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	--/<5.0 ⁵	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
QA 11/29/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

1,2-DCE = 1,2-Dichloroethene

TCE = Trichloroethene

DCFM = Dichlorodifluoromethane

PCE = Tetrachloroethene

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance

¹ No value for MTBE could be determined; see lab report.

² Laboratory report indicates discrete peaks.

³ Laboratory report indicates unidentified hydrocarbons C6-C12.

⁴ Laboratory report indicates single analyte peak(s) are present in the requested fuel quantitation range. Fuel hydrocarbon is not present.

⁵ MTBE by EPA Method 8260.

⁶ TPH-G and BTEX by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Former Chevron Service Station #9-4930
 3369 Castro Valley Boulevard
 Castro Valley, California

WELL ID	DATE	METHANOL (ppm)	ETHANOL (pph)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (pph)	EDB (ppb)
MW-1	05/31/01	<1.000	<500	<20	2.1	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
MW-2	05/31/01	<1.000	<500	<20	26	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	27	--	--	--	--	--
MW-3	05/31/01	<1.000	<500	<20	2.4	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	INACCESSIBLE - TRUCK PARKED OVER WELL				--	--	--	--	--
MW-4	05/31/01	<1.000	<500	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
TRIP BLANK	08/30/01	--	--	--	<5.0	--	--	--	--	--

EXPLANATIONS:

TBA = Tertiary butyl alcohol
 MTBE = Methyl tertiary butyl ether
 DIPE = Di-isopropyl ether
 ETBE = Ethyl tertiary butyl ether
 TAME = Tertiary amyl methyl ether
 1,2-DCA = 1,2-Dichloroethane
 EDB = Ethylene dibromide
 (ppm) = Parts per million
 (ppb) = Parts per billion
 -- = Not Analyzed

ANALYTICAL METHODS:

EPA Method 8015 (Modified) for Methanol
 EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using Chevron-designated disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/CHEVRON
 Facility # 9-4930
 Address: 3369 Castro Valley Blvd.
 City: Castro Valley, CA

Job#: 386509
 Date: 11.29.01
 Sampler: FT

Well ID MW-1
 Well Diameter 2 in.
 Total Depth 17.85 ft.
 Depth to Water 6.75 ft.

Well Condition: OK

Hydrocarbon Thickness:	<u>0</u> (feet)	Amount Bailed (product/water):	<u>0</u> (Gallons)
Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

11.10 x VF .17 = 1.88 x 3 (case volume) = Estimated Purge Volume: 5.66 (gal.)

Purge Equipment: (Disposable Bailer)
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: (Disposable Bailer)
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 1:22
 Sampling Time: 1:38
 Purging Flow Rate: N/A gpm.
 Did well de-water? NO

Weather Conditions: CLOUDY
 Water Color: CLOUDY/TAN Odor: NO
 Sediment Description: SILTY
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1:25</u>	<u>1.5</u>	<u>7.14</u>	<u>723</u>	<u>68.7</u>			
<u>1:28</u>	<u>3.0</u>	<u>7.10</u>	<u>731</u>	<u>67.7</u>			
<u>1:32</u>	<u>5.5</u>	<u>7.09</u>	<u>732</u>	<u>67.4</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>3xVials</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/ CHEVRON

Facility # 9-4930

Job#: 386509

Address: 3369 Castro Valley Blvd.

Date: 11.29.01

City: Castro Valley, CA

Sampler: FT

Well ID MW-2

Well Condition: OK'

Well Diameter 2 in.

Hydrocarbon Thickness: 0 (feet) Amount Bailed (Gallons)

Total Depth 16.39 ft.

Depth to Water 5.38 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

11.01 X VF .17 = 1.87 X 3 (case volume) = Estimated Purge Volume: 5.61 (gal.)

Purge Equipment: (Disposable Bailer)
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: (Disposable Bailer)
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1:49

Weather Conditions: CLOUDY

Sampling Time: 2:06

Water Color: CLOUDY | 7m Odor: NO

Purging Flow Rate: N/A gpm.

Sediment Description: SILTY

Did well de-water? NO

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm $\times 100$	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1:51</u>	<u>1.5</u>	<u>7.04</u>	<u>538</u>	<u>68.9</u>			
<u>1:54</u>	<u>3.0</u>	<u>7.06</u>	<u>496</u>	<u>69.6</u>			
<u>1:59</u>	<u>5.5</u>	<u>7.01</u>	<u>431</u>	<u>69.4</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>3 x 400ml</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/ **CHEVRON**

Facility # 9-4930

Job#: 386509

Address: 3369 Castro Valley Blvd.

Date: 11.29.01

City: Castro Valley, CA

Sampler: FT

Well ID MW-3

Well Condition: OK

Well Diameter 2 in.

Hydrocarbon Thickness: 0 (feet) Amount Bailed (product/water): 0 (Gallons)

Total Depth 16.98 ft.

Depth to Water 4.35 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

NA X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
NA Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
NA Pressure Bailer
Grab Sample
Other: _____

Starting Time: _____

Weather Conditions: _____

Sampling Time: _____

Water Color: _____ Odor: _____

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>		<u>Y</u>		<u>LANCASTER</u>	<u>TPH(GI)/btex/mtbe</u>

COMMENTS: "MONITORED ONLY"

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-4930

Job#: 386509

Address: 3369 Castro Valley Blvd.

Date: 11.27.01

City: Castro Valley, CA

Sampler: FT

Well ID MW-4

Well Condition: OK

Well Diameter 2 in.

Hydrocarbon Thickness: 0 (feet) Amount Bailed (Gallons)

Total Depth 17.40 ft.

Depth to Water 5.65 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

11.75 X VF .17 = 1.99 X 3 (case volume) = Estimated Purge Volume: 5.97 (gal.)

Purge Equipment: (Disposable Bailer)
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: (Disposable Bailer)
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 2:15

Weather Conditions: CLOUDY

Sampling Time: 2:34

Water Color: CLOUDY / BRN. Odor: SLIGHT

Purging Flow Rate: N/A gpm.

Sediment Description: SILTY

Did well de-water? NO

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity $\mu\text{mhos/cm} \times 100$	Temperature $^{\circ}\text{F}$	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>2:19</u>	<u>2.0</u>	<u>7.19</u>	<u>345</u>	<u>69.4</u>			
<u>2:23</u>	<u>4.0</u>	<u>7.10</u>	<u>295</u>	<u>69.4</u>			
<u>2:27</u>	<u>6.0</u>	<u>7.05</u>	<u>275</u>	<u>69.6</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>3x VOA's</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: _____

Chevron California Region Analysis Request/Chain of Custody



301101-013

Acct. #: 10905

For Lancaster Laboratories use only
Sample #: 3737693-96

SCR#:

Facility #: <u>9-4930</u> Job # <u>386509</u>		Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other	
Site Address: <u>3369 CASTRO VALLEY BLVD., CASTRO VALLEY, CA</u>				Preservation Codes										<input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits	
Chevron PM: <u>Tom Bauhs</u> Lead Consultant: <u>Delta/G-R</u>		Total Number of Containers										<input type="checkbox"/> BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO <input type="checkbox"/> TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup <input type="checkbox"/> 8260 full scan <input type="checkbox"/> Oxygenates <input type="checkbox"/> Lead 7420 <input type="checkbox"/> 7421			
Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Dublin, Ca 94568</u>		Grab Composite												Comments / Remarks	
Consultant Prj. Mgr: <u>Deanna L. Harding</u> (Deanna@grinc.com)		Soil Water Oil Air													
Consultant Phone: <u>925-551-7555</u> Fax #: <u>925-551-7899</u>		Date Collected Time Collected										Sample Identification			
Sampler: <u>FRANK TERLINOWI</u>		Service Order #: _____ <input type="checkbox"/> Non SAR: _____													
Date Collected: <u>11-29-01</u>		Total Number of Containers										QA MW-1 MW-2 MW-4			
Time Collected:		BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 TPH 8015 MOD GRO TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Lead 7420 <input type="checkbox"/> 7421													
Grab Composite		2 X X 3 X X 3 X X 3 X X													
Soil Water Oil Air		W ↓ ↓ ↓													
Turnaround Time Requested (TAT) (please circle)		Relinquished by: <u>Frank Terlinowi</u>		Date: <u>11-29-01</u> Time: <u>1730</u>		Received by: <u>[Signature]</u>		Date: <u>11/30/01</u> Time: <u>15:23</u>							
STD. TAT: 72 hour 48 hour 24 hour 4 day 5 day		Relinquished by: <u>[Signature]</u>		Date: <u>11/30/01</u> Time: <u>1650</u>		Received by: <u>[Signature]</u>		Date: <u>11/30/01</u> Time: <u>1650</u>							
Data Package Options (please circle if required)		Relinquished by: <u>[Signature]</u>		Date: <u>12-3-01</u> Time: <u>15:10</u>		Received by: <u>Airborne</u>		Date: <u>12-3-01</u> Time:							
QC Summary Type I — Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk		Relinquished by Commercial Carrier:		Received by: <u>[Signature]</u>		Date: <u>11/30/01</u> Time: <u>0915</u>		Date: Time:							
		UPS FedEx Other: <u>2.5</u> °C		Temperature Upon Receipt:		Custody Seals Intact? Yes No		Yes No							



Lancaster Laboratories

Where quality is a science.

ANALYTICAL RESULTS

Prepared for:

Chevron Products Company
6001 Bollinger Canyon Road
Building L PO Box 6004
San Ramon CA 94583-0904
925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 788705. Samples arrived at the laboratory on Tuesday, December 04, 2001. The PO# for this group is 99011184 and the release number is BAUHS.

Client Description

QA-T-011129	NA	Water
MW-1-W-011129	Grab	Water
MW-2-W-011129	Grab	Water
MW-4-W-011129	Grab	Water

Lancaster Labs Number

3737693
3737694
3737695
3737696

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the laboratory chronicles.

1 COPY TO

Delta C/O Gettler-Ryan

Attn: Deanna L. Harding



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Questions? Contact your Client Services Representative
Teresa M. Lis at (717) 656-2300.

Respectfully Submitted,



Victoria M. Martell
Chemist



Lancaster Laboratories Sample No. **WW 3737693**

Collected: 11/29/2001 00:00

Account Number: 10905

Submitted: 12/04/2001 09:15
 Reported: 12/14/2001 at 23:52
 Discard: 01/14/2002

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

QA-T-011129 NA Water

Facility# 94930 Job# 386509 GRD
 3369 Castro Valley-Castro T0600100137 QA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CALIF. LUFT Gasoline Method	1	12/06/2001 03:24	Patrick N. Evans	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/06/2001 03:24	Patrick N. Evans	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2001 03:24	Patrick N. Evans	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit



PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3737694**

Collected: 11/29/2001 13:38 by **FT**

Account Number: 10905

Submitted: 12/04/2001 09:15
 Reported: 12/14/2001 at 23:53
 Discard: 01/14/2002

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

MW-1-W-011129 Grab Water

Facility# 94930 Job# 386509 GRD
 3369 Castro Valley-Castro T0600100137 MW-1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	180.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	5.7	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	2.3	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CALIF. LUFT Gasoline Method	1	12/06/2001 09:52	Linda C. Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/06/2001 09:52	Linda C. Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2001 09:52	Linda C. Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit



3422 Hillside Blvd
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3737695**

Collected: 11/29/2001 14:06 by FT Account Number: 10905

Submitted: 12/04/2001 09:15
 Reported: 12/14/2001 at 23:53
 Discard: 01/14/2002
 MW-2-W-011129 Grab Water
 Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

Facility# 94930 Job# 386509 GRD
 3369 Castro Valley-Castro T0600100137 MW-2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	250.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	1.3	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	17.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CALIF. LUFT Gasoline Method	1	12/06/2001 10:28	Linda C. Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/06/2001 10:28	Linda C. Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2001 10:28	Linda C. Pape	n.a.

#=Laboratory Method Detection Limit exceeds target detection limit
 N.D.=Not detected at or above the Reporting Limit



3425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3737696**

Collected: 11/29/2001 13:38 by FT

Account Number: 10905

Submitted: 12/04/2001 09:15
 Reported: 12/14/2001 at 23:53
 Discard: 01/14/2002

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

MW-4-W-011129 Grab Water

Facility# 94930 Job# 386509 GRD
 3369 Castro Valley-Castro T0600100137 MW-4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	210.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	1.5	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	6.6	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D. #	5.0	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for the compound listed below. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
 Methyl t-butyl ether

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
---------	---------------	--------	--------	------------------------	---------	-----------------

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected at or above the Reporting Limit



PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3737696

Collected: 11/29/2001 13:38 by FT

Account Number: 10905

Submitted: 12/04/2001 09:15

Reported: 12/14/2001 at 23:53

Discard: 01/14/2002

MW-4-W-011129

Grab Water

Chevron Products Company
6001 Bollinger Canyon Road
Building L PO Box 6004
San Ramon CA 94583-0904

Facility# 94930 Job# 386509 GRD
3369 Castro Valley-Castro T0600100137 MW-4


01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/06/2001 11:03	Linda C. Pape	1
08214	BTEX, MTBE (8021)	Method				
		SW-846 8021B	1	12/06/2001 11:03	Linda C. Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2001 11:03	Linda C. Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected at or above the Reporting Limit



PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Client Name: Chevron Products Company
 Reported: 12/14/01 at 11:53 PM

Group Number: 788705

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 01339A51	Sample number(s): 3737693-3737696							
Benzene	N.D.	0.5	ug/l	107	107	80-118	1	30
Toluene	N.D.	0.5	ug/l	108	109	82-119	1	30
Ethylbenzene	N.D.	0.5	ug/l	106	107	81-119	1	30
Total Xylenes	N.D.	1.5	ug/l	107	107	82-120	0	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	105	105	79-127	0	30
TPH-GRO - Waters	N.D.	50.	ug/l	95	100	76-119	5	20

Sample Matrix Quality Control

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>Dup RPD Max</u>
Batch number: 01339A51	Sample number(s): 3737693-3737696								
Benzene	123		66-140						
Toluene	118		72-138						
Ethylbenzene	111		71-138						
Total Xylenes	110		69-140						
Methyl tert-Butyl Ether	(2)		60-145						
TPH-GRO - Waters	99		74-132						

Surrogate Quality Control

Analysis Name: TPH-GRO - Waters
 Batch number: 01339A51

	Trifluorotoluene-F	Trifluorotoluene-P
3737693	97	93
3737694	97	98
3737695	96	96
3737696	97	98
Blank	97	93
LCS	109	95
LCSD	110	96
MS	108	99
Limits:	65-137	72-134

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681