

10-416



# GETTLER-RYAN INC.

## TRANSMITTAL

December 16, 2003  
G-R #386509

TO: Mr. Chris Dennis  
Cambria Environmental Technology, Inc.  
4111 Citrus Avenue, Unit #9  
Rocklin, California 95677

CC: Ms. Karen Streich  
Chevron Products Company  
P.O. Box 6004  
San Ramon, California 94583

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: Former Chevron Service Station  
#9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California  
Alameda County  
JAN 12 2004  
Environmental Health

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	December 11, 2003	Groundwater Monitoring and Sampling Report Fourth Quarter - Event of November 17, 2003

### COMMENTS:

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *January 7, 2004*, at which time the final report will be distributed to the following:

- cc: Mr. Amir Gholami, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Alameda, CA 94502
- Mr. Chuck Headlee, RWQCB - San Francisco Bay Region, 1515 Clay Street, Suite 1400, Oakland, CA 94612
- Ms. Anna Counelis and Tula Gallanes, 109 Casa Vieja, Orinda, CA 94563

Enclosures

trans/9-4930-ks



# GETTLER - RYAN INC.

December 11, 2003  
G-R Job #386509

Ms. Karen Streich  
Chevron Products Company  
P.O. Box 6004  
San Ramon, CA 94583

**RE: Fourth Quarter Event of November 17, 2003**  
Groundwater Monitoring & Sampling Report  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding  
Project Coordinator

Hagop Kevork  
P.E. No. C55734



Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Groundwater Analytical Results - Oxygenate Compounds  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

**GETTLER - RYAN INC.**  
 6747 Sierra Ct., Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Former Chevron Service Station #9-4930  
 3369 Castro Valley Boulevard  
 Castro Valley, California

FIGURE  
**1**

PROJECT NUMBER 386509	REVIEWED BY	DATE November 17, 2003	REVISED DATE
--------------------------	-------------	---------------------------	--------------

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1													
10/29/93	172.90	166.15	6.75	1,000	11	17	32	110	--	--	--	--	--
02/25/94	172.90	166.80	6.10	250	6.0	1.0	5.0	3.0	--	--	--	--	--
04/04/94	172.90	166.14	6.76	--	--	--	--	--	--	--	--	--	--
04/29/94	172.90	166.35	6.55	--	--	--	--	--	--	--	--	--	--
06/13/94	172.90	166.12	6.78	670	35	3.5	43	3.9	--	0.8	16	14	47
06/30/94	172.90	166.06	6.84	--	--	--	--	--	--	--	--	--	--
07/28/94	172.90	166.03	6.87	--	--	--	--	--	--	--	--	--	--
08/31/94	172.90	166.00	6.90	560	43	9.5	25	5.0	--	1.3	19	13	65
11/11/94	172.90	167.00	5.90	460	53	4.0	50	3.4	--	--	--	--	--
02/01/95	172.90	166.88	6.02	240	25	0.6	4.0	<0.5	--	--	--	--	--
05/18/95	172.90	166.82	6.08	580	42	1.0	53	2.6	--	--	--	--	--
08/22/95	172.90	166.52	6.38	840	73	1.2	110	1.6	--	--	--	--	--
11/01/95	172.90	166.40	6.50	350	36	<0.5	30	<0.5	15	--	--	--	--
01/26/96	172.90	166.85	6.05	210	23	<0.5	12	<0.5	4.7	--	--	--	--
05/08/96	172.90	166.50	6.40	310	42	2.3	56	1.1	52	--	--	--	--
10/03/96	173.53	166.61	6.92	240	31	<0.5	1.7	<0.5	18	--	--	--	--
02/04/97	173.53	167.02	6.51	200	9.9	<0.5	3.7	<0.5	16	--	--	--	--
04/30/97	173.53	166.64	6.89	260	11	<0.5	17	<0.5	13	--	--	--	--
07/22/97	173.53	166.49	7.04	170	5.0	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	173.53	166.55	6.98	230	13	<0.5	7.8	0.68	-- <sup>1</sup>	--	--	--	--
02/11/98	173.53	167.52	6.01	110	3.1	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	173.53	166.72	6.81	170	4.2	1.8	2.1	<0.5	<2.5	--	--	--	--
08/07/98	173.53	167.01	6.52	110	5.2	<0.5	6.7	<0.5	13	--	--	--	--
11/05/98	173.53	166.58	6.95	160	1.8	<0.5	<0.5	0.53	<2.5	--	--	--	--
03/02/99	173.53	166.97	6.56	119	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	173.53	166.89	6.64	153	3.17	<0.5	0.791	<0.5	<5.0	--	--	--	--
08/24/99	173.53	166.40	7.13	96.2	1.38	<0.5	<0.5	<0.5	14.7	--	--	--	--
11/19/99	173.53	166.92	6.61	209	13.1	1.68	12.3	<0.5	3.79	--	--	--	--
02/03/00	173.53	168.30	5.23	95	1.4	<0.5	<0.5	<0.5	15	--	--	--	--
05/03/00	173.53	166.52	7.01	120 <sup>2</sup>	0.92	<0.50	<0.50	<0.50	12	--	--	--	--
07/28/00	173.53	166.45	7.08	100 <sup>2</sup>	<0.50	<0.50	<0.50	<0.50	21	--	--	--	--
11/13/00	173.53	169.41	4.12	73.0 <sup>3</sup>	1.14	<0.500	<0.500	<0.500	27.0	--	--	--	--
02/15/01	173.53	166.86	6.67	148 <sup>4</sup>	2.34	<0.500	<0.500	<0.500	<2.50	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
<b>MW-1 (cont)</b>													
05/31/01	173.53	166.48	7.05	97 <sup>2</sup>	1.5	<0.50	<0.50	<0.50	3.0/2.1 <sup>5</sup>	--	--	--	--
08/30/01 <sup>6</sup>	173.53	166.21	7.32	410	4.8	<0.50	1.4	<0.50	--/ <5.0 <sup>5</sup>	--	--	--	--
11/29/01	173.53	166.78	6.75	180	5.7	<0.50	2.3	<1.5	<2.5	--	--	--	--
02/05/02	173.53	166.73	6.80	120	1.9	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/16/02 <sup>7</sup>	173.53	166.43	7.10	120	1.00	<0.50	<0.50	<1.5	2.9	--	41	<2	300
08/15/02	173.53	166.42	7.11	110	1.7	<0.50	<0.50	<1.5	<2.5	--	--	--	--
11/05/02	173.53	166.20	7.33	130	1.9	<0.50	<0.50	<1.5	<5.0	--	--	--	--
02/05/03	173.53	166.51	7.02	120	1.5	<0.50	<0.50	<1.5	<10	--	--	--	--
05/07/03	173.53	166.89	6.64	110	0.7	<0.5	<0.5	<1.5	<10	--	--	--	--
08/05/03 <sup>11</sup>	173.53	166.39	7.14	120	2	<0.5	<0.5	<0.5	4	--	--	--	--
11/17/03 <sup>11</sup>	173.53	166.53	7.00	110	<0.5	<0.5	<0.5	<0.5	3	--	--	--	--
<b>MW-2</b>													
10/29/93	173.91	166.05	7.86	5,600	140	3.2	17	330	--	--	--	--	--
02/25/94	173.91	166.96	6.95	820	41	<0.5	17	5.0	--	--	--	--	--
04/04/94	173.91	166.18	7.73	--	--	--	--	--	--	--	--	--	--
04/29/94	173.91	166.23	7.68	--	--	--	--	--	--	--	--	--	--
06/13/94	173.91	166.20	7.71	1,100	160	0.8	64	2.0	--	<0.5	0.9	<0.5	2.0
06/30/94	173.91	165.87	8.04	--	--	--	--	--	--	--	--	--	--
07/28/94	173.91	165.99	7.92	--	--	--	--	--	--	--	--	--	--
08/31/94	173.91	165.98	7.93	190	7.1	4.1	3.1	1.2	--	<0.5	1.1	<0.5	4.5
11/11/94	173.91	167.08	6.83	440	120	<1.0	18	<1.0	--	--	--	--	--
02/01/95	173.91	167.77	6.14	240	81	<1.0	<1.0	<1.0	--	--	--	--	--
05/18/95	173.91	166.91	7.00	330	74	<0.5	26	1.3	--	--	--	--	--
08/22/95	173.91	166.58	7.33	390	84	<1.0	2.1	<1.0	--	--	--	--	--
11/01/95	173.91	166.54	7.37	190	46	<0.5	1.6	<0.5	<2.5	--	--	--	--
01/26/96	173.91	168.13	5.78	<50	13	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	173.91	166.76	7.15	<50	4.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
10/03/96	172.67	166.66	6.01	63	4.3	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	172.67	167.40	5.27	<50	1.6	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	172.67	166.74	5.93	<50	5.4	<0.5	0.8	<0.5	<2.5	--	--	--	--
07/22/97	172.67	166.53	6.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
<b>MW-2 (cont)</b>													
11/03/97	172.67	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/11/98	172.67	167.95	4.72	<50	0.52	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	172.67	167.07	5.60	<50	1.1	1.2	<0.5	<0.5	<2.5	--	--	--	--
08/07/98	172.67	166.33	6.34	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	172.67	166.59	6.08	120	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	172.67	167.41	5.26	67	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	172.67	167.71	4.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
08/24/99	172.67	165.33	7.34	<50	1.18	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	172.67	166.84	5.83	<50	4.29	0.907	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	172.67	167.24	5.43	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	172.67	166.81	5.86	100 <sup>2</sup>	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	172.67	166.76	5.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	172.67	166.69	5.98	82.8 <sup>3</sup>	0.825	<0.500	<0.500	<0.500	25.0	--	--	--	--
02/15/01	172.67	167.25	5.42	161 <sup>4</sup>	0.808	<0.500	<0.500	<0.500	30.3	--	--	--	--
05/31/01	172.67	166.91	5.76	120 <sup>2</sup>	3.0	<0.50	<0.50	<0.50	29/26 <sup>5</sup>	--	--	--	--
08/30/01 <sup>6</sup>	172.67	166.55	6.12	450	2.2	<0.50	<0.50	<0.50	-127 <sup>5</sup>	--	--	--	--
11/29/01	172.67	167.29	5.38	250	1.3	<0.50	<0.50	<1.5	17	--	--	--	--
02/05/02	172.67	166.97	5.70	190	1.3	<0.50	<0.50	<1.5	7.5	--	--	--	--
05/16/02 <sup>8</sup>	172.67	166.63	6.04	230	0.87	<0.50	<0.50	<1.5	5.3	--	35	<2	640
08/15/02	172.67	166.73	5.94	200	2.7	<0.50	<0.50	<1.5	3.3	--	--	--	--
11/05/02	172.67	166.42	6.25	340	<0.50	<0.50	<0.50	<1.5	2.7	--	--	--	--
02/05/03	172.67	166.87	5.80	250	3.1	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	172.67	167.43	5.24	170	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--
08/05/03 <sup>11</sup>	172.67	166.68	5.99	200	2	<0.5	<0.5	<0.5	1	--	--	--	--
11/17/03 <sup>11</sup>	172.67	166.84	5.83	270	0.6	<0.5	<0.5	<0.5	2	--	--	--	--
<b>MW-3</b>													
10/29/93	172.60	164.96	7.64	110	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/25/94	172.60	166.22	6.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
04/04/94	172.60	165.21	7.39	--	--	--	--	--	--	--	--	--	--
04/29/94	172.60	165.62	6.98	--	--	--	--	--	--	--	--	--	--
06/13/94	172.60	165.15	7.45	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	2.0	<0.5	220

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
<b>MW-3 (cont)</b>													
06/30/94	172.60	165.05	7.55	--	--	--	--	--	--	--	--	--	--
07/28/94	172.60	164.93	7.67	--	--	--	--	--	--	--	--	--	--
08/31/94	172.60	164.81	7.79	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	1.6	<0.5	320
11/11/94	172.60	165.73	6.87	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/01/95	172.60	167.03	5.57	89	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	172.60	165.79	6.81	--	--	--	--	--	--	--	--	--	--
08/22/95	172.60	165.35	7.25	190	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	172.60	165.70	6.90	--	--	--	--	--	--	--	--	--	--
01/26/96	172.60	167.35	5.25	160	<2.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	172.60	165.55	7.05	--	--	--	--	--	--	--	--	--	--
10/03/96	170.47	165.29	5.18	150	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	170.47	166.27	4.20	88	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	170.47	165.37	5.10	--	--	--	--	--	--	--	--	--	--
07/22/97	170.47	165.15	5.32	180	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	170.47	165.12	5.35	--	--	--	--	--	--	--	--	--	--
02/11/98	170.47	167.47	3.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	170.47	165.96	4.51	--	--	--	--	--	--	--	--	--	--
08/07/98	170.47	165.26	5.21	110	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	170.47	165.35	5.12	--	--	--	--	--	--	--	--	--	--
03/02/99	170.47	166.19	4.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	170.47	165.82	4.65	--	--	--	--	--	--	--	--	--	--
08/24/99	170.47	164.76	5.71	352	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	170.47	164.64	5.83	--	--	--	--	--	--	--	--	--	--
02/03/00	170.47	165.55	4.92	140	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	170.47	165.54	4.93	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
07/28/00	170.47	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--
11/13/00	170.47	165.29	5.18	--	--	--	--	--	--	--	--	--	--
02/15/01	170.47	166.10	4.37	310 <sup>4</sup>	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	170.47	165.62	4.85	230 <sup>2</sup>	<1.0	<1.0	<1.0	<1.0	5.2/2.4 <sup>5</sup>	--	--	--	--
08/30/01	170.47	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--
11/29/01	170.47	166.12	4.35	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/05/02	170.47	165.63	4.84	360	<0.50	<0.50	<0.50	<1.5	2.8	--	--	--	--
05/16/02 <sup>9</sup>	170.47	165.37	5.10	340	<0.50	<0.50	<0.50	<1.5	3.4	--	37	<2	990

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
<b>MW-3 (cont)</b>													
08/15/02	170.47	164.91	5.56	370	<0.50	<0.50	<0.50	<1.5	3.1	--	--	--	--
11/05/02	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
02/05/03	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
05/07/03	170.47	166.44	4.03	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
08/05/03 <sup>11</sup>	170.47	165.37	5.10	350	<0.5	<0.5	<0.5	<0.5	5	--	--	--	--
11/17/03	170.47	165.52	4.95	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
<b>MW-4</b>													
10/29/93	170.68	165.18	5.50	640	6.7	3.3	0.6	6.7	--	--	--	--	--
02/25/94	170.68	165.86	4.82	450	20	0.8	12	6.0	--	--	--	--	--
04/04/94	170.68	165.23	5.45	--	--	--	--	--	--	--	--	--	--
04/29/94	170.68	165.45	5.23	--	--	--	--	--	--	--	--	--	--
06/13/94	170.68	165.14	5.54	1,700	130	1.4	100	11	--	22	59	13	180
06/30/94	170.68	165.13	5.55	--	--	--	--	--	--	--	--	--	--
07/28/94	170.68	165.06	5.62	--	--	--	--	--	--	--	--	--	--
08/31/94	170.68	165.00	5.68	800	17	3.5	9.3	4.4	--	25	53	22	510
11/11/94	170.68	165.46	5.22	500	26	<0.5	30	4.3	--	--	--	--	--
02/01/95	170.68	165.12	5.56	1,600	180	<2.0	31	42	--	--	--	--	--
05/18/95	170.68	165.70	4.98	1,300	130	<2.0	140	5.5	--	--	--	--	--
08/22/95	170.68	165.35	5.33	970	50	<1.2	75	<1.2	--	--	--	--	--
11/01/95	170.68	165.28	5.40	320	3.3	<0.5	4.1	<0.5	27	--	--	--	--
01/26/96	170.68	166.40	4.28	1,400	65	<2.5	98	71	100	--	--	--	--
05/08/96	170.68	165.33	5.35	610	28	1.2	58	4.4	70	--	--	--	--
10/03/96	171.70	165.48	6.22	210	4.2	<0.5	<0.5	<0.5	12	--	--	--	--
02/04/97	171.70	166.57	5.13	60	4.4	<0.5	<0.5	<0.5	--	--	--	--	--
04/30/97	171.70	165.60	6.10	870	49	<2.0	100	<2.0	18	--	--	--	--
07/22/97	171.70	165.36	6.34	420	16	<0.5	23	<0.5	9.4	--	--	--	--
11/03/97	171.70	165.35	6.35	370	8.1	0.54	10	7.6	30	--	--	--	--
02/11/98	171.70	167.16	4.54	<50	2.0	0.58	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	171.70	166.25	5.45	230	13	2.3	37	4.3	15	--	--	--	--
08/07/98	171.70	166.57	5.13	85	4.8	<0.5	11	0.87	57	--	--	--	--
11/05/98	171.70	165.31	6.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
<b>MW-4 (cont)</b>													
03/02/99	171.70	166.65	5.05	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	171.70	166.40	5.30	<50	0.9	<0.5	0.843	<0.5	<5.0	--	--	--	--
08/24/99	171.70	164.35	7.35	<50	0.893	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	171.70	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/03/00	171.70	166.35	5.35	<50	<0.5	<0.5	<0.5	<0.5	2.9	--	--	--	--
05/03/00	171.70	165.72	5.98	110 <sup>2</sup>	1.1	<0.50	0.51	<0.50	12	--	--	--	--
07/28/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING				--	--	--	--	--	--	--	--
11/13/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING				--	--	--	--	--	--	--	--
02/15/01	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING				--	--	--	--	--	--	--	--
05/31/01	171.70	166.62	5.08	<50	0.63	<0.50	<0.50	<0.50	<2.5/<2.0 <sup>5</sup>	--	--	--	--
08/30/01 <sup>6</sup>	171.70	165.30	6.40	560	3.6	<0.50	21	1.3	--/<5.0 <sup>5</sup>	--	--	--	--
11/29/01	171.70	166.05	5.65	210	1.5	<0.50	6.6	<1.5	<5.0	--	--	--	--
02/05/02	171.70	165.83	5.87	71	<0.50	<0.50	1.0	<1.5	<2.5	--	--	--	--
05/16/02 <sup>10</sup>	171.70	165.49	6.21	160	<0.50	<0.50	<0.50	<1.5	4.9	--	46	<2	420
08/15/02	171.70	165.49	6.21	150	2.8	<0.50	2.5	<1.5	2.5	--	--	--	--
11/05/02	171.70	165.24	6.46	290	<0.50	<0.50	<0.50	<1.5	6.5	--	--	--	--
02/05/03	171.70	165.64	6.06	68	1.2	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	171.70	166.68	5.02	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--
08/05/03 <sup>11</sup>	171.70	165.45	6.25	88	0.7	<0.5	2	<0.5	<0.5	--	--	--	--
11/17/03 <sup>11</sup>	171.70	165.54	6.16	80	0.9	<0.5	0.9	<0.5	0.9	--	--	--	--
<b>TRIP BLANK</b>													
02/25/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
06/13/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/31/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/11/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/22/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
<b>TRIP BLANK (cont)</b>													
10/03/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
07/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/11/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
08/07/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
08/24/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
02/15/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
08/30/01 <sup>6</sup>	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	--/ <5.0 <sup>5</sup>	--	--	--	--
<b>QA</b>													
11/29/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
02/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/16/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
08/15/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
11/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
02/05/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--
08/05/03 <sup>11</sup>	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/17/03 <sup>11</sup>	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to May 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

1,2-DCE = 1,2-Dichloroethene

TCE = Trichloroethene

DCFM = Dichlorodifluoromethane

PCE = Tetrachloroethene

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

<sup>1</sup> No value for MTBE could be determined; see lab report.

<sup>2</sup> Laboratory report indicates discrete peaks.

<sup>3</sup> Laboratory report indicates unidentified hydrocarbons C6-C12.

<sup>4</sup> Laboratory report indicates single analyte peak(s) are present in the requested fuel quantitation range. Fuel hydrocarbon is not present.

<sup>5</sup> MTBE by EPA Method 8260.

<sup>6</sup> TPH-G and BTEX by EPA Method 8260.

<sup>7</sup> Analyses for trans-1,2-DCE was detected at 3 ppb, and cis-1,2-DCE was detected at 9 ppb.

<sup>8</sup> Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 10 ppb.

<sup>9</sup> Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 8 ppb.

<sup>10</sup> Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 28 ppb.

<sup>11</sup> BTEX and MTBE by EPA Method 8260.

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

WELL ID	DATE	METHANOL (ppm)	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-1	05/31/01	<1.000	<500	<20	2.1	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
	08/05/03	--	--	--	4	--	--	--	--	--
	11/17/03	--	--	--	3	--	--	--	--	--
MW-2	05/31/01	<1.000	<500	<20	26	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	27	--	--	--	--	--
	08/05/03	--	--	--	1	--	--	--	--	--
	11/17/03	--	--	--	2	--	--	--	--	--
MW-3	05/31/01	<1.000	<500	<20	2.4	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	INACCESSIBLE - TRUCK PARKED OVER WELL				--	--	--	--	--
	08/05/03	--	--	--	5	--	--	--	--	--
	11/17/03	SAMPLED SEMI-ANNUALLY				--	--	--	--	--
MW-4	05/31/01	<1.000	<500	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
	08/05/03	--	--	--	<0.5	--	--	--	--	--
	11/17/03	--	--	--	0.9	--	--	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Former Chevron Service Station #9-4930  
3369 Castro Valley Boulevard  
Castro Valley, California

---

**EXPLANATIONS:**

TBA = Tertiary butyl alcohol  
MTBE = Methyl tertiary butyl ether  
DIPE = Di-isopropyl ether  
ETBE = Ethyl tertiary butyl ether  
TAME = Tertiary amyl methyl ether  
1,2-DCA = 1,2-Dichloroethane  
EDB = Ethylene dibromide  
(ppm) = Parts per million  
(ppb) = Parts per billion  
-- = Not Analyzed

**ANALYTICAL METHODS:**

EPA Method 8015 (Modified) for Methanol  
EPA Method 8260 for Oxygenate Compounds

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930  
 Site Address: 3369 Castro Valley Blvd.  
 City: Castro Valley, CA

Job Number: 386509  
 Event Date: 11-17-03 (inclusive)  
 Sampler: Joc

Well ID: MW-1  
 Well Diameter: 2 in.  
 Total Depth: 18.25 ft.  
 Depth to Water: 7.00 ft.  
11.25 xVF 0.17 = 1.91 x3 (case volume) = Estimated Purge Volume: 6 gal.

Date Monitored: 11-17-03 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_

Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1240 Weather Conditions: overcast  
 Sample Time/Date: 1306 11-17-03 Water Color: clear Odor: \_\_\_\_\_  
 Purging Flow Rate: 0.1 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm) x 100	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1248</u>	<u>2</u>	<u>7.69</u>	<u>10.07</u>	<u>64.1</u>	_____	_____
<u>1253</u>	<u>4</u>	<u>7.72</u>	<u>9.26</u>	<u>64.0</u>	_____	_____
<u>1258</u>	<u>6</u>	<u>7.71</u>	<u>9.32</u>	<u>63.9</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509  
 Site Address: 3369 Castro Valley Blvd. Event Date: 11-17-03 (inclusive)  
 City: Castro Valley, CA Sampler: Joe

Well ID: MW-2 Date Monitored: 11-17-03 Well Condition: o.k.

Well Diameter: 2 in.

Total Depth: 16.60 ft.

Depth to Water: 8.83 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

10.77 xVF 0.17 = 1.83 x3 (case volume) = Estimated Purge Volume: 5.5 gal.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Bailed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1135 Weather Conditions: Overcast  
 Sample Time/Date: 1205 11-17-03 Water Color: clear Odor: \_\_\_\_\_  
 Purging Flow Rate: 0.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1144</u>	<u>1.5</u>	<u>7.12</u>	<u>12.20</u>	<u>62.9</u>	_____	_____
<u>1149</u>	<u>3</u>	<u>7.16</u>	<u>12.28</u>	<u>63.6</u>	_____	_____
<u>1154</u>	<u>5.5</u>	<u>7.21</u>	<u>12.30</u>	<u>63.5</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

### COMMENTS:

\_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_





# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930  
 Site Address: 3369 Castro Valley Blvd.  
 City: Castro Valley, CA

Job Number: 386509  
 Event Date: 11-17-03 (inclusive)  
 Sampler: Soe

Well ID: MW-3  
 Well Diameter: 2 in.  
 Total Depth: 17.50 ft.  
 Depth to Water: 4.95 ft.

Date Monitored: 11-17-07 Well Condition: o.k.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF = \_\_\_\_\_ x3 (case volume) = Estimated Purge Volume: \_\_\_\_\_ gal.

**Purge Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: 1 Water Color: \_\_\_\_\_ Odor: \_\_\_\_\_  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: meanly

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509  
 Site Address: 3369 Castro Valley Blvd. Event Date: 11-17-03 (inclusive)  
 City: Castro Valley, CA Sampler: Joc

Well ID: MW-4 Date Monitored: 11-17-03 Well Condition: o.k.  
 Well Diameter: 2 in.  
 Total Depth: 17.80 ft.  
 Depth to Water: 6.16 ft.  
 $11.64 \times VF \ 0.17 = 1.98$  x3 (case volume) = Estimated Purge Volume: 6 gal.

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

**Purge Equipment:**  
 Disposable Bailer /  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer /  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1212 Weather Conditions: clear  
 Sample Time/Date: 1233 / 11-17-03 Water Color: clear Odor: \_\_\_\_\_  
 Purging Flow Rate: 0.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1216</u>	<u>2</u>	<u>7.42</u>	<u>7.96</u>	<u>64.0</u>	_____	_____
<u>1220</u>	<u>4</u>	<u>7.40</u>	<u>8.10</u>	<u>64.1</u>	_____	_____
<u>1224</u>	<u>6</u>	<u>7.47</u>	<u>8.22</u>	<u>63.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



11803-003

Acct. #: 10904

For Lancaster Laboratories use only

Sample #: 4168420-23

SCR#:

Gr. # 875681

**Cambria MTI Project # 61D-1967**

Facility #: SS#9-4930 G-R#386509 Global ID#T0600100137  
 Site Address: 3369 CASTRO VALLEY BLVD., CASTRO VALLEY, CA  
 Chevron PM: Mgmt. Transfer Initiative Lead Consultant: CAMBRIA  
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568  
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)  
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899  
 Sampler: SOE KEMIAN  
 Service Order #: \_\_\_\_\_  Non SAR:

Matrix		Analyses Requested																			
Soil	Water	Oil	Air	Total Number of Containers	Preservation Codes																
					H	H															
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
					BTEX+MTBE 8260 <input type="checkbox"/> 8021 <input type="checkbox"/>	TPH 8015 MOD GRO	TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>											

**Preservative Codes**  
 H = HCl      T = Thiosulfate  
 N = HNO<sub>3</sub>    B = NaOH  
 S = H<sub>2</sub>SO<sub>4</sub>    O = Other

J value reporting needed  
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation  
 Confirm highest hit by 8260  
 Confirm all hits by 8260  
 Run \_\_\_ oxy's on highest hit  
 Run \_\_\_ oxy's on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX+MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	Lead 7421
QA	11-17-03					<input checked="" type="checkbox"/>			2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-1	"	1306	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-2	"	1205	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-4	"	1233	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					

Comments / Remarks

**Turnaround Time Requested (TAT) (please circle)**

STD. TAT      72 hour      48 hour  
 24 hour      4 day      5 day

Relinquished by: <i>[Signature]</i>	Date: 11-18-03	Time: 12:00	Received by: <i>[Signature]</i>	Date: 11/18/03	Time: 12:00
Relinquished by: <i>[Signature]</i>	Date: 11/18/03	Time: 15:17:30	Received by: Airborne	Date: 11/18/03	Time: 15:17:30
Relinquished by:	Date:	Time:	Received by:	Date:	Time:

**Data Package Options (please circle if required)**

QC Summary      Type I — Full  
 Type VI (Raw Data)       Coalt Deliverable not needed  
 WIP (RWQCB)  
 Disk

Relinquished by Commercial Carrier:	Received by: <i>[Signature]</i>	Date: 11/20/03	Time: 10:10
UPS      FedEx      Other <i>[Signature]</i>	Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No		
Temperature Upon Receipt: 2.5 C°			

**ANALYTICAL RESULTS**

Prepared for:

ChevronTexaco  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425**SAMPLE GROUP**

The sample group for this submittal is 875681. Samples arrived at the laboratory on Thursday, November 20, 2003. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-031117	NA	Water	4168420
MW-1-W-031117	Grab	Water	4168421
MW-2-W-031117	Grab	Water	4168422
MW-4-W-031117	Grab	Water	4168423

1 COPY TO Cambria C/O Gettler- Ryan  
ELECTRONIC Gettler-Ryan  
COPY TO

Attn: Deanna L. Harding  
Attn: Cheryl Hansen

Questions? Contact your Client Services Representative  
Teresa L Cunningham at (717) 656-2300.

Respectfully Submitted,



Michele M. Turner  
Manager

**Lancaster Laboratories Sample No. WW 4168420**
**QA-T-031117 NA Water GRD**  
**Facility# 94930 Job# 386509**  
**3369 Castro Valley Castro T0600100137 QA**  
**Collected: 11/17/2003 00:00**
**Account Number: 10904**
**Submitted: 11/20/2003 09:20**  
**Reported: 11/24/2003 at 09:53**  
**Discard: 12/25/2003**
**ChevronTexaco**  
**6001 Bollinger Canyon Rd L4310**  
**San Ramon CA 94583**
**CASQA**

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.		50.	ug/l	1
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

**Laboratory Chronicle**

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	11/21/2003 17:50	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/21/2003 15:00	Lauren C Marzario	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/21/2003 17:50	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	11/21/2003 15:00	Lauren C Marzario	n.a.

Lancaster Laboratories Sample No. **WW 4168421**

 MW-1-W-031117                      Grab                      Water  
 Facility# 94930    Job# 386509                                      GRD  
 3369 Castro Valley Castro T0600100137    MW-1  
 Collected: 11/17/2003 13:06                      by JA

Account Number: 10904

 Submitted: 11/20/2003 09:20  
 Reported: 11/24/2003 at 09:54  
 Discard: 12/25/2003

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

CASM1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	110.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	3.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	11/21/2003 18:23	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/21/2003 10:28	Lauren C Marzario	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/21/2003 18:23	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	11/21/2003 10:28	Lauren C Marzario	n.a.

Lancaster Laboratories Sample No. **WW 4168422**

 MW-2-W-031117                      Grab                      Water  
 Facility# 94930    Job# 386509                                      GRD  
 3369 Castro Valley Castro T0600100137    MW-2  
 Collected: 11/17/2003 12:05                      by JA

Account Number: 10904

 Submitted: 11/20/2003 09:20  
 Reported: 11/24/2003 at 09:54  
 Discard: 12/25/2003

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

**CASM2**

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	270.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	2.	0.5	ug/l	1
05401	Benzene	71-43-2	0.6	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

**Laboratory Chronicle**

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	11/21/2003 18:55	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/21/2003 15:27	Lauren C Marzario	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/21/2003 18:55	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	11/21/2003 15:27	Lauren C Marzario	n.a.

**Lancaster Laboratories Sample No. WW 4168423**

 MW-4-W-031117                      Grab                      Water  
 Facility# 94930    Job# 386509                                      GRD  
 3369 Castro Valley Castro T0600100137    MW-4  
 Collected: 11/17/2003 12:33                      by JA

Account Number: 10904

 Submitted: 11/20/2003 09:20  
 Reported: 11/24/2003 at 09:54  
 Discard: 12/25/2003

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

CASM4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	80.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	0.9	0.5	ug/l	1
05401	Benzene	71-43-2	0.9	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	0.9	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	11/21/2003 19:28	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/21/2003 15:53	Lauren C Marzario	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/21/2003 19:28	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	11/21/2003 15:53	Lauren C Marzario	n.a.



## Quality Control Summary

 Client Name: ChevronTexaco  
 Reported: 11/24/03 at 09:54 AM

Group Number: 875681

### Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 03325A07B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4168420-4168423 ug/l	108		70-130		
Batch number: P033252AA Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4168420-4168423 ug/l	86		77-127		
Benzene	N.D.	0.5	ug/l	90		85-117		
Toluene	N.D.	0.5	ug/l	90		85-115		
Ethylbenzene	N.D.	0.5	ug/l	90		82-119		
Xylene (Total)	N.D.	0.5	ug/l	92		84-120		

### Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 03325A07B TPH-GRO - Waters	101	100	Sample number(s): 4168420-4168423 63-154	1	30				
Batch number: P033252AA Methyl Tertiary Butyl Ether	90	86	Sample number(s): 4168420-4168423 69-134	3	30				
Benzene	96	94	83-128	2	30				
Toluene	98	92	83-127	6	30				
Ethylbenzene	97	93	82-129	4	30				
Xylene (Total)	100	95	82-130	5	30				

### Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters  
 Batch number: 03325A07B  
 Trifluorotoluene-F

4168420	78
4168421	114
4168422	118
4168423	86
Blank	78
LCS	103
MS	126
MSD	124

Limits: 57-146

 Analysis Name: BTEX+MTBE by 8260B  
 Batch number: P033252AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4168420	95	91	98	90
4168421	96	91	99	91
4168422	94	91	99	90

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

## Quality Control Summary

Client Name: ChevronTexaco  
Reported: 11/24/03 at 09:54 AM

Group Number: 875681

### Surrogate Quality Control

4168423	94	94	99	90
Blank	95	93	99	89
LCS	95	91	98	92
MS	96	93	98	92
MSD	96	91	99	91
Limits:	81-120	82-112	85-112	83-113

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>N.D.</b>	none detected	<b>BMQL</b>	Below Minimum Quantitation Level
<b>TNTC</b>	Too Numerous To Count	<b>MPN</b>	Most Probable Number
<b>IU</b>	International Units	<b>CP Units</b>	cobalt-chloroplatinate units
<b>umhos/cm</b>	micromhos/cm	<b>NTU</b>	nephelometric turbidity units
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>ug</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>ml</b>	milliliter(s)	<b>l</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>ul</b>	microliter(s)

**<** less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

**>** greater than

**J** estimated value - The result falls within the Method Detection Limit (MDL) and Limit of Quantitation (LOQ).

**ppm** parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

**ppb** parts per billion

**Dry weight basis** Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

## U.S. EPA CLP Data Qualifiers:

### Organic Qualifiers

<b>A</b>	TIC is a possible aldol-condensation product
<b>B</b>	Analyte was also detected in the blank
<b>C</b>	Pesticide result confirmed by GC/MS
<b>D</b>	Compound quantitated on a diluted sample
<b>E</b>	Concentration exceeds the calibration range of the instrument
<b>N</b>	Presumptive evidence of a compound (TICs only)
<b>P</b>	Concentration difference between primary and confirmation columns >25%
<b>U</b>	Compound was not detected
<b>X,Y,Z</b>	Defined in case narrative

### Inorganic Qualifiers

<b>B</b>	Value is <CRDL, but ≥IDL
<b>E</b>	Estimated due to interference
<b>M</b>	Duplicate injection precision not met
<b>N</b>	Spike sample not within control limits
<b>S</b>	Method of standard additions (MSA) used for calculation
<b>U</b>	Compound was not detected
<b>W</b>	Post digestion spike out of control limits
<b>*</b>	Duplicate analysis not within control limits
<b>+</b>	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.