

Environmental Management
Company
6001 Bollinger Canyon Rd, L4050
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

Karen Streich
Project Manager

Ro- 416

April 1 _____, 2004

ChevronTexaco

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Alameda County

APR 9 5 2004

Environmental Health

Re: Chevron Service Station # 9-4930

Address: 3369 Castro Valley Boulevard, Castro Valley, California

I have reviewed the attached routine groundwater monitoring report dated March 15, 2004.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

March 15, 2004
G-R #386509

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Unit #9
Rocklin, California 95677

Alameda County
APR 05 2004
Environmental Health

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-4930
3369 Castro Valley Boulevard
Castro Valley, California
MTI: 61D-1967**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	March 11, 2004	Groundwater Monitoring and Sampling Report First Quarter - Event of February 14, 2004

COMMENTS:

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **March 31, 2004**, at which time the final report will be distributed to the following:

- cc: Mr. Amir Gholami, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Alameda, CA 94502
- Mr. Chuck Headlee, RWQCB - San Francisco Bay Region, 1515 Clay Street, Suite 1400, Oakland, CA 94612
- Ms. Anna Counelis and Tula Gallanes, 109 Casa Vieja, Orinda, CA 94563

Enclosures

trans/9-4930-ks



GETTLER - RYAN INC.

March 11, 2004
G-R Job #386509

Ms. Karen Streich
ChevronTexaco Company
P.O. Box 6004
San Ramon, CA 94583

RE: First Quarter Event of February 14, 2004
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

Dear Ms. Streich:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,



Deanna L. Harding
Project Coordinator



Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-4930
 3369 Castro Valley Boulevard
 Castro Valley, California

FIGURE
1

PROJECT NUMBER
386509

REVIEWED BY

DATE
 February 14, 2004

REVISED DATE

FILE NAME: P:\ENMRO\CHEVRON\9-4930\Q04-9-4930.DWG | Layout Tab: Pot1

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1													
10/29/93	172.90	166.15	6.75	1,000	11	17	32	110	--	--	--	--	--
02/25/94	172.90	166.80	6.10	250	6.0	1.0	5.0	3.0	--	--	--	--	--
04/04/94	172.90	166.14	6.76	--	--	--	--	--	--	--	--	--	--
04/29/94	172.90	166.35	6.55	--	--	--	--	--	--	--	--	--	--
06/13/94	172.90	166.12	6.78	670	35	3.5	43	3.9	--	0.8	16	14	47
06/30/94	172.90	166.06	6.84	--	--	--	--	--	--	--	--	--	--
07/28/94	172.90	166.03	6.87	--	--	--	--	--	--	--	--	--	--
08/31/94	172.90	166.00	6.90	560	43	9.5	25	5.0	--	1.3	19	13	65
11/11/94	172.90	167.00	5.90	460	53	4.0	50	3.4	--	--	--	--	--
02/01/95	172.90	166.88	6.02	240	25	0.6	4.0	<0.5	--	--	--	--	--
05/18/95	172.90	166.82	6.08	580	42	1.0	53	2.6	--	--	--	--	--
08/22/95	172.90	166.52	6.38	840	73	1.2	110	1.6	--	--	--	--	--
11/01/95	172.90	166.40	6.50	350	36	<0.5	30	<0.5	15	--	--	--	--
01/26/96	172.90	166.85	6.05	210	23	<0.5	12	<0.5	4.7	--	--	--	--
05/08/96	172.90	166.50	6.40	310	42	2.3	56	1.1	52	--	--	--	--
10/03/96	173.53	166.61	6.92	240	31	<0.5	1.7	<0.5	18	--	--	--	--
02/04/97	173.53	167.02	6.51	200	9.9	<0.5	3.7	<0.5	16	--	--	--	--
04/30/97	173.53	166.64	6.89	260	11	<0.5	17	<0.5	13	--	--	--	--
07/22/97	173.53	166.49	7.04	170	5.0	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	173.53	166.55	6.98	230	13	<0.5	7.8	0.68	--	--	--	--	--
02/11/98	173.53	167.52	6.01	110	3.1	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	173.53	166.72	6.81	170	4.2	1.8	2.1	<0.5	<2.5	--	--	--	--
08/07/98	173.53	167.01	6.52	110	5.2	<0.5	6.7	<0.5	13	--	--	--	--
11/05/98	173.53	166.58	6.95	160	1.8	<0.5	<0.5	0.53	<2.5	--	--	--	--
03/02/99	173.53	166.97	6.56	119	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	173.53	166.89	6.64	153	3.17	<0.5	0.791	<0.5	<5.0	--	--	--	--
08/24/99	173.53	166.40	7.13	96.2	1.38	<0.5	<0.5	<0.5	14.7	--	--	--	--
11/19/99	173.53	166.92	6.61	209	13.1	1.68	12.3	<0.5	3.79	--	--	--	--
02/03/00	173.53	168.30	5.23	95	1.4	<0.5	<0.5	<0.5	15	--	--	--	--
05/03/00	173.53	166.52	7.01	120 ²	0.92	<0.50	<0.50	<0.50	12	--	--	--	--
07/28/00	173.53	166.45	7.08	100 ²	<0.50	<0.50	<0.50	<0.50	21	--	--	--	--
11/13/00	173.53	169.41	4.12	73.0 ³	1.14	<0.500	<0.500	<0.500	27.0	--	--	--	--
02/15/01	173.53	166.86	6.67	148 ⁴	2.34	<0.500	<0.500	<0.500	<2.50	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1 (cont)													
05/31/01	173.53	166.48	7.05	97 ²	1.5	<0.50	<0.50	<0.50	3.0/2.1 ⁵	--	--	--	--
08/30/01 ⁶	173.53	166.21	7.32	410	4.8	<0.50	1.4	<0.50	--/ <5.0 ⁵	--	--	--	--
11/29/01	173.53	166.78	6.75	180	5.7	<0.50	2.3	<1.5	<2.5	--	--	--	--
02/05/02	173.53	166.73	6.80	120	1.9	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/16/02 ⁷	173.53	166.43	7.10	120	1.00	<0.50	<0.50	<1.5	2.9	--	41	<2	300
08/15/02	173.53	166.42	7.11	110	1.7	<0.50	<0.50	<1.5	<2.5	--	--	--	--
11/05/02	173.53	166.20	7.33	130	1.9	<0.50	<0.50	<1.5	<5.0	--	--	--	--
02/05/03	173.53	166.51	7.02	120	1.5	<0.50	<0.50	<1.5	<10	--	--	--	--
05/07/03	173.53	166.89	6.64	110	0.7	<0.5	<0.5	<1.5	<10	--	--	--	--
08/05/03 ¹¹	173.53	166.39	7.14	120	2	<0.5	<0.5	<0.5	4	--	--	--	--
11/17/03 ¹¹	173.53	166.53	7.00	110	<0.5	<0.5	<0.5	<0.5	3	--	--	--	--
02/14/04 ¹¹	173.53	166.55	6.98	92	<0.5	<0.5	<0.5	<0.5	3	--	--	--	--
MW-2													
10/29/93	173.91	166.05	7.86	5,600	140	3.2	17	330	--	--	--	--	--
02/25/94	173.91	166.96	6.95	820	41	<0.5	17	5.0	--	--	--	--	--
04/04/94	173.91	166.18	7.73	--	--	--	--	--	--	--	--	--	--
04/29/94	173.91	166.23	7.68	--	--	--	--	--	--	--	--	--	--
06/13/94	173.91	166.20	7.71	1,100	160	0.8	64	2.0	--	<0.5	0.9	<0.5	2.0
06/30/94	173.91	165.87	8.04	--	--	--	--	--	--	--	--	--	--
07/28/94	173.91	165.99	7.92	--	--	--	--	--	--	--	--	--	--
08/31/94	173.91	165.98	7.93	190	7.1	4.1	3.1	1.2	--	<0.5	1.1	<0.5	4.5
11/11/94	173.91	167.08	6.83	440	120	<1.0	18	<1.0	--	--	--	--	--
02/01/95	173.91	167.77	6.14	240	81	<1.0	<1.0	<1.0	--	--	--	--	--
05/18/95	173.91	166.91	7.00	330	74	<0.5	26	1.3	--	--	--	--	--
08/22/95	173.91	166.58	7.33	390	84	<1.0	2.1	<1.0	--	--	--	--	--
11/01/95	173.91	166.54	7.37	190	46	<0.5	1.6	<0.5	<2.5	--	--	--	--
01/26/96	173.91	168.13	5.78	<50	13	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	173.91	166.76	7.15	<50	4.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
10/03/96	172.67	166.66	6.01	63	4.3	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	172.67	167.40	5.27	<50	1.6	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	172.67	166.74	5.93	<50	5.4	<0.5	0.8	<0.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-2 (cont)													
07/22/97	172.67	166.53	6.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	172.67	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/11/98	172.67	167.95	4.72	<50	0.52	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	172.67	167.07	5.60	<50	1.1	1.2	<0.5	<0.5	<2.5	--	--	--	--
08/07/98	172.67	166.33	6.34	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	172.67	166.59	6.08	120	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	172.67	167.41	5.26	67	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	172.67	167.71	4.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
08/24/99	172.67	165.33	7.34	<50	1.18	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	172.67	166.84	5.83	<50	4.29	0.907	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	172.67	167.24	5.43	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	172.67	166.81	5.86	100 ²	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	172.67	166.76	5.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	172.67	166.69	5.98	82.8 ³	0.825	<0.500	<0.500	<0.500	25.0	--	--	--	--
02/15/01	172.67	167.25	5.42	161 ⁴	0.808	<0.500	<0.500	<0.500	30.3	--	--	--	--
05/31/01	172.67	166.91	5.76	120 ²	3.0	<0.50	<0.50	<0.50	29/26 ⁵	--	--	--	--
08/30/01 ⁶	172.67	166.55	6.12	450	2.2	<0.50	<0.50	<0.50	--/27 ⁵	--	--	--	--
11/29/01	172.67	167.29	5.38	250	1.3	<0.50	<0.50	<1.5	17	--	--	--	--
02/05/02	172.67	166.97	5.70	190	1.3	<0.50	<0.50	<1.5	7.5	--	--	--	--
05/16/02 ⁸	172.67	166.63	6.04	230	0.87	<0.50	<0.50	<1.5	5.3	--	35	<2	640
08/15/02	172.67	166.73	5.94	200	2.7	<0.50	<0.50	<1.5	3.3	--	--	--	--
11/05/02	172.67	166.42	6.25	340	<0.50	<0.50	<0.50	<1.5	2.7	--	--	--	--
02/05/03	172.67	166.87	5.80	250	3.1	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	172.67	167.43	5.24	170	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--
08/05/03 ¹¹	172.67	166.68	5.99	200	2	<0.5	<0.5	<0.5	1	--	--	--	--
11/17/03 ¹¹	172.67	166.84	5.83	270	0.6	<0.5	<0.5	<0.5	2	--	--	--	--
02/14/04 ¹¹	172.67	166.90	5.77	310	0.5	<0.5	<0.5	<0.5	2	--	--	--	--
MW-3													
10/29/93	172.60	164.96	7.64	110	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/25/94	172.60	166.22	6.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
04/04/94	172.60	165.21	7.39	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-3 (cont)													
04/29/94	172.60	165.62	6.98	--	--	--	--	--	--	--	--	--	--
06/13/94	172.60	165.15	7.45	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	2.0	<0.5	220
06/30/94	172.60	165.05	7.55	--	--	--	--	--	--	--	--	--	--
07/28/94	172.60	164.93	7.67	--	--	--	--	--	--	--	--	--	--
08/31/94	172.60	164.81	7.79	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	1.6	<0.5	320
11/11/94	172.60	165.73	6.87	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/01/95	172.60	167.03	5.57	89	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	172.60	165.79	6.81	--	--	--	--	--	--	--	--	--	--
08/22/95	172.60	165.35	7.25	190	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	172.60	165.70	6.90	--	--	--	--	--	--	--	--	--	--
01/26/96	172.60	167.35	5.25	160	<2.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	172.60	165.55	7.05	--	--	--	--	--	--	--	--	--	--
10/03/96	170.47	165.29	5.18	150	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	170.47	166.27	4.20	88	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	170.47	165.37	5.10	--	--	--	--	--	--	--	--	--	--
07/22/97	170.47	165.15	5.32	180	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	170.47	165.12	5.35	--	--	--	--	--	--	--	--	--	--
02/11/98	170.47	167.47	3.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	170.47	165.96	4.51	--	--	--	--	--	--	--	--	--	--
08/07/98	170.47	165.26	5.21	110	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	170.47	165.35	5.12	--	--	--	--	--	--	--	--	--	--
03/02/99	170.47	166.19	4.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	170.47	165.82	4.65	--	--	--	--	--	--	--	--	--	--
08/24/99	170.47	164.76	5.71	352	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	170.47	164.64	5.83	--	--	--	--	--	--	--	--	--	--
02/03/00	170.47	165.55	4.92	140	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	170.47	165.54	4.93	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
07/28/00	170.47	INACCESSIBLE - CAR PARKED OVER WELL						--	--	--	--	--	--
11/13/00	170.47	165.29	5.18	--	--	--	--	--	--	--	--	--	--
02/15/01	170.47	166.10	4.37	310 ⁴	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	170.47	165.62	4.85	230 ²	<1.0	<1.0	<1.0	<1.0	5.2/2.4 ⁵	--	--	--	--
08/30/01	170.47	INACCESSIBLE - CAR PARKED OVER WELL						--	--	--	--	--	--
11/29/01	170.47	166.12	4.35	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-3 (cont)													
02/05/02	170.47	165.63	4.84	360	<0.50	<0.50	<0.50	<1.5	2.8	--	--	--	--
05/16/02 ⁹	170.47	165.37	5.10	340	<0.50	<0.50	<0.50	<1.5	3.4	--	37	<2	990
08/15/02	170.47	164.91	5.56	370	<0.50	<0.50	<0.50	<1.5	3.1	--	--	--	--
11/05/02	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
02/05/03	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
05/07/03	170.47	166.44	4.03	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--	--
08/05/03 ¹¹	170.47	165.37	5.10	350	<0.5	<0.5	<0.5	<0.5	5	--	--	--	--
11/17/03	170.47	165.52	4.95	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--	--
02/14/04	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
MW-4													
10/29/93	170.68	165.18	5.50	640	6.7	3.3	0.6	6.7	--	--	--	--	--
02/25/94	170.68	165.86	4.82	450	20	0.8	12	6.0	--	--	--	--	--
04/04/94	170.68	165.23	5.45	--	--	--	--	--	--	--	--	--	--
04/29/94	170.68	165.45	5.23	--	--	--	--	--	--	--	--	--	--
06/13/94	170.68	165.14	5.54	1,700	130	1.4	100	11	--	22	59	13	180
06/30/94	170.68	165.13	5.55	--	--	--	--	--	--	--	--	--	--
07/28/94	170.68	165.06	5.62	--	--	--	--	--	--	--	--	--	--
08/31/94	170.68	165.00	5.68	800	17	3.5	9.3	4.4	--	25	53	22	510
11/11/94	170.68	165.46	5.22	500	26	<0.5	30	4.3	--	--	--	--	--
02/01/95	170.68	165.12	5.56	1,600	180	<2.0	31	42	--	--	--	--	--
05/18/95	170.68	165.70	4.98	1,300	130	<2.0	140	5.5	--	--	--	--	--
08/22/95	170.68	165.35	5.33	970	50	<1.2	75	<1.2	--	--	--	--	--
11/01/95	170.68	165.28	5.40	320	3.3	<0.5	4.1	<0.5	27	--	--	--	--
01/26/96	170.68	166.40	4.28	1,400	65	<2.5	98	71	100	--	--	--	--
05/08/96	170.68	165.33	5.35	610	28	1.2	58	4.4	70	--	--	--	--
10/03/96	171.70	165.48	6.22	210	4.2	<0.5	<0.5	<0.5	12	--	--	--	--
02/04/97	171.70	166.57	5.13	60	4.4	<0.5	<0.5	<0.5	--	--	--	--	--
04/30/97	171.70	165.60	6.10	870	49	<2.0	100	<2.0	18	--	--	--	--
07/22/97	171.70	165.36	6.34	420	16	<0.5	23	<0.5	9.4	--	--	--	--
11/03/97	171.70	165.35	6.35	370	8.1	0.54	10	7.6	30	--	--	--	--
02/11/98	171.70	167.16	4.54	<50	2.0	0.58	<0.5	<0.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-4 (cont)													
05/08/98	171.70	166.25	5.45	230	13	2.3	37	4.3	15	--	--	--	--
08/07/98	171.70	166.57	5.13	85	4.8	<0.5	11	0.87	57	--	--	--	--
11/05/98	171.70	165.31	6.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	171.70	166.65	5.05	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	171.70	166.40	5.30	<50	0.9	<0.5	0.843	<0.5	<5.0	--	--	--	--
08/24/99	171.70	164.35	7.35	<50	0.893	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	171.70	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--
02/03/00	171.70	166.35	5.35	<50	<0.5	<0.5	<0.5	<0.5	2.9	--	--	--	--
05/03/00	171.70	165.72	5.98	110 ²	1.1	<0.50	0.51	<0.50	12	--	--	--	--
07/28/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING				--	--	--	--	--	--	--	--
11/13/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING				--	--	--	--	--	--	--	--
02/15/01	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING				--	--	--	--	--	--	--	--
05/31/01	171.70	166.62	5.08	<50	0.63	<0.50	<0.50	<0.50	<2.5/<2.0 ⁵	--	--	--	--
08/30/01 ⁶	171.70	165.30	6.40	560	3.6	<0.50	21	1.3	--/<5.0 ⁵	--	--	--	--
11/29/01	171.70	166.05	5.65	210	1.5	<0.50	6.6	<1.5	<5.0	--	--	--	--
02/05/02	171.70	165.83	5.87	71	<0.50	<0.50	1.0	<1.5	<2.5	--	--	--	--
05/16/02 ¹⁰	171.70	165.49	6.21	160	<0.50	<0.50	<0.50	<1.5	4.9	--	46	<2	420
08/15/02	171.70	165.49	6.21	150	2.8	<0.50	2.5	<1.5	2.5	--	--	--	--
11/05/02	171.70	165.24	6.46	290	<0.50	<0.50	<0.50	<1.5	6.5	--	--	--	--
02/05/03	171.70	165.64	6.06	68	1.2	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	171.70	166.68	5.02	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--
08/05/03 ¹¹	171.70	165.45	6.25	88	0.7	<0.5	2	<0.5	<0.5	--	--	--	--
11/17/03 ¹¹	171.70	165.54	6.16	80	0.9	<0.5	0.9	<0.5	0.9	--	--	--	--
02/14/04 ¹⁴	171.70	165.70	6.00	63	<0.5	<0.5	<0.5	<0.5	0.7	--	--	--	--
TRIP BLANK													
02/25/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
06/13/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/31/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/11/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
TRIP BLANK (cont)													
08/22/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
10/03/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
07/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/11/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
08/07/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
08/24/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
02/15/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
08/30/01 ⁶	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0 ⁵	--	--	--	--
QA													
11/29/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
02/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/16/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
08/15/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
11/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
02/05/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
QA (cont)													
08/05/03 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/17/03 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
02/14/04 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet
GWE = Groundwater Elevation
(msl) = Mean sea level
DTW = Depth to Water
TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes
MTBE = Methyl tertiary butyl ether
1,2-DCE = 1,2-Dichloroethene

TCE = Trichloroethene
DCFM = Dichlorodifluoromethane
PCE = Tetrachloroethene
(ppb) = Parts per billion
-- = Not Measured/Not Analyzed
QA = Quality Assurance/Trip Blank

- ¹ No value for MTBE could be determined; see lab report.
- ² Laboratory report indicates discrete peaks.
- ³ Laboratory report indicates unidentified hydrocarbons C6-C12.
- ⁴ Laboratory report indicates single analyte peak(s) are present in the requested fuel quantitation range. Fuel hydrocarbon is not present.
- ⁵ MTBE by EPA Method 8260.
- ⁶ TPH-G and BTEX by EPA Method 8260.
- ⁷ Analyses for trans-1,2-DCE was detected at 3 ppb, and cis-1,2-DCE was detected at 9 ppb.
- ⁸ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 10 ppb.
- ⁹ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 8 ppb.
- ¹⁰ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 28 ppb.
- ¹¹ BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID	DATE	METHANOL (ppm)	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-1	05/31/01	<1.000	<500	<20	2.1	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
	08/05/03	--	--	--	4	--	--	--	--	--
	11/17/03	--	--	--	3	--	--	--	--	--
	02/14/04	--	--	--	3	--	--	--	--	--
MW-2	05/31/01	<1.000	<500	<20	26	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	27	--	--	--	--	--
	08/05/03	--	--	--	1	--	--	--	--	--
	11/17/03	--	--	--	2	--	--	--	--	--
	02/14/04	--	--	--	2	--	--	--	--	--
MW-3	05/31/01	<1.000	<500	<20	2.4	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	INACCESSIBLE - TRUCK PARKED OVER WELL				--	--	--	--	--
	08/05/03	--	--	--	5	--	--	--	--	--
	11/17/03	SAMPLED SEMI-ANNUALLY				--	--	--	--	--
MW-4	05/31/01	<1.000	<500	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
	08/05/03	--	--	--	<0.5	--	--	--	--	--
	11/17/03	--	--	--	0.9	--	--	--	--	--
	02/14/04	--	--	--	0.7	--	--	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = Ethylene dibromide
(ppm) = Parts per million
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHODS:

EPA Method 8015 (Modified) for Methanol
EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930
 Site Address: 3369 Castro Valley Blvd.
 City: Castro Valley, CA

Job Number: 386509
 Event Date: 2/14/09 (inclusive)
 Sampler: Jim Heron

Well ID: MW-1
 Well Diameter: 2 in.
 Total Depth: 18.25 ft.
 Depth to Water: 6.98 ft.
11.27 xVF = 1.91

Date Monitored: 2/14/09 Well Condition: OK

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

11.27 xVF = 1.91 x3 (case volume) = Estimated Purge Volume: 5.74 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 0920 Weather Conditions: c / cloudy
 Sample Time/Date: 0930 / 2/14/09 Water Color: c / cloudy Odor: no
 Purging Flow Rate: — gpm. Sediment Description: 1.00
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0924</u>	<u>1.5</u>	<u>7.30</u>	<u>650</u>	<u>16.8</u>	_____	_____
<u>0928</u>	<u>3.0</u>	<u>7.23</u>	<u>671</u>	<u>17.2</u>	_____	_____
<u>0932</u>	<u>4.5</u>	<u>7.16</u>	<u>684</u>	<u>17.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock:

Add/Replaced Plug: Size: 2"



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 2/14/04 (inclusive)
 City: Castro Valley, CA Sampler: Jim Hearn

Well ID: MW-2 Date Monitored: 2/14/04 Well Condition: OK

Well Diameter: 2 in.

Total Depth: 16.60 ft.

Depth to Water: 5.77 ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

10.83 xVF .17 = 1.84 x3 (case volume) = Estimated Purge Volume: 5.52 gal.

Purge Equipment:

Disposable Bailer: X
 Stainless Steel Bailer: _____
 Stack Pump: _____
 Suction Pump: _____
 Grundfos: _____
 Other: _____

Sampling Equipment:

Disposable Bailer: X
 Pressure Bailer: _____
 Discrete Bailer: _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 0850 Weather Conditions: cloudy
 Sample Time/Date: 0910 / 2/14/04 Water Color: cloudy Odor: no
 Purging Flow Rate: — gpm. Sediment Description: 1.34
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0853</u>	<u>1.5</u>	<u>7.26</u>	<u>802</u>	<u>16.9</u>	_____	_____
<u>0857</u>	<u>3.0</u>	<u>7.17</u>	<u>815</u>	<u>16.7</u>	_____	_____
<u>0900</u>	<u>4.5</u>	<u>7.03</u>	<u>837</u>	<u>16.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: X Add/Replaced Plug: X Size: 2"



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930
 Site Address: 3369 Castro Valley Blvd.
 City: Castro Valley, CA

Job Number: 386509
 Event Date: 2/14/01 (inclusive)
 Sampler: Jim Heron

Well ID: MW-3
 Well Diameter: 2 in.
 Total Depth: 17.50 ft.
 Depth to Water: - ft.

Date Monitored: 2/14/01

Well Condition: CAR PARKED OVER

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

- xVF = - x3 (case volume) = Estimated Purge Volume: - gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-</u>	<u>x vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: CAR PARKED OVER WELL - unable to locate
OWNER

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 2/14/04 (inclusive)
 City: Castro Valley, CA Sampler: Jim Herrera

Well ID: MW-4 Date Monitored: 2/14/04 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 17.80 ft.
 Depth to Water: 6.00 ft.
11.80 x VF .17 = 2.00 x3 (case volume) = Estimated Purge Volume: 6.01 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Bailed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Product Transferred to:	_____

Start Time (purge): 0950 Weather Conditions: cloudy
 Sample Time/Date: 1015 12/14/04 Water Color: cloudy Odor: NO
 Purging Flow Rate: - gpm. Sediment Description: 1.284
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0956</u>	<u>2</u>	<u>7.27</u>	<u>249</u>	<u>17.1</u>	_____	_____
<u>1001</u>	<u>4</u>	<u>7.11</u>	<u>286</u>	<u>17.6</u>	_____	_____
<u>1006</u>	<u>6</u>	<u>6.84</u>	<u>311</u>	<u>17.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



021704-12

Acct. #: 10904 For Lancaster Laboratories use only
 Sample #: 4217849-52

SCR#: _____
 Gap # 885043

Cambria MTI Project #: 61D-1967

Facility #: SS#9-4930 G-R#386509 Global ID#T0600100137
 Site Address: 3369 CASTRO VALLEY BLVD., CASTRO VALLEY, CA
 Chevron PM: Mgmt. Transfer Initiative Lead Consultant: CAMBRIA
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Jim Heron
 Service Order #: _____ Non SAR:

Matrix		Analyses Requested																		
		Preservation Codes																		
Soil	Water	Oil	Air	Total Number of Containers							Other									
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8021	<input type="checkbox"/>	8260	<input checked="" type="checkbox"/>	8021	<input type="checkbox"/>	TPH 8015 MOD	GRO	TPH 8015 MOD DRO	<input type="checkbox"/>	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	<input type="checkbox"/>	7421	<input type="checkbox"/>

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

- J value reporting needed
- Must meet lowest detection limits possible for 8260 compounds
- 8021 MTBE Confirmation
- Confirm highest hit by 8260
- Confirm all hits by 8260
- Run ___ oxy s on highest hit
- Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	8021	8260	TPH 8015 MOD	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421
Q/A	2/14/04		X			Y			2	X	X	X					
MW-1	↓	0940	Y			X			6	X	X	X					
MW-2	↓	0910	X			X			6	X	X	X					
MW-4	↓	1015	Y			Y			6	X	X						

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 24 hour 72 hour 48 hour
 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: 2/14/04	Time: 1200	Received by: <u>[Signature]</u>	Date: 2/14/04	Time: 1300
Relinquished by: <u>[Signature]</u>	Date: 2/17/04	Time: 1300	Received by: <u>[Signature]</u>	Date: 2/17/04	Time: 1300
Relinquished by: <u>[Signature]</u>	Date: 2/17/04	Time: 1500	Received by: Airborne	Date: 2/17/04	Time:
Relinquished by Commercial Carrier: UPS FedEx Other: <u>Air</u>	Temperature Upon Receipt: 4.15°C		Received by: <u>[Signature]</u>	Date: 2/18/04	Time: 0915
Custody Seals Intact? <u>Yes</u>			No		

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 885043. Samples arrived at the laboratory on Wednesday, February 18, 2004. The PO# for this group is 99011184 and the release number is MTI.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-040214	NA	Water	4217849
MW-1-W-040214	Grab	Water	4217850
MW-2-W-040214	Grab	Water	4217851
MW-4-W-040214	Grab	Water	4217852


1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen

Questions? Contact your Client Services Representative
Teresa L Cunningham at (717) 656-2300.

Respectfully Submitted,



Victoria M. Martell
Chemist

Lancaster Laboratories Sample No. WW 4217849

 QA-T-040214 NA Water
 Facility# 94930 Job# 386509 MTI# 61D-1967 GRD
 3369 Castro Valley Castro T0600100137 QA
 Collected: 02/14/2004 00:00

Account Number: 10904

 Submitted: 02/18/2004 09:15
 Reported: 02/24/2004 at 23:44
 Discard: 03/26/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

CV-QA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/20/2004 04:12		Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/23/2004 11:35		Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/20/2004 04:12		Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/23/2004 11:35		Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. **WW 4217850**

 MW-1-W-040214 **Grab Water**
 Facility# 94930 Job# 386509 MTI# 61D-1967 **GRD**
 3369 Castro Valley Castro T0600100137 MW-1
 Collected: 02/14/2004 09:40 by JH

Account Number: 10904

 Submitted: 02/18/2004 09:15
 Reported: 02/24/2004 at 23:44
 Discard: 03/26/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

MW1CV

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	92.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	3.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/20/2004 04:45		Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/23/2004 11:56		Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/20/2004 04:45		Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/23/2004 11:56		Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. **WW 4217851**

 MW-2-W-040214 **Grab Water**
 Facility# 94930 Job# 386509 MTI# 61D-1967 **GRD**
 3369 Castro Valley Castro T0600100137 MW-2
 Collected: 02/14/2004 09:10 by JH

Account Number: 10904

 Submitted: 02/18/2004 09:15
 Reported: 02/24/2004 at 23:44
 Discard: 03/26/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

MW2CV

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	310.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	2.		0.5	ug/l	1
05401	Benzene	71-43-2	0.5		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/19/2004	02:31	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/23/2004	12:59	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/19/2004	02:31	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/23/2004	12:59	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4217852

 MW-4-W-040214 Grab Water
 Facility# 94930 Job# 386509 MTI# 61D-1967 GRD
 3369 Castro Valley Castro T0600100137 MW-4
 Collected: 02/14/2004 10:15 by JH

Account Number: 10904

 Submitted: 02/18/2004 09:15
 Reported: 02/24/2004 at 23:44
 Discard: 03/26/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

MW4CV

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	63.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	0.7	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/19/2004 02:59	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/23/2004 13:20	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/19/2004 02:59	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/23/2004 13:20	Carrie J McCullough	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 02/24/04 at 11:44 PM

Group Number: 885043

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 04049A08B TPH-GRO - Waters	N.D.	50.	ug/l	108		70-130		
Batch number: 04050A07C TPH-GRO - Waters	N.D.	50.	ug/l	85	88	70-130	3	30
Batch number: P040541AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	85		77-127		
Benzene	N.D.	0.5	ug/l	91		85-117		
Toluene	N.D.	0.5	ug/l	91		85-115		
Ethylbenzene	N.D.	0.5	ug/l	89		82-119		
Xylene (Total)	N.D.	0.5	ug/l	90		84-120		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04049A08B TPH-GRO - Waters	106	115	63-154	5	30				
Batch number: 04050A07C TPH-GRO - Waters	97		63-154						
Batch number: P040541AA Methyl Tertiary Butyl Ether	89	90	69-134	1	30				
Benzene	102	103	83-128	0	30				
Toluene	99	97	83-127	2	30				
Ethylbenzene	96	96	82-129	1	30				
Xylene (Total)	97	96	82-130	1	30				

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 04049A08B
 Trifluorotoluene-F

4217851	112
4217852	113
Blank	115
LCS	119
MS	133
MSD	136

Limits: 57-146

 Analysis Name: TPH-GRO - Waters
 Batch number: 04050A07C
 Trifluorotoluene-F

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 02/24/04 at 11:44 PM

Group Number: 885043

Surrogate Quality Control

4217849	73
4217850	115
Blank	72
LCS	91
LCSD	92
MS	95

Limits: 57-146

Analysis Name: BTEX+MTBE by 8260B
Batch number: P040541AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4217849	90	84	93	92
4217850	90	83	93	89
4217851	91	84	92	89
4217852	90	83	93	89
Blank	91	84	93	90
LCS	91	84	92	89
MS	90	83	94	89
MSD	91	83	93	90
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result falls within the Method Detection Limit (MDL) and Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.