

Andy Saberi
1045 Airport Boulevard
South San Francisco, CA 94080

RECEIVED

2:43 pm, Feb 16, 2011

Alameda County
Environmental Health

Mr. Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: 1230 14th Street, Oakland, California
ACEH Case No. 295


Dear Mr. Wickham:

I, Mr. Andy Saberi, have retained Pangea Environmental Services, Inc. (Pangea) as the environmental consultant for the project referenced above. Pangea is submitting the attached report on my behalf.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached report are true and correct to the best of my knowledge.

If you have any questions, please call me at (650) 588-3088.

Sincerely,

A handwritten signature in blue ink, appearing to read "AS" followed by a stylized surname.

Andy Saberi



February 14, 2011

VIA ALAMEDA COUNTY FTP SITE

Mr. Jerry Wickham
Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: **Groundwater Monitoring and Remediation Report –Second Half 2010**
Former Shell Service Station
1230 14th Street
Oakland, California
Fuel Leak Case No. RO0000433

Dear Mr. Wickham:

On behalf of property owner Andy Saberi, Pangea Environmental Services, Inc has prepared this *Groundwater Monitoring and Remediation Report – Second Half 2010*. The report describes groundwater monitoring, sampling, remediation progress and other site activities.

The site groundwater monitoring frequency has been reduced from quarterly to *semi-annual* and *annual* for select site wells, as authorized by the ACEH letter dated July 23, 2009 letter. Please note that, upon startup of the approved remediation system, Pangea plans to resume *quarterly* monitoring, with ACEH approval, to help evaluate remedial effectiveness and control remediation costs (Table A in Appendix A). Dual Phase Extraction/Air Sparge (DPE/AS) remediation system startup is planned for February 2011. The next semi-annual monitoring event is scheduled for May 2011, with the first quarterly event scheduled for August 2011.

If you have any questions or comments, please call me at (510) 435-8664 or email briddell@pangeaenv.com.

Sincerely,
Pangea Environmental Services, Inc.

Bob Clark-Riddell, P.E.
Principal Engineer

Attachment: *Groundwater Monitoring and Remediation Report – Second Half 2010*

cc: Andy Saberi, 1045 Airport Blvd., South San Francisco, California 94080
Denis Brown, Shell Oil Products US, 20945 S. Wilmington Avenue, Carson, CA 90810-1039
SWRCB Geotracker (electronic copy)

PANGEA Environmental Services, Inc.

1710 Franklin Street, Suite 200, Oakland, CA 94612 Telephone 510.836.3700 Facsimile 510.836.3709 www.pangeaenv.com



GROUNDWATER MONITORING AND REMEDIATION REPORT – SECOND HALF 2010

**Former Shell Service Station
1230 14th Street
Oakland, California
Fuel Leak Case No. RO0000433**

February 14, 2011

Prepared for:

Andy Saberi
1045 Airport Boulevard
South San Francisco, California 94080

Prepared by:

Pangea Environmental Services, Inc.
1710 Franklin Street, Suite 200
Oakland, California 94612

Written by:



Jade Gillies FOR
Morgan Gillies
Project Manager

Bob Clark-Riddell
Bob Clark-Riddell, P.E.
Principal Engineer

PANGEA Environmental Services, Inc.

1710 Franklin Street, Suite 200, Oakland, CA 94612 Telephone 510.836.3700 Facsimile 510.836.3709 www.pangeaenv.com

Groundwater Monitoring and Remediation Report – Second Half 2010
1230 14th Street
Oakland, California
February 14, 2011

INTRODUCTION

On behalf of Andy Saberi, Pangea Environmental Services, Inc. (Pangea) performed groundwater monitoring and sampling during the current half year at the subject site. The purpose of the monitoring and sampling is to evaluate dissolved contaminant concentrations and groundwater flow direction. The purpose of the remediation is to remove residual petroleum hydrocarbon from site soil and groundwater. The site location is shown on Figure 1. Current groundwater analytical results and elevation data are shown on Figure 2. Current and historical data are summarized on Table 1. Well construction details are summarized on Table 2.

SITE BACKGROUND

The former Shell-branded service station is located at the northeast corner of 14th Street and Union Street in Oakland, California (Figure 1). Currently, an abandoned one-story station building and a pump-island canopy occupy the site, and much of the property is paved except for the former UST excavation. Land use in the surrounding area is currently residential to the north, south, and east, and is commercial/industrial to the west and southwest. The site topography is essentially flat.

Site History

According to prior reports, the current site building was constructed in 1958 and gas station operations at the site reportedly began in 1958 and ceased in 1993. Petroleum hydrocarbons were first discovered in site soil near the underground storage tanks (USTs) during the completion of three borings at the site in February 1991. Four gasoline USTs and one waste oil storage tank were removed from the site on August 24, 1993. The current property owner, Mr. Andy Saberi, purchased the property in the mid 1980s.

Previous Environmental Work

Previous environmental work has included site assessment, a sensitive receptor evaluation/well survey, risk evaluation, two rounds of feasibility testing (in 2000 and 2006), and several remedial actions, including injection of oxygen releasing compound (ORC) into site wells in 1997, groundwater extraction (GWE) and dual-phase extraction (DPE) from 2002 to 2004, and hydrogen peroxide injection into site wells in 2003. Groundwater monitoring has been performed at the site since 1996.

Groundwater Monitoring and Remediation Report – Second Half 2010
1230 14th Street
Oakland, California
February 14, 2011

In January 2008, Pangea submitted a *Draft Corrective Action Plan and Pilot Test Work Plan* (Draft CAP/Test Workplan) as required by Alameda County Environmental Health (ACEH). Following completion of the public-participation comment period, Pangea began implementation of the approved *Draft CAP/Test Workplan* in June 2008 by installing new remediation test wells, repairing damaged remediation wells, and destroying one remediation well. The *Well Installation and Destruction Report* dated October 6, 2008 details this remediation well work. In early July 2008, Pangea conducted the approved pilot testing using the newly installed remediation test wells to determine whether SVE or DPE would most effectively remove contaminants and capture hydrocarbon vapors resulting from air sparging. In the *SVE/DPE Pilot Test Report* dated October 7, 2008, Pangea recommended DPE/AS as the most effective remedial approach for the site. In a letter dated October 29, 2008, Alameda County Environmental Health (ACEH) approved implementation of DPE/AS remediation at the site. On June 15, 2009, the California UST Cleanup Fund completed a 5-year review of the claim and recommended implementation of site remediation. DPE/AS remediation commenced in February 2011.

GROUNDWATER MONITORING AND SAMPLING

On December 30, 2010, site monitoring wells were gauged for depth-to-water and inspected for separate-phase hydrocarbons (SPH) prior to collection of groundwater samples. Site wells were sampled according to the approved groundwater monitoring program shown on Table B in Appendix A. Well caps were removed from all monitoring wells and technicians allowed at least 15 minutes for water level equilibration before measuring depth to water.

Before well purging, the dissolved oxygen (DO) concentration was measured in each well. DO was measured by lowering a downwell sensor to the approximate middle of the water column and allowing the reading to stabilize during gentle height adjustment. Prior to sample collection, approximately three casing volumes of water were purged using disposable bailers, an electric submersible pump, check valve with tubing, a clean PVC bailer, or a peristaltic pump. During well purging, field technicians measured pH, temperature and conductivity. A groundwater sample was collected from each well with a disposable bailer, and decanted into the appropriate containers supplied by the analytical laboratory. Groundwater samples were labeled, placed in protective plastic bags, and stored on crushed ice at or below 4°C. All samples were transported under chain-of-custody to the State-certified analytical laboratory. Purge water was stored onsite in DOT-approved 55-gallon drums. Groundwater monitoring field data sheets, including purge volumes and field parameter measurements, are presented in Appendix B.

Groundwater Monitoring and Remediation Report – Second Half 2010
1230 14th Street
Oakland, California
February 14, 2011

MONITORING RESULTS

Current and historical groundwater elevation data and analytical results are described below and summarized on Table 1. Groundwater samples were collected from wells MW-1, MW-5R, MW-6, MW-7, VW/MW-2 and VW/MW-4, in accordance with the approved *semi-annual* groundwater monitoring program (Table B in Appendix A). Samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg), benzene, toluene, ethylbenzene, and xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8015Cm/8021B. Samples were analyzed by McCampbell Analytical, Inc., of Pittsburg, California, a State-certified laboratory. The laboratory analytical report is included in Appendix C.

Groundwater Flow Direction

Based on depth-to-water data collected on December 30, 2010, the groundwater at the site appears to be mounded within the unpaved former UST area, as shown on Figure 2. The relatively high groundwater elevation measured in well VW/MW-2 suggests that shallow groundwater is mounded in the former UST excavation and that the local flow direction radiates outwards away from the former excavation area towards the property boundaries. The unpaved former UST excavation area allows rainwater infiltration, with the remainder of the site paved by asphalt. During previous monitoring, the primary groundwater flow direction has generally been towards the northeast. This change in the inferred groundwater flow direction this event may be due to significant rainfall in the area in the days prior to monitoring. According to the National Oceanic and Atmospheric Administration (NOAA) website, Oakland received over 2-inches of rain the day prior to monitoring (NOAA, 2010). Depth-to-water and groundwater elevation data are presented in Table 1.

Hydrocarbon Distribution in Groundwater

No SPH were observed in any of the site wells. The maximum TPHg and benzene concentrations detected this monitoring event were in source area well MW-5R (11,000 µg/L and 3,400 µg/L, respectively), the replacement well for damaged well MW-5. In general, hydrocarbon concentrations are within historic ranges and exhibit a stable to decreasing trend. Remediation well AS-1 was not sampled during this event due to the well being hard plumbed to the dual-phase extraction/air sparge (DPE/AS) remediation system. Groundwater analytical data are included in Table 1 and on Figure 2.

Groundwater Monitoring and Remediation Report – Second Half 2010
1230 14th Street
Oakland, California
February 14, 2011

Fuel Oxygenate Distribution in Groundwater

MTBE was not detected in any site wells this quarter. Historically, MTBE has been detected only sporadically in site wells. Since 2003, detected MTBE concentrations have been below the Maximum Contaminant Level (MCL) for drinking water of 13 µg/L, except for a concentration of 20 µg/L detected in well MW-5 in February 2008. This MTBE result could be a false positive result; EPA Method 8260 was not used to confirm the MTBE detected by EPA Method 8021B. MTBE is not a primary constituent of concern at this site due to limited and sporadic (and potentially false) MTBE detections. MTBE concentrations are shown in Table 1 and on Figure 2.

REMEDIATION SUMMARY

DPE/AS System Installation

In a letter dated October 29, 2008, ACEH approved implementation of DPE/AS remediation at the site and requested system design drawings. The system design drawings were provided to ACEH on January 21, 2009 and approved in a letter dated February 6, 2009. On June 15, 2009, the California UST Cleanup Fund completed a 5-year review of the claim and recommended implementation of site remediation. Pangea is currently overseeing the installation of the DPE/AS system and anticipates system start up in February 2011.

OTHER SITE ACTIVITIES

Proposed Groundwater Monitoring Program Reductions

The site groundwater monitoring frequency has been reduced from quarterly to *semi-annual* and *annual* for select site wells, as authorized by the ACEH letter dated July 23, 2009 letter. The approved groundwater monitoring program is summarized in Table B in Appendix A. Pangea will summarize groundwater monitoring activities and results in a groundwater monitoring report following completion of each future groundwater monitoring event.

Please note that, upon startup of the approved remediation system, Pangea plans to resume *quarterly* monitoring to help evaluate remedial effectiveness and control remediation costs. The planned quarterly monitoring program, shown in Table A of Appendix A, will also allow assessment of potential hydrocarbon migration due to air sparging. Dual Phase Extraction/Air Sparge (DPE/AS) remediation system startup is planned for February 2011. The next semi-annual monitoring event is scheduled for May 2011, with the first quarterly event scheduled for August 2011.

Groundwater Monitoring and Remediation Report – Second Half 2010
1230 14th Street
Oakland, California
February 14, 2011

REFERENCES

National Oceanic and Atmospheric Administration (NOAA), 2010, *Observed Precipitation Map – San Francisco Bay Area*, National Weather Service California Nevada River Forecast Center. Retrieved from www.cnrfc.noaa.gov/formPrecipMap.php. Date Retrieved 1/11/2011.

ATTACHMENTS

Figure 1 – Vicinity Map


Figure 2 – Groundwater Elevation and Hydrocarbon Concentration Map

Table 1 – Groundwater Elevation and Analytical Data

Appendix A – Groundwater Monitoring Program

Appendix B – Groundwater Monitoring Field Data Sheets

Appendix C – Laboratory Analytical Report



Figure

0 1/8 1/4 1/2 1
SCALE : 1" = 1/4 MILE

1

Former Shell Service Station


1230 14th Street
Oakland, California



PANGEA


Vicinity Map

UNION STREET



EXPLANATION

- DP-1** ─ Dual phase extraction (DPE) well
- AS-1** ▲ Air sparge well (AS)
- VMP-1** ☐ Vapor monitoring point
- MW-1** ● Groundwater monitoring well
- VW/MW-4** ○ Combination soil vapor extraction well/monitoring well
- VW/AS-3** ✘ Destroyed Well
- Well ID** Well designation
- ELEV** Groundwater elevation
- TPHg** Hydrocarbon concentrations in groundwater in micrograms per liter (ug/L)
- Benzene**
- MTBE**
- NM** Not measured
- 8.00** Groundwater elevation contour, in feet
- 8.00** Approximate groundwater flow direction



Figure

2

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
REMEDIATION WELLS										
AS-1	07/02/08	12.08	--	28,000	390	350	620	2,500	<500	--
	08/18/08	13.05	--	1,500	12	6.1	6.7	91	<17	1.94/2.41
	11/20/08	13.69	--	640	2.4	2.7	1.0	8.5	<5.0	2.51/2.91
	02/18/09	12.09	--	270	1.1	2.2	<0.5	<0.5	<5.0	2.94/2.99
	05/26/09	11.40	--	250	1.7	0.70	<0.5	3.5	<5.0	3.01/2.94
	11/23/09	13.38	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.94/2.65
	05/26/10	10.97	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.6/2.78
	12/30/10									
	Well Inaccessible									
AS-2	07/02/08	11.98	--	9,600	380	620	170	1,000	<50	--
AS-3	07/02/08	12.42	--	2,800	340	7.2	20	37	<50	--
AS-4	04/16/10	8.82	---	31,000	1,300	330	400	6,600	<500	---
AS-5	04/16/10	10.03	---	120	2.5	1.3	1.2	17	<5.0	---
DP-1	07/03/08	12.43	--	34,000	5,100	1,800	1,300	4,900	<350	--
DP-2	07/03/08	12.92	--	15,000	2,800	300	560	1,600	<150	--
DP-3	07/02/08	13.21	--	14,000	4,400	100	720	150	<350	--
DP-4	04/16/10	8.95	---	4,700	300	45	260	570	<100	---
DP-5	04/16/10	9.11	---	19,000	810	1,900	680	3,100	<350	---
GROUNDWATER AND/OR REMEDIATION WELLS										
MW-1	03/25/96	9.53	9.05	37,000	7,400	1,500	720	3,300	<500	--
<i>18.58</i>	06/21/96	10.72	7.86	35,000	9,900	460	340	3,500	890	--
	09/26/96	12.88	5.70	19,000	8,200	510	780	790	<250	--
	12/19/96	12.59	5.99	27,000	120	1,200	1,400	2,800	<100	--
	12/19/96	12.59	5.99	32,000	12,000	1,300	1,600	3,100	830	--
	03/25/97	11.10	7.48	39,000	13,000	1,600	840	3,100	730	1.2
	06/26/97	12.42	6.16	--	--	--	--	--	--	'--
	09/26/97	13.31	5.27	--	--	--	--	--	--	0.8
	12/05/97	12.65	5.93	--	--	--	--	--	--	0.3
	02/19/98	6.46	12.12	16,000	5,500	450	500	800	<500	2.4
	06/08/98	6.62	11.96	--	--	--	--	--	--	1.2
	08/25/98	11.83	6.75	--	--	--	--	--	--	2.8
	12/28/98	12.01	6.57	--	--	--	--	--	--	2.6
	03/26/99	9.15	9.43	--	--	--	--	--	--	2.2
	06/30/99	11.22	7.36	--	--	--	--	--	--	3.8
	09/30/99	11.89	6.69	--	--	--	--	--	--	3.0
	12/27/99	13.55	5.03	34,800	8,660	953	956	2,770	<1,000	2.4/2.1
	01/21/00	13.42	5.16	40,600	14,700	1,850	1,210	3,670	<500	2.8
	03/07/00	8.11	10.47	--	--	--	--	--	--	0.4
	04/17/00	9.78	8.80	--	--	--	--	--	--	3.0/3.4
	04/18/00	--	--	18,300	8,060	543	528	872	<50.0	--
	09/21/00	13.11	5.47	--	--	--	--	--	--	5.2
	10/17/00	12.61	5.97	15,800	6,720	435	587	887	351(<66.7)	1.2/0.8
	01/09/01	12.94	5.64	--	--	--	--	--	--	0.3
	04/27/01	10.73	7.85	1,400	650	28	58	48	(<10)	1.8/2.1

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
<i>(MW-1 cont'd)</i>	07/03/01	12.00	6.58	--	--	--	--	--	--	1.8
	12/06/01	10.53	8.05	4,500	1,500	85	160	210	(<50)	2.5/2.9
	01/23/02	9.33	9.25	--	--	--	--	--	--	0.1
	04/17/02	10.49	8.09	230	12	<0.50	4.6	2.5	(<5.0)	6.3/5.3
	07/18/02	11.98	6.60	--	--	--	--	--	--	1.2
	11/11/02	13.00	5.58	12,000	2,600	240	470	640	(-8.5)	0.2/0.2
	01/16/03	9.68	8.90	--	--	--	--	--	--	4.4
	03/13/03	10.45	8.13	820	340	2.7	<2.0	3.2	(<20)	2.8/0.9
	04/23/03	10.32	8.26	900	550	19	49	49	(<50)	0.9/0.1
	05/13/03	10.28	8.30	740	510	18	43	46	(<50)	0.1/0.2
	06/13/03	11.16	7.42	<5,000	1,500	82	180	250	(<500)	0.3/0.8
	07/14/03	11.66	6.92	5,300	3,400	160	340	420	(<20)	0.6/0.3
	09/29/03	12.44	6.14	10,000	5,700	400	670	1,000	(<50)	0.6/0.7
	10/29/03	12.63	5.95	19,000	6,600	560	820	1,300	(26)	0.6/0.4
	01/05/04	10.17	8.41	380	140	7.1	6.2	16	(<1.0)	5.0/0.8
	04/01/04	9.57	9.01	79	0.59	<0.50	<0.50	<1.0	(<0.50)	4.6/1.2
	07/02/04	11.81	6.77	4,100	2,100	33	110	81	(<10)	0.6/0.5
	11/03/04	12.53	6.05	8,000	3,800	150	480	460	(<25)	1.45/2.1
	01/04/05	9.39	9.19	120	23	1.6	2.0	3.5	(<0.50)	4.21/2.82
	04/13/05	7.63	10.95	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	2.44/2.77
	07/13/05	10.85	7.73	930 e	400	6.1	<5.0	10	(<5.0)	0.84/0.66
	10/28/05	12.44	6.14	8,300	5,500	190	590	470	(<25)	0.2/0.2
	01/17/06	8.61	9.97	<50	2.2	1.1	1.4	4.8	(<0.50)	5.8/5.3
	02/23/06	9.60	8.98	--	18.1	2.22	1.89	4.50	--	--
	03/09/06	7.65	10.93	--	1.80	<0.500	<0.500	1.82	--	--
	04/21/06	6.35	12.23	<50.0	1.54	1.03	4.20	5.82	(<0.500)	--
	05/01/06	7.38	11.20	268	41.3	4.62	3.83	26.1	(<0.500)	0.27/0.36
	06/23/06	10.09	8.49	3,990	362	13.1	12.4	71.5	(<0.500)	--
	07/11/06	10.09	8.49	6,190	3,740	52.0	67.8	982	(<0.500)	--
	08/30/06	11.55	7.03	29,200	7,380	596	443	1,680	(4.45)	0.39/0.52
	09/29/06	11.97	6.61	76,100	9,300	859 i	1,290	2,820 i	(<5.00)	--
	10/13/06	12.08	6.50	49,500	7,580	770	1,030	2,860	(2.75)	--
	11/03/06	12.47	6.11	42,600	8,450	592	869	1,970	(2.69)	2.60/1.15
	12/26/06	11.80	6.78	19,000	4,600	360	640	1,300	(<5.0)	--
	01/11/07	11.84	6.74	23,000	6,000	320	780	1,100	(<25)	--
	01/30/07	12.18	6.40	3,700	890	74	170	220	(<25)	1.18/0.76
	03/01/07	10.74	7.84	2,600	670	32	41	180	(<10)	--
	04/26/07	10.90	7.68	12,000 k,l	2,800	220	400	560	(<20)	--
	06/01/07	11.49	7.09	15,000 k	3,900	380	670	1,010	(1.8)	0.31/0.43
	06/21/07	12.07	6.51	13,000 k	3,800	400	620	1,060	(<50)	--
	07/03/07	12.00	6.58	21,000 k	6,100	510	960	1,760	(<50)	--
	08/16/07	12.55	6.03	20,000 k	5,800	460	1,100	1,730	(<50)	0.3/0.2
	12/06/07	13.00	5.58	53,000	9,400	560	1,400	3,000	(<25)	--
	02/25/08	9.91	8.67	<50	<0.5	<0.5	<0.5	<0.5	<5.0	3.74
	05/26/08	11.90	6.68	9,300	2,200	67	140	130	<250	1.96/1.13
	08/18/08	12.82	5.76	15,000	3,300	110	380	430	<250	0.97/0.77
	11/20/08	13.46	5.12	18,000	4,700	190	770	910	<100	1.04/1.27
	02/18/09	11.77	6.81	2,200	54	8.7	45	76	<10	1.21/1.40
	05/26/09	11.18	7.40	750	31	7.1	3.5	23	<5.0	0.90/1.21
	11/23/09	13.15	5.43	6,300	2,100	53	170	180	<250	1.12/1.85
	05/26/10	10.74	7.84	550	96	6.2	3.1	14	<10	0.86/1.13
	12/30/10	10.53	8.05	280	40	4.6	2.8	17	<5.0	0.88/1.07
MW-2	03/25/96	8.19	9.71	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
<i>17.90</i>	06/21/96	9.94	7.96	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	09/26/96	12.15	5.75	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	12/19/96	11.70	6.20	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	03/25/97	9.25	8.65	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.8

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
(MW-2 cont'd)	06/26/97	11.36	6.54	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.4
	09/26/97	12.56	5.34	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.1
	09/26/97	12.56	5.34	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.1
	12/05/97	11.15	6.75	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.7
	02/19/98	5.61	12.29	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.7
	06/08/98	5.58	12.32	<50	<0.30	<0.30	<0.30	<0.60	<10	3.2
	08/25/98	10.67	7.23	--	--	--	--	--	--	1.7
	12/28/98	11.65	6.25	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	0.4/0.8
	03/26/99	8.60	9.30	--	--	--	--	--	--	0.7
	06/30/99	10.30	7.60	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	2.3
	09/30/99	10.77	7.13	--	--	--	--	--	--	1.9
	12/27/99	12.21	5.69	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	0.7/0.7
	03/07/00	7.13	10.77	--	--	--	--	--	--	1.1
	04/17/00	8.35	9.55	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.8/1.8
	09/21/00	11.76	6.14	--	--	--	--	--	--	2.1
	10/17/00	11.80	6.10	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.9/0.6
	01/09/01	12.14	5.76	--	--	--	--	--	--	0.7
	04/27/01	9.85	8.05	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	1.1/0.9
	07/03/01	11.20	6.70	--	--	--	--	--	--	1.2
	12/06/01	10.77	7.13	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	3.9/2.1
	01/23/02	8.64	9.26	--	--	--	--	--	--	2.5
	04/17/02	9.61	8.29	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	3.5/5.2
	07/18/02	11.09	6.81	--	--	--	--	--	--	1.4
	11/11/02	12.16	5.74	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	0.2/0.3
	01/16/03	8.92	8.98	--	--	--	--	--	--	1.7
	03/13/03	9.60	8.30	--	--	--	--	--	--	1.1
	04/23/03	9.48	8.42	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	0.4/0.2
	05/13/03	9.45	8.45	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	0.5/0.3
	06/13/03	10.28	7.62	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	0.6/0.9
	07/14/03	10.67	7.23	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	0.5/0.9
	09/29/03	11.58	6.32	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.9/1.3
	10/29/03	11.76	6.14	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	4.3/0.5
	01/05/04	9.36	8.54	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.2/0.8
	04/01/04	8.77	9.13	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	4.0/0.3
	07/02/04	11.04	6.86	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	0.4/0.3
	11/03/04	11.71	6.19	<50	<0.50	<0.50	<0.50	<1.0	(0.54)	6.4/1.40
	01/04/05	8.68	9.22	<50	<0.50	<0.50	<0.50	<1.0	(0.62)	4.41/2.88
	04/13/05	7.13	10.77	<50	<0.50	<0.50	<0.50	<0.50	(1.7)	0.71/0.23
	07/13/05	10.30	7.60	<50	<0.50	<0.50	<0.50	<1.0	(2.3)	0.90/0.33
	10/28/05	11.61	6.29	<50	<0.50	<0.50	<0.50	<1.0	(4.2)	0.4/0.1
	01/17/06	8.21	9.69	<50	<0.50	<0.50	<0.50	<0.50	(5.0)	0.8/0.2
	03/09/06	7.70	10.20	--	--	--	--	--	--	--
	04/21/06	5.83	12.07	--	--	--	--	--	--	--
	05/01/06	6.34	11.56	<50.0	<0.500	<0.500	<0.500	<0.500	(4.33)	0.52/0.18
	08/30/06	10.71	7.19	<50.0	<0.500	<0.500	<0.500	<0.500	(1.98)	0.51/1.04
	09/29/06	11.03	6.87	--	--	--	--	--	--	--
	11/03/06	11.62	6.28	<50.0	<0.500	<0.500	<0.500	<0.500	(3.08)	0.44/0.40
	01/30/07	11.30	6.60	<50	<0.50	<0.50	<0.50	<1.0	(2.9)	0.92/0.63
	06/01/07	10.52	7.38	<50 k	0.71	<1.0	0.20 m	0.39 m	(1.7)	0.71/0.56
	08/16/07	11.60	6.30	<50 k	<0.50	<1.0	<1.0	<1.0	(1.3)	0.5/0.2
	12/06/07	12.39	5.51	<50	0.97	<0.5	0.56	1.5	(0.99)	--
	02/25/08	9.15	8.75	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.82
	05/26/08	11.02	6.88	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.86/1.32
	08/18/08	11.97	5.93	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.45/1.12
	11/20/08	12.64	5.26	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.10/1.16
	02/18/09	11.14	6.76	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.98/1.11
	05/26/09	10.31	7.59	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.03/1.49
	11/23/09	12.32	5.58	--	--	--	--	--	--	--

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
(MW-2 cont'd)	05/26/10	9.92	7.98	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.99/1.43
	12/30/10	9.80	8.10	--	--	--	--	--	--	--
MW-3	03/25/96	8.47	9.71	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
18.18	06/21/96	10.40	7.78	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	09/26/96	12.45	5.73	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	12/19/96	12.14	6.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	03/25/97	9.54	8.64	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.2
	06/26/97	11.66	6.52	<50	<0.50	<0.50	<0.50	<0.50	<2.5	3.6
	09/26/97	12.85	5.33	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.1
	12/05/97	11.44	6.74	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.6
	02/19/98	6.78	11.40	<50	<0.50	<0.50	<0.50	<0.50	<2.5	3.6
	06/08/98	6.82	11.36	<50	<0.30	<0.30	<0.30	<0.60	<10	3.8
	06/08/98	6.82	11.36	<50	<0.30	<0.30	<0.30	<0.60	<10	3.8
	08/25/98	11.09	7.09	--	--	--	--	--	--	1.2
	12/28/98	11.84	6.34	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	0.9/0.6
	03/26/99	8.57	9.61	--	--	--	--	--	--	0.8
	06/30/99	10.61	7.57	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	4.8
	09/30/99	11.53	6.65	--	--	--	--	--	--	1.4
	12/27/99	12.35	5.83	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	1.4/2.5
	03/07/00	7.36	10.82	--	--	--	--	--	--	5.8
	04/17/00	8.39	9.79	<50.0	<0.500	<0.500	<0.500	<0.500	19.3	6.5/5.1
	09/21/00	12.01	6.17	--	--	--	--	--	--	3.0
	10/17/00	12.10	6.08	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	2.0/1.0
	01/09/01	12.43	5.75	--	--	--	--	--	--	1.9
	04/27/01	10.10	8.08	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	2.3/2.4
	07/03/01	11.45	6.73	--	--	--	--	--	--	1.4
	12/06/01	11.07	7.11	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	2.8/3.9
	01/23/02	8.89	9.29	--	--	--	--	--	--	3.1
	04/17/02	9.92	8.26	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	3.7/3.2
	07/18/02	11.42	6.76	--	--	--	--	--	--	1.6
	11/11/02	12.44	5.74	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	0.3/0.4
	01/16/03	9.25	8.93	--	--	--	--	--	--	2.1
	03/13/03	9.84	8.34	--	--	--	--	--	--	1.2
	04/23/03	9.71	8.47	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	0.7/0.2
	05/13/03	9.70	8.48	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	0.6/0.2
	06/13/03	10.58	7.60	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	0.4/1.3
	07/14/03	10.98	7.20	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	0.4/.03
	09/29/03	11.84	6.34	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.4/1.1
	10/29/03	12.05	6.13	58 b	<0.50	<0.50	<0.50	<1.0	(<0.50)	0.8/0.4
	01/05/04	9.70	8.48	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.3/0.7
	04/01/04	9.03	9.15	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.2/0.6
	07/02/04	11.15	7.03	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	0.7/0.5
	11/03/04	11.98	6.20	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.65/2.75
	01/04/05	8.98	9.20	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	3.21/1.87
	04/13/05	7.22	10.96	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	4.92/5.28
	07/13/05	10.30	7.88	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	0.30/0.40
	10/28/05	11.81	6.37	<50 f	<0.50	<0.50	<0.50	<1.0	(<0.50)	0.8/0.2
	01/17/06	8.17	10.01	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	3.1/2.0
	03/09/06	6.45	11.73	--	--	--	--	--	--	--
	04/21/06	5.96	12.22	--	--	--	--	--	--	--
	05/01/06	6.40	11.78	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500(<0.500)	0.68/0.42
	08/30/06	10.95	7.23	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500(<0.500)	3.53/3.14
	09/29/06	11.40	6.78	--	--	--	--	--	--	--
	11/03/06	11.91	6.27	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500(<0.500)	7.0/6.8
	01/30/07	11.55	6.63	<50	<0.50	<0.50	<0.50	<1.0	<0.50(<0.50)	1.45/1.10
	06/01/07	10.86	7.32	<50 k	0.34 m	<1.0	<1.0	<1.0	<1.0(<1.0)	0.62/0.56
	08/16/07	11.87	6.31	<50 k	<0.50	<1.0	<1.0	<1.0	<1.0(<1.0)	0.2/0.2

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
<i>(MW-3 cont'd)</i>	12/06/07	14.43	3.75	<50	1.8	1.0	0.90	4.4	(<0.5)	--
	02/25/08	9.37	8.81	<50	<0.5	<0.5	<0.5	<0.5	<5.0	4.91
	05/26/08	11.31	6.87	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.79/2.01
	08/18/08	12.28	5.90	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.57/1.52
	11/20/08	12.84	5.34	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.24/1.68
	02/18/09	11.45	6.73	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.16/1.38
	05/26/09	10.62	7.56	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.21/1.40
	11/23/09	12.59	5.59	--	--	--	--	--	--	--
	05/26/10	10.17	8.01	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.29/1.38
	12/30/10	10.08	8.10	--	--	--	--	--	--	--
MW-4	03/25/96	9.20	8.81	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
<i>18.01</i>	06/21/96	10.25	7.76	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	09/26/96	12.29	5.72	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	12/19/96	12.47	5.54	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	03/25/97	9.44	8.57	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.8
	06/26/97	11.57	6.44	<50	<0.50	<0.50	<0.50	<0.50	<2.5	6.2
	06/26/97	11.57	6.44	<50	<0.50	<0.50	<0.50	<0.50	<2.5	6.2
	09/26/97	12.75	5.26	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.1
	12/05/97	11.37	6.64	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.0
	12/05/97	11.37	6.64	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.0
	02/19/98	5.59	12.42	<50	<0.50	<0.50	<0.50	<0.50	<2.5	6.5
	06/08/98	5.65	12.36	<50	<0.30	<0.30	<0.30	<0.60	<10	2.6
	08/25/98	10.98	7.03	--	--	--	--	--	--	2.4
	12/28/98	11.83	6.18	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	1.3/1.2
	03/26/99	8.40	9.61	--	--	--	--	--	--	1.9
	06/30/99	10.53	7.48	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	7.6
	09/30/99	11.03	6.98	--	--	--	--	--	--	2.6
	12/27/99	12.53	5.48	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	1.9/0.8
	03/07/00	7.00	11.01	--	--	--	--	--	--	6.5
	04/17/00	8.57	9.44	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	5.1/5.1
	09/21/00	12.05	5.96	--	--	--	--	--	--	3.0
	10/17/00	11.96	6.05	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	5.5/1.2
	01/09/01	12.33	5.68	--	--	--	--	--	--	2.1
	04/27/01	9.96	8.05	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	5.3/3.8
	07/03/01	11.35	6.66	--	--	--	--	--	--	4.5
	12/06/01	10.99	7.02	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	10.23/6.5
	01/23/02	8.80	9.21	--	--	--	--	--	--	8.8
	04/17/02	9.75	8.26	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	7.0/5.1
	07/18/02	11.32	6.69	--	--	--	--	--	--	5.3
	11/11/02	12.36	5.65	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	3.6/2.0
	01/16/03	10.33	7.68	--	--	--	--	--	--	6.5
	03/13/03	10.06	7.95	--	--	--	--	--	--	6.5
	04/23/03	9.57	8.44	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	5.1/5.7
	05/13/03	9.55	8.46	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	2.0/2.5
	06/13/03	10.50	7.51	<50	<0.50	<0.50	<0.50	<1.0	(<5.0)	5.0/5.6
	07/14/03	10.86	7.15	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	3.9/4.2
	09/29/03	11.74	6.27	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.6/1.4
	10/29/03	11.95	6.06	58 b	<0.50	<0.50	<0.50	<1.0	(<0.50)	2.4/1.0
	01/05/04	10.35	7.66	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	7.4/7.5
	04/01/04	8.81	9.20	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	6.0/6.4
	07/02/04	11.10	6.91	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	0.8/0.6
	11/03/04	11.85	6.16	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.3/2.84
	01/04/05	9.06	8.95	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	7.12/6.37
	04/13/05	6.84	11.17	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	5.81/5.66
	07/13/05	10.20	7.81	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.87/3.75
	10/28/05	11.75	6.26	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.4/0.8
	01/17/06	8.00	10.01	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	6.4/6.2

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
<i>(MW-4 cont'd)</i>	03/09/06	6.55	11.46	--	--	--	--	--	--	--
	04/21/06	5.45	12.56	--	--	--	--	--	--	--
	05/01/06	6.14	11.87	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.50)	1.09/0.72
	08/30/06	10.82	7.19	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.50)	4.31/4.35
	09/29/06	11.29	6.72	--	--	--	--	--	--	--
	11/03/06	11.81	6.20	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.50)	3.30/2.40
	01/30/07	11.45	6.56	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	1.67/0.94
	06/01/07	10.72	7.29	67 k	<0.50	<1.0	<1.0	<1.0	(<1.0)	0.93/0.81
	08/16/07	11.81	6.20	<50 k	<0.50	<1.0	<1.0	<1.0	(<1.0)	0.5/1.3
	12/06/07	12.34	5.67	<50	<0.5	<0.5	<0.5	<0.5	(<0.5)	--
	02/25/08	9.03	8.98	<50	<0.5	<0.5	<0.5	<0.5	<5.0	6.84
	05/26/08	11.23	6.78	<50	<0.5	<0.5	<0.5	<0.5	<5.0	6.59/5.22
	08/18/08	12.20	5.81	<50	<0.5	<0.5	<0.5	<0.5	<5.0	7.99/2.89
	11/20/08	12.83	5.18	<50	<0.5	<0.5	<0.5	<0.5	<5.0	3.51/3.18
	02/18/09	11.23	6.78	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.90/3.15
	05/26/09	10.47	7.54	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.78/2.85
	11/23/09	12.51	5.50	--	--	--	--	--	--	--
	05/26/10	10.05	7.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.49/2.12
	12/30/10	10.11	7.90	--	--	--	--	--	--	--
MW-5	12/03/01	11.86	6.61	--	--	--	--	--	--	--
<i>18.47</i>	12/06/01	11.40	7.07	31,000	3,000	2,000	1,100	3,000	(<50)	3.1/3.2
	01/23/02	9.24	9.23	--	--	--	--	--	--	0.9
	04/17/02	10.35	8.12	33,000	3,800	2,400	1,300	4,400	(<200)	5.3/3.8
	07/18/02	11.82	6.65	--	--	--	--	--	--	0.8
	11/11/02	12.86	5.61	100,000	7,100	12,000	3,000	17,000	(5.10)	1.2/1.4
	01/16/03	9.57	8.90	--	--	--	--	--	--	0.0
	03/13/03	10.30	8.17	33,000	2,800	2,200	980	4,600	(<100)	0.5/0.3
	04/07/03	10.29	8.18	--	--	--	--	--	--	--
	04/23/03	10.15	8.32	33,000	2,900	3,100	960	5,800	(<250)	0.1/0.1
	05/13/03	10.12	8.35	30,000	2,600	1,500	850	4,500	(<250)	0.4/0.3
	06/13/03	11.00	7.47	33,000	3,400	2,300	1,000	4,400	(<500)	0.3/0.3
	07/14/03	11.39	7.08	41,000	5,100	3,500	1,400	5,100	(<50)	0.5/0.5
	09/29/03	12.24	6.23	59,000	6,600	4,200	1,500	6,500	(<50)	0.6/0.5
	10/29/03	12.45	6.02	45,000	6,800	3,500	1,500	6,400	(21)	0.5/0.3
	01/05/04	9.97	8.50	26,000	4,900	1,700	1,100	3,300	(<50)	0.9/1.2
	04/01/04	9.43	9.04	29,000	5,300	2,700	880	2,900	(<50)	0.3/1.0
	07/02/04	11.62	6.85	19,000	5,300	740	1,100	1,400	(<50)	0.4/0.5
	11/03/04	12.26	6.21	31,000	7,500	2,300	1,400	4,400	(<50)	2.5/1.9
	01/04/05	9.13	9.34	18,000	3,500	1,200	730	2,300	(<25)	0.44/1.64
	04/13/05	7.60	10.87	7,000	100	460	180	880	(<1.0)	0.17/0.45
	07/13/05	10.63	7.84	9,400	2,400	840	440	1,100	(<13)	0.13/0.27
	10/28/05	12.14	6.33	28,000	16,000	2,900	1,400	3,100	(<50)	0.3/1.3
	01/17/06	8.52	9.95	6,700	1,200	720	400	1,500	(1.3)	0.6/2.6
	02/23/06	9.22	9.25	--	4,630	1,470	709	2,310	--	--
	03/09/06	7.15	11.32	--	474	90.3	63.3	169	--	--
	04/21/06	5.82	12.65	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.500)	--
	05/01/06	7.23	11.24	779	6.77	41.1	20.0	130	(<0.500)	0.39/1.52
	06/23/06	10.06	8.41	22,600	2,830	557	469	1,210	(<0.500)	--
	07/11/06	10.06	8.41	31,100	3,880	2,080	857	3,700	(<0.500)	--
	08/30/06	11.32	7.15	28,200	4,840	1,320	705	2,430	(5.35)	0.47/3.64
	09/29/06	11.81	6.66	94,900	10,100	2,960	1,810	5,310 i	(7.20)	--
	10/13/06	12.01	6.46	48,200	7,710	1,360	1,250	3,460	(5.64)	--
	11/03/06	12.31	6.16	50,600	11,300	1,730	1,250	3,840	(<0.500)	0.60/4.10
	12/26/06	11.58	6.89	32,000	11,000	780	1,200	2,800	(<10)	--
	01/11/07	11.61	6.86	35,000	11,000	1,100	1,200	3,100	(<50)	--
	01/30/07	11.95	6.52	27,000	9,800	610	860	2,400	(<50)	0.87/0.62
	03/01/07	10.95	7.52	23,000	9,400	640	1,200	3,100	(<50)	--

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
(MW-5 cont'd)	04/26/07	10.69	7.78	48,000 k,l	14,000	1,300	1,600	3,600	<100	--
	06/01/07	11.25	7.22	54,000 k	15,000	2,800	2,200	6,100	<100	0.44/0.87
	06/21/07	11.96	6.51	32,000 k	12,000	1,200	1,400	2,780	<100	--
	07/03/07	11.81	6.66	41,000 k	15,000	1,800	1,900	4,050	<100	--
	08/16/07	12.36	6.11	43,000 k,l	13,000	2,000	2,000	4,150	<100	0.6/0.1
	12/06/07	12.81	5.66	37,000	7,900	640	1,100	1,500	<17	--
	02/25/08	9.75	8.72	3,000	640	9.7	52	77	20	2.19
	05/26/08	11.69	6.78	39,000	9,600	1,100	1,400	2,400	<250	1.10/1.52
	06/27/08								MW-5 drilled out and replaced with MW-5R	
MW-5R	07/02/08	11.91	--	22,000	4,100	710	750	2,300	<250	--
	08/18/08	12.59	--	27,000	3,100	340	780	2,100	<100	0.57/3.23
	11/20/08	13.24	--	23,000	5,200	470	1,200	1,500	<250	0.83/2.50
	02/18/09	11.58	--	32,000	4,500	610	990	1,400	<500	1.04/2.11
	05/26/09	10.92	--	15,000	3,500	520	680	1,500	<200	0.85/1.05
	11/23/09	12.92	--	15,000	3,200	350	560	940	<250	0.98/2.30
	05/26/10	10.51	--	15,000	3,400	310	460	1,300	<350	0.88/0.95
	12/30/10	10.35	--	11,000	3,400	190	360	620	<250	0.89/1.02
MW-6	12/03/01	12.19	6.65	--	--	--	--	--	--	--
<i>18.84</i>	12/06/01	11.70	7.14	76	5.7	3.8	1.4	7.0	<5.0)	6.3/6.1
	01/23/02	9.57	9.27	--	--	--	--	--	--	8.7
	04/17/02	10.73	8.11	<50	<0.50	<0.50	<0.50	<0.50	<5.0)	9.8/9.1
	07/18/02	12.27	6.57	--	--	--	--	--	--	1.7
	11/11/02	13.24	5.60	580	55	<0.50	<0.50	2.8	<5.0)	0.3/0.6
	01/16/03	9.89	8.95	--	--	--	--	--	--	6.4
	03/13/03	10.66	8.18	--	--	--	--	--	--	5.5
	04/23/03	10.57	8.27	<50	<0.50	<0.50	<0.50	<1.0	<5.0)	3.7/4.4
	05/13/03	10.56	8.28	<50	<0.50	<0.50	<0.50	<1.0	<5.0)	3.5/3.0
	06/13/03	11.48	7.36	<50	<0.50	<0.50	<0.50	<1.0	<5.0)	2.7/3.1
	07/14/03	11.83	7.01	230 b	3.4	<0.50	<0.50	<1.0	<0.50)	1.8/1.3
	09/29/03	12.70	6.14	910 b	46	<2.5	<2.5	<5.0	<2.5)	1.1/1.0
	10/29/03	12.91	5.93	830	38	0.53	<0.50	3.3	(0.60)	1.2/0.9
	01/05/04	10.35	8.49	93	0.92	<0.50	<0.50	<1.0	<0.50)	6.2/4.3
	04/01/04	9.80	9.04	<50	<0.50	<0.50	<0.50	<1.0	<0.50)	3.5/3.4
	07/02/04	12.09	6.75	370	3.0	<0.50	<0.50	<1.0	<0.50)	0.6/1.0
	11/03/04	12.84	6.00	540	22	0.73	<0.50	1.5	(0.82)	2.28/0.84
	01/04/05	9.55	9.29	<50	<0.50	<0.50	<0.50	<1.0	<0.50)	6.71/5.16
	04/13/05	7.89	10.95	<50	<0.50	<0.50	<0.50	<0.50	<0.50)	2.99/2.87
	07/13/05	11.13	7.71	170	6.2	1.1	<0.50	<1.0	(0.71)	0.10/1.32
	10/28/05	12.74	6.10	490	22	<0.50	<0.50	<1.0	<0.50)	0.6/0.3
	01/17/06	8.80	10.04	<50	<0.50	<0.50	<0.50	<0.50	<0.50)	5.3/4.9
	02/23/06	9.54	9.30	--	<0.500	<0.500	<0.500	<0.500	--	--
	03/09/06	7.25	11.59	--	<0.500	<0.500	<0.500	<0.500	--	--
	04/21/06	6.34	12.50	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500)	--
	05/01/06	7.32	11.52	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500)	0.72/0.63
	06/23/06	10.12	8.72	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500)	--
	07/11/06	10.12	8.72	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500)	--
	08/30/06	11.79	7.05	<50.0	3.32	<0.500	<0.500	<0.500	<0.500)	0.80/0.86
	09/29/06	12.32	6.52	<50.0	1.59	<0.500	<0.500	<0.500	<0.500)	--
	10/13/06	12.38	6.46	934	3.14	<0.500	<0.500	<0.500	<0.500)	--
	11/03/06	12.77	6.07	112	10.6	<0.500	<0.500	<0.500	<0.500)	3.80/1.10
	12/26/06	12.05	6.79	690	62	<0.50	<0.50	4.5	<0.50)	--
	01/11/07	12.12	6.72	660	11	<0.50	<0.50	2.3	<0.50)	--
	01/30/07	12.44	6.40	310	1.5	<0.50	<0.50	<1.0	<0.50)	1.47/0.81
	03/01/07	10.97	7.87	360	3.6	<0.50	<0.50	0.87	<0.50)	--
	04/26/07	11.18	7.66	210 k	0.72	<1.0	<1.0	<1.0	<1.0)	--
	06/01/07	11.72	7.12	640 k	3.1	<1.0	<1.0	0.27 m	<1.0)	0.69/0.50

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
<i>(MW-6 cont'd)</i>	06/21/07	12.22	6.62	390 k	3.0	<1.0	<1.0	0.17 m	(<1.0)	--
	07/03/07	12.22	6.62	360 k	3.0	<1.0	0.36 m	1.2	(<1.0)	--
	08/16/07	12.74	6.10	400 k,l	2.8	<1.0	<1.0	<1.0	(<1.0)	0.4/0.1
	12/06/07	13.24	5.60	130	<0.5	1.6	<0.5	<0.5	(<0.5)	--
	02/25/08	10.26	8.58	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.81
	05/26/08	12.20	6.64	<50	1.1	0.88	<0.5	<0.5	<5.0	6.77/6.59
	08/18/08	13.10	5.74	160	11	2.4	<0.5	0.57	<5.0	1.13/3.35
	11/20/08	13.73	5.11	120	1.1	1.7	<0.5	0.68	<5.0	0.98/2.11
	02/18/09	11.95	6.89	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.70/1.92
	05/26/09	11.46	7.38	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.72/1.65
	11/23/09	13.42	5.42	220	1.3	2.6	<0.5	1.0	<15	0.91/1.51
	05/26/10	11.04	7.80	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.82/1.49
	12/30/10	10.83	8.01	150	0.73	2.4	<0.5	<0.5	<5.0	1.02/2.19
MW-7	12/03/01	12.66	6.54	--	--	--	--	--	--	--
<i>19.20</i>	12/06/01	12.20	7.00	1,800	390	<2.0	6.2	<2.0	(<20)	3.9/3.8
	01/23/02	10.00	9.20	--	--	--	--	--	--	9.4
	04/17/02	11.21	7.99	<50	<0.50	<0.50	<0.50	<0.50	(<5.0)	8.8/7.3
	07/18/02	12.69	6.51	--	--	--	--	--	--	0.8
	11/11/02	13.69	5.51	3,000	190	<0.50	<0.50	4.3	(5.2)	0.4/0.8
	01/16/03	10.36	8.84	--	--	--	--	--	--	7.9
	03/13/03	11.16	8.04	--	--	--	--	--	--	5.2
	04/23/03	11.02	8.18	250	48	<0.50	<0.50	<1.0	(<5.0)	3.2/1.3
	05/13/03	11.00	8.20	1,700	550	<2.5	<2.5	<5.0	(<25)	2.0/1.5
	06/13/03	11.90	7.30	1,500 b	470	<2.5	<2.5	<5.0	(<25)	1.8/1.6
	07/14/03	12.29	6.91	1300 b	1,200	<10	<10	<20	(<10)	0.4/0.2
	09/29/03	13.12	6.08	5,200	1,200	<10	<10	<20	(<10)	0.9/0.9
	10/29/03	13.34	5.86	4,800	1,100	<5.0	<5.0	<10	(8.9)	0.4/0.3
	01/05/04	10.85	8.35	53	6.7	<0.50	<0.50	<1.0	(<0.50)	1.4/2.3
	04/01/04	10.28	8.92	<50	<0.50	<0.50	<0.50	<1.0	(<0.50)	5.5/6.2
	07/02/04	12.48	6.72	8,100 d	3,400	<25	<25	<50	(<25)	0.8/0.8
	11/03/04	13.25	5.95	3,700	1,200	<5.0	<5.0	<10	(<5.0)	1.9/0.8
	01/04/05	10.02	9.18	<50	2.0	<0.50	<0.50	<1.0	(<0.50)	6.31/5.71
	04/13/05	8.46	10.74	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	5.87/5.89
	07/13/05	11.57	7.63	1,100	380	9.2	<2.5	37	(<2.5)	0.30/0.33
	10/28/05	13.15	6.05	5,100	2,900	<13	<13	<25	(<13)	0.6/0.9
	01/17/06	9.30	9.90	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	6.4/7.4
	02/23/06	10.03	9.17	--	<0.500	<0.500	<0.500	<0.500	--	--
	03/09/06	7.70	11.50	--	<0.500	<0.500	<0.500	<0.500	--	--
	04/21/06	6.66	12.54	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.500)	--
	05/01/06	7.72	11.48	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.500)	0.67/0.98
	06/23/06	10.55	8.65	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.500)	--
	07/11/06	10.55	8.65	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.500)	--
	08/30/06	12.35	6.85	1,520	150	13.3	5.78	53.0	(0.640)	0.52/0.79
	09/29/06	12.66	6.54	2,420	384	1.80	<0.500	5.44	(0.850)	--
	10/13/06	12.85	6.35	5,980	549	0.540	0.680	11.7	(0.930)	--
	11/03/06	13.73	5.47	3,190	501	<0.500	<0.500	5.38	(0.560)	2.2/1.4
	12/26/06	12.51	6.69	4,600	570	<0.50	44	2.1	(<0.50)	--
	01/11/07	12.55	6.65	3,900	490	<2.5	46	<5.0	(<2.5)	--
	01/30/07	12.89	6.31	2,500	380	<2.5	40	<5.0	(<2.5)	1.37/0.90
	03/01/07	11.45	7.75	2,600	350	<2.5	35	3.5	(<2.5)	--
	04/26/07	11.62	7.58	2,300 k	290	<5.0	31	1.3 m	(<5.0)	--
	06/01/07	12.23	6.97	4,400 k	350	<2.0	19	<2.0	(1.1 m)	0.04/0.71
	06/21/07	12.67	6.53	2,600 k	260	<2.0	12	<2.0	(1.4 m)	--
	07/03/07	12.76	6.44	1,700 k	170	<1.0	7.7	0.86 m	(<1.0)	--
	08/16/07	13.20	6.00	1,900 k	44	<1.0	<1.0	<1.0	(<1.0)	0.5/1.1
	12/06/07	13.73	5.47	510	21	3.1	5.8	14	(1.2)	--
	02/25/08	10.65	8.55	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.11

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
<i>(MW-7 cont'd)</i>	05/26/08	12.62	6.58	600	190	2.3	<0.5	<0.5	<35	1.31/3.52
	08/18/08	13.52	5.68	540	71	2.7	<0.5	0.85	<25	1.12/4.75
	11/20/08	14.14	5.06	160	2.2	1.3	<0.5	<0.5	<10	1.46/2.90
	02/18/09	12.48	6.72	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.08/2.70
	05/26/09	11.90	7.30	<50	2.8	0.60	<0.5	<0.5	<5.0	1.02/1.77
	11/23/09	13.85	5.35	230	3.8	3.5	<0.5	<0.5	<30	1.08/2.14
	05/26/10	11.46	7.74	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.88/1.61
	12/30/10	11.18	8.02	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.91/1.7
VW/MW-2	03/25/96	9.04	9.26	13,000	900	920	180	1,500	<250	--
<i>18.30</i>	06/21/96	10.48	7.82	27,000	4,100	1,100	1,400	3,200	700	--
	09/26/96	12.52	5.78	27,000	5,300	1,900	980	2,200	<500	--
	09/26/96	12.52	5.78	29,000	5,800	2,200	1,100	2,500	<250	--
	12/19/96	12.42	5.88	50,000	6,200	5,100	1,700	5,600	590	--
	03/25/97	9.83	8.47	210	5.6	<0.50	0.52	<0.50	14	2.0
	03/25/97	9.83	8.47	250	1.7	0.58	0.51	<0.50	4.7	2.0
	06/26/97	12.43	5.87	--	--	--	--	--	--	--
	09/26/97	12.98	5.32	--	--	--	--	--	--	0.9
	12/05/97	12.20	6.10	--	--	--	--	--	--	0.4
	02/19/98	5.83	12.47	<50	1.5	<0.50	<0.50	0.71	<2.5	3.6
	06/08/98	5.80	12.50	--	--	--	--	--	--	1.0
	08/25/98	11.72	6.58	--	--	--	--	--	--	4.8
	12/28/98	11.69	6.61	--	--	--	--	--	--	2.7
	03/26/99	8.75	9.55	--	--	--	--	--	--	2.8
	06/30/99	10.72	7.58	--	--	--	--	--	--	4.7
	09/30/99	12.24	6.06	--	--	--	--	--	--	4.9
	12/27/99	13.92	4.38	13,500	1,330	1,310	490	1,400	<250	2.1/1.9
	01/21/00	13.26	5.04	12,100	2,200	1,080	429	1,120	<250	2.8
	03/07/00	7.87	10.43	--	--	--	--	--	--	3.7
	04/17/00	9.65	8.65	--	--	--	--	--	--	3.7/4.1
	04/18/00	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
	09/21/00	12.75	5.55	--	--	--	--	--	--	6.2
	10/17/00	12.21	6.09	4,070	763	589	214	501	<50.0	0.8/0.7
	01/09/01	12.51	5.79	--	--	--	--	--	--	0.7
	04/27/01	10.21	8.09	80	5.7	<0.50	2.7	4.9	(<0.50)	2.3/2.8
	07/03/01	11.60	6.70	--	--	--	--	--	--	0.6
	12/06/01	11.15	7.15	160	1.7	1.0	1.8	4.6	(<5.0)	3.7/2.3
	01/23/02	9.07	9.23	--	--	--	--	--	--	0.5
	04/17/02	10.11	8.19	<50	2.1	<0.50	<0.50	<0.50	(<5.0)	4.9/4.4
	07/18/02	11.61	6.69	--	--	--	--	--	--	0.9
	11/11/02	12.63	5.67	15,000	1,300	1,300	680	1,800	(<5.0)	0.2/0.2
	01/16/03	9.35	8.95	--	--	--	--	--	--	0.4
	03/13/03	10.09	8.21	--	--	--	--	--	--	0.8
	04/07/03	10.09	8.21	--	--	--	--	--	--	--
	04/23/03	9.95	8.35	1,100	76	29	45	66	(<5.0)	0.8/0.3
	05/13/03	9.90	8.40	1,200	38	16	16	24	(<5.0)	0.2/0.2
	06/13/03	10.80	7.50	9,600	1,300	1,100	440	890	(<250)	0.2/0.5
	07/14/03	11.20	7.10	11,000	1,300	1,800	430	1,500	(<5.0)	0.5/0.5
	09/29/03	12.05	6.25	12,000	860	980	410	1,100	(<10)	0.4/0.4
	10/29/03	12.29	6.01	12,000	1,100	940	530	1,200	(<10)	0.7/0.3
	01/05/04	9.82	8.48	190 b	<0.50	<0.50	<0.50	<1.0	(<0.50)	2.8/1.8
	04/01/04	9.24	9.06	410	1.4	0.54	1.6	1.0	(<0.50)	1.7/0.1
	07/02/04	11.33	6.97	5,500	440	370	170	410	(<2.5)	0.5/0.4
	11/03/04	12.14	6.16	3,800	260	210	150	600	(<2.5)	0.9/1.4
	01/04/05	9.03	9.27	280	5.8	20	7.8	26	(<0.50)	1.66/2.66
	04/13/05	7.38	10.92	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	0.79/0.58
	07/13/05	10.45	7.85	350	19	9.3	9.8	14	(<0.50)	0.10/0.08
	10/28/05	11.98	6.32	3,400	440	350	150	320	(<2.5)	0.4/0.1

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
'VW/MW-2 cont'd'	01/17/06	8.34	9.96	700	3.1	5.1	7.7	66	(<0.50)	2.7/1.6
	02/23/06	9.42	8.88	--	97.9	17.2	40.0	80.6	--	--
	03/09/06	7.35	10.95	--	<0.500	29.2	57.8	486	--	--
	04/21/06	5.99	12.31	<50.0	<0.500	0.960	<0.500	2.71	(<0.500)	--
	05/01/06	7.25	11.05	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.500)	0.43/0.10
	06/23/06	10.05	8.25	3,150	35.6	9.24	20.7	113	(<0.500)	--
	07/11/06	10.05	8.25	9,270	413	78.2	91.5	341	(2.40)	--
	08/30/06	11.12	7.18	4,900	135	45.5	73.3	180	(2.40)	0.37/0.62
	09/29/06	11.61	6.69	12,300	243	142	290	634	(2.50)	--
	10/13/06	12.01	6.29	19,300	292	169	384	1,080	(1.84)	--
	11/03/06	12.12	6.18	9,300	655	233	366	729	(4.15)	2.0/1.05
	12/26/06	11.41	6.89	2,600	61	50	74	250	(<0.50)	--
	01/11/07	11.45	6.85	5,200	160	190	170	570	(<0.50)	--
	01/30/07	12.21	6.09	2,200	160	20	84	200	(<2.5)	1.37/0.79
	03/01/07	10.40	7.90	520	0.50	0.53	3.3	15	(<0.50)	--
	04/26/07	10.51	7.79	5,700 k	220	140	170	420	(<2.0)	--
	06/01/07	11.00	7.30	4,300 k	150	150	140	380	(<2.0)	0.36/0.23
	06/21/07	11.78	6.52	9,000 k	540	500	350	870	(1.8 m)	--
	07/03/07	11.64	6.66	4,500 k	230	160	160	440	(<5.0)	--
	08/16/07	12.12	6.18	8,800 k	550	520	430	1,020	(<5.0)	0.3/0.1
	12/06/07	12.43	5.87	2,600	110	84	64	180	(2.4)	--
	02/25/08	9.55	8.75	620	100	4.1	4.9	2.0	<5.0	2.48
	05/26/08	11.53	6.77	7,200	350	200	220	510	<100	1.52/0.99
	08/18/08	12.45	5.85	7,000	420	160	180	460	<100	0.70/0.67
	11/20/08	13.09	5.21	3,400	86	84	75	230	<50	0.93/1.47
	02/18/09	11.35	6.95	1,400	3.5	16	7.2	28	<15	0.77/1.18
	05/26/09	10.76	7.54	1,000	9.5	26	17	56	<5.0	0.84/1.19
	11/23/09	12.77	5.53	270	2.7	5.0	1.5	3.5	<5.0	0.81/2.49
	05/26/10	10.36	7.94	490	3.5	12	4.3	23	<5.0	0.69/0.94
	12/30/10	10.11	8.19	180	0.75	4.0	1.2	4.8	<5.0	0.79/1.02
VW/MW-4	03/25/96	8.45	9.69	83,000	6,500	7,000	2,000	11,000	<250	--
<i>18.14</i>	03/25/96	8.45	9.69	84,000	6,400	7,000	2,100	12,000	<250	--
	06/21/96	10.38	7.76	110,000	14,000	15,000	3,700	17,000	1,700	--
	06/21/96	10.38	7.76	100,000	12,000	12,000	2,900	13,000	<1,000	--
	09/26/96	12.43	5.71	52,000	13,000	2,700	2,100	3,200	<500	--
	12/19/96	11.87	6.27	75,000	15,000	6,600	3,000	7,600	<1,250	--
	03/25/97	9.60	8.54	56,000	4,700	1,500	2,500	6,300	580	2.4
	06/26/97	12.36	5.78	--	--	--	--	--	--	--
	09/26/97	12.82	5.32	--	--	--	--	--	--	0.4
	12/05/97	12.15	5.99	--	--	--	--	--	--	0.3
	02/19/98	5.85	12.29	4,100	320	40	44	520	<50	1.8
	02/19/98	5.85	12.29	4,300	340	44	47	540	<50	1.8
	06/08/98	5.87	12.27	--	--	--	--	--	--	1.8
	08/25/98	10.96	7.18	--	--	--	--	--	--	2.5
	12/28/98	11.28	6.86	--	--	--	--	--	--	0.9
	03/26/99	8.45	9.69	--	--	--	--	--	--	1.9
	06/30/99	9.70	8.44	--	--	--	--	--	--	3.6
	09/30/99	11.78	6.36	--	--	--	--	--	--	2.6
	12/27/99	12.63	5.51	33,900	3,740	2,000	1,130	5,090	587	0.4/0.2
	01/21/00	13.07	5.07	13,900	1,560	568	227	1,990	<500(21.0a)	1.0
	03/07/00	7.82	10.32	--	--	--	--	--	--	0.9
	04/17/00	9.18	8.96	--	--	--	--	--	--	1.4/1.9
	04/18/00	--	--	757	103	8.59	30.8	84.2	<25.0	--
	09/21/00	12.18	5.96	--	--	--	--	--	--	5.0
	10/17/00	12.03	6.11	8,360	2,060	391	468	1,170	147	0.7/0.8
	01/09/01	12.42	5.72	--	--	--	--	--	--	0.9
	04/27/01	10.13	8.01	7,100	2,300	50	460	250	(<10)	1.0/1.4

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
VW/MW-4 cont'd.	07/03/01	11.42	6.72	--	--	--	--	--	--	1.2
	12/06/01	11.02	7.12	7,700	750	90	300	350	(<25)	2.5/1.9
	01/23/02	8.89	9.25	--	--	--	--	--	--	0.4
	04/17/02	9.89	8.25	4,800	760	27	240	150	(<25)	4.7/5.1
	07/18/02	11.37	6.77	--	--	--	--	--	--	0.6
	11/11/02	12.41	5.73	14,000	2,800	480	700	1,300	(<100)	0.3/0.3
	01/16/03	9.17	8.97	--	--	--	--	--	--	0.8
	03/13/03	9.85	8.29	--	--	--	--	--	--	1.1
	04/23/03	9.74	8.40	2,400	710	28	160	100	(<50)	0.2/0.05
	05/13/03	9.70	8.44	3,300	720	35	170	160	(<50)	0.2/0.2
	06/13/03	10.55	7.59	8,200	1,700	220	460	790	(<250)	0.3/0.3
	07/14/03	10.90	7.24	3,700	900	190	220	540	(<10)	0.5/0.4
	09/29/03	11.83	6.31	7,500	1,800	300	390	860	(<20)	0.5/0.6
	10/29/03	12.03	6.11	10,000	2,600	400	510	1,200	(<13)	0.5/0.4
	01/05/04	9.60	8.54	1,000	70	12	30	56	(<1.0)	1.7/1.2
	04/01/04	9.00	9.14	1,000	64	7.0	22	18	(<1.0)	0.6/0.1
	07/02/04	11.00	7.14	5,600	1,500	57	380	180	(<10)	0.4/0.4
	11/03/04	11.85	6.29	9,400	2,400	210	560	890	(<10)	1.5/2.1
	01/04/05	8.89	9.25	110	12	<0.50	2.3	<1.0	(<0.50)	2.40/1.05
	04/13/05	7.25	10.89	<50	<0.50	<0.50	<0.50	<0.50	(<0.50)	1.55/0.52
	07/13/05	10.20	7.94	1,300	520	5.1	100	17	(<2.5)	0.08/0.08
	10/28/05	11.84	6.30	2,500	830	44	170	140	(5.4)	0.6/0.2
	01/17/06	8.05	10.09	<50	<0.50	<0.50	0.56	<0.50	(<0.50)	2.7/0.6
	02/23/06	8.77	9.37	--	1.42	0.930	0.580	<0.500	--	--
	03/09/06	6.75	11.39	--	<0.500	<0.500	<0.500	0.680	--	--
	04/21/06	5.69	12.45	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.500)	--
	05/01/06	6.65	11.49	<50.0	<0.500	<0.500	<0.500	<0.500	(<0.500)	0.51/0.37
	06/23/06	9.22	8.92	920	8.69	1.32	5.63	9.68	(<0.500)	--
	07/11/06	9.22	8.92	<50.0	109	<0.500	3.91	<0.500	(<0.500)	--
	08/30/06	10.87	7.27	2,360	331	12.8	65.4	29.3	(2.64)	0.24/0.56
	09/29/06	11.40	6.74	5,920	327	23.2 i	146	112 i	(2.63)	--
	10/13/06	11.53	6.61	6,560	299	16.6	134	90.4	(3.58)	--
	11/03/06	11.87	6.27	3,530	212	9.14	87.8	52.8	(5.11)	2.60/4.0
	12/26/06	11.17	6.97	960	43	1.0	17	2.7	(<0.50)	--
	01/11/07	11.18	6.96	830	86	1.8	41	3.9	(1.40)	--
	01/30/07	11.53	6.61	2,100	450	15	99	46	(3.0)	1.13/0.91
	03/01/07	10.00	8.14	700	4.8	<0.50	1.8	0.77	(<0.50)	--
	04/26/07	10.26	7.88	930 k	84	5.2	21	9.5	(<1.0)	--
	06/01/07	10.80	7.34	2,000 k	340	7.6	58	17.6	(1.7 m)	0.46/0.42
	06/21/07	11.32	6.82	1,400 k	360	9.7	46	26.1	(2.2)	--
	07/03/07	11.39	6.75	2,700 k	650	24	91	65	(<2.0)	--
	08/16/07	11.87	6.27	1,400 k	240	8.8	32	42.3	(<5.0)	0.3/0.1
	12/06/07	12.40	5.74	3,600	480	16	39	29	(3.5)	--
	02/25/08	9.39	8.75	56	22	<0.5	<0.5	0.50	<5.0	4.61
	05/26/08	11.27	6.87	650	76	7.9	4.9	<0.5	<5.0	0.95/0.96
	08/18/08	12.23	5.91	2,700	540	28	28	71	<25	0.78/0.79
	11/20/08	12.87	5.27	2,000	390	19	13	49	<50	1.17/0.95
	02/18/09	11.29	6.85	850	17	11	3.6	25	<15	0.82/1.02
	05/26/09	10.55	7.59	540	16	11	1.3	1.1	<10	0.81/1.06
	11/23/09	12.55	5.59	1,200	200	12	3.5	12	<5.0	0.84/1.66
	05/26/10	10.15	7.99	410	26	6.3	2.3	3.7	<5.0	0.77/0.84
	12/30/10	9.96	8.18	520	14	8.7	2.3	2.4	<5.0	0.8/1.26
VW/AS-1	03/25/96	8.98	9.62	--	--	--	--	--	--	--
<i>18.60</i>	06/21/96	10.95	7.65	--	--	--	--	--	--	--
	09/26/96	12.98	5.62	--	--	--	--	--	--	--
	12/19/96	12.67	5.93	--	--	--	--	--	--	--
	03/25/97	10.12	8.48	--	--	--	--	--	--	--

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
(VW/AS-1 cont'd)	06/26/97	12.34	6.26	--	--	--	--	--	--	--
	09/26/97	13.40	5.20	--	--	--	--	--	--	--
	12/05/97	11.96	6.64	--	--	--	--	--	--	5.2
	02/19/98	6.22	12.38	--	--	--	--	--	--	1.3
	06/08/98	6.20	12.40	--	--	--	--	--	--	1.0
	08/25/98	11.59	7.01	--	--	--	--	--	--	1.6
	12/28/98	11.74	6.86	--	--	--	--	--	--	1.3
	03/26/99	9.20	9.40	--	--	--	--	--	--	1.3
	06/30/99	11.08	7.52	--	--	--	--	--	--	2.1
	09/30/99	11.94	6.66	--	--	--	--	--	--	1.9
	12/27/99	11.01	7.59	8,940	2,000	95.7	1,200	570	606	1.6/1.8
	03/07/00	7.35	11.25	--	--	--	--	--	--	--
	04/17/00	9.08	9.52	--	--	--	--	--	--	1.9/2.0
	04/18/00	--	--	20,800	6,550	1,220	2,270	1,720	<250	--
	09/21/00	11.98	6.62	--	--	--	--	--	--	2.1
	10/17/00	12.62	5.98	38,400	7,240	5,980	1,960	5,730	534(72.4)	2.5/1.0
	01/09/01	13.03	5.57	--	--	--	--	--	--	1.9
	04/27/01	10.71	7.89	34,000	8,000	2,100	2,500	2,000	(<25)	2.9/2.1
	07/03/01	12.03	6.57	--	--	--	--	--	--	2.0
	12/06/01	11.63	6.97	6,000	990	35	820	59	(<25)	1.2/0.8
	01/23/02	9.34	9.26	--	--	--	--	--	--	0.9
	04/17/02	10.41	8.19	12,000	2,900	57	1,400	98	(<200)	3.3/2.9
	07/18/02	12.13	6.47	--	--	--	--	--	--	0.3
	11/11/02	13.15	5.45	2,200	340	7.3	250	24	(<20)	1.2/1.3
	01/16/03	9.73	8.87	--	--	--	--	--	--	2.3
	03/13/03	10.45	8.15	11,000	2,500	55	1,800	170	(<100)	2.1/1.9
	04/07/03	10.40	8.20	--	--	--	--	--	--	--
	04/23/03	10.28	8.32	9,500	4,100	200	1,400	200	(<250)	1.2/0.4
	05/13/03	10.26	8.34	9,700	2,300	110	1,100	140	(<250)	0.5/2.0
	06/13/03	11.15	7.45	9,300	2,300	77	820	<100	(<500)	1.0/0.5
	07/15/03	11.62	6.98	5,500	2,000	230	620	360	(20)	1.8/1.9
	09/29/03	12.48	6.12	9,600	2,300	100	1,200	670	(<20)	2.3/3.6
	10/29/03	12.73	5.87	10,000	2,000	39	1,000	370	(16)	3.3/3.6
	01/05/04	10.25	8.35	2,000	710	18	410	18	(13)	3.0/2.8
	04/01/04	9.60	9.00	27,000	9,100	1,200	2,200	1,400	(<50)	1.0/1.4
	07/02/04	11.80	6.80	18,000	6,500	170	1,200	1,200	(<50)	3.2/0.8
	11/03/04	12.56	6.04	4,500	1,700	23	280	55	(9.8)	1.7/1.9
	01/04/05	9.50	9.10	7,500	2,500	74	540	110	(<13)	1.19/0.53
	04/13/05	7.84	10.76	34,000	6,600	290	930	2,100	(<15)	1.60/1.88
	07/13/05	10.90	7.70	--	--	--	--	--	--	--
	07/22/05	10.96	7.64	8,200	5,900	86	340	320	(<25)	1.7/1.0
	10/28/05	12.30	6.30	2,100	1,300	18	63	21	(<5.0)	0.5/1.6
	01/17/06	8.65	9.95	6,200 g	2,900	190	400	600	(4.70)	1.4/1.0
	02/23/06	9.33	9.27	--	3,080	222	414	778	--	--
	03/09/06	7.40	11.20	--	1,350	88.5	128	164	--	--
	04/21/06	6.44	12.16	18,200	4,460	167	419	717	(2.79)	--
	05/01/06	7.22	11.38	19,700	5,300	261	664	1,050	(<0.500)	0.71/1.23
	06/23/06	9.73	8.87	20,600	3,820	305	259	435	(3.31 h)	--
	07/11/06	9.73	8.87	9,130	6,200	108	232	254	(<0.500)	--
	08/30/06	11.60	7.00	164,000	3,190	6,240	3,780	17,900	(<10.0)	0.4
	09/29/06	11.97	6.63	130,000	6,160	6,370 i	2,910	11,600 i	(<25.0)	--
	10/13/06	12.18	6.42	144,000	6,320	5,710	2,930	13,100	(1.03)	--
	11/03/06	12.21	6.39	112,000	8,290	5,670	2,760	12,100	(<0.500)	0.80
	12/26/06	11.74	6.86	94,000	6,900	5,100	3,100	13,000	(<50)	--

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
(VW/AS-1 cont'd)	01/11/07	11.83	6.77	73,000	6,600	5,500	3,000	12,000	<50	--
	01/30/07	12.12	6.48	54,000	6,800	4,500	2,200	8,800	<50	1.16/1.16
	03/01/07	10.71	7.89	52,000	6,300	3,700	3,400	12,000	<50	--
	04/26/07	10.84	7.76	72,000 k	7,200	4,500	3,000	10,900	<50	--
	06/01/07	11.40	7.20	70,000 k	7,600	4,900	3,200	12,100	<50	0.60/1.09
	06/21/07	11.92	6.68	59,000 k	7,300	3,700	3,200	12,100	<50	--
	07/03/07	11.98	6.62	70,000 k	8,800	4,700	3,500	13,500	<50	--
	08/16/07	12.53	6.07	67,000 k	9,000	5,500	3,900	14,200	<50	0.2/0.1
	12/06/07	12.97	5.63	180,000	9,500	5,000	4,100	16,000	<17	--
	02/25/08	9.84	8.76	47,000	3,500	1,200	1,500	4,400	<350	2.39
	05/26/08	11.88	6.72	82,000	8,100	3,000	3,100	12,000	<500	1.65/1.05
	06/27/08									VW/AS-1 drilled out and replaced with AS-1
VW/AS-2	03/09/06	6.95	--	--	--	--	--	--	--	--
VW/AS-3	03/25/96	8.50	9.67	--	--	--	--	--	--	--
18.17	06/21/96	10.42	7.75	--	--	--	--	--	--	--
	09/26/96	12.49	5.68	--	--	--	--	--	--	--
	12/19/96	12.28	5.89	--	--	--	--	--	--	--
	03/25/97	9.61	8.56	--	--	--	--	--	--	--
	06/26/97	11.80	6.37	--	--	--	--	--	--	--
	09/26/97	12.89	5.28	--	--	--	--	--	--	--
	12/05/97	11.38	6.79	--	--	--	--	--	--	1.8
	02/19/98	6.24	11.93	--	--	--	--	--	--	1.3
	06/08/98	6.25	11.92	--	--	--	--	--	--	1.2
	08/25/98	11.43	6.74	--	--	--	--	--	--	1.3
	12/28/98	11.63	6.54	--	--	--	--	--	--	1.7
	03/26/99	8.92	9.25	--	--	--	--	--	--	1.5
	06/30/99	10.71	7.46	--	--	--	--	--	--	2.5
	09/30/99	11.78	6.39	--	--	--	--	--	--	1.5
	12/27/99	12.57	5.60	488	47.9	2.60	16.9	8.50	35.4	1.5/2.1
	03/07/00	4.82	13.35	--	--	--	--	--	--	--
	04/17/00	8.69	9.48	--	--	--	--	--	--	2.0/2.4
	04/18/00	--	--	3,110	871	<5.00	141	56.8	78.2	--
	09/21/00	11.65	6.52	--	--	--	--	--	--	2.5
	10/17/00	12.13	6.04	7,730	2,700	<50.0	542	344	<250(42.1)	1.6/1.0
	01/09/01	12.51	5.66	--	--	--	--	--	--	2.2
	04/27/01	10.20	7.97	14,000	3,900	62	690	560	(46)	2.8/1.6
	07/03/01	11.55	6.62	--	--	--	--	--	--	2.6
	12/06/01	11.10	7.07	5,000	1,200	19	380	320	<50	0.9/1.1
	01/23/02	8.93	9.24	--	--	--	--	--	--	1.1
	04/17/02	10.00	8.17	17,000	5,000	<25	1,100	390	<250	3.2/3.2
	07/18/02	11.49	6.68	--	--	--	--	--	--	0.4
	11/11/02	12.43	5.74	1,700	290	1.5	150	2.8	<10	1.0/1.1
	01/16/03	9.32	8.85	--	--	--	--	--	--	4.7
	03/13/03	9.88	8.29	--	--	--	--	--	--	2.7
	04/23/03	9.85	8.32	150	47	0.67	8.5	3.2	<5.0	2.1/0.7
	05/13/03	9.81	8.36	440	35	<0.50	1.7	<1.0	<5.0	1.4/1.8
	06/13/03	10.77	7.40	580	71	<2.5	40	<5.0	<25	1.1/0.6
	07/14/03	11.12	7.05	1,100	120	4.9	63	9.3	(16)	2.0/2.2
	09/29/03	12.02	6.15	160	54	2.2	6.9	8.7	(1.1)	4.1/1.6
	10/29/03	12.25	5.92	350	16	<0.50	1.1	<1.0	(6.3)	3.2/1.6
	01/05/04	9.74	8.43	2,700	870	39	130	250	(5.5)	3.6/2.8
	04/01/04	9.06	9.11	1,300	240	4.1	36	45	(12.0)	1.1/1.0
	07/02/04	11.29	6.88	610	59	<1.0	3.6	<2.0	(10.0)	2.0/2.2
	11/03/04	12.02	6.15	200	<0.50	<0.50	<0.50	<1.0	(10.0)	2.1/2.3
	01/04/05	8.99	9.18	2,500	730	42	36	190	<10	1.72/1.36
	04/13/05	7.25	10.92	<50	1.6	<0.50	<0.50	<0.50	(0.61)	2.85/3.04

Pangea

Table 1. Groundwater Elevation and Analytical Data - Saberi, 1230 14th Street, Oakland, CA

Well ID	Date Measured	DTW (feet)	GWE (feet) (MSL)	TPHg (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Dissolved Oxygen (mg/L)
(VW/AS-3 cont'd)	07/13/05	10.30	7.87	--	--	--	--	--	--	--
	07/22/05	10.51	7.66	160	36	0.65	<0.50	2.5	(2.60)	1.4/1.3
	10/28/05	11.93	6.24	100	<0.50	<0.50	<0.50	<1.0	(1.70)	1.6/0.9
	01/17/06	8.25	9.92	1,400	510	29	16	47	(5.40)	1.9/0.8
	04/21/06	6.06	12.11	--	--	--	--	--	--	--
	05/01/06	6.83	11.34	1,350	74.4	<0.500	12.5	0.520	(3.30)	1.35/0.78
	08/30/06	11.00	7.17	940	77.7	2.67	2.94	5.57	(3.45)	0.80/0.98
	09/29/06	11.30	6.87	--	--	--	--	--	--	--
	11/03/06	12.29	5.88	346 j	83.6 j	5.17 j	2.34 j	13.5 j	(3.47 j)	1.10/0.80
	01/30/07	12.59	5.58	130	13	0.64	<0.50	7.2	(3.4)	0.76/0.64
	06/01/07	10.82	7.35	2,200 k	650	13	3.2 m	143	(7.8)	1.21/0.93
	08/16/07	11.95	6.22	1,000 k	200	4.0	1.1	47.7	(3.3)	0.8/0.2
	12/06/07	12.43	5.74	<50	<0.5	<0.5	<0.5	<0.5	(<0.5)	--
	02/25/08	9.40	8.77	<50	<0.5	<0.5	<0.5	<0.5	<5.0	3.14
	05/26/08	11.20	6.97	1,800	260	6.0	4.3	35	<17	0.86/4.39
	6/26/2008									Well Destroyed

Notes:

a = Sample was analyzed outside of the EPA recommended holding time.

b = Hydrocarbon reported does not match the pattern of the laboratory's standard.

c = Top of casing change due to maintenance.

d = Sample contains discrete peak in addition to gasoline.

e = Quantity of unknown hydrocarbon(s) in sample based on gasoline.

f = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.

g = The concentration indicated for this analyte is an estimated value above the calibration range of the instrument.

h = Secondary ion abundances were outside method requirements. Identification based on a'--lytical judgement.

i = Analyte was detected in the associated Method Blank.

j = pH>2

k = Analyzed by EPA Method 8015B (M).

l = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

m = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

Site surveyed November 1, 2001 by Virgil Chavez Land Surveying of Vallejo, CA.

TPHg = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015C.

Benzene, Toluene, Ethylbenzene, and Xylenes by EPA Method 8260B from April 27, 2001 through August 16, 2007. Concentrations prior to April 27, 2001 and after August 16, 2007 by EPA Method 8021B.

MTBE = Methyl tert-butyl ether by EPA Method 8021B, concentrations in parentheses by EPA Method 8260B

-- = Not applicable

ug/L = micrograms per liter (Parts per billion)

mg/L = milligrams per liter (Parts per million)

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

n/n = Pre-purge/Post-purge Dissolved Oxygen Readings

APPENDIX A

Groundwater Monitoring Program

Table A - Quarterly Groundwater Monitoring Program During Active Remediation

1230 14th Street, Oakland, CA

Well ID	Well Type	Screened Interval (ft bgs)	Well Location for Monitoring	Casing Diam. (in)	Gauge Frequency	Sample Frequency ¹
Monitoring Wells						
MW-1	Mon	7-22	Downgradient	2	Q	Q
MW-2	Mon	7.5-22.5	S Upgradient	2	Q	Q
MW-3	Mon	7-21.5	W Upgradient	2	Q	Q
MW-4	Mon	7-22	NW Crossgradient	2	Q	Q
MW-5R	Mon	5-20	Source	4	Q	Q
MW-6	Mon	5-20	E Downgradient	4	Q	Q
MW-7	Mon	5-20	NE Downgradient	4	Q	Q
VMP-1	Vapor Monitoring	4.25-4.75	N Boundary (Downgradient)	1/2	--	--
Remediation/Monitoring Wells						
AS-1	Air Sparging	22-25	N Source	1	---	---
AS-2	Air Sparging	22-25	--	1	--	--
AS-3	Air Sparging	22-25	--	1	--	--
AS-4	Air Sparging	22-25	---	1	---	Q
AS-5	Air Sparging	21.5-25	---	1	---	---
VW/MW-2	Mon/Vapor Extraction	6-22	W Crossgradient	2	Q	Q
VW/MW-4	Mon/Vapor Extraction	5-20	SW Downgradient	2	Q	Q
DP-1	Dual Phase Extraction (Rem)	8-20	--	4	Q	Q
DP-2	Dual Phase Extraction (Rem)	8-20	--	4	Q	Q
DP-3	Dual Phase Extraction (Rem)	8-20	--	4	Q	Q
DP-4	Dual Phase Extraction (Rem)	8-20	---	4	Q	---
DP-5	Dual Phase Extraction (Rem)	8-20	---	4	Q	Q

Notes and Abbreviations:

1= **Sample Analytes:** Total Petroleum Hydrocarbons as Gasoline (TPHg), benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl

Q = All four quarters. Typically B months (February, May, August, November)

Mon = Groundwater Monitoring Well

Rem= Remediation Well

VW = Vapor Extraction Well

VMP= Vapor Monitoring Well

DP = Dual Phase Extraction

N, S, W, E = Cardinal directions North, South, West, East and other directions (e.g., Northeast = NE)

-- = Not applicable, gauged or sampled.

Table B - Semi-Annual Groundwater Monitoring Program

1230 14th Street, Oakland, CA

Well ID	Well Type	Screened Interval (ft bgs)	Well Location for Monitoring	Casing Diam. (in)	Gauge Frequency	Sample Frequency ¹
Monitoring Wells						
MW-1	Mon	7-22	Downgradient	2	2nd, 4th	2nd, 4th
MW-2	Mon	7.5-22.5	S Upgradient	2	2nd, 4th	2nd
MW-3	Mon	7-21.5	W Upgradient	2	2nd, 4th	2nd
MW-4	Mon	7-22	NW Crossgradient	2	2nd, 4th	2nd
MW-5R	Mon	5-20	Source	4	2nd, 4th	2nd, 4th
MW-6	Mon	5-20	E Downgradient	4	2nd, 4th	2nd, 4th
MW-7	Mon	5-20	NE Downgradient	4	2nd, 4th	2nd, 4th
VMP-1	Vapor Monitoring	4.25-4.75	N Boundary (Downgradient)	1/2	--	--
Remediation/Monitoring Wells						
AS-1	Mon/Air Sparging	22-25	N Source	1	2nd, 4th	2nd, 4th
AS-2	Air Sparging	22-25	--	1	--	--
AS-3	Air Sparging	22-25	--	1	--	--
AS-4	Air Sparging	22-25	--	1	--	--
AS-5	Air Sparging	21.5-25	--	1	--	--
VW/MW-2	Mon/Vapor Extraction	6-22	W Crossgradient	2	2nd, 4th	2nd, 4th
VW/MW-4	Mon/Vapor Extraction	5-20	SW Downgradient	2	2nd, 4th	2nd, 4th
DP-1	Dual Phase Extraction (Rem)	8-20	--	4	--	--
DP-2	Dual Phase Extraction (Rem)	8-20	--	4	--	--
DP-3	Dual Phase Extraction (Rem)	8-20	--	4	--	--
DP-4	Dual Phase Extraction (Rem)	8-20	--	4	--	--
DP-5	Dual Phase Extraction (Rem)	8-20	--	4	--	--

Notes and Abbreviations:

1= Sample Analytes: Total Petroleum Hydrocarbons as Gasoline (TPHg), benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8015Cm/8021B.

2nd, 4th = Semi Annually during second and fourth quarter, typically May and November

2nd = Annually during second quarter, typically May

Mon = Groundwater Monitoring Well

Rem= Remediation Well

VW = Vapor Extraction Well

VMP= Vapor Monitoring Well

DP = Dual Phase Extraction

N, S, W, E = Cardinal directions North, South, West, East and other directions (e.g., Northeast = NE)

-- = Not applicable, gauged or sampled.

APPENDIX B

Groundwater Monitoring Field Data Sheets

Well Gauging Data Sheet

Project Task #: 1150.001 225		Project Name: 1230 14th Street, Oakland, CA					
Address: 1230 14th Street, Oakland, CA						Date: 12/13/10	
Name: Sanjiv Gill				Signature: 			
Well ID	Well Size (in.)	Time	Depth to Immiscible Liquid (ft)	Thickness of Immiscible Liquid (ft)	Depth to Water (ft)	Total Depth (ft)	Measuring Point
MW-1	2"	8:55			10.53	21.32	TOC
MW-2	2"	8:38			9.80	22.02	
MW-3	2"	8:35			10.08	18.65	
MW-4	2"	8:30			10.11	19.81	
MW-5R	4"	9:05			10.35	22.60	
MW-6	4"	8:42			10.83	19.70	
MW-7	4"	8:47			11.18	19.81	X
AS-1	—	—	Inaccessible Hard mount to System	—	—	—	—
VW/MW-2	2"	9:00			10.11	21.89	TOC
VW/MW-4	2"	8:51			9.96	18.23	X

Comments:

MONITORING FIELD DATA SHEET

Well ID: MW-1

Project Task #:	1150.001	225	Project Name:	Saberi - 1230 14th St.				
Address: 1230 14th Street, Oakland, CA								
Date:	12/30/10		Weather:	Sunny				
Well Diameter:	2 "		Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47		
				2" = 0.16	4" = 0.65	radius ² * 0.163		
Total Depth (TD):	21.32		Depth to Product:					
Depth to Water (DTW):	10.53		Product Thickness:					
Water Column Height:	10.79		1 Casing Volume:	1.72		gallons		
Reference Point: TOC			3 Casing Volumes:	5.16		gallons		
Purging Device: Disposable Bailer, 3" PVC Bailer, Check Valve Tubing, Whal Pump								
Sampling Device: Disposable Bailer								
Time	Temp °C	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
12:10	16.9	7.35	699				2.0	
12:15	16.9	7.32	704				4.0	
12:20	16.9	7.32	706				5.0	

Comments: YSI 550A DO meter pre purge DO = 0.88 mg/l
 post purge DO = 1.07 mg/l

very turbid, silty

Sample ID:	MW-1	Sample Time:	12:25
Laboratory:	McCampbell Analytical, INC.	Sample Date:	12/30/10
Containers/Preservative: Voa/HCl			
Analyzed for: 8015, 8021			
Sampler Name:	Sanjiv Gill	Signature:	

MONITORING FIELD DATA SHEET

Well ID: ML-5R

Project Task #:	1150.001	225	Project Name:	Saberi - 1230 14th St.					
Address: 1230 14th Street, Oakland, CA									
Date:	12/30/10		Weather:	Sunny					
Well Diameter:	4"		Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47			
				2" = 0.16	4" = 0.65	radius ² * 0.163			
Total Depth (TD):	22.60		Depth to Product:						
Depth to Water (DTW):	10.35		Product Thickness:						
Water Column Height:	12.25		1 Casing Volume:	7.96			gallons		
Reference Point: TOC			3 Casing Volumes:	23.88			gallons		
Purging Device: Disposable Bailer, 3" PVC Bailer, Check Valve Tubing, Whal Pump									
Sampling Device: Disposable Bailer									
Time	Temp ©	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW	
12:40	16.9	7.28	1090				8		
12:50	17.1	7.24	1090				16		
13:00	17.2	7.21	1092				24		

Comments: YSI 550A DO meter

pre purge DO = 0.89 mg/l

post purge DO = 1.02 mg/l

very turbid, si HY

Sample ID:	ML-5R	Sample Time:	13:05
Laboratory:	McCampbell Analytical, INC.	Sample Date:	12/30/10
Containers/Preservative: Voa/HCl			
Analyzed for: 8015, 8021			
Sampler Name:	Sanjiv Gill		
Signature:			

MONITORING FIELD DATA SHEET

Well ID: MLU-6

Project Task #:	1150.001	225	Project Name: Saberi - 1230 14th St.					
Address: 1230 14th Street, Oakland, CA								
Date:	12/30/10	Weather: Sunny						
Well Diameter:	4"	Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47			
			2" = 0.16	4" = 0.65	radius ² * 0.163			
Total Depth (TD):	19.70	Depth to Product:						
Depth to Water (DTW):	10.83	Product Thickness:						
Water Column Height:	8.87	1 Casing Volume: 5.76 gallons						
Reference Point: TOC		3 Casing Volumes: 17.28 gallons						
Purging Device: Disposable Bailer, 3" PVC Bailer, Check Valve Tubing, Whal Pump								
Sampling Device: Disposable Bailer								
Time	Temp °C	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
9:40	16.2	7.31	429				6	
10:00	16.4	7.27	436				12	
10:10	16.4	7.30	432				17	

Comments: YSI 550A DO meter

pre purge DO = 1.02 mg/l

post purge DO = 2.19 mg/l

very turbid

Sample ID:	MLU-6	Sample Time:	10:15
Laboratory:	McCormick Analytical, INC.	Sample Date:	12/30/10
Containers/Preservative: VOA/HCl			
Analyzed for: 8015, 8021			
Sampler Name:	Sanjiv Gill	Signature:	

Pangea

ENVIRONMENTAL SERVICES, INC.

MONITORING FIELD DATA SHEET

Well ID: MN-7

Project Task #:	1150.001	225	Project Name:	Saberi - 1230 14th St.				
Address: 1230 14th Street, Oakland, CA								
Date:	12/30/10		Weather:	Sunny				
Well Diameter:	4"		Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47		
				2" = 0.16	4" = 0.65	radius ² * 0.163		
Total Depth (TD):	19.81		Depth to Product:					
Depth to Water (DTW):	11.18		Product Thickness:					
Water Column Height:	8.63		1 Casing Volume:	5.60			gallons	
Reference Point: TOC			3 Casing Volumes:	16.8			gallons	
Purging Device: Disposable Bailer 3" PVC Bailer, Check Valve Tubing, Whal Pump								
Sampling Device: Disposable Bailer								
Time	Temp °C	pH	Cond (μ s)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
10:30	16.3	7.09	792				5.5	
10:40	16.4	7.12	805				11.0	
10:50	16.5	7.16	820				17.0	

Comments: YSI 550A DO meter pre purge DO = 0.91 mg/l
 post purge DO = 1.70 mg/l

very turbid, silty

Sample ID:	MN-7	Sample Time:	10:55
Laboratory:	McCormick Analytical, INC.	Sample Date:	12/30/10
Containers/Preservative: Voa/HCl			
Analyzed for: 8015, 8021			
Sampler Name:	Sanjiv Gill	Signature:	


MONITORING FIELD DATA SHEET

Well ID: VU/MU-2

Project Task #:	1150.001	225	Project Name:	Saberi - 1230 14th St.					
Address:						1230 14th Street, Oakland, CA			
Date:	12/30/10		Weather:	Sunny					
Well Diameter:	2"		Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47			
				2" = 0.16	4" = 0.65	radius ^{2*} 0.163			
Total Depth (TD):	21.89		Depth to Product:						
Depth to Water (DTW):	10.11		Product Thickness:						
Water Column Height:	11.78		1 Casing Volume: 1.88 gallons						
Reference Point: TOC			3 Casing Volumes: 5.64 gallons						
Purging Device: Disposable Bailer, 3" PVC Bailer, Check Valve Tubing, Whal Pump									
Sampling Device: Disposable Bailer									
Time	Temp ©	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW	
11:40	16.6	7.24	589				2.8		
11:45	16.9	7.24	581				9.0		
11:50	16.9	7.27	584				5.5		

Comments: YSI 550A DO meter pre purge DO = 0.79 mg/l
 post purge DO = 1.02 mg/l

very turbid

Sample ID:	VU/MU-2	Sample Time:	11:55
Laboratory:	McCormick Analytical, INC.	Sample Date:	12/30/10
Containers/Preservative: Voa/HCl			
Analyzed for: 8015, 8021			
Sampler Name:	Sanjiv Gill	Signature:	

MONITORING FIELD DATA SHEET

Well ID: VV/MW-4

Project Task #:	1150.001	225	Project Name: Saberi - 1230 14th St.		
Address: 1230 14th Street, Oakland, CA					
Date:	12/30/10	Weather:	Sunny		
Well Diameter:	2"	Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47 2" = 0.16 4" = 0.65 radius ² * 0.163
Total Depth (TD):	18.23	Depth to Product:			
Depth to Water (DTW):	9.96	Product Thickness:			
Water Column Height:	8.27	1 Casing Volume:	1.32	gallons	
Reference Point: TOC		3 Casing Volumes:	3.96	gallons	
Purging Device: Disposable Bailer, 3" PVC Bailer, Check Valve Tubing, Whal Pump					
Sampling Device: Disposable Bailer					
Time	Temp ©	pH	Cond (µs)	NTU	DO(mg/L) ORP (mV)
11:10	16.5	7.11	750		15
11:15	16.7	7.13	756		3.0
11:20	16.8	7.17	752		4.0

Comments: YSI 550A DO meter pre purge DO = 0.80mg/l
 post purge DO = 1.26mg/l

very turbid, silty

Sample ID:	VV/MW-4	Sample Time:	11:25
Laboratory:	McCampbell Analytical, INC.	Sample Date:	12/30/10
Containers/Preservative: Voa/HCl			
Analyzed for: 8015, 8021			
Sampler Name:	Sanjiv Gill	Signature:	

MONITORING FIELD DATA SHEET

Well ID: AS-1

Project Task #:	1150.001	225	Project Name:	Saberi - 1230 14th St.
-----------------	----------	-----	---------------	------------------------

Address: 1230 14th Street, Oakland, CA

Date:	12/30/10	Weather:	
Well Diameter:		Volume/ft.	1" = 0.04 3" = 0.37 6" = 1.47 2" = 0.16 4" = 0.65 radius ² * 0.163
Total Depth (TD):		Depth to Product:	
Depth to Water (DTW):		Product Thickness:	
Water Column Height:		1 Casing Volume:	gallons
Reference Point: TOC		Casing Volumes:	gallons

Purging Device: Disposable Bailer, 3" PVC Bailer, Check Valve Tubing, Whal Pump

Sampling Device: Disposable Bailer

Time	Temp ©	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW

Comments: YSI 550A DO meter	pre purge DO =	mg/l
	post purge DO =	mg/l

Sample ID:	Sample Time:
Laboratory: McCampbell Analytical, INC.	Sample Date: 12/30/10
Containers/Preservative: VOA/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 

APPENDIX C

Laboratory Analytical Report



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Pangea Environmental Svcs., Inc. 1710 Franklin Street, Ste. 200 Oakland, CA 94612	Client Project ID: #1150.001 225; Saberi-1230 14th St	Date Sampled: 12/30/10
		Date Received: 12/30/10
	Client Contact: Tina De La Fuente	Date Reported: 01/06/11
	Client P.O.:	Date Completed: 01/04/11

WorkOrder: 1012948

January 06, 2011

Dear Tina:

Enclosed within are:

- 1) The results of the **6** analyzed samples from your project: **#1150.001 225; Saberi-1230 14th St**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing
McCampbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McCampbell Analytical, Inc.



McCAMPBELL ANALYTICAL, INC.

1534 WILLOW PASS ROAD
PITTSBURG, CA 94565-1701Website: www.mccampbell.com Email: main@mccampbell.com
Telephone: (877) 252-9262 Fax: (925) 252-9269

1012948

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

 RUSH 24 HR 48 HR 72 HR 5 DAY
GeoTracker EDF PDF Excel Write On (DW)

Check if sample is effluent and "J" flag is required

SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	MATRIX		METHOD PRESERVED	Analysis Request	Other	Comments
		Date	Time		Type	Containers				
MN-1		12/30/10	12:25	3	VQA	X		BTX & TPH as Gas (602 / 8021 + 8015) / MTBE		
MN-5R			13:05	1				TPH as Diesel (8015)		
MN-6			10:15					Total Petroleum Oil & Grease (1664 / 5520 E/B&F)		
MN-7			10:55					Total Petroleum Hydrocarbons (418.1)		
VN/MN-2			11:55					EPA 502.2 / 601 / 8010 / 8021 (IVOCs)		
VN/MN-4			11:25	1				MTBE / BTX ONLY (EPA 602 / 8021)		
								EPA 505 / 608 / 8081 (CI Pesticides)		
								EPA 608 / 8082 PCB's ONLY; Aroclors / Congeners		
								EPA 507 / 8141 (NP Pesticides)		
								EPA 515 / 8151 (Acidic CI Herbicides)		
								EPA 524.2 / 624 / 8260 (VOCs)		
								EPA 525.2 / 625 / 8270 (SVOCs)		
								EPA 8270 SIM / 8310 [PAHs / PNAs]		
								CAMI 17 Metals (200.7 / 200.8 / 6010 / 6020)		
								LUFT 5 Metals (200.7 / 200.8 / 6010 / 6020)		
								Lead (200.7 / 200.8 / 6010 / 6020)		
								Filter sample for DISSOLVED metals analysis		

**MAI clients MUST disclose any dangerous chemicals known to be present in their submitted samples in concentrations that may cause immediate harm or serious future health endangerment as a result of brief, gloved, open air, sample handling by MAI staff. Non-disclosure incurs an immediate \$250 surcharge and the client is subject to full legal liability for harm suffered. Thank you for your understanding and for allowing us to work safely.

Relinquished By:	Date: 12/30/10	Time: 2:00pm	Received By: M. Vela	ICE/t ^o <u>8-11</u> GOOD CONDITION _____ HEAD SPACE ABSENT _____ DECHLORINATED IN LAB _____ APPROPRIATE CONTAINERS _____ PRESERVED IN LAB _____ VOAS O&G METALS OTHER PRESERVATION pH<2	COMMENTS:
Relinquished By:	Date:	Time:	Received By:		
Relinquished By:	Date:	Time:	Received By:		

McCampbell Analytical, Inc.

 1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

WaterTrax WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Report to:

Tina De La Fuente
Pangea Environmental Svcs., Inc.
1710 Franklin Street, Ste. 200
Oakland, CA 94612
(510) 836-3700 FAX (510) 836-3709

Email: tdelafuente@pangeaenv.com
cc:
PO:
ProjectNo: #1150.001 225; Saberi-1230 14th St

Bill to:

Bob Clark-Riddell
Pangea Environmental Svcs., Inc.
1710 Franklin Street, Ste. 200
Oakland, CA 94612

Requested TAT: 5 days

Date Received: 12/30/2010

Date Printed: 12/30/2010

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1012948-001	MW-1	Water	12/30/2010 12:25	<input type="checkbox"/>	A	A										
1012948-002	MW-5R	Water	12/30/2010 13:05	<input type="checkbox"/>	A											
1012948-003	MW-6	Water	12/30/2010 10:15	<input type="checkbox"/>	A											
1012948-004	MW-7	Water	12/30/2010 10:55	<input type="checkbox"/>	A											
1012948-005	VW/MW-2	Water	12/30/2010 11:55	<input type="checkbox"/>	A											
1012948-006	VW/MW-4	Water	12/30/2010 11:25	<input type="checkbox"/>	A											

Test Legend:

1	G-MBTEX_W
6	
11	

2	PREDF REPORT
7	
12	

3	
8	

4	
9	

5	
10	

Prepared by: Ana Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.



Sample Receipt Checklist

Client Name: **Pangea Environmental Svcs., Inc.**

Date and Time Received: **12/30/2010 2:17:44 PM**

Project Name: **#1150.001 225; Saberi-1230 14th St**

Checklist completed and reviewed by: **Ana Venegas**

WorkOrder N°: **1012948** Matrix Water

Carrier: Client Drop-In

Chain of Custody (COC) Information

- | | | |
|---|---|-----------------------------|
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Sample IDs noted by Client on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Date and Time of collection noted by Client on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Sampler's name noted on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |

Sample Receipt Information

- | | | | |
|--|---|-----------------------------|--|
| Custody seals intact on shipping container/cooler? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Samples in proper containers/bottles? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |

Sample Preservation and Hold Time (HT) Information

- | | | | |
|---|---|-----------------------------|---|
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Container/Temp Blank temperature | Cooler Temp: 8.4°C | | NA <input type="checkbox"/> |
| Water - VOA vials have zero headspace / no bubbles? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | No VOA vials submitted <input type="checkbox"/> |
| Sample labels checked for correct preservation? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Metal - pH acceptable upon receipt (pH<2)? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Samples Received on Ice? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |

(Ice Type: WET ICE)

* NOTE: If the "No" box is checked, see comments below.

 Client contacted:

Date contacted:

Contacted by:

Comments:



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Pangea Environmental Svcs., Inc. 1710 Franklin Street, Ste. 200 Oakland, CA 94612	Client Project ID: #1150.001 225; Saberi-1230 14th St	Date Sampled:	12/30/10
		Date Received:	12/30/10
	Client Contact: Tina De La Fuente	Date Extracted:	01/03/11-01/04/11
	Client P.O.:	Date Analyzed:	01/03/11-01/04/11

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Bm

Work Order: 1012948

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS	Comments
001A	MW-1	W	280	ND	40	4.6	2.8	17	1	89	d1
002A	MW-5R	W	11,000	ND<250	3400	190	360	620	10	109	d1,b1
003A	MW-6	W	150	ND	0.73	2.4	ND	ND	1	103	d1,b1
004A	MW-7	W	ND	ND	ND	ND	ND	ND	1	105	b1
005A	VW/MW-2	W	180	ND	0.75	4.0	1.2	4.8	1	102	d1,b1
006A	VW/MW-4	W	520	ND	14	8.7	2.3	2.4	1	110	d1

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	$\mu\text{g/L}$	
	S	1.0	0.05	0.005	0.005	0.005	0.005	mg/Kg	

* water and vapor samples are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in $\mu\text{g}/\text{wipe}$, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference.

%SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:

b1) aqueous sample that contains greater than ~1 vol. % sediment

d1) weakly modified or unmodified gasoline is significant



QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 55376

WorkOrder 1012948

EPA Method SW8021B/8015Bm		Extraction SW5030B								Spiked Sample ID: 1012945-009A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)				
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD	
TPH(btex) ^f	ND	60	110	97	12.6	98.8	87.5	12.1	70 - 130	20	70 - 130	20	
MTBE	ND	10	109	107	1.37	104	105	0.617	70 - 130	20	70 - 130	20	
Benzene	ND	10	92.6	91.9	0.737	90.4	92	1.81	70 - 130	20	70 - 130	20	
Toluene	ND	10	92.7	91.9	0.859	89.9	91.6	1.86	70 - 130	20	70 - 130	20	
Ethylbenzene	ND	10	91.1	90.6	0.564	88.5	91	2.78	70 - 130	20	70 - 130	20	
Xylenes	ND	30	94.9	93.3	1.69	91.5	94.2	2.95	70 - 130	20	70 - 130	20	
%SS:	100	10	96	96	0	96	98	1.71	70 - 130	20	70 - 130	20	

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
 NONE

BATCH 55376 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1012948-001A	12/30/10 12:25 PM	01/04/11	01/04/11 3:26 AM	1012948-002A	12/30/10 1:05 PM	01/03/11	01/03/11 7:13 PM
1012948-002A	12/30/10 1:05 PM	01/04/11	01/04/11 6:28 PM	1012948-003A	12/30/10 10:15 AM	01/04/11	01/04/11 3:57 AM
1012948-004A	12/30/10 10:55 AM	01/04/11	01/04/11 4:28 AM	1012948-005A	12/30/10 11:55 AM	01/04/11	01/04/11 4:59 AM
1012948-006A	12/30/10 11:25 AM	01/04/11	01/04/11 5:30 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

^f TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.