



ALAMEDA COUNTY
HEALTH CARE SERVICES AGENCY
 DEPARTMENT OF ENVIRONMENTAL HEALTH
 LOCAL OVERSIGHT PROGRAM (LOP)
 For Hazardous Materials Releases
 1131 Harbor Bay Parkway
 Alameda, CA 94502-6577

OAKLAND
 CA 945
 17 NOV '17
 PM 8 L



000434



Mr. Joe Aldridge
 Valero Energy Corporation
 685 W. 3rd Street
 Hayward, CA 93239

94544-999965
 945 02 > 65 40



ALAMEDA COUNTY
**HEALTH CARE SERVICES
AGENCY**

REBECCA GEBHART, Interim Director



DEPARTMENT OF ENVIRONMENTAL HEALTH
LOCAL OVERSIGHT PROGRAM (LOP)
For Hazardous Materials Releases
1131 HARBOR BAY PARKWAY, SUITE 250
ALAMEDA, CA 94502
(510) 567-6700
FAX (510) 337-9335

November 16, 2017

Mr. Kyle Waldron
Tesoro Petroleum Companies, Inc.
3450 S. 344th Way, Ste. 100
Auburn, WA 98001-5931
(Sent via E-mail to: kyle.a.waldron@tsocorp.com)

Mr. Chuck Miller
Moller Investment Group
6951 Collins Drive, Suite E-11
Moorpark, CA 93021 (Sent via E-mail to:
chuck.miller@danskinvestments.com)

Mr. Joe Aldridge
Valero Energy Corporation
685 W. 3rd Street
Hanford, CA 93239

Subject: Fuel Leak Case No. RO0000434 and GeoTracker Global ID T0600101410, Beacon #3604, 1619 First Street, Livermore, CA 94550

Dear Responsible Parties:

Alameda County Department of Environmental Health (ACDEH) staff has reviewed the fuel leak case file for the above referenced site including the recently submitted documents entitled, "Work Plan for Downgradient Well Installation 1619 1st Street, Livermore, California" Dated September 29, 2017. The Work Plan, which was prepared on behalf of Tesoro Petroleum Companies, Inc. by Arctos Environmental, presents plans for installation of shallow and deep groundwater monitoring wells to delineate the down gradient extent of the plume. The proposed scope of work in this Work Plan is acceptable provided that you address the technical comments below and send us the reports described below.

TECHNICAL COMMENT

- **Laboratory Analysis** – In the Work Plan, Arctos states that collected groundwater samples from the new wells for laboratory analysis will be analyzed for TPH-g, benzene, toluene, ethylbenzene, xylenes, methyl tert-butyl ether, tert-butyl alcohol, other oxygenates, trichloroethylene, and tetrachloroethylene using U.S. Environmental Protection Agency Method 8260B. The rationale behind measuring these analytes are to monitor possible solvent plume from offsite contamination. ACDEH concurs with this rationale; however, requests that the 8260B analysis be tested for its full range of volatile organic compounds.

TECHNICAL REPORT REQUEST

Please submit the following deliverable to ACDEH (Attention: Dilan Roe), according to the following schedule and naming convention:

- **January 19, 2018** – Well Installation and Second Semiannual 2017 Status Report -**GWM_R_Date**

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Should you have any questions, please contact me at (510) 567-6767 or send me an electronic mail message at tamami.french@acgov.org.