

RECEIVED

9:42 am, Apr 22, 2009

Alameda County
Environmental Health



76 Broadway
Sacramento, California 95818

April 1, 2009

Jerry Wickham
Alameda County Health Agency
1131 Harbor Bay parkway, Suite250
Alameda, California 94502-577

Re: ***Quarterly Summary report (QSR)—First Quarter 2009***
Former 76 Service Station # 4186
1771 First Street
Livermore, CA

Dear Mr. Wickham:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,

A handwritten signature in black ink, appearing to read "Terry L. Grayson".

Terry L. Grayson
Site Manager
Risk Management & Remediation

April 15, 2009

Mr. Jerry Wickham
Alameda County Health Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Quarterly Summary Report – First Quarter 2009
Fuel Leak Case No. RO0000436




Dear Mr. Wickham:

On behalf of ConocoPhillips (COP), Delta Consultants (Delta) is submitting this Quarterly Summary Report – First Quarter 2009 and forwarding a copy of TRC Solutions, Inc. (TRC's) *Quarterly Monitoring Report, January through March 2009*, dated March 19, 2009, for the following location:

<u>Service Station</u>	<u>Location</u>
Former 76 Station No. 4186	1771 First Street Livermore, California

Sincerely,
DELTA CONSULTANTS


James B. Barnard, P.G.
California Registered Professional Geologist No. 7478



cc: Mr. Terry Grayson, ConocoPhillips (electronic copy)

QUARTERLY SUMMARY REPORT
First Quarter 2009
Former 76 Station No. 4186
1771 First Street
Livermore, California

SITE DESCRIPTION

The site is located on the southwest corner of the intersection of First Street and N Street, and is currently an active Chevron service station. Two 10,000-gallon gasoline underground storage tanks (USTs), four dispenser islands, and a station building are present at the site. The site is located in a generally commercial area.

PREVIOUS ASSESSMENT

In June 1996, during dispenser and piping replacement activities, six soil samples were collected beneath the dispensers and product piping. Total petroleum hydrocarbons as gasoline (TPHg) and benzene, toluene, ethyl-benzene and total xylenes (BTEX) were below the laboratory's indicated reporting limits in all of the samples collected and submitted for analysis.

In September 1997, a soil gas survey was conducted at the site. Six soil gas probes were advanced and samples were collected at 3 or 15 feet below ground surface (bgs) in the vicinity of the USTs, dispenser islands, and product lines. TPHg was reported in the samples at concentrations ranging from 41 to 4,500 parts per billion by volume (ppbv), benzene was reported at concentrations up to 110 ppbv, and methyl tertiary butyl ether (MTBE) was reported at concentrations up to 8,000 ppbv. The highest concentrations were reported in the area of the USTs.

In June 1998, three groundwater monitoring wells (U-1 through U-3) were installed at the site to depths of 34 feet bgs. TPHg, benzene, and MTBE were below the laboratory's indicated reporting limits in soil samples collected from the well borings.

A site conceptual model (SCM) was completed for the site in May 2000. The groundwater flow velocity was calculated to estimate plume travel time to the nearest down-gradient receptor. Groundwater velocity was calculated to be 46 feet per year. It was concluded that hydrocarbon impact to groundwater appears to fluctuate with the rise and fall of the groundwater surface beneath the site.

In February 2001, two additional monitoring wells (U-4 and U-5) were installed. The monitoring wells were installed to depths of 45 feet bgs (U-4) and 47 feet bgs (U-5). TPHg, BTEX, and MTBE were below the laboratory's indicated reporting limits in soil samples collected from the well borings. TPHg and benzene were below the laboratory's indicated reporting limits in the initial groundwater samples collected from monitoring wells U-4 and U-5; however, MTBE was reported at concentrations of 38.2 and 55.4 micrograms per liter ($\mu\text{g}/\text{L}$), respectively.

In December 2001, two additional monitoring wells (U-6 and U-7) and eight ozone injection sparge wells (SP-1 through SP-4, SP-5/5S, SP-6S, SP-7S, and SP-8/8S) were installed at the site. The monitoring wells were installed to 45 feet bgs. The sparge points in wells SP-1 through SP-4 were installed to a depth of 45 feet bgs. The sparge

points in wells SP-6S and SP-7S were installed to a shallower depth of 25 feet bgs. The remaining two sparge wells each contained dual-nested sparge points installed to 25 feet bgs (SP-5S and SP-8S) and 45 feet bgs (SP-5 and SP-8). An ozone microsparge system was then installed and began operation in December 2001. The system injected ozone into the 10 sparge points.

In April 2006, seven borings (B-1 through B-7) were advanced at the site. Three boreholes were advanced at each boring location. The initial borehole was advanced to record a cone penetrometer (CPT) log of subsurface lithology. The second borehole was advanced for the purpose of collecting soil samples for observation and laboratory analysis, and to collect discrete groundwater samples at depths of approximately 38 feet to 44 feet bgs. The third borehole was advanced to collect a discrete groundwater sample at approximately 57 feet to 65 feet bgs. Three general stratigraphic zones were identified: an upper zone from 36 to 43 feet bgs, a middle clay zone from 43 to 55 feet bgs, and a lower zone from 55 to the maximum depth of 65.5 feet bgs explored. Soil samples from various depths were submitted for laboratory analysis. TPHg was reported in five upper zone, six clay zone, and three lower zone soil samples at concentrations up to 700 milligrams per kilogram (mg/kg). MTBE was reported in three upper zone, three clay zone, and two lower zone soil samples at concentrations up to 0.29 milligrams per kilogram (mg/kg). Benzene was reported in three clay zone soil samples at concentrations up to 1.3 mg/kg. TPHg was reported in all of the 14 groundwater samples at concentrations up to 26,000 µg/L. Benzene was reported in five upper zone, and six lower zone groundwater samples at concentrations up to 510 µg/L. MTBE was reported in four upper zone, and six lower zone groundwater samples at concentrations up to 1,100 µg/L.

In March 2007, two additional on-site borings (B-8 and B-9) and one additional off-site boring (B-10) were advanced using a CPT rig. The borings were advanced to further evaluate the vertical extent of impacted groundwater to the base of the lowermost sand and gravel unit, to evaluate groundwater quality in the lowermost sand and gravel unit down-gradient of the site, and to evaluate the presence of a clay layer underlying the lowermost coarse-grained soils which may represent a regional aquitard. Four soil samples were collected for laboratory analysis from off-site boring B-10. MTBE was reported in two of the samples at concentrations up to 0.016 mg/kg; TPHg and benzene were below the laboratory's indicated reporting limits in all of the soil samples collected for analysis. TPHg (200 µg/L), benzene (0.94 µg/L), and MTBE (7.1 µg/L) were reported in the groundwater sample collected at 79 to 83 feet bgs from boring B-8. TPHg, BTEX, and fuel oxygenates were below the laboratory's indicated reporting limits in the groundwater sample collected at 78 to 88 feet bgs from boring B-9. A low concentration of MTBE (0.73 µg/L) was reported in the groundwater sample collected at 66 to 70 feet bgs from boring B-10, and a low concentration of toluene (1.4 µg/L) was reported in the groundwater sample collected at 83 to 87 feet bgs from boring B-10. Based on the results of the investigation, soil and groundwater in the area of off-site boring B-10 did not appear to be significantly impacted, groundwater within the lowermost sand and gravel unit in the area of boring B-8 was slightly impacted, and groundwater within the lowermost sand and gravel unit in the area of boring B-9 was not impacted.

Quarterly monitoring of the site wells has been performed since July 1998. Historically, the groundwater flow direction has varied from the north to the southwest. The depth to groundwater has varied from 21.62 feet bgs to 46.31 feet bgs.

Although the ozone system experienced problems with consistent operation, it appeared to be effective as TPHg, BTEX, and MTBE concentrations in monitoring well U-3 significantly decreased since startup of the system. The system was shut down in October 2006 to evaluate for groundwater concentration rebound. In March 2007, oxygen injection testing was performed in sparge wells SP-5/5S and SP-6S to evaluate the radius of influence (ROI) of the existing sparge wells, and to evaluate the effectiveness of the existing system. As described in our *Additional Subsurface Assessment Report*, dated April 26, 2007, the testing suggested a ROI of between 10 to 15 feet around the wells on average, but perhaps greater in some areas.

Impacted groundwater remains beneath the site in the areas of monitoring wells U-6 and U-7. Impacted groundwater also remains in the northwest portion of the site based on the results of the borings advanced in April 2006.

In September and October 2008, eight on-site monitoring wells (U-8 to U-15) were installed under the supervision of Delta Consultants. Soil samples collected and submitted for analysis from borings U-8 to U-11 reported total purgeable petroleum hydrocarbons (TPPH) ranging from 0.45 to 1,900 mg/kg (U-8 to U-11), benzene at 0.7 mg/kg (U-10@48), and MTBE ranging from 0.29 to 0.54 mg/kg (U-10 and U-11). The details of this investigation were summarized in a *Site Investigation Report* dated, November 11, 2008.

SENSITIVE RECEPTORS

2006 – A survey entailing a visit to the DWR office in Sacramento was conducted to examine well log records and to identify domestic wells within the survey area. The DWR survey provided 53 potential receptors within one mile of the site; eleven municipal wells, five irrigation wells, two domestic wells, one domestic/irrigation well, and seventeen with an unknown well type. Seventeen additional potential receptors were identified although the specific addresses could not be verified.

MONITORING AND SAMPLING

Groundwater is currently monitored and sampled on a quarterly basis. During the February 18, 2009 monitoring and sampling event, monitoring wells U-1 through U-11 were dry, so no groundwater samples were collected and submitted for analysis from these monitoring wells. During the February 18, 2009 monitoring and sampling event, depth to groundwater ranged from 45.58 to 46.65 feet below ground surface and the groundwater flow direction in the lower water bearing zone was interpreted to be to the west with a gradient of 0.016 foot per foot (ft/ft). Groundwater flow direction for the previous event (December 3, 2008) was interpreted to be to the west with a gradient of 0.015 ft/ft. Historic groundwater flow directions are shown on rose diagrams presented as Attachment B.

Contaminants of Concern:

The following analytical results are from the first quarter 2009 monitoring event.

TPPH: TPPH were below the laboratory's indicated reporting limits in each of the four groundwater samples collected and submitted for analysis during the current sampling event.

Benzene: Benzene was below the laboratory's reporting limit in each of the four groundwater samples collected and submitted for analysis during the current sampling event.

MTBE: MTBE was above the laboratory's indicated reporting limits in the groundwater samples collected and submitted for analysis from monitoring wells U-13 (0.87 µg/L) and U-15 (1.2 µg/L) during the current sampling event.

Additionally, toluene, ethyl-benzene, and total xylenes were below the laboratory's indicated reporting limits in each of the four groundwater samples collected and submitted for analysis during the current sampling event.

In addition, at the request of the Alameda County Health Care Services Agency (ACHCSA) each groundwater sample collected and submitted for analysis were analyzed for CAM 17 metals, total dissolved solids, hexavalent chromium, major anions and major cations. The additional analytical data is presented in tables 1a through 1e in TRC's *Quarterly Monitoring Report, January through March 2009*, dated March 19, 2009 (attached).

REMEDIATION STATUS

The ozone sparge system, manufactured by KVA, was placed into operation on December 19, 2001. Remediation system operation and maintenance is conducted by Environ Strategy Consultants, Inc. (ES) under direct contract to COP.

During the Second Quarter 2007, the ozone system was shut down, to evaluate whether dissolved gasoline concentrations would rebound or remain stable in the absence of ozone injection with the current well and system configuration.

Based on existing groundwater monitoring data it appears the ozone injection is effective in reducing the petroleum hydrocarbon impact to the groundwater in the vicinity of monitoring well U-3. It also appears based on the data collected during the oxygen injection test conducted by Delta in March 2007, ozone injection at the site would be effective in reducing the petroleum hydrocarbon impact to the groundwater at the site. However, the configuration of the current system is being evaluated and a work plan has been prepared and submitted to the ACHCSA recommending changes to the current system, including the placement of new wells and/or re-screening existing well locations, as appropriate based on soil types and areas requiring further remediation. The installation of the additional ozone injection wells as well as the upgrade of the ozone injection system is currently on hold pending the results of the quarterly groundwater monitoring.

CHARACTERIZATION STATUS

The furthest up-gradient monitor well, U-7, contained 40 µg/L MTBE and 1,200 µg/L TPHg during the second quarter 2008 sampling event. The furthest off-site down-gradient monitoring well, U-4, contained 7.5 µg/L MTBE and 71 µg/L TPHg during the second quarter 2008 monitoring and sampling event. Monitoring wells U-1 through U-7 have been reported as dry for at least the last 3 quarters' monitoring and sampling events. Monitoring wells U-8 through U-11 have been reported as dry for the last two quarters' monitoring and sampling events.

BIODEGRADATION PARAMETERS

An evaluation of biodegradation parameters analyzed during the first quarter 2009 sampling event is summarized below.

Well ID	TPHg (ug/L)	Nitrates (mg/L)	Sulfates (mg/L)	Chromium VI (ug/L)	Pre-Purge DO (mV)	Pre-Purge ORP (mV)
MW-1	ND<50	29	61	2.7	2.65	145
MW-2	ND<50	26	69	88	1.52	171
MW-3	ND<50	25	57	3.4	2.55	106
MW-4	ND<50	23	54	10	1.95	109

The table above indicates consistent level of both nitrates and sulfates throughout the area of the sampled wells. Pre-purge dissolved oxygen (DO) and oxygen reducing potential (ORP) also show consistency between the wells. However, the only wells sampled during the current event were wells that have historically not been impacted by petroleum hydrocarbons. Therefore, a full evaluation and comparison of site conditions as it relates to biodegradation is inconclusive. Delta will continue to evaluate these parameters during future monitoring and sampling events.

WASTE DISPOSAL SUMMARY

June 1996 - A total of 25 cubic yards of soils was excavated and disposed.

April 2006 - A total of 2.2 cubic yards of soil cuttings generated during a soil investigation was disposed of from the site.

RECENT CORRESPONDENCE

A new Monitoring Well Location Site and Survey Map (dated January 6, 2009) with top of casings measurements (dated January 12, 2009) was up-loaded to GeoTracker during the first quarter 2009.

THIS QUARTER ACTIVITIES (First Quarter 2009)

1. TRC conducted the quarterly monitoring and sampling at the site, and submitted the report *Quarterly Monitoring Report, January through March 2009*, dated March 19, 2009.

2. Delta submitted the *Quarterly Summary Report, First Quarter 2009*, dated April 6, 2009.
3. Delta received the current quarter's groundwater monitoring and sampling results, and will evaluate changes for the ozone remediation system.

NEXT QUARTER ACTIVITIES (Second Quarter 2009)

1. TRC will conduct quarterly groundwater monitoring and sampling at the site.
2. Delta will submit a Quarterly Summary Report for the second quarter of 2009.
3. Delta will continue to evaluate changes for the ozone remediation system, and submit a workplan for the proposed scope of work to the ACHCSA.

LIMITATIONS AND CERTIFICATIONS

This report was prepared in accordance with the scope of work outlined in Delta's contract and with generally accepted professional engineering and environmental consulting practices existing at the time this report was prepared and applicable to the location of the site. It was prepared for the exclusive use of ConocoPhillips for the expressed purpose stated above. Any re-use of this report for a different purpose or by others not identified above shall be at the user's sole risk without liability to Delta. To the extent that this report is based on information provided to Delta by third parties, Delta may have made efforts to verify this third party information, but Delta cannot guarantee the completeness or accuracy of this information. The opinions expressed and data collected are based on the conditions of the site existing at the time of the field investigation. No other warranties, expressed or implied, are made by Delta.

CONSULTANT: Delta Consultants


Attachment A – Historic Groundwater Flow Directions (Rose Diagram)

Attachment A

Historic Groundwater Flow Directions (Rose Diagram)

Historic Groundwater Flow Directions
Shallow and Intermediate Zone Monitoring Wells
ConocoPhillips Site No. 4186

1771 First Street
Livermore, California



Historic Groundwater Flow Directions


Deep Zone Monitoring Wells

ConocoPhillips Site No. 4186

1771 First Street

Livermore, California

N



Legend

Concentric circles represent quarterly monitoring events

First Quarter 2009

2 data point shown

Groundwater Flow Direction



21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCsolutions.com

DATE: March 19, 2009

TO: ConocoPhillips Company
76 Broadway
Sacramento, California 95818

ATTN: MR. TERRY GRAYSON

SITE: 76 STATION 4186
1771 FIRST STREET
LIVERMORE, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
JANUARY THROUGH MARCH 2009

Dear Mr. Grayson,

Please find enclosed our Quarterly Monitoring Report for 76 Station 4186, located at 1771 First Street, Livermore, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. James Barnard, Delta Consultants (1 copy)

Enclosures
20-0400/4186R22.QMS doc


**QUARTERLY MONITORING REPORT
JANUARY THROUGH MARCH 2009**

76 STATION 4186
1771 First Street
Livermore, California

Prepared For:

Mr. Terry Grayson
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 3/18/09

LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 1b: Additional Current Analytical Results Table 1c: Additional Current Analytical Results Table 1d: Additional Current Analytical Results Table 1e: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results Table 2b: Additional Historic Analytical Results Table 2c: Additional Historic Analytical Results Table 2d: Additional Historic Analytical Results Table 2e: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 2/18/09 Groundwater Sampling Field Notes – 2/18/09 Statements of Non-Completion – 2/18/09
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities

January 2009 through March 2009

76 Station 4186

1771 First Street

Livermore, CA

Project Coordinator: **Terry Grayson**
Telephone: **916-558-7666**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **02/18/09**

Sample Points

Groundwater wells: **13** onsite, **2** offsite Points gauged: **15** Points sampled: **4**

Purging method: **Submersible pump**

Purge water disposal: **Veolia/Rodeo Unit 100**

Other Sample Points: **0** Type: --

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): --

LPH removal frequency: -- Method: --

Treatment or disposal of water/LPH: --

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **45.58 feet** Maximum: **46.65 feet**

Average groundwater elevation (relative to available local datum): **434.06 feet**

Average change in groundwater elevation since previous event: **4.03 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.016 ft/ft, west**

Previous event: **0.015 ft/ft, west (12/03/08)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **0** Sample Points above MCL (1.0 µg/l): --

Maximum reported benzene concentration: --

Sample Points with **TPH-G by GC/MS** **0**

Sample Points with **MTBE 8260B** **2** Maximum: **1.2 µg/l (U-15)**

Notes:

U-1=Dry, U-10=Dry, U-11=Dry, U-2=Dry, U-3=Dry, U-4=Dry, U-5=Dry, U-6=Dry, U-7=Dry, U-8=Dry, U-9=Dry

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	= not analyzed, measured, or collected
LPH	= liquid-phase hydrocarbons
Trace	= less than 0.01 foot of LPH in well
$\mu\text{g/l}$	= micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	= milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	= not detected at or above laboratory detection limit
TOC	= top of casing (surveyed reference elevation)
D	= duplicate
P	= no-purge sample

ANALYTICS

BTEX	= benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	= di-isopropyl ether
ETBE	= ethyl tertiary butyl ether
MTBE	= methyl tertiary butyl ether
PCB	= polychlorinated biphenyls
PCE	= tetrachloroethene
TBA	= tertiary butyl alcohol
TCA	= trichloroethane
TCE	= trichloroethylene
TPH-G	= total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	= total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	= total petroleum hydrocarbons with diesel distinction
TRPH	= total recoverable petroleum hydrocarbons
TAME	= tertiary amyl methyl ether
1,1-DCA	= 1,1-dichloroethane
1,2-DCA	= 1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	= 1,1-dichloroethene
1,2-DCE	= 1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation - Measured Depth to Water + (D_p x LPH Thickness), where D_p is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report

REFERENCE

IRC began groundwater monitoring and sampling for 76 Station 4186 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 4186

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
----------------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------

Table 1a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Antimony (total)	Antimony (dissolved)	Arsenic (total)	Arsenic (dissolved)	Barium (total)
-----------------	---------------	-----	--------------------	---------------------------------	------------------	------	------	------	---------------------	-------------------------	--------------------	------------------------	-------------------

Table 1b	Well/ Date	Barium (dissolved)	Beryllium (total)	Beryllium (dissolved)	Cadmium (total)	Cadmium (dissolved)	Calcium	Chromium VI	Chromium (total)	Chromium (dissolved)	Cobalt (total)	Cobalt (dissolved)	Copper (dissolved)
-----------------	---------------	-----------------------	----------------------	--------------------------	--------------------	------------------------	---------	----------------	---------------------	-------------------------	-------------------	-----------------------	-----------------------

Table 1c	Well/ Date	Copper (total)	Lead (dissolved)	Lead (total)	Magnesium (dissolved)	Manganese (dissolved)	Mercury (total)	Mercury (dissolved)	Molyb- denum (total)	Molyb- denum (dissolved)	Nickel (total)	Nickel (dissolved)	Potassium
-----------------	---------------	-------------------	---------------------	-----------------	--------------------------	--------------------------	--------------------	------------------------	----------------------------	--------------------------------	-------------------	-----------------------	-----------

Table 1d	Well/ Date	Selenium (total)	Selenium (dissolved)	Silver (total)	Silver (dissolved)	Sodium	Thallium (total)	Thallium (dissolved)	Vanadium (total)	Vanadium (dissolved)	Zinc (dissolved)	Zinc (total)	Chloride
-----------------	---------------	---------------------	-------------------------	-------------------	-----------------------	--------	---------------------	-------------------------	---------------------	-------------------------	---------------------	-----------------	----------

Table 1e	Well/ Date	Fluoride	Nitrogen as Nitrate	Sulfate	TDS	Field Con- ductivity	Field pH	Field Temp.	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP	
-----------------	---------------	----------	---------------------------	---------	-----	-------------------------	-------------	----------------	-----------------------------------	----------------------------------	------------------	-------------------	--

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
----------------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------

Table 2a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Antimony (total)	Antimony (dissolved)	Arsenic (total)	Arsenic (dissolved)	Barium (total)
-----------------	---------------	-----	--------------------	---------------------------------	------------------	------	------	------	---------------------	-------------------------	--------------------	------------------------	-------------------

Table 2b	Well/ Date	Barium (dissolved)	Beryllium (total)	Beryllium (dissolved)	Cadmium (total)	Cadmium (dissolved)	Calcium	Chromium VI	Chromium (total)	Chromium (dissolved)	Cobalt (total)	Cobalt (dissolved)	Copper (dissolved)
-----------------	---------------	-----------------------	----------------------	--------------------------	--------------------	------------------------	---------	----------------	---------------------	-------------------------	-------------------	-----------------------	-----------------------

Table 2c	Well/ Date	Copper (total)	Lead (dissolved)	Lead (total)	Magnesium (dissolved)	Manganese (dissolved)	Mercury (total)	Mercury (dissolved)	Molyb- denum (total)	Molyb- denum (dissolved)	Nickel (total)	Nickel (dissolved)	Potassium
-----------------	---------------	-------------------	---------------------	-----------------	--------------------------	--------------------------	--------------------	------------------------	----------------------------	--------------------------------	-------------------	-----------------------	-----------

Table 2d	Well/ Date	Selenium (total)	Selenium (dissolved)	Silver (total)	Silver (dissolved)	Sodium	Thallium (total)	Thallium (dissolved)	Vanadium (total)	Vanadium (dissolved)	Zinc (dissolved)	Zinc (total)	Chloride
-----------------	---------------	---------------------	-------------------------	-------------------	-----------------------	--------	---------------------	-------------------------	---------------------	-------------------------	---------------------	-----------------	----------

Contents of Tables 1 and 2

Site: 76 Station 4186

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 18, 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in water Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-1														
02/18/09	480.29	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-2														
02/18/09	479.45	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-3														
02/18/09	480.48	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-4														
02/18/09	478.95	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-5														
02/18/09	478.52	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-6														
02/18/09	480.40	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-7														
02/18/09	480.78	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-8														
02/18/09	480.43	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-9														
02/18/09	479.39	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-10														
02/18/09	480.51	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-11														
02/18/09	480.34	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-12														
02/18/09	480.75	46.10	0.00	434.65	3.98	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 18, 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-13														
02/18/09	480.31	45.87	0.00	434.44	4.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.87	
U-14														
02/18/09	479.38	46.65	0.00	432.73	3.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
U-15														
02/18/09	479.99	45.58	0.00	434.41	4.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 4186

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene- dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Antimony (total) ($\mu\text{g/l}$)	Antimony (dissolved) ($\mu\text{g/l}$)	Arsenic (total) ($\mu\text{g/l}$)	Arsenic (dissolved) ($\mu\text{g/l}$)	Barium ($\mu\text{g/l}$)
U-12												
02/18/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	370
U-13												
02/18/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	120
U-14												
02/18/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	350
U-15												
02/18/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	140

Table 1 b
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Barium (dissolved) ($\mu\text{g/l}$)	Beryllium (total) ($\mu\text{g/l}$)	Beryllium (dissolved) ($\mu\text{g/l}$)	Cadmium (total) ($\mu\text{g/l}$)	Cadmium (dissolved) (mg/l)	Calcium (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Cobalt (total) ($\mu\text{g/l}$)	Cobalt (dissolved) ($\mu\text{g/l}$)	Copper (dissolved) ($\mu\text{g/l}$)
U-12 02/18/09	330	ND<10	ND<10	ND<10	ND<10	50	2.7	ND<10	ND<10	ND<50	ND<50	ND<10
U-13 02/18/09	98	ND<10	ND<10	ND<10	ND<10	22	88	88	88	ND<50	ND<50	ND<10
U-14 02/18/09	320	ND<10	ND<10	ND<10	ND<10	46	3.4	ND<10	ND<10	ND<50	ND<50	ND<10
U-15 02/18/09	91	ND<10	ND<10	ND<10	ND<10	14	10	11	ND<10	ND<50	ND<50	ND<10

Table 1 c
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Copper (total) (µg/l)	Lead (dissolved) (mg/l)	Lead (total) (µg/l)	Magnesium (dissolved) (mg/l)	Manganese (dissolved) (µg/l)	Mercury (total) (µg/l)	Mercury (dissolved) (µg/l)	Molyb-denum (total) (µg/l)	Molyb-denum (dissolved) (µg/l)	Nickel (total) (µg/l)	Nickel (dissolved) (µg/l)	Potassium (mg/l)
U-12 02/18/09	ND<10	ND<50	ND<50	71	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	12	ND<10	2.3
U-13 02/18/09	ND<10	ND<50	ND<50	52	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	ND<10	ND<10	14
U-14 02/18/09	ND<10	ND<50	ND<50	66	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	ND<10	ND<10	2.5
U-15 02/18/09	ND<10	ND<50	ND<50	62	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	ND<10	ND<10	39

Table 1 d
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Selenium (total) (µg/l)	Selenium (dissolved) (µg/l)	Silver (total) (µg/l)	Silver (dissolved) (µg/l)	Sodium (mg/l)	Thallium (total) (µg/l)	Thallium (dissolved) (µg/l)	Vanadium (total) (µg/l)	Vanadium (dissolved) (µg/l)	Zinc (dissolved) (µg/l)	Zinc (total) (µg/l)	Chloride (mg/l)
U-12 02/18/09	ND<100	ND<100	ND<10	ND<10	48	ND<100	ND<100	ND<10	ND<10	13	ND<50	86
U-13 02/18/09	ND<100	ND<100	ND<10	ND<10	65	ND<100	ND<100	ND<10	ND<10	ND<10	ND<50	96
U-14 02/18/09	ND<100	ND<100	ND<10	ND<10	47	ND<100	ND<100	ND<10	ND<10	24	53	84
U-15 02/18/09	ND<100	ND<100	ND<10	ND<10	78	ND<100	ND<100	ND<10	ND<10	ND<10	ND<50	86

Table 1 e
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Nitrogen			Field Con- ductivity ($\mu\text{S}/\text{cm}$)	Field pH (pH unit)	Field Temp. (deg. C)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)	Post-purge ORP (mV)
	Fluoride (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)							
U-12 02/18/09	0.086	29	61	610	1007	7.82	18.2	2.74	2.65	145
U-13 02/18/09	0.20	26	69	510	1022	7.75	18.0	1.49	1.52	171
U-14 02/18/09	0.13	25	57	560	950.4	7.70	18.4	2.25	2.55	106
U-15 02/18/09	0.12	23	54	570	962.4	7.66	17.4	1.98	1.95	109
										113
										104

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-1														
	(Screen Interval in feet: 14.0-34.0)													
07/13/98	478.27	23.28	0.00	454.99	--	ND	--	ND	ND	ND	ND	ND	--	
10/07/98	478.27	26.43	0.00	451.84	-3.15	ND	--	ND	ND	ND	ND	ND	--	
01/15/99	478.27	30.42	0.00	447.85	-3.99	ND	--	ND	ND	ND	1.1	7.3	--	
04/14/99	478.27	24.21	0.00	454.06	6.21	ND	--	ND	ND	ND	ND	160	--	
07/19/99	478.27	27.10	0.00	451.17	-2.89	ND	--	ND	ND	ND	ND	92	--	
10/12/99	478.27	29.40	0.00	448.87	-2.30	ND	--	ND	ND	ND	ND	37	--	
01/24/00	478.27	27.90	0.00	450.37	1.50	ND	--	ND	ND	ND	ND	28	--	
04/10/00	478.27	26.16	0.00	452.11	1.74	ND	--	ND	0.930	ND	ND	ND	--	
07/17/00	478.27	28.04	0.00	450.23	-1.88	ND	--	ND	ND	ND	ND	160	--	
10/02/00	478.27	28.41	0.00	449.86	-0.37	ND	--	ND	ND	ND	ND	120	--	
01/08/01	478.27	28.68	0.00	449.59	-0.27	ND	--	ND	ND	ND	ND	103	--	
04/03/01	478.27	25.74	0.00	452.53	2.94	ND	--	ND	ND	ND	ND	55.1	--	
07/02/01	478.27	30.67	0.00	447.60	-4.93	ND	--	ND	ND	ND	ND	ND	--	
10/08/01	478.27	33.13	0.00	445.14	-2.46	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
01/03/02	478.27	27.67	0.00	450.60	5.46	160	--	ND<0.50	0.51	ND<0.50	0.69	31	--	
04/05/02	478.27	29.40	0.00	448.87	-1.73	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	60	--	
07/02/02	478.27	31.17	0.00	447.10	-1.77	--	1100	ND<0.50	1.7	0.73	130	--	35	
10/01/02	478.27	33.00	0.00	445.27	-1.83	--	120	ND<0.50	ND<0.50	ND<0.50	8.8	--	28	
12/30/02	478.27	22.03	0.00	456.24	10.97	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.2	--	90	
05/02/03	478.27	24.13	0.00	454.14	-2.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	50	
07/01/03	478.27	25.35	0.00	452.92	-1.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/03/03	478.27	27.24	0.00	451.03	-1.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
U-1 continued														
01/08/04	478.27	22.67	0.00	455.60	4.57	--	54	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.5	
04/15/04	478.27	25.33	0.00	452.94	-2.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/15/04	478.27	26.47	0.00	451.80	-1.14	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/08/04	478.27	31.17	0.00	447.10	-4.70	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/23/05	478.27	22.47	0.00	455.80	8.70	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/28/05	478.27	25.37	0.00	452.90	-2.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/23/05	478.27	29.15	0.00	449.12	-3.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/30/05	478.27	23.69	0.00	454.58	5.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/24/06	478.27	22.54	0.00	455.73	1.15	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.6	
06/26/06	478.27	24.99	0.00	453.28	-2.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	478.27	30.19	0.00	448.08	-5.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/21/06	478.27	28.27	0.00	450.00	1.92	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/26/07	478.27	26.92	0.00	451.35	1.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/27/07	478.27	30.78	0.00	447.49	-3.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/23/07	478.27	33.17	0.00	445.10	-2.39	--	--	--	--	--	--	--	--	Not enough water to sample
12/20/07	478.27	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/17/08	478.27	31.20	0.00	447.07	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/12/08	478.27	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
09/03/08	478.27	--	--	--	--	--	--	--	--	--	--	--	--	Dry
12/03/08	480.29	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	480.29	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-2														
(Screen Interval in feet: 13.0-34.0)														
07/13/98	477.44	23.52	0.00	453.92	--	1200	--	130	12	62	180	1100	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-2 continued														
10/07/98	477.44	25.31	0.00	452.13	-1.79	ND	--	ND	ND	ND	ND	160	--	
01/15/99	477.44	30.22	0.00	447.22	-4.91	ND	--	ND	ND	ND	ND	280	--	
04/14/99	477.44	24.50	0.00	452.94	5.72	ND	--	ND	ND	ND	ND	460	--	
07/19/99	477.44	28.54	0.00	448.90	-4.04	ND	--	ND	ND	ND	ND	220	--	
10/12/99	477.44	30.48	0.00	446.96	-1.94	ND	--	ND	ND	ND	ND	160	--	
01/24/00	477.44	24.52	0.00	452.92	5.96	ND	--	ND	ND	ND	ND	150	--	
04/10/00	477.44	23.68	0.00	453.76	0.84	ND	--	ND	ND	ND	ND	177	--	
07/17/00	477.44	28.35	0.00	449.09	-4.67	ND	--	ND	ND	ND	ND	62.7	--	
10/02/00	477.44	28.72	0.00	448.72	-0.37	ND	--	ND	ND	ND	ND	52	--	
01/08/01	477.44	29.11	0.00	448.33	-0.39	ND	--	ND	ND	ND	ND	57.3	--	
04/03/01	477.44	25.95	0.00	451.49	3.16	ND	--	ND	ND	ND	ND	30.2	--	
07/02/01	477.44	29.01	0.00	448.43	-3.06	ND	--	ND	ND	ND	ND	16	--	
10/08/01	477.44	30.94	0.00	446.50	-1.93	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	82	--	
01/03/02	477.44	27.33	0.00	450.11	3.61	260	--	7.7	11	1.7	15	42	--	
04/05/02	477.44	30.02	0.00	447.42	-2.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	25	--	
07/02/02	477.44	31.23	0.00	446.21	-1.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
10/01/02	477.44	32.00	0.00	445.44	-0.77	--	ND<50	ND<0.50	0.62	ND<0.50	ND<1.0	--	ND<2.0	
12/30/02	477.44	22.32	0.00	455.12	9.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
05/02/03	477.44	25.92	0.00	451.52	-3.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
07/01/03	477.44	24.99	0.00	452.45	0.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/03/03	477.44	25.31	0.00	452.13	-0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/08/04	477.44	21.94	0.00	455.50	3.37	--	ND<50	ND<0.50	ND<0.50	0.51	ND<1.0	--	ND<2.0	
04/15/04	477.44	25.20	0.00	452.24	-3.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-2 continued														
07/15/04	477.44	24.45	0.00	452.99	0.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/08/04	477.44	29.89	0.00	447.55	-5.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/23/05	477.44	22.00	0.00	455.44	7.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.1	--	ND<0.50	
06/28/05	477.44	25.30	0.00	452.14	-3.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/23/05	477.44	28.25	0.00	449.19	-2.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/30/05	477.44	24.33	0.00	453.11	3.92	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/24/06	477.44	22.34	0.00	455.10	1.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/26/06	477.44	23.15	0.00	454.29	-0.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/26/06	477.44	28.52	0.00	448.92	-5.37	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/21/06	477.44	25.85	0.00	451.59	2.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/26/07	477.44	25.62	0.00	451.82	0.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/27/07	477.44	28.37	0.00	449.07	-2.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/23/07	477.44	31.40	0.00	446.04	-3.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/20/07	477.44	--	--	--	--	--	--	--	--	--	--	--	Dry well	
03/17/08	477.44	30.45	0.00	446.99	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/12/08	477.44	--	--	--	--	--	--	--	--	--	--	--	Dry well	
09/03/08	477.44	--	--	--	--	--	--	--	--	--	--	--	Dry	
12/03/08	479.45	--	--	--	--	--	--	--	--	--	--	--	Dry	
02/18/09	479.45	--	--	--	--	--	--	--	--	--	--	--	Dry	
U-3														
(Screen Interval in feet: 14.0-34.0)														
07/13/98	478.46	23.82	0.00	454.64	--	70000	--	3100	5500	2700	16000	7500	--	
10/07/98	478.46	25.64	0.00	452.82	-1.82	54000	--	5000	1100	3100	14000	6100	--	
01/15/99	478.46	30.92	0.00	447.54	-5.28	41000	--	3100	ND	1800	3800	15000	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
U-3 continued														
04/14/99	478.46	24.48	0.00	453.98	6.44	33000	--	86	290	2200	7800	39000	--	
07/19/99	478.46	28.46	0.00	450.00	-3.98	48000	--	3900	2500	3600	14000	12000	16000	
10/12/99	478.46	30.39	0.00	448.07	-1.93	35000	--	4200	ND	2300	1800	22000	8300	
01/24/00	478.46	23.43	0.00	455.03	6.96	13000	--	260	ND	770	3200	53000	42000	
04/10/00	478.46	23.31	0.00	455.15	0.12	35200	--	1070	241	2820	8850	35600	40900	
07/17/00	478.46	27.53	0.00	450.93	-4.22	29000	--	3570	525	3180	5660	22500	21000	
10/02/00	478.46	28.19	0.00	450.27	-0.66	11000	--	2100	31	2000	780	25000	28000	
01/08/01	478.46	29.85	0.00	448.61	-1.66	33600	--	3060	427	3040	4190	24700	30900	
04/03/01	478.46	24.98	0.00	453.48	4.87	5390	--	660	10.8	304	356	15200	19300	
07/02/01	478.46	31.35	0.00	447.11	-6.37	13000	--	1200	58	1300	930	25000	26000	
10/08/01	478.46	32.69	0.00	445.77	-1.34	6100	--	500	ND<10	570	130	23000	22000	
01/03/02	478.46	23.73	0.00	454.73	8.96	9900	--	700	130	24	1000	14000	12000	
04/05/02	477.44	28.27	0.00	449.17	-5.56	9800	--	1100	180	220	1400	16000	30000	
07/02/02	478.46	29.71	0.00	448.75	-0.42	--	ND<25000	ND<250	ND<250	ND<250	ND<500	12000	12000	
10/01/02	478.46	31.18	0.00	447.28	-1.47	--	ND<25000	ND<250	ND<250	ND<250	ND<500	12000	12000	
12/30/02	478.46	21.62	0.00	456.84	9.56	--	23000	330	170	870	4900	18000	18000	
05/02/03	478.46	23.11	0.00	455.35	-1.49	--	19000	280	ND<50	880	1500	15000	15000	
07/01/03	478.46	24.89	0.00	453.57	-1.78	--	19000	120	ND<100	180	880	22000	22000	
10/03/03	478.46	26.59	0.00	451.87	-1.70	--	20000	170	ND<50	250	730	--	16000	
01/08/04	478.46	21.92	0.00	456.54	4.67	--	17000	250	ND<100	770	1500	--	9700	
04/15/04	478.46	23.59	0.00	454.87	-1.67	--	4600	ND<25	ND<25	36	100	--	3700	
07/15/04	478.46	24.80	0.00	453.66	-1.21	--	2700	ND<25	ND<25	ND<25	ND<50	--	3400	
12/08/04	478.46	29.13	0.00	449.33	-4.33	--	12000	ND<50	ND<50	250	140	--	13000	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-3 continued														
03/23/05	478.46	21.64	0.00	456.82	7.49	--	21000	94	ND<50	630	1200	--	6200	
06/28/05	478.46	24.57	0.00	453.89	-2.93	--	6600	24	0.64	150	70	--	4700	
09/23/05	478.46	27.64	0.00	450.82	-3.07	--	6000	31	ND<25	150	ND<50	--	8900	
12/30/05	478.46	23.96	0.00	454.50	3.68	--	390	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	840	
03/24/06	478.46	22.52	0.00	455.94	1.44	--	2700	28	ND<5.0	57	120	--	690	
06/26/06	478.46	23.89	0.00	454.57	-1.37	--	2000	51	0.77	84	45	--	560	
09/26/06	478.46	28.08	0.00	450.38	-4.19	--	1200	20	ND<2.5	5.2	2.8	--	170	
11/21/06	478.46	27.23	0.00	451.23	0.85	--	1500	22	ND<5.0	5.8	ND<5.0	--	180	
03/26/07	478.46	25.27	0.00	453.19	1.96	--	3900	65	0.61	50	160	--	95	
06/27/07	478.46	27.51	0.00	450.95	-2.24	--	1400	29	ND<0.50	5.6	2.3	--	170	
09/23/07	478.46	31.70	0.00	446.76	-4.19	--	1600	16	0.61	2.7	3.7	--	88	
12/20/07	478.46	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/17/08	478.46	28.84	0.00	449.62	--	--	1400	17	ND<1.0	2.3	ND<2.0	--	150	
06/12/08	478.46	31.23	0.00	447.23	-2.39	--	770	4.1	ND<1.0	ND<1.0	ND<2.0	--	27	
09/03/08	478.46	--	--	--	--	--	--	--	--	--	--	--	--	Dry
12/03/08	480.48	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	480.48	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-4														
(Screen Interval in feet: 35.0-45.0)														
04/03/01	476.93	31.63	0.00	445.30	--	ND	--	ND	ND	ND	ND	37.8	38.2	
07/02/01	476.93	37.96	0.00	438.97	-6.33	ND	--	ND	ND	ND	ND	ND	5.3	
10/08/01	476.93	44.24	0.00	432.69	-6.28	--	--	--	--	--	--	--	--	Not enough water to sample
01/03/02	476.93	36.15	0.00	440.78	8.09	100	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	10	8.5	
04/05/02	476.93	37.64	0.00	439.29	-1.49	ND<50	--	0.50	ND<0.50	ND<0.50	ND<0.50	4.1	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-4 continued														
07/02/02	476.93	36.85	0.00	440.08	0.79	--	67	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	12	
10/01/02	476.93	38.54	0.00	438.39	-1.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.8	
12/30/02	476.93	32.64	0.00	444.29	5.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	25	
05/02/03	476.93	31.40	0.00	445.53	1.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.1	
07/01/03	476.93	33.60	0.00	443.33	-2.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.1	
10/03/03	476.93	37.63	0.00	439.30	-4.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.1	
01/08/04	476.93	29.23	0.00	447.70	8.40	--	ND<50	0.55	ND<0.50	1.6	3.7	--	2.5	
04/15/04	476.93	29.80	0.00	447.13	-0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.2	
07/15/04	476.93	35.05	0.00	441.88	-5.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.1	
12/08/04	476.93	35.10	0.00	441.83	-0.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.0	
03/23/05	476.93	25.38	0.00	451.55	9.72	--	ND<50	ND<0.50	ND<0.50	1.3	1.2	--	0.65	
06/28/05	476.93	28.67	0.00	448.26	-3.29	--	34J	ND<0.50	0.15J	ND<0.50	ND<1.0	--	0.23J	
09/23/05	476.93	32.25	0.00	444.68	-3.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11	
12/30/05	476.93	31.02	0.00	445.91	1.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	17	
03/24/06	476.93	26.51	0.00	450.42	4.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	4.4	--	21	
06/26/06	476.93	27.98	0.00	448.95	-1.47	--	63	ND<0.50	ND<0.50	0.56	ND<1.0	--	11	
09/26/06	476.93	33.72	0.00	443.21	-5.74	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	13	
11/21/06	476.93	33.43	0.00	443.50	0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/26/07	476.93	30.52	0.00	446.41	2.91	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/27/07	476.93	38.20	0.00	438.73	-7.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.78	
09/23/07	476.93	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
12/20/07	476.93	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/17/08	476.93	34.18	0.00	442.75	--	--	71	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.9	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-4 continued														
06/12/08	476.93	39.50	0.00	437.43	-5.32	--	71	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	7.5	
09/03/08	476.93	--	--	--	--	--	--	--	--	--	--	--	--	Dry
12/03/08	478.95	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	478.95	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-5														
(Screen Interval in feet: 37.0-47.0)														
04/03/01	476.51	31.75	0.00	444.76	--	ND	--	ND	0.728	ND	0.993	54.8	55.4	
07/02/01	476.51	38.68	0.00	437.83	-6.93	ND	--	ND	ND	ND	ND	88	94	
10/08/01	476.51	46.31	0.00	430.20	-7.63	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	37	54	
01/03/02	476.51	36.55	0.00	439.96	9.76	ND<50	--	ND<0.50	0.59	ND<0.50	0.91	51	53	
04/05/02	476.51	37.83	0.00	438.68	-1.28	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	37	--	
07/02/02	476.51	36.92	0.00	439.59	0.91	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	43	
10/01/02	476.51	--	--	--	--	--	--	--	--	--	--	--	--	Truck parked over well
12/30/02	476.51	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
05/02/03	476.51	31.55	0.00	444.96	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	18	
07/01/03	476.51	33.83	0.00	442.68	-2.28	--	73	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	46	
10/03/03	476.51	37.72	0.00	438.79	-3.89	--	58	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	44	
01/08/04	476.51	29.21	0.00	447.30	8.51	--	ND<50	ND<0.50	ND<0.50	1.1	2.7	--	17	
04/15/04	476.51	30.05	0.00	446.46	-0.84	--	57	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	37	
07/15/04	476.51	35.15	0.00	441.36	-5.10	--	60	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	27	
12/08/04	476.51	35.33	0.00	441.18	-0.18	--	62	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	39	
03/23/05	476.51	25.45	0.00	451.06	9.88	--	ND<50	ND<0.50	ND<0.50	0.51	ND<1.0	--	4.5	
06/28/05	476.51	28.90	0.00	447.61	-3.45	--	73	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	40	
09/23/05	476.51	33.01	0.00	443.50	-4.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	53	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-5 continued														
12/30/05	476.51	30.96	0.00	445.55	2.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	72	
03/24/06	476.51	22.42	0.00	454.09	8.54	--	2400	13	ND<5.0	48	58	--	54	
06/26/06	476.51	29.31	0.00	447.20	-6.89	--	72	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	82	
09/26/06	476.51	34.35	0.00	442.16	-5.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	51	
11/21/06	476.51	32.43	0.00	444.08	1.92	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	25	
03/26/07	476.51	31.20	0.00	445.31	1.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	29	
06/27/07	476.51	38.62	0.00	437.89	-7.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	30	
09/23/07	476.51	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
12/20/07	476.51	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/17/08	476.51	34.28	0.00	442.23	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	25	
06/12/08	476.51	39.90	0.00	436.61	-5.62	--	55	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	28	
09/03/08	476.51	--	--	--	--	--	--	--	--	--	--	--	--	Dry
12/03/08	478.52	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	478.52	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-6														
(Screen Interval in feet: --)														
01/03/02	478.38	33.99	0.00	444.39	--	5000	--	36	ND<25	260	450	ND<250	ND<10	
04/05/02	478.38	36.18	0.00	442.20	-2.19	1300	--	16	ND<5.0	54	ND<5.0	ND<25	--	
07/02/02	478.38	36.33	0.00	442.05	-0.15	--	1100	1.4	ND<0.50	16	ND<1.0	--	0.94	
10/01/02	478.38	37.70	0.00	440.68	-1.37	--	2000	5.4	ND<0.50	62	ND<1.0	--	2.6	
12/30/02	478.38	31.63	0.00	446.75	6.07	--	130	ND<0.50	ND<0.50	2.3	ND<1.0	--	ND<2.0	
05/02/03	478.38	31.49	0.00	446.89	0.14	--	150	ND<0.50	ND<0.50	1.8	1.7	--	82	
07/01/03	478.38	32.88	0.00	445.50	-1.39	--	190	1.8	ND<0.50	9.4	8.7	--	36	
10/03/03	478.38	36.54	0.00	441.84	-3.66	--	ND<10000	140	ND<100	940	560	--	ND<400	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-6 continued														
01/08/04	478.38	30.45	0.00	447.93	6.09	--	3500	29	32	90	89	--	27	
04/15/04	478.38	29.48	0.00	448.90	0.97	--	2400	19	ND<2.5	91	53	--	16	
07/15/04	478.38	34.30	0.00	444.08	-4.82	--	8500	150	5.7	970	560	--	24	
12/08/04	478.38	34.80	0.00	443.58	-0.50	--	2700	16	ND<2.5	28	ND<5.0	--	10	
03/23/05	478.38	25.08	0.00	453.30	9.72	--	960	2.7	ND<0.50	9.6	4.8	--	2.5	
06/28/05	478.38	28.75	0.00	449.63	-3.67	--	12000	120	4.9	930	780	--	21	
09/23/05	478.38	32.38	0.00	446.00	-3.63	--	5200	78	ND<25	540	230	--	34	
12/30/05	478.38	30.43	0.00	447.95	1.95	--	2400	15	0.67	99	12	--	3.5	
03/24/06	478.38	25.94	0.00	452.44	4.49	--	4300	52	ND<5.0	440	160	--	11	
06/26/06	478.38	28.07	0.00	450.31	-2.13	--	5300	59	ND<5.0	520	300	--	ND<5.0	
09/26/06	478.38	33.31	0.00	445.07	-5.24	--	7400	78	ND<5.0	490	160	--	6.4	
11/21/06	478.38	31.65	0.00	446.73	1.66	--	1500	5.5	ND<0.50	37	2.4	--	1.4	
03/26/07	478.38	29.25	0.00	449.13	2.40	--	480	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.50	
06/27/07	478.38	35.09	0.00	443.29	-5.84	--	110	1.2	ND<0.50	1.3	ND<0.50	--	0.86	
09/23/07	478.38	--	--	--	--	--	--	--	--	--	--	--	--	
12/20/07	478.38	--	--	--	--	--	--	--	--	--	--	--	--	
03/17/08	478.38	33.82	0.00	444.56	--	--	580	1.5	ND<0.50	3.2	ND<1.0	--	ND<0.50	
06/12/08	478.38	38.16	0.00	440.22	-4.34	--	2100	11	0.79	27	2.3	--	1.1	
09/03/08	478.38	--	--	--	--	--	--	--	--	--	--	--	--	
12/03/08	480.40	--	--	--	--	--	--	--	--	--	--	--	--	
02/18/09	480.40	--	--	--	--	--	--	--	--	--	--	--	--	
U-7														
(Screen Interval in feet: --)														
01/03/02	478.74	32.43	0.00	446.31	--	3100	--	93	ND<10	35	73	140	130	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
U-7 continued														
04/05/02	478.74	34.06	0.00	444.68	-1.63	630	--	22	0.53	2.6	ND<0.50	45	--	
07/02/02	478.74	35.28	0.00	443.46	-1.22	--	1100	21	ND<0.50	6.9	ND<1.0	--	60	
10/01/02	478.74	37.70	0.00	441.04	-2.42	--	1700	11	ND<0.50	3.1	ND<1.0	--	25	
12/30/02	478.74	31.93	0.00	446.81	5.77	--	4600	41	5.3	32	13	--	34	
05/02/03	478.74	31.81	0.00	446.93	0.12	--	3000	17	2.7	14	5.1	--	42	
07/01/03	478.74	33.47	0.00	445.27	-1.66	--	2300	11	0.53	8.0	1.5	--	35	
10/03/03	478.74	35.84	0.00	442.90	-2.37	--	6500	30	ND<5.0	41	ND<10	--	53	
01/08/04	478.74	30.35	0.00	448.39	5.49	--	1600	4.0	ND<1.0	4.2	8.7	--	56	
04/15/04	478.74	29.03	0.00	449.71	1.32	--	3600	22	1.3	64	40	--	57	
07/15/04	478.74	33.52	0.00	445.22	-4.49	--	4700	15	1.2	59	57	--	50	
12/08/04	478.74	34.68	0.00	444.06	-1.16	--	5800	26	1.9	63	27	--	52	
03/23/05	478.74	24.49	0.00	454.25	10.19	--	5600	18	1.3	42	14	--	39	
06/28/05	478.74	28.83	0.00	449.91	-4.34	--	5400	16	1.1	35	10	--	45	
09/23/05	478.74	32.35	0.00	446.39	-3.52	--	2400	13	1.3	31	6.9	--	46	
12/30/05	478.74	30.18	0.00	448.56	2.17	--	2500	11	1.1	28	4.3	--	35	
03/24/06	478.74	25.06	0.00	453.68	5.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	32	
06/26/06	478.74	28.30	0.00	450.44	-3.24	--	2500	11	1.1	45	15	--	55	
09/26/06	478.74	33.47	0.00	445.27	-5.17	--	2300	7.8	0.84	17	2.1	--	61	
11/21/06	478.74	31.66	0.00	447.08	1.81	--	3000	15	1.1	26	2.2	--	69	
03/26/07	478.74	29.82	0.00	448.92	1.84	--	2200	1.2	ND<0.50	ND<0.50	ND<0.50	--	70	
06/27/07	478.74	36.59	0.00	442.15	-6.77	--	590	5.8	ND<0.50	3.3	0.94	--	100	
09/23/07	478.74	44.05	0.00	434.69	-7.46	--	--	--	--	--	--	--	--	
12/20/07	478.74	--	--	--	--	--	--	--	--	--	--	--	Not enough water to sample Dry well	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-7 continued														
03/17/08	478.74	33.83	0.00	444.91	--	--	1200	1.9	ND<0.50	0.82	ND<1.0	--	27	
06/12/08	478.74	38.56	0.00	440.18	-4.73	--	1200	1.9	ND<0.50	1.1	ND<1.0	--	40	
09/03/08	478.74	--	--	--	--	--	--	--	--	--	--	--	--	Dry
12/03/08	480.78	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	480.78	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-8 (Screen Interval in feet: 35-45)														
12/03/08	480.43	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	480.43	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-9 (Screen Interval in feet: 35-45)														
12/03/08	479.39	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	479.39	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-10 (Screen Interval in feet: 37-47)														
12/03/08	480.51	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	480.51	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-11 (Screen Interval in feet: 35-45)														
12/03/08	480.34	--	--	--	--	--	--	--	--	--	--	--	--	Dry
02/18/09	480.34	--	--	--	--	--	--	--	--	--	--	--	--	Dry
U-12 (Screen Interval in feet: 63-73)														
12/03/08	480.75	50.08	0.00	430.67	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/18/09	480.75	46.10	0.00	434.65	3.98	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
U-13 (Screen Interval in feet: --)														
12/03/08	480.31	50.74	0.00	429.57	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.85	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
July 1998 Through February 2009
76 Station 4186

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
U-13 continued														
02/18/09	480.31	45.87	0.00	434.44	4.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.87	
U-14														
	(Screen Interval in feet: 65-75)													
12/03/08	479.38	49.90	0.00	429.48	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.4	
02/18/09	479.38	46.65	0.00	432.73	3.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
U-15														
	(Screen Interval in feet: 61-71)													
12/03/08	479.99	49.58	0.00	430.41	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/18/09	479.99	45.58	0.00	434.41	4.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	

Table 2.a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Antimony (total) ($\mu\text{g/l}$)	Antimony (dissolved) ($\mu\text{g/l}$)	Arsenic (total) ($\mu\text{g/l}$)	Arsenic (dissolved) ($\mu\text{g/l}$)	Barium (total) ($\mu\text{g/l}$)
U-1												
10/02/00	ND	--	--	--	--	--	--	--	--	--	--	--
07/01/03	--	ND<500000	--	--	--	--	--	--	--	--	--	--
10/03/03	--	ND<500	--	--	--	--	--	--	--	--	--	--
01/08/04	--	ND<500	--	--	--	--	--	--	--	--	--	--
04/15/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
07/15/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
12/08/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
03/23/05	--	ND<50	--	--	--	--	--	--	--	--	--	--
06/28/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
09/23/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
12/30/05	--	ND<250	--	--	--	--	--	--	--	--	--	--
03/24/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
06/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
09/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
11/21/06	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/26/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
06/27/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/17/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
U-2												
10/02/00	ND	--	--	--	--	--	--	--	--	--	--	--
07/01/03	--	ND<500000	--	--	--	--	--	--	--	--	--	--
10/03/03	--	ND<500	--	--	--	--	--	--	--	--	--	--
01/08/04	--	ND<500	--	--	--	--	--	--	--	--	--	--
04/15/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
07/15/04	--	ND<50	--	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	TBA (μg/l)	Ethanol (8260B) (μg/l)	Ethylene-dibromide (EDB) (μg/l)	1,2-DCA (EDC) (μg/l)	DIPE (μg/l)	ETBE (μg/l)	TAME (μg/l)	Antimony (total) (μg/l)	Antimony (dissolved) (μg/l)	Arsenic (total) (μg/l)	Arsenic (dissolved) (μg/l)	Barium (total) (μg/l)
U-2 continued												
12/08/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
03/23/05	--	730	--	--	--	--	--	--	--	--	--	--
06/28/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
09/23/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
12/30/05	--	ND<250	--	--	--	--	--	--	--	--	--	--
03/24/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
06/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
09/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
11/21/06	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/26/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
06/27/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
09/23/07	69	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/17/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	--	58	--	2000
U-3												
10/02/00	63000	--	--	--	--	--	--	--	--	--	--	--
01/08/01	49300	ND	ND	ND	ND	ND	ND	--	--	--	--	--
04/03/01	22200	ND	ND	ND	ND	ND	ND	--	--	--	--	--
07/02/01	27000	ND	ND	ND	ND	ND	ND	--	--	--	--	--
10/08/01	33000	ND<140000000	ND<290	ND<290	ND<290	ND<290	ND<290	--	--	--	--	--
01/03/02	17000	ND<50000000	ND<100	ND<100	ND<100	ND<100	ND<100	--	--	--	--	--
04/05/02	66000	ND<25000000	ND<100	ND<100	ND<100	ND<100	ND<100	--	--	--	--	--
07/02/02	47000	ND<13000000	ND<250	ND<250	ND<500	ND<250	ND<250	--	--	--	--	--
10/01/02	ND<50000	ND<250000000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	--	--	--	--
12/30/02	23000	ND<100000000	ND<400	ND<400	ND<400	ND<400	ND<400	--	--	--	--	--
05/02/03	25000	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Antimony (total) (µg/l)	Antimony (dissolved) (µg/l)	Arsenic (total) (µg/l)	Arsenic (dissolved) (µg/l)	Barium (total) (µg/l)
U-3 continued												
07/01/03	32000	ND<100000000	ND<400	ND<400	ND<400	ND<400	ND<400	--	--	--	--	--
10/03/03	39000	ND<50000	ND<200	ND<200	ND<2.0	ND<200	ND<200	--	--	--	--	--
01/08/04	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	--	--	--	--
04/15/04	18000	ND<2500	ND<0.5	ND<0.5	ND<1.0	ND<0.5	ND<0.5	--	--	--	--	--
07/15/04	15000	ND<2500	ND<25	ND<25	ND<50	ND<25	ND<25	--	--	--	--	--
12/08/04	34000	ND<5000	ND<50	ND<50	ND<100	ND<50	ND<50	--	--	--	--	--
03/23/05	--	ND<5000	--	--	--	--	--	--	--	--	--	--
06/28/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
09/23/05	--	ND<50000	--	--	--	--	--	--	--	--	--	--
12/30/05	2000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.58	--	--	--	--	--
03/24/06	--	ND<2500	--	--	--	--	--	--	--	--	--	--
06/26/06	18000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
09/26/06	--	ND<1200	--	--	--	--	--	--	--	--	--	--
11/21/06	33000	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
03/26/07	13000	ND<250	ND<0.50	0.95	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
06/27/07	20000	ND<250	ND<0.50	0.79	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
09/23/07	19000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/17/08	15000	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<100	ND<100	95	ND<50	1700
06/12/08	21000	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<100	--	210	--	2800
U-4												
04/03/01	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--
07/02/01	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--
01/03/02	ND<20	ND<500000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	--	--	--	--	--
07/01/03	--	ND<500000	--	--	--	--	--	--	--	--	--	--
10/03/03	--	ND<500	--	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Antimony (total) (µg/l)	Antimony (dissolved) (µg/l)	Arsenic (total) (µg/l)	Arsenic (dissolved) (µg/l)	Barium (total) (µg/l)
U-4 continued												
01/08/04	--	ND<500	--	--	--	--	--	--	--	--	--	--
04/15/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
07/15/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
12/08/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
03/23/05	--	ND<50	--	--	--	--	--	--	--	--	--	--
06/28/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
09/23/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
12/30/05	--	ND<250	--	--	--	--	--	--	--	--	--	--
03/24/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
06/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
09/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
11/21/06	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/26/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
06/27/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/17/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	2000
06/12/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	2500
U-5												
04/03/01	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--
07/02/01	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--
10/08/01	ND<100	ND<1000000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	--
01/03/02	ND<20	ND<500000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	--	--	--	--	--
07/01/03	--	ND<500	--	--	--	--	--	--	--	--	--	--
10/03/03	--	ND<500	--	--	--	--	--	--	--	--	--	--
01/08/04	--	ND<500	--	--	--	--	--	--	--	--	--	--
04/15/04	--	ND<50	--	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Antimony (total) ($\mu\text{g/l}$)	Antimony (dissolved) ($\mu\text{g/l}$)	Arsenic (total) ($\mu\text{g/l}$)	Arsenic (dissolved) ($\mu\text{g/l}$)	Barium (total) ($\mu\text{g/l}$)
U-5 continued												
07/15/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
12/08/04	--	ND<50	--	--	--	--	--	--	--	--	--	--
03/23/05	--	ND<50	--	--	--	--	--	--	--	--	--	--
06/28/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
09/23/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
12/30/05	--	ND<250	--	--	--	--	--	--	--	--	--	--
03/24/06	--	ND<2500	--	--	--	--	--	--	--	--	--	--
06/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
09/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
11/21/06	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/26/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
06/27/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/17/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	1300
06/12/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	830
U-6												
01/03/02	ND<200	ND<5000000	ND<10	ND<10	ND<10	ND<10	ND<10	--	--	--	--	--
07/01/03	--	ND<500000	--	--	--	--	--	--	--	--	--	--
10/03/03	--	ND<100000	--	--	--	--	--	--	--	--	--	--
01/08/04	--	ND<5000	--	--	--	--	--	--	--	--	--	--
04/15/04	--	ND<250	--	--	--	--	--	--	--	--	--	--
07/15/04	--	ND<250	--	--	--	--	--	--	--	--	--	--
12/08/04	--	ND<250	--	--	--	--	--	--	--	--	--	--
03/23/05	--	ND<50	--	--	--	--	--	--	--	--	--	--
06/28/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
09/23/05	--	ND<50000	--	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Antimony (total) ($\mu\text{g/l}$)	Antimony (dissolved) ($\mu\text{g/l}$)	Arsenic (total) ($\mu\text{g/l}$)	Arsenic (dissolved) ($\mu\text{g/l}$)	Barium (total) ($\mu\text{g/l}$)
U-6 continued												
12/30/05	--	ND<250	--	--	--	--	--	--	--	--	--	--
03/24/06	--	ND<2500	--	--	--	--	--	--	--	--	--	--
06/26/06	--	ND<2500	--	--	--	--	--	--	--	--	--	--
09/26/06	--	ND<2500	--	--	--	--	--	--	--	--	--	--
11/21/06	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/26/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
06/27/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/17/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	520
06/12/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	910
U-7												
01/03/02	30	ND<500000	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	--	--	--	--	--
07/01/03	--	ND<500000	--	--	--	--	--	--	--	--	--	--
10/03/03	--	ND<5000	--	--	--	--	--	--	--	--	--	--
01/08/04	--	ND<1000	--	--	--	--	--	--	--	--	--	--
04/15/04	--	ND<100	--	--	--	--	--	--	--	--	--	--
07/15/04	--	ND<100	--	--	--	--	--	--	--	--	--	--
12/08/04	--	ND<100	--	--	--	--	--	--	--	--	--	--
03/23/05	--	ND<100	--	--	--	--	--	--	--	--	--	--
06/28/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
09/23/05	--	ND<1000	--	--	--	--	--	--	--	--	--	--
12/30/05	--	ND<250	--	--	--	--	--	--	--	--	--	--
03/24/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
06/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
09/26/06	--	ND<250	--	--	--	--	--	--	--	--	--	--
11/21/06	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled		Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Antimony (total) (µg/l)	Antimony (dissolved) (µg/l)	Arsenic (total) (µg/l)	Arsenic (dissolved) (µg/l)	Barium (total) (µg/l)
	TBA (µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)					
U-7 continued												
03/26/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
06/27/07	14	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
03/17/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	670
06/12/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	520
U-12												
12/03/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	330
02/18/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	370
U-13												
12/03/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	140
02/18/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	120
U-14												
12/03/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	340
02/18/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	350
U-15												
12/03/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	320
02/18/09	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<100	ND<100	ND<50	ND<50	140

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Barium (dissolved) ($\mu\text{g/l}$)	Beryllium (total) ($\mu\text{g/l}$)	Beryllium (dissolved) ($\mu\text{g/l}$)	Cadmium (total) ($\mu\text{g/l}$)	Cadmium (dissolved) (mg/l)	Calcium (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Cobalt (total) ($\mu\text{g/l}$)	Cobalt (dissolved) ($\mu\text{g/l}$)	Copper (dissolved) ($\mu\text{g/l}$)
U-1							ND<2.0	--	--	--	--	--
03/17/08	--	--	--	--	--	--	ND<2.0	--	--	--	--	--
U-2							ND<2.0	540	--	150	--	--
03/17/08	--	ND<10	--	ND<10	--	--	ND<2.0	540	--	150	--	--
U-3							ND<2.0	450	ND<10	140	ND<50	ND<10
03/17/08	410	ND<10	ND<10	ND<10	ND<0.01	59	ND<2.0	450	ND<10	140	ND<50	ND<10
06/12/08	--	ND<10	--	ND<10	--	--	--	980	--	350	--	--
U-4							ND<2.0	410	ND<10	140	ND<50	ND<10
03/17/08	470	ND<10	ND<10	ND<10	ND<0.01	68	ND<2.0	410	ND<10	140	ND<50	ND<10
06/12/08	52	ND<10	ND<10	ND<10	ND<10	2.4	ND<2.0	610	ND<10	180	ND<50	ND<10
U-5							ND<2.0	110	--	ND<50	ND<50	ND<10
03/17/08	390	ND<10	ND<10	ND<10	ND<0.01	67	ND<2.0	110	--	ND<50	ND<50	ND<10
06/12/08	370	ND<10	ND<10	ND<10	ND<10	66	ND<2.0	86	ND<10	ND<50	ND<50	ND<10
U-6							ND<2.0	34	ND<10	ND<50	ND<50	ND<10
03/17/08	330	ND<10	ND<10	ND<10	ND<0.01	73	ND<2.0	34	ND<10	ND<50	ND<50	ND<10
06/12/08	600	ND<10	ND<10	ND<10	ND<10	69	ND<2.0	ND<10	ND<10	ND<50	ND<50	ND<10
U-7							ND<2.0	28	ND<10	ND<50	ND<50	ND<10
03/17/08	510	ND<10	ND<10	ND<10	ND<0.01	68	ND<2.0	28	ND<10	ND<50	ND<50	ND<10
06/12/08	490	ND<10	ND<10	ND<10	ND<10	60	ND<2.0	10	ND<10	ND<50	ND<50	ND<10
U-12							ND<2.0	11	ND<10	ND<50	ND<50	ND<10
12/03/08	330	ND<10	ND<10	ND<10	ND<10	51	2.7	11	ND<10	ND<50	ND<50	ND<10
02/18/09	330	ND<10	ND<10	ND<10	ND<10	50	2.7	ND<10	ND<10	ND<50	ND<50	ND<10
U-13							ND<2.0	85	93	86	ND<50	ND<50
12/03/08	110	ND<10	ND<10	ND<10	ND<10	24	ND<2.0	85	93	86	ND<50	ND<10

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Barium (dissolved) ($\mu\text{g/l}$)	Beryllium (total) ($\mu\text{g/l}$)	Beryllium (dissolved) ($\mu\text{g/l}$)	Cadmium (total) ($\mu\text{g/l}$)	Cadmium (dissolved) (mg/l)	Calcium	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Cobalt (total) ($\mu\text{g/l}$)	Cobalt (dissolved) ($\mu\text{g/l}$)	Copper (dissolved) ($\mu\text{g/l}$)
U-13 continued												
02/18/09	98	ND<10	ND<10	ND<10	ND<10	22	88	88	88	ND<50	ND<50	ND<10
U-14												
12/03/08	320	ND<10	ND<10	ND<10	ND<10	47	3.0	ND<10	ND<10	ND<50	ND<50	ND<10
02/18/09	320	ND<10	ND<10	ND<10	ND<10	46	3.4	ND<10	ND<10	ND<50	ND<50	ND<10
U-15												
12/03/08	300	ND<10	ND<10	ND<10	ND<10	47	3.7	ND<10	ND<10	ND<50	ND<50	ND<10
02/18/09	91	ND<10	ND<10	ND<10	ND<10	14	10	11	ND<10	ND<50	ND<50	ND<10

Table 2 c
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Copper (total) ($\mu\text{g/l}$)	Lead (dissolved) (mg/l)	Lead (total) ($\mu\text{g/l}$)	Magnesium (dissolved) (mg/l)	Manganese (dissolved) ($\mu\text{g/l}$)	Mercury (total) ($\mu\text{g/l}$)	Mercury (dissolved) ($\mu\text{g/l}$)	Molyb-denum (total) ($\mu\text{g/l}$)	Molyb-denum (dissolved) ($\mu\text{g/l}$)	Nickel (total) ($\mu\text{g/l}$)	Nickel (dissolved) ($\mu\text{g/l}$)	Potassium (mg/l)
U-2												
03/17/08	330	--	71	--	--	1.7	--	ND<50	--	1500	--	--
U-3												
03/17/08	240	ND<50	65	94	2600	0.84	ND<0.20	ND<50	ND<50	1200	ND<10	1.6
06/12/08	590	--	160	--	--	2.4	--	81	--	2800	--	--
U-4												
03/17/08	250	ND<50	ND<50	88	2000	ND<0.20	ND<0.20	ND<50	ND<50	1300	ND<10	2.3
06/12/08	360	ND<50	53	7.7	720	2.5	ND<0.20	ND<50	ND<50	2100	ND<10	ND<1.0
U-5												
03/17/08	72	ND<50	ND<50	89	76	0.55	ND<0.20	ND<50	ND<50	360	ND<10	2.4
06/12/08	53	ND<50	ND<50	73	36	0.26	ND<0.20	ND<50	ND<50	290	ND<10	1.9
U-6												
03/17/08	17	ND<50	ND<50	120	4300	ND<0.20	ND<0.20	ND<50	ND<50	91	ND<10	1.0
06/12/08	ND<10	ND<50	ND<50	110	3800	0.60	ND<0.20	ND<50	ND<50	47	ND<10	1.3
U-7												
03/17/08	16	ND<50	ND<50	110	2300	ND<0.20	ND<0.20	ND<50	ND<50	79	ND<10	2.4
06/12/08	ND<10	ND<50	ND<50	92	2400	ND<0.20	ND<0.20	ND<50	ND<50	38	ND<10	2.4
U-12												
12/03/08	12	ND<50	ND<50	73	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	24	ND<10	2.6
02/18/09	ND<10	ND<50	ND<50	71	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	12	ND<10	2.3
U-13												
12/03/08	21	ND<50	ND<50	53	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	ND<10	ND<10	8.3
02/18/09	ND<10	ND<50	ND<50	52	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	ND<10	ND<10	14
U-14												

Table 2 c
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Copper (total) ($\mu\text{g/l}$)	Lead (dissolved) (mg/l)	Lead (total) ($\mu\text{g/l}$)	Magnesium (dissolved) (mg/l)	Manganese (dissolved) ($\mu\text{g/l}$)	Mercury (total) ($\mu\text{g/l}$)	Mercury (dissolved) ($\mu\text{g/l}$)	Molyb- denum (total) ($\mu\text{g/l}$)	Molyb- denum (dissolved) ($\mu\text{g/l}$)	Nickel (total) ($\mu\text{g/l}$)	Nickel (dissolved) ($\mu\text{g/l}$)	Potassium (mg/l)
U-14 continued												
12/03/08	26	ND<50	ND<50	67	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	15	ND<10	2.6
02/18/09	ND<10	ND<50	ND<50	66	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	ND<10	ND<10	2.5
U-15												
12/03/08	12	ND<50	ND<50	69	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	ND<10	ND<10	3.7
02/18/09	ND<10	ND<50	ND<50	62	ND<10	ND<0.20	ND<0.20	ND<50	ND<50	ND<10	ND<10	39

Table 2 d
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Selenium (total) ($\mu\text{g/l}$)	Selenium dissolved ($\mu\text{g/l}$)	Silver (total) ($\mu\text{g/l}$)	Silver dissolved ($\mu\text{g/l}$)	Sodium (mg/l)	Thallium (total) ($\mu\text{g/l}$)	Thallium dissolved ($\mu\text{g/l}$)	Vanadium (total) ($\mu\text{g/l}$)	Vanadium dissolved ($\mu\text{g/l}$)	Zinc dissolved ($\mu\text{g/l}$)	Zinc (total) ($\mu\text{g/l}$)	Chloride (mg/l)
U-2												
03/17/08	ND<100	--	ND<10	--	--	ND<100	--	240	--	--	590	--
U-3												
03/17/08	ND<100	ND<100	ND<10	ND<10	41	ND<100	ND<100	190	ND<10	ND<10	360	14
06/12/08	ND<100	--	ND<10	--	--	ND<100	--	410	--	--	970	--
U-4												
03/17/08	ND<100	ND<100	ND<10	ND<10	35	ND<100	ND<100	190	ND<10	ND<10	340	37
06/12/08	ND<100	ND<100	ND<10	ND<10	9.0	ND<100	ND<100	260	ND<10	ND<10	420	38
U-5												
03/17/08	ND<100	ND<100	ND<10	ND<10	49	ND<100	ND<100	60	ND<100	ND<10	120	32
06/12/08	ND<100	ND<100	ND<10	ND<10	26	ND<100	ND<100	44	ND<10	ND<10	87	31
U-6												
03/17/08	ND<100	ND<100	ND<10	ND<10	90	ND<100	ND<100	15	ND<10	ND<10	79	160
06/12/08	ND<100	ND<100	ND<10	ND<10	76	ND<100	ND<100	ND<10	ND<10	11	ND<50	190
U-7												
03/17/08	ND<100	ND<100	ND<10	ND<10	68	ND<100	ND<100	12	ND<10	ND<10	51	91
06/12/08	ND<100	ND<100	ND<10	ND<10	59	ND<100	ND<100	ND<10	ND<10	11	ND<50	120
U-12												
12/03/08	ND<100	ND<100	ND<10	ND<10	49	ND<100	ND<100	ND<10	ND<10	26	ND<50	85
02/18/09	ND<100	ND<100	ND<10	ND<10	48	ND<100	ND<100	ND<10	ND<10	13	ND<50	86
U-13												
12/03/08	ND<100	ND<100	ND<10	ND<10	59	ND<100	ND<100	ND<10	ND<10	ND<10	ND<50	95
02/18/09	ND<100	ND<100	ND<10	ND<10	65	ND<100	ND<100	ND<10	ND<10	ND<10	ND<50	96
U-14												

Table 2 d
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Selenium (total) ($\mu\text{g/l}$)	Selenium (dissolved) ($\mu\text{g/l}$)	Silver (total) ($\mu\text{g/l}$)	Silver (dissolved) ($\mu\text{g/l}$)	Sodium (mg/l)	Thallium (total) ($\mu\text{g/l}$)	Thallium (dissolved) ($\mu\text{g/l}$)	Vanadium (total) ($\mu\text{g/l}$)	Vanadium (dissolved) ($\mu\text{g/l}$)	Zinc (dissolved) ($\mu\text{g/l}$)	Zinc (total) ($\mu\text{g/l}$)	Chloride (mg/l)
U-14 continued												
12/03/08	ND<100	ND<100	ND<10	ND<10	48	ND<100	ND<100	ND<10	ND<10	43	69	85
02/18/09	ND<100	ND<100	ND<10	ND<10	47	ND<100	ND<100	ND<10	ND<10	24	53	84
U-15												
12/03/08	ND<100	ND<100	ND<10	ND<10	48	ND<100	ND<100	ND<10	ND<10	36	54	87
02/18/09	ND<100	ND<100	ND<10	ND<10	78	ND<100	ND<100	ND<10	ND<10	ND<10	ND<50	86

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Nitrogen as			Field Conductivity ($\mu\text{S}/\text{cm}$)	Field pH (pH unit)	Field Temp. (deg. C)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)	Pre-purge ORP (mV)	Post-purge ORP (mV)
	Fluoride (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)							
U-1										
12/30/02	--	--	--	--	--	--	0.60	--	--	91
05/02/03	--	--	--	--	--	--	0.50	--	--	90
07/01/03	--	--	--	--	--	--	0.60	--	--	110
10/03/03	--	--	--	--	--	--	3.79	--	--	329
01/08/04	--	--	--	--	--	--	12.36	--	--	184
04/15/04	--	--	--	--	--	--	10.56	--	--	213
07/15/04	--	--	--	--	--	--	6.62	--	--	251
12/08/04	--	--	--	--	--	--	2.66	--	--	68
03/23/05	--	--	--	--	--	--	3.12	--	--	091
06/28/05	--	--	--	--	--	--	8.84	--	--	153
09/23/05	--	--	--	--	--	--	2.26	--	--	187
12/30/05	--	--	--	--	--	--	7.74	--	--	159
03/24/06	--	--	--	--	--	--	4.02	3.88	036	016
06/26/06	--	--	--	--	--	--	7.05	5.50	008	007
09/26/06	--	--	--	--	--	--	4.24	4.66	203	200
11/21/06	--	--	--	--	--	--	4.24	4.56	1.97	2.00
03/26/07	--	--	--	--	--	--	6.58	6.98	107	102
06/27/07	--	--	--	--	--	--	4.98	4.85	20	34
03/17/08	--	--	--	--	--	--	3.12	2.43	151	153
U-2										
10/01/02	--	--	--	--	--	--	1.40	--	--	--
12/30/02	--	--	--	--	--	--	2.80	--	--	120
05/02/03	--	--	--	--	--	--	150.00	--	--	120
07/01/03	--	--	--	--	--	--	1.20	--	--	110
10/03/03	--	--	--	--	--	--	5.61	--	--	321

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Nitrogen as				Field Conductivity	Field pH	Field Temp.	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP
	Fluoride (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)	TDS (mg/l)	(µS/cm)	(pH unit)	(deg. C)	(mg/l)	(mg/l)	(mV)	(mV)
U-2 continued											
01/08/04	--	--	--	--	--	--	--	12.11	--	--	-6
04/15/04	--	--	--	--	--	--	--	11.39	--	--	259
07/15/04	--	--	--	--	--	--	--	7.46	--	--	238
12/08/04	--	--	--	--	--	--	--	3.57	--	--	132
03/23/05	--	--	--	--	--	--	--	4.57	--	--	024
06/28/05	--	--	--	--	--	--	--	8.08	--	--	230
09/23/05	--	--	--	--	--	--	--	5.47	--	--	188
12/30/05	--	--	--	--	--	--	--	8.33	--	--	177
03/24/06	--	--	--	--	--	--	--	4.80	6.20	-004	002
06/26/06	--	--	--	--	--	--	--	6.20	4.51	040	046
09/26/06	--	--	--	--	--	--	--	3.70	3.49	-31	-17
11/21/06	--	--	--	--	--	--	--	3.70	3.45	-29	-20
03/26/07	--	--	--	--	--	--	--	10.05	10.31	90	95
06/27/07	--	--	--	--	--	--	--	3.87	4.21	-63	-41
09/23/07	--	--	--	--	--	--	--	--	--	-133	-48
03/17/08	--	--	--	600	--	--	--	3.31	3.13	154	153
06/12/08	--	--	--	--	--	--	--	--	8.32	177	--
U-3											
10/01/02	--	--	--	--	--	--	--	0.50	--	--	-47
12/30/02	--	--	--	--	--	--	--	0.20	--	--	106
05/02/03	--	--	--	--	--	--	--	0.50	--	--	85
07/01/03	--	--	--	--	--	--	--	0.50	--	--	90
10/03/03	--	--	--	--	--	--	--	3.80	--	--	-27
01/08/04	--	--	--	--	--	--	--	12.82	--	--	133
04/15/04	--	--	--	--	--	--	--	3.11	--	--	24

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Nitrogen as				Field Conductivity	Field pH	Field Temp.	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP
	Fluoride (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)	TDS (mg/l)	(μ S/cm)	(pH unit)	(deg. C)	(mg/l)	(mg/l)	(mV)	(mV)
U-3 continued											
07/15/04	--	--	--	--	--	--	--	1.90	--	--	53
12/08/04	--	--	--	--	--	--	--	1.30	--	--	-81
03/23/05	--	--	--	--	--	--	--	0.52	--	--	-087
06/28/05	--	--	--	--	--	--	--	1.47	--	--	-151
09/23/05	--	--	--	--	--	--	--	1.40	--	--	-80
12/30/05	--	--	--	--	--	--	--	1.45	--	--	-068
03/24/06	--	--	--	--	--	--	--	1.53	0.79	003	009
06/26/06	--	--	--	--	--	--	--	2.19	3.56	015	017
09/26/06	--	--	--	--	--	--	--	1.06	1.10	-72	-95
11/21/06	--	--	--	--	--	--	--	1.04	1.10	-83	-96
03/26/07	--	--	--	--	--	--	--	7.08	6.99	78	68
06/27/07	--	--	--	--	--	--	--	4.89	4.79	-79	-82
09/23/07	--	--	--	--	--	--	--	--	--	-114	-88
03/17/08	0.073	ND<0.44	ND<1.0	530	--	--	--	2.88	1.96	-5	-33
06/12/08	--	--	--	--	--	--	--	0.11	1.30	-17	-40
U-4											
10/01/02	--	--	--	--	--	--	--	1.00	--	--	83
12/30/02	--	--	--	--	--	--	--	0.40	--	--	126
05/02/03	--	--	--	--	--	--	--	0.70	--	--	120
07/01/03	--	--	--	--	--	--	--	0.60	--	--	130
10/03/03	--	--	--	--	--	--	--	2.06	--	--	3.05
01/08/04	--	--	--	--	--	--	--	11.90	--	--	76
04/15/04	--	--	--	--	--	--	--	3.30	--	--	116
07/15/04	--	--	--	--	--	--	--	2.50	--	--	32
12/08/04	--	--	--	--	--	--	--	2.09	--	--	47

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Nitrogen as				Field Conductivity	Field pH	Field Temp.	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP
	Fluoride (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)	TDS (mg/l)	(μS/cm)	(pH unit)	(deg. C)	(mg/l)	(mg/l)	(mV)	(mV)
U-4 continued											
03/23/05	--	--	--	--	--	--	--	0.04	--	--	021
06/28/05	--	--	--	--	--	--	--	2.24	--	--	120
09/23/05	--	--	--	--	--	--	--	3.01	--	--	176
12/30/05	--	--	--	--	--	--	--	1.96	--	--	175
03/24/06	--	--	--	--	--	--	--	1.17	1.48	015	014
06/26/06	--	--	--	--	--	--	--	2.55	1.31	031	034
09/26/06	--	--	--	--	--	--	--	1.38	1.23	-54	-7
11/21/06	--	--	--	--	--	--	--	1.38	1.13	-60	-10
03/26/07	--	--	--	--	--	--	--	7.09	7.28	14	25
06/27/07	--	--	--	--	--	--	--	2.82	2.62	82	73
03/17/08	0.12	0.61	29	540	--	--	--	2.47	2.71	153	150
06/12/08	0.14	ND<0.44	30	610	--	--	--	1.26	4.00	185	188
U-5											
05/02/03	--	--	--	--	--	--	--	0.60	--	--	120
07/01/03	--	--	--	--	--	--	--	0.90	--	--	145
10/03/03	--	--	--	--	--	--	--	2.21	--	--	3.13
01/08/04	--	--	--	--	--	--	--	11.27	--	--	104
04/15/04	--	--	--	--	--	--	--	3.35	--	--	65
07/15/04	--	--	--	--	--	--	--	2.87	--	--	66
12/08/04	--	--	--	--	--	--	--	1.67	--	--	102
03/23/05	--	--	--	--	--	--	--	0.75	--	--	131
06/28/05	--	--	--	--	--	--	--	2.29	--	--	103
09/23/05	--	--	--	--	--	--	--	2.05	--	--	172
12/30/05	--	--	--	--	--	--	--	1.39	--	--	171
03/24/06	--	--	--	--	--	--	--	0.97	0.97	011	013

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Nitrogen as				Field Conductivity	Field pH	Field Temp.	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP
	Fluoride (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)	TDS (mg/l)	(μ S/cm)	(pH unit)	(deg. C)	(mg/l)	(mg/l)	(mV)	(mV)
U-5 continued											
06/26/06	--	--	--	--	--	--	--	7.18	7.23	091	084
09/26/06	--	--	--	--	--	--	--	1.19	0.80	44	44
11/21/06	--	--	--	--	--	--	--	1.12	0.79	41	47
03/26/07	--	--	--	--	--	--	--	3.20	3.60	31	52
06/27/07	--	--	--	--	--	--	--	2.01	1.67	66	58
03/17/08	0.086	3.8	31	530	--	--	--	2.91	1.98	151	156
06/12/08	0.070	1.8	26	550	--	--	--	1.89	1.22	172	171
U-6											
10/01/02	--	--	--	--	--	--	--	0.90	--	--	--
12/30/02	--	--	--	--	--	--	--	0.20	--	--	88
05/02/03	--	--	--	--	--	--	--	0.90	--	--	145
07/01/03	--	--	--	--	--	--	--	0.70	--	--	120
10/03/03	--	--	--	--	--	--	--	2.26	--	--	12
01/08/04	--	--	--	--	--	--	--	11.95	--	--	-37
04/15/04	--	--	--	--	--	--	--	3.47	--	--	-20
07/15/04	--	--	--	--	--	--	--	3.25	--	--	-43
12/08/04	--	--	--	--	--	--	--	0.94	--	--	-91
03/23/05	--	--	--	--	--	--	--	0.55	--	--	-077
06/28/05	--	--	--	--	--	--	--	0.86	--	--	-129
09/23/05	--	--	--	--	--	--	--	1.97	--	--	-82
12/30/05	--	--	--	--	--	--	--	1.01	--	--	-66
03/24/06	--	--	--	--	--	--	--	0.79	1.25	011	009
06/26/06	--	--	--	--	--	--	--	1.23	5.48	015	027
09/26/06	--	--	--	--	--	--	--	6.97	7.05	-67	-69
11/21/06	--	--	--	--	--	--	--	0.83	1.05	-65	-69


Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Nitrogen as				Field Conductivity	Field pH	Field Temp.	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP
	Fluoride (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)	TDS (mg/l)	(μ S/cm)	(pH unit)	(deg. C)	(mg/l)	(mg/l)	(mV)	(mV)
U-6 continued											
03/26/07	--	--	--	--	--	--	--	6.40	6.26	15	9
06/27/07	--	--	--	--	--	--	--	3.51	3.20	-64	-54
03/17/08	0.066	ND<0.44	51	860	--	--	--	1.19	1.87	101	26
06/12/08	0.11	0.45	27	860	--	--	--	1.10	2.08	-20	-26
U-7											
10/01/02	--	--	--	--	--	--	--	1.80	--	--	-60
12/30/02	--	--	--	--	--	--	--	0.10	--	--	121
05/02/03	--	--	--	--	--	--	--	0.40	--	--	105
07/01/03	--	--	--	--	--	--	--	0.50	--	--	95
10/03/03	--	--	--	--	--	--	--	2.91	--	--	-21
01/08/04	--	--	--	--	--	--	--	11.85	--	--	-51
04/15/04	--	--	--	--	--	--	--	4.68	--	--	-16
07/15/04	--	--	--	--	--	--	--	2.55	--	--	-52
12/08/04	--	--	--	--	--	--	--	1.20	--	--	-88
03/23/05	--	--	--	--	--	--	--	0.21	--	--	-088
06/28/05	--	--	--	--	--	--	--	1.32	--	--	-160
09/23/05	--	--	--	--	--	--	--	2.25	--	--	108
12/30/05	--	--	--	--	--	--	--	1.12	--	--	105
03/24/06	--	--	--	--	--	--	--	1.09	0.99	008	009
06/26/06	--	--	--	--	--	--	--	1.46	1.27	025	032
09/26/06	--	--	--	--	--	--	--	0.78	1.02	-47	-63
11/21/06	--	--	--	--	--	--	--	0.88	0.98	-43	-59
03/26/07	--	--	--	--	--	--	--	5.85	6.00	14	8
06/27/07	--	--	--	--	--	--	--	2.98	2.60	-90	-102
03/17/08	0.077	ND<0.44	7.0	640	--	--	--	3.06	2.86	137	120

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 4186

Date Sampled	Nitrogen as				Field Conductivity	Field pH	Field Temp.	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen	Pre-purge ORP	Post-purge ORP
	Fluoride (mg/l)	Nitrate (mg/l)	Sulfate (mg/l)	TDS (mg/l)	(µS/cm)	(pH unit)	(deg. C)	(mg/l)	(mg/l)	(mV)	(mV)
U-7 continued											
06/12/08	0.15	19	13	700	--	--	--	0.98	2.27	9	-11
U-12											
12/03/08	0.14	28	59	630	--	--	--	2.85	2.71	66	26
02/18/09	0.086	29	61	610	1007	7.82	18.2	2.74	2.65	145	121
U-13											
12/03/08	0.16	26	65	610	--	--	--	1.70	2.21	62	58
02/18/09	0.20	26	69	510	1022	7.75	18.0	1.49	1.52	171	110
U-14											
12/03/08	0.14	25	55	660	--	--	--	2.63	2.96	91	59
02/18/09	0.13	25	57	560	950.4	7.70	18.4	2.25	2.55	106	113
U-15											
12/03/08	0.13	21	52	670	--	--	--	2.21	2.55	108	118
02/18/09	0.12	23	54	570	962.4	7.66	17.4	1.98	1.95	109	104

FIGURES



0 1/4 1/2 3/4 1 MILE

SCALE 1:24,000



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
Livermore Quadrangle



FACILITY:

76 STATION 4186
1771 FIRST STREET
LIVERMORE, CALIFORNIA

VICINITY MAP

FIGURE 1

LEGEND

U-15 Monitoring Well with
Groundwater Elevation (feet)

434.50— Groundwater Elevation
Contour

→ Direction of Groundwater
Flow

PARKING



RED ZONE

PARKING

U-5
Dry

FIRST STREET

N STREET

NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank.

PROJECT: 165521

FACILITY:
76 STATION 4186
1771 FIRST STREET
LIVERMORE, CALIFORNIA

**GROUNDWATER ELEVATION
CONTOUR MAP**
February 18, 2009

FIGURE 2

LEGEND

- U-15 Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)
- 1,000— Dissolved-Phase TPH-G (GC/MS) Contour ($\mu\text{g/l}$)

PARKING

RED ZONE

PARKING


U-5
(55)
6/12/2008

FIRST STREET

FORMER DISPENSER ISLANDS

U-4
(71)
6/12/2008

PROJECT: 165521

FACILITY:
76 STATION 4186
1771 FIRST STREET
LIVERMORE, CALIFORNIA**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.

TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.


$\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. () = representative historical value. UST = underground storage tank.

**DISSOLVED-PHASE TPH-G (GC/MS)
CONCENTRATION MAP**
February 18, 2009

FIGURE 3

LEGEND

- U-15 Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)
- 10 — Dissolved-Phase Benzene Contour ($\mu\text{g/l}$)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. () = representative historical value. UST = underground storage tank.



PROJECT: 165521

FACILITY:
 76 STATION 4186
 1771 FIRST STREET
 LIVERMORE, CALIFORNIA

DISSOLVED-PHASE BENZENE CONCENTRATION MAP
February 18, 2009

FIGURE 4

LEGEND

U-15 Monitoring Well with
Dissolved-Phase MTBE
Concentration ($\mu\text{g/l}$)

10 Dissolved-Phase MTBE
Contour ($\mu\text{g/l}$)

PARKING

RED ZONE
U-4
(7.5)
6/12/2008

PARKING



10
? U-5
(28)
6/12/2008

FIRST STREET

FORMER
DISPENSER
ISLANDS

TRC

N STREET

**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
MTBE = methyl tertiary butyl ether. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. () = representative historical value.
UST = underground storage tank. Results obtained using EPA Method 8260B.

PROJECT: 165521


FACILITY:
76 STATION 4186
1771 FIRST STREET
LIVERMORE, CALIFORNIA

**DISSOLVED-PHASE MTBE
CONCENTRATION MAP**
February 18, 2009


FIGURE 5

GRAPHS


Groundwater Elevations vs. Time
76 Station 4186




Groundwater Elevations vs. Time
76 Station 4186



Groundwater Elevations vs. Time
76 Station 4186




Groundwater Elevations vs. Time
76 Station 4186




Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 4186



Benzene Concentrations vs Time
76 Station 4186



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: Ricky H. Job #/Task #: 165521/FA 20 Date: 02/18/09

Site # 4186

Project Manager A. Collins

Date: 02/18/09

Page 1 of 1



GROUNDWATER SAMPLING FIELD NOTES

Technician: Ricky H.

Site: 4186

Project No.: 165521 /

Date: 02/18/09

Well No. V-12

Depth to Water (feet): 46.10

Purge Method: SWB

Total Depth (feet) 74.16

Depth to Product (feet): —

Water Column (feet) 28.06

LPH & Water Recovered (gallons): —

80% Recharge Depth(feet): 51.71

Casing Diameter (Inches): 4"

1 Well Volume (gallons): 20

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0727			20	1007	18.2	7.52	2.65	145	
			40	999.4	18.9	7.58	2.46	119	
0745			60	1001	18.8	7.58	2.74	121	
Static at Time Sampled			Total Gallons Purged			Sample Time			
46.13			60			0750			
Comments:									

Well No. V-15

Depth to Water (feet): 45.58

Purge Method: SWB

Total Depth (feet) 71.60

Depth to Product (feet): —

Water Column (feet): 26.62

LPH & Water Recovered (gallons): —

80% Recharge Depth(feet): 50.78

Casing Diameter (Inches): 4"

1 Well Volume (gallons): 18

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0757			18	962.4	17.1	7.66	1.95	109	
			36	956.7	18.8	7.56	1.89	106	
0815			54	959.9	18.9	7.58	1.93	104	
Static at Time Sampled			Total Gallons Purged			Sample Time			
48.50			54			0818			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Ricky H.

Site: 41186

Project No.: 165521

Date: 02/18/09

Well No. V-13

Depth to Water (feet): 45.87

Total Depth (feet) 73.01

Water Column (feet): 27.14

80% Recharge Depth(feet): 51.30

Purge Method: SWB

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 4"

1 Well Volume (gallons): 19

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (us/cm)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
0825			19	1022	18.0	7.75	1.52	171	
			38	1009	19.0	7.55	1.67	131	
0842			57	1005	19.4	7.48	1.49	110	
Static at Time Sampled			Total Gallons Purged			Sample Time			
47.90			57			0847			
Comments:									

Well No. V-14

Depth to Water (feet): 46.65

Total Depth (feet) 72.15

Water Column (feet): 25.50

80% Recharge Depth(feet): 51.75

Purge Method: SWB

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 4"

1 Well Volume (gallons): 18

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (us/cm)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
0901			18	950.4	18.4	7.70	2.55	106	
			36	956.7	19.3	7.54	2.63	99	
0916			54	957.4	19.1	7.60	2.25	113	
Static at Time Sampled			Total Gallons Purged			Sample Time			
46.65			54			0920			
Comments:									

STATEMENT OF NON-COMPLETION OF JOB

DATE OF EVENT: 07/18/09 SITE ID: 41186

TECH: Rick JH. CALLED SUPERVISOR: YES / NO

CALLED PM: YES / NO NAME OF PM: A. Collins

WELL ID: V-1 well was dry

WELL ID: V-2 well was dry

WELL ID: V-3 well was dry

STATEMENT OF NON-COMPLETION OF JOB

DATE OF EVENT: 02/08/09 SITE ID: 4186
TECH: Ricky H. CALLED SUPERVISOR: YES / NO
CALLED PM: YES / NO NAME OF PM: A. collins

WELL ID: V-4 Well was dry

WELL ID: V-5 "

WELL ID: V-6 "

STATEMENT OF NON-COMPLETION OF JOB

DATE OF EVENT: 02/18/09 SITE ID: 4184

TECH: Rick H CALLED SUPERVISOR: YES / NO

CALLED PM: YES / NO NAME OF PM: A. collins

WELL ID: V-7 well was on,

WELL ID: V-8 "

WELL ID: V-9 "

STATEMENT OF NON-COMPLETION OF JOB

DATE OF EVENT: 02/18/09 SITE ID: 0 4186
TECH: Rocky H. CALLED SUPERVISOR: YES / NO
CALLED PM: YES / NO NAME OF PM: A. collins

WELL ID: U. 10 well was dry

WELL ID: U. 11

WELL ID:



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Date of Report: 03/10/2009

Anju Farfan

TRC

21 Technology Drive
Irvine, CA 92618

RE: 4186
BC Work Order: 0902256
Invoice ID: B058313

Enclosed are the results of analyses for samples received by the laboratory on 2/18/2009. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Molly Meyers".

Contact Person: Molly Meyers
Client Service Rep

A handwritten signature in black ink that appears to be a stylized "J".

Authorized Signature

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
0902256-01	COC Number: --- Project Number: 4186 Sampling Location: --- Sampling Point: U-12 Sampled By: TRCI	Receive Date: 02/18/2009 21:10 Sampling Date: 02/18/2009 07:50 Sample Depth: --- Sample Matrix: Water	Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600101777 Location ID (FieldPoint): U-12 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
0902256-02	COC Number: --- Project Number: 4186 Sampling Location: --- Sampling Point: U-15 Sampled By: TRCI	Receive Date: 02/18/2009 21:10 Sampling Date: 02/18/2009 08:18 Sample Depth: --- Sample Matrix: Water	Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600101777 Location ID (FieldPoint): U-15 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
0902256-03	COC Number: --- Project Number: 4186 Sampling Location: --- Sampling Point: U-13 Sampled By: TRCI	Receive Date: 02/18/2009 21:10 Sampling Date: 02/18/2009 08:47 Sample Depth: --- Sample Matrix: Water	Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600101777 Location ID (FieldPoint): U-13 Matrix: W Sample QC Type (SACode): CS Cooler ID:	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
0902256-04	COC Number: --- Project Number: 4186 Sampling Location: --- Sampling Point: U-14 Sampled By: TRCI	Receive Date: 02/18/2009 21:10 Sampling Date: 02/18/2009 09:20 Sample Depth: --- Sample Matrix: Water	Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600101777 Location ID (FieldPoint): U-14 Matrix: W Sample QC Type (SACode): CS Cooler ID:	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0902256-01	Client Sample Name:	4186, U-12, 2/18/2009 7:50:00AM									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals	
Benzene	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
Ethylbenzene	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	i	BSB1479	ND	
Toluene	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	i	BSB1479	ND	
Total Xylenes	ND	ug/L	1.0	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
t-Butyl alcohol	ND	ug/L	10	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
Ethanol	ND	ug/L	250	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479	ND	
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	i	BSB1479	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	02/24/09	02/25/09 07:27	JCC	MS-V4	i	BSB1479	ND	
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479		
4-Bromofluorobenzene (Surrogate)	95.6	%	86 - 115 (LCL - UCL)	EPA-8260	02/24/09	02/25/09 07:27	JCC	MS-V4	1	BSB1479		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (General Chemistry)

BCL Sample ID:	0902256-01	Client Sample Name: 4186, U-12, 2/18/2009 7:50:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Calcium	50	mg/L	0.10	EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND		
Magnesium	71	mg/L	0.050	EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND		
Sodium	48	mg/L	0.50	EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND		
Potassium	2.3	mg/L	1.0	EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND		
Chloride	86	mg/L	0.50	EPA-300.0	02/18/09	02/19/09 07:26	CRR	IC1	1	BSB1355	ND		
Fluoride	0.086	mg/L	0.050	EPA-300.0	02/18/09	02/19/09 07:26	CRR	IC1	1	BSB1355	ND		
Nitrate as NO ₃	29	mg/L	0.44	EPA-300.0	02/18/09	02/19/09 07:26	CRR	IC1	1	BSB1355	ND		
Sulfate	61	mg/L	1.0	EPA-300.0	02/18/09	02/19/09 07:26	CRR	IC1	1	BSB1355	ND		
Total Dissolved Solids @ 180 C	610	mg/L	33	EPA-160.1	02/23/09	02/23/09 10:30	JLR	MANUAL	3.333	BSB1929	ND		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

BCL Sample ID:	0902256-01	Client Sample Name: 4186, U-12, 2/18/2009 7:50:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Antimony	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Arsenic	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	i	BSB1321	ND	
Hexavalent Chromium	2.7	ug/L	2.0		EPA-7196	02/18/09	02/18/09 23:13	CRR	KONE-1	1	BSB1420	ND	
Barium	330	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Beryllium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Cadmium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Chromium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Cobalt	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Copper	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	i	BSB1321	ND	
Lead	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	i	BSB1321	ND	
Manganese	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Mercury	ND	ug/L	0.20		EPA-7470A	02/25/09	02/26/09 10:48	MEV	CETAC1	1	BSB1827	ND	
Molybdenum	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Nickel	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Selenium	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Silver	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	i	BSB1321	ND	
Thallium	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	i	BSB1321	ND	
Vanadium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Zinc	13	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:39	ARD	PE-OP1	1	BSB1321	ND	
Total Antimony	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Arsenic	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Barium	370	ug/L	10		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Beryllium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

BCL Sample ID:	0902256-01	Client Sample Name: 4186, U-12, 2/18/2009 7:50:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Total Cadmium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Chromium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Cobalt	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Copper	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Lead	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Mercury	ND	ug/L	0.20		EPA-7470A	02/26/09	02/27/09 11:29	MEV	CETAC1	1	BSB1928	ND	
Total Molybdenum	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Nickel	12	ug/L	10		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Selenium	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Silver	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Thallium	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Vanadium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	
Total Zinc	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 09:53	ARD	PE-OP1	1	BSB1811	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0902256-02	Client Sample Name:	4186, U-15, 2/18/2009 8:18:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
Methyl t-butyl ether	1.2	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
Toluene	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
Ethanol	ND	ug/L	250		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		Luft-GC/MS	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479	ND	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479		
Toluene-d8 (Surrogate)	99.2	%	88 - 110 (LCL - UCL)		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479		
4-Bromofluorobenzene (Surrogate)	95.9	%	86 - 115 (LCL - UCL)		EPA-8260	02/24/09	02/25/09 08:01	JCC	MS-V4	1	BSB1479		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (General Chemistry)

BCL Sample ID:	0902256-02	Client Sample Name: 4186, U-15, 2/18/2009 8:18:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Calcium	14	mg/L	0.10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND	
Magnesium	62	mg/L	0.050		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND	
Sodium	78	mg/L	0.50		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND	
Potassium	39	mg/L	1.0		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND	
Chloride	86	mg/L	0.50		EPA-300.0	02/18/09	02/19/09 08:13	CRR	IC1	1	BSB1355	ND	
Fluoride	0.12	mg/L	0.050		EPA-300.0	02/18/09	02/19/09 08:13	CRR	IC1	1	BSB1355	ND	
Nitrate as NO ₃	23	mg/L	0.44		EPA-300.0	02/18/09	02/19/09 08:13	CRR	IC1	1	BSB1355	ND	
Sulfate	54	mg/L	1.0		EPA-300.0	02/18/09	02/19/09 08:13	CRR	IC1	1	BSB1355	ND	
Total Dissolved Solids @ 180 C	570	mg/L	33		EPA-160.1	02/23/09	02/23/09 10:30	JLR	MANUAL	3.333	BSB1929	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

BCL Sample ID:	0902256-02	Client Sample Name: 4186, U-15, 2/18/2009 8:18:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Antimony	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Arsenic	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Hexavalent Chromium	10	ug/L	2.0		EPA-7196	02/18/09	02/18/09 23:13	CRR	KONE-1	1	BSB1420	ND
Barium	91	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Beryllium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Cadmium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	i	BSB1321	ND
Chromium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	i	BSB1321	ND
Cobalt	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	i	BSB1321	ND
Copper	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Lead	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Manganese	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Mercury	ND	ug/L	0.20		EPA-7470A	02/25/09	02/26/09 10:50	MEV	CETAC1	1	BSB1827	ND
Molybdenum	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Nickel	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	i	BSB1321	ND
Selenium	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	i	BSB1321	ND
Silver	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Thallium	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Vanadium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Zinc	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:41	ARD	PE-OP1	1	BSB1321	ND
Total Antimony	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Arsenic	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	i	BSB1811	ND
Total Barium	140	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Beryllium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	i	BSB1811	ND

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

BCL Sample ID:	0902256-02	Client Sample Name: 4186, U-15, 2/18/2009 8:18:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Total Cadmium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Chromium	11	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Cobalt	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	i	BSB1811	ND
Total Copper	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	i	BSB1811	ND
Total Lead	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Mercury	ND	ug/L	0.20		EPA-7470A	02/26/09	02/27/09 11:39	MEV	CETAC1	1	BSB1928	ND
Total Molybdenum	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Nickel	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Selenium	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Silver	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND
Total Thallium	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	i	BSB1811	ND
Total Vanadium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	i	BSB1811	ND
Total Zinc	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:06	ARD	PE-OP1	1	BSB1811	ND

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0902256-03	Client Sample Name:	4186, U-13, 2/18/2009 8:47:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	i	BSB1479	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	i	BSB1479	ND	
Methyl t-butyl ether	0.87	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
Toluene	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	i	BSB1479	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	i	BSB1479	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
Ethanol	ND	ug/L	250		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		Luft-GC/MS	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479	ND	
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	i	BSB1479		
Toluene-d8 (Surrogate)	99.0	%	88 - 110 (LCL - UCL)		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479		
4-Bromofluorobenzene (Surrogate)	97.7	%	86 - 115 (LCL - UCL)		EPA-8260	02/24/09	02/25/09 08:26	JCC	MS-V4	1	BSB1479		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (General Chemistry)

BCL Sample ID:	0902256-03	Client Sample Name: 4186, U-13, 2/18/2009 8:47:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Calcium	22	mg/L	0.10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Magnesium	52	mg/L	0.050		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Sodium	65	mg/L	0.50		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Potassium	14	mg/L	1.0		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Chloride	96	mg/L	0.50		EPA-300.0	02/18/09	02/19/09 08:28	CRR	IC1	1	BSB1355	ND	
Fluoride	0.20	mg/L	0.050		EPA-300.0	02/18/09	02/19/09 08:28	CRR	IC1	1	BSB1355	ND	
Nitrate as NO ₃	26	mg/L	0.44		EPA-300.0	02/18/09	02/19/09 08:28	CRR	IC1	1	BSB1355	ND	
Sulfate	69	mg/L	1.0		EPA-300.0	02/18/09	02/19/09 08:28	CRR	IC1	1	BSB1355	ND	
Total Dissolved Solids @ 180 C	510	mg/L	33		EPA-160.1	02/23/09	02/23/09 10:30	JLR	MANUAL	3.333	BSB1929	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

BCL Sample ID:	0902256-03	Client Sample Name: 4186, U-13, 2/18/2009 8:47:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Antimony	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Arsenic	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Hexavalent Chromium	88	ug/L	2.0		EPA-7196	02/18/09	02/18/09 23:13	CRR	KONE-1	1	BSB1420	ND	
Barium	98	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Beryllium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Cadmium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Chromium	88	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Cobalt	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Copper	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Lead	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Manganese	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Mercury	ND	ug/L	0.20		EPA-7470A	02/25/09	02/26/09 10:52	MEV	CETAC1	1	BSB1827	ND	
Molybdenum	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Nickel	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Selenium	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Silver	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Thallium	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Vanadium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Zinc	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:43	ARD	PE-OP1	1	BSB1321	ND	
Total Antimony	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Arsenic	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Barium	120	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Beryllium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

BCL Sample ID:	0902256-03	Client Sample Name: 4186, U-13, 2/18/2009 8:47:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	QC Dilution	MB Batch ID	Lab Bias	Quals
Total Cadmium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Chromium	88	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Cobalt	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	i	BSB1811	ND	
Total Copper	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Lead	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Mercury	ND	ug/L	0.20		EPA-7470A	02/26/09	02/27/09 11:41	MEV	CETAC1	1	BSB1928	ND	
Total Molybdenum	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	i	BSB1811	ND	
Total Nickel	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Selenium	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Silver	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Thallium	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	i	BSB1811	ND	
Total Vanadium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	
Total Zinc	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:08	ARD	PE-OP1	1	BSB1811	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0902256-04	Client Sample Name:	4186, U-14, 2/18/2009 9:20:00AM									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	QC	MB	Lab Quals	
Benzene	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	i	BSB1479	ND	
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	i	BSB1479	ND	
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	i	BSB1479	ND	
Ethylbenzene	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479	ND	
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479	ND	
Toluene	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479	ND	
Total Xylenes	ND	ug/L	1.0	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479	ND	
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479	ND	
t-Butyl alcohol	ND	ug/L	10	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479	ND	
Diisopropyl ether	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	i	BSB1479	ND	
Ethanol	ND	ug/L	250	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	i	BSB1479	ND	
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	i	BSB1479	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479	ND	
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479		
Toluene-d8 (Surrogate)	97.2	%	88 - 110 (LCL - UCL)	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479		
4-Bromofluorobenzene (Surrogate)	96.6	%	86 - 115 (LCL - UCL)	EPA-8260	02/24/09	02/25/09 08:50	JCC	MS-V4	1	BSB1479		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (General Chemistry)

BCL Sample ID:	0902256-04	Client Sample Name: 4186, U-14, 2/18/2009 9:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Calcium	46	mg/L	0.10	EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND		
Magnesium	66	mg/L	0.050	EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND		
Sodium	47	mg/L	0.50	EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND		
Potassium	2.5	mg/L	1.0	EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND		
Chloride	84	mg/L	0.50	EPA-300.0	02/18/09	02/19/09 08:44	CRR	IC1	1	BSB1355	ND		
Fluoride	0.13	mg/L	0.050	EPA-300.0	02/18/09	02/19/09 08:44	CRR	IC1	1	BSB1355	ND		
Nitrate as NO ₃	25	mg/L	0.44	EPA-300.0	02/18/09	02/19/09 08:44	CRR	IC1	1	BSB1355	ND		
Sulfate	57	mg/L	1.0	EPA-300.0	02/18/09	02/19/09 08:44	CRR	IC1	1	BSB1355	ND		
Total Dissolved Solids @ 180 C	560	mg/L	33	EPA-160.1	02/23/09	02/23/09 10:30	JLR	MANUAL	3.333	BSB1929	ND		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

BCL Sample ID:	0902256-04	Client Sample Name: 4186, U-14, 2/18/2009 9:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Antimony	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Arsenic	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Hexavalent Chromium	3.4	ug/L	2.0		EPA-7196	02/18/09	02/18/09 23:13	CRR	KONE-1	1	BSB1420	ND	
Barium	320	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Beryllium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Cadmium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Chromium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Cobalt	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	i	BSB1321	ND	
Copper	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	i	BSB1321	ND	
Lead	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Manganese	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Mercury	ND	ug/L	0.20		EPA-7470A	02/25/09	02/26/09 10:54	MEV	CETAC1	1	BSB1827	ND	
Molybdenum	ND	ug/L	50		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	i	BSB1321	ND	
Nickel	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	i	BSB1321	ND	
Selenium	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	i	BSB1321	ND	
Silver	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Thallium	ND	ug/L	100		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Vanadium	ND	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Zinc	24	ug/L	10		EPA-6010B	02/20/09	02/20/09 15:45	ARD	PE-OP1	1	BSB1321	ND	
Total Antimony	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	i	BSB1811	ND	
Total Arsenic	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND	
Total Barium	350	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND	
Total Beryllium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

BCL Sample ID:	0902256-04	Client Sample Name: 4186, U-14, 2/18/2009 9:20:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Total Cadmium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Chromium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Cobalt	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Copper	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Lead	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Mercury	ND	ug/L	0.20		EPA-7470A	02/26/09	02/27/09 11:43	MEV	CETAC1	1	BSB1928	ND
Total Molybdenum	ND	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Nickel	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Selenium	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Silver	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Thallium	ND	ug/L	100		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Vanadium	ND	ug/L	10		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND
Total Zinc	53	ug/L	50		EPA-6010B	02/25/09	02/26/09 10:16	ARD	PE-OP1	1	BSB1811	ND

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits		
										RPD	Percent Recovery	Lab Quals
Benzene	BSB1479	Matrix Spike	0902241-02	0	24.420	25.000	ug/L	97.7	97.7	70 - 130	70 - 130	
		Matrix Spike Duplicate	0902241-02	0	26.420	25.000	ug/L	8.1	106	20	70 - 130	
Toluene	BSB1479	Matrix Spike	0902241-02	0	24.400	25.000	ug/L	97.6	97.6	70 - 130	70 - 130	
		Matrix Spike Duplicate	0902241-02	0	24.910	25.000	ug/L	2.0	99.6	20	70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BSB1479	Matrix Spike	0902241-02	ND	11.380	10.000	ug/L	114	114	76 - 114	76 - 114	
		Matrix Spike Duplicate	0902241-02	ND	11.190	10.000	ug/L	112	112	76 - 114	76 - 114	
Toluene-d8 (Surrogate)	BSB1479	Matrix Spike	0902241-02	ND	10.910	10.000	ug/L	109	109	88 - 110	88 - 110	
		Matrix Spike Duplicate	0902241-02	ND	10.810	10.000	ug/L	108	108	88 - 110	88 - 110	
4-Bromofluorobenzene (Surrogate)	BSB1479	Matrix Spike	0902241-02	ND	11.150	10.000	ug/L	112	112	86 - 115	86 - 115	
		Matrix Spike Duplicate	0902241-02	ND	11.140	10.000	ug/L	111	111	86 - 115	86 - 115	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 20 of 34



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (General Chemistry)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Calcium	BSB1321	Duplicate	0902119-01	68.426	66.711		mg/L	2.5		20	
		Matrix Spike	0902119-01	68.426	76.628	10.204	mg/L		80.4		75 - 125
		Matrix Spike Duplicate	0902119-01	68.426	75.679	10.204	mg/L	12.3	71.1	20	75 - 125 A03
Magnesium	BSB1321	Duplicate	0902119-01	9.9089	9.6392		mg/L	2.8		20	
		Matrix Spike	0902119-01	9.9089	19.619	10.204	mg/L		95.2		75 - 125
		Matrix Spike Duplicate	0902119-01	9.9089	19.638	10.204	mg/L	0.1	95.3	20	75 - 125
Sodium	BSB1321	Duplicate	0902119-01	14.771	14.487		mg/L	1.9		20	
		Matrix Spike	0902119-01	14.771	24.862	10.204	mg/L		98.9		75 - 125
		Matrix Spike Duplicate	0902119-01	14.771	24.486	10.204	mg/L	3.8	95.2	20	75 - 125
Potassium	BSB1321	Duplicate	0902119-01	3.2402	3.2169		mg/L	0.7		20	
		Matrix Spike	0902119-01	3.2402	13.362	10.204	mg/L		99.2		75 - 125
		Matrix Spike Duplicate	0902119-01	3.2402	13.204	10.204	mg/L	1.6	97.6	20	75 - 125
Chloride	BSB1355	Duplicate	0902257-13	4.9340	5.0000		mg/L	1.3		10	
		Matrix Spike	0902257-13	4.9340	112.04	101.01	mg/L		106		80 - 120
		Matrix Spike Duplicate	0902257-13	4.9340	111.80	101.01	mg/L	0	106	10	80 - 120
Fluoride	BSB1355	Duplicate	0902257-13	0.078000	0.066000		mg/L	16.7		10	
		Matrix Spike	0902257-13	0.078000	1.0818	1.0101	mg/L		99.4		80 - 120
		Matrix Spike Duplicate	0902257-13	0.078000	1.0990	1.0101	mg/L	1.6	101	10	80 - 120
Nitrate as NO ₃	BSB1355	Duplicate	0902257-13	2.8863	2.7800		mg/L	3.8		10	
		Matrix Spike	0902257-13	2.8863	25.819	22.358	mg/L		103		80 - 120
		Matrix Spike Duplicate	0902257-13	2.8863	25.756	22.358	mg/L	1.0	102	10	80 - 120
Sulfate	BSB1355	Duplicate	0902257-13	3.8540	3.8370		mg/L	0.4		10	
		Matrix Spike	0902257-13	3.8540	110.47	101.01	mg/L		106		80 - 120
		Matrix Spike Duplicate	0902257-13	3.8540	110.06	101.01	mg/L	0.9	105	10	80 - 120
Total Dissolved Solids @ 180 C	BSB1929	Duplicate	0902251-01	1130.0	1115.0		mg/L	1.3		10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Antimony	BSB1321	Duplicate	0902119-01	18.054	ND		ug/L			20	
		Matrix Spike	0902119-01	18.054	403.35	408.16	ug/L		94.4		75 - 125
		Matrix Spike Duplicate	0902119-01	18.054	411.60	408.16	ug/L	2.1	96.4	20	75 - 125
Arsenic	BSB1321	Duplicate	0902119-01	22.944	ND		ug/L			20	A02
		Matrix Spike	0902119-01	22.944	220.50	204.08	ug/L		96.8		75 - 125
		Matrix Spike Duplicate	0902119-01	22.944	216.96	204.08	ug/L	1.8	95.1	20	75 - 125
Barium	BSB1321	Duplicate	0902119-01	27.104	27.470		ug/L	1.3		20	
		Matrix Spike	0902119-01	27.104	424.94	408.16	ug/L		97.5		75 - 125
		Matrix Spike Duplicate	0902119-01	27.104	427.44	408.16	ug/L	0.6	98.1	20	75 - 125
Beryllium	BSB1321	Duplicate	0902119-01	0.15265	ND		ug/L			20	
		Matrix Spike	0902119-01	0.15265	207.49	204.08	ug/L		102		75 - 125
		Matrix Spike Duplicate	0902119-01	0.15265	209.44	204.08	ug/L	1.0	103	20	75 - 125
Cadmium	BSB1321	Duplicate	0902119-01	-0.34140	ND		ug/L			20	
		Matrix Spike	0902119-01	-0.34140	212.79	204.08	ug/L		104		75 - 125
		Matrix Spike Duplicate	0902119-01	-0.34140	212.03	204.08	ug/L	0	104	20	75 - 125
Chromium	BSB1321	Duplicate	0902119-01	0.79980	ND		ug/L			20	
		Matrix Spike	0902119-01	0.79980	206.81	204.08	ug/L		101		75 - 125
		Matrix Spike Duplicate	0902119-01	0.79980	208.99	204.08	ug/L	1.0	102	20	75 - 125
Cobalt	BSB1321	Duplicate	0902119-01	0.030239	ND		ug/L			20	
		Matrix Spike	0902119-01	0.030239	210.92	204.08	ug/L		103		75 - 125
		Matrix Spike Duplicate	0902119-01	0.030239	211.14	204.08	ug/L	0	103	20	75 - 125
Copper	BSB1321	Duplicate	0902119-01	1.2949	ND		ug/L			20	
		Matrix Spike	0902119-01	1.2949	400.78	408.16	ug/L		97.9		75 - 125
		Matrix Spike Duplicate	0902119-01	1.2949	385.81	408.16	ug/L	3.9	94.2	20	75 - 125
Lead	BSB1321	Duplicate	0902119-01	2.0227	ND		ug/L			20	
		Matrix Spike	0902119-01	2.0227	425.73	408.16	ug/L		104		75 - 125
		Matrix Spike Duplicate	0902119-01	2.0227	424.50	408.16	ug/L	0	104	20	75 - 125

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source	Source	Spike	Units	RPD	Percent Recovery	Control Limits		
			Sample ID	Result	Added				RPD	Percent Recovery	Lab Quals
Manganese	BSB1321	Duplicate	0902119-01	1.1773	ND	ug/L			20		
		Matrix Spike	0902119-01	1.1773	556.55	510.20	ug/L		109	75 - 125	
		Matrix Spike Duplicate	0902119-01	1.1773	558.12	510.20	ug/L	0	109	20	75 - 125
Molybdenum	BSB1321	Duplicate	0902119-01	6.1452	ND	ug/L			20		A02
		Matrix Spike	0902119-01	6.1452	216.24	204.08	ug/L		103	75 - 125	
		Matrix Spike Duplicate	0902119-01	6.1452	217.73	204.08	ug/L	1.0	104	20	75 - 125
Nickel	BSB1321	Duplicate	0902119-01	-0.95554	ND	ug/L			20		
		Matrix Spike	0902119-01	-0.95554	426.86	408.16	ug/L		105	75 - 125	
		Matrix Spike Duplicate	0902119-01	-0.95554	429.03	408.16	ug/L	0	105	20	75 - 125
Selenium	BSB1321	Duplicate	0902119-01	-10.672	ND	ug/L			20		
		Matrix Spike	0902119-01	-10.672	197.24	204.08	ug/L		96.6	75 - 125	
		Matrix Spike Duplicate	0902119-01	-10.672	201.91	204.08	ug/L	2.4	98.9	20	75 - 125
Silver	BSB1321	Duplicate	0902119-01	0.48825	ND	ug/L			20		
		Matrix Spike	0902119-01	0.48825	99.320	102.04	ug/L		96.9	75 - 125	
		Matrix Spike Duplicate	0902119-01	0.48825	95.399	102.04	ug/L	4.1	93.0	20	75 - 125
Thallium	BSB1321	Duplicate	0902119-01	-5.1317	ND	ug/L			20		
		Matrix Spike	0902119-01	-5.1317	441.58	408.16	ug/L		108	75 - 125	
		Matrix Spike Duplicate	0902119-01	-5.1317	432.20	408.16	ug/L	1.9	106	20	75 - 125
Vanadium	BSB1321	Duplicate	0902119-01	2.3965	ND	ug/L			20		
		Matrix Spike	0902119-01	2.3965	217.58	204.08	ug/L		105	75 - 125	
		Matrix Spike Duplicate	0902119-01	2.3965	216.89	204.08	ug/L	0	105	20	75 - 125
Zinc	BSB1321	Duplicate	0902119-01	2.3832	ND	ug/L			20		
		Matrix Spike	0902119-01	2.3832	543.69	510.20	ug/L		106	75 - 125	
		Matrix Spike Duplicate	0902119-01	2.3832	555.51	510.20	ug/L	1.9	108	20	75 - 125
Hexavalent Chromium	BSB1420	Duplicate	0902256-03	88.434	86.162	ug/L	2.6		10		
		Matrix Spike	0902256-03	88.434	142.58	52.632	ug/L		103	85 - 115	
		Matrix Spike Duplicate	0902256-03	88.434	142.37	52.632	ug/L	1.0	102	10	85 - 115

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source	Source	Spike	Units	RPD	Percent Recovery	Control Limits		
			Sample ID	Result	Added				RPD	Percent Recovery	Lab Quals
Total Antimony	BSB1811	Duplicate	0902256-01	17.404	ND	ug/L			20		
		Matrix Spike	0902256-01	17.404	426.54	ug/L		102		75 - 125	
		Matrix Spike Duplicate	0902256-01	17.404	423.56	ug/L	0	102	20	75 - 125	
Total Arsenic	BSB1811	Duplicate	0902256-01	4.9877	ND	ug/L			20		
		Matrix Spike	0902256-01	4.9877	209.89	ug/L		102		75 - 125	
		Matrix Spike Duplicate	0902256-01	4.9877	208.13	ug/L	0	102	20	75 - 125	
Total Barium	BSB1811	Duplicate	0902256-01	372.15	371.02	ug/L	0.3		20		
		Matrix Spike	0902256-01	372.15	784.76	ug/L		103		75 - 125	
		Matrix Spike Duplicate	0902256-01	372.15	780.30	ug/L	1.0	102	20	75 - 125	
Total Beryllium	BSB1811	Duplicate	0902256-01	-0.021258	ND	ug/L			20		
		Matrix Spike	0902256-01	-0.021258	209.49	ug/L		105		75 - 125	
		Matrix Spike Duplicate	0902256-01	-0.021258	205.96	ug/L	1.9	103	20	75 - 125	
Total Cadmium	BSB1811	Duplicate	0902256-01	-0.11323	ND	ug/L			20		
		Matrix Spike	0902256-01	-0.11323	206.36	ug/L		103		75 - 125	
		Matrix Spike Duplicate	0902256-01	-0.11323	203.79	ug/L	1.0	102	20	75 - 125	
Total Chromium	BSB1811	Duplicate	0902256-01	4.9347	ND	ug/L			20		
		Matrix Spike	0902256-01	4.9347	209.90	ug/L		102		75 - 125	
		Matrix Spike Duplicate	0902256-01	4.9347	209.01	ug/L	0	102	20	75 - 125	
Total Cobalt	BSB1811	Duplicate	0902256-01	1.9269	ND	ug/L			20		
		Matrix Spike	0902256-01	1.9269	207.81	ug/L		103		75 - 125	
		Matrix Spike Duplicate	0902256-01	1.9269	205.77	ug/L	1.0	102	20	75 - 125	
Total Copper	BSB1811	Duplicate	0902256-01	8.9037	ND	ug/L			20		
		Matrix Spike	0902256-01	8.9037	420.25	ug/L		103		75 - 125	
		Matrix Spike Duplicate	0902256-01	8.9037	414.92	ug/L	1.0	102	20	75 - 125	
Total Lead	BSB1811	Duplicate	0902256-01	8.0621	ND	ug/L			20		
		Matrix Spike	0902256-01	8.0621	427.41	ug/L		105		75 - 125	
		Matrix Spike Duplicate	0902256-01	8.0621	417.85	ug/L	2.9	102	20	75 - 125	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Total Molybdenum	BSB1811	Duplicate	0902256-01	2.6779	ND		ug/L			20	
		Matrix Spike	0902256-01	2.6779	211.27	200.00	ug/L		104		75 - 125
		Matrix Spike Duplicate	0902256-01	2.6779	208.35	200.00	ug/L	1.0	103	20	75 - 125
Total Nickel	BSB1811	Duplicate	0902256-01	12.007	12.374		ug/L	3.0		20	
		Matrix Spike	0902256-01	12.007	433.71	400.00	ug/L		105		75 - 125
		Matrix Spike Duplicate	0902256-01	12.007	439.11	400.00	ug/L	1.9	107	20	75 - 125
Total Selenium	BSB1811	Duplicate	0902256-01	7.0727	ND		ug/L			20	
		Matrix Spike	0902256-01	7.0727	207.33	200.00	ug/L		100		75 - 125
		Matrix Spike Duplicate	0902256-01	7.0727	208.22	200.00	ug/L	1.0	101	20	75 - 125
Total Silver	BSB1811	Duplicate	0902256-01	-0.50348	ND		ug/L			20	
		Matrix Spike	0902256-01	-0.50348	101.13	100.00	ug/L		101		75 - 125
		Matrix Spike Duplicate	0902256-01	-0.50348	100.41	100.00	ug/L	1.0	100	20	75 - 125
Total Thallium	BSB1811	Duplicate	0902256-01	12.262	ND		ug/L			20	
		Matrix Spike	0902256-01	12.262	415.99	400.00	ug/L		101		75 - 125
		Matrix Spike Duplicate	0902256-01	12.262	388.62	400.00	ug/L	7.1	94.1	20	75 - 125
Total Vanadium	BSB1811	Duplicate	0902256-01	2.2980	ND		ug/L			20	
		Matrix Spike	0902256-01	2.2980	218.03	200.00	ug/L		108		75 - 125
		Matrix Spike Duplicate	0902256-01	2.2980	217.40	200.00	ug/L	0	108	20	75 - 125
Total Zinc	BSB1811	Duplicate	0902256-01	38.949	ND		ug/L			20	
		Matrix Spike	0902256-01	38.949	544.34	500.00	ug/L		101		75 - 125
		Matrix Spike Duplicate	0902256-01	38.949	540.79	500.00	ug/L	1.0	100	20	75 - 125
Mercury	BSB1827	Duplicate	0901743-01RE2	0.010000	ND		ug/L			20	
		Matrix Spike	0901743-01RE2	0.010000	1.0075	1.0000	ug/L		99.8		70 - 130
		Matrix Spike Duplicate	0901743-01RE2	0.010000	1.0375	1.0000	ug/L	3.2	103	20	70 - 130
Total Mercury	BSB1928	Duplicate	0902256-01RE1	0.0075000	ND		ug/L			20	
		Matrix Spike	0902256-01RE1	0.0075000	1.0675	1.0000	ug/L		106		70 - 130
		Matrix Spike Duplicate	0902256-01RE1	0.0075000	1.0475	1.0000	ug/L	1.9	104	20	70 - 130

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Fartan

Reported: 03/10/2009 15:27

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		
									Percent Recovery	RPD	Lab Quals
Benzene	BSB1479	BSB1479-BS1	LCS	25.500	25.000	0.50	ug/L	102	70 - 130		
Toluene	BSB1479	BSB1479-BS1	LCS	23.700	25.000	0.50	ug/L	94.8	70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BSB1479	BSB1479-BS1	LCS	10.720	10.000		ug/L	107	76 - 114		
Toluene-d8 (Surrogate)	BSB1479	BSB1479-BS1	LCS	10.710	10.000		ug/L	107	88 - 110		
4-Bromofluorobenzene (Surrogate)	BSB1479	BSB1479-BS1	LCS	10.840	10.000		ug/L	108	86 - 115		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (General Chemistry)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		
									Percent Recovery	RPD	Lab Quals
Calcium	BSB1321	BSB1321-BS1	LCS	10.267	10.000	0.10	mg/L	103	85 - 115		
Magnesium	BSB1321	BSB1321-BS1	LCS	10.436	10.000	0.050	mg/L	104	85 - 115		
Sodium	BSB1321	BSB1321-BS1	LCS	10.419	10.000	0.50	mg/L	104	85 - 115		
Potassium	BSB1321	BSB1321-BS1	LCS	10.272	10.000	1.0	mg/L	103	85 - 115		
Chloride	BSB1355	BSB1355-BS1	LCS	105.26	100.00	0.50	mg/L	105	90 - 110		
Fluoride	BSB1355	BSB1355-BS1	LCS	1.0040	1.0000	0.050	mg/L	100	90 - 110		
Nitrate as NO ₃	BSB1355	BSB1355-BS1	LCS	22.922	22.134	0.44	mg/L	104	90 - 110		
Sulfate	BSB1355	BSB1355-BS1	LCS	106.11	100.00	1.0	mg/L	106	90 - 110		
Total Dissolved Solids @ 180 C	BSB1929	BSB1929-BS1	LCS	570.00	586.00	50	mg/L	97.3	90 - 110		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		
									Percent Recovery	RPD	Lab Quals
Antimony	BSB1321	BSB1321-BS1	LCS	387.30	400.00	100	ug/L	96.8	85 - 115		
Arsenic	BSB1321	BSB1321-BS1	LCS	205.32	200.00	50	ug/L	103	85 - 115		
Barium	BSB1321	BSB1321-BS1	LCS	412.91	400.00	10	ug/L	103	85 - 115		
Beryllium	BSB1321	BSB1321-BS1	LCS	205.14	200.00	10	ug/L	103	85 - 115		
Cadmium	BSB1321	BSB1321-BS1	LCS	208.75	200.00	10	ug/L	104	85 - 115		
Chromium	BSB1321	BSB1321-BS1	LCS	205.56	200.00	10	ug/L	103	85 - 115		
Cobalt	BSB1321	BSB1321-BS1	LCS	212.78	200.00	50	ug/L	106	85 - 115		
Copper	BSB1321	BSB1321-BS1	LCS	375.97	400.00	10	ug/L	94.0	85 - 115		
Lead	BSB1321	BSB1321-BS1	LCS	425.64	400.00	50	ug/L	106	85 - 115		
Manganese	BSB1321	BSB1321-BS1	LCS	548.03	500.00	10	ug/L	110	85 - 115		
Molybdenum	BSB1321	BSB1321-BS1	LCS	209.49	200.00	50	ug/L	105	85 - 115		
Nickel	BSB1321	BSB1321-BS1	LCS	431.71	400.00	10	ug/L	108	85 - 115		
Selenium	BSB1321	BSB1321-BS1	LCS	198.19	200.00	100	ug/L	99.1	85 - 115		
Silver	BSB1321	BSB1321-BS1	LCS	101.78	100.00	10	ug/L	102	85 - 115		
Thallium	BSB1321	BSB1321-BS1	LCS	434.16	400.00	100	ug/L	109	85 - 115		
Vanadium	BSB1321	BSB1321-BS1	LCS	209.90	200.00	10	ug/L	105	85 - 115		
Zinc	BSB1321	BSB1321-BS1	LCS	556.59	500.00	10	ug/L	111	85 - 115		
Hexavalent Chromium	BSB1420	BSB1420-BS1	LCS	51.099	50.000	2.0	ug/L	102	85 - 115		
Total Antimony	BSB1811	BSB1811-BS1	LCS	371.42	400.00	100	ug/L	92.9	85 - 115		
Total Arsenic	BSB1811	BSB1811-BS1	LCS	192.14	200.00	50	ug/L	96.1	85 - 115		
Total Barium	BSB1811	BSB1811-BS1	LCS	387.87	400.00	10	ug/L	97.0	85 - 115		
Total Beryllium	BSB1811	BSB1811-BS1	LCS	196.60	200.00	10	ug/L	98.3	85 - 115		
Total Cadmium	BSB1811	BSB1811-BS1	LCS	200.57	200.00	10	ug/L	100	85 - 115		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		
									Percent Recovery	RPD	Lab Quals
Total Chromium	BSB1811	BSB1811-BS1	LCS	195.17	200.00	10	ug/L	97.6	85 - 115		
Total Cobalt	BSB1811	BSB1811-BS1	LCS	204.01	200.00	50	ug/L	102	85 - 115		
Total Copper	BSB1811	BSB1811-BS1	LCS	382.81	400.00	10	ug/L	95.7	85 - 115		
Total Lead	BSB1811	BSB1811-BS1	LCS	413.81	400.00	50	ug/L	103	85 - 115		
Total Molybdenum	BSB1811	BSB1811-BS1	LCS	196.34	200.00	50	ug/L	98.2	85 - 115		
Total Nickel	BSB1811	BSB1811-BS1	LCS	421.44	400.00	10	ug/L	105	85 - 115		
Total Selenium	BSB1811	BSB1811-BS1	LCS	203.22	200.00	100	ug/L	102	85 - 115		
Total Silver	BSB1811	BSB1811-BS1	LCS	96.354	100.00	10	ug/L	96.4	85 - 115		
Total Thallium	BSB1811	BSB1811-BS1	LCS	420.81	400.00	100	ug/L	105	85 - 115		
Total Vanadium	BSB1811	BSB1811-BS1	LCS	203.02	200.00	10	ug/L	102	85 - 115		
Total Zinc	BSB1811	BSB1811-BS1	LCS	522.21	500.00	50	ug/L	104	85 - 115		
Mercury	BSB1827	BSB1827-BS1	LCS	0.99260	1.0000	0.20	ug/L	99.2	85 - 115		
Total Mercury	BSB1928	BSB1928-BS1	LCS	0.98500	1.0000	0.20	ug/L	98.5	85 - 115		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
Ethylbenzene	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
Toluene	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
Total Xylenes	BSB1479	BSB1479-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BSB1479	BSB1479-BLK1	ND	ug/L	10		
Diisopropyl ether	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
Ethanol	BSB1479	BSB1479-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BSB1479	BSB1479-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BSB1479	BSB1479-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BSB1479	BSB1479-BLK1	108	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BSB1479	BSB1479-BLK1	107	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BSB1479	BSB1479-BLK1	107	%	86 - 115 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Fartan

Reported: 03/10/2009 15:27

Water Analysis (General Chemistry)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Calcium	BSB1321	BSB1321-BLK1	ND	mg/L	0.10		
Magnesium	BSB1321	BSB1321-BLK1	ND	mg/L	0.050		
Sodium	BSB1321	BSB1321-BLK1	ND	mg/L	0.50		
Potassium	BSB1321	BSB1321-BLK1	ND	mg/L	1.0		
Chloride	BSB1355	BSB1355-BLK1	ND	mg/L	0.50		
Fluoride	BSB1355	BSB1355-BLK1	ND	mg/L	0.050		
Nitrate as NO ₃	BSB1355	BSB1355-BLK1	ND	mg/L	0.44		
Sulfate	BSB1355	BSB1355-BLK1	ND	mg/L	1.0		
Total Dissolved Solids @ 180 C	BSB1929	BSB1929-BLK1	ND	mg/L	6.7		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Fartan

Reported: 03/10/2009 15:27

Water Analysis (Metals)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Antimony	BSB1321	BSB1321-BLK1	ND	ug/L	100		
Arsenic	BSB1321	BSB1321-BLK1	ND	ug/L	50		
Barium	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Beryllium	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Cadmium	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Chromium	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Cobalt	BSB1321	BSB1321-BLK1	ND	ug/L	50		
Copper	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Lead	BSB1321	BSB1321-BLK1	ND	ug/L	50		
Manganese	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Molybdenum	BSB1321	BSB1321-BLK1	ND	ug/L	50		
Nickel	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Selenium	BSB1321	BSB1321-BLK1	ND	ug/L	100		
Silver	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Thallium	BSB1321	BSB1321-BLK1	ND	ug/L	100		
Vanadium	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Zinc	BSB1321	BSB1321-BLK1	ND	ug/L	10		
Hexavalent Chromium	BSB1420	BSB1420-BLK1	ND	ug/L	2.0		
Total Antimony	BSB1811	BSB1811-BLK1	ND	ug/L	100		
Total Arsenic	BSB1811	BSB1811-BLK1	ND	ug/L	50		
Total Barium	BSB1811	BSB1811-BLK1	ND	ug/L	10		
Total Beryllium	BSB1811	BSB1811-BLK1	ND	ug/L	10		
Total Cadmium	BSB1811	BSB1811-BLK1	ND	ug/L	10		
Total Chromium	BSB1811	BSB1811-BLK1	ND	ug/L	10		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1188; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27


Water Analysis (Metals)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Total Cobalt	BSB1811	BSB1811-BLK1	ND	ug/L	50		
Total Copper	BSB1811	BSB1811-BLK1	ND	ug/L	10		
Total Lead	BSB1811	BSB1811-BLK1	ND	ug/L	50		
Total Molybdenum	BSB1811	BSB1811-BLK1	ND	ug/L	50		
Total Nickel	BSB1811	BSB1811-BLK1	ND	ug/L	10		
Total Selenium	BSB1811	BSB1811-BLK1	ND	ug/L	100		
Total Silver	BSB1811	BSB1811-BLK1	ND	ug/L	10		
Total Thallium	BSB1811	BSB1811-BLK1	ND	ug/L	100		
Total Vanadium	BSB1811	BSB1811-BLK1	ND	ug/L	10		
Total Zinc	BSB1811	BSB1811-BLK1	ND	ug/L	50		
Mercury	BSB1827	BSB1827-BLK1	ND	ug/L	0.20		
Total Mercury	BSB1928	BSB1928-BLK1	ND	ug/L	0.20		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



BC Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 4186
Project Number: 4511030521
Project Manager: Anju Farfan

Reported: 03/10/2009 15:27

Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A02	The difference between duplicate readings is less than the PQL.
A03	The sample concentration is more than 4 times the spike level.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC LABORATORIES INC.

SAMPLE RECEIPT FORM

Rev. No. 12 06/24/08 Page Of

Submission #: 0902256

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER

Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals Ice Chest Containers None Comments:
 Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Emissivity: 0.98 Container: Open Thermometer ID: TW113	Date/Time 01-18-09
	Temperature: A 1.9 °C / C 1.9 °C	Analyst Init JNW

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/GENERAL PHYSICAL	C	C	C	C						
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS	B	B	B	B						
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PtA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A13	A13	A13	A13	(1)	(1)	(1)	(1)	(1)	(1)
OT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL-504										
QT EPA 508/603/8080										
OT EPA 515.1/8150										
OT EPA 525										
OT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
OT EPA 548										
OT EPA 549										
OT EPA 632										
OT EPA 8015M										
OT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments:

Sample Numbering Completed By: ALW Date/Time: 01-18-09

A = Actual / C = Corrected

[H:\DOCS\WP80\LAB_DOCS\FORMS\SAMREC2.WPD]

2150

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
 (661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015	8260 full list w/ oxygenates	BTEX/MTBE/OXYS BY 8260B	ETHANOL by 8260B	TPH -G by GC/MS/EDD/ECD by 8260B	X Hexavalent Chromium TDS, Dissolved Cadmium, 17 metals, Dissolved metals (Ca, Mg, K, Na), Chloride, Sulfate, Nitrate, Fluoride	Total Grams 17 metals	Turnaround Time Requested												
Address: 1771 First St		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan																								
City: Livermore		4-digit site#: 4186 Workorder # 01237-4511030521																								
State: CA	Zip:	Project #: 165521																								
Conoco Phillips Mgr: Terry Grayson		Sampler Name: Rick H																								
Lab#	Sample Description	Field Point Name			Date & Time Sampled																					
V-12				02/18/09 0750	GW																					
V-15				08/18																						
V-13				0847																						
V-14				0920																						
		<table border="1"> <tr> <td>CHK BY</td> <td colspan="2">DISTRIBUTION</td> </tr> <tr> <td>JKW</td> <td>CD</td> <td>Jun MM</td> </tr> <tr> <td colspan="3">SUB-OUT <input type="checkbox"/></td> </tr> </table>		CHK BY	DISTRIBUTION		JKW	CD	Jun MM	SUB-OUT <input type="checkbox"/>			<table border="1"> <tr> <td>TEST ITEM</td> <td>COLLECT TIME</td> </tr> <tr> <td>Cr⁺⁶</td> <td>NO_x OP SS</td> </tr> <tr> <td>DO</td> <td>Cl₂ BOD MBAS GOT</td> </tr> </table>		TEST ITEM	COLLECT TIME	Cr ⁺⁶	NO _x OP SS	DO	Cl ₂ BOD MBAS GOT						
CHK BY	DISTRIBUTION																									
JKW	CD	Jun MM																								
SUB-OUT <input type="checkbox"/>																										
TEST ITEM	COLLECT TIME																									
Cr ⁺⁶	NO _x OP SS																									
DO	Cl ₂ BOD MBAS GOT																									
Comments:		Relinquished by: (Signature)				Received by: <i>Rick Kirby</i>		Date & Time 02/18/09 1500																		
GLOBAL ID: T0600101777		Relinquished by: (Signature) <i>Rick Kirby 2/18/09</i>				Received by: <i>R. Raymond</i>		Date & Time 2-18-09 1810																		
		Relinquished by: (Signature) <i>R. Raymond 2-18-09 2110</i>				Received by: <i>J. P. MMA</i>		Date & Time 2-18-09 2110																		

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring wells was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water containing a significant amount of liquid-phase hydrocarbons was accumulated separately in drums for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.