2003,09-25 11:38 510 337 9335 ALAMEDA CO EHS HAZ-OPS

COM No.	REMOTE STATION	START TIME	DURATION	PAGES	RESULT	USER ID	REMARKS
124	7075757090	09-26 11:36	02' 40	05/05	OK		

7499402046

Roysi

### LOWNEYASSOCIATES

Environmental/Geotechnical/Engineering Services

To: Don Hwang	From: Peter Langtry	
Firm: Alameda County Health	Fax:	Date: September 26, 2003 Pages: 5
Cc:	Fax:	Project:
Cc:	Fax:	Project #:

Don.

Yesterday afternoon we met with Amir Gholami at 2901 Glascock Street in Oakland. He requested that I forward this fax to you, which was sent to Amir on Monday. We have requested a letter from the county stating that the model building pad at the site is acceptable for residential development. Amir has approved soil beneath the pad and requested this additional information regarding ground water.

In addition to the attached information, Amir requested additional documentation regarding the location of monitoring well MW-4 in relation to the former UST shown on the attached site map. The historical range of ground water flow directions are shown on the attached site map. The following quarterly monitoring reports showed the ground water flow to the southwest, resulting in MW-4 being down-gradient of the former UST:

Pacific Environmental Group - 2/97; 12/99 IT Group - 5/00; 2/01; 5/01; 9/01

Very truly yours,

Lowney Associates Peter Landtry, C.E.G. MOUNTAIN VIEW
405 Clyde Avenue
CA 94043
T: 650.967.2365
F: 650.967.2785

FAIRFIELD
2850 Cordella Road
5uite 140
CA 94534
T: 707.423.2523
F: 707.428.1725

○ OAKLAND
 167 Filbert Street
 CA 94607
 T: 510.267.1970
 F: 510.267.1972

SAN RAMON
2258 Carmino Ramon
CA 94583
T: 925.275.2550
F: 925.275.2555

# LOVNEYASSOCIATES Environmental/Geotechnical/Engineering Services

To: Don Hwang			From: Peter Langtry		
Firm: Alameda County Health	Fax:		Date: September 26, 2003	Pages: 5	
Cc:	Fax:		Project:		
Cc:	Fax:		Project #:		
☐ Urgent ☒ For review ☐ Reply ASA	e indicated office below if you received to	this fax in error.			
Don,  Yesterday afternoon we met with Amir Gholami at 2901 Glascock Street in Oakland. He requested that I forward this fax to you, which was sent to Amir on Monday. We have requested a letter from the county stating that the model building pad at the site is acceptable for residential development. Amir has approved soil beneath the pad and requested this additional information regarding ground water.  In addition to the attached information, Amir requested additional documentation regarding the location of monitoring well MW-4 in relation to the former UST shown on the attached site map. The historical range of ground water flow directions are shown on the attached site map. The following quarterly monitoring reports showed the ground water flow to the southwest, resulting in MW-4 being down-gradient of the former UST:  Pacific Environmental Group - 2/97; 12/99 IT Group - 5/00; 2/01; 5/01; 9/01  Very truly yours,					
Lowney Associates Peter Langtry, C.E.G. Principal Environmental Geologist plangtry@lowney.com				CA 94583 T: 925.275.2550 F: 925.275.2555  FULLERTON 251 E. Imperial Hwy Suite 470 CA 92835 T: 714.441.3090 F: 714.441.3091	

## **LOVNEY**ASSOCIATES Environmental/Geotechnical/Engineering Services

To: Mr. Amir Gholami		From: Peter Langtry			
Firm: Alameda County Health Agency	Fax: 510-337-9335		Date: September 21, 2003	Pages:	
Cc: Signature Properties Ms. Mary Grace Houlihan	Fax: 925-463-0832		Project: 2901 Glascock Street		
Cc: Regional Water Quality Control Board Ms. Betty Graham	Fax: 510-622-2460		Project #:		
☐ Urgent ☒ For review ☐ Reply ASAP ☐ Please comment			Please call the indicated office below if you received this fax in error.		

#### Dear Amir,

During our meeting at 2901 Glascock Street on September 17, 2003 you indicated that Alameda County Helath Agency staff were concerned with the 17,000 parts per billion (ppb) total petroleum hydrocarbons as diesel (TPHd) detected in a ground water grab sample collected from boring SB-1 in 1995. Boring SB-1 was located in the southwest corner of the model building pad. The boring log from boring SB-1 is attached. No free product was reported on the boring log, which was logged continuously. Laboratory analyses of a soil sample collected from a depth of approximately 9 feet from this boring detected 500 parts per million (ppm) TPHd. The ground water grab sample was collected from the hollow-stem auger boring using a bailer. In our opinion, the diesel detected in the ground water was likely elevated as a result of the sampling method, which typically results in turbid and silty ground water samples. In addition, as documented by quarterly ground water monitoring, concentrations of petroleum hydrocarbons have decreased significantly since 1995.

Two ground water grab samples (GB-3 and GB-4) were collected approximately 40 feet down-gradient of the model building pad on September 12, 2003. No product was encountered in soil or ground water samples. Laboratory analyses of the GB-3 and GB-4 ground water grab samples detected 70 ppb and 1,400 ppb TPHd, respectively. No TPHg was detected in sample GB-4, while 70 ppb TPHg was detected in sample GB-3. In addition, no benzene, toluene, ethylbenzene, or xylenes were detected in either sample. The petroleum concentrations detected do not exceed the residential occupancy objectives approved by the CRWQCB for this project. The diesel detected in the GB-4 sample exceeds the ecologic cleanup goal. However, laboratory analyses of four ground water grab samples collected down-gradient of GB-4 and within the ecological buffer did not detect petroleum hydrocarbons above the ecologic cleanup goals. The approximate locations of samples GB-3 and GB-4 are shown on the attached site plan. The complete results will be presented in the upcoming soil removal completion and soil/ground water sampling report.

You additionally noted during our meeting that former monitoring well MW-4 may not have been located directly down-gradient of the former 4,000-gallon fuel UST. Ground water flow directions reported during quarterly monitoring since 1994 have fluctuated from south to southwest. Based on the ground water flow directions and the distance from the former UST excavation (less than 10 feet), monitoring well MW-4 was appropriately located to evaluate ground water quality at the former UST location.

MOUNTAIN VIEW
405 Clyde Avenue
CA 94043
T: 650.967.2365
F: 650.967.2785

FAIRFIELD
2850 Cordelia Road
Suite 140
CA 94534
T: 707.423.2523
F: 707.428.1725

OAKLAND
167 Filbert Street
CA 94607
T: 510.267.1970
F: 510.267.1972

SAN RAMON
2258 Camino Ramon
CA 94583
T: 925.275.2550
F: 925.275.2555

FULLERTON
251 E. Imperial Hwy
Suite 470
CA 92835
T: 714.441.3090
F: 714.441.3091

## **LOWNEY**ASSOCIATES

Environmental/Geotechnical/Engineering Services


Petroleum hydrocarbons generally have been non-detect in the MW-4 ground water ground water samples.

As noted in our September 5, 2003 letter, no petroleum hydrocarbons were detected in soil samples collected in your presence from the base of the deep (9 foot deep) exploratory pit excavated in the model building pad. The pit extended into the top of the capillary fringe; no product or petroleum odors were observed on water that seeped into the base of the pit.

Please call me if you have any questions.

Very truly yours,

Lowney Associates
Peter Langtry, C.E.G.
Principal Environmental Geologist
plangtry@lowney.com




- Approximate location of soil test pit
- Approximate location of soil sample (1995)
- 🕱 Approximate location of destroyed ground water monitoring well
- TPHD, 0 to 7 feet, ND to 100 ppm
- TPHD, 0 to 7 feet, >101 to 500 ppm

#### TPHD DETECTED IN SOIL, 7 TO 10 FEET

2901 GLASCOCK STREET Oakland, California

LOVNEYASSOCIATES
Environmental/Geotechnical/Engineering Services

FIGURE 1 1731-2G



DATE COMPLETED W.A. CRAIG, INC

INDUSTRIAL AND ENVIRONMENTAL CONTRACTO

TOTAL DEPTH OF HOLE 15 feet TOP OF CASING ELEVATION 11 feet MSL

Log of Boring SB-1

JOB NUMBER 3406



3/29/95

2901 Glascock Street Oakland, California DATE

REVISED DATE

6/95