

Chevron Environmental
Management Company
6001 Bollinger Canyon Rd, K2236
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-9559
Fax 925-842-8370

Dana Thurman
Project Manager

R0439 JW G

ChevronTexaco

November 7, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-0917

Address: 5280 Hopyard Road, Pleasanton, California

I have reviewed the attached routine groundwater monitoring report dated October 21, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Dana Thurman
Project Manager

Enclosure: Report

Alameda County
NOV 9 2005
Environmental Health



GETTLER-RYAN INC.

TRANSMITTAL

October 21, 2005

G-R #385242

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Suite 12
Rocklin, California 95677

RE: **Chevron Service Station**
#9-0917
5280 Hopyard Road
Pleasanton, California
MTI: 61H-1959

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

Alameda County
NOV - 9 2005

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	October 19, 2005	Groundwater Monitoring and Sampling Report Third Quarter - Event of September 14, 2005.

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Mr. Dana Thurman, ChevronTexaco Company, P.O. Box 6012, Room K2236, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **November 4, 2005**, at which time the final report will be distributed to the following:

- cc: Mr. Dan Christopoulos, Christopoulos Properties, 43 Panoramic Way, Walnut Creek, CA 94595-1605
- Lamorinda Development and Investment, 89 Davis Road, Suite 160, Orinda, CA 94563
- Mr. Bill Hurtido, Accor North America, 4001 International Parkway, Carrollton, TX 75007
- Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577

Enclosures

trans/9-0917-DT



GETTLER-RYAN INC.

October 19, 2005
G-R Job #385242

Mr. Dana Thurman
ChevronTexaco Company
P.O. Box 6012, Room K2236
San Ramon, CA 94583

RE: Third Quarter Event of September 14, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

Dear Mr. Thurman:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


- FOR -

Deanna L. Harding
Project Coordinator

Robert A. Lauritzen
Senior Geologist, P.G. No. 7504



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Table 3: Dissolved Oxygen Concentrations
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0917
 5280 Hopyard Road
 Pleasanton, California

FIGURE

1

PROJECT NUMBER
 385242

REVIEWED BY

DATE
 September 14, 2005

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4									
09/16/91	327.28	317.69	9.59	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/92	327.28	317.79	9.49	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/92	327.28	318.39	8.89	<50	<0.5	<0.5	<0.5	<0.5	--
06/05/92	327.28	318.06	9.22	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/92	327.28	317.93	9.35	<50	<0.5	<0.5	<0.5	<0.5	--
12/30/92	327.28	319.00	8.28	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/93	327.28	319.03	8.25	<50	<0.5	<0.5	<0.5	<0.5	--
06/14/93	327.28	318.12	9.16	--	--	--	--	--	--
07/25/93	327.28	318.18	9.10	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	327.28	318.58	8.70	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	327.28	317.38	9.90	<50	<0.5	<0.5	<0.5	0.5	--
03/21/94	327.28	318.03	9.25	<50	1.0	2.0	0.5	1.9	--
06/07/94	327.28	318.23	9.05	<50	<0.5	<0.5	<0.5	<0.5	--
10/07/94	327.28	318.31	8.97	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/94	327.28	318.06	9.22	<50	<0.5	1.1	0.8	2.7	--
03/06/95	327.28	318.26	9.02	<50	<0.5	<0.5	<0.5	<0.5	--
06/14/95	327.28	318.47	8.81	170	<0.5	<0.5	<0.5	<0.5	--
09/14/95	327.28	318.00	9.28	<50	1.0	<0.5	1.6	<0.5	--
12/16/95	327.28	319.42	7.86	<50	<0.5	<0.5	<0.5	<0.5	150
03/28/96	327.28	318.94	8.34	<50	<0.5	<0.5	<0.5	<0.5	53
06/28/96	327.28	318.79	8.49	70	<0.5	<0.5	<0.5	<0.5	92
09/26/96	327.28	318.84	8.44	--	--	--	--	--	--
12/30/96	327.28	319.10	8.18	<50	<0.5	<0.5	<0.5	<0.5	100
03/13/97	327.28	318.43	8.85	--	--	--	--	--	--
06/30/97	327.28	318.79	8.49	260	<0.5	<0.5	<0.5	<0.5	330
09/30/97	326.93	318.32	8.61	--	--	--	--	--	--
12/31/97	326.93	318.40	8.53	<50	<0.5	<0.5	<0.5	<0.5	170
04/02/98	326.93	317.98	8.95	--	--	--	--	--	--
06/29/98	326.93	318.21	8.72	<50	<0.5	<0.5	<0.5	<0.5	150
09/16/98	326.93	317.59	9.34	--	--	--	--	--	--
12/23/98	326.93	318.18	8.75	<50	<0.5	<0.5	<0.5	<0.5	210
03/26/99	326.93	317.79	9.14	<100	<1.0	<1.0	<1.0	<1.0	303
06/25/99	326.93	317.72	9.21	<50	<0.5	<0.5	<0.5	<0.5	228/237 ¹
09/16/99	326.93	317.01	9.92	--	--	--	--	--	--
12/15/99	326.93	318.32	8.61	<50	<0.5	<0.5	<0.5	<0.5	310
03/07/00	326.93	318.59	8.34	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)									
06/19/00	326.93	318.84	8.09	<50	<0.50	<0.50	<0.50	<0.50	370
09/18/00	326.93	318.21	8.72	<50.0	<0.500	<0.500	<0.500	<0.500	326
12/01/00	326.93	318.03	8.90	<50.0	<0.500	<0.500	<0.500	<0.500	478
03/13/01	326.93	318.96	7.97	<50.0	<0.500	<0.500	<0.500	<0.500	9.53
06/01/01	326.93	318.62	8.31	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	326.94	318.49	8.45	<50	<0.50	<0.50	<0.50	<1.5	400
12/05/01	326.94	319.44	7.50	<50	<0.50	<0.50	<0.50	<1.5	350
03/26/02	326.94	318.96	7.98	<50	<0.50	<0.50	<0.50	<1.5	340
06/14/02	326.94	319.10	7.84	<50	<0.50	<0.50	<0.50	<1.5	290
09/20/02	326.94	319.66	7.28	<50	<0.50	<0.50	<0.50	<1.5	420
12/12/02	326.94	320.18	6.76	<50	<0.50	<0.50	<0.50	<1.5	43/42 ⁷
03/07/03	326.94	320.78	6.16	<50	<0.50	<0.50	<0.50	<1.5	550/430 ⁷
06/06/03 ⁹	326.94	321.33	5.61	<50	<0.5	<0.5	<0.5	<0.5	3
09/05/03 ⁹	326.94	319.29	7.65	<50	<0.5	<0.5	<0.5	<0.5	11
12/15/03 ⁹	326.94	319.63	7.31	<50	<0.5	<0.5	<0.5	<0.5	5
03/15/04 ⁹	326.94	319.02	7.92	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	326.94	318.69	8.25	<50	<0.5	<0.5	<0.5	<0.5	17
09/02/04 ⁹	326.94	319.55	7.39	<50	<0.5	<0.5	<0.5	<0.5	0.5
11/30/04 ⁹	326.94	319.66	7.28	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	326.94	321.03	5.91	<50	<0.5	<0.5	<0.5	<0.5	0.7
06/29/05 ⁹	326.94	321.67	5.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	326.94	321.24	5.70	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5									
09/16/91	327.82	317.76	10.06	12,000	4,000	29	1,600	92	--
01/22/92	327.82	317.24	10.58	44,000	2,000	320	5,700	2,400	--
03/26/92	327.82	318.64	9.18	39,000	3,200	210	5,700	2,400	--
06/05/92	327.82	317.92	9.90	28,000	3,800	140	4,000	2,000	--
09/23/92	327.82	317.85	9.97	40,000	2,000	290	2,900	1,800	--
12/30/92	327.82	319.02	8.80	44,000	9,000	190	3,100	1,600	--
03/22/93	327.82	318.49	9.33	43,000	6,500	170	2,400	2,400	--
06/14/93	327.82	318.04	9.78	--	--	--	--	--	--
07/25/93	327.82	318.10	9.72	43,000	550	45	2,700	1,100	--
09/23/93	327.82	318.40	9.42	44,000	14,000	640	3,700	1,800	--
12/28/93	327.82	318.15	9.67	56,000	12,000	590	4,100	1,600	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)									
03/21/94	327.82	318.11	9.71	48,000	12,000	600	4,700	1,600	--
06/07/94	327.82	318.10	9.72	42,000	13,000	480	3,700	1,200	--
10/07/94	327.82	318.27	9.55	15,000	1,100	41	950	34	--
12/29/94	327.82	317.90	9.92	45,000	12,000	460	3,600	1,400	--
03/06/95	327.82	318.50	9.32	40,000	9,700	210	3,500	700	--
06/14/95	327.82	318.41	9.41	42,000	8,000	170	3,700	640	--
09/14/95	327.82	317.30	10.52	26,000	4,100	85	2,000	270	--
12/16/95	327.82	319.48	8.34	35,000	7,300	<0.5	2,900	420	<500
03/28/96	327.82	318.09	9.73	30,000	5,200	160	3,500	600	<250
06/28/96	327.82	318.37	9.45	26,000	4,300	60	2,100	200	680
09/26/96	327.82	317.95	9.87	15,000	2,700	59	1,300	140	400
12/30/96	327.82	318.82	9.00	34,000	4,600	120	2,800	660	310
03/13/97	327.82	318.33	9.49	13,000	1,900	34	1,300	220	76
06/30/97	327.82	318.19	9.63	11,000	1,800	19	84	94	160
10/01/97	327.82	318.08	9.74	27,000	4,700	120	3,700	330	310
12/31/97	327.82	318.34	9.48	34,000	8,000	130	3,400	3,900	<500
04/02/98	327.82	317.44	10.38	27,000	4,600	65	3,400	270	270
06/29/98	327.82	317.79	10.03	16,000	3,000	<50	1,800	220	290
09/16/98	327.82	318.84	8.98	9,700	2,700	52	1,400	210	<250
12/23/98	327.82	318.00	9.82	5,100	1,600	18	570	39	130
03/26/99 ²	327.82	318.26	9.56	25,800	4,410	58.4	2,550	57.2	137
06/25/99	327.82	INACCESSIBLE	--	--	--	--	--	--	--
09/16/99	327.82	317.51	10.31	8,850	1,310	20.3	802	120	155
12/15/99	327.82	317.52	10.30	10,000	2,800	33	1,600	160	250
03/07/00	327.82	318.29	9.53	18,700	3,830	95.6	1,900	305	309
06/19/00 ³	327.82	318.90	8.92	1,000 ⁴	290	3.4	<1.0	14	52
09/18/00 ^{3,6}	327.82	318.18	9.64	924 ⁵	205	<5.00	<5.00	<5.00	83.1
12/01/00 ³	327.82	318.05	9.77	<50.0	0.878	<0.500	<0.500	<0.500	<5.00
03/13/01 ³	327.82	318.67	9.15	333	55.0	0.803	21.8	1.44	2.07
06/01/01 ³	327.82	317.71	10.11	130 ⁴	36	<0.50	<0.50	<0.50	7.8/<2.0 ⁷
09/07/01 ⁸	327.82	318.43	9.39	2,600	330	<10	200	12	14
12/05/01	327.82	319.57	8.25	25,000	730	36	2,900	650	<25
03/26/02	327.82	319.44	8.38	25,000	1,500	31	2,100	400	<100
06/14/02	327.82	320.18	7.64	27,000	900	52	2,400	320	<50
09/20/02	327.82	320.45	7.37	26,000	450	50	2,400	1,100	<100
12/12/02	327.82	320.33	7.49	23,000	260	32	1,900	1,100	<50/<2 ⁷

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)
MW-5 (cont)									
03/07/03	327.82	320.38	7.44	21,000	270	39	2,000	1,100	<25/<1 ⁷
06/06/03 ⁹	327.82	321.10	6.72	1,700	22	3	190	140	<0.5
09/05/03 ⁹	327.82	318.90	8.92	20,000	170	23	1,200	1,100	<2
12/15/03 ⁹	327.82	319.47	8.35	22,000	240	23	1,300	970	<1
03/15/04 ⁹	327.82	318.80	9.02	17,000	150	20	1,400	790	<1
06/14/04 ⁹	327.82	319.45	8.37	15,000	100	12	1,300	730	<1
09/02/04 ⁹	327.82	319.92	7.90	12,000	81	12	960	600	<3
11/30/04 ⁹	327.82	319.62	8.20	13,000	54	8	750	280	<1
03/11/05 ⁹	327.82	320.41	7.41	11,000	50	5	810	120	<1
06/29/05 ⁹	327.82	320.07	7.75	10,000	58	5	600	75	<0.5
09/14/05 ⁹	327.82	320.26	7.56	11,000	49	4	660	49	<0.5
MW-6									
09/16/91	328.48	317.87	10.61	6,200	1,300	3.9	550	78	--
01/22/92	328.48	318.18	10.30	18,000	2,800	48	2,000	440	--
03/26/92	328.48	318.98	9.50	21,000	3,300	17	2,100	300	--
06/05/92	328.48	318.14	10.34	14,000	2,800	9.2	1,800	270	--
09/23/92	328.48	317.92	10.56	19,000	1,000	40	1,200	230	--
12/30/92	328.48	318.71	9.75	15,000	1,100	<5.0	1,000	77	--
03/22/93	328.48	319.21	9.27	15,000	1,300	10	770	220	--
06/14/93	328.48	318.33	10.15	--	--	--	--	--	--
07/25/93	328.48	318.23	10.25	6,400	630	<2.5	440	6.0	--
09/23/93	328.48	318.31	10.17	9,500	1,000	23	690	110	--
12/28/93	328.48	317.96	10.52	11,000	890	31	730	48	--
03/21/94	328.48	318.20	10.28	5,700	380	10	270	22	--
06/07/94	328.48	318.20	10.28	5,300	600	4.4	370	26	--
10/07/94	328.48	318.06	10.42	2,600	270	<5.0	110	<5.0	--
12/29/94	328.48	318.23	10.25	4,500	560	6.2	360	<5.0	--
03/06/95	328.48	319.12	9.36	4,100	480	15	290	20	--
06/14/95	328.48	318.37	10.11	2,800	180	6.9	110	6.6	--
09/14/95	328.48	318.21	10.27	3,100	370	<0.5	250	<0.5	--
12/16/95	328.48	319.21	9.27	1,900	210	<0.5	76	<0.5	<13
03/28/96	328.48	319.13	9.35	1,000	120	<0.5	64	<0.5	<5.0
06/28/96	328.48	318.70	9.78	950	110	0.8	44	<0.5	22
09/26/96	328.48	319.02	9.46	1,100	120	1.6	48	<0.5	17

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)									
12/30/96	328.48	319.45	9.03	3,200	260	2.3	120	<0.5	23
03/13/97	328.48	318.76	9.72	2,000	250	<0.5	110	<0.5	<5.0
06/30/97	328.48	318.81	9.67	470	<0.5	1.2	<0.5	<0.5	<5.0
10/01/97	327.82	318.53	9.29	1,500	120	3.4	27	<0.5	20
12/31/97	327.82	317.61	10.21	1,500	79	<2.5	28	<2.5	<12
04/02/98	327.82	318.86	8.96	760	48	2.3	9.9	<1.0	15
06/29/98	327.82	318.45	9.37	340	29	<2.5	7.1	<2.5	18
09/16/98	327.82	318.60	9.22	340	18	1.4	5.6	<1.0	18
12/23/98	327.82	317.51	10.31	390	5.4	1.2	0.58	1.2	15
03/26/99 ²	327.82	317.91	9.91	1,310	132	18.5	38.5	1.88	19.1
06/25/99	327.82	317.50	10.32	856	37.4	5.2	10.7	<0.5	<2.0/<5.0 ¹
09/16/99	327.82	317.28	10.54	<50	1.19	<0.5	<0.5	<0.5	<5.0
12/15/99	327.82	319.33	8.49	1,400	110	<5.0	35	<5.0	37
03/07/00	327.82	318.60	9.22	1,200	97.9	2.16	44.8	<1.25	26
06/19/00 ³	327.82	318.42	9.40	160 ¹	1.4	0.73	5.4	2.4	7.9
09/18/00 ^{3,6}	327.82	317.74	10.08	234 ⁵	<0.500	1.72	<0.500	<0.500	<5.00
12/01/00 ³	327.82	317.56	10.26	79.5 ⁵	1.74	<0.500	<0.500	<0.500	<5.00
03/13/01 ³	327.82	318.53	9.29	180	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01 ³	327.82	317.24	10.58	280 ⁴	4.1	0.62	<0.50	<0.50	25/<2.0 ⁷
09/07/01 ⁸	327.83	317.92	9.91	1,200	70	<0.50	42	1.9	<2.5
12/05/01	327.83	319.02	8.81	1,600	45	<2.0	26	<1.5	<2.5
03/26/02	327.83	318.90	8.93	590	6.0	<0.50	<0.50	<1.5	<2.5
06/14/02	327.83	318.97	8.86	740	15	<0.50	<0.50	<1.5	<2.5
09/20/02	327.83	319.83	8.00	770	9.8	1.9	0.71	<1.5	<2.5
12/12/02	327.83	319.83	8.00	780	5.7	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	327.83	320.05	7.78	1,100	130	<0.50	19	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	327.83	320.79	7.04	61	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	327.83	318.79	9.04	390	<0.5	<0.5	<0.5	<0.5	0.9
12/15/03 ⁹	327.83	319.24	8.59	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	327.83	318.92	8.91	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	327.83	318.62	9.21	700	<0.5	<0.5	<0.5	<0.5	19
09/02/04 ⁹	327.83	319.14	8.69	610	<0.5	<0.5	<0.5	<0.5	15
11/30/04 ⁹	327.83	319.28	8.55	290	0.9	<0.5	<0.5	<0.5	14
03/11/05 ⁹	327.83	320.57	7.26	720	<0.5	<0.5	<0.5	<0.5	56
06/29/05 ⁹	327.83	320.72	7.11	370	<0.5	<0.5	<0.5	<0.5	22
09/14/05 ⁹	327.83	320.51	7.32	310	<0.5	<0.5	<0.5	<0.5	8

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-7									
06/17/97	326.37	318.32	8.05	ND	ND	ND	ND	ND	ND
09/30/97	326.37	318.78	7.59	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	326.37	318.49	7.88	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	326.37	319.06	7.31	<50	2.6	<0.5	<0.5	<0.5	<2.5
06/29/98	326.37	318.39	7.98	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	326.37	318.55	7.82	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	326.37	318.37	8.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	326.37	318.43	7.94	<50	<0.5	<0.5	<0.5	<0.5	<2.0
06/25/99	326.37	318.65	7.72	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	326.37	317.61	8.76	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	326.37	318.42	7.95	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	326.37	319.38	6.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	326.37	318.64	7.73	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00 ⁶	326.37	318.21	8.16	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	326.37	317.06	9.31	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	326.37	318.65	7.72	<50.0	<0.500	<0.500	<0.500	<0.500	1.10
06/01/01	326.37	318.40	7.97	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	326.37	318.61	7.76	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	326.37	318.99	7.38	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	326.37	318.96	7.41	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	326.37	318.85	7.52	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	326.37	319.65	6.72	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	326.37	319.18	7.19	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	326.37	319.48	6.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	326.37	319.62	6.75	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	326.37	318.75	7.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	326.37	319.16	7.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	326.37	318.48	7.89	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	326.37	318.56	7.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	326.37	318.59	7.78	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	326.37	318.67	7.70	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	326.37	320.14	6.23	<50	<0.5	<0.5	<0.5	<0.5	0.7
06/29/05 ⁹	326.37	319.84	6.53	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	326.37	319.69	6.68	<50	<0.5	<0.5	<0.5	<0.5	11

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (<i>µ</i> L)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)
MW-8									
06/17/97	325.89	318.15	7.74	ND	ND	ND	ND	ND	ND
09/30/97	325.89	318.16	7.73	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	325.89	318.27	7.62	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	325.89	318.48	7.41	<50	<0.5	1.3	0.67	3.5	<2.5
06/29/98	325.89	317.98	7.91	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	325.89	318.42	7.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	325.89	318.28	7.61	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	325.89	316.81	9.08	<50	<0.5	<0.5	<0.5	<0.5	5.01
06/25/99	325.89	315.94	9.95	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	325.89	316.00	9.89	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	325.89	317.14	8.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	325.89	317.11	8.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	325.89	318.34	7.55	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00	325.89	317.64	8.25	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	325.89	317.45	8.44	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	325.89	318.32	7.57	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01	325.89	317.97	7.92	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	325.89	318.11	7.78	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	325.89	318.57	7.32	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	325.89	318.18	7.71	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	325.89	318.24	7.65	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	325.89	318.53	7.36	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	325.89	319.00	6.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	325.89	318.94	6.95	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	325.89	319.09	6.80	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	325.89	317.24	8.65	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	325.89	317.62	8.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	325.89	318.64	7.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	325.89	318.03	7.86	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	325.89	318.05	7.84	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	325.89	318.16	7.73	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	325.89	319.46	6.43	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	325.89	317.50	8.39	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	325.89	318.58	7.31	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (<i>µ</i> C)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)
MW-9									
06/20/97	325.73	317.88	7.85	ND	ND	ND	ND	ND	ND
10/01/97	325.73	318.10	7.63	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	325.73	318.53	7.20	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	325.73	318.52	7.21	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/98	325.73	315.31	10.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	325.73	315.99	9.74	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	325.73	317.59	8.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	325.73	317.62	8.11	<50	<0.5	<0.5	<0.5	<0.5	<2.0
06/25/99	325.73	318.28	7.45	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	325.73	316.87	8.86	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	325.73	317.93	7.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	325.73	318.37	7.36	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	325.73	318.39	7.34	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00	325.73	317.61	8.12	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	325.73	317.46	8.27	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	325.73	318.34	7.39	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01	325.73	317.92	7.81	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	325.73	317.55	8.18	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	325.73	318.58	7.15	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	325.73	318.47	7.26	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	325.73	318.62	7.11	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	325.73	318.74	6.99	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	325.73	318.92	6.81	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	325.73	318.95	6.78	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	325.73	319.09	6.64	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	325.73	318.30	7.43	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	325.73	318.65	7.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	325.73	318.43	7.30	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	325.73	318.28	7.45	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	325.73	318.48	7.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	325.73	318.62	7.11	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	325.73	319.44	6.29	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	325.73	319.11	6.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05	325.73	INACCESSIBLE - VEHICLE PARKED OVER WELL							

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-1									
07/12/89	326.48	--	--	100	<0.5	<0.5	6.0	<0.5	--
08/02/89	326.48	318.38	8.10	--	--	--	--	--	--
10/24/89	326.48	318.97	7.51	<50	1.0	<0.5	13	<0.5	--
03/12/90	326.48	318.07	8.41	140	0.8	<0.5	1.0	<0.5	--
03/26/90	326.48	318.34	8.14	--	--	--	--	--	--
06/22/90	326.48	318.17	8.31	<50	<0.5	<0.5	<0.5	<0.5	--
09/11/90	326.48	318.35	8.14	<50	<0.5	<0.5	<0.5	<0.5	--
04/18/91	326.48	318.34	8.02	77	<0.5	<0.5	<0.5	<0.5	--
ABANDONED									
MW-2									
07/17/89	327.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/02/89	327.53	318.48	9.05	--	--	--	--	--	--
10/24/89	327.53	318.29	9.24	<50	<0.5	<0.5	<0.5	<0.5	--
03/12/90	327.53	317.46	10.07	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/90	327.53	317.48	10.05	--	--	--	--	--	--
06/22/90	327.53	317.48	10.05	<50	<0.5	<0.5	<0.5	<0.5	--
09/11/90	327.53	317.85	9.68	<50	<0.5	<0.5	<0.5	<0.5	--
04/18/91	327.53	318.30	9.23	<50	<0.5	<0.5	<0.5	<0.5	--
ABANDONED									
MW-3									
07/17/89	326.47	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/02/89	326.47	318.32	8.15	--	--	--	--	--	--
10/24/89	326.47	318.88	7.59	<50	<0.5	<0.5	<0.5	<0.5	--
03/12/90	326.47	318.00	8.47	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/90	326.47	317.64	8.83	--	--	--	--	--	--
06/22/90	326.47	317.64	8.83	<50	0.4	<0.5	0.8	<0.5	--
09/11/90	326.47	318.06	8.41	<50	<0.5	<0.5	<0.5	<0.5	--
04/18/91	326.47	318.49	7.98	<50	<0.5	<0.5	<0.5	<0.5	--
ABANDONED									
BAILER BLANK									
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/25/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/21/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0917
 5280 Hopyard Road
 Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK									
06/22/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
09/16/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/05/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/30/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/25/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/21/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/06/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/14/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/14/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/30/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/13/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/01/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0917
 5280 Hopyard Road
 Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK (cont)									
09/18/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	--	--	--	<50.0	<0.500	1.61	<0.500	0.593	<0.500
06/01/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/07/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA									
12/05/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/07/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/06/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 19, 2000, were compiled by reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

¹ Confirmation run.

² ORC installed.

³ ORC present in well.

⁴ Laboratory report indicates gasoline C6-C12.

⁵ Laboratory report indicates unidentified hydrocarbons C6-C12.

⁶ Laboratory report indicates insufficient preservative to reduce sample pH to less than 2. Sample was analyzed within 14 days, but beyond the seventh day recommended for Benzene, Toluene, Xylenes, and Ethylbenzene.

⁷ MTBE by EPA Method 8260.

⁸ Removed ORC from well.

⁹ BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-4	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	42	<2	<2	<2	<2	<2
	03/07/03	--	<5	430	<0.5	<0.5	3	<0.5	<0.5
	06/06/03	--	--	3	--	--	--	--	--
	09/05/03	<50	--	11	--	--	--	--	--
	12/15/03	<50	--	5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	17	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	0.7	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
MW-5	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<10	<1	<1	<1	<1	<1	<1
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<200	--	<2	--	--	--	--	--
	12/15/03	<130	--	<1	--	--	--	--	--
	03/15/04	<130	<13	<1	<1	<1	<1	--	--
	06/14/04	<100	<10	<1	<1	<1	<1	--	--
	09/02/04	<250	<25	<3	<3	<3	<3	--	--
	11/30/04	<130	<13	<1	<1	<1	<1	--	--
	03/11/05	<100	<10	<1	<1	<1	<1	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
MW-6	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	4	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	1	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	0.9	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-6 (cont)	06/14/04	<50	<5	19	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	15	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	14	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	56	<0.5	<0.5	3	--	--
	06/29/05	<50	<5	22	<0.5	<0.5	0.8	--	--
	09/14/05	<50	<5	8	<0.5	<0.5	<0.5	--	--
MW-7	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	0.7	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	11	<0.5	<0.5	<0.5	--	--
MW-8	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Chevron Service Station #9-0917
 5280 Hopyard Road
 Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-9	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	INACCESSIBLE - VEHICLE PARKED OVER WELL							

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = Ethylene dibromide/1,2-Dibromoethane
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-4	09/07/01	1.96	--
	12/05/01	1.96	--
	03/26/02	2.10	--
	06/14/02	3.10	--
	09/20/02	2.30	--
	12/12/02	2.10	--
	03/07/03	0.40	--
	06/06/03	2.10	--
	09/05/03	2.00	--
	12/15/03	2.46	--
	03/15/04	1.20	--
	06/14/04	1.80	--
	09/02/04	1.60	--
	11/30/04	1.80	--
03/11/05	2.30	--	
06/29/05	2.40	--	
09/14/05	2.70	--	
MW-5	06/19/00	9.65	--
	09/18/00	3.59	--
	12/01/00	3.76	--
	03/13/01	3.59	--
	06/01/01	3.36	--
	09/07/01	4.02	--
	12/05/01	1.04	--
	03/26/02	1.00	--
	06/14/02	0.90	--
	09/20/02	1.00	--
	12/12/02	1.10	--
	03/07/03	0.10	--
	06/06/03	0.80	--
	09/05/03	1.00	--
	12/15/03	1.78	--
	03/15/04	1.60	--
	06/14/04	2.40	--
09/02/04	1.90	--	
11/30/04	2.00	--	
03/11/05	2.30	--	
06/29/05	1.90	--	
09/14/05	1.60	--	
MW-6	06/19/00	5.88	--
	09/18/00	4.81	--
	12/01/00	4.27	--
	03/13/01	4.12	--
	06/01/01	3.84	--
	09/07/01	4.26	--
	12/05/01	1.26	--
03/26/02	1.30	--	
06/14/02	1.40	--	

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-6 (cont)	09/20/02	1.30	--
	12/12/02	1.40	--
	03/07/03	0.90	--
	06/06/03	1.20	--
	09/05/03	1.30	--
	12/15/03	1.91	--
	03/15/04	1.40	--
	06/14/04	1.50	--
	09/02/04	1.70	--
	11/30/04	1.80	--
	03/11/05	2.30	--
	06/29/05	1.50	--
	09/14/05	0.70	--
MW-7	09/07/01	2.04	--
	12/05/01	1.84	--
	03/26/02	2.00	--
	06/14/02	2.00	--
	09/20/02	2.10	--
	12/12/02	2.00	--
	03/07/03	0.10	--
	06/06/03	1.50	--
	09/05/03	1.80	--
	12/15/03	3.02	--
	03/15/04	1.70	--
	06/14/04	1.10	--
	09/02/04	1.00	--
	11/30/04	0.90	--
	03/11/05	2.40	--
06/29/05	2.20	--	
09/14/05	1.70	--	
MW-8	09/07/01	2.17	--
	12/05/01	2.10	--
	03/26/02	2.10	--
	06/14/02	2.00	--
	09/20/02	2.10	--
	12/12/02	2.20	--
	03/07/03	0.60	--
	06/06/03	1.70	--
	09/05/03	2.00	--
	12/15/03	2.93	--
	03/15/04	1.30	--
	06/14/04	1.60	--
	09/02/04	1.20	--
	11/30/04	1.30	--
	03/11/05	1.60	--
06/29/05	1.20	--	
09/14/05	1.60	--	

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-9	09/07/01	1.72	--
	12/05/01	2.21	--
	03/26/02	2.20	--
	06/14/02	1.90	--
	09/20/02	2.00	--
	12/12/02	2.10	--
	03/07/03	0.60	--
	06/06/03	1.80	--
	09/05/03	1.90	--
	12/15/03	3.15	--
	03/15/04	1.80	--
	06/14/04	1.00	--
	09/02/04	1.10	--
	11/30/04	1.20	--
	03/11/05	0.20	--
	06/29/05	1.60	--
09/14/05	INACCESSIBLE - VEHICLE PARKED OVER WELL		

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0917
 Site Address: 5280 Hopyard Road
 City: Pleasanton, CA

Job Number: 385242
 Event Date: 9/14/05 (inclusive)
 Sampler: T. Travis

Well ID: MW-4
 Well Diameter: 2 in.
 Total Depth: 24.73 ft.
 Depth to Water: 5.70 ft.
19.03

Date Monitored: 9/14/05 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

17 x VF = 3.2 x3 case volume = Estimated Purge Volume: 9.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1345 Weather Conditions: Sunny
 Sample Time/Date: 1400 9/14/05 Water Color: Clear Odor: -
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? - If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1349</u>	<u>3</u>	<u>7.18</u>	<u>568</u>	<u>24.9</u>	<u>2.7 Pre</u>	
<u>1353</u>	<u>6</u>	<u>7.44</u>	<u>613</u>	<u>24.5</u>		
<u>1357</u>	<u>9.5</u>	<u>7.54</u>	<u>613</u>	<u>24.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0917 Job Number: 385242
 Site Address: 5280 Hopyard Road Event Date: 9/14/05 (inclusive)
 City: Pleasanton, CA Sampler: Travis-V.

Well ID: MW-5 Date Monitored: 9/14/05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 23.83 ft.
 Depth to Water: 7.56 ft.
16.27 xVF = 1.26 x3 case volume = Estimated Purge Volume: 3.85 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1410 Weather Conditions: Sunny
 Sample Time/Date: 1422/9/14/05 Water Color: Clear Odor: —
 Purging Flow Rate: — gpm. Sediment Description: —
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1413</u>	<u>1</u>	<u>7.81</u>	<u>603</u>	<u>22.1</u>	<u>1.6 Pre</u>	
<u>1416</u>	<u>2</u>	<u>7.34</u>	<u>592</u>	<u>21.6</u>		
<u>1419</u>	<u>3.75</u>	<u>7.29</u>	<u>596</u>	<u>21.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0917 Job Number: 385242
 Site Address: 5280 Hopyard Road Event Date: 9/14/05 (inclusive)
 City: Pleasanton, CA Sampler: Travis U.

Well ID: MW-6 Date Monitored: 9/14/05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 25.19 ft.
 Depth to Water: 7.32 ft.
17.87 x VF .17 = 3.03 x3 case volume = Estimated Purge Volume: 9.0 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 13:10 Weather Conditions: Sunny
 Sample Time/Date: 13:35 9/14/05 Water Color: Clear Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>13 15</u>	<u>3</u>	<u>7.31</u>	<u>3999</u>	<u>21.4</u>	<u>0.7 Pre</u>	
<u>13 20</u>	<u>6</u>	<u>7.28</u>	<u>3999</u>	<u>21.6</u>		
<u>13 25</u>	<u>9</u>	<u>7.28</u>	<u>3999</u>	<u>21.5</u>		
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0917 Job Number: 385242
 Site Address: 5280 Hopyard Road Event Date: 9/14/05 (inclusive)
 City: Pleasanton, CA Sampler: TRAVIS V.

Well ID: MW-7 Date Monitored: 9/14/05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 20.00 ft.
 Depth to Water: 6.68 ft.
13.32 xVF = 17 = 2.26 x3 case volume = Estimated Purge Volume: 6.79 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1229 Weather Conditions: Sunny
 Sample Time/Date: 1255 9/14/05 Water Color: Clear Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1232</u>	<u>2</u>	<u>6.86</u>	<u>2972</u>	<u>27.6</u>	<u>1.7 Pre</u>	
<u>1235</u>	<u>4</u>	<u>6.88</u>	<u>3010</u>	<u>27.1</u>		
<u>1241</u>	<u>6.5</u>	<u>6.79</u>	<u>3999</u>	<u>25.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0917
 Site Address: 5280 Hopyard Road
 City: Pleasanton, CA

Job Number: 385242
 Event Date: 9/14/05 (inclusive)
 Sampler: Travis U.

Well ID: MW-8 Date Monitored: 9/14/05 Well Condition: OK

Well Diameter: 2 in.
 Total Depth: 20.31 ft.
 Depth to Water: 7.31 ft.
13.0 xVF

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

.17 = 2.21 x3 case volume = Estimated Purge Volume: 6.63 gal.

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1147 Weather Conditions: sunny
 Sample Time/Date: 1215 9/14/05 Water Color: clear Odor: slight
 Purging Flow Rate: - gpm. Sediment Description: -
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1152</u>	<u>2</u>	<u>7.06</u>	<u>3999</u>	<u>28.0</u>	<u>1.6 Pre</u>	
<u>1156</u>	<u>4</u>	<u>7.06</u>	<u>3999</u>	<u>27.2</u>		
<u>1159</u>	<u>6.5</u>	<u>7.06</u>	<u>3999</u>	<u>26.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-8</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: X Add/Replaced Plug: X Size: 2"



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0917
 Site Address: 5280 Hopyard Road
 City: Pleasanton, CA

Job Number: 385242
 Event Date: 9/14/05 (inclusive)
 Sampler: Travis J.

Well ID: MW-9
 Well Diameter: 2 in.
 Total Depth: _____ ft.
 Depth to Water: _____ ft.

Date Monitored: 9/14/05

Well Condition: IN Accessible

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailor _____
 Stainless Steel Bailor _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailor _____
 Pressure Bailor _____
 Discrete Bailor _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	NCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS-ETHANOL(8260)

COMMENTS: CAR parked on well. IN Accessible.

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



Cambria MTI Project # 61H-1959

For Lancaster Laboratories use only
 Acct. #: 10904 Sample #: 4604829-34 SCR#: 959520

Facility #: SS#9-0917 G-R#385242 Global ID#FT0600100345
 Site Address: 5280 HOPYARD ROAD, PLEASANTON, CA
 Chevron PM: MTI Lead Consultant: CAMBRIABE
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Travis Vandewoird
 Service Order #: _____ Non SAR: _____

Matrix	Analyses Requested										
	Preservation Codes										
<input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air	Total Number of Containers	H	H								
		<input type="checkbox"/> 8021 <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> GRO <input type="checkbox"/> Silica Gel Cleanup <input type="checkbox"/> 8260 full scan <input checked="" type="checkbox"/> Oxygenates <input type="checkbox"/> Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/> Ethanol 8260									

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other
 J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds
8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	8021	8260	GRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	7421	Ethanol 8260
GA	9/14/05		X			X			2	X	X							
MW-4	9/14/05	1400	X			X			6	X	X				X			X
MW-5	9/14/05	1422	X			X			6	X	X				X			X
MW-6	9/14/05	1335	X			X			6	X	X				X			X
MW-7	9/14/05	1255	X			X			6	X	X				X			X
MW-8	9/14/05	1215	X			X			6	X	X				X			X

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 24 hour 72 hour 48 hour
 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB) EDF/EDD
 Disk

Relinquished by: <u>J Ver</u>	Date: <u>9/14/05</u>	Time: <u>3:00</u>	Received by: <u>D. Name</u>	Date: <u>9/15/05</u>	Time: _____
Relinquished by: <u>Dave</u>	Date: <u>9/15/05</u>	Time: <u>1420</u>	Received by: <u>Charles Amey</u>	Date: <u>9/15/05</u>	Time: <u>1420</u>
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Carrier: <u>FedEx</u>	UPS	Other: _____	Received by: <u>J. Bell</u>	Date: <u>9/16/05</u>	Time: <u>0825</u>
Temperature Upon Receipt: <u>10 coolers @ 2.5° - 4.8°</u>	Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

RECEIVED

Prepared for:

ChevronTexaco c/o Cambria
Suite 12
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

GETTLER RYAN AND
GENERAL CONTRACTORS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 959520. Samples arrived at the laboratory on Friday, September 16, 2005. The PO# for this group is 99011184 and the release number is MTL.

Client Description

<u>Client Description</u>	<u>NA</u>	<u>Water</u>
QA-T-050914		
MW-4-W-050914	Grab	Water
MW-5-W-050914	Grab	Water
MW-6-W-050914	Grab	Water
MW-7-W-050914	Grab	Water
MW-8-W-050914	Grab	Water

Lancaster Labs Number

4604229
4604230
4604231
4604232
4604233
4604234

1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pkts, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Lynn M Frederiksen at (717) 656-2300

Respectfully Submitted,

A handwritten signature in cursive script that reads "Dana M. Kauffman".

Dana M. Kauffman
Manager



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4604229

QA-T-050914 NA Water
Facility# 90917 Job# 385242 MTI# 61H-1959 GRD
5280 Hopyard-Pleasanton T0600100345 QA
Collected: 09/14/2005

Account Number: 10904

Submitted: 09/16/2005 08:55
Reported: 09/23/2005 at 19:49
Discard: 10/24/2005

ChevronTexaco c/o Cambria
Suite 12
4111 Citrus Avenue
Rocklin CA 95677

HRPQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/21/2005 17:07	Brian C Veety	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/22/2005 03:26	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/21/2005 17:07	Brian C Veety	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/22/2005 03:26	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4604230

MW-4-W-050914 Grab Water
 Facility# 90917 Job# 385242 MTI# 61H-1959 GRD
 5280 Hopyard-Pleasanton T0600100345 MW-4
 Collected: 09/14/2005 14:00 by TV

Account Number: 10904

Submitted: 09/16/2005 08:55
 Reported: 09/23/2005 at 15:49
 Discard: 10/24/2005

ChevronTexaco c/o Cambria
 Suite 12
 4111 Citrus Avenue
 Rocklin CA 95677

HRP04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/21/2005 18:34	Brian C Veety	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/22/2005 00:51	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/21/2005 18:34	Brian C Veety	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/22/2005 00:51	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4604231

MW-5-W-050914 Grab Water
Facility# 90917 Job# 385242 MTI# 61H-1959 GRD
5280 Hopyard-Pleasanton T0600100345 MW-5
Collected: 09/14/2005 14:22 by TV

Account Number: 10904

Submitted: 09/16/2005 08:55
Reported: 09/23/2005 at 15:49
Discard: 10/24/2005

ChevronTexaco c/o Cambria
Suite 12
4111 Citrus Avenue
Rocklin CA 95677

HRP05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	11,000.	2,500.	ug/l	50
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	49.	0.5	ug/l	1
05407	Toluene	108-88-3	4.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	660.	2.	ug/l	4
06310	Xylene (Total)	1330-20-7	49.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/21/2005 20:59	Brian C Veety	50
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/22/2005 05:12	Dawn M Harle	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/22/2005 05:36	Dawn M Harle	4
01146	GC VOA Water Prep	SW-846 5030B	1	09/21/2005 20:59	Brian C Veety	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/22/2005 05:12	Dawn M Harle	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	09/22/2005 05:36	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4604232

MW-6-W-050914 Grab Water
 Facility# 90917 Job# 385242 MTI# 61H-1959 GRD
 5280 Hopyard-Pleasanton T0600100345 MW-6
 Collected: 09/14/2005 13:35 by TV

Account Number: 10904

Submitted: 09/16/2005 08:55
 Reported: 09/23/2005 at 15:49
 Discard: 10/24/2005

ChevronTexaco c/o Cambria
 Suite 12
 4111 Citrus Avenue
 Rocklin CA 95677

HRP06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	310.	250.	ug/l	5
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	8.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/21/2005 21:28	Brian C Veety	5
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/22/2005 06:00	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/21/2005 21:28	Brian C Veety	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/22/2005 06:00	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4604233

MW-7-W-050914 Grab Water
 Facility# 90917 Job# 385242 MTI# 61H-1959 GRD
 5280 Hopyard-Pleasanton T0600100345 MW-7
 Collected: 09/14/2005 12:55 by TV

Account Number: 10904

Submitted: 09/16/2005 08:55
 Reported: 09/23/2005 at 15:49
 Discard: 10/24/2005

ChevronTexaco c/o Cambria
 Suite 12
 4111 Citrus Avenue
 Rocklin CA 95677

HRP07

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	11.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/21/2005 19:03	Brian C Veety	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/22/2005 06:24	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/21/2005 19:03	Brian C Veety	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/22/2005 06:24	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4604234

MW-8-W-050914 Grab Water
Facility# 90917 Job# 385242 MTI# 61H-1959 GRD
5280 Hopyard-Pleasanton T0600100345 MW-8
Collected: 09/14/2005 12:15 by TV

Account Number: 10904

Submitted: 09/16/2005 08:55
Reported: 09/23/2005 at 15:49
Discard: 10/24/2005

ChevronTexaco c/o Cambria
Suite 12
4111 Citrus Avenue
Rocklin CA 95677

HRP08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 5.						
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1
The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 6.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/21/2005 19:32	Brian C Veety	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/22/2005 06:48	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/21/2005 19:32	Brian C Veety	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/22/2005 06:48	Dawn M Harle	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 09/23/05 at 03:49 PM

Group Number: 959520

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 05264A08A TPH-GRO - Waters	N.D.	50.	ug/l	111	113	70-130	2	30
Batch number: 2052643AA	Sample number(s): 4604229-4604234							
Ethanol	N.D.	50.	ug/l	101		30-155		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	94		77-127		
di-Isopropyl ether	N.D.	0.5	ug/l	96		67-130		
Ethyl t-butyl ether	N.D.	0.5	ug/l	97		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	96		79-113		
t-Butyl alcohol	N.D.	5.	ug/l	94		60-133		
Benzene	N.D.	0.5	ug/l	99		85-117		
Toluene	N.D.	0.5	ug/l	103		85-115		
Ethylbenzene	N.D.	0.5	ug/l	100		82-119		
Xylene (Total)	N.D.	0.5	ug/l	102		83-113		
Batch number: 2052644AA	Sample number(s): 4604229							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	95		77-127		
Benzene	N.D.	0.5	ug/l	96		85-117		
Toluene	N.D.	0.5	ug/l	101		85-115		
Ethylbenzene	N.D.	0.5	ug/l	99		82-119		
Xylene (Total)	N.D.	0.5	ug/l	100		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05264A08A TPH-GRO - Waters				120					
Batch number: 2052643AA	Sample number(s): 4604229-4604234								
Ethanol	85	90	26-162	6	30				
Methyl Tertiary Butyl Ether	98	97	69-134	1	30				
di-Isopropyl ether	99	98	75-130	1	30				
Ethyl t-butyl ether	100	98	78-119	2	30				
t-Amyl methyl ether	96	98	72-125	1	30				
t-Butyl alcohol	91	95	56-134	4	30				
Benzene	105	104	83-128	1	30				
Toluene	107	107	83-127	0	30				
Ethylbenzene	107	107	82-129	0	30				
Xylene (Total)	107	107	82-130	0	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 09/23/05 at 03:49 PM

Group Number: 959520

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: Z052644AA	Sample number(s): 4604229								
Methyl Tertiary Butyl Ether	95	94	69-134	2	30				
Benzene	101	99	83-128	1	30				
Toluene	107	107	83-127	0	30				
Ethylbenzene	104	105	82-129	1	30				
Xylene (Total)	105	107	82-130	1	30				

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05264A08A
 Trifluorotoluene-F

4604229	94
4604230	93
4604231	96
4604232	92
4604233	94
4604234	94
Blank	92
LCS	98
LCSD	99
MS	97

Limits: 63-135

 Analysis Name: BTEX+5 Oxygenates+ETOH
 Batch number: Z052643AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4604230	93	91	96	89
4604231	87	79	98	95
4604232	90	87	97	89
4604233	90	88	96	89
4604234	92	89	96	89
Blank	91	88	96	89
LCS	90	87	97	94
MS	92	89	96	94
MSD	91	89	96	94

Limits: 80-116

77-113

80-113

78-113

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: Z052644AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4604229	97	94	99	92
Blank	94	91	100	91
LCS	93	89	100	96
MS	96	91	100	97
MSD	97	92	100	98

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 09/23/05 at 03:49 PM

Group Number: 959520

Surrogate Quality Control

Limits: 80-116

77-113

80-113

78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Tpo Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.