

**ExxonMobil  
Environmental Services Company**

4096 Piedmont Avenue #194  
Oakland, California 94611  
510 547 8196 Telephone  
510 547 8706 Facsimile

**Jennifer C. Sedlachek**  
Project Manager

**RECEIVED**

8:48 am, Aug 23, 2011

Alameda County  
Environmental Health

**ExxonMobil**

August 12, 2011

Ms. Barbara Jakub, P.G.  
Alameda County Health Care Services Agency  
Department of Environmental Health  
1131 Harbor Bay Parkway, Room 250  
Alameda, California 94502-6577

**RE: Former Exxon RAS #70104/1725 Park Street, Alameda, California.**

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled *Semi-Annual Groundwater Monitoring and Remediation Status Report, Second Quarter 2011*, dated August 12, 2011, for the above-referenced site. The report was prepared by Cardno ERI of Petaluma, California, and details activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek  
Project Manager

Attachment: Cardno ERI's *Semi-Annual Groundwater Monitoring and Remediation Status Report, Second Quarter 2011*, dated August 12, 2011

cc: w/ attachment  
Mr. Shay Wideman, The Valero Companies, Environmental Liability Management

w/o attachment  
Ms. Paula Sime, Cardno ERI



Shaping the Future

Cardno ERI  
License A/C10-611383

601 North McDowell Blvd.  
Petaluma, CA 94954-2312  
USA

Phone 707 766 2000  
Toll-free 800 382 9105  
Fax 707 789 0414  
www.cardno.com

www.cardnoeri.com

August 12, 2011  
Cardno ERI 250611.Q112

Ms. Jennifer C. Sedlachek  
ExxonMobil Environmental Services  
4096 Piedmont Avenue  
Oakland, California 94611

**SUBJECT      Semi-Annual Groundwater Monitoring and Remediation Status Report,  
                  Second Quarter 2011**

Former Exxon Service Station 70104  
1725 Park Street, Alameda, California

Alameda County RO#448

**INTRODUCTION**

At the request of ExxonMobil Environmental Services (EMES), on behalf of Exxon Mobil Corporation, Cardno ERI is submitting this report detailing second quarter 2011 groundwater monitoring and sampling activities at the subject site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site operates as a Valero-branded service station.

**GROUNDWATER MONITORING AND SAMPLING SUMMARY**

<b>Gauging date:</b>	05/25/11
<b>Sampling dates:</b>	05/25/11 and 05/26/11
<b>Wells gauged and sampled:</b>	MW1 through MW9, MW11
<b>Wells gauged only:</b>	EW1, EW3, EW5
<b>Remediation system status on sampling date:</b>	GWPTS inactive; SVE system inactive, AS system inactive
<b>Presence of NAPL:</b>	Not observed
<b>Concurrently sampled:</b>	Shell-branded service station (former XTRA Oil Company), 1701 Park Street, Alameda, California
<b>Laboratory:</b>	Calscience Environmental Laboratories, Inc. Garden Grove, California

August 12, 2011  
 Cardno ERI 250611.Q112 Former Exxon Service Station 70104, Alameda, California

<b>Analyses performed:</b>	EPA Method 8015B	TPHd, TPHg
	EPA Method 8021B	BTEX
	EPA Method 8260B	MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE
	EPA Method 8260B	Ethanol (select samples)

**Waste disposal:** 232 gallons purge and decon water delivered to InStrat, Inc. of Rio Vista, California, on 06/02/11

## REMEDIATION SYSTEM SUMMARY

The AS/SVE system and the GWPTS were shut down on December 28, 2010. The remediation system was removed during July 2011. Details of the systems' operation and performance are included in the *Semi-Annual Groundwater Monitoring and Remediation Status Report, Fourth Quarter 2010*, dated January 24, 2011.

### Air Sparge/Soil Vapor Extraction System

The AS/SVE system used a regenerative blower, a moisture separator, three vapor-phase 500-pound GAC vessels connected in series, an exhaust stack for discharge to the atmosphere, and associated monitoring instrumentation. The 500-pound GAC vessels had a maximum flow capacity of 300 scfm. The AS/SVE system removed <1,746.96 pounds of TPHg, <27.72 pounds of benzene, and <14.76 pounds of MTBE. Water generated in the moisture separator was pumped to the GWPTS.

An oil-less air compressor was used for air sparging (subsurface air injection) at wells AS1, MW6, MW7, EW1, EW5, SM1, and SW1 to help volatilize hydrocarbons. During operational periods, influent and effluent soil vapor samples were collected monthly.

### Groundwater Pump and Treat System

The GWPTS operated in conjunction with the AS/SVE system to pump down the groundwater table, expose petroleum hydrocarbons in soil, and remediate dissolved-phase hydrocarbons in groundwater. Groundwater was extracted from wells EW1 through EW4 using pneumatic pumps. Water was periodically transferred from the holding tank through a particulate filter and three 500-pound GAC vessels connected in series prior to discharge to the sanitary sewer system. Approximately 5,044,070 gallons of groundwater was treated, removing <72.5 pounds of TPHg, <5.23 pounds of benzene, and <51.71 pounds of MTBE. During operational periods, water samples were collected monthly from the influent, intermediate, and effluent samples ports. East Bay Municipal Utilities District (EBMUD) Wastewater Permit No. 50266631 has been cancelled.

## CONCLUSIONS

The groundwater monitoring and sampling data are consistent with the historical data for the site. Influent concentrations of dissolved-phase hydrocarbons have shown decreasing trends and the hydrocarbon mass recovery rate no longer justifies operation of the system. Mass removal for the AS/SVE system has been asymptotic since 2007, and is no longer recovering fuel hydrocarbons effectively. Based on this evaluation of the site data, Cardno ERI shut down the GWPTS and the AS/SVE system on December 28, 2010 for post-remediation monitoring. The remediation system was removed during July 2011.

Cardno ERI submitted a work plan for advancing confirmation soil borings in January 2011.

## LIMITATIONS

For any documents cited that were not generated by Cardno ERI, the data taken from those documents is used "as is" and is assumed to be accurate. Cardno ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these documents.

August 12, 2011  
Cardno ERI 250611.Q112 Former Exxon Service Station 70104, Alameda, California

This document was prepared in accordance with generally accepted standards of environmental, geological, and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please call Ms. Paula Sime, Cardno ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.

Sincerely,

SCANNED  
IMAGE  
*Jennifer Lacy*

Jennifer L. Lacy  
Senior Staff Scientist  
for Cardno ERI  
707 766 2000  
Email: [jennifer.lacy@cardno.com](mailto:jennifer.lacy@cardno.com)

SCANNED  
IMAGE  
*David R. Daniels*

David R. Daniels  
P.G. 8737  
for Cardno ERI  
707 766 2000  
Email: [david.daniels@cardno.com](mailto:david.daniels@cardno.com)



Enclosures:

Acronym List

Plate 1	Site Vicinity Map
Plate 2	Select Analytical Results
Plate 3	Groundwater Elevation Map
Table 1A	Cumulative Groundwater Monitoring and Sampling Data
Table 1B	Additional Cumulative Groundwater Monitoring and Sampling Data
Table 2	Well Construction Details
Table 3	Operation and Performance Data for Air Sparge/Soil Vapor Extraction System
Table 4	Operation and Performance Data for Groundwater Extraction and Treatment System
Appendix A	Groundwater Sampling Protocol
Appendix B	Laboratory Analytical Report and Chain-of-Custody Record
Appendix C	Field Data Sheets
Appendix D	SOP-25: "Hydrocarbons Removed from a Vadose Well"
Appendix E	Groundwater Monitoring and Sampling Data, 1701 Park Street (P&D Environmental)
Appendix F	Waste Documentation

cc: Ms. Barbara Jakub, P.G., Alameda County Health Care Services Agency, Department of Environmental Health, 1131 Harbor Bay Parkway, Room 250, Alameda, California 94502-6577


Mr. Shay Wideman, The Valero Companies, Environmental Liability Management, P.O. Box 696000, San Antonio, Texas 78269

August 12, 2011


Cardno ERI 250611.Q112 Former Exxon Service Station 70104, Alameda, California

**ACRONYM LIST**


µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acfm	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polycyclic aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL (RL)	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m <sup>3</sup>	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		



**EXPLANATION**

 1/2-mile radius circle

**APPROXIMATE SCALE**



SOURCE:  
 Modified from a map  
 provided by  
 DeLorme 3-D TopoQuads



**SITE VICINITY MAP**  
 FORMER EXXON SERVICE STATION 70104  
 1725 Park Street  
 Alameda, California

**PROJECT NO.**  
 2506  
**PLATE**  
 1


Analyte Concentrations in ug/L  
Sampled May 25 and 26, 2011

Total Petroleum Hydrocarbons as gasoline  
Benzene  
Methyl Tertiary Butyl Ether 8260B  
Tertiary Butyl Alcohol


- < Less Than the Stated Laboratory Reporting Limit
- ug/L Micrograms per Liter
- NS Not sampled
- ND Not Detected
- d Hydrocarbon pattern does not resemble the requested fuel.
- m Compound did not meet method-described based on additional GC/GS characteristics.

**NOTES:**

Wells MW12, EW2, and EW4 not routinely monitored or sampled.



APPROXIMATE SCALE



FN 2506 11 2QTR\_QM



**SELECT ANALYTICAL RESULTS  
May 25 and 26, 2011**

FORMER EXXON SERVICE STATION 70104  
1725 Park Street  
Alameda, California

**EXPLANATION**


- MW11 Groundwater Monitoring Well
- EW4 Recovery Well
- MW10 Destroyed Groundwater Monitoring Well

- MW4 Groundwater Monitoring Well By Others
- VW2 Vapor Extraction Well
- AS1 Air Sparge/Soil Vapor Well
- EW5 Recovery Well By Others

- OW2 Observation Well By Others

**PROJECT NO.**  
2506

**PLATE**  
2




March 1, 2004, through May 26, 2011


Rose diagram developed by evaluating the groundwater gradient direction from the quarterly monitoring data. Each circle on the rose diagram represents the number of monitoring events that the gradient plotted in that 22 1/2 degree sector.

Compass Direction  
27 Data Points Shown

**GROUNDWATER FLOW DIRECTION ROSE DIAGRAM**



APPROXIMATE SCALE



- Notes:
- Wells MW12, EW2, and EW4 not routinely monitored or sampled.
  - NM Not Measured
  - 17-----Line of Equal Groundwater Elevation; datum is mean sea level

FN 2506 11 2QTR\_QM

**GROUNDWATER ELEVATION MAP  
May 25 and 26, 2011**

FORMER EXXON SERVICE STATION 70104  
1725 Park Street  
Alameda, California

**EXPLANATION**

- MW11 Groundwater Monitoring Well
- 12.72 Groundwater elevation in feet; datum is mean sea level
- EW4 Recovery Well
- MW10 Destroyed Groundwater Monitoring Well

- MW4 Groundwater Monitoring Well By Others
- VW2 Vapor Extraction Well
- AS1 Air Sparge/Soil Vapor Well
- EW5 Recovery Well By Others

- OW2 Observation Well By Others

**PROJECT NO.**  
2506  
**PLATE**  
3





**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	06/07/88	17.35	---	---	---	---	27,000	---	---	5,000	77	1,100	2,700
MW1	06/10/88	17.35	6.35	11.00	No	---	---	---	---	---	---	---	---
MW1	01/17/89	17.35	5.81	11.54	No	---	6,800	---	---	2,000	91	800	1,600
MW1	01/24/89	17.35	5.16	12.19	No	---	---	---	---	---	---	---	---
MW1	06/01/89	17.35	6.27	11.08	Sheen	---	1,700	---	---	170	6.9	13	230
MW1	09/18/89	17.35	7.11	10.24	No	---	2,100	---	---	9.0	53	18	130
MW1	10/20/89	17.35	7.28	10.07	No	---	---	---	---	---	---	---	---
MW1	11/22/89	17.35	7.023	10.15	No	---	---	---	---	---	---	---	---
MW1	12/11/89	17.35	6.60	10.75	No	---	5,800	---	---	200	42	290	330
MW1	02/13/90	17.35	6.02	11.33	No	---	---	---	---	---	---	---	---
MW1	03/07/90	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	03/13/90	17.35	5.91	11.44	No	---	2,300	---	---	---	---	---	---
MW1	04/18/90	17.35	6.18	11.17	No	---	---	---	---	430	14	16	220
MW1	05/23/90	17.35	6.29	11.06	No	---	---	---	---	---	---	---	---
MW1	06/14/90	17.35	6.19	11.16	No	---	32,000	---	---	---	---	---	---
MW1	08/21/90	17.35	7.03	10.32	No	---	---	---	---	1,400	19	<5	120
MW1	09/19/90	17.35	7.26	10.09	No	---	---	---	---	---	---	---	---
MW1	12/17/90	17.35	6.75	10.60	No	---	950	---	---	290	2.9	<0.5	27
MW1	01/31/91	17.35	6.78	10.57	No	---	2,100	---	---	550	13	350	110
MW1	02/25/91	17.35	6.59	10.76	No	---	---	---	---	---	---	---	---
MW1	03/19/91	17.35	5.85	11.50	No	---	1,400	---	---	---	---	---	---
MW1	04/22/91	17.35	5.72	11.63	Sheen	---	---	---	---	900	45	390	150
MW1	05/17/91	17.35	6.00	11.35	No	---	---	---	---	---	---	---	---
MW1	07/24/91	17.35	6.79	10.56	No	---	9,700	---	---	---	---	---	---
MW1	09/10/91	17.35	7.25	10.10	No	---	---	---	---	1,300	670	950	2,100
MW1	09/23/91	17.35	7.33	10.02	No	---	---	---	---	---	---	---	---
MW1	10/21/91	17.35	7.53	9.82	No	---	---	---	---	---	---	---	---
MW1	10/22/91	17.35	---	---	---	---	540	---	---	220	1.8	110	7.8
MW1	11/18/91	17.35	7.13	10.22	No	---	---	---	---	---	---	---	---
MW1	12/11/91	17.35	7.25	10.10	No	---	---	---	---	---	---	---	---
MW1	01/21/92	17.35	6.54	10.81	No	---	1,800	---	---	650	23	300	64
MW1	02/20/92	17.35	4.82	12.53	No	---	---	---	---	---	---	---	---
MW1	03/19/92	17.35	5.24	12.11	No	---	---	---	---	---	---	---	---
MW1	04/24/92	17.35	5.71	11.64	No	---	4,900	---	---	---	---	---	---
MW1	05/13/92	17.35	5.99	11.36	No	---	---	---	---	1,600	78	660	250
MW1	06/24/92	17.35	6.65	10.70	No	---	---	---	---	---	---	---	---
MW1	07/16/92	17.35	6.72	10.63	No	---	3,400	---	---	1,000	11	550	100
MW1	08/19/92	17.35	7.07	10.28	No	---	---	---	---	---	---	---	---
MW1	09/24/92	17.35	7.36	9.99	No	---	3,700	---	---	1,300	21	330	<10
MW1	02/05/93	17.35	5.21	12.14	No	---	11,000	---	---	2,400	160	1,400	790

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	04/30/93	17.35	5.88	11.47	No	---	6,500	---	---	330	320	640	1,300
MW1	05/14/93	17.35	7.22	10.13	No	---	---	---	---	---	---	---	---
MW1	07/15/93	17.35	8.01	9.34	No	---	7,600	---	---	270	62	1,100	1,000
MW1	10/21/93	17.35	7.83	9.52	---	---	---	---	---	---	---	---	---
MW1	11/16/93	17.35	8.69	8.66	No	---	840	---	---	18	1.4	72	17
MW1	11/30/93	17.35	8.38	8.97	---	---	---	---	---	---	---	---	---
MW1	12/17/93	17.35	7.42	9.93	---	---	---	---	---	---	---	---	---
MW1	01/31/94	17.35	6.37	10.98	---	---	---	---	---	---	---	---	---
MW1	02/24/94 - 02/25/94	17.35	6.23	11.12	No	---	810	---	---	15	9.0	98	58
MW1	09/12/94	17.35	7.11	10.24	No	---	1,600a,d	---	---	200	1.9	210	6.6
MW1	10/01/94	17.35	7.44	9.91	No	---	1,400a	---	---	200	<0.5	160	6.6
MW1	01/13/95	17.35	5.13	12.22	No	---	2,100a	---	---	410b	17	280b	89
MW1	04/27/95	17.35	6.57	10.78	No	---	4,700	---	---	460	41	340	270
MW1	08/03/95	17.35	7.46	9.89	No	---	1,900	30	---	140	<5.0	160	9.9
MW1	10/17/95	17.35	7.67	9.68	No	---	280	5.5	---	6.2	<0.5	13	0.75
MW1	01/24/96	17.35	6.52	10.83	No	---	740	440	---	21	1.4	38	3.1
MW1	04/24/96	17.35	5.95	11.40	No	---	7,800	250	---	200	110	1,000	740
MW1	07/26/96	17.35	7.60	9.75	No	---	620	23	---	8.0	0.99	26	1.0
MW1	10/30/96	17.35	8.06	9.29	No	---	700	33	---	14	2.9	85	3.5
MW1	01/31/97	17.35	5.12	12.23	No	---	7,600	<200	---	420	33	1,400	480
MW1	04/10/97	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	07/10/97	17.35	7.54	9.81	No	---	580	12	---	10	<0.5	<0.5	<0.5
MW1	10/08/97	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	01/28/98	17.35	4.48	12.87	No	---	820	---	<2.5	110	2.8	170	14
MW1	04/14/98	17.35	4.69	12.66	---	---	---	---	---	---	---	---	---
MW1	07/30/98	17.35	6.19	11.16	No	---	2,700	41	---	210	<5.0	550	<5.0
MW1	10/19/98	17.35	6.72	10.63	No	---	---	---	---	---	---	---	---
MW1	01/13/99	17.35	6.52	10.83	No	---	491	9.78	---	8.0	<0.5	<0.5	<0.5
MW1	04/28/99	17.35	5.37	11.98	---	---	---	---	---	---	---	---	---
MW1	07/09/99	17.35	6.39	10.96	No	---	1,030	10.6	---	114	8.07	184	0.644
MW1	10/25/99	17.35	6.68	10.67	No	---	---	---	---	---	---	---	---
MW1	01/21/00	17.35	6.20	11.15	No	---	<50	5.1	---	<1.0	<1.0	<1.0	<1.0
MW1	04/14/00	17.35	5.18	12.17	No	---	---	---	---	---	---	---	---
MW1	06/16/00	17.35	Property transferred to Valero Refining Company.										
MW1	07/05/00	17.35	5.93	11.42	No	---	88	200	---	4.3	<0.5	0.61	<0.5
MW1	10/03/00	17.35	6.51	10.84	No	---	<50	240	---	0.72	<0.5	<0.5	<0.5
MW1	01/02/01	17.35	6.17	11.18	No	---	<50	68	---	0.75	<0.5	<0.5	<0.5
MW1	04/02/01	17.35	7.42	9.93	No	---	140	4.3	---	<0.5	<0.5	4.1	1.1
MW1	07/02/01	17.35	6.27	11.08	No	---	74	14	---	<0.5	<0.5	<0.5	<0.5
MW1	10/15/01	17.35	6.64	10.71	No	---	110	83	---	2.6	<0.5	<0.5	<0.5
MW1	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.										
MW1	02/04/02	17.29	5.08	12.21	No	52.0	75.0	67.1	---	0.70	<0.50	0.50	<0.50

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	05/06/02	17.29	5.48	11.81	No	129	793	702	1,004	8.6	<0.5	0.5	1.1
MW1	08/22/02	17.29	7.14	10.15	No	602	1,150	181	---	120	0.8	9.0	3.6
MW1	11/08/02	17.29	6.19	11.10	No	504	947	182	---	95.6	4.0	3.7	2.7
MW1	02/07/03	17.29	6.00	11.29	No	610	1,190	284	---	89.7	3.8	45.3	13.2
MW1	05/02/03	17.29	5.76	11.53	No	797	1,020	296	---	75.8	9.0	5.7	11.9
MW1	08/14/03	17.29	7.04	10.25	No	531d	822	201	---	33.9	2.8	1.5	1.9
MW1	11/14/03	17.29	6.41	10.88	No	560d	574	276	---	19.8	1.8	2.0	2.2
MW1	03/01/04	17.29	4.63	12.66	No	785d	1,430	---	895	46.2	3.1	14.2	9.2
MW1	06/15/04	17.29	6.05	11.24	No	204d	621	668	---	11.1	<0.5	<0.5	<0.5
MW1	09/13/04	17.29	6.62	10.67	No	221d	754	479	---	34.4	1.5	1.1	1.2
MW1	12/22/04	17.29	5.67	11.62	No	288d,f	775	253	---	38.8	1.0	1.8	0.8
MW1	03/24/05	17.29	4.63	12.66	No	471d	952	---	120	41.6	1.4	12.8	6.0
MW1	06/14/05	17.29	5.55	11.74	No	695d	605	---	91	37.9	2.5	2.6	2.5
MW1	09/12/05	17.29	8.16	9.13	No	280d	1,410	---	4,780	1.43	<0.50	0.82	1.08
MW1	12/13/05	17.29	6.86	10.43	No	182d	4,610	---	6000h	2.35	0.71	<0.50	<0.50
MW1	03/13/06	17.29	6.31	10.98	No	470d	6,800i	---	4,600	70	<25	76	56
MW1	06/12/06	17.29	2.01	15.28	No	300d,f	16,000i	---	16,000	<50	<50	<50	<50
MW1	09/08/06	17.29	6.61	10.68	No	62d	4,200i	---	4,700	<25	<25	<25	<25
MW1	12/05/06	17.29	7.94	9.35	No	<47	6,300i	---	9,300	<25	<25	<25	<25
MW1	03/12/07	17.29	5.53	11.76	No	120d	3,300i	---	3,400	<25	<25	<25	<25
MW1	05/29/07	17.29	7.15	10.14	No	277d	2,680	---	3,550	2.86	0.97	1.70	3.71f
MW1	08/29/07	17.29	7.44	9.85	No	94d	3,500i	---	3,100	<25	<25	<25	<25
MW1	11/29/07	17.29	7.04	10.25	No	58d	3,600i	---	5,000	<25	<25	<25	<25
MW1	02/27/08	17.29	5.80	11.49	No	130d	2,700i	---	3,600	<25	<25	<25	<25
MW1	05/28/08	17.29	6.50	10.79	No	165d	1,720f	---	3,840	<0.50	<0.50	<0.50	<0.50
MW1	08/27/08	17.29	6.91	10.38	No	180	1,400	---	3,000	<0.50	<0.50	<0.50	<1.0
MW1	11/25/08	17.29	6.96	10.33	No	250	1,800	---	1,300	<0.50	<0.50	0.65	<1.0
MW1	02/25/09	17.29	4.99	12.30	No	170	1,100	---	1,300	3.2	0.98	3.1	<1.0
MW1	05/27/09	17.29	5.85	11.44	No	100	840	---	3,600	3.6	0.64	0.92	1.5e
MW1	09/08/09	17.29	7.03	10.26	No	---	---	---	---	---	---	---	---
MW1	09/09/09	17.29	---	---	---	150d	1,600d	---	1,500	<0.50	<0.50	<0.50	<1.0
MW1	12/02/09	17.29	7.44	9.85	No	160d	1,000d	---	1,100	<0.50	<0.50	<0.50	<1.0
MW1	04/28/10	17.29	6.69	10.60	No	190d	870d	---	940	<0.50	0.67e	7.4	1.7
MW1	11/18/10	17.29	7.79	9.50	No	<50	92d	---	310	<0.50	<0.50	<0.50	<1.0
<b>MW1</b>	<b>05/25/11</b>	<b>17.29</b>	<b>5.31</b>	<b>11.98</b>	<b>No</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>
<b>MW1</b>	<b>05/26/11</b>	<b>17.29</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>140d</b>	<b>310d</b>	<b>---</b>	<b>68</b>	<b>3.4</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>
MW2	06/07/88	16.67	---	---	---	---	110,000	---	---	12,000	12,000	2,100	12,000
MW2	06/10/88	16.67	6.20	10.47	No	---	---	---	---	---	---	---	---
MW2	01/17/89	16.67	5.96	10.71	No	---	30,000	---	---	6,600	3,300	1,600	7,700
MW2	01/24/89	16.67	5.04	11.63	No	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	06/01/89	16.67	6.32	10.35	Sheen	---	8,700	---	---	330	280	680	1,200
MW2	09/18/89	16.67	6.73	9.94	No	---	17,000	---	---	580	280	570	220
MW2	10/20/89	16.67	6.87	9.80	No	---	---	---	---	---	---	---	---
MW2	11/22/89	16.67	6.80	9.87	No	---	---	---	---	---	---	---	---
MW2	12/11/89	16.67	6.57	10.10	No	---	32,000	---	---	1,000	850	310	1,200
MW2	02/13/90	16.67	6.12	10.55	No	---	---	---	---	---	---	---	---
MW2	03/13/90	16.67	6.02	10.65	No	---	39,000	---	---	3,500	1,500	2,100	3,900
MW2	04/18/90	16.67	6.35	10.32	No	---	---	---	---	---	---	---	---
MW2	05/23/90	16.67	6.28	10.39	No	---	---	---	---	---	---	---	---
MW2	06/14/90	16.67	6.14	10.53	No	---	34,000	---	---	3,800	730	1,600	3,900
MW2	08/21/90	16.67	6.70	9.97	No	---	---	---	---	---	---	---	---
MW2	09/19/90	16.67	6.84	9.83	No	---	63,000	---	---	670	180	390	1,000
MW2	12/17/90	16.67	6.46	10.21	No	---	140,000	---	---	3,700	2,500	3,000	8,300
MW2	01/31/91	16.67	6.66	10.01	Sheen	---	---	---	---	---	---	---	---
MW2	02/25/91	16.67	6.50	10.17	No	---	---	---	---	---	---	---	---
MW2	03/19/91	16.67	5.76	10.91	Sheen	---	48,000	---	---	4,500	1,600	2,100	5,500
MW2	04/22/91	16.67	5.78	10.89	No	---	---	---	---	---	---	---	---
MW2	05/17/91	16.67	6.01	10.66	No	---	---	---	---	---	---	---	---
MW2	07/24/91	16.67	6.43	10.24	No	---	49,000	---	---	3,500	2,200	2,000	6,400
MW2	09/10/91	16.67	6.81	9.86	No	---	---	---	---	---	---	---	---
MW2	09/23/91	16.67	6.82	9.85	No	---	---	---	---	---	---	---	---
MW2	10/21/91	16.67	7.01	9.66	No	---	---	---	---	---	---	---	---
MW2	10/22/91	16.67	---	---	---	---	34,000	---	---	3,700	1,100	1,800	5,200
MW2	11/18/91	16.67	6.66	10.01	No	---	---	---	---	---	---	---	---
MW2	12/11/91	16.67	6.85	9.82	No	---	---	---	---	---	---	---	---
MW2	01/21/92	16.67	6.22	10.45	No	---	21,000	---	---	4,600	1,300	1,700	5,100
MW2	02/20/92	16.67	5.28	11.39	No	---	---	---	---	---	---	---	---
MW2	03/19/92	16.67	5.34	11.33	No	---	---	---	---	---	---	---	---
MW2	04/24/92	16.67	5.75	10.92	Sheen	---	36,000	---	---	5,000	970	2,300	5,200
MW2	05/13/92	16.67	5.95	10.72	No	---	---	---	---	---	---	---	---
MW2	06/24/92	16.67	6.39	10.28	No	---	---	---	---	---	---	---	---
MW2	07/16/92	16.67	6.50	10.17	Sheen	---	42,000	---	---	3,500	490	1,800	3,700
MW2	08/19/92	16.67	6.69	9.98	No	---	---	---	---	---	---	---	---
MW2	09/24/92	16.67	6.74	9.93	Sheen	---	26,000	---	---	3,600	670	1,700	3,300
MW2	02/05/93	16.67	5.56	11.12	0.01	---	---	---	---	---	---	---	---
MW2	04/30/93	16.67	5.78	10.89	Sheen	---	280,000	---	---	11,000	6,500	5,500	160,000
MW2	05/14/93	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	07/15/93	16.67	7.89	8.79	0.01	---	---	---	---	---	---	---	---
MW2	10/21/93	16.67	7.24	9.43	---	---	---	---	---	---	---	---	---
MW2	11/16/93	16.67	8.37	8.32	0.02	---	---	---	---	---	---	---	---
MW2	11/30/93	16.67	7.93	8.74	---	---	---	---	---	---	---	---	---
MW2	12/17/93	16.67	7.74	8.93	---	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	01/31/94	16.67	6.32	10.35	---	---	---	---	---	---	---	---	---
MW2	02/24/94 - 02/25/94	16.67	6.93	9.74	No	---	---	---	---	---	---	---	---
MW2	09/12/94	16.67	6.71	9.96	No	---	31,000a,d	---	---	4,400	120	1,700	2,100
MW2	10/01/94	16.67	7.22	9.45	No	---	45,000a	---	---	4,500	250	1,800	2,400
MW2	01/13/95	16.67	4.46	12.21	No	---	---	---	---	---	---	---	---
MW2	04/27/95	16.67	6.92	9.75	No	---	44,000	---	---	7,000	840	2,400	3,400
MW2	08/03/95	16.67	6.96	9.71	No	---	30,000	37,000	---	4,600	170	1,600	1,100
MW2	10/17/95	16.67	7.83	8.84	No	---	45,000	14,000	---	5,400	190	2,000	1,500
MW2	01/24/96	16.67	6.45	10.22	No	---	30,000	4,100	---	5,000	810	2,200	2,200
MW2	04/24/96	16.67	6.00	10.67	No	---	34,000	22,000	---	8,700	410	2,200	2,000
MW2	07/26/96	16.67	7.14	9.53	No	---	40,000	18,000	---	10,000	<200	1,800	760
MW2	10/30/96	16.67	6.95	9.72	No	---	43,000	18,000	---	9,100	<250	2,400	730
MW2	01/31/97	16.67	5.07	11.60	No	---	28,000	8,000	---	2,400	630	1,500	3,300
MW2	04/10/97	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	07/10/97	16.67	7.34	9.33	No	---	18,000	2,600	---	2,900	82	1,500	530
MW2	10/08/97	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	01/28/98	16.67	4.46	12.21	No	---	29,000	---	28,000	5,600	410	1,500	720
MW2	04/14/98	16.67	4.48	12.19	---	---	---	---	---	---	---	---	---
MW2	07/30/98	16.67	6.01	10.66	No	---	24,000	6,300	---	7,500	<200	1,300	280
MW2	10/19/98	16.67	6.35	10.32	No	---	---	---	---	---	---	---	---
MW2	01/13/99	16.67	6.54	10.13	No	---	18,400	2,200	---	4,750	211	1,760	45.3
MW2	04/28/99	16.67	5.54	11.13	---	---	---	---	---	---	---	---	---
MW2	07/09/99	16.67	6.45	10.22	No	---	14,100	3,410	---	4,270	80.1	1,300	339
MW2	10/25/99	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	01/21/00	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	02/11/00	16.67	---	---	No	---	<50	15	---	<1.0	<1.0	<1.0	<1.0
MW2	04/14/00	16.67	4.69	11.98	No	---	---	---	---	---	---	---	---
MW2	06/16/00	16.67	Property transferred to Valero Refining Company.										
MW2	07/05/00	16.67	5.44	11.23	No	---	150	86	---	15	<0.5	6.2	2.8
MW2	10/03/00	16.67	6.31	10.36	No	---	200	2,500	---	35	0.51	5.1	12
MW2	01/02/01	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	04/02/01	16.67	5.00	11.67	No	---	<50	680	---	3.6	<0.5	<0.5	<0.5
MW2	07/02/01	16.67	5.62	11.05	No	---	1,400	890	---	13	1.1	<0.5	1.1
MW2	10/15/01	16.67	7.55	9.12	No	---	620	1,900	---	190	3.5	4.5	7
MW2	Nov-01	16.39	Well surveyed in compliance with AB 2886 requirements.										
MW2	02/04/02	16.39	4.71	11.68	No	69.0	122	7.10	---	31.4	5.40	9.10	10.4
MW2	05/06/02	16.39	5.08	11.31	No	252	1,250	646	958	125	22.5	68.2	63.1
MW2	08/22/02	16.39	6.88	9.51	No	178	1,270	652	---	269	<0.5	4.3	10.6
MW2	11/08/02	16.39	6.20	10.19	No	83	158	177	---	14.0	0.7	0.6	1.0
MW2	02/07/03	16.39	5.72	10.67	No	<50	173	78.1	---	43.1	3.4	4.5	5.5
MW2	05/02/03	16.39	4.18	12.21	No	56	60.0	50.5	---	4.10	<0.5	0.6	1.4
MW2	08/14/03	16.39	6.00	10.39	No	62d	1,080	506	---	143	1.1	0.7	2.0

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	11/14/03	16.39	5.81	10.58	No	132d	362	93.9	---	74.0	0.6	1.6	3.7
MW2	03/01/04	16.39	3.86	12.53	No	<100	<50.0	---	1.40	4.80	1.1	1.1	5.1
MW2	06/15/04	16.39	5.30	11.09	No	<50	<50.0	1.1	---	2.00	2.5	0.5	3.3
MW2	09/13/04	16.39	5.81	10.58	No	57d	<50.0	10.7	---	1.60	<0.5	<0.5	2.5
MW2	12/22/04	16.39	5.17	11.22	No	69d,f	<50.0	0.9	---	0.70	<0.5	<0.5	0.8
MW2	03/24/05	16.39	3.81	12.58	No	78d	54.0	---	0.80	6.30	0.5	1.1	1.5
MW2	06/14/05	16.39	4.89	11.50	No	84d	<50.0	---	<0.50	1.00	<0.5	<0.5	<0.5
MW2	09/12/05	16.39	7.26	9.13	No	65.2d	152	---	15.1	2.94	<0.50	<0.50	<0.50
MW2	12/13/05	16.39	5.87	10.52	No	88.4d	107	---	28.6	24.3	<0.50	<0.50	0.82
MW2	03/13/06	16.39	4.70	11.69	No	<47	<50	---	1.3	6.8	<0.50	<0.50	1.6
MW2	06/12/06	16.39	5.79	10.60	No	130d,f	140	---	0.69	9.1	2.2	4.2	21
MW2	09/08/06	16.39	5.96	10.43	No	<47	71	---	18	1.9	<0.50	<0.50	<0.50
MW2	12/05/06	16.39	---	---	No	520d	97	---	26	6.2	<0.50	<0.50	<0.50
MW2	03/12/07	16.39	4.97	11.42	No	48d	160	---	11	51	<1.0	<1.0	<1.0
MW2	05/29/07	16.39	5.90	10.49	No	93.5d	172	---	18.4	59.6	<0.50	<0.50	0.56f
MW2	08/29/07	16.39	6.51	9.88	No	99d	260	---	47	79	<1.0	<1.0	<1.0
MW2	11/29/07	16.39	6.33	10.06	No	89d	440	---	55	170	<2.5	<2.5	<2.5
MW2	02/27/08	16.39	4.67	11.72	No	<47	<250	---	2.8	2.6	<2.5	3.5	13
MW2	05/28/08	16.39	5.63	10.76	No	153d	88.8	---	4.03	7.43	<0.50	<0.50	<0.50
MW2	08/27/08	16.39	6.19	10.20	No	<50	55	---	2.0	1.7	<0.50	1.4	1.2
MW2	11/25/08	16.39	6.04	10.35	No	<50	61	---	1.8	0.80	<0.50	<0.50	<1.0
MW2	02/25/09	16.39	4.39	12.00	No	<50	99	---	1.5	2.6	1.2	4.0	4.4
MW2	05/27/09	16.39	5.10	11.29	No	<50	63	---	1.2	5.5	<0.50	<0.50	<1.0
MW2	09/08/09	16.39	5.99	10.40	No	93d	81	---	1.6	1.4	<0.50	<0.50	<1.0
MW2	12/02/09	16.39	5.77	10.62	No	370d	810	---	1.5	18	6.1	31	37
MW2	04/28/10	16.39	4.98	11.41	No	<50	<50	---	<0.50	0.61e	<0.50	<0.50	<1.0
MW2	11/18/10	16.39	5.98	10.41	No	<50	<50	---	0.58	<0.50	<0.50	<0.50	<1.0
<b>MW2</b>	<b>05/25/11</b>	<b>16.39</b>	<b>4.62</b>	<b>11.77</b>	<b>No</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>---</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>
MW3	06/07/88	17.11	---	---	---	---	28,000	---	---	6,000	80	940	1,900
MW3	06/10/88	17.11	6.05	11.06	No	---	---	---	---	---	---	---	---
MW3	01/17/89	17.11	5.49	11.62	No	---	5,300	---	---	2,500	230	590	1,100
MW3	01/24/89	17.11	5.38	11.73	No	---	---	---	---	---	---	---	---
MW3	06/01/89	17.11	5.96	11.15	No	---	5,400	---	---	330	300	570	680
MW3	09/18/89	17.11	6.65	10.46	No	---	12,000	---	---	680	170	350	860
MW3	10/20/89	17.11	6.88	10.23	No	---	---	---	---	---	---	---	---
MW3	11/22/89	17.11	6.74	10.37	No	---	---	---	---	---	---	---	---
MW3	12/11/89	17.11	6.37	10.74	No	---	14,000	---	---	1,100	150	670	690
MW3	02/13/90	17.11	5.58	11.53	No	---	---	---	---	---	---	---	---
MW3	03/13/90	17.11	5.48	11.63	No	---	18,000	---	---	6,300	200	1,100	1,100
MW3	04/18/90	17.11	6.01	11.10	No	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW3	05/23/90	17.11	6.14	10.97	No	---	---	---	---	---	---	---	---
MW3	06/14/90	17.11	5.83	11.28	No	---	9,500	---	---	1,300	880	310	1,800
MW3	08/21/90	17.11	6.67	10.44	No	---	---	---	---	---	---	---	---
MW3	09/19/90	17.11	6.88	10.23	No	---	16,000	---	---	5,000	65	1,500	450
MW3	12/17/90	17.11	6.46	10.65	No	---	6,700	---	---	1,500	64	650	460
MW3	01/31/91	17.11	6.24	10.87	No	---	---	---	---	---	---	---	---
MW3	02/25/91	17.11	6.18	10.93	No	---	---	---	---	---	---	---	---
MW3	03/19/91	17.11	5.35	11.76	No	---	18,000	---	---	4,200	2,100	1,100	1,200
MW3	04/22/91	17.11	5.72	11.39	No	---	---	---	---	---	---	---	---
MW3	05/17/91	17.11	5.55	11.56	No	---	---	---	---	---	---	---	---
MW3	07/24/91	17.11	6.41	10.70	No	---	38,000	---	---	6,200	990	2,900	9,600
MW3	09/10/91	17.11	6.80	10.31	No	---	---	---	---	---	---	---	---
MW3	09/23/91	17.11	6.80	10.31	No	---	---	---	---	---	---	---	---
MW3	10/21/91	17.11	7.09	10.02	No	---	---	---	---	---	---	---	---
MW3	10/22/91	17.11	---	---	---	---	23,000	---	---	3,400	150	2,500	4,400
MW3	11/18/91	17.11	6.74	10.37	No	---	---	---	---	---	---	---	---
MW3	12/11/91	17.11	6.79	10.32	No	---	---	---	---	---	---	---	---
MW3	01/21/92	17.11	6.16	10.95	No	---	13,000	---	---	2,700	30	1,800	740
MW3	02/20/92	17.11	4.89	12.22	No	---	---	---	---	---	---	---	---
MW3	03/19/92	17.11	4.85	12.26	No	---	---	---	---	---	---	---	---
MW3	04/24/92	17.11	5.28	11.83	No	---	17,000	---	---	4,200	170	1,600	600
MW3	05/13/92	17.11	5.58	11.53	No	---	---	---	---	---	---	---	---
MW3	06/24/92	17.11	6.22	10.89	No	---	---	---	---	---	---	---	---
MW3	07/16/92	17.11	6.36	10.75	No	---	11,000	---	---	2,700	230	1,100	570
MW3	08/19/92	17.11	6.65	10.46	No	---	---	---	---	---	---	---	---
MW3	09/24/92	17.11	6.93	10.18	No	---	7,100	---	---	2,000	44	1,000	220
MW3	02/05/93	17.11	4.71	12.40	No	---	13,000	---	---	3,600	110	1,300	430
MW3	04/30/93	17.11	5.46	11.65	No	---	13,000	---	---	1,600	370	1,600	1,800
MW3	05/14/93	17.11	6.53	10.58	No	---	---	---	---	---	---	---	---
MW3	07/15/93	17.11	7.28	9.83	No	---	2,100	---	---	310	15	230	58
MW3	10/21/93	17.11	7.42	9.69	---	---	---	---	---	---	---	---	---
MW3	11/16/93	17.11	8.02	9.09	No	---	4,000	---	---	400	400	120	490
MW3	11/30/93	17.11	7.79	9.32	---	---	---	---	---	---	---	---	---
MW3	12/17/93	17.11	7.13	9.98	---	---	---	---	---	---	---	---	---
MW3	01/31/94	17.11	6.32	10.79	---	---	---	---	---	---	---	---	---
MW3	02/24/94 - 02/25/94	17.11	6.04	11.07	No	---	3,300	---	---	280	52	150	400
MW3	09/12/94	17.11	6.58	10.53	No	---	3,100a,d	---	---	580	8	340	100
MW3	10/01/94	17.11	6.85	10.26	No	---	3,800a	---	---	640	11	230	130
MW3	01/13/95	17.11	5.27	11.84	No	---	3,800a	---	---	690	24	210	130
MW3	04/27/95	17.11	6.05	11.06	No	---	7,500	---	---	940	35	810	530
MW3	08/03/95	17.11	6.71	10.40	No	---	1,900	24	---	380	<5.0	140	45
MW3	10/17/95	17.11	7.46	9.65	No	---	6,100	<5.0	---	950	29	230	190

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW3	01/24/96	17.11	5.83	11.28	No	---	3,000	<100	---	730	15	190	110
MW3	04/24/96	17.11	5.38	11.73	No	---	11,000	<100	---	1,200	130	1,000	1,400
MW3	07/26/96	17.11	6.80	10.31	No	---	2,500	250	---	800	16	24	56
MW3	10/30/96	17.11	7.20	9.91	No	---	5,200	2,900	---	1,300	28	170	180
MW3	01/31/97	17.11	4.31	12.80	No	---	---	---	---	---	---	---	---
MW3	04/10/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	07/10/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/08/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/28/98	17.11	4.03	13.08	No	---	---	---	---	---	---	---	---
MW3	04/14/98	17.11	3.80	13.31	No	---	---	---	---	---	---	---	---
MW3	07/30/98	17.11	5.84	11.27	No	---	---	---	---	---	---	---	---
MW3	10/19/98	17.11	6.25	10.86	No	---	---	---	---	---	---	---	---
MW3	01/13/99	17.11	6.14	10.97	No	---	---	---	---	---	---	---	---
MW3	04/28/99	17.11	4.95	12.16	---	---	---	---	---	---	---	---	---
MW3	07/09/99	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/25/99	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/21/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	04/14/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	06/16/00	17.11	Property transferred to Valero Refining Company.										
MW3	07/05/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/03/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/02/01	17.11	5.78	11.33	No	560c	2,700	3,100	---	1300	8.8	11	21.3
MW3	04/02/01	17.11	4.71	12.40	No	620	3,700	1,400	---	1,400	11	36	21
MW3	07/02/01	17.11	5.82	11.29	No	880	5,300	1,200	---	1,300	32	30	730
MW3	10/15/01	17.11	6.12	10.99	No	210d	2,300	1,800	---	630	2.5	8.2	3.34
MW3	Nov-01	17.02	Well surveyed in compliance with AB 2886 requirements.										
MW3	02/04/02	17.02	4.59	12.43	No	402	8,830	1,420	---	2,300	166	150	158
MW3	05/06/02	17.02	4.84	12.18	No	1,300	7,950	544	967	1,930	18.0	80.0	648
MW3	08/22/02	17.02	6.42	10.60	No	416	2,270	298	---	506	3.5	8.0	6.5
MW3	11/08/02	17.02	5.66	11.36	No	193	1,640	470	---	330	1.8	4.9	2.7
MW3	02/07/03	17.02	4.99	12.03	No	800	1,360	662	---	328	6.5	9.0	35.0
MW3	05/02/03	17.02	4.73	12.29	No	562	2,500	300	---	306	4.8	17.5	29.1
MW3	08/14/03	17.02	6.02	11.00	No	227d	2,040	367	---	356	3.4	3.9	3.2
MW3	11/14/03	17.02	6.01	11.01	No	280d	1,880	794	---	244	2.6	3.7	4.5
MW3	03/01/04	17.02	3.71	13.31	No	484d	3,660	---	288	865	11.5	22.5	20.5
MW3	06/15/04	17.02	5.28	11.74	No	866d	9,980	180	---	1,120	82.0	86.0	1,740
MW3	09/13/04	17.02	5.91	11.11	No	390d	1,640	183	---	454	4.8	6.7	6.8
MW3	12/22/04	17.02	4.88	12.14	No	209d,f	1,770	44.9	---	230	2.8	8.2	9.2
MW3	03/24/05	17.02	3.59	13.43	No	808d	4,800	---	128	930	45.1	59.6	425
MW3	06/14/05	17.02	4.71	12.31	No	1,440d	6,080	---	144	1,330	34.0	39.0	217
MW3	09/12/05	17.02	7.03	9.99	No	417d	1,480	---	114	447	4.48	8.40	13.9
MW3	12/13/05	17.02	5.89	11.13	No	317d	1,160	---	26.5	218	2.19	3.87	6.70



**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW3	03/13/06	17.02	4.41	12.61	No	640d	2,800	---	45	830	12	10	17
MW3	06/12/06	17.02	5.41	11.61	No	620d,f	4,800	---	43	580	20	42	480
MW3	09/08/06	17.02	6.16	10.86	No	130d	810	---	22	130	<2.5	<2.5	<2.5
MW3	12/05/06	17.02	6.61	10.41	No	110d	720	---	16	100	<2.5	<2.5	<2.5
MW3	03/12/07	17.02	4.70	12.32	No	160d	720	---	12	79	<2.5	4.1	4.4
MW3	05/29/07	17.02	5.87	11.15	No	195d	782	---	14.7	109	1.76	1.89	2.79f
MW3	08/29/07	17.02	6.64	10.38	No	100d	530	---	10	64	<2.5	<2.5	<2.5
MW3	11/29/07	17.02	6.32	10.70	No	100d	560	---	9.8	72	<2.5	<2.5	<2.5
MW3	02/27/08	17.02	4.49	12.53	No	130d	690	---	12	110	<2.5	7.5	8.8
MW3	05/28/08	17.02	6.19	10.83	No	819d	1,640f	---	13.8f	85.6	<0.50	130	37.5
MW3	08/27/08	17.02	6.35	10.67	No	150	700	---	9.5	54	0.65	1.3	1.1
MW3	11/25/08	17.02	6.15	10.87	No	110	460	---	7.8	56	0.64	1.1	<1.0
MW3	02/25/09	17.02	4.11	12.91	No	84	260	---	9.3	48	0.73	3.2	2.9
MW3	05/27/09	17.02	5.14	11.88	No	<50	2,400	---	9.1	220	12	79	260
MW3	09/08/09	17.02	6.30	10.72	No	---	---	---	---	---	---	---	---
MW3	09/09/09	17.02	---	---	---	150d	540	---	5.0	41	<0.50	1.5	3.8
MW3	12/02/09	17.02	6.02	11.00	No	150d	700d	---	8.8	49	1.1	1.7	1.3
MW3	04/28/10	17.02	4.87	12.15	No	780d	1,700d	---	6.4	150	6.0	8.2	7.3
MW3	11/18/10	17.02	6.42	10.60	No	98	500	---	4.9	19	0.53e	0.92	<1.0
<b>MW3</b>	<b>05/25/11</b>	<b>17.02</b>	<b>4.60</b>	<b>12.42</b>	<b>No</b>	---	---	---	---	---	---	---	---
<b>MW3</b>	<b>05/26/11</b>	<b>17.02</b>	---	---	---	<b>280d</b>	<b>1,400d</b>	---	<b>&lt;5.0</b>	<b>260</b>	<b>3.9</b>	<b>6.1</b>	<b>10</b>
MW4	01/17/89	17.34	5.36	11.98	No	---	19,000	---	---	1,000	1,500	360	2,200
MW4	01/24/89	17.34	5.46	11.88	No	---	---	---	---	---	---	---	---
MW4	06/01/89	17.34	6.01	11.33	No	---	3,600	---	---	180	240	63	810
MW4	09/18/89	17.34	6.80	10.54	No	---	6,000	---	---	290	200	28	510
MW4	10/20/89	17.34	7.08	10.26	No	---	---	---	---	---	---	---	---
MW4	11/22/89	17.34	6.82	10.52	No	---	---	---	---	---	---	---	---
MW4	12/11/89	17.34	6.37	10.97	No	---	13,000	---	---	750	910	510	1,200
MW4	02/13/90	17.34	5.49	11.85	No	---	---	---	---	---	---	---	---
MW4	03/07/90	17.34	---	---	---	---	---	---	---	---	---	---	---
MW4	03/13/90	17.34	5.44	11.90	No	---	12,000	---	---	1,500	1,500	470	28,000
MW4	04/18/90	17.34	6.14	11.20	No	---	---	---	---	---	---	---	---
MW4	05/23/90	17.34	6.22	11.12	No	---	---	---	---	---	---	---	---
MW4	06/14/90	17.34	5.92	11.42	No	---	12,000	---	---	5,700	400	1,300	760
MW4	08/21/90	17.34	6.83	10.51	No	---	---	---	---	---	---	---	---
MW4	09/19/90	17.34	7.07	10.27	No	---	5,500	---	---	670	180	390	1,000
MW4	12/17/90	17.34	6.50	10.84	No	---	14,000	---	---	1,400	620	540	2,100
MW4	01/31/91	17.34	6.66	10.68	No	---	---	---	---	---	---	---	---
MW4	02/25/91	17.34	6.21	11.13	No	---	---	---	---	---	---	---	---
MW4	03/19/91	17.34	5.29	12.05	No	---	11,000	---	---	1,500	740	620	2,100

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	04/22/91	17.34	5.26	12.08	No	---	---	---	---	---	---	---	---
MW4	05/17/91	17.34	5.60	11.74	No	---	---	---	---	---	---	---	---
MW4	07/24/91	17.34	6.54	10.80	No	---	10,000	---	---	1,200	440	410	1,200
MW4	09/10/91	17.34	7.04	10.30	No	---	---	---	---	---	---	---	---
MW4	09/23/91	17.34	7.14	10.20	No	---	---	---	---	---	---	---	---
MW4	10/21/91	17.34	7.30	10.04	Sheen	---	---	---	---	---	---	---	---
MW4	10/22/91	17.34	---	---	---	---	4,600	---	---	750	190	350	780
MW4	11/18/91	17.34	6.90	10.44	No	---	---	---	---	---	---	---	---
MW4	12/11/91	17.34	7.01	10.33	No	---	---	---	---	---	---	---	---
MW4	01/21/92	17.34	6.25	11.09	No	---	6,000	---	---	1,300	320	510	1,200
MW4	02/20/92	17.34	4.79	12.55	No	---	---	---	---	---	---	---	---
MW4	03/19/92	17.34	4.70	12.64	No	---	---	---	---	---	---	---	---
MW4	04/24/92	17.34	5.25	12.09	Sheen	---	11,000	---	---	1,700	630	710	1,600
MW4	05/13/92	17.34	5.62	11.72	Sheen	---	---	---	---	---	---	---	---
MW4	06/24/92	17.34	6.19	11.15	Sheen	---	---	---	---	---	---	---	---
MW4	07/16/92	17.34	6.51	10.83	Sheen	---	5,400	---	---	870	240	440	700
MW4	08/19/92	17.34	6.85	10.49	No	---	---	---	---	---	---	---	---
MW4	09/24/92	17.34	7.17	10.17	No	---	5,900	---	---	1,300	130	530	690
MW4	02/05/93	17.34	4.61	12.73	No	---	15,000	---	---	2,300	820	980	2,200
MW4	04/30/93	17.34	5.59	11.75	No	---	21,000	---	---	4,000	960	1,500	2,900
MW4	05/14/93	17.34	6.50	10.84	No	---	---	---	---	---	---	---	---
MW4	07/15/93	17.34	7.50	9.84	No	---	2,300	---	---	440	55	130	220
MW4	10/21/93	17.34	7.77	9.57	---	---	---	---	---	---	---	---	---
MW4	11/16/93	17.34	8.27	9.07	No	---	5,100	---	---	820	160	260	760
MW4	11/30/93	17.34	8.02	9.32	---	---	---	---	---	---	---	---	---
MW4	12/17/93	17.34	7.04	10.30	---	---	---	---	---	---	---	---	---
MW4	01/31/94	17.34	6.36	10.98	---	---	---	---	---	---	---	---	---
MW4	02/24/94 - 02/25/94	17.34	5.78	11.56	No	---	9,800	---	---	2,200	190	660	1,200
MW4	09/12/94	17.34	6.80	10.54	No	---	5,200a	---	---	900	57	310	490
MW4	10/01/94	17.34	7.09	10.25	No	---	9,100a	---	---	1,200	66	360	380
MW4	01/13/95	17.34	4.66	12.68	No	---	25,000a	---	---	1,300	200	550	1,000
MW4	04/27/95	17.34	5.54	11.80	No	---	5,900	---	---	650	130	350	590
MW4	08/03/95	17.34	6.92	10.42	No	---	4,200	5,700	---	1,000	<12	170	140
MW4	10/17/95	17.34	7.50	9.84	No	---	6,900	1,700	---	1,300	30	360	380
MW4	01/24/96	17.34	5.81	11.53	No	---	6,300	830	---	1,900	46	290	330
MW4	04/24/96	17.34	5.44	11.90	No	---	5,000	1,600	---	1,800	<20	190	130
MW4	07/26/96	17.34	7.03	10.31	No	---	9,100	1,200	---	1,700	<25	340	280
MW4	10/30/96	17.34	7.57	9.77	No	---	5,300	1,500	---	1,100	35	420	300
MW4	01/31/97	17.34	4.22	13.12	No	---	6,500	40,000	---	1,200	28	490	130
MW4	04/10/97	17.34	---	---	---	---	---	---	---	---	---	---	---
MW4	07/10/97	17.34	7.56	9.78	No	---	10,000	11,000	---	1,100	120	470	720
MW4	10/08/97	17.34	---	---	---	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	01/28/98	17.34	3.70	13.64	No	---	1,700	---	4,900	450	6.8	220	73
MW4	04/14/98	17.34	3.81	13.53	---	---	---	---	---	---	---	---	---
MW4	07/30/98	17.34	5.96	11.38	No	---	2,900	2,800	---	680	<10	220	56
MW4	10/19/98	17.34	6.51	10.83	No	---	---	---	---	---	---	---	---
MW4	01/13/99	17.34	6.24	11.10	No	---	2,140	1,800	---	146	<10	60.9	16.2
MW4	04/28/99	17.34	4.80	12.54	---	---	---	---	---	---	---	---	---
MW4	07/09/99	17.34	6.04	11.30	No	---	1,300	1,310	---	322	<2.5	76.1	<2.5
MW4	10/25/99	17.34	6.51	10.83	No	---	---	---	---	---	---	---	---
MW4	01/21/00	17.34	5.75	11.59	No	---	2,200	1,000	---	410	3.70	40	14.4
MW4	04/14/00	17.34	4.39	12.95	No	---	---	---	---	---	---	---	---
MW4	06/16/00	17.34	Property transferred to Valero Refining Company.										
MW4	07/05/00	17.34	5.48	11.86	No	---	1,600	260	---	400	3.9	100	84
MW4	10/03/00	17.34	6.22	11.12	No	---	1,600	190	---	280	2	64	34.10
MW4	01/02/01	17.34	5.93	11.41	No	---	840	1,000	---	210	2.5	45	28.10
MW4	04/02/01	17.34	4.89	12.45	No	---	1,900	320	---	340	8.5	110	116
MW4	07/02/01	17.34	5.83	11.51	No	---	100	<2	---	3.9	<0.5	0.65	<0.5
MW4	10/15/01	17.34	6.36	10.98	No	---	930	360	---	140	7	24	10
MW4	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.										
MW4	02/04/02	17.29	4.35	12.94	No	774	1,250	46.1	---	124	4.40	46.7	43.5
MW4	05/06/02	17.29	4.95	12.34	No	776	2,040	1,410	2,120	165	5.0	42.0	39.0
MW4	08/22/02	17.29	6.65	10.64	No	445	1,570	1,070	---	73.3	<0.5	9.9	6.8
MW4	11/08/02	17.29	5.60	11.69	No	680	2,340	1,200	---	169	4.3	34.9	23.3
MW4	02/07/03	17.29	4.97	12.32	No	429	2,250	672	---	125	24.9	60.0	109
MW4	05/02/03	17.29	4.92	12.37	No	631	2,450	1,230	---	82.9	2.8	26.4	24.7
MW4	08/14/03	17.29	6.35	10.94	No	444	1,160	286	---	97.0	2.8	14.6	7.4
MW4	11/14/03	17.29	Well inaccessible.										
MW4	03/01/04	17.29	3.65	13.64	No	571d	1,860	---	66.7	104	4.4	38.3	25.4
MW4	06/15/04	17.29	5.60	11.69	No	453d	632	35.0	---	63.8	1.6	7.3	5.9
MW4	09/13/04	17.29	6.23	11.06	No	444d	1,120	93.4	---	126	3.9	17.8	9.7
MW4	12/22/04	17.29	5.01	12.28	No	561d,f	1,600	31.2	---	105	3.9	24.8	13.3
MW4	03/24/05	17.29	3.64	13.65	No	756d	2,120	---	255	94.9	4.9	44.6	32.3
MW4	06/14/05	17.29	4.84	12.45	No	992d	1,760	---	20.3	105	5.2	25.2	15.1
MW4	09/12/05	17.29	7.41	9.88	No	351d	922	---	524	48.2	<0.50	1.63	1.70
MW4	12/13/05	17.29	6.18	11.11	No	728d	1,970	---	836h	144	4.63	15.9	8.64
MW4	03/13/06	17.29	4.71	12.58	No	590d	1,400	---	16	84	2.7	22	15
MW4	06/12/06	17.29	5.88	11.41	No	330d,f	840	---	11	83	3.0	9.8	11
MW4	09/08/06	17.29	6.48	10.81	No	320d	1,000	---	65	88	3.4	6.1	3.6
MW4	12/05/06	17.29	7.15	10.14	No	240d	680	---	78	43	<2.5	3.2	<2.5
MW4	03/12/07	17.29	4.62	12.67	No	390d	1,200	---	44	57	1.8	11	7.4
MW4	05/29/07	17.29	6.32	10.97	No	772d	531	---	8.65	51.6	2.39	6.59	4.63f
MW4	08/29/07	17.29	7.02	10.27	No	250d	470	---	6.8	40	<2.5	4.2	3.0
MW4	11/29/07	17.29	6.61	10.68	No	320d	680	---	5.1	46	<2.5	6.8	4.2

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	02/27/08	17.29	4.87	12.42	No	440d	1,000	---	3.4	56	<2.5	18	5.7
MW4	05/28/08	17.29	6.00	11.29	No	714d	627f	---	4.13f	61.6	<0.50	7.36	2.88
MW4	08/27/08	17.29	6.64	10.65	No	400	410	---	2.1	25	1.5	3.7	2.9
MW4	11/25/08	17.29	6.49	10.80	No	<50	970	---	<0.50	57	2.9	7.2	3.5
MW4	02/25/09	17.29	4.22	13.07	No	300	1,300	---	<2.5	50	4.4	23	11
MW4	05/27/09	17.29	5.40	11.89	No	<50	1,300	---	<2.5	53	2.9	11	7.6
MW4	09/08/09	17.29	6.67	10.62	No	330d	740	---	1.5	26	2.0	4.1	3.2
MW4	12/02/09	17.29	6.48	10.81	No	320d	820d	---	1.1	24	1.4	4.1	2.4
MW4	04/28/10	17.29	5.39	11.90	No	600d	1,100d	---	2.9	43	3.9	16	9.7
MW4	11/18/10	17.29	6.99	10.30	No	320	440d	---	0.77	8.1	0.74	1.8	1.9
<b>MW4</b>	<b>05/25/11</b>	<b>17.29</b>	<b>4.80</b>	<b>12.49</b>	<b>No</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>---</b>
<b>MW4</b>	<b>05/26/11</b>	<b>17.29</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>610d</b>	<b>1,500d</b>	<b>---</b>	<b>&lt;0.50</b>	<b>21</b>	<b>2.4</b>	<b>8.6</b>	<b>5.4e</b>
MW5	01/17/89	16.71	5.39	11.32	No	---	26,000	---	---	8,700	3,900	990	5,900
MW5	01/24/89	16.71	5.51	11.20	No	---	---	---	---	---	---	---	---
MW5	06/01/89	16.71	5.83	10.88	Sheen	---	5,200	---	---	240	220	130	690
MW5	09/18/89	16.71	6.52	10.19	No	---	8,000	---	---	340	150	140	460
MW5	10/20/89	16.71	6.72	9.99	No	---	---	---	---	---	---	---	---
MW5	11/22/89	16.71	6.54	10.17	No	---	---	---	---	---	---	---	---
MW5	12/11/89	16.71	6.21	10.50	No	---	15,000	---	---	720	320	450	870
MW5	02/13/90	16.71	5.60	11.11	No	---	---	---	---	---	---	---	---
MW5	03/07/90	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	03/13/90	16.71	5.54	11.17	No	---	10,000	---	---	3,400	220	280	800
MW5	04/18/90	16.71	5.75	10.96	No	---	---	---	---	---	---	---	---
MW5	05/23/90	16.71	5.98	10.73	No	---	---	---	---	---	---	---	---
MW5	06/14/90	16.71	5.81	10.90	No	---	12,000	---	---	3,300	160	350	730
MW5	08/21/90	16.71	6.51	10.20	No	---	---	---	---	---	---	---	---
MW5	09/19/90	16.71	6.70	10.01	No	---	8,500	---	---	1,800	85	120	460
MW5	12/17/90	16.71	6.24	10.47	Sheen	---	18,000	---	---	2,300	810	430	1,400
MW5	01/31/91	16.71	6.31	10.40	No	---	---	---	---	---	---	---	---
MW5	02/25/91	16.71	6.13	10.58	No	---	---	---	---	---	---	---	---
MW5	03/19/91	16.71	5.32	11.39	No	---	17,000	---	---	2,900	610	580	1,200
MW5	04/22/91	16.71	5.30	11.41	Sheen	---	---	---	---	---	---	---	---
MW5	05/17/91	16.71	5.59	11.12	No	---	---	---	---	---	---	---	---
MW5	07/24/91	16.71	6.33	10.38	No	---	16,000	---	---	3,200	320	690	1,100
MW5	09/10/91	16.71	6.66	10.05	No	---	---	---	---	---	---	---	---
MW5	09/23/91	16.71	6.75	9.96	No	---	---	---	---	---	---	---	---
MW5	10/21/91	16.71	6.92	9.79	Sheen	---	---	---	---	---	---	---	---
MW5	10/22/91	16.71	---	---	---	---	6,600	---	---	2,000	64	320	480
MW5	11/18/91	16.71	6.55	10.16	No	---	---	---	---	---	---	---	---
MW5	12/11/91	16.71	6.64	10.07	No	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	01/21/92	16.71	6.07	10.64	Sheen	---	14,000	---	---	4,000	190	630	1,300
MW5	02/20/92	16.71	4.83	11.88	No	---	---	---	---	---	---	---	---
MW5	03/19/92	16.71	4.83	11.88	Sheen	---	---	---	---	---	---	---	---
MW5	04/24/92	16.71	5.32	11.39	Sheen	---	12,000	---	---	2,600	120	620	530
MW5	05/13/92	16.71	5.61	11.10	Sheen	---	---	---	---	---	---	---	---
MW5	06/24/92	16.71	6.17	10.54	No	---	---	---	---	---	---	---	---
MW5	07/16/92	16.71	6.25	10.46	Sheen	---	20,000	---	---	4,000	48	880	720
MW5	08/19/92	16.71	6.53	10.18	Sheen	---	---	---	---	---	---	---	---
MW5	09/24/92	16.71	6.80	9.91	Sheen	---	9,300	---	---	2,200	31	330	250
MW5	02/05/93	16.71	4.70	12.01	No	---	---	---	---	---	---	---	---
MW5	04/30/93	16.71	5.43	11.28	Sheen	---	30,000	---	---	5,900	450	1,900	1,500
MW5	05/14/93	16.71	7.31	9.40	No	---	---	---	---	---	---	---	---
MW5	07/15/93	16.71	7.93	8.83	0.07	---	---	---	---	---	---	---	---
MW5	10/21/93	16.71	7.25	9.46	---	---	---	---	---	---	---	---	---
MW5	11/15/93	16.71	8.42	8.32	0.04	---	---	---	---	---	---	---	---
MW5	11/30/93	16.71	8.10	8.61	---	---	---	---	---	---	---	---	---
MW5	12/17/93	16.71	7.43	9.28	---	---	---	---	---	---	---	---	---
MW5	01/31/94	16.71	5.95	10.76	---	---	---	---	---	---	---	---	---
MW5	02/24/94 - 02/25/94	16.71	6.23	10.48	Sheen	---	---	---	---	---	---	---	---
MW5	09/12/94	16.71	7.12	9.59	No	---	10,000a,d	---	---	2,300	17	320	230
MW5	10/01/94	16.71	7.06	9.65	Sheen	---	11,000a	---	---	2,300	19	220	200
MW5	01/13/95	16.71	4.85	11.86	Sheen	---	---	---	---	---	---	---	---
MW5	04/27/95	16.71	6.51	10.20	No	---	14,000	---	---	2,200	72	540	350
MW5	08/03/95	16.71	7.24	9.47	No	---	<10,000	39,000	---	2,100	<100	210	<100
MW5	10/17/95	16.71	7.80	8.91	No	---	13,000	38,000	---	1,800	14	240	170
MW5	01/24/96	16.71	6.66	10.05	No	---	10,000	20,000	---	2,400	79	340	190
MW5	04/24/96	16.71	5.80	10.91	No	---	13,000	33,000	---	3,700	120	520	170
MW5	07/26/96	16.71	7.67	9.04	No	---	15,000	140,000	---	3,400	53	280	76
MW5	10/30/96	16.71	7.77	8.94	No	---	10,000	110,000a	---	2,600	76	260	150
MW5	01/31/97	16.71	4.90	11.81	No	---	10,000	---	34,000	2,400	66	430	140
MW5	04/10/97	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	07/10/97	16.71	7.65	9.06	No	---	9,800	36,000	52,000	1,400	120	190	120
MW5	10/08/97	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	01/28/98	16.71	3.95	12.76	No	---	6,500	---	15,000	1,500	34	73	57
MW5	04/14/98	16.71	4.30	12.41	---	---	---	---	---	---	---	---	---
MW5	07/30/98	16.71	5.86	10.85	No	---	8,300	4,300	---	1,700	26	110	66
MW5	10/19/98	16.71	6.20	10.51	No	---	---	---	---	---	---	---	---
MW5	01/13/99	16.71	6.37	10.34	No	---	4,780	3,650	---	1,240	11.1	<10	<10
MW5	04/28/99	16.71	5.25	11.46	---	---	---	---	---	---	---	---	---
MW5	07/09/99	16.71	6.08	10.63	No	---	4,360	2,360	---	1,780	18.6	45	<5.0
MW5	10/25/99	16.71	6.46	10.25	No	---	---	---	---	---	---	---	---
MW5	01/21/00	16.71	5.79	10.92	No	---	2,600	3,100	---	720	4.7	25	11.3

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	04/14/00	16.71	4.57	12.14	No	---	---	---	---	---	---	---	---
MW5	06/16/00	16.71	Property transferred to Valero Refining Company.										
MW5	07/05/00	16.71	5.37	11.34	No	---	5,100	380	---	1,800	14	52	34
MW5	10/03/00	16.71	5.93	10.78	No	---	5,800	630	---	2,000	8.9	59	21
MW5	01/02/01	16.71	5.68	11.03	No	---	4,800	1,100	---	1,600	9.6	38	15
MW5	04/02/01	16.71	4.87	11.84	No	---	6,800	1,500	---	2,000	40	150	49
MW5	07/02/01	16.71	5.77	10.94	No	---	4,100	960	---	1,600	20	35	21
MW5	10/15/01	16.71	6.15	10.56	No	---	3,900	1,000	---	1,400	8.7	17	15.7
MW5	Nov-01	16.64	Well surveyed in compliance with AB 2886 requirements.										
MW5	02/04/02	16.64	4.69	11.95	No	976	4,380	620	---	1,440	38.0	84.0	50.0
MW5	05/06/02	16.64	5.00	11.64	No	1,360	3,810	764	1,220	1,110	20.0	26.0	26.0
MW5	08/22/02	16.64	6.98	9.66	No	695	3,190	545	---	823	9.0	11.0	31.0
MW5	11/08/02	16.64	5.31	11.33	No	645	3,360	746	---	1,050	9.4	11.1	17.8
MW5	02/07/03	16.64	5.75	10.89	No	689	3,550	400	---	1,100	25.0	65.0	29.0
MW5	05/02/03	16.64	5.34	11.30	No	934	4,070	439	---	818	16.9	31.9	28.6
MW5	08/14/03	16.64	6.37	10.27	No	988d	3,860	286	---	912	15.6	16.2	24.0
MW5	11/14/03	16.64	6.01	10.63	No	1,000d	3,450	198	---	841	15.0	14.8	17.4
MW5	03/01/04	16.64	4.04	12.60	No	711d	3,160	---	52.7	767	21.5	32.5	26.5
MW5	06/15/04	16.64	5.47	11.17	No	600d	4,520	52.0	---	930	14.5	17.5	24.5
MW5	09/13/04	16.64	5.99	10.65	No	686d	3,960	70.0	---	998	12.0	14.0	20.0
MW5	12/22/04	16.64	5.08	11.56	No	1,200d,f	3,110	52.6	---	1,000	58.5	91.9	90.3
MW5	03/24/05	16.64	3.85	12.79	No	1,240d	3,370	---	30.7	962	24.3	80.5	80.0
MW5	06/14/05	16.64	4.92	11.72	No	1,640d	4,210	---	28.1	976	25.0	51.0	64.0
MW5	09/12/05	16.64	7.86	8.78	No	780d	1,130	---	23.4	481	6.44	4.94	10.1
MW5	12/13/05	16.64	6.22	10.42	No	1,090d	2,210	---	18.7	698	8.07	9.59	8.15
MW5	03/13/06	16.64	5.52	11.12	No	770d	3,000	---	10	510	17	63	37
MW5	06/12/06	16.64	6.42	10.22	No	490d,f	2,200	---	6.8	290	14	22	40
MW5	09/08/06	16.64	6.07	10.57	No	600d	2,300	---	7.9	360	<10	<10	<10
MW5	12/05/06	16.64	7.71	8.93	No	710d	1,900	---	7.1	300	6.3	<5.0	5.7
MW5	03/12/07	16.64	4.95	11.69	No	630d	2,300	---	5.5	310	23	32	37
MW5	05/29/07	16.64	6.51	10.13	No	1,710d	2,880	---	5.24	438	18.3	19.3	45.6f
MW5	08/29/07	16.64	7.03	9.61	No	590d	2,000	---	6.3	220	<5.0	<5.0	9.0
MW5	11/29/07	16.64	6.67	9.97	No	480d	1,400	---	4.8	150	7.2	<5.0	6.9
MW5	02/27/08	16.64	5.22	11.42	No	830d	2,600	---	2.8	260	22	79	65
MW5	05/28/08	16.64	6.10	10.54	No	1,630d	2,040f	---	4.17f	249	10.7	16.8	29.0
MW5	08/27/08	16.64	6.32	10.32	No	1,100	2,300	---	<5.0	170	5.1	5.5	9.4
MW5	11/25/08	16.64	6.36	10.28	No	1,000	2,700	---	<5.0	220	8.7	10	12
MW5	02/25/09	16.64	4.25	12.39	No	950	3,100	---	<5.0	290	22	68	50
MW5	05/27/09	16.64	5.26	11.38	No	1,600	3,100	---	<5.0	47	2.5	7.7	8.3
MW5	09/08/09	16.64	6.65	9.99	No	---	---	---	---	---	---	---	---
MW5	09/09/09	16.64	---	---	---	720d	2,300	---	<2.5	100	<0.50	6.2	14
MW5	12/02/09	16.64	6.75	9.89	No	910d	2,400d	---	<2.0	110	4.5	11	11

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	04/28/10	16.64	6.20	10.44	No	1,600d	3,700d	---	1.2	160	30	120	110
MW5	11/18/10	16.64	7.03	9.61	No	1,000	3,100d	---	8.9	180	11	8.7	16
<b>MW5</b>	<b>05/25/11</b>	<b>16.64</b>	<b>4.71</b>	<b>11.93</b>	<b>No</b>	---	---	---	---	---	---	---	---
<b>MW5</b>	<b>05/26/11</b>	<b>16.64</b>	---	---	---	<b>670d</b>	<b>1,800d</b>	---	<b>&lt;2.0</b>	<b>140</b>	<b>5.5</b>	<b>15</b>	<b>14</b>
MW6	01/17/89	17.56	5.59	11.97	No	---	38,000	---	---	7,400	9,300	2,000	9,900
MW6	01/24/89	17.56	5.27	12.29	No	---	---	---	---	---	---	---	---
MW6	06/01/89	17.56	6.25	11.31	Sheen	---	23,000	---	---	1,900	2,500	2,000	6,000
MW6	09/18/89	17.56	6.95	10.61	No	---	17,000	---	---	650	410	650	320
MW6	10/20/89	17.56	7.24	10.32	No	---	---	---	---	---	---	---	---
MW6	11/22/89	17.56	7.05	10.51	No	---	---	---	---	---	---	---	---
MW6	12/11/89	17.56	6.63	10.93	No	---	29,000	---	---	1,100	810	330	1,500
MW6	02/13/90	17.56	5.70	11.86	No	---	---	---	---	---	---	---	---
MW6	03/07/90	17.56	---	---	---	---	---	---	---	---	---	---	---
MW6	03/13/90	17.56	5.63	11.93	No	---	38,000	---	---	12,000	15,000	2,500	12,000
MW6	04/18/90	17.56	6.26	11.30	No	---	---	---	---	---	---	---	---
MW6	05/23/90	17.56	6.42	11.14	No	---	---	---	---	---	---	---	---
MW6	06/14/90	17.56	6.19	11.37	No	---	38,000	---	---	9,100	7,800	2,900	12,000
MW6	08/21/90	17.56	7.01	10.55	No	---	---	---	---	---	---	---	---
MW6	09/19/90	17.56	7.23	10.33	No	---	22,000	---	---	4,200	300	1,400	3,400
MW6	12/17/90	17.56	6.66	10.90	No	---	20,000	---	---	3,100	4,100	890	2,700
MW6	01/31/91	17.56	6.39	11.17	No	---	---	---	---	---	---	---	---
MW6	02/25/91	17.56	6.39	11.17	No	---	---	---	---	---	---	---	---
MW6	03/19/91	17.56	5.57	11.99	No	---	180,000	---	---	11,000	55,000	5,600	28,000
MW6	04/22/91	17.56	5.42	12.14	No	---	---	---	---	---	---	---	---
MW6	05/17/91	17.56	5.73	11.83	No	---	---	---	---	---	---	---	---
MW6	07/24/91	17.56	6.72	10.84	No	---	48,000	---	---	5,400	2,300	2,000	9,000
MW6	09/10/91	17.56	7.15	10.41	No	---	---	---	---	---	---	---	---
MW6	09/23/91	17.56	7.25	10.31	No	---	---	---	---	---	---	---	---
MW6	10/21/91	17.56	7.42	10.14	No	---	---	---	---	---	---	---	---
MW6	10/22/91	17.56	---	---	---	---	18,000	---	---	3,100	700	1,400	2,900
MW6	11/18/91	17.56	7.08	10.48	No	---	---	---	---	---	---	---	---
MW6	12/11/91	17.56	7.17	10.39	No	---	---	---	---	---	---	---	---
MW6	01/21/92	17.56	6.40	11.16	No	---	9,400	---	---	2,100	370	1,000	1,100
MW6	02/20/92	17.56	5.06	12.50	No	---	---	---	---	---	---	---	---
MW6	03/19/92	17.56	4.86	12.70	No	---	---	---	---	---	---	---	---
MW6	04/24/92	17.56	5.44	12.12	No	---	42,000	---	---	3,500	8,000	2,100	8,000
MW6	05/13/92	17.56	5.83	11.73	No	---	---	---	---	---	---	---	---
MW6	06/24/92	17.56	6.50	11.06	No	---	---	---	---	---	---	---	---
MW6	07/16/92	17.56	6.68	10.88	No	---	14,000	---	---	1,600	1,000	1,000	2,500
MW6	08/19/92	17.56	7.00	10.56	No	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6	09/24/92	17.56	7.28	10.28	No	---	4,700	---	---	790	97	640	540
MW6	02/05/93	17.56	4.84	12.72	No	---	26,000	---	---	2,500	4,300	1,700	5,300
MW6	04/30/93	17.56	5.69	11.87	No	---	9,600	---	---	1,000	410	1,100	1,600
MW6	05/14/93	17.56	6.52	11.04	No	---	---	---	---	---	---	---	---
MW6	07/15/93	17.56	7.51	10.05	No	---	4,600	---	---	250	72	540	650
MW6	10/21/93	17.56	7.85	9.71	---	---	---	---	---	---	---	---	---
MW6	11/16/93	17.56	8.29	9.27	No	---	410	---	---	41	12	47	71
MW6	11/30/93	17.56	8.08	9.48	---	---	---	---	---	---	---	---	---
MW6	12/17/93	17.56	7.27	10.29	---	---	---	---	---	---	---	---	---
MW6	01/31/94	17.56	6.62	10.94	---	---	---	---	---	---	---	---	---
MW6	02/24/94 - 02/25/94	17.56	6.23	11.33	No	---	4,300	---	---	190	190	300	460
MW6	09/12/94	17.56	6.88	10.68	No	---	1,500a,d	---	---	150	4.4	170	85
MW6	10/01/94	17.56	7.15	10.41	No	---	87a	---	---	120	<0.5	99	38
MW6	01/13/95	17.56	4.80	12.76	No	---	9,900a	---	---	710	220	780	1,100
MW6	04/27/95	17.56	6.14	11.42	No	---	3,900	---	---	340	40	460	320
MW6	08/03/95	17.56	6.83	10.73	No	---	1,100	65	---	89	<2.5	110	63
MW6	10/17/95	17.56	7.66	9.90	No	---	8,500	<5.0	---	410	74	850	110
MW6	01/24/96	17.56	5.86	11.70	No	---	31,000	<5.0	---	560	1,500	2,200	7,500
MW6	04/24/96	17.56	5.39	12.17	No	---	15,000	280	---	460	570	1,400	3,300
MW6	07/26/96	17.56	6.97	10.59	No	---	27,000	1,300	---	270	660	1,600	5,500
MW6	10/30/96	17.56	7.45	10.11	No	---	28,000	900	---	490	440	1,800	6,200
MW6	01/31/97	17.56	4.30	13.26	No	---	7,000	770	---	190	1,000	380	1,400
MW6	04/10/97	17.56	---	---	---	---	---	---	---	---	---	---	---
MW6	07/10/97	17.56	7.57	9.99	No	---	6,800	1,100	---	200	<50	300	860
MW6	10/08/97	17.56	7.48	10.08	No	---	51,000	580	---	870	7,300	2,600	12,000
MW6	01/28/98	17.56	3.74	13.82	No	---	15,000	---	2,400	650	2,300	900	2,700
MW6	04/14/98	17.56	3.92	13.64	No	---	25,000	---	2,100	850	3,300	1,200	4,300
MW6	07/30/98	17.56	6.09	11.47	No	---	5,900	910	---	270	65	500	630
MW6	10/19/98	17.56	6.56	11.00	No	---	---	---	---	---	---	---	---
MW6	01/13/99	17.56	6.35	11.21	No	---	3,150	422	---	204	107	297	304
MW6	04/28/99	17.56	4.89	12.67	No	---	15,300	---	436	1,270	980	1,100	3,320
MW6	07/09/99	17.56	6.07	11.49	No	---	1,140	439	---	121	9.95	160	4.69
MW6	10/25/99	17.56	6.11	11.45	No	---	2,200	3,400	---	590	<10	22	12.1
MW6	01/21/00	17.56	5.86	11.70	No	---	1,300	1,000	---	95	15	94	74
MW6	04/14/00	17.56	4.29	13.27	No	---	13,000	420	---	440	630	840	3,000
MW6	06/16/00	17.56	Property transferred to Valero Refining Company.										
MW6	07/05/00	17.56	5.39	12.17	No	---	5,800	830	---	1,000	13	550	798
MW6	10/03/00	17.56	6.14	11.42	No	---	490	3,800	---	61	<0.5	74	12
MW6	01/02/01	17.56	---	---	---	---	---	---	---	---	---	---	---
MW6	04/02/01	17.56	4.70	12.86	No	400	16,000	450	---	370	690	870	3,200
MW6	07/02/01	17.56	8.73	8.83	No	520	3,700	2,000	---	330	<5	160	32
MW6	10/15/01	17.56	6.24	11.32	No	1,100d	27,000	790	---	<12	<12	<12	<12



**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6	Nov-01	17.31	Well surveyed in compliance with AB 2886 requirements.										
MW6	02/04/02	17.31	4.24	13.07	No	168	14,800	545	---	425	120	1,480	4,030
MW6	05/06/02	17.31	4.83	12.48	No	1,540	8,580	380	522.0	988	24.0	866	1,080
MW6	08/22/02	17.31	6.49	10.82	No	10,400	4,050	716	---	44.5	11.5	460	270
MW6	11/08/02	17.31	5.49	11.82	No	822	5,640	1,150	---	49.3	42.7	586	858
MW6	02/07/03	17.31	4.89	12.42	No	1,590	14,300	572	---	134	393	1,000	3,720
MW6	05/02/03	17.31	4.68	12.63	No	1,550	8,880	1,560	---	92.0	167	672	1,530
MW6	08/14/03	17.31	6.15	11.16	No	666d	6,560	3,780	---	28.2	5.3	133	184
MW6	11/14/03	17.31	6.03	11.28	No	338d	5,370	4,520	---	26.4	3.1	44.9	45.0
MW6	03/01/04	17.31	3.60	13.71	No	1,630d	9,020	---	134	223	265	546	1,700
MW6	06/15/04	17.31	5.41	11.90	No	521d	6,920	3,470	---	300	10.0	97.0	173
MW6	09/13/04	17.31	6.06	11.25	No	122d	1,010	733	---	23	<5.0	11.0	<5.0
MW6	12/22/04	17.31	4.98	12.33	No	884d,f	4,050	75.4	---	101	169	208	980
MW6	03/24/05	17.31	3.59	13.72	No	1,310d	7,650	---	129	460	46.0	365	1,240
MW6	06/14/05	17.31	4.67	12.64	No	895d	1,940	---	153	195	7.6	26.3	18.3
MW6	09/12/05	17.31	7.12	10.19	No	182d	560	---	286	10.2	<0.50	<0.50	<0.50
MW6	12/13/05	17.31	5.98	11.33	No	212d	397	---	88.1	12.6	2.64	3.31	4.58
MW6	03/13/06	17.31	4.28	13.03	No	850d	4,300	---	110	440	40	130	900
MW6	06/12/06	17.31	5.40	11.91	No	350d,f	1,600	---	<5.0	120	<10	<10	31
MW6	09/08/06	17.31	6.34	10.97	No	66d	290	---	16	4.0	<0.50	<0.50	<0.50
MW6	12/05/06	17.31	6.74	10.57	No	75d	260	---	23	3.5	<0.50	<0.50	1.8
MW6	03/12/07	17.31	4.71	12.60	No	170d	890	---	11	12	2.8	12	88
MW6	05/29/07	17.31	5.96	11.35	No	169d	318	---	7.08	7.77	1.03	<0.50	0.98f
MW6	08/29/07	17.31	6.80	10.51	No	60d	170	---	<2.5	3.1	<0.50	<0.50	<0.50
MW6	11/29/07	17.31	6.46	10.85	No	<47	180	---	<2.5	<0.50	<0.50	<0.50	<0.50
MW6	02/27/08	17.31	4.44	12.87	No	1,200d	14,000	---	30	82	250	1,200	4,500
MW6	05/28/08	17.31	5.75	11.56	No	3,610d	19,800	---	6.45f	33.4	30.2	1,080	3,270f
MW6	08/27/08	17.31	6.50	10.81	No	2,600	7,600	---	<50	33	16	710	1,800
MW6	11/25/08	17.31	6.27	11.04	No	2,100	8,100	---	<50	74	100	2,100	2,600
MW6	02/25/09	17.31	4.09	13.22	No	1,900	7,700	---	<50	75	250	1,200	1,700
MW6	05/27/09	17.31	5.26	12.05	No	88	5,100	---	<10	4.2	1.6	43	72
MW6	09/08/09	17.31	6.42	10.89	No	---	---	---	---	---	---	---	---
MW6	09/09/09	17.31	---	---	---	2,000d	4,200	---	<10	29	9.8	330	80
MW6	12/02/09	17.31	6.14	11.17	No	1,800d	4,800d	---	<5.0	25	34	240	18
MW6	04/28/10	17.31	4.90	12.41	No	660d	1,300d	---	<1.0	17	3.2	29	18
MW6	11/18/10	17.31	6.58	10.73	No	74	170d	---	0.52	0.68	<0.50	<0.50	<1.0
<b>MW6</b>	<b>05/25/11</b>	<b>17.31</b>	<b>4.60</b>	<b>12.71</b>	<b>No</b>	<b>590d</b>	<b>1,000d</b>	<b>---</b>	<b>4.6</b>	<b>100</b>	<b>14</b>	<b>6.3</b>	<b>31</b>
MW7	01/09/90	17.12	---	---	---	---	17,000	---	---	380	180	330	1,300
MW7	02/13/90	17.12	4.98	12.14	No	---	---	---	---	---	---	---	---
MW7	03/13/90	17.12	4.94	12.18	No	---	16,000	---	---	360	270	83	460

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW7	05/23/90	17.12	5.87	11.25	No	---	---	---	---	---	---	---	---
MW7	06/14/90	17.12	5.55	11.57	No	---	14,000	---	---	1,200	2,800	75	930
MW7	09/19/90	17.12	6.79	10.33	No	---	16,000	---	---	2,800	95	2,500	1,700
MW7	12/17/90	17.12	6.15	10.97	No	---	75,000	---	---	2,600	7,000	3,300	14,000
MW7	01/31/91	17.12	6.64	10.48	No	---	---	---	---	---	---	---	---
MW7	02/25/91	17.12	5.80	11.32	No	---	---	---	---	---	---	---	---
MW7	03/19/91	17.12	4.96	12.16	No	---	44,000	---	---	---	---	---	---
MW7	04/22/91	17.12	4.82	12.30	No	---	---	---	---	1,600	740	3,400	8,600
MW7	05/17/91	17.12	5.18	11.94	No	---	---	---	---	---	---	---	---
MW7	07/24/91	17.12	6.22	10.90	No	---	18,000	---	---	---	---	---	---
MW7	09/10/91	17.12	6.71	10.41	No	---	---	---	---	1,300	160	2,700	1,000
MW7	09/23/91	17.12	6.84	10.28	No	---	---	---	---	---	---	---	---
MW7	10/21/91	17.12	7.00	10.12	No	---	---	---	---	---	---	---	---
MW7	10/22/91	17.12	---	---	---	---	10,000	---	---	990	26	1,900	490
MW7	11/18/91	17.12	6.56	10.56	No	---	---	---	---	---	---	---	---
MW7	12/11/91	17.12	6.68	10.44	No	---	---	---	---	---	---	---	---
MW7	01/21/92	17.12	5.99	11.13	No	---	23,000	---	---	---	---	---	---
MW7	02/20/92	17.12	4.36	12.76	No	---	---	---	---	2,200	3,000	1,800	6,100
MW7	03/19/92	17.12	4.22	12.90	No	---	---	---	---	---	---	---	---
MW7	04/24/92	17.12	4.84	12.28	No	---	25,000	---	---	---	---	---	---
MW7	05/13/92	17.12	5.24	11.88	No	---	---	---	---	1,400	220	2,100	2,600
MW7	06/24/92	17.12	6.04	11.08	No	---	---	---	---	---	---	---	---
MW7	07/16/92	17.12	6.19	10.93	No	---	8,700	---	---	---	---	---	---
MW7	08/19/92	17.12	6.55	10.57	No	---	---	---	---	470	45	970	86
MW7	09/24/92	17.12	6.83	10.29	No	---	---	---	---	---	---	---	---
MW7	02/05/93	17.12	4.11	13.01	No	---	33,000	---	---	560	48	1,300	54
MW7	04/30/93	17.12	5.29	11.83	No	---	13,000	---	---	1,100	2,300	1,200	4,200
MW7	05/14/93	17.12	5.91	11.21	No	---	---	---	---	240	85	710	320
MW7	07/15/93	17.12	7.07	10.05	No	---	6,900	---	---	---	---	---	---
MW7	10/21/93	17.12	7.55	9.57	---	---	---	---	---	200	30	500	48
MW7	11/16/93	17.12	7.85	9.27	No	---	7,400	---	---	---	---	---	---
MW7	11/30/93	17.12	7.66	9.46	---	---	---	---	---	300	85	480	120
MW7	12/17/93	17.12	6.75	10.37	---	---	---	---	---	---	---	---	---
MW7	01/31/94	17.12	6.22	10.90	---	---	---	---	---	---	---	---	---
MW7	02/24/94 - 02/25/94	17.12	5.52	11.60	No	---	7,200	---	---	---	---	---	---
MW7	09/12/94	17.12	6.43	10.69	No	---	6,000a,d	---	---	470	120	400	300
MW7	10/01/94	17.12	6.71	10.41	No	---	8,900a	---	---	490	50	280	70
MW7	01/13/95	17.12	4.29	12.83	No	---	20,000a	---	---	940	670	310	160
MW7	04/27/95	17.12	5.00	12.12	No	---	8,800	---	---	590	780	970	4,200
MW7	08/03/95	17.12	6.53	10.59	No	---	4,900	17,000	---	410	32	410	230
MW7	10/17/95	17.12	7.23	9.89	No	---	6,700	17,000	---	390	<50	290	<50
MW7	01/24/96	17.12	5.26	11.86	No	---	9,300	60,000	---	530	26	240	25
										2,000	390	350	230

TABLE 1A

GROUNDWATER MONITORING AND SAMPLING DATA  
Former Exxon Gas Station 70404

1/25 Park Street

	Date	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(feet)
MW7	04/24/96	17.12	5.06	12.06	No	---	0.000	360,000	---	---	---	---	---	---
MW7	07/20/96	17.12	5.02	10.30	NO	---	4,800	86,000	---	530	25	60	46	---
MW7	01/31/97	17.12	3.65	12.47	No	---	2,800	45,000	---	100	3.0	30	36	---
MW7	04/10/97	17.12	---	---	---	---	---	---	---	---	---	---	---	---
MW7	10/08/97	17.12	---	---	---	---	---	---	---	---	---	---	---	---
MW7	01/20/98	17.12	3.06	14.06	No	---	100	---	250	1.0	<0.5	<0.5	0.67	---
MW7	07/30/98	17.12	5.78	11.24	---	---	---	---	---	---	---	---	---	---
MW7	10/19/98	17.12	6.25	10.87	No	---	---	---	---	---	---	---	---	---
MW7	01/28/99	17.12	4.20	10.00	---	---	470	330	---	<2.5	<2.5	<2.5	<2.5	---
MW7	07/09/99	17.12	5.67	11.45	No	---	139	860	---	2.70	7.40	4.40	3.00	---
MW7	01/24/00	17.12	5.44	10.50	---	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0	---
MW7	04/14/00	17.12	3.84	13.28	No	---	---	---	---	---	---	---	---	---
MW7	07/05/00	17.12	Property transferred to Valero Refining Company.											
MW7	10/03/00	17.12	5.88	11.24	No	---	370	1,000	---	2.00	2.00	2.00	2.00	---
MW7	01/02/01	17.12	3.32	11.00	NO	---	120	1,500	---	2.2	<0.5	<0.5	<0.5	---
MW7	07/02/01	17.12	5.42	11.70	No	---	110	740	---	0.50	0.50	0.50	0.50	---
MW7	10/10/01	17.12	7.30	9.02	NO	---	170	740	---	<0.5	<0.5	<0.5	0.69	---
MW7	02/04/02	17.06	3.81	13.25	No	90.0	0.00	0.00	---	---	---	---	---	---
MW7	03/08/02	17.06	4.51	12.55	No	72	591	565	712.0	2.4	<0.5	2.5	4.1	---
MW7	11/08/02	17.06	5.02	12.02	No	50	300	104	---	2.0	<2.0	<2.0	3.0	---
MW7	02/07/03	17.06	4.57	12.49	No	<50	344	440	---	0.9	0.9	0.8	3.5	---
MW7	08/14/03	17.06	5.06	11.40	---	---	320	307	---	0.60	<0.5	<0.5	<0.5	---
MW7	11/14/03	17.06	6.04	11.02	No	<50	146	48.0	---	1.50	<0.5	0.6	1.7	---
MW7	06/10/04	17.06	5.40	11.00	---	---	1000	300.0	---	0.10	<0.50	<0.5	<0.5	---
MW7	09/13/04	17.06	5.85	11.21	No	292d	1,350	82.5	---	64.5	<2.5	6.5	22.5	---
MW7	02/24/05	17.06	3.00	12.00	---	---	1100.0	300.0	---	0.50	<0.5	0.8	<0.5	---
MW7	06/14/05	17.06	4.31	12.75	No	89d	<50.0	---	1.50	<0.50	<0.5	<0.5	<0.5	---
MW7	10/13/05	17.06	3.02	10.17	---	---	60.00	<50.0	---	10.8	<0.50	<0.50	<0.50	---
MW7	03/13/06	17.06	3.66	13.40	No	<47	<50	---	2.0	<0.50	<0.50	<0.50	<0.50	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW7	06/12/06	17.06	5.22	11.84	No	<47	<50	---	2.3	<0.50	<0.50	<0.50	<0.50
MW7	09/08/06	17.06	6.27	10.79	No	<47	<50	---	6.1	<0.50	<0.50	<0.50	<0.50
MW7	12/05/06	17.06	6.61	10.45	No	<47	<50	---	4.1	<0.50	<0.50	<0.50	<0.50
MW7	03/12/07	17.06	4.41	12.65	No	<47	<50	---	5.2	<0.50	<0.50	<0.50	<0.50
MW7	05/29/07	17.06	5.72	11.34	No	178d	<50.0	---	1.84	<0.50	<0.50	<0.50	<0.50
MW7	08/29/07	17.06	6.64	10.42	No	<47	<50	---	3.8	<0.50	<0.50	<0.50	<0.50
MW7	11/29/07	17.06	6.26	10.80	No	<47	<50	---	3.3	<0.50	<0.50	<0.50	<0.50
MW7	02/27/08	17.06	4.11	12.95	No	<47	57	---	3.7	2.1	1.0	5.4	19
MW7	05/28/08	17.06	5.53	11.53	No	111d	<50.0	---	1.83f	<0.50	<0.50	<0.50	<0.50
MW7	08/27/08	17.06	6.25	10.81	No	<50	<50	---	1.6	<0.50	<0.50	<0.50	<1.0
MW7	11/25/08	17.06	6.02	11.04	No	<50	<50	---	2.1	<0.50	<0.50	<0.50	<1.0
MW7	02/25/09	17.06	3.50	13.56	No	<50	<50	---	0.97	<0.50	<0.50	<0.50	<1.0
MW7	05/27/09	17.06	5.01	12.05	No	<50	<50	---	1.8	<0.50	<0.50	<0.50	<1.0
MW7	09/08/09	17.06	6.29	10.77	No	<50	<50	---	1.2	<0.50	<0.50	<0.50	<1.0
MW7	12/02/09	17.06	5.84	11.22	No	<50	<50	---	1.7	<0.50	<0.50	<0.50	<1.0
MW7	04/28/10	17.06	4.66	12.40	No	<50	<50	---	0.88	<0.50	<0.50	<0.50	<1.0
MW7	11/18/10	17.06	6.44	10.62	No	<50	<50	---	1.3	<0.50	<0.50	<0.50	<1.0
<b>MW7</b>	<b>05/25/11</b>	<b>17.06</b>	<b>4.26</b>	<b>12.80</b>	<b>No</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>---</b>	<b>&lt;0.50</b>	<b>0.78</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>
MW8	05/14/93	16.33	6.54	9.79	No	---	<50	---	---	<0.5	<1.0	<0.5	<0.5
MW8	07/15/93	16.33	6.57	9.76	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW8	10/21/93	16.33	6.83	9.50	---	---	---	---	---	---	---	---	---
MW8	11/16/93	16.33	7.15	9.18	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW8	11/30/93	16.33	6.94	9.39	---	---	---	---	---	---	---	---	---
MW8	12/17/93	16.33	6.48	9.85	---	---	---	---	---	---	---	---	---
MW8	01/31/94	16.33	6.13	10.20	---	---	---	---	---	---	---	---	---
MW8	02/24/94 - 02/25/94	16.33	5.80	10.53	No	---	---	---	---	---	---	---	---
MW8	09/12/94	16.33	6.42	9.91	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	10/01/94	16.33	6.62	9.71	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/95	16.33	5.25	11.08	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	04/27/95	16.33	6.00	10.33	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW8	08/03/95	16.33	6.28	10.05	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	10/17/95	16.33	6.93	9.40	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/24/96	16.33	5.71	10.62	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/24/96	16.33	5.52	10.81	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	07/26/96	16.33	6.27	10.06	No	---	<50	230	---	<0.5	<0.5	<0.5	<0.5
MW8	10/30/96	16.33	6.69	9.64	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/31/97	16.33	5.18	11.15	No	---	---	---	---	---	---	---	---
MW8	04/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	10/08/97	16.33	---	---	---	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW8	01/28/98	16.33	5.11	11.22	No	---	---	---	---	---	---	---	---
MW8	04/14/98	16.33	5.02	11.31	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	07/30/98	16.33	5.84	10.49	No	---	<50	6.6	---	<0.5	<0.5	<0.5	<0.5
MW8	10/19/98	16.33	6.07	10.26	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/99	16.33	5.59	10.74	No	---	<50	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/28/99	16.33	5.38	10.95	No	---	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	07/09/99	16.33	5.71	10.62	No	---	<50	3.01	---	<0.5	<0.5	<0.5	<0.5
MW8	10/25/99	16.33	6.15	10.18	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW8	01/21/00	16.33	6.51	9.82	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW8	04/14/00	16.33	5.54	10.79	Brown	---	<50	<1	---	<1	<1	<1	<1
MW8	06/16/00	16.33	Property transferred to Valero Refining Company.										
MW8	07/05/00	16.33	5.67	10.66	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	10/03/00	16.33	6.02	10.31	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	01/02/01	16.33	5.95	10.38	No	140c	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	04/02/01	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/02/01	16.33	5.76	10.57	No	<50	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	10/15/01	16.33	6.19	10.14	No	<50	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	Nov-01	16.24	Well surveyed in compliance with AB 2886 requirements.										
MW8	02/04/02	16.24	Well inaccessible.										
MW8	05/06/02	16.24	5.31	10.93	No	<50	<50.0	0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW8	08/22/02	16.24	6.07	10.17	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	11/08/02	16.24	5.91	10.33	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	02/07/03	16.24	5.34	10.90	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	05/02/03	16.24	5.27	10.97	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW8	08/14/03	16.24	5.60	10.64	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW8	11/14/03	16.24	6.01	10.23	No	55d	<50.0	<0.5	---	<0.50	<0.5	0.7	1.7
MW8	03/01/04	16.24	5.16	11.08	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	06/15/04	16.24	5.36	10.88	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW8	09/13/04	16.24	5.81	10.43	No	<50	<50.0	0.9	---	<0.50	<0.5	<0.5	0.7
MW8	12/22/04	16.24	5.42	10.82	No	<50	<50.0	<0.50	---	0.50	<0.5	0.5	<0.5
MW8	03/24/05	16.24	5.03	11.21	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	06/14/05	16.24	5.09	11.15	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	09/12/05	16.24	6.24	10.00	No	69.5d	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	12/13/05	16.24	5.69	10.55	No	<50.0	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	03/13/06	16.24	5.28	10.96	No	<47	<50	---	<0.50	0.69	<0.50	<0.50	<0.50
MW8	06/12/06	16.24	4.58	11.66	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	09/08/06	16.24	4.58	11.66	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	12/05/06	16.24	6.02	10.22	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	03/12/07	16.24	5.31	10.93	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	05/29/07	16.24	5.71	10.53	No	<47.6	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	08/29/07	16.24	6.16	10.08	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	11/29/07	16.24	6.08	10.16	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW8	02/27/08	16.24	5.25	10.99	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	05/28/08	16.24	5.83	10.41	No	<47.2	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	08/27/08	16.24	6.14	10.10	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	11/25/08	16.24	6.07	10.17	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	02/25/09	16.24	5.26	10.98	No	<50	<50	---	<0.50	0.53e	0.77	<0.50	<1.0
MW8	05/27/09	16.24	5.12	11.12	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	09/08/09	16.24	6.10	10.14	No	---	---	---	---	---	---	---	---
MW8	09/09/09	16.24	---	---	---	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	12/02/09	16.24	5.79	10.45	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	04/28/10	16.24	4.33	11.91	No	Well inaccessible.		---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	11/18/10	16.24	5.98	10.26	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
<b>MW8</b>	<b>05/25/11</b>	<b>16.24</b>	<b>4.61</b>	<b>11.63</b>	<b>No</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>---</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>
MW9	05/14/93	15.62	6.61	9.01	No	---	<50	---	---	<0.5	<1.0	<0.5	<0.5
MW9	07/15/93	15.62	6.79	8.83	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	10/21/93	15.62	6.97	8.65	---	---	---	---	---	---	---	---	---
MW9	11/16/93	15.62	7.12	8.50	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	11/30/93	15.62	6.98	8.64	---	---	---	---	---	---	---	---	---
MW9	12/17/93	15.62	6.73	8.89	---	---	---	---	---	---	---	---	---
MW9	01/31/94	15.62	6.71	8.91	---	---	---	---	---	---	---	---	---
MW9	02/24/94 - 02/25/94	15.62	6.45	9.17	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	09/12/94	15.62	6.84	8.78	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	10/01/94	15.62	6.97	8.65	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	01/13/95	15.62	6.18	9.44	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	04/27/95	15.62	6.58	9.04	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	08/03/95	15.62	6.72	8.90	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	10/17/95	15.62	7.09	8.53	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	01/24/96	15.62	6.46	9.16	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	04/24/96	15.62	6.43	9.19	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	07/26/96	15.62	6.80	8.82	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	10/30/96	15.62	6.94	8.68	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	01/31/97	15.62	6.10	9.52	No	---	---	---	---	---	---	---	---
MW9	04/10/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	07/10/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	10/08/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	01/28/98	15.62	5.66	9.96	No	---	---	---	---	---	---	---	---
MW9	04/14/98	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	07/30/98	15.62	6.17	9.45	No	---	---	---	---	---	---	---	---
MW9	10/19/98	15.62	6.40	9.22	No	---	---	---	---	---	---	---	---
MW9	01/13/99	15.62	6.28	9.34	No	---	---	---	---	---	---	---	---
MW9	04/28/99	15.62	5.87	9.75	No	---	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9	07/09/99	15.62	6.24	9.38	No	---	<50	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW9	10/25/99	15.62	6.67	8.95	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW9	01/21/00	15.62	6.93	8.69	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW9	04/14/00	15.62	6.05	9.57	Turbid	---	<50	<1	---	<1	<1	<1	<1
MW9	06/16/00	15.62	Property transferred to Valero Refining Company.										
MW9	07/05/00	15.62	6.34	9.28	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	10/03/00	15.62	6.52	9.10	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	01/02/01	15.62	6.53	9.09	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	04/02/01	15.62	6.21	9.41	No	---	<50	<2	---	<0.5	<0.5	0.57	0.73
MW9	07/02/01	15.62	6.40	9.22	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	10/15/01	15.62	6.65	8.97	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	Nov-01	15.56	Well surveyed in compliance with AB 2886 requirements.										
MW9	02/04/02	15.56	4.77	10.79	No	<50.0	<50.0	0.50	---	<0.50	<0.50	<0.50	<0.50
MW9	05/06/02	15.56	6.29	9.27	No	<50	<50.0	<0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW9	08/22/02	15.56	6.70	8.86	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	11/08/02	15.56	6.55	9.01	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	02/07/03	15.56	6.35	9.21	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	05/02/03	15.56	6.16	9.40	No	91	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	08/14/03	15.56	6.54	9.02	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	11/14/03	15.56	6.60	8.96	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	03/01/04	15.56	5.89	9.67	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/15/04	15.56	6.43	9.13	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW9	09/13/04	15.56	6.58	8.98	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW9	12/22/04	15.56	6.28	9.28	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW9	03/24/05	15.56	5.61	9.95	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/14/05	15.56	6.06	9.50	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	09/12/05	15.56	6.65	8.91	No	<50.0	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	12/13/05	15.56	6.32	9.24	No	<50.0	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	03/13/06	15.56	5.90	9.66	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	06/12/06	15.56	5.96	9.60	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	09/08/06	15.56	6.43	9.13	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	12/05/06	15.56	6.45	9.11	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	03/12/07	15.56	5.98	9.58	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	05/29/07	15.56	6.32	9.24	No	<47.6	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	08/29/07	15.56	6.51	9.05	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	11/29/07	15.56	6.49	9.07	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	02/27/08	15.56	5.90	9.66	No	<47	<50	---	<0.50	<0.50	<0.50	0.56	2.2
MW9	05/28/08	15.56	6.40	9.16	No	63.5d	<50.0	---	0.800f	<0.50	<0.50	<0.50	<0.50
MW9	08/27/08	15.56	6.57	8.99	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	11/25/08	15.56	6.57	8.99	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	02/25/09	15.56	5.69	9.87	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	05/27/09	15.56	6.21	9.35	No	<50	<50	---	0.67	<0.50	<0.50	<0.50	<1.0

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9	09/08/09	15.56	6.58	8.98	No	---	---	---	---	---	---	---	---
MW9	09/09/09	15.56	---	---	---	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	12/02/09	15.56	6.42	9.14	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	04/28/10	15.56	5.82	9.74	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	11/18/10	15.56	6.47	9.09	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
<b>MW9</b>	<b>05/25/11</b>	<b>15.56</b>	<b>5.95</b>	<b>9.61</b>	<b>No</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>---</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>
MW10	05/14/93	16.79	6.91	9.88	No	---	97	---	---	<0.5	<0.5	9.8	12
MW10	07/15/93	16.79	7.47	9.32	No	---	160	---	---	<0.5	<0.5	15	19
MW10	10/21/93	16.79	7.57	9.22	---	---	---	---	---	---	---	---	---
MW10	11/16/93	16.79	8.17	8.62	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW10	11/30/93	16.79	7.96	8.83	---	---	---	---	---	---	---	---	---
MW10	12/17/93	16.79	7.25	9.54	---	---	---	---	---	---	---	---	---
MW10	01/31/94	16.79	6.66	10.13	---	---	---	---	---	---	---	---	---
MW10	02/24/94 - 02/25/94	16.79	6.53	10.26	No	---	280	---	---	<0.5	<0.5	12	7.0
MW10	09/12/94	16.79	7.04	9.75	No	---	71a,d	---	---	<0.5	<0.5	1.6	<0.5
MW10	10/01/94	16.79	7.30	9.49	No	---	330a	---	---	1.1	<0.5	2.8	0.73
MW10	01/13/95	16.79	6.04	10.75	No	---	90a	---	---	<0.5	<0.5	<0.5	<0.5
MW10	04/27/95	16.79	6.66	10.13	No	---	140	---	---	<0.5	<0.5	5.4	1.3
MW10	08/03/95	16.79	7.23	9.56	No	---	150	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW10	10/17/95	16.79	7.93	8.86	No	---	<50	95	---	<0.5	<0.5	<0.5	<0.5
MW10	01/24/96	16.79	6.43	10.36	No	---	760	24	---	1.6	0.52	62	28
MW10	04/24/96	16.79	6.42	10.37	No	---	110	6.8	---	<0.5	<0.5	7.1	<0.5
MW10	07/26/96	16.79	7.47	9.32	No	---	140	<5.0	---	<0.5	<0.5	12	0.86
MW10	10/30/96	16.79	7.88	8.91	No	---	<50	5.6	---	<0.5	<0.5	<0.5	<0.5
MW10	01/31/97	16.79	5.88	10.91	No	---	<50	10	---	<0.5	<0.5	<0.5	<0.5
MW10	04/10/97	16.79	---	---	---	---	---	---	---	---	---	---	---
MW10	07/10/97	16.79	7.32	9.47	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW10	10/08/97	16.79	---	---	---	---	---	---	---	---	---	---	---
MW10	12/12/97	Well destroyed.											
MW11	10/17/95	18.04	7.72	10.32	No	---	34,000	890	---	3,800	150	950	4,500
MW11	01/24/96	18.04	5.97	12.07	No	---	44,000	<500	---	3,800	1,200	2,100	9,800
MW11	04/24/96	18.04	5.84	12.20	No	---	34,000	720	---	2,900	1,400	1,700	8,300
MW11	07/26/96	18.04	6.98	11.06	No	---	39,000	800	---	4,600	4,200	950	9,500
MW11	10/30/96	18.04	7.54	10.50	No	---	53,000	990	---	4,200	3,600	2,100	9,600
MW11	01/31/97	18.04	5.00	13.04	No	---	23,000	---	310	170	2,500	940	4,300
MW11	04/10/97	18.04	---	---	No	---	29,000	200	---	1,200	440	970	6,400
MW11	07/10/97	18.04	7.30	10.74	No	---	42,000	690	---	1,700	870	1,900	12,000
MW11	10/08/97	18.04	7.62	10.42	No	---	42,000	1,100	---	1,700	2,500	1,400	9,900
MW11	01/28/98	18.04	4.77	13.27	No	---	35,000	---	6,800	2,400	3,500	1,700	7,900



**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW11	04/14/98	18.04	4.68	13.36	No	---	15,000	---	1,200	1,700	250	500	2,000
MW11	07/30/98	18.04	6.33	11.71	No	---	24,000	1,700	---	1,600	560	1,000	4,300
MW11	10/19/98	18.04	6.65	11.39	No	---	29,000	1,700	---	1,200	2,500	920	4,900
MW11	01/13/99	18.04	6.42	11.62	No	---	50,900	1,920	---	2,210	6,440	2,030	10,600
MW11	04/28/99	18.04	5.30	12.74	No	---	59,400	---	2,390	3,790	4,260	1,790	2,970
MW11	07/09/99	18.04	6.22	11.82	No	---	51,500	4,630	---	5,890	5,340	2,370	12,700
MW11	10/25/99	18.04	6.77	11.27	No	---	51,000	1,700	---	3,900	5,800	2,300	12,300
MW11	01/21/00	18.04	6.47	11.57	No	---	56,000	1,100	---	2,300	4,600	2,100	11,600
MW11	04/14/00	18.04	5.09	12.95	No	---	42,000	2,100	---	3,000	2,600	1,600	8,000
MW11	06/16/00	18.04	Property transferred to Valero Refining Company.										
MW11	07/05/00	18.04	5.93	12.11	No	---	32,000	3,900	---	3,000	2,700	1,300	6,200
MW11	10/03/00	18.04	6.57	11.47	No	---	46,000	4,300	---	2,900	3,600	1,600	7,900
MW11	01/02/01	18.04	6.46	11.58	No	1,600c	44,000	4,200	---	3,900	3,600	1,300	6,500
MW11	04/02/01	18.04	5.44	12.60	No	2,000	39,000	3,100	---	2,600	3,600	1,500	7,500
MW11	07/02/01	18.04	9.10	8.94	No	2,300	45,000	3,000	---	2,000	2,000	1,400	7,200
MW11	10/15/01	18.04	8.10	9.94	No	1,400d	55,000	2,600	---	5,100	5,700	1,900	9,100
MW11	Nov-01	17.98	Well surveyed in compliance with AB 2886 requirements.										
MW11	02/04/02	17.98	5.14	12.84	No	2,430	37,800	1,910	---	3,340	3,550	1,450	6,480
MW11	05/06/02	17.98	5.51	12.47	No	3,000	27,200	1,350	1,984	1,420	1,580	1,110	4,960
MW11	08/22/02	17.98	6.63	11.35	No	5,660	28,100	2,240	---	2,020	1,520	1,120	5,360
MW11	11/08/02	17.98	5.34	12.64	No	3,680	26,000	246	---	1,170	2,130	1,020	5,390
MW11	02/07/03	17.98	5.42	12.56	No	4,360	50,000	1,400	---	3,660	4,500	1,920	8,600
MW11	05/02/03	17.98	5.17	12.81	No	2,330	41,200	1,080	---	1,980	1,860	1,450	7,100
MW11	08/14/03	17.98	6.42	11.56	No	5,480d	46,700	1,140	---	3,360	2,150	1,870	7,640
MW11	11/14/03	17.98	6.39	11.59	No	3,530d	45,800	240	---	2,070	3,300	2,010	8,680
MW11	03/01/04	17.98	4.58	13.40	No	2,030d	5,540	---	61.7	246	350	205	904
MW11	06/15/04	17.98	5.83	12.15	No	2,090d	48,100	580	---	2,040	2,160	2,430	10,100
MW11	09/13/04	17.98	6.41	11.57	No	3,220d	40,300	250	---	2,210	1,290	1,930	8,350
MW11	12/22/04	17.98	5.49	12.49	No	1,770d,f	20,800	105	---	1,060	1,540	750	3,220
MW11	03/24/05	17.98	4.22	13.76	No	643d	4,030	---	800	64.0	52.1	114	532
MW11	06/14/05	17.98	5.42	12.56	No	3,830d	36,900	---	351	1,330	2,760	1,520	6,870
MW11	09/12/05	17.98	7.18	10.80	No	4,020d	16,600	---	245	1,050	795	1,090	4,190
MW11	12/13/05	17.98	6.52	11.46	No	2,670d	28,700	---	97.0	942	527	1,320	6,070
MW11	03/13/06	17.98	4.95	13.03	No	1,100d	5,000	---	<0.50	17	<10	130	730
MW11	06/12/06	17.98	5.77	12.21	No	1,300d,f	28,000	---	21	920	1,500	1,400	5,100
MW11	09/08/06	17.98	6.70	11.28	No	2,300d	21,000	---	25	990	790	1,000	3,700
MW11	12/05/06	17.98	6.93	11.05	No	2,900d	21,000	---	37	700	510	1,000	4,500
MW11	03/12/07	17.98	5.40	12.58	No	1,200d	13,000	---	28	420	280	580	2,700
MW11	05/29/07	17.98	6.40	11.58	No	2,850d	26,400	---	51.8	844	724	1,520	3,940f
MW11	08/29/07	17.98	7.11	10.87	No	2,200d	16,000	---	56	640	210	760	2,600
MW11	11/29/07	17.98	6.91	11.07	No	1,400d	16,000	---	28	550	160	750	2,600
MW11	02/27/08	17.98	5.16	12.82	No	1,300d	13,000	---	11	390	370	800	3,200

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW11	05/28/08	17.98	6.35	11.63	No	4,660d	31,900	---	29.8f	632	1,100	1,280	4,910f
MW11	08/27/08	17.98	7.06	10.92	No	1,200	13,000	---	<25	370	470	490	2,000
MW11	11/25/08	17.98	6.89	11.09	No	3,900	17,000	---	<25	580	470	990	3,700
MW11	02/25/09	17.98	4.87	13.11	No	200	1,500	---	<2.5	5.8	2.8	21	97
MW11	05/27/09	17.98	5.88	12.10	No	<50	18,000	---	<10	710	990	1,200	5,200
MW11	09/08/09	17.98	6.96	11.02	No	---	---	---	---	---	---	---	---
MW11	09/09/09	17.98	---	---	---	4,000d	16,000	---	<50	560	510	760	3,100
MW11	12/02/09	17.98	6.65	11.33	No	3,100d	15,000	---	<25	370	210	510	2,100
MW11	04/28/10	17.98	5.30	12.68	No	1,900d	6,600	---	<12	200	170	400	1,600
MW11	11/18/10	17.98	6.85	11.13	No	2,800	12,000	---	<10	250	49	320	770
<b>MW11</b>	<b>05/25/11</b>	<b>17.98</b>	<b>5.26</b>	<b>12.72</b>	<b>No</b>	---	---	---	---	---	---	---	---
<b>MW11</b>	<b>05/26/11</b>	<b>17.98</b>	---	---	---	<b>1,800d</b>	<b>9,800</b>	---	<b>&lt;10</b>	<b>270</b>	<b>180</b>	<b>510</b>	<b>1,400</b>
MW12	10/17/95	16.30	6.38	9.92	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/24/96	16.30	4.86	11.44	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/24/96	16.30	4.46	11.84	No	---	<50	<5.0	---	<0.5	0.68	<0.5	0.72
MW12	07/26/96	16.30	5.90	10.40	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	10/30/96	16.30	6.56	9.74	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/31/97	16.30	4.57	11.73	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	07/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	10/08/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	01/28/98	16.30	3.90	12.40	No	---	---	---	---	---	---	---	---
MW12	04/14/98	16.30	3.67	12.63	No	---	---	---	---	---	---	---	---
MW12	07/30/98	16.30	5.00	11.30	No	---	---	---	---	---	---	---	---
MW12	10/19/98	16.30	---	---	No	---	---	---	---	---	---	---	---
MW12	01/13/99	16.30	5.19	11.11	No	---	---	---	---	---	---	---	---
MW12	04/28/99	16.30	4.53	11.77	---	---	---	---	---	---	---	---	---
MW12	07/09/99 - 04/14/00	Not monitored or sampled.											
MW12	06/16/00	16.30	Property transferred to Valero Refining Company.										
MW12	07/05/00 - 04/02/01	Not monitored or sampled.											
MW12	07/02/01	16.30	8.34	7.96	No	---	---	---	---	---	---	---	---
MW12	10/15/01	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	Nov-01	16.15	Well surveyed in compliance with AB 2886 requirements.										
MW12	02/04/02 - Present	Not monitored or sampled.											
EW1	10/21/93	16.22	6.67	9.55	---	---	---	---	---	---	---	---	---
EW1	12/17/93	16.22	10.09	6.13	---	---	---	---	---	---	---	---	---
EW1	01/31/94	16.22	5.38	10.84	---	---	---	---	---	---	---	---	---
EW1	02/24/94 - 02/25/94	16.22	5.58	10.64	No	---	1,000	---	---	140	4.5	15	120
EW1	09/12/94	16.22	6.13	10.09	No	---	400a	---	---	40	<0.5	10	5.4

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW1	10/01/94	16.22	7.63	8.59	No	---	3,400a	---	---	<0.5	4.4	30	11
EW1	01/13/95	16.22	11.46	4.76	No	---	680a	---	---	40	<0.5	12	16
EW1	04/27/95	16.22	15.47	0.75	No	---	---	---	---	---	---	---	---
EW1	08/03/95	16.22	13.85	2.37	No	---	<125	590	---	2.7	<1.2	<1.2	<1.2
EW1	10/17/95	16.22	8.05	8.17	No	---	3,600	400	---	220	<0.5	160	36
EW1	01/24/96	16.22	11.07	5.15	No	---	64	260	---	4.3	<0.5	1.3	0.53
EW1	04/24/96	16.22	6.20	10.02	No	---	740	3,000	---	130	2.3	35	2.1
EW1	07/26/96	16.22	13.93	2.29	No	---	<50	960	---	<0.5	<0.5	<0.5	<0.5
EW1	10/30/96	16.22	13.74	2.48	No	---	<50	5,300	---	0.52	<0.5	<0.5	<0.5
EW1	01/31/97	16.22	8.40	7.82	No	---	---	---	---	---	---	---	---
EW1	04/10/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	07/10/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	10/08/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	01/28/98	16.22	3.35	12.87	No	---	---	---	---	---	---	---	---
EW1	04/14/98	16.22	3.52	12.70	No	---	---	---	---	---	---	---	---
EW1	07/30/98	16.22	5.48	10.74	No	---	---	---	---	---	---	---	---
EW1	10/19/98	16.22	5.77	10.45	No	---	---	---	---	---	---	---	---
EW1	01/13/99	16.22	5.49	10.73	No	---	---	---	---	---	---	---	---
EW1	04/28/99	16.22	4.31	11.91	No	---	---	---	---	---	---	---	---
EW1	07/09/99 - 04/14/00	Not monitored or sampled.											
EW1	06/16/00	16.22	Property transferred to Valero Refining Company.										
EW1	07/05/00 - 10/15/01	Not monitored or sampled.											
EW1	Nov-01	16.27	Well surveyed in compliance with AB 2886 requirements.										
EW1	02/04/02	16.27	---	---	---	---	---	---	---	---	---	---	---
EW1	05/06/02	16.27	4.94	11.33	No	---	---	---	---	---	---	---	---
EW1	08/22/02	16.27	Well inaccessible.										
EW1	11/08/02	16.27	3.80	12.47	No	---	---	---	---	---	---	---	---
EW1	02/07/03	16.27	12.45	3.82	No	---	---	---	---	---	---	---	---
EW1	05/02/03	16.27	6.55	9.72	No	---	---	---	---	---	---	---	---
EW1	08/14/03	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	11/14/03	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	03/01/04	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	06/15/04	16.27	4.47	11.80	No	---	---	---	---	---	---	---	---
EW1	09/13/04	16.27	5.12	11.15	No	---	---	---	---	---	---	---	---
EW1	12/22/04	16.27	4.17	12.10	No	---	---	---	---	---	---	---	---
EW1	03/24/05	16.27	2.97	13.30	No	---	---	---	---	---	---	---	---
EW1	06/14/05	16.27	3.98	12.29	No	---	---	---	---	---	---	---	---
EW1	09/12/05	16.27	14.39	1.88	No	---	---	---	---	---	---	---	---
EW1	12/13/05	16.27	12.7	3.57	No	---	---	---	---	---	---	---	---
EW1	03/13/06	16.27	11.43	4.84	No	---	---	---	---	---	---	---	---
EW1	06/12/06	16.27	11.78	4.49	No	---	---	---	---	---	---	---	---
EW1	09/08/06	16.27	5.18	11.09	No	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW1	12/05/06	16.27	10.48	5.79	No	---	---	---	---	---	---	---	---
EW1	03/12/07	16.27	3.82	12.45	No	---	---	---	---	---	---	---	---
EW1	05/29/07	16.27	14.9	1.37	No	---	---	---	---	---	---	---	---
EW1	08/29/07	16.27	7.82	8.45	No	---	---	---	---	---	---	---	---
EW1	11/29/07	16.27	6.23	10.04	No	---	---	---	---	---	---	---	---
EW1	02/27/08	16.27	4.38	11.89	No	---	---	---	---	---	---	---	---
EW1	05/28/08	16.27	6.51	9.76	No	---	---	---	---	---	---	---	---
EW1	08/27/08	16.27	4.75	11.52	No	---	---	---	---	---	---	---	---
EW1	11/25/08	16.27	7.21	9.06	No	---	---	---	---	---	---	---	---
EW1	02/25/09	16.27	3.45	12.82	No	---	---	---	---	---	---	---	---
EW1	05/27/09	16.27	4.14	12.13	No	---	---	---	---	---	---	---	---
EW1	09/08/09	16.27	8.13	8.14	No	---	---	---	---	---	---	---	---
EW1	12/02/09	16.27	14.70	1.57	No	---	---	---	---	---	---	---	---
EW1	04/28/10	16.27	13.16	3.11	No	---	---	---	---	---	---	---	---
EW1	11/18/10	16.27	13.58	2.69	No	---	---	---	---	---	---	---	---
<b>EW1</b>	<b>05/25/11</b>	<b>16.27</b>	<b>3.96</b>	<b>12.31</b>	<b>No</b>	---	---	---	---	---	---	---	---
EW2	10/21/93	16.05	6.71	9.34	---	---	---	---	---	---	---	---	---
EW2	12/17/93	16.05	14.95	1.10	---	---	---	---	---	---	---	---	---
EW2	01/31/94	16.05	5.35	10.70	---	---	---	---	---	---	---	---	---
EW2	02/24/94 - 02/25/94	16.05	14.30	1.75	k	---	5,200	---	---	1,200	390	63	410
EW2	09/12/94	16.05	6.09	9.96	No	---	8,800a	---	---	2,000	79	180	290
EW2	10/01/94	16.05	7.32	8.73	No	---	9,500a	---	---	1,400	6.7	700	310
EW2	01/13/95	16.05	14.38	1.67	No	---	5,700a	---	---	930	270	21	280
EW2	04/27/95	16.05	15.23	0.82	No	---	---	---	---	---	---	---	---
EW2	08/03/95	16.05	7.19	8.86	No	---	830	1,600	---	170	27	36	64
EW2	10/17/95	16.05	18.97	-2.92	No	---	180	3,600	---	<0.5	<0.5	<0.5	5.1
EW2	01/24/96	16.05	20.32	-4.27	No	---	1,700	6,400	---	290	82	14	170
EW2	04/24/96	16.05	9.46	6.59	No	---	3,500	7,300	---	670	200	110	490
EW2	07/26/96	16.05	16.50	-0.45	No	---	1,400	14,000	---	250	56	10	220
EW2	10/30/96	16.05	20.30	-4.25	No	---	1,500	13,000	---	200	44	8.8	190
EW2	01/31/97	16.05	19.21	-3.16	No	---	---	---	---	---	---	---	---
EW2	04/10/97	16.05	---	---	---	---	---	---	---	---	---	---	---
EW2	07/10/97	16.05	---	---	---	---	---	---	---	---	---	---	---
EW2	10/08/97	16.05	---	---	---	---	---	---	---	---	---	---	---
EW2	01/28/98	16.05	3.35	12.70	No	---	---	---	---	---	---	---	---
EW2	04/14/98	16.05	3.45	12.60	No	---	---	---	---	---	---	---	---
EW2	07/30/98	16.05	11.50	4.55	No	---	---	---	---	---	---	---	---
EW2	10/19/98	16.05	5.67	10.38	No	---	---	---	---	---	---	---	---
EW2	01/13/99	16.05	9.57	6.48	No	---	---	---	---	---	---	---	---
EW2	04/28/99	16.05	10.15	5.90	No	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW2	07/09/99 - 04/14/00	Not monitored or sampled.											
EW2	06/16/00	16.05	Property transferred to Valero Refining Company.										
EW2	07/05/00 - 10/15/01	Not monitored or sampled.											
EW2	Nov-01	16.07	Well surveyed in compliance with AB 2886 requirements.										
EW2	02/04/02 - Present	Not monitored or sampled.											
EW3	10/21/93	16.02	6.55	9.47	---	---	---	---	---	---	---	---	---
EW3	12/17/93	16.02	15.65	0.37	---	---	---	---	---	---	---	---	---
EW3	01/31/94	16.02	5.34	10.68	---	---	---	---	---	---	---	---	---
EW3	02/24/94 - 02/25/94	16.02	21.00	-4.98	No	---	91	---	---	<0.5	<0.5	<0.5	<0.5
EW3	09/12/94	16.02	6.12	9.90	No	---	300a	---	---	44	5.9	12	31
EW3	10/01/94	16.02	10.52	5.50	No	---	140a	---	---	12	0.42	1.7	3.7
EW3	01/13/95	16.02	18.13	-2.11	No	---	230a	---	---	4.6	7.6	1.2	6.6
EW3	04/27/95	16.02	23.07	-7.05	No	---	---	---	---	---	---	---	---
EW3	08/03/95	16.02	22.90	-6.88	No	---	<200	1,400	---	<2.0	<2.0	<2.0	<2.0
EW3	10/17/95	16.02	22.87	-6.85	No	---	74	2,400	---	4.4	<0.5	<0.5	<0.5
EW3	01/24/96	16.02	20.97	-4.95	No	---	120	2,300	---	16	<0.5	<0.5	<0.5
EW3	04/24/96	16.02	18.10	-2.08	No	---	180	3,800	---	34	3.7	8.9	11
EW3	07/26/96	16.02	13.14	2.88	No	---	180	2,000	---	45	0.7	<0.5	2.1
EW3	10/30/96	16.02	9.24	6.78	No	---	660	2,800	---	60	8.2	<0.5	100
EW3	01/31/97	16.02	11.10	4.92	No	---	---	---	---	---	---	---	---
EW3	04/10/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	07/10/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	10/08/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	01/28/98	16.02	3.42	12.60	No	---	---	---	---	---	---	---	---
EW3	04/14/98	16.02	3.50	12.52	No	---	---	---	---	---	---	---	---
EW3	07/30/98	16.02	18.57	-2.55	No	---	---	---	---	---	---	---	---
EW3	10/19/98	16.02	5.65	10.37	No	---	---	---	---	---	---	---	---
EW3	01/13/99	16.02	13.85	2.17	No	---	---	---	---	---	---	---	---
EW3	04/28/99	16.02	4.52	11.50	No	---	---	---	---	---	---	---	---
EW3	07/09/99 - 04/14/00	Not monitored or sampled.											
EW3	06/16/00	16.02	Property transferred to Valero Refining Company.										
EW3	07/05/00 - 10/15/01	Not monitored or sampled.											
EW3	Nov-01	16.08	Well surveyed in compliance with AB 2886 requirements.										
EW3	02/04/02	16.08	---	---	---	---	---	---	---	---	---	---	---
EW3	05/06/02	16.08	5.38	10.70	No	---	---	---	---	---	---	---	---
EW3	08/22/02	16.08	13.00	3.08	No	---	---	---	---	---	---	---	---
EW3	11/08/02	16.08	4.19	11.89	No	---	---	---	---	---	---	---	---
EW3	02/07/03	16.08	21.15	-5.07	No	---	---	---	---	---	---	---	---
EW3	05/02/03	16.08	23.50	-7.42	No	---	---	---	---	---	---	---	---
EW3	08/14/03	16.08	6.07	10.01	No	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW3	11/14/03	16.08	6.04	10.04	No	---	---	---	---	---	---	---	---
EW3	03/01/04	16.08	3.98	12.10	No	---	---	---	---	---	---	---	---
EW3	06/15/04	16.08	4.80	11.28	No	---	---	---	---	---	---	---	---
EW3	09/13/04	16.08	5.56	10.52	No	---	---	---	---	---	---	---	---
EW3	12/22/04	16.08	4.51	11.57	No	---	---	---	---	---	---	---	---
EW3	03/24/05	16.08	3.23	12.85	No	---	---	---	---	---	---	---	---
EW3	06/14/05	16.08	4.31	11.77	No	---	---	---	---	---	---	---	---
EW3	09/12/05	16.08	32.48	-16.40	No	---	---	---	---	---	---	---	---
EW3	12/13/05	16.08	5.66	10.42	No	---	---	---	---	---	---	---	---
EW3	03/13/06	16.08	4.48	11.60	No	---	---	---	---	---	---	---	---
EW3	06/12/06	16.08	4.97	11.11	No	---	---	---	---	---	---	---	---
EW3	09/08/06	16.08	5.65	10.43	No	---	---	---	---	---	---	---	---
EW3	12/05/06	16.08	6.99	9.09	No	---	---	---	---	---	---	---	---
EW3	03/12/07	16.08	4.36	11.72	No	---	---	---	---	---	---	---	---
EW3	05/29/07	16.08	5.84	10.24	No	---	---	---	---	---	---	---	---
EW3	08/29/07	16.08	7.38	8.70	No	---	---	---	---	---	---	---	---
EW3	11/29/07	16.08	5.99	10.09	No	---	---	---	---	---	---	---	---
EW3	02/27/08	16.08	4.53	11.55	No	---	---	---	---	---	---	---	---
EW3	05/28/08	16.08	5.52	10.56	No	---	---	---	---	---	---	---	---
EW3	08/27/08	16.08	6.03	10.05	No	---	---	---	---	---	---	---	---
EW3	11/25/08	16.08	6.05	10.03	No	---	---	---	---	---	---	---	---
EW3	02/25/09	16.08	3.88	12.20	No	---	---	---	---	---	---	---	---
EW3	05/27/09	16.08	4.88	11.20	No	---	---	---	---	---	---	---	---
EW3	09/08/09	16.08	6.31	9.77	No	---	---	---	---	---	---	---	---
EW3	12/02/09	16.08	6.09	9.99	No	---	---	---	---	---	---	---	---
EW3	04/28/10	16.08	5.25	10.83	No	---	---	---	---	---	---	---	---
EW3	11/18/10	16.08	6.03	10.05	No	---	---	---	---	---	---	---	---
<b>EW3</b>	<b>05/25/11</b>	<b>16.08</b>	<b>4.29</b>	<b>11.79</b>	<b>No</b>	---	---	---	---	---	---	---	---
EW4	10/21/93	15.61	6.13	9.48	---	---	---	---	---	---	---	---	---
EW4	12/17/93	15.61	14.60	1.01	---	---	---	---	---	---	---	---	---
EW4	01/31/94	15.61	5.08	10.53	---	---	---	---	---	---	---	---	---
EW4	02/24/94 - 02/25/94	15.61	14.88	0.73	k	---	4,600	---	---	1,900	140	13	450
EW4	09/12/94	16.61	5.69	10.92	No	---	4,000a,d	---	---	1,700	12	210	77
EW4	10/01/94	16.61	7.90	8.71	No	---	460a	---	---	100	1.5	15	11
EW4	01/13/95	16.61	11.36	5.25	No	---	520a	---	---	89	8.8	1.6	82
EW4	04/27/95	16.61	16.30	0.31	No	---	---	---	---	---	---	---	---
EW4	08/03/95	16.61	6.45	10.16	No	---	42,000	17,000	---	3,100	1,100	2,000	8,200
EW4	10/17/95	16.61	15.89	0.72	No	---	92	2,500	---	6.3	<0.5	<0.5	<0.5
EW4	01/24/96	16.61	6.03	10.58	No	---	220	9,200	---	79	2.5	2.9	10
EW4	04/24/96	16.61	4.97	11.64	No	---	4,600	860	---	49	36	69	1,100

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW4	07/26/96	16.61	6.54	10.07	No	---	2,900	15,000	---	610	6.2	200	300
EW4	10/30/96	16.61	6.53	10.08	No	---	550	3,400	---	68	11	<2.5	71
EW4	01/31/97	16.61	3.98	12.63	No	---	---	---	---	---	---	---	---
EW4	04/10/97	16.61	---	---	---	---	---	---	---	---	---	---	---
EW4	07/10/97	16.61	---	---	---	---	---	---	---	---	---	---	---
EW4	10/08/97	16.61	---	---	---	---	---	---	---	---	---	---	---
EW4	01/28/98	16.61	3.22	13.39	No	---	---	---	---	---	---	---	---
EW4	04/14/98	16.61	3.20	13.41	No	---	---	---	---	---	---	---	---
EW4	07/30/98	16.61	4.89	11.72	No	---	---	---	---	---	---	---	---
EW4	10/19/98	16.61	5.16	11.45	No	---	---	---	---	---	---	---	---
EW4	01/13/99	16.61	5.57	11.04	No	---	---	---	---	---	---	---	---
EW4	04/28/99	16.61	4.27	12.34	No	---	---	---	---	---	---	---	---
EW4	07/09/99 - 04/14/00	Not monitored or sampled.											
EW4	06/16/00	16.61	Property transferred to Valero Refining Company.										
EW4	07/05/00 - 10/15/01	Not monitored or sampled.											
EW4	Nov-01	15.69	Well surveyed in compliance with AB 2886 requirements.										
EW4	02/04/02 - Present	Not monitored or sampled.											
EW5	10/21/93	16.51	6.77	9.74	---	---	---	---	---	---	---	---	---
EW5	12/17/93	16.51	14.20	2.31	---	---	---	---	---	---	---	---	---
EW5	01/31/94	16.51	5.64	10.87	---	---	---	---	---	---	---	---	---
EW5	02/24/94 - 02/25/94	16.51	11.95	4.56	No	---	1,000	---	---	140	45	3.4	190
EW5	09/12/94	16.51	6.30	10.21	No	---	180a	---	---	26	1.7	11	12
EW5	10/01/94	16.51	11.83	4.68	No	---	130a	---	---	16	0.92	5.7	8.5
EW5	01/13/95	16.51	12.54	3.97	No	---	130a	---	---	0.6	0.8	0.6	2.9
EW5	04/27/95	16.51	13.11	3.40	No	---	---	---	---	---	---	---	---
EW5	08/03/95	16.51	11.99	4.52	No	---	70	210	---	<0.5	<0.5	<0.5	<0.5
EW5	10/17/95	16.51	13.43	3.08	No	---	78	50	---	1.5	<0.5	<0.5	3.0
EW5	01/24/96	16.51	9.72	6.79	No	---	2,500	350	---	280	66	22	370
EW5	04/24/96	16.51	8.13	8.38	No	---	6,400	400	---	690	240	380	1,300
EW5	07/26/96	16.51	10.00	6.51	No	---	850	84	---	82	2.5	2.4	100
EW5	10/30/96	16.51	9.82	6.69	No	---	1,200	68	---	110	5.1	2.2	120
EW5	01/31/97	16.51	9.00	7.51	No	---	---	---	---	---	---	---	---
EW5	04/10/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	07/10/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	10/08/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	01/28/98	16.51	3.54	12.97	No	---	---	---	---	---	---	---	---
EW5	04/14/98	16.51	3.65	12.86	No	---	---	---	---	---	---	---	---
EW5	07/30/98	16.51	7.63	8.88	No	---	---	---	---	---	---	---	---
EW5	10/19/98	16.51	5.75	10.76	No	---	---	---	---	---	---	---	---
EW5	01/13/99	16.51	7.03	9.48	No	---	---	---	---	---	---	---	---

**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW5	04/28/99	16.51	8.80	7.71	No	---	---	---	---	---	---	---	---
EW5	07/09/99 - 04/14/00	Not monitored or sampled.											
EW5	06/16/00	16.51	Property transferred to Valero Refining Company.										
EW5	07/05/00 - 10/15/01	Not monitored or sampled.											
EW5	Nov-01	16.67	Well surveyed in compliance with AB 2886 requirements.										
EW5	02/04/02	16.67	---	---	---	---	---	---	---	---	---	---	---
EW5	05/06/02	16.67	4.78	11.89	No	---	---	---	---	---	---	---	---
EW5	08/22/02	16.67	6.61	10.06	No	---	---	---	---	---	---	---	---
EW5	11/08/02	16.67	3.74	12.93	No	---	---	---	---	---	---	---	---
EW5	02/07/03	16.67	6.40	10.27	No	---	---	---	---	---	---	---	---
EW5	05/02/03	16.67	5.91	10.76	No	---	---	---	---	---	---	---	---
EW5	08/14/03	16.67	6.28	10.39	No	---	---	---	---	---	---	---	---
EW5	11/14/03	16.67	6.19	10.48	No	---	---	---	---	---	---	---	---
EW5	03/01/04	16.67	4.02	12.65	No	---	---	---	---	---	---	---	---
EW5	06/15/04	16.67	4.97	11.70	No	---	---	---	---	---	---	---	---
EW5	09/13/04	16.67	5.47	11.20	No	---	---	---	---	---	---	---	---
EW5	12/22/04	16.67	4.71	11.96	No	---	---	---	---	---	---	---	---
EW5	03/24/05	16.67	3.15	13.52	No	---	---	---	---	---	---	---	---
EW5	06/14/05	16.67	4.28	12.39	No	---	---	---	---	---	---	---	---
EW5	09/12/05	16.67	7.46	9.21	No	---	---	---	---	---	---	---	---
EW5	12/13/05	16.67	5.47	11.20	No	---	---	---	---	---	---	---	---
EW5	03/13/06	16.67	3.71	12.96	No	---	---	---	---	---	---	---	---
EW5	06/12/06	16.67	4.36	12.31	No	---	---	---	---	---	---	---	---
EW5	09/08/06	16.67	5.70	10.97	No	---	---	---	---	---	---	---	---
EW5	12/05/06	16.67	6.41	10.26	No	---	---	---	---	---	---	---	---
EW5	03/12/07	16.67	4.48	12.19	No	---	---	---	---	---	---	---	---
EW5	05/29/07	16.67	5.76	10.91	No	---	---	---	---	---	---	---	---
EW5	08/29/07	16.67	6.36	10.31	No	---	---	---	---	---	---	---	---
EW5	11/29/07	16.67	6.04	10.63	No	---	---	---	---	---	---	---	---
EW5	02/27/08	16.67	4.38	12.29	No	---	---	---	---	---	---	---	---
EW5	05/28/08	16.67	5.25	11.42	No	---	---	---	---	---	---	---	---
EW5	08/27/08	16.67	5.94	10.73	No	---	---	---	---	---	---	---	---
EW5	11/25/08	16.67	5.84	10.83	No	---	---	---	---	---	---	---	---
EW5	02/25/09	16.67	3.51	13.16	No	---	---	---	---	---	---	---	---
EW5	05/27/09	16.67	4.75	11.92	No	---	---	---	---	---	---	---	---
EW5	09/08/09	16.67	5.72	10.95	No	---	---	---	---	---	---	---	---
EW5	12/02/09	16.67	5.79	10.88	No	---	---	---	---	---	---	---	---
EW5	04/28/10	16.67	4.66	12.01	No	---	---	---	---	---	---	---	---
EW5	11/18/10	16.67	6.33	10.34	No	---	---	---	---	---	---	---	---
<b>EW5</b>	<b>05/25/11</b>	<b>16.67</b>	<b>4.27</b>	<b>12.40</b>	<b>No</b>	---	---	---	---	---	---	---	---



**TABLE 1A**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

---

Notes:	Total Dissolved Solids were reported in samples collected from wells MW1 and MW4 at 910 ppm and 370 ppm, respectively, on March 7, 1990.
TOC Elev.	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non aqueous phase liquid.
TPHd	= Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the stated laboratory method reporting limit.
---	= Not measured/Not sampled/Not analyzed.
a	= Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	= Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	= Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
d	= Hydrocarbon pattern does not resemble the requested fuel.
e	= Analyte presence not confirmed by second column or GC/MS analysis.
f	= Analyte detected in laboratory method blank; result is suspect.
g	= Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	= Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	= Elevated result due to single analyte peak(s) in the quantitation range.
j	= Calibration verification recovery above the method control limit. A high bias may be indicated.
k	= Liquid-phase petroleum hydrocarbons present in well, thickness not measured, or not measurable.
l	= A peak eluting before benzene was present in the groundwater sample, and is suspected to be MTBE.
m	= Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

---

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW1	06/07/88 - 04/14/00	Not analyzed for these analytes.						
MW1	06/16/00	Property transferred to Valero Refining Company.						
MW1	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW1	05/06/02	<0.50	<0.50	<0.50	297	<0.50	<0.50	---
MW1	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW1	03/01/04	<0.50	<0.50	<0.50	42.3	<0.50	<0.50	---
MW1	06/15/04	---	---	---	---	---	---	<100
MW1	09/13/04	---	---	---	---	---	---	---
MW1	12/22/04	---	---	---	---	---	---	---
MW1	03/24/05	<0.50	<0.50	<0.50	3,020	<0.50	<0.50	<50.0
MW1	06/14/05	<0.50	<0.50	<0.50	6,590	<0.50	<0.50	<50.0
MW1	09/12/05	<0.500	<0.500	<0.500	10,900	<0.500	<0.500	<50.0
MW1	12/13/05	<0.500	<0.500	<0.500	6,590h	<0.500	<0.500	<50.0
MW1	03/13/06	<50	<50	<50	15,000	<50	<50	---
MW1	06/12/06	<50	<50	<50	26,000	<50	<50	---
MW1	09/08/06	<25	<25	<25	22,000	<25	<25	---
MW1	12/05/06	<25	<25	<25	12,000	<25	<25	---
MW1	03/12/07	<100	<100	<100	9,000	<100	<100	---
MW1	05/29/07	<0.500	<0.500	1.11	12,100	<0.500	<0.500	---
MW1	08/29/07	<50	<50	<50	12,000	<50	<50	---
MW1	11/29/07	<50	<50	<50	11,000	<50	<50	---
MW1	02/27/08	<50	<50	<50	11,000	<50	<50	---
MW1	05/28/08	<0.500	<0.500	<25.0	14,100	<0.500	<0.500	---
MW1	08/27/08	<0.50	<0.50	1.5	11,000	<0.50	<0.50	<50
MW1	11/25/08	<50	<50	<50	4,700	<50	<50	<5,000
MW1	02/25/09	<50	<50	<50	5,100	<50	<50	---
MW1	05/27/09	<25	<25	<25	9,100	<25	<25	---
MW1	09/09/09	<50	<50	<50	5,800	<50	<50	---
MW1	12/02/09	<50	<50	<50	3,000	<50	<50	---
MW1	04/28/10	<20	<20	<20	2,600	<20	<20	---
MW1	11/18/10	<0.50	<0.50	<0.50	490	<0.50	<0.50	---
<b>MW1</b>	<b>05/26/11</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>210</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>---</b>
MW2	06/07/88 - 04/14/00	Not analyzed for these analytes.						

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW2	06/16/00	Property transferred to Valero Refining Company.						
MW2	07/05/00 - 10/15/01	Not analyzed for these analytes.						
MW2	02/04/02	---	---	---	---	69	---	---
MW2	05/06/02	<0.50	<0.50	<0.50	44.8	252	<0.50	---
MW2	08/22/02	---	---	---	---	178	---	---
MW2	11/08/02	---	---	---	---	83	---	---
MW2	02/07/03	---	---	---	---	<50	---	---
MW2	05/02/03	---	---	---	---	56	---	---
MW2	08/14/03	---	---	---	---	62	---	---
MW2	11/14/03	---	---	---	---	132	---	---
MW2	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW2	06/15/04	---	---	---	---	---	---	<100
MW2	09/13/04	---	---	---	---	---	---	---
MW2	12/22/04	---	---	---	---	---	---	---
MW2	03/24/05	<0.50	<0.50	<0.50	37	<0.50	<0.50	<50.0
MW2	06/14/05	<0.50	1.90	<0.50	41.1	<0.50	<0.50	<50.0
MW2	09/12/05	<0.500	<0.500	<0.500	181	<0.500	<0.500	<50.0
MW2	12/13/05	<0.500	<0.500	<0.500	159	<0.500	0.680	<50.0
MW2	03/13/06	<0.50	<0.50	<0.50	28	<0.50	<0.50	<100
MW2	06/12/06	<0.50	<0.50	<0.50	40	<0.50	<0.50	<100
MW2	09/08/06	<0.50	<0.50	<0.50	440	<0.50	<0.50	<100
MW2	12/05/06	<0.50	<0.50	<0.50	620	<0.50	0.51	<100
MW2	03/12/07	<0.50	<0.50	<0.50	290	<0.50	<0.50	<100
MW2	05/29/07	<0.500	<0.500	<0.500	235	<0.500	<0.500	<50.0
MW2	08/29/07	<0.50	<0.50	<0.50	900	<0.50	0.50	<100
MW2	11/29/07	<0.50	<0.50	<0.50	1,300	<0.50	0.66	<100
MW2	02/27/08	<0.50	<0.50	<0.50	83	<0.50	<0.50	<100
MW2	05/28/08	<0.500	<0.500	<0.500	60.6	<0.500	<0.500	<50.0
MW2	08/27/08	<0.50	<0.50	<0.50	66	<0.50	<0.50	<50
MW2	11/25/08	<0.50	<0.50	<0.50	69	<0.50	<0.50	<50
MW2	02/25/09	<0.50	<0.50	<0.50	46	<0.50	<0.50	<50
MW2	05/27/09	<0.50	<0.50	<0.50	47	<0.50	<0.50	<50
MW2	09/08/09	<0.50	<0.50	<0.50	42	<0.50	<0.50	<50
MW2	12/02/09	<0.50	<0.50	<0.50	29	<0.50	<0.50	<50
MW2	04/28/10	<0.50	<0.50	<0.50	11	<0.50	<0.50	<50
MW2	11/18/10	<0.50	<0.50	<0.50	27	<0.50	<0.50	<50

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
<b>MW2</b>	<b>05/25/11</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50</b>
MW3	06/07/88 - 04/14/00	Not analyzed for these analytes.						
MW3	06/16/00	Property transferred to Valero Refining Company.						
MW3	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW3	05/06/02	<0.50	<0.50	<0.50	194.0	<0.50	<0.50	---
MW3	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW3	03/01/04	<0.50	<0.50	<0.50	3550.0	<0.50	<0.50	---
MW3	06/15/04	---	---	---	---	---	---	<100
MW3	09/13/04	---	---	---	---	---	---	---
MW3	12/22/04	---	---	---	---	---	---	---
MW3	03/24/05	<0.50	<0.50	<0.50	12,600	<0.50	<0.50	<50.0
MW3	06/14/05	<0.50	<0.50	<0.50	10,500	<0.50	<0.50	<50.0
MW3	09/12/05	<0.500	10.4	<0.500	16,100	<0.500	<0.500	<50.0
MW3	12/13/05	<0.500	5.04	<0.500	3,530h	<0.500	<0.500	<50.0
MW3	03/13/06	<0.50	<0.50	<0.50	12,000h	<0.50	<0.50	<100
MW3	06/12/06	<5.0	<5.0	<5.0	8,000	<5.0	<5.0	<1,000
MW3	09/08/06	<2.5	<2.5	<2.5	6,700	<2.5	<2.5	<500
MW3	12/05/06	<2.5	<2.5	<2.5	6,700	<2.5	<2.5	<500
MW3	03/12/07	<2.5	<2.5	<2.5	5,900	<2.5	<2.5	<500
MW3	05/29/07	<0.500	<0.500	<0.500	4,330	<0.500	<0.500	<50.0
MW3	08/29/07	<1.0	<1.0	<1.0	2,800	<1.0	<1.0	<200
MW3	11/29/07	<1.0	<1.0	<1.0	3,700	<1.0	<1.0	<200
MW3	02/27/08	<5.0	<5.0	<5.0	4,300	<5.0	<5.0	<1,000
MW3	05/28/08	<0.500	<0.500	<0.500	920	<0.500	<0.500	<50.0
MW3	08/27/08	<0.50	<0.50	<0.50	450	<0.50	<0.50	<50
MW3	11/25/08	<2.5	<2.5	<2.5	230	<2.5	<2.5	<250
MW3	02/25/09	<2.5	<2.5	<2.5	460	<2.5	<2.5	<250
MW3	05/27/09	<2.5	<2.5	<2.5	220	<2.5	<2.5	<250
MW3	09/09/09	<0.50	<0.50	<0.50	79	<0.50	<0.50	<50
MW3	12/02/09	<0.50	<0.50	<0.50	120	<0.50	<0.50	<50
MW3	04/28/10	<1.0	<1.0	<1.0	140	<1.0	<1.0	<100
MW3	11/18/10	<0.50	<0.50	<0.50	43	<0.50	<0.50	<50
<b>MW3</b>	<b>05/26/11</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>100</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>&lt;500</b>

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW4	01/17/89 - 04/14/00	Not analyzed for these analytes.						
MW4	06/16/00	Property transferred to Valero Refining Company.						
MW4	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW4	05/06/02	<0.50	<0.50	<0.50	499.0	0.8	<0.50	---
MW4	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW4	03/01/04	<0.50	<0.50	<0.50	1,780	<0.50	<0.50	---
MW4	06/15/04	---	---	---	---	---	---	<100
MW4	09/13/04	---	---	---	---	---	---	---
MW4	12/22/04	---	---	---	---	---	---	---
MW4	03/24/05	<0.50	<0.50	<0.50	8,860	<0.50	<0.50	<50.0
MW4	06/14/05	<0.50	2.20	<0.50	5,890	<0.50	<0.50	<50.0
MW4	09/12/05	<0.500	<0.500	<0.500	7,230	<0.500	<0.500	<50.0
MW4	12/13/05	<0.500	3.49	<0.500	3,750g	<0.500	<0.500	<50.0
MW4	03/13/06	<0.50	<0.50	<0.50	2,000	<0.50	<0.50	<100
MW4	06/12/06	<0.50	<0.50	<0.50	740	<0.50	<0.50	<100
MW4	09/08/06	<0.50	<0.50	<0.50	2,800	<0.50	<0.50	<100
MW4	12/05/06	<0.50	<0.50	<0.50	3,900	<0.50	<0.50	<100
MW4	03/12/07	<1.0	<1.0	<1.0	2,800	<1.0	<1.0	<200
MW4	05/29/07	<0.500	<0.500	<0.500	1,350	<0.500	<0.500	<50.0
MW4	08/29/07	<0.50	<0.50	<0.50	940	<0.50	<0.50	<100
MW4	11/29/07	<0.50	<0.50	<0.50	810	<0.50	<0.50	<100
MW4	02/27/08	<0.50	<0.50	<0.50	220	<0.50	<0.50	<100
MW4	05/28/08	<0.500	<0.500	<0.500	107	<0.500	<0.500	<50.0
MW4	08/27/08	<0.50	<0.50	<0.50	130	<0.50	<0.50	<50
MW4	11/25/08	<0.50	<0.50	<0.50	69	<0.50	<0.50	<50
MW4	02/25/09	<2.5	<2.5	<2.5	46	<2.5	<2.5	<250
MW4	05/27/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<250
MW4	09/08/09	<1.0	<1.0	<1.0	18	<1.0	<1.0	<100
MW4	12/02/09	<0.50	<0.50	<0.50	38	<0.50	<0.50	<50
MW4	04/28/10	<0.50	<0.50	<0.50	23	<0.50	<0.50	<50
MW4	11/18/10	<0.50	<0.50	<0.50	33	<0.50	<0.50	<50
<b>MW4</b>	<b>05/26/11</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50</b>
MW5	01/17/89 - 04/14/00	Not analyzed for these analytes.						
MW5	06/16/00	Property transferred to Valero Refining Company.						
MW5	07/05/00 - 02/04/02	Not analyzed for these analytes.						

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW5	05/06/02	<0.50	<0.50	<0.50	306	<0.50	3	---
MW5	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW5	03/01/04	<0.50	<0.50	<0.50	528	<0.50	1	---
MW5	06/15/04	---	---	---	---	---	---	<100
MW5	09/13/04	---	---	---	---	---	---	---
MW5	12/22/04	---	---	---	---	---	---	---
MW5	03/24/05	<0.50	<0.50	<0.50	1,560	<0.50	1.30	<50.0
MW5	06/14/05	<0.50	<0.50	<0.50	908	<0.50	1.70	<50.0
MW5	09/12/05	<0.500	13.6	<0.500	1,130	<0.500	<0.500	<50.0
MW5	12/13/05	<0.500	16.5	<0.500	878	<0.500	1.01	<50.0
MW5	03/13/06	<0.50	<0.50	<0.50	1,800h	<0.50	<0.50	<100
MW5	06/12/06	<2.5	<2.5	<2.5	800	<2.5	<2.5	<500
MW5	09/08/06	<2.5	<2.5	<2.5	79	<2.5	<2.5	<500
MW5	12/05/06	<0.50	<0.50	<0.50	230	<0.50	<0.50	<100
MW5	03/12/07	<0.50	<0.50	<0.50	290	<0.50	<0.50	<100
MW5	05/29/07	<0.500	<0.500	<0.500	171	<0.500	<0.500	<50.0
MW5	08/29/07	<0.50	<0.50	<0.50	190	<0.50	<0.50	<100
MW5	11/29/07	<0.50	<0.50	<0.50	110	<0.50	<0.50	<100
MW5	02/27/08	<0.50	<0.50	<0.50	78	<0.50	<0.50	<100
MW5	05/28/08	<0.500	<0.500	<0.500	68.3	<0.500	<0.500	<50.0
MW5	08/27/08	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	11/25/08	<5.0	<5.0	<5.0	51	<5.0	<5.0	<500
MW5	02/25/09	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	05/27/09	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	09/09/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<250
MW5	12/02/09	<2.0	<2.0	<2.0	<20	<2.0	<2.0	<200
MW5	04/28/10	<0.50	<0.50	<0.50	6.7	<0.50	<0.50	<50
MW5	11/18/10	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
<b>MW5</b>	<b>05/26/11</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;20</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;200</b>
MW6	01/17/89 - 04/14/00	Not analyzed for these analytes.						
MW6	06/16/00	Property transferred to Valero Refining Company.						
MW6	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW6	05/06/02	<0.50	<0.50	<0.50	32	<0.50	<0.50	---
MW6	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW6	03/01/04	<0.50	<0.50	<0.50	2,000	<0.50	<0.50	---

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6	06/15/04	---	---	---	---	---	---	<100
MW6	09/13/04	---	---	---	---	---	---	---
MW6	12/22/04	---	---	---	---	---	---	---
MW6	03/24/05	<0.50	<0.50	<0.50	14,700	<0.50	<0.50	<50.0
MW6	06/14/05	<0.50	<0.50	<0.50	22,800	<0.50	<0.50	<50.0
MW6	09/12/05	<0.500	<0.500	<0.500	15,400	<0.500	<0.500	<50.0
MW6	12/13/05	<0.500	<0.500	<0.500	5,640g	<0.500	<0.500	<50.0
MW6	03/13/06	<5.0	<5.0	<5.0	11,000	<5.0	<5.0	<1,000
MW6	06/12/06	<5.0	<5.0	<5.0	7,700	<5.0	<5.0	<1,000
MW6	09/08/06	<5.0	<5.0	<5.0	6,000	<5.0	<5.0	<1,000
MW6	12/05/06	<2.5	<2.5	<2.5	11,000	<2.5	<2.5	<500
MW6	03/12/07	<2.5	<2.5	<2.5	5,200	<2.5	<2.5	<500
MW6	05/29/07	<0.500	<0.500	<0.500	3,640	<0.500	<0.500	<50.0
MW6	08/29/07	<2.5	<2.5	<2.5	4,400	<2.5	<2.5	<500
MW6	11/29/07	<2.5	<2.5	<2.5	7,800	<2.5	<2.5	<500
MW6	02/27/08	<25	<25	<25	2,600	<25	<25	<5,000
MW6	05/28/08	<0.500	<0.500	<0.500	156	<0.500	<0.500	<50.0
MW6	08/27/08	<50	<50	<50	<500	<50	<50	<5,000
MW6	11/25/08	<50	<50	<50	890	<50	<50	<5,000
MW6	02/25/09	<50	<50	<50	580	<50	<50	<5,000
MW6	05/27/09	<10	<10	<10	860	<10	<10	<1,000
MW6	09/09/09	<10	<10	<10	120	<10	<10	<1,000
MW6	12/02/09	<5.0	<5.0	<5.0	450	<5.0	<5.0	<500
MW6	04/28/10	<1.0	<1.0	<1.0	210	<1.0	<1.0	<100
MW6	11/18/10	<0.50	<0.50	<0.50	53	<0.50	<0.50	<50
<b>MW6</b>	<b>05/25/11</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>29m</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;200</b>
MW7	01/09/90 - 04/14/00	Not analyzed for these analytes.						
MW7	06/16/00	Property transferred to Valero Refining Company.						
MW7	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW7	05/06/02	<0.50	<0.50	<0.50	144	<0.50	<0.50	---
MW7	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW7	03/01/04	<0.50	<0.50	<0.50	295	<0.50	<0.50	---
MW7	06/15/04	---	---	---	---	---	---	<100
MW7	09/13/04	---	---	---	---	---	---	---
MW7	12/22/04	---	---	---	---	---	---	---

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW7	03/24/05	<0.50	<0.50	<0.50	163	<0.50	<0.50	<50.0
MW7	06/14/05	<0.50	<0.50	<0.50	878	<0.50	<0.50	<50.0
MW7	09/12/05	<0.500	<0.500	<0.500	6,910	<0.500	<0.500	<50.0
MW7	12/13/05	<0.500	<0.500	<0.500	683	<0.500	<0.500	<50.0
MW7	03/13/06	<0.50	<0.50	<0.50	120	<0.50	<0.50	<100
MW7	06/12/06	<0.50	<0.50	<0.50	31	<0.50	<0.50	<100
MW7	09/08/06	<0.50	<0.50	<0.50	550	<0.50	<0.50	<100
MW7	12/05/06	<0.50	<0.50	<0.50	200	<0.50	<0.50	<100
MW7	03/12/07	<0.50	<0.50	<0.50	370	<0.50	<0.50	<100
MW7	05/29/07	<0.500	<0.500	<0.500	270	<0.500	<0.500	<50.0
MW7	08/29/07	<0.50	<0.50	<0.50	150	<0.50	<0.50	<100
MW7	11/29/07	<0.50	<0.50	<0.50	98	<0.50	<0.50	<100
MW7	02/27/08	<0.50	<0.50	<0.50	49	<0.50	<0.50	<100
MW7	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW7	08/27/08	<0.50	<0.50	<0.50	7.9	<0.50	<0.50	<50
MW7	11/25/08	<0.50	<0.50	<0.50	19	<0.50	<0.50	<50
MW7	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW7	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW7	09/08/09	<0.50	<0.50	<0.50	9.6	<0.50	<0.50	<50
MW7	12/02/09	<0.50	<0.50	<0.50	5.1	<0.50	<0.50	<50
MW7	04/28/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW7	11/18/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
<b>MW7</b>	<b>05/25/11</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;50</b>
MW8	09/12/94 - 01/13/99	Not analyzed for these analytes.						
MW8	04/28/99	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	07/09/99 - 04/14/00	Not analyzed for these analytes.						
MW8	06/16/00	Property transferred to Valero Refining Company.						
MW8	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW8	05/06/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW8	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	06/15/04	---	---	---	---	---	---	<100
MW8	09/13/04	---	---	---	---	---	---	---
MW8	12/22/04	---	---	---	---	---	---	---
MW8	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0



**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW8	06/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW8	09/12/05	<0.500	<0.500	<0.500	46.2	<0.500	<0.500	<50.0
MW8	12/13/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW8	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	06/12/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	09/08/06	<0.50	<0.50	<0.50	6.9	<0.50	<0.50	---
MW8	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	03/12/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW8	08/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW8	11/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW8	02/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW8	08/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW8	11/25/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW8	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	09/09/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	12/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	04/28/10	Well inaccessible.						
MW8	11/18/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
<b>MW8</b>	<b>05/25/11</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>---</b>
MW9	05/14/93 - 04/14/00	Not analyzed for these analytes.						
MW9	06/16/00	Property transferred to Valero Refining Company.						
MW9	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW9	05/06/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW9	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9	06/15/04	---	---	---	---	---	---	<100
MW9	09/13/04	---	---	---	---	---	---	---
MW9	12/22/04	---	---	---	---	---	---	---
MW9	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9	06/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9	09/12/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9	12/13/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	06/12/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	09/08/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	03/12/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9	08/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9	11/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9	02/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9	08/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	11/25/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	09/09/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	12/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	04/28/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	11/18/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
<b>MW9</b>	<b>05/25/11</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>---</b>
MW10	05/14/93 - 10/08/97	Not analyzed for these analytes.						
MW10	12/12/97	Well destroyed.						
MW11	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW11	06/16/00	Property transferred to Valero Refining Company.						
MW11	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW11	05/06/02	<0.50	<0.50	<0.50	311	1.00	<0.50	---
MW11	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW11	03/01/04	<0.50	<0.50	<0.50	21	<0.50	<0.50	---
MW11	06/15/04	---	---	---	---	---	---	<100
MW11	09/13/04	---	---	---	---	---	---	---
MW11	12/22/04	---	---	---	---	---	---	---
MW11	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW11	06/14/05	<0.50	<0.50	<0.50	49.0	<0.50	<0.50	<50.0
MW11	09/12/05	<0.500	<0.500	<0.500	24.2	<0.500	<0.500	<50.0

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW11	12/13/05	<0.500	<0.500	<0.500	70.8	<0.500	<0.500	<50.0
MW11	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	06/12/06	<0.50	<0.50	<0.50	56	<0.50	<0.50	---
MW11	09/08/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	03/12/07	<0.50	<0.50	<0.50	45	<0.50	<0.50	---
MW11	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW11	08/29/07	<0.50	<0.50	<0.50	100	<0.50	<0.50	---
MW11	11/29/07	<0.50	<0.50	<0.50	110	<0.50	<0.50	---
MW11	02/27/08	<0.50	<0.50	<0.50	31	<0.50	<0.50	---
MW11	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW11	08/27/08	<25	<25	<25	<250	<25	<25	<2,500
MW11	11/25/08	<25	<25	<25	<250	<25	<25	<2,500
MW11	02/25/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	---
MW11	05/27/09	<10	18	<10	120	<10	<10	---
MW11	09/09/09	<50	<50	<50	<500	<50	<50	---
MW11	12/02/09	<25	<25	<25	<250	<25	<25	---
MW11	04/28/10	<12	<12	<12	<120	<12	<12	---
MW11	11/18/10	<10	<10	<10	<100	<10	<10	---
<b>MW11</b>	<b>05/26/11</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;100</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>---</b>
MW12	10/17/95 - 04/14/00	Not analyzed for these analytes.						
MW12	06/16/00	Property transferred to Valero Refining Company.						
MW12	07/05/00 - Present	Not analyzed for these analytes.						
EW1	10/21/93 - 04/14/00	Not analyzed for these analytes.						
EW1	06/16/00	Property transferred to Valero Refining Company.						
EW1	07/05/00 - Present	Not analyzed for these analytes.						
EW2	10/21/93 - 04/14/00	Not analyzed for these analytes.						
EW2	06/16/00	Property transferred to Valero Refining Company.						
EW2	07/05/00 - Present	Not analyzed for these analytes.						
EW3	10/21/93 - 04/14/00	Not analyzed for these analytes.						

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
 Former Exxon Service Station 70104  
 1725 Park Street  
 Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
EW3	06/16/00	Property transferred to Valero Refining Company.						
EW3	07/05/00 - Present	Not analyzed for these analytes.						
EW4	10/21/93 - 04/14/00	Not analyzed for these analytes.						
EW4	06/16/00	Property transferred to Valero Refining Company.						
EW4	07/05/00 - Present	Not analyzed for these analytes.						
EW5	10/21/93 - 04/14/00	Not analyzed for these analytes.						
EW5	06/16/00	Property transferred to Valero Refining Company.						
EW5	07/05/00 - Present	Not analyzed for these analytes.						

**TABLE 1B**  
**ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

---

Notes:	Total Dissolved Solids were reported in samples collected from wells MW1 and MW4 at 910 ppm and 370 ppm, respectively, on March 7, 1990.
TOC Elev.	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non aqueous phase liquid.
TPHd	= Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the stated laboratory method reporting limit.
---	= Not measured/Not sampled/Not analyzed.
a	= Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	= Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	= Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
d	= Hydrocarbon pattern does not resemble the requested fuel.
e	= Analyte presence not confirmed by second column or GC/MS analysis.
f	= Analyte detected in laboratory method blank; result is suspect.
g	= Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	= Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	= Elevated result due to single analyte peak(s) in the quantitation range.
j	= Calibration verification recovery above the method control limit. A high bias may be indicated.
k	= Liquid-phase petroleum hydrocarbons present in well, thickness not measured, or not measurable.
l	= A peak eluting before benzene was present in the groundwater sample, and is suspected to be MTBE.
m	= Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

---

**TABLE 2**  
**WELL CONSTRUCTION DETAILS**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Well Installation Date	Well Destruction Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW1 a	1988	---	17.29	NS	22	NS	4	NS	6-22	NS	NS	NS
MW2 a	1988	---	16.39	NS	16	NS	4	NS	3-15	NS	NS	NS
MW3 a	1988	---	17.02	NS	16	NS	4	NS	4-15	NS	NS	NS
MW4 a	1988	---	17.29	NS	21	NS	4	NS	4-19	NS	NS	NS
MW5 a	1988	---	16.64	NS	21	NS	4	NS	5-20	NS	NS	NS
MW6 a	1988	---	17.31	NS	21	NS	4	NS	5-20	NS	NS	NS
MW7 a	1988	---	17.06	NS	40	NS	4	NS	3-19	NS	NS	NS
MW8	05/05/93	---	16.24	8	21.5	19	2	PVC	5-19	0.020	3.5-19	#3 Sand
MW9	05/05/93	---	15.56	8	19	19	2	PVC	5-19	0.020	3.5-19	#3 Sand
MW10	NS	12/12/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW11b	1995	---	17.98	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
MW12b	1995	---	16.15	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
EW1 a	Dec. 1991	---	16.27	NS	41	NS	4	NS	5-36	NS	NS	NS
EW2 a	Dec. 1991	---	16.07	NS	40	NS	NS	NS	5-35.5	NS	NS	NS
EW3 a	Dec. 1991	---	16.08	NS	40	NS	4	NS	5-35.5	NS	NS	NS
EW4 a	Dec. 1991	---	15.69	NS	40.5	NS	NS	NS	4-35.5	NS	NS	NS
EW5 a	Dec. 1991	---	16.67	NS	41	NS	4	NS	5-40	NS	NS	NS
SW1	11/10/93	---	NS	8	20.5	20	2	PVC	17.5-20	0.010	16-20	Pea Gravel

**TABLE 2**  
**WELL CONSTRUCTION DETAILS**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Well ID	Well Installation Date	Well Destruction Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
SM1	11/10/93	---	NS	8	20.5	20	2	PVC	17.5-20	0.010	16-20	Pea Gravel
VW1	11/10/93	---	NS	8	7	7	2	PVC	4.5-7	0.020	4-7	#3 Sand
VW2	11/10/93	---	NS	8	7.5	7	2	PVC	4.5-7	0.020	4-7	#3 Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- PVC = Polyvinyl chloride.
- feet bgs = feet below ground surface.
- NS = Not specified.
- = Not measured.
- a = Boring logs unavailable; data obtained by using cross sections from Environmental Resolutions Inc.'s Site Conceptual Model, dated August 2, 2002.
- b = Boring logs unavailable; data obtained from Delta Environmental's Proposed Additional Hydrogeologic Investigative Work, dated November 15, 1994; data are approximate values.

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Field Measurements						Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
				Temp (deg F)	EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		Per Period (pounds)	Cumulative (pounds)
02/16/98	System startup.																				
	---	0	---	---	---	---	---	---	---												
03/24/00	System shutdown pending evaluation.																				
	12,001	0	---	---	---	---	---	---	---												
										A-INF	---				<60.80	<60.80	---	---	---		
										A-INT1	---										
										A-INT2	---										
										A-EFF	---										
04/01/00	Environmental Resolutions Inc. assumed operation of the system.																				
06/28/00	System upgrades complete. System restarted. System shutdown for carbon changeout, 2 x 500-pounds.																				
	12,008	7	7	---	---	---	26	---	---	A-INF	770.0										
										A-INT1	18.1										
										A-INT2											
										A-EFF	13.3										
07/11/00	System down on arrival; restart.																				
	12,011	10	3	86	---	---	8	4,000	85	A-INF	207.0	51	---	<1.0	0.16	<60.96	0.00	0.00	---	---	<0.01
										A-INT1	9.1	<10	---	<1.0							
										A-INT2											
										A-EFF	0.0	<10	---	<1.0							
07/20/00	System running on arrival (vapor extraction system only). System running on departure.																				
	12,226	225	215	78	---	---	9	4,500	97	A-INF	42.3										
										A-INT1	2.4										
										A-INT2											
										A-EFF	0.0										
07/31/00	System down on departure for carbon changeout (2x500-pounds).																				
	12,493	492	267	87	---	---	9	4,500	95	A-INF	266.0										
										A-INT1	73.0										
										A-INT2											
										A-EFF	41.2										
08/10/00	System down on arrival for carbon changeout. System running on departure.																				
	12,733	732	0	80	---	---	30	800	17	A-INF	53.5	43	---	<1	6.46	<67.42	<0.14	0.13	---	---	<0.001
										A-INT1	0.0	<10	---	<1							
										A-INT2											
										A-EFF	0.0	<10	---	<1							
08/16/00	12,874	873	141	84	---	---	31.5	250	5	A-INF	164.1										
										A-INT1	0.0										
										A-INT2											
										A-EFF	0.0										
08/24/00	System down on departure for carbon changeout.																				
	13,065	1,064	191	76	---	---	20	2,400	52	A-INF	294.0										
										A-INT1	23.7										
										A-INT2											
										A-EFF	2.4										
09/12/00	System down on arrival for carbon changeout. System running on departure.																				
	13,070	1,069	5	74	---	---	20	2,600	56	A-INF	247.5	190	---	2.5	5.39	<72.48	0.08	<0.21	---	---	<0.00
										A-INT1	0.0	<10	---	<1.0							
										A-INT2											
										A-EFF	0.0	<10	---	<1.0							



**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)	
09/26/00	13,406	1,405	336	80	--	--	22	2,450	52	A-INF A-INT1 A-INT2 A-EFF	448.7 10.7  0.0											
10/12/00	System running on arrival and down on departure for carbon changeout. Samples taken.																					
	13,786	1,785	380	67	--	--	24	2,400	53	A-INF A-INT1 A-INT2 A-EFF	96.4 72.3  9.0	55 21  <10	-- --  <1.0	17.86	<90.66	<0.26	<0.46	--	--	<0.004		
10/30/00	System down on arrival for carbon changeout. System running on departure.																					
	13,788	1,787	2	56	--	--	24	2,450	55	A-INF A-INT1 A-INT2 A-EFF	10,024 59.1  0.0	1,700 <10  <10	-- --  <1.0	0.35	<91.01	0.00	<0.47	--	--	<0.005		
11/08/00	14,008	2,007	220	60	--	--	25	2,300	51	A-INF A-INT1 A-INT2 A-EFF	102.6 41.8  0.0	29 <10  <10	-- --  <1.0	37.69	<128.70	<0.35	<0.81	--	--	<0.004		
11/21/00	System running on arrival. System down on departure for carbon changeout.																					
	14,314	2,313	306	68	--	--	25	2,300	50	A-INF A-INT1 A-INT2 A-EFF	322.0 32.3  42.9											
12/06/00	System down on arrival for carbon changeout. System down on departure for carbon changeout.																					
12/11/00	System down on arrival due to carbon changeout. System running on departure.																					
	14,316	2,315	2	52	--	--	24	2,400	54	A-INF A-INT1 A-INT2 A-EFF	957 1.2  3.1	240 <10  <10	-- --  <1.0	8.15	<136.86	0.09	<0.91	--	--	<0.005		
12/27/00	14,697	2,696	381	56	--	--	26	2,600	58	A-INF A-INT1 A-INT2 A-EFF	192.1 4.8  0.0											
01/09/01	15,012	3,011	315	56	--	--	25	2,400	54	A-INF A-INT1 A-INT2 A-EFF	82.4 23.2  0.0	32 <10  <10	-- --  <1.0	19.10	<155.95	<0.22	<1.12	--	--	<0.005		
01/23/01	System down on departure for carbon changeout.																					
	15,353	3,352	341	60	--	--	26	2,300	51	A-INF A-INT1 A-INT2 A-EFF	485.0 35.2  20.7											

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
01/31/01	15,355	3,354	2	45	—	—	33	1,500	34	A-INF A-INT1 A-INT2 A-EFF	10,000 0 0 0										
02/13/01	15,669	3,668	314	56	—	—	12	4,000	90	A-INF A-INT1 A-INT2 A-EFF	37.8 29.5 0 0	31 <10 <10 <10	— — — —	<1.0 <1.0 <1.0 <1.0	5.55 <161.50	<0.18 <1.31	— —	— —	<0.008		
02/27/01	System down on departure for changeout.																				
	15,999	3,998	330	70	—	—	8	4,000	87	A-INF A-INT1 A-INT2 A-EFF	316 37.5 73.6										
03/13/01	System down on arrival for changeout and running on departure. Monthly samples taken.																				
	16,002	4,001	3	65	—	—	9	4,000	88	A-INF A-INT1 A-INT2 A-EFF	5,833 190.4 0 0	1,300 16 11	— — — —	6.1 <1.0 <1.0 <1.0	73.60 <235.10	0.39 <1.69	— —	— —	<0.008		
03/27/01	System running on arrival and departure.																				
	16,336	4,335	334	62	—	—	10	4,000	89	A-INF A-INT1 A-INT2 A-EFF	182.6 16.8 0										
04/12/01	System running on arrival and departure.																				
	16,725	4,724	389	72	—	—	8	4,000	87	A-INF A-INT1 A-INT2 A-EFF	4.8 2.6 0										
04/25/01	System running on arrival and departure.																				
	17,034	5,033	309	80	—	—	9	4,000	86	A-INF A-INT1 A-INT2 A-EFF	18.6 9.5 0 0	<10 <10 26	— — — —	<1.0 <1.0 <1.0 <1.0	<219.46 <454.56	<1.19 <2.86	— —	— —	<0.008		
05/09/01	System running on arrival and departure.																				
	17,371	5,370	337	86	—	—	10	4,000	85	A-INF A-INT1 A-INT2 A-EFF	11.3 3.6 5.9	<10 <10 <10	— — —	<1.0 <1.0 <1.0	<1.07 <455.64	<0.11 <2.99	— —	— —	<0.007		
05/24/01	System running on arrival and departure.																				
	17,734	5,733	363	86	—	—	20	3,050	65	A-INF A-INT1 A-INT2 A-EFF	6.2 1.6 3.1										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)
06/04/01	System running on arrival and departure.																				
	17,992	5,991	258	80	—	—	40	500	11	A-INF	496	280	—	<1.0	16.05	<471.69	<0.11	<3.11	—	—	<0.001
										A-INT1	19.7	<10	—	<1.0							
										A-INT2											
										A-EFF	3.2	<10	—	<1.0							
06/19/01	System running on arrival and departure.																				
	18,353	6,352	361	80	—	—	38	500	11	A-INF	140										
										A-INT1	6.4										
										A-INT2											
										A-EFF	3.0										
07/02/01	System running on arrival and departure.																				
	18,660	6,659	307	80	—	—	38	500	11	A-INF	7.2										
										A-INT1	0.0										
										A-INT2											
										A-EFF	0.0										
07/17/01	System running on arrival and departure.																				
	19,028	7,027	368	75	—	—	10	4,000	86	A-INF	0.0	<10	—	<1.0	<27.27	<498.96	<0.19	<3.29	—	—	<0.008
										A-INT1	0.0	<10	—	<1.0							
										A-INT2											
										A-EFF	0.0	<10	—	<1.0							
08/07/01	System running on arrival and shut down on departure for blower failure.																				
08/13/01	System down on arrival; blower removed awaiting replacement.																				
08/27/01	System down awaiting blower replacement.																				
09/10/01	System down awaiting blower replacement.																				
10/18/01	System down on arrival, installed blower, and running on departure.																				
	19,534	7,533	506	120	—	—	31	4,000	80	A-INF	568.0										
										A-INT1	3.0										
										A-INT2											
										A-EFF	2.0										
10/24/01	System running on arrival and departure.																				
	19,673	7,672	139	80	—	—	41	3,300	71	A-INF	93.1	72	—	<1.0	7.76	<506.73	<0.19	<3.48	—	—	<0.006
										A-INT1	7.3	<10	—	<1.0							
										A-INT2											
										A-EFF	5	<10	—	<1.0							
11/07/01	System running on arrival and down on departure for carbon changeout.																				
	20,012	8,011	339	74	—	—	45	3,000	65	A-INF	230.0	55	—	<1.0	5.46	<512.18	<0.09	<3.57	—	—	<0.005
										A-INT1	27.0	<10	—	<1.0							
										A-INT2											
										A-EFF	5.1	<10	—	<1.0							
11/21/01	System running on arrival and down on departure for carbon changeout. Samples taken.																				
	20,012	8,011	0	150	—	—	45	3,000	57	A-INF	373.0										
										A-INT1	0.0										
										A-INT2											
										A-EFF	0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)	
12/12/01	System down on arrival, knockout tank High/High (H/H), and running on departure.																					
	20,361	8,360	349	142	—	—	46	3,000	58	A-INF	98.1	45	—	1.3	4.00	<516.18	0.09	<3.66	—	—	<0.005	
										A-INT1	1.0	<10	—	<1.0								
										A-INT2												
										A-EFF	2.7	<10	—	<1.0								
12/27/01	System down on arrival and running on departure.																					
	20,508	8,507	147	142	—	—	44	2,400	46	A-INF	2,396											
										A-INT1	2.4											
										A-INT2												
										A-EFF	0											
01/09/02	System down on arrival, knockout tank H/H, and running on departure.																					
	20,541	8,540	33	148	—	—	42	2,700	51	A-INF	794.5	670	—	8.0	13.10	<529.28	0.17	<3.82	—	—	<0.004	
										A-INT1	36.2	<10	—	<1.0								
										A-INT2												
										A-EFF	2	<10	—	<1.0								
01/23/02	System running on arrival and down on departure for carbon changeout.																					
	20,876	8,875	335	136	—	—	45	3,800	74	A-INF	41.2											
										A-INT1	8.3											
										A-INT2												
										A-EFF	7.2											
02/06/02	System down on arrival and running on departure.																					
	20,877	8,876	1	50	—	—	50	3,000	68	A-INF	260	458	—	24.5	42.27	<571.55	1.22	<4.92	—	—	<0.003	
										A-INT1	4.9	<5.00	—	<0.500								
										A-INT2												
										A-EFF	0.1	<5.00	—	<0.500								
02/21/02	System running on arrival and on departure.																					
	21,237	9,236	360	158	—	—	50	2,600	49	A-INF	189.8											
										A-INT1	4.7											
										A-INT2												
										A-EFF	0.0											
03/06/02	System running on arrival and on departure.																					
	21,549	9,548	312	152	—	—	45	2,800	53	A-INF	185.2	82.3	—	2.90	41.02	<612.57	2.08	<6.90	—	—	<0.002	
										A-INT1	14.2	15.1	—	<0.500								
										A-INT2												
										A-EFF	1.4	16.0	—	<0.500								
03/21/02	System running on arrival and departure. Installed pressure gauge for field reading.																					
	21,913	9,912	364	146	—	—	38	3,200	61	A-INF	96.3											
										A-INT1	1.5											
										A-INT2												
										A-EFF	1.7											
04/10/02	System running on arrival and down on departure.																					
	22,393	10,392	480	76	—	—	45	3,200	69	A-INF	64.3	12.0	—	0.16	9.07	<621.64	0.29	<7.40	—	—	<0.001	
										A-INT1	19.6	<10	—	<0.10								
										A-INT2												
										A-EFF	6	<10	—	<0.10								

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)					
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)						
05/08/02	System down on arrival and running on departure.				22,394	10,393	1	109	—	—	37	3,000	61	A-INF	354.1	440.0	—	3.2	0.05	<621.69	0.00	<7.43	—	—	<0.000	
													A-INT1	16.7	<10	—	<0.10									
													A-INT2													
													A-EFF	11.9	10	—	<0.10									
05/16/02	System running on arrival and on departure.				22,592	10,591	198	118	7	—	41	2,800	57	A-INF	98.1											
													A-INT1	3.9												
													A-INT2													
													A-EFF	3.9												
05/22/02	System running on arrival and on departure.				22,731	10,730	139	118	7	—	38	2,600	57	A-INF	98.1											
													A-INT1	3.9												
													A-INT2													
													A-EFF	3.9												
06/05/02	System running on arrival and down on departure for carbon changeout.				23,068	11,067	337	118	—	—	38	3,000	60	A-INF	101.1											
													A-INT1	10.1												
													A-INT2													
													A-EFF	18.2												
06/19/02	System down on arrival and running on departure.				23,068	11,067	0	76	—	—	9	3,000	65	A-INF	178.8	120.0	—	0.83	44.32	<666.01	0.32	<7.73	—	—	<0.001	
													A-INT1	0.0	<10	—	<0.10									
													A-INT2													
													A-EFF	0.0	<10	—	<0.10									
07/03/02	System running on arrival and departure.				23,409	11,408	341	112	—	—	25	3,000	61	A-INF	62.2	33	—	0.25	6.11	<672.12	0.04	<7.79	—	—	<0.001	
													A-INT1	0.0	<10	—	<0.10									
													A-INT2													
													A-EFF	0.0	<10	—	<0.10									
07/17/02	System down on arrival and running on departure.				23,434	11,433	25	109	—	—	70	3,000	61	A-INF	82.2											
													A-INT1	0.0												
													A-INT2													
													A-EFF	0.0												
07/31/02	System running on arrival and departure.				23,764	11,763	330	110	—	—	21	3,000	61	A-INF	16.4											
													A-INT1	0.0												
													A-INT2													
													A-EFF	0.0												
08/14/02	System running on arrival and departure.				24,103	12,102	339	112	—	—	16	3,000	61	A-INF	9.8	19	—	0.21	4.09	<676.21	0.04	<7.83	—	—	<0.001	
													A-INT1	0.0	<10	—	<0.10									
													A-INT2													
													A-EFF	0.0	<10	—	<0.10									

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)	
08/28/02	System running on arrival and down departure,																					
	24,414	12,413	311	110	—	—	16	3,000	61	A-INF	16.0											
										A-INT1	0.0											
										A-INT2												
										A-EFF	0.0											
11/06/02	System down on arrival and running departure,																					
	24,415	12,414	1	106	—	—	26	3,000	61	A-INF	1282	1,300	—	12	46.88	<723.10	0.43	<8.24	—	—	<0.001	
										A-INT1	0.0	<10	—	<0.10								
										A-INT2												
										A-EFF	0.0	<10	—	<0.10								
11/20/02	System running on arrival and departure,																					
	24,754	12,753	339	122	—	—	36	3,300	66	A-INF	67.6											
										A-INT1	1.1											
										A-INT2												
										A-EFF	0.0											
12/04/02	System running on arrival and departure,																					
	25,084	13,083	330	112	—	—	46	3,200	65	A-INF	47.5	<500	—	<5.0	<141.73	<864.83	<1.34	<9.48	—	—	<0.005	
										A-INT1	0.2	<100	—	<1.0								
										A-INT2												
										A-EFF	0.0	<100	—	<1.0								
12/18/02	System running on arrival and departure, Carbon changeout performed,																					
	25,422	13,421	668	112	7	—	46	3,000	62	A-INF	76.1											
										A-INT1	2.1											
										A-INT2												
										A-EFF	0.0											
01/06/03	System running on arrival and on departure for carbon changeout,																					
	25,875	13,874	453	—	—	—	35	3200	80	A-INF	372.0											
										A-INT1	602.0											
										A-INT2												
										A-EFF	604.0											
01/15/03	System down on arrival and running on departure,																					
	25,875	13,874	0	112	—	—	45	2,800	57	A-INF	134.0	110	—	1.4	54.68	<919.51	0.57	<10.11	—	—	<0.001	
										A-INT1	1.3	22	—	<0.20								
										A-INT2												
										A-EFF	0.0	<20	—	<0.20								
01/29/03	System running on arrival and departure,																					
	26,210	14,209	335	114	—	—	45	2,700	54	A-INF	56.9											
										A-INT1	0.0											
										A-INT2												
										A-EFF	0.0											
02/12/03	System running on arrival and departure,																					
	26,548	14,547	338	110	—	—	44	2,800	57	A-INF	50.6	24	—	0.27	9.55	<929.06	0.12	<10.28	—	—	<0.000	
										A-INT1	3.4	90	—	1.1								
										A-INT2												
										A-EFF	0.0	<10	—	<0.10								

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)	
02/26/03	System running on arrival and departure. Carbon changeout performed																					
	26,884	14,883	336	112	—	—	44	2,300	46	A-INF	122.9											
										A-INT1	1.9											
										A-INT2												
										A-EFF	0.0											
03/12/03	System running on arrival and departure. Carbon changeout performed																					
	27,218	15,217	334	120	—	—	43	2,600	52	A-INF	30.4	59	—	0.81	5.64	<934.71	0.07	<10.36	—	—	<0.000	
										A-INT1	0.6	<10	—	<0.10								
										A-INT2			—									
										A-EFF	0.1	<10	—	<0.10								
03/26/03	System running on arrival and departure.																					
	27,555	15,554	337	116	—	—	40	2,700	54	A-INF	12.4											
										A-INT1	2.5											
										A-INT2												
										A-EFF	0.1											
04/09/03	System running on arrival and departure.																					
	27,889	15,888	334	120	—	—	40	2,800	56	A-INF	36.0	57	—	0.36	7.83	<942.53	0.08	<10.45	—	—	<0.001	
										A-INT1	2.4	<10	—	<0.10								
										A-INT2			—									
										A-EFF	1.0	<10	—	<0.10								
04/23/03	System running on arrival and departure.																					
	28,227	16,226	338	113	—	—	39	2,400	48	A-INF	54.7											
										A-INT1	4.0											
										A-INT2												
										A-EFF	3.7											
05/07/03	System running on arrival and departure.																					
	28,563	16,562	336	118	—	—	40	2,500	50	A-INF	8.5	14	—	0.34	4.73	<947.27	0.05	<10.49	—	—	<0.000	
										A-INT1	1.8	<10	—	<0.10								
										A-INT2			—									
										A-EFF	2.2	<10	—	<0.10								
05/21/03	System running on arrival and departure.																					
	28,900	16,899	337	127	—	—	38	2,750	54	A-INF	15.8											
										A-INT1	2.4											
										A-INT2												
										A-EFF	1.3											
06/04/03	System running on arrival. System down on departure for carbon changeout.																					
	29,234	17,233	334	121	—	—	39	2,900	58	A-INF	81.2											
										A-INT1	90.7											
										A-INT2												
										A-EFF	70.2											
06/18/03	System down on arrival for changeout. System running on departure.																					
	29,237	17,236	3	120	—	—	39	2,800	56	A-INF	120.0	790	—	12	53.58	<1,000.85	0.82	<11.32	—	—	<0.001	
										A-INT1	0.1	<10	—	0.13								
										A-INT2			—									
										A-EFF	0.1	<10	—	<0.10								

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Field Measurements						Laboratory Analytical Results			TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
				Temp (deg F)	EFF Pressure ("H <sub>2</sub> O)	Vacuum ("Hg)	Vacuum (in H <sub>2</sub> O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPH <sub>g</sub> (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		Per Period (pounds)	Cumulative (pounds)		
07/02/03	System running on arrival and departure.			29,576	17,575	339	120	—	—	38	3,200	64	A-INF 91.0	70	—	1.1	32.58	<1,033.43	0.50	<11.81	—	—	<0.001
													A-INT1 0.0	<10	—	<0.10							
													A-INT2 0.1	<10	—	<0.10							
07/16/03	System running on arrival and departure.			29,910	17,909	334	129	—	—	39	3,150	62	A-INF 95.0										
													A-INT1 6.6										
													A-INT2 2.5										
07/30/03	System running on arrival. Shut down for carbon changeout. Down on departure.			30,241	18,240	331	118	—	—	40	3,050	61	A-INF 51.7										
													A-INT1 22.6										
													A-INT2 0.0										
08/13/03	System down on arrival. Restarted. Running on departure.			30,244	18,243	3	125	—	—	39	3,100	61	A-INF 321.0	110	—	1.9	14.05	<1,047.48	0.23	<12.05	—	—	<0.001
													A-INT1 5.7	<10	—	<0.10							
													A-INT2 6.8	10	—	0.26							
08/27/03	System running on arrival and departure.			30,501	18,500	257	121	—	—	39	2,900	58	A-INF 122.6										
													A-INT1 2.6										
													A-INT2 1.5										
09/10/03	System running on arrival and departure.			30,919	18,918	418	126	—	—	40	2,650	—	A-INF 117.0	93	—	2.4	14.54	<1,062.02	0.31	<12.35	—	—	<0.0005
													A-INT1 6.4	<10	—	<0.10							
													A-INT2 3.0	<10	—	<0.10							
09/24/03	System running on arrival and departure.			31,256	19,255	337	120	—	—	38.5	3,150	53	A-INF 96.0										
													A-INT1 17.0										
													A-INT2 0.6										
10/08/03	System running on arrival and departure.			31,587	19,586	331	120	—	—	38	3,000	60	A-INF 31.0	33	—	0.52	8.82	<1,070.84	0.20	<12.56	—	—	<0.0005
													A-INT1 1.9	<10	—	<0.10							
													A-INT2 0.0	<10	—	<0.10							
10/22/03	System running on arrival. Shut down due to bad motor starter.			31,923	19,922	336	—	—	—	41	2,700	68	A-INF 36.0										
													A-INT1 3.0										
													A-INT2 2.0										
11/03/03	System down on arrival and departure.												A-EFF 2.0										
11/12/03	System down on arrival and departure. Replaced blower motor starter heater assembly.																						



**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF Pressure ("H <sub>2</sub> O)	Vacuum ("Hg)	Vacuum (in H <sub>2</sub> O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPH <sub>g</sub> (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)	
11/17/03	System down on arrival. Restarted. Running on departure.																					
	31,927	19,926	4	110	—	—	36	3,100	53	A-INF	262.0											
										A-INT1	3.1											
										A-INT2												
										A-EFF	0.2											
12/01/03	System running on arrival and departure.																					
	32,263	20,262	336	108	—	—	38	2,800	57	A-INF	25.3	26	—	0.55	4.35	<1,075.19	0.08	<12.64	—	—	<0.0005	
										A-INT1	0.0	<10	—	<0.10								
										A-INT2												
										A-EFF	0.0	<10	—	<0.10								
12/15/03	System running on arrival and departure.																					
	32,600	20,599	337	102	10	—	32	3,400	72	A-INF	53.0											
										A-INT1	7.0											
										A-INT2												
										A-EFF	2.7											
12/29/03	System running on arrival and departure.																					
	32,932	20,931	332	94	9.5	—	34	3,400	73	A-INF	46.9											
										A-INT1	0.0											
										A-INT2												
										A-EFF	0.0											
01/12/04	System down on arrival, groundwater pump and treat transfer pump failure. System down for knockout drum replacement.																					
01/26/04	System down on arrival and departure, blower not starting (needs troubleshooting).																					
02/09/04	System retrofit complete, commencing startup with new blower and new Bay Area Air Quality Management District (BAAQMD) conditions.																					
06/27/05	Retrofitted system startup.																					
	33,268	21,267	336	72	1	—	136.1	3,900	85	A-INF	185.6	124	8.63	11.3	20.00	<1,095.18	1.58	<14.22	0.00	0.00	<0.0039	
										A-INT1	0.0	<10.2	<0.508	<0.508								
										A-INT2												
										A-EFF	0.6	<10.2	<0.508	<0.508								
06/28/05	33,269	21,268	1	72	2	—	88.5	3,400	74	A-INF	34.1											
										A-INT1	0.0											
										A-INT2												
										A-EFF	0.0											
06/29/05	Shut down system on departure for bi-weekly visitation request with the BAAQMD.																					
	33,289	21,288	20	72	1	—	74.9	2,800	51	A-INF	711.0											
										A-INT1	0.0											
										A-INT2												
										A-EFF	0.0											
07/01/05	System down awaiting Bay Area Air Quality Management District permit modification.																					
07/08/05	Restart system with bi-weekly visitation frequency (BAAQMD).																					
	33,291	21,290	2	70	2	—	95.3	3,000	66	A-INF	571.0											
										A-INT1	0.0											
										A-INT2												
										A-EFF	4.7											

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Field Measurements						Laboratory Analytical Results			TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
				Temp (deg F)	EFF Pressure ("H <sub>2</sub> O)	Vacuum ("Hg)	Vacuum (in H <sub>2</sub> O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPH <sub>g</sub> (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		Per Period (pounds)	Cumulative (pounds)
07/11/05	Shut down system on departure for vapor-phase carbon (VPC) changeout 3@500-pounds.																				
	33,362	21,361	71	79	1	—	68.1	4,000	86	A-INF	1,683.0										
										A-INT1	196.0										
										A-INT2											
										A-EFF	224.0										
07/15/05	Restarted system post VPC changeout. Added one more 500-pound vessel in series, three total before discharge to atmosphere.																				
	33,363	21,362	1	78	2	—	108.9	3,000	65	A-INF	440.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/22/05	33,363	21,362	0	78	2	—	108.9	3,000	65	A-INF	440.0	799	71.8	72.7	12.27	<1,107.45	1.12	<15.33	1.07	1.07	0.003
										A-INT1	0.0	20.2	4.87	2.03							
										A-INT2	—	—	—	—							
										A-EFF	0.0	<10.2	<0.609	0.508							
07/24/05	Responded to auto dialer callout. Shut down system, arranging for liquid-phase carbon (LPC) changeout (clogged) 3@500-pounds.																				
	33,462	21,461	99	80	2	—	108.9	2,600	56												
07/29/05	33,462	21,461	0	—	—	—	—	—	—												
08/05/05	33,462	21,461	0	78	2	—	108.9	2,800	60	A-INF	16.0	8.64	0.704	0.855	9.36	<1,116.81	0.85	<16.19	0.84	1.91	<0.003
										A-INT1	0.0	<5.00	<0.500	<0.500							
										A-INT2	0.0	<5.00	<0.500	<0.500							
										A-EFF	0.0	<5.00	<0.500	<0.500							
08/12/05	33,470	21,469	8	78	2	—	108.9	2,600	56	A-INF	56.0										
										A-INT1	46.0										
										A-INT2	6.0										
										A-EFF	0.0										
08/19/05	33,638	21,637	168	70	2	—	108.9	2,600	57	A-INF	18.0										
										A-INT1	8.1										
										A-INT2											
										A-EFF	7.6										
08/26/05	33,638	21,637	0	70	2	—	108.9	2,600	57	A-INF	56.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/02/05	33,806	21,805	168	70	2	—	122.5	3,000	66	A-INF	58.3										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Field Measurements						Sample ID	PID (ppmv)	Laboratory Analytical Results			TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
				Temp (deg F)	EFF ("H2O)	Pressure ("Hg)	Vacuum (in H2O)	Vacuum (fpm)	Flow (scfm)			TPH <sub>g</sub> (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
09/09/05	33,974	21,973	168	70	2	—	122.5	2,600	57	A-INF	58.3	14.4	<0.500	0.520	1.29	<1,118.11	0.08	<16.26	<0.07	<1.98	<0.003
										A-INT1	0.0	<5.00	<0.500	<0.500							
										A-INT2	0.0	<5.00	<0.500	<0.500							
										A-EFF	0.0	<5.00	<0.500	<0.500							
09/16/05	34,142	22,141	168	70	2	—	108.9	3,600	79	A-INF	168.0										
										A-INT1	3.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/19/05	34,208	22,207	66	70	2	—	108.9	3,600	79	A-INF	—										
										A-INT1	—										
										A-INT2	—										
										A-EFF	—										
10/07/05	34,208	22,207	0	70	2	—	108.9	3,600	78	A-INF	6.0										
										A-INT1	21.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/14/05	System shut down for blower repair and vapor piping size increase.			—	—	—	—	—	—	A-INF	—										
	A-INT1	—																			
	A-INT2	—																			
	A-EFF	—																			
02/23/06	System down on arrival. Retrofit complete. Restarted. Running on departure.			69	—	—	122.5	3,000	147	A-INF	12.2										
	A-INT1	12.1																			
	A-INT2	0.8																			
	A-EFF	0.4																			
02/24/06	System running on arrival and departure.			70	2	—	136	1,600	79	A-INF	0.0	<5.00	<0.500	<0.500	<0.95	<1,119.06	<0.05	<16.31	<0.05	<2.03	<0.004
	A-INT1	0.0	27.3							3.24	<0.500										
	A-INT2	0.0	<5.00							<0.500	<0.500										
	A-EFF	0.0	<5.00							<0.500	<0.500										
03/03/06	System running on arrival and departure.			70	2	—	136	1,600	79	A-INF	0.0	24.5a	<0.500	<0.500	<0.73	<1,119.78	<0.02	<16.34	<0.02	<2.05	<0.004
	A-INT1	0.0	58.9 a							<0.500	<0.500										
	A-INT2	0.0	5.00							<0.500	<0.500										
	A-EFF	0.0	5.00							<0.500	<0.500										
03/10/06	System running on arrival and departure.			70	2	—	136	1,600	79	A-INF	0.0										
	A-INT1	0.0																			
	A-INT2	0.0																			
	A-EFF	0.0																			

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF ("H2O)	Pressure ("Hg)	Vacuum (in H2O)	Vacuum (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)
03/17/06	System down on arrival (well box high level). Restarted. Running on departure.																				
	375	34,710	98	70	2	—	136	1,200	59	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
03/24/06	System running on arrival and departure.																				
	510	34,845	135	70	2	—	136	1,400	69	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
03/31/06	System down on arrival (well box high level). Restarted. Running on departure.																				
	527	34,862	17	70	2	—	149.71	1,500	74	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
04/07/06	System running on arrival and departure.																				
	696	35,031	169	70	2	—	135.9	1,400	69	A-INF	0.0	<50.0	<0.500	0.535	<5.20	<1,124.98	<0.07	<16.41	<0.07	<2.12	<0.003
										A-INT1	0.0	<50.0	0.571	<0.500							
										A-INT2	0.0	70.8 a	<0.500	<0.500							
										A-EFF	0.0	84.9a	<0.500	<0.500							
04/13/06	System running on arrival, down on departure for carbon changeout.																				
	837	35,172	141	76	2	—	135.9	2,200	107	A-INF	1.5										
										A-INT1	43.9										
										A-INT2	30.3										
										A-EFF	26.0										
04/28/06	System down on arrival and running on departure (carbon changeout 3@500 lbs.).																				
	837	23,171	0	76	2	—	135.9	1,400	68	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
05/05/06	System running on arrival and departure.																				
	1,006	23,340	169	70	2	—	108.7	1,500	74	A-INF	0.0	b	b	b							
										A-INT1	0.0	b	b	b							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
05/12/06	System running on arrival and departure.																				
	1,172	23,506	166	70	2	—	122.3	1,500	74	A-INF	0.0	<50.0	<0.500	<0.500	<6.36	<1,131.33	<0.07	<16.48	<0.06	<2.18	<0.003
										A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
05/19/06	System running on arrival and departure.																				
	1,339	23,673	167	70	2	—	135.9	1,600	79	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)					
05/25/06	System running on arrival and departure.				1,485	23,819	146	70	2	—	135.9	1,600	79	A-INF	0.0										
													A-INT1	0.0											
													A-INT2	0.0											
													A-EFF	0.0											
06/02/06	System running on arrival and departure.				1,676	24,010	191	70	2	—	135.9	1,600	79	A-INF	0.0										
													A-INT1	0.0											
													A-INT2	0.0											
													A-EFF	0.0											
06/09/06	System running on arrival and departure.				1,846	24,180	170	70	2	—	135.9	1,499	74	A-INF	0.0										
													A-INT1	0.0											
													A-INT2	0.0											
													A-EFF	0.0											
06/16/06	System down on arrival and running on departure.				1,967	24,301	121	70	2	—	135.9	1,400	69	A-INF	0.0	<50.0	2.73	<0.500	<10.61	<1,141.95	<0.11	<16.58	<0.34	<2.53	<0.003
													A-INT1	0.0	—	—	—								
													A-INT2	0.0	<50.0	<0.500	<0.500								
													A-EFF	0.0	<50.0	<0.500	<0.500								
06/23/06	System running on arrival and departure.				2,134	24,468	167	70	2	—	135.9	1,450	71	A-INF	0.0										
													A-INT1	0.0											
													A-INT2	0.0											
													A-EFF	0.0											
06/30/06	System running on arrival and departure.				2,300	24,634	166	70	2	—	135.9	1,400	69	A-INF	0.0										
													A-INT1	0.0											
													A-INT2	0.0											
													A-EFF	0.0											
07/05/06	System running on arrival and departure.				2,424	24,758	124	70	2	—	135.9	2,000	98	A-INF	15.7	<50.0	<0.500	<0.500	<7.15	<1,149.10	<0.07	<16.65	<0.23	<2.76	<0.004
													A-INT1	0.0	<50.0	<0.500	<0.500								
													A-INT2	0.0	<50.0	<0.500	<0.500								
													A-EFF	0.0	<50.0	<0.500	<0.500								
07/14/06	System running on arrival and departure.				2,644	24,978	220	70	2	—	135.9	2,000	98	A-INF	240.0										
													A-INT1	3.2											
													A-INT2	0.0											
													A-EFF	0.0											
07/20/06	System running on arrival and departure.				2,804	25,138	160	70	2	—	135.9	1,800	89	A-INF	61.0										
													A-INT1	0.0											
													A-INT2	0.0											
													A-EFF	0.0											

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
07/28/06	System running on arrival and departure.				2	—	135.9	1,800	89	A-INF	56.0										
	2,973	25,307	169	70						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/04/06	System running on arrival and departure.				2	—	135.9	1,800	89	A-INF	96.0	147	1.30	1.71	<24.82	<1,173.92	<0.28	<16.93	<0.23	<2.98	<0.004
	3,144	25,478	171	70						A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
08/11/06	System running on arrival and departure.				2	—	135.9	2,200	108	A-INF	65.0										
	3,308	25,642	164	70						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/18/06	System running on arrival and departure.				2	—	135.9	2,500	123	A-INF	60.0										
	3,483	25,817	175	70						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/25/06	System down on arrival (H/H moisture separator), restarted system.				2	—	135.9	2,500	123	A-INF	56.0										
	3,486	25,820	3	70						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/01/06	System running on arrival and down for LPC changeout on departure.				2	—	135.9	2,500	123	A-INF	27.0										
	3,654	25,988	168	70						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/15/06	System down on arrival, (carbon changeout completed), restarted system.				2	—	135.9	2,500	123	A-INF	0.0										
	3,657	25,991	3	70						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/22/06	System down on arrival, locked out/tagged out system for repair.																				
10/06/06	3,734	26,068	77	70	2	—	136.1	2,500	123	A-INF	30.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/13/06	3,742	26,076	8	70	2	—	136.1	2,500	123	A-INF	60.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/20/06	System down on arrival. System shut down for carbon changeout.				2	—	—	—	—	—	—										
	3,744	26,078	2	70																	

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF ("H2O)	Pressure ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)	
10/27/06	System down on arrival for carbon changeout. System running on departure.																					
	3,744	26,078	0	70	2	—	136.1	2,500	123	A-INF	204.0	<50.0	<0.500	<0.500	<23.40	<1,197.32	<0.26	<17.19	<0.21	<3.20	<0.006	
										A-INT1	1.0	<50.0	2.08	<0.500								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
11/03/06	System running on arrival and departure.																					
	3,915	26,249	171	70	0	—	136.1	2,500	122	A-INF	10.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/10/06	System running on arrival and departure.																					
	4,079	26,413	164	100	2	—	136.1	2,500	117	A-INF	72.0	141	2.68	2.86	<14.34	<1,211.65	<0.25	<17.45	<0.24	<3.44	0.012	
										A-INT1	2.0	65.4	3.46	<0.500								
										A-INT2	0.0	<50.0	1.31	0.686								
										A-EFF	0.0	<50.0	<0.500	1.16								
11/14/06	System running on arrival and departure.																					
	4,135	26,469	56	110	1	—	149.7	2,500	114	A-INF	53.0											
										A-INT1	1.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/20/06	System running on arrival and departure.																					
	4,321	26,655	186	110	1	—	149.7	2,500	114	A-INF	63.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/27/06	System running on arrival and departure.																					
	4,487	26,821	166	110	1	—	136.1	2,500	114	A-INF	63.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/05/06	System running on arrival and departure.																					
	4,677	27,011	190	100	1	10	136.1	2,600	121	A-INF	10.0	<50.0	<0.500	<0.500	<25.35	<1,237.00	<0.45	<17.89	<0.42	<3.66	<0.005	
										A-INT1	0.0	<50.0	<0.500	<0.500								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
12/15/06	System down on arrival and running on departure.																					
	4,784	27,118	107	110	1	—	136.1	2,500	114	A-INF	16.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/21/06	System running on arrival and departure.																					
	4,952	27,286	168	100	10	—	136.1	2,500	119	A-INF	46.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	EFF ("H2O)	Pressure ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)
12/27/06	System down on arrival and running on departure.																				
	5,039	27,373	87	120	-10	11	149.7	2,250	103	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/05/07	System down on arrival and running on departure.																				
	5,137	27,471	98	110	10	10	136.1	2,400	112	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/12/07	System running on arrival and departure.																				
	5,297	27,631	160	110	10	11	149.66	2,400	112	A-INF	10.0	<50.0	<0.500	<0.500	<13.50	<1,250.51	<0.14	<18.03	<0.14	<3.99	<0.005
										A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
01/19/07	System down on arrival and running on departure.																				
	5,370	27,704	73	110	10	10	136.1	2,400	112	A-INF	6.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/26/07	System running on arrival and departure.																				
	5,528	27,862	158	110	10	8	108.84	2,600	121	A-INF	1.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
02/02/07	System running on arrival and departure.																				
	5,696	28,030	168	90	9	8	108.8	2,400	116	A-INF	3.0	<50.0	<0.500	<0.500	<8.50	<1,259.01	<0.09	<18.11	<0.09	<4.08	<0.005
										A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
02/09/07	System running on arrival and departure.																				
	5,865	28,199	169	90	9	8	108.84	2,400	116	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
02/16/07	System running on arrival and locked out/tagged out on departure.																				
	6,033	28,367	168	110	0	8	108.84	2,400	109	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
02/23/07	System locked out/tagged out on arrival and departure.																				
03/02/07	System locked out/tagged out on arrival and departure.																				
03/09/07	System locked out/tagged out on arrival and departure.																				
04/03/07	System locked out/tagged out on arrival, restarted, and running on departure.																				
	6,033	28,367	0	110	0	8	108.84	2,600	118	A-INF	2.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										



**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)		Cumulative (pounds)
04/12/07	System running on arrival and departure.																				
	6,240	28,574	207	90	0	8	108.84	2,600	123	A-INF	2.0	<50.0	<0.500	<0.500	<12.14	<1,271.14	<0.12	<18.23	<0.12	<4.20	<0.006
										A-INT1	0.0	<50.0	0.703	0.888							
										A-INT2	0.0	<50.0	0.646	<0.500							
04/20/07	System running on arrival and departure.																				
	6,430	28,764	190	110	0	8	108.84	2,600	118	A-INF	4.0										
										A-INT1	0.0										
										A-INT2	0.0										
04/25/07	System down on arrival and running on departure.																				
	6,475	28,809	45	110	0	8	108.84	2,600	118	A-INF	4.0										
										A-INT1	0.0										
										A-INT2	0.0										
05/04/07	System down on arrival and running on departure.																				
	6,491	28,825	16	110	0	8	108.84	2,600	118	A-INF	2.0										
										A-INT1	0.0										
										A-INT2	0.0										
05/11/07	System down on arrival and running on departure.																				
	6,647	28,981	156	120	0	8	108.84	2,600	116	A-INF	4.0	<50.0	<0.500	<0.500	<9.10	<1,280.25	<0.09	<18.32	<0.09	<4.29	<0.005
										A-INT1	0.0	<50.0	0.973	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
05/17/07	System down on arrival and running on departure.																				
	6,760	29,094	113	100	0	6	81.63	2,600	121	A-INF	3.0										
										A-INT1	0.0										
										A-INT2	0.0										
05/25/07	System running on arrival and departure.																				
	6,930	29,264	170	100	0	6	81.63	2,600	121	A-INF	2.0										
										A-INT1	0.0										
										A-INT2	0.0										
06/08/07	System running on arrival and shut down on departure.																				
	7,284	29,618	354	100	0	6	81.63	2,600	121	A-INF	4.0										
										A-INT1	0.0										
										A-INT2	0.0										
06/21/07	System down on arrival and running on departure.																				
	7,428	29,762	144	100	0	8	108.84	2,600	121	A-INF	1.0	b	b	b							
										A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	1.17	<0.500							
									A-EFF	0.0	<50.0	<0.500	<0.500								

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					EFF ("H2O)	Pressure ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
06/29/07	System down on arrival and running on departure.										A-INF	1.0	<50.0	<0.500	<0.500	<20.56	<1,300.80	<0.21	<18.53	<0.21	<4.50	<0.005
	7,615	29,949	187	150	0	8	108.84	2,600	111	A-INT1	0.0	<50.0	<0.500	0.753								
										A-INT2	0.0	<50.0	1.81	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
07/06/07	System down on arrival and running on departure.										A-INF	0.0										
	7,660	29,994	45	150	0	7	95.24	2,400	102	A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/11/07	System down on arrival and running on departure.										A-INF	1.0										
	7,703	30,037	43	110	0	8	108.84	2,600	118	A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/18/07	System down on arrival and running on departure.										A-INF	1.0										
	7,819	30,153	116	80	0	6	81.63	3,000	144	A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/20/07	System down on arrival and running on departure.										A-INF	—										
	7,858	30,192	39	—	—	—	—	—	—	A-INT1	—											
										A-INT2	—											
										A-EFF	—											
07/24/07	System running on arrival and departure.										A-INF	1.0										
	7,952	30,286	94	70	0	6	81.63	3,200	157	A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/31/07	System running on arrival and departure.										A-INF	1.0	<50.0	<0.500	<0.500	<13.09	<1,313.90	<0.13	<18.66	<0.13	<4.63	0.000
	8,120	30,454	168	70	0	6	81.63	3,400	167	A-INT1	0.0	<50.0	<0.500	<0.500								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	b	b	b								
08/09/07	System running on arrival and departure.										A-INF	0.0	1,100	27.5	29.7	<77.03	<1,390.92	<2.02	<20.68	<1.88	<6.50	<0.007
	8,337	30,671	217	80	0	6	81.63	3,400	164	A-INT1	0.0	<50.0	<0.500	<0.500								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
08/15/07	System running on arrival and departure.										A-INF	0.0										
	8,458	30,792	121	80	0	6	81.63	3,400	164	A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
08/23/07	System running on arrival and departure.																					
	8,674	31,008	216	85	0	6	81.63	3,000	143	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
08/28/07	System restarted on arrival and running on departure.																					
	8,780	31,114	106	85	0	6	81.63	3,000	143	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
09/07/07	System running on arrival and departure.																					
	9,002	31,336	222	100	0	6	81.63	3,600	167	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
09/14/07	System running on arrival and departure.																					
	9,170	31,504	168	100	0	6	81.63	3,000	139	A-INF	0.0	<11d	0.097d	0.0046d	<261.88	<1,652.81	7.00	<27.69	6.51	<13.01	0.000	
										A-INT1	0.0	<11d	0.26d	0.0099d								
										A-INT2	0.0	<11d	0.25d	0.0055d								
										A-EFF	0.0	<11d	<0.0072d	0.0029d								
09/21/07	System running on arrival and departure.																					
	9,337	31,671	167	100	0	6	81.63	3,000	139	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
09/28/07	System running on arrival and departure.																					
	9,505	31,839	168	100	0	6	81.63	3,000	139	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
10/02/07	System running on arrival and shut down on departure.																					
	9,602	31,936	97	100	0	6	81.63	3,000	139	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
10/05/07	System restarted on arrival and running on departure.																					
	9,602	31,936	0	100	0	6	81.63	3,000	139	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
10/12/07	System running on arrival and departure.																					
	9,770	32,104	168	100	0	6	81.63	3,200	148	A-INF	0.0	<11	0.69c/0.40	0.013	<3.55	<1,656.35	0.00	<27.69	0.13	<13.14	0.000	
										A-INT1	0.0	b	b	b								
										A-INT2	0.0	<11	0.36c/0.14	0.009								
										A-EFF	0.0	<11	0.014	0.007								

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)					
10/16/07	System running on arrival and departure.				9,866	32,200	96	100	0	6	81.63	3,200	148	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
10/22/07	System running on arrival and departure.				10,012	32,346	146	100	0	6	81.63	3,200	148	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
11/02/07	System running on arrival and departure.				10,273	32,607	261	100	0	6	81.63	3,200	148	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
11/09/07	System running on arrival and departure.				10,444	32,778	171	100	0	6	81.63	3,200	148	A-INF	0.0	<11	0.36	<0.0016	<4.11	<1,660.47	<0.00	<27.69	0.20	<13.33	<0.000
														A-INT1	0.0	<11	0.20	0.018							
														A-INT2	0.0	<11	0.42	0.014							
														A-EFF	0.0	<11	<0.0072	<0.0016							
11/16/07	System running on arrival and departure.				10,610	32,944	166	100	0	6	81.63	3,200	148	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
11/21/07	System running on arrival and departure.				10,728	33,062	118	100	0	6	81.63	3,000	139	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
11/26/07	System running on arrival and departure.				10,848	33,182	120	100	0	6	81.63	3,000	139	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
12/07/07	System running on arrival and departure.				11,112	33,446	264	90	0	6	81.63	3,000	142	A-INF	0.0	<11	0.12	0.0021	<3.99	<1,664.45	<0.00	<27.69	0.09	<13.42	<0.000
														A-INT1	0.0	<11	0.042	0.0029							
														A-INT2	0.0	<11	0.12	<0.0016							
														A-EFF	0.0	<11	<0.0072	<0.0016							
12/13/07	System down on arrival and departure.				11,235	33,569	123	160	0	6	81.63	2,800	117	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
12/14/07	System shut down.				11,261	33,595	26	160	0																

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
12/19/07	System down on arrival and running on departure.																					
	11,262	33,596	1	160	0	6.5	88.44	2,800	117	A-INF	0,0											
										A-INT1	0,0											
										A-INT2	0,0											
										A-EFF	0,0											
12/21/07	System running on arrival and departure.																					
	11,303	33,637	41	160	0	6,5	88,44	2,800	117	A-INF	0,0											
										A-INT1	0,0											
										A-INT2	0,0											
										A-EFF	0,0											
12/27/07	System running on arrival and departure.																					
	11,470	33,804	167	160	0	6,5	88,44	2,800	117	A-INF	0,0											
										A-INT1	0,0											
										A-INT2	0,0											
										A-EFF	0,0											
01/04/08	System down on arrival and departure.																					
	11,636	33,970	166	160	0																	
01/07/08	System down on arrival and running on departure.																					
	11,636	33,970	0	160	0	6	81,63	2,800	117	A-INF	0,0											
										A-INT1	0,0											
										A-INT2	0,0											
										A-EFF	0,0											
01/18/08	System running on arrival and departure.																					
	11,904	34,238	268	160	0	6	81,63	2,800	117	A-INF	0,0	<11d	<0,0072d	<0,0016d	<4,22	<1,668.67	<0,00	<27,69	<0,02	<13,44	0,000	
										A-INT1	0,0	<11d	0,20d	0,015d								
										A-INT2	0,0	<11d	0,31d	<0,0016d								
										A-EFF	0,0	<1d	0,044d	0,0028d								
01/25/08	System down on arrival and running on departure.																					
	12,045	34,379	141	135	0	6	81,63	3,100	135	A-INF	0,0											
										A-INT1	0,0											
										A-INT2	0,0											
										A-EFF	0,0											
01/27/08	System down on arrival and running on departure.																					
	12,052	34,386	7	145	0	6	81,63	3,000	129	A-INF	—											
										A-INT1	—											
										A-INT2	—											
										A-EFF	—											
01/31/08	System down on arrival and running on departure.																					
	12,140	34,474	88	160	0	7	95,24	2,600	109	A-INF	0,0											
										A-INT1	0,0											
										A-INT2	0,0											
										A-EFF	0,0											
02/08/08	System running on arrival and departure.																					
	12,261	34,595	121	165	0	7,5	102,04	2,500	104	A-INF	0,0											
										A-INT1	0,0											
										A-INT2	0,0											
										A-EFF	0,0											

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
02/15/08	System running on arrival and departure,				150	0	5	68.03	2,800	119	A-INF	0.0	<11d	0.12d	<0.0016d	<2.81	<1,671.48	<0.00	<27.69	<0.02	<13.46	<0.000
	12,461	34,815	220	A-INT1							0.0	<11 d	0.078 d	0.0059 d								
				A-INT2							0.0	<11 d	0.22 d	<0.0016 d								
				A-EFF							0.0	<11d	<0.0072 d	<0.0016 d								
02/22/08	System running on arrival and departure,				150	0	5.5	74.83	2,800	119	A-INF	0.8										
	12,651	34,985	170	A-INT1							1.4											
				A-INT2							0.8											
				A-EFF							0.0											
02/26/08	System running on arrival and departure,				155	0	5.5	74.83	2,800	118	A-INF	0.0										
	12,746	35,060	95	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
03/06/08	System running on arrival and departure,				160	0	5.5	74.83	2,600	109	A-INF	3.7										
	12,988	35,322	242	A-INT1							3.7											
				A-INT2							2.2											
				A-EFF							0.7											
03/14/08	System running on arrival and departure,				160	0	5.5	74.83	2,600	109	A-INF	0.0										
	13,150	35,484	162	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
03/21/08	System running on arrival and departure,				162	0	6.0	81.63	3,000	125	A-INF	0.0										
	13,327	35,661	177	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
03/28/08	System running on arrival and departure,				160	0	5.5	74.83	2,600	109	A-INF	0.0	<11d	0.059d	<0.0016d	<4.74	<1,676.22	<0.00	<27.69	0.04	<13.50	<0.000
	13,491	35,825	164	A-INT1							0.0	<11d	0.13d	0.0043d								
				A-INT2							0.0	<11d	0.17d	<0.0016d								
				A-EFF							0.0	<11d	<0.0072d	<0.0016d								
04/05/08	System running on arrival and departure,				155	0	5.5	74.83	2,600	110	A-INF	0.0										
	13,656	35,990	165	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
04/11/08	System running on arrival and down on departure,				155	0	5.5	74.83	2,600	110	A-INF	0.0	<11	0.037	0.0030	<1.50	<1,677.72	<0.00	<27.69	0.01	<13.50	<0.000
	13,825	36,159	169	A-INT1							0.0	<11	0.11	0.0056								
				A-INT2							0.0	<11	0.14	<0.0016								
				A-EFF							0.0	<11	<0.0072	<0.0016								

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
04/15/08	System down on arrival and running on departure.				160	0	5.5	74.83	2,600	109	A-INF	0.0										
	13,918	36,252	93	160							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
04/22/08	System running on arrival and departure.				160	0	5.5	74.83	2,600	109	A-INF	0.0										
	14,085	36,419	167	160							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/02/08	System running on arrival and departure.				160	0	5.0	68.03	2,600	109	A-INF	0.0										
	14,326	36,660	241	160							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/06/08	System running on arrival and departure.				160	0	5.0	68.03	2,600	109	A-INF	0.0	<11	0.21	<0.0016	<2.65	<1,680.37	<0.00	<27.69	0.03	<13.53	<0.000
	14,413	36,747	87	160							A-INT1	0.0	<11	0.066	0.0035							
											A-INT2	0.0	<11	0.093	<0.0016							
											A-EFF	0.0	<11	<0.0072	<0.0016							
05/16/08	System running on arrival and departure.				160	0	5.0	68.03	2,800	117	A-INF	0.0										
	14,650	36,984	237	160							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/23/08	System running on arrival and departure.				160	0	5.0	68.03	2,800	117	A-INF	0.0										
	14,819	37,153	169	160							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/28/08	System running on arrival and departure.				160	0	5.0	68.03	2,800	117	A-INF	0.0										
	14,940	37,274	121	160							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
06/03/08	System running on arrival and departure.				150	0	5.0	68.03	2,800	119	A-INF	0.0										
	15,063	37,417	143	150							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
06/13/08	System running on arrival and departure.				160	0	5.0	68.03	2,800	117	A-INF	0.0	<11	0.080	<0.0016	<4.23	<1,684.60	<0.00	<27.70	0.06	<13.59	<0.000
	15,323	37,657	240	160							A-INT1	0.0	<11	0.27	0.0094							
											A-INT2	0.0	<11	0.25	<0.0016							
											A-EFF	0.0	<11	<0.0072	<0.0016							

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
06/17/08	System running on arrival and departure.																				
	15,418	37,752	95	100	0	5.0	68.03	2,800	130	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/23/08	System running on arrival and departure.																				
	15,565	37,899	147	100	0	5.5	74.83	2,800	130	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/03/08	System running on arrival and departure.																				
	15,802	38,136	237	100	0	5.5	74.83	2,800	130	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/08/08	System running on arrival and departure.																				
	15,920	38,254	118	120	0	5.5	74.83	2,800	125	A-INF	0.0	<11	0.047	0.0023	<2.98	<1,687.58	<0.00	<27.70	0.02	<13.61	<0.000
										A-INT1	0.0	<11	0.17	0.0061							
										A-INT2	0.0	<11	0.28	<0.0016							
										A-EFF	0.0	<11	0.014	<0.0016							
07/14/08	System Lock out/tag out for LPC carbon changeout.																				
07/15/08	System running on arrival and departure.																				
	16,061	38,395	141	120	0	5.5	74.83	2,800	125	A-INF	0.0	<11	0.16	0.018	<0.73	<1,688.31	0.00	<27.70	0.01	<13.61	<0.000
										A-INT1	0.0	<11	0.024	<0.0016							
										A-INT2	0.0	<11	0.077	<0.0016							
										A-EFF	0.0	<11	<0.0072	<0.0016							
07/21/08	System running on arrival and departure.																				
	16,205	38,539	144	120	0	5.5	74.83	2,800	125	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/29/08	System running on arrival and departure.																				
	16,395	38,729	190	120	0	5.5	74.83	2,800	125	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/08/08	System running on arrival and departure.																				
	16,632	38,966	237	120	0	5.5	74.83	2,800	125	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/15/08	System running on arrival and departure.																				
	16,806	39,140	174	175	0	7.0	95.24	2,000	82	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										



**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
08/22/08	System running on arrival and departure.				200	0	7.0	95.24	2,600	102	A-INF	0.0	<11d	0.062d	0.0067d	<4.26	<1,692.57	0.00	<27.70	0.04	<13.66	0.000
	A-INT1	0.0	<11 d	0.099 d							0.018 d											
	A-INT2	0.0	<11 d	0.0075 d							0.0098 d											
	A-EFF	0.0	<11d	0.023d							0.0039d											
08/29/08	System running on arrival and departure.				100	0	7.0	95.24	2,500	116	A-INF	0.0										
	A-INT1	0.0																				
	A-INT2	0.0																				
	A-EFF	0.0																				
09/05/08	System running on arrival and departure.				100	0	7.0	95.24	2,600	121	A-INF	0.0										
	A-INT1	0.0																				
	A-INT2	0.0																				
	A-EFF	0.0																				
09/12/08	System running on arrival and departure.				100	0	6.0	81.63	2,600	121	A-INF	0.0	<11	0.029	<0.0030	<2.30	<1,694.87	<0.00	<27.70	0.01	<13.67	<0.000
	A-INT1	0.0	<11	0.011							0.0029											
	A-INT2	0.0	<11	0.13							<0.0016											
	A-EFF	0.0	<11	0.0075							<0.0016											
09/19/08	System down on arrival and running on departure.				100	0	6.0	81.63	2,800	130	A-INF	0.0										
	A-INT1	0.0																				
	A-INT2	0.0																				
	A-EFF	0.0																				
09/26/08	System running on arrival and departure.				100	0	5.0	68.03	2,800	130	A-INF	0.0										
	A-INT1	0.0																				
	A-INT2	0.0																				
	A-EFF	0.0																				
10/03/08	System running on arrival and departure.				120	0	5.0	68.03	2,900	130	A-INF	0.0										
	A-INT1	0.0																				
	A-INT2	0.0																				
	A-EFF	0.0																				
10/10/08	System running on arrival and departure.				120	0	5.0	68.03	2,900	130	A-INF	0.0	<11	0.29c	<0.0023	<3.40	<1,698.27	<0.00	<27.70	0.05	<13.72	<0.000
	A-INT1	0.0	<11	0.19							0.0044											
	A-INT2	0.0	<11	0.24							<0.0016											
	A-EFF	0.0	<11	<0.0072							<0.0016											
10/17/08	System running on arrival and departure.				120	0	5.0	68.03	2,900	130	A-INF	0.0										
	A-INT1	0.0																				
	A-INT2	0.0																				
	A-EFF	0.0																				

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)					
10/31/08	System running on arrival and departure.				18,640	40,974	337	150	0	6.0	81.63	2,700	115	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
11/07/08	System running on arrival and departure.				18,804	41,138	164	130	0	6.0	81.63	2,700	119	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
11/15/08	System running on arrival and departure.				18,973	41,307	169	105	0	6.0	81.63	2,800	129	A-INF	1.2										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
11/17/08	System running on arrival and departure.				18,992	41,326	19	105	0	6.0	81.63	2,700	124	A-INF	0.0	<11	0.19	0.0046	<4.49	<1,702.76	<0.00	<27.70	0.10	<13.81	<0.000
														A-INT1	0.0	<11	0.20	0.0023							
														A-INT2	0.0	<11	0.092	<0.0016							
														A-EFF	0.0	13	0.022	<0.0016							
11/25/08	System running on arrival and departure.				19,156	41,490	164	100	0	5.0	68.03	2,800	130	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
12/05/08	System running on arrival and departure.				19,395	41,729	239	100	0	5.0	68.03c	2,800	130	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
12/12/08	System running on arrival and departure.				19,397	41,731	2	100	0	5.0	68.03c	2,700	125	A-INF	0.0	<5.7	0.14	0.0046	<1.58	<1,704.34	0.00	<27.71	0.03	<13.84	<0.000
														A-INT1	0.0	<5.7	0.15	0.0018							
														A-INT2	0.0	<5.7	0.098	<0.0016							
														A-EFF	0.0	<5.7	0.028	<0.0016							
12/16/08	System running on arrival and departure.				19,492	41,826	95	100	0	5.0	68.03	2,800	130	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
12/24/08	System running on arrival and departure.				19,689	42,023	197	110	--	5.0	68.03	2,800	128	A-INF	4.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)					
01/02/09	System running on arrival and departure.				19,899	42,233	210	110	--	5.0	68.03	2,900	132	A-INF	3.5										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
01/09/09	System running on arrival and departure.				20,067	42,401	168	110	--	5.0	68.03	2,900	132	A-INF	0.0	<5.7	0.13	<0.0016	<1.84	<1,706.17	<0.00	<27.71	0.04	<13.89	<0.000
														A-INT1	0.0	<5.7	0.18	0.0021							
														A-INT2	0.0	<5.7	0.079	<0.0016							
														A-EFF	0.0	<5.7	0.088	<0.0016							
01/16/09	System running on arrival and departure.				20,234	42,568	167	110	--	5.0	68.03	2,900	132	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
01/20/09	System running on arrival and departure.				20,331	42,665	97	110	--	5.0	68.03	2,900	132	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
01/30/09	System running on arrival and departure.				20,572	42,906	241	110	--	5.0	68.03	2,900	132	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
02/06/09	System running on arrival and departure.				20,738	43,072	166	110	--	5.0	68.03	2,400	109	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
02/13/09	System running on arrival and departure.				20,904	43,238	166	110	--	5.0	68.03	2,800	128	A-INF	0.0	<5.7	0.15	0.0050	<2.32	<1,708.49	<0.00	<27.71	0.06	<13.95	<0.000
														A-INT1	0.0	<5.7	0.13	0.0024							
														A-INT2	0.0	<5.7	0.061	<0.0016							
														A-EFF	0.0	<5.7	0.20	<0.0016							
02/20/09	System running on arrival and departure.				21,072	43,406	168	110	--	5.0	68.03	2,800	128	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
02/27/09	System running on arrival and departure.				21,240	43,574	168	110	--	5.0	68.03	3,100	141	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
03/06/09	System running on arrival and departure.				110	—	5.0	68.03	3,100	141	A-INF	0.0										
	21,406	43,740	166	110							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
03/13/09	System running on arrival and departure.				110	—	5.0	68.03	3,100	141	A-INF	0.0	<5.7	0.078	0.0023	<1.92	<1,710.41	0.00	<27.71	0.04	<13.98	<0.000
	21,574	43,908	168	110							A-INT1	0.0	<5.7	0.27	0.0019							
											A-INT2	0.0	<5.7	0.069	<0.0016							
											A-EFF	0.0	<5.7	0.11	<0.0016							
03/20/09	System running on arrival and departure.				120	—	5.0	68.03	3,000	134	A-INF	0.0										
	21,740	44,074	166	120							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
03/23/09	System running on arrival and departure.				125	—	5.0	68.03	3,000	133	A-INF	0.0										
	21,830	44,164	90	125							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
03/31/09	System running on arrival and departure.				100	—	5.0	68.03	2,600	121	A-INF	0.0										
	22,003	44,337	173	100							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
04/07/09	System running on arrival and departure.				100	—	5.0	68.03	2,600	121	A-INF	0.0	<5.7	0.26	<0.0016	<1.68	<1,712.09	<0.00	<27.71	0.05	<14.03	<0.000
	22,175	44,509	172	100							A-INT1	0.0	<5.7	0.21	0.0018							
											A-INT2	0.0	<5.7	0.051	<0.0016							
											A-EFF	0.0	<5.7	0.13	<0.0016							
04/17/09	System running on arrival and departure.				100	—	5.0	68.03	2,600	121	A-INF	0.0										
	22,417	44,751	242	100							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
04/24/09	System running on arrival and departure.				110	—	5.0	68.03	2,600	118	A-INF	0.0										
	22,578	44,912	161	110							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/01/09	System running on arrival and departure.				100	—	5.0	68.03	2,600	121	A-INF	0.0										
	22,747	45,081	169	100							A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)					
05/08/09	System running on arrival and departure.				22,912	45,246	165	100	--	5.0	68.03	2,600	121	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
05/15/09	System running on arrival and departure.				23,110	45,444	198	100	--	5.0	68.03	2,000	93	A-INF	0.0	<5.7	0.34	<0.0016	<2.13	<1,714.21	<0.00	<27.71	0.11	<14.15	<0.000
														A-INT1	0.0	<5.7	0.44	0.0042							
														A-INT2	0.0	<5.7	0.12	<0.0016							
														A-EFF	0.0	<5.7	0.40	<0.0016							
05/22/09	System down on arrival and running on departure.				23,236	45,570	126	110	--	5.0	68.03	2,800	128	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
05/29/09	System running on arrival and departure.				23,405	45,739	169	120	--	5.0	68.03	2,600	116	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
06/05/09	System down on arrival and running on departure.				23,519	45,853	114	120	--	5.0	68.03	2,600	116	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
06/11/09	System running on arrival and departure.				23,658	45,992	139	110	--	5.0	68.03	2,600	118	A-INF	0.0	<5.7	0.87	0.0022	<1.23	<1,715.45	<0.00	<27.71	0.13	<14.28	<0.000
														A-INT1	0.0	<5.7	0.38	0.0025							
														A-INT2	0.0	<5.7	0.15	<0.0016							
														A-EFF	0.0	<5.7	0.72	<0.0016							
06/12/09	System down on arrival and running on departure.				23,670	46,004	12	110	--	0.0	0	2,600	118	A-INF	--										
														A-INT1	--										
														A-INT2	--										
														A-EFF	--										
06/19/09	System running on arrival and departure.				23,855	46,189	185	120	--	4.5	61.22	2,600	116	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
06/26/09	System running on arrival and departure.				24,001	46,335	146	100	--	5.0	68.03	2,400	111	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
06/29/09	System running on arrival and departure.				—	5.0	68.03	2,400	111	A-INF	0.0										
	24,076	46,410	75	100						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/10/09	System running on arrival and departure.				—	5.0	68.03	2,400	111	A-INF	0.0										
	24,339	46,873	253	100						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/17/09	System running on arrival and departure.				—	5.0	68.03	2,400	111	A-INF	0.0	<5.7	0.034	0.0020	<2.08	<1,717.53	0.00	<27.71	0.17	<14.44	<0.000
	24,509	46,843	170	100						A-INT1	0.0	<5.7	0.27	0.0030							
										A-INT2	0.0	<5.7	0.24	<0.0016							
										A-EFF	0.0	<5.7	0.33	<0.0016							
07/24/09	System running on arrival and departure.				—	5.0	68.03	2,400	111	A-INF	0.0										
	24,675	47,009	166	100						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/31/09	System running on arrival and departure.				—	5.0	68.03	2,400	107	A-INF	0.0										
	24,842	47,176	167	120						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/04/09	System running on arrival and departure.				—	5.0	68.03	2,400	111	A-INF	0.0	<5.7d	0.069d	0.0088d	<1.03	<1,718.56	0.00	<27.71	0.01	<14.45	0.000
	24,943	47,277	101	100						A-INT1	0.0	<5.7d	0.33d	0.0083d							
										A-INT2	0.0	<5.7d	0.31d	0.0046d							
										A-EFF	0.0	<5.7d	0.53d	0.0035d							
08/14/09	System running on arrival and departure.				—	5.0	68.03	2,400	111	A-INF	0.0										
	25,179	47,513	236	100						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/21/09	System running on arrival and departure.				—	5.0	68.03	2,400	111	A-INF	0.0										
	25,347	47,681	168	100						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/28/09	System running on arrival and departure.				—	5.0	68.03	2,400	109	A-INF	0.0										
	25,519	47,853	172	110						A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
09/04/09	System running on arrival and departure.																					
	25,681	48,015	162	110	—	5.0	68.03	2,500	114	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
09/11/09	System running on arrival and departure.																					
	25,849	48,183	168	110	—	5.0	68.03	2,400	109	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
09/14/09	System running on arrival and departure.																					
	25,924	48,258	75	95	—	5.0	68.03	2,600	122	A-INF	0.0	<5.7	0.11	<0.0016	<2.44	<1,721.00	<0.00	<27.71	0.04	<14.48	<0.000	
										A-INT1	0.0	<5.7	0.20	0.0024								
										A-INT2	0.0	<5.7	0.35	<0.0016								
										A-EFF	0.0	<5.7	0.33	<0.0016								
09/25/09	System running on arrival and departure.																					
	26,185	48,519	261	100	—	5.0	68.03	2,400	111	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
10/02/09	System running on arrival and departure.																					
	26,352	48,686	167	155	—	5.5	74.83	2,500	106	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
10/10/09	System running on arrival and departure.																					
	26,545	48,879	193	95	—	5.0	68.03	2,600	122	A-INF	—											
										A-INT1	—											
										A-INT2	—											
										A-EFF	—											
10/15/09	System running on arrival and down on departure for carbon changeout.																					
	26,665	48,999	120	105	—	5.0	68.03	2,600	120	A-INF	1.0	<5.7	<0.0072	0.0046	<1.90	<1,722.90	<0.00	<27.72	<0.02	<14.51	<0.000	
										A-INT1	0.0	<5.7	0.42	0.0050								
										A-INT2	0.0	<5.7	0.54	<0.0016								
										A-EFF	0.0	<5.7	0.24	<0.0016								
10/19/09	System down on arrival for carbon changeout and running on departure.																					
	26,666	49,000	1	95	—	5.0	68.03	2,750	129	A-INF	0.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
10/30/09	System running on arrival and departure.																					
	26,928	49,262	262	155	—	5.4	73.47	2,300	97	A-INF	1.0											
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)					
					Pressure ("H <sub>2</sub> O)	Vacuum ("Hg)	Vacuum (in H <sub>2</sub> O)	Flow (fpm)	Flow (scfm)			TPH <sub>g</sub> (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)						
11/06/09	System running on arrival and departure.				145	---	5.5	74.83	2,600	112	A-INF	0.0	<5.7	<0.0072	<0.0016	<1.07	<1,723.97	<0.00	<27.72	<0.00	<14.51	<0.000				
	A-INT1	0.0	<5.7	0.39							0.0065															
	A-INT2	0.0	<5.7	0.59							0.0036															
	A-EFF	0.0	<5.7	0.27							<0.0016															
11/13/09	System running on arrival and departure.				145	---	5.5	74.83	2,400	103	A-INF	0.0														
	A-INT1	0.0																								
	A-INT2	0.0																								
	A-EFF	0.0																								
11/20/09	System running on arrival and departure.				100	---	5.0	68.03	2,400	111	A-INF	0.0														
	A-INT1	0.0																								
	A-INT2	0.0																								
	A-EFF	0.0																								
11/25/09	System running on arrival and departure.				100	---	5.0	68.03	2,400	111	A-INF	0.0														
	A-INT1	0.0																								
	A-INT2	0.0																								
	A-EFF	0.0																								
12/04/09	System down on arrival and running on departure.				100	---	5.0	68.03	2,400	111	A-INF	0.0														
	A-INT1	0.0																								
	A-INT2	0.0																								
	A-EFF	0.0																								
12/11/09	System down on arrival and running on departure.				100	---	5.0	68.03	2,400	111	A-INF	0.0														
	A-INT1	0.0																								
	A-INT2	0.0																								
	A-EFF	0.0																								
12/18/09	System running on arrival and departure.				110	---	5.0	68.03	2,500	114	A-INF	---	<5.7	<0.0072	0.0023	<2.11	<1,726.08	<0.00	<27.72	<0.00	<14.51	<0.000				
	A-INT1	---	<5.7	0.069							<0.0016															
	A-INT2	---	<5.7	0.24							<0.0016															
	A-EFF	---	<5.7	0.30							<0.0016															
12/23/09	System running on arrival and departure.				110	---	5.0	68.03	2,500	114	A-INF	0.0	<5.7	<0.0072	0.0022	<0.29	<1,726.37	0.00	<27.72	<0.00	<14.51	<0.000				
	A-INT1	0.0	<5.7	0.026							<0.0016															
	A-INT2	0.0	<5.7	0.098							<0.0016															
	A-EFF	0.0	<5.7	0.067							<0.0016															
12/31/09	System running on arrival and departure.				105	---	5.0	68.03	2,600	120	A-INF	0.0														
	A-INT1	0.0																								
	A-INT2	0.0																								
	A-EFF	0.0																								



**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
01/08/10	System running on arrival and departure.				90	---	5.0	68.03	2,500	118	A-INF	0.0										
	28,480	50,814	189	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
01/15/10	System running on arrival and departure.				90	---	5.0	68.03	2,600	123	A-INF	0.0	<5.7d	0.34d	<0.0016d	<1.39	<1,727.76	<0.00	<27.72	<0.04	<14.56	<0.000
	28,648	50,982	168	A-INT1							0.0	<5.7d	0.032d	<0.0016d								
				A-INT2							0.0	<5.7d	0.22d	<0.0016d								
				A-EFF							0.0	<5.7d	0.24d	<0.0016d								
01/22/10	System running on arrival and departure.				90	---	5.0	68.03	2,400	113	A-INF	0.0	<5.7	0.21	<0.0016	<0.43	<1,728.19	<0.00	<27.72	0.02	<14.58	<0.000
	28,818	51,152	170	A-INT1							0.0	<5.7	0.019	<0.0016								
				A-INT2							0.0	<5.7	0.20	<0.0016								
				A-EFF							0.0	<5.7	0.20	<0.0016								
01/29/10	System running on arrival and departure.				90	---	5.0	68.03	2,400	113	A-INF	0.0										
	28,993	51,327	175	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
02/05/10	System running on arrival and departure.				90	---	5.0	68.03	2,600	123	A-INF	0.0										
	29,153	51,487	160	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
02/12/10	System running on arrival and departure.				90	---	5.0	68.03	2,600	123	A-INF	0.0	<5.7	0.18	<0.0016	<1.27	<1,729.46	<0.00	<27.72	0.04	<14.62	<0.000
	29,322	51,656	169	A-INT1							0.0	<5.7	0.053	<0.0016								
				A-INT2							0.0	<5.7	0.20	<0.0016								
				A-EFF							0.0	<5.7	0.20	<0.0016								
02/19/10	System running on arrival and departure.				90	---	5.0	68.03	2,500	118	A-INF	0.0										
	29,487	51,821	165	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
02/26/10	System running on arrival and departure.				100	---	5.0	68.03	2,500	116	A-INF	0.0										
	29,655	51,989	168	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											
03/06/10	System running on arrival and departure.				100	---	5.0	68.03	2,500	116	A-INF	0.0										
	29,807	52,141	152	A-INT1							0.0											
				A-INT2							0.0											
				A-EFF							0.0											

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
03/09/10	System down on arrival and running on departure.				29,813	52,147	6	—	—	5.0	68.03	—	—	—	—	—	—	—	—	—	—	
											A-INF	—	—	—	—	—	—	—	—	—		
											A-INT1	—	—	—	—	—	—	—	—	—		
											A-INT2	—	—	—	—	—	—	—	—	—		
											A-EFF	—	—	—	—	—	—	—	—	—		
03/10/10	System running on arrival and departure.				29,844	52,178	31	—	—	5.0	68.03	—	—	—	—	—	—	—	—	—		
											A-INF	—	—	—	—	—	—	—	—	—		
											A-INT1	—	—	—	—	—	—	—	—	—		
											A-INT2	—	—	—	—	—	—	—	—	—		
											A-EFF	—	—	—	—	—	—	—	—	—		
03/19/10	System running on arrival and departure.				30,052	52,386	208	—	—	5.0	68.03	2,500	—	—	—	—	—	—	—	—		
											A-INF	0.0	<5.7	0.017	0.0034	<1.86	<1,731.32	<0.00	<27.72	0.03	<14.65	<0.000
											A-INT1	0.0	<5.7	0.29	0.0051							
											A-INT2	0.0	<5.7	0.26	<0.0016							
											A-EFF	0.0	<5.7	0.15	<0.0016							
03/26/10	System running on arrival and departure.				30,221	52,555	169	100	—	5.0	68.03	2,500	116	—	—	—	—	—	—	—		
											A-INF	0.0	—	—	—	—	—	—	—	—	—	
											A-INT1	0.0	—	—	—	—	—	—	—	—	—	
											A-INT2	0.0	—	—	—	—	—	—	—	—	—	
											A-EFF	0.0	—	—	—	—	—	—	—	—	—	
04/02/10	System running on arrival and departure.				30,387	52,721	166	80	—	5.0	68.03	2,500	120	—	—	—	—	—	—	—		
											A-INF	0.0	—	—	—	—	—	—	—	—	—	
											A-INT1	0.0	—	—	—	—	—	—	—	—	—	
											A-INT2	0.0	—	—	—	—	—	—	—	—	—	
											A-EFF	0.0	—	—	—	—	—	—	—	—	—	
04/07/10	System running on arrival and down on departure.				30,506	52,840	119	80	—	5.0	68.03	2,500	120	—	—	—	—	—	—	—		
											A-INF	—	—	—	—	—	—	—	—	—	—	
											A-INT1	—	—	—	—	—	—	—	—	—	—	
											A-INT2	—	—	—	—	—	—	—	—	—	—	
											A-EFF	—	—	—	—	—	—	—	—	—	—	
04/16/10	System down on arrival and running on departure.				30,506	52,840	0	80	—	5.0	68.03	2,600	125	—	—	—	—	—	—	—		
											A-INF	0.0	—	—	—	—	—	—	—	—	—	
											A-INT1	0.0	—	—	—	—	—	—	—	—	—	
											A-INT2	0.0	—	—	—	—	—	—	—	—	—	
											A-EFF	0.0	—	—	—	—	—	—	—	—	—	
04/23/10	System running on arrival and departure.				30,672	53,006	166	80	—	5.0	68.03	2,400	115	—	—	—	—	—	—	—		
											A-INF	0.0	<5.7	0.16	0.0059	<1.53	<1,732.85	0.00	<27.72	0.02	<14.68	<0.000
											A-INT1	0.0	<5.7	<0.0072	<0.0016							
											A-INT2	0.0	<5.7	<0.0072	<0.0016							
											A-EFF	0.0	<5.7	<0.0072	<0.0016							
04/30/10	System down on arrival and departure.				30,814	53,148	142	—	—	—	—	—	—	—	—	—	—	—	—	—		
											A-INF	—	—	—	—	—	—	—	—	—	—	
											A-INT1	—	—	—	—	—	—	—	—	—	—	
											A-INT2	—	—	—	—	—	—	—	—	—	—	
											A-EFF	—	—	—	—	—	—	—	—	—	—	

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
05/05/10	System down on arrival and running on departure.				—	—	—	—	—	—	A-INF	—										
	30,814	53,148	0	—	—	—	—	—	—	—	A-INF	—										
											A-INT1	—										
											A-INT2	—										
											A-EFF	—										
05/07/10	System running on arrival and departure.				80	—	5.0	68.03	2,400	115	A-INF	0.0										
	30,859	53,193	45	80	—	5.0	68.03	2,400	115	A-INF	0.0											
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/14/10	System running on arrival and departure.				90	—	5.0	68.03	2,400	113	A-INF	0.0	<5.7	0.12	<0.0016	<0.87	<1,733.71	<0.00	<27.72	0.02	<14.70	<0.000
	31,027	53,361	168	90	—	5.0	68.03	2,400	113	A-INF	0.0	<5.7	0.12	<0.0016	<0.87	<1,733.71	<0.00	<27.72	0.02	<14.70	<0.000	
											A-INT1	0.0	<5.7	<0.0072	<0.0016							
											A-INT2	0.0	<5.7	<0.0072	<0.0016							
											A-EFF	0.0	<5.7	<0.0072	<0.0016							
05/21/10	System running on arrival and departure.				90	—	5.0	68.03	2,400	113	A-INF	0.0										
	31,196	53,530	169	90	—	5.0	68.03	2,400	113	A-INF	0.0											
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/28/10	System running on arrival and departure.				80	—	5.0	68.03	2,000	96	A-INF	0.0										
	31,361	53,695	165	80	—	5.0	68.03	2,000	96	A-INF	0.0											
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
06/04/10	System running on arrival and departure.				90	—	5.0	68.03	2,500	118	A-INF	0.0										
	31,531	53,865	170	90	—	5.0	68.03	2,500	118	A-INF	0.0											
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
06/09/10	System running on arrival and departure.				90	—	5.0	68.03	2,500	118	A-INF	0.0										
	31,648	53,982	117	90	—	5.0	68.03	2,500	118	A-INF	0.0											
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
06/18/10	System running on arrival and departure.				90	—	5.0	68.03	2,500	118	A-INF	0.0	<5.7	0.026	<0.0016	<2.07	<1,735.78	<0.00	<27.72	0.03	<14.72	<0.000
	31,866	54,200	218	90	—	5.0	68.03	2,500	118	A-INF	0.0	<5.7	0.026	<0.0016	<2.07	<1,735.78	<0.00	<27.72	0.03	<14.72	<0.000	
											A-INT1	0.0	<5.7	<0.0072	<0.0016							
											A-INT2	0.0	<5.7	0.0085	<0.0016							
											A-EFF	0.0	<5.7	<0.0072	<0.0016							
06/23/10	System running on arrival and departure.				90	—	5.0	68.03	2,500	118	A-INF	0.0										
	31,985	54,319	119	90	—	5.0	68.03	2,500	118	A-INF	0.0											
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)					
06/30/10	System running on arrival and departure.				32,153	54,487	168	90	—	5.0	68.03	2,400	113	A-INF	0.0										
														A-INT1	0.0										
														A-INT2	0.0										
														A-EFF	0.0										
07/07/10	System running on arrival and departure.				32,321	54,655	168	90	—	5.0	68.03	2,400	113	V-INF-VC0	0.0										
														V-OUT-VC1	0.0										
														V-OUT-VC2	0.0										
														V-DSCHG	0.0										
07/14/10	System running on arrival and departure.				32,491	54,825	170	100	—	5.0	68.03	2,200	102	V-INF-VC0	0.0	<5.7	0.013	0.0022	<1.47	<1,737.25	<0.00	<27.72	0.01	<14.73	<0.000
														V-OUT-VC1	0.0	<5.7	<0.0072	<0.0016							
														V-OUT-VC2	0.0	<5.7	<0.0072	<0.0016							
														V-DSCHG	0.0	<5.7	<0.0072	<0.0016							
07/22/10	System running on arrival and departure.				32,683	55,017	192	100	—	5.0	68.03	2,400	111	V-INF-VC0	0.0										
														V-OUT-VC1	0.0										
														V-OUT-VC2	0.0										
														V-DSCHG	0.0										
07/29/10	System running on arrival and departure.				32,853	55,187	170	100	—	5.0	68.03	2,400	111	V-INF-VC0	0.0										
														V-OUT-VC1	0.0										
														V-OUT-VC2	0.0										
														V-DSCHG	0.0										
08/03/10	System running on arrival and departure.				32,920	55,254	67	100	—	5.0	68.03	2,400	111	V-INF-VC0	0.0										
														V-OUT-VC1	0.0										
														V-OUT-VC2	0.0										
														V-DSCHG	0.0										
08/11/10	System running on arrival and departure.				33,162	55,496	242	100	—	5.0	68.03	2,400	111	V-INF-VC0	0.0	<5.7	0.0097	<0.0016	<1.53	<1,738.77	<0.00	<27.72	0.00	<14.73	<0.000
														V-OUT-VC1	0.0	<5.7	<0.0072	<0.0016							
														V-OUT-VC2	0.0	<5.7	<0.0072	<0.0016							
														V-DSCHG	0.0	<5.7	<0.0072	<0.0016							
08/17/10	System running on arrival and departure.				33,305	55,639	143	90	—	5.0	68.03	2,400	113	V-INF-VC0	0.0										
														V-OUT-VC1	0.0										
														V-OUT-VC2	0.0										
														V-DSCHG	0.0										
08/24/10	System running on arrival and departure.				33,475	55,809	170	90	—	5.0	68.03	2,200	104	V-INF-VC0	0.0										
														V-OUT-VC1	0.0										
														V-OUT-VC2	0.0										
														V-DSCHG	0.0										

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					Pressure ("H <sub>2</sub> O)	Vacuum ("Hg)	Vacuum (in H <sub>2</sub> O)	Flow (fpm)	Flow (scfm)			TPH <sub>g</sub> (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
09/01/10	System running on arrival and departure.																					
	33,664	55,998	189	90	---	5.0	68.03	2,200	104	V-INF-VC0	0.0											
										V-OUT-VC1	0.0											
										V-OUT-VC2	0.0											
										V-DSCHG	0.0											
09/09/10	System down on arrival and running on departure.																					
	33,860	56,194	196	90	---	5.0	68.03	2,000	94	V-INF-VC0	0.0	<5.7	0.031	<0.0016	<1.53	<1,740.30	<0.00	<27.72	0.01	<14.74	<0.000	
										V-OUT-VC1	0.0	<5.7	<0.0072	<0.0016								
										V-OUT-VC2	0.0	<5.7	<0.0072	<0.0016								
										V-DSCHG	0.0	<5.7	<0.0072	<0.0016								
09/14/10	System running on arrival and departure.																					
	33,976	56,310	116	90	---	6.0	81.63	2,000	94	V-INF-VC0	0.0											
										V-OUT-VC1	0.0											
										V-OUT-VC2	0.0											
										V-DSCHG	0.0											
09/17/10	System running on arrival and departure.																					
	34,048	56,382	72	---	---	---	---	---	---	V-INF-VC0	---											
										V-OUT-VC1	---											
										V-OUT-VC2	---											
										V-DSCHG	---											
09/24/10	System running on arrival and departure.																					
	34,218	56,552	170	---	---	6.0	81.63	2,000	---	V-INF-VC0	0.0											
										V-OUT-VC1	0.0											
										V-OUT-VC2	0.0											
										V-DSCHG	0.0											
10/01/10	System running on arrival and departure.																					
	34,384	56,718	166	90	---	6.0	81.63	2,200	104	V-INF-VC0	0.0											
										V-OUT-VC1	0.0											
										V-OUT-VC2	0.0											
										V-DSCHG	0.0											
10/05/10	System running on arrival and departure.																					
	34,483	56,617	99	91	---	6.0	81.63	2,100	99	V-INF-VC0	0.0											
										V-OUT-VC1	0.0											
										V-OUT-VC2	0.0											
										V-DSCHG	0.0											
10/15/10	System running on arrival and departure.																					
	34,725	57,059	242	90	---	6.0	81.63	1,900	90	V-INF-VC0	0.0											
										V-OUT-VC1	0.0											
										V-OUT-VC2	0.0											
										V-DSCHG	0.0											
10/25/10	System running on arrival and departure.																					
	34,961	57,295	236	90	---	6.0	81.63	2,000	94	V-INF-VC0	0.0	<7.0	0.057	<0.0016	<2.47	<1,742.77	<0.00	<27.72	0.02	<14.75	<0.000	
										V-OUT-VC1	0.0	<7.0	<0.0072	<0.0016								
										V-OUT-VC2	0.0	<7.0	<0.0072	<0.0016								
										V-DSCHG	0.0	<7.0	<0.0072	<0.0016								

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
					EFF Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M <sup>3</sup> )	MTBE (mg/M <sup>3</sup> )	Benzene (mg/M <sup>3</sup> )	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)					
11/04/10	System running on arrival and departure.				35,202	57,536	241	90	—	6.0	81.63	2,000	94	V-INF-VC0	0.0										
													V-OUT-VC1	0.0											
													V-OUT-VC2	0.0											
													V-DSCHG	0.0											
11/16/10	System running on arrival and departure.				35,468	57,622	286	90	—	6.0	81.63	2,200	104	V-INF-VC0	0.0	<7.0	0.013	<0.0016	<1.37	<1,744.14	<0.00	<27.72	0.01	<14.76	<0.000
													V-OUT-VC1	0.0	<7.0	<0.0072	<0.0016								
													V-OUT-VC2	0.0	<7.0	<0.0072	<0.0016								
													V-DSCHG	0.0	<7.0	<0.0072	<0.0016								
11/30/10	System running on arrival and departure.				35,825	58,159	337	90	—	6.0	81.63	2,200	104	V-INF-VC0	0.0										
													V-OUT-VC1	0.0											
													V-OUT-VC2	0.0											
													V-DSCHG	0.0											
12/14/10	System running on arrival and departure.				36,162	58,496	337	—	—	6.0	81.63	2,200	108	V-INF-VC0	0.0	<7.0	0.0093	<0.0016	<1.87	<1,746.01	<0.00	<27.72	0.00	<14.76	<0.000
													V-OUT-VC1	0.0	<7.0	<0.0072	<0.0016								
													V-OUT-VC2	0.0	<7.0	<0.0072	<0.0016								
													V-DSCHG	0.0	<7.0	<0.0072	<0.0016								
12/28/10	System running on arrival and shut down on departure.				36,499	58,833	337	—	—	6.0	81.63	2,200	108	V-INF-VC0	0.0	<7.0	<0.0072	<0.0016	<0.95	<1,746.96	<0.00	<27.72	<0.00	<14.76	<0.000
													V-OUT-VC1	0.0	<7.0	<0.0072	<0.0016								
													V-OUT-VC2	0.0	<7.0	<0.0072	<0.0016								
													V-DSCHG	0.0	<7.0	<0.0072	<0.0016								

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM**  
 Former Exxon Service Station 70104  
 1725 Park Street  
 Alameda, California

---

Notes:	Removal rates are calculated using SOP-25: "Hydrocarbons removed from a Vadose Well" Data prior to April 1, 2000, provided by Delta Environmental Consultants, Inc.
A-INF/V-INF-VC0	= Influent vapor sample collected prior to biofilters.
A-INT1/V-OUT-VC1	= Vapor sample collected after 1st carbon vessel.
A-INT2/V-OUT-VC2	= Vapor sample collected after 2nd carbon vessel.
A-EFF/V-DSCHG	= Vapor sample collected from effluent sample port.
TPHg	= Total petroleum hydrocarbons as gasoline using EPA Method T0-3M; on and prior to 08/09/07, analyzed using EPA Method 18M.
MTBE	= Methyl tertiary butyl ether analyzed using EPA Method T0-15M; on and prior to 08/09/07, analyzed using EPA Method 18M.
Benzene	= Benzene analyzed using EPA Method T0-15M; on and prior to 08/09/07, analyzed using EPA Method 18M.
Temp EFF	= Temperature effluent.
deg F	= Degrees Fahrenheit.
In H2O	= Inches of water column.
In Hg	= Inches of mercury vacuum.
scfm	= Standard cubic feet per minute.
fpm	= Feet per minute.
lbs/day	= Pounds per day.
ppmv	= Parts per million by volume.
mg/M <sup>3</sup>	= Milligrams per cubic meter.
---	= Not sampled/Not measured/Not analyzed/Not calculated.
a	= Analyte was detected in the associated Method Blank.
b	= Tedlar Bag deflated, sample could not be analyzed.
c	= Concentration exceeds the calibration range.
d	= Sample analyzed past recommended holding time.

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed	
				TPH <sub>g</sub> (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/10/94	1,331,420	---	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
12/02/94	1,392,010	0.8	W-INF	65	1.9	0.9	<0.5	2.4	---	<0.029	<0.0	<0.0006	<0.001	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
01/13/95	1,415,980	0.4	W-INF	1,000	<0.5	<0.5	<0.5	<0.5	---	0.106	<0.1	<0.0002	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
02/23/95	1,494,030	1.3	W-INF	57	<0.5	<0.5	<0.5	2.7	---	0.344	<0.5	<0.0003	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
03/14/95	---	---	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
04/14/95	1,513,240	0.3	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	<0.009	<0.5	<0.0001	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
05/18/95	1,714,850	4.1	W-INF	---	---	---	---	---	---	---	---	---	---	---	
06/30/95	1,847,330	2.1	W-INF	1,700	480	23	66	180	---	<2.439	<2.9	0.6685	<0.670	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
07/12/95	1,908,730	3.6	W-INF	290	68	<2.0	2.4	5.6	---	0.510	<3.4	0.1404	<0.810	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
08/09/95	2,027,830	3.0	W-INF	6,600	1,700	260	370	550	---	3.423	<6.9	0.8784	<1.689	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
09/06/95	2,158,260	3.2	W-INF	120	17	0.84	1.0	3.0	---	3.656	<10.5	0.9342	<2.623	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
10/11/95	2,215,310	1.1	W-INF	160	22	0.97	1.2	4.0	---	0.067	<10.6	0.0093	<2.632	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
11/16/95	2,384,880	3.3	W-INF	120	4.9	<0.5	<0.5	5.9	---	0.198	<10.8	0.0190	<2.651	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
12/14/95	2,453,200	1.7	W-INF	450	46	16	4.6	65	---	0.162	<10.9	0.0145	<2.666	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
01/05/96	2,516,900	2.0	W-INF	240	26	2.4	1.2	20	---	0.183	<11.1	0.0191	<2.685	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	



**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed	
				TPH <sub>g</sub> (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
02/14/96	2,680,160	2.8	W-INF	470	43	5.5	<0.5	55	---	0.484	<11.6	0.0470	<2.732	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
03/12/96	2,767,820	2.3	W-INF	620	60	9.8	3.9	70	---	0.399	<12.0	0.0377	<2.769	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
04/16/96	2,927,390	3.2	W-INF	790	120	27	8.8	120	---	0.939	<12.9	0.1198	<2.889	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
05/07/96	2,971,100	1.5	W-INF	430	66	2.7	5	32	---	0.222	<13.2	0.0339	<2.923	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
06/11/96	3,109,730	2.8	W-INF	2,900	470	120	19	410	---	1.926	<15.1	0.3100	<3.233	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
07/09/96	3,232,330	3.0	W-INF	490	55	6.2	<0.5	110	---	1.734	<16.8	0.2685	<3.502	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
08/08/96	3,365,060	3.1	W-INF	580	49	4.6	<1.0	75	---	0.592	<17.4	0.0576	<3.559	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
09/05/96	---	---	W-INF	740	67	19	10	72	---	---	---	---	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
10/02/96	3,530,230	2.1	W-INF	980	130	39	7.8	130	---	1.075	<18.5	0.1233	<3.683	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
11/08/96	3,657,370	2.4	W-INF	480	42	7.1	0.69	79	---	0.774	<19.3	0.0912	<3.774	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
12/09/96	3,735,650	1.8	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	<0.173	<19.4	<0.0139	<3.788	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
01/21/97	3,735,730	0.0	W-INF	690	69	20	20	91	---	0.000	<19.4	0.0000	<3.788	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
02/10/97	3,735,360	0.0	W-INF	860	100	24	1.4	160	---	<19.4	<3.788	---	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						
03/20/97	3,843,430	2.0	W-INF	86	<0.5	<0.5	<0.5	5.1	---	0.426	<19.9	<0.0453	<3.833	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---						

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	
04/03/97	3,918,650	3.7	W-INF	690	31	6.1	<5.0	89	---	0.244	<20.1	0.0099	<3.843	---	---	
			W-INT1	<1,000	<10	<10	<10	<10	---							
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---							
05/07/97	4,092,720	3.6	W-INF	1,000	57	29	11	110	---	1.227	<21.3	0.0639	<3.907	---	---	
			W-INT1	<50	1.1	<0.5	<0.5	<0.5	---							
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---							
06/11/97	4,144,600	1.0	W-INF	570	66	14	4.7	75	---	0.340	<21.7	0.0266	<3.933	---	---	
			W-INT1	<50	0.57	<0.5	<0.5	<0.5	---							
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---							
06/25/97	4,273,310	6.4	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-INF	470	25	8.8	3.7	49	---							
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---							
07/24/97	4,363,090	2.2	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.948	<22.6	0.0829	<4.016	---	---	
			W-INF	<50	<0.5	<0.5	<0.5	<0.5	---							
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---							
08/04/97	4,408,100	2.8	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.203	<22.8	0.0137	<4.030	---	---	
			W-INF	610	48	18	6.2	69	---							
			W-INT1	<50	0.76	<0.5	<0.5	<0.5	---							
10/21/97	4,496,810	0.8	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.318	<23.2	0.0237	<4.054	---	---	
			W-INF	250	16	5.4	2.3	29	---							
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---							
11/04/97	4,553,090	2.8	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.178	<23.3	0.0089	<4.063	---	---	
			W-INF	510	22	9.8	13	60	---							
			W-INT1	<50	0.82	<0.5	<0.5	0.5	---							
12/05/97	4,588,340	0.8	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.087	<23.4	0.0035	<4.066	---	---	
			W-INF	79	1.5	<0.5	<0.5	53	---							
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---							
01/08/98	4,625,400	0.8	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.025	<23.4	0.0006	<4.067	---	---	
			W-INF	83	2.6	0.74	<0.5	5.4	---							
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---							
03/03/98	4,662,470	0.5	W-EFF	<50	0.58	<0.5	<0.5	0.81	1.5	---	<0.021	<23.5	0.0005	<4.067	---	---
			W-INF	<50	0.54	<0.5	<0.5	0.88	---							
			W-INT1	<50	<0.5	<0.5	<0.5	0.5	---							
04/02/98	4,702,760	0.9	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.193	<23.7	0.0287	<4.096	---	---	
			W-INF	1,100	170	32	12	160	---							
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---							
05/04/98	4,786,330	1.8	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.732	<24.4	0.1081	<4.204	---	---	
			W-INF	1,000	140	23	8.5	150	---							
			W-INT1	<50	<0.5	<0.5	<0.5	0.5	---							
06/10/98	4,852,030	1.2	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	0.458	<24.8	0.0685	<4.272	---	---	
			W-INF	670	110	16	7.6	74	---							
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---							
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---							

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
07/07/98	4,951,910	2.6	W-INF	690	91	13	6.3	55	—	0.567	<25.4	0.0838	<4,356	—	—
			W-INT1	<200	<2.0	<2.0	<2.0	<2.0	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
08/04/98	5,039,980	2.2	W-INF	230	36	6.4	2.5	17	—	0.338	<25.7	0.0467	<4,403	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
09/03/98	5,080,850	1.0	W-INF	280	13	2.0	6.4	21	—	0.087	<25.8	0.0084	<4,411	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
10/20/98	—	—	W-INF	740	43	54	25	110	—	—	—	—	—	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
11/09/98	5,232,360	1.6	W-INF	300	37	10	8.4	43	—	0.367	<26.2	0.0316	<4,443	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
12/08/98	5,284,180	1.2	W-INF	700	82	25	13	100	—	0.216	<26.4	0.0257	<4,469	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
01/13/99	5,377,930	1.8	W-INF	1,030	155	46.5	52.7	73.3	—	0.677	<27.1	0.0927	<4,561	—	—
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	—						
			W-EFF	<500	<5.0	<5.0	<5.0	<5.0	—						
02/08/99	5,441,820	1.7	W-INF	260	31	9.0	2.4	33	—	0.344	<27.4	0.0496	<4,611	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
03/08/99	5,509,090	1.7	W-INF	800	87	16	8.5	140	—	0.297	<27.7	0.0331	<4,644	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
04/05/99	5,571,890	1.6	W-INF	<500	36.6	12.2	5.84	20.9	—	<0.341	<28.1	0.0324	<4,676	—	—
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	—						
			W-EFF	<500	<5.0	<5.0	<5.0	<5.0	—						
05/06/99	5,621,560	1.1	W-INF	310	45	6.0	0.86	41	—	0.168	<28.2	0.0169	<4,693	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
06/07/99	5,706,250	1.8	W-INF	<250	24.8	<2.5	<2.5	8.74	—	<0.198	<28.4	0.0247	<4,718	—	—
			W-INT1	<100	<1.0	<1.0	<1.0	<1.0	—						
			W-EFF	<250	<2.5	<2.5	<2.5	<2.5	—						
07/28/99	5,805,010	1.3	W-INF	<100	7.00	<1.0	2.40	6.40	—	<0.144	<28.6	0.0131	<4,731	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
08/09/99	5,849,280	2.6	W-INF	<500	17.1	5.88	<5.0	26.8	—	<0.111	<28.7	0.0045	<4,735	—	—
			W-INT1	<250	<2.5	<2.5	<2.5	<2.5	—						
			W-EFF	<250	<2.5	<2.5	<2.5	<2.5	—						

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
09/07/99	5,880,860	0.8	W-INF	<500	20.4	<5.0	<5.0	31.1	—	<0.132	<28.8	0.0049	<4.740	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
10/12/99	5,966,690	1.7	W-INF	100	2	<1.0	<1.0	<1.0	—	0.215	<29.0	0.0080	<4.748	—	—
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—						
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—						
11/18/99	5,971,540	0.1	W-INF	660	66	7.8	5.6	57	—	0.015	<29.1	0.0014	<4.750	—	—
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—						
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—						
12/09/99	5,992,780	0.7	W-INF	200	28	3.2	2.2	22.4	—	0.076	<29.1	0.0083	<4.758	—	—
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—						
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	—						
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—						
01/10/00	6,035,690	0.9	W-INF	120	11	1.5	1.8	14.5	—	0.057	<29.2	0.0070	<4.765	—	—
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—						
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—						
02/08/00	6,055,000	0.5	W-INF	130	14	<1.0	<1.0	11.9	—	0.020	<29.2	0.0020	<4.767	—	—
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	—						
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—						
03/24/00	System shut down pending evaluation.														
	6,080,125	0.4													
03/28/00	System shut down upon departure.														
	6,080,360	0.0	W-INF	<50	<1.0	<1.0	<1.0	<1.0	—	<0.019	<29.2	<0.0016	<4.769	—	—
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—						
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	—						
			W-EFF	<67	<1.0	<1.0	<1.0	<1.0	—						
04/01/00	Environmental Resolutions, Inc. assumed operation of the remediation system.														
06/05/02	System down on arrival and running on departure. Startup. Water samples collected for startup.														
	10	0.0	W-INF	<50	<0.5	<0.5	<0.5	<0.5	—	<0.000	<29.2	<0.0000	<4.769	—	—
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-INT2	<50	<0.5	<0.5	<0.5	<0.5	—						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—						
06/19/02	System running on arrival and departure.														
	47,370	2.4													
07/03/02	System running on arrival and departure.														
	114,030	3.3	W-INF	270	<2.5	<2.5	<2.5	<2.5	1,300	0.152	<29.4	<0.0014	<4.770	2.473	2.473
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	46						
			W-INT2	<50	<0.5	<0.5	<0.5	<0.5	<2.5						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	<2.5						
07/17/02	System down on arrival and running on departure.														
	114,230	0.0													
07/31/02	System running on arrival and down on departure.														
	179,580	3.2													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
08/14/02	System down on arrival and running on departure.														
	179,930	0.0	W-INF	620	4.1	<2.5	<2.5	<2.5	1,400	0.245	<29.6	0.0018	<4.772	0.742	3.216
			W-INT1	<50	<0.50	<0.50	<0.50	<0.5	150						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.5	<2.5						
08/28/02	System running on arrival and down on departure.														
	222,900	2.1	W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
11/06/02	System down on arrival and running on departure.														
	223,080	0.0	W-INF	660	<5.0	<5.0	<5.0	<5.0	1,700	0.230	<29.9	<0.0016	<4.774	0.558	3.774
			W-INT1	100	3.9	<0.5	<0.5	1.4	150						
			W-INT2	<50	<0.5	<0.5	<0.5	<0.5	<2.5						
01/03/03	System down on arrival and departure.														
	224,032	0.0	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	<2.5						
01/15/03	System down on arrival and running on departure.														
	224,360	0.0	W-INF	730	<5.0	<5.0	<5.0	<5.0	1,200	0.007	<29.9	<0.0001	<4.774	0.015	3.789
			W-INT1	71	<0.50	<0.50	<0.50	<0.50	110						
			W-INT2	---	---	---	---	---	---						
01/29/03	System running on arrival and departure.														
	283,830	3.0	W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
02/12/03	System running on arrival and departure.														
	321,540	1.9	W-INF	<500	<5.0	<5.0	<5.0	<5.0	500	<0.499	<30.4	<0.0041	<4.778	0.689	4.478
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	500						
			W-INT2	<250	<2.5	<2.5	<2.5	<2.5	330						
02/26/03	System running on arrival and departure.														
	383,280	3.1	W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
03/12/03	System running on arrival and departure.														
	439,050	2.8	W-INF	190	<10	<10	<10	<10	1,200	0.338	<30.7	<0.0074	<4.785	0.833	5.312
			W-INT1	86	<2.5	<2.5	<2.5	<2.5	150						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	1.5						
03/26/03	System running on arrival and departure.														
	489,680	2.5	W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.5						

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
04/09/03	System running on arrival and departure. 537,030	2.4	W-INF	<500	<25	<25	<25	<25	930	<0.282	<31.0	<0.0143	<4,799	0.871	6.182
			W-INT1	50	<2.5	<2.5	<2.5	<2.5	91						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	8.7						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.5						
04/23/03	System running on arrival and departure. 584,410	2.4													
05/07/03	System running on arrival and departure. 613,620	1.5	W-INF	180	<5.0	<5.0	<5.0	<5.0	430	0.217	<31.2	<0.0096	<4.809	0.435	6.617
			W-INT1	110	<0.50	<0.50	<0.50	<0.50	99						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	18						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
05/21/03	System running on arrival and departure. 646,410	1.6													
06/04/03	System running on arrival, down on departure for carbon changeout. 723,100	3.8													
06/18/03	System down on arrival, running on departure, monthly samples taken. 723,320	0.0	W-INF	<250	<2.5	<2.5	<2.5	<2.5	410	<0.197	<31.4	<0.0034	<4.812	0.384	7.001
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
07/02/03	System running on arrival and departure. 751,630	1.4	W-INF	120	<25	<25	<25	29	560	0.044	<31.4	<0.0032	<4.816	0.115	7.116
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
07/16/03	System running on arrival and departure. 778,100	1.3													
07/30/03	System running on arrival and departure. 805,390	1.4													
08/13/03	System running on arrival and departure. 828,920	1.2	W-INF	390	<10	<10	<10	<10	620	0.164	<31.6	<0.0113	<4.827	0.380	7.496
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	0.90						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
08/27/03	System running on arrival and departure. 854,560	1.3													
09/10/03	System down on arrival, running on departure. 854,800	0.0	W-INF	89	<5.0	<5.0	<5.0	<5.0	140	0.052	<31.7	<0.0016	<4.828	0.082	7.578
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	0.81						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
09/24/03	System running on arrival and departure. 879,920														
10/08/03	System running on arrival and departure. 903,850														
		1.2	W-INF	330	<10	<10	<10	<10	540	0.086	<31.7	<0.0031	<4.832	0.139	7.718
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	1.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
10/22/03	System running on arrival and departure. 927,460														
11/03/03	System running on arrival and departure. 947,710														
		1.2	W-INF	530	<10	<10	<10	<10	810	0.157	<31.9	<0.0037	<4.835	0.247	7.965
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	4.4						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
11/17/03	System down on arrival. Restarted. Running on departure. 964,770														
12/01/03	System running on arrival and departure. 992,510														
		1.4	W-INF	410	<250	<250	<250	<250	820	0.176	<32.1	<0.0486	<4.884	0.305	8.269
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	4.2						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
12/15/03	System running on arrival and departure. 1,021,420														
12/29/03	System running on arrival and departure. 1,051,220														
01/12/04	System down on arrival High/High ([H/H] holding tank), transfer pump failure. 1,062,140														
01/26/04	System shut down on arrival, replaced transfer pump restarted system. Collected monthly samples. 1,062,440														
		0.0	W-INF	300	<5.0	<5.0	<5.0	<5.0	770	0.207	<32.3	<0.0744	<4.958	0.464	8.733
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	5.7						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
02/09/04	System down on arrival (H/H holding tank, transfer pump appears to have failed). System shut down on departure. 1,062,450														
04/08/05	Started system and ran water through system into holding tank (did not discharge). Approximately 400 gallons. 1,064,739														
		0.0	W-INF	600	<0.50	<0.5	<0.5	<0.5	748	0.009	<32.3	<0.0001	<4.958	0.015	8.748
			W-INT1	<50.0	<0.50	<0.5	<0.5	<0.5	2.9						
			W-INT2	<50.0	<0.50	<0.5	<0.5	<0.5	<0.5						
			W-EFF	<50.0	<0.50	<0.5	<0.5	<0.5	<0.5						
06/27/05	1,065,780	0.0													
06/28/05	1,066,510	0.5													
06/29/05	1,075,770	6.4													
07/01/05	1,093,250	6.1													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed	
				TPH <sub>g</sub> (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
07/08/05	1,146,060	5.2													
07/15/05	1,201,070	5.5													
07/22/05	1,257,570	5.6	W-INF	844	8.80	2.3	0.7	30.9	707	1.162	<33.5	0.0075	<4.966	1.170	9.918
			W-INT1	151	<0.50	<0.5	<0.5	<0.5	151						
			W-INT2	<50.0	<0.50	<0.5	<0.5	<0.5	1.9						
			W-EFF	<50.0	<0.50	<0.5	<0.5	<0.5	<0.5						
07/24/05	1,271,470	4.8													
07/29/05	1,272,030	0.1													
08/05/05	1,272,630	0.1	W-INF	713	6.01	<0.500	0.569	9.69	647	0.098	<33.6	0.0009	<4.967	0.085	10.003
			W-INT1	<50.0	<0.500	<0.500	<0.500	<0.500	0.698						
			W-INT2	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500						
			W-EFF	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500						
08/12/05	1,326,820	5.4													
08/19/05	1,330,450	0.4													
08/26/05	1,346,130	1.6													
09/02/05	1,384,160	3.8													
09/09/05	1,436,360	5.2	W-INF	681	0.96	<0.50	<0.50	<0.50	664	0.952	<34.5	0.0048	<4.971	0.895	10.899
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
09/16/05	1,488,660	5.2													
09/19/05	1,507,200	4.3													
10/07/05	1,507,820	0.0													
10/14/05	1,550,690	4.3													
10/21/05	1,563,060	1.2													
10/28/05	1,578,720	1.6													
11/04/05	1,634,790	5.6													
11/11/05	1,670,990	3.6	W-INF	858	0.86	<0.50	<0.50	<0.50	695	1.506	<36.0	0.0018	<4.973	1.330	12.229
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	3.25						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	0.53						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
11/18/05	1,706,440	3.5													
11/21/05	1,715,550	2.1													
12/02/05	1,772,310	3.6													
12/09/05	1,786,420	1.4	W-INF	1,060	<0.50	<0.50	<0.50	<0.50	821	0.924	<36.9	<0.0007	<4.974	0.730	12.959
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	16.0						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
12/16/05	1,800,240	1.4													
12/22/05	1,804,140	0.5													
12/30/05	1,804,160	0.0													



**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
01/06/06	1,823,487	1.9	W-INF	3,210c	<0.50	<0.50	<0.50	<0.50	1,240	0.660	<37.6	<0.0002	<4.974	0.319	13.277
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	28.8						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
01/13/06	1,840,520	1.7													
01/20/06	1,853,860	1.3													
01/27/06	1,870,720	1.7													
02/03/06	1,887,390	1.7	W-INF	1,700d	<10	<10	<10	<10	1,700	1.309	<38.9	<0.0028	<4.977	0.784	14.061
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	35						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
02/10/06	System running on arrival and departure.														
	1,904,310	1.7													
02/17/06	System running on arrival and departure.														
	1,921,860	1.7													
02/23/06	System running on arrival and departure.														
	1,936,920	1.7													
02/24/06	System running on arrival and departure.														
	1,941,290	3.0													
03/03/06	1,972,060	3.1	W-INF	<2,500	<25	<25	<25	<25	1,700	<1.484	<40.4	<0.0124	<4.989	1.201	15.262
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	250						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
03/10/06	System running on arrival and departure.														
	1,989,680	1.8													
03/17/06	System down on arrival (moisture separator tank [MST] high level). Restarted. Running on departure.														
	2,002,980	1.3													
03/24/06	System running on arrival and departure.														
	2,038,840	3.6													
03/31/06	System down on arrival. Restarted. Running on departure.														
	2,042,050	0.3													
04/07/06	2,079,030	3.7	W-INF	<2,500	<25	<25	<25	<25	1,800	<2.231	<42.6	<0.0223	<5.011	1.562	16.824
			W-INT1	400d	<2.5	<2.5	<2.5	<2.5	440						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
04/13/06	System running on arrival and departure.														
	2,109,320	3.5													
04/28/06	System running on arrival and departure.														
	2,145,290	1.7													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed	
				TPH <sub>g</sub> (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
05/05/06	System running on arrival and departure. 2,180,750	3.5	W-INF	<2,500	<25	<25	<25	<25	1,800	<2.122	<44.7	<0.0212	<5.033	1,528	18,352
			W-INT1	650d	<5.0	<5.0	<5.0	<5.0	800						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
05/12/06	System running on arrival and departure. 2,213,710	3.3													
05/19/06	System running on arrival and departure. 2,245,730	3.2													
05/25/06	System running on arrival and departure. 2,272,150	3.1													
06/02/06	System running on arrival and departure. 2,305,800	2.9													
06/09/06	System running on arrival and departure. 2,334,660	2.9	W-INF	<2,500	<25	<25	<25	<25	2,100	<3.210	<48.0	<0.0321	<5.065	2,504	20,856
			W-INT1	1,200d	15	<10	<10	<10	1,100						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	9.6						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
06/16/06	System down on arrival and running on departure. 2,354,230	1.9													
06/23/06	System running on arrival and departure. 2,364,230	1.0													
06/30/06	System running on arrival and departure. 2,373,900	1.0													
07/05/06	System running on arrival and departure. 2,381,000	1.0	W-INF	113	<0.50	<0.50	<0.50	<0.50	169	0.505	<48.5	<0.0049	<5.070	0.439	21,294
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	9.86						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
07/14/06	System running on arrival and departure. 2,435,000	4.2													
07/21/06	System running on arrival and departure. 2,471,700	3.6													
07/28/06	System running on arrival and departure. 2,505,700	3.4													
08/04/06	System running on arrival and departure. 2,541,520	3.6	W-INF	1,800	1.97	<0.50	<0.50	2.27	2,220	1.281	<49.7	0.0017	<5.071	1,600	22,894
			W-INT1	619	<0.50	<0.50	<0.50	<0.50	646						
			W-INT2	<50.0	<0.50	<0.50	<0.50	0.64	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
08/11/06	System running on arrival and departure. 2,578,290	3.7													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
08/18/06	System running on arrival and departure.														
	2,614,050	3.6													
08/25/06	System running on arrival and departure.														
	2,614,100	0.0													
09/01/06	System running on arrival and shut down on departure for carbon changeout.														
	2,651,170	3.7													
09/15/06	Carbon changeout complete. Restart system.														
	2,651,170	0.0													
09/22/06	System down on arrival and locked out/tagged out on departure for repairs.														
	2,670,860	2.0	W-INF	861	<0.50	<0.50	<0.50	0.67	924	1.436	<51.2	<0.0013	<5.073	1.696	24.590
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	6.66						
			W-INT2	<50.0	0.84	<0.50	<0.50	2.98	1.29						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
10/06/06	System down on arrival and running on departure.														
	2,670,860	0.0													
10/13/06	System down on arrival and departure.														
	2,672,600	0.2													
10/20/06	System down on arrival and locked out/tagged out on departure for carbon changeout.														
	2,672,860	0.0													
10/27/06	System down on arrival and running on departure.														
	2,672,860	0.0	W-INF	<2,500	<25	<25	<25	<25	2,400	<0.028	<51.2	<0.0002	<5.073	0.028	24.618
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
11/03/06	System running on arrival and departure.														
	2,710,410	3.7													
11/10/06	System running on arrival and departure.														
	2,751,080	4.0	W-INF	2,700d	<25	<25	<25	<25	2,500	1.697	<52.9	<0.0163	<5.089	1.599	26.217
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
11/14/06	System running on arrival and departure.														
	2,775,140	4.2													
11/20/06	System running on arrival and departure.														
	2,808,860	3.9													
11/27/06	System running on arrival and departure.														
	2,845,210	3.6													
12/05/06	System running on arrival and departure.														
	2,885,930	3.5	W-INF	2,500d	<25	<25	<25	<25	2,300	2.925	<55.8	<0.0281	<5.117	2.700	28.917
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	38						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed	
				TPH <sub>g</sub> (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
12/15/06	System down on arrival and running departure.														
	2,885,930	0.0													
12/21/06	System running on arrival and departure.														
	2,922,240	4.2													
12/26/06	System running on arrival and departure.														
	2,944,490	3.1													
01/05/07	System running on arrival and departure.														
	2,969,800	1.8													
01/12/07	System running on arrival and departure.														
	3,012,350	4.2	W-INF	1,600d	<12	<12	<12	<12	1,700	2.162	<58.0	<0.0195	<5.137	2.110	31.027
			W-INT1	580d	<5.0	<5.0	<5.0	<5.0	590						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
01/19/07	System running on arrival and departure.														
	3,046,970	3.4													
01/26/07	System running on arrival and departure.														
	3,090,550	4.3													
02/02/07	System running on arrival and departure.														
	3,129,760	3.9	W-INF	1,400d	<12	<12	<12	<12	2,100	1.469	<59.5	<0.0118	<5.149	1.861	32.888
			W-INT1	1,100d	<10	<10	<10	<10	1,400						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
02/09/07	System running on arrival and departure.														
	3,169,480	3.9													
02/16/07	System running on arrival and locked out/tagged out on departure for carbon changeout.														
	3,187,150	1.8													
02/23/07	System locked out/tagged out on arrival and departure.														
03/02/07	System locked out/tagged out on arrival and departure.														
03/09/07	System locked out/tagged out on arrival and departure.														
04/03/07	System locked out/tagged out on arrival, restarted, and running on departure.														
	3,187,660	0.0													
04/12/07	System running on arrival and departure.														
	3,223,250	2.8	W-INF	2,700d,e	<25e	<25e	<25e	<25e	3,100e	1.599	<61.1	<0.0144	<5.163	2.028	34.916
			W-INT1	1,600d,e	<10e	<10e	<10e	<10e	1,800e						
			W-INT2	<50e	<0.50 e	<0.50 e	<0.50 e	<0.50 e	<2.5 e						
			W-EFF	<50 e	<0.50 e	<0.50 e	<0.50 e	<0.50 e	<2.5 e						
04/20/07	System running on arrival and departure.														
	3,235,130	1.0													
04/25/07	System down on arrival and running on departure.														
	3,246,590	1.6													
05/04/07	System down on arrival and running on departure.														
	3,248,650	0.2													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPH <sub>g</sub> Removed		Benzene Removed		MTBE Removed	
				TPH <sub>g</sub> (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
05/11/07	System down on arrival and running on departure. 3,255,710	0.7	W-INF	2,200f	<10 f	<10f	<10f	<10f	3,400f	0.664	<61.7	<0.0047	<5.168	0.880	35.796
			W-INT1	1,000f	<10f	<10f	<10f	<10f	1,600f						
			W-INT2	<50f	<0.50 f	<0.50 f	<0.50 f	<0.50 f	<0.50 f						
			W-EFF	<50 f	<0.50 f	<0.50 f	<0.50 f	<0.50 f	2.5 f						
05/17/07	System down on arrival and running on departure. 3,276,990	2.5													
05/25/07	System running on arrival and departure. 3,284,770	0.7													
05/30/07	System running on arrival and departure. 3,299,240	2.0													
06/01/07	System down on arrival and running on departure.														
06/08/07	System down on arrival and running on departure. 3,338,400	3.0													
06/15/07	System down on arrival and running on departure.														
06/21/07	System down on arrival and running on departure. 3,351,600	0.7	W-INF	<2,500	<25	<25	<25	<25	1,600	<1.880	<63.6	<0.0140	<5.182	2.000	37.796
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
06/29/07	System down on arrival and running on departure. 3,374,190	2.0													
07/06/07	System down on arrival and running on departure. 3,382,010	0.8													
07/11/07	System down on arrival and running on departure. 3,388,110	0.9													
07/18/07	System down on arrival and running on departure. 3,409,620	2.1													
07/20/07	System down on arrival and running on departure. 3,411,890	0.8													
07/24/07	System running on arrival and departure. 3,416,420	0.8													
07/31/07	System running on arrival and departure. 3,425,640	0.9	W-INF	1,040	0.86	<0.50	<0.50	<0.50	684	1.093	<64.7	0.0080	<5.190	0.705	38.502
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
08/09/07	System running on arrival and departure. 3,437,380	0.9	W-INF	2,330	<0.50	<0.50	<0.50	<0.50	1,590	0.165	<64.9	<0.0001	<5.190	0.111	38.613
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	0.65						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	
08/14/07	System running on arrival and departure. 3,446,080															
08/21/07	System running on arrival and departure. 3,456,500															
08/28/07	System down on arrival and running on departure. 3,467,940															
09/07/07	System running on arrival and departure. 3,478,900															
09/14/07	System running on arrival and departure. 3,485,690															
		0.7	W-INF	120	<0.50	<0.50	<0.50	<1.0	330	0.494	<65.4	<0.0002	<5.190	0.387	39,000	
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
			W-EFF	79	<0.50	<0.50	<0.50	<1.0	<5.0							
09/21/07	System running on arrival and departure. 3,492,210															
09/28/07	System running on arrival and departure. 3,498,950															
10/02/07	System running on arrival and shut down on departure. 3,502,850															
10/05/07	System shut down on arrival and running on departure. 3,502,920															
10/12/07	System running on arrival and running on departure. 3,522,910															
		2.0	W-INF	1,200	<5.0	<5.0	<5.0	<10	1,900	0.205	<65.6	<0.0009	<5.191	0.346	39,346	
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
10/16/07	System running on arrival and running on departure. 3,524,550															
10/22/07	System running on arrival and running on departure. 3,546,660															
11/02/07	System running on arrival and running on departure. 3,556,830															
11/09/07	System running on arrival and running on departure. 3,576,540															
		2.0	W-INF	550	<2.5	<2.5	<2.5	<5.0	1,700	0.392	<65.9	<0.0017	<5.193	0.805	40,152	
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
11/16/07	System running on arrival and running on departure. 3,585,210															
11/21/07	System running on arrival and running on departure. 3,590,160															
11/26/07	System down on arrival and running on departure. 3,595,010															
		0.7														

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
12/07/07	System running on arrival and running on departure. 3,605,900	0.7	W-INF	250	<2.5	<2.5	<2.5	<5.0	380	0.098	<66.0	<0.0006	<5,193	0.255	40.407
			W-INT1	<50	<0.50	0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
12/13/07	System running on arrival and running on departure. 3,609,430	0.4													
12/14/07	System shut down on arrival and departure. 3,610,550	0.8													
12/19/07	System down on arrival and running on departure. 3,610,960	0.1													
12/21/07	System running on arrival and running on departure. 3,617,270	2.2													
12/27/07	System running on arrival and running on departure. 3,628,510	1.3													
01/04/08	System down on arrival and down on departure. 3,635,950	0.7													
01/07/08	System restarted. 3,635,950	0.0													
01/18/08	System running on arrival and departure. 3,647,250	0.7	W-INF	360	<1.0	<1.0	<1.0	<2.0	500	0.105	<66.2	<0.0006	<5,194	0.152	40.558
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
01/25/08	System down on arrival and running on departure. 3,653,500	0.6													
01/27/08	System down on arrival and running on departure. 3,654,200	0.2													
01/31/08	System down on arrival and running on departure. 3,659,910	1.0													
02/08/08	System running on arrival and departure. 3,690,670	2.7													
02/15/08	Restart system; running on departure. 3,704,620	1.4	W-INF	<50	<10.00	29	<10.00	49	2,400	<0.098	<66.2	<0.0026	<5,196	0.694	41.252
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	14						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
02/22/08	System running on arrival and departure. 3,716,980	1.2													
02/26/08	System running on arrival and departure. 3,722,530	1.0													
03/06/08	System running on arrival and departure. 3,738,110	1.2													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
03/14/08	System running on arrival and departure. 3,749,150                      1.0														
03/21/08	System down on arrival and running on departure. 3,757,000                      0.8														
03/28/08	System down on arrival and running on departure. 3,757,540                      0.1														
			W-INF	120	<0.50	<0.50	<0.50	<1.0	210	0.038	<66.3	<0.0023	<5.199	0.576	41.829
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	21						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
04/05/08	System running on arrival and departure. 3,757,690                      0.0														
04/11/08	System running on arrival and down on departure. 3,757,750                      0.0														
			W-INF	370	<0.50	<0.50	<0.50	<1.0	270	0.000	<66.3	<0.0000	<5.199	0.000	41.829
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	24						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
04/15/08	System down on arrival and running on departure. 3,757,750                      0.0														
04/22/08	System running on arrival and departure. 3,761,040                      0.3														
05/02/08	System running on arrival and departure. 3,769,160                      0.6														
05/06/08	System running on arrival and departure. 3,774,830                      1.0														
			W-INF	870	<2.5	<2.5	<2.5	<5.0	1,300	0.088	<66.4	<0.0002	<5.199	0.112	41.941
			W-INT1	65	<0.50	<0.50	<0.50	<1.0	86						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
05/16/08	System running on arrival and departure. 3,785,690                      0.8														
05/23/08	System running on arrival and departure. 3,788,780                      0.3														
05/28/08	System running on arrival and departure. 3,790,260                      0.2														
06/03/08	System running on arrival and departure. 3,795,970                      0.7														
			W-INF	630	<1.0	<1.0	<1.0	<2.0	550	0.132	<66.5	<0.0003	<5.199	0.163	42.104
			W-INT1	82	0.56	<1.4	<0.50	<1.0	17						
			W-INT2	<50	0.62	1.5	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
06/13/08	System running on arrival and departure. 3,796,670                      0.1														
06/17/08	System running on arrival and departure. 3,797,130                      0.1														



**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
06/23/08	System running on arrival and departure. 3,797,230	0.0													
07/03/08	System running on arrival and departure. 3,797,330	0.0													
07/08/08	System running on arrival and departure. 3,797,510	0.0	W-INF	640	<2.5	<2.5	<2.5	<5.0	1,200	0.008	<66.5	<0.0000	<5.199	0.011	42.115
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	77						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
07/15/08	System running on arrival and departure. 3,797,760	0.0	W-INF	<50	2.0	<0.50	<0.50	<1.0	120	<0.001	<66.5	0.0000	<5.199	0.001	42.117
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
07/21/08	System running on arrival and departure. 3,799,120	0.2													
07/29/08	System running on arrival and departure. 3,799,560	0.0													
08/08/08	System running on arrival and departure. 3,799,950	0.0													
08/15/08	System running on arrival and departure. 3,800,390	0.0													
08/22/08	System running on arrival and departure. 3,800,440	0.0	W-INF	150	4.0	<0.50	<0.50	<1.0	370	0.002	<66.5	0.0001	<5.199	0.005	42.122
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
08/29/08	System running on arrival and departure. 3,801,090	0.1													
09/05/08	System running on arrival and departure. 3,801,360	0.0	W-INF	570	5.6	<5.0	<5.0	<10	4,700	0.003	<66.5	0.0000	<5.199	0.019	42.142
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
09/12/08	System running on arrival and departure. 3,801,700	0.0													
09/19/08	System running on arrival and departure. 3,802,220	0.1													
09/26/08	System running on arrival and departure. 3,821,130	1.9													
10/03/08	System running on arrival and departure. 3,829,660	0.9													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/10/08	System running on arrival and departure.														
	3,836,030	0.6	W-INF	410	<1.0	<1.00	<1.00	<2.0	640	0.142	<66.7	<0.0010	<5.200	0.772	42.914
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
		W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
10/17/08	System running on arrival and departure.														
	3,842,780	0.7													
10/31/08	System running on arrival and departure.														
	3,859,120	0.8													
11/07/08	System running on arrival and departure.														
	3,865,290	0.6													
11/15/08	System running on arrival and departure.														
	3,871,710	0.6													
11/17/08	System running on arrival and departure.														
	3,872,707	0.4	W-INF	550	<1.0	<1.0	<1.0	<2.0	940	0.147	<66.8	<0.0003	<5.201	0.242	43.156
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
		W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
11/25/08	System running on arrival and departure.														
	3,875,830	0.3													
12/05/08	System running on arrival and departure.														
	3,883,530	0.5													
12/12/08	System running on arrival and departure.														
	3,887,570	0.4	W-INF	180	<0.50	<0.50	<0.50	<1.0	280	0.045	<66.9	<0.0001	<5.201	0.076	43.231
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
		W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
12/16/08	System running on arrival and departure.														
	3,891,390	0.7													
12/24/08	System running on arrival and departure.														
	3,892,540	0.1													
01/02/09	System running on arrival and departure.														
	3,912,840	1.6													
01/09/09	System running on arrival and departure.														
	3,921,110	0.8	W-INF	63	<0.50	<0.50	<0.50	<1.0	310	0.034	<66.9	<0.0001	<5.201	0.083	43.314
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
		W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0							
01/16/09	System running on arrival and departure.														
	3,923,430	0.2													
01/20/09	System running on arrival and departure.														
	3,928,540	0.9													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
01/30/09	System running on arrival and departure. 3,939,740														
		0.8													
02/06/09	System running on arrival and departure. 3,947,850														
		0.8													
02/13/09	System running on arrival and departure. 3,955,300														
		0.7	W-INF	97	<0.50	<0.50	<0.50	<1.0	400	0.023	<66.9	<0.0001	<5.201	0.101	43.415
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
02/20/09	System down on arrival and departure. 3,961,760														
		0.6													
02/27/09	System down on arrival and departure. 3,961,760														
		0.0													
03/06/09	System running on arrival and departure. 3,969,890														
		0.8													
03/10/09	System down on arrival and running on departure. 4,385,120														
		0.2													
03/13/09	System running on arrival and departure. 3,989,370														
		1.9	W-INF	310	1.5	<0.50	<0.50	1.6	410	0.058	<67.0	0.0003	<5.201	0.115	43.530
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
03/20/09	System running on arrival and departure. 3,999,140														
		1.0													
03/23/09	System running on arrival and departure. 3,999,870														
		0.2													
03/31/09	System running on arrival and departure. 4,009,710														
		0.9													
04/07/09	System running on arrival and departure. 4,015,770														
		0.6	W-INF	360	<0.50	<0.50	<0.50	<1.0	490	0.074	<67.0	<0.0002	<5.202	0.099	43.629
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
04/17/09	System running on arrival and departure. 4,030,486														
		1.0													
04/29/09	System running on arrival and departure. 4,047,450														
		1.0													
05/01/09	System running on arrival and departure. 4,057,140														
		3.4													
05/08/09	System running on arrival and departure. 4,064,660														
		0.8													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
05/15/09	System running on arrival and departure. 4,070,650	0.6	W-INF	360	<0.50	<0.50	<0.50	<1.0	470	0.165	<67.2	<0.0002	<5.202	0.220	43.849
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
05/22/09	System running on arrival and departure. 4,075,430	0.5													
05/29/09	System running on arrival and departure. 4,077,470	0.2													
06/05/09	System running on arrival and departure. 4,083,490	0.6													
06/11/09	System running on arrival and departure. 4,094,140	1.2	W-INF	<50	<0.50	<0.50	<0.50	<1.0	700	<0.040	<67.2	<0.0001	<5.202	0.115	43.964
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	0.69g	<0.50	3.4	<5.0						
06/12/09	System down on arrival and running on departure. 4,095,170	0.7													
06/19/09	System running on arrival and departure. 4,104,580	1.9													
06/26/09	System running on arrival and departure. 4,112,860	0.8													
06/29/09	System running on arrival and departure. 4,116,600	0.9													
07/10/09	System running on arrival and departure. 4,129,920	0.8													
07/17/09	System running on arrival and departure. 4,137,560	0.8	W-INF	160	<2.5	<2.5	<2.5	<5.0	220	0.038	<67.3	<0.0005	<5.202	0.167	44.130
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
07/24/09	System running on arrival and departure. 4,145,570	0.8													
07/31/09	System running on arrival and departure. 4,152,830	0.7													
08/04/09	System running on arrival and departure. 4,157,350	0.8	W-INF	260	1.3	1.0	<0.50	1.4g	340	0.035	<67.3	0.0003	<5.203	0.046	44.177
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
08/14/09	System running on arrival and departure. 4,167,720	0.7													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
08/21/09	System running on arrival and departure. 4,175,880														
08/28/09	System running on arrival and departure. 4,183,940														
09/04/09	System running on arrival and departure. 4,190,890														
09/11/09	System running on arrival and departure. 4,198,820														
09/14/09	System running on arrival and departure. 4,202,640														
		0.9	W-INF	1,300	3.8g	<2.5	<2.5	<5.0	2,200	0.295	<67.6	0.0010	<5.204	0.480	44.657
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
09/25/09	System down on arrival and running on departure. 4,224,590														
10/02/09	System down on arrival and running on departure. 4,236,600														
10/15/09	System running on arrival and down on departure for carbon changeout. 4,260,050														
		1.3	W-INF	380h	<2.5	<2.5	<2.5	<5.0	670	0.402	<68.0	<0.0015	<5,205	0.687	45.344
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	9.1						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
10/19/09	System down on arrival and running on departure. 4,260,050														
10/30/09	System down on arrival and running on departure. 4,260,050														
11/06/09	System running on arrival and departure. 4,260,660														
		0.1	W-INF	73h	5.4	<2.5	<2.5	<5.0	58	0.001	<68.0	0.0000	<5.205	0.002	45.346
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
11/13/09	System running on arrival and departure. 4,260,670														
11/20/09	System down on arrival and running on departure. 4,261,910														
11/25/09	System running on arrival and departure. 4,265,320														
12/04/09	System down on arrival and running on departure. 4,278,560														
12/11/09	System down on arrival and departure. 4,280,560														
		0.2													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
12/18/09	System down on arrival and departure.														
	4,280,650	0.0	W-INF	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<0.010	<68.0	<0.0005	<5.206	<0.005	<45.351
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
12/23/09	System down on arrival and departure.														
	4,280,660	0.0	W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
12/31/09	System down on arrival and departure.														
	4,280,660	0.0													
01/08/10	System running on arrival and departure.														
	4,284,140	0.3													
01/15/10	System running on arrival and departure.														
	4,288,090	0.4	W-INF	300h	<0.50	<0.50	<0.50	<1.0	450	0.011	<68.0	<0.0000	<5.206	0.014	<45.365
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
01/22/10	System running on arrival and departure.														
	4,291,420	0.3	W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
01/29/10	System running on arrival and departure.														
	4,294,656	0.3													
02/05/10	System running on arrival and departure.														
	4,297,890	0.3													
02/12/10	System running on arrival and departure.														
	4,301,320	0.3	W-INF	<50	<0.50	<0.50	<0.50	<1.0	110	<0.019	<68.1	<0.0001	<5.206	0.031	<45.396
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
02/19/10	System running on arrival and departure.														
	4,331,510	3.0	W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
02/26/10	System running on arrival and departure.														
	4,358,820	2.7													
03/06/10	System down on arrival and running on departure.														
	4,384,020	2.2													
03/09/10	System down on arrival and running on departure.														
	4,384,970	0.2													
03/10/10	System down on arrival and running on departure.														
	4,385,120	0.1													
03/12/10	System running on arrival and departure.														
	4,393,310	1.9													

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
03/19/10	System running on arrival and departure. 4,425,590	3.2	W-INF	1,100	8.5	<5.0	<5.0	<10	1,700	0.596	<68.7	0.0047	<5.210	0.938	<46.334
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
03/26/10	System running on arrival and departure. 4,457,600	3.2													
04/02/10	System running on arrival and departure. 4,477,070	1.9													
04/07/10	System running on arrival and down on departure. 4,489,430	1.7													
04/16/10	System down on arrival and running on departure. 4,489,500	0.0													
04/23/10	System running on arrival and departure. 4,518,760	2.9	W-INF	950h	<5.0	<5.0	<5.0	<10	1,400	0.797	<69.5	<0.0052	<5.216	1,205	<47.539
			W-INT1	120h	<0.50	<0.50	<0.50	<1.0	180						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
04/30/10	System down on arrival and departure. 4,545,880	2.7													
05/05/10	System down on arrival and running on departure. 4,546,150	0.0													
05/07/10	System running on arrival and departure. 4,552,010	2.0													
05/14/10	System running on arrival and departure. 4,572,650	2.1	W-INF	1,000h	<5.0	<5.0	<5.0	<10	1,400	0.438	<69.9	<0.0022	<5.218	0.629	<48.169
			W-INT1	340h	<0.50	<0.50	<0.50	<1.0	420						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
05/21/10	System running on arrival and departure. 4,592,460	1.8													
05/28/10	System running on arrival and departure. 4,611,710	1.9													
06/04/10	System running on arrival and departure. 4,631,150	1.9													
06/09/10	System running on arrival and departure. 4,642,820	1.6													
06/18/10	System running on arrival and departure. 4,663,990	2.5	W-INF	650h	<2.5	<2.5	<2.5	<5.0	950	0.629	<70.5	<0.0029	<5.221	0.895	<49.064
			W-INT1	500h	<2.5	<2.5	<2.5	<5.0	760						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
06/23/10	System running on arrival and departure.														
	4,675,290	1.0													
06/30/10	System running on arrival and departure.														
	4,691,220	1.6													
07/07/10	System running on arrival and departure.														
	4,706,210	1.5													
07/14/10	System running on arrival and departure.														
	4,720,680	1.4	W-INF-HT	710h	<2.5	<2.5	<2.5	<5.0	1,000	0.322	<70.8	<0.0012	<5.222	0.461	<49.525
			W-OUT-WC1	450h	<2.5	<2.5	<2.5	<5.0	670						
			W-OUT-WC2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-PSP-1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
07/22/10	System running on arrival and departure.														
	4,735,260	1.3													
07/29/10	System running on arrival and departure.														
	4,747,631	1.2													
08/03/10	System running on arrival and departure.														
	4,755,840	1.1													
08/11/10	System running on arrival and departure.														
	4,767,777	1.0	W-INF-HT	670h	<2.5	<2.5	<2.5	<5.0	750	0.271	<71.1	<0.0010	<5.223	0.344	<49.869
			W-OUT-WC1	490 h	<2.5	<2.5	<2.5	<5.0	620						
			W-OUT-WC2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-PSP-1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
08/17/10	System running on arrival and departure.														
	4,775,300	0.9													
08/24/10	System running on arrival and departure.														
	4,781,750	0.6													
09/01/10	System running on arrival and departure.														
	4,786,540	0.4													
09/09/10	System running on arrival and departure.														
	4,789,970	0.3	W-INF-HT	980h	<2.5	<2.5	<2.5	<5.0	990	0.153	<71.3	<0.0005	<5.223	0.161	<50.030
			W-OUT-WC1	500h	<2.5	<2.5	<2.5	<5.0	560						
			W-OUT-WC2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-PSP-1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
09/14/10	System running on arrival and departure.														
	4,802,950	1.8													
09/16/10	System down on arrival and running on departure.														
	4,810,780	2.7													
09/24/10	System running on arrival and departure.														
	4,828,980	1.6													
10/01/10	System running on arrival and departure.														
	4,846,780	1.8													
10/05/10	System running on arrival and departure.														
	4,856,970	1.8													



**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
Former Exxon Service Station 70104  
1725 Park Street  
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg (µg/l)	B (µg/l)	T (µg/l)	E (µg/l)	X (µg/l)	MTBE (µg/l)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/15/10	System running on arrival and departure. 4,882,060														
10/25/10	System down on arrival and running on departure. 4,903,760														
		1.5	W-INF-HT	520	<2.5	<2.5	<2.5	<5.0	830	0.712	<72.0	<0.0024	<5.226	0.864	<50.894
			W-OUT-WC1	350	<2.5	<2.5	<2.5	<5.0	600						
			W-OUT-WC2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-PSP-1	<50	<0.50	<0.50	<0.50	<1.0	25						
11/04/10	System running on arrival and departure. 4,929,030														
11/16/10	System running on arrival and departure. 4,958,840														
		1.7	W-INF-HT	540h	<2.5	<2.5	<2.5	<5.0	680	0.244	<72.2	<0.0011	<5.227	0.347	<51.241
			W-OUT-WC1	430h	<2.5	<2.5	<2.5	<5.0	580						
			W-OUT-WC2	<50	<0.50	<0.50	<0.50	<1.0	7.4						
			W-PSP-1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
11/30/10	System down on arrival and running on departure. 4,969,830														
12/14/10	System running on arrival and departure. 5,009,510														
12/28/10	System running on arrival and shut down on departure. 5,044,070														
		1.7	W-INF-HT	360h	<1.0	<1.0	<1.0	<2.0	650	0.320	<72.5	<0.0012	<5.228	0.473	<51.714
			W-OUT-WC1	340h	<0.50	<0.50	<0.50	<1.0	440						
			W-OUT-WC2	<50	<0.50	<0.50	<0.50	<1.0	83						
			W-PSP-1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						

**TABLE 4**  
**OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM**  
 Former Exxon Service Station 70104  
 1725 Park Street  
 Alameda, California

---

Notes:	<ul style="list-style-type: none"> <li>* If value is below laboratory detection limit, then detection limit value is used for removal calculations.</li> <li>Data prior to April 1, 2000, provided by Delta Environmental Consultants, Inc.</li> </ul>
W- INF/W-INF-HT	= Water sample collected at the influent sample port.
W-INT1/WC-OUT-WC	= Water sample collected at the intermediate 1 sample port.
W-INT2/WC-OUT-WC	= Water sample collected at the intermediate 2 sample port.
W-EFF/W-PSP#1	= Water sample collected at the effluent sample port. Also referred to as PSP#1 for reporting purposes.
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified)/8015B or LUFT GCMS.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 5030/8021B or 624.
MTBE	= Methyl tertiary butyl ether analyzed using EPA Method 8020/8021B.
gal	= Gallons.
gpm	= Gallons per day.
µg/L	= Micrograms per liter.
lbs	= Pounds.
<	= Less than the stated laboratory method reporting limit.
---	= Not sampled/Not analyzed/Not recorded/Not measured/Not calculated/Not applicable.
a	= Incorrect sample date is shown on laboratory report. The correct date is shown on table.
b	= Estimated value above laboratory equipment calibration range.
c	= Analyte detected in associated Method Blank.
d	= The result for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.
e	= Samples exceeded the EPA recommended temperature for analyses.
f	= Sample analyzed past EPA recommended hold time.
g	= Analyte presence was not confirmed by second column or GC/MS analysis.
h	= The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard.

**APPENDIX A**

**GROUNDWATER SAMPLING PROTOCOL**

## GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume =  $\pi r^2 h(7.48)$  where:

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
$\pi$	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.


After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

## **APPENDIX B**

### **LABORATORY ANALYTICAL REPORT AND CHAIN-OF-CUSTODY RECORD**



June 13, 2011

RECEIVED  
JUN 15 2011

Paula Sime  
Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

BY:.....

Subject: **Calscience Work Order No.: 11-05-1796**  
**Client Reference: ExxonMobil 70104/022506C**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 5/28/2011 and analyzed in accordance with the attached chain-of-custody.

Calscience Environmental Laboratories certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental  
Laboratories, Inc.  
Cecile deGuia  
Project Manager





## Analytical Report

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 3510C  
Method: EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW1	11-05-1796-2-H	05/26/11 12:15	Aqueous	GC 45	05/31/11	06/01/11 05:23	110531B08

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	140	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	89	68-140	

W-8-MW2	11-05-1796-3-H	05/25/11 13:00	Aqueous	GC 45	05/31/11	06/01/11 05:39	110531B08
---------	----------------	-------------------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	92	68-140	

W-6-MW3	11-05-1796-4-H	05/26/11 12:05	Aqueous	GC 45	05/31/11	06/01/11 05:53	110531B08
---------	----------------	-------------------	---------	-------	----------	-------------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	280	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	100	68-140	

W-6-MW4	11-05-1796-5-H	05/26/11 11:35	Aqueous	GC 45	05/31/11	06/01/11 06:09	110531B08
---------	----------------	-------------------	---------	-------	----------	-------------------	-----------


Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	610	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	99	68-140	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 3510C  
Method: EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW5	11-05-1796-6-H	05/26/11 11:20	Aqueous	GC 45	05/31/11	06/01/11 13:49	110531B08

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	670	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	84	68-140	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW6	11-05-1796-7-H	05/25/11 13:25	Aqueous	GC 45	05/31/11	06/01/11 06:40	110531B08

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	590	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	101	68-140	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-5-MW7	11-05-1796-8-H	05/25/11 13:30	Aqueous	GC 45	05/31/11	06/01/11 06:55	110531B08

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	96	68-140	


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW8	11-05-1796-9-H	05/25/11 11:40	Aqueous	GC 45	05/31/11	06/01/11 07:11	110531B08

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	100	68-140	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 3510C  
Method: EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW9	11-05-1796-10-H	05/25/11 12:10	Aqueous	GC 45	05/31/11	06/01/11 07:26	110531B08

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	91	68-140	

W-6-MW11	11-05-1796-11-H	05/26/11 11:55	Aqueous	GC 45	05/31/11	06/01/11 07:41	110531B08
----------	-----------------	-------------------	---------	-------	----------	-------------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	1800	50	1	U	ug/L


Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	90	68-140	

Method Blank	099-12-330-1,906	N/A	Aqueous	GC 45	05/31/11	06/01/11 04:37	110531B08
--------------	------------------	-----	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L

Surrogates:	REC (%)	Control Limits	Qual
Decachlorobiphenyl	91	68-140	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW1	11-05-1796-2-E	05/26/11 12:15	Aqueous	GC 42	05/31/11	05/31/11 22:13	110531B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	310	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	89	38-134	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-8-MW2	11-05-1796-3-E	05/25/11 13:00	Aqueous	GC 42	05/31/11	05/31/11 22:49	110531B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	66	38-134	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW3	11-05-1796-4-E	05/26/11 12:05	Aqueous	GC 42	05/31/11	06/01/11 00:02	110531B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	1400	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	114	38-134	


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW4	11-05-1796-5-D	05/26/11 11:35	Aqueous	GC 42	06/01/11	06/01/11 17:13	110601B01


Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	1500	100	2		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	104	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report

110531B01  
06/01/11  
01:15

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW5	11-05-1796-6-E	05/26/11 11:20	Aqueous	GC 42	05/31/11	06/01/11 01:15	110531B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	1800	500	10		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	83	38-134	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW6	11-05-1796-7-E	05/25/11 13:25	Aqueous	GC 42	05/31/11	06/01/11 01:51	110531B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	1000	250	5		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	86	38-134	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-5-MW7	11-05-1796-8-E	05/25/11 13:30	Aqueous	GC 42	05/31/11	06/01/11 02:28	110531B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L


Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	54	38-134	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW8	11-05-1796-9-E	05/25/11 11:40	Aqueous	GC 42	05/31/11	06/01/11 03:04	110531B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	72	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW9	11-05-1796-10-E	05/25/11 12:10	Aqueous	GC 42	05/31/11	06/01/11 03:41	110531B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	52	38-134			

W-6-MW11	11-05-1796-11-D	05/26/11 11:55	Aqueous	GC 42	06/01/11	06/01/11 17:50	110601B01
----------	-----------------	-------------------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	9800	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	81	38-134			

Method Blank	099-12-436-6,273	N/A	Aqueous	GC 42	05/31/11	05/31/11 15:31	110531B01
--------------	------------------	-----	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	43	38-134			

Method Blank	099-12-436-6,276	N/A	Aqueous	GC 42	06/01/11	06/01/11 12:57	110601B01
--------------	------------------	-----	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	69	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report

Cardno ERI  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: 05/28/11  
 Work Order No: 11-05-1796  
 Preparation: EPA 5030C  
 Method: EPA 8021B  
 Units: ug/L

Project: ExxonMobil 70104/022506C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW1	11-05-1796-2-F	05/26/11 12:15	Aqueous	GC 21	06/03/11	06/04/11 01:38	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	3.4	0.50	1		Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	99	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-8-MW2	11-05-1796-3-D	05/25/11 13:00	Aqueous	GC 21	06/03/11	06/03/11 18:14	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	97	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW3	11-05-1796-4-D	05/26/11 12:05	Aqueous	GC 21	06/03/11	06/03/11 17:05	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	260	0.50	1		Ethylbenzene	6.1	0.50	1	
Toluene	3.9	0.50	1		Xylenes (total)	10	1.0	1	
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	112	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW4	11-05-1796-5-F	05/26/11 11:35	Aqueous	GC 21	06/03/11	06/03/11 18:48	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	21	0.50	1		Ethylbenzene	8.6	0.50	1	
Toluene	2.4	0.50	1		Xylenes (total)	5.4	1.0	1	Z
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	121	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW5	11-05-1796-6-F	05/26/11 11:20	Aqueous	GC 21	06/07/11	06/07/11 20:16	110607B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	140	0.50	1		Ethylbenzene	15	0.50	1	
Toluene	5.5	0.50	1		Xylenes (total)	14	1.0	1	
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	134	70-130		2					

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report

Cardno ERI  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: 05/28/11  
 Work Order No: 11-05-1796  
 Preparation: EPA 5030C  
 Method: EPA 8021B  
 Units: ug/L

Project: ExxonMobil 70104/022506C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW6	11-05-1796-7-D	05/25/11 13:25	Aqueous	GC 21	06/03/11	06/03/11 19:57	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	100	0.50	1		Ethylbenzene	6.3	0.50	1	
Toluene	14	0.50	1		Xylenes (total)	31	1.0	1	
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	125	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-5-MW7	11-05-1796-8-D	05/25/11 13:30	Aqueous	GC 21	06/03/11	06/03/11 20:31	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.78	0.50	1		Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	98	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW8	11-05-1796-9-D	05/25/11 11:40	Aqueous	GC 21	06/03/11	06/03/11 21:05	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	97	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW9	11-05-1796-10-D	05/25/11 12:10	Aqueous	GC 21	06/03/11	06/03/11 23:22	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	97	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW11	11-05-1796-11-F	05/26/11 11:55	Aqueous	GC 21	06/07/11	06/07/11 19:42	110607B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	270	1.0	2		Ethylbenzene	510	1.0	2	
Toluene	180	1.0	2		Xylenes (total)	1400	2.0	2	
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	123	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**



Cardno ERI  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: 05/28/11  
 Work Order No: 11-05-1796  
 Preparation: EPA 5030C  
 Method: EPA 8021B  
 Units: ug/L

Project: ExxonMobil 70104/022506C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-1,164	N/A	Aqueous	GC 21	06/03/11	06/03/11 13:40	110603B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	100	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-1,167	N/A	Aqueous	GC 21	06/07/11	06/07/11 12:00	110607B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control Limits	Qual						
1,4-Bromofluorobenzene	104	70-130							

RL - Reporting Limit    DF - Dilution Factor    Qual - Qualifiers

**Analytical Report**

Cardno ERI  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: 05/28/11  
 Work Order No: 11-05-1796  
 Preparation: EPA 5030C  
 Method: EPA 8260B  
 Units: ug/L

Project: ExxonMobil 70104/022506C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-8-MW2	11-05-1796-3-A	05/25/11 13:00	Aqueous	GC/MS FFF	06/02/11	06/03/11 02:21	110602L04

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Surrogates:	REC (%)	Control Limits	Qual		Surrogates:	REC (%)	Control Limits	Qual	
1,2-Dichloroethane-d4	102	80-128			1,4-Bromofluorobenzene	99	68-120		
Dibromofluoromethane	98	80-127			Toluene-d8	100	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW3	11-05-1796-4-A	05/26/11 12:05	Aqueous	GC/MS FFF	06/02/11	06/03/11 02:49	110602L04

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	5.0	10	U	Tert-Amyl-Methyl Ether (TAME)	ND	5.0	10	U
Tert-Butyl Alcohol (TBA)	100	50	10	U	Ethanol	ND	500	10	U
Diisopropyl Ether (DIPE)	ND	5.0	10	U	1,2-Dibromoethane	ND	5.0	10	U
Ethyl-t-Butyl Ether (ETBE)	ND	5.0	10	U	1,2-Dichloroethane	ND	5.0	10	U
Surrogates:	REC (%)	Control Limits	Qual		Surrogates:	REC (%)	Control Limits	Qual	
1,2-Dichloroethane-d4	101	80-128			1,4-Bromofluorobenzene	101	68-120		
Dibromofluoromethane	98	80-127			Toluene-d8	101	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW4	11-05-1796-5-A	05/26/11 11:35	Aqueous	GC/MS FFF	06/02/11	06/03/11 09:33	110602L04

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Surrogates:	REC (%)	Control Limits	Qual		Surrogates:	REC (%)	Control Limits	Qual	
1,2-Dichloroethane-d4	94	80-128			1,4-Bromofluorobenzene	98	68-120		
Dibromofluoromethane	93	80-127			Toluene-d8	102	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



**Analytical Report**

nel c:

Cardno ERI  
 601 North McDowell Blvd.  
 Petaluma, CA 94954-2312

Date Received: 05/28/11  
 Work Order No: 11-05-1796  
 Preparation: EPA 5030C  
 Method: EPA 8260B  
 Units: ug/L

Project: ExxonMobil 70104/022506C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW5	11-05-1796-6-B	05/26/11 11:20	Aqueous	GC/MS L	06/03/11	06/03/11 18:25	110603L03

Comment(s): -The reporting limits are elevated due to high levels of non-target compounds.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	2.0	4	U	Tert-Amyl-Methyl Ether (TAME)	ND	2.0	4	U
Tert-Butyl Alcohol (TBA)	ND	20	4	U	Ethanol	ND	200	4	U
Diisopropyl Ether (DIPE)	ND	2.0	4	U	1,2-Dibromoethane	ND	2.0	4	U
Ethyl-t-Butyl Ether (ETBE)	ND	2.0	4	U	1,2-Dichloroethane	ND	2.0	4	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	96	80-128			1,4-Bromofluorobenzene	97	68-120		
Dibromofluoromethane	97	80-127			Toluene-d8	93	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW6	11-05-1796-7-B	05/25/11 13:25	Aqueous	GC/MS L	06/03/11	06/03/11 18:53	110603L03

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	4.6	2.0	4	U	Tert-Amyl-Methyl Ether (TAME)	ND	2.0	4	U
Tert-Butyl Alcohol (TBA)	29	20	4	QO	Ethanol	ND	200	4	U
Diisopropyl Ether (DIPE)	ND	2.0	4	U	1,2-Dibromoethane	ND	2.0	4	U
Ethyl-t-Butyl Ether (ETBE)	ND	2.0	4	U	1,2-Dichloroethane	ND	2.0	4	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	93	80-128			1,4-Bromofluorobenzene	99	68-120		
Dibromofluoromethane	95	80-127			Toluene-d8	101	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-5-MW7	11-05-1796-8-A	05/25/11 13:30	Aqueous	GC/MS FFF	06/02/11	06/03/11 04:40	110602L04

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	104	80-128			1,4-Bromofluorobenzene	101	68-120		
Dibromofluoromethane	98	80-127			Toluene-d8	100	80-120		

RL - Reporting Limit    DF - Dilution Factor    Qual - Qualifiers

## Analytical Report



Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L

Project: ExxonMobil 70104/022506C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-880-642	N/A	Aqueous	GC/MS FFF	06/02/11	06/03/11 01:26	110602L04


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Surrogates:	REC (%)	Control Limits	Qual		Surrogates:	REC (%)	Control Limits	Qual	
1,2-Dichloroethane-d4	103	80-128			1,4-Bromofluorobenzene	101	68-120		
Dibromofluoromethane	99	80-127			Toluene-d8	100	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-880-643	N/A	Aqueous	GC/MS L	06/03/11	06/03/11 11:51	110603L03

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Surrogates:	REC (%)	Control Limits	Qual		Surrogates:	REC (%)	Control Limits	Qual	
1,2-Dichloroethane-d4	91	80-128			1,4-Bromofluorobenzene	97	68-120		
Dibromofluoromethane	97	80-127			Toluene-d8	104	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L

Project: ExxonMobil 70104/022506C

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW1	11-05-1796-2-B	05/26/11 12:15	Aqueous	GC/MS L	06/03/11	06/03/11 17:57	110603L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	68	1.0	2		Tert-Amyl-Methyl Ether (TAME)	ND	1.0	2	U
Tert-Butyl Alcohol (TBA)	210	10	2		1,2-Dibromoethane	ND	1.0	2	U
Diisopropyl Ether (DIPE)	ND	1.0	2	U	1,2-Dichloroethane	ND	1.0	2	U
Ethyl-t-Butyl Ether (ETBE)	ND	1.0	2	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
Toluene-d8	103	80-120			Dibromofluoromethane	99	80-127		
1,4-Bromofluorobenzene	96	68-120			1,2-Dichloroethane-d4	95	80-128		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW8	11-05-1796-9-A	05/25/11 11:40	Aqueous	GC/MS FFF	06/02/11	06/03/11 05:07	110602L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	1,2-Dibromoethane	ND	0.50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
Dibromofluoromethane	99	80-127			1,2-Dichloroethane-d4	105	80-128		
1,4-Bromofluorobenzene	102	68-120			Toluene-d8	101	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-10-MW9	11-05-1796-10-A	05/25/11 12:10	Aqueous	GC/MS FFF	06/02/11	06/03/11 05:35	110602L05

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	1,2-Dibromoethane	ND	0.50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
Toluene-d8	100	80-120			Dibromofluoromethane	98	80-127		
1,4-Bromofluorobenzene	100	68-120			1,2-Dichloroethane-d4	103	80-128		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B  
Units: ug/L

Project: ExxonMobil 70104/022506C

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-6-MW11	11-05-1796-11-A	05/26/11 11:55	Aqueous	GC/MS FFF	06/02/11	06/03/11 06:03	110602L05

Comment(s): -The reporting limits are elevated due to high levels of non-target compounds.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	10	20	U	Tert-Amyl-Methyl Ether (TAME)	ND	10	20	U
Tert-Butyl Alcohol (TBA)	ND	100	20	U	1,2-Dibromoethane	ND	10	20	U
Diisopropyl Ether (DIPE)	ND	10	20	U	1,2-Dichloroethane	ND	10	20	U
Ethyl-t-Butyl Ether (ETBE)	ND	10	20	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
Toluene-d8	101	80-120			Dibromofluoromethane	91	80-127		
1,4-Bromofluorobenzene	99	68-120			1,2-Dichloroethane-d4	92	80-128		

<b>Method Blank</b>	<b>099-12-884-616</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC/MS L</b>	<b>06/03/11</b>	<b>06/03/11 11:51</b>	<b>110603L01</b>
---------------------	-----------------------	------------	----------------	----------------	-----------------	-----------------------	------------------


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	1,2-Dibromoethane	ND	0.50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	91	80-128			Toluene-d8	104	80-120		
Dibromofluoromethane	97	80-127			1,4-Bromofluorobenzene	97	68-120		

<b>Method Blank</b>	<b>099-12-884-624</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC/MS FFF</b>	<b>06/02/11</b>	<b>06/03/11 01:26</b>	<b>110602L05</b>
---------------------	-----------------------	------------	----------------	------------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	1,2-Dibromoethane	ND	0.50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
Toluene-d8	100	80-120			Dibromofluoromethane	99	80-127		
1,4-Bromofluorobenzene	101	68-120			1,2-Dichloroethane-d4	103	80-128		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





**Quality Control - Spike/Spike Duplicate**

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
11-05-1768-2	Aqueous	GC 42	05/31/11	05/31/11	110531S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	102	97	68-122	5	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8015B (M)


Project ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
11-05-1788-1	Aqueous	GC 42	06/01/11	06/01/11	110601S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	103	101	68-122	2	0-18	

RPD - Relative Percent Difference , CL - Control Limit





**Quality Control - Spike/Spike Duplicate**



Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8021B


Project ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
<b>W-6-MW3</b>	<b>Aqueous</b>	<b>GC 21</b>	<b>06/03/11</b>	<b>06/03/11</b>	<b>110603S01</b>

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	92	84	57-129	2	0-23	
Toluene	101	100	50-134	1	0-26	
Ethylbenzene	100	99	58-130	1	0-26	
Xylenes (total)	102	101	58-130	1	0-28	

RPD - Relative Percent Difference, CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8021B


Project ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
11-06-0187-4	Aqueous	GC 21	06/07/11	06/07/11	110607S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	98	101	57-129	3	0-23	
Toluene	95	99	50-134	3	0-26	
Ethylbenzene	95	99	58-130	4	0-26	
Xylenes (total)	95	98	58-130	3	0-28	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B

Project ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
11-06-0117-3	Aqueous	GC/MS FFF	06/02/11	06/03/11	110602S02

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	98	99	76-124	1	0-20	
Toluene	96	98	80-120	2	0-20	
Ethylbenzene	98	97	78-126	1	0-20	
Methyl-t-Butyl Ether (MTBE)	92	100	67-121	8	0-49	
Tert-Butyl Alcohol (TBA)	106	103	36-162	2	0-30	
Diisopropyl Ether (DIPE)	97	102	60-138	5	0-45	
Ethyl-t-Butyl Ether (ETBE)	94	101	69-123	7	0-30	
Tert-Amyl-Methyl Ether (TAME)	95	101	65-120	6	0-20	
Ethanol	117	120	30-180	3	0-72	
1,1-Dichloroethene	87	86	73-127	1	0-20	
1,2-Dibromoethane	97	104	80-120	6	0-20	
1,2-Dichlorobenzene	96	101	80-120	5	0-20	
1,2-Dichloroethane	95	101	80-120	6	0-20	
Carbon Tetrachloride	86	87	74-134	1	0-20	
Chlorobenzene	98	99	80-120	1	0-20	
Trichloroethene	93	93	77-120	0	0-20	
Vinyl Chloride	92	89	72-126	3	0-20	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B

Project ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
11-06-0005-2	Aqueous	GC/MS L	06/03/11	06/03/11	110603S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	104	76-124	4	0-20	
Toluene	95	100	80-120	4	0-20	
Ethylbenzene	100	99	78-126	1	0-20	
Methyl-t-Butyl Ether (MTBE)	105	102	67-121	3	0-49	
Tert-Butyl Alcohol (TBA)	111	104	36-162	7	0-30	
Diisopropyl Ether (DIPE)	109	108	60-138	2	0-45	
Ethyl-t-Butyl Ether (ETBE)	105	102	69-123	3	0-30	
Tert-Amyl-Methyl Ether (TAME)	99	100	65-120	2	0-20	
Ethanol	97	95	30-180	2	0-72	
1,1-Dichloroethene	102	100	73-127	3	0-20	
1,2-Dibromoethane	101	100	80-120	0	0-20	
1,2-Dichlorobenzene	97	98	80-120	0	0-20	
1,2-Dichloroethane	90	94	80-120	4	0-20	
Carbon Tetrachloride	98	96	74-134	3	0-20	
Chlorobenzene	98	98	80-120	0	0-20	
Trichloroethene	96	93	77-120	3	0-20	
Vinyl Chloride	96	93	72-126	4	0-20	

RPD - Relative Percent Difference, CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: 05/28/11  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B

Project ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
11-06-0117-3	Aqueous	GC/MS FFF	06/02/11	06/03/11	110602S02

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	98	99	76-124	1	0-20	
Toluene	96	98	80-120	2	0-20	
Ethylbenzene	98	97	78-126	1	0-20	
Methyl-t-Butyl Ether (MTBE)	92	100	67-121	8	0-49	
Tert-Butyl Alcohol (TBA)	106	103	36-162	2	0-30	
Diisopropyl Ether (DIPE)	97	102	60-138	5	0-45	
Ethyl-t-Butyl Ether (ETBE)	94	101	69-123	7	0-30	
Tert-Amyl-Methyl Ether (TAME)	95	101	65-120	6	0-20	
Ethanol	117	120	30-180	3	0-72	
1,2-Dibromoethane	97	104	80-120	6	0-20	
1,2-Dichloroethane	95	101	80-120	6	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate




Cardno ERI	Date Received:	N/A
601 North McDowell Blvd.	Work Order No:	11-05-1796
Petaluma, CA 94954-2312	Preparation:	EPA 3510C
	Method:	EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-330-1,906	Aqueous	GC 45	05/31/11	06/01/11	110531B08

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Diesel	93	89	75-117	4	0-13	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-6,273	Aqueous	GC 42	05/31/11	05/31/11	110531B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	110	107	78-120	3	0-10	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: N/A  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-6,276	Aqueous	GC 42	06/01/11	06/01/11	110601B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	105	103	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312


Date Received: N/A  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8021B

Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-1,164	Aqueous	GC 21	06/03/11	06/03/11	110603B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	91	92	70-118	1	0-9	
Toluene	88	89	66-114	1	0-9	
Ethylbenzene	87	88	72-114	1	0-9	
Xylenes (total)	88	89	74-116	1	0-9	

RPD - Relative Percent Difference, CL - Control Limit



## Quality Control - LCS/LCS Duplicate

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8021B


Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-1,167	Aqueous	GC 21	06/07/11	06/07/11	110607B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	93	92	70-118	2	0-9	
Toluene	92	89	66-114	3	0-9	
Ethylbenzene	92	89	72-114	3	0-9	
Xylenes (total)	92	90	74-116	2	0-9	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B

Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
<b>099-12-880-642</b>	<b>Aqueous</b>	<b>GC/MS FFF</b>	<b>06/02/11</b>	<b>06/03/11</b>	<b>110602L04</b>		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	99	106	80-120	73-127	7	0-20	
Toluene	98	106	80-120	73-127	8	0-20	
Ethylbenzene	98	106	80-120	73-127	8	0-20	
Methyl-t-Butyl Ether (MTBE)	100	108	69-123	60-132	8	0-20	
Tert-Butyl Alcohol (TBA)	96	98	63-123	53-133	2	0-20	
Diisopropyl Ether (DIPE)	102	109	59-137	46-150	7	0-37	
Ethyl-t-Butyl Ether (ETBE)	101	109	69-123	60-132	8	0-20	
Tert-Amyl-Methyl Ether (TAME)	100	108	70-120	62-128	8	0-20	
Ethanol	104	106	28-160	6-182	2	0-57	
1,1-Dichloroethane	92	97	78-126	70-134	5	0-28	
1,2-Dibromoethane	101	109	79-121	72-128	8	0-20	
1,2-Dichlorobenzene	97	109	80-120	73-127	12	0-20	
1,2-Dichloroethane	99	106	80-120	73-127	7	0-20	
Carbon Tetrachloride	93	101	74-134	64-144	8	0-20	
Chlorobenzene	98	106	80-120	73-127	7	0-20	
Trichloroethene	98	104	79-127	71-135	6	0-20	
Vinyl Chloride	95	102	72-132	62-142	7	0-20	

Total number of LCS compounds : 17


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B

Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
<b>099-12-880-643</b>	<b>Aqueous</b>	<b>GC/MS L</b>	<b>06/03/11</b>	<b>06/03/11</b>	<b>110603L03</b>		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	109	101	80-120	73-127	8	0-20	
Toluene	110	100	80-120	73-127	10	0-20	
Ethylbenzene	105	101	80-120	73-127	4	0-20	
Methyl-t-Butyl Ether (MTBE)	100	104	69-123	60-132	4	0-20	
Tert-Butyl Alcohol (TBA)	97	95	63-123	53-133	3	0-20	
Diisopropyl Ether (DIPE)	108	109	59-137	46-150	0	0-37	
Ethyl-t-Butyl Ether (ETBE)	103	106	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	105	104	70-120	62-128	1	0-20	
Ethanol	104	105	28-160	6-182	1	0-57	
1,1-Dichloroethene	120	112	78-126	70-134	7	0-28	
1,2-Dibromoethane	99	101	79-121	72-128	2	0-20	
1,2-Dichlorobenzene	99	102	80-120	73-127	3	0-20	
1,2-Dichloroethane	98	95	80-120	73-127	3	0-20	
Carbon Tetrachloride	105	98	74-134	64-144	7	0-20	
Chlorobenzene	100	98	80-120	73-127	2	0-20	
Trichloroethene	103	99	79-127	71-135	4	0-20	
Vinyl Chloride	107	106	72-132	62-142	1	0-20	


Total number of LCS compounds : 17


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate

Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B

Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
<b>099-12-884-624</b>	<b>Aqueous</b>	<b>GC/MS FFF</b>	<b>06/02/11</b>	<b>06/03/11</b>	<b>110602L05</b>		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	99	106	80-120	73-127	7	0-20	
Toluene	98	106	80-120	73-127	8	0-20	
Ethylbenzene	98	106	80-120	73-127	8	0-20	
Methyl-t-Butyl Ether (MTBE)	100	108	69-123	60-132	8	0-20	
Tert-Butyl Alcohol (TBA)	96	98	63-123	53-133	2	0-20	
Diisopropyl Ether (DIPE)	102	109	59-137	46-150	7	0-37	
Ethyl-t-Butyl Ether (ETBE)	101	109	69-123	60-132	8	0-20	
Tert-Amyl-Methyl Ether (TAME)	100	108	70-120	62-128	8	0-20	
Ethanol	104	106	28-160	6-182	2	0-57	
1,2-Dibromoethane	101	109	79-121	72-128	8	0-20	
1,2-Dichloroethane	99	106	80-120	73-127	7	0-20	

Total number of LCS compounds : 11


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Cardno ERI  
601 North McDowell Blvd.  
Petaluma, CA 94954-2312

Date Received: N/A  
Work Order No: 11-05-1796  
Preparation: EPA 5030C  
Method: EPA 8260B

Project: ExxonMobil 70104/022506C

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
<b>099-12-884-616</b>	<b>Aqueous</b>	<b>GC/MS L</b>	<b>06/03/11</b>	<b>06/03/11</b>	<b>110603L01</b>		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	109	101	80-120	73-127	8	0-20	
Toluene	110	100	80-120	73-127	10	0-20	
Ethylbenzene	105	101	80-120	73-127	4	0-20	
Methyl-t-Butyl Ether (MTBE)	100	104	69-123	60-132	4	0-20	
Tert-Butyl Alcohol (TBA)	97	95	63-123	53-133	3	0-20	
Diisopropyl Ether (DIPE)	108	109	59-137	46-150	0	0-37	
Ethyl-t-Butyl Ether (ETBE)	103	106	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	105	104	70-120	62-128	1	0-20	
Ethanol	104	105	28-160	6-182	1	0-57	
1,2-Dibromoethane	99	101	79-121	72-128	2	0-20	
1,2-Dichloroethane	98	95	80-120	73-127	3	0-20	

Total number of LCS compounds : 11

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass


RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 11-05-1796

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
BU	Sample analyzed after holding time expired.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS recovery percentage is within LCS ME control limit range.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
QO	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
U	Undetected at detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.







1796

**Ship From:**  
 ALAN KEMP  
 CAL SCIENCE- CONCORD  
 5063 COMMERCIAL CIRCLE #H  
 CONCORD, CA 94520

Tracking #: 516669841

**SDS**



**Ship To:**  
 SAMPLE RECEIVING  
 CEL  
 7440 LINCOLN WAY  
 GARDEN GROVE, CA 92841

**ORC**

**D**

**GARDEN GROVE**

**COD:**  
 \$0.00

**D92843A**

**Reference:**  
 ERI



**Delivery Instructions:**

91469355

**Signature Type:**  
 SIGNATURE REQUIRED

Print Date : 05/27/11 14:41 PM


**Package 1 of 2**

Send Label To Printer

Print All

Edit Shipment

Finish



WORK ORDER #: 11-05-1796

**SAMPLE RECEIPT FORM**

Cooler 1 of 1

CLIENT: Cardno ERI

DATE: 05/28/11

**TEMPERATURE:** Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 2.2 °C + 0.5 °C (CF) = 2.7 °C  Blank  Sample

Sample(s) outside temperature criteria (PM/APM contacted by: \_\_\_\_\_).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature:  Air  Filter

Initial: YL

**CUSTODY SEALS INTACT:**

Cooler  \_\_\_\_\_  No (Not Intact)  Not Present  N/A Initial: YL

Sample  \_\_\_\_\_  No (Not Intact)  Not Present Initial: PT

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper containers and sufficient volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
pH / Res. Chlorine / Diss. Sulfide / Diss. Oxygen received within 24 hours...	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**CONTAINER TYPE:**

Solid:  4ozCGJ  8ozCGJ  16ozCGJ  Sleeve (\_\_\_\_)  EnCores®  TerraCores®  \_\_\_\_\_

Water:  VOA  VOA<sup>6</sup>h  VOAna<sub>2</sub>  125AGB  125AGBh  125AGBp  1AGB  1AGBna<sub>2</sub>  1AGBs

500AGB  500AGJ<sup>2</sup>  500AGJs  250AGB  250CGB  250CGBs  1PB  500PB  500PBna


250PB  250PBn  125PB  125PBzanna  100PJ  100PJna<sub>2</sub>  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Air:  Tedlar®  Summa® Other:  \_\_\_\_\_ Trip Blank Lot#: 091210A Labeled/Checked by: PT

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: hsc

Preservative: h: HCL n: HNO<sub>3</sub> na<sub>2</sub>:Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> na: NaOH p: H<sub>3</sub>PO<sub>4</sub> s: H<sub>2</sub>SO<sub>4</sub> zanna: ZnAc<sub>2</sub>+NaOH f: Field-filtered Scanned by: hsc





WORK ORDER #: 11-05-1796

## SAMPLE ANOMALY FORM

**SAMPLES - CONTAINERS & LABELS:**

- Sample(s)/Container(s) NOT RECEIVED but listed on COC
- Sample(s)/Container(s) received but NOT LISTED on COC
- Holding time expired – list sample ID(s) and test
- Insufficient quantities for analysis – list test
- Improper container(s) used – list test
- Improper preservative used – list test
- No preservative noted on COC or label – list test & notify lab
- Sample labels illegible – note test/container type
- Sample label(s) do not match COC – Note in comments
  - Sample ID
  - Date and/or Time Collected
  - Project Information
  - # of Container(s)
  - Analysis
- Sample container(s) compromised – Note in comments
  - Water present in sample container
  - Broken
- Sample container(s) not labeled
- Air sample container(s) compromised – Note in comments
  - Flat
  - Very low in volume
  - Leaking (Not transferred - duplicate bag submitted)
  - Leaking (transferred into Calscience Tedlar® Bag\*)
  - Leaking (transferred into Client's Tedlar® Bag\*)
- Other: \_\_\_\_\_

**Comments:**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**HEADSPACE – Containers with Bubble > 6mm or ¼ inch:**

Sample #	Container ID(s)	# of Vials Received	Sample #	Container ID(s)	# of Vials Received	Sample #	Container ID(s)	# of Cont. received	Analysis
1	A, B	2							

Comments: \_\_\_\_\_

\*Transferred at Client's request.

Initial / Date: PT 05 / 28 / 11

**APPENDIX C**  
**FIELD DATA SHEETS**

# Daily Field Report

Cardno ERI



Project ID #: 70104

Cardno ERI Job # 022506C

Subject: GW SAMPLING

Date: 5/26/2011

Equipment Used: SOLINST/HYDAC/PUMPS/BATTS'S/SAMPLING EQUIPMENT/ETC.

Sheet: 1

Name(s): PROWSE, JAKE

Time Arrived On Site: 9:0

Time Departed Site: 12:30

09:00 -ARRIVED ON SITE  
-INFORMED STATION OF WORK TO BE DONE  
-SET UP EXCLUSION ZONE AND CHOCKED THE WHEELS ON VEHICLE  
-REVIEWED APPLICABLE JSA'S  
-PERFORMED SPSA FOR: PROPER LIFTING  
-STARTED PAPERWORK FOR SITE AND LABELS  
-SET UP DECON/WORK AREA AND DECON'D EQUIPMENT  
09:00 -HELD H&S MEETING/REVIEWED HOSPITAL ROUTE /FINISHED AT 09:15  
09:30 -OPENED WELLS AND ALLOWED WELLS TO CHARGE  
09:30 -STARTED MEASURING /FINISHED AT 09:45  
09:30 -STARTED PURGING /FINISHED AT 11:30  
11:15 -STARTED SAMPLING /FINISHED AT 12:15  
-DECON'D EQUIPMENT/CLEANED UP DECON STATION/LOADED TRUCK  
-BROKE DOWN EXCLUSION ZONE/LOADED TRUCK  
12:30 -CARDNO ERI OFF SITE  
13:30 -STARTED PURGE WATER TREATMENT (TRAILER) /FINISHED AT 13:45

\*M/P/S 10 WELLS

\*M/S 0 WELLS

M/S LOW FLOW 0 WELLS

\*MO 0 WELLS

\*O/P 0 WELLS

\*POTABLE 0 WELLS

TOTAL PURGED GALLONS: 192

DECON WATER GALLONS: 40

\*0 T/C SET UPS

# DAILY FIELD REPORT



PROJECT: 70104      JOB # + ACTIVITY: 2506  
SUBJECT: \_\_\_\_\_      DATE: 5/25 - 5/26  
EQUIPMENT USED: \_\_\_\_\_      SHEET: \_\_\_\_\_ OF \_\_\_\_\_  
NAME: Jake Prowse      PROJECT MNGR: \_\_\_\_\_

5/25

O onsite 930      Rain  
Safety Meeting  
Open Wells  
DTW Wells  
Purged & Sampled      MW 2, 6, 7, 8, 9  
Decon 20 gal  
Purge 85 gal  
Total 105 gal      Offsite 1400

5/26

O onsite 900      Sunny  
Safety Meeting  
Open Wells  
Purged & Sampled      MW 1, 3, 4, 5, 11  
Decon 20 gal  
Purge 107 gal  
Total 127 gal

Total for job 232 gal

Depth to Water Data		QRT	2nd	YEAR	2011	
ERI #	2506 13x					
Site #	7-0104	Address:	ark St., Alameda, CA			
PM:	Paula Sime					
Date:	5/25/2011					
<b>Tech:</b>	JP			Recharge formula:		
DTW Time				Step 1 ►	Calc 80% in feet ►	
Start:				Step 2 ►	Calc PostDTW (ft) ►	
Finish:				Take ratio of result from Step 2 and Ste		
<b>WELL ID</b>	<b>TD</b>	<b>PreDTW</b>	<b>CASE D</b>	<b>CASE V</b>	<b>PostDTW</b>	<b>Rechrg 80%</b>
MW 1	20.42	5.31	4	9.85	9.75	70.62
MW 2	15.14	4.62	4	6.86	7.75	70.25
MW 3	14.05	4.6	4	6.16	5.2	93.65
MW 4	17.96	4.8	4	8.58	5.37	95.67
MW 5	18.81	4.71	4	9.19	5.34	95.53
MW 6	18.3	4.6	4	8.93	5.35	94.53
MW 7	18.36	4.26	4	9.19	4.31	99.65
MW 8	18.73	4.61	2	2.30	5.75	91.93
MW 9	18.68	5.95	2	2.07	9.1	75.26
MW 11	14.74	5.26	2	1.55	5.36	98.95
EW 1	X	3.96	4			
EW 3	X	4.29	4			
EW 5	X	4.27	4			

GROUNDWATER MONITORING - FIELD LOG					
ERI #	2506 13x		QRT	2nd	2011
Client:	ExxonMobil		DATE:	5/25/11	
Site ID:	7-0104		TECH	JP	
ADDRESS:			PM:	Paula Sime	
1725 Park St., Alameda, CA			Total Purge Volume		
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
BB					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW2	11:02	7	°C	uS	
	11:07	7	14.90	119.30	6.70
		14			
		21			
TOTAL PURGE	12				
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW8	11:23	3	°C	uS	
	11:24	3	15.20	135.60	6.56
	11:26	6	14.60	139.50	6.58
	11:28	9	14.50	135.60	6.57
TOTAL PURGE					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW9	11:48	3	°C	uS	
	11:50	3	14.60	149.90	6.55
	11:52	6	14.30	166.30	6.58
		9			
TOTAL PURGE	7				
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW6	12:16	9	°C	uS	
	12:22	9	12.90	147.10	6.58
	12:29	18	12.7	20:01	6.56

GROUNDWATER MONITORING - FIELD LOG					
ERI #	2506 13x		QRT	2nd	2011
Client:	ExxonMobil		DATE:	5/25/11	
Site ID:	7-0104		TECH	JP	
ADDRESS:			PM:	Paula Sime	
1725 Park St., Alameda, CA			Total Purge Volume		
	12:37	27	12.60	142.10	6.56
TOTAL PURGE					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW7	12:40	10	°C	uS	
	12:47	10	13.20	100.10	6.64
	12:54	20	13.50	100.30	6.60
	13:01	30	13.50	101.00	6.61
TOTAL PURGE					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW5	9:35	10	°C	uS	
	9:41	10	14.10	159.90	6.63
	9:48	20	13.60	155.40	6.44
		30			
TOTAL PURGE 25					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW4	9:59	9	°C	uS	
	10:05	9	14.80	141.10	6.43
	10:12	18	14.20	141.40	6.46
		27			
TOTAL PURGE 26					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW11	10:29	2	°C	uS	

<b>GROUNDWATER MONITORING - FIELD LOG</b>					
<b>ERI #</b>	2506 13x		<b>QRT</b>	2nd	2011
<b>Client:</b>	ExxonMobil		<b>DATE:</b>	5/25/11	
<b>Site ID:</b>	7-0104		<b>TECH</b>	JP	
<b>ADDRESS:</b>			<b>PM:</b>	Paula Sime	
1725 Park St., Alameda, CA			<b>Total Purge Volume</b>		
	10:31	2	14.50	83.80	6.61
	10:32	4	14.60	107.20	6.36
	10:33	6	14.60	123.10	6.74
<b>TOTAL PURGE</b>		6			
<b>COMMENTS:</b>					
		<b>PRG</b>			
<b>WELL #</b>	<b>TIME</b>	<b>VOL</b>	<b>TEMP</b>	<b>COND</b>	<b>pH</b>
<b>MW3</b>	10:42	7	°C	uS	
	10:46	7	15.30	228.00	6.81
	10:51	14	14.60	160.00	6.82
		21			
<b>TOTAL PURGE</b>		20			
<b>COMMENTS:</b>					
		<b>PRG</b>			
<b>WELL #</b>	<b>TIME</b>	<b>VOL</b>	<b>TEMP</b>	<b>COND</b>	<b>pH</b>
<b>MW1</b>	11:03	10	°C	uS	
	11:11	10	14.10	183.60	6.83
	11:20	20	13.40	182.20	6.81
	11:31	30	13.90	180.90	6.83
<b>TOTAL PURGE</b>		30			
<b>COMMENTS:</b>					



# WATER SAMPLING SITE STATUS

Date: 5/25 - 5/26

ERI Job Number: 2506 Station No.: 70104

Site Address: 1725 Park St, Alameda

Inspected by: JA

Well ID	Well Head Screws	Rubber Gasket	Well Cap Locking	Lock on Well Cap	Concrete Well Seal	Well Head PVC	Water in Well Vault	Well Cover	Fence/Gate Condition	# Drums	Drum Contents	Building Condition	Site Appearance	Comments / Well Covers
	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	Y/N	N/R/ok	N/R/ok	N/R/ok	s/w/e	g/v/o	N/R/ok	
MW1	OK	OK	OK	OK	OK	OK	N	OK	OK	OK			OK	
2	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	
3	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	
4	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	
5	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	
6	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	
7	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	
8	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	
9	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	
11	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓			↓	Tags striped " " " "

N = Not repairable in time available-see comments.  
 R = Repaired-see comments  
 ok = No action needed.

Y = Yes.  
 N = No.

s = Soil.  
 w = Water.  
 e = Empty.

g = Graffiti on walls.  
 v = Vagrants (or evidence of).  
 o = Open (not secured).

## **APPENDIX D**

**SOP-25: "HYDROCARBONS REMOVED FROM A VADOSE WELL"**

**HYDROCARBON REMOVAL FROM A VADOSE WELL  
SOP-25**

Rev: JO'C

**POUNDS OF HYDROCARBON IN A VAPOR STREAM**

INPUT DATA:

- 1) Vapor flow rate acfm (usually by Pitot tube)
- 2) Vapor pressure at the flow measuring device (in inches of H<sub>2</sub>O) (use {-} for vacuum)
- 3) Vapor temperature at the flow-measuring device.
- 4) Hydrocarbon content of vapor (usually in mg/M<sup>3</sup>) for ppmv you need molecular weight.
- 5) Length of time (usually hours) over which flow rate occurred)

From periodic measurements, a calculation of total pounds of hydrocarbons removed from a well or from a system is calculated. The input data listed above are measured at a point in time. To calculate quantities removed, some assumptions must be made about what was happening between measurements. The following assumptions will be used for the sake of consistency:

ASSUMPTIONS:

- 1) Vapor flow for the period equals the average of the initial and final reading for the period.
- 2) Pressure and temperature for the entire period will be the final reading.
- 3) Hydrocarbon concentration for the period equals the average of the initial and final reading.
- 4) The hours of operation can be taken from an hour meter, an electric meter or will be assumed to be equal to the time between measurements.
- 5) If the unit is found down - try to determine how many hours it did operate and use the data taken for the previous period to make the calculations. Restart the unit and then take data to start the next period.

SAMPLE DATA AND CALCULATIONS

Date	Time	Temp deg F	Press in H <sub>2</sub> O	HC conc mg/M <sup>3</sup>	Vapor flow acfm	Calc. lb. rem.
1/6/95	11:00	70	-46	2000	120	
1/7/95	13:00	55	-50	1350	90	
1/8/95	10:00	80	-13	750	100	7.4

Calculate the pounds of hydrocarbon removed from the system during the basis period from 13:00 (1:00 pm) on the 7th to 10 am on the 8th. Pressure and temperature of the measurements (at the flow meter) must be corrected to the P and T used to report the HC concentration (which are P = 1 atm and T = 70 deg F). 1 atm = 14.7psia, 760 mm Hg, or 407 in H<sub>2</sub>O. T<sub>abs</sub> = 460 + T deg F

Hours of operation = 21, T = 80, P = -13, HC = (1350+750)/2 = 1050 mg/M<sup>3</sup>. Flow = 95

$$21 \times 60 \times 95 \times \frac{(460+70)}{(460+80)} \times \frac{(407-13)}{407} \times \frac{28.3}{1000} \times \frac{1050}{1000} \times \frac{1}{454} = 7.4 \text{ lb}$$

$$\frac{\text{hr}}{\text{basis}} \times \frac{\text{min}}{\text{hr}} \times \frac{\text{cu ft}}{\text{min}} \times T_{\text{Corr}} \times P_{\text{Corr}} \times \frac{\text{M}^3}{\text{cu ft}} \times \frac{\text{g}}{\text{M}^3} \times \frac{\text{lb}}{\text{g}} = \frac{\text{lb}}{\text{basis}}$$

$$21 \times 60 \times 95 \times 0.98 \times 0.97 \times 0.0283 \times 1.050 \times 1/454 = 7.4 \text{ lb.}$$

cumulative lbs. (the running total) = the sum of all the previous periods.

Note: If results are given in ppm, an assumption about the molecular weight of the hydrocarbon must be made to convert ppm into mg/M<sup>3</sup>. ppmv x molecular wt. /24.1 = mg/M<sup>3</sup>. (Use 102 for gasoline)

**APPENDIX E**

**GROUNDWATER MONITORING AND SAMPLING DATA,  
1701 PARK STREET (P&D ENVIRONMENTAL)**

Table 1. Well Monitoring Data				
Well Number	Date Monitored	Top of Casing Elevation (ft-msl.)	Depth to Water (ft)	Water Table Elevation (ft-MSL)
MW1	6/16/2011	22.36*	6.41	15.95
	5/26/2011		5.86	16.50
	5/24/2011		6.43	15.93
	11/18/2010	19.60**	7.78	11.82
	4/28/2010		6.35	13.25
	12/3/2009		7.84	11.76
	2/25/2009		6.07	13.53
	11/25/2008		7.91	11.69
	8/27/2008		8.03	11.57
	5/28/2008		7.28	12.32
	2/27/2008		6.15	13.45
	11/29/2007		7.82	11.78
	8/29/2007		8.29	11.31
	5/29/2007		7.44	12.16
	3/12/2007		6.34	13.26
	11/6/2006		7.99	11.61
MW2	6/16/2011	23.10*	6.89	16.21
	5/26/2011		6.90	16.20
	5/24/2011		6.90	16.20
	11/18/2010	20.31**	8.17	12.14
	4/28/2010		6.76	13.55
	12/3/2009		8.23	12.08
	2/25/2009		6.37	13.94
	11/25/2008		8.21	12.10
	8/27/2008		8.40	11.91
	5/28/2008		7.72	12.59
	2/27/2008		6.49	13.82
	11/29/2007		8.15	12.16
	8/29/2007		8.55	11.76
	5/29/2007		7.79	12.52
	3/12/2007		6.82	13.49
	11/6/2006		8.25	12.06
MW3	6/16/2011	23.35*	6.17	17.18
	5/26/2011		6.19	17.16
	5/24/2011		6.16	17.19
	11/18/2010	20.57**	7.93	12.64
	4/28/2010		6.00	14.57
	12/3/2009		7.83	12.74
	2/25/2009		5.42	15.15
	11/25/2008		7.83	12.74
	8/27/2008		8.23	12.34
	5/28/2008		7.36	13.21
	2/27/2008		5.75	14.82
	11/29/2007		7.88	12.69
	8/29/2007		8.31	12.26
	5/29/2007		7.26	13.31
	3/12/2007		6.03	14.54
	11/6/2006		8.09	12.48
MW4	6/16/2011	22.48*	5.79	16.69
	5/26/2011		6.41	16.07
	5/24/2011		5.82	16.66
	11/18/2010	19.69**	7.69	12.00
	4/28/2010		5.82	13.87
	12/3/2009		7.60	12.09
	2/25/2009		5.32	14.37
	11/25/2008		7.61	12.08
	8/27/2008		7.91	11.78
	5/28/2008		6.97	12.72
	2/27/2008		5.38	14.31
	11/29/2007		7.57	12.12
	8/29/2007		8.07	11.62
	5/29/2007		7.38	12.31
	3/12/2007		5.30	14.39
	11/6/2006		7.60	12.09
EW2	6/16/2011	22.13*	6.09	16.04
	5/26/2011		6.14	15.99
	5/24/2011***		6.12	16.01
EW4	6/16/2011	20.95*	4.72	16.23
	5/26/2011		4.77	16.18
	5/24/2011***		4.75	16.20
EW5	6/16/2011	21.20*	4.71	16.49
	5/26/2011		4.88	16.32
	5/24/2011***		4.74	16.46
OW2	6/16/2011	21.55*	4.80	16.75
	5/26/2011		4.82	16.73
	5/24/2011***		4.79	16.76

**Abbreviations and Notes:**  
 \* = Surveyed by Kier & Wright on June 9, 2011.  
 \*\* = Surveyed by Andreas Deak in April 1997.  
 \*\*\* = Prior to well development.  
 ft-MSL = feet above mean sea level  
 ft = feet



**APPENDIX F**  
**WASTE DOCUMENTATION**

# NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

<b>NON-HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No.	Manifest Document No. EM 7-0104	2. Page 1 of 1
3. Generator's Name and Mailing Address Exxon Mobil # 7-0104 1725 Park St. Alameda CA		CARDINO ERI		
4. Generator's Phone ( )				
5. Transporter 1 Company Name CARDINO ERI	6. US EPA ID Number	A. State Transporter's ID		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter 1 Phone		
9. Designated Facility Name and Site Address Instat Inc 1105 C Airport Rd Rio Vista CA		C. State Transporter's ID		
		D. Transporter 2 Phone		
		E. State Facility's ID		
		F. Facility's Phone (707) 374-3834		
11. WASTE DESCRIPTION		12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a.		No.	Type	
non-hazardous monitoring well water		1	Poly	232 gal.
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above Color - GRAY odor - <del>0</del> Solids - Fines		H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information				
<b>16. GENERATOR'S CERTIFICATION:</b> I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name		Signature		Date Month Day Year
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year
Printed/Typed Name Mike Prowse		Signature		6   2   11
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Date Month Day Year
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.				
Printed/Typed Name Instat Inc P. McLaughlin		Signature		Date Month Day Year 6   2   11

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY

