

SEP 22 '98 PM 3:23

0.4

EXXON COMPANY, U.S.A.

no need to replace MW-10

P.O. BOX 4032 • CONCORD, CALIFORNIA 94524-4032
MARKETING DEPARTMENT • ENVIRONMENTAL ENGINEERING

MARLA D. GUENSLER
SENIOR ENGINEER

(925) 246-8776
(925) 246-8798 FAX

September 21, 1998

Ms. Juliet Shin
Alameda County Department of Environmental Health
Hazardous Materials Division
1131 Harbor Bay Parkway
Alameda, California 94502-6577

RE: EXXON RAS #7-0104/1725 Park Street, Alameda, California

Dear Ms. Shin:

Attached for your review and comment is a report entitled *Quarterly Ground Water Monitoring Report, Second Quarter 1998 and Third Quarter 1998* for the above referenced site. This report was prepared by Delta Environmental Consultants, Inc., of Rancho Cordova, California, and details the results of the April 1998 and July 1998 ground water monitoring and sampling events.

If you have any questions or comments, please contact me at (925) 246-8776.

Sincerely,



Marla D. Guensler
Senior Engineer

MDG/tjm

attachment: Delta's *Quarterly Ground Water Monitoring Report, Second Quarter 1998 and Third Quarter 1998*, dated, September 14, 1998

cc: w/attachment
Mr. Richard Hiatt - California Regional Water Quality Control Board, San Francisco Bay Region

w/o attachment
Mr. Richard D. Munsch - Delta Environmental Consultants, Inc.



3164 Gold Camp Drive
Suite 200
Rancho Cordova, CA 95670-6021
U.S.A.
916/638-2085
FAX: 916/638-8385

September 14, 1998

Ms. Marla Guensler
Exxon Company, U.S.A.
2300 Clayton Road, Suite 640
Concord, California 94520

Subject: *Quarterly Ground Water Monitoring Report,
Second and Third Quarter 1998*
Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California
Delta Project No. D094-832

Dear Ms. Guensler:

Delta Environmental Consultants, Inc. (Delta), has been authorized by Exxon Company, U.S.A. (Exxon), to conduct quarterly ground water monitoring and remediation activities at Exxon Service Station No. 7-0104, located at 1725 Park Street, Alameda, California. This report presents the results of quarterly ground water monitoring conducted on April 14, 1998, and July 30, 1998. The location of the site is shown in Figure 1 and site features are illustrated in Figure 2. Work conducted at the site by Delta was performed in accordance with the field methods and procedures described in Enclosure A.

Ground Water Elevation Measurements, Flow Direction, and Hydraulic Gradient

Depth to ground water was measured on April 14, 1998, in monitoring wells MW-6, MW-8 and MW-11. Depth to ground water was measured in monitoring wells MW-1 through MW-9, MW-11, and MW-12, and recovery wells EW-1 through EW-5 on July 30, 1998. Depth to ground water could not be measured in monitoring well MW-10 because the well appears to have been inadvertently destroyed by Chevron's consultant for the adjacent site. On July 30, 1998, depth to ground water in the measured wells ranged from 4.89 (EW-4) to 18.57 (EW-3) feet below the top of the well casings. Ground water elevations in the measured monitoring wells decreased approximately 3.1 feet from the January 1998 measurements. Cumulative ground water level measurements collected by Delta are presented in Table 1. Historical ground water monitoring and sampling data collected by previous consultants (June 7, 1988 through February 25, 1994) are presented in Enclosure B.

A ground water elevation contour map constructed from the ground water level measurements recorded on July 30, 1998, is included as Figure 3. The contour map indicates a ground water flow direction toward the east with a component radially away from recovery well EW-5 and toward EW-3. During the monitoring event, the soil vapor extraction system was in operation, and the ground water treatment system was operating. The historical ground water flow direction is toward the north east when the ground water treatment system is not operating.

Subjective Analysis

Liquid-phase petroleum hydrocarbons were not observed in any of the measured monitoring wells during the second and third quarter 1998 site visits.

Monitoring Well Sampling and Analytical Results

The Alameda County Health Services (ACHS) authorized a reduction in sampling at the site. This reduction requires monitoring wells MW-6 and MW-11 to be sampled quarterly; monitoring wells MW-1, MW-2, MW-4, MW-5, MW-7, and MW-10 to be sampled semi-annually during the first and third quarters. Sampling monitoring wells MW-3, MW-8, MW-9, and MW-12, and extraction wells EW-1 through EW-5 has been discontinued. A copy of the ACHS letter is included in Enclosure C.

Ground water samples were collected from monitoring wells MW-6, MW-8 and MW-11 on April 14, 1998, and from MW-1, MW-2, MW-4 through MW-8, and MW-11 on July 30, 1998. A ground water sample could not be collected from monitoring well MW-10 because the well was inadvertently destroyed by Chevron's consultant for the site located immediately northeast of the Exxon site, on November 12, 1997. Exxon is currently in negotiations with Chevron regarding replacement of monitoring well MW-10. The ground water samples were submitted to Sequoia Analytical (a California-certified laboratory) for analyses of benzene, toluene, ethylbenzene, total xylenes (BTEX) by EPA Method 8020, and total purgeable petroleum hydrocarbons (TPPH) as gasoline by EPA Method 8015 Modified. In addition, the ground water samples collected from monitoring wells MW-6 and MW-11 on April 14, 1998 were analyzed for MTBE by EPA Method 8260. The ground water samples collected on July 30, 1998 were analyzed for MTBE using EPA Method 8020. Cumulative analytical results for the ground water samples collected to date by Delta are summarized in Table 1. A copy of the laboratory analytical reports and chain-of-custody documentation for the ground water samples collected on April 14, 1998, and July 30, 1998 are presented in Enclosure D. A summary of historical analytical results for ground water samples collected by previous consultants (June 7, 1988 through February 25, 1994) is presented in Enclosure B.

The chemical analyses on ground water samples collected from monitoring wells MW-6 and MW-11 during the April 14, 1998 monitoring event detected TPPH as gasoline at concentrations of 25,000 micrograms per liter ($\mu\text{g/L}$) and 15,000 $\mu\text{g/L}$, respectively, and benzene at concentrations of 850 $\mu\text{g/L}$ and 1,700 $\mu\text{g/L}$, respectively. MTBE using EPA Method 8020 was detected in the ground water samples collected from monitoring wells MW-6 and MW-11 at concentrations of 2,400 $\mu\text{g/L}$ and 1,600 $\mu\text{g/L}$, respectively. The presence of MTBE was confirmed in these wells using EPA Method 8260, and was reported at concentrations of 2,100 $\mu\text{g/L}$ and 1,200 $\mu\text{g/L}$, respectively.

The chemical analyses on ground water samples collected from monitoring wells MW-1, MW-2, MW-4 through MW-7, and MW-11, on July 30, 1998, detected benzene concentrations ranging from less than the laboratory reporting limit of 0.5 $\mu\text{g/L}$ (MW-8) to 7,500 $\mu\text{g/L}$ (MW-2), TPPH as gasoline concentrations ranging from less than the laboratory reporting limit in (MW-8) to 24,000 $\mu\text{g/L}$ (MW-2) and MTBE at concentrations ranging from 6.6 $\mu\text{g/L}$ in (MW-8) to 6,300 $\mu\text{g/L}$ (MW-2). A dissolved benzene concentration map based on analytical results for ground water samples collected on July 30, 1998, is included as Figure 4.

Ground Water Remediation System Status

The ground water remediation system is sampled on a monthly basis, as required in the discharge permit issued by the East Bay Municipal Utility District (EBMUD). Influent, mid-carbon, and effluent water samples are collected for analyses of BTEX by EPA Method 5030/8020, and TPPH as gasoline by EPA Method 8015 Modified. As per the discharge permit, the ground water remediation system analytical sampling results are presented in semi-annual reports to EBMUD.

Future Work

The next quarterly monitoring event for this site is scheduled for October 1998, at which time monitoring wells MW-6 and MW-11 will be sampled. Monitoring wells MW-1, MW-2, MW-4 through MW-7, MW-10 (if the replacement well has been installed), and MW-11 will be sampled during January 1998. Delta anticipates continuing operation of the ground water remediation system.

Delta recommends that a copy of this report be forwarded to the following agencies:

Mr. Richard Hiatt
Regional Water Quality Board
San Francisco Bay Region
2101 Webster Street, Suite 500
Oakland, California 94612

Mr. Larry Seto
Alameda County Department of Environmental Health
Hazardous Material Division
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Ms. Juliet Shin
Alameda County Department of
Environmental Health Hazardous
Material Division
1131 Harbor Bay Parkway
Alameda, California 94502-6577

Remarks/Signatures


The interpretations contained in this report represent our professional opinions, and are based in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeologic and engineering practices at this time and location. Other than this, no warranty is implied or intended.


Ms. Marla Guensler
Exxon Company, U.S.A.
September 14, 1998
Page 4


If you have any questions regarding this project, please contact Richard Munsch at (916) 638-2085.

Sincerely,

DELTA ENVIRONMENTAL CONSULTANTS, INC.


Benjamin I. Heningburg
Staff Geologist


James R. Brownell, R.G.
California Registered Geologists No. 5028



BIH (LRP015.832)
Enclosures

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104

1725 Park Street

Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-1	09/12/94	17.35	7.11	10.24	200	1.9	210	6.6	1,600 ^a	NA	NA	No LPH or sheen
	10/01/94		7.44	9.91	200	<0.5	160	6.6	1,400 ^a	NA	NA	No LPH or sheen
	01/13/95		5.13	12.22	410 ^b	17	280 ^b	89	2,100 ^a	NA	NA	No LPH or sheen
	04/27/95		6.57	10.78	460	41	340	270	4,700	NA	NA	No LPH or sheen
	08/03/95		7.46	9.89	140	<5.0	160	9.9	1,900	30	NA	No LPH or sheen
	10/17/95		7.67	9.68	6.2	<0.5	13	0.75	280	5.5	NA	No LPH or sheen
	01/24/96		6.52	10.83	21	1.4	38	3.1	740	440	NA	No LPH or sheen
	04/24/96		5.95	11.40	200	110	1,000	740	7,800	250	NA	No LPH or sheen
	07/26/96		7.60	9.75	8.0	0.99	26	1.0	620	23	NA	No LPH or sheen
	10/30/96		8.06	9.29	14	2.9	85	3.5	700	33	NA	No LPH or sheen
	01/31/97		5.12	12.23	420	33	1,400	480	7,600	<200	NA	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		7.54	9.81	10	<0.5	<0.5	<0.5	580	12	NA	No LPH or sheen
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		4.48	12.87	110	2.8	170	14	820	<2.5 ^c	NA	No LPH or sheen
	04/14/98		4.69	12.66	NS	NS	NS	NS	NS	NS	NS	Not Measured
	07/30/98		6.19	11.16	210	<5.0	550	<5.0	2,700	41	NA	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-2	09/12/94	16.67	6.71	9.96	4,400	120	1,700	2,100	31,000 ^a	NA	NA	No LPH or sheen
	10/01/94		7.22	9.45	4,500	250	1,800	2,400	45,000 ^a	NA	NA	No LPH or sheen
	01/13/95		4.46	12.22	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/27/95		6.92	9.75	7,000	840	2,400	3,400	44,000	NA	NA	No LPH or sheen
	08/03/95		6.96	9.71	4,600	170	1,600	1,100	30,000	37,000	NA	No LPH or sheen
	10/17/95		7.83	8.84	5,400	190	2,000	1,500	45,000	14,000	NA	No LPH or sheen
	01/24/96		6.45	10.22	5,000	810	2,200	2,200	30,000	4,100	NA	No LPH or sheen
	04/24/96		6.00	10.67	8,700	410	2,200	2,000	34,000	22,000	NA	No LPH or sheen
	07/26/96		7.14	9.53	10,000	<200	1,800	760	40,000	18,000	NA	No LPH or sheen
	10/30/96		6.95	9.72	9,100	<250	2,400	730	43,000	18,000	NA	No LPH or sheen
	01/31/97		5.07	11.60	2,400	630	1,500	3,300	28,000	8,000 ^c	NA	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		7.34	9.33	2,900	82	1,500	530	18,000	2,600	NA	No LPH or sheen
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		4.46	12.21	5,600	410	1,500	720	29,000	28,000 ^e	NA	No LPH or sheen
	04/14/98		4.48	12.19	NS	NS	NS	NS	NS	NS	NS	Not Measured
	07/30/98		6.01	10.66	7,500	<200	1,300	280	24,000	6,300	NA	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104

1725 Park Street

Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-3	09/12/94	17.11	6.58	10.53	580	8	340	100	3,100 ^a	NA	NA	No LPH or sheen
	10/01/94		6.85	10.26	640	11	230	130	3,800 ^a	NA	NA	No LPH or sheen
	01/13/95		5.27	11.84	690	24	210	130	3,800 ^a	NA	NA	No LPH or sheen
	04/27/95		6.05	11.06	940	35	810	530	7,500	NA	NA	No LPH or sheen
	08/03/95		6.71	10.40	380	<5.0	140	45	1,900	24	NA	No LPH or sheen
	10/17/95		7.46	9.65	950	29	230	190	6,100	<5.0	NA	No LPH or sheen
	01/24/96		5.83	11.28	730	15	190	110	3,000	<100	NA	No LPH or sheen
	04/24/96		5.38	11.73	1,200	130	1,000	1,400	11,000	<100	NA	No LPH or sheen
	07/26/96		6.80	10.31	800	16	24	56	2,500	250	NA	No LPH or sheen
	10/30/96		7.20	9.91	1,300	28	170	180	5,200	2,900	NA	No LPH or sheen
	01/31/97		4.31	12.80	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		4.03	13.08	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/14/98		3.80	13.31	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	07/30/98		5.84	11.27	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104

1725 Park Street

Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-4	09/12/94	17.34	6.80	10.54	900	57	310	490	5,200 ^a	NA	NA	No LPH or sheen
	10/01/94		7.09	10.25	1,200	66	360	380	9,100 ^a	NA	NA	No LPH or sheen
	01/13/95		4.66	12.68	1,300	200	550	1,000	25,000 ^a	NA	NA	No LPH or sheen
	04/27/95		5.54	11.80	650	130	350	590	5,900	NA	NA	No LPH or sheen
	08/03/95		6.92	10.42	1,000	<12	170	140	4,200	5,700	NA	No LPH or sheen
	10/17/95		7.50	9.84	1,300	30	360	380	6,900	1,700	NA	No LPH or sheen
	01/24/96		5.81	11.53	1,900	46	290	330	6,300	830	NA	No LPH or sheen
	04/24/96		5.44	11.90	1,800	<20	190	130	5,000	1,600	NA	No LPH or sheen
	07/26/96		7.03	10.31	1,700	<25	340	280	9,100	1,200	NA	No LPH or sheen
	10/30/96		7.57	9.77	1,100	35	420	300	5,300	1,500	NA	No LPH or sheen
	01/31/97		4.22	13.12	1,200	28	490	130	6,500	40,000	NA	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		7.56	9.78	1,100	120	470	720	10,000	11,000	NA	No LPH or sheen
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.70	13.64	450	6.8	220	73	1,700	4,900 ^c	NA	No LPH or sheen
	04/14/98		3.81	13.53	NS	NS	NS	NS	NS	NS	NS	Not Measured
	07/30/98		5.96	11.38	680	<10	220	56	2,900	2,800	NA	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104

1725 Park Street

Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-5	09/12/94	16.71	7.12	9.59	2,300	17	320	230	10,000 ^a	NA	NA	No LPH or sheen
	10/01/94		7.06	9.65	2,300	19	220	200	11,000 ^a	NA	NA	Sheen
	01/13/95		4.85	11.88	NS	NS	NS	NS	NS	NS	NS	LPH thickness of 0.02'
	04/27/95		6.51	10.20	2,200	72	540	350	14,000	NA	NA	No LPH or sheen
	08/03/95		7.24	9.47	2,100	<100	210	<100	<10,000	39,000	NA	No LPH or sheen
	10/17/95		7.80	8.91	1,800	14	240	170	13,000	38,000	NA	No LPH or sheen
	01/24/96		6.66	10.05	2,400	79	340	190	10,000	20,000	NA	No LPH or sheen
	04/24/96		5.80	10.91	3,700	120	520	170	13,000	33,000	NA	No LPH or sheen
	07/26/96		7.67	9.04	3,400	53	280	76	15,000	140,000	NA	No LPH or sheen
	10/30/96		7.77	8.94	2,600	76	260	150	10,000	110,000 ^a	NA	No LPH or sheen
	01/31/97		4.90	11.81	2,400	66	430	140	10,000	34,000 ^c	NA	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		7.65	9.06	1,400	120	190	120	9,800	36,000/ 52,000 ^c	NA	No LPH or sheen
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.95	12.76	1,500	34	73	57	6,500	15,000 ^c	NA	No LPH or sheen
	04/14/98		4.30	12.41	NS	NS	NS	NS	NS	NS	NS	Not Measured
	07/30/98		5.86	10.85	1,700	26	110	66	8,300	4,300	NA	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-6	09/12/94	17.56	6.88	10.68	150	4.4	170	85	1,500 ^a	NA	NA	No LPH or sheen
	10/01/94		7.15	10.41	120	<0.5	99	38	87 ^a	NA	NA	No LPH or sheen
	01/13/95		4.80	12.76	710	220	780	1,100	9,900 ^a	NA	NA	No LPH or sheen
	04/27/95		6.14	11.42	340	40	460	320	3,900	NA	NA	No LPH or sheen
	08/03/95		6.83	10.73	89	<2.5	110	63	1,100	65	NA	No LPH or sheen
	10/17/95		7.66	9.90	410	74	850	110	8,500	<5.0	NA	No LPH or sheen
	01/24/96		5.86	11.70	560	1,500	2,200	7,500	31,000	<5.0	NA	No LPH or sheen
	04/24/96		5.39	12.17	460	570	1,400	3,300	15,000	280	NA	No LPH or sheen
	07/26/96		6.97	10.59	270	660	1,600	5,500	27,000	1,300	NA	No LPH or sheen
	10/30/96		7.45	10.11	490	440	1,800	6,200	28,000	900	NA	No LPH or sheen
	01/31/97		4.30	13.26	190	1,000	380	1,400	7,000	770	NA	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		7.57	9.99	200	<50	300	860	6,800	1,100	NA	No LPH or sheen
	10/08/97		7.48	10.08	870	7,300	2,600	12,000	51,000	580	700 ^c	No LPH or sheen
	01/28/98		3.74	13.82	650	2,300	900	2,700	15,000	2,400 ^c	NA	No LPH or sheen
	04/14/98		3.92	13.64	850	3,300	1,200	4,300	25,000	2,100 ^c	NA	No LPH or sheen
	07/30/98		6.09	11.47	270	65	500	630	5,900	910	NA	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-7	09/12/94	17.12	6.43	10.69	490	50	280	70	6,000 ^a	NA	NA	No LPH or sheen
	10/01/94		6.71	10.41	940	670	310	160	8,900 ^a	NA	NA	No LPH or sheen
	01/13/95		4.29	12.83	590	780	970	4,200	20,000 ^a	NA	NA	No LPH or sheen
	04/27/95		5.00	12.12	410	32	410	230	8,800	NA	NA	No LPH or sheen
	08/03/95		6.53	10.59	390	<50	290	<50	4,900	17,000	NA	No LPH or sheen
	10/17/95		7.23	9.89	530	26	240	25	6,700	17,000	NA	No LPH or sheen
	01/24/96		5.26	11.86	2,000	390	350	230	9,300	60,000	NA	No LPH or sheen
	04/24/96		5.06	12.06	2,400	850	150	130	9,000	360,000	NA	No LPH or sheen
	07/26/96		6.62	10.50	530	25	60	46	4,800	86,000	NA	No LPH or sheen
	10/30/96		7.09	10.03	180	9.8	58	38	3,400	28,000	NA	No LPH or sheen
	01/31/97		3.65	13.47	300	18	48	37	3,800	45,000	NA	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		7.44	9.68	70	<25	<25	<25	3,500	18,000	NA	No LPH or sheen
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.06	14.06	1.0	<0.5	<0.5	0.67	100	250 ^c	NA	No LPH or sheen
	04/14/98		3.10	14.02	NS	NS	NS	NS	NS	NS	NS	Not Measured
	07/30/98		5.78	11.34	1.4	<0.5	<0.5	<0.5	100	670	NA	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104

1725 Park Street

Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-8	09/12/94	16.33	6.42	9.91	<0.5	<0.5	<0.5	<0.5	<50 ^a	NA	NA	No LPH or sheen
	10/01/94		6.62	9.71	<0.5	<0.5	<0.5	<0.5	<50 ^a	NA	NA	No LPH or sheen
	01/13/95		5.25	11.08	<0.5	<0.5	<0.5	<0.5	<50 ^a	NA	NA	No LPH or sheen
	04/27/95		6.00	10.33	<0.5	<0.5	<0.5	<0.5	<50	NA	NA	No LPH or sheen
	08/03/95		6.28	10.05	<0.5	<0.5	<0.5	<0.5	<50	<2.5	NA	No LPH or sheen
	10/17/95		6.93	9.40	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	01/24/96		5.71	10.62	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	04/24/96		5.52	10.81	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	07/26/96		6.27	10.06	<0.5	<0.5	<0.5	<0.5	<50	230	NA	No LPH or sheen
	10/30/96		6.69	9.64	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	01/31/97		5.18	11.15	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		5.11	11.22	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/14/98		5.02	11.31	<0.5	<0.5	<0.5	<0.5	<50	<2.5	NA	No LPH or sheen
	07/30/98		5.84	10.49	<0.5	<0.5	<0.5	<0.5	<50	6.6	NA	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104

1725 Park Street

Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-9	09/12/94	15.62	6.84	8.78	<0.5	<0.5	<0.5	<0.5	<50 ^a	NA	NA	No LPH or sheen
	10/01/94		6.97	8.65	<0.5	<0.5	<0.5	<0.5	<50 ^a	NA	NA	No LPH or sheen
	01/13/95		6.18	9.44	<0.5	<0.5	<0.5	<0.5	<50 ^a	NA	NA	No LPH or sheen
	04/27/95		6.58	9.04	<0.5	<0.5	<0.5	<0.5	<50	NA	NA	No LPH or sheen
	08/03/95		6.72	8.90	<0.5	<0.5	<0.5	<0.5	<50	<2.5	NA	No LPH or sheen
	10/17/95		7.09	8.53	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	01/24/96		6.46	9.16	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	04/24/96		6.43	9.19	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	07/26/96		6.80	8.82	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	10/30/96		6.94	8.68	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen
	01/31/97		6.10	9.52	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		5.66	9.96	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/14/98		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not Measured
	07/30/98		6.17	9.45	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
MW-10	09/12/94	16.79	7.04	9.75	<0.5	<0.5	1.6	<0.5	71 ^a	NA	NA	No LPH or sheen
	10/01/94		7.30	9.49	1.1	<0.5	2.8	0.73	330 ^a	NA	NA	No LPH or sheen
	01/13/95		6.04	10.75	<0.5	<0.5	<0.5	<0.5	90 ^a	NA	NA	No LPH or sheen
	04/27/95		6.66	10.13	<0.5	<0.5	5.4	1.3	140	NA	NA	No LPH or sheen
	08/03/95		7.23	9.56	<0.5	<0.5	<0.5	<0.5	150	<2.5	NA	No LPH or sheen
	10/17/95		7.93	8.86	<0.5	<0.5	<0.5	<0.5	<50	95	NA	No LPH or sheen
	01/24/96		6.43	10.36	1.6	0.52	62	28	760	24	NA	No LPH or sheen
	04/24/96		6.42	10.37	<0.5	<0.5	7.1	<0.5	110	6.8	NA	No LPH or sheen
	07/26/96		7.47	9.32	<0.5	<0.5	12	0.86	140	<5.0	NA	No LPH or sheen
	10/30/96		7.88	8.91	<0.5	<0.5	<0.5	<0.5	<50	5.6	NA	No LPH or sheen
	01/31/97		5.88	10.91	<0.5	<0.5	<0.5	<0.5	<50	10	NA	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		7.32	9.47	<0.5	<0.5	<0.5	<0.5	<50	<2.5	NA	No LPH or sheen
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured

Well destroyed on November 12, 1997

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments	
MW-11	10/17/95	18.04	7.72	10.32	3,800	150	950	4,500	34,000	890	NA	No LPH or sheen	
	01/24/96		5.97	12.07	3,800	1,200	2,100	9,800	44,000	<500	NA	No LPH or sheen	
	04/24/96		5.84	12.20	2,900	1,400	1,700	8,300	34,000	720	NA	No LPH or sheen	
	07/26/96		6.98	11.06	4,600	4,200	950	9,500	39,000	800	NA	No LPH or sheen	
	10/30/96		7.54	10.50	4,200	3,600	2,100	9,600	53,000	990	NA	No LPH or sheen	
	01/31/97		5.00	13.04	170	2,500	940	4,300	23,000	310°	NA	No LPH or sheen	
	04/10/97		NM	NC	1,200	440	970	6,400	29,000	200	NA	No LPH or sheen	
	07/10/97		7.30	10.74	1,700	870	1,900	12,000	42,000	690	NA	No LPH or sheen	
	10/08/97		7.62	10.42	1,700	2,500	1,400	9,900	42,000	1,100	1,300°	NA	No LPH or sheen
	01/28/98		4.77	13.27	2,400	3,500	1,700	7,900	35,000	6,800°	NA	No LPH or sheen	
	04/14/98		4.68	13.36	1,700	250	500	2,000	15,000	1,200°	NA	No LPH or sheen	
07/30/98	6.33	11.71	1,600	560	1,000	4,300	24,000	1,700	NA	No LPH or sheen			
MW-12	10/17/95	16.30	6.38	9.92	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen	
	01/24/96		4.86	11.44	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen	
	04/24/96		4.46	11.84	<0.5	0.68	<0.5	0.72	<50	<5.0	NA	No LPH or sheen	
	07/26/96		5.90	10.40	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen	
	10/30/96		6.56	9.74	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen	
	01/31/97		4.57	11.73	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No LPH or sheen	
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.90	12.40	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/14/98		3.67	12.63	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
07/30/98	5.00	11.30	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen		

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments	
EW-1	09/12/94	16.22	6.13	10.09	40	<0.5	10	5.4	400 ^a	NA	NA	No LPH or sheen	
	10/01/94		7.63	8.59	<0.5	4.4	30	11	3,400 ^a	NA	NA	No LPH or sheen	
	01/13/95		11.46	4.76	40	<0.5	12	16	680 ^a	NA	NA	No LPH or sheen	
	04/27/95		15.47	0.75	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen	
	08/03/95		13.85	2.37	2.7	<1.2	<1.2	<1.2	<125	590	NA	NA	No LPH or sheen
	10/17/95		8.05	8.17	220	<0.5	160	36	3,600	400	NA	NA	No LPH or sheen
	01/24/96		11.07	5.15	4.3	<0.5	1.3	0.53	64	260	NA	NA	No LPH or sheen
	04/24/96		6.20	10.02	130	2.3	35	2.1	740	3,000	NA	NA	No LPH or sheen
	07/26/96		13.93	2.29	<0.5	<0.5	<0.5	<0.5	<50	960	NA	NA	No LPH or sheen
	10/30/96		13.74	2.48	0.52	<0.5	<0.5	<0.5	<50	5,300	NA	NA	No LPH or sheen
	01/31/97		8.40	7.82	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.35	12.87	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/14/98		3.52	12.70	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	07/30/98		5.48	10.74	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
EW-2	09/12/94	16.05	6.09	9.96	2,000	79	180	290	8,800 ^a	NA	NA	No LPH or sheen
	10/01/94		7.32	8.73	1,400	6.7	700	310	9,500 ^a	NA	NA	No LPH or sheen
	01/13/95		14.38	1.67	930	270	21	280	5,700 ^a	NA	NA	No LPH or sheen
	04/27/95		15.23	0.82	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	08/03/95		7.19	8.86	170	27	36	64	830	1,600	NA	No LPH or sheen
	10/17/95		18.97	-2.92	<0.5	<0.5	<0.5	5.1	180	3,600	NA	No LPH or sheen
	01/24/96		20.32	-4.27	290	82	14	170	1,700	6,400	NA	No LPH or sheen
	04/24/96		9.46	6.59	670	200	110	490	3,500	7,300	NA	No LPH or sheen
	07/26/96		16.50	-0.45	250	56	10	220	1,400	14,000	NA	No LPH or sheen
	10/30/96		20.30	-4.25	200	44	8.8	190	1,500	13,000	NA	No LPH or sheen
	01/31/97		19.21	-3.16	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.35	12.70	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/14/98		3.45	12.60	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	07/30/98		11.50	4.55	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments	
EW-3	09/12/94	16.02	6.12	9.96	44	5.9	12	31	300 ^a	NA	NA	No LPH or sheen	
	10/01/94		10.52	5.50	12	0.42	1.7	3.7	140 ^a	NA	NA	No LPH or sheen	
	01/13/95		18.13	-2.11	4.6	7.6	1.2	6.6	230 ^a	NA	NA	No LPH or sheen	
	04/27/95		23.07	-7.05	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen	
	08/03/95		22.90	-6.88	<2.0	<2.0	<2.0	<2.0	<200	1,400	NA	NA	No LPH or sheen
	10/17/95		22.87	-6.85	4.4	<0.5	<0.5	<0.5	74	2,400	NA	NA	No LPH or sheen
	01/24/96		20.97	-4.95	16	<0.5	<0.5	<0.5	120	2,300	NA	NA	No LPH or sheen
	04/24/96		18.10	-2.08	34	3.7	8.9	11	180	3,800	NA	NA	No LPH or sheen
	07/26/96		13.14	2.88	45	0.7	<0.5	2.1	180	2,000	NA	NA	No LPH or sheen
	10/30/96		9.24	6.78	60	8.2	<0.5	100	660	2,800	NA	NA	No LPH or sheen
	01/31/97		11.10	4.92	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.42	12.60	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/14/98		3.50	12.52	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	07/30/98		18.57	-2.55	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104

1725 Park Street

Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments	
EW-4	09/12/94	16.61	5.69	10.92	1,700	12	210	77	4,000 ^a	NA	NA	No LPH or sheen	
	10/01/94		7.90	8.71	100	1.5	15	11	460 ^a	NA	NA	No LPH or sheen	
	01/13/95		11.36	5.25	89	8.8	1.6	82	520 ^a	NA	NA	No LPH or sheen	
	04/27/95		16.30	0.31	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen	
	08/03/95		6.45	10.16	3,100	1,100	2,000	8,200	42,000	17,000	NA	No LPH or sheen	
	10/17/95		15.89	0.72	6.3	<0.5	<0.5	<0.5	92	2,500	NA	No LPH or sheen	
	01/24/96		6.03	10.58	79	2.5	2.9	10	220	9,200	NA	No LPH or sheen	
	04/24/96		4.97	11.64	49	36	69	1,100	4,600	860	NA	No LPH or sheen	
	07/26/96		6.54	10.07	610	6.2	200	300	2,900	15,000	NA	No LPH or sheen	
	10/30/96		6.53	10.08	68	11	<2.5	71	550	3,400	NA	No LPH or sheen	
	01/31/97		3.98	12.63	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen	
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.22	13.39	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/14/98		3.20	13.41	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	07/30/98		4.89	11.72	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
1725 Park Street
Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments	
EW-5	09/12/94	16.51	6.30	10.21	26	1.7	11	12	180 ^a	NA	NA	No LPH or sheen	
	10/01/94		11.83	4.68	16	0.92	5.7	8.5	130 ^a	NA	NA	No LPH or sheen	
	01/13/95		12.54	3.97	0.6	0.8	0.6	2.9	130 ^a	NA	NA	No LPH or sheen	
	04/27/95		13.11	3.40	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen	
	08/03/95		11.99	4.52	<0.5	<0.5	<0.5	<0.5	70	210	NA	NA	No LPH or sheen
	10/17/95		13.43	3.08	1.5	<0.5	<0.5	3.0	78	50	NA	NA	No LPH or sheen
	01/24/96		9.72	6.79	280	66	22	370	2,500	350	NA	NA	No LPH or sheen
	04/24/96		8.13	8.38	690	240	380	1,300	6,400	400	NA	NA	No LPH or sheen
	07/26/96		10.00	6.51	82	2.5	2.4	100	850	84	NA	NA	No LPH or sheen
	10/30/96		9.82	6.69	110	5.1	2.2	120	1,200	68	NA	NA	No LPH or sheen
	01/31/97		9.00	7.51	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	04/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	07/10/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	10/08/97		NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	Not measured
	01/28/98		3.54	12.97	NS	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen

TABLE 1

GROUND WATER MONITORING DATA

Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Ground Water Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenate Compounds (µg/L)	Comments
	04/14/98		3.65	12.86	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen
	07/30/98		7.63	8.88	NS	NS	NS	NS	NS	NS	NS	No LPH or sheen

- ^a Total volatile hydrocarbons by DHS /LUFT Manual Method.
- ^b Results obtained from a 1:10 dilution analyzed on January 17, 1995.
- ^c Methyl tertiary butyl ether by EPA Method 8260 (GC/MS)

Reference elevation = Elevation surveyed relative mean sea level.

Depth to ground water = Measured from notch/mark on north edge of well casing.

Ground water elevation = adjusted ground water elevations, based on the specific gravity of gasoline as 0.80.

Total purgeable petroleum hydrocarbons by EPA Method 8015 Modified or DHS LUFT Method or total petroleum hydrocarbons (TPH) by EPA Method 8015 Modified.

MTBE = Methyl tertiary butyl ether by EPA Method 8015 Modified except as otherwise noted.

Oxygenate compounds = Ethanol, t-butanol, MTBE, diisopropyl ether, ethyl-t-butyl ether, and t-amyl methyl by EPA Method 8260.

µg/L = Micrograms per liter.


LPH = Liquid-phase petroleum hydrocarbons.

NS = Not sampled.

NA = Not analyzed.

NM = Not measured.

NC = Not calculated.



GENERAL NOTES:
 BASE MAP FROM U.S.G.S.
 OAKLAND EAST, CA.
 7.5 MINUTE TOPOGRAPHIC
 PHOTOREVISED 1980




R.3 W.

FIGURE 1
 SITE LOCATION MAP
 EXXON STATION NO 7-0104
 1725 PARK STREET
 ALAMEDA, CA.

PROJECT NO. D094-832	DRAWN BY I.H. 9/27/84
FILE NO.	PREPARED BY RDM
REVISION NO. 1	REVIEWED BY <i>[Signature]</i> 10/5/84





- LEGEND:**
- ⊕ MW-1 MONITORING WELL LOCATION
 - ⊙ EW-1 RECOVERY WELL LOCATION
 - ⊙ VW-1 VAPOR EXTRACTION WELL LOCATION
 - ⊗ SW-1 AIR SPARGING WELL LOCATION
 - SM-1 SPARGE MONITORING WELL LOCATION
 - MW-10 DESTROYED MONITORING WELL LOCATION

- UTILITIES**
- T — TELEPHONE LINE (OVERHEAD)
 - E --- ELECTRICAL LINE (BURIED)





FIGURE 2
SITE MAP
EXXON STATION NO 7-0104
1725 PARK STREET
ALAMEDA, CA.

PROJECT NO. D094-832	DRAWN BY M.L. 3/13/98
FILE NO. 94-832-1	PREPARED BY MAB
REVISION NO. 3	REVIEWED BY <i>[Signature]</i>

Delta
Environmental
Consultants, Inc.

NOTE:
BASE MAP ADAPTED FROM RESNA FIGURE. SITE
DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



- LEGEND:**
- ⊕ MW-1 MONITORING WELL LOCATION
 - ⊙ EW-1 RECOVERY WELL LOCATION
 - ⊙ VW-1 VAPOR EXTRACTION WELL LOCATION
 - ⊗ SW-1 AIR SPARGING WELL LOCATION
 - SM-1 SPARGE MONITORING WELL LOCATION
 - MW-10 DESTROYED MONITORING WELL LOCATION
 - (10.85) GROUND WATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL (MSL)
 - 11.0 - WATER TABLE CONTOUR IN FEET ABOVE MSL
 - GROUND WATER FLOW DIRECTION

- UTILITIES**
- T - TELEPHONE LINE (OVERHEAD)
 - - - E - - - ELECTRICAL LINE (BURIED)





FIGURE 3
 GROUND WATER ELEVATION CONTOUR MAP
 7/30/98
 EXXON STATION NO 7-0104
 1725 PARK STREET
 ALAMEDA, CA.

PROJECT NO. D094-832	DRAWN BY M.L. 9/14/98
FILE NO. 94-832-1	PREPARED BY JRB
REVISION NO. 2	REVIEWED BY JRB 9/14/98



NOTE:
 BASE MAP ADAPTED FROM RESNA FIGURE. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



- LEGEND:**
- ⊕ MW-1 MONITORING WELL LOCATION
 - ⊙ EW-1 RECOVERY WELL LOCATION
 - ⊙ VW-1 VAPOR EXTRACTION WELL LOCATION
 - ⊗ SW-1 AIR SPARGING WELL LOCATION
 - SM-1 SPARGE MONITORING WELL LOCATION
 - MW-10 DESTROYED MONITORING WELL LOCATION
 - (1.4) DISSOLVED BENZENE CONCENTRATION IN GROUND WATER IN MICROGRAMS PER LITER
 - (NS) NOT SAMPLED

- UTILITIES**
- T - TELEPHONE LINE (OVERHEAD)
 - - - E - - - ELECTRICAL LINE (BURIED)




FIGURE 4
DISSOLVED BENZENE CONCENTRATION MAP
7/30/98
EXXON STATION NO 7-0104
1725 PARK STREET
ALAMEDA, CA.

PROJECT NO. 0094-832	DRAWN BY M.L. 9/8/98
FILE NO. 94-832-1	PREPARED BY BIH
REVISION NO. 1	REVIEWED BY JTB 9/11/98



NOTE:
 BASE MAP ADAPTED FROM RESNA FIGURE. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.

ENCLOSURE A

Field Methods and Procedures

FIELD METHODS AND PROCEDURES

1.0 GROUND WATER AND LIQUID-PHASE PETROLEUM HYDROCARBON

DEPTH ASSESSMENT

A water/hydrocarbon interface probe was used to assess the liquid-phase hydrocarbon (LPH) thickness, if present, and a water level indicator was used to measure the ground water depth in monitoring wells that do not contain LPH. Depth to ground water was measured from the top of each monitoring well casing. The tip of the water level indicator was subjectively analyzed for hydrocarbon sheen.

2.0 SUBJECTIVE ANALYSIS OF GROUND WATER

Prior to purging, a water sample was collected from the monitoring well for subjective assessment. The sample was retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer was then retrieved, and the sample contained within the bailer was examined for floating LPH and the appearance of a LPH sheen.

3.0 MONITORING WELL PURGING AND SAMPLING

Monitoring wells were purged using a centrifugal pump until three well volumes of water had been removed. Ground water removed from the wells was discharged to the sanitary sewer after treatment through the ground water remediation system located at the subject site. After purging, ground water levels were allowed to stabilize. A ground water sample was then removed from each of the wells using a disposable bailer. If the well was purged dry, it was allowed to sufficiently recharge and a sample was collected. Samples were collected in air-tight vials, appropriately labeled, and stored on ice from the time of collection through the time of delivery to the laboratory. A chain-of-custody form was completed to ensure sample integrity. Ground water samples were transported to the laboratory and analyzed within the EPA-specified holding times for the requested analyses.

ENCLOSURE B

**Historical Ground Water Level Data and Analytical Results
(June 7, 1988 through February 25, 1994)**

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 1 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X
						parts per billion >			
MW-1	06/07/88	NM	NM	—	27,000	5,000	77	1,100	2,700
(17.35)	06/10/88#	NLPH	6.35	11.00					
	01/17/89	NLPH	5.81	11.54	6,800	2,000	91	800	1,600
	01/24/89#	NLPH	5.16	12.19					
	06/01/89	sheen	6.27	11.08	1,700	170	6.9	13	230
	09/18/89	NLPH	7.11	10.24	2,100	9.0	53	18	130
	10/20/89#	NLPH	7.28	10.07					
	11/22/89#	NLPH	7.02	10.33					
	12/11/89	NLPH	6.60	10.75	5,800	200	42	290	330
	02/13/90#	NLPH	6.02	11.33					
	03/07/90a#	NM	NM	—					
	03/13/90	NLPH	5.91	11.44	2,300	430	14	16	220
	04/18/90#	NLPH	6.18	11.17					
	05/23/90#	NLPH	6.29	11.06					
	06/14/90	NLPH	6.19	11.28	32,000	1,400	19	<5	120
	08/21/90#	NLPH	7.03	10.32					
	09/19/90	NLPH	7.26	10.09	950	290	2.9	<0.5	27
	12/17/90	NLPH	6.75	10.60	2,100	550	13	350	110
	01/31/91#	NLPH	6.78	10.57					
	02/25/91#	NLPH	6.59	10.76					
	03/19/91	NLPH	5.85	11.50	1,400	900	45	390	150
	04/22/91#	sheen	5.72	11.63					
	05/17/91#	NLPH	6.00	11.35					
	07/24/91	NLPH	6.79	10.56	9,700	1,300	670	950	2,100
	09/10/91#	NLPH	7.25	10.10					
	09/23/91#	NLPH	7.33	10.02					
	10/21/91#	NLPH	7.53	9.82					
	10/22/91	NM	NM	—	540	220	1.8	110	7.8
	11/18/91#	NLPH	7.13	10.22					
	12/11/91#	NLPH	7.25	10.10					
	01/21/92	NLPH	6.54	10.81	1,800	650	23	300	64
	02/20/92#	NLPH	4.82	12.53					
	03/19/92#	NLPH	5.24	12.11					
	04/24/92	NLPH	5.71	11.64	4,900	1,600	78	660	250
	05/13/92#	NLPH	5.99	11.36					
	06/24/92#	NLPH	6.65	10.70					
	07/16/92	NLPH	6.72	10.63	3,400	1,000	11	550	100
	08/19/92#	NLPH	7.07	10.28					
	09/24/92	NLPH	7.36	9.99	3,700	1,300	21	330	<10
	02/05/93	NLPH	5.21	12.14	11,000	2,400	160	1,400	790
	04/30/93	NLPH	5.88	11.47	6,500	330	320	640	1,300
	05/14/93#	NLPH	7.22	10.13					

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 2 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B parts per billion	T parts per billion	E parts per billion	X parts per billion
MW-1 cont. (17.35)	07/15/93	NLPH	8.01	9.34	7,600	270	62	1,100	1,000
	10/21/93#	NM	7.83	9.52					
	11/16/93	NLPH	8.69	8.66	840	18	1.4	72	17
	11/30/93#	NM	8.38	8.69					
	12/17/93#	NM	7.42	9.93					
	01/31/93#	NM	6.37	10.98					
	02/24-25/94	NLPH	6.23	10.84	810	15	9.0	98	58
MW-2 (16.67)	06/07/88	—	—	—	110,000	12,000	12,000	2,100	12,000
	06/10/88#	NLPH	6.20	10.47					
	01/17/89	NLPH	5.96	10.71	30,000	6,600	3,300	1,600	7,700
	01/24/89#	NLPH	5.04	11.63					
	06/01/89	sheen	6.32	10.35	8,700	330	280	680	1,200
	09/18/89	NLPH	6.73	9.94	17,000	580	280	570	220
	10/20/89#	NLPH	6.87	9.80					
	11/22/89#	NLPH	6.80	9.87					
	12/11/89	NLPH	6.57	10.10	32,000	1,000	850	310	1,200
	02/13/90#	NLPH	6.12	10.55					
	03/13/90	NLPH	6.02	10.65	39,000	3,500	1,500	2,100	3,900
	04/18/90#	NLPH	6.35	10.32					
	05/23/90#	NLPH	6.28	10.39					
	06/14/90	NLPH	6.14	10.53	34,000	3,800	730	1,600	3,900
	08/21/90#	NLPH	6.70	9.97					
	09/19/90	NLPH	6.84	9.83	63,000	670	180	390	1,000
	12/17/90	NLPH	6.46	10.21	140,000	3,700	2,500	3,000	8,300
	01/31/91#	sheen	6.66	10.01					
	02/25/91#	NLPH	6.50	10.17					
	03/19/91	sheen	5.76	10.91	48,000	4,500	1,600	2,100	5,500
	04/22/91#	NLPH	5.78	10.89					
	05/17/91#	NLPH	6.01	10.66					
	07/24/91	NLPH	6.43	10.24	49,000	3,500	2,200	2,000	6,400
	09/10/91#	NLPH	6.81	9.86					
	09/23/91#	NLPH	6.82	9.85					
10/21/91#	NLPH	7.01	9.66						
10/22/91	—	—	—	34,000	3,700	1,100	1,800	5,200	
11/18/91#	NLPH	6.66	10.01						
12/11/91#	NLPH	6.85	9.82						
01/21/92	NLPH	6.22	10.45	21,000	4,600	1,300	1,700	5,100	
02/20/92#	NLPH	5.28	11.39						
03/19/92#	NLPH	5.34	11.33						
04/24/92	sheen	5.75	10.92	36,000	5,000	970	2,300	5,200	
05/13/92#	NLPH	5.95	10.72						

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 3 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. >	TPHg <	B	T	E	X	
						parts per billion >				
MW-2 cont. (16.67)	06/24/92#	NLPH	6.39	10.28						
	07/16/92	sheen	6.50	10.17	42,000	3,500	490	1,800	3,700	
	08/19/92#	NLPH	6.69	9.98						
	09/24/92	sheen	6.74	9.93	26,000	3,600	670	1,700	3,300	
	02/05/93#	0.01	5.56	11.10						
	04/30/93	sheen	5.78	10.89	280,000	11,000	6,500	5,500	160,000	
	05/14/93#	NA	NA	—						
	07/15/93#	0.01	7.89	8.79						
	10/21/93#	NM	7.24	9.43						
	11/16/93#	0.02	8.37	8.32						
	11/30/93#	NM	7.93	8.74						
	12/17/93#	NM	7.74	8.93						
	01/31/94#	NM	6.32	10.35						
	02/24-25/94	NLPH	6.93	9.74	51,000	11,000	1,700	2,700	5,500	
	MW-3 (17.11)	06/07/88	NM	NM	—	28,000	6,000	80	940	1,900
		06/10/88#	NLPH	6.05	11.06					
01/17/89		NLPH	5.49	11.62	5,300	2,500	230	590	1,100	
01/24/89#		NLPH	5.38	11.73						
06/01/89		NLPH	5.96	11.15	5,400	330	300	570	680	
09/18/89		NLPH	6.65	10.46	12,000	680	170	350	860	
10/20/89#		NLPH	6.88	10.23						
11/22/89#		NLPH	6.74	10.37						
12/11/89		NLPH	6.37	10.74	14,000	1,100	150	670	690	
02/13/90#		NLPH	5.58	11.53						
03/13/90		NLPH	5.48	11.63	18,000	6,300	200	1,100	1,100	
04/18/90#		NLPH	6.01	11.10						
05/23/90#		NLPH	6.14	10.97						
06/14/90		NLPH	5.83	11.28	9,500	1,300	880	310	1,800	
08/21/90#		NLPH	6.67	10.44						
09/19/90		NLPH	6.88	10.23	16,000	5,000	65	1,500	450	
12/17/90		NLPH	6.46	10.65	6,700	1,500	64	650	460	
01/31/91#		NLPH	6.24	10.87						
02/25/91#		NLPH	6.18	10.93						
03/19/91		NLPH	5.35	11.76	18,000	4,200	2,100	1,100	1,200	
04/22/91#		NLPH	5.72	11.39						
05/17/91#	NLPH	5.55	11.56							
07/24/91	NLPH	6.41	10.70	38,000	6,200	990	2,900	9,600		
09/10/91#	NLPH	6.80	10.31							
09/23/91#	NLPH	6.80	10.31							
10/21/91#	NLPH	7.09	10.02							
10/22/91	NM	NM	—	23,000	3,400	150	2,500	4,400		

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 4 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X
						parts per billion >			
MW-3 cont. (17.11)	11/18/91#	NLPH	6.74	10.37					
	12/11/91#	NLPH	6.79	10.32					
	01/21/92	NLPH	6.16	10.95	13,000	2,700	30	1,800	740
	02/20/92#	NLPH	4.89	12.22					
	03/19/92#	NLPH	4.85	12.26					
	04/24/92	NLPH	5.28	11.83	17,000	4,200	170	1,600	600
	05/13/92#	NLPH	5.58	11.53					
	06/24/92#	NLPH	6.22	10.89					
	07/16/92	NLPH	6.36	10.75	11,000	2,700	230	1,100	570
	08/19/92#	NLPH	6.65	10.46					
	09/24/92	NLPH	6.93	10.18	7,100	2,000	44	1,000	220
	02/05/93	NLPH	4.71	12.40	13,000	3,600	110	1,300	430
	04/30/93	NLPH	5.46	11.65	13,000	1,600	370	1,600	1,800
	05/14/93#	NLPH	6.53	10.58					
	07/15/93	NLPH	7.28	9.83	2,100	310	15	230	58
	10/21/93#	NM	7.42	9.69					
	11/16/93	NLPH	8.02	9.09	4,000	400	400	120	490
	11/30/93	---	7.79	9.32	---	---	---	---	---
	12/17/93#	NM	7.13	9.98					
	01/31/94#	NM	6.32	10.79					
02/24-25/94	NLPH	6.04	11.07	3,300	280	52	150	400	
MW-4 (17.34)	01/17/89	NLPH	5.36	11.98	19,000	1,000	1,500	360	2,200
	01/24/89#	NLPH	5.46	11.88					
	06/01/89	NLPH	6.01	11.33	3,600	180	240	63	810
	09/18/89	NLPH	6.80	10.54	6,000	290	200	28	510
	10/20/89#	NLPH	7.08	10.26					
	11/22/89#	NLPH	6.82	10.52					
	12/11/89	NLPH	6.37	10.97	13,000	750	910	510	1,200
	02/13/90#	NLPH	5.49	11.85					
	03/07/90a#	NM	NM	---					
	03/13/90	NLPH	5.44	11.90	12,000	1,500	1500	470	28,000
	04/18/90#	NLPH	6.14	11.20					
	05/23/90#	NLPH	5.22	11.12					
	06/14/90	NLPH	5.92	11.42	12,000	5,700	400	1,300	760
	08/21/90#	NLPH	6.83	10.51					
	09/19/90	NLPH	7.07	10.27	5,500	670	180	390	1,000
	12/17/90	NLPH	6.50	10.84	14,000	1,400	620	540	2,100
01/31/91#	NLPH	6.66	10.68						
02/25/91#	NLPH	6.21	11.13						
03/19/91	NLPH	5.29	12.05	11,000	1,500	740	620	2,100	
04/22/91#	NLPH	5.26	12.08						

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 5 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet >	Elev. < >	TPHg < >	B < >	T parts per billion >	E < >	X < >
MW-4 cont. (17.34)	05/17/91#	NLPH	5.60	11.74					
	07/24/91	NLPH	6.54	10.80	10,000	1,200	440	410	1,200
	09/10/91#	NLPH	7.04	10.30					
	09/23/91#	NLPH	7.14	10.20					
	10/21/91#	sheen	7.30	10.04					
	10/22/91	—	—	—	4,600	750	190	350	780
	11/18/91#	NLPH	6.90	10.44					
	12/11/91#	NLPH	7.01	10.33					
	01/21/92	NLPH	6.25	11.09	6,000	1,300	320	510	1,200
	02/20/92#	NLPH	4.79	12.55					
	03/19/92#	NLPH	4.70	12.64					
	04/24/92	sheen	5.25	12.09	11,000	1,700	630	710	1,600
	05/13/92#	sheen	5.62	11.72					
	06/24/92#	sheen	6.19	11.15					
	07/16/92	sheen	6.51	10.83	5,400	870	240	440	700
	08/19/92#	NLPH	6.85	10.49					
	09/24/92	NLPH	7.17	10.17	5,900	1,300	130	530	690
	02/05/93	NLPH	4.61	12.73	15,000	2,300	820	980	2,200
	04/30/93	NLPH	5.59	11.75	21,000	4,000	960	1,500	2,900
	05/14/93#	NLPH	6.50	10.84					
	07/15/93	NLPH	7.50	9.84	2,300	440	55	130	220
	10/21/93#	NM	7.77	9.57					
	11/16/93	NLPH	8.27	9.07	5,100	820	160	260	760
	11/30/93	—	8.02	9.32	—	—	—	—	—
	12/17/93#	NM	7.04	10.30					
	01/31/94#	NM	6.36	10.98					
	02/24-25/94	NLPH	5.78	11.56	9,800	2,200	190	660	1,200
MW-5 (16.71)	01/17/89	NLPH	5.39	11.32	26,000	8,700	3,900	990	5,900
	01/24/89#	NLPH	5.51	11.20					
	06/01/89	sheen	5.83	10.88	5,200	240	220	130	690
	09/18/89	NLPH	6.52	10.19	8,000	340	150	140	460
	10/20/89#	NLPH	6.72	9.99					
	11/22/89#	NLPH	6.54	10.17					
	12/11/89	NLPH	6.21	10.50	15,000	720	320	450	870
	02/13/90#	NLPH	5.60	11.11					
	03/07/90#	NM	NM	—					
	03/13/90	NLPH	5.54	11.17	10,000	3,400	220	280	800
	04/18/90#	NLPH	5.75	10.96					
	05/23/90#	NLPH	5.98	10.73					
	06/14/90	NLPH	5.81	10.90	12,000	3,300	160	350	730
	08/21/90#	NLPH	6.51	10.20					

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 6 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X
						parts per billion			
MW-5 cont. (16.71)	09/19/90	NLPH	6.70	10.01	8,500	1,800	85	120	460
	12/17/90	sheen	6.24	10.47	18,000	2,300	810	430	1,400
	01/31/91#	NLPH	6.31	10.40					
	02/25/91#	NLPH	6.13	10.58					
	03/19/91	NLPH	5.32	11.39	17,000	2,900	610	580	1,200
	04/22/91#	sheen	5.30	11.41					
	05/17/91#	NLPH	5.59	11.12					
	07/24/91	NLPH	6.33	10.38	16,000	3,200	320	690	1,100
	09/10/91#	NLPH	6.66	10.05					
	09/23/91#	NLPH	6.75	9.96					
	10/21/91#	sheen	6.92	9.79					
	10/22/91	NM	NM	—	6,600	2,000	64	320	480
	11/18/91#	NLPH	6.55	10.16					
	12/11/91#	NLPH	6.64	10.07					
	01/21/92	sheen	6.07	10.64	14,000	4,000	190	630	1,300
	02/20/92#	NLPH	4.83	11.88					
	03/19/92#	sheen	4.83	11.88					
	04/24/92	sheen	5.32	11.39	12,000	2,600	120	620	530
	05/13/92#	sheen	5.61	11.10					
	06/24/92#	NLPH	6.17	10.54					
	07/16/92	sheen	6.25	10.46	20,000	4,000	48	880	720
	08/19/92#	sheen	6.53	10.18					
	09/24/92	sheen	6.80	9.91	9,300	2,200	31	330	250
	02/05/93b#	NLPH	4.70	12.01					
	04/30/93	sheen	5.43	11.28	30,000	5,900	450	1,900	1,500
	05/14/93#	NLPH	7.31	9.40					
	07/15/93#	0.07	7.93	8.84					
10/21/93#	NM	7.25	9.46						
11/15/93#	0.04	8.42	8.32						
11/30/93#	—	8.10	8.61						
12/17/93#	NM	7.43	9.28						
01/31/94#	NM	5.95	10.76						
02/24-25/94#	sheen	6.23	10.48						
MW-6 (17.56)	01/17/89	NLPH	5.59	11.97	38,000	7,400	9,300	2,000	9,900
	01/24/89#	NLPH	5.27	12.29					
	06/01/89	sheen	6.25	11.31	23,000	1,900	2,500	2,000	6,000
	09/18/89	NLPH	6.95	10.61	17,000	650	410	650	320
	10/20/89#	NLPH	7.24	10.32					
	11/22/89#	NLPH	7.05	10.51					
	12/11/89	NLPH	6.63	10.93	29,000	1,100	810	330	1,500
	02/13/90#	NLPH	5.70	11.86					

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 7 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. >	TPHg <	B parts per billion	T	E	X >
MW-6 cont. (17.56)	03/07/90#	NM	NM	—					
	03/13/90	NLPH	5.63	11.93	38,000	12,000	15,000	2,500	12,000
	04/18/90#	NLPH	6.26	11.30					
	05/23/90#	NLPH	6.42	11.14					
	06/14/90	NLPH	6.19	11.37	38,000	9,100	7,800	2,900	12,000
	08/21/90#	NLPH	7.01	10.55					
	09/19/90	NLPH	7.23	10.33	22,000	4,200	300	1,400	3,400
	12/17/90	NLPH	6.66	10.90	20,000	3,100	4,100	890	2,700
	01/31/91#	NLPH	6.39	11.17					
	02/25/91#	NLPH	6.39	11.17					
	03/19/91	NLPH	5.57	11.99	180,000	11,000	55,000	5,600	28,000
	04/22/91#	NLPH	5.42	12.14					
	05/17/91#	NLPH	5.73	11.83					
	07/24/91	NLPH	6.72	10.84	48,000	5,400	2,300	2,000	9,000
	09/10/91#	NLPH	7.15	10.41					
	09/23/91#	NLPH	7.25	10.31					
	10/21/91#	NLPH	7.42	10.14					
	10/22/91	NM	NM	—	18,000	3,100	700	1,400	2,900
	11/18/91#	NLPH	7.08	10.48					
	12/11/91#	NLPH	7.17	10.39					
	01/21/92	NLPH	6.40	11.16	9,400	2,100	370	1,000	1,100
	02/20/92#	NLPH	5.06	12.50					
	03/19/92#	NLPH	4.86	12.70					
	04/24/92	NLPH	5.44	12.12	42,000	3,500	8,000	2,100	8,000
	05/13/92#	NLPH	5.83	11.73					
	06/24/92#	NLPH	6.50	11.06					
	07/16/92	NLPH	6.68	10.88	14,000	1,500	1,000	1,000	2,500
	08/19/92#	NLPH	7.00	10.56					
	09/24/92	NLPH	7.28	10.28	4,700	790	97	640	540
	02/05/93	NLPH	4.84	12.72	26,000	2,500	4,300	1,700	5,300
	04/30/93	NLPH	5.69	11.87	9,600	1,000	410	1,100	1,600
	05/14/93#	NLPH	6.52	11.04					
	07/15/93	NLPH	7.51	10.05	4,600	250	72	540	650
	10/21/93#	NM	7.85	9.71					
	11/16/93	NLPH	8.29	9.27	410	41	12	47	71
	11/30/93#	NM	8.08	9.48					
	12/17/93#	NM	7.27	10.29					
	01/31/94#	NM	6.62	10.94					
	02/24-25/94	NLPH	6.23	11.33	4,300	190	190	300	460

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 8 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X
						parts per billion			
MW-7	01/09/90	NM	NM	—	17,000	380	180	330	1,300
(17.12)	02/13/90#	NLPH	4.98	12.14					
	03/13/90	NLPH	4.94	12.18	16,000	360	270	83	460
	05/23/90#	NLPH	5.87	11.25					
	06/14/90	NLPH	5.55	11.57	14,000	1,200	2,800	75	930
	09/19/90	NLPH	6.79	10.33	16,000	2,800	95	2,500	1,700
	12/17/90	NLPH	6.15	10.97	75,000	2,600	7,000	3,300	14,000
	01/31/91#	NLPH	6.64	10.48					
	02/25/91#	NLPH	5.80	11.32					
	03/19/91	NLPH	4.96	12.16	44,000	1,600	740	3,400	8,600
	04/22/91#	NLPH	4.82	12.30					
	05/17/91#	NLPH	5.18	11.94					
	07/24/91	NLPH	6.22	10.90	18,000	1,300	160	2,700	1,000
	09/10/91#	NLPH	6.71	10.41					
	09/23/91#	NLPH	6.84	10.28					
	10/21/91#	NLPH	7.00	10.12					
	10/22/91	—	—	—	10,000	990	26	1,900	490
	11/18/91#	NLPH	6.56	10.56					
	12/11/91#	NLPH	6.68	10.44					
	01/21/92	NLPH	5.99	11.13	23,000	2,200	3,000	1,800	6,100
	02/20/92#	NLPH	4.36	12.76					
	03/19/92#	NLPH	4.22	12.90					
	04/24/92	NLPH	4.84	12.28	25,000	1,400	220	2,100	2,600
	05/13/92#	NLPH	5.24	11.88					
	06/24/92#	NLPH	6.04	11.08					
	07/16/92	NLPH	6.19	10.93	8,700	470	45	970	86
	08/19/92#	NLPH	6.55	10.57					
	09/24/92	NLPH	6.83	10.29	9,200	560	48	1,300	54
	02/05/93	NLPH	4.11	13.01	33,000	1,100	2,300	1,200	4,200
	04/30/93b	NLPH	5.29	11.83	13,000	240	85	710	320
	05/14/93#	NLPH	5.91	11.21					
	07/15/93	NLPH	7.07	10.05	6,900	200	30	500	48
	10/21/93#	NM	7.55	9.57					
	11/16/93	NLPH	7.85	9.27	7,400	300	85	480	120
	11/30/93#	NM	7.66	9.46					
	12/17/93#	NM	6.75	10.37					
	01/31/94#	NM	6.22	10.90					
	02/24-25/94	NLPH	5.52	11.60	7,200	470	120	400	330

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 9 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev.	TPHg < >	B	T	E	X
						parts per billion >			
MW-8 (16.33)	05/14/93	NLPH	6.54	9.79	<50	<0.5	<1.0	<0.5	<0.5
	07/15/93	NLPH	6.57	9.76	<50	<0.5	<0.5	<0.5	<0.5
	10/21/93#	NM	6.83	9.50					
	11/16/93	NLPH	7.15	9.18	<50	<0.5	<0.5	<0.5	<0.5
	11/30/93	—	6.94	9.39	—	—	—	—	—
	12/17/93#	NM	6.48	9.85					
	01/31/94#	NM	6.13	10.20					
	02/24-25/94	NLPH	5.80	10.53	<50	<0.5	<0.5	<0.5	<0.5
MW-9 (15.62)	05/14/93	NLPH	6.61	9.01	<50	<0.5	<1.0	<0.5	<0.5
	07/15/93	NLPH	6.79	8.83	<50	<0.5	<0.5	<0.5	<0.5
	10/21/93#	NM	6.97	8.65					
	11/16/93	NLPH	7.12	8.50	<50	<0.5	<0.5	<0.5	<0.5
	11/30/93	—	6.98	8.64	—	—	—	—	—
	12/17/93#	NM	6.73	8.87					
	01/31/94#	NM	6.71	8.91					
	02/24-25/94	NLPH	6.45	9.17	<50	<0.5	<0.5	<0.5	<0.5
MW-10 (16.79)	05/14/93	NLPH	6.91	9.88	97	<0.5	<0.5	9.8	22
	07/15/93	NLPH	7.47	9.32	160	<0.5	<0.5	15	19
	10/21/93#	NM	7.57	9.22					
	11/16/93	NLPH	8.17	8.62	<50	<0.5	<0.5	<0.5	<0.5
	11/30/93	—	7.96	8.83	—	—	—	—	—
	12/17/93#	NM	7.25	9.54					
	01/31/94#	NM	6.66	10.13					
	02/24-25/94	NLPH	6.53	10.26	280	<0.5	<0.5	12	7.0
EW-1 (16.22)	10/21/93#	NM	6.67	9.55					
	12/17/93#	NM	10.09	6.13					
	01/31/94#	NM	5.38	10.84					
	02/24-25/94	NLPH	5.58	10.64	1,000	140	4.5	15	120
EW-2 (16.05)	10/21/93#	NM	6.71	9.34					
	12/17/93#	NM	14.95	1.10					
	01/31/94#	NM	5.35	10.70					
	02/24-25/94	LPH	14.30	1.75	5,200	1,200	390	63	410
EW-3 (16.02)	10/21/93#	NM	6.55	9.47					
	12/17/93#	NM	15.65	0.37					
	01/31/94#	NM	5.34	10.68					
	02/24-25/94	NLPH	21.00	-4.98	91	<0.5	<0.5	<0.5	<0.5

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104
 1725 Park Street
 Alameda, California
 (Page 10 of 11)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev.	TPHg < >	B	T	E	X
						parts per billion			
EW-4 (15.61)	10/21/93#	NM	6.13	9.48					
	12/17/93#	NM	14.60	1.01					
	01/31/94#	NM	5.08	10.53					
	02/24-25/94	LPH	14.88	0.73	4,600	1,900	140	13	450
EW-5 (16.51)	10/21/93#	NM	6.77	9.74					
	12/17/93#	NM	14.20	2.31					
	01/31/94#	NM	5.64	10.87					
	02/24-25/94	NLPH	11.95	4.56	1,000	140	45	3.4	190
Field Blanks	12/11/89	--	--	--	<50	0.88	0.95	0.62	1.7
	12/17/90	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
	03/19/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
	07/24/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.6
	10/22/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
	01/21/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
	07/16/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
Travel Blanks	06/14/90	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
	09/19/90	--	--	--	<50	0.8	<0.5	0.6	1.0
	04/24/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
	09/24/92	--	--	--	230	<0.5	<0.5	<0.5	<0.5
Maximum Contaminant Levels (MCLs) (DHS)					--	1.0	--	680	1,750
Drinking Water Action Level (DWAL) (DHS)					--	--	100	--	--

See notes on page 11 of 11.

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Exxon Service Station No. 7-0104

1725 Park Street
 Alameda, California
 (Page 11 of 11)

Well ID # (TOC)	Sampling Date	SUBJ <	DTW feet	Elev. >	TPHg <	B	T	E	X >
--------------------	------------------	---------------------	-----------------------	------------	---------------------	---	---	---	--------

Notes:

- TOC = Elevation of top of well casing; datum is mean sea level, revised February 10, 1994.
- SUBJ = Results of subjective evaluation, liquid-phase product thickness (PT) in feet
- DTW = Depth to water
- Elev. = Elevation of groundwater; datum is mean sea level; adjusted for free-phase petroleum hydrocarbons when present using the equation: Elev. = TOC - [DTW + (PT * 0.8)] where PT is the product thickness
- TPHg = Total petroleum hydrocarbons as gasoline analyzed using EPA method 5030/8015
- BTEX = Benzene, Toluene, Ethylbenzene, and total Xylenes analyzed using EPA method 5030/8020
- NM = Not Monitored
- NLPH = No liquid-phase petroleum hydrocarbons present in well
- LPH = Liquid-phase petroleum hydrocarbons present in well, thickness not measured, or not measurable.
- NA = Well not accessible on this date
- < = Less than the indicated detection limit shown by the laboratory
- = Not applicable
- # = Well not sampled on this date
- a = 03/07/90 sampling: Total Dissolved Solids were detected in samples from MW-1 and MW-4 at 910 parts-per-million (ppm) and 370 ppm, respectively.
- b = a peak eluting before benzene was present in the groundwater samples from MW-5 and MW-7, and is suspected to be methyl-tert-butyl-ether (MTBE).

ENCLOSURE C

**Alameda County Health Services Reduction
Sampling Letter Dated November 1, 1996**

ALAMEDA COUNTY
HEALTH CARE SERVICES




AGENCY
DAVID J. KEARS, Agency Director

StID 3601

November 1, 1996

Ms. Marla Guensler
Exxon-Environmental Engineering
P.O.Box 4032
Concord, CA 94524-4032

ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION (LOP)
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 397-2347



RE: Groundwater Sampling at Exxon RAS #7-0104, 1725 Park St,
Alameda, CA

Dear Ms. Guensler:

I have completed review of Delta Environmental Consultants, Inc's September 1996 Quarterly Ground Water Monitoring Report for the above referenced site. There is adequate groundwater data at this time where the sampling frequency of the monitoring wells may be reduced as follows:

1. Quarterly sampling of wells MW-6 and MW-11;
2. Semi-annual sampling of wells MW-1, MW-2, MW-4, MW-5, MW-7, and MW-10 in the first and third quarters; and,
3. Discontinue sampling of wells MW-3, MW-8, MW-9, MW-12, and EW-1 through EW-5.

It is also noted that most of the wells indicate the possible presence of MTBE in groundwater. In the next sampling event, groundwater from wells MW-2, MW-5, and MW-11 should be analyzed for MTBE using EPA Method 8260. Once confirmed, method 8260 is no longer necessary. And, MTBE can continue to be quantified using method 8020.

If you have any questions, I can be reached at (510) 567-6762.

eva chu
Hazardous Materials Specialist

c: Richard Munsch, Delta, 3164 Gold Camp Drive, Suite 200, Rancho
Cordova, CA 95670

ENCLOSURE D

Laboratory Analytical Reports



Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(510) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342


Delta Environmental Consults 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104 Sample Descript: MW-6 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9804B74-01	Sampled: 04/14/98 Received: 04/15/98 Analyzed: 04/21/98 Reported: 04/28/98
--	---	---

QC Batch Number: GC042198BTEX03A
Instrument ID: GCHP03

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	5000	25000
Methyl t-Butyl Ether	250	2400
Benzene	50	850
Toluene	50	3300
Ethyl Benzene	50	1200
Xylenes (Total)	50	4300
Chromatogram Pattern:		GAS

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	87



Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Mike Gregory
Project Manager





Delta Environmental Consults 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104 Sample Descript: MW-6 Matrix: LIQUID Analysis Method: EPA 8260 Lab Number: 9804B74-01	Sampled: 04/14/98 Received: 04/15/98 Analyzed: 04/27/98 Reported: 04/28/98
--	---	---

QC Batch Number: MS042598MTBEF2A
Instrument ID: F2

Methyl t-Butyl Ether (MTBE)

Analyte	Detection Limit ug/L	Sample Results ug/L
Methyl t-Butyl Ether	50	2100
Surrogates	Control Limits %	% Recovery
1,2-Dichloroethane-d4	76	114
		85

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Mike Gregory
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd., North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(510) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental Consults 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104 Sample Descript: MW-8 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9804B74-02	Sampled: 04/14/98 Received: 04/15/98 Analyzed: 04/21/98 Reported: 04/28/98
Attention: Richard Munsch		


QC Batch Number: GC042198BTEX03A
Instrument ID: GCHP03

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	85

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Mike Gregory
Project Manager





Delta Environmental Consults 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104 Sample Descript: MW-11 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9804B74-03	Sampled: 04/14/98 Received: 04/15/98 Analyzed: 04/22/98 Reported: 04/28/98
--	--	---

QC Batch Number: GC042298BTEX17A
Instrument ID: GCHP17


Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	2000	15000
Methyl t-Butyl Ether	100	1600
Benzene	20	1700
Toluene	20	250
Ethyl Benzene	20	500
Xylenes (Total)	20	2000
Chromatogram Pattern:		GAS

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	116

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



 Mike Gregory
 Project Manager





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiger Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(510) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental Consults
3164 Gold Camp Drive, #200
Rancho Cordova, CA 95670

Client Proj. ID: Exxon 7-0104
Sample Descript: MW-11
Matrix: LIQUID
Analysis Method: EPA 8260
Lab Number: 9804B74-03

Sampled: 04/14/98
Received: 04/15/98
Analyzed: 04/27/98
Reported: 04/28/98


QC Batch Number: MS042598MTBEF2A
Instrument ID: F2

Methyl t-Butyl Ether (MTBE)

Analyte	Detection Limit ug/L	Sample Results ug/L
Methyl t-Butyl Ether	40	1200
Surrogates	Control Limits %	% Recovery
1,2-Dichloroethane-d4	76 114	85

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Mike Gregory
Project Manager





Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(510) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental Consults
3164 Gold Camp Drive, #200
Rancho Cordova, CA 95670
Attention: Richard Munsch

Client Proj. ID: Exxon 7-0104
Lab Proj. ID: 9804B74

Received: 04/15/98
Reported: 04/28/98

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 9 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

SEQUOIA ANALYTICAL


Mike Gregory
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(510) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental Consults
3164 Gold Camp Drive, #200
Rancho Cordova, CA 95670
Attention: Richard Munsch

Client Project ID: Exxon 7-0104

QC Sample Group: 9804B74-03

Reported: Apr 28, 1998

QUALITY CONTROL DATA REPORT

Matrix: Liquid
Method: EPA 8015/8020
Analyst: C. DEMARTINI

ANALYTE Benzene Ethylbenzene Toluene Xylenes BTEX as TPH

QC Batch #: GC042298BTEX17A

Sample No.: 9804914-4
Date Prepared: 4/22/98 4/22/98 4/22/98 4/22/98 4/22/98
Date Analyzed: 4/22/98 4/22/98 4/22/98 4/22/98 4/22/98
Instrument I.D.#: GCHP17 GCHP17 GCHP17 GCHP17 GCHP17

Sample Conc., ug/L: N.D. N.D. N.D. N.D. N.D.
Conc. Spiked, ug/L: 10 10 10 30 60

Matrix Spike, ug/L: 11 11 9.7 30 61
% Recovery: 110 110 97 100 102

Matrix Spike Duplicate, ug/L: 11 11 8.6 30 59
% Recovery: 110 110 86 100 98

Relative % Difference: 0.0 0.0 12 0.0 4.0

RPD Control Limits: 0-25 0-25 0-25 0-25 0-25

LCS Batch#: BLK042298

Date Prepared: 4/22/98 4/22/98 4/22/98 4/22/98 4/22/98
Date Analyzed: 4/22/98 4/22/98 4/22/98 4/22/98 4/22/98
Instrument I.D.#: GCHP17 GCHP17 GCHP17 GCHP17 GCHP17

Conc. Spiked, ug/L: 10 10 10 30 60

LCS Recovery, ug/L: 11 11 8.9 29 59
LCS % Recovery: 110 110 89 97 98

Percent Recovery Control Limits:

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130

Quality Assurance Statement: All standard operating procedures and quality control requirements have been met.

SEQUOIA ANALYTICAL

Mike Gregory
Project Manager

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.





Delta Environmental Consults
3164 Gold Camp Drive, #200
Rancho Cordova, CA 95670
Attention: Richard Munsch

Client Project ID: Exxon 7-0104

QC Sample Group: 9804B74-01,02

Reported: Apr 28, 1998

QUALITY CONTROL DATA REPORT

Matrix: Liquid
Method: EPA 8015/8020
Analyst: C. Demartini

ANALYTE	Benzene	Ethylbenzene	Toluene	Xylenes	BTEX as TPH
---------	---------	--------------	---------	---------	-------------

QC Batch #: GC042198BTEX03A

Sample No.: 9804914-1

Date Prepared:	4/21/98	4/21/98	4/21/98	4/21/98	4/21/98
Date Analyzed:	4/21/98	4/21/98	4/21/98	4/21/98	4/21/98
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Sample Conc., ug/L:	N.D.	N.D.	N.D.	N.D.	N.D.
Conc. Spiked, ug/L:	10	10	10	30	60
Matrix Spike, ug/L:	11	11	11	33	69
% Recovery:	110	110	110	110	115
Matrix Spike Duplicate, ug/L:	11	11	11	33	68
% Recovery:	110	110	110	110	113
Relative % Difference:	0.0	0.0	0.0	0.0	1.8
RPD Control Limits:	0-25	0-25	0-25	0-25	0-25

LCS Batch#: BLK042198

Date Prepared:	4/21/98	4/21/98	4/21/98	4/21/98	4/21/98
Date Analyzed:	4/21/98	4/21/98	4/21/98	4/21/98	4/21/98
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked, ug/L:	10	10	10	30	60
LCS Recovery, ug/L:	11	11	11	33	68
LCS % Recovery:	110	110	110	110	113

Percent Recovery Control Limits:

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130

Quality Assurance Statement: All standard operating procedures and quality control requirements have been met.

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Gregory
Project Manager





Sequoia Analytical
680 Chesapeake Dr.
Redwood City, CA 94063
(415) 364-9600 • FAX (415) 364-9233

EXXON COMPANY, U.S.A.

P.O. Box 2180, Houston, TX 77002-7426

CHAIN OF CUSTODY

98041374

Consultant's Name: Delta Environmental Consultants Inc. Page 1 of 1

Address: 3164 Gold Camp Dr. #200 Rancho Cordova, CA 95670 Site Location: Alameda, CA

Project #: 7-0104 Consultant Project #: D094-832 Consultant Work Release #: 19432522

Project Contact: Richard Munsch Phone #: 916 638 2164 Laboratory Work Release #: 19822440

EXXON Contact: Marla Gwensler Phone #: _____ EXXON RAS #: 7-0104

Sampled by (print): Martin Morgan Sampler's Signature:

Shipment Method: Delta Sequoia Carrier Air Bill #: _____

TAT: 24 hr 48 hr 72 hr 96 hr Standard (10 day)

Sample Description	Collection Date	Collection Time	Matrix Soil/Water/Air	Prsv	# of Cont.	Sequoia's Sample #	ANALYSIS REQUIRED				Temperature: <u>ON ICE</u>	
							TPH/Gas BTEX/8015/8020	TPH/Diesel EPA 8015	TRPH S.M. 5520	MTBE EPA 8020 *	Inbound Seal: Yes No	Outbound Seal: Yes No
MW-6	4/14/98	0950	H ₂ O	HCl	6	1	X			X		*MTBE Detected
MW-8		0811		HCl	6	2	X			X		by EPA 8020 to
MW-11		0844		HCl	6	3	X			X		be analyzed by
effluent		1016		HCl	3		X					EPA 8260...
Mid		1018		HCl	3		X		*			
Influent	4/14/98	1020	H ₂ O	HCl	3		X					

RELINQUISHED BY / AFFILIATION	Date	Time	ACCEPTED / AFFILIATION	Date	Time	Additional Comments
Delta	4/5/98	1620	Sequoia	4/5/98	1620	
Sequoia	4/15/98	1700	Sequoia	4/15/98	1700	
Sequoia	4/16		CDC	4-16	0932	

Pink - Client
Yellow - Sequoia
White - Sequoia




**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiger Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342



Delta Environmental 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104, D094-832 Sample Descript: MW1 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9807K03-01	Sampled: 07/30/98 Received: 07/31/98 Analyzed: 08/10/98 Reported: 08/21/98
---	--	---

QC Batch Number: GC081098BTEX02A
Instrument ID: GCHP02

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	2700
Methyl t-Butyl Ether	25	41
Benzene	5.0	210
Toluene	5.0	N.D.
Ethyl Benzene	5.0	550
Xylenes (Total)	5.0	N.D.
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	140 Q

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Richard Herling
Project Manager





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiger Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104, D094-832 Sample Descript: MW2 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9807K03-02	Sampled: 07/30/98 Received: 07/31/98 Analyzed: 08/10/98 Reported: 08/21/98
Attention: Jim Brownell		


QC Batch Number: GC081098BTEX02A
Instrument ID: GCHP02

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	20000	24000
Methyl t-Butyl Ether	1000	6300
Benzene	200	7500
Toluene	200	N.D.
Ethyl Benzene	200	1300
Xylenes (Total)	200	280
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	96

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Richard Herling
Project Manager





Delta Environmental	Client Proj. ID: Exxon 7-0104, D094-832	Sampled: 07/30/98
3164 Gold Camp Drive, #200	Sample Descript: MW4	Received: 07/31/98
Rancho Cordova, CA 95670	Matrix: LIQUID	
Attention: Jim Brownell	Analysis Method: 8015Mod/8020	Analyzed: 08/13/98
	Lab Number: 9807K03-03	Reported: 08/21/98


QC Batch Number: GC081398BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	2900
Methyl t-Butyl Ether	50	2800
Benzene	10	680
Toluene	10	N.D.
Ethyl Benzene	10	220
Xylenes (Total)	10	56
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	109

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Richard Herling
Project Manager





Delta Environmental 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670 Attention: Jim Brownell	Client Proj. ID: Exxon 7-0104, D094-832 Sample Descript: MW5 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9807K03-04	Sampled: 07/30/98 Received: 07/31/98 Analyzed: 08/11/98 Reported: 08/21/98
--	--	---

QC Batch Number: GC081198BTEX03A
Instrument ID: GCHP03


Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	2000	8300
Methyl t-Butyl Ether	100	4300
Benzene	20	1700
Toluene	20	26
Ethyl Benzene	20	110
Xylenes (Total)	20	66
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	110

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Richard Herling
Project Manager





Delta Environmental 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104, D094-832 Sample Descript: MW6 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9807K03-05	Sampled: 07/30/98 Received: 07/31/98 Analyzed: 08/11/98 Reported: 08/21/98
Attention: Jim Brownell		


QC Batch Number: GC081198BTEX03A
Instrument ID: GCHP03

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	2000	5900
Methyl t-Butyl Ether	100	910
Benzene	20	270
Toluene	20	65
Ethyl Benzene	20	500
Xylenes (Total)	20	630
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	104

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Richard Herling
Project Manager





Delta Environmental 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104, D094-832 Sample Descript: MW7 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9807K03-06	Sampled: 07/30/98 Received: 07/31/98 Analyzed: 08/13/98 Reported: 08/21/98
Attention: Jim Brownell		

QC Batch Number: GC081398BTEX02A
Instrument ID: GCHP02

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	100
Methyl t-Butyl Ether	50	670
Benzene	0.50	1.4
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70	130

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Richard Herling
Project Manager





Delta Environmental 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104, D094-832 Sample Descript: MW8 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9807K03-07	Sampled: 07/30/98 Received: 07/31/98 Analyzed: 08/11/98 Reported: 08/21/98
Attention: Jim Brownell		


QC Batch Number: GC081198BTEX03A
Instrument ID: GCHP03

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	6.6
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	99

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Richard Herling
Project Manager





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental 3164 Gold Camp Drive, #200 Rancho Cordova, CA 95670	Client Proj. ID: Exxon 7-0104, D094-832 Sample Descript: MW11 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9807K03-08	Sampled: 07/30/98 Received: 07/31/98 Analyzed: 08/11/98 Reported: 08/21/98
---	---	---

QC Batch Number: GC081198BTEX03A
Instrument ID: GCHP03


Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	2000	24000
Methyl t-Butyl Ether	100	1700
Benzene	20	1600
Toluene	20	560
Ethyl Benzene	20	1000
Xylenes (Total)	20	4300
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	106

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Richard Herling
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiger Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental
3164 Gold Camp Dr. #200
Rancho Cordova, CA 95670
Attention: Jim Brownell

Client Project ID: Exxon 7-0104, D094-832

QC Sample Group: 9807K03-01,02

Reported: Aug 24, 1998

QUALITY CONTROL DATA REPORT

Matrix: Liquid
Method: EPA 8020
Analyst: N. Herrera

ANALYTE	Benzene	Toluene	Ethylbenzene	Xylenes
---------	---------	---------	--------------	---------

QC Batch #: GC081098BTEX02A

Sample No.:	9807J75-5			
Date Prepared:	8/10/98	8/10/98	8/10/98	8/10/98
Date Analyzed:	8/10/98	8/10/98	8/10/98	8/10/98
Instrument I.D.#:	GCHP02	GCHP02	GCHP02	GCHP02
Sample Conc., ug/L:	N.D.	N.D.	N.D.	N.D.
Conc. Spiked, ug/L:	10	10	10	30
Matrix Spike, ug/L:	8.5	8.2	8.5	24
% Recovery:	85	82	85	80
Matrix Spike Duplicate, ug/L:	11	10	10	31
% Recovery:	110	104	103	103
Relative % Difference:	26	24	19	25
RPD Control Limits:	0-25	0-25	0-25	0-25

LCS Batch#: GWLCS081098A

Date Prepared:	8/10/98	8/10/98	8/10/98	8/10/98
Date Analyzed:	8/10/98	8/10/98	8/10/98	8/10/98
Instrument I.D.#:	GCHP02	GCHP02	GCHP02	GCHP02
Conc. Spiked, ug/L:	10	10	10	30
LCS Recovery, ug/L:	11	11	11	32
LCS % Recovery:	113	108	108	107

Percent Recovery Control Limits:

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130

Quality Assurance Statement: All standard operating procedures and quality control requirements have been met.

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL


Richard Herling
Project Manager





Delta Environmental 3164 Gold Camp Dr. #200 Rancho Cordova, CA 95670 Attention: Jim Brownell	Client Project ID: Exxon 7-0104, D094-832
QC Sample Group: 9807K03-03	Reported: Aug 24, 1998

QUALITY CONTROL DATA REPORT

Matrix: Liquid
Method: EPA 8015
Analyst: N. Herrera
ANALYTE Gasoline

QC Batch #: GC081398BTEX17A

Sample No.: GW9808361-3

Date Prepared: 8/13/98

Date Analyzed: 8/13/98

Instrument I.D.#: GCHP17

Sample Conc., ug/L: N.D.

Conc. Spiked, ug/L: 250

Matrix Spike, ug/L: 250

% Recovery: 100

Matrix

Spike Duplicate, ug/L: 260

% Recovery: 103

Relative % Difference: 3.0

RPD Control Limits: 0-25

LCS Batch#: GWLCS081398A

Date Prepared: 8/13/98

Date Analyzed: 8/13/98

Instrument I.D.#: GCHP17

Conc. Spiked, ug/L: 250

LCS Recovery, ug/L: 270

LCS % Recovery: 107

Percent Recovery Control Limits:

MS/MSD	60-140
LCS	70-130

Quality Assurance Statement: All standard operating procedures and quality control requirements have been met.

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Richard Herling
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiger Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental
3164 Gold Camp Dr. #200
Rancho Cordova, CA 95670
Attention: Jim Brownell

Client Project ID: Exxon 7-0104, D094-832

QC Sample Group: 9807K03-04-08

Reported: Aug 24, 1998

QUALITY CONTROL DATA REPORT

Matrix: Liquid
Method: EPA 8015
Analyst: G. Roe

ANALYTE Gasoline

QC Batch #: GC081198BTEX03A

Sample No.: GW9807J36-2

Date Prepared: 8/11/98

Date Analyzed: 8/11/98

Instrument I.D.#: GCHP03

Sample Conc., ug/L: N.D.

Conc. Spiked, ug/L: 250

Matrix Spike, ug/L: 240

% Recovery: 94

Matrix

Spike Duplicate, ug/L: 210

% Recovery: 84

Relative % Difference: 11

RPD Control Limits: 0-25

LCS Batch#: GWLCS081198A

Date Prepared: 8/11/98

Date Analyzed: 8/11/98

Instrument I.D.#: GCHP03

Conc. Spiked, ug/L: 250

LCS Recovery, ug/L: 210

LCS % Recovery: 84

Percent Recovery Control Limits:

MS/MSD 60-140

LCS 70-130

Quality Assurance Statement: All standard operating procedures and quality control requirements have been met.

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL


Richard Herling
Project Manager





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North. Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600 FAX (650) 364-9233
(925) 988-9600 FAX (925) 988-9673
(916) 921-9600 FAX (916) 921-0100
(707) 792-1865 FAX (707) 792-0342

Delta Environmental
3164 Gold Camp Dr. #200
Rancho Cordova, CA 95670
Attention: Jim Brownell

Client Project ID: Exxon 7-0104, D094-832

QC Sample Group: 9807K03-06

Reported: Aug 24, 1998

QUALITY CONTROL DATA REPORT

Matrix: Liquid
Method: EPA 8015
Analyst: N. Herrera

ANALYTE Gasoline

QC Batch #: GC081398BTEX02A

Sample No.: GW9808361-2

Date Prepared: 8/13/98
Date Analyzed: 8/13/98
Instrument I.D.#: GCHP02

Sample Conc., ug/L: N.D.
Conc. Spiked, ug/L: 250

Matrix Spike, ug/L: 190
% Recovery: 76

Matrix
Spike Duplicate, ug/L: 230
% Recovery: 94

Relative % Difference: 21

RPD Control Limits: 0-25

LCS Batch#: GWLCS081398A

Date Prepared: 8/13/98
Date Analyzed: 8/13/98
Instrument I.D.#: GCHP02

Conc. Spiked, ug/L: 250

LCS Recovery, ug/L: 250
LCS % Recovery: 100

Percent Recovery Control Limits:

MS/MSD	60-140
LCS	70-130

Quality Assurance Statement: All standard operating procedures and quality control requirements have been met.

Please Note:

The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Richard Herling
Richard Herling
Project Manager





Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Delta Environmental
3164 Gold Camp Drive, #200
Rancho Cordova, CA 95670
Attention: Jim Brownell

Client Proj. ID: Exxon 7-0104, D094-832

Received: 07/31/98

Lab Proj. ID: 9807K03

Reported: 08/21/98

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 14 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

MTBE Note: The sample 9807K03-06 was analyzed twice for MTBE. MTBE is reported from the QC batch GC081198BTEX03A.

SEQUOIA ANALYTICAL

Richard Herling
Project Manager





Sequoia Analytical
680 Chesapeake Dr.
Redwood City, CA 94063
(415) 364-9600 • FAX (415) 364-9233

EXXON COMPANY, U.S.A.

P.O. Box 2180, Houston, TX 77002-7426

CHAIN OF CUSTODY

Consultant's Name: <u>Delta Environmental</u>		Page <u>1</u> of <u>1</u>
Address: <u>3164 Gold Camp DR Rancho Conejo</u>		Site Location: <u>Alameda</u>
Project #:	Consultant Project #: <u>DD94-832</u>	Consultant Work Release #: <u>19432522</u>
Project Contact: <u>Jim Brownell</u>	Phone #: <u>916-638-2055</u>	Laboratory Work Release #:
EXXON Contact: <u>Marty</u>	Phone #:	EXXON RAS #: <u>7-0104</u>
Sampled by (print): <u>Chris Hill / Marty Muzer</u>	Sampler's Signature:	
Shipment Method:	Air Bill #:	

TAT: 24 hr 48 hr 72 hr 96 hr Standard (10 day)

ANALYSIS REQUIRED 9807K03

Sample Description	Collection Date	Collection Time	Matrix Soil/Water/Air	Prsv	# of Cont.	Sequoia's Sample #	TPH/Gas BTEX/ 8015/ 8020	TPH/ Diesel EPA 8015	TRPH S.M. 5520	MTBE <u>3020</u>	Temperature:	
											Inbound Seal: Yes No	Outbound Seal: Yes No
- MW 1	7-30-98	0743	Water	H21	6	1	X			X		
- MW 2		0706			6	2	X			X		
- MW 4		0752			6	3	X			X		
- MW 5		0720			6	4	X			X		
- MW 6		0700			6	5	X			X		
- MW 7		0731			6	6	X			X		
- MW 8		0642			6	7	X			X		
- MW 11	7-30-98	0631			6	8	X			X		

RELINQUISHED BY / AFFILIATION	Date	Time	ACCEPTED / AFFILIATION	Date	Time	Additional Comments
	7/31/98	1330	John Youell / Sequoia	7/31/98	1330	
John Youell / Sequoia	7/31/98	1415	Marti Hanzo / Sequoia	7/31/98	1415	
Marti Hanzo / Sequoia				8-3	09:30	

Pink - Client

Yellow - Sequoia

White - Sequoia