

ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sedlachek
Project Manager

RECEIVED

9:09 am, Feb 01, 2010

Alameda County
Environmental Health



January 28, 2010

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70104/1725 Park Street, Alameda, California.

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled ***Semi-Annual Groundwater Monitoring and Remediation Status Report, Fourth Quarter 2009***, dated January 28, 2010, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring, sampling, and remedial activities for the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,

A handwritten signature in blue ink, appearing to read "JC Sedlachek".

Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Semi-Annual Groundwater Monitoring and Remediation Status Report, Fourth Quarter 2009,
dated January 28, 2010

cc: w/ attachment
Mr. Shay Wideman, The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



*Southern California
Northern California
Central California
Pacific Northwest
New England
Southwest
Montana
Texas*

January 28, 2010
ERI 250611.Q094

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue
Oakland, California 94611

SUBJECT **Semi-Annual Groundwater Monitoring and Remediation Status Report,
Fourth Quarter 2009**
Former Exxon Service Station 70104
1725 Park Street, Alameda, California

Alameda County RO#448

INTRODUCTION

At the request of ExxonMobil Environmental Services Company (EMES), on behalf of Exxon Mobil Corporation, Environmental Resolutions, Inc. (ERI) performed fourth quarter 2009 groundwater monitoring and sampling and remedial activities at the subject site. This report covers activities from September 14, 2009, through December 23, 2009. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site operates as a Valero-branded service station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling date:	12/02/09
Wells gauged and sampled:	MW1 through MW9, MW11
Wells gauged only:	EW1, EW3, EW5
Remediation system status on sampling date:	GWPTS active; SVE system active, AS system active
Presence of NAPL:	Not observed
Concurrently sampled:	Shell-branded service station (former XTRA Oil Company), 1701 Park Street, Alameda, California Concurrent sampling was not conducted this quarter.
Laboratory:	Calscience Environmental Laboratories, Inc. Garden Grove, California
Analyses performed:	EPA Method 8015B TPHd, TPHg EPA Method 8021B BTEX EPA Method 8260B MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE EPA Method 8260B Ethanol (select samples)

Environmental Resolutions, Inc.

601 North McDowell Boulevard, Petaluma, CA 94954 | Tel: 707.766.2000 | Fax: 707.789.0414 | A/C10-611383

Waste disposal: 165 gallons purge and decon water transferred to the GWPTS on 12/02/09

REMEDIATION SYSTEM SUMMARY

Groundwater Pump and Treat – Prior Systems

A GWPTS operated at the site from October 1994 to March 2000. The system was retrofitted and again operated from June 2002 to February 2004. A total of 32.2 pounds of TPHg, 4.92 pounds of benzene, and 7.71 pounds of MTBE were removed by the GWPTS during its periods of operation.

Air Sparge/Soil Vapor Extraction – Prior Systems

An AS/SVE system operated at the site from February 1998 to March 2000. The AS/SVE system was retrofitted and again operated from June 2000 to February 2004. A total of 1,022.4 pounds of TPHg and 11.81 pounds of benzene were removed by the AS/SVE system during its periods of operation.

Systems Retrofit – 2005

ERI retrofitted the GWPTS and AS/SVE system in 2005. ERI modified the SVE system to use an 8.45-horsepower regenerative blower (Siemens 2BH1 800-7A) capable of producing 360 scfm. ERI also modified groundwater extraction wells EW1 through EW5 to simultaneously extract soil vapor and pump and treat groundwater. Other components and processes of the systems remain unchanged. The retrofitted systems began operation on June 27, 2005.

Current GWPTS Configuration

The GWPTS operates in conjunction with the AS/SVE system to pump down the groundwater table, expose petroleum hydrocarbons in soil, and remediate dissolved-phase hydrocarbons in groundwater. Wells EW1 through EW4 are available for groundwater extraction using pneumatic pumps. During this reporting period, groundwater was extracted from wells EW1 and EW2 and directed to a holding tank. Water is periodically transferred from the holding tank through a particulate filter and three 500-pound GAC vessels connected in series prior to discharge to the sanitary sewer under permit through East Bay Municipal Utilities District (EBMUD). The volume of discharged groundwater is recorded using a totalizing flow meter.

Current AS/SVE System Configuration

The current AS/SVE system consists of a regenerative blower, a moisture separator, three vapor-phase 500-pound GAC vessels connected in series, an exhaust stack for discharge to the atmosphere, and associated monitoring instrumentation. The 500-pound GAC vessels have a maximum flow capacity of 300 scfm. Water generated in the moisture separator is pumped to the GWPTS.

An oil-less air compressor is available for air sparging (subsurface air injection), through a trench in the vicinity of the extraction wells to help volatilize hydrocarbons.

System start-up dates:	<u>AS/SVE System</u>	02/16/98
	<u>GWPTS</u>	10/10/94
System discharge permits:	<u>AS/SVE System</u>	BAAQMD Plant No. 8252
	<u>GWPTS</u>	EBMUD Permit No. 50266631
System reporting periods:	<u>AS/SVE System</u>	09/14/09 – 12/23/09
	<u>GWPTS</u>	09/14/09 – 12/18/09

System modifications during reporting period: None

System status during reporting period:

<u>SVE System</u>	Active
<u>GWPTS</u>	Active
<u>AS System</u>	Active

Laboratory: Calscience Environmental Laboratories, Inc.
Garden Grove, California

Effluent analyses performed:

<u>AS/SVE System</u>	TPHg
EPA TO-3M	MTBE, BTEX
EPA TO-15M	
<u>GWPTS</u>	TPHg
EPA Method 8015B	BTEX
EPA Method 8021B	MTBE

System performance:AS/SVE System

Period	Mass of TPHg Removed (pounds)	Mass of Benzene Removed (pounds)	Mass of MTBE Removed (pounds)
09/14/09 – 12/23/09	<5.373	<0.0025	0.0240
To date:	<1,726.37	<27.72	<14.51

GWPTS

Period	Volume of Groundwater Treated (gallons)	Mass of TPHg Removed (pounds)	Mass of Benzene Removed (pounds)	Mass of MTBE Removed (pounds)
09/14/09 – 12/18/09	78,010	0.414	<0.0020	0.694
To date:	4,280,650	<68.0	<5.206	<45.351

CONCLUSIONS

The groundwater monitoring and sampling data are consistent with the historical data for the site. Current remediation efforts are effectively removing residual and dissolved-phase hydrocarbons beneath the site. In accordance with correspondence received from the ACEH on July 24, 2009, monitoring and sampling at this site has been reduced to semi-annual. Monitoring and sampling will be conducted during second and fourth quarters.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

Mr. Shay Wideman
The Valero Companies
Environmental Liability Management
P.O. Box 696000
San Antonio, Texas 78269

LIMITATIONS

For any documents cited that were not generated by ERI, the data taken from those documents is used "as is" and is assumed to be accurate. ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these documents.

This document was prepared in accordance with generally accepted standards of environmental, geological, and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.

Sincerely,
SCANNED
Environmental Resources, Inc.

Jennifer L. Lacy
IMAGE

Jennifer L. Lacy
Senior Staff Scientist

SCANNED

Geoffrey V. Waterhouse
P.G. #504
C.H.G. #334
C.E.G. #1516




Enclosures:

Acronym List

Plate 1	Site Vicinity Map
Plate 2	Select Analytical Results
Plate 3	Groundwater Elevation Map
Table 1A	Cumulative Groundwater Monitoring and Sampling Data
Table 1B	Additional Cumulative Groundwater Monitoring and Sampling Data
Table 2	Well Construction Details
Table 3	Operation and Performance Data for Air Sparge/Soil Vapor Extraction System
Table 4	Operation and Performance Data for Groundwater Extraction and Treatment System
Appendix A	Groundwater Sampling Protocol
Appendix B	Laboratory Analytical Reports and Chain-of-Custody Records
Appendix C	Field Data Sheets
Appendix D	ERI's SOP-25: "Hydrocarbons Removed from a Vadose Well"

ACRONYM LIST

µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acf m	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polycyclic aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL (RL)	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		




3-D Topo Quads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS

550 ft Scale: 1:19,200 Date: 13-0 Datum: WGS84


:\EXXONMOBIL\ExxonMobil Projects\022506\70104\Alameda\2506 AutoCAD\2506.dwg. 1/27/2010 8:39:24 AM mtkones

EXPLANATION



1/2-mile radius circle

APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads



SITE VICINITY MAP
FORMER EXXON SERVICE STATION 70104
1725 Park Street
Alameda, California

PROJECT NO.
2506
PLATE
1

Analyte Concentrations in ug/L
Sampled December 2, 2009

Total Petroleum Hydrocarbons
as gasoline
Benzene
Methyl Tertiary Butyl Ether
(EPA Method 8260B)
Tertiary Butyl Alcohol

< Less Than the Stated Laboratory
Reporting Limit

ug/L Micrograms per Liter

NS Not sampled

d Hydrocarbon pattern does not resemble
the requested fuel.

NOTES:

Wells MW12, EW2, and EW4 not routinely monitored
or sampled.



APPROXIMATE SCALE



FN 2506 09 4QTR_QM



SELECT ANALYTICAL RESULTS

December 2, 2009

FORMER EXXON SERVICE STATION 70104
1725 Park Street
Alameda, California

EXPLANATION

MW11 Groundwater Monitoring Well By Others

EW4 Recovery Well

MW10 Destroyed Groundwater Monitoring Well

PROJECT NO.
2506

MW4 Groundwater Monitoring Well By Others

VW2 Vapor Extraction Well

AS1 Air Sparge/Soil Vapor Well

PLATE
2

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	09/12/94	17.35	7.11	10.24	No	---	1,600a	---	---	200	1.9	210	6.6
MW1	10/01/94	17.35	7.44	9.91	No	---	1,400a	---	---	200	<0.5	160	6.6
MW1	01/13/95	17.35	5.13	12.22	No	---	2,100a	---	---	410b	17	280b	89
MW1	04/27/95	17.35	6.57	10.78	No	---	4,700	---	---	460	41	340	270
MW1	08/03/95	17.35	7.46	9.89	No	---	1,900	30	---	140	<5.0	160	9.9
MW1	10/17/95	17.35	7.67	9.68	No	---	280	5.5	---	6.2	<0.5	13	0.75
MW1	01/24/96	17.35	6.52	10.83	No	---	740	440	---	21	1.4	38	3.1
MW1	04/24/96	17.35	5.95	11.40	No	---	7,800	250	---	200	110	1,000	740
MW1	07/26/96	17.35	7.60	9.75	No	---	620	23	---	8.0	0.99	26	1.0
MW1	10/30/96	17.35	8.06	9.29	No	---	700	33	---	14	2.9	85	3.5
MW1	01/31/97	17.35	5.12	12.23	No	---	7,600	<200	---	420	33	1,400	480
MW1	04/10/97	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	07/10/97	17.35	7.54	9.81	No	---	580	12	---	10	<0.5	<0.5	<0.5
MW1	10/08/97	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	01/28/98	17.35	4.48	12.87	No	---	820	---	<2.5	110	2.8	170	14
MW1	04/14/98	17.35	4.69	12.66	---	---	---	---	---	---	---	---	---
MW1	07/30/98	17.35	6.19	11.16	No	---	2,700	41	---	210	<5.0	550	<5.0
MW1	10/19/98	17.35	6.72	10.63	No	---	---	---	---	---	---	---	---
MW1	01/13/99	17.35	6.52	10.83	No	---	491	9.78	---	8.0	<0.5	<0.5	<0.5
MW1	04/28/99	17.35	5.37	11.98	---	---	---	---	---	---	---	---	---
MW1	07/09/99	17.35	6.39	10.96	No	---	1,030	10.6	---	114	8.07	184	0.644
MW1	10/25/99	17.35	6.68	10.67	No	---	---	---	---	---	---	---	---
MW1	01/21/00	17.35	6.20	11.15	No	---	<50	5.1	---	<1.0	<1.0	<1.0	<1.0
MW1	04/14/00	17.35	5.18	12.17	No	---	---	---	---	---	---	---	---
MW1	06/16/00	17.35	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW1	07/05/00	17.35	5.93	11.42	No	---	88	200	---	4.3	<0.5	0.61	<0.5
MW1	10/03/00	17.35	6.51	10.84	No	---	<50	240	---	0.72	<0.5	<0.5	<0.5
MW1	01/02/01	17.35	6.17	11.18	No	---	<50	68	---	0.75	<0.5	<0.5	<0.5
MW1	04/02/01	17.35	7.42	9.93	No	---	140	4.3	---	<0.5	<0.5	4.1	1.1
MW1	07/02/01	17.35	6.27	11.08	No	---	74	14	---	<0.5	<0.5	<0.5	<0.5
MW1	10/15/01	17.35	6.64	10.71	No	---	110	83	---	2.6	<0.5	<0.5	<0.5
MW1	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---
MW1	02/04/02	17.29	5.08	12.21	No	52.0	75.0	67.1	---	0.70	<0.50	0.50	<0.50
MW1	05/06/02	17.29	5.48	11.81	No	129	793	702	1,004	8.6	<0.5	0.5	1.1
MW1	08/22/02	17.29	7.14	10.15	No	602	1,150	181	---	120	0.8	9.0	3.6
MW1	11/08/02	17.29	6.19	11.10	No	504	947	182	---	95.6	4.0	3.7	2.7
MW1	02/07/03	17.29	6.00	11.29	No	610	1,190	284	---	89.7	3.8	45.3	13.2
MW1	05/02/03	17.29	5.76	11.53	No	797	1,020	296	---	75.8	9.0	5.7	11.9
MW1	08/14/03	17.29	7.04	10.25	No	531d	822	201	---	33.9	2.8	1.5	1.9
MW1	11/14/03	17.29	6.41	10.88	No	560d	574	276	---	19.8	1.8	2.0	2.2

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	03/01/04	17.29	4.63	12.66	No	785d	1,430	---	895	46.2	3.1	14.2	9.2
MW1	06/15/04	17.29	6.05	11.24	No	204d	621	668	---	11.1	<0.5	<0.5	<0.5
MW1	09/13/04	17.29	6.62	10.67	No	221d	754	479	---	34.4	1.5	1.1	1.2
MW1	12/22/04	17.29	5.67	11.62	No	288d,f	775	253	---	38.8	1.0	1.8	0.8
MW1	03/24/05	17.29	4.63	12.66	No	471d	952	---	120	41.6	1.4	12.8	6.0
MW1	06/14/05	17.29	5.55	11.74	No	695d	605	---	91	37.9	2.5	2.6	2.5
MW1	09/12/05	17.29	8.16	9.13	No	280d	1,410	---	4,780	1.43	<0.50	0.82	1.08
MW1	12/13/05	17.29	6.86	10.43	No	182d	4,610	---	6000h	2.35	0.71	<0.50	<0.50
MW1	03/13/06	17.29	6.31	10.98	No	470d	6,800i	---	4,600	70	<25	76	56
MW1	06/12/06	17.29	2.01	15.28	No	300d,f	16,000i	---	16,000	<50	<50	<50	<50
MW1	09/08/06	17.29	6.61	10.68	No	62d	4,200i	---	4,700	<25	<25	<25	<25
MW1	12/05/06	17.29	7.94	9.35	No	<47	6,300i	---	9,300	<25	<25	<25	<25
MW1	03/12/07	17.29	5.53	11.76	No	120d	3,300i	---	3,400	<25	<25	<25	<25
MW1	05/29/07	17.29	7.15	10.14	No	277d	2,680	---	3,550	2.86	0.97	1.70	3.71f
MW1	08/29/07	17.29	7.44	9.85	No	94d	3,500i	---	3,100	<25	<25	<25	<25
MW1	11/29/07	17.29	7.04	10.25	No	58d	3,600i	---	5,000	<25	<25	<25	<25
MW1	02/27/08	17.29	5.80	11.49	No	130d	2,700i	---	3,600	<25	<25	<25	<25
MW1	05/28/08	17.29	6.50	10.79	No	165d	1,720f	---	3,840	<0.50	<0.50	<0.50	<0.50
MW1	08/27/08	17.29	6.91	10.38	No	180	1,400	---	3,000	<0.50	<0.50	<0.50	<1.0
MW1	11/25/08	17.29	6.96	10.33	No	250	1,800	---	1,300	<0.50	<0.50	0.65	<1.0
MW1	02/25/09	17.29	4.99	12.30	No	170	1,100	---	1,300	3.2	0.98	3.1	<1.0
MW1	05/27/09	17.29	5.85	11.44	No	100	840	---	3,600	3.6	0.64	0.92	1.5e
MW1	09/08/09	17.29	7.03	10.26	No	---	---	---	---	---	---	---	---
MW1	09/09/09	17.29	---	---	---	150d	1,600d	---	1,500	<0.50	<0.50	<0.50	<1.0
MW1	12/02/09	17.29	7.44	9.85	No	160d	1,000d	---	1,100	<0.50	<0.50	<0.50	<1.0
MW2	09/12/94	16.67	6.71	9.96	No	---	31,000a	---	---	4,400	120	1,700	2,100
MW2	10/01/94	16.67	7.22	9.45	No	---	45,000a	---	---	4,500	250	1,800	2,400
MW2	01/13/95	16.67	4.46	12.21	No	---	---	---	---	---	---	---	---
MW2	04/27/95	16.67	6.92	9.75	No	---	44,000	---	---	7,000	840	2,400	3,400
MW2	08/03/95	16.67	6.96	9.71	No	---	30,000	37,000	---	4,600	170	1,600	1,100
MW2	10/17/95	16.67	7.83	8.84	No	---	45,000	14,000	---	5,400	190	2,000	1,500
MW2	01/24/96	16.67	6.45	10.22	No	---	30,000	4,100	---	5,000	810	2,200	2,200
MW2	04/24/96	16.67	6.00	10.67	No	---	34,000	22,000	---	8,700	410	2,200	2,000
MW2	07/26/96	16.67	7.14	9.53	No	---	40,000	18,000	---	10,000	<200	1,800	760
MW2	10/30/96	16.67	6.95	9.72	No	---	43,000	18,000	---	9,100	<250	2,400	730
MW2	01/31/97	16.67	5.07	11.60	No	---	28,000	8,000	---	2,400	630	1,500	3,300
MW2	04/10/97	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	07/10/97	16.67	7.34	9.33	No	---	18,000	2,600	---	2,900	82	1,500	530
MW2	10/08/97	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	01/28/98	16.67	4.46	12.21	No	---	29,000	---	28,000	5,600	410	1,500	720

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	04/14/98	16.67	4.48	12.19	---	---	---	---	---	---	---	---	---
MW2	07/30/98	16.67	6.01	10.66	No	---	24,000	6,300	---	7,500	<200	1,300	280
MW2	10/19/98	16.67	6.35	10.32	No	---	---	---	---	---	---	---	---
MW2	01/13/99	16.67	6.54	10.13	No	---	18,400	2,200	---	4,750	211	1,760	45.3
MW2	04/28/99	16.67	5.54	11.13	---	---	---	---	---	---	---	---	---
MW2	07/09/99	16.67	6.45	10.22	No	---	14,100	3,410	---	4,270	80.1	1,300	339
MW2	10/25/99	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	01/21/00	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	02/11/00	16.67	---	---	No	---	<50	15	---	<1.0	<1.0	<1.0	<1.0
MW2	04/14/00	16.67	4.69	11.98	No	---	---	---	---	---	---	---	---
MW2	06/16/00	16.67	Property transferred to Valero Refining Company.					---	---	---	---	---	---
MW2	07/05/00	16.67	5.44	11.23	No	---	150	86	---	15	<0.5	6.2	2.8
MW2	10/03/00	16.67	6.31	10.36	No	---	200	2,500	---	35	0.51	5.1	12
MW2	01/02/01	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	04/02/01	16.67	5.00	11.67	No	---	<50	680	---	3.6	<0.5	<0.5	<0.5
MW2	07/02/01	16.67	5.62	11.05	No	---	1,400	890	---	13	1.1	<0.5	1.1
MW2	10/15/01	16.67	7.55	9.12	No	---	620	1,900	---	190	3.5	4.5	7
MW2	Nov-01	16.39	Well surveyed in compliance with AB 2886 requirements.					---	---	---	---	---	---
MW2	02/04/02	16.39	4.71	11.68	No	69.0	122	7.10	---	31.4	5.40	9.10	10.4
MW2	05/06/02	16.39	5.08	11.31	No	252	1,250	646	958	125	22.5	68.2	63.1
MW2	08/22/02	16.39	6.88	9.51	No	178	1,270	652	---	269	<0.5	4.3	10.6
MW2	11/08/02	16.39	6.20	10.19	No	83	158	177	---	14.0	0.7	0.6	1.0
MW2	02/07/03	16.39	5.72	10.67	No	<50	173	78.1	---	43.1	3.4	4.5	5.5
MW2	05/02/03	16.39	4.18	12.21	No	56	60.0	50.5	---	4.10	<0.5	0.6	1.4
MW2	08/14/03	16.39	6.00	10.39	No	62d	1,080	506	---	143	1.1	0.7	2.0
MW2	11/14/03	16.39	5.81	10.58	No	132d	362	93.9	---	74.0	0.6	1.6	3.7
MW2	03/01/04	16.39	3.86	12.53	No	<100	<50.0	---	1.40	4.80	1.1	1.1	5.1
MW2	06/15/04	16.39	5.30	11.09	No	<50	<50.0	1.1	---	2.00	2.5	0.5	3.3
MW2	09/13/04	16.39	5.81	10.58	No	57d	<50.0	10.7	---	1.60	<0.5	<0.5	2.5
MW2	12/22/04	16.39	5.17	11.22	No	69d,f	<50.0	0.9	---	0.70	<0.5	<0.5	0.8
MW2	03/24/05	16.39	3.81	12.58	No	78d	54.0	---	0.80	6.30	0.5	1.1	1.5
MW2	06/14/05	16.39	4.89	11.50	No	84d	<50.0	---	<0.50	1.00	<0.5	<0.5	<0.5
MW2	09/12/05	16.39	7.26	9.13	No	65.2d	152	---	15.1	2.94	<0.50	<0.50	<0.50
MW2	12/13/05	16.39	5.87	10.52	No	88.4d	107	---	28.6	24.3	<0.50	<0.50	0.82
MW2	03/13/06	16.39	4.70	11.69	No	<47	<50	---	1.3	6.8	<0.50	<0.50	1.6
MW2	06/12/06	16.39	5.79	10.60	No	130d,f	140	---	0.69	9.1	2.2	4.2	21
MW2	09/08/06	16.39	5.96	10.43	No	<47	71	---	18	1.9	<0.50	<0.50	<0.50
MW2	12/05/06	16.39	---	---	No	520d	97	---	26	6.2	<0.50	<0.50	<0.50
MW2	03/12/07	16.39	4.97	11.42	No	48d	160	---	11	51	<1.0	<1.0	<1.0
MW2	05/29/07	16.39	5.90	10.49	No	93.5d	172	---	18.4	59.6	<0.50	<0.50	0.56f
MW2	08/29/07	16.39	6.51	9.88	No	99d	260	---	47	79	<1.0	<1.0	<1.0

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW2	11/29/07	16.39	6.33	10.06	No	89d	440	---	55	170	<2.5	<2.5	<2.5
MW2	02/27/08	16.39	4.67	11.72	No	<47	<250	---	2.8	2.6	<2.5	3.5	13
MW2	05/28/08	16.39	5.63	10.76	No	153d	88.8	---	4.03	7.43	<0.50	<0.50	<0.50
MW2	08/27/08	16.39	6.19	10.20	No	<50	55	---	2.0	1.7	<0.50	1.4	1.2
MW2	11/25/08	16.39	6.04	10.35	No	<50	61	---	1.8	0.80	<0.50	<0.50	<1.0
MW2	02/25/09	16.39	4.39	12.00	No	<50	99	---	1.5	2.6	1.2	4.0	4.4
MW2	05/27/09	16.39	5.10	11.29	No	<50	63	---	1.2	5.5	<0.50	<0.50	<1.0
MW2	09/08/09	16.39	5.99	10.40	No	93d	81	---	1.6	1.4	<0.50	<0.50	<1.0
MW2	12/02/09	16.39	5.77	10.62	No	370d	810	---	1.5	18	6.1	31	37
MW3	09/12/94	17.11	6.58	10.53	No	---	3,100a	---	---	580	8	340	100
MW3	10/01/94	17.11	6.85	10.26	No	---	3,800a	---	---	640	11	230	130
MW3	01/13/95	17.11	5.27	11.84	No	---	3,800a	---	---	690	24	210	130
MW3	04/27/95	17.11	6.05	11.06	No	---	7,500	---	---	940	35	810	530
MW3	08/03/95	17.11	6.71	10.40	No	---	1,900	24	---	380	<5.0	140	45
MW3	10/17/95	17.11	7.46	9.65	No	---	6,100	<5.0	---	950	29	230	190
MW3	01/24/96	17.11	5.83	11.28	No	---	3,000	<100	---	730	15	190	110
MW3	04/24/96	17.11	5.38	11.73	No	---	11,000	<100	---	1,200	130	1,000	1,400
MW3	07/26/96	17.11	6.80	10.31	No	---	2,500	250	---	800	16	24	56
MW3	10/30/96	17.11	7.20	9.91	No	---	5,200	2,900	---	1,300	28	170	180
MW3	01/31/97	17.11	4.31	12.80	No	---	---	---	---	---	---	---	---
MW3	04/10/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	07/10/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/08/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/28/98	17.11	4.03	13.08	No	---	---	---	---	---	---	---	---
MW3	04/14/98	17.11	3.80	13.31	No	---	---	---	---	---	---	---	---
MW3	07/30/98	17.11	5.84	11.27	No	---	---	---	---	---	---	---	---
MW3	10/19/98	17.11	6.25	10.86	No	---	---	---	---	---	---	---	---
MW3	01/13/99	17.11	6.14	10.97	No	---	---	---	---	---	---	---	---
MW3	04/28/99	17.11	4.95	12.16	---	---	---	---	---	---	---	---	---
MW3	07/09/99	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/25/99	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/21/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	04/14/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	06/16/00	17.11	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW3	07/05/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/03/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/02/01	17.11	5.78	11.33	No	560c	2,700	3,100	---	1300	8.8	11	21.3
MW3	04/02/01	17.11	4.71	12.40	No	620	3,700	1,400	---	1,400	11	36	21
MW3	07/02/01	17.11	5.82	11.29	No	880	5,300	1,200	---	1,300	32	30	730
MW3	10/15/01	17.11	6.12	10.99	No	210d	2,300	1,800	---	630	2.5	8.2	3.34

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)		
MW3	Nov-01	17.02		Well surveyed in compliance with AB 2886 requirements.											
MW3	02/04/02	17.02	4.59	12.43	No	402	8,830	1,420	---	2,300	166	150	158		
MW3	05/06/02	17.02	4.84	12.18	No	1,300	7,950	544	967	1,930	18.0	80.0	648		
MW3	08/22/02	17.02	6.42	10.60	No	416	2,270	298	---	506	3.5	8.0	6.5		
MW3	11/08/02	17.02	5.66	11.36	No	193	1,640	470	---	330	1.8	4.9	2.7		
MW3	02/07/03	17.02	4.99	12.03	No	800	1,360	662	---	328	6.5	9.0	35.0		
MW3	05/02/03	17.02	4.73	12.29	No	562	2,500	300	---	306	4.8	17.5	29.1		
MW3	08/14/03	17.02	6.02	11.00	No	227d	2,040	367	---	356	3.4	3.9	3.2		
MW3	11/14/03	17.02	6.01	11.01	No	280d	1,880	794	---	244	2.6	3.7	4.5		
MW3	03/01/04	17.02	3.71	13.31	No	484d	3,660	---	288	865	11.5	22.5	20.5		
MW3	06/15/04	17.02	5.28	11.74	No	866d	9,980	180	---	1,120	82.0	86.0	1,740		
MW3	09/13/04	17.02	5.91	11.11	No	390d	1,640	183	---	454	4.8	6.7	6.8		
MW3	12/22/04	17.02	4.88	12.14	No	209d,f	1,770	44.9	---	230	2.8	8.2	9.2		
MW3	03/24/05	17.02	3.59	13.43	No	808d	4,800	---	128	930	45.1	59.6	425		
MW3	06/14/05	17.02	4.71	12.31	No	1,440d	6,080	---	144	1,330	34.0	39.0	217		
MW3	09/12/05	17.02	7.03	9.99	No	417d	1,480	---	114	447	4.48	8.40	13.9		
MW3	12/13/05	17.02	5.89	11.13	No	317d	1,160	---	26.5	218	2.19	3.87	6.70		
MW3	03/13/06	17.02	4.41	12.61	No	640d	2,800	---	45	830	12	10	17		
MW3	06/12/06	17.02	5.41	11.61	No	620d,f	4,800	---	43	580	20	42	480		
MW3	09/08/06	17.02	6.16	10.86	No	130d	810	---	22	130	<2.5	<2.5	<2.5		
MW3	12/05/06	17.02	6.61	10.41	No	110d	720	---	16	100	<2.5	<2.5	<2.5		
MW3	03/12/07	17.02	4.70	12.32	No	160d	720	---	12	79	<2.5	4.1	4.4		
MW3	05/29/07	17.02	5.87	11.15	No	195d	782	---	14.7	109	1.76	1.89	2.79f		
MW3	08/29/07	17.02	6.64	10.38	No	100d	530	---	10	64	<2.5	<2.5	<2.5		
MW3	11/29/07	17.02	6.32	10.70	No	100d	560	---	9.8	72	<2.5	<2.5	<2.5		
MW3	02/27/08	17.02	4.49	12.53	No	130d	690	---	12	110	<2.5	7.5	8.8		
MW3	05/28/08	17.02	6.19	10.83	No	819d	1,640f	---	13.8f	85.6	<0.50	130	37.5		
MW3	08/27/08	17.02	6.35	10.67	No	150	700	---	9.5	54	0.65	1.3	1.1		
MW3	11/25/08	17.02	6.15	10.87	No	110	460	---	7.8	56	0.64	1.1	<1.0		
MW3	02/25/09	17.02	4.11	12.91	No	84	260	---	9.3	48	0.73	3.2	2.9		
MW3	05/27/09	17.02	5.14	11.88	No	<50	2,400	---	9.1	220	12	79	260		
MW3	09/08/09	17.02	6.30	10.72	No	---	---	---	---	---	---	---	---		
MW3	09/09/09	17.02	---	---	---	150d	540	---	5.0	41	<0.50	1.5	3.8		
MW3	12/02/09	17.02	6.02	11.00	No	150d	700d	---	8.8	49	1.1	1.7	1.3		
MW4	09/12/94	17.34	6.80	10.54	No	---	5,200a	---	---	900	57	310	490		
MW4	10/01/94	17.34	7.09	10.25	No	---	9,100a	---	---	1,200	66	360	380		
MW4	01/13/95	17.34	4.66	12.68	No	---	25,000a	---	---	1,300	200	550	1,000		
MW4	04/27/95	17.34	5.54	11.80	No	---	5,900	---	---	650	130	350	590		
MW4	08/03/95	17.34	6.92	10.42	No	---	4,200	5,700	---	1,000	<12	170	140		
MW4	10/17/95	17.34	7.50	9.84	No	---	6,900	1,700	---	1,300	30	360	380		

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	01/24/96	17.34	5.81	11.53	No	---	6,300	830	---	1,900	46	290	330
MW4	04/24/96	17.34	5.44	11.90	No	---	5,000	1,600	---	1,800	<20	190	130
MW4	07/26/96	17.34	7.03	10.31	No	---	9,100	1,200	---	1,700	<25	340	280
MW4	10/30/96	17.34	7.57	9.77	No	---	5,300	1,500	---	1,100	35	420	300
MW4	01/31/97	17.34	4.22	13.12	No	---	6,500	40,000	---	1,200	28	490	130
MW4	04/10/97	17.34	---	---	---	---	---	---	---	---	---	---	---
MW4	07/10/97	17.34	7.56	9.78	No	---	10,000	11,000	---	1,100	120	470	720
MW4	10/08/97	17.34	---	---	---	---	---	---	---	---	---	---	---
MW4	01/28/98	17.34	3.70	13.64	No	---	1,700	---	4,900	450	6.8	220	73
MW4	04/14/98	17.34	3.81	13.53	---	---	---	---	---	---	---	---	---
MW4	07/30/98	17.34	5.96	11.38	No	---	2,900	2,800	---	680	<10	220	56
MW4	10/19/98	17.34	6.51	10.83	No	---	---	---	---	---	---	---	---
MW4	01/13/99	17.34	6.24	11.10	No	---	2,140	1,800	---	146	<10	60.9	16.2
MW4	04/28/99	17.34	4.80	12.54	---	---	---	---	---	---	---	---	---
MW4	07/09/99	17.34	6.04	11.30	No	---	1,300	1,310	---	322	<2.5	76.1	<2.5
MW4	10/25/99	17.34	6.51	10.83	No	---	---	---	---	---	---	---	---
MW4	01/21/00	17.34	5.75	11.59	No	---	2,200	1,000	---	410	3.70	40	14.4
MW4	04/14/00	17.34	4.39	12.95	No	---	---	---	---	---	---	---	---
MW4	06/16/00	17.34	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW4	07/05/00	17.34	5.48	11.86	No	---	1,600	260	---	400	3.9	100	84
MW4	10/03/00	17.34	6.22	11.12	No	---	1,600	190	---	280	2	64	34.10
MW4	01/02/01	17.34	5.93	11.41	No	---	840	1,000	---	210	2.5	45	28.10
MW4	04/02/01	17.34	4.89	12.45	No	---	1,900	320	---	340	8.5	110	116
MW4	07/02/01	17.34	5.83	11.51	No	---	100	<2	---	3.9	<0.5	0.65	<0.5
MW4	10/15/01	17.34	6.36	10.98	No	---	930	360	---	140	7	24	10
MW4	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---
MW4	02/04/02	17.29	4.35	12.94	No	774	1,250	46.1	---	124	4.40	46.7	43.5
MW4	05/06/02	17.29	4.95	12.34	No	776	2,040	1,410	2,120	165	5.0	42.0	39.0
MW4	08/22/02	17.29	6.65	10.64	No	445	1,570	1,070	---	73.3	<0.5	9.9	6.8
MW4	11/08/02	17.29	5.60	11.69	No	680	2,340	1,200	---	169	4.3	34.9	23.3
MW4	02/07/03	17.29	4.97	12.32	No	429	2,250	672	---	125	24.9	60.0	109
MW4	05/02/03	17.29	4.92	12.37	No	631	2,450	1,230	---	82.9	2.8	26.4	24.7
MW4	08/14/03	17.29	6.35	10.94	No	444	1,160	286	---	97.0	2.8	14.6	7.4
MW4	11/14/03	17.29	Well inaccessible.				---	---	---	---	---	---	---
MW4	03/01/04	17.29	3.65	13.64	No	571d	1,860	---	66.7	104	4.4	38.3	25.4
MW4	06/15/04	17.29	5.60	11.69	No	453d	632	35.0	---	63.8	1.6	7.3	5.9
MW4	09/13/04	17.29	6.23	11.06	No	444d	1,120	93.4	---	126	3.9	17.8	9.7
MW4	12/22/04	17.29	5.01	12.28	No	561d,f	1,600	31.2	---	105	3.9	24.8	13.3
MW4	03/24/05	17.29	3.64	13.65	No	756d	2,120	---	255	94.9	4.9	44.6	32.3
MW4	06/14/05	17.29	4.84	12.45	No	992d	1,760	---	20.3	105	5.2	25.2	15.1
MW4	09/12/05	17.29	7.41	9.88	No	351d	922	---	524	48.2	<0.50	1.63	1.70

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104

1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	12/13/05	17.29	6.18	11.11	No	728d	1,970	---	836h	144	4.63	15.9	8.64
MW4	03/13/06	17.29	4.71	12.58	No	590d	1,400	---	16	84	2.7	22	15
MW4	06/12/06	17.29	5.88	11.41	No	330d,f	840	---	11	83	3.0	9.8	11
MW4	09/08/06	17.29	6.48	10.81	No	320d	1,000	---	65	88	3.4	6.1	3.6
MW4	12/05/06	17.29	7.15	10.14	No	240d	680	---	78	43	<2.5	3.2	<2.5
MW4	03/12/07	17.29	4.62	12.67	No	390d	1,200	---	44	57	1.8	11	7.4
MW4	05/29/07	17.29	6.32	10.97	No	772d	531	---	8.65	51.6	2.39	6.59	4.63f
MW4	08/29/07	17.29	7.02	10.27	No	250d	470	---	6.8	40	<2.5	4.2	3.0
MW4	11/29/07	17.29	6.61	10.68	No	320d	680	---	5.1	46	<2.5	6.8	4.2
MW4	02/27/08	17.29	4.87	12.42	No	440d	1,000	---	3.4	56	<2.5	18	5.7
MW4	05/28/08	17.29	6.00	11.29	No	714d	627f	---	4.13f	61.6	<0.50	7.36	2.88
MW4	08/27/08	17.29	6.64	10.65	No	400	410	---	2.1	25	1.5	3.7	2.9
MW4	11/25/08	17.29	6.49	10.80	No	<50	970	---	<0.50	57	2.9	7.2	3.5
MW4	02/25/09	17.29	4.22	13.07	No	300	1,300	---	<2.5	50	4.4	23	11
MW4	05/27/09	17.29	5.40	11.89	No	<50	1,300	---	<2.5	53	2.9	11	7.6
MW4	09/08/09	17.29	6.67	10.62	No	330d	740	---	1.5	26	2.0	4.1	3.2
MW4	12/02/09	17.29	6.48	10.81	No	320d	820d	---	1.1	24	1.4	4.1	2.4
MW5	09/12/94	16.71	7.12	9.59	No	---	10,000a	---	---	2,300	17	320	230
MW5	10/01/94	16.71	7.06	9.65	Sheen	---	11,000a	---	---	2,300	19	220	200
MW5	01/13/95	16.71	4.85	11.86	Sheen	---	---	---	---	---	---	---	---
MW5	04/27/95	16.71	6.51	10.20	No	---	14,000	---	---	2,200	72	540	350
MW5	08/03/95	16.71	7.24	9.47	No	---	<10,000	39,000	---	2,100	<100	210	<100
MW5	10/17/95	16.71	7.80	8.91	No	---	13,000	38,000	---	1,800	14	240	170
MW5	01/24/96	16.71	6.66	10.05	No	---	10,000	20,000	---	2,400	79	340	190
MW5	04/24/96	16.71	5.80	10.91	No	---	13,000	33,000	---	3,700	120	520	170
MW5	07/26/96	16.71	7.67	9.04	No	---	15,000	140,000	---	3,400	53	280	76
MW5	10/30/96	16.71	7.77	8.94	No	---	10,000	110,000a	---	2,600	76	260	150
MW5	01/31/97	16.71	4.90	11.81	No	---	10,000	---	34,000	2,400	66	430	140
MW5	04/10/97	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	07/10/97	16.71	7.65	9.06	No	---	9,800	36,000	52,000	1,400	120	190	120
MW5	10/08/97	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	01/28/98	16.71	3.95	12.76	No	---	6,500	---	15,000	1,500	34	73	57
MW5	04/14/98	16.71	4.30	12.41	---	---	---	---	---	---	---	---	---
MW5	07/30/98	16.71	5.86	10.85	No	---	8,300	4,300	---	1,700	26	110	66
MW5	10/19/98	16.71	6.20	10.51	No	---	---	---	---	---	---	---	---
MW5	01/13/99	16.71	6.37	10.34	No	---	4,780	3,650	---	1,240	11.1	<10	<10
MW5	04/28/99	16.71	5.25	11.46	---	---	---	---	---	---	---	---	---
MW5	07/09/99	16.71	6.08	10.63	No	---	4,360	2,360	---	1,780	18.6	45	<5.0
MW5	10/25/99	16.71	6.46	10.25	No	---	---	---	---	---	---	---	---
MW5	01/21/00	16.71	5.79	10.92	No	---	2,600	3,100	---	720	4.7	25	11.3

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	04/14/00	16.71	4.57	12.14	No	---	---	---	---	---	---	---	---
MW5	06/16/00	16.71			Property transferred to Valero Refining Company.								
MW5	07/05/00	16.71	5.37	11.34	No	---	5,100	380	---	1,800	14	52	34
MW5	10/03/00	16.71	5.93	10.78	No	---	5,800	630	---	2,000	8.9	59	21
MW5	01/02/01	16.71	5.68	11.03	No	---	4,800	1,100	---	1,600	9.6	38	15
MW5	04/02/01	16.71	4.87	11.84	No	---	6,800	1,500	---	2,000	40	150	49
MW5	07/02/01	16.71	5.77	10.94	No	---	4,100	960	---	1,600	20	35	21
MW5	10/15/01	16.71	6.15	10.56	No	---	3,900	1,000	---	1,400	8.7	17	15.7
MW5	Nov-01	16.64			Well surveyed in compliance with AB 2886 requirements.								
MW5	02/04/02	16.64	4.69	11.95	No	976	4,380	620	---	1,440	38.0	84.0	50.0
MW5	05/06/02	16.64	5.00	11.64	No	1,360	3,810	764	1,220	1,110	20.0	26.0	26.0
MW5	08/22/02	16.64	6.98	9.66	No	695	3,190	545	---	823	9.0	11.0	31.0
MW5	11/08/02	16.64	5.31	11.33	No	645	3,360	746	---	1,050	9.4	11.1	17.8
MW5	02/07/03	16.64	5.75	10.89	No	689	3,550	400	---	1,100	25.0	65.0	29.0
MW5	05/02/03	16.64	5.34	11.30	No	934	4,070	439	---	818	16.9	31.9	28.6
MW5	08/14/03	16.64	6.37	10.27	No	988d	3,860	286	---	912	15.6	16.2	24.0
MW5	11/14/03	16.64	6.01	10.63	No	1,000d,f	3,450	198	---	841	15.0	14.8	17.4
MW5	03/01/04	16.64	4.04	12.60	No	711d	3,160	---	52.7	767	21.5	32.5	26.5
MW5	06/15/04	16.64	5.47	11.17	No	600d	4,520	52.0	---	930	14.5	17.5	24.5
MW5	09/13/04	16.64	5.99	10.65	No	686d	3,960	70.0	---	998	12.0	14.0	20.0
MW5	12/22/04	16.64	5.08	11.56	No	1,200d,f	3,110	52.6	---	1,000	58.5	91.9	90.3
MW5	03/24/05	16.64	3.85	12.79	No	1,240d	3,370	---	30.7	962	24.3	80.5	80.0
MW5	06/14/05	16.64	4.92	11.72	No	1,640d	4,210	---	28.1	976	25.0	51.0	64.0
MW5	09/12/05	16.64	7.86	8.78	No	780d	1,130	---	23.4	481	6.44	4.94	10.1
MW5	12/13/05	16.64	6.22	10.42	No	1,090d	2,210	---	18.7	698	8.07	9.59	8.15
MW5	03/13/06	16.64	5.52	11.12	No	770d	3,000	---	10	510	17	63	37
MW5	06/12/06	16.64	6.42	10.22	No	490d,f	2,200	---	6.8	290	14	22	40
MW5	09/08/06	16.64	6.07	10.57	No	600d	2,300	---	7.9	360	<10	<10	<10
MW5	12/05/06	16.64	7.71	8.93	No	710d	1,900	---	7.1	300	6.3	<5.0	5.7
MW5	03/12/07	16.64	4.95	11.69	No	630d	2,300	---	5.5	310	23	32	37
MW5	05/29/07	16.64	6.51	10.13	No	1,710d	2,880	---	5.24	438	18.3	19.3	45.6f
MW5	08/29/07	16.64	7.03	9.61	No	590d	2,000	---	6.3	220	<5.0	<5.0	9.0
MW5	11/29/07	16.64	6.67	9.97	No	480d	1,400	---	4.8	150	7.2	<5.0	6.9
MW5	02/27/08	16.64	5.22	11.42	No	830d	2,600	---	2.8	260	22	79	65
MW5	05/28/08	16.64	6.10	10.54	No	1,630d	2,040f	---	4.17f	249	10.7	16.8	29.0
MW5	08/27/08	16.64	6.32	10.32	No	1,100	2,300	---	<5.0	170	5.1	5.5	9.4
MW5	11/25/08	16.64	6.36	10.28	No	1,000	2,700	---	<5.0	220	8.7	10	12
MW5	02/25/09	16.64	4.25	12.39	No	950	3,100	---	<5.0	290	22	68	50
MW5	05/27/09	16.64	5.26	11.38	No	1,600	3,100	---	<5.0	47	2.5	7.7	8.3
MW5	09/08/09	16.64	6.65	9.99	No	---	---	---	---	---	---	---	---
MW5	09/09/09	16.64	---	---	---	720d	2,300	---	<2.5	100	<0.50	6.2	14

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	12/02/09	16.64	6.75	9.89	No	910d	2,400d	---	<2.0	110	4.5	11	11
MW6	09/12/94	17.56	6.88	10.68	No	---	1,500a	---	---	150	4.4	170	85
MW6	10/01/94	17.56	7.15	10.41	No	---	87a	---	---	120	<0.5	99	38
MW6	01/13/95	17.56	4.80	12.76	No	---	9,900a	---	---	710	220	780	1,100
MW6	04/27/95	17.56	6.14	11.42	No	---	3,900	---	---	340	40	460	320
MW6	08/03/95	17.56	6.83	10.73	No	---	1,100	65	---	89	<2.5	110	63
MW6	10/17/95	17.56	7.66	9.90	No	---	8,500	<5.0	---	410	74	850	110
MW6	01/24/96	17.56	5.86	11.70	No	---	31,000	<5.0	---	560	1,500	2,200	7,500
MW6	04/24/96	17.56	5.39	12.17	No	---	15,000	280	---	460	570	1,400	3,300
MW6	07/26/96	17.56	6.97	10.59	No	---	27,000	1,300	---	270	660	1,600	5,500
MW6	10/30/96	17.56	7.45	10.11	No	---	28,000	900	---	490	440	1,800	6,200
MW6	01/31/97	17.56	4.30	13.26	No	---	7,000	770	---	190	1,000	380	1,400
MW6	04/10/97	17.56	---	---	---	---	---	---	---	---	---	---	---
MW6	07/10/97	17.56	7.57	9.99	No	---	6,800	1,100	---	200	<50	300	860
MW6	10/08/97	17.56	7.48	10.08	No	---	51,000	580	---	870	7,300	2,600	12,000
MW6	01/28/98	17.56	3.74	13.82	No	---	15,000	---	2,400	650	2,300	900	2,700
MW6	04/14/98	17.56	3.92	13.64	No	---	25,000	---	2,100	850	3,300	1,200	4,300
MW6	07/30/98	17.56	6.09	11.47	No	---	5,900	910	---	270	65	500	630
MW6	10/19/98	17.56	6.56	11.00	No	---	---	---	---	---	---	---	---
MW6	01/13/99	17.56	6.35	11.21	No	---	3,150	422	---	204	107	297	304
MW6	04/28/99	17.56	4.89	12.67	No	---	15,300	---	436	1,270	980	1,100	3,320
MW6	07/09/99	17.56	6.07	11.49	No	---	1,140	439	---	121	9.95	160	4.69
MW6	10/25/99	17.56	6.11	11.45	No	---	2,200	3,400	---	590	<10	22	12.1
MW6	01/21/00	17.56	5.86	11.70	No	---	1,300	1,000	---	95	15	94	74
MW6	04/14/00	17.56	4.29	13.27	No	---	13,000	420	---	440	630	840	3,000
MW6	06/16/00	17.56	Property transferred to Valero Refining Company.										
MW6	07/05/00	17.56	5.39	12.17	No	---	5,800	830	---	1,000	13	550	798
MW6	10/03/00	17.56	6.14	11.42	No	---	490	3,800	---	61	<0.5	74	12
MW6	01/02/01	17.56	---	---	---	---	---	---	---	---	---	---	---
MW6	04/02/01	17.56	4.70	12.86	No	400	16,000	450	---	370	690	870	3,200
MW6	07/02/01	17.56	8.73	8.83	No	520	3,700	2,000	---	330	<5	160	32
MW6	10/15/01	17.56	6.24	11.32	No	1,100d	27,000	790	---	<12	<12	<12	<12
MW6	Nov-01	17.31	Well surveyed in compliance with AB 2886 requirements.										
MW6	02/04/02	17.31	4.24	13.07	No	168	14,800	545	---	425	120	1,480	4,030
MW6	05/06/02	17.31	4.83	12.48	No	1,540	8,580	380	522.0	988	24.0	866	1,080
MW6	08/22/02	17.31	6.49	10.82	No	10,400	4,050	716	---	44.5	11.5	460	270
MW6	11/08/02	17.31	5.49	11.82	No	822	5,640	1,150	---	49.3	42.7	586	858
MW6	02/07/03	17.31	4.89	12.42	No	1,590	14,300	572	---	134	393	1,000	3,720
MW6	05/02/03	17.31	4.68	12.63	No	1,550	8,880	1,560	---	92.0	167	672	1,530
MW6	08/14/03	17.31	6.15	11.16	No	666d	6,560	3,780	---	28.2	5.3	133	184

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6	11/14/03	17.31	6.03	11.28	No	338d	5,370	4,520	---	26.4	3.1	44.9	45.0
MW6	03/01/04	17.31	3.60	13.71	No	1,630d	9,020	---	134	223	265	546	1,700
MW6	06/15/04	17.31	5.41	11.90	No	521d	6,920	3,470	---	300	10.0	97.0	173
MW6	09/13/04	17.31	6.06	11.25	No	122d	1,010	733	---	23	<5.0	11.0	<5.0
MW6	12/22/04	17.31	4.98	12.33	No	884d,f	4,050	75.4	---	101	169	208	980
MW6	03/24/05	17.31	3.59	13.72	No	1,310d	7,650	---	129	460	46.0	365	1,240
MW6	06/14/05	17.31	4.67	12.64	No	895d	1,940	---	153	195	7.6	26.3	18.3
MW6	09/12/05	17.31	7.12	10.19	No	182d	560	---	286	10.2	<0.50	<0.50	<0.50
MW6	12/13/05	17.31	5.98	11.33	No	212d	397	---	88.1	12.6	2.64	3.31	4.58
MW6	03/13/06	17.31	4.28	13.03	No	850d	4,300	---	110	440	40	130	900
MW6	06/12/06	17.31	5.40	11.91	No	350d,f	1,600	---	<5.0	120	<10	<10	31
MW6	09/08/06	17.31	6.34	10.97	No	66d	290	---	16	4.0	<0.50	<0.50	<0.50
MW6	12/05/06	17.31	6.74	10.57	No	75d	260	---	23	3.5	<0.50	<0.50	1.8
MW6	03/12/07	17.31	4.71	12.60	No	170d	890	---	11	12	2.8	12	88
MW6	05/29/07	17.31	5.96	11.35	No	169d	318	---	7.08	7.77	1.03	<0.50	0.98f
MW6	08/29/07	17.31	6.80	10.51	No	60d	170	---	<2.5	3.1	<0.50	<0.50	<0.50
MW6	11/29/07	17.31	6.46	10.85	No	<47	180	---	<2.5	<0.50	<0.50	<0.50	<0.50
MW6	02/27/08	17.31	4.44	12.87	No	1,200d	14,000	---	30	82	250	1,200	4,500
MW6	05/28/08	17.31	5.75	11.56	No	3,610d	19,800	---	6.45f	33.4	30.2	1,080	3,270f
MW6	08/27/08	17.31	6.50	10.81	No	2,600	7,600	---	<50	33	16	710	1,800
MW6	11/25/08	17.31	6.27	11.04	No	2,100	8,100	---	<50	74	100	2,100	2,600
MW6	02/25/09	17.31	4.09	13.22	No	1,900	7,700	---	<50	75	250	1,200	1,700
MW6	05/27/09	17.31	5.26	12.05	No	88	5,100	---	<10	4.2	1.6	43	72
MW6	09/08/09	17.31	6.42	10.89	No	---	---	---	---	---	---	---	---
MW6	09/09/09	17.31	---	---	---	2,000d	4,200	---	<10	29	9.8	330	80
MW6	12/02/09	17.31	6.14	11.17	No	1,800d	4,800d	---	<5.0	25	34	240	18
MW7	09/12/94	17.12	6.43	10.69	No	---	6,000a	---	---	490	50	280	70
MW7	10/01/94	17.12	6.71	10.41	No	---	8,900a	---	---	940	670	310	160
MW7	01/13/95	17.12	4.29	12.83	No	---	20,000a	---	---	590	780	970	4,200
MW7	04/27/95	17.12	5.00	12.12	No	---	8,800	---	---	410	32	410	230
MW7	08/03/95	17.12	6.53	10.59	No	---	4,900	17,000	---	390	<50	290	<50
MW7	10/17/95	17.12	7.23	9.89	No	---	6,700	17,000	---	530	26	240	25
MW7	01/24/96	17.12	5.26	11.86	No	---	9,300	60,000	---	2,000	390	350	230
MW7	04/24/96	17.12	5.06	12.06	No	---	9,000	360,000	---	2,400	850	150	130
MW7	07/26/96	17.12	6.62	10.50	No	---	4,800	86,000	---	530	25	60	46
MW7	10/30/96	17.12	7.09	10.03	No	---	3,400	28,000	---	180	9.8	58	38
MW7	01/31/97	17.12	3.65	13.47	No	---	3,800	45,000	---	300	18	48	37
MW7	04/10/97	17.12	---	---	---	---	---	---	---	---	---	---	---
MW7	07/10/97	17.12	7.44	9.68	No	---	3,500	18,000	---	70	<25	<25	<25
MW7	10/08/97	17.12	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW7	01/28/98	17.12	3.06	14.06	No	---	100	---	250	1.0	<0.5	<0.5	0.67
MW7	04/14/98	17.12	3.10	14.02	No	---	---	---	---	---	---	---	---
MW7	07/30/98	17.12	5.78	11.34	No	---	100	670	---	1.4	<0.5	<0.5	<0.5
MW7	10/19/98	17.12	6.25	10.87	No	---	---	---	---	---	---	---	---
MW7	01/13/99	17.12	5.98	11.14	No	---	273	530	---	<2.5	<2.5	<2.5	<2.5
MW7	04/28/99	17.12	4.32	12.80	No	---	---	---	---	---	---	---	---
MW7	07/09/99	17.12	5.67	11.45	No	---	139	860	---	3.79	7.10	1.19	8.65
MW7	10/25/99	17.12	6.23	10.89	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW7	01/21/00	17.12	5.41	11.71	No	---	410	500	---	10	2.5	<1.0	2.5
MW7	04/14/00	17.12	3.84	13.28	No	---	---	---	---	---	---	---	---
MW7	06/16/00	17.12	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW7	07/05/00	17.12	5.05	12.07	No	---	140	480	---	<0.5	<0.5	<0.5	0.56
MW7	10/03/00	17.12	5.88	11.24	No	---	370	1,900	---	<0.5	0.62	<0.5	3.20
MW7	01/02/01	17.12	5.52	11.60	No	---	120	1,500	---	2.2	<0.5	<0.5	<0.5
MW7	04/02/01	17.12	4.26	12.86	No	---	120	1,500	---	0.91	<0.5	<0.5	<0.5
MW7	07/02/01	17.12	5.42	11.70	No	---	110	740	---	4.1	<0.5	0.75	0.84
MW7	10/15/01	17.12	7.50	9.62	No	---	170	740	---	<0.5	<0.5	<0.5	0.69
MW7	Nov-01	17.06	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---
MW7	02/04/02	17.06	3.81	13.25	No	88.0	928	610	---	<0.50	<0.50	<0.50	<0.50
MW7	05/06/02	17.06	4.51	12.55	No	72	591	565	712.0	2.4	<0.5	2.5	4.1
MW7	08/22/02	17.06	6.25	10.81	No	<50	586	482	---	2.5	<2.5	<2.5	3.0
MW7	11/08/02	17.06	5.03	12.03	No	<50	463	319	---	1.7	<0.5	<0.5	0.6
MW7	02/07/03	17.06	4.57	12.49	No	<50	344	440	---	0.9	0.9	0.8	3.5
MW7	05/02/03	17.06	4.39	12.67	No	<50	323	307	---	0.80	<0.5	<0.5	<0.5
MW7	08/14/03	17.06	5.96	11.10	No	<50	197	45.5	---	2.00	<0.5	<0.5	1.0
MW7	11/14/03	17.06	6.04	11.02	No	<50	146	48.0	---	1.50	<0.5	0.6	1.7
MW7	03/01/04	17.06	2.91	14.15	No	138d	<50.0	---	8.10	<0.50	<0.5	<0.5	<0.5
MW7	06/10/04	17.06	5.18	11.88	No	293d	9,830	26.0	---	501	2,280	205	1,920
MW7	09/13/04	17.06	5.85	11.21	No	292d	1,350	82.5	---	64.5	<2.5	6.5	225
MW7	12/22/04	17.06	4.51	12.55	No	173d,f	<50.0	12.2	---	0.50	<0.5	0.8	<0.5
MW7	03/24/05	17.06	2.92	14.14	No	124d	<50.0	---	2.10	<0.50	<0.5	<0.5	<0.5
MW7	06/14/05	17.06	4.31	12.75	No	89d	<50.0	---	4.50	<0.50	<0.5	<0.5	<0.5
MW7	09/12/05	17.06	6.92	10.14	No	68.0d	<50.0	---	10.8	<0.50	<0.50	<0.50	<0.50
MW7	12/13/05	17.06	5.71	11.35	No	249d	<50.0	---	5.93	<0.50	<0.50	<0.50	<0.50
MW7	03/13/06	17.06	3.66	13.40	No	<47	<50	---	3.0	<0.50	<0.50	<0.50	<0.50
MW7	06/12/06	17.06	5.22	11.84	No	<47	<50	---	2.3	<0.50	<0.50	<0.50	<0.50
MW7	09/08/06	17.06	6.27	10.79	No	<47	<50	---	6.1	<0.50	<0.50	<0.50	<0.50
MW7	12/05/06	17.06	6.61	10.45	No	<47	<50	---	4.1	<0.50	<0.50	<0.50	<0.50
MW7	03/12/07	17.06	4.41	12.65	No	<47	<50	---	5.2	<0.50	<0.50	<0.50	<0.50
MW7	05/29/07	17.06	5.72	11.34	No	178d	<50.0	---	1.84	<0.50	<0.50	<0.50	<0.50
MW7	08/29/07	17.06	6.64	10.42	No	<47	<50	---	3.8	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW7	11/29/07	17.06	6.26	10.80	No	<47	<50	---	3.3	<0.50	<0.50	<0.50	<0.50
MW7	02/27/08	17.06	4.11	12.95	No	<47	57	---	3.7	2.1	1.0	5.4	19
MW7	05/28/08	17.06	5.53	11.53	No	111d	<50.0	---	1.83f	<0.50	<0.50	<0.50	<0.50
MW7	08/27/08	17.06	6.25	10.81	No	<50	<50	---	1.6	<0.50	<0.50	<0.50	<1.0
MW7	11/25/08	17.06	6.02	11.04	No	<50	<50	---	2.1	<0.50	<0.50	<0.50	<1.0
MW7	02/25/09	17.06	3.50	13.56	No	<50	<50	---	0.97	<0.50	<0.50	<0.50	<1.0
MW7	05/27/09	17.06	5.01	12.05	No	<50	<50	---	1.8	<0.50	<0.50	<0.50	<1.0
MW7	09/08/09	17.06	6.29	10.77	No	<50	<50	---	1.2	<0.50	<0.50	<0.50	<1.0
MW7	12/02/09	17.06	5.84	11.22	No	<50	<50	---	1.7	<0.50	<0.50	<0.50	<1.0
MW8	09/12/94	16.33	6.42	9.91	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	10/01/94	16.33	6.62	9.71	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/95	16.33	5.25	11.08	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	04/27/95	16.33	6.00	10.33	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW8	08/03/95	16.33	6.28	10.05	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	10/17/95	16.33	6.93	9.40	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/24/96	16.33	5.71	10.62	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/24/96	16.33	5.52	10.81	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	07/26/96	16.33	6.27	10.06	No	---	<50	230	---	<0.5	<0.5	<0.5	<0.5
MW8	10/30/96	16.33	6.69	9.64	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/31/97	16.33	5.18	11.15	No	---	---	---	---	---	---	---	---
MW8	04/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	10/08/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	01/28/98	16.33	5.11	11.22	No	---	---	---	---	---	---	---	---
MW8	04/14/98	16.33	5.02	11.31	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	07/30/98	16.33	5.84	10.49	No	---	<50	6.6	---	<0.5	<0.5	<0.5	<0.5
MW8	10/19/98	16.33	6.07	10.26	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/99	16.33	5.59	10.74	No	---	<50	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/28/99	16.33	5.38	10.95	No	---	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	07/09/99	16.33	5.71	10.62	No	---	<50	3.01	---	<0.5	<0.5	<0.5	<0.5
MW8	10/25/99	16.33	6.15	10.18	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW8	01/21/00	16.33	6.51	9.82	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW8	04/14/00	16.33	5.54	10.79	Brown	---	<50	<1	---	<1	<1	<1	<1
MW8	06/16/00	16.33	Property transferred to Valero Refining Company.										
MW8	07/05/00	16.33	5.67	10.66	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	10/03/00	16.33	6.02	10.31	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	01/02/01	16.33	5.95	10.38	No	140c	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	04/02/01	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/02/01	16.33	5.76	10.57	No	<50	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	10/15/01	16.33	6.19	10.14	No	<50	<50	<2	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW8	Nov-01	16.24											
MW8	02/04/02	16.24											
MW8	05/06/02	16.24	5.31	10.93	No	<50	<50.0	0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW8	08/22/02	16.24	6.07	10.17	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	11/08/02	16.24	5.91	10.33	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	02/07/03	16.24	5.34	10.90	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	05/02/03	16.24	5.27	10.97	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW8	08/14/03	16.24	5.60	10.64	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW8	11/14/03	16.24	6.01	10.23	No	55d	<50.0	<0.5	---	<0.50	<0.5	0.7	1.7
MW8	03/01/04	16.24	5.16	11.08	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	06/15/04	16.24	5.36	10.88	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW8	09/13/04	16.24	5.81	10.43	No	<50	<50.0	0.9	---	<0.50	<0.5	<0.5	0.7
MW8	12/22/04	16.24	5.42	10.82	No	<50	<50.0	<0.50	---	0.50	<0.5	0.5	<0.5
MW8	03/24/05	16.24	5.03	11.21	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	06/14/05	16.24	5.09	11.15	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	09/12/05	16.24	6.24	10.00	No	69.5d	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	12/13/05	16.24	5.69	10.55	No	<50.0	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	03/13/06	16.24	5.28	10.96	No	<47	<50	---	<0.50	<0.50	<0.5	<0.5	<0.50
MW8	06/12/06	16.24	4.58	11.66	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	09/08/06	16.24	4.58	11.66	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	12/05/06	16.24	6.02	10.22	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	03/12/07	16.24	5.31	10.93	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	05/29/07	16.24	5.71	10.53	No	<47.6	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	08/29/07	16.24	6.16	10.08	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	11/29/07	16.24	6.08	10.16	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	02/27/08	16.24	5.25	10.99	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	05/28/08	16.24	5.83	10.41	No	<47.2	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	08/27/08	16.24	6.14	10.10	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	11/25/08	16.24	6.07	10.17	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	02/25/09	16.24	5.26	10.98	No	<50	<50	---	<0.50	0.53e	0.77	<0.50	<1.0
MW8	05/27/09	16.24	5.12	11.12	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	09/08/09	16.24	6.10	10.14	No	---	---	---	---	---	---	---	---
MW8	09/09/09	16.24	---	---	---	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	12/02/09	16.24	5.79	10.45	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	09/12/94	15.62	6.84	8.78	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	10/01/94	15.62	6.97	8.65	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	01/13/95	15.62	6.18	9.44	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	04/27/95	15.62	6.58	9.04	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	08/03/95	15.62	6.72	8.90	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	10/17/95	15.62	7.09	8.53	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g/L}$)	TPHg ($\mu\text{g/L}$)	MTBE 8021B ($\mu\text{g/L}$)	MTBE 8260B ($\mu\text{g/L}$)	B ($\mu\text{g/L}$)	T ($\mu\text{g/L}$)	E ($\mu\text{g/L}$)	X ($\mu\text{g/L}$)
MW9	01/24/96	15.62	6.46	9.16	No	--	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	04/24/96	15.62	6.43	9.19	No	--	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	07/26/96	15.62	6.80	8.82	No	--	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	10/30/96	15.62	6.94	8.68	No	--	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	01/31/97	15.62	6.10	9.52	No	--	--	--	---	--	--	--	--
MW9	04/10/97	15.62	--	--	--	--	--	--	---	--	--	--	--
MW9	07/10/97	15.62	--	--	--	--	--	--	---	--	--	--	--
MW9	10/08/97	15.62	--	--	--	--	--	--	---	--	--	--	--
MW9	01/28/98	15.62	5.66	9.96	No	--	--	--	---	--	--	--	--
MW9	04/14/98	15.62	--	--	--	--	--	--	---	--	--	--	--
MW9	07/30/98	15.62	6.17	9.45	No	--	--	--	--	--	--	--	--
MW9	10/19/98	15.62	6.40	9.22	No	--	--	--	--	--	--	--	--
MW9	01/13/99	15.62	6.28	9.34	No	--	--	--	--	--	--	--	--
MW9	04/28/99	15.62	5.87	9.75	No	--	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5
MW9	07/09/99	15.62	6.24	9.38	No	--	<50	<2.0	--	<0.5	<0.5	<0.5	<0.5
MW9	10/25/99	15.62	6.67	8.95	No	--	<50	<1.0	--	<1.0	<1.0	<1.0	<1.0
MW9	01/21/00	15.62	6.93	8.69	No	--	<50	<1.0	--	<1.0	<1.0	<1.0	<1.0
MW9	04/14/00	15.62	6.05	9.57	Turbid	--	<50	<1	--	<1	<1	<1	<1
MW9	06/16/00	15.62	Property transferred to Valero Refining Company.										
MW9	07/05/00	15.62	6.34	9.28	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	10/03/00	15.62	6.52	9.10	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	01/02/01	15.62	6.53	9.09	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	04/02/01	15.62	6.21	9.41	No	--	<50	<2	--	<0.5	<0.5	0.57	0.73
MW9	07/02/01	15.62	6.40	9.22	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	10/15/01	15.62	6.65	8.97	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	Nov-01	15.56	Well surveyed in compliance with AB 2886 requirements.										
MW9	02/04/02	15.56	4.77	10.79	No	<50.0	<50.0	0.50	--	<0.50	<0.50	<0.50	<0.50
MW9	05/06/02	15.56	6.29	9.27	No	<50	<50.0	<0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW9	08/22/02	15.56	6.70	8.86	No	<50	<50.0	<0.5	--	<0.5	<0.5	<0.5	<0.5
MW9	11/08/02	15.56	6.55	9.01	No	<50	<50.0	<0.5	--	<0.5	<0.5	<0.5	<0.5
MW9	02/07/03	15.56	6.35	9.21	No	<50	<50.0	<0.5	--	<0.5	<0.5	<0.5	<0.5
MW9	05/02/03	15.56	6.16	9.40	No	91	<50.0	<0.5	--	<0.50	<0.5	<0.5	<0.5
MW9	08/14/03	15.56	6.54	9.02	No	<50	<50.0	<0.5	--	<0.50	<0.5	<0.5	<0.5
MW9	11/14/03	15.56	6.60	8.96	No	<50	<50.0	<0.5	--	<0.50	<0.5	<0.5	<0.5
MW9	03/01/04	15.56	5.89	9.67	No	<50	<50.0	--	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/15/04	15.56	6.43	9.13	No	<50	<50.0	<0.50	--	<0.50	<0.5	<0.5	<0.5
MW9	09/13/04	15.56	6.58	8.98	No	<50	<50.0	<0.50	--	<0.50	<0.5	<0.5	<0.5
MW9	12/22/04	15.56	6.28	9.28	No	<50	<50.0	<0.50	--	<0.50	<0.5	<0.5	<0.5
MW9	03/24/05	15.56	5.61	9.95	No	<50	<50.0	--	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/14/05	15.56	6.06	9.50	No	<50	<50.0	--	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	09/12/05	15.56	6.65	8.91	No	<50.0	<50.0	--	<0.500	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW9	12/13/05	15.56	6.32	9.24	No	<50.0	<50.0	--	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	03/13/06	15.56	5.90	9.66	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	06/12/06	15.56	5.96	9.60	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	09/08/06	15.56	6.43	9.13	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	12/05/06	15.56	6.45	9.11	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	03/12/07	15.56	5.98	9.58	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	05/29/07	15.56	6.32	9.24	No	<47.6	<50.0	--	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	08/29/07	15.56	6.51	9.05	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	11/29/07	15.56	6.49	9.07	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	02/27/08	15.56	5.90	9.66	No	<47	<50	--	<0.50	<0.50	<0.50	0.56	2.2
MW9	05/28/08	15.56	6.40	9.16	No	63.5d	<50.0	--	0.800f	<0.50	<0.50	<0.50	<0.50
MW9	08/27/08	15.56	6.57	8.99	No	<50	<50	--	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	11/25/08	15.56	6.57	8.99	No	<50	<50	--	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	02/25/09	15.56	5.69	9.87	No	<50	<50	--	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	05/27/09	15.56	6.21	9.35	No	<50	<50	--	0.67	<0.50	<0.50	<0.50	<1.0
MW9	09/08/09	15.56	6.58	8.98	No	--	--	--	--	--	--	--	--
MW9	09/09/09	15.56	--	--	--	<50	<50	--	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	12/02/09	15.56	6.42	9.14	No	<50	<50	--	<0.50	<0.50	<0.50	<0.50	<1.0
MW10	09/12/94	16.79	7.04	9.75	No	--	71a	--	--	<0.5	<0.5	1.6	<0.5
MW10	10/01/94	16.79	7.30	9.49	No	--	330a	--	--	1.1	<0.5	2.8	0.73
MW10	01/13/95	16.79	6.04	10.75	No	--	90a	--	--	<0.5	<0.5	<0.5	<0.5
MW10	04/27/95	16.79	6.66	10.13	No	--	140	--	--	<0.5	<0.5	5.4	1.3
MW10	08/03/95	16.79	7.23	9.56	No	--	150	<2.5	--	<0.5	<0.5	<0.5	<0.5
MW10	10/17/95	16.79	7.93	8.86	No	--	<50	95	--	<0.5	<0.5	<0.5	<0.5
MW10	01/24/96	16.79	6.43	10.36	No	--	760	24	--	1.6	0.52	62	28
MW10	04/24/96	16.79	6.42	10.37	No	--	110	6.8	--	<0.5	<0.5	7.1	<0.5
MW10	07/26/96	16.79	7.47	9.32	No	--	140	<5.0	--	<0.5	<0.5	12	0.86
MW10	10/30/96	16.79	7.88	8.91	No	--	<50	5.6	--	<0.5	<0.5	<0.5	<0.5
MW10	01/31/97	16.79	5.88	10.91	No	--	<50	10	--	<0.5	<0.5	<0.5	<0.5
MW10	04/10/97	16.79	--	--	--	--	--	--	--	--	--	--	--
MW10	07/10/97	16.79	7.32	9.47	No	--	<50	<2.5	--	<0.5	<0.5	<0.5	<0.5
MW10	10/08/97	16.79	--	--	--	--	--	--	--	--	--	--	--
MW10	12/12/97	Well destroyed.											
MW11	10/17/95	18.04	7.72	10.32	No	--	34,000	890	--	3,800	150	950	4,500
MW11	01/24/96	18.04	5.97	12.07	No	--	44,000	<500	--	3,800	1,200	2,100	9,800
MW11	04/24/96	18.04	5.84	12.20	No	--	34,000	720	--	2,900	1,400	1,700	8,300
MW11	07/26/96	18.04	6.98	11.06	No	--	39,000	800	--	4,600	4,200	950	9,500
MW11	10/30/96	18.04	7.54	10.50	No	--	53,000	990	--	4,200	3,600	2,100	9,600
MW11	01/31/97	18.04	5.00	13.04	No	--	23,000	--	310	170	2,500	940	4,300

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW11	04/10/97	18.04	---	---	No	---	29,000	200	---	1,200	440	970	6,400
MW11	07/10/97	18.04	7.30	10.74	No	---	42,000	690	---	1,700	870	1,900	12,000
MW11	10/08/97	18.04	7.62	10.42	No	---	42,000	1,100	---	1,700	2,500	1,400	9,900
MW11	01/28/98	18.04	4.77	13.27	No	---	35,000	---	6,800	2,400	3,500	1,700	7,900
MW11	04/14/98	18.04	4.68	13.36	No	---	15,000	---	1,200	1,700	250	500	2,000
MW11	07/30/98	18.04	6.33	11.71	No	---	24,000	1,700	---	1,600	560	1,000	4,300
MW11	10/19/98	18.04	6.65	11.39	No	---	29,000	1,700	---	1,200	2,500	920	4,900
MW11	01/13/99	18.04	6.42	11.62	No	---	50,900	1,920	---	2,210	6,440	2,030	10,600
MW11	04/28/99	18.04	5.30	12.74	No	---	59,400	---	2,390	3,790	4,260	1,790	2,970
MW11	07/09/99	18.04	6.22	11.82	No	---	51,500	4,630	---	5,890	5,340	2,370	12,700
MW11	10/25/99	18.04	6.77	11.27	No	---	51,000	1,700	---	3,900	5,800	2,300	12,300
MW11	01/21/00	18.04	6.47	11.57	No	---	56,000	1,100	---	2,300	4,600	2,100	11,600
MW11	04/14/00	18.04	5.09	12.95	No	---	42,000	2,100	---	3,000	2,600	1,600	8,000
MW11	06/16/00	18.04	Property transferred to Valero Refining Company.										
MW11	07/05/00	18.04	5.93	12.11	No	---	32,000	3,900	---	3,000	2,700	1,300	6,200
MW11	10/03/00	18.04	6.57	11.47	No	---	46,000	4,300	---	2,900	3,600	1,600	7,900
MW11	01/02/01	18.04	6.46	11.58	No	1,600c	44,000	4,200	---	3,900	3,600	1,300	6,500
MW11	04/02/01	18.04	5.44	12.60	No	2,000	39,000	3,100	---	2,600	3,600	1,500	7,500
MW11	07/02/01	18.04	9.10	8.94	No	2,300	45,000	3,000	---	2,000	2,000	1,400	7,200
MW11	10/15/01	18.04	8.10	9.94	No	1,400d	55,000	2,600	---	5,100	5,700	1,900	9,100
MW11	Nov-01	17.98	Well surveyed in compliance with AB 2886 requirements.										
MW11	02/04/02	17.98	5.14	12.84	No	2,430	37,800	1,910	---	3,340	3,550	1,450	6,480
MW11	05/06/02	17.98	5.51	12.47	No	3,000	27,200	1,350	1,984	1,420	1,580	1,110	4,960
MW11	08/22/02	17.98	6.63	11.35	No	5,660	28,100	2,240	---	2,020	1,520	1,120	5,360
MW11	11/08/02	17.98	5.34	12.64	No	3,680	26,000	246	---	1,170	2,130	1,020	5,390
MW11	02/07/03	17.98	5.42	12.56	No	4,360	50,000	1,400	---	3,660	4,500	1,920	8,600
MW11	05/02/03	17.98	5.17	12.81	No	2,330	41,200	1,080	---	1,980	1,860	1,450	7,100
MW11	08/14/03	17.98	6.42	11.56	No	5,480d	46,700	1,140	---	3,360	2,150	1,870	7,640
MW11	11/14/03	17.98	6.39	11.59	No	3,530d	45,800	240	---	2,070	3,300	2,010	8,680
MW11	03/01/04	17.98	4.58	13.40	No	2,030d	5,540	---	61.7	246	350	205	904
MW11	06/15/04	17.98	5.83	12.15	No	2,090d	48,100	580	---	2,040	2,160	2,430	10,100
MW11	09/13/04	17.98	6.41	11.57	No	3,220d	40,300	250	---	2,210	1,290	1,930	8,350
MW11	12/22/04	17.98	5.49	12.49	No	1,770d,f	20,800	105	---	1,060	1,540	750	3,220
MW11	03/24/05	17.98	4.22	13.76	No	643d	4,030	---	800	64.0	52.1	114	532
MW11	06/14/05	17.98	5.42	12.56	No	3,830d	36,900	---	351	1,330	2,760	1,520	6,870
MW11	09/12/05	17.98	7.18	10.80	No	4,020d	16,600	---	245	1,050	795	1,090	4,190
MW11	12/13/05	17.98	6.52	11.46	No	2,670d	28,700	---	97.0	942	527	1,320	6,070
MW11	03/13/06	17.98	4.95	13.03	No	1,100d	5,000	---	<0.50	17	<10	130	730
MW11	06/12/06	17.98	5.77	12.21	No	1,300d,f	28,000	---	21	920	1,500	1,400	5,100
MW11	09/08/06	17.98	6.70	11.28	No	2,300d	21,000	---	25	990	790	1,000	3,700
MW11	12/05/06	17.98	6.93	11.05	No	2,900d	21,000	---	37	700	510	1,000	4,500

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW11	03/12/07	17.98	5.40	12.58	No	1,200d	13,000	---	28	420	280	580	2,700
MW11	05/29/07	17.98	6.40	11.58	No	2,850d	26,400	---	51.8	844	724	1,520	3,940f
MW11	08/29/07	17.98	7.11	10.87	No	2,200d	16,000	---	56	640	210	760	2,600
MW11	11/29/07	17.98	6.91	11.07	No	1,400d	16,000	---	28	550	160	750	2,600
MW11	02/27/08	17.98	5.16	12.82	No	1,300d	13,000	---	11	390	370	800	3,200
MW11	05/28/08	17.98	6.35	11.63	No	4,660d	31,900	---	29.8f	632	1,100	1,280	4,910f
MW11	08/27/08	17.98	7.06	10.92	No	1,200	13,000	---	<25	370	470	490	2,000
MW11	11/25/08	17.98	6.89	11.09	No	3,900	17,000	---	<25	580	470	990	3,700
MW11	02/25/09	17.98	4.87	13.11	No	200	1,500	---	<2.5	5.8	2.8	21	97
MW11	05/27/09	17.98	5.88	12.10	No	<50	18,000	---	<10	710	990	1,200	5,200
MW11	09/08/09	17.98	6.96	11.02	No	---	---	---	---	---	---	---	---
MW11	09/09/09	17.98	---	---	---	4,000d	16,000	---	<50	560	510	760	3,100
MW11	12/02/09	17.98	6.65	11.33	No	3,100d	15,000	---	<25	370	210	510	2,100
MW12	10/17/95	16.30	6.38	9.92	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/24/96	16.30	4.86	11.44	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/24/96	16.30	4.46	11.84	No	---	<50	<5.0	---	<0.5	0.68	<0.5	0.72
MW12	07/26/96	16.30	5.90	10.40	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	10/30/96	16.30	6.56	9.74	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/31/97	16.30	4.57	11.73	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	07/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	10/08/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	01/28/98	16.30	3.90	12.40	No	---	---	---	---	---	---	---	---
MW12	04/14/98	16.30	3.67	12.63	No	---	---	---	---	---	---	---	---
MW12	07/30/98	16.30	5.00	11.30	No	---	---	---	---	---	---	---	---
MW12	10/19/98	16.30	---	---	No	---	---	---	---	---	---	---	---
MW12	01/13/99	16.30	5.19	11.11	No	---	---	---	---	---	---	---	---
MW12	04/28/99	16.30	4.53	11.77	---	---	---	---	---	---	---	---	---
MW12	07/09/99 - 04/14/00	Not monitored or sampled.											
MW12	06/16/00	16.30		Property transferred to Valero Refining Company.									
MW12	07/05/00 - 04/02/01	Not monitored or sampled.											
MW12	07/02/01	16.30	8.34	7.96	No	---	---	---	---	---	---	---	---
MW12	10/15/01	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	Nov-01	16.15		Well surveyed in compliance with AB 2886 requirements.									
MW12	02/04/02 - Present			Not monitored or sampled.									
EW1	09/12/94	16.22	6.13	10.09	No	---	400a	---	---	40	<0.5	10	5.4
EW1	10/01/94	16.22	7.63	8.59	No	---	3,400a	---	---	<0.5	4.4	30	11
EW1	01/13/95	16.22	11.46	4.76	No	---	680a	---	---	40	<0.5	12	16
EW1	04/27/95	16.22	15.47	0.75	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW1	08/03/95	16.22	13.85	2.37	No	---	<125	590	---	2.7	<1.2	<1.2	<1.2
EW1	10/17/95	16.22	8.05	8.17	No	---	3,600	400	---	220	<0.5	160	36
EW1	01/24/96	16.22	11.07	5.15	No	---	64	260	---	4.3	<0.5	1.3	0.53
EW1	04/24/96	16.22	6.20	10.02	No	---	740	3,000	---	130	2.3	35	2.1
EW1	07/26/96	16.22	13.93	2.29	No	---	<50	960	---	<0.5	<0.5	<0.5	<0.5
EW1	10/30/96	16.22	13.74	2.48	No	---	<50	5,300	---	0.52	<0.5	<0.5	<0.5
EW1	01/31/97	16.22	8.40	7.82	No	---	---	---	---	---	---	---	---
EW1	04/10/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	07/10/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	10/08/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	01/28/98	16.22	3.35	12.87	No	---	---	---	---	---	---	---	---
EW1	04/14/98	16.22	3.52	12.70	No	---	---	---	---	---	---	---	---
EW1	07/30/98	16.22	5.48	10.74	No	---	---	---	---	---	---	---	---
EW1	10/19/98	16.22	5.77	10.45	No	---	---	---	---	---	---	---	---
EW1	01/13/99	16.22	5.49	10.73	No	---	---	---	---	---	---	---	---
EW1	04/28/99	16.22	4.31	11.91	No	---	---	---	---	---	---	---	---
EW1	07/09/99 - 04/14/00	Not monitored or sampled.											
EW1	06/16/00	16.22	Property transferred to Valero Refining Company.										
EW1	07/05/00 - 10/15/01	Not monitored or sampled.											
EW1	Nov-01	16.27	Well surveyed in compliance with AB 2886 requirements.										
EW1	02/04/02	16.27	---	---	---	---	---	---	---	---	---	---	---
EW1	05/06/02	16.27	4.94	11.33	No	---	---	---	---	---	---	---	---
EW1	08/22/02	16.27	Well inaccessible.										
EW1	11/08/02	16.27	3.80	12.47	No	---	---	---	---	---	---	---	---
EW1	02/07/03	16.27	12.45	3.82	No	---	---	---	---	---	---	---	---
EW1	05/02/03	16.27	6.55	9.72	No	---	---	---	---	---	---	---	---
EW1	08/14/03	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	11/14/03	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	03/01/04	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	06/15/04	16.27	4.47	11.80	No	---	---	---	---	---	---	---	---
EW1	09/13/04	16.27	5.12	11.15	No	---	---	---	---	---	---	---	---
EW1	12/22/04	16.27	4.17	12.10	No	---	---	---	---	---	---	---	---
EW1	03/24/05	16.27	2.97	13.30	No	---	---	---	---	---	---	---	---
EW1	06/14/05	16.27	3.98	12.29	No	---	---	---	---	---	---	---	---
EW1	09/12/05	16.27	14.39	1.88	No	---	---	---	---	---	---	---	---
EW1	12/13/05	16.27	12.7	3.57	No	---	---	---	---	---	---	---	---
EW1	03/13/06	16.27	11.43	4.84	No	---	---	---	---	---	---	---	---
EW1	06/12/06	16.27	11.78	4.49	No	---	---	---	---	---	---	---	---
EW1	09/08/06	16.27	5.18	11.09	No	---	---	---	---	---	---	---	---
EW1	12/05/06	16.27	10.48	5.79	No	---	---	---	---	---	---	---	---
EW1	03/12/07	16.27	3.82	12.45	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW1	05/29/07	16.27	14.9	1.37	No	---	---	---	---	---	---	---	---
EW1	08/29/07	16.27	7.82	8.45	No	---	---	---	---	---	---	---	---
EW1	11/29/07	16.27	6.23	10.04	No	---	---	---	---	---	---	---	---
EW1	02/27/08	16.27	4.38	11.89	No	---	---	---	---	---	---	---	---
EW1	05/28/08	16.27	6.51	9.76	No	---	---	---	---	---	---	---	---
EW1	08/27/08	16.27	4.75	11.52	No	---	---	---	---	---	---	---	---
EW1	11/25/08	16.27	7.21	9.06	No	---	---	---	---	---	---	---	---
EW1	02/25/09	16.27	3.45	12.82	No	---	---	---	---	---	---	---	---
EW1	05/27/09	16.27	4.14	12.13	No	---	---	---	---	---	---	---	---
EW1	09/08/09	16.27	8.13	8.14	No	---	---	---	---	---	---	---	---
EW1	12/02/09	16.27	14.70	1.57	No	---	---	---	---	---	---	---	---
EW2	09/12/94	16.05	6.09	9.96	No	---	8,800a	---	---	2,000	79	180	290
EW2	10/01/94	16.05	7.32	8.73	No	---	9,500a	---	---	1,400	6.7	700	310
EW2	01/13/95	16.05	14.38	1.67	No	---	5,700a	---	---	930	270	21	280
EW2	04/27/95	16.05	15.23	0.82	No	---	---	---	---	---	---	---	---
EW2	08/03/95	16.05	7.19	8.86	No	---	830	1,600	---	170	27	36	64
EW2	10/17/95	16.05	18.97	-2.92	No	---	180	3,600	---	<0.5	<0.5	<0.5	5.1
EW2	01/24/96	16.05	20.32	-4.27	No	---	1,700	6,400	---	290	82	14	170
EW2	04/24/96	16.05	9.46	6.59	No	---	3,500	7,300	---	670	200	110	490
EW2	07/26/96	16.05	16.50	-0.45	No	---	1,400	14,000	---	250	56	10	220
EW2	10/30/96	16.05	20.30	-4.25	No	---	1,500	13,000	---	200	44	8.8	190
EW2	01/31/97	16.05	19.21	-3.16	No	---	---	---	---	---	---	---	---
EW2	04/10/97	16.05	---	---	No	---	---	---	---	---	---	---	---
EW2	07/10/97	16.05	---	---	No	---	---	---	---	---	---	---	---
EW2	10/08/97	16.05	---	---	No	---	---	---	---	---	---	---	---
EW2	01/28/98	16.05	3.35	12.70	No	---	---	---	---	---	---	---	---
EW2	04/14/98	16.05	3.45	12.60	No	---	---	---	---	---	---	---	---
EW2	07/30/98	16.05	11.50	4.55	No	---	---	---	---	---	---	---	---
EW2	10/19/98	16.05	5.67	10.38	No	---	---	---	---	---	---	---	---
EW2	01/13/99	16.05	9.57	6.48	No	---	---	---	---	---	---	---	---
EW2	04/28/99	16.05	10.15	5.90	No	---	---	---	---	---	---	---	---
EW2	07/09/99 - 04/14/00												
EW2	06/16/00	16.05											
EW2	07/05/00 - 10/15/01												
EW2	Nov-01	16.07											
EW2	02/04/02 - Present												
EW3	09/12/94	16.02	6.12	9.90	No	---	300a	---	---	44	5.9	12	31
EW3	10/01/94	16.02	10.52	5.50	No	---	140a	---	---	12	0.42	1.7	3.7
EW3	01/13/95	16.02	18.13	-2.11	No	---	230a	---	---	4.6	7.6	1.2	6.6

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW3	04/27/95	16.02	23.07	-7.05	No	---	---	---	---	---	---	---	---
EW3	08/03/95	16.02	22.90	-6.88	No	---	<200	1,400	---	<2.0	<2.0	<2.0	<2.0
EW3	10/17/95	16.02	22.87	-6.85	No	---	74	2,400	---	4.4	<0.5	<0.5	<0.5
EW3	01/24/96	16.02	20.97	-4.95	No	---	120	2,300	---	16	<0.5	<0.5	<0.5
EW3	04/24/96	16.02	18.10	-2.08	No	---	180	3,800	---	34	3.7	8.9	11
EW3	07/26/96	16.02	13.14	2.88	No	---	180	2,000	---	45	0.7	<0.5	2.1
EW3	10/30/96	16.02	9.24	6.78	No	---	660	2,800	---	60	8.2	<0.5	100
EW3	01/31/97	16.02	11.10	4.92	No	---	---	---	---	---	---	---	---
EW3	04/10/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	07/10/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	10/08/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	01/28/98	16.02	3.42	12.60	No	---	---	---	---	---	---	---	---
EW3	04/14/98	16.02	3.50	12.52	No	---	---	---	---	---	---	---	---
EW3	07/30/98	16.02	18.57	-2.55	No	---	---	---	---	---	---	---	---
EW3	10/19/98	16.02	5.65	10.37	No	---	---	---	---	---	---	---	---
EW3	01/13/99	16.02	13.85	2.17	No	---	---	---	---	---	---	---	---
EW3	04/28/99	16.02	4.52	11.50	No	---	---	---	---	---	---	---	---
EW3	07/09/99 - 04/14/00	16.02	Not monitored or sampled.										
EW3	06/16/00	16.02	Property transferred to Valero Refining Company.										
EW3	07/05/00 - 10/15/01	16.02	Not monitored or sampled.										
EW3	Nov-01	16.08	Well surveyed in compliance with AB 2886 requirements.										
EW3	02/04/02	16.08	---	---	---	---	---	---	---	---	---	---	---
EW3	05/06/02	16.08	5.38	10.70	No	---	---	---	---	---	---	---	---
EW3	08/22/02	16.08	13.00	3.08	No	---	---	---	---	---	---	---	---
EW3	11/08/02	16.08	4.19	11.89	No	---	---	---	---	---	---	---	---
EW3	02/07/03	16.08	21.15	-5.07	No	---	---	---	---	---	---	---	---
EW3	05/02/03	16.08	23.50	-7.42	No	---	---	---	---	---	---	---	---
EW3	08/14/03	16.08	6.07	10.01	No	---	---	---	---	---	---	---	---
EW3	11/14/03	16.08	6.04	10.04	No	---	---	---	---	---	---	---	---
EW3	03/01/04	16.08	3.98	12.10	No	---	---	---	---	---	---	---	---
EW3	06/15/04	16.08	4.80	11.28	No	---	---	---	---	---	---	---	---
EW3	09/13/04	16.08	5.56	10.52	No	---	---	---	---	---	---	---	---
EW3	12/22/04	16.08	4.51	11.57	No	---	---	---	---	---	---	---	---
EW3	03/24/05	16.08	3.23	12.85	No	---	---	---	---	---	---	---	---
EW3	06/14/05	16.08	4.31	11.77	No	---	---	---	---	---	---	---	---
EW3	09/12/05	16.08	32.48	-16.40	No	---	---	---	---	---	---	---	---
EW3	12/13/05	16.08	5.66	10.42	No	---	---	---	---	---	---	---	---
EW3	03/13/06	16.08	4.48	11.60	No	---	---	---	---	---	---	---	---
EW3	06/12/06	16.08	4.97	11.11	No	---	---	---	---	---	---	---	---
EW3	09/08/06	16.08	5.65	10.43	No	---	---	---	---	---	---	---	---
EW3	12/05/06	16.08	6.99	9.09	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW3	03/12/07	16.08	4.36	11.72	No	---	---	---	---	---	---	---	---
EW3	05/29/07	16.08	5.84	10.24	No	---	---	---	---	---	---	---	---
EW3	08/29/07	16.08	7.38	8.70	No	---	---	---	---	---	---	---	---
EW3	11/29/07	16.08	5.99	10.09	No	---	---	---	---	---	---	---	---
EW3	02/27/08	16.08	4.53	11.55	No	---	---	---	---	---	---	---	---
EW3	05/28/08	16.08	5.52	10.56	No	---	---	---	---	---	---	---	---
EW3	08/27/08	16.08	6.03	10.05	No	---	---	---	---	---	---	---	---
EW3	11/25/08	16.08	6.05	10.03	No	---	---	---	---	---	---	---	---
EW3	02/25/09	16.08	3.88	12.20	No	---	---	---	---	---	---	---	---
EW3	05/27/09	16.08	4.88	11.20	No	---	---	---	---	---	---	---	---
EW3	09/08/09	16.08	6.31	9.77	No	---	---	---	---	---	---	---	---
EW3	12/02/09	16.08	6.09	9.99	No	---	---	---	---	---	---	---	---
EW4	09/12/94	16.61	5.69	10.92	No	---	4,000a	---	---	1,700	12	210	77
EW4	10/01/94	16.61	7.90	8.71	No	---	460a	---	---	100	1.5	15	11
EW4	01/13/95	16.61	11.36	5.25	No	---	520a	---	---	89	8.8	1.6	82
EW4	04/27/95	16.61	16.30	0.31	No	---	---	---	---	---	---	---	---
EW4	08/03/95	16.61	6.45	10.16	No	---	42,000	17,000	---	3,100	1,100	2,000	8,200
EW4	10/17/95	16.61	15.89	0.72	No	---	92	2,500	---	6.3	<0.5	<0.5	<0.5
EW4	01/24/96	16.61	6.03	10.58	No	---	220	9,200	---	79	2.5	2.9	10
EW4	04/24/96	16.61	4.97	11.64	No	---	4,600	860	---	49	36	69	1,100
EW4	07/26/96	16.61	6.54	10.07	No	---	2,900	15,000	---	610	6.2	200	300
EW4	10/30/96	16.61	6.53	10.08	No	---	550	3,400	---	68	11	<2.5	71
EW4	01/31/97	16.61	3.98	12.63	No	---	---	---	---	---	---	---	---
EW4	04/10/97	16.61	---	---	No	---	---	---	---	---	---	---	---
EW4	07/10/97	16.61	---	---	No	---	---	---	---	---	---	---	---
EW4	10/08/97	16.61	---	---	No	---	---	---	---	---	---	---	---
EW4	01/28/98	16.61	3.22	13.39	No	---	---	---	---	---	---	---	---
EW4	04/14/98	16.61	3.20	13.41	No	---	---	---	---	---	---	---	---
EW4	07/30/98	16.61	4.89	11.72	No	---	---	---	---	---	---	---	---
EW4	10/19/98	16.61	5.16	11.45	No	---	---	---	---	---	---	---	---
EW4	01/13/99	16.61	5.57	11.04	No	---	---	---	---	---	---	---	---
EW4	04/28/99	16.61	4.27	12.34	No	---	---	---	---	---	---	---	---
EW4	07/09/99 - 04/14/00												
EW4	06/16/00	16.61											
EW4	07/05/00 - 10/15/01												
EW4	Nov-01	15.69											
EW4	02/04/02 - Present												
EW5	09/12/94	16.51	6.30	10.21	No	---	180a	---	---	26	1.7	11	12
EW5	10/01/94	16.51	11.83	4.68	No	---	130a	---	---	16	0.92	5.7	8.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW5	01/13/95	16.51	12.54	3.97	No	---	130a	---	---	0.6	0.8	0.6	2.9
EW5	04/27/95	16.51	13.11	3.40	No	---	---	---	---	---	---	---	---
EW5	08/03/95	16.51	11.99	4.52	No	---	70	210	---	<0.5	<0.5	<0.5	<0.5
EW5	10/17/95	16.51	13.43	3.08	No	---	78	50	---	1.5	<0.5	<0.5	3.0
EW5	01/24/96	16.51	9.72	6.79	No	---	2,500	350	---	280	66	22	370
EW5	04/24/96	16.51	8.13	8.38	No	---	6,400	400	---	690	240	380	1,300
EW5	07/26/96	16.51	10.00	6.51	No	---	850	84	---	82	2.5	2.4	100
EW5	10/30/96	16.51	9.82	6.69	No	---	1,200	68	---	110	5.1	2.2	120
EW5	01/31/97	16.51	9.00	7.51	No	---	---	---	---	---	---	---	---
EW5	04/10/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	07/10/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	10/08/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	01/28/98	16.51	3.54	12.97	No	---	---	---	---	---	---	---	---
EW5	04/14/98	16.51	3.65	12.86	No	---	---	---	---	---	---	---	---
EW5	07/30/98	16.51	7.63	8.88	No	---	---	---	---	---	---	---	---
EW5	10/19/98	16.51	5.75	10.76	No	---	---	---	---	---	---	---	---
EW5	01/13/99	16.51	7.03	9.48	No	---	---	---	---	---	---	---	---
EW5	04/28/99	16.51	8.80	7.71	No	---	---	---	---	---	---	---	---
EW5	07/09/99 - 04/14/00	Not monitored or sampled.											
EW5	06/16/00	16.51	Property transferred to Valero Refining Company.										
EW5	07/05/00 - 10/15/01	Not monitored or sampled.											
EW5	Nov-01	16.67	Well surveyed in compliance with AB 2886 requirements.										
EW5	02/04/02	16.67	---	---	---	---	---	---	---	---	---	---	---
EW5	05/06/02	16.67	4.78	11.89	No	---	---	---	---	---	---	---	---
EW5	08/22/02	16.67	6.61	10.06	No	---	---	---	---	---	---	---	---
EW5	11/08/02	16.67	3.74	12.93	No	---	---	---	---	---	---	---	---
EW5	02/07/03	16.67	6.40	10.27	No	---	---	---	---	---	---	---	---
EW5	05/02/03	16.67	5.91	10.76	No	---	---	---	---	---	---	---	---
EW5	08/14/03	16.67	6.28	10.39	No	---	---	---	---	---	---	---	---
EW5	11/14/03	16.67	6.19	10.48	No	---	---	---	---	---	---	---	---
EW5	03/01/04	16.67	4.02	12.65	No	---	---	---	---	---	---	---	---
EW5	06/15/04	16.67	4.97	11.70	No	---	---	---	---	---	---	---	---
EW5	09/13/04	16.67	5.47	11.20	No	---	---	---	---	---	---	---	---
EW5	12/22/04	16.67	4.71	11.96	No	---	---	---	---	---	---	---	---
EW5	03/24/05	16.67	3.15	13.52	No	---	---	---	---	---	---	---	---
EW5	06/14/05	16.67	4.28	12.39	No	---	---	---	---	---	---	---	---
EW5	09/12/05	16.67	7.46	9.21	No	---	---	---	---	---	---	---	---
EW5	12/13/05	16.67	5.47	11.20	No	---	---	---	---	---	---	---	---
EW5	03/13/06	16.67	3.71	12.96	No	---	---	---	---	---	---	---	---
EW5	06/12/06	16.67	4.36	12.31	No	---	---	---	---	---	---	---	---
EW5	09/08/06	16.67	5.70	10.97	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW5	12/05/06	16.67	6.41	10.26	No	---	---	---	---	---	---	---	---
EW5	03/12/07	16.67	4.48	12.19	No	---	---	---	---	---	---	---	---
EW5	05/29/07	16.67	5.76	10.91	No	---	---	---	---	---	---	---	---
EW5	08/29/07	16.67	6.36	10.31	No	---	---	---	---	---	---	---	---
EW5	11/29/07	16.67	6.04	10.63	No	---	---	---	---	---	---	---	---
EW5	02/27/08	16.67	4.38	12.29	No	---	---	---	---	---	---	---	---
EW5	05/28/08	16.67	5.25	11.42	No	---	---	---	---	---	---	---	---
EW5	08/27/08	16.67	5.94	10.73	No	---	---	---	---	---	---	---	---
EW5	11/25/08	16.67	5.84	10.83	No	---	---	---	---	---	---	---	---
EW5	02/25/09	16.67	3.51	13.16	No	---	---	---	---	---	---	---	---
EW5	05/27/09	16.67	4.75	11.92	No	---	---	---	---	---	---	---	---
EW5	09/08/09	16.67	5.72	10.95	No	---	---	---	---	---	---	---	---
EW5	12/02/09	16.67	5.79	10.88	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Notes:

TOC Elev.	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non aqueous phase liquid.
TPHd	= Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the stated laboratory method reporting limit.
---	= Not measured/Not sampled/Not analyzed.
a	= Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	= Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	= Diesel-range hydrocarbons reportedly detected in bailed blank; result is suspect.
d	= Hydrocarbon pattern does not resemble the requested fuel.
e	= Analyte presence not confirmed by second column or GC/MS analysis.
f	= Analyte detected in laboratory method blank; result is suspect.
g	= Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	= Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	= Elevated result due to single analyte peak(s) in the quantitation range.
j	= Calibration verification recovery above the method control limit. A high bias may be indicated.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW1	09/12/94 - 04/14/00							
MW1	06/16/00							
MW1	07/05/00 - 02/04/02							
MW1	05/06/02	<0.50	<0.50	<0.50	297	<0.50	<0.50	---
MW1	08/22/02 - 11/14/03							
MW1	03/01/04	<0.50	<0.50	<0.50	42.3	<0.50	<0.50	---
MW1	06/15/04	---	---	---	---	---	---	<100
MW1	09/13/04	---	---	---	---	---	---	---
MW1	12/22/04	---	---	---	---	---	---	---
MW1	03/24/05	<0.50	<0.50	<0.50	3,020	<0.50	<0.50	<50.0
MW1	06/14/05	<0.50	<0.50	<0.50	6,590	<0.50	<0.50	<50.0
MW1	09/12/05	<0.500	<0.500	<0.500	10,900	<0.500	<0.500	<50.0
MW1	12/13/05	<0.500	<0.500	<0.500	6,590h	<0.500	<0.500	<50.0
MW1	03/13/06	<50	<50	<50	15,000	<50	<50	---
MW1	06/12/06	<50	<50	<50	26,000	<50	<50	---
MW1	09/08/06	<25	<25	<25	22,000	<25	<25	---
MW1	12/05/06	<25	<25	<25	12,000	<25	<25	---
MW1	03/12/07	<100	<100	<100	9,000	<100	<100	---
MW1	05/29/07	<0.500	<0.500	1.11	12,100	<0.500	<0.500	---
MW1	08/29/07	<50	<50	<50	12,000	<50	<50	---
MW1	11/29/07	<50	<50	<50	11,000	<50	<50	---
MW1	02/27/08	<50	<50	<50	11,000	<50	<50	---
MW1	05/28/08	<0.500	<0.500	<25.0	14,100	<0.500	<0.500	---
MW1	08/27/08	<0.50	<0.50	1.5	11,000	<0.50	<0.50	<50
MW1	11/25/08	<50	<50	<50	4,700	<50	<50	<5,000
MW1	02/25/09	<50	<50	<50	5,100	<50	<50	---
MW1	05/27/09	<25	<25	<25	9,100	<25	<25	---
MW1	09/09/09	<50	<50	<50	5,800	<50	<50	---
MW1	12/02/09	<50	<50	<50	3,000	<50	<50	---
MW2	09/12/94 - 04/14/00							
MW2	06/16/00							
MW2	07/05/00 - 10/15/01							
MW2	02/04/02	---	---	---	---	69	---	---
MW2	05/06/02	<0.50	<0.50	<0.50	44.8	252	<0.50	---
MW2	08/22/02	---	---	---	---	178	---	---
MW2	11/08/02	---	---	---	---	83	---	---
MW2	02/07/03	---	---	---	---	<50	---	---
MW2	05/02/03	---	---	---	---	56	---	---
MW2	08/14/03	---	---	---	---	62	---	---
MW2	11/14/03	---	---	---	---	132	---	---
MW2	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	Ethanol ($\mu\text{g/L}$)
MW2	06/15/04	---	---	---	---	---	---	<100
MW2	09/13/04	---	---	---	---	---	---	---
MW2	12/22/04	---	---	---	---	---	---	---
MW2	03/24/05	<0.50	<0.50	<0.50	37	<0.50	<0.50	<50.0
MW2	06/14/05	<0.50	1.90	<0.50	41.1	<0.50	<0.50	<50.0
MW2	09/12/05	<0.500	<0.500	<0.500	181	<0.500	<0.500	<50.0
MW2	12/13/05	<0.500	<0.500	<0.500	159	<0.500	0.680	<50.0
MW2	03/13/06	<0.50	<0.50	<0.50	28	<0.50	<0.50	<100
MW2	06/12/06	<0.50	<0.50	<0.50	40	<0.50	<0.50	<100
MW2	09/08/06	<0.50	<0.50	<0.50	440	<0.50	<0.50	<100
MW2	12/05/06	<0.50	<0.50	<0.50	620	<0.50	0.51	<100
MW2	03/12/07	<0.50	<0.50	<0.50	290	<0.50	<0.50	<100
MW2	05/29/07	<0.500	<0.500	<0.500	235	<0.500	<0.500	<50.0
MW2	08/29/07	<0.50	<0.50	<0.50	900	<0.50	0.50	<100
MW2	11/29/07	<0.50	<0.50	<0.50	1,300	<0.50	0.66	<100
MW2	02/27/08	<0.50	<0.50	<0.50	83	<0.50	<0.50	<100
MW2	05/28/08	<0.500	<0.500	<0.500	60.6	<0.500	<0.500	<50.0
MW2	08/27/08	<0.50	<0.50	<0.50	66	<0.50	<0.50	<50
MW2	11/25/08	<0.50	<0.50	<0.50	69	<0.50	<0.50	<50
MW2	02/25/09	<0.50	<0.50	<0.50	46	<0.50	<0.50	<50
MW2	05/27/09	<0.50	<0.50	<0.50	47	<0.50	<0.50	<50
MW2	09/08/09	<0.50	<0.50	<0.50	42	<0.50	<0.50	<50
MW2	12/02/09	<0.50	<0.50	<0.50	29	<0.50	<0.50	<50
MW3	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW3	06/16/00	Property transferred to Valero Refining Company.						
MW3	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW3	05/06/02	<0.50	<0.50	<0.50	194.0	<0.50	<0.50	---
MW3	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW3	03/01/04	<0.50	<0.50	<0.50	3550.0	<0.50	<0.50	---
MW3	06/15/04	---	---	---	---	---	---	<100
MW3	09/13/04	---	---	---	---	---	---	---
MW3	12/22/04	---	---	---	---	---	---	---
MW3	03/24/05	<0.50	<0.50	<0.50	12,600	<0.50	<0.50	<50.0
MW3	06/14/05	<0.50	<0.50	<0.50	10,500	<0.50	<0.50	<50.0
MW3	09/12/05	<0.500	10.4	<0.500	16,100	<0.500	<0.500	<50.0
MW3	12/13/05	<0.500	5.04	<0.500	3,530h	<0.500	<0.500	<50.0
MW3	03/13/06	<0.50	<0.50	<0.50	12,000h	<0.50	<0.50	<100
MW3	06/12/06	<5.0	<5.0	<5.0	8,000	<5.0	<5.0	<1,000
MW3	09/08/06	<2.5	<2.5	<2.5	6,700	<2.5	<2.5	<500
MW3	12/05/06	<2.5	<2.5	<2.5	6,700	<2.5	<2.5	<500
MW3	03/12/07	<2.5	<2.5	<2.5	5,900	<2.5	<2.5	<500
MW3	05/29/07	<0.500	<0.500	<0.500	4,330	<0.500	<0.500	<50.0
MW3	08/29/07	<1.0	<1.0	<1.0	2,800	<1.0	<1.0	<200

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW3	11/29/07	<1.0	<1.0	<1.0	3,700	<1.0	<1.0	<200
MW3	02/27/08	<5.0	<5.0	<5.0	4,300	<5.0	<5.0	<1,000
MW3	05/28/08	<0.500	<0.500	<0.500	920	<0.500	<0.500	<50.0
MW3	08/27/08	<0.50	<0.50	<0.50	450	<0.50	<0.50	<50
MW3	11/25/08	<2.5	<2.5	<2.5	230	<2.5	<2.5	<250
MW3	02/25/09	<2.5	<2.5	<2.5	460	<2.5	<2.5	<250
MW3	05/27/09	<2.5	<2.5	<2.5	220	<2.5	<2.5	<250
MW3	09/09/09	<0.50	<0.50	<0.50	79	<0.50	<0.50	<50
MW3	12/02/09	<0.50	<0.50	<0.50	120	<0.50	<0.50	<50
MW4	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW4	06/16/00	Property transferred to Valero Refining Company.						
MW4	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW4	05/06/02	<0.50	<0.50	<0.50	499.0	0.8	<0.50	---
MW4	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW4	03/01/04	<0.50	<0.50	<0.50	1,780	<0.50	<0.50	---
MW4	06/15/04	---	---	---	---	---	---	<100
MW4	09/13/04	---	---	---	---	---	---	---
MW4	12/22/04	---	---	---	---	---	---	---
MW4	03/24/05	<0.50	<0.50	<0.50	8,860	<0.50	<0.50	<50.0
MW4	06/14/05	<0.50	2.20	<0.50	5,890	<0.50	<0.50	<50.0
MW4	09/12/05	<0.500	<0.500	<0.500	7,230	<0.500	<0.500	<50.0
MW4	12/13/05	<0.500	3.49	<0.500	3,750q	<0.500	<0.500	<50.0
MW4	03/13/06	<0.50	<0.50	<0.50	2,000	<0.50	<0.50	<100
MW4	06/12/06	<0.50	<0.50	<0.50	740	<0.50	<0.50	<100
MW4	09/08/06	<0.50	<0.50	<0.50	2,800	<0.50	<0.50	<100
MW4	12/05/06	<0.50	<0.50	<0.50	3,900	<0.50	<0.50	<100
MW4	03/12/07	<1.0	<1.0	<1.0	2,800	<1.0	<1.0	<200
MW4	05/29/07	<0.500	<0.500	<0.500	1,350	<0.500	<0.500	<50.0
MW4	08/29/07	<0.50	<0.50	<0.50	940	<0.50	<0.50	<100
MW4	11/29/07	<0.50	<0.50	<0.50	810	<0.50	<0.50	<100
MW4	02/27/08	<0.50	<0.50	<0.50	220	<0.50	<0.50	<100
MW4	05/28/08	<0.500	<0.500	<0.500	107	<0.500	<0.500	<50.0
MW4	08/27/08	<0.50	<0.50	<0.50	130	<0.50	<0.50	<50
MW4	11/25/08	<0.50	<0.50	<0.50	69	<0.50	<0.50	<50
MW4	02/25/09	<2.5	<2.5	<2.5	46	<2.5	<2.5	<250
MW4	05/27/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<250
MW4	09/08/09	<1.0	<1.0	<1.0	18	<1.0	<1.0	<100
MW4	12/02/09	<0.50	<0.50	<0.50	38	<0.50	<0.50	<50
MW5	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW5	06/16/00	Property transferred to Valero Refining Company.						
MW5	07/05/00 - 02/04/02	Not analyzed for these analytes.						

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW5	05/06/02	<0.50	<0.50	<0.50	306	<0.50	3	---
MW5	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW5	03/01/04	<0.50	<0.50	<0.50	528	<0.50	1	---
MW5	06/15/04	---	---	---	---	---	---	<100
MW5	09/13/04	---	---	---	---	---	---	---
MW5	12/22/04	---	---	---	---	---	---	---
MW5	03/24/05	<0.50	<0.50	<0.50	1,560	<0.50	1.30	<50.0
MW5	06/14/05	<0.50	<0.50	<0.50	908	<0.50	1.70	<50.0
MW5	09/12/05	<0.500	13.6	<0.500	1,130	<0.500	<0.500	<50.0
MW5	12/13/05	<0.500	16.5	<0.500	878	<0.500	1.01	<50.0
MW5	03/13/06	<0.50	<0.50	<0.50	1,800h	<0.50	<0.50	<100
MW5	06/12/06	<2.5	<2.5	<2.5	800	<2.5	<2.5	<500
MW5	09/08/06	<2.5	<2.5	<2.5	79	<2.5	<2.5	<500
MW5	12/05/06	<0.50	<0.50	<0.50	230	<0.50	<0.50	<100
MW5	03/12/07	<0.50	<0.50	<0.50	290	<0.50	<0.50	<100
MW5	05/29/07	<0.500	<0.500	<0.500	171	<0.500	<0.500	<50.0
MW5	08/29/07	<0.50	<0.50	<0.50	190	<0.50	<0.50	<100
MW5	11/29/07	<0.50	<0.50	<0.50	110	<0.50	<0.50	<100
MW5	02/27/08	<0.50	<0.50	<0.50	78	<0.50	<0.50	<100
MW5	05/28/08	<0.500	<0.500	<0.500	68.3	<0.500	<0.500	<50.0
MW5	08/27/08	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	11/25/08	<5.0	<5.0	<5.0	51	<5.0	<5.0	<500
MW5	02/25/09	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	05/27/09	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	09/09/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<250
MW5	12/02/09	<2.0	<2.0	<2.0	<20	<2.0	<2.0	<200
MW6	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW6	06/16/00	Property transferred to Valero Refining Company.						
MW6	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW6	05/06/02	<0.50	<0.50	<0.50	32	<0.50	<0.50	---
MW6	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW6	03/01/04	<0.50	<0.50	<0.50	2,000	<0.50	<0.50	---
MW6	06/15/04	---	---	---	---	---	---	<100
MW6	09/13/04	---	---	---	---	---	---	---
MW6	12/22/04	---	---	---	---	---	---	---
MW6	03/24/05	<0.50	<0.50	<0.50	14,700	<0.50	<0.50	<50.0
MW6	06/14/05	<0.50	<0.50	<0.50	22,800	<0.50	<0.50	<50.0
MW6	09/12/05	<0.500	<0.500	<0.500	15,400	<0.500	<0.500	<50.0
MW6	12/13/05	<0.500	<0.500	<0.500	5,640q	<0.500	<0.500	<50.0
MW6	03/13/06	<5.0	<5.0	<5.0	11,000	<5.0	<5.0	<1,000
MW6	06/12/06	<5.0	<5.0	<5.0	7,700	<5.0	<5.0	<1,000
MW6	09/08/06	<5.0	<5.0	<5.0	6,000	<5.0	<5.0	<1,000
MW6	12/05/06	<2.5	<2.5	<2.5	11,000	<2.5	<2.5	<500

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6	03/12/07	<2.5	<2.5	<2.5	5,200	<2.5	<2.5	<500
MW6	05/29/07	<0.500	<0.500	<0.500	3,640	<0.500	<0.500	<50.0
MW6	08/29/07	<2.5	<2.5	<2.5	4,400	<2.5	<2.5	<500
MW6	11/29/07	<2.5	<2.5	<2.5	7,800	<2.5	<2.5	<500
MW6	02/27/08	<25	<25	<25	2,600	<25	<25	<5,000
MW6	05/28/08	<0.500	<0.500	<0.500	156	<0.500	<0.500	<50.0
MW6	08/27/08	<50	<50	<50	<500	<50	<50	<5,000
MW6	11/25/08	<50	<50	<50	890	<50	<50	<5,000
MW6	02/25/09	<50	<50	<50	580	<50	<50	<5,000
MW6	05/27/09	<10	<10	<10	860	<10	<10	<1,000
MW6	09/09/09	<10	<10	<10	120	<10	<10	<1,000
MW6	12/02/09	<5.0	<5.0	<5.0	450	<5.0	<5.0	<500
MW7	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW7	06/16/00	Property transferred to Valero Refining Company.						
MW7	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW7	05/06/02	<0.50	<0.50	<0.50	144	<0.50	<0.50	---
MW7	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW7	03/01/04	<0.50	<0.50	<0.50	295	<0.50	<0.50	---
MW7	06/15/04	---	---	---	---	---	---	<100
MW7	09/13/04	---	---	---	---	---	---	---
MW7	12/22/04	---	---	---	---	---	---	---
MW7	03/24/05	<0.50	<0.50	<0.50	163	<0.50	<0.50	<50.0
MW7	06/14/05	<0.50	<0.50	<0.50	878	<0.50	<0.50	<50.0
MW7	09/12/05	<0.500	<0.500	<0.500	6,910	<0.500	<0.500	<50.0
MW7	12/13/05	<0.500	<0.500	<0.500	683	<0.500	<0.500	<50.0
MW7	03/13/06	<0.50	<0.50	<0.50	120	<0.50	<0.50	<100
MW7	06/12/06	<0.50	<0.50	<0.50	31	<0.50	<0.50	<100
MW7	09/08/06	<0.50	<0.50	<0.50	550	<0.50	<0.50	<100
MW7	12/05/06	<0.50	<0.50	<0.50	200	<0.50	<0.50	<100
MW7	03/12/07	<0.50	<0.50	<0.50	370	<0.50	<0.50	<100
MW7	05/29/07	<0.500	<0.500	<0.500	270	<0.500	<0.500	<50.0
MW7	08/29/07	<0.50	<0.50	<0.50	150	<0.50	<0.50	<100
MW7	11/29/07	<0.50	<0.50	<0.50	98	<0.50	<0.50	<100
MW7	02/27/08	<0.50	<0.50	<0.50	49	<0.50	<0.50	<100
MW7	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW7	08/27/08	<0.50	<0.50	<0.50	7.9	<0.50	<0.50	<50
MW7	11/25/08	<0.50	<0.50	<0.50	19	<0.50	<0.50	<50
MW7	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW7	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW7	09/08/09	<0.50	<0.50	<0.50	9.6	<0.50	<0.50	<50
MW7	12/02/09	<0.50	<0.50	<0.50	5.1	<0.50	<0.50	<50

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	EDB ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	Ethanol ($\mu\text{g/L}$)
MW8	09/12/94 - 01/13/99		Not analyzed for these analytes.					
MW8	04/28/99	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	07/09/99 - 04/14/00		Not analyzed for these analytes.					
MW8	06/16/00		Property transferred to Valero Refining Company.					
MW8	07/05/00 - 02/04/02		Not analyzed for these analytes.					
MW8	05/06/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	08/22/02 - 11/14/03		Not analyzed for these analytes.					
MW8	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	06/15/04	---	---	---	---	---	---	<100
MW8	09/13/04	---	---	---	---	---	---	---
MW8	12/22/04	---	---	---	---	---	---	---
MW8	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW8	06/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW8	09/12/05	<0.500	<0.500	<0.500	46.2	<0.500	<0.500	<50.0
MW8	12/13/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW8	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	06/12/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	09/08/06	<0.50	<0.50	<0.50	6.9	<0.50	<0.50	---
MW8	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	03/12/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW8	08/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW8	11/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW8	02/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW8	08/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW8	11/25/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW8	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	09/09/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	12/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	09/12/94 - 04/14/00		Not analyzed for these analytes.					
MW9	06/16/00		Property transferred to Valero Refining Company.					
MW9	07/05/00 - 02/04/02		Not analyzed for these analytes.					
MW9	05/06/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9	08/22/02 - 11/14/03		Not analyzed for these analytes.					
MW9	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9	06/15/04	---	---	---	---	---	---	<100
MW9	09/13/04	---	---	---	---	---	---	---
MW9	12/22/04	---	---	---	---	---	---	---
MW9	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9	06/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9	09/12/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9	12/13/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	06/12/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	09/08/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	03/12/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9	08/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9	11/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9	02/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9	08/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9	11/25/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	09/09/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	12/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW10	09/12/94 - 10/08/97	Not analyzed for these analytes.						
MW10	12/12/97	Well destroyed.						
MW11	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW11	06/16/00	Property transferred to Valero Refining Company.						
MW11	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW11	05/06/02	<0.50	<0.50	<0.50	311	1.00	<0.50	---
MW11	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW11	03/01/04	<0.50	<0.50	<0.50	21	<0.50	<0.50	---
MW11	06/15/04	---	---	---	---	---	---	<100
MW11	09/13/04	---	---	---	---	---	---	---
MW11	12/22/04	---	---	---	---	---	---	---
MW11	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW11	06/14/05	<0.50	<0.50	<0.50	49.0	<0.50	<0.50	<50.0
MW11	09/12/05	<0.500	<0.500	<0.500	24.2	<0.500	<0.500	<50.0
MW11	12/13/05	<0.500	<0.500	<0.500	70.8	<0.500	<0.500	<50.0
MW11	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	06/12/06	<0.50	<0.50	<0.50	56	<0.50	<0.50	---
MW11	09/08/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	03/12/07	<0.50	<0.50	<0.50	45	<0.50	<0.50	---
MW11	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW11	08/29/07	<0.50	<0.50	<0.50	100	<0.50	<0.50	---
MW11	11/29/07	<0.50	<0.50	<0.50	110	<0.50	<0.50	---
MW11	02/27/08	<0.50	<0.50	<0.50	31	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	EDB ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	Ethanol ($\mu\text{g/L}$)
MW11	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW11	08/27/08	<25	<25	<25	<250	<25	<25	<2,500
MW11	11/25/08	<25	<25	<25	<250	<25	<25	<2,500
MW11	02/25/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<2,500
MW11	05/27/09	<10	18	<10	120	<10	<10	---
MW11	09/09/09	<50	<50	<50	<500	<50	<50	---
MW11	12/02/09	<25	<25	<25	<250	<25	<25	---
MW12	10/17/95 - 04/14/00	Not analyzed for these analytes.						
MW12	06/16/00	Property transferred to Valero Refining Company.						
MW12	07/05/00 - Present	Not analyzed for these analytes.						
EW1	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW1	06/16/00	Property transferred to Valero Refining Company.						
EW1	07/05/00 - Present	Not analyzed for these analytes.						
EW2	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW2	06/16/00	Property transferred to Valero Refining Company.						
EW2	07/05/00 - Present	Not analyzed for these analytes.						
EW3	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW3	06/16/00	Property transferred to Valero Refining Company.						
EW3	07/05/00 - Present	Not analyzed for these analytes.						
EW4	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW4	06/16/00	Property transferred to Valero Refining Company.						
EW4	07/05/00 - Present	Not analyzed for these analytes.						
EW5	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW5	06/16/00	Property transferred to Valero Refining Company.						
EW5	07/05/00 - Present	Not analyzed for these analytes.						

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Notes:

TOC Elev.	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non aqueous phase liquid.
TPHd	= Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the stated laboratory method reporting limit.
---	= Not measured/Not sampled/Not analyzed.
a	= Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	= Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	= Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
d	= Hydrocarbon pattern does not resemble the requested fuel.
e	= Analyte presence not confirmed by second column or GC/MS analysis.
f	= Analyte detected in laboratory method blank; result is suspect.
g	= Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	= Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	= Elevated result due to single analyte peak(s) in the quantitation range.
j	= Calibration verification recovery above the method control limit. A high bias may be indicated.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Well Installation Date	Well Destruction Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW1 a	1988	---	17.29	NS	22	NS	4	NS	6-22	NS	NS	NS
MW2 a	1988	---	16.39	NS	16	NS	4	NS	3-15	NS	NS	NS
MW3 a	1988	---	17.02	NS	16	NS	4	NS	4-15	NS	NS	NS
MW4 a	1988	---	17.29	NS	21	NS	4	NS	4-19	NS	NS	NS
MW5 a	1988	---	16.64	NS	21	NS	4	NS	5-20	NS	NS	NS
MW6 a	1988	---	17.31	NS	21	NS	4	NS	5-20	NS	NS	NS
MW7 a	1988	---	17.06	NS	40	NS	4	NS	3-19	NS	NS	NS
MW8	05/05/93	---	16.24	8	21.5	19	2	PVC	5-19	0.020	3.5-19	#3 Sand
MW9	05/05/93	---	15.56	8	19	19	2	PVC	5-19	0.020	3.5-19	#3 Sand
MW10	NS	12/12/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW11b	1995	---	17.98	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
MW12b	1995	---	16.15	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
EW1 a	Dec. 1991	---	16.27	NS	41	NS	4	NS	5-36	NS	NS	NS
EW2 a	Dec. 1991	---	16.07	NS	40	NS	NS	NS	5-35.5	NS	NS	NS
EW3 a	Dec. 1991	---	16.08	NS	40	NS	4	NS	5-35.5	NS	NS	NS
EW4 a	Dec. 1991	---	15.69	NS	40.5	NS	NS	NS	4-35.5	NS	NS	NS
EW5 a	Dec. 1991	---	16.67	NS	41	NS	4	NS	5-40	NS	NS	NS
SW1	11/10/93	---	NS	8	20.5	20	2	PVC	17.5-20	0.010	16-20	Pea Gravel

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Well Installation Date	Well Destruction Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
SM1	11/10/93	---	NS	8	20.5	20	2	PVC	17.5-20	0.010	16-20	Pea Gravel
VW1	11/10/93	---	NS	8	7	7	2	PVC	4.5-7	0.020	4-7	#3 Sand
VW2	11/10/93	---	NS	8	7.5	7	2	PVC	4.5-7	0.020	4-7	#3 Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- PVC = Polyvinyl chloride.
- feet bgs = feet below ground surface.
- NS = Not specified.
- = Not measured.
- a = Boring logs unavailable; data obtained by using cross sections from ERI's Site Conceptual Model, dated August 2, 2002.
- b = Boring logs unavailable; data obtained from Delta Environmental's Proposed Additional Hydrogeologic Investigative Work, dated November 15, 1994; data are approximate values.

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)
02/16/98																				
		—	0	—	—	—	—	—	—											
03/24/00																				
		System shutdown pending evaluation.																		
	12,001	0	—	—	—	—	—	—	—	A-INF	—				<60.80	<60.80	—	—	—	
										A-INT2	—									
										A-EFF	—									
04/01/00																				
06/28/00																				
07/11/00																				
	12,008	7	7	—	—	—	26	—		A-INF	770.0									
										A-INT	18.1									
										A-EFF	13.3									
07/20/00																				
07/31/00																				
	12,493	492	267	87	—	—	9	4,500	97	A-INF	42.3									
										A-INT	2.4									
										A-EFF	0.0									
08/10/00																				
	12,733	732	0	80	—	—	30	800	17	A-INF	53.5	43	—	<1	6.46	<67.42	<0.14	0.13	—	
										A-INT	0.0	<10	—	<1						
										A-EFF	0.0	<10	—	<1						
08/16/00		12,874	873	141	84	—	—	31.5	250	5	A-INF	164.1								
										A-INT	0.0									
										A-EFF	0.0									
08/24/00																				
	13,065	1,064	191	76	—	—	20	2,400	52	A-INF	294.0									
										A-INT	23.7									
										A-EFF	2.4									
09/12/00																				
	13,070	1,069	5	74	—	—	20	2,600	56	A-INF	247.5	190	—	2.5	5.39	<72.48	0.08	<0.21	—	
										A-INT	0.0	<10	—	<1.0						
										A-EFF	0.0	<10	—	<1.0						
09/26/00		13,406	1,405	336	80	—	—	22	2,450	52	A-INF	448.7								
										A-INT	10.7									
										A-EFF	0.0									
10/12/00																				
	13,786	1,785	380	67	—	—	24	2,400	53	A-INF	96.4	55	—	<1.0	17.86	<90.66	<0.26	<0.46	—	
										A-INT	72.3	21	—	<1.0						
										A-EFF	9.0	<10	—	<1.0						

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)
10/30/00																				
	13,788	1,787	2	56	—	—	24	2,450	55	A-INF	10,024	1,700	—	15	0.35	<91.01	0.00	<0.47	—	— <0.005
										A-INT	59.1	<10	—	<1.0						
										A-EFF	0.0	<10	—	<1.0						
11/08/00	14,008	2,007	220	60	—	—	25	2,300	51	A-INF	102.6	29	—	<1.0	37.69	<128.70	<0.35	<0.81	—	— <0.004
										A-INT	41.8	<10	—	<1.0						
										A-EFF	0.0	<10	—	<1.0						
11/21/00																				
	14,314	2,313	306	68	—	—	25	2,300	50	A-INF	322.0									
										A-INT	32.3									
										A-EFF	42.9									
12/06/00																				
12/11/00																				
	14,316	2,315	2	52	—	—	24	2,400	54	A-INF	957	240	—	2.1	8.15	<136.86	0.09	<0.91	—	— <0.005
										A-INT	1.2	<10	—	<1.0						
										A-EFF	3.1	<10	—	<1.0						
12/27/00	14,697	2,696	381	56	—	—	26	2,600	58	A-INF	192.1									
										A-INT	4.8									
										A-EFF	0.0									
01/09/01	15,012	3,011	315	56	—	—	25	2,400	54	A-INF	82.4	32	—	<1.0	19.10	<155.95	<0.22	<1.12	—	— <0.005
										A-INT	23.2	<10	—	<1.0						
										A-EFF	0.0	<10	—	<1.0						
01/23/01																				
	15,353	3,352	341	60	—	—	26	2,300	51	A-INF	485.0									
										A-INT	35.2									
										A-EFF	20.7									
01/31/01	15,355	3,354	2	45	—	—	33	1,500	34	A-INF	10,000									
										A-INT	0									
										A-EFF	0									
02/13/01	15,669	3,668	314	56	—	—	12	4,000	90	A-INF	37.8	31	—	<1.0	5.55	<161.50	<0.18	<1.31	—	— <0.008
										A-INT	29.5	<10	—	<1.0						
										A-EFF	0	<10	—	<1.0						
02/27/01																				
	15,999	3,998	330	70	—	—	8	4,000	87	A-INF	316									
										A-INT	37.5									
										A-EFF	73.6									
03/13/01																				
	16,002	4,001	3	65	—	—	9	4,000	88	A-INF	5,833	1,300	—	6.1	73.60	<235.10	0.39	<1.69	—	— <0.008
										A-INT	190.4	16	—	<1.0						
										A-EFF	0	11	—	<1.0						
03/27/01																				
	16,336	4,335	334	62	—	—	10	4,000	89	A-INF	182.6									
										A-INT	16.8									
										A-EFF	0									

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)				
04/12/01	System running on arrival and departure.	16,725	4,724	389	72	—	—	8	4,000	87	A-INF	4.8										
										A-INT	2.6											
										A-EFF	0											
04/25/01	System running on arrival and departure.	17,034	5,033	309	80	—	—	9	4,000	86	A-INF	18.6	<10	—	<1.0	<219.46	<454.56	<1.19	<2.86	—	—	<0.008
										A-INT	9.5	<10	—	<1.0								
										A-EFF	0	26	—	<1.0								
05/09/01	System running on arrival and departure.	17,371	5,370	337	86	—	—	10	4,000	85	A-INF	11.3	<10	—	<1.0	<1.07	<455.64	<0.11	<2.99	—	—	<0.007
										A-INT	3.6	<10	—	<1.0								
										A-EFF	5.9	<10	—	<1.0								
05/24/01	System running on arrival and departure.	17,734	5,733	363	86	—	—	20	3,050	65	A-INF	6.2										
										A-INT	1.6											
										A-EFF	3.1											
06/04/01	System running on arrival and departure.	17,992	5,991	258	80	—	—	40	500	11	A-INF	496	280	—	<1.0	16.05	<471.69	<0.11	<3.11	—	—	<0.001
										A-INT	19.7	<10	—	<1.0								
										A-EFF	3.2	<10	—	<1.0								
06/19/01	System running on arrival and departure.	18,353	6,352	361	80	—	—	38	500	11	A-INF	140										
										A-INT	6.4											
										A-EFF	3.0											
07/02/01	System running on arrival and departure.	18,660	6,659	307	80	—	—	38	500	11	A-INF	7.2										
										A-INT	0.0											
										A-EFF	0.0											
07/17/01	System running on arrival and departure.	19,028	7,027	368	75	—	—	10	4,000	86	A-INF	0.0	<10	—	<1.0	<27.27	<498.96	<0.19	<3.29	—	—	<0.008
										A-INT	0.0	<10	—	<1.0								
										A-EFF	0.0	<10	—	<1.0								
08/07/01	System running on arrival and shut down on departure for blower failure.	—	—	—	—	—	—	—	—	A-INF												
										A-INT												
08/13/01	System down on arrival; blower removed awaiting replacement.																					
08/27/01	System down awaiting blower replacement.																					
09/10/01	System down awaiting blower replacement.																					
10/18/01	System down on arrival, installed blower, and running on departure.	19,534	7,533	506	120	—	—	31	4,000	80	A-INF	568.0										
										A-INT	3.0											
										A-EFF	2.0											
10/24/01	System running on arrival and departure.	19,673	7,672	139	80	—	—	41	3,300	71	A-INF	93.1	72	—	<1.0	7.76	<506.73	<0.19	<3.48	—	—	<0.006
										A-INT	7.3	<10	—	<1.0								
										A-EFF	5	<10	—	<1.0								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
11/07/01																					
11/07/01	20,012	8,011	339	74	--	--	45	3,000	65	A-INF	230.0	55	--	<1.0	5.46	<512.18	<0.09	<3.57	--	--	<0.005
										A-INT	27.0	<10	--	<1.0							
										A-EFF	5.1	<10	--	<1.0							
11/21/01																					
11/21/01	20,012	8,011	0	150	--	--	45	3,000	57	A-INF	373.0										
										A-INT	0.0										
										A-EFF	0										
12/12/01																					
12/12/01	20,361	8,360	349	142	--	--	46	3,000	58	A-INF	98.1	45	--	1.3	4.00	<516.18	0.09	<3.66	--	--	<0.005
										A-INT	1.0	<10	--	<1.0							
										A-EFF	2.7	<10	--	<1.0							
12/27/01																					
12/27/01	20,508	8,507	147	142	--	--	44	2,400	46	A-INF	2,396										
										A-INT	2.4										
										A-EFF	0										
01/09/02																					
01/09/02	20,541	8,540	33	148	--	--	42	2,700	51	A-INF	794.5	670	--	8.0	13.10	<529.28	0.17	<3.82	--	--	<0.004
										A-INT	36.2	<10	--	<1.0							
										A-EFF	2	<10	--	<1.0							
01/23/02																					
01/23/02	20,876	8,875	335	136	--	--	45	3,800	74	A-INF	41.2										
										A-INT	8.3										
										A-EFF	7.2										
02/06/02																					
02/06/02	20,877	8,876	1	50	--	--	50	3,000	68	A-INF	260	458	--	24.5	42.27	<571.55	1.22	<4.92	--	--	<0.003
										A-INT	4.9	<5.00	--	<0.500							
										A-EFF	0.1	<5.00	--	<0.500							
02/21/02																					
02/21/02	21,237	9,236	360	158	--	--	50	2,600	49	A-INF	189.8										
										A-INT	4.7										
										A-EFF	0.0										
03/06/02																					
03/06/02	21,549	9,548	312	152	--	--	45	2,800	53	A-INF	185.2	82.3	--	2.90	41.02	<612.57	2.08	<6.90	--	--	<0.002
										A-INT	14.2	15.1	--	<0.500							
										A-EFF	1.4	16.0	--	<0.500							
03/21/02																					
03/21/02	21,913	9,912	364	146	--	--	38	3,200	61	A-INF	96.3										
										A-INT	1.5										
										A-EFF	1.7										
04/10/02																					
04/10/02	22,393	10,392	480	76	--	--	45	3,200	69	A-INF	64.3	12.0	--	0.16	9.07	<621.64	0.29	<7.40	--	--	<0.001
										A-INT	19.6	<10	--	<0.10							
										A-EFF	8	<10	--	<0.10							
05/08/02																					
05/08/02	22,394	10,393	1	109	--	--	37	3,000	61	A-INF	354.1	440.0	--	3.2	0.05	<621.69	0.00	<7.43	--	--	<0.000
										A-INT	16.7	<10	--	<0.10							
										A-EFF	11.9	10	--	<0.10							

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
05/16/02	System running on arrival and on departure.	22,592	10,591	198	118	7	—	41	2,800	57	A-INF	98.1									
											A-INT	3.9									
											A-EFF	3.9									
05/22/02	System running on arrival and on departure.	22,731	10,730	139	118	7	—	38	2,800	57	A-INF	98.1									
											A-INT	3.9									
											A-EFF	3.9									
06/05/02	System running on arrival and down on departure for carbon changeout.	23,068	11,067	337	118	--	—	38	3,000	60	A-INF	101.1									
											A-INT	10.1									
											A-EFF	18.2									
06/19/02	System down on arrival and running on departure.	23,068	11,067	0	76	—	—	9	3,000	65	A-INF	178.8	120.0	—	0.83	44.32	<666.01	0.32	<7.73	—	—
											A-INT	0.0	<10	—	<0.10						<0.001
											A-EFF	0.0	<10	—	<0.10						
07/03/02	System running on arrival and departure.	23,409	11,408	341	112	—	—	25	3,000	61	A-INF	62.2	33	—	0.25	6.11	<672.12	0.04	<7.79	—	—
											A-INT	0.0	<10	—	<0.10						<0.001
											A-EFF	0.0	<10	—	<0.10						
07/17/02	System down on arrival and running on departure.	23,434	11,433	25	109	—	—	70	3,000	61	A-INF	82.2									
											A-INT	0.0									
											A-EFF	0.0									
07/31/02	System running on arrival and departure.	23,764	11,763	330	110	—	—	21	3,000	61	A-INF	16.4									
											A-INT	0.0									
											A-EFF	0.0									
08/14/02	System running on arrival and departure.	24,103	12,102	339	112	—	—	16	3,000	61	A-INF	9.8	19	—	0.21	4.09	<676.21	0.04	<7.83	—	—
											A-INT	0.0	<10	—	<0.10						<0.001
											A-EFF	0.0	<10	—	<0.10						
08/28/02	System running on arrival and down departure.	24,414	12,413	311	110	—	—	16	3,000	61	A-INF	16.0									
											A-INT	0.0									
											A-EFF	0.0									
11/06/02	System down on arrival and running departure.	24,415	12,414	1	106	—	—	26	3,000	61	A-INF	1282	1,300	—	12	46.88	<723.10	0.43	<8.24	—	—
											A-INT	0.0	<10	—	<0.10						<0.001
											A-EFF	0.0	<10	—	<0.10						
11/20/02	System running on arrival and departure.	24,754	12,753	339	122	—	—	36	3,300	66	A-INF	67.6									
											A-INT	1.1									
											A-EFF	0.0									
12/04/02	System running on arrival and departure.	25,084	13,083	330	112	—	—	46	3,200	65	A-INF	47.5	<500	—	<5.0	<141.73	<864.83	<1.34	<9.48	—	—
											A-INT	0.2	<100	—	<1.0						<0.005
											A-EFF	0.0	<100	—	<1.0						

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (In H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
12/18/02	System running on arrival and departure. Carbon changeout performed.	25,422	13,421	668	112	7	—	46	3,000	62	A-INF A-INT A-EFF	76.1 2.1 0.0							
01/06/03	System running on arrival and on departure for carbon changeout.	25,875	13,874	453	—	—	—	35	3200	80	A-INF A-INT A-EFF	372.0 602.0 604.0							
01/15/03	System down on arrival and running on departure.	25,875	13,874	0	112	—	—	45	2,800	57	A-INF A-INT A-EFF	134.0 1.3 0.0	110 22 <20	— — —	1.4 <0.20 <0.20	54.68 <919.51 0.57	<10.11 — —	<0.001 — —	
01/29/03	System running on arrival and departure.	26,210	14,209	335	114	—	—	45	2,700	54	A-INF A-INT A-EFF	56.9 0.0 0.0							
02/12/03	System running on arrival and departure.	26,548	14,547	338	110	—	—	44	2,800	57	A-INF A-INT A-EFF	50.6 3.4 0.0	24 90 <10	— — —	0.27 1.1 <0.10	9.55 <929.06 0.12	<10.28 — —	<0.000 — —	
02/26/03	System running on arrival and departure. Carbon changeout performed	26,884	14,883	336	112	—	—	44	2,300	46	A-INF A-INT A-EFF	122.9 1.9 0.0							
03/12/03	System running on arrival and departure. Carbon changeout performed	27,218	15,217	334	120	—	—	43	2,600	52	A-INF A-INT A-EFF	30.4 0.6 0.1	59 <10 <10	— — —	0.81 <0.10 <0.10	5.64 <934.71 0.07	<10.36 — —	<0.000 — —	
03/26/03	System running on arrival and departure.	27,555	15,554	337	116	—	—	40	2,700	54	A-INF A-INT A-EFF	12.4 2.5 0.1							
04/09/03	System running on arrival and departure.	27,889	15,888	334	120	—	—	40	2,800	56	A-INF A-INT A-EFF	36.0 2.4 1.0	57 <10 <10	— — —	0.36 <0.10 <0.10	7.83 <942.53 0.08	<10.45 — —	<0.001 — —	
04/23/03	System running on arrival and departure.	28,227	16,226	338	113	—	—	39	2,400	48	A-INF A-INT A-EFF	54.7 4.0 3.7							
05/07/03	System running on arrival and departure.	28,563	16,562	336	118	—	—	40	2,500	50	A-INF A-INT A-EFF	8.5 1.8 2.2	14 <10 <10	— — —	0.34 <0.10 <0.10	4.73 <947.27 0.05	<10.49 — —	<0.000 — —	
05/21/03	System running on arrival and departure.	28,900	16,899	337	127	—	—	38	2,750	54	A-INF A-INT A-EFF	15.8 2.4 1.3							

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (In H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
06/04/03	System running on arrival. System down on departure for carbon changeout.	29,234	17,233	334	121	—	—	39	2,900	58	A-INF	81.2									
											A-INT	90.7									
											A-EFF	70.2									
06/18/03	System down on arrival for changeout. System running on departure.	29,237	17,236	3	120	—	—	39	2,800	56	A-INF	120.0	790	—	12	53.58	<1,000.85	0.82	<11.32	—	—
											A-INT	0.1	<10	—	0.13						<0.001
											A-EFF	0.1	<10	—	<0.10						
07/02/03	System running on arrival and departure.	29,576	17,575	339	120	—	—	38	3,200	64	A-INF	91.0	70	—	1.1	32.58	<1,033.43	0.50	<11.81	—	—
											A-INT	0.0	<10	—	<0.10						<0.001
											A-EFF	0.1	<10	—	<0.10						
07/16/03	System running on arrival and departure.	29,910	17,909	334	129	—	—	39	3,150	62	A-INF	95.0									
											A-INT	6.6									
											A-EFF	2.5									
07/30/03	System running on arrival. Shut down for carbon changeout. Down on departure.	30,241	18,240	331	118	—	—	40	3,050	61	A-INF	51.7									
											A-INT	22.6									
											A-EFF	0.0									
08/13/03	System down on arrival. Restarted. Running on departure.	30,244	18,243	3	125	—	—	39	3,100	61	A-INF	321.0	110	—	1.9	14.05	<1,047.48	0.23	<12.05	—	—
											A-INT	5.7	<10	—	<0.10						<0.001
											A-EFF	6.8	10	—	0.26						
08/27/03	System running on arrival and departure.	30,501	18,500	257	121	—	—	39	2,900	58	A-INF	122.6									
											A-INT	2.6									
											A-EFF	1.5									
09/10/03	System running on arrival and departure.	30,919	18,918	418	126	—	—	40	2,650	—	A-INF	117.0	93	—	2.4	14.54	<1,062.02	0.31	<12.35	—	—
											A-INT	6.4	<10	—	<0.10						<0.0005
											A-EFF	3.0	<10	—	<0.10						
09/24/03	System running on arrival and departure.	31,256	19,255	337	120	—	—	38.5	3,150	63	A-INF	96.0									
											A-INT	17.0									
											A-EFF	0.6									
10/08/03	System running on arrival and departure.	31,587	19,586	331	120	—	—	38	3,000	60	A-INF	31.0	33	—	0.52	8.82	<1,070.84	0.20	<12.56	—	—
											A-INT	1.9	<10	—	<0.10						<0.0005
											A-EFF	0.0	<10	—	<0.10						
10/22/03	System running on arrival. Shut down due to bad motor starter.	31,923	19,922	336	—	—	—	41	2,700	68	A-INF	36.0									
											A-INT	3.0									
											A-EFF	2.0									
11/03/03	System down on arrival and departure.																				
11/12/03	System down on arrival and departure. Replaced blower motor starter heater assembly.																				

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)
11/17/03																			
11/17/03		System down on arrival. Restarted.	Running on departure.																
	31,927	19,926	4	110	—	—	36	3,100	63	A-INF	262.0								
										A-INT	3.1								
										A-EFF	0.2								
12/01/03		System running on arrival and departure.																	
	32,263	20,262	336	108	—	—	38	2,800	57	A-INF	25.3	26	--	0.55	4.35	<1,075.19	0.08	<12.64	—
										A-INT	0.0	<10	--	<0.10					
										A-EFF	0.0	<10	--	<0.10					
12/15/03		System running on arrival and departure.																	
	32,600	20,599	337	102	10	—	32	3,400	72	A-INF	53.0								
										A-INT	7.0								
										A-EFF	2.7								
12/29/03		System running on arrival and departure.																	
	32,932	20,931	332	94	9.5	—	34	3,400	73	A-INF	46.9								
										A-INT	0.0								
										A-EFF	0.0								
01/12/04		System down on arrival, groundwater pump and treat transfer pump failure. System down for knockout drum replacement.																	
01/26/04		System down on arrival and departure, blower not starting (needs troubleshooting).																	
02/09/04		System retrofit complete, commencing startup with new blower and new Bay Area Air Quality Management District (BAAQMD) conditions.																	
06/27/05		Retrofitted system startup.																	
	33,268	21,267	336	72	1	—	136.1	3,900	85	A-INF	185.6	124	8.63	11.3	20.00	<1,095.18	1.58	<14.22	0.00
										A-INT	0.0	<10.2	<0.508	<0.508					
										A-EFF	0.6	<10.2	<0.508	<0.508					
06/28/05	33,269	21,268	1	72	2	—	88.5	3,400	74	A-INF	34.1								
										A-INT	0.0								
										A-EFF	0.0								
06/29/05		Shut down system on departure for bi-weekly visitation request with the BAAQMD.																	
	33,289	21,288	20	72	1	—	74.9	2,800	61	A-INF	711.0								
										A-INT	0.0								
										A-EFF	0.0								
07/01/05		System down awaiting Bay Area Air Quality Management District permit modification.																	
07/08/05		Restart system with bi-weekly visitation frequency (BAAQMD).																	
	33,291	21,290	2	70	2	—	95.3	3,000	66	A-INF	571.0								
										A-INT	0.0								
										A-EFF	4.7								
07/11/05		Shut down system on departure for vapor-phase carbon (VPC) changeout 3@500-pounds.																	
	33,362	21,361	71	79	1	—	68.1	4,000	86	A-INF	1,683.0								
										A-INT	196.0								
										A-EFF	224.0								
07/15/05		Restarted system post VPC changeout. Added one more 500-pound vessel in series, three total before discharge to atmosphere.																	
	33,363	21,362	1	78	2	—	108.9	3,000	65	A-INF	440.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results				TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
07/22/05	33,363	21,362	0	78	2	—	108.9	3,000	65	A-INF	440.0	799	71.8	72.7	12.27	<1,107.45	1.12	<15.33	1.07	1.07	0.003
										A-INT1	0.0	20.2	4.87	2.03							
										A-INT2	—	—	—	—							
										A-EFF	0.0	<10.2	<0.609	0.508							
07/24/05	33,462	21,461	99	80	2	—	108.9	2,600	56	Responded to auto dialer callout. Shut down system, arranging for liquid-phase carbon (LPC) changeout (clogged) 3@500-pounds.											
07/29/05	33,462	21,461	0	—	—	—	—	—	—												
08/05/05	33,462	21,461	0	78	2	—	108.9	2,800	60	A-INF	16.0	8.64	0.704	0.855	9.36	<1,116.81	0.85	<16.19	0.84	1.91	<0.003
										A-INT1	0.0	<5.00	<0.500	<0.500							
										A-INT2	0.0	<5.00	<0.500	<0.500							
										A-EFF	0.0	<5.00	<0.500	<0.500							
08/12/05	33,470	21,469	8	78	2	—	108.9	2,600	56	A-INF	56.0										
										A-INT1	46.0										
										A-INT2	6.0										
										A-EFF	0.0										
08/19/05	33,638	21,637	168	70	2	—	108.9	2,600	57	A-INF	18.0										
										A-INT1	8.1										
										A-EFF	7.6										
08/26/05	33,638	21,637	0	70	2	—	108.9	2,600	57	A-INF	56.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/02/05	33,806	21,805	168	70	2	—	122.5	3,000	66	A-INF	58.3										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/09/05	33,974	21,973	168	70	2	—	122.5	2,600	57	A-INF	58.3	14.4	<0.500	0.520	1.29	<1,118.11	0.08	<16.26	<0.07	<1.98	<0.003
										A-INT1	0.0	<5.00	<0.500	<0.500							
										A-INT2	0.0	<5.00	<0.500	<0.500							
										A-EFF	0.0	<5.00	<0.500	<0.500							
09/16/05	34,142	22,141	168	70	2	—	108.9	3,600	79	A-INF	168.0										
										A-INT1	3.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/19/05	34,208	22,207	66	70	2	—	108.9	3,600	79	A-INF	—										
										A-INT1	—										
										A-INT2	—										
										A-EFF	—										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
10/07/05	34,208	22,207	0	70	2	—	108.9	3,600	78	A-INF	6.0										
										A-INT1	21.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/14/05	System shut down for blower repair and vapor piping size increase.								—	A-INF	—										
	34,335	22,334	127	—	—	—	—	—	—	A-INT1	—										
										A-INT2	—										
										A-EFF	—										
02/23/06	System down on arrival. Retrofit complete. Restarted. Running on departure.								3	A-INF	12.2										
	3	34,338	3	69	—	—	122.5	3,000	66	A-INT1	12.1										
										A-INT2	0.8										
										A-EFF	0.4										
02/24/06	System running on arrival and departure.								24	A-INF	0.0	<5.00	<0.500	<0.500	<0.64	<1,118.75	<0.03	<16.30	<0.03	<2.01	<0.002
	24	34,359	21	70	2	—	136	1,600	35	A-INT1	0.0	27.3	3.24	<0.500							
										A-INT2	0.0	<5.00	<0.500	<0.500							
										A-EFF	0.0	<5.00	<0.500	<0.500							
03/03/06	System running on arrival and departure.								191	A-INF	0.0	24.5a	<0.500	<0.500	<0.32	<1,119.07	<0.01	<16.31	<0.01	<2.02	<0.002
	191	34,526	167	70	2	—	136	1,600	35	A-INT1	0.0	58.9 a	<0.500	<0.500							
										A-INT2	0.0	5.00	<0.500	<0.500							
										A-EFF	0.0	5.00	<0.500	<0.500							
03/10/06	System running on arrival and departure.								277	A-INF	0.0										
	277	34,612	86	70	2	—	136	1,600	35	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
03/17/06	System down on arrival (well box high level). Restarted. Running on departure.								375	A-INF	0.0										
	375	34,710	98	70	2	—	136	1,200	26	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
03/24/06	System running on arrival and departure.								510	A-INF	0.0										
	510	34,845	135	70	2	—	136	1,400	31	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
03/31/06	System down on arrival (well box high level). Restarted. Running on departure.								527	A-INF	0.0										
	527	34,862	17	70	2	—	149.71	1,500	33	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
04/07/06	System running on arrival and departure.								696	A-INF	0.0	<50.0	<0.500	0.535	<2.31	<1,121.38	<0.03	<16.34	<0.03	<2.05	<0.001
	696	35,031	169	70	2	—	135.9	1,400	31	A-INT1	0.0	<50.0	0.571	<0.500							
										A-INT2	0.0	70.8 a	<0.500	<0.500							
										A-EFF	0.0	84.9a	<0.500	<0.500							

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
04/13/06										A-INF	1.5										
	837	35,172	141	76	2	—	135.9	2,200	48	A-INT1	43.9										
										A-INT2	30.3										
										A-EFF	26.0										
04/28/06										A-INF	0.0										
	837	23,171	0	76	2	—	135.9	1,400	68	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
05/05/06										A-INF	0.0	b	b	b							
	1,006	23,340	169	70	2	—	108.7	1,500	33	A-INT1	0.0	b	b	b							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
05/12/06										A-INF	0.0	<50.0	<0.500	<0.500	<2.83	<1,124.21	<0.03	<16.37	<0.03	<2.08	<0.002
	1,172	23,506	166	70	2	—	122.3	1,500	33	A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
05/19/06										A-INF	0.0										
	1,339	23,673	167	70	2	—	135.9	1,600	35	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
05/25/06										A-INF	0.0										
	1,485	23,819	146	70	2	—	135.9	1,600	35	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/02/06										A-INF	0.0										
	1,676	24,010	191	70	2	—	135.9	1,600	35	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/09/06										A-INF	0.0										
	1,846	24,180	170	70	2	—	135.9	1,499	33	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/16/06										A-INF	0.0	<50.0	2.73	<0.500	<4.72	<1,128.93	<0.05	<16.42	<0.15	<2.23	<0.001
	1,967	24,301	121	70	2	—	135.9	1,400	31	A-INT1	0.0	--	--	--							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
06/23/06										A-INF	0.0										
	2,134	24,468	167	70	2	—	135.9	1,450	32	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)			
06/30/06		System running on arrival and departure.								A-INF	0.0										
	2,300	24,634	166	70	2	--	135.9	1,400	31	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/05/06		System running on arrival and departure.								A-INF	15.7	<50.0	<0.500	<0.500	<3.18	<1,132.12	<0.03	<16.45	<0.10	<2.34	<0.002
	2,424	24,758	124	70	2	--	135.9	2,000	44	A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
07/14/06		System running on arrival and departure.								A-INF	240.0										
	2,644	24,978	220	70	2	--	135.9	2,000	44	A-INT1	3.2										
										A-INT2	0.0										
										A-EFF	0.0										
07/20/06		System running on arrival and departure.								A-INF	61.0										
	2,804	25,138	160	70	2	--	135.9	1,800	39	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/28/06		System running on arrival and departure.								A-INF	56.0										
	2,973	25,307	169	70	2	--	135.9	1,800	39	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/04/06		System running on arrival and departure.								A-INF	96.0	147	1.30	1.71	<11.04	<1,143.16	<0.12	<16.57	<0.10	<2.44	<0.002
	3,144	25,478	171	70	2	--	135.9	1,800	39	A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
08/11/06		System running on arrival and departure.								A-INF	65.0										
	3,308	25,642	164	70	2	--	135.9	2,200	48	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/18/06		System running on arrival and departure.								A-INF	60.0										
	3,483	25,817	175	70	2	--	135.9	2,500	55	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/25/06		System down on arrival (H/H moisture separator), restarted system.								A-INF	56.0										
	3,486	25,820	3	70	2	--	135.9	2,500	55	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/01/06		System running on arrival and down for LPC changeout on departure.								A-INF	27.0										
	3,654	25,988	168	70	2	--	135.9	2,500	55	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
09/15/06										A-INF	0.0										
		3,657	25,991	3	70	2	—	135.9	2,500	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/22/06																					
10/06/06	3,734	26,068	77	70	2	—	136.1	2,500	55	A-INF	30.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/13/06	3,742	26,076	8	70	2	—	136.1	2,500	55	A-INF	60.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/20/06																					
	3,744	26,078	2	70	2	—	—	—	—	A-INF	—										
										A-INT1											
										A-INT2											
10/27/06																					
	3,744	26,078	0	70	2	—	136.1	2,500	123	A-INF	204.0	<50.0	<0.500	<0.500	<17.96	<1,161.12	<0.20	<16.77	<0.16	<2.60	<0.006
										A-INT1	1.0	<50.0	2.08	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
11/03/06																					
	3,915	26,249	171	70	0	—	136.1	2,500	54	A-INF	10.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
11/10/06																					
	4,079	26,413	164	100	2	—	136.1	2,500	52	A-INF	72.0	141	2.68	2.86	<10.47	<1,171.59	<0.18	<16.96	<0.17	<2.77	0.005
										A-INT1	2.0	65.4	3.46	<0.500							
										A-INT2	0.0	<50.0	1.31	0.686							
										A-EFF	0.0	<50.0	<0.500	1.16							
11/14/06																					
	4,135	26,469	56	110	1	—	149.7	2,500	51	A-INF	53.0										
										A-INT1	1.0										
										A-INT2	0.0										
										A-EFF	0.0										
11/20/06																					
	4,321	26,655	186	110	1	—	149.7	2,500	51	A-INF	63.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Total Hours	Field Measurements						Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
			Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)
11/27/06	System running on arrival and departure.	4,487	26,821	166	110	1	—	136.1	2,500	51	A-INF	63.0							
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
12/05/06	System running on arrival and departure.	4,677	27,011	190	100	1	10	136.1	2,600	54	A-INF	10.0	<50.0	<0.500	<0.500	<11.28	<1,182.87	<0.20	<17.16
										A-INT1	0.0	<50.0	<0.500	<0.500					
										A-INT2	0.0	<50.0	<0.500	<0.500					
										A-EFF	0.0	<50.0	<0.500	<0.500					
12/15/06	System down on arrival and running on departure.	4,784	27,118	107	110	1	—	136.1	2,500	51	A-INF	16.0							
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
12/21/06	System running on arrival and departure.	4,952	27,286	168	100	10	—	136.1	2,500	53	A-INF	46.0							
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
12/27/06	System down on arrival and running on departure.	5,039	27,373	87	120	10	11	149.7	2,250	46	A-INF	0.0							
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
01/05/07	System down on arrival and running on departure.	5,137	27,471	98	110	10	10	136.1	2,400	50	A-INF	0.0							
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
01/12/07	System running on arrival and departure.	5,297	27,631	160	110	10	11	149.66	2,400	50	A-INF	10.0	<50.0	<0.500	<0.500	<6.01	<1,188.87	<0.06	<17.22
										A-INT1	0.0	<50.0	<0.500	<0.500					
										A-INT2	0.0	<50.0	<0.500	<0.500					
										A-EFF	0.0	<50.0	<0.500	<0.500					
01/19/07	System down on arrival and running on departure.	5,370	27,704	73	110	10	10	136.1	2,400	50	A-INF	6.0							
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
01/26/07	System running on arrival and departure.	5,528	27,862	158	110	10	8	108.84	2,600	54	A-INF	1.0							
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
02/02/07	System running on arrival and departure.	5,696	28,030	168	90	9	8	108.8	2,400	52	A-INF	3.0	<50.0	<0.500	<0.500	<3.78	<1,192.65	<0.04	<17.25
										A-INT1	0.0	<50.0	<0.500	<0.500					
										A-INT2	0.0	<50.0	<0.500	<0.500					
										A-EFF	0.0	<50.0	<0.500	<0.500					

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)				
02/09/07	System running on arrival and departure.	5,865	28,199	169	90	9	8	108.84	2,400	52	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
02/16/07	System running on arrival and locked out/tagged out on departure.	6,033	28,367	168	110	0	8	108.84	2,400	49	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
02/23/07	System locked out/tagged out on arrival and departure.																					
03/02/07	System locked out/tagged out on arrival and departure.																					
03/09/07	System locked out/tagged out on arrival and departure.																					
04/03/07	System locked out/tagged out on arrival, restarted, and running on departure.	6,033	28,367	0	110	0	8	108.84	2,600	118	A-INF	2.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/12/07	System running on arrival and departure.	6,240	28,574	207	90	0	8	108.84	2,600	55	A-INF	2.0	<50.0	<0.500	<0.500	<5.40	<1,198.05	<0.05	<17.31	<0.05	<3.11	<0.003
										A-INT1	0.0	<50.0	0.703	0.888								
										A-INT2	0.0	<50.0	0.646	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
04/20/07	System running on arrival and departure.	6,430	28,764	190	110	0	8	108.84	2,600	53	A-INF	4.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/25/07	System down on arrival and running on departure.	6,475	28,809	45	110	0	8	108.84	2,600	53	A-INF	4.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/04/07	System down on arrival and running on departure.	6,491	28,825	16	110	0	8	108.84	2,600	53	A-INF	2.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/11/07	System down on arrival and running on departure.	6,647	28,981	156	120	0	8	108.84	2,600	52	A-INF	4.0	<50.0	<0.500	<0.500	<4.05	<1,202.10	<0.04	<17.35	<0.04	<3.16	<0.002
										A-INT1	0.0	<50.0	0.973	<0.500								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
05/17/07	System down on arrival and running on departure.	6,760	29,094	113	100	0	6	81.63	2,600	54	A-INF	3.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)			TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)			
05/25/07	System running on arrival and departure.	6,930	29,264	170	100	0	6	81.63	2,600	54	A-INF	2.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
06/08/07	System running on arrival and shut down on departure.	7,284	29,618	354	100	0	6	81.63	2,600	54	A-INF	4.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
06/21/07	System down on arrival and running on departure.	7,428	29,762	144	100	0	8	108.84	2,600	54	A-INF	1.0	b	b	b							
											A-INT1	0.0	<50.0	<0.500	<0.500							
											A-INT2	0.0	<50.0	1.17	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
06/29/07	System down on arrival and running on departure.	7,615	29,949	187	150	0	8	108.84	2,600	49	A-INF	1.0	<50.0	<0.500	<0.500	<9.15	<1,211.25	<0.09	<17.44	<0.09	<3.25	<0.002
											A-INT1	0.0	<50.0	<0.500	0.753							
											A-INT2	0.0	<50.0	1.81	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
07/06/07	System down on arrival and running on departure.	7,660	29,994	45	150	0	7	95.24	2,400	45	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
07/11/07	System down on arrival and running on departure.	7,703	30,037	43	110	0	8	108.84	2,600	53	A-INF	1.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
07/18/07	System down on arrival and running on departure.	7,819	30,153	116	80	0	6	81.63	3,000	64	A-INF	1.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
07/20/07	System down on arrival and running on departure.	7,858	30,192	39	—	—	—	—	—	—	A-INF	—										
											A-INT1	—										
											A-INT2	—										
											A-EFF	—										
07/24/07	System running on arrival and departure.	7,952	30,286	94	70	0	6	81.63	3,200	70	A-INF	1.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
07/31/07	System running on arrival and departure.	8,120	30,454	168	70	0	6	81.63	3,400	74	A-INF	1.0	<50.0	<0.500	<0.500	<5.83	<1,217.07	<0.06	<17.50	<0.06	<3.30	0.000
											A-INT1	0.0	<50.0	<0.500	<0.500							
											A-INT2	0.0	<50.0	<0.500	<0.500							
											A-EFF	0.0	b	b	b							

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
08/09/07																					
08/09/07		System running on arrival and departure.																			
	8,337	30,671	217	80	0	6	81.63	3,400	73	A-INF	0.0	1,100	27.5	29.7	<34.27	<1,251.34	<0.90	<18.40	<0.83	<4.14	<0.003
										A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
08/15/07		System running on arrival and departure.																			
	8,458	30,792	121	80	0	6	81.63	3,400	73	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/23/07		System running on arrival and departure.																			
	8,674	31,008	216	85	0	6	81.63	3,000	64	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/28/07		System restarted on arrival and running on departure.																			
	8,780	31,114	106	85	0	6	81.63	3,000	64	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/07/07		System running on arrival and departure.																			
	9,002	31,336	222	100	0	6	81.63	3,600	74	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/14/07		System running on arrival and departure.																			
	9,170	31,504	168	100	0	6	81.63	3,000	62	A-INF	0.0	<11d	0.097d	0.0046d	<116.51	<1,367.85	3.12	<21.51	2.89	<7.03	0.000
										A-INT1	0.0	<11d	0.26d	0.0099d							
										A-INT2	0.0	<11d	0.25d	0.0055d							
										A-EFF	0.0	<11d	<0.0072d	0.0029d							
09/21/07		System running on arrival and departure.																			
	9,337	31,671	167	100	0	6	81.63	3,000	62	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/28/07		System running on arrival and departure.																			
	9,505	31,839	168	100	0	6	81.63	3,000	62	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/02/07		System running on arrival and shut down on departure.																			
	9,602	31,936	97	100	0	6	81.63	3,000	62	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/05/07		System restarted on arrival and running on departure.																			
	9,602	31,936	0	100	0	6	81.63	3,000	139	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)				
10/12/07	System running on arrival and departure.	9,770	32,104	168	100	0	6	81.63	3,200	66	A-INF	0.0	<11	0.69c/0.40	0.013	<1.58	<1,369.43	0.00	<21.51	0.06	<7.09	0.000
										A-INT1	0.0	b	b	b								
										A-INT2	0.0	<11	0.36c/0.14	0.009								
										A-EFF	0.0	<11	0.014	0.007								
10/16/07	System running on arrival and departure.	9,866	32,200	96	100	0	6	81.63	3,200	66	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
10/22/07	System running on arrival and departure.	10,012	32,346	146	100	0	6	81.63	3,200	66	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/02/07	System running on arrival and departure.	10,273	32,607	261	100	0	6	81.63	3,200	66	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/09/07	System running on arrival and departure.	10,444	32,778	171	100	0	6	81.63	3,200	66	A-INF	0.0	<11	0.36	<0.0016	<1.83	<1,371.26	<0.00	<21.52	0.09	<7.18	<0.000
										A-INT1	0.0	<11	0.20	0.018								
										A-INT2	0.0	<11	0.42	0.014								
										A-EFF	0.0	<11	<0.0072	<0.0016								
11/16/07	System running on arrival and departure.	10,610	32,944	166	100	0	6	81.63	3,200	66	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/21/07	System running on arrival and departure.	10,728	33,062	118	100	0	6	81.63	3,000	62	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/26/07	System running on arrival and departure.	10,848	33,182	120	100	0	6	81.63	3,000	62	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/07/07	System running on arrival and departure.	11,112	33,446	264	90	0	6	81.63	3,000	63	A-INF	0.0	<11	0.12	0.0021	<1.77	<1,373.04	<0.00	<21.52	0.04	<7.22	<0.000
										A-INT1	0.0	<11	0.042	0.0029								
										A-INT2	0.0	<11	0.12	<0.0016								
										A-EFF	0.0	<11	<0.0072	<0.0016								
12/13/07	System down on arrival and departure.	11,235	33,569	123	160	0	6	81.63	2,800	52	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
12/14/07																					
12/14/07		System shut down.																			
	11,261	33,595	26	160	0																
12/19/07		System down on arrival and running on departure.																			
	11,262	33,596	1	160	0	6.5	88.44	2,800	117	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
12/21/07		System running on arrival and departure.																			
	11,303	33,637	41	160	0	6.5	88.44	2,800	52	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
12/27/07		System running on arrival and departure.																			
	11,470	33,804	167	160	0	6.5	88.44	2,800	52	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/04/08		System down on arrival and departure.																			
	11,636	33,970	166	160	0																
01/07/08		System down on arrival and running on departure.																			
	11,636	33,970	0	160	0	6	81.63	2,800	117	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/18/08		System running on arrival and departure.																			
	11,904	34,238	268	160	0	6	81.63	2,800	52	A-INF	0.0	<11d	<0.0072d	<0.0016d	<1.88	<1,374.91	<0.00	<21.52	<0.01	<7.23	0.000
										A-INT1	0.0	<11d	0.20d	0.015d							
										A-INT2	0.0	<11d	0.31d	<0.0016d							
										A-EFF	0.0	<1d	0.044d	0.0028d							
01/25/08		System down on arrival and running on departure.																			
	12,045	34,379	141	135	0	6	81.63	3,100	60	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/27/08		System down on arrival and running on departure.																			
	12,052	34,386	7	145	0	6	81.63	3,000	57	A-INF	—										
										A-INT1	—										
										A-INT2	—										
										A-EFF	—										
01/31/08		System down on arrival and running on departure.																			
	12,140	34,474	88	160	0	7	95.24	2,600	109	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
02/08/08		System running on arrival and departure.																			
	12,261	34,595	121	165	0	7.5	102.04	2,500	104	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
02/15/08	System running on arrival and departure.	12,481	34,815	220	150	0	5	68.03	2,800	119	A-INF	0.0	<11d	0.12d	<0.0016d	<2.03	<1,376.95	<0.00	<21.52	<0.01	<7.24	<0.000
										A-INT1	0.0	<11 d	0.078 d	0.0059 d								
										A-INT2	0.0	<11 d	0.22 d	<0.0016 d								
										A-EFF	0.0	<11d	<0.0072 d	<0.0016 d								
02/22/08	System running on arrival and departure.	12,651	34,985	170	150	0	5.5	74.83	2,800	119	A-INF	0.8										
										A-INT1	1.4											
										A-INT2	0.8											
										A-EFF	0.0											
02/26/08	System running on arrival and departure.	12,746	35,080	95	155	0	5.5	74.83	2,800	118	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
03/06/08	System running on arrival and departure.	12,988	35,322	242	160	0	5.5	74.83	2,600	109	A-INF	3.7										
										A-INT1	3.7											
										A-INT2	2.2											
										A-EFF	0.7											
03/14/08	System running on arrival and departure.	13,150	35,484	162	160	0	5.5	74.83	2,600	109	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
03/21/08	System running on arrival and departure.	13,327	35,661	177	162	0	6.0	81.63	3,000	125	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
03/28/08	System running on arrival and departure.	13,491	35,825	164	160	0	5.5	74.83	2,600	109	A-INF	0.0	<11d	0.059d	<0.0016d	<4.74	<1,381.69	<0.00	<21.52	0.04	<7.28	<0.000
										A-INT1	0.0	<11d	0.13d	0.0043d								
										A-INT2	0.0	<11d	0.17d	<0.0016d								
										A-EFF	0.0	<11d	<0.0072d	<0.0016d								
04/05/08	System running on arrival and departure.	13,656	35,990	165	155	0	5.5	74.83	2,600	110	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/11/08	System running on arrival and down on departure.	13,825	36,159	169	155	0	5.5	74.83	2,600	110	A-INF	0.0	<11	0.037	0.0030	<1.50	<1,383.19	<0.00	<21.52	0.01	<7.28	<0.000
										A-INT1	0.0	<11	0.11	0.0056								
										A-INT2	0.0	<11	0.14	<0.0016								
										A-EFF	0.0	<11	<0.0072	<0.0016								
04/15/08	System down on arrival and running on departure.	13,918	36,252	93	160	0	5.5	74.83	2,600	109	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
04/22/08	System running on arrival and departure.	14,085	36,419	167	160	0	5.5	74.83	2,600	109	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/02/08	System running on arrival and departure.	14,326	36,660	241	160	0	5.0	68.03	2,600	109	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/06/08	System running on arrival and departure.	14,413	36,747	87	160	0	5.0	68.03	2,600	109	A-INF	0.0	<11	0.21	<0.0016	<2.65	<1,385.84	<0.00	<21.52	0.03	<7.31	<0.000
										A-INT1	0.0	<11	0.066	0.0035								
										A-INT2	0.0	<11	0.093	<0.0016								
										A-EFF	0.0	<11	<0.0072	<0.0016								
05/16/08	System running on arrival and departure.	14,650	36,984	237	160	0	5.0	68.03	2,800	117	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/23/08	System running on arrival and departure.	14,819	37,153	169	160	0	5.0	68.03	2,800	117	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/28/08	System running on arrival and departure.	14,940	37,274	121	160	0	5.0	68.03	2,800	117	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/03/08	System running on arrival and departure.	15,083	37,417	143	150	0	5.0	68.03	2,800	119	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/13/08	System running on arrival and departure.	15,323	37,657	240	160	0	5.0	68.03	2,800	117	A-INF	0.0	<11	0.080	<0.0016	<4.23	<1,390.07	<0.00	<21.52	0.06	<7.37	<0.000
										A-INT1	0.0	<11	0.27	0.0094								
										A-INT2	0.0	<11	0.25	<0.0016								
										A-EFF	0.0	<11	<0.0072	<0.0016								
06/17/08	System running on arrival and departure.	15,418	37,752	95	100	0	5.0	68.03	2,800	130	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/23/08	System running on arrival and departure.	15,565	37,899	147	100	0	5.5	74.83	2,800	130	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("Hg)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)				
07/03/08	System running on arrival and departure.	15,802	38,136	237	100	0	5.5	74.83	2,800	130	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/08/08	System running on arrival and departure.	15,920	38,254	118	120	0	5.5	74.83	2,800	125	A-INF	0.0	<11	0.047	0.0023	<2.98	<1,393.05	<0.00	<21.52	0.02	<7.39	<0.000
										A-INT1	0.0	<11	0.17	0.0061								
										A-INT2	0.0	<11	0.28	<0.0016								
										A-EFF	0.0	<11	0.014	<0.0016								
07/14/08	System Lock out/tag out for LPC carbon changeout.																					
07/15/08	System running on arrival and departure.	16,061	38,395	141	120	0	5.5	74.83	2,800	125	A-INF	0.0	<11	0.16	0.018	<0.73	<1,393.78	0.00	<21.52	0.01	<7.39	<0.000
										A-INT1	0.0	<11	0.024	<0.0016								
										A-INT2	0.0	<11	0.077	<0.0016								
										A-EFF	0.0	<11	<0.0072	<0.0016								
07/21/08	System running on arrival and departure.	16,205	38,539	144	120	0	5.5	74.83	2,800	125	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/29/08	System running on arrival and departure.	16,395	38,729	190	120	0	5.5	74.83	2,800	125	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
08/08/08	System running on arrival and departure.	16,632	38,966	237	120	0	5.5	74.83	2,800	125	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
08/15/08	System running on arrival and departure.	16,806	39,140	174	175	0	7.0	95.24	2,000	82	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
08/22/08	System running on arrival and departure.	16,971	39,305	165	200	0	7.0	95.24	2,600	102	A-INF	0.0	<11d	0.062d	0.0067d	<4.26	<1,398.04	0.00	<21.53	0.04	<7.44	0.000
										A-INT1	0.0	<11 d	0.099 d	0.018 d								
										A-INT2	0.0	<11 d	0.0075 d	0.0098 d								
										A-EFF	0.0	<11d	0.023d	0.0039d								
08/29/08	System running on arrival and departure.	17,137	39,471	166	100	0	7.0	95.24	2,500	116	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
09/05/08										A-INF	0.0										
		17,307	39,641	170	100	0	7.0	95.24	2,600	121	A-INT1	0.0									
										A-INT2	0.0										
										A-EFF	0.0										
09/12/08										A-INF	0.0	<11	0.029	<0.0030	<2.30	<1,400.34	<0.00	<21.53	0.01	<7.45	<0.000
		17,472	39,806	165	100	0	6.0	81.63	2,600	121	A-INT1	0.0	<11	0.011	0.0029						
										A-INT2	0.0	<11	0.13	<0.0016							
										A-EFF	0.0	<11	0.0075	<0.0016							
09/19/08										A-INF	0.0										
		17,631	39,965	159	100	0	6.0	81.63	2,800	130	A-INT1	0.0									
										A-INT2	0.0										
										A-EFF	0.0										
09/26/08										A-INF	0.0										
		17,796	40,130	165	100	0	5.0	68.03	2,800	130	A-INT1	0.0									
										A-INT2	0.0										
										A-EFF	0.0										
10/03/08										A-INF	0.0										
		17,964	40,298	168	120	0	5.0	68.03	2,900	130	A-INT1	0.0									
										A-INT2	0.0										
										A-EFF	0.0										
10/10/08										A-INF	0.0	<11	0.29c	<0.0023	<3.40	<1,403.74	<0.00	<21.53	0.05	<7.49	<0.000
		18,132	40,466	168	120	0	5.0	68.03	2,900	130	A-INT1	0.0	<11	0.19	0.0044						
										A-INT2	0.0	<11	0.24	<0.0016							
										A-EFF	0.0	<11	<0.0072	<0.0016							
10/17/08										A-INF	0.0										
		18,303	40,637	171	120	0	5.0	68.03	2,900	130	A-INT1	0.0									
										A-INT2	0.0										
										A-EFF	0.0										
10/31/08										A-INF	0.0										
		18,640	40,974	337	150	0	6.0	81.63	2,700	115	A-INT1	0.0									
										A-INT2	0.0										
										A-EFF	0.0										
11/07/08										A-INF	0.0										
		18,804	41,138	164	130	0	6.0	81.63	2,700	119	A-INT1	0.0									
										A-INT2	0.0										
										A-EFF	0.0										
11/15/08										A-INF	1.2										
		18,973	41,307	169	105	0	6.0	81.63	2,800	129	A-INT1	0.0									
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
11/17/08		System running on arrival and departure.																			
	18,992	41,326	19	105	0	6.0	81.63	2,700	124	A-INF	0.0	<11	0.19	0.0046	<4.49	<1,408.23	<0.00	<21.53	0.10	<7.59	<0.000
										A-INT1	0.0	<11	0.20	0.0023							
										A-INT2	0.0	<11	0.092	<0.0016							
										A-EFF	0.0	13	0.022	<0.0016							
11/25/08		System running on arrival and departure.																			
	19,156	41,490	164	100	0	5.0	68.03	2,800	130	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
12/05/08		System running on arrival and departure.																			
	19,395	41,729	239	100	0	5.0	68.03c	2,800	130	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
12/12/08		System running on arrival and departure.																			
	19,397	41,731	2	100	0	5.0	68.03c	2,700	125	A-INF	0.0	<5.7	0.14	0.0046	<1.58	<1,409.80	0.00	<21.53	0.03	<7.62	<0.000
										A-INT1	0.0	<5.7	0.15	0.0018							
										A-INT2	0.0	<5.7	0.098	<0.0016							
										A-EFF	0.0	<5.7	0.028	<0.0016							
12/16/08		System running on arrival and departure.																			
	19,492	41,826	95	100	0	5.0	68.03	2,800	130	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
12/24/08		System running on arrival and departure.																			
	19,689	42,023	197	110	--	5.0	68.03	2,800	128	A-INF	4.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/02/09		System running on arrival and departure.																			
	19,899	42,233	210	110	--	5.0	68.03	2,900	132	A-INF	3.5										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/09/09		System running on arrival and departure.																			
	20,067	42,401	168	110	--	5.0	68.03	2,900	132	A-INF	0.0	<5.7	0.13	<0.0016	<1.84	<1,411.64	<0.00	<21.53	0.04	<7.67	<0.000
										A-INT1	0.0	<5.7	0.18	0.0021							
										A-INT2	0.0	<5.7	0.079	<0.0016							
										A-EFF	0.0	<5.7	0.088	<0.0016							
01/16/09		System running on arrival and departure.																			
	20,234	42,568	167	110	--	5.0	68.03	2,900	132	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
01/20/09		System running on arrival and departure.																			
	20,331	42,665	97	110	--	5.0	68.03	2,900	132	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)
01/30/09	System running on arrival and departure.	20,572	42,906	241	110	---	5.0	68.03	2,900	132	A-INF	0.0								
										A-INT1	0.0									
										A-INT2	0.0									
										A-EFF	0.0									
02/06/09	System running on arrival and departure.	20,738	43,072	166	110	---	5.0	68.03	2,400	109	A-INF	0.0								
										A-INT1	0.0									
										A-INT2	0.0									
										A-EFF	0.0									
02/13/09	System running on arrival and departure.	20,904	43,238	166	110	---	5.0	68.03	2,800	128	A-INF	0.0	<5.7	0.15	0.0050	<2.32	<1,413.96	<0.00	<21.53	0.06
										A-INT1	0.0	<5.7	0.13	0.0024						
										A-INT2	0.0	<5.7	0.061	<0.0016						
										A-EFF	0.0	<5.7	0.20	<0.0016						
02/20/09	System running on arrival and departure.	21,072	43,406	168	110	---	5.0	68.03	2,800	128	A-INF	0.0								
										A-INT1	0.0									
										A-INT2	0.0									
										A-EFF	0.0									
02/27/09	System running on arrival and departure.	21,240	43,574	168	110	---	5.0	68.03	3,100	141	A-INF	0.0								
										A-INT1	0.0									
										A-INT2	0.0									
										A-EFF	0.0									
03/06/09	System running on arrival and departure.	21,406	43,740	166	110	---	5.0	68.03	3,100	141	A-INF	0.0								
										A-INT1	0.0									
										A-INT2	0.0									
										A-EFF	0.0									
03/13/09	System running on arrival and departure.	21,574	43,908	168	110	---	5.0	68.03	3,100	141	A-INF	0.0	<5.7	0.078	0.0023	<1.92	<1,415.88	0.00	<21.53	0.04
										A-INT1	0.0	<5.7	0.27	0.0019						
										A-INT2	0.0	<5.7	0.069	<0.0016						
										A-EFF	0.0	<5.7	0.11	<0.0016						
03/20/09	System running on arrival and departure.	21,740	44,074	166	120	---	5.0	68.03	3,000	134	A-INF	0.0								
										A-INT1	0.0									
										A-INT2	0.0									
										A-EFF	0.0									
03/23/09	System running on arrival and departure.	21,830	44,164	90	125	---	5.0	68.03	3,000	133	A-INF	0.0								
										A-INT1	0.0									
										A-INT2	0.0									
										A-EFF	0.0									
03/31/09	System running on arrival and departure.	22,003	44,337	173	100	---	5.0	68.03	2,600	121	A-INF	0.0								
										A-INT1	0.0									
										A-INT2	0.0									
										A-EFF	0.0									

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
04/07/09	System running on arrival and departure.	22,175	44,509	172	100	---	5.0	68.03	2,600	121	A-INF	0.0	<5.7	0.26	<0.0016	<1.68	<1,417.56	<0.00	<21.53	0.05	<7.81	<0.000
										A-INT1	0.0	<5.7	0.21	0.0018								
										A-INT2	0.0	<5.7	0.051	<0.0016								
										A-EFF	0.0	<5.7	0.13	<0.0016								
04/17/09	System running on arrival and departure.	22,417	44,751	242	100	---	5.0	68.03	2,600	121	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/24/09	System running on arrival and departure.	22,578	44,912	161	110	---	5.0	68.03	2,600	118	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/01/09	System running on arrival and departure.	22,747	45,081	169	100	---	5.0	68.03	2,600	121	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/08/09	System running on arrival and departure.	22,912	45,246	165	100	---	5.0	68.03	2,600	121	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/15/09	System running on arrival and departure.	23,110	45,444	198	100	---	5.0	68.03	2,000	93	A-INF	0.0	<5.7	0.34	<0.0016	<2.13	<1,419.68	<0.00	<21.53	0.11	<7.92	<0.000
										A-INT1	0.0	<5.7	0.44	0.0042								
										A-INT2	0.0	<5.7	0.12	<0.0016								
										A-EFF	0.0	<5.7	0.40	<0.0016								
05/22/09	System down on arrival and running on departure.	23,236	45,570	126	110	---	5.0	68.03	2,800	128	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/29/09	System running on arrival and departure.	23,405	45,739	169	120	---	5.0	68.03	2,600	116	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/05/09	System down on arrival and running on departure.	23,519	45,853	114	120	---	5.0	68.03	2,600	116	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/11/09	System running on arrival and departure.	23,658	45,992	139	110	---	5.0	68.03	2,600	118	A-INF	0.0	<5.7	0.87	0.0022	<1.23	<1,420.92	<0.00	<21.53	0.13	<8.06	<0.000
										A-INT1	0.0	<5.7	0.38	0.0025								
										A-INT2	0.0	<5.7	0.15	<0.0016								
										A-EFF	0.0	<5.7	0.72	<0.0016								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
		Total Hours	Hours of Operation	Temp (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
06/12/09		System down on arrival and running on departure.																	
	23,670	46,004	12	110	--	0.0	0	2,600	118	A-INF	--								
										A-INT1	--								
										A-INT2	--								
										A-EFF	--								
06/19/09		System running on arrival and departure.																	
	23,855	46,189	185	120	--	4.5	61.22	2,600	116	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
06/26/09		System running on arrival and departure.																	
	24,001	46,335	146	100	--	5.0	68.03	2,400	111	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
06/29/09		System running on arrival and departure.																	
	24,076	46,410	75	100	--	5.0	68.03	2,400	111	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
07/10/09		System running on arrival and departure.																	
	24,339	46,673	263	100	--	5.0	68.03	2,400	111	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
07/17/09		System running on arrival and departure.																	
	24,509	46,843	170	100	--	5.0	68.03	2,400	111	A-INF	0.0	<5.7	0.034	0.0020	<2.08	<1,423.00	0.00	<21.54	0.17
										A-INT1	0.0	<5.7	0.27	0.0030				<8.22	<0.000
										A-INT2	0.0	<5.7	0.24	<0.0016					
										A-EFF	0.0	<5.7	0.33	<0.0016					
07/24/09		System running on arrival and departure.																	
	24,675	47,009	166	100	--	5.0	68.03	2,400	111	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
07/31/09		System running on arrival and departure.																	
	24,842	47,176	167	120	--	5.0	68.03	2,400	107	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
08/04/09		System running on arrival and departure.																	
	24,943	47,277	101	100	--	5.0	68.03	2,400	111	A-INF	0.0	<5.7d	0.069d	0.0088d	<1.03	<1,424.03	0.00	<21.54	0.01
										A-INT1	0.0	<5.7d	0.33d	0.0083d				<8.23	0.000
										A-INT2	0.0	<5.7d	0.31d	0.0046d					
										A-EFF	0.0	<5.7d	0.53d	0.0035d					
08/14/09		System running on arrival and departure.																	
	25,179	47,513	236	100	--	5.0	68.03	2,400	111	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
					Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)			TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
08/21/09	System running on arrival and departure.	25,347	47,681	168	100	--	5.0	68.03	2,400	111	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
08/28/09	System running on arrival and departure.	25,519	47,853	172	110	--	5.0	68.03	2,400	109	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/04/09	System running on arrival and departure.	25,681	48,015	162	110	--	5.0	68.03	2,500	114	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/11/09	System running on arrival and departure.	25,849	48,183	168	110	--	5.0	68.03	2,400	109	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/14/09	System running on arrival and departure.	25,924	48,258	75	95	--	5.0	68.03	2,600	122	A-INF	0.0	<5.7	0.11	<0.0016	<2.44	<1,426.47	<0.00	<21.54	0.04	<8.27	<0.000
											A-INT1	0.0	<5.7	0.20	0.0024							
											A-INT2	0.0	<5.7	0.35	<0.0016							
											A-EFF	0.0	<5.7	0.33	<0.0016							
09/25/09	System running on arrival and departure.	26,185	48,519	261	100	--	5.0	68.03	2,400	111	A-INF	0.0	-	-	-	-	-	-	-	-	-	
											A-INT1	0.0	-	-	-	-	-	-	-	-	-	-
											A-INT2	0.0	-	-	-	-	-	-	-	-	-	-
											A-EFF	0.0	-	-	-	-	-	-	-	-	-	-
10/02/09	System running on arrival and departure.	26,352	48,686	167	155	--	5.5	74.83	2,500	106	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
10/10/09	System running on arrival and departure.	26,545	48,879	193	95	--	5.0	68.03	2,600	122	A-INF	---										
											A-INT1	---										
											A-INT2	---										
											A-EFF	---										
10/15/09	System running on arrival and down on departure for carbon changeout.	26,665	48,999	120	105	--	5.0	68.03	2,600	120	A-INF	1.0	<5.7	<0.0072	0.0046	<1.90	<1,428.37	<0.00	<21.54	<0.02	<8.29	<0.000
											A-INT1	0.0	<5.7	0.42	0.0050							
											A-INT2	0.0	<5.7	0.54	<0.0016							
											A-EFF	0.0	<5.7	0.24	<0.0016							
10/19/09	System down on arrival for carbon changeout and running on departure.	26,666	49,000	1	95	--	5.0	68.03	2,750	129	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Total Hours	Hours of Operation	Field Measurements					Sample ID	PID (ppmv)	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
				Temp (deg F)	EFF	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)			TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)			
10/30/09	System running on arrival and departure.	26,928	49,262	262	155	--	5.4	73.47	2,300	97	A-INF	1.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/06/09	System running on arrival and departure.	27,098	49,432	170	145	--	5.5	74.83	2,600	112	A-INF	0.0	<5.7	<0.0072	<0.0016	<1.07	<1,429.44	<0.00	<21.54	<0.00	<8.29	<0.000
										A-INT1	0.0	<5.7	0.39	0.0065								
										A-INT2	0.0	<5.7	0.59	0.0036								
										A-EFF	0.0	<5.7	0.27	<0.0016								
11/13/09	System running on arrival and departure.	27,264	49,598	166	145	--	5.5	74.83	2,400	103	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/20/09	System running on arrival and departure.	27,436	49,770	172	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
11/25/09	System running on arrival and departure.	27,552	49,886	116	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/04/09	System down on arrival and running on departure.	27,726	50,060	174	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/11/09	System down on arrival and running on departure.	27,816	50,150	90	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/18/09	System running on arrival and departure.	27,975	50,309	159	110	--	5.0	68.03	2,500	114	A-INF	--	<5.7	<0.0072	0.0023	<2.11	<1,431.55	<0.00	<21.54	<0.00	<8.29	<0.000
										A-INT1	--	<5.7	0.069	<0.0016								
										A-INT2	--	<5.7	0.24	<0.0016								
										A-EFF	--	<5.7	0.30	<0.0016								
12/23/09	System running on arrival and departure.	28,096	50,430	121	110	--	5.0	68.03	2,500	114	A-INF	0.0	<5.7	<0.0072	0.0022	<0.29	<1,431.84	0.00	<21.54	<0.00	<8.29	<0.000
										A-INT1	0.0	<5.7	0.026	<0.0016								
										A-INT2	0.0	<5.7	0.098	<0.0016								
										A-EFF	0.0	<5.7	0.067	<0.0016								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Notes:	Removal rated are calculated using ERI SOP-25: "Hydrocarbons removed from a Vadose Well" Data prior to April 1, 2000, provided by Delta Environmental Consultants, Inc.
A-INF	= Influent vapor sample collected prior to biofilters.
A-INT1	= Vapor sample collected after 1st carbon vessel.
A-INT2	= Vapor sample collected after 2nd carbon vessel.
A-EFF	= Vapor sample collected from effluent sample port.
TPHg	= Total petroleum hydrocarbons as gasoline using EPA Method T0-3M; on and prior to 08/09/07, analyzed using EPA Method 18M.
MTBE	= Methyl tertiary butyl ether analyzed using EPA Method T0-15M; on and prior to 08/09/07, analyzed using EPA Method 18M.
Benzene	= Benzene analyzed using EPA Method T0-15M; on and prior to 08/09/07, analyzed using EPA Method 18M.
Temp EFF	= Temperature effluent.
deg F	= Degrees Fahrenheit.
In H2O	= Inches of water column.
In Hg	= Inches of mercury vacuum.
scfm	= Standard cubic feet per minute.
fpm	= Feet per minute.
lbs/day	= Pounds per day.
ppmv	= Parts per million by volume.
mg/M³	= Milligrams per cubic meter.
---	= Not sampled/Not measured/Not analyzed/Not calculated.
a	= Analyte was detected in the associated Method Blank.
b	= Tedlar Bag deflated, sample could not be analyzed.
c	= Concentration exceeds the calibration range.
d	= Sample analyzed past recommended holding time.

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/10/94	1,331,420	---	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
12/02/94	1,392,010	0.8	W-INF	65	1.9	0.9	<0.5	2.4	---	<0.029	<0.0	<0.0006	<0.001	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
01/13/95	1,415,980	0.4	W-INF	1,000	<0.5	<0.5	<0.5	<0.5	---	0.106	<0.1	<0.0002	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
02/23/95	1,494,030	1.3	W-INF	57	<0.5	<0.5	<0.5	2.7	---	0.344	<0.5	<0.0003	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
03/14/95	---	---	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
04/14/95	1,513,240	0.3	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	<0.009	<0.5	<0.0001	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
05/18/95	1,714,850	4.1	W-INF	---	---	---	---	---	---	---	---	---	---	---	---
06/30/95	1,847,330	2.1	W-INF	1,700	480	23	66	180	---	<2.439	<2.9	0.6685	<0.670	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
07/12/95	1,908,730	3.6	W-INF	290	68	<2.0	2.4	5.6	---	0.510	<3.4	0.1404	<0.810	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
08/09/95	2,027,830	3.0	W-INF	6,600	1,700	260	370	550	---	3.423	<6.9	0.8784	<1.689	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
09/06/95	2,158,260	3.2	W-INF	120	17	0.84	1.0	3.0	---	3.656	<10.5	0.9342	<2.623	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
10/11/95	2,215,310	1.1	W-INF	160	22	0.97	1.2	4.0	---	0.067	<10.6	0.0093	<2.632	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
11/16/95	2,384,880	3.3	W-INF	120	4.9	<0.5	<0.5	5.9	---	0.198	<10.8	0.0190	<2.651	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
12/14/95	2,453,200	1.7	W-INF	450	46	16	4.6	65	---	0.162	<10.9	0.0145	<2.666	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
01/05/96	2,516,900	2.0	W-INF	240	26	2.4	1.2	20	---	0.183	<11.1	0.0191	<2.685	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
02/14/96	2,680,160	2.8	W-INF	470	43	5.5	<0.5	55	---	0.484	<11.6	0.0470	<2.732	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
03/12/96	2,767,820	2.3	W-INF	620	60	9.8	3.9	70	---	0.399	<12.0	0.0377	<2.769	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
04/16/96	2,927,390	3.2	W-INF	790	120	27	8.8	120	---	0.939	<12.9	0.1198	<2.889	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
05/07/96	2,971,100	1.5	W-INF	430	66	2.7	5	32	---	0.222	<13.2	0.0339	<2.923	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
06/11/96	3,109,730	2.8	W-INF	2,900	470	120	19	410	---	1.926	<15.1	0.3100	<3.233	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
07/09/96	3,232,330	3.0	W-INF	490	55	6.2	<0.5	110	---	1.734	<16.8	0.2685	<3.502	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
08/08/96	3,365,060	3.1	W-INF	580	49	4.6	<1.0	75	---	0.592	<17.4	0.0576	<3.559	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
09/05/96	---	---	W-INF	740	67	19	10	72	---	---	---	---	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
10/02/96	3,530,230	2.1	W-INF	980	130	39	7.8	130	---	1.075	<18.5	0.1233	<3.683	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
11/08/96	3,657,370	2.4	W-INF	480	42	7.1	0.69	79	---	0.774	<19.3	0.0912	<3.774	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
12/09/96	3,735,650	1.8	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	<0.173	<19.4	<0.0139	<3.788	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
01/21/97	3,735,730	0.0	W-INF	690	69	20	20	91	---	0.000	<19.4	0.0000	<3.788	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
02/10/97	3,735,360	0.0	W-INF	860	100	24	1.4	160	---	---	<19.4	---	<3.788	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
03/20/97	3,843,430	2.0	W-INF	86	<0.5	<0.5	<0.5	5.1	---	0.426	<19.9	<0.0453	<3.833	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	
04/03/97	3,918,650	3.7	W-INF	690	31	6.1	<5.0	89	---	0.244	<20.1	0.0099	<3.843	---	---	
			W-INT1	<1,000	<10	<10	<10	<10	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
05/07/97	4,092,720	3.6	W-INF	1,000	57	29	11	110	---	1.227	<21.3	0.0639	<3.907	---	---	
			W-INT1	<50	1.1	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
06/11/97	4,144,600	1.0	W-INF	570	66	14	4.7	75	---	0.340	<21.7	0.0266	<3.933	---	---	
			W-INT1	<50	0.57	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
06/25/97	4,273,310	6.4	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
			W-INF	470	25	8.8	3.7	49	---	0.948	<22.6	0.0829	<4.016	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
08/04/97	4,408,100	2.8	W-INF	610	48	18	6.2	69	---	0.203	<22.8	0.0137	<4.030	---	---	---
			W-INT1	<50	0.76	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
10/21/97	4,496,810	0.8	W-INF	250	16	5.4	2.3	29	---	0.318	<23.2	0.0237	<4.054	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
11/04/97	4,553,090	2.8	W-INF	510	22	9.8	13	60	---	0.178	<23.3	0.0089	<4.063	---	---	---
			W-INT1	<50	0.82	<0.5	<0.5	0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
12/05/97	4,588,340	0.8	W-INF	79	1.5	<0.5	<0.5	53	---	0.087	<23.4	0.0035	<4.066	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
01/08/98	4,625,400	0.8	W-INF	83	2.6	0.74	<0.5	5.4	---	0.025	<23.4	0.0006	<4.067	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	0.58	<0.5	0.81	1.5	---	---	---	---	---	---	---	---
03/03/98	4,662,470	0.5	W-INF	<50	0.54	<0.5	<0.5	0.88	---	<0.021	<23.5	0.0005	<4.067	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
04/02/98	4,702,760	0.9	W-INF	1,100	170	32	12	160	---	0.193	<23.7	0.0287	<4.096	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
05/04/98	4,786,330	1.8	W-INF	1,000	140	23	8.5	150	---	0.732	<24.4	0.1081	<4.204	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
06/10/98	4,852,030	1.2	W-INF	670	110	16	7.6	74	---	0.458	<24.8	0.0685	<4.272	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	---

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
07/07/98	4,951,910	2.6	W-INF	690	91	13	6.3	55	---	0.567	<25.4	0.0838	<4.356	---	---
			W-INT1	<200	<2.0	<2.0	<2.0	<2.0	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
08/04/98	5,039,980	2.2	W-INF	230	36	6.4	2.5	17	---	0.338	<25.7	0.0467	<4.403	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
09/03/98	5,080,850	1.0	W-INF	280	13	2.0	6.4	21	---	0.087	<25.8	0.0084	<4.411	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
10/20/98	---	---	W-INF	740	43	54	25	110	---	---	---	---	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
11/09/98	5,232,360	1.6	W-INF	300	37	10	8.4	43	---	0.367	<26.2	0.0316	<4.443	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
12/08/98	5,284,180	1.2	W-INF	700	82	25	13	100	---	0.216	<26.4	0.0257	<4.469	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
01/13/99	5,377,930	1.8	W-INF	1,030	155	46.5	52.7	73.3	---	0.677	<27.1	0.0927	<4.561	---	---
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	---	---
			W-EFF	<500	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	---	---
02/08/99	5,441,820	1.7	W-INF	260	31	9.0	2.4	33	---	0.344	<27.4	0.0496	<4.611	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
03/08/99	5,509,090	1.7	W-INF	800	87	16	8.5	140	---	0.297	<27.7	0.0331	<4.644	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
04/05/99	5,571,890	1.6	W-INF	<500	36.6	12.2	5.84	20.9	---	<0.341	<28.1	0.0324	<4.676	---	---
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	---	---
			W-EFF	<500	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	---	---
05/06/99	5,621,560	1.1	W-INF	310	45	6.0	0.86	41	---	0.168	<28.2	0.0169	<4.693	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
06/07/99	5,706,250	1.8	W-INF	<250	24.8	<2.5	<2.5	8.74	---	<0.198	<28.4	0.0247	<4.718	---	---
			W-INT1	<100	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---
			W-EFF	<250	<2.5	<2.5	<2.5	<2.5	---	---	---	---	---	---	---
07/28/99	5,805,010	1.3	W-INF	<100	7.00	<1.0	2.40	6.40	---	<0.144	<28.6	0.0131	<4.731	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
08/09/99	5,849,280	2.6	W-INF	<500	17.1	5.88	<5.0	26.8	---	<0.111	<28.7	0.0045	<4.735	---	---
			W-INT1	<250	<2.5	<2.5	<2.5	<2.5	---	---	---	---	---	---	---
			W-EFF	<250	<2.5	<2.5	<2.5	<2.5	---	---	---	---	---	---	---

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results					TPHg Removed		Benzene Removed		MTBE Removed			
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	
09/07/99	5,880,860	0.8	W-INF	<500	20.4	<5.0	<5.0	31.1	---	<0.132	<28.8	0.0049	<4,740	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
10/12/99	5,966,690	1.7	W-INF	100	2	<1.0	<1.0	<1.0	---	0.215	<29.0	0.0080	<4,748	---	---	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
11/18/99	5,971,540	0.1	W-INF	660	66	7.8	5.6	57	---	0.015	<29.1	0.0014	<4,750	---	---	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
12/09/99	5,992,780	0.7	W-INF	200	28	3.2	2.2	22.4	---	0.076	<29.1	0.0083	<4,758	---	---	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
01/10/00	6,035,690	0.9	W-INF	120	11	1.5	1.8	14.5	---	0.057	<29.2	0.0070	<4,765	---	---	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
02/08/00	6,055,000	0.5	W-INF	130	14	<1.0	<1.0	11.9	---	0.020	<29.2	0.0020	<4,767	---	---	
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
03/24/00	System shut down pending evaluation.															
	6,080,125	0.4														
03/28/00	System shut down upon departure.															
	6,080,360	0.0	W-INF	<50	<1.0	<1.0	<1.0	<1.0	---	<0.019	<29.2	<0.0016	<4,769	---	---	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	
04/01/00	Environmental Resolutions, Inc. assumed operation of the remediation system.															
	System down on arrival and running on departure. Startup. Water samples collected for startup.															
	10	0.0	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	<0.000	<29.2	<0.0000	<4,769	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
06/05/02	System down on arrival and running on departure. Startup. Water samples collected for startup.															
	10	0.0	W-INT2	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
06/19/02	System running on arrival and departure.															
	47,370	2.4														
07/03/02	System running on arrival and departure.															
	114,030	3.3	W-INF	270	<2.5	<2.5	<2.5	<2.5	1,300	0.152	<29.4	<0.0014	<4,770	2.473	2,473	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	46							
			W-INT2	<50	<0.5	<0.5	<0.5	<0.5	<2.5							
07/17/02	System down on arrival and running on departure.															
	114,230	0.0	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	<2.5							
07/31/02	System running on arrival and down on departure.															
	179,580	3.2														

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
08/14/02	System down on arrival and running on departure.														
	179,930	0.0	W-INF	620	4.1	<2.5	<2.5	<2.5	1,400	0.245	<29.6	0.0018	<4,772	0.742	3.216
			W-INT1	<50	<0.50	<0.50	<0.50	<0.5	150						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.5	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
08/28/02	System running on arrival and down on departure.														
	222,900	2.1													
11/06/02	System down on arrival and running on departure.														
	223,080	0.0	W-INF	660	<5.0	<5.0	<5.0	<5.0	1,700	0.230	<29.9	<0,0016	<4,774	0.558	3.774
			W-INT1	100	3.9	<0.5	<0.5	1.4	150						
			W-INT2	<50	<0.5	<0.5	<0.5	<0.5	<2.5						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	<2.5						
11/20/02	System down on arrival and departure.														
12/04/02	System down on arrival and departure.														
12/18/02	System down on arrival and departure.														
01/03/03	System down on arrival and departure.														
	224,032	0.0													
01/06/03	System down on arrival and departure.														
01/15/03	System down on arrival and running on departure.														
	224,360	0.0	W-INF	730	<5.0	<5.0	<5.0	<5.0	1,200	0.007	<29.9	<0,0001	<4,774	0.015	3.789
			W-INT1	71	<0.50	<0.50	<0.50	<0.50	110						
			W-INT2	--	--	--	--	--	--						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
01/29/03	System running on arrival and departure.														
	283,830	3.0													
02/12/03	System running on arrival and departure.														
	321,540	1.9	W-INF	<500	<5.0	<5.0	<5.0	<5.0	500	<0.499	<30.4	<0.0041	<4,778	0.689	4.478
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	500						
			W-INT2	<250	<2.5	<2.5	<2.5	<2.5	330						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
02/26/03	System running on arrival and departure.														
	383,280	3.1													
03/12/03	System running on arrival and departure.														
	439,050	2.8	W-INF	190	<10	<10	<10	<10	1,200	0.338	<30.7	<0.0074	<4,785	0.833	5.312
			W-INT1	86	<2.5	<2.5	<2.5	<2.5	150						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	1.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.5						
03/26/03	System running on arrival and departure.														
	489,680	2.5													
04/09/03	System running on arrival and departure.														
	537,030	2.4	W-INF	<500	<25	<25	<25	<25	930	<0.282	<31.0	<0.0143	<4,799	0.871	6.182
			W-INT1	50	<2.5	<2.5	<2.5	<2.5	91						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	8.7						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.5						

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
04/23/03	System running on arrival and departure. 584,410	2.4													
05/07/03	System running on arrival and departure. 613,620	1.5	W-INF W-INT1 W-INT2 W-EFF	180 110 <50 <50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	430 99 18 <0.50	0.217	<31.2	<0.0096	<4.809	0.435	6.617
05/21/03	System running on arrival and departure. 646,410	1.6													
06/04/03	System running on arrival, down on departure for carbon changeout. 723,100	3.8													
06/18/03	System down on arrival, running on departure, monthly samples taken. 723,320	0.0	W-INF W-INT1 W-INT2 W-EFF	<250 <50 <50 <50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	410 <2.5 <2.5 <2.5	<0.197	<31.4	<0.0034	<4.812	0.384	7.001
07/02/03	System running on arrival and departure. 751,630	1.4	W-INF W-INT1 W-INT2 W-EFF	120 <50 <50 <50	<25 <0.50 <0.50 <0.50	<25 <0.50 <0.50 <0.50	<25 <0.50 <0.50 <0.50	29 <0.50 <0.50 <0.50	560 <0.50 <0.50 <0.50	0.044	<31.4	<0.0032	<4.816	0.115	7.116
07/16/03	System running on arrival and departure. 778,100	1.3													
07/30/03	System running on arrival and departure. 805,390	1.4													
08/13/03	System running on arrival and departure. 828,920	1.2	W-INF W-INT1 W-INT2 W-EFF	390 <50 <50 <50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	620 0.90 <0.50 <0.50	0.164	<31.6	<0.0113	<4.827	0.380	7.496
08/27/03	System running on arrival and departure. 854,560	1.3													
09/10/03	System down on arrival, running on departure. 854,800	0.0	W-INF W-INT1 W-INT2 W-EFF	89 <50 <50 <50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	140 0.81 <0.50 <0.50	0.052	<31.7	<0.0016	<4.828	0.082	7.578
09/24/03	System running on arrival and departure. 879,920	1.3													
10/08/03	System running on arrival and departure. 903,850	1.2	W-INF W-INT1 W-INT2 W-EFF	330 <50 <50 <50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	540 1.5 <0.50 <0.50	0.086	<31.7	<0.0031	<4.832	0.139	7.718

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/22/03	System running on arrival and departure. 927,460	1.2													
11/03/03	System running on arrival and departure. 947,710	1.2	W-INF W-INT1 W-INT2 W-EFF	530 <50 <50 <50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	810 4.4 <0.50 <0.50	0.157	<31.9	<0.0037	<4.835	0.247	7.965
11/17/03	System down on arrival. Restarted. Running on departure. 964,770	0.9													
12/01/03	System running on arrival and departure. 992,510	1.4	W-INF W-INT1 W-INT2 W-EFF	410 <50 <50 <50	<250 <0.50 <0.50 <0.50	<250 <0.50 <0.50 <0.50	<250 <0.50 <0.50 <0.50	<250 <0.50 <0.50 <0.50	820 4.2 <0.50 <0.50	0.176	<32.1	<0.0486	<4.884	0.305	8.269
12/15/03	System running on arrival and departure. 1,021,420	1.4													
12/29/03	System running on arrival and departure. 1,051,220	1.5													
01/12/04	System down on arrival High/High ([H/H] holding tank), transfer pump failure. 1,062,140	0.5													
01/26/04	System shut down on arrival, replaced transfer pump restarted system. Collected monthly samples. 1,062,440	0.0	W-INF W-INT1 W-INT2 W-EFF	300 <50 <50 <50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	770 5.7 <0.50 <0.50	0.207	<32.3	<0.0744	<4.958	0.464	8.733
02/09/04	System down on arrival (H/H holding tank, transfer pump appears to have failed). System shut down on departure. 1,062,450	0.0													
04/08/05	Started system and ran water through system into holding tank (did not discharge). Approximately 400 gallons. 1,064,739	0.0	W-INF W-INT1 W-INT2 W-EFF	600 <50.0 <50.0 <50.0	<0.50 <0.50 <0.50 <0.50	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	<0.5 <0.5 <0.5 <0.5	748 2.9 <0.5 <0.5	0.009	<32.3	<0.0001	<4.958	0.015	8.748
06/27/05	1,065,780	0.0													
06/28/05	1,066,510	0.5													
06/29/05	1,075,770	6.4													
07/01/05	1,093,250	6.1													
07/08/05	1,146,060	5.2													
07/15/05	1,201,070	5.5													
07/22/05	1,257,570	5.6	W-INF W-INT1 W-INT2 W-EFF	844 151 <50.0 <50.0	8.80 <0.50 <0.50 <0.50	2.3 <0.5 <0.5 <0.5	0.7 <0.5 <0.5 <0.5	30.9 <0.5 <0.5 <0.5	707 151 1.9 <0.5	1.162	<33.5	0.0075	<4.966	1.170	9.918
07/24/05	1,271,470	4.8													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
07/29/05	1,272,030	0.1													
08/05/05	1,272,630	0.1													
			W-INF	713	6.01	<0.500	0.569	9.69	647	0.098	<33.6	0.0009	<4.967	0.085	10.003
			W-INT1	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500						
			W-INT2	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500						
			W-EFF	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500						
08/12/05	1,326,820	5.4													
08/19/05	1,330,450	0.4													
08/26/05	1,346,130	1.6													
09/02/05	1,384,160	3.8													
09/09/05	1,436,360	5.2													
			W-INF	681	0.96	<0.50	<0.50	<0.50	664	0.952	<34.5	0.0048	<4.971	0.895	10.899
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
09/16/05	1,488,660	5.2													
09/19/05	1,507,200	4.3													
10/07/05	1,507,820	0.0													
10/14/05	1,550,690	4.3													
10/21/05	1,563,060	1.2													
10/28/05	1,578,720	1.6													
11/04/05	1,634,790	5.6													
11/11/05	1,670,990	3.6													
			W-INF	858	0.86	<0.50	<0.50	<0.50	695	1.506	<36.0	0.0018	<4.973	1.330	12.229
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
11/18/05	1,706,440	3.5													
11/21/05	1,715,550	2.1													
12/02/05	1,772,310	3.6													
12/09/05	1,786,420	1.4													
			W-INF	1,060	<0.50	<0.50	<0.50	<0.50	821	0.924	<36.9	<0.0007	<4.974	0.730	12.959
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
12/16/05	1,800,240	1.4													
12/22/05	1,804,140	0.5													
12/30/05	1,804,160	0.0													
01/06/06	1,823,487	1.9													
			W-INF	3,210c	<0.50	<0.50	<0.50	<0.50	1,240	0.660	<37.6	<0.0002	<4.974	0.319	13.277
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
01/13/06	1,840,520	1.7													
01/20/06	1,853,860	1.3													
01/27/06	1,870,720	1.7													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
02/03/06	1,887,390	1.7	W-INF	1,700d	<10	<10	<10	<10	1,700	1.309	<38.9	<0.0028	<4.977	0.784	14.061
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	35						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
02/10/06	System running on arrival and departure.														
	1,904,310	1.7													
02/17/06	System running on arrival and departure.														
	1,921,860	1.7													
02/23/06	System running on arrival and departure.														
	1,936,920	1.7													
02/24/06	System running on arrival and departure.														
	1,941,290	3.0													
03/03/06	System running on arrival and departure.														
	1,972,060	3.1	W-INF	<2,500	<25	<25	<25	<25	1,700	<1.484	<40.4	<0.0124	<4.989	1.201	15.262
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	250						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
03/10/06	System running on arrival and departure.														
	1,989,680	1.8													
03/17/06	System down on arrival (moisture separator tank [MST] high level). Restarted. Running on departure.														
	2,002,980	1.3													
03/24/06	System running on arrival and departure.														
	2,038,840	3.6													
03/31/06	System down on arrival. Restarted. Running on departure.														
	2,042,050	0.3													
04/07/06	System running on arrival and departure.														
	2,079,030	3.7	W-INF	<2,500	<25	<25	<25	<25	1,800	<2.231	<42.6	<0.0223	<5.011	1.562	16.824
			W-INT1	400 d	<2.5	<2.5	<2.5	<2.5	440						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
04/13/06	System running on arrival and departure.														
	2,109,320	3.5													
04/28/06	System running on arrival and departure.														
	2,145,290	1.7													
05/05/06	System running on arrival and departure.														
	2,180,750	3.5	W-INF	<2,500	<25	<25	<25	<25	1,800	<2.122	<44.7	<0.0212	<5.033	1.528	18.352
			W-INT1	650 d	<5.0	<5.0	<5.0	<5.0	800						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
05/12/06	System running on arrival and departure.														
	2,213,710	3.3													
05/19/06	System running on arrival and departure.														
	2,245,730	3.2													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
05/25/06	System running on arrival and departure. 2,272,150	3.1													
06/02/06	System running on arrival and departure. 2,305,800	2.9													
06/09/06	System running on arrival and departure. 2,334,660	2.9	W-INF	<2,500	<25	<25	<25	<25	2,100	<3.210	<48.0	<0.0321	<5.065	2.504	20.856
			W-INT1	1,200 d	15	<10	<10	<10	1,100						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	9.6						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
06/16/06	System down on arrival and running on departure. 2,354,230	1.9													
06/23/06	System running on arrival and departure. 2,364,230	1.0													
06/30/06	System running on arrival and departure. 2,373,900	1.0													
07/05/06	System running on arrival and departure. 2,381,000	1.0	W-INF	113	<0.50	<0.50	<0.50	<0.50	169	0.505	<48.5	<0.0049	<5.070	0.439	21.294
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	9.86						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
07/14/06	System running on arrival and departure. 2,435,000	4.2													
07/21/06	System running on arrival and departure. 2,471,700	3.6													
07/28/06	System running on arrival and departure. 2,505,700	3.4													
08/04/06	System running on arrival and departure. 2,541,520	3.6	W-INF	1,800	1.97	<0.50	<0.50	2.27	2,220	1.281	<49.7	0.0017	<5.071	1.600	22.894
			W-INT1	619	<0.50	<0.50	<0.50	<0.50	646						
			W-INT2	<50.0	<0.50	<0.50	<0.50	0.64	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
08/11/06	System running on arrival and departure. 2,578,290	3.7													
08/18/06	System running on arrival and departure. 2,614,050	3.6													
08/25/06	System running on arrival and departure. 2,614,100	0.0													
09/01/06	System running on arrival and shut down on departure for carbon changeout. 2,651,170	3.7													
09/15/06	Carbon changeout complete. Restart system. 2,651,170	0.0													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
09/22/06	System down on arrival and locked out/tagged out on departure for repairs.														
	2,670,860	2.0	W-INF	861	<0.50	<0.50	<0.50	0.67	924	1.436	<51.2	<0.0013	<5.073	1.696	24,590
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	6.66						
			W-INT2	<50.0	0.84	<0.50	<0.50	2.98	1.29						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
10/06/06	System down on arrival and running on departure.														
	2,670,860	0.0													
10/13/06	System down on arrival and departure.														
	2,672,600	0.2													
10/20/06	System down on arrival and locked out/tagged out on departure for carbon changeout.														
	2,672,860	0.0													
10/27/06	System down on arrival and running on departure.														
	2,672,860	0.0	W-INF	<2,500	<25	<25	<25	<25	2,400	<0.028	<51.2	<0.0002	<5.073	0.028	24.618
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
11/03/06	System running on arrival and departure.														
	2,710,410	3.7													
11/10/06	System running on arrival and departure.														
	2,751,080	4.0	W-INF	2,700d	<25	<25	<25	<25	2,500	1.697	<52.9	<0.0163	<5.089	1.599	26.217
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
11/14/06	System running on arrival and departure.														
	2,775,140	4.2													
11/20/06	System running on arrival and departure.														
	2,808,860	3.9													
11/27/06	System running on arrival and departure.														
	2,845,210	3.6													
12/05/06	System running on arrival and departure.														
	2,885,930	3.5	W-INF	2,500d	<25	<25	<25	<25	2,300	2.925	<55.8	<0.0281	<5.117	2.700	28.917
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	38						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
12/15/06	System down on arrival and running departure.														
	2,885,930	0.0													
12/21/06	System running on arrival and departure.														
	2,922,240	4.2													
12/26/06	System running on arrival and departure.														
	2,944,490	3.1													
01/05/07	System running on arrival and departure.														
	2,969,800	1.8													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
01/12/07	System running on arrival and departure.														
	3,012,350	4.2	W-INF	1,600d	<12	<12	<12	<12	1,700	2.162	<58.0	<0.0195	<5.137	2,110	31.027
			W-INT1	580 d	<5.0	<5.0	<5.0	<5.0	590						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
01/19/07	System running on arrival and departure.														
	3,046,970	3.4													
01/26/07	System running on arrival and departure.														
	3,090,550	4.3													
02/02/07	System running on arrival and departure.														
	3,129,760	3.9	W-INF	1,400d	<12	<12	<12	<12	2,100	1.469	<59.5	<0.0118	<5.149	1.861	32.888
			W-INT1	1,100 d	<10	<10	<10	<10	1,400						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
02/09/07	System running on arrival and departure.														
	3,169,480	3.9													
02/16/07	System running on arrival and locked out/tagged out on departure for carbon changeout.														
	3,187,150	1.8													
02/23/07	System locked out/tagged out on arrival and departure.														
03/02/07	System locked out/tagged out on arrival and departure.														
03/09/07	System locked out/tagged out on arrival and departure.														
04/03/07	System locked out/tagged out on arrival, restarted, and running on departure.														
	3,187,660	0.0													
04/12/07	System running on arrival and departure.														
	3,223,250	2.8	W-INF	2,700d,e	<25e	<25e	<25e	<25e	3,100e	1.599	<61.1	<0.0144	<5.163	2.028	34.916
			W-INT1	1,600 d,e	<10 e	<10 e	<10 e	<10 e	1,800 e						
			W-INT2	<50e	<0.50 e	<0.50 e	<0.50 e	<0.50 e	<2.5 e						
			W-EFF	<50 e	<0.50 e	<0.50 e	<0.50 e	<0.50 e	<2.5 e						
04/20/07	System running on arrival and departure.														
	3,235,130	1.0													
04/25/07	System down on arrival and running on departure.														
	3,246,590	1.6													
05/04/07	System down on arrival and running on departure.														
	3,248,650	0.2													
05/11/07	System down on arrival and running on departure.														
	3,255,710	0.7	W-INF	2,200f	<10 f	<10 f	<10 f	<10 f	3,400f	0.664	<61.7	<0.0047	<5.168	0.880	35.796
			W-INT1	1,000 f	<10 f	<10 f	<10 f	<10 f	1,600 f						
			W-INT2	<50f	<0.50 f										
			W-EFF	<50 f	<0.50 f	<0.50 f	<0.50 f	<0.50 f	2.5 f						
05/17/07	System down on arrival and running on departure.														
	3,276,990	2.5													
05/25/07	System running on arrival and departure.														
	3,284,770	0.7													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
05/30/07	System running on arrival and departure. 3,299,240	2.0													
06/01/07	System down on arrival and running on departure.														
06/08/07	System down on arrival and running on departure. 3,338,400	3.0													
06/15/07	System down on arrival and running on departure.														
06/21/07	System down on arrival and running on departure. 3,351,600	0.7	W-INF	<2,500	<25	<25	<25	<25	1,600	<1.880	<63.6	<0.0140	<5.182	2.000	37.796
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5					
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5					
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5					
06/29/07	System down on arrival and running on departure. 3,374,190	2.0													
07/06/07	System down on arrival and running on departure. 3,382,010	0.8													
07/11/07	System down on arrival and running on departure. 3,388,110	0.9													
07/18/07	System down on arrival and running on departure. 3,409,620	2.1													
07/20/07	System down on arrival and running on departure. 3,411,890	0.8													
07/24/07	System running on arrival and departure. 3,416,420	0.8													
07/31/07	System running on arrival and departure. 3,425,640	0.9	W-INF	1,040	0.86	<0.50	<0.50	<0.50	684	1,093	<64.7	0.0080	<5.190	0.705	38.502
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
08/09/07	System running on arrival and departure. 3,437,380	0.9	W-INF	2,330	<0.50	<0.50	<0.50	<0.50	1,590	0.165	<64.9	<0.0001	<5.190	0.111	38.613
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	0.65					
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
08/14/07	System running on arrival and departure. 3,446,080	1.2													
08/21/07	System running on arrival and departure. 3,456,500	1.0													
08/28/07	System down on arrival and running on departure. 3,467,940	1.1													
09/07/07	System running on arrival and departure. 3,478,900	0.8													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
09/14/07	System running on arrival and departure.														
	3,485,690	0.7	W-INF	120	<0.50	<0.50	<0.50	<1.0	330	0.494	<65.4	<0.0002	<5.190	0.387	39.000
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	79	<0.50	<0.50	<0.50	<1.0	<5.0						
09/21/07	System running on arrival and departure.														
	3,492,210	0.7													
09/28/07	System running on arrival and departure.														
	3,498,950	0.7													
10/02/07	System running on arrival and shut down on departure.														
	3,502,850	0.7													
10/05/07	System shut down on arrival and running on departure.														
	3,502,920	0.0													
10/12/07	System running on arrival and running on departure.														
	3,522,910	2.0	W-INF	1,200	<5.0	<5.0	<5.0	<10	1,900	0.205	<65.6	<0.0009	<5.191	0.346	39.346
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
10/16/07	System running on arrival and running on departure.														
	3,524,550	0.3													
10/22/07	System running on arrival and running on departure.														
	3,546,660	2.6													
11/02/07	System running on arrival and running on departure.														
	3,556,830	0.6													
11/09/07	System running on arrival and running on departure.														
	3,576,540	2.0	W-INF	550	<2.5	<2.5	<2.5	<5.0	1,700	0.392	<65.9	<0.0017	<5.193	0.805	40.152
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
11/16/07	System running on arrival and running on departure.														
	3,585,210	0.9													
11/21/07	System running on arrival and running on departure.														
	3,590,160	0.7													
11/26/07	System down on arrival and running on departure.														
	3,595,010	0.7													
12/07/07	System running on arrival and running on departure.														
	3,605,900	0.7	W-INF	250	<2.5	<2.5	<2.5	<5.0	380	0.098	<66.0	<0.0006	<5.193	0.255	40.407
			W-INT1	<50	<0.50	0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
12/13/07	System running on arrival and running on departure.														
	3,609,430	0.4													
12/14/07	System shut down on arrival and departure.														
	3,610,550	0.8													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
12/19/07	System down on arrival and running on departure. 3,610,960	0.1													
12/21/07	System running on arrival and running on departure. 3,617,270	2.2													
12/27/07	System running on arrival and running on departure. 3,628,510	1.3													
01/04/08	System down on arrival and down on departure. 3,635,950	0.7													
01/07/08	System restarted. 3,635,950	0.0													
01/18/08	System running on arrival and departure. 3,647,250	0.7	W-INF	360	<1.0	<1.0	<1.0	<2.0	500	0.105	<66.2	<0.0006	<5.194	0.152	40.558
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
01/25/08	System down on arrival and running on departure. 3,653,500	0.6													
01/27/08	System down on arrival and running on departure. 3,654,200	0.2													
01/31/08	System down on arrival and running on departure. 3,659,910	1.0													
02/08/08	System running on arrival and departure. 3,690,670	2.7													
02/15/08	Restart system; running on departure. 3,704,620	1.4	W-INF	<50	<10.00	29	<10.00	49	2,400	<0.098	<66.2	<0.0026	<5.196	0.694	41.252
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	14						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
02/22/08	System running on arrival and departure. 3,716,980	1.2													
02/26/08	System running on arrival and departure. 3,722,530	1.0													
03/06/08	System running on arrival and departure. 3,738,110	1.2													
03/14/08	System running on arrival and departure. 3,749,150	1.0													
03/21/08	System down on arrival and running on departure. 3,757,000	0.8													
03/28/08	System down on arrival and running on departure. 3,757,540	0.1	W-INF	120	<0.50	<0.50	<0.50	<1.0	210	0.038	<66.3	<0.0023	<5.199	0.576	41.829
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	21						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
04/05/08	System running on arrival and departure. 3,757,690	0.0													
04/11/08	System running on arrival and down on departure. 3,757,750	0.0	W-INF W-INT1 W-INT2 W-EFF	370 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	270 24 <5.0 <5.0	0.000	<66.3	<0.0000	<5.199	0.000	41.829
04/15/08	System down on arrival and running on departure. 3,757,750	0.0													
04/22/08	System running on arrival and departure. 3,761,040	0.3													
05/02/08	System running on arrival and departure. 3,769,160	0.6													
05/06/08	System running on arrival and departure. 3,774,830	1.0	W-INF W-INT1 W-INT2 W-EFF	870 65 <50 <50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<5.0 <1.0 <1.0 <1.0	1,300 86 <5.0 <5.0	0.088	<66.4	<0.0002	<5.199	0.112	41.941
05/16/08	System running on arrival and departure. 3,785,690	0.8													
05/23/08	System running on arrival and departure. 3,788,780	0.3													
05/28/08	System running on arrival and departure. 3,790,260	0.2													
06/03/08	System running on arrival and departure. 3,795,970	0.7	W-INF W-INT1 W-INT2 W-EFF	630 82 <50 <50	<1.0 0.56 0.62 <0.50	<1.0 <1.4 1.5 <0.50	<1.0 <0.50 <1.0 <0.50	<2.0 <1.0 <1.0 <1.0	550 17 <5.0 <5.0	0.132	<66.5	<0.0003	<5.199	0.163	42.104
06/13/08	System running on arrival and departure. 3,796,670	0.1													
06/17/08	System running on arrival and departure. 3,797,130	0.1													
06/23/08	System running on arrival and departure. 3,797,230	0.0													
07/03/08	System running on arrival and departure. 3,797,330	0.0													
07/08/08	System running on arrival and departure. 3,797,510	0.0	W-INF W-INT1 W-INT2 W-EFF	640 <50 <50 <50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<5.0 <1.0 <1.0 <1.0	1,200 77 <5.0 <5.0	0.008	<66.5	<0.0000	<5.199	0.011	42.115

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
07/15/08	System running on arrival and departure. 3,797,760	0.0	W-INF	<50	2.0	<0.50	<0.50	<1.0	120	<0.001	<66.5	0.0000	<5.199	0.001	42.117
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
07/21/08	System running on arrival and departure. 3,799,120	0.2													
07/29/08	System running on arrival and departure. 3,799,560	0.0													
08/08/08	System running on arrival and departure. 3,799,950	0.0													
08/15/08	System running on arrival and departure. 3,800,390	0.0													
08/22/08	System running on arrival and departure. 3,800,440	0.0	W-INF	150	4.0	<0.50	<0.50	<1.0	370	0.002	<66.5	0.0001	<5.199	0.005	42.122
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
08/29/08	System running on arrival and departure. 3,801,090	0.1													
09/05/08	System running on arrival and departure. 3,801,360	0.0	W-INF	570	5.6	<5.0	<5.0	<10	4,700	0.003	<66.5	0.0000	<5.199	0.019	42.142
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
09/12/08	System running on arrival and departure. 3,801,700	0.0													
09/19/08	System running on arrival and departure. 3,802,220	0.1													
09/26/08	System running on arrival and departure. 3,821,130	1.9													
10/03/08	System running on arrival and departure. 3,829,660	0.9													
10/10/08	System running on arrival and departure. 3,836,030	0.6	W-INF	410	<1.0	<1.00	<1.00	<2.0	640	0.142	<66.7	<0.0010	<5.200	0.772	42.914
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
10/17/08	System running on arrival and departure. 3,842,780	0.7													
10/31/08	System running on arrival and departure. 3,859,120	0.8													
11/07/08	System running on arrival and departure. 3,865,290	0.6													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
11/15/08	System running on arrival and departure. 3,871,710	0.6													
11/17/08	System running on arrival and departure. 3,872,707	0.4	W-INF W-INT1 W-INT2 W-EFF	550 <50 <50 <50	<1.0 <0.50 <0.50 <0.50	<1.0 <0.50 <0.50 <0.50	<1.0 <0.50 <0.50 <0.50	<2.0 <1.0 <1.0 <1.0	940 <5.0 <5.0 <5.0	0.147	<66.8	<0.0003	<5.201	0.242	43.156
11/25/08	System running on arrival and departure. 3,875,830	0.3													
12/05/08	System running on arrival and departure. 3,883,530	0.5													
12/12/08	System running on arrival and departure. 3,887,570	0.4	W-INF W-INT1 W-INT2 W-EFF	180 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	280 <5.0 <5.0 <5.0	0.045	<66.9	<0.0001	<5.201	0.076	43.231
12/16/08	System running on arrival and departure. 3,891,390	0.7													
12/24/08	System running on arrival and departure. 3,892,540	0.1													
01/02/09	System running on arrival and departure. 3,912,840	1.6													
01/09/09	System running on arrival and departure. 3,921,110	0.8	W-INF W-INT1 W-INT2 W-EFF	63 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	310 <5.0 <5.0 <5.0	0.034	<66.9	<0.0001	<5.201	0.083	43.314
01/16/09	System running on arrival and departure. 3,923,430	0.2													
01/20/09	System running on arrival and departure. 3,928,540	0.9													
01/30/09	System running on arrival and departure. 3,939,740	0.8													
02/06/09	System running on arrival and departure. 3,947,850	0.8													
02/13/09	System running on arrival and departure. 3,955,300	0.7	W-INF W-INT1 W-INT2 W-EFF	97 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	400 <5.0 <5.0 <5.0	0.023	<66.9	<0.0001	<5.201	0.101	43.415
02/20/09	System down on arrival and departure. 3,961,760	0.6													
02/27/09	System down on arrival and departure. 3,961,760	0.0													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
03/06/09	System running on arrival and departure. 3,969,890	0.8													
03/13/09	System running on arrival and departure. 3,989,370	1.9	W-INF W-INT1 W-INT2 W-EFF	310 <50 <50 <50	1.5 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	1.6 <1.0 <1.0 <1.0	410 <5.0 <5.0 <5.0	0.058	<67.0	0.0003	<5.201	0.115	43,530
03/20/09	System running on arrival and departure. 3,999,140	1.0													
03/23/09	System running on arrival and departure. 3,999,870	0.2													
03/31/09	System running on arrival and departure. 4,009,710	0.9													
04/07/09	System running on arrival and departure. 4,015,770	0.6	W-INF W-INT1 W-INT2 W-EFF	360 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	490 <5.0 <5.0 <5.0	0.074	<67.0	<0.0002	<5.202	0.099	43,629
04/17/09	System running on arrival and departure. 4,030,486	1.0													
04/29/09	System running on arrival and departure. 4,047,450	1.0													
05/01/09	System running on arrival and departure. 4,057,140	3.4													
05/08/09	System running on arrival and departure. 4,064,660	0.8													
05/15/09	System running on arrival and departure. 4,070,650	0.6	W-INF W-INT1 W-INT2 W-EFF	360 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	470 <5.0 <5.0 <5.0	0.165	<67.2	<0.0002	<5.202	0.220	43,849
05/22/09	System running on arrival and departure. 4,075,430	0.5													
05/29/09	System running on arrival and departure. 4,077,470	0.2													
06/05/09	System running on arrival and departure. 4,083,490	0.6													
06/11/09	System running on arrival and departure. 4,094,140	1.2	W-INF W-INT1 W-INT2 W-EFF	<50 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 0.69g	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 3.4	700 <5.0 <5.0 <5.0	<0.040	<67.2	<0.0001	<5.202	0.115	43,964
06/12/09	System down on arrival and running on departure. 4,095,170	0.7													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
06/19/09	System running on arrival and departure. 4,104,580	1.9													
06/26/09	System running on arrival and departure. 4,112,860	0.8													
06/29/09	System running on arrival and departure. 4,116,600	0.9													
07/10/09	System running on arrival and departure. 4,129,920	0.8													
07/17/09	System running on arrival and departure. 4,137,560	0.8	W-INF	160	<2.5	<2.5	<2.5	<5.0	220	0.038	<67.3	<0.0005	<5.202	0.167	44.130
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
07/24/09	System running on arrival and departure. 4,145,570	0.8													
07/31/09	System running on arrival and departure. 4,152,830	0.7													
08/04/09	System running on arrival and departure. 4,157,350	0.8	W-INF	260	1.3	1.0	<0.50	1.4g	340	0.035	<67.3	0.0003	<5.203	0.046	44.177
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
08/14/09	System running on arrival and departure. 4,167,720	0.7													
08/21/09	System running on arrival and departure. 4,175,880	0.8													
08/28/09	System running on arrival and departure. 4,183,940	0.8													
09/04/09	System running on arrival and departure. 4,190,890	0.7													
09/11/09	System running on arrival and departure. 4,198,820	0.8													
09/14/09	System running on arrival and departure. 4,202,640	0.9	W-INF	1,300	3.8g	<2.5	<2.5	<5.0	2,200	0.295	<67.6	0.0010	<5.204	0.480	44.657
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
09/25/09	System down on arrival and running on departure. 4,224,590	1.4													
10/02/09	System down on arrival and running on departure. 4,236,600	1.2													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/15/09	System running on arrival and down on departure for carbon changeout. 4,260,050	1.3	W-INF	380h	<2.5	<2.5	<2.5	<5.0	670	0.402	<68.0	<0.0015	<5.205	0.687	45.344
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	9.1						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
10/19/09	System down on arrival and running on departure. 4,260,050	0.0													
10/30/09	System down on arrival and running on departure. 4,260,050	0.0													
11/06/09	System running on arrival and departure. 4,260,660	0.1	W-INF	73h	5.4	<2.5	<2.5	<5.0	58	0.001	<68.0	0.0000	<5.205	0.002	45.346
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
11/13/09	System running on arrival and departure. 4,260,670	0.0													
11/20/09	System down on arrival and running on departure. 4,261,910	0.1													
11/25/09	System running on arrival and departure. 4,265,320	0.5													
12/04/09	System down on arrival and running on departure. 4,278,560	1.0													
12/11/09	System down on arrival and departure. 4,280,560	0.2													
12/18/09	System down an arrival and departure. 4,280,650	0.0													
12/18/09	System down on arrival and departure. 4,280,650	0.0	W-INF	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<0.010	<68.0	<0.0005	<5.206	<0.005	<45.351
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Notes: * If value is below laboratory detection limit, then detection limit value is used for removal calculations.
Data prior to April 1, 2000, provided by Delta Environmental Consultants, Inc.

W-INF	=	Water sample collected at the influent sample port.
W-INT	=	Water sample collected at the intermediate 1 sample port.
W-EFF	=	Water sample collected at the intermediate 2 sample port.
W-PSP#1	=	Water sample collected at the effluent sample port. Also referred to as PSP#1 for reporting purposes.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified)/8015B or LUFT GCMS.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 5030/8021B or 624.
MTBE	=	Methyl tertiary butyl ether analyzed using EPA Method 8020/8021B.
gal	=	Gallons.
gpm	=	Gallons per day.
µg/L	=	Micrograms per liter.
lbs	=	Pounds.
<	=	Less than the stated laboratory method reporting limit.
---	=	Not sampled/Not analyzed/Not recorded/Not measured/Not calculated/Not applicable.
a	=	Incorrect sample date is shown on laboratory report. The correct date is shown on table.
b	=	Estimated value above laboratory equipment calibration range.
c	=	Analyte detected in associated Method Blank.
d	=	The result for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.
e	=	Samples exceeded the EPA recommended temperature for analyses.
f	=	Sample analyzed past EPA recommended hold time.
g	=	Analyte presence was not confirmed by second column or GC/MS analysis.
h	=	The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard.

APPENDIX A

GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

$$1 \text{ well casing volume} = \pi r^2 h(7.48) \text{ where:}$$

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.


After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

APPENDIX B

**LABORATORY ANALYTICAL REPORTS
AND CHAIN-OF-CUSTODY RECORDS**



December 18, 2009

RECEIVED
DEC 21 2009

BY: -----

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 09-12-0357**
Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 12/4/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 1 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	09-12-0357-2-G	12/02/09 12:19	Aqueous	GC 49	12/08/09	12/09/09 20:04	091208B10

Comment(s):
 -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	160	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	94	68-140			

MW2	09-12-0357-3-G	12/02/09 11:34	Aqueous	GC 49	12/08/09	12/09/09 20:19	091208B10
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s):
 -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.


Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	370	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	102	68-140			

MW3	09-12-0357-4-G	12/02/09 10:56	Aqueous	GC 49	12/08/09	12/09/09 20:35	091208B10
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s):
 -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	150	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	93	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 2 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW4	09-12-0357-5-G	12/02/09 12:11	Aqueous	GC 49	12/08/09	12/09/09 20:50	091208B10

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	320	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	106	68-140			

MW5	09-12-0357-6-G	12/02/09 11:51	Aqueous	GC 49	12/08/09	12/09/09 21:36	091208B10
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.


Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	910	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	99	68-140			

MW6	09-12-0357-7-G	12/02/09 11:05	Aqueous	GC 49	12/08/09	12/09/09 21:51	091208B10
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	1800	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	111	68-140			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 3 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW7	09-12-0357-8-G	12/02/09 12:00	Aqueous	GC 49	12/08/09	12/09/09 22:07	091208B10

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	90	68-140			

MW8	09-12-0357-9-G	12/02/09 07:44	Aqueous	GC 49	12/08/09	12/09/09 22:21	091208B10
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.


Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	97	68-140			

MW9	09-12-0357-10-G	12/02/09 07:54	Aqueous	GC 49	12/08/09	12/09/09 22:37	091208B10
-----	-----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	102	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 4 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW11	09-12-0357-11-G	12/02/09 10:44	Aqueous	GC 49	12/08/09	12/09/09 22:52	091208B10


Comment(s):
 -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	3100	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	80	68-140			

Method Blank	099-12-330-1,327	N/A	Aqueous	GC 49	12/08/09	12/09/09 17:30	091208B10
--------------	------------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	104	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 1 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	09-12-0357-2-E	12/02/09 12:19	Aqueous	GC 25	12/06/09	12/06/09 11:54	091206B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	1000	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	125	38-134			

MW2	09-12-0357-3-E	12/02/09 11:34	Aqueous	GC 25	12/06/09	12/06/09 12:28	091206B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------


Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	810	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	122	38-134			

MW3	09-12-0357-4-E	12/02/09 10:56	Aqueous	GC 25	12/06/09	12/06/09 13:02	091206B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	700	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	132	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 2 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW4	09-12-0357-5-E	12/02/09 12:11	Aqueous	GC 25	12/06/09	12/06/09 13:35	091206B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	820	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	151	38-134		2	

MW5	09-12-0357-6-D	12/02/09 11:51	Aqueous	GC 25	12/07/09	12/08/09 03:23	091207B01
-----	----------------	-------------------	---------	-------	----------	-------------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	2400	250	5		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	117	38-134			


MW6	09-12-0357-7-D	12/02/09 11:05	Aqueous	GC 25	12/07/09	12/08/09 03:56	091207B01
-----	----------------	-------------------	---------	-------	----------	-------------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	4800	500	10		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	127	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 3 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW7	09-12-0357-8-E	12/02/09 12:00	Aqueous	GC 25	12/06/09	12/06/09 15:16	091206B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	94	38-134			

MW8	09-12-0357-9-E	12/02/09 07:44	Aqueous	GC 25	12/06/09	12/06/09 15:50	091206B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	104	38-134			


MW9	09-12-0357-10-E	12/02/09 07:54	Aqueous	GC 25	12/06/09	12/06/09 16:23	091206B01
-----	-----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	107	38-134			

MW11	09-12-0357-11-D	12/02/09 10:44	Aqueous	GC 25	12/07/09	12/08/09 04:29	091207B01
------	-----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	15000	1200	25		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	110	38-134			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 4 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-436-4,112	N/A	Aqueous	GC 25	12/07/09	12/07/09 14:03	091207B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L


Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	85	38-134	

Method Blank	099-12-436-4,122	N/A	Aqueous	GC 25	12/06/09	12/06/09 09:06	091206B01
--------------	------------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	80	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	09-12-0357-2-F	12/02/09 12:19	Aqueous	GC 21	12/10/09	12/10/09 17:50	091210B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits							
1,4-Bromofluorobenzene	108	70-130							

MW2	09-12-0357-3-D	12/02/09 11:34	Aqueous	GC 21	12/10/09	12/10/09 18:24	091210B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	18	0.50	1		Ethylbenzene	31	0.50	1	
Toluene	6.1	0.50	1		Xylenes (total)	37	1.0	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits							
1,4-Bromofluorobenzene	104	70-130							

MW3	09-12-0357-4-F	12/02/09 10:56	Aqueous	GC 21	12/10/09	12/10/09 18:57	091210B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	49	0.50	1		Ethylbenzene	1.7	0.50	1	
Toluene	1.1	0.50	1		Xylenes (total)	1.3	1.0	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits							
1,4-Bromofluorobenzene	107	70-130							


MW4	09-12-0357-5-D	12/02/09 12:11	Aqueous	GC 21	12/10/09	12/10/09 19:30	091210B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	24	0.50	1		Ethylbenzene	4.1	0.50	1	
Toluene	1.4	0.50	1		Xylenes (total)	2.4	1.0	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits							
1,4-Bromofluorobenzene	115	70-130							

MW5	09-12-0357-6-F	12/02/09 11:51	Aqueous	GC 21	12/10/09	12/10/09 20:04	091210B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	110	0.50	1		Ethylbenzene	11	0.50	1	
Toluene	4.5	0.50	1		Xylenes (total)	11	1.0	1	
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits							
1,4-Bromofluorobenzene	124	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6	09-12-0357-7-F	12/02/09 11:05	Aqueous	GC 21	12/10/09	12/10/09 20:37	091210B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	25	0.50	1		Ethylbenzene	240	0.50	1	
Toluene	34	0.50	1		Xylenes (total)	18	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	187	70-130		2					

MW7	09-12-0357-8-F	12/02/09 12:00	Aqueous	GC 21	12/10/09	12/10/09 21:11	091210B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	95	70-130							

MW8	09-12-0357-9-D	12/02/09 07:44	Aqueous	GC 21	12/10/09	12/10/09 21:44	091210B01
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	91	70-130							


MW9	09-12-0357-10-F	12/02/09 07:54	Aqueous	GC 21	12/10/09	12/10/09 22:51	091210B01
-----	-----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	85	70-130							

MW11	09-12-0357-11-F	12/02/09 10:44	Aqueous	GC 21	12/10/09	12/10/09 23:25	091210B01
------	-----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	370	10	20		Ethylbenzene	510	10	20	
Toluene	210	10	20		Xylenes (total)	2100	20	20	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,4-Bromofluorobenzene	86	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 3 of 3


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-667	N/A	Aqueous	GC 21	12/10/09	12/10/09 13:23	091210B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	91	70-130							

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 3


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW2	09-12-0357-3-A	12/02/09 11:34	Aqueous	GC/MS WW	12/07/09	12/08/09 08:02	091207L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	1.5	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	29	5.0	1		Ethanol	ND	50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
		<u>Limits</u>					<u>Limits</u>		
1,2-Dichloroethane-d4	89	80-128			1,4-Bromofluorobenzene	94	68-120		
Dibromofluoromethane	100	80-127			Toluene-d8	103	80-120		
MW3	09-12-0357-4-A	12/02/09 10:56	Aqueous	GC/MS WW	12/07/09	12/08/09 08:29	091207L02		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	8.8	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	120	5.0	1		Ethanol	ND	50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
		<u>Limits</u>					<u>Limits</u>		
1,2-Dichloroethane-d4	88	80-128			1,4-Bromofluorobenzene	91	68-120		
Dibromofluoromethane	101	80-127			Toluene-d8	104	80-120		
MW4	09-12-0357-5-A	12/02/09 12:11	Aqueous	GC/MS WW	12/07/09	12/08/09 08:56	091207L02		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	1.1	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	38	5.0	1		Ethanol	ND	50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
		<u>Limits</u>					<u>Limits</u>		
1,2-Dichloroethane-d4	84	80-128			1,4-Bromofluorobenzene	91	68-120		
Dibromofluoromethane	99	80-127			Toluene-d8	99	80-120		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW5	09-12-0357-6-B	12/02/09 11:51	Aqueous	GC/MS WW	12/08/09	12/08/09 17:39	091208L01

Comment(s): -The reporting limits are elevated due to high levels of non-target compounds.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	2.0	4		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	4	
Tert-Butyl Alcohol (TBA)	ND	20	4		Ethanol	ND	200	4	
Diisopropyl Ether (DIPE)	ND	2.0	4		1,2-Dibromoethane	ND	2.0	4	
Ethyl-t-Butyl Ether (ETBE)	ND	2.0	4		1,2-Dichloroethane	ND	2.0	4	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	85	80-128			1,4-Bromofluorobenzene	97	68-120		
Dibromofluoromethane	91	80-127			Toluene-d8	103	80-120		


MW6	09-12-0357-7-A	12/02/09 11:05	Aqueous	GC/MS WW	12/08/09	12/08/09 14:57	091208L01
-----	----------------	----------------	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	5.0	10		Tert-Amyl-Methyl Ether (TAME)	ND	5.0	10	
Tert-Butyl Alcohol (TBA)	450	50	10		Ethanol	ND	500	10	
Diisopropyl Ether (DIPE)	ND	5.0	10		1,2-Dibromoethane	ND	5.0	10	
Ethyl-t-Butyl Ether (ETBE)	ND	5.0	10		1,2-Dichloroethane	ND	5.0	10	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	90	80-128			1,4-Bromofluorobenzene	93	68-120		
Dibromofluoromethane	103	80-127			Toluene-d8	100	80-120		

MW7	09-12-0357-8-A	12/02/09 12:00	Aqueous	GC/MS WW	12/07/09	12/08/09 05:20	091207L02
-----	----------------	----------------	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	1.7	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	5.1	5.0	1		Ethanol	ND	50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	87	80-128			1,4-Bromofluorobenzene	88	68-120		
Dibromofluoromethane	100	80-127			Toluene-d8	99	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 3 of 3


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-880-272	N/A	Aqueous	GC/MS WW	12/07/09	12/08/09 04:54	091207L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	92	80-128			1,4-Bromofluorobenzene	88	68-120		
Dibromofluoromethane	102	80-127			Toluene-d8	98	80-120		

Method Blank	099-12-880-273	N/A	Aqueous	GC/MS WW	12/08/09	12/08/09 12:41	091208L01
--------------	----------------	-----	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dibromoethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	84	80-128			1,4-Bromofluorobenzene	88	68-120		
Dibromofluoromethane	93	80-127			Toluene-d8	99	80-120		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	09-12-0357-2-A	12/02/09 12:19	Aqueous	GC/MS WW	12/07/09	12/08/09 07:35	091207L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	1100	50	100		Tert-Amyl-Methyl Ether (TAME)	ND	50	100	
Tert-Butyl Alcohol (TBA)	3000	500	100		1,2-Dibromoethane	ND	50	100	
Diisopropyl Ether (DIPE)	ND	50	100		1,2-Dichloroethane	ND	50	100	
Ethyl-t-Butyl Ether (ETBE)	ND	50	100						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		
1,2-Dichloroethane-d4	93	80-128			1,4-Bromofluorobenzene	89	68-120		
Dibromofluoromethane	98	80-127			Toluene-d8	100	80-120		
MW8	09-12-0357-9-A	12/02/09 07:44	Aqueous	GC/MS WW	12/08/09	12/08/09 15:24	091208L01		


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		1,2-Dibromoethane	ND	0.50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		
1,2-Dichloroethane-d4	92	80-128			1,4-Bromofluorobenzene	87	68-120		
Dibromofluoromethane	104	80-127			Toluene-d8	100	80-120		
MW9	09-12-0357-10-A	12/02/09 07:54	Aqueous	GC/MS WW	12/08/09	12/08/09 15:51	091208L01		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		1,2-Dibromoethane	ND	0.50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		
1,2-Dichloroethane-d4	90	80-128			1,4-Bromofluorobenzene	89	68-120		
Dibromofluoromethane	101	80-127			Toluene-d8	101	80-120		

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW11	09-12-0357-11-A	12/02/09 10:44	Aqueous	GC/MS WW	12/08/09	12/08/09 17:12	091208L01

Comment(s): -The reporting limits are elevated due to high levels of non-target compounds.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	25	50		Tert-Amyl-Methyl Ether (TAME)	ND	25	50	
Tert-Butyl Alcohol (TBA)	ND	250	50		1,2-Dibromoethane	ND	25	50	
Diisopropyl Ether (DIPE)	ND	25	50		1,2-Dichloroethane	ND	25	50	
Ethyl-t-Butyl Ether (ETBE)	ND	25	50						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	96	80-128			1,4-Bromofluorobenzene	94	68-120		
Dibromofluoromethane	103	80-127			Toluene-d8	102	80-120		


Method Blank	099-12-884-285	N/A	Aqueous	GC/MS WW	12/07/09	12/08/09	04:54	091207L02
--------------	----------------	-----	---------	----------	----------	----------	-------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		1,2-Dibromoethane	ND	0.50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	92	80-128			1,4-Bromofluorobenzene	88	68-120		
Dibromofluoromethane	102	80-127			Toluene-d8	98	80-120		

Method Blank	099-12-884-286	N/A	Aqueous	GC/MS WW	12/08/09	12/08/09	12:41	091208L01
--------------	----------------	-----	---------	----------	----------	----------	-------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		1,2-Dibromoethane	ND	0.50	1	
Diisopropyl Ether (DIPE)	ND	0.50	1		1,2-Dichloroethane	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	84	80-128			1,4-Bromofluorobenzene	88	68-120		
Dibromofluoromethane	93	80-127			Toluene-d8	99	80-120		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW1	Aqueous	GC 25	12/06/09	12/06/09	091206S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	114	116	68-122	1	0-18	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-12-0480-6	Aqueous	GC 25	12/07/09	12/07/09	091207S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	101	105	68-122	3	0-18	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8021B


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-12-0335-2	Aqueous	GC 21	12/10/09	12/10/09	091210S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	92	101	57-129	9	0-23	
Toluene	91	99	50-134	8	0-26	
Ethylbenzene	90	96	58-130	7	0-26	
p/m-Xylene	95	101	58-130	7	0-28	
o-Xylene	91	96	57-123	6	0-26	
Methyl-t-Butyl Ether (MTBE)	100	102	44-134	2	0-27	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B

Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW7	Aqueous	GC/MS WW	12/07/09	12/08/09	091207S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	101	76-124	3	0-20	
Toluene	97	98	80-120	2	0-20	
Ethylbenzene	96	103	78-126	7	0-20	
Methyl-t-Butyl Ether (MTBE)	105	109	67-121	4	0-49	
Tert-Butyl Alcohol (TBA)	88	84	36-162	4	0-30	
Diisopropyl Ether (DIPE)	103	104	60-138	1	0-45	
Ethyl-t-Butyl Ether (ETBE)	105	108	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	96	98	65-120	2	0-20	
Ethanol	79	84	30-180	7	0-72	
1,1-Dichloroethene	98	99	73-127	1	0-20	
1,2-Dibromoethane	93	95	80-120	2	0-20	
1,2-Dichlorobenzene	97	104	80-120	7	0-20	
Carbon Tetrachloride	94	95	74-134	0	0-20	
Chlorobenzene	95	99	80-120	3	0-20	
Trichloroethene	90	93	77-120	4	0-20	
Vinyl Chloride	85	91	72-126	8	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-12-0493-3	Aqueous	GC/MS WW	12/08/09	12/08/09	091208S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	96	103	76-124	7	0-20	
Carbon Tetrachloride	86	98	74-134	13	0-20	
Chlorobenzene	97	101	80-120	4	0-20	
1,2-Dibromoethane	85	97	80-120	13	0-20	
1,2-Dichlorobenzene	95	103	80-120	8	0-20	
1,1-Dichloroethene	91	102	73-127	12	0-20	
Ethylbenzene	96	100	78-126	3	0-20	
Toluene	97	102	80-120	5	0-20	
Trichloroethene	92	96	77-120	4	0-20	
Vinyl Chloride	84	93	72-126	10	0-20	
Methyl-t-Butyl Ether (MTBE)	85	110	67-121	26	0-49	
Tert-Butyl Alcohol (TBA)	94	96	36-162	2	0-30	
Diisopropyl Ether (DIPE)	91	107	60-138	16	0-45	
Ethyl-t-Butyl Ether (ETBE)	93	112	69-123	19	0-30	
Tert-Amyl-Methyl Ether (TAME)	91	107	65-120	16	0-20	
Ethanol	88	94	30-180	7	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/04/09
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW7	Aqueous	GC/MS WW	12/07/09	12/08/09	091207S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	101	76-124	3	0-20	
Toluene	97	98	80-120	2	0-20	
Ethylbenzene	96	103	78-126	7	0-20	
Methyl-t-Butyl Ether (MTBE)	105	109	67-121	4	0-49	
Tert-Butyl Alcohol (TBA)	88	84	36-162	4	0-30	
Diisopropyl Ether (DIPE)	103	104	60-138	1	0-45	
Ethyl-t-Butyl Ether (ETBE)	105	108	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	96	98	65-120	2	0-20	
Ethanol	79	84	30-180	7	0-72	
1,1-Dichloroethene	98	99	73-127	1	0-20	
1,2-Dibromoethane	93	95	80-120	2	0-20	
1,2-Dichlorobenzene	97	104	80-120	7	0-20	
Carbon Tetrachloride	94	95	74-134	0	0-20	
Chlorobenzene	95	99	80-120	3	0-20	
Trichloroethene	90	93	77-120	4	0-20	
Vinyl Chloride	85	91	72-126	8	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-12-0357
Preparation: EPA 3510C
Method: EPA 8015B (M)


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-330-1,327	Aqueous	GC 49	12/08/09	12/09/09	091208B10

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Diesel	99	94	75-117	6	0-13	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-4,122	Aqueous	GC 25	12/06/09	12/06/09	091206B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	113	109	78-120	4	0-10	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-4,112	Aqueous	GC 25	12/07/09	12/07/09	091207B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	107	104	78-120	3	0-10	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8021B


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-667	Aqueous	GC 21	12/10/09	12/10/09	091210B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	99	70-118	2	0-9	
Toluene	99	98	66-114	1	0-9	
Ethylbenzene	96	95	72-114	1	0-9	
p/m-Xylene	102	101	74-116	1	0-9	
o-Xylene	97	95	72-114	1	0-9	
Methyl-t-Butyl Ether (MTBE)	115	102	41-137	12	0-13	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
099-12-880-272	Aqueous	GC/MS WW	12/07/09	12/08/09		091207L02	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	97	97	80-120	73-127	0	0-20	
Toluene	95	94	80-120	73-127	1	0-20	
Ethylbenzene	100	95	80-120	73-127	6	0-20	
Methyl-t-Butyl Ether (MTBE)	100	98	69-123	60-132	2	0-20	
Tert-Butyl Alcohol (TBA)	87	89	63-123	53-133	2	0-20	
Diisopropyl Ether (DIPE)	103	99	59-137	46-150	4	0-37	
Ethyl-t-Butyl Ether (ETBE)	105	102	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	93	99	70-120	62-128	6	0-20	
Ethanol	85	77	28-160	6-182	10	0-57	
1,1-Dichloroethene	98	90	78-126	70-134	9	0-28	
1,2-Dibromoethane	91	92	79-121	72-128	1	0-20	
1,2-Dichlorobenzene	106	97	80-120	73-127	9	0-20	
Carbon Tetrachloride	95	85	74-134	64-144	11	0-20	
Chlorobenzene	98	95	80-120	73-127	3	0-20	
Trichloroethylene	90	90	79-127	71-135	0	0-20	
Vinyl Chloride	86	78	72-132	62-142	10	0-20	


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number
099-12-880-273	Aqueous	GC/MS WW	12/08/09	12/08/09		091208L01
Parameter	LCS %REC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL
Benzene	96	103	80-120	73-127	7	0-20
Toluene	93	104	80-120	73-127	11	0-20
Ethylbenzene	94	102	80-120	73-127	8	0-20
Methyl-t-Butyl Ether (MTBE)	96	98	69-123	60-132	2	0-20
Tert-Butyl Alcohol (TBA)	96	94	63-123	53-133	1	0-20
Diisopropyl Ether (DIPE)	96	101	59-137	46-150	5	0-37
Ethyl-t-Butyl Ether (ETBE)	99	104	69-123	60-132	5	0-20
Tert-Amyl-Methyl Ether (TAME)	98	103	70-120	62-128	4	0-20
Ethanol	85	80	28-160	6-182	5	0-57
1,1-Dichloroethene	92	100	78-126	70-134	8	0-28
1,2-Dibromoethane	91	91	79-121	72-128	0	0-20
1,2-Dichlorobenzene	101	100	80-120	73-127	1	0-20
Carbon Tetrachloride	86	93	74-134	64-144	8	0-20
Chlorobenzene	97	100	80-120	73-127	3	0-20
Trichloroethylene	86	95	79-127	71-135	9	0-20
Vinyl Chloride	83	89	72-132	62-142	7	0-20


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	97	97	80-120	73-127	0	0-20	
Toluene	95	94	80-120	73-127	1	0-20	
Ethylbenzene	100	95	80-120	73-127	6	0-20	
Methyl-t-Butyl Ether (MTBE)	100	98	69-123	60-132	2	0-20	
Tert-Butyl Alcohol (TBA)	87	89	63-123	53-133	2	0-20	
Diisopropyl Ether (DIPE)	103	99	59-137	46-150	4	0-37	
Ethyl-t-Butyl Ether (ETBE)	105	102	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	93	99	70-120	62-128	6	0-20	
Ethanol	85	77	28-160	6-182	10	0-57	
1,1-Dichloroethene	98	90	78-126	70-134	9	0-28	
1,2-Dibromoethane	91	92	79-121	72-128	1	0-20	
1,2-Dichlorobenzene	106	97	80-120	73-127	9	0-20	
Carbon Tetrachloride	95	85	74-134	64-144	11	0-20	
Chlorobenzene	98	95	80-120	73-127	3	0-20	
Trichloroethene	90	90	79-127	71-135	0	0-20	
Vinyl Chloride	86	78	72-132	62-142	10	0-20	

Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-0357
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
099-12-884-286	Aqueous	GC/MS WW	12/08/09	12/08/09		091208L01	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	96	103	80-120	73-127	7	0-20	
Toluene	93	104	80-120	73-127	11	0-20	
Ethylbenzene	94	102	80-120	73-127	8	0-20	
Methyl-t-Butyl Ether (MTBE)	96	98	69-123	60-132	2	0-20	
Tert-Butyl Alcohol (TBA)	96	94	63-123	53-133	1	0-20	
Diisopropyl Ether (DIPE)	96	101	59-137	46-150	5	0-37	
Ethyl-t-Butyl Ether (ETBE)	99	104	69-123	60-132	5	0-20	
Tert-Amyl-Methyl Ether (TAME)	98	103	70-120	62-128	4	0-20	
Ethanol	85	80	28-160	6-182	5	0-57	
1,1-Dichloroethene	92	100	78-126	70-134	8	0-28	
1,2-Dibromoethane	91	91	79-121	72-128	0	0-20	
1,2-Dichlorobenzene	101	100	80-120	73-127	1	0-20	
Carbon Tetrachloride	86	93	74-134	64-144	8	0-20	
Chlorobenzene	97	100	80-120	73-127	3	0-20	
Trichloroethene	86	95	79-127	71-135	9	0-20	
Vinyl Chloride	83	89	72-132	62-142	7	0-20	


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit






Glossary of Terms and Qualifiers

Work Order Number: 09-12-0357

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



7440 Lincoln Way

Garden Grove, CA 92841

TEL: (714) 895-5494

FAX: (714) 894-7501

ExxonMobilShipping Method: Lab Courier Hand Deliver Commercial Express Other:**CHAIN OF CUSTODY RECORD**

Page 1 of 1

Consultant Name: Environmental Resolutions, Inc.
 Address: 601 N McDowell Blvd
 City/State/Zip: Petaluma, California 94954
 Project Manager Paula Sime
 Telephone Number: (707) 766-2000
 ERI Job Number: 250613X
 Sampler Name: (Priority) *Jose Soto*
 Sampler Signature: *[Signature]*

ExxonMobil Engineer Jennifer Sedlachek

Telephone Number (510) 547-8196

Account #:

0357

PO #: 4509345231

Facility ID # 70104

Global ID# T0600100555

Site Address 1725 Park Street

City, State Zip Alameda, California

TAT	PROVIDE:	Special Instructions: Use silica gel clean up for all TPHd analysis. Oxygenates = MTBE, ETBE, TBA, TAME, DIPE, 1,2-DCA, EDB Set TBA reporting limit at or below 12 ug/L.	Matrix		Analyze For:					
			Water	Soil	Vapor	TPHg	TPHg 8015B	BTEX 8021B	Oxygenates 8260B	Ethanol 8260B
<input type="checkbox"/> 24 hour	<input type="checkbox"/> 72 hour									
<input type="checkbox"/> 48 hour	<input type="checkbox"/> 96 hour									
<input checked="" type="checkbox"/> 8 day										
Sample ID / Description		DATE	TIME	COMP	GRAB	PRESERV (VOA/LITER)	NUMBER (VOA/LITER)			
1 QCBB		12-2	936			HCL	2	X		
2 MW1			1019			HCL/none	6/2	X	X X X X	D
3 MW2			1134			HCL/none	6/2	X	X X X X X	
4 MW3			1056			HCL/none	6/2	X	X X X X X	
5 MW4			1211			HCL/none	6/2	X	X X X X X	
6 MW5			1151			HCL/none	6/2	X	X X X X X	
7 MW6			1105			HCL/none	6/2	X	X X X X X	
8 MW7			1200			HCL/none	6/2	X	X X X X X	
9 MW8			744			HCL/none	6/2	X	X X X X X	
10 MW9			754			HCL/none	6/2	X	X X X X X	
11 MW11			1044			HCL/none	6/2	X	X X X X X	

Relinquished by:

Date 12-2-09

Time 1400

Received by:

Ton O'Malley CEL Time 1230
12/3/09

Laboratory Comments:

Temperature Upon Receipt:

Sample Containers Intact?

VOAs Free of Headspace?


Relinquished by:

Date 12-3-09

Time 1730

Received by:

*M. Park*12/4/09
Time 1000



WORK ORDER #: 09-12-0357

SAMPLE RECEIPT FORMCooler 1 of 1CLIENT: ER IDATE: 12/04/09**TEMPERATURE:** (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature 5.2 °C - 0.8 °C (CF) = 4.4 °C Blank Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: _____).
- Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.
- Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only Initial: JH**CUSTODY SEALS INTACT:**

<input type="checkbox"/> Cooler	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>JH</u>
<input type="checkbox"/> Sample	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: <u>RN</u>


SAMPLE CONDITION:

Yes No N/A

Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. COC not relinquished. No date relinquished. No time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Correct containers and volume for analyses requested..... Analyses received within holding time..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation..... **CONTAINER TYPE:**Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Checked by: RN

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelop

Reviewed by: INCPreservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filteredScanned by: RN



October 20, 2009

RECEIVED
NOV 02 2009

BY: _____

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 09-10-1465**
Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/17/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-10-1465-1-A	10/15/09 12:50	Air	GC 13	N/A	10/17/09 10:46	091017L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT2	09-10-1465-2-A	10/15/09 12:55	Air	GC 13	N/A	10/17/09 11:05	091017L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT1	09-10-1465-3-A	10/15/09 13:00	Air	GC 13	N/A	10/17/09 11:14	091017L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INF	09-10-1465-4-A	10/15/09 13:05	Air	GC 13	N/A	10/17/09 11:24	091017L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------


Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

Method Blank	098-01-005-1,997	N/A	Air	GC 13	N/A	10/17/09 09:01	091017L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-10-1465-1-A	10/15/09 12:50	Air	GC/MS YY	N/A	10/17/09 13:59	091017L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.067	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	95	47-137		
Toluene-d8	95	78-156							
A-INT2	09-10-1465-2-A	10/15/09 12:55	Air	GC/MS YY	N/A	10/17/09 14:43	091017L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.15	0.0050	2.5	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	96	47-137		
Toluene-d8	97	78-156							
A-INT1	09-10-1465-3-A	10/15/09 13:00	Air	GC/MS YY	N/A	10/17/09 15:28	091017L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0016	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.12	0.0080	4	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	95	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	09-10-1465-4-A	10/15/09 13:05	Air	GC/MS YY	N/A	10/17/09 16:14	091017L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

<u>Comment(s):</u>	The method has been modified to include the following changes:								
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	0.0014	0.00050	1		Xylenes (total)	0.0038	0.0020	1	
Toluene	0.0056	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	0.00096	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
		<u>Limits</u>					<u>Limits</u>		
1,4-Bromofluorobenzene	100	57-129			1,2-Dichloroethane-d4	95	47-137		
Toluene-d8	97	78-156							
<u>Method Blank</u>	<u>099-12-983-124</u>		<u>N/A</u>	<u>Air</u>	<u>GC/MS YY</u>	<u>N/A</u>	<u>10/17/09</u>	<u>0910171-0</u>	

Method Blank 888-12-888-124 11:46

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
		Limits					Limits		
1,4-Bromofluorobenzene	96	57-129			1,2-Dichloroethane-d4	96	47-137		
Toluene-d8	96	78-156							



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-10-1465-1-A	10/15/09 12:50	Air	GC 13	N/A	10/17/09 10:46	091017L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

A-INT2	09-10-1465-2-A	10/15/09 12:55	Air	GC 13	N/A	10/17/09 11:05	091017L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

A-INT1	09-10-1465-3-A	10/15/09 13:00	Air	GC 13	N/A	10/17/09 11:14	091017L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3


A-INF	09-10-1465-4-A	10/15/09 13:05	Air	GC 13	N/A	10/17/09 11:24	091017L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

Method Blank	098-01-005-1,997	N/A	Air	GC 13	N/A	10/17/09 09:01	091017L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-10-1465-1-A	10/15/09 12:50	Air	GC/MS YY	N/A	10/17/09 13:59	091017L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.24	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	95	47-137		
Toluene-d8	95	78-156							
A-INT2	09-10-1465-2-A	10/15/09 12:55	Air	GC/MS YY	N/A	10/17/09 14:43	091017L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.54	0.018	2.5	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	96	47-137		
Toluene-d8	97	78-156							
A-INT1	09-10-1465-3-A	10/15/09 13:00	Air	GC/MS YY	N/A	10/17/09 15:28	091017L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0050	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.42	0.029	4	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	95	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	09-10-1465-4-A	10/15/09 13:05	Air	GC/MS YY	N/A	10/17/09 16:14	091017L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0046	0.0016	1		Xylenes (total)	0.016	0.0087	1	
Toluene	0.021	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	0.0042	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
1,4-Bromofluorobenzene	100	57-129			1,2-Dichloroethane-d4	95	47-137		
Toluene-d8	97	78-156							
Method Blank		099-12-983-124		N/A	Air	GC/MS YY	N/A	10/17/09 11:46	091017L01


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
1,4-Bromofluorobenzene	96	57-129			1,2-Dichloroethane-d4	96	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers





Quality Control - Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/17/09
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
09-10-1466-4	Air	GC 13	N/A	10/17/09	091017D01

Parameter	Sample Conc.	DUP Conc	RPD	RPD CL	Qualifiers
TPH as Gasoline	110	110	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
09-10-1466-4	Air	GC 13	N/A	10/17/09	091017D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	430	430	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-10-1465
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-983-124	Air	GC/MS YY	N/A	10/17/09	091017L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	113	112	60-156	1	0-40	
Toluene	117	113	56-146	3	0-43	
Ethylbenzene	119	114	52-154	5	0-38	
p/m-Xylene	102	98	42-156	4	0-41	
o-Xylene	122	114	52-148	6	0-38	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Glossary of Terms and Qualifiers

Work Order Number: 09-10-1465

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.
	Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



CHAIN OF CUSTODY RECORD

09-10-1465
Page ____ of ____


Calscience
Environmental
Laboratories, Inc.

**7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501**

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 601 North McDowell
City/State/Zip: Petaluma, CA 94954
Project Manager Paula Sime
Telephone Number: 707-766-2000
ERI Job Number: 2506-11X (monthly)
Sampler Name: (Print) *Corey Webster*
Sampler Signature: 

ExxonMobil Engineer Jennifer Sedlachek
Telephone Number 510-547-8196
Account #: 10228
PO #: 4508883534
Facility ID # 7-0104
Global ID#
Site Address 1725 Park Street
City, State Zip Alameda, California



WORK ORDER #: 09-10-7465

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: BRI

DATE: 10/17/09

TEMPERATURE: (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature ____ °C - 0.2 °C (CF) = ____ °C Blank Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: _____).
- Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

 Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: WSC

CUSTODY SEALS INTACT:


<input type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: WSC
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: WSC

SAMPLE CONDITION:	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> COC not relinquished. <input type="checkbox"/> No date relinquished. <input type="checkbox"/> No time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

CONTAINER TYPE:Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Checked by: WSC

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelop Reviewed by: YL

Preservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: WSC



November 19, 2009

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: Calscience Work Order No.: 09-11-0630
Client Reference: ExxonMobil 70104

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 11/7/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-11-0630-1-A	11/06/09 15:05	Air	GC 13	N/A	11/07/09 12:46	091107L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT2	09-11-0630-2-A	11/06/09 15:10	Air	GC 13	N/A	11/07/09 15:49	091107L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT1	09-11-0630-3-A	11/06/09 15:15	Air	GC 13	N/A	11/07/09 15:59	091107L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)


A-INF	09-11-0630-4-A	11/06/09 15:20	Air	GC 13	N/A	11/07/09 16:08	091107L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

Method Blank	098-01-005-2,021	N/A	Air	GC 13	N/A	11/07/09 09:58	091107L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-11-0630-1-A	11/06/09 15:05	Air	GC/MS K	N/A	11/08/09 04:21	091107L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.075	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	98	47-137		
Toluene-d8	100	78-156							

A-INT2	09-11-0630-2-A	11/06/09 15:10	Air	GC/MS K	N/A	11/08/09 05:07	091107L01
--------	----------------	----------------	-----	---------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0011	0.00050	1		Xylenes (total)	0.0098	0.0020	1	
Toluene	0.011	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.16	0.0080	4	
Ethylbenzene	0.0020	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	100	78-156							

A-INT1	09-11-0630-3-A	11/06/09 15:15	Air	GC/MS K	N/A	11/08/09 05:55	091107L01
--------	----------------	----------------	-----	---------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0020	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.11	0.0080	4	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	98	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	09-11-0630-4-A	11/06/09 15:20	Air	GC/MS K	N/A	11/08/09 06:43	091107L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	100	78-156							


Method Blank	099-12-983-181	N/A	Air	GC/MS K	N/A	11/07/09 16:04	091107L01
--------------	----------------	-----	-----	---------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	98	47-137		
Toluene-d8	98	78-156							

Method Blank	099-12-983-182	N/A	Air	GC/MS K	N/A	11/08/09 11:59	091108L01
--------------	----------------	-----	-----	---------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	97	47-137		
Toluene-d8	98	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-11-0630-1-A	11/06/09 15:05	Air	GC 13	N/A	11/07/09 12:46	091107L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

A-INT2	09-11-0630-2-A	11/06/09 15:10	Air	GC 13	N/A	11/07/09 15:49	091107L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

A-INT1	09-11-0630-3-A	11/06/09 15:15	Air	GC 13	N/A	11/07/09 15:59	091107L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3


A-INF	09-11-0630-4-A	11/06/09 15:20	Air	GC 13	N/A	11/07/09 16:08	091107L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

Method Blank	098-01-005-2,021	N/A	Air	GC 13	N/A	11/07/09 09:58	091107L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

 RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-15M
Units: mg/m³

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-11-0630-1-A	11/06/09 15:05	Air	GC/MS K	N/A	11/08/09 04:21	091107L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.27	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	98	47-137		
Toluene-d8	100	78-156							

A-INT2	09-11-0630-2-A	11/06/09 15:10	Air	GC/MS K	N/A	11/08/09 05:07	091107L01
--------	----------------	----------------	-----	---------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0036	0.0016	1		Xylenes (total)	0.043	0.0087	1	
Toluene	0.042	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.59	0.029	4	
Ethylbenzene	0.0088	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	100	78-156							

A-INT1	09-11-0630-3-A	11/06/09 15:15	Air	GC/MS K	N/A	11/08/09 05:55	091107L01
--------	----------------	----------------	-----	---------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0065	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.39	0.029	4	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	98	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	09-11-0630-4-A	11/06/09 15:20	Air	GC/MS K	N/A	11/08/09 06:43	091107L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
		Limits					Limits		
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	100	78-156							


Method Blank	099-12-983-181	N/A	Air	GC/MS K	N/A	11/07/09 16:04	091107L01
--------------	----------------	-----	-----	---------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
		Limits					Limits		
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	98	47-137		
Toluene-d8	98	78-156							

Method Blank	099-12-983-182	N/A	Air	GC/MS K	N/A	11/08/09 11:59	091108L01
--------------	----------------	-----	-----	---------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
		Limits					Limits		
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	97	47-137		
Toluene-d8	98	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 11/07/09
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
09-11-0629-1	Air	GC 13	N/A	11/07/09	091107D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	3.0	2.7	9	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 11/07/09
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
09-11-0629-1	Air	GC 13	N/A	11/07/09	091107D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	11	10	9	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-983-181	Air	GC/MS K	N/A	11/07/09	091107L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	115	113	60-156	2	0-40	
Toluene	111	110	56-146	1	0-43	
Ethylbenzene	108	108	52-154	0	0-38	
p/m-Xylene	105	103	42-156	1	0-41	
o-Xylene	108	108	52-148	0	0-38	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-11-0630
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-983-182	Air	GC/MS K	N/A	11/08/09	091108L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	111	107	60-156	3	0-40	
Toluene	113	110	56-146	2	0-43	
Ethylbenzene	113	111	52-154	2	0-38	
p/m-Xylene	108	106	42-156	1	0-41	
o-Xylene	113	111	52-148	1	0-38	

RPD - Relative Percent Difference , CL - Control Limit



Glossary of Terms and Qualifiers

Work Order Number: 09-11-0630

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDS associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.




CHAIN OF CUSTODY RECORD

0630

Page 1 of 1

Calscience Environmental Laboratories, Inc. 7440 LINCOLN WAY GARDEN GROVE, CA 92841 TEL: (714) 895-5494 FAX: (714) 894-7501 ExxonMobil		Consultant Name: Environmental Resolutions, Inc. Address: 601 North McDowell City/State/Zip: Petaluma, CA 94954 Project Manager Paula Sime Telephone Number: 707-766-2000 ERI Job Number: 2506-11X (monthly) Sampler Name: (Print) <i>Corry Weisel</i> Sampler Signature: <i>SW</i>					ExxonMobil Engineer Jennifer Sedlachek Telephone Number 510-547-8196 Account #: 10228 PO #: 4508883534 Facility ID # 7-0104 Global ID# Site Address 1725 Park Street City, State Zip Alameda, California							
TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	PROVIDE: EDF Report	Special Instructions: <i>* Include TPHg, BTEX, and MTBE</i>					Matrix		Analyze For:					
							Water	Soil	Vapor	TO-3M+TO-15*				
Sample ID / Description		DATE	TIME	COMP	GRAB	PRESERV	NUMBER							
1	A-EFF	11/6/09	1305		X	NONE	1-1L			X	X			
2	A-INT2	11/6/09	1310		X	NONE	1-1L			X	X			
3	A-INT1	11/6/09	1315		X	NONE	1-1L			X	X			
4	A-INF	11/6/09	1320		X	NONE	1-1L			X	X			
Relinquished by: <i>[Signature]</i>		Date 11-6-09	Time 1615	Received by: <i>[Signature]</i>		CCL		Time 1615		Laboratory Comments:				
Relinquished by: <i>[Signature]</i>		Date 11-6-09	Time 1730	Received by Calscience: <i>[Signature]</i>		CCL		Time 11-7-09 9:30		Temperature Upon Receipt: Sample Containers Intact? VOAs Free of Headspace?				



WORK ORDER #: 09-11-0630

SAMPLE RECEIPT FORM

Box 1 of 1CLIENT: EPDATE: 11/17/09

TEMPERATURE: (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature . °C - 0.8 °C (CF) = . °C Blank Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: _____).
- Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.
- Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only Initial: JD

CUSTODY SEALS INTACT:

<input type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>JD</u>
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>W-SC</u>

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> COC not relinquished. <input type="checkbox"/> No date relinquished. <input type="checkbox"/> No time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

CONTAINER TYPE:


Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____

Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs
 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna
 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____ _____

Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Checked by: W-SC

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelop Reviewed by: GL

Preservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: W-SC



December 29, 2009

RECEIVED
DEC 29 2009

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

BY: -----

Subject: Calscience Work Order No.: 09-12-1757
Client Reference: ExxonMobil 70104

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 12/19/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-12-1757-1-A	12/18/09 10:00	Air	GC 13	N/A	12/19/09 11:03	091219L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT2	09-12-1757-2-A	12/18/09 10:15	Air	GC 13	N/A	12/19/09 11:33	091219L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT1	09-12-1757-3-A	12/18/09 10:30	Air	GC 13	N/A	12/19/09 11:44	091219L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)


A-INF	09-12-1757-4-A	12/18/09 10:45	Air	GC 13	N/A	12/19/09 11:53	091219L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

Method Blank	098-01-005-2,061	N/A	Air	GC 13	N/A	12/19/09 09:17	091219L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-12-1757-1-A	12/18/09 10:00	Air	GC/MS AA	N/A	12/19/09 14:28	091219L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.083	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	112	47-137		
Toluene-d8	99	78-156							

A-INT2	09-12-1757-2-A	12/18/09 10:15	Air	GC/MS AA	N/A	12/19/09 15:21	091219L01
--------	----------------	----------------	-----	----------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.066	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	110	47-137		
Toluene-d8	103	78-156							

A-INT1	09-12-1757-3-A	12/18/09 10:30	Air	GC/MS AA	N/A	12/19/09 16:09	091219L01
--------	----------------	----------------	-----	----------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.019	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	95	57-129			1,2-Dichloroethane-d4	112	47-137		
Toluene-d8	104	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	09-12-1757-4-A	12/18/09 10:45	Air	GC/MS AA	N/A	12/19/09 16:55	091219L01


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.00073	0.00050	1		Xylenes (total)	0.0027	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	108	47-137		
Toluene-d8	101	78-156							

Method Blank	099-12-983-300	N/A	Air	GC/MS AA	N/A	12/19/09 12:41	091219L01
--------------	----------------	-----	-----	----------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	99	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-12-1757-1-A	12/18/09 10:00	Air	GC 13	N/A	12/19/09 11:03	091219L01

Parameter	Result	RL	DF	Qual	Units		
TPH as Gasoline	ND	5.7	1		mg/m3		
A-INT2	09-12-1757-2-A	12/18/09 10:15	Air	GC 13	N/A	12/19/09 11:33	091219L01


Parameter	Result	RL	DF	Qual	Units		
TPH as Gasoline	ND	5.7	1		mg/m3		
A-INT1	09-12-1757-3-A	12/18/09 10:30	Air	GC 13	N/A	12/19/09 11:44	091219L01

Parameter	Result	RL	DF	Qual	Units		
TPH as Gasoline	ND	5.7	1		mg/m3		
A-INF	09-12-1757-4-A	12/18/09 10:45	Air	GC 13	N/A	12/19/09 11:53	091219L01

Parameter	Result	RL	DF	Qual	Units		
TPH as Gasoline	ND	5.7	1		mg/m3		
Method Blank	098-01-005-2,061	N/A	Air	GC 13	N/A	12/19/09 09:17	091219L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-12-1757-1-A	12/18/09 10:00	Air	GC/MS AA	N/A	12/19/09 14:28	091219L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.30	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	112	47-137		
Toluene-d8	99	78-156							

A-INT2	09-12-1757-2-A	12/18/09 10:15	Air	GC/MS AA	N/A	12/19/09 15:21	091219L01
--------	----------------	----------------	-----	----------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.24	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	110	47-137		
Toluene-d8	103	78-156							

A-INT1	09-12-1757-3-A	12/18/09 10:30	Air	GC/MS AA	N/A	12/19/09 16:09	091219L01
--------	----------------	----------------	-----	----------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.069	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	95	57-129			1,2-Dichloroethane-d4	112	47-137		
Toluene-d8	104	78-156							

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	09-12-1757-4-A	12/18/09 10:45	Air	GC/MS AA	N/A	12/19/09 16:55	091219L01


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0023	0.0016	1		Xylenes (total)	0.012	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	108	47-137		
Toluene-d8	101	78-156							

Method Blank	099-12-983-300	N/A	Air	GC/MS AA	N/A	12/19/09 12:41	091219L01
--------------	----------------	-----	-----	----------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	99	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/19/09
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
A-INF	Air	GC 13	N/A	12/19/09	091219D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	ND	NA	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/19/09
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
A-INF	Air	GC 13	N/A	12/19/09	091219D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	ND	NA	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-12-1757
Preparation: N/A
Method: EPA TO-15M


Project: ExxonMobil 70104

Quality Control Sample ID:	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-983-300	Air	GC/MS AA	N/A	12/19/09	091219L01

Parameter	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	107	108	60-156	2	0-40	
Toluene	101	108	56-146	6	0-43	
Ethylbenzene	111	118	52-154	6	0-38	
p/m-Xylene	93	99	42-156	6	0-41	
o-Xylene	108	114	52-148	6	0-38	

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers

Work Order Number: 09-12-1757

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



CHAIN OF CUSTODY RECORD

1757

Page _____ of _____

**Calscience
Environmental
Laboratories, Inc.**

**7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501**

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 601 North McDowell
City/State/Zip: Petaluma, CA 94954
Project Manager: Paula Sime
Telephone Number: 707-766-2000
ERI Job Number: 2506-11X (monthly)
Sampler Name: (Print) *Tom Werner*
Sampler Signature: *Tom Werner*

ExxonMobil Engineer Jennifer Sedlachek
Telephone Number 510-547-8196
Account #: 10228
PO #: 4508883534
Facility ID # 7-0104
Global ID# _____
Site Address 1725 Park Street
City, State Zip Alameda, California

Relinquished by: Herman Date: 2/18/09 Time 13⁰⁰

Received by:

Relinquished by [Signature] Date 12-13-09 Time 1737

Received by Calscience

 CEL Time 1300
12-19-09
Calscience: 2 - CEL Time 0930

Laboratory Comments:

Temperature Upon Receipt:

Sample Containers Intact?

VOAs Free of Headspace?



< WebShip > > >
800-322-5555 www.gso.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
STANTEC, ERI

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #:	513240096	SDS
		D
ORC GARDEN GROVE		
D92843A		
77978882		

Print Date : 12/18/09 14:57 PM

Package 1 of 1

Print All

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.


STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.



WORK ORDER #: 09-12-1757

SAMPLE RECEIPT FORM

Box 1 of 1CLIENT: ERIDATE: 12/19/09

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature _____._____ °C + 0.5 °C (CF) = _____._____ °C Blank Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: _____).
- Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

 Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs OnlyInitial: YC

CUSTODY SEALS INTACT:

<input type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>YC</u>
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: <u>RN</u>

SAMPLE CONDITION:


	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Checked by: RN

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope

Reviewed by: DLPreservative: H: HCL I: HNO₃ K: Na₂Na₂S₂O₃ L: Na: NaOH M: H₃PO₄ N: H₂SO₄ O: ZnAc₂+NaOH F: Field-filteredScanned by: RN



December 29, 2009

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

RECEIVED
DEC 29 2009

BY:

Subject: **Calscience Work Order No.: 09-12-2107**
Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 12/24/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/24/09
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-12-2107-1-A	12/23/09 11:30	Air	GC 13	N/A	12/24/09 11:23	091224L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT2	09-12-2107-2-A	12/23/09 11:35	Air	GC 13	N/A	12/24/09 13:55	091224L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT1	09-12-2107-3-A	12/23/09 11:40	Air	GC 13	N/A	12/24/09 13:26	091224L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)


A-INF	09-12-2107-4-A	12/23/09 11:45	Air	GC 13	N/A	12/24/09 13:36	091224L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------


Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

Method Blank	098-01-005-2,066	N/A	Air	GC 13	N/A	12/24/09 09:01	091224L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/24/09
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-12-2107-1-A	12/23/09 11:30	Air	GC/MS K	N/A	12/24/09 14:54	091224L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.019	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	100		47-137	
Toluene-d8	102	78-156							
A-INT2	09-12-2107-2-A	12/23/09 11:35	Air	GC/MS K	N/A	12/24/09 15:42	091224L01		


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.027	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	100		47-137	
Toluene-d8	100	78-156							
A-INT1	09-12-2107-3-A	12/23/09 11:40	Air	GC/MS K	N/A	12/24/09 16:31	091224L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.0072	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	100		47-137	
Toluene-d8	100	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/24/09
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	09-12-2107-4-A	12/23/09 11:45	Air	GC/MS K	N/A	12/24/09 17:20	091224L01


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.00068	0.00050	1		Xylenes (total)	0.0028	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	0.00064	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	102	78-156							

Method Blank	099-12-983-309	N/A	Air	GC/MS K	N/A	12/24/09 13:20	091224L01
--------------	----------------	-----	-----	---------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	99	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/24/09
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-12-2107-1-A	12/23/09 11:30	Air	GC 13	N/A	12/24/09 11:23	091224L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

A-INT2	09-12-2107-2-A	12/23/09 11:35	Air	GC 13	N/A	12/24/09 13:55	091224L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

A-INT1	09-12-2107-3-A	12/23/09 11:40	Air	GC 13	N/A	12/24/09 13:26	091224L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3


A-INF	09-12-2107-4-A	12/23/09 11:45	Air	GC 13	N/A	12/24/09 13:36	091224L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

Method Blank	098-01-005-2,066	N/A	Air	GC 13	N/A	12/24/09 09:01	091224L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/24/09
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	09-12-2107-1-A	12/23/09 11:30	Air	GC/MS K	N/A	12/24/09 14:54	091224L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.067	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	102	78-156							
A-INT2	09-12-2107-2-A	12/23/09 11:35	Air	GC/MS K	N/A	12/24/09 15:42	091224L01		


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.098	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	100	78-156							
A-INT1	09-12-2107-3-A	12/23/09 11:40	Air	GC/MS K	N/A	12/24/09 16:31	091224L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.026	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	100	47-137		
Toluene-d8	100	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/24/09
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	09-12-2107-4-A	12/23/09 11:45	Air	GC/MS K	N/A	12/24/09 17:20	091224L01


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0022	0.0016	1		Xylenes (total)	0.012	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	0.0028	0.0022	1						
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	102	78-156							

Method Blank	099-12-983-309	N/A	Air	GC/MS K	N/A	12/24/09 13:20	091224L01
--------------	----------------	-----	-----	---------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,4-Bromofluorobenzene	97	57-129			1,2-Dichloroethane-d4	99	47-137		
Toluene-d8	96	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/24/09
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
09-12-2109-2	Air	GC 13	N/A	12/24/09	091224D01

Parameter	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
TPH as Gasoline	81	82	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/24/09
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	Duplicate Batch Number
09-12-2109-2	Air	GC 13	N/A	12/24/09	091224D01

Parameter	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
TPH as Gasoline	310	310	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-2107
Preparation: N/A
Method: EPA TO-15M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-983-309	Air	GC/MS K	N/A	12/24/09	091224L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	97	103	60-156	5	0-40	
Toluene	99	108	56-146	8	0-43	
Ethylbenzene	103	114	52-154	10	0-38	
p/m-Xylene	92	101	42-156	9	0-41	
o-Xylene	102	111	52-148	9	0-38	

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers

Work Order Number: 09-12-2107

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



CHAIN OF CUSTODY RECORD

2107

Page _____ of _____

California
Environmental
Laboratories, Inc.

**7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501**

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 601 North McDowell
City/State/Zip: Petaluma, CA 94954
Project Manager Paula Sime
Telephone Number: 707-766-2000
ERI Job Number: 2506-11X (monthly)
Sampler Name: (Print) GREG BRUSKI
Sampler Signature: 

ExxonMobil Engineer Jennifer Sedlachek
Telephone Number 510-547-8196
Account #: 10228
PO #: 4508883534
Facility ID # 7-0104
Global ID#
Site Address 1725 Park Street
City, State Zip Alameda, California



2107

< WebShip > > > >

800-322-5555 www.gso.com

Page 13 of 14

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
ERI

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #:	513271958	NPS
ORC		D
GARDEN GROVE		
D92843A		
78109068		

Print Date : 12/23/09 16:22 PM

Package 1 of 1 Print All

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.
STEP 2 - Fold this page in half.


STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.



WORK ORDER #: 09-12-2107

SAMPLE RECEIPT FORM

Box 1 of 1CLIENT: ERIDATE: 12/24/09**TEMPERATURE:** Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature • °C + 0.5 °C (F) = • °C Blank Sample Sample(s) outside temperature criteria (PM/APM contacted by: _____). Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling. Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs OnlyInitial: YL**CUSTODY SEALS INTACT:**

<input type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	

Initial: YLInitial: YL**SAMPLE CONDITION:**

Yes


No

N/A

Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. No analysis requested. Not relinquished. No date/time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Correct containers and volume for analyses requested..... Analyses received within holding time..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation..... **CONTAINER TYPE:**Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____Water: VOA VOAH VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____Checked by: YL

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope

Reviewed by: YLPreservative: H: HCl I: HNO₃ Na₂:Na₂S₂O₃ Na: NaOH P: H₃PO₄ S: H₂SO₄ Znna: ZnAc₂+NaOH F: Field-filteredScanned by: YL



October 28, 2009

RECEIVED
NOV 02 2009

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

BY: _____

Subject: **Calscience Work Order No.: 09-10-1461**
Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/17/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1461
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	09-10-1461-1-D	10/15/09 12:30	Aqueous	GC 29	10/20/09	10/20/09 15:09	091020B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	90	38-134			

W-INT2	09-10-1461-2-D	10/15/09 12:35	Aqueous	GC 29	10/20/09	10/20/09 15:43	091020B01
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	85	38-134			

W-INT1	09-10-1461-3-D	10/15/09 12:40	Aqueous	GC 29	10/20/09	10/20/09 16:17	091020B01
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	87	38-134			


W-INF	09-10-1461-4-D	10/15/09 12:45	Aqueous	GC 29	10/20/09	10/20/09 16:50	091020B01
-------	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	380	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	86	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1461
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: ExxonMobil 70104

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-436-3,918	N/A	Aqueous	GC 29	10/20/09	10/20/09 10:07	091020B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>					
1,4-Bromofluorobenzene	91	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 10/17/09
Work Order No: 09-10-1461
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	09-10-1461-1-C	10/15/09 12:30	Aqueous	GC 8	10/21/09	10/21/09 22:34	091021B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
<u>Limits</u>									

1,4-Bromofluorobenzene 93 70-130

W-INT2	09-10-1461-2-C	10/15/09 12:35	Aqueous	GC 8	10/21/09	10/21/09 23:04	091021B01
--------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
<u>Limits</u>									

1,4-Bromofluorobenzene 92 70-130

W-INT1	09-10-1461-3-C	10/15/09 12:40	Aqueous	GC 8	10/21/09	10/21/09 23:34	091021B01
--------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	9.1	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
<u>Limits</u>									

1,4-Bromofluorobenzene 92 70-130

W-INF	09-10-1461-4-C	10/15/09 12:45	Aqueous	GC 8	10/21/09	10/22/09 00:04	091021B01
-------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.5	5		Xylenes (total)	ND	5.0	5	
Toluene	ND	2.5	5		Methyl-t-Butyl Ether (MTBE)	670	25	5	
Ethylbenzene	ND	2.5	5						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
<u>Limits</u>									

1,4-Bromofluorobenzene 95 70-130

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience
Environmental
Laboratories, Inc.

Analytical Report

**Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312**

Date Received: 10/17/09
Work Order No: 09-10-1461
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-616	N/A	Aqueous	GC 8	10/21/09	10/21/09 19:04	091021B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
		<u>Limits</u>							
1,4-Bromofluorobenzene	85	70-130							


RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers

1

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/17/09
Work Order No: 09-10-1461
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-10-1460-1	Aqueous	GC 29	10/20/09	10/20/09	091020S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	94	99	68-122	5	0-18	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 10/17/09
Work Order No: 09-10-1461
Preparation: EPA 5030B
Method: EPA 8021B

Project ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-10-1460-1	Aqueous	GC 8	10/21/09	10/21/09	091021S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	101	57-129	1	0-23	
Toluene	97	96	50-134	1	0-26	
Ethylbenzene	100	102	58-130	2	0-26	
p/m-Xylene	102	103	58-130	1	0-28	
o-Xylene	97	99	57-123	2	0-26	
Methyl-t-Butyl Ether (MTBE)	112	110	44-134	2	0-27	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-10-1461
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-3,918	Aqueous	GC 29	10/20/09	10/20/09	091020B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	98	99	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Calscience**E nvironmental Quality Control - Laboratory Control Sample
Laboratories, Inc.**

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-10-1461
Preparation: EPA 5030B
Method: EPA 8021B


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	Lab File ID	LCS Batch Number
099-12-667-616	Aqueous	GC 8	10/21/09	009F0901	091021B01

Parameter	Conc Added	Conc Recovered	LCS %Rec	%Rec CL	Qualifiers
Benzene	100	93.0	93	70-118	
Toluene	100	92.3	92	66-114	
Ethylbenzene	100	90.3	90	72-114	
p/m-Xylene	200	185	92	74-116	
o-Xylene	100	88.4	88	72-114	
Methyl-t-Butyl Ether (MTBE)	100	111	111	41-137	

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers

Work Order Number: 09-10-1461

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



CHAIN OF CUSTODY RECORD

Page _____ of _____

1461


California
Environmental
Laboratories, Inc.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 610 North McDowell
City/State/Zip: Petaluma, CA 94954
Project Manager Paula Sime
Telephone Number: 707-766-2000
ERI Job Number: 2506 11X (October)
Sampler Name: (Print) *Perry M. Sime*
Sampler Signature: 

ExxonMobil Engineer Jennifer Sedlachek
Telephone Number 510-547-8196
Account #: 10228
PO #: 4508883534
Facility ID # 7-0104
Global ID#
Site Address 1725 Park Street
City, State Zip Alameda, California

512846412



WORK ORDER #: 09-10-1461

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: ERF

DATE: 10/12/09

TEMPERATURE: (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 2.9 °C - 0.2 °C (CF) = 2.7 °C Blank Sample Sample(s) outside temperature criteria (PM/APM contacted by _____). Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling. Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: YL

CUSTODY SEALS INTACT:

 Cooler _____ No (Not Intact) Not Present N/A

Initial: YL

 Sample _____ No (Not Intact) Not Present

Initial: hsc

SAMPLE CONDITION:

Yes

No

N/A

Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. COC not relinquished. No date relinquished. No time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Correct containers and volume for analyses requested..... Analyses received within holding time..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation.....

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBn₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBn_a 250PB 250PBn 125PB 125PBznna 100PJ 100PJn₂ _____ _____ Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Checked by: hsc

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelop Reviewed by: bml

Preservative: h: HCl n: HNO₃ n₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: hsc



November 19, 2009

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 09-11-0614**
Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 11/07/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L de Guia

Calscience Environmental
Laboratories, Inc.

Cecile deGuia
Project Manager





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0614
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	09-11-0614-1-D	11/06/09 14:30	Aqueous	GC 18	11/12/09	11/12/09 18:52	091112B01

Parameter	Result	RL	DF	Qual	Units
-----------	--------	----	----	------	-------

TPH as Gasoline ND 50 1 ug/L

Surrogates:	REC (%)	Control Limits	Qual
-------------	---------	----------------	------

1,4-Bromofluorobenzene 80 38-134

W-INT2	09-11-0614-2-D	11/06/09 14:40	Aqueous	GC 18	11/12/09	11/12/09 19:27	091112B01
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
-----------	--------	----	----	------	-------

TPH as Gasoline ND 50 1 ug/L

Surrogates:	REC (%)	Control Limits	Qual
-------------	---------	----------------	------

1,4-Bromofluorobenzene 79 38-134

W-INT1	09-11-0614-3-D	11/06/09 14:50	Aqueous	GC 18	11/12/09	11/12/09 20:03	091112B01
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
-----------	--------	----	----	------	-------

TPH as Gasoline ND 50 1 ug/L

Surrogates:	REC (%)	Control Limits	Qual
-------------	---------	----------------	------

1,4-Bromofluorobenzene 80 38-134

W-INF	09-11-0614-4-D	11/06/09 15:00	Aqueous	GC 18	11/12/09	11/12/09 20:39	091112B01
-------	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.


Parameter	Result	RL	DF	Qual	Units
-----------	--------	----	----	------	-------

TPH as Gasoline 73 50 1 ug/L

Surrogates:	REC (%)	Control Limits	Qual
-------------	---------	----------------	------

1,4-Bromofluorobenzene 78 38-134

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0614
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: ExxonMobil 70104


Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-436-4,020	N/A	Aqueous	GC 18	11/12/09	11/12/09 13:30	091112B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>					
1,4-Bromofluorobenzene	62	38-134			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0614
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	09-11-0614-1-C	11/06/09 14:30	Aqueous	GC 8	11/11/09	11/11/09 19:24	091111B01


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual		
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1			
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1			
Ethylbenzene	ND	0.50	1								
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>							
1,4-Bromofluorobenzene	92	70-130									
W-INT2					09-11-0614-2-C	11/06/09 14:40	Aqueous	GC 8	11/11/09	11/11/09 19:54	091111B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual		
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1			
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1			
Ethylbenzene	ND	0.50	1								
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>							
1,4-Bromofluorobenzene	91	70-130									
W-INT1					09-11-0614-3-C	11/06/09 14:50	Aqueous	GC 8	11/11/09	11/11/09 20:24	091111B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual		
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1			
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1			
Ethylbenzene	ND	0.50	1								
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>							
1,4-Bromofluorobenzene	96	70-130									
W-INF					09-11-0614-4-C	11/06/09 15:00	Aqueous	GC 8	11/11/09	11/11/09 20:54	091111B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	5.4	2.5	5		Xylenes (total)	ND	5.0	5	
Toluene	ND	2.5	5		Methyl-t-Butyl Ether (MTBE)	58	25	5	
Ethylbenzene	ND	2.5	5						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	94	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 11/07/09
Work Order No: 09-11-0614
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L


Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-635	N/A	Aqueous	GC 8	11/11/09	11/11/09 16:54	091111B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	93	70-130							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 11/07/09
Work Order No: 09-11-0614
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 18	11/12/09	11/12/09	091112S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	98	99	68-122	1	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 11/07/09
Work Order No: 09-11-0614
Preparation: EPA 5030B
Method: EPA 8021B

Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-11-0616-2	Aqueous	GC 8	11/11/09	11/11/09	091111S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	107	57-129	6	0-23	
Toluene	93	101	50-134	8	0-26	
Ethylbenzene	94	101	58-130	7	0-26	
p/m-Xylene	93	100	58-130	7	0-28	
o-Xylene	90	96	57-123	7	0-26	
Methyl-t-Butyl Ether (MTBE)	105	112	44-134	6	0-27	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-11-0614
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-4,020	Aqueous	GC 18	11/12/09	11/12/09	091112B01

Parameter	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	99	97	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 09-11-0614
Preparation: EPA 5030B
Method: EPA 8021B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-635	Aqueous	GC 8	11/11/09	11/11/09	091111B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	108	112	70-118	3	0-9	
Toluene	106	108	66-114	2	0-9	
Ethylbenzene	105	108	72-114	2	0-9	
p/m-Xylene	106	108	74-116	2	0-9	
o-Xylene	104	106	72-114	2	0-9	
Methyl-t-Butyl Ether (MTBE)	112	116	41-137	4	0-13	

RPD - Relative Percent Difference , CL - Control Limit



Glossary of Terms and Qualifiers

Work Order Number: 09-11-0614

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.

CHAIN OF CUSTODY RECORD

0614

Page of

Calscience
Environmental
Laboratories, Inc.

7440 LINCOLN WAY

GARDEN GROVE, CA 92841


TEL: (714) 895-5494

FAX: (714) 894-7501

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 610 North McDowell
City/State/Zip: Petaluma, CA 94954
Project Manager Paula Sime
Telephone Number: 707-766-2000
ERI Job Number: 2506 11X (October)
Sampler Name: (Print) *Corey Womack*
Sampler Signature: *[Signature]*

ExxonMobil Engineer Jennifer Sedlachek
Telephone Number 510-547-8196
Account #: 10228
PO #: 4508883534
Facility ID # 7-0104
Global ID# _____
Site Address 1725 Park Street
City, State Zip Alameda, California



WORK ORDER #: 09-11-0614

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: ERI

DATE: 11/7/09

TEMPERATURE: (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 3.9 °C - 0.8 °C (CF) = 3.1 °C Blank Sample Sample(s) outside temperature criteria (PM/APM contacted by: _____). Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling. Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: YL

CUSTODY SEALS INTACT:

<input type="checkbox"/> Cooler	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: YL
<input type="checkbox"/> Sample	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present		Initial: WSC

SAMPLE CONDITION:

Yes No N/A


Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. COC not relinquished. No date relinquished. No time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Correct containers and volume for analyses requested..... Analyses received within holding time..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation.....

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Checked by: WSC

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelop Reviewed by: YL

Preservative: h: HCL n: HNO₃ na₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: WSC



January 04, 2010

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

RECEIVED
JAN 07 2010

BY: _____

Subject: **Calscience Work Order No.: 09-12-1766**
Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 12/19/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1766
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	09-12-1766-1-D	12/18/09 11:00	Aqueous	GC 29	12/22/09	12/22/09 12:58	091221B02

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	87	38-134			

W-INT2	09-12-1766-2-D	12/18/09 11:15	Aqueous	GC 29	12/22/09	12/22/09 13:31	091221B02
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	93	38-134			


W-INT1	09-12-1766-3-D	12/18/09 11:30	Aqueous	GC 29	12/22/09	12/22/09 14:05	091221B02
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	85	38-134			

W-INF	09-12-1766-4-D	12/18/09 11:45	Aqueous	GC 29	12/22/09	12/22/09 14:38	091221B02
-------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	86	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1766
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-436-4,170	N/A	Aqueous	GC 29	12/21/09	12/22/09 02:21	091221B02

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>				Qual	
1,4-Bromofluorobenzene	80	38-134			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1766
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	09-12-1766-1-C	12/18/09 11:00	Aqueous	GC 8	12/22/09	12/22/09 18:11	091222B02


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual		
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1			
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1			
Ethylbenzene	ND	0.50	1								
Surrogates:	REC (%)	Control		Qual							
1,4-Bromofluorobenzene	104	70-130									
W-INT2					09-12-1766-2-C	12/18/09 11:15	Aqueous	GC 8	12/22/09	12/22/09 19:41	091222B02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual		
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1			
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1			
Ethylbenzene	ND	0.50	1								
Surrogates:	REC (%)	Control		Qual							
1,4-Bromofluorobenzene	106	70-130									
W-INT1					09-12-1766-3-C	12/18/09 11:30	Aqueous	GC 8	12/22/09	12/22/09 20:11	091222B02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual		
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1			
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1			
Ethylbenzene	ND	0.50	1								
Surrogates:	REC (%)	Control		Qual							
1,4-Bromofluorobenzene	107	70-130									
W-INF					09-12-1766-4-C	12/18/09 11:45	Aqueous	GC 8	12/22/09	12/23/09 10:05	091222B02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
Surrogates:	REC (%)	Control		Qual					
1,4-Bromofluorobenzene	108	70-130							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1766
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L


Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-680	N/A	Aqueous	GC 8	12/22/09	12/22/09 17:41	091222B02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>					
1,4-Bromofluorobenzene	109	70-130							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 12/19/09
Work Order No: 09-12-1766
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-12-1765-4	Aqueous	GC 29	12/21/09	12/22/09	091221S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	99	94	68-122	6	0-18	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 12/19/09
Work Order No: 09-12-1766
Preparation: EPA 5030B
Method: EPA 8021B


Project ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 8	12/22/09	12/22/09	091222S02

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	97	95	57-129	2	0-23	
Toluene	52	51	50-134	3	0-26	
Ethylbenzene	91	89	58-130	3	0-26	
p/m-Xylene	87	84	58-130	4	0-28	
o-Xylene	85	83	57-123	3	0-26	
Methyl-t-Butyl Ether (MTBE)	106	108	44-134	2	0-27	

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-1766
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-4,170	Aqueous	GC 29	12/21/09	12/22/09	091221B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	98	99	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 09-12-1766
Preparation: EPA 5030B
Method: EPA 8021B


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-680	Aqueous	GC 8	12/22/09	12/22/09	091222B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	101	70-118	0	0-9	
Toluene	95	96	66-114	1	0-9	
Ethylbenzene	95	97	72-114	2	0-9	
p/m-Xylene	92	94	74-116	2	0-9	
o-Xylene	89	91	72-114	2	0-9	
Methyl-t-Butyl Ether (MTBE)	111	110	41-137	1	0-13	

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Glossary of Terms and Qualifiers

Work Order Number: 09-12-1766


<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



CHAIN OF CUSTODY RECORD

1766

Page ____ of ____



7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 610 North McDowell
City/State/Zip: Petaluma, CA 94954
Project Manager Paula Sime
Telephone Number: 707-766-2000
ERI Job Number: 2506 11X (December)
Sampler Name: (Print) Jon Herman
Sampler Signature:

ExxonMobil Engineer Jennifer Sedlachek
Telephone Number 510-547-8196
Account #: 10228
PO #: 4508883534
Facility ID # 7-0104
Global ID#
Site Address 1725 Park Street
City, State Zip Alameda, California

TAT	PROVIDE:	Special Instructions:	Matrix			Analyze For:						
			Water	Soil	Vapor	TPHg 8015B	BTEX 8021B	MTBE 8020				
<input type="checkbox"/> 24 hour	<input type="checkbox"/> 72 hour					X	X	X				
<input type="checkbox"/> 48 hour	<input type="checkbox"/> 96 hour					X	X	X				
<input checked="" type="checkbox"/> 8 day						X	X	X				
Sample ID / Description			DATE	TIME	COMP	GRAB	PRESERV	NUMBER				
1	W-PSP-1	12/18/09	11 ⁰⁰			X	HCl	4 voa	X			
2	W-INT 2	"	11 ¹⁵			X	HCl	4 voa	X			
3	W-INT 1	"	11 ³⁰			X	HCl	4 voa	X			
4	W-INF	"	11 ⁴⁵			X	HCl	4 voa	X			
Relinquished by: Date 12/18/09 Time 13 ⁰⁰ Received by: Time 1300			Laboratory Comments:									
			Temperature Upon Receipt: Sample Containers Intact? VOAs Free of Headspace?									
Relinquished by: Date 12-18-09 Time 1730 Received by Calscience Time 0930												

(1766)

Page 1261 13



< WebShip > > >
800-322-5555 www.gso.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
ETIC, ERI

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #: 513240360



SDS

D

ORC
GARDEN GROVE

D92843A



77979307

Print Date : 12/18/09 15:11 PM

Package 1 of 1

Print All

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.


STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.



WORK ORDER #: 09-12-1766

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: GRI

DATE: 12/19/09

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature -2.0 °C + 0.5 °C (CF) = -2.5 °C Blank Sample Sample(s) outside temperature criteria (PM/APM contacted by: _____). Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling. Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: Y

CUSTODY SEALS INTACT:

<input type="checkbox"/> Cooler	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: Y
<input type="checkbox"/> Sample	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: Q

SAMPLE CONDITION:

Yes No N/A

Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. No analysis requested. Not relinquished. No date/time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Correct containers and volume for analyses requested..... Analyses received within holding time..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation..... **CONTAINER TYPE:**Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____ Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Checked by: SLContainer: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: DLPreservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: SL

APPENDIX C
FIELD DATA SHEETS

Daily Field Report

Environmental Resolutions, Inc.



VALUE, QUALITY, RESPONSE

Project ID #: 70104

ERI Job # 0225062009

Subject: 1/4 LY GW SAMPLING

Date: 12/2/2009

Equipment Used: SOLINST/HYDAC/PUMPS/BATTS'S/SAMPLING EQUIPMENT/ETC.

Sheet: 1

Name(s): SALGADO, JOSE A

Time Arrived On Site: 5:30 AM

Time Departed Site: 12:30 PM

Total Travel 1.75

5:30 AM -ARRIVED ON SITE
-INFORMED STATION OF WORK TO BE DONE
-SET UP EXCLUSION ZONE AND CHOCKED THE WHEELS ON VEHICLE
5:30 AM -HELD H&S MEETING/REVIEWED HOSPITAL ROUTE
-REVIEWED APPLICABLE JSA'S
-PERFORMED SPSA FOR: TRAFFIC
-SET UP EXCLUSION ZONE AROUND WELLS TO BE OPENED
-STARTED PAPERWORK FOR SITE AND LABELS
-SET UP DECON/WORK AREA AND DECON'D EQUIPMENT
5:45 AM -OPENED WELLS AND ALLOWED WELLS TO CHARGE
6:00 AM -STARTED MEASURING/FINISHED AT 6:45 AM
7:15 AM -STARTED PURGING/FINISHED AT 10:30 AM
7:45 AM -STARTED SAMPLING/FINISHED AT 12:15 PM
-DECON'D EQUIPMENT/CLEANED UP DECON STATION/LOADED TRUCK
-BROKE DOWN EXCLUSION ZONE/LOADED TRUCK
12:30 PM -ERI OFF SITE

*M/P/S 10 WELLS

*M/S 0 WELLS

*M/S LOW FLOW 0 WELLS

*MO 3 WELLS

*O/P 0 WELLS

*POTABLE 0 WELLS

*TOOK TWO AT 1:45 PM

TOTAL PURGED GALLONS: 145

*0 T/C SET UPS

*PURGED WATER TO ONSITE SYSTEM



DAILY FIELD REPORT

Environmental Resolutions, Inc.

PROJECT: 70104

JOB # + ACTIVITY: 250613X

SUBJECT: CM

DATE: 12-02-09

EQUIPMENT USED:

SHEET: 1 OF 1

NAME: Jose S.

PROJECT MNGR: Paula

Onsite Safety

Safety

checked for
station

Dan hold

Open wells

DTW Wells

Traffic Control For Movements

punched & Sampled all wells
Except CW 1, 3, 5.

Punch + 145

Decant 20

Total To System + 165

Offsite @ 12:30

WATER SAMPLING SITE STATUS

Date: 12-2-09

Inspected by: Joe S

ERI Job Number: 2506 Station No.: 70104

Site Address: 1725 Park St.

A Landmark

N = Not repairable in time available-see comments

Y = Yes

$\epsilon = \text{Soil}$

s = Graffiti; o = wall

R = Repaired-see comments

N = No

• QCM

g - Granite on walls.

ok = No action needed

140

w = water.

v - Vagrants (or evidence)

Depth to Water Data		QRT	4TH	YEAR	2009		Calc Case Volume for purge
ERI #	2506 13x						2" WELL x 0.163
Site #	7-0104	Address:	1725 Park St., Alameda, CA				4" WELL x 0.652
PM:	Paula Sime						6" WELL x 1.467
Date:	12/2/2009						r (squared) x 0.163
Tech:	JS			Recharge formula:			
DTW Time				Step 1►	Calc 80% in feet►	TD - PreDTW x .80 (ft)	=
Start:				Step 2►	Calc PostDTW (ft)►	TD - PostDTW (ft)	=
Finish:				Take ratio of result from Step 2 and Step 1 to find % recharge			

WELL ID	TD	PreDTW	CASE D	CASE V	PostDTW	Rechrg 80%	Sample Time	DTP	Prd Thick
MW 1	20.42	7.44	4	8.46	7.92	Y			
MW 2	15.14	5.77	4	6.11	9.09	N			
MW 3	14.05	6.02	4	5.24	6.1	Y			
MW 4	17.96	6.48	4	7.48	6.73	Y			
MW 5	18.81	6.75	4	7.86	6.9	Y			
MW 6	18.3	6.14	4	7.93	6.22	Y			
MW 7	18.36	5.84	4	8.16	5.86	Y			
MW 8	18.73	5.79	2	2.11	5.94	Y			
MW 9	18.68	6.42	2	2.00	7.01	Y			
MW 11	14.74	6.65	2	1.32	6.69	Y			
EW 1	X	14.7	4						
EW 3	X	6.09	4						
EW 5	X	5.79	4						

MONITORING - FIELD LOG					
ERI #	2506 13x	QRT	4TH	2009	
Client:	ExxonMobil	DATE:	12/2/09		
Site ID:	7-0104	TECH	JS		
ADDRESS:		PM:	Paula Sime		
1725 Park St., Alameda, CA		Total Purge Volume			
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
BB					
COMMENTS:					
	PRG				
MW8	TIME	VOL	TEMP	COND	pH
	7:10	3		US	
	7:12	3	21.40	336.00	7.18
	7:14	6	21.70	369.00	7.11
		9			
TOTAL PURGE	8				
COMMENTS:	DRY@8				
	PRG				
MW9	TIME	VOL	TEMP	COND	pH
	7:26	3		US	
	7:28	3	20.20	572.00	6.94
		6			
		9			
TOTAL PURGE	5				
COMMENTS:	DRY@5				
	PRG				
MW11	TIME	VOL	TEMP	COND	pH
	8:08	2		US	
	8:10	2	19.80	318.00	6.84
	8:11	4	20.40	419.00	6.76
		6			
TOTAL PURGE	5				
COMMENTS:	DRY@5				
	PRG				
MW6	TIME	VOL	TEMP	COND	pH
	8:22	8		US	
	8:26	8	18.40	420.00	6.69
	8:30	16	18.60	425.00	6.78
		24			
TOTAL PURGE	17				
COMMENTS:	DRY@17				

MONITORING - FIELD LOG					
ERI #	2506 13x		QRT	4TH	2009
Client:	ExxonMobil		DATE:	12/2/09	
Site ID:	7-0104		TECH	JS	
ADDRESS:			PM:	Paula Sime	
1725 Park St., Alameda, CA			Total Purge Volume		
			PRG		
MW3	TIME	VOL	TEMP	COND	pH
	8:37	6		US	
	8:40	6	18.80	477.00	6.72
	8:43	12	19.00	466.00	6.82
		18			
TOTAL PURGE	13				
COMMENTS:	DRY@13				
			PRG		
MW5	TIME	VOL	TEMP	COND	pH
	9:01	8		US	
	9:05	8	19.60	341.00	6.90
	9:09	16	20.30	330.00	6.88
		24			
TOTAL PURGE	18				
COMMENTS:	DRY@18				
			PRG		
MW2	TIME	VOL	TEMP	COND	pH
	9:17	7		US	
	9:21	7	20.30	163.30	7.17
		14			
		21			
TOTAL PURGE	13				
COMMENTS:	DRY@13				
			PRG		
MW7	TIME	VOL	TEMP	COND	pH
	9:33	9		US	
	9:38	9	19.50	293.00	7.06
	9:42	18	19.50	295.00	6.96
	9:46	27	19.10	297.00	6.95
TOTAL PURGE	27				
COMMENTS:					
			PRG		
MW4	TIME	VOL	TEMP	COND	pH
	9:56	8		US	
	10:00	8	20.50	400.00	6.75
	10:04	16	20.80	394.00	6.84
		24			
TOTAL PURGE	17				
COMMENTS:	DRY@17				

MONITORING - FIELD LOG				
ERI #	2506 13x	QRT	4TH	2009
Client:	ExxonMobil	DATE:	12/2/09	
Site ID:	7-0104	TECH	JS	
ADDRESS:		PM:	Paula Sime	
1725 Park St., Alameda, CA		Total Purge Volume		
		PRG		
MW1	TIME	VOL	TEMP	COND
	10:11	9		US
	10:16	9	20.10	472.00
	10:21	18	20.00	487.00
		27		
TOTAL PURGE	22			
COMMENTS:	DRY@22			

APPENDIX D

ERI's SOP-25: "Hydrocarbons Removed from a Vadose Well"

HYDROCARBON REMOVAL FROM A VADOSE WELL
SOP-25

Rev: JO'C

POUNDS OF HYDROCARBON IN A VAPOR STREAM

INPUT DATA:

- 1) Vapor flow rate acfm (usually by Pitot tube)
- 2) Vapor pressure at the flow measuring device (in inches of H₂O) (use {-} for vacuum)
- 3) Vapor temperature at the flow-measuring device.
- 4) Hydrocarbon content of vapor (usually in mg/M³) for ppmv you need molecular weight.
- 5) Length of time (usually hours) over which flow rate occurred)

From periodic measurements, a calculation of total pounds of hydrocarbons removed from a well or from a system is calculated. The input data listed above are measured at a point in time. To calculate quantities removed, some assumptions must be made about what was happening between measurements. The following assumptions will be used for the sake of consistency:

ASSUMPTIONS:

- 1) Vapor flow for the period equals the average of the initial and final reading for the period.
- 2) Pressure and temperature for the entire period will be the final reading.
- 3) Hydrocarbon concentration for the period equals the average of the initial and final reading.
- 4) The hours of operation can be taken from an hour meter, an electric meter or will be assumed to be equal to the time between measurements.
- 5) If the unit is found down - try to determine how many hours it did operate and use the data taken for the previous period to make the calculations. Restart the unit and then take data to start the next period.

SAMPLE DATA AND CALCULATIONS

Date	Time	Temp deg F	Press in H ₂ O	HC conc mg/M ³	Vapor flow acf m	Calc. lb. rem.
1/6/95	11:00	70	-46	2000	120	
1/7/95	13:00	55	-50	1350	90	
1/8/95	10:00	80	-13	750	100	7.4

Calculate the pounds of hydrocarbon removed from the system during the basis period from 13:00 (1:00 pm) on the 7th to 10 am on the 8th. Pressure and temperature of the measurements (at the flow meter) must be corrected to the P and T used to report the HC concentration (which are P = 1 atm and T = 70 deg F). 1 atm = 14.7 psia, 760 mm Hg, or 407 in H₂O. T_{abs} = 460 + T deg F

Hours of operation = 21, T = 80, P = -13, HC = (1350+750)/2 = 1050 mg/M³. Flow = 95

$$21 \times 60 \times 95 \times \frac{(460+70)}{(460+80)} \times \frac{(407-13)}{407} \times \frac{28.3}{1000} \times \frac{1050}{1000} \times \frac{1}{454} = 7.4 \text{ lb}$$

$$\begin{array}{ccccccccc} \text{hr} & \text{min} & \text{cu ft} & & \text{M}^3 & \text{g} & \text{lb} & \\ \hline \text{---} & \times \text{---} & \times \text{---} & \times & \text{---} & \text{---} & \text{---} & \\ \text{basis} & \text{hr} & \text{min} & & \text{cu ft} & \text{M}^3 & \text{g} & \text{basis} \end{array}$$

$$21 \times 60 \times 95 \times 0.98 \times 0.97 \times 0.0283 \times 1.050 \times 1/454 = 7.4 \text{ lb.}$$

cumulative lbs. (the running total) = the sum of all the previous periods.

Note: If results are given in ppm, an assumption about the molecular weight of the hydrocarbon must be made to convert ppm into mg/M³. ppmv x molecular wt./24.1 = mg/M³. (Use 102 for gasoline)