

ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sedlachek
Project Manager

RECEIVED

4:20 pm, Jul 30, 2010

Alameda County
Environmental Health

ExxonMobil

July 23, 2010

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70104/1725 Park Street, Alameda, California.

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled *Semi-Annual Groundwater Monitoring and Remediation Status Report, Second Quarter 2010*, dated July 23, 2010, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring, sampling, and remedial activities for the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Semi-Annual Groundwater Monitoring and Remediation Status Report, Second Quarter 2010,
dated July 23, 2010

cc: w/ attachment
Mr. Shay Wideman, The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



*Southern California
Northern California
Central California
Pacific Northwest
New England
Southwest
Montana
Texas*

July 23, 2010
ERI 250611.Q102

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services
4096 Piedmont Avenue
Oakland, California 94611

SUBJECT **Semi-Annual Groundwater Monitoring and Remediation Status Report,
Second Quarter 2010**
Former Exxon Service Station 70104
1725 Park Street, Alameda, California

Alameda County RO#448

INTRODUCTION

At the request of ExxonMobil Environmental Services (EMES), on behalf of Exxon Mobil Corporation, Environmental Resolutions, Inc. (ERI) performed second quarter 2010 groundwater monitoring and sampling and remedial activities at the subject site. This report covers activities from March 19, 2010, through June 18, 2010. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site operates as a Valero-branded service station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling date:	04/28/10
Wells gauged and sampled:	MW1 through MW7, MW9, MW11
Wells gauged only:	MW8, EW1, EW3, EW5
Remediation system status on sampling date:	GWPTS active; SVE system active, AS system active
Presence of NAPL:	Not observed
Concurrently sampled:	Shell-branded service station (former XTRA Oil Company), 1701 Park Street, Alameda, California
Laboratory:	Calscience Environmental Laboratories, Inc. Garden Grove, California
Analyses performed:	EPA Method 8015B TPHd, TPHg EPA Method 8021B BTEX EPA Method 8260B MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE EPA Method 8260B Ethanol (select samples)

Waste disposal: 205 gallons purge and decon water transferred to the GWPTS on 04/28/10

REMEDIATION SYSTEM SUMMARY

Groundwater Pump and Treat – Prior Systems

A GWPTS operated at the site from October 1994 to March 2000. The system was retrofitted and again operated from June 2002 to February 2004. A total of 32.2 pounds of TPHg, 4.92 pounds of benzene, and 7.71 pounds of MTBE were removed by the GWPTS during its periods of operation.

Air Sparge/Soil Vapor Extraction – Prior Systems

An AS/SVE system operated at the site from February 1998 to March 2000. The AS/SVE system was retrofitted and again operated from June 2000 to February 2004. A total of 1,022.4 pounds of TPHg and 11.81 pounds of benzene were removed by the AS/SVE system during its periods of operation.

Systems Retrofit – 2005

ERI retrofitted the GWPTS and AS/SVE system in 2005. ERI modified the SVE system to use an 8.45-horsepower regenerative blower (Siemens 2BH1 800-7A) capable of producing 360 scfm. ERI also modified groundwater extraction wells EW1 through EW5 to simultaneously extract soil vapor and pump and treat groundwater. Other components and processes of the systems remain unchanged. The retrofitted systems began operation on June 27, 2005.

Current GWPTS Configuration

The GWPTS operates in conjunction with the AS/SVE system to pump down the groundwater table, expose petroleum hydrocarbons in soil, and remediate dissolved-phase hydrocarbons in groundwater. Wells EW1 through EW4 are available for groundwater extraction using pneumatic pumps. During this reporting period, groundwater was extracted from wells EW1 and EW2 and directed to a holding tank. Water is periodically transferred from the holding tank through a particulate filter and three 500-pound GAC vessels connected in series prior to discharge to the sanitary sewer under permit through East Bay Municipal Utilities District (EBMUD). The volume of discharged groundwater is recorded using a totalizing flow meter.

Current AS/SVE System Configuration

The current AS/SVE system consists of a regenerative blower, a moisture separator, three vapor-phase 500-pound GAC vessels connected in series, an exhaust stack for discharge to the atmosphere, and associated monitoring instrumentation. The 500-pound GAC vessels have a maximum flow capacity of 300 scfm. Water generated in the moisture separator is pumped to the GWPTS.

An oil-less air compressor is used for air sparging (subsurface air injection), at wells MW7, EW1, SM1, and SW1 to help volatilize hydrocarbons. Additional sparge points are located at wells AS1, MW6, and EW5, but are currently disabled.

System start-up dates:	<u>AS/SVE System</u> <u>GWPTS</u>	02/16/98 10/10/94
System discharge permits:	<u>AS/SVE System</u> <u>GWPTS</u>	BAAQMD Plant No. 8252 EBMUD Permit No. 50266631

System reporting periods: AS/SVE System 03/19/10 – 06/18/10
GWPTS 03/19/10 – 06/18/10

System modifications during reporting period: None

System status during reporting period: SVE System Active
GWPTS Active
AS System Active

Laboratory: Calscience Environmental Laboratories, Inc.
Garden Grove, California

Effluent analyses performed: AS/SVE System
EPA TO-3M TPHg
EPA TO-15M MTBE, BTEX

GWPTS
EPA Method 8015B TPHg
EPA Method 8021B BTEX, MTBE

System performance:AS/SVE System

Period	Mass of TPHg Removed (pounds)	Mass of Benzene Removed (pounds)	Mass of MTBE Removed (pounds)
03/19/10 – 06/18/10	<4.464	<0.0024	<0.0715
To date:	<1,735.78	<27.72	<14.72

GWPTS

Period	Volume of Groundwater Treated (gallons)	Mass of TPHg Removed (pounds)	Mass of Benzene Removed (pounds)	Mass of MTBE Removed (pounds)
03/19/10 – 06/18/10	238,400	1.864	<0.0104	2.730
To date:	4,663,990	<70.5	<5.221	<49.064

CONCLUSIONS

The groundwater monitoring and sampling data are consistent with the historical data for the site. Current remediation efforts are effectively removing dissolved-phase hydrocarbons beneath the site. In accordance with correspondence received from the Alameda County Health Care Services Agency, Department of Environmental Health on July 24, 2009, monitoring and sampling at this site has been reduced to semi-annual. Monitoring and sampling will be conducted during second and fourth quarters.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

Mr. Shay Wideman
The Valero Companies
Environmental Liability Management
P.O. Box 696000
San Antonio, Texas 78269

LIMITATIONS

For any documents cited that were not generated by ERI, the data taken from those documents is used "as is" and is assumed to be accurate. ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these documents.

This document was prepared in accordance with generally accepted standards of environmental, geological, and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.

Sincerely,
Environmental Resolutions, Inc.

Jennifer L. Lacy
SCANNED CAPTION
IMAGE

Jennifer L. Lacy
Senior Staff Scientist



Heidi L. Dieffenbach-Carle
SCANNED CAPTION
IMAGE
Heidi L. Dieffenbach-Carle
P.G. 6793


Enclosures:

Acronym List

Plate 1	Site Vicinity Map
Plate 2	Select Analytical Results
Plate 3	Groundwater Elevation Map
Table 1A	Cumulative Groundwater Monitoring and Sampling Data
Table 1B	Additional Cumulative Groundwater Monitoring and Sampling Data
Table 2	Well Construction Details
Table 3	Operation and Performance Data for Air Sparge/Soil Vapor Extraction System
Table 4	Operation and Performance Data for Groundwater Extraction and Treatment System
Appendix A	Groundwater Sampling Protocol
Appendix B	Laboratory Analytical Reports and Chain-of-Custody Records
Appendix C	Field Data Sheets
Appendix D	ERI's SOP-25: "Hydrocarbons Removed from a Vadose Well"
Appendix E	Groundwater Monitoring and Sampling Data, 1701 Park Street (P&D Environmental, April 28, 2010)

ACRONYM LIST

µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acf m	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polycyclic aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethylene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL (RL)	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		



3-D Topo Quads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS


550 ft Scale: 1:10,000 Date: 13-0 Datum: WGS84

EXPLANATION



1/2-mile radius circle

APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads



SITE VICINITY MAP
FORMER EXXON SERVICE STATION 70104
1725 Park Street
Alameda, California

PROJECT NO.	2506
PLATE	1

Analyte Concentrations in ug/L
Sampled April 28, 2010

Total Petroleum Hydrocarbons
as gasoline
Benzene
Methyl Tertiary Butyl Ether
Tertiary Butyl Alcohol

< Less Than the Stated Laboratory
Reporting Limit
ug/L Micrograms per Liter

NS Not sampled

ND Not Detected


a Laboratory Note: lighter than water immiscible
sheen/product is present

d Hydrocarbon pattern does not resemble
the requested fuel.

e Analyte presence was not confirmed by
second column or GC/MS analysis.

NOTES:

Wells MW12, EW2, and EW4 not routinely monitored
or sampled.



APPROXIMATE SCALE



FN 2506 10 2QTR_QM



SELECT ANALYTICAL RESULTS

April 28, 2010


FORMER EXXON SERVICE STATION 70104
1725 Park Street
Alameda, California

EXPLANATION

- MW11
Groundwater Monitoring Well By Others
- EW4
Recovery Well
- MW10
Destroyed Groundwater Monitoring Well

PROJECT NO.	2506
PLATE	2

- MW4
Groundwater Monitoring Well By Others
- VW2
Vapor Extraction Well
- AS1
Air Sarge/Soil Vapor Well




March 1, 2004, through April 28, 2010

Rose diagram developed by evaluating the groundwater gradient direction from the quarterly monitoring data. Each circle on the rose diagram represents the number of monitoring events that the gradient plotted in that 22 1/2 degree sector.

GROUNDWATER FLOW DIRECTION ROSE DIAGRAM

N Compass Direction
25 Data Points Shown



APPROXIMATE SCALE



FN 2506 10 2QTR_QM



GROUNDWATER ELEVATION MAP April 28, 2010

FORMER EXXON SERVICE STATION 70104
1725 Park Street
Alameda, California

EXPLANATION

- MW11 Groundwater Monitoring Well
- 12.68 Groundwater elevation in feet; datum is mean sea level
- EW4 Recovery Well
- MW10 Destroyed Groundwater Monitoring Well

Notes:

Wells MW12, EW2, and EW4 not routinely monitored or sampled.

NM Not Measured

14----Line of Equal Groundwater Elevation; datum is mean sea level

PROJECT NO.
2506

PLATE
3

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g/L}$)	TPHg ($\mu\text{g/L}$)	MTBE 8021B ($\mu\text{g/L}$)	MTBE 8260B ($\mu\text{g/L}$)	B ($\mu\text{g/L}$)	T ($\mu\text{g/L}$)	E ($\mu\text{g/L}$)	X ($\mu\text{g/L}$)
MW1	09/12/94	17.35	7.11	10.24	No	---	1,600a	---	---	200	1.9	210	6.6
MW1	10/01/94	17.35	7.44	9.91	No	---	1,400a	---	---	200	<0.5	160	6.6
MW1	01/13/95	17.35	5.13	12.22	No	---	2,100a	---	---	410b	17	280b	89
MW1	04/27/95	17.35	6.57	10.78	No	---	4,700	---	---	460	41	340	270
MW1	08/03/95	17.35	7.46	9.89	No	---	1,900	30	---	140	<5.0	160	9.9
MW1	10/17/95	17.35	7.67	9.68	No	---	280	5.5	---	6.2	<0.5	13	0.75
MW1	01/24/96	17.35	6.52	10.83	No	---	740	440	---	21	1.4	38	3.1
MW1	04/24/96	17.35	5.95	11.40	No	---	7,800	250	---	200	110	1,000	740
MW1	07/26/96	17.35	7.60	9.75	No	---	620	23	---	8.0	0.99	26	1.0
MW1	10/30/96	17.35	8.06	9.29	No	---	700	33	---	14	2.9	85	3.5
MW1	01/31/97	17.35	5.12	12.23	No	---	7,600	<200	---	420	33	1,400	480
MW1	04/10/97	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	07/10/97	17.35	7.54	9.81	No	---	580	12	---	10	<0.5	<0.5	<0.5
MW1	10/08/97	17.35	---	---	---	---	---	---	---	---	---	---	---
MW1	01/28/98	17.35	4.48	12.87	No	---	820	---	<2.5	110	2.8	170	14
MW1	04/14/98	17.35	4.69	12.66	---	---	---	---	---	---	---	---	---
MW1	07/30/98	17.35	6.19	11.16	No	---	2,700	41	---	210	<5.0	550	<5.0
MW1	10/19/98	17.35	6.72	10.63	No	---	---	---	---	---	---	---	---
MW1	01/13/99	17.35	6.52	10.83	No	---	491	9.78	---	8.0	<0.5	<0.5	<0.5
MW1	04/28/99	17.35	5.37	11.98	---	---	---	---	---	---	---	---	---
MW1	07/09/99	17.35	6.39	10.96	No	---	1,030	10.6	---	114	8.07	184	0.644
MW1	10/25/99	17.35	6.68	10.67	No	---	---	---	---	---	---	---	---
MW1	01/21/00	17.35	6.20	11.15	No	---	<50	5.1	---	<1.0	<1.0	<1.0	<1.0
MW1	04/14/00	17.35	5.18	12.17	No	---	---	---	---	---	---	---	---
MW1	06/16/00	17.35	Property transferred to Valero Refining Company.					---	---	---	---	---	---
MW1	07/05/00	17.35	5.93	11.42	No	---	88	200	---	4.3	<0.5	0.61	<0.5
MW1	10/03/00	17.35	6.51	10.84	No	---	<50	240	---	0.72	<0.5	<0.5	<0.5
MW1	01/02/01	17.35	6.17	11.18	No	---	<50	68	---	0.75	<0.5	<0.5	<0.5
MW1	04/02/01	17.35	7.42	9.93	No	---	140	4.3	---	<0.5	<0.5	4.1	1.1
MW1	07/02/01	17.35	6.27	11.08	No	---	74	14	---	<0.5	<0.5	<0.5	<0.5
MW1	10/15/01	17.35	6.64	10.71	No	---	110	83	---	2.6	<0.5	<0.5	<0.5
MW1	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.					---	---	---	---	---	---
MW1	02/04/02	17.29	5.08	12.21	No	52.0	75.0	67.1	---	0.70	<0.50	0.50	<0.50
MW1	05/06/02	17.29	5.48	11.81	No	129	793	702	1,004	8.6	<0.5	0.5	1.1
MW1	08/22/02	17.29	7.14	10.15	No	602	1,150	181	---	120	0.8	9.0	3.6
MW1	11/08/02	17.29	6.19	11.10	No	504	947	182	---	95.6	4.0	3.7	2.7
MW1	02/07/03	17.29	6.00	11.29	No	610	1,190	284	---	89.7	3.8	45.3	13.2
MW1	05/02/03	17.29	5.76	11.53	No	797	1,020	296	---	75.8	9.0	5.7	11.9
MW1	08/14/03	17.29	7.04	10.25	No	531d	822	201	---	33.9	2.8	1.5	1.9
MW1	11/14/03	17.29	6.41	10.88	No	560d	574	276	---	19.8	1.8	2.0	2.2

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	03/01/04	17.29	4.63	12.66	No	785d	1,430	—	895	46.2	3.1	14.2	9.2
MW1	06/15/04	17.29	6.05	11.24	No	204d	621	668	—	11.1	<0.5	<0.5	<0.5
MW1	09/13/04	17.29	6.62	10.67	No	221d	754	479	—	34.4	1.5	1.1	1.2
MW1	12/22/04	17.29	5.67	11.62	No	288d,f	775	253	—	38.8	1.0	1.8	0.8
MW1	03/24/05	17.29	4.63	12.66	No	471d	952	—	120	41.6	1.4	12.8	6.0
MW1	06/14/05	17.29	5.55	11.74	No	695d	605	—	91	37.9	2.5	2.6	2.5
MW1	09/12/05	17.29	8.16	9.13	No	280d	1,410	—	4,780	1.43	<0.50	0.82	1.08
MW1	12/13/05	17.29	6.86	10.43	No	182d	4,610	—	6000h	2.35	0.71	<0.50	<0.50
MW1	03/13/06	17.29	6.31	10.98	No	470d	6,800i	—	4,600	70	<25	76	56
MW1	06/12/06	17.29	2.01	15.28	No	300d,f	16,000i	—	16,000	<50	<50	<50	<50
MW1	09/08/06	17.29	6.61	10.68	No	62d	4,200i	—	4,700	<25	<25	<25	<25
MW1	12/05/06	17.29	7.94	9.35	No	<47	6,300i	—	9,300	<25	<25	<25	<25
MW1	03/12/07	17.29	5.53	11.76	No	120d	3,300i	—	3,400	<25	<25	<25	<25
MW1	05/29/07	17.29	7.15	10.14	No	277d	2,680	—	3,550	2.86	0.97	1.70	3.71f
MW1	08/29/07	17.29	7.44	9.85	No	94d	3,500i	—	3,100	<25	<25	<25	<25
MW1	11/29/07	17.29	7.04	10.25	No	58d	3,600i	—	5,000	<25	<25	<25	<25
MW1	02/27/08	17.29	5.80	11.49	No	130d	2,700i	—	3,600	<25	<25	<25	<25
MW1	05/28/08	17.29	6.50	10.79	No	165d	1,720f	—	3,840	<0.50	<0.50	<0.50	<0.50
MW1	08/27/08	17.29	6.91	10.38	No	180	1,400	—	3,000	<0.50	<0.50	<0.50	<1.0
MW1	11/25/08	17.29	6.96	10.33	No	250	1,800	—	1,300	<0.50	<0.50	0.65	<1.0
MW1	02/25/09	17.29	4.99	12.30	No	170	1,100	—	1,300	3.2	0.98	3.1	<1.0
MW1	05/27/09	17.29	5.85	11.44	No	100	840	—	3,600	3.6	0.64	0.92	1.5e
MW1	09/08/09	17.29	7.03	10.26	No	---	---	—	---	---	---	---	---
MW1	09/09/09	17.29	---	---	No	150d	1,600d	—	1,500	<0.50	<0.50	<0.50	<1.0
MW1	12/02/09	17.29	7.44	9.85	No	160d	1,000d	—	1,100	<0.50	<0.50	<0.50	<1.0
MW1	04/28/10	17.29	6.69	10.60	No	190d	870d	—	940	<0.50	0.67e	7.4	1.7
MW2	09/12/94	16.67	6.71	9.96	No	—	31,000a	—	—	4,400	120	1,700	2,100
MW2	10/01/94	16.67	7.22	9.45	No	—	45,000a	—	—	4,500	250	1,800	2,400
MW2	01/13/95	16.67	4.46	12.21	No	—	—	—	—	—	—	—	—
MW2	04/27/95	16.67	6.92	9.75	No	—	44,000	—	—	7,000	840	2,400	3,400
MW2	08/03/95	16.67	6.96	9.71	No	—	30,000	37,000	—	4,600	170	1,600	1,100
MW2	10/17/95	16.67	7.83	8.84	No	—	45,000	14,000	—	5,400	190	2,000	1,500
MW2	01/24/96	16.67	6.45	10.22	No	—	30,000	4,100	—	5,000	810	2,200	2,200
MW2	04/24/96	16.67	6.00	10.67	No	—	34,000	22,000	—	8,700	410	2,200	2,000
MW2	07/26/96	16.67	7.14	9.53	No	—	40,000	18,000	—	10,000	<200	1,800	760
MW2	10/30/96	16.67	6.95	9.72	No	—	43,000	18,000	—	9,100	<250	2,400	730
MW2	01/31/97	16.67	5.07	11.60	No	—	28,000	8,000	—	2,400	630	1,500	3,300
MW2	04/10/97	16.67	---	---	No	—	—	—	—	—	—	—	—
MW2	07/10/97	16.67	7.34	9.33	No	—	18,000	2,600	—	2,900	82	1,500	530
MW2	10/08/97	16.67	---	---	No	—	—	—	—	—	—	—	—

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	01/28/98	16.67	4.46	12.21	No	---	29,000	---	28,000	5,600	410	1,500	720
MW2	04/14/98	16.67	4.48	12.19	---	---	---	---	---	---	---	---	---
MW2	07/30/98	16.67	6.01	10.66	No	---	24,000	6,300	---	7,500	<200	1,300	280
MW2	10/19/98	16.67	6.35	10.32	No	---	---	---	---	---	---	---	---
MW2	01/13/99	16.67	6.54	10.13	No	---	18,400	2,200	---	4,750	211	1,760	45.3
MW2	04/28/99	16.67	5.54	11.13	---	---	---	---	---	---	---	---	---
MW2	07/09/99	16.67	6.45	10.22	No	---	14,100	3,410	---	4,270	80.1	1,300	339
MW2	10/25/99	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	01/21/00	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	02/11/00	16.67	---	---	No	---	<50	15	---	<1.0	<1.0	<1.0	<1.0
MW2	04/14/00	16.67	4.69	11.98	No	---	---	---	---	---	---	---	---
MW2	06/16/00	16.67	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW2	07/05/00	16.67	5.44	11.23	No	---	150	86	---	15	<0.5	6.2	2.8
MW2	10/03/00	16.67	6.31	10.36	No	---	200	2,500	---	35	0.51	5.1	12
MW2	01/02/01	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	04/02/01	16.67	5.00	11.67	No	---	<50	680	---	3.6	<0.5	<0.5	<0.5
MW2	07/02/01	16.67	5.62	11.05	No	---	1,400	890	---	13	1.1	<0.5	1.1
MW2	10/15/01	16.67	7.55	9.12	No	---	620	1,900	---	190	3.5	4.5	7
MW2	Nov-01	16.39	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---
MW2	02/04/02	16.39	4.71	11.68	No	69.0	122	7.10	---	31.4	5.40	9.10	10.4
MW2	05/06/02	16.39	5.08	11.31	No	252	1,250	646	958	125	22.5	68.2	63.1
MW2	08/22/02	16.39	6.88	9.51	No	178	1,270	652	---	269	<0.5	4.3	10.6
MW2	11/08/02	16.39	6.20	10.19	No	83	158	177	---	14.0	0.7	0.6	1.0
MW2	02/07/03	16.39	5.72	10.67	No	<50	173	78.1	---	43.1	3.4	4.5	5.5
MW2	05/02/03	16.39	4.18	12.21	No	56	60.0	50.5	---	4.10	<0.5	0.6	1.4
MW2	08/14/03	16.39	6.00	10.39	No	62d	1,080	506	---	143	1.1	0.7	2.0
MW2	11/14/03	16.39	5.81	10.58	No	132d	362	93.9	---	74.0	0.6	1.6	3.7
MW2	03/01/04	16.39	3.86	12.53	No	<100	<50.0	---	1.40	4.80	1.1	1.1	5.1
MW2	06/15/04	16.39	5.30	11.09	No	<50	<50.0	1.1	---	2.00	2.5	0.5	3.3
MW2	09/13/04	16.39	5.81	10.58	No	57d	<50.0	10.7	---	1.60	<0.5	<0.5	2.5
MW2	12/22/04	16.39	5.17	11.22	No	69d,f	<50.0	0.9	---	0.70	<0.5	<0.5	0.8
MW2	03/24/05	16.39	3.81	12.58	No	78d	54.0	---	0.80	6.30	0.5	1.1	1.5
MW2	06/14/05	16.39	4.89	11.50	No	84d	<50.0	---	<0.50	1.00	<0.5	<0.5	<0.5
MW2	09/12/05	16.39	7.26	9.13	No	65.2d	152	---	15.1	2.94	<0.50	<0.50	<0.50
MW2	12/13/05	16.39	5.87	10.52	No	88.4d	107	---	28.6	24.3	<0.50	<0.50	0.82
MW2	03/13/06	16.39	4.70	11.69	No	<47	<50	---	1.3	6.8	<0.50	<0.50	1.6
MW2	06/12/06	16.39	5.79	10.60	No	130d,f	140	---	0.69	9.1	2.2	4.2	21
MW2	09/08/06	16.39	5.96	10.43	No	<47	71	---	18	1.9	<0.50	<0.50	<0.50
MW2	12/05/06	16.39	---	---	No	520d	97	---	26	6.2	<0.50	<0.50	<0.50
MW2	03/12/07	16.39	4.97	11.42	No	48d	160	---	11	51	<1.0	<1.0	<1.0
MW2	05/29/07	16.39	5.90	10.49	No	93.5d	172	---	18.4	59.6	<0.50	<0.50	0.56f
MW2	08/29/07	16.39	6.51	9.88	No	99d	260	---	47	79	<1.0	<1.0	<1.0

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	11/29/07	16.39	6.33	10.06	No	89d	440	---	55	170	<2.5	<2.5	<2.5
MW2	02/27/08	16.39	4.67	11.72	No	<47	<250	---	2.8	2.6	<2.5	3.5	13
MW2	05/28/08	16.39	5.63	10.76	No	153d	88.8	---	4.03	7.43	<0.50	<0.50	<0.50
MW2	08/27/08	16.39	6.19	10.20	No	<50	55	---	2.0	1.7	<0.50	1.4	1.2
MW2	11/25/08	16.39	6.04	10.35	No	<50	61	---	1.8	0.80	<0.50	<0.50	<1.0
MW2	02/25/09	16.39	4.39	12.00	No	<50	99	---	1.5	2.6	1.2	4.0	4.4
MW2	05/27/09	16.39	5.10	11.29	No	<50	63	---	1.2	5.5	<0.50	<0.50	<1.0
MW2	09/08/09	16.39	5.99	10.40	No	93d	81	---	1.6	1.4	<0.50	<0.50	<1.0
MW2	12/02/09	16.39	5.77	10.62	No	370d	810	---	1.5	18	6.1	31	37
MW2	04/28/10	16.39	4.98	11.41	No	<50	<50	---	<0.50	0.61e	<0.50	<0.50	<1.0
MW3	09/12/94	17.11	6.58	10.53	No	---	3,100a	---	---	580	8	340	100
MW3	10/01/94	17.11	6.85	10.26	No	---	3,800a	---	---	640	11	230	130
MW3	01/13/95	17.11	5.27	11.84	No	---	3,800a	---	---	690	24	210	130
MW3	04/27/95	17.11	6.05	11.06	No	---	7,500	---	---	940	35	810	530
MW3	08/03/95	17.11	6.71	10.40	No	---	1,900	24	---	380	<5.0	140	45
MW3	10/17/95	17.11	7.46	9.65	No	---	6,100	<5.0	---	950	29	230	190
MW3	01/24/96	17.11	5.83	11.28	No	---	3,000	<100	---	730	15	190	110
MW3	04/24/96	17.11	5.38	11.73	No	---	11,000	<100	---	1,200	130	1,000	1,400
MW3	07/26/96	17.11	6.80	10.31	No	---	2,500	250	---	800	16	24	56
MW3	10/30/96	17.11	7.20	9.91	No	---	5,200	2,900	---	1,300	28	170	180
MW3	01/31/97	17.11	4.31	12.80	No	---	---	---	---	---	---	---	---
MW3	04/10/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	07/10/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/08/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/28/98	17.11	4.03	13.08	No	---	---	---	---	---	---	---	---
MW3	04/14/98	17.11	3.80	13.31	No	---	---	---	---	---	---	---	---
MW3	07/30/98	17.11	5.84	11.27	No	---	---	---	---	---	---	---	---
MW3	10/19/98	17.11	6.25	10.86	No	---	---	---	---	---	---	---	---
MW3	01/13/99	17.11	6.14	10.97	No	---	---	---	---	---	---	---	---
MW3	04/28/99	17.11	4.95	12.16	---	---	---	---	---	---	---	---	---
MW3	07/09/99	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/25/99	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/21/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	04/14/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	06/16/00	17.11	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW3	07/05/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/03/00	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/02/01	17.11	5.78	11.33	No	560c	2,700	3,100	---	1300	8.8	11	21.3
MW3	04/02/01	17.11	4.71	12.40	No	620	3,700	1,400	---	1,400	11	36	21
MW3	07/02/01	17.11	5.82	11.29	No	880	5,300	1,200	---	1,300	32	30	730

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)			
MW3	10/15/01	17.11	6.12	10.99	No	210d	2,300	1,800	---	630	2.5	8.2	3.34			
MW3	Nov-01	17.02			Well surveyed in compliance with AB 2886 requirements.											
MW3	02/04/02	17.02	4.59	12.43	No	402	8,830	1,420	---	2,300	166	150	158			
MW3	05/06/02	17.02	4.84	12.18	No	1,300	7,950	544	967	1,930	18.0	80.0	648			
MW3	08/22/02	17.02	6.42	10.60	No	416	2,270	298	---	506	3.5	8.0	6.5			
MW3	11/08/02	17.02	5.66	11.36	No	193	1,640	470	---	330	1.8	4.9	2.7			
MW3	02/07/03	17.02	4.99	12.03	No	800	1,360	662	---	328	6.5	9.0	35.0			
MW3	05/02/03	17.02	4.73	12.29	No	562	2,500	300	---	306	4.8	17.5	29.1			
MW3	08/14/03	17.02	6.02	11.00	No	227d	2,040	367	---	356	3.4	3.9	3.2			
MW3	11/14/03	17.02	6.01	11.01	No	280d	1,880	794	---	244	2.6	3.7	4.5			
MW3	03/01/04	17.02	3.71	13.31	No	484d	3,660	---	288	865	11.5	22.5	20.5			
MW3	06/15/04	17.02	5.28	11.74	No	866d	9,980	180	---	1,120	82.0	86.0	1,740			
MW3	09/13/04	17.02	5.91	11.11	No	390d	1,640	183	---	454	4.8	6.7	6.8			
MW3	12/22/04	17.02	4.88	12.14	No	209d,f	1,770	44.9	---	230	2.8	8.2	9.2			
MW3	03/24/05	17.02	3.59	13.43	No	808d	4,800	---	128	930	45.1	59.6	425			
MW3	06/14/05	17.02	4.71	12.31	No	1,440d	6,080	---	144	1,330	34.0	39.0	217			
MW3	09/12/05	17.02	7.03	9.99	No	417d	1,480	---	114	447	4.48	8.40	13.9			
MW3	12/13/05	17.02	5.89	11.13	No	317d	1,160	---	26.5	218	2.19	3.87	6.70			
MW3	03/13/06	17.02	4.41	12.61	No	640d	2,800	---	45	830	12	10	17			
MW3	06/12/06	17.02	5.41	11.61	No	620d,f	4,800	---	43	580	20	42	480			
MW3	09/08/06	17.02	6.16	10.86	No	130d	810	---	22	130	<2.5	<2.5	<2.5			
MW3	12/05/06	17.02	6.61	10.41	No	110d	720	---	16	100	<2.5	<2.5	<2.5			
MW3	03/12/07	17.02	4.70	12.32	No	160d	720	---	12	79	<2.5	4.1	4.4			
MW3	05/29/07	17.02	5.87	11.15	No	195d	782	---	14.7	109	1.76	1.89	2.79f			
MW3	08/29/07	17.02	6.64	10.38	No	100d	530	---	10	64	<2.5	<2.5	<2.5			
MW3	11/29/07	17.02	6.32	10.70	No	100d	560	---	9.8	72	<2.5	<2.5	<2.5			
MW3	02/27/08	17.02	4.49	12.53	No	130d	690	---	12	110	<2.5	7.5	8.8			
MW3	05/28/08	17.02	6.19	10.83	No	819d	1,640f	---	13.8f	85.6	<0.50	130	37.5			
MW3	08/27/08	17.02	6.35	10.67	No	150	700	---	9.5	54	0.65	1.3	1.1			
MW3	11/25/08	17.02	6.15	10.87	No	110	460	---	7.8	56	0.64	1.1	<1.0			
MW3	02/25/09	17.02	4.11	12.91	No	84	260	---	9.3	48	0.73	3.2	2.9			
MW3	05/27/09	17.02	5.14	11.88	No	<50	2,400	---	9.1	220	12	79	260			
MW3	09/08/09	17.02	6.30	10.72	No	---	---	---	---	---	---	---	---			
MW3	09/09/09	17.02	---	---	---	150d	540	---	5.0	41	<0.50	1.5	3.8			
MW3	12/02/09	17.02	6.02	11.00	No	150d	700d	---	8.8	49	1.1	1.7	1.3			
MW3	04/28/10	17.02	4.87	12.15	No	780d	1,700d	---	6.4	150	6.0	8.2	7.3			
MW4	09/12/94	17.34	6.80	10.54	No	---	5,200a	---	---	900	57	310	490			
MW4	10/01/94	17.34	7.09	10.25	No	---	9,100a	---	---	1,200	66	360	380			
MW4	01/13/95	17.34	4.66	12.68	No	---	25,000a	---	---	1,300	200	550	1,000			
MW4	04/27/95	17.34	5.54	11.80	No	---	5,900	---	---	650	130	350	590			

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	08/03/95	17.34	6.92	10.42	No	---	4,200	5,700	---	1,000	<12	170	140
MW4	10/17/95	17.34	7.50	9.84	No	---	6,900	1,700	---	1,300	30	360	380
MW4	01/24/96	17.34	5.81	11.53	No	---	6,300	830	---	1,900	46	290	330
MW4	04/24/96	17.34	5.44	11.90	No	---	5,000	1,600	---	1,800	<20	190	130
MW4	07/26/96	17.34	7.03	10.31	No	---	9,100	1,200	---	1,700	<25	340	280
MW4	10/30/96	17.34	7.57	9.77	No	---	5,300	1,500	---	1,100	35	420	300
MW4	01/31/97	17.34	4.22	13.12	No	---	6,500	40,000	---	1,200	28	490	130
MW4	04/10/97	17.34	---	---	---	---	---	---	---	---	---	---	---
MW4	07/10/97	17.34	7.56	9.78	No	---	10,000	11,000	---	1,100	120	470	720
MW4	10/08/97	17.34	---	---	---	---	---	---	---	---	---	---	---
MW4	01/28/98	17.34	3.70	13.64	No	---	1,700	---	4,900	450	6.8	220	73
MW4	04/14/98	17.34	3.81	13.53	---	---	---	---	---	---	---	---	---
MW4	07/30/98	17.34	5.96	11.38	No	---	2,900	2,800	---	680	<10	220	56
MW4	10/19/98	17.34	6.51	10.83	No	---	---	---	---	---	---	---	---
MW4	01/13/99	17.34	6.24	11.10	No	---	2,140	1,800	---	146	<10	60.9	16.2
MW4	04/28/99	17.34	4.80	12.54	---	---	---	---	---	---	---	---	---
MW4	07/09/99	17.34	6.04	11.30	No	---	1,300	1,310	---	322	<2.5	76.1	<2.5
MW4	10/25/99	17.34	6.51	10.83	No	---	---	---	---	---	---	---	---
MW4	01/21/00	17.34	5.75	11.59	No	---	2,200	1,000	---	410	3.70	40	14.4
MW4	04/14/00	17.34	4.39	12.95	No	---	---	---	---	---	---	---	---
MW4	06/16/00	17.34	Property transferred to Valero Refining Company.										
MW4	07/05/00	17.34	5.48	11.86	No	---	1,600	260	---	400	3.9	100	84
MW4	10/03/00	17.34	6.22	11.12	No	---	1,600	190	---	280	2	64	34.10
MW4	01/02/01	17.34	5.93	11.41	No	---	840	1,000	---	210	2.5	45	28.10
MW4	04/02/01	17.34	4.89	12.45	No	---	1,900	320	---	340	8.5	110	116
MW4	07/02/01	17.34	5.83	11.51	No	---	100	<2	---	3.9	<0.5	0.65	<0.5
MW4	10/15/01	17.34	6.36	10.98	No	---	930	360	---	140	7	24	10
MW4	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.										
MW4	02/04/02	17.29	4.35	12.94	No	774	1,250	46.1	---	124	4.40	46.7	43.5
MW4	05/06/02	17.29	4.95	12.34	No	776	2,040	1,410	2,120	165	5.0	42.0	39.0
MW4	08/22/02	17.29	6.65	10.64	No	445	1,570	1,070	---	73.3	<0.5	9.9	6.8
MW4	11/08/02	17.29	5.60	11.69	No	680	2,340	1,200	---	169	4.3	34.9	23.3
MW4	02/07/03	17.29	4.97	12.32	No	429	2,250	672	---	125	24.9	60.0	109
MW4	05/02/03	17.29	4.92	12.37	No	631	2,450	1,230	---	82.9	2.8	26.4	24.7
MW4	08/14/03	17.29	6.35	10.94	No	444	1,160	286	---	97.0	2.8	14.6	7.4
MW4	11/14/03	17.29	Well inaccessible.										
MW4	03/01/04	17.29	3.65	13.64	No	571d	1,860	---	66.7	104	4.4	38.3	25.4
MW4	06/15/04	17.29	5.60	11.69	No	453d	632	35.0	---	63.8	1.6	7.3	5.9
MW4	09/13/04	17.29	6.23	11.06	No	444d	1,120	93.4	---	126	3.9	17.8	9.7
MW4	12/22/04	17.29	5.01	12.28	No	561d,f	1,600	31.2	---	105	3.9	24.8	13.3
MW4	03/24/05	17.29	3.64	13.65	No	756d	2,120	---	255	94.9	4.9	44.6	32.3
MW4	06/14/05	17.29	4.84	12.45	No	992d	1,760	---	20.3	105	5.2	25.2	15.1

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	09/12/05	17.29	7.41	9.88	No	351d	922	—	524	48.2	<0.50	1.63	1.70
MW4	12/13/05	17.29	6.18	11.11	No	728d	1,970	—	836h	144	4.63	15.9	8.64
MW4	03/13/06	17.29	4.71	12.58	No	590d	1,400	—	16	84	2.7	22	15
MW4	06/12/06	17.29	5.88	11.41	No	330d,f	840	—	11	83	3.0	9.8	11
MW4	09/08/06	17.29	6.48	10.81	No	320d	1,000	—	65	88	3.4	6.1	3.6
MW4	12/05/06	17.29	7.15	10.14	No	240d	680	—	78	43	<2.5	3.2	<2.5
MW4	03/12/07	17.29	4.62	12.67	No	390d	1,200	—	44	57	1.8	11	7.4
MW4	05/29/07	17.29	6.32	10.97	No	772d	531	—	8.65	51.6	2.39	6.59	4.63f
MW4	08/29/07	17.29	7.02	10.27	No	250d	470	—	6.8	40	<2.5	4.2	3.0
MW4	11/29/07	17.29	6.61	10.68	No	320d	680	—	5.1	46	<2.5	6.8	4.2
MW4	02/27/08	17.29	4.87	12.42	No	440d	1,000	—	3.4	56	<2.5	18	5.7
MW4	05/28/08	17.29	6.00	11.29	No	714d	627f	—	4.13f	61.6	<0.50	7.36	2.88
MW4	08/27/08	17.29	6.64	10.65	No	400	410	—	2.1	25	1.5	3.7	2.9
MW4	11/25/08	17.29	6.49	10.80	No	<50	970	—	<0.50	57	2.9	7.2	3.5
MW4	02/25/09	17.29	4.22	13.07	No	300	1,300	—	<2.5	50	4.4	23	11
MW4	05/27/09	17.29	5.40	11.89	No	<50	1,300	—	<2.5	53	2.9	11	7.6
MW4	09/08/09	17.29	6.67	10.62	No	330d	740	—	1.5	26	2.0	4.1	3.2
MW4	12/02/09	17.29	6.48	10.81	No	320d	820d	—	1.1	24	1.4	4.1	2.4
MW4	04/28/10	17.29	5.39	11.90	No	600d	1,100d	—	2.9	43	3.9	16	9.7
MW5	09/12/94	16.71	7.12	9.59	No	—	10,000a	—	—	2,300	17	320	230
MW5	10/01/94	16.71	7.06	9.65	Sheen	—	11,000a	—	—	2,300	19	220	200
MW5	01/13/95	16.71	4.85	11.86	Sheen	—	—	—	—	—	—	—	—
MW5	04/27/95	16.71	6.51	10.20	No	—	14,000	—	—	2,200	72	540	350
MW5	08/03/95	16.71	7.24	9.47	No	—	<10,000	39,000	—	2,100	<100	210	<100
MW5	10/17/95	16.71	7.80	8.91	No	—	13,000	38,000	—	1,800	14	240	170
MW5	01/24/96	16.71	6.66	10.05	No	—	10,000	20,000	—	2,400	79	340	190
MW5	04/24/96	16.71	5.80	10.91	No	—	13,000	33,000	—	3,700	120	520	170
MW5	07/26/96	16.71	7.67	9.04	No	—	15,000	140,000	—	3,400	53	280	76
MW5	10/30/96	16.71	7.77	8.94	No	—	10,000	110,000a	—	2,600	76	260	150
MW5	01/31/97	16.71	4.90	11.81	No	—	10,000	—	34,000	2,400	66	430	140
MW5	04/10/97	16.71	—	—	—	—	—	—	—	—	—	—	—
MW5	07/10/97	16.71	7.65	9.06	No	—	9,800	36,000	52,000	1,400	120	190	120
MW5	10/08/97	16.71	—	—	—	—	—	—	—	—	—	—	—
MW5	01/28/98	16.71	3.95	12.76	No	—	6,500	—	15,000	1,500	34	73	57
MW5	04/14/98	16.71	4.30	12.41	—	—	—	—	—	—	—	—	—
MW5	07/30/98	16.71	5.86	10.85	No	—	8,300	4,300	—	1,700	26	110	66
MW5	10/19/98	16.71	6.20	10.51	No	—	—	—	—	—	—	—	—
MW5	01/13/99	16.71	6.37	10.34	No	—	4,780	3,650	—	1,240	11.1	<10	<10
MW5	04/28/99	16.71	5.25	11.46	—	—	—	—	—	—	—	—	—
MW5	07/09/99	16.71	6.08	10.63	No	—	4,360	2,360	—	1,780	18.6	45	<5.0

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW5	10/25/99	16.71	6.46	10.25	No	---	---	---	---	---	---	---	---
MW5	01/21/00	16.71	5.79	10.92	No	---	2,600	3,100	---	720	4.7	25	11.3
MW5	04/14/00	16.71	4.57	12.14	No	---	---	---	---	---	---	---	---
MW5	06/16/00	16.71	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW5	07/05/00	16.71	5.37	11.34	No	---	5,100	380	---	1,800	14	52	34
MW5	10/03/00	16.71	5.93	10.78	No	---	5,800	630	---	2,000	8.9	59	21
MW5	01/02/01	16.71	5.68	11.03	No	---	4,800	1,100	---	1,600	9.6	38	15
MW5	04/02/01	16.71	4.87	11.84	No	---	6,800	1,500	---	2,000	40	150	49
MW5	07/02/01	16.71	5.77	10.94	No	---	4,100	960	---	1,600	20	35	21
MW5	10/15/01	16.71	6.15	10.56	No	---	3,900	1,000	---	1,400	8.7	17	15.7
MW5	Nov-01	16.64	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---
MW5	02/04/02	16.64	4.69	11.95	No	976	4,380	620	---	1,440	38.0	84.0	50.0
MW5	05/06/02	16.64	5.00	11.64	No	1,360	3,810	764	1,220	1,110	20.0	26.0	26.0
MW5	08/22/02	16.64	6.98	9.66	No	695	3,190	545	---	823	9.0	11.0	31.0
MW5	11/08/02	16.64	5.31	11.33	No	645	3,360	746	---	1,050	9.4	11.1	17.8
MW5	02/07/03	16.64	5.75	10.89	No	689	3,550	400	---	1,100	25.0	65.0	29.0
MW5	05/02/03	16.64	5.34	11.30	No	934	4,070	439	---	818	16.9	31.9	28.6
MW5	08/14/03	16.64	6.37	10.27	No	988d	3,860	286	---	912	15.6	16.2	24.0
MW5	11/14/03	16.64	6.01	10.63	No	1,000d	3,450	198	---	841	15.0	14.8	17.4
MW5	03/01/04	16.64	4.04	12.60	No	711d	3,160	---	52.7	767	21.5	32.5	26.5
MW5	06/15/04	16.64	5.47	11.17	No	600d	4,520	52.0	---	930	14.5	17.5	24.5
MW5	09/13/04	16.64	5.99	10.65	No	686d	3,960	70.0	---	998	12.0	14.0	20.0
MW5	12/22/04	16.64	5.08	11.56	No	1,200d,f	3,110	52.6	---	1,000	58.5	91.9	90.3
MW5	03/24/05	16.64	3.85	12.79	No	1,240d	3,370	---	30.7	962	24.3	80.5	80.0
MW5	06/14/05	16.64	4.92	11.72	No	1,640d	4,210	---	28.1	976	25.0	51.0	64.0
MW5	09/12/05	16.64	7.86	8.78	No	780d	1,130	---	23.4	481	6.44	4.94	10.1
MW5	12/13/05	16.64	6.22	10.42	No	1,090d	2,210	---	18.7	698	8.07	9.59	8.15
MW5	03/13/06	16.64	5.52	11.12	No	770d	3,000	---	10	510	17	63	37
MW5	06/12/06	16.64	6.42	10.22	No	490d,f	2,200	---	6.8	290	14	22	40
MW5	09/08/06	16.64	6.07	10.57	No	600d	2,300	---	7.9	360	<10	<10	<10
MW5	12/05/06	16.64	7.71	8.93	No	710d	1,900	---	7.1	300	6.3	<5.0	5.7
MW5	03/12/07	16.64	4.95	11.69	No	630d	2,300	---	5.5	310	23	32	37
MW5	05/29/07	16.64	6.51	10.13	No	1,710d	2,880	---	5.24	438	18.3	19.3	45.6f
MW5	08/29/07	16.64	7.03	9.61	No	590d	2,000	---	6.3	220	<5.0	<5.0	9.0
MW5	11/29/07	16.64	6.67	9.97	No	480d	1,400	---	4.8	150	7.2	<5.0	6.9
MW5	02/27/08	16.64	5.22	11.42	No	830d	2,600	---	2.8	260	22	79	65
MW5	05/28/08	16.64	6.10	10.54	No	1,630d	2,040f	---	4.17f	249	10.7	16.8	29.0
MW5	08/27/08	16.64	6.32	10.32	No	1,100	2,300	---	<5.0	170	5.1	5.5	9.4
MW5	11/25/08	16.64	6.36	10.28	No	1,000	2,700	---	<5.0	220	8.7	10	12
MW5	02/25/09	16.64	4.25	12.39	No	950	3,100	---	<5.0	290	22	68	50
MW5	05/27/09	16.64	5.26	11.38	No	1,600	3,100	---	<5.0	47	2.5	7.7	8.3
MW5	09/08/09	16.64	6.65	9.99	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	09/09/09	16.64	---	---	---	720d	2,300	---	<2.5	100	<0.50	6.2	14
MW5	12/02/09	16.64	6.75	9.89	No	910d	2,400d	---	<2.0	110	4.5	11	11
MW5	04/28/10	16.64	6.20	10.44	No	1,600d	3,700d	---	1.2	160	30	120	110
MW6	09/12/94	17.56	6.88	10.68	No	---	1,500a	---	---	150	4.4	170	85
MW6	10/01/94	17.56	7.15	10.41	No	---	87a	---	---	120	<0.5	99	38
MW6	01/13/95	17.56	4.80	12.76	No	---	9,900a	---	---	710	220	780	1,100
MW6	04/27/95	17.56	6.14	11.42	No	---	3,900	---	---	340	40	460	320
MW6	08/03/95	17.56	6.83	10.73	No	---	1,100	65	---	89	<2.5	110	63
MW6	10/17/95	17.56	7.66	9.90	No	---	8,500	<5.0	---	410	74	850	110
MW6	01/24/96	17.56	5.86	11.70	No	---	31,000	<5.0	---	560	1,500	2,200	7,500
MW6	04/24/96	17.56	5.39	12.17	No	---	15,000	280	---	460	570	1,400	3,300
MW6	07/26/96	17.56	6.97	10.59	No	---	27,000	1,300	---	270	660	1,600	5,500
MW6	10/30/96	17.56	7.45	10.11	No	---	28,000	900	---	490	440	1,800	6,200
MW6	01/31/97	17.56	4.30	13.26	No	---	7,000	770	---	190	1,000	380	1,400
MW6	04/10/97	17.56	---	---	---	---	---	---	---	---	---	---	---
MW6	07/10/97	17.56	7.57	9.99	No	---	6,800	1,100	---	200	<50	300	860
MW6	10/08/97	17.56	7.48	10.08	No	---	51,000	580	---	870	7,300	2,600	12,000
MW6	01/28/98	17.56	3.74	13.82	No	---	15,000	---	2,400	650	2,300	900	2,700
MW6	04/14/98	17.56	3.92	13.64	No	---	25,000	---	2,100	850	3,300	1,200	4,300
MW6	07/30/98	17.56	6.09	11.47	No	---	5,900	910	---	270	65	500	630
MW6	10/19/98	17.56	6.56	11.00	No	---	---	---	---	---	---	---	---
MW6	01/13/99	17.56	6.35	11.21	No	---	3,150	422	---	204	107	297	304
MW6	04/28/99	17.56	4.89	12.67	No	---	15,300	---	436	1,270	980	1,100	3,320
MW6	07/09/99	17.56	6.07	11.49	No	---	1,140	439	---	121	9.95	160	4.69
MW6	10/25/99	17.56	6.11	11.45	No	---	2,200	3,400	---	590	<10	22	12.1
MW6	01/21/00	17.56	5.86	11.70	No	---	1,300	1,000	---	95	15	94	74
MW6	04/14/00	17.56	4.29	13.27	No	---	13,000	420	---	440	630	840	3,000
MW6	06/16/00	17.56	Property transferred to Valero Refining Company.					---	---	---	---	---	---
MW6	07/05/00	17.56	5.39	12.17	No	---	5,800	830	---	1,000	13	550	798
MW6	10/03/00	17.56	6.14	11.42	No	---	490	3,800	---	61	<0.5	74	12
MW6	01/02/01	17.56	---	---	---	---	---	---	---	---	---	---	---
MW6	04/02/01	17.56	4.70	12.86	No	400	16,000	450	---	370	690	870	3,200
MW6	07/02/01	17.56	8.73	8.83	No	520	3,700	2,000	---	330	<5	160	32
MW6	10/15/01	17.56	6.24	11.32	No	1,100d	27,000	790	---	<12	<12	<12	<12
MW6	Nov-01	17.31	Well surveyed in compliance with AB 2886 requirements.					---	---	---	---	---	---
MW6	02/04/02	17.31	4.24	13.07	No	168	14,800	545	---	425	120	1,480	4,030
MW6	05/06/02	17.31	4.83	12.48	No	1,540	8,580	380	522.0	988	24.0	866	1,080
MW6	08/22/02	17.31	6.49	10.82	No	10,400	4,050	716	---	44.5	11.5	460	270
MW6	11/08/02	17.31	5.49	11.82	No	822	5,640	1,150	---	49.3	42.7	586	858
MW6	02/07/03	17.31	4.89	12.42	No	1,590	14,300	572	---	134	393	1,000	3,720

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6	05/02/03	17.31	4.68	12.63	No	1,550	8,880	1,560	---	92.0	167	672	1,530
MW6	08/14/03	17.31	6.15	11.16	No	666d	6,560	3,780	---	28.2	5.3	133	184
MW6	11/14/03	17.31	6.03	11.28	No	338d	5,370	4,520	---	26.4	3.1	44.9	45.0
MW6	03/01/04	17.31	3.60	13.71	No	1,630d	9,020	---	134	223	265	546	1,700
MW6	06/15/04	17.31	5.41	11.90	No	521d	6,920	3,470	---	300	10.0	97.0	173
MW6	09/13/04	17.31	6.06	11.25	No	122d	1,010	733	---	23	<5.0	11.0	<5.0
MW6	12/22/04	17.31	4.98	12.33	No	884d,f	4,050	75.4	---	101	169	208	980
MW6	03/24/05	17.31	3.59	13.72	No	1,310d	7,650	---	129	460	46.0	365	1,240
MW6	06/14/05	17.31	4.67	12.64	No	895d	1,940	---	153	195	7.6	26.3	18.3
MW6	09/12/05	17.31	7.12	10.19	No	182d	560	---	286	10.2	<0.50	<0.50	<0.50
MW6	12/13/05	17.31	5.98	11.33	No	212d	397	---	88.1	12.6	2.64	3.31	4.58
MW6	03/13/06	17.31	4.28	13.03	No	850d	4,300	---	110	440	40	130	900
MW6	06/12/06	17.31	5.40	11.91	No	350d,f	1,600	---	<5.0	120	<10	<10	31
MW6	09/08/06	17.31	6.34	10.97	No	66d	290	---	16	4.0	<0.50	<0.50	<0.50
MW6	12/05/06	17.31	6.74	10.57	No	75d	260	---	23	3.5	<0.50	<0.50	1.8
MW6	03/12/07	17.31	4.71	12.60	No	170d	890	---	11	12	2.8	12	88
MW6	05/29/07	17.31	5.96	11.35	No	169d	318	---	7.08	7.77	1.03	<0.50	0.98f
MW6	08/29/07	17.31	6.80	10.51	No	60d	170	---	<2.5	3.1	<0.50	<0.50	<0.50
MW6	11/29/07	17.31	6.46	10.85	No	<47	180	---	<2.5	<0.50	<0.50	<0.50	<0.50
MW6	02/27/08	17.31	4.44	12.87	No	1,200d	14,000	---	30	82	250	1,200	4,500
MW6	05/28/08	17.31	5.75	11.56	No	3,610d	19,800	---	6.45f	33.4	30.2	1,080	3,270f
MW6	08/27/08	17.31	6.50	10.81	No	2,600	7,600	---	<50	33	16	710	1,800
MW6	11/25/08	17.31	6.27	11.04	No	2,100	8,100	---	<50	74	100	2,100	2,600
MW6	02/25/09	17.31	4.09	13.22	No	1,900	7,700	---	<50	75	250	1,200	1,700
MW6	05/27/09	17.31	5.26	12.05	No	88	5,100	---	<10	4.2	1.6	43	72
MW6	09/08/09	17.31	6.42	10.89	No	---	---	---	---	---	---	---	---
MW6	09/09/09	17.31	---	---	---	2,000d	4,200	---	<10	29	9.8	330	80
MW6	12/02/09	17.31	6.14	11.17	No	1,800d	4,800d	---	<5.0	25	34	240	18
MW6	04/28/10	17.31	4.90	12.41	No	660d	1,300d	---	<1.0	17	3.2	29	18
MW7	09/12/94	17.12	6.43	10.69	No	---	6,000a	---	---	490	50	280	70
MW7	10/01/94	17.12	6.71	10.41	No	---	8,900a	---	---	940	670	310	160
MW7	01/13/95	17.12	4.29	12.83	No	---	20,000a	---	---	590	780	970	4,200
MW7	04/27/95	17.12	5.00	12.12	No	---	8,800	---	---	410	32	410	230
MW7	08/03/95	17.12	6.53	10.59	No	---	4,900	17,000	---	390	<50	290	<50
MW7	10/17/95	17.12	7.23	9.89	No	---	6,700	17,000	---	530	26	240	25
MW7	01/24/96	17.12	5.26	11.86	No	---	9,300	60,000	---	2,000	390	350	230
MW7	04/24/96	17.12	5.06	12.06	No	---	9,000	360,000	---	2,400	850	150	130
MW7	07/26/96	17.12	6.62	10.50	No	---	4,800	86,000	---	530	25	60	46
MW7	10/30/96	17.12	7.09	10.03	No	---	3,400	28,000	---	180	9.8	58	38
MW7	01/31/97	17.12	3.65	13.47	No	---	3,800	45,000	---	300	18	48	37

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g/L}$)	TPHg ($\mu\text{g/L}$)	MTBE 8021B ($\mu\text{g/L}$)	MTBE 8260B ($\mu\text{g/L}$)	B ($\mu\text{g/L}$)	T ($\mu\text{g/L}$)	E ($\mu\text{g/L}$)	X ($\mu\text{g/L}$)
MW7	04/10/97	17.12	---	---	---	---	---	---	---	---	---	---	---
MW7	07/10/97	17.12	7.44	9.68	No	---	3,500	18,000	---	70	<25	<25	<25
MW7	10/08/97	17.12	---	---	---	---	---	---	---	---	---	---	---
MW7	01/28/98	17.12	3.06	14.06	No	---	100	---	250	1.0	<0.5	<0.5	0.67
MW7	04/14/98	17.12	3.10	14.02	---	---	---	---	---	---	---	---	---
MW7	07/30/98	17.12	5.78	11.34	No	---	100	670	---	1.4	<0.5	<0.5	<0.5
MW7	10/19/98	17.12	6.25	10.87	No	---	---	---	---	---	---	---	---
MW7	01/13/99	17.12	5.98	11.14	No	---	273	530	---	<2.5	<2.5	<2.5	<2.5
MW7	04/28/99	17.12	4.32	12.80	---	---	---	---	---	---	---	---	---
MW7	07/09/99	17.12	5.67	11.45	No	---	139	860	---	3.79	7.10	1.19	8.65
MW7	10/25/99	17.12	6.23	10.89	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW7	01/21/00	17.12	5.41	11.71	No	---	410	500	---	10	2.5	<1.0	2.5
MW7	04/14/00	17.12	3.84	13.28	No	---	---	---	---	---	---	---	---
MW7	06/16/00	17.12	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW7	07/05/00	17.12	5.05	12.07	No	---	140	480	---	<0.5	<0.5	<0.5	0.56
MW7	10/03/00	17.12	5.88	11.24	No	---	370	1,900	---	<0.5	0.62	<0.5	3.20
MW7	01/02/01	17.12	5.52	11.60	No	---	120	1,500	---	2.2	<0.5	<0.5	<0.5
MW7	04/02/01	17.12	4.26	12.86	No	---	120	1,500	---	0.91	<0.5	<0.5	<0.5
MW7	07/02/01	17.12	5.42	11.70	No	---	110	740	---	4.1	<0.5	0.75	0.84
MW7	10/15/01	17.12	7.50	9.62	No	---	170	740	---	<0.5	<0.5	<0.5	0.69
MW7	Nov-01	17.06	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---
MW7	02/04/02	17.06	3.81	13.25	No	88.0	928	610	---	<0.50	<0.50	<0.50	<0.50
MW7	05/06/02	17.06	4.51	12.55	No	72	591	565	712.0	2.4	<0.5	2.5	4.1
MW7	08/22/02	17.06	6.25	10.81	No	<50	586	482	---	2.5	<2.5	<2.5	3.0
MW7	11/08/02	17.06	5.03	12.03	No	<50	463	319	---	1.7	<0.5	<0.5	0.6
MW7	02/07/03	17.06	4.57	12.49	No	<50	344	440	---	0.9	0.9	0.8	3.5
MW7	05/02/03	17.06	4.39	12.67	No	<50	323	307	---	0.80	<0.5	<0.5	<0.5
MW7	08/14/03	17.06	5.96	11.10	No	<50	197	45.5	---	2.00	<0.5	<0.5	1.0
MW7	11/14/03	17.06	6.04	11.02	No	<50	146	48.0	---	1.50	<0.5	0.6	1.7
MW7	03/01/04	17.06	2.91	14.15	No	138d	<50.0	---	8.10	<0.50	<0.5	<0.5	<0.5
MW7	06/10/04	17.06	5.18	11.88	No	293d	9,830	26.0	---	501	2,280	205	1,920
MW7	09/13/04	17.06	5.85	11.21	No	292d	1,350	82.5	---	64.5	<2.5	6.5	225
MW7	12/22/04	17.06	4.51	12.55	No	173d,f	<50.0	12.2	---	0.50	<0.5	0.8	<0.5
MW7	03/24/05	17.06	2.92	14.14	No	124d	<50.0	---	2.10	<0.50	<0.5	<0.5	<0.5
MW7	06/14/05	17.06	4.31	12.75	No	89d	<50.0	---	4.50	<0.50	<0.5	<0.5	<0.5
MW7	09/12/05	17.06	6.92	10.14	No	68.0d	<50.0	---	10.8	<0.50	<0.50	<0.50	<0.50
MW7	12/13/05	17.06	5.71	11.35	No	249d	<50.0	---	5.93	<0.50	<0.50	<0.50	<0.50
MW7	03/13/06	17.06	3.66	13.40	No	<47	<50	---	3.0	<0.50	<0.50	<0.50	<0.50
MW7	06/12/06	17.06	5.22	11.84	No	<47	<50	---	2.3	<0.50	<0.50	<0.50	<0.50
MW7	09/08/06	17.06	6.27	10.79	No	<47	<50	---	6.1	<0.50	<0.50	<0.50	<0.50
MW7	12/05/06	17.06	6.61	10.45	No	<47	<50	---	4.1	<0.50	<0.50	<0.50	<0.50
MW7	03/12/07	17.06	4.41	12.65	No	<47	<50	---	5.2	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW7	05/29/07	17.06	5.72	11.34	No	178d	<50.0	---	1.84	<0.50	<0.50	<0.50	<0.50
MW7	08/29/07	17.06	6.64	10.42	No	<47	<50	---	3.8	<0.50	<0.50	<0.50	<0.50
MW7	11/29/07	17.06	6.26	10.80	No	<47	<50	---	3.3	<0.50	<0.50	<0.50	<0.50
MW7	02/27/08	17.06	4.11	12.95	No	<47	57	---	3.7	2.1	1.0	5.4	19
MW7	05/28/08	17.06	5.53	11.53	No	111d	<50.0	---	1.83f	<0.50	<0.50	<0.50	<0.50
MW7	08/27/08	17.06	6.25	10.81	No	<50	<50	---	1.6	<0.50	<0.50	<0.50	<1.0
MW7	11/25/08	17.06	6.02	11.04	No	<50	<50	---	2.1	<0.50	<0.50	<0.50	<1.0
MW7	02/25/09	17.06	3.50	13.56	No	<50	<50	---	0.97	<0.50	<0.50	<0.50	<1.0
MW7	05/27/09	17.06	5.01	12.05	No	<50	<50	---	1.8	<0.50	<0.50	<0.50	<1.0
MW7	09/08/09	17.06	6.29	10.77	No	<50	<50	---	1.2	<0.50	<0.50	<0.50	<1.0
MW7	12/02/09	17.06	5.84	11.22	No	<50	<50	---	1.7	<0.50	<0.50	<0.50	<1.0
MW7	04/28/10	17.06	4.66	12.40	No	<50	<50	---	0.88	<0.50	<0.50	<0.50	<1.0
MW8	09/12/94	16.33	6.42	9.91	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	10/01/94	16.33	6.62	9.71	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/95	16.33	5.25	11.08	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW8	04/27/95	16.33	6.00	10.33	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW8	08/03/95	16.33	6.28	10.05	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	10/17/95	16.33	6.93	9.40	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/24/96	16.33	5.71	10.62	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/24/96	16.33	5.52	10.81	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	07/26/96	16.33	6.27	10.06	No	---	<50	230	---	<0.5	<0.5	<0.5	<0.5
MW8	10/30/96	16.33	6.69	9.64	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/31/97	16.33	5.18	11.15	No	---	---	---	---	---	---	---	---
MW8	04/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	10/08/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	01/28/98	16.33	5.11	11.22	No	---	---	---	---	---	---	---	---
MW8	04/14/98	16.33	5.02	11.31	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	07/30/98	16.33	5.84	10.49	No	---	<50	6.6	---	<0.5	<0.5	<0.5	<0.5
MW8	10/19/98	16.33	6.07	10.26	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/99	16.33	5.59	10.74	No	---	<50	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/28/99	16.33	5.38	10.95	No	---	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	07/09/99	16.33	5.71	10.62	No	---	<50	3.01	---	<0.5	<0.5	<0.5	<0.5
MW8	10/25/99	16.33	6.15	10.18	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW8	01/21/00	16.33	6.51	9.82	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW8	04/14/00	16.33	5.54	10.79	Brown	---	<50	<1	---	<1	<1	<1	<1
MW8	06/16/00	16.33	Property transferred to Valero Refining Company.				---	---	---	---	---	---	---
MW8	07/05/00	16.33	5.67	10.66	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	10/03/00	16.33	6.02	10.31	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	01/02/01	16.33	5.95	10.38	No	140c	<50	<2	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g/L}$)	TPHg ($\mu\text{g/L}$)	MTBE 8021B ($\mu\text{g/L}$)	MTBE 8260B ($\mu\text{g/L}$)	B ($\mu\text{g/L}$)	T ($\mu\text{g/L}$)	E ($\mu\text{g/L}$)	X ($\mu\text{g/L}$)
MW8	04/02/01	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/02/01	16.33	5.76	10.57	No	<50	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	10/15/01	16.33	6.19	10.14	No	<50	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	Nov-01	16.24	Well surveyed in compliance with AB 2886 requirements.										
MW8	02/04/02	16.24	Well inaccessible.										
MW8	05/06/02	16.24	5.31	10.93	No	<50	<50.0	0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW8	08/22/02	16.24	6.07	10.17	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	11/08/02	16.24	5.91	10.33	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	02/07/03	16.24	5.34	10.90	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	05/02/03	16.24	5.27	10.97	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW8	08/14/03	16.24	5.60	10.64	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW8	11/14/03	16.24	6.01	10.23	No	55d	<50.0	<0.5	---	<0.50	<0.5	0.7	1.7
MW8	03/01/04	16.24	5.16	11.08	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	06/15/04	16.24	5.36	10.88	No	<50	<50.0	<0.50	---	<0.50	<0.50	<0.5	<0.5
MW8	09/13/04	16.24	5.81	10.43	No	<50	<50.0	0.9	---	<0.50	<0.5	<0.5	0.7
MW8	12/22/04	16.24	5.42	10.82	No	<50	<50.0	<0.50	---	0.50	<0.5	0.5	<0.5
MW8	03/24/05	16.24	5.03	11.21	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	06/14/05	16.24	5.09	11.15	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	09/12/05	16.24	6.24	10.00	No	69.5d	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	12/13/05	16.24	5.69	10.55	No	<50.0	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	03/13/06	16.24	5.28	10.96	No	<47	<50	---	<0.50	0.69	<0.50	<0.50	<0.50
MW8	06/12/06	16.24	4.58	11.66	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	09/08/06	16.24	4.58	11.66	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	12/05/06	16.24	6.02	10.22	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	03/12/07	16.24	5.31	10.93	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	05/29/07	16.24	5.71	10.53	No	<47.6	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	08/29/07	16.24	6.16	10.08	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	11/29/07	16.24	6.08	10.16	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	02/27/08	16.24	5.25	10.99	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	05/28/08	16.24	5.83	10.41	No	<47.2	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	08/27/08	16.24	6.14	10.10	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	11/25/08	16.24	6.07	10.17	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	02/25/09	16.24	5.26	10.98	No	<50	<50	---	<0.50	0.53e	0.77	<0.50	<1.0
MW8	05/27/09	16.24	5.12	11.12	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	09/08/09	16.24	6.10	10.14	No	---	---	---	---	---	---	---	---
MW8	09/09/09	16.24	---	---	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	12/02/09	16.24	5.79	10.45	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<1.0
MW8	04/28/10	16.24	4.33	11.91	No	Well inaccessible.							
MW9	09/12/94	15.62	6.84	8.78	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	10/01/94	15.62	6.97	8.65	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW9	01/13/95	15.62	6.18	9.44	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	04/27/95	15.62	6.58	9.04	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	08/03/95	15.62	6.72	8.90	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	10/17/95	15.62	7.09	8.53	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	01/24/96	15.62	6.46	9.16	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	04/24/96	15.62	6.43	9.19	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	07/26/96	15.62	6.80	8.82	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	10/30/96	15.62	6.94	8.68	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	01/31/97	15.62	6.10	9.52	No	---	---	---	---	---	---	---	---
MW9	04/10/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	07/10/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	10/08/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	01/28/98	15.62	5.66	9.96	No	---	---	---	---	---	---	---	---
MW9	04/14/98	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	07/30/98	15.62	6.17	9.45	No	---	---	---	---	---	---	---	---
MW9	10/19/98	15.62	6.40	9.22	No	---	---	---	---	---	---	---	---
MW9	01/13/99	15.62	6.28	9.34	No	---	---	---	---	---	---	---	---
MW9	04/28/99	15.62	5.87	9.75	No	---	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW9	07/09/99	15.62	6.24	9.38	No	---	<50	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW9	10/25/99	15.62	6.67	8.95	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW9	01/21/00	15.62	6.93	8.69	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW9	04/14/00	15.62	6.05	9.57	Turbid	---	<50	<1	---	<1	<1	<1	<1
MW9	06/16/00	15.62	Property transferred to Valero Refining Company.										
MW9	07/05/00	15.62	6.34	9.28	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	10/03/00	15.62	6.52	9.10	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	01/02/01	15.62	6.53	9.09	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	04/02/01	15.62	6.21	9.41	No	---	<50	<2	---	<0.5	<0.5	0.57	0.73
MW9	07/02/01	15.62	6.40	9.22	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	10/15/01	15.62	6.65	8.97	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW9	Nov-01	15.56	Well surveyed in compliance with AB 2886 requirements.										
MW9	02/04/02	15.56	4.77	10.79	No	<50.0	<50.0	0.50	---	<0.50	<0.50	<0.50	<0.50
MW9	05/06/02	15.56	6.29	9.27	No	<50	<50.0	<0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW9	08/22/02	15.56	6.70	8.86	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	11/08/02	15.56	6.55	9.01	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	02/07/03	15.56	6.35	9.21	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW9	05/02/03	15.56	6.16	9.40	No	91	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	08/14/03	15.56	6.54	9.02	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	11/14/03	15.56	6.60	8.96	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW9	03/01/04	15.56	5.89	9.67	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/15/04	15.56	6.43	9.13	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW9	09/13/04	15.56	6.58	8.98	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW9	12/22/04	15.56	6.28	9.28	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW9	03/24/05	15.56	5.61	9.95	No	<50	<50.0	—	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/14/05	15.56	6.06	9.50	No	<50	<50.0	—	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	09/12/05	15.56	6.65	8.91	No	<50.0	<50.0	—	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	12/13/05	15.56	6.32	9.24	No	<50.0	<50.0	—	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	03/13/06	15.56	5.90	9.66	No	<47	<50	—	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	06/12/06	15.56	5.96	9.60	No	<47	<50	—	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	09/08/06	15.56	6.43	9.13	No	<47	<50	—	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	12/05/06	15.56	6.45	9.11	No	<47	<50	—	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	03/12/07	15.56	5.98	9.58	No	<47	<50	—	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	05/29/07	15.56	6.32	9.24	No	<47.6	<50.0	—	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	08/29/07	15.56	6.51	9.05	No	<47	<50	—	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	11/29/07	15.56	6.49	9.07	No	<47	<50	—	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	02/27/08	15.56	5.90	9.66	No	<47	<50	—	<0.50	<0.50	<0.50	0.56	2.2
MW9	05/28/08	15.56	6.40	9.16	No	63.5d	<50.0	—	0.800f	<0.50	<0.50	<0.50	<0.50
MW9	08/27/08	15.56	6.57	8.99	No	<50	<50	—	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	11/25/08	15.56	6.57	8.99	No	<50	<50	—	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	02/25/09	15.56	5.69	9.87	No	<50	<50	—	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	05/27/09	15.56	6.21	9.35	No	<50	<50	—	0.67	<0.50	<0.50	<0.50	<1.0
MW9	09/08/09	15.56	6.58	8.98	No	—	—	—	—	—	—	—	—
MW9	09/09/09	15.56	—	—	No	<50	<50	—	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	12/02/09	15.56	6.42	9.14	No	<50	<50	—	<0.50	<0.50	<0.50	<0.50	<1.0
MW9	04/28/10	15.56	5.82	9.74	No	<50	<50	—	<0.50	<0.50	<0.50	<0.50	<1.0
MW10	09/12/94	16.79	7.04	9.75	No	—	71a	—	—	<0.5	<0.5	1.6	<0.5
MW10	10/01/94	16.79	7.30	9.49	No	—	330a	—	—	1.1	<0.5	2.8	0.73
MW10	01/13/95	16.79	6.04	10.75	No	—	90a	—	—	<0.5	<0.5	<0.5	<0.5
MW10	04/27/95	16.79	6.66	10.13	No	—	140	—	—	<0.5	<0.5	5.4	1.3
MW10	08/03/95	16.79	7.23	9.56	No	—	150	<2.5	—	<0.5	<0.5	<0.5	<0.5
MW10	10/17/95	16.79	7.93	8.86	No	—	<50	95	—	<0.5	<0.5	<0.5	<0.5
MW10	01/24/96	16.79	6.43	10.36	No	—	760	24	—	1.6	0.52	62	28
MW10	04/24/96	16.79	6.42	10.37	No	—	110	6.8	—	<0.5	<0.5	7.1	<0.5
MW10	07/26/96	16.79	7.47	9.32	No	—	140	<5.0	—	<0.5	<0.5	12	0.86
MW10	10/30/96	16.79	7.88	8.91	No	—	<50	5.6	—	<0.5	<0.5	<0.5	<0.5
MW10	01/31/97	16.79	5.88	10.91	No	—	<50	10	—	<0.5	<0.5	<0.5	<0.5
MW10	04/10/97	16.79	—	—	No	—	—	—	—	—	—	—	—
MW10	07/10/97	16.79	7.32	9.47	No	—	<50	<2.5	—	<0.5	<0.5	<0.5	<0.5
MW10	10/08/97	16.79	—	—	No	—	—	—	—	—	—	—	—
MW10	12/12/97	Well destroyed.											
MW11	10/17/95	18.04	7.72	10.32	No	—	34,000	890	—	3,800	150	950	4,500
MW11	01/24/96	18.04	5.97	12.07	No	—	44,000	<500	—	3,800	1,200	2,100	9,800

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
MW11	04/24/96	18.04	5.84	12.20	No	---	34,000	720	---	2,900	1,400	1,700	8,300
MW11	07/26/96	18.04	6.98	11.06	No	---	39,000	800	---	4,600	4,200	950	9,500
MW11	10/30/96	18.04	7.54	10.50	No	---	53,000	990	---	4,200	3,600	2,100	9,600
MW11	01/31/97	18.04	5.00	13.04	No	---	23,000	---	310	170	2,500	940	4,300
MW11	04/10/97	18.04	---	---	No	---	29,000	200	---	1,200	440	970	6,400
MW11	07/10/97	18.04	7.30	10.74	No	---	42,000	690	---	1,700	870	1,900	12,000
MW11	10/08/97	18.04	7.62	10.42	No	---	42,000	1,100	---	1,700	2,500	1,400	9,900
MW11	01/28/98	18.04	4.77	13.27	No	---	35,000	---	6,800	2,400	3,500	1,700	7,900
MW11	04/14/98	18.04	4.68	13.36	No	---	15,000	---	1,200	1,700	250	500	2,000
MW11	07/30/98	18.04	6.33	11.71	No	---	24,000	1,700	---	1,600	560	1,000	4,300
MW11	10/19/98	18.04	6.65	11.39	No	---	29,000	1,700	---	1,200	2,500	920	4,900
MW11	01/13/99	18.04	6.42	11.62	No	---	50,900	1,920	---	2,210	6,440	2,030	10,600
MW11	04/28/99	18.04	5.30	12.74	No	---	59,400	---	2,390	3,790	4,260	1,790	2,970
MW11	07/09/99	18.04	6.22	11.82	No	---	51,500	4,630	---	5,890	5,340	2,370	12,700
MW11	10/25/99	18.04	6.77	11.27	No	---	51,000	1,700	---	3,900	5,800	2,300	12,300
MW11	01/21/00	18.04	6.47	11.57	No	---	56,000	1,100	---	2,300	4,600	2,100	11,600
MW11	04/14/00	18.04	5.09	12.95	No	---	42,000	2,100	---	3,000	2,600	1,600	8,000
MW11	06/16/00	18.04	Property transferred to Valero Refining Company.										
MW11	07/05/00	18.04	5.93	12.11	No	---	32,000	3,900	---	3,000	2,700	1,300	6,200
MW11	10/03/00	18.04	6.57	11.47	No	---	46,000	4,300	---	2,900	3,600	1,600	7,900
MW11	01/02/01	18.04	6.46	11.58	No	1,600c	44,000	4,200	---	3,900	3,600	1,300	6,500
MW11	04/02/01	18.04	5.44	12.60	No	2,000	39,000	3,100	---	2,600	3,600	1,500	7,500
MW11	07/02/01	18.04	9.10	8.94	No	2,300	45,000	3,000	---	2,000	2,000	1,400	7,200
MW11	10/15/01	18.04	8.10	9.94	No	1,400d	55,000	2,600	---	5,100	5,700	1,900	9,100
MW11	Nov-01	17.98	Well surveyed in compliance with AB 2886 requirements.										
MW11	02/04/02	17.98	5.14	12.84	No	2,430	37,800	1,910	---	3,340	3,550	1,450	6,480
MW11	05/06/02	17.98	5.51	12.47	No	3,000	27,200	1,350	1,984	1,420	1,580	1,110	4,960
MW11	08/22/02	17.98	6.63	11.35	No	5,660	28,100	2,240	---	2,020	1,520	1,120	5,360
MW11	11/08/02	17.98	5.34	12.64	No	3,680	26,000	246	---	1,170	2,130	1,020	5,390
MW11	02/07/03	17.98	5.42	12.56	No	4,360	50,000	1,400	---	3,660	4,500	1,920	8,600
MW11	05/02/03	17.98	5.17	12.81	No	2,330	41,200	1,080	---	1,980	1,860	1,450	7,100
MW11	08/14/03	17.98	6.42	11.56	No	5,480d	46,700	1,140	---	3,360	2,150	1,870	7,640
MW11	11/14/03	17.98	6.39	11.59	No	3,530d	45,800	240	---	2,070	3,300	2,010	8,680
MW11	03/01/04	17.98	4.58	13.40	No	2,030d	5,540	---	61.7	246	350	205	904
MW11	06/15/04	17.98	5.83	12.15	No	2,090d	48,100	580	---	2,040	2,160	2,430	10,100
MW11	09/13/04	17.98	6.41	11.57	No	3,220d	40,300	250	---	2,210	1,290	1,930	8,350
MW11	12/22/04	17.98	5.49	12.49	No	1,770d,f	20,800	105	---	1,060	1,540	750	3,220
MW11	03/24/05	17.98	4.22	13.76	No	643d	4,030	---	800	64.0	52.1	114	532
MW11	06/14/05	17.98	5.42	12.56	No	3,830d	36,900	---	351	1,330	2,760	1,520	6,870
MW11	09/12/05	17.98	7.18	10.80	No	4,020d	16,600	---	245	1,050	795	1,090	4,190
MW11	12/13/05	17.98	6.52	11.46	No	2,670d	28,700	---	97.0	942	527	1,320	6,070
MW11	03/13/06	17.98	4.95	13.03	No	1,100d	5,000	---	<0.50	17	<10	130	730

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW11	06/12/06	17.98	5.77	12.21	No	1,300d,f	28,000	---	21	920	1,500	1,400	5,100
MW11	09/08/06	17.98	6.70	11.28	No	2,300d	21,000	---	25	990	790	1,000	3,700
MW11	12/05/06	17.98	6.93	11.05	No	2,900d	21,000	---	37	700	510	1,000	4,500
MW11	03/12/07	17.98	5.40	12.58	No	1,200d	13,000	---	28	420	280	580	2,700
MW11	05/29/07	17.98	6.40	11.58	No	2,850d	26,400	---	51.8	844	724	1,520	3,940f
MW11	08/29/07	17.98	7.11	10.87	No	2,200d	16,000	---	56	640	210	760	2,600
MW11	11/29/07	17.98	6.91	11.07	No	1,400d	16,000	---	28	550	160	750	2,600
MW11	02/27/08	17.98	5.16	12.82	No	1,300d	13,000	---	11	390	370	800	3,200
MW11	05/28/08	17.98	6.35	11.63	No	4,660d	31,900	---	29.8f	632	1,100	1,280	4,910f
MW11	08/27/08	17.98	7.06	10.92	No	1,200	13,000	---	<25	370	470	490	2,000
MW11	11/25/08	17.98	6.89	11.09	No	3,900	17,000	---	<25	580	470	990	3,700
MW11	02/25/09	17.98	4.87	13.11	No	200	1,500	---	<2.5	5.8	2.8	21	97
MW11	05/27/09	17.98	5.88	12.10	No	<50	18,000	---	<10	710	990	1,200	5,200
MW11	09/08/09	17.98	6.96	11.02	No	---	---	---	---	---	---	---	---
MW11	09/09/09	17.98	---	---	---	4,000d	16,000	---	<50	560	510	760	3,100
MW11	12/02/09	17.98	6.65	11.33	No	3,100d	15,000	---	<25	370	210	510	2,100
MW11	04/28/10	17.98	5.30	12.68	No	1,900d	6,600	---	<12	200	170	400	1,600
MW12	10/17/95	16.30	6.38	9.92	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/24/96	16.30	4.86	11.44	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/24/96	16.30	4.46	11.84	No	---	<50	<5.0	---	<0.5	0.68	<0.5	0.72
MW12	07/26/96	16.30	5.90	10.40	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	10/30/96	16.30	6.56	9.74	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/31/97	16.30	4.57	11.73	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	07/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	10/08/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	01/28/98	16.30	3.90	12.40	No	---	---	---	---	---	---	---	---
MW12	04/14/98	16.30	3.67	12.63	No	---	---	---	---	---	---	---	---
MW12	07/30/98	16.30	5.00	11.30	No	---	---	---	---	---	---	---	---
MW12	10/19/98	16.30	---	---	No	---	---	---	---	---	---	---	---
MW12	01/13/99	16.30	5.19	11.11	No	---	---	---	---	---	---	---	---
MW12	04/28/99	16.30	4.53	11.77	---	---	---	---	---	---	---	---	---
MW12	07/09/99 - 04/14/00	Not monitored or sampled.											
MW12	06/16/00	16.30	Property transferred to Valero Refining Company.										
MW12	07/05/00 - 04/02/01	Not monitored or sampled.											
MW12	07/02/01	16.30	8.34	7.96	No	---	---	---	---	---	---	---	---
MW12	10/15/01	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	Nov-01	16.15	Well surveyed in compliance with AB 2886 requirements.										
MW12	02/04/02 - Present	Not monitored or sampled.											

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW1	09/12/94	16.22	6.13	10.09	No	---	400a	---	---	40	<0.5	10	5.4
EW1	10/01/94	16.22	7.63	8.59	No	---	3,400a	---	---	<0.5	4.4	30	11
EW1	01/13/95	16.22	11.46	4.76	No	---	680a	---	---	40	<0.5	12	16
EW1	04/27/95	16.22	15.47	0.75	No	---	---	---	---	---	---	---	---
EW1	08/03/95	16.22	13.85	2.37	No	---	<125	590	---	2.7	<1.2	<1.2	<1.2
EW1	10/17/95	16.22	8.05	8.17	No	---	3,600	400	---	220	<0.5	160	36
EW1	01/24/96	16.22	11.07	5.15	No	---	64	260	---	4.3	<0.5	1.3	0.53
EW1	04/24/96	16.22	6.20	10.02	No	---	740	3,000	---	130	2.3	35	2.1
EW1	07/26/96	16.22	13.93	2.29	No	---	<50	960	---	<0.5	<0.5	<0.5	<0.5
EW1	10/30/96	16.22	13.74	2.48	No	---	<50	5,300	---	0.52	<0.5	<0.5	<0.5
EW1	01/31/97	16.22	8.40	7.82	No	---	---	---	---	---	---	---	---
EW1	04/10/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	07/10/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	10/08/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	01/28/98	16.22	3.35	12.87	No	---	---	---	---	---	---	---	---
EW1	04/14/98	16.22	3.52	12.70	No	---	---	---	---	---	---	---	---
EW1	07/30/98	16.22	5.48	10.74	No	---	---	---	---	---	---	---	---
EW1	10/19/98	16.22	5.77	10.45	No	---	---	---	---	---	---	---	---
EW1	01/13/99	16.22	5.49	10.73	No	---	---	---	---	---	---	---	---
EW1	04/28/99	16.22	4.31	11.91	No	---	---	---	---	---	---	---	---
EW1	07/09/99 - 04/14/00	Not monitored or sampled.											
EW1	06/16/00	16.22	Property transferred to Valero Refining Company.										
EW1	07/05/00 - 10/15/01	Not monitored or sampled.											
EW1	Nov-01	16.27	Well surveyed in compliance with AB 2886 requirements.										
EW1	02/04/02	16.27	---	---	---	---	---	---	---	---	---	---	---
EW1	05/06/02	16.27	4.94	11.33	No	---	---	---	---	---	---	---	---
EW1	08/22/02	16.27	Well inaccessible.										
EW1	11/08/02	16.27	3.80	12.47	No	---	---	---	---	---	---	---	---
EW1	02/07/03	16.27	12.45	3.82	No	---	---	---	---	---	---	---	---
EW1	05/02/03	16.27	6.55	9.72	No	---	---	---	---	---	---	---	---
EW1	08/14/03	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	11/14/03	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	03/01/04	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	06/15/04	16.27	4.47	11.80	No	---	---	---	---	---	---	---	---
EW1	09/13/04	16.27	5.12	11.15	No	---	---	---	---	---	---	---	---
EW1	12/22/04	16.27	4.17	12.10	No	---	---	---	---	---	---	---	---
EW1	03/24/05	16.27	2.97	13.30	No	---	---	---	---	---	---	---	---
EW1	06/14/05	16.27	3.98	12.29	No	---	---	---	---	---	---	---	---
EW1	09/12/05	16.27	14.39	1.88	No	---	---	---	---	---	---	---	---
EW1	12/13/05	16.27	12.7	3.57	No	---	---	---	---	---	---	---	---
EW1	03/13/06	16.27	11.43	4.84	No	---	---	---	---	---	---	---	---
EW1	06/12/06	16.27	11.78	4.49	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW1	09/08/06	16.27	5.18	11.09	No	---	---	---	---	---	---	---	---
EW1	12/05/06	16.27	10.48	5.79	No	---	---	---	---	---	---	---	---
EW1	03/12/07	16.27	3.82	12.45	No	---	---	---	---	---	---	---	---
EW1	05/29/07	16.27	14.9	1.37	No	---	---	---	---	---	---	---	---
EW1	08/29/07	16.27	7.82	8.45	No	---	---	---	---	---	---	---	---
EW1	11/29/07	16.27	6.23	10.04	No	---	---	---	---	---	---	---	---
EW1	02/27/08	16.27	4.38	11.89	No	---	---	---	---	---	---	---	---
EW1	05/28/08	16.27	6.51	9.76	No	---	---	---	---	---	---	---	---
EW1	08/27/08	16.27	4.75	11.52	No	---	---	---	---	---	---	---	---
EW1	11/25/08	16.27	7.21	9.06	No	---	---	---	---	---	---	---	---
EW1	02/25/09	16.27	3.45	12.82	No	---	---	---	---	---	---	---	---
EW1	05/27/09	16.27	4.14	12.13	No	---	---	---	---	---	---	---	---
EW1	09/08/09	16.27	8.13	8.14	No	---	---	---	---	---	---	---	---
EW1	12/02/09	16.27	14.70	1.57	No	---	---	---	---	---	---	---	---
EW1	04/28/10	16.27	13.16	3.11	No	---	---	---	---	---	---	---	---
EW2	09/12/94	16.05	6.09	9.96	No	---	8,800a	---	---	2,000	79	180	290
EW2	10/01/94	16.05	7.32	8.73	No	---	9,500a	---	---	1,400	6.7	700	310
EW2	01/13/95	16.05	14.38	1.67	No	---	5,700a	---	---	930	270	21	280
EW2	04/27/95	16.05	15.23	0.82	No	---	---	---	---	---	---	---	---
EW2	08/03/95	16.05	7.19	8.86	No	---	830	1,600	---	170	27	36	64
EW2	10/17/95	16.05	18.97	-2.92	No	---	180	3,600	---	<0.5	<0.5	<0.5	5.1
EW2	01/24/96	16.05	20.32	-4.27	No	---	1,700	6,400	---	290	82	14	170
EW2	04/24/96	16.05	9.46	6.59	No	---	3,500	7,300	---	670	200	110	490
EW2	07/26/96	16.05	16.50	-0.45	No	---	1,400	14,000	---	250	56	10	220
EW2	10/30/96	16.05	20.30	-4.25	No	---	1,500	13,000	---	200	44	8.8	190
EW2	01/31/97	16.05	19.21	-3.16	No	---	---	---	---	---	---	---	---
EW2	04/10/97	16.05	---	---	---	---	---	---	---	---	---	---	---
EW2	07/10/97	16.05	---	---	---	---	---	---	---	---	---	---	---
EW2	10/08/97	16.05	---	---	---	---	---	---	---	---	---	---	---
EW2	01/28/98	16.05	3.35	12.70	No	---	---	---	---	---	---	---	---
EW2	04/14/98	16.05	3.45	12.60	No	---	---	---	---	---	---	---	---
EW2	07/30/98	16.05	11.50	4.55	No	---	---	---	---	---	---	---	---
EW2	10/19/98	16.05	5.67	10.38	No	---	---	---	---	---	---	---	---
EW2	01/13/99	16.05	9.57	6.48	No	---	---	---	---	---	---	---	---
EW2	04/28/99	16.05	10.15	5.90	No	---	---	---	---	---	---	---	---
EW2	07/09/99 - 04/14/00												
EW2	Not monitored or sampled.												
EW2	06/16/00	16.05											
EW2	Property transferred to Valero Refining Company.												
EW2	07/05/00 - 10/15/01												
EW2	Not monitored or sampled.												
EW2	Nov-01	16.07											
EW2	Well surveyed in compliance with AB 2886 requirements.												
EW2	02/04/02 - Present												
EW2	Not monitored or sampled.												

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW3	09/12/94	16.02	6.12	9.90	No	---	300a	---	---	44	5.9	12	31
EW3	10/01/94	16.02	10.52	5.50	No	---	140a	---	---	12	0.42	1.7	3.7
EW3	01/13/95	16.02	18.13	-2.11	No	---	230a	---	---	4.6	7.6	1.2	6.6
EW3	04/27/95	16.02	23.07	-7.05	No	---	---	---	---	---	---	---	---
EW3	08/03/95	16.02	22.90	-6.88	No	---	<200	1,400	---	<2.0	<2.0	<2.0	<2.0
EW3	10/17/95	16.02	22.87	-6.85	No	---	74	2,400	---	4.4	<0.5	<0.5	<0.5
EW3	01/24/96	16.02	20.97	-4.95	No	---	120	2,300	---	16	<0.5	<0.5	<0.5
EW3	04/24/96	16.02	18.10	-2.08	No	---	180	3,800	---	34	3.7	8.9	11
EW3	07/26/96	16.02	13.14	2.88	No	---	180	2,000	---	45	0.7	<0.5	2.1
EW3	10/30/96	16.02	9.24	6.78	No	---	660	2,800	---	60	8.2	<0.5	100
EW3	01/31/97	16.02	11.10	4.92	No	---	---	---	---	---	---	---	---
EW3	04/10/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	07/10/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	10/08/97	16.02	---	---	---	---	---	---	---	---	---	---	---
EW3	01/28/98	16.02	3.42	12.60	No	---	---	---	---	---	---	---	---
EW3	04/14/98	16.02	3.50	12.52	No	---	---	---	---	---	---	---	---
EW3	07/30/98	16.02	18.57	-2.55	No	---	---	---	---	---	---	---	---
EW3	10/19/98	16.02	5.65	10.37	No	---	---	---	---	---	---	---	---
EW3	01/13/99	16.02	13.85	2.17	No	---	---	---	---	---	---	---	---
EW3	04/28/99	16.02	4.52	11.50	No	---	---	---	---	---	---	---	---
EW3	07/09/99 - 04/14/00	Not monitored or sampled.											
EW3	06/16/00	16.02	Property transferred to Valero Refining Company.										
EW3	07/05/00 - 10/15/01	Not monitored or sampled.											
EW3	Nov-01	16.08	Well surveyed in compliance with AB 2886 requirements.										
EW3	02/04/02	16.08	---	---	---	---	---	---	---	---	---	---	---
EW3	05/06/02	16.08	5.38	10.70	No	---	---	---	---	---	---	---	---
EW3	08/22/02	16.08	13.00	3.08	No	---	---	---	---	---	---	---	---
EW3	11/08/02	16.08	4.19	11.89	No	---	---	---	---	---	---	---	---
EW3	02/07/03	16.08	21.15	-5.07	No	---	---	---	---	---	---	---	---
EW3	05/02/03	16.08	23.50	-7.42	No	---	---	---	---	---	---	---	---
EW3	08/14/03	16.08	6.07	10.01	No	---	---	---	---	---	---	---	---
EW3	11/14/03	16.08	6.04	10.04	No	---	---	---	---	---	---	---	---
EW3	03/01/04	16.08	3.98	12.10	No	---	---	---	---	---	---	---	---
EW3	06/15/04	16.08	4.80	11.28	No	---	---	---	---	---	---	---	---
EW3	09/13/04	16.08	5.56	10.52	No	---	---	---	---	---	---	---	---
EW3	12/22/04	16.08	4.51	11.57	No	---	---	---	---	---	---	---	---
EW3	03/24/05	16.08	3.23	12.85	No	---	---	---	---	---	---	---	---
EW3	06/14/05	16.08	4.31	11.77	No	---	---	---	---	---	---	---	---
EW3	09/12/05	16.08	32.48	-16.40	No	---	---	---	---	---	---	---	---
EW3	12/13/05	16.08	5.66	10.42	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW3	03/13/06	16.08	4.48	11.60	No	---	---	---	---	---	---	---	---
EW3	06/12/06	16.08	4.97	11.11	No	---	---	---	---	---	---	---	---
EW3	09/08/06	16.08	5.65	10.43	No	---	---	---	---	---	---	---	---
EW3	12/05/06	16.08	6.99	9.09	No	---	---	---	---	---	---	---	---
EW3	03/12/07	16.08	4.36	11.72	No	---	---	---	---	---	---	---	---
EW3	05/29/07	16.08	5.84	10.24	No	---	---	---	---	---	---	---	---
EW3	08/29/07	16.08	7.38	8.70	No	---	---	---	---	---	---	---	---
EW3	11/29/07	16.08	5.99	10.09	No	---	---	---	---	---	---	---	---
EW3	02/27/08	16.08	4.53	11.55	No	---	---	---	---	---	---	---	---
EW3	05/28/08	16.08	5.52	10.56	No	---	---	---	---	---	---	---	---
EW3	08/27/08	16.08	6.03	10.05	No	---	---	---	---	---	---	---	---
EW3	11/25/08	16.08	6.05	10.03	No	---	---	---	---	---	---	---	---
EW3	02/25/09	16.08	3.88	12.20	No	---	---	---	---	---	---	---	---
EW3	05/27/09	16.08	4.88	11.20	No	---	---	---	---	---	---	---	---
EW3	09/08/09	16.08	6.31	9.77	No	---	---	---	---	---	---	---	---
EW3	12/02/09	16.08	6.09	9.99	No	---	---	---	---	---	---	---	---
EW3	04/28/10	16.08	5.25	10.83	No	---	---	---	---	---	---	---	---
EW4	09/12/94	16.61	5.69	10.92	No	---	4,000a	---	---	1,700	12	210	77
EW4	10/01/94	16.61	7.90	8.71	No	---	460a	---	---	100	1.5	15	11
EW4	01/13/95	16.61	11.36	5.25	No	---	520a	---	---	89	8.8	1.6	82
EW4	04/27/95	16.61	16.30	0.31	No	---	---	---	---	---	---	---	---
EW4	08/03/95	16.61	6.45	10.16	No	---	42,000	17,000	---	3,100	1,100	2,000	8,200
EW4	10/17/95	16.61	15.89	0.72	No	---	92	2,500	---	6.3	<0.5	<0.5	<0.5
EW4	01/24/96	16.61	6.03	10.58	No	---	220	9,200	---	79	2.5	2.9	10
EW4	04/24/96	16.61	4.97	11.64	No	---	4,600	860	---	49	36	69	1,100
EW4	07/26/96	16.61	6.54	10.07	No	---	2,900	15,000	---	610	6.2	200	300
EW4	10/30/96	16.61	6.53	10.08	No	---	550	3,400	---	68	11	<2.5	71
EW4	01/31/97	16.61	3.98	12.63	No	---	---	---	---	---	---	---	---
EW4	04/10/97	16.61	---	---	---	---	---	---	---	---	---	---	---
EW4	07/10/97	16.61	---	---	---	---	---	---	---	---	---	---	---
EW4	10/08/97	16.61	---	---	---	---	---	---	---	---	---	---	---
EW4	01/28/98	16.61	3.22	13.39	No	---	---	---	---	---	---	---	---
EW4	04/14/98	16.61	3.20	13.41	No	---	---	---	---	---	---	---	---
EW4	07/30/98	16.61	4.89	11.72	No	---	---	---	---	---	---	---	---
EW4	10/19/98	16.61	5.16	11.45	No	---	---	---	---	---	---	---	---
EW4	01/13/99	16.61	5.57	11.04	No	---	---	---	---	---	---	---	---
EW4	04/28/99	16.61	4.27	12.34	No	---	---	---	---	---	---	---	---
EW4	07/09/99 - 04/14/00	Not monitored or sampled.											
EW4	06/16/00	16.61	Property transferred to Valero Refining Company.										
EW4	07/05/00 - 10/15/01	Not monitored or sampled.											

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd ($\mu\text{g}/\text{L}$)	TPHg ($\mu\text{g}/\text{L}$)	MTBE 8021B ($\mu\text{g}/\text{L}$)	MTBE 8260B ($\mu\text{g}/\text{L}$)	B ($\mu\text{g}/\text{L}$)	T ($\mu\text{g}/\text{L}$)	E ($\mu\text{g}/\text{L}$)	X ($\mu\text{g}/\text{L}$)
EW4	Nov-01	15.69											
EW4	02/04/02 - Present				Well surveyed in compliance with AB 2886 requirements.								
EW5	09/12/94	16.51	6.30	10.21	No	---	180a	---	---	26	1.7	11	12
EW5	10/01/94	16.51	11.83	4.68	No	---	130a	---	---	16	0.92	5.7	8.5
EW5	01/13/95	16.51	12.54	3.97	No	---	130a	---	---	0.6	0.8	0.6	2.9
EW5	04/27/95	16.51	13.11	3.40	No	---	---	---	---	---	---	---	---
EW5	08/03/95	16.51	11.99	4.52	No	---	70	210	---	<0.5	<0.5	<0.5	<0.5
EW5	10/17/95	16.51	13.43	3.08	No	---	78	50	---	1.5	<0.5	<0.5	3.0
EW5	01/24/96	16.51	9.72	6.79	No	---	2,500	350	---	280	66	22	370
EW5	04/24/96	16.51	8.13	8.38	No	---	6,400	400	---	690	240	380	1,300
EW5	07/26/96	16.51	10.00	6.51	No	---	850	84	---	82	2.5	2.4	100
EW5	10/30/96	16.51	9.82	6.69	No	---	1,200	68	---	110	5.1	2.2	120
EW5	01/31/97	16.51	9.00	7.51	No	---	---	---	---	---	---	---	---
EW5	04/10/97	16.51	---	---	No	---	---	---	---	---	---	---	---
EW5	07/10/97	16.51	---	---	No	---	---	---	---	---	---	---	---
EW5	10/08/97	16.51	---	---	No	---	---	---	---	---	---	---	---
EW5	01/28/98	16.51	3.54	12.97	No	---	---	---	---	---	---	---	---
EW5	04/14/98	16.51	3.65	12.86	No	---	---	---	---	---	---	---	---
EW5	07/30/98	16.51	7.63	8.88	No	---	---	---	---	---	---	---	---
EW5	10/19/98	16.51	5.75	10.76	No	---	---	---	---	---	---	---	---
EW5	01/13/99	16.51	7.03	9.48	No	---	---	---	---	---	---	---	---
EW5	04/28/99	16.51	8.80	7.71	No	---	---	---	---	---	---	---	---
EW5	07/09/99 - 04/14/00				Not monitored or sampled.								
EW5	06/16/00	16.51			Property transferred to Valero Refining Company.								
EW5	07/05/00 - 10/15/01				Not monitored or sampled.								
EW5	Nov-01	16.67			Well surveyed in compliance with AB 2886 requirements.								
EW5	02/04/02	16.67	---	---	No	---	---	---	---	---	---	---	---
EW5	05/06/02	16.67	4.78	11.89	No	---	---	---	---	---	---	---	---
EW5	08/22/02	16.67	6.61	10.06	No	---	---	---	---	---	---	---	---
EW5	11/08/02	16.67	3.74	12.93	No	---	---	---	---	---	---	---	---
EW5	02/07/03	16.67	6.40	10.27	No	---	---	---	---	---	---	---	---
EW5	05/02/03	16.67	5.91	10.76	No	---	---	---	---	---	---	---	---
EW5	08/14/03	16.67	6.28	10.39	No	---	---	---	---	---	---	---	---
EW5	11/14/03	16.67	6.19	10.48	No	---	---	---	---	---	---	---	---
EW5	03/01/04	16.67	4.02	12.65	No	---	---	---	---	---	---	---	---
EW5	06/15/04	16.67	4.97	11.70	No	---	---	---	---	---	---	---	---
EW5	09/13/04	16.67	5.47	11.20	No	---	---	---	---	---	---	---	---
EW5	12/22/04	16.67	4.71	11.96	No	---	---	---	---	---	---	---	---
EW5	03/24/05	16.67	3.15	13.52	No	---	---	---	---	---	---	---	---
EW5	06/14/05	16.67	4.28	12.39	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW5	09/12/05	16.67	7.46	9.21	No	---	---	---	---	---	---	---	---
EW5	12/13/05	16.67	5.47	11.20	No	---	---	---	---	---	---	---	---
EW5	03/13/06	16.67	3.71	12.96	No	---	---	---	---	---	---	---	---
EW5	06/12/06	16.67	4.36	12.31	No	---	---	---	---	---	---	---	---
EW5	09/08/06	16.67	5.70	10.97	No	---	---	---	---	---	---	---	---
EW5	12/05/06	16.67	6.41	10.26	No	---	---	---	---	---	---	---	---
EW5	03/12/07	16.67	4.48	12.19	No	---	---	---	---	---	---	---	---
EW5	05/29/07	16.67	5.76	10.91	No	---	---	---	---	---	---	---	---
EW5	08/29/07	16.67	6.36	10.31	No	---	---	---	---	---	---	---	---
EW5	11/29/07	16.67	6.04	10.63	No	---	---	---	---	---	---	---	---
EW5	02/27/08	16.67	4.38	12.29	No	---	---	---	---	---	---	---	---
EW5	05/28/08	16.67	5.25	11.42	No	---	---	---	---	---	---	---	---
EW5	08/27/08	16.67	5.94	10.73	No	---	---	---	---	---	---	---	---
EW5	11/25/08	16.67	5.84	10.83	No	---	---	---	---	---	---	---	---
EW5	02/25/09	16.67	3.51	13.16	No	---	---	---	---	---	---	---	---
EW5	05/27/09	16.67	4.75	11.92	No	---	---	---	---	---	---	---	---
EW5	09/08/09	16.67	5.72	10.95	No	---	---	---	---	---	---	---	---
EW5	12/02/09	16.67	5.79	10.88	No	---	---	---	---	---	---	---	---
EW5	04/28/10	16.67	4.66	12.01	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Notes:

TOC Elev.	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non aqueous phase liquid.
TPHd	= Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the stated laboratory method reporting limit.
---	= Not measured/Not sampled/Not analyzed.
a	= Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	= Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	= Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
d	= Hydrocarbon pattern does not resemble the requested fuel.
e	= Analyte presence not confirmed by second column or GC/MS analysis.
f	= Analyte detected in laboratory method blank; result is suspect.
g	= Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	= Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	= Elevated result due to single analyte peak(s) in the quantitation range.
j	= Calibration verification recovery above the method control limit. A high bias may be indicated.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW1	09/12/94 - 04/14/00							
MW1	06/16/00							
MW1	07/05/00 - 02/04/02							
MW1	05/06/02	<0.50	<0.50	<0.50	297	<0.50	<0.50	---
MW1	08/22/02 - 11/14/03							
MW1	03/01/04	<0.50	<0.50	<0.50	42.3	<0.50	<0.50	---
MW1	06/15/04	---	---	---	---	---	---	<100
MW1	09/13/04	---	---	---	---	---	---	---
MW1	12/22/04	---	---	---	---	---	---	---
MW1	03/24/05	<0.50	<0.50	<0.50	3,020	<0.50	<0.50	<50.0
MW1	06/14/05	<0.50	<0.50	<0.50	6,590	<0.50	<0.50	<50.0
MW1	09/12/05	<0.500	<0.500	<0.500	10,900	<0.500	<0.500	<50.0
MW1	12/13/05	<0.500	<0.500	<0.500	6,590h	<0.500	<0.500	<50.0
MW1	03/13/06	<50	<50	<50	15,000	<50	<50	---
MW1	06/12/06	<50	<50	<50	26,000	<50	<50	---
MW1	09/08/06	<25	<25	<25	22,000	<25	<25	---
MW1	12/05/06	<25	<25	<25	12,000	<25	<25	---
MW1	03/12/07	<100	<100	<100	9,000	<100	<100	---
MW1	05/29/07	<0.500	<0.500	1.11	12,100	<0.500	<0.500	---
MW1	08/29/07	<50	<50	<50	12,000	<50	<50	---
MW1	11/29/07	<50	<50	<50	11,000	<50	<50	---
MW1	02/27/08	<50	<50	<50	11,000	<50	<50	---
MW1	05/28/08	<0.500	<0.500	<25.0	14,100	<0.500	<0.500	---
MW1	08/27/08	<0.50	<0.50	1.5	11,000	<0.50	<0.50	<50
MW1	11/25/08	<50	<50	<50	4,700	<50	<50	<5,000
MW1	02/25/09	<50	<50	<50	5,100	<50	<50	---
MW1	05/27/09	<25	<25	<25	9,100	<25	<25	---
MW1	09/09/09	<50	<50	<50	5,800	<50	<50	---
MW1	12/02/09	<50	<50	<50	3,000	<50	<50	---
MW1	04/28/10	<20	<20	<20	2,600	<20	<20	---
MW2	09/12/94 - 04/14/00							
MW2	06/16/00							
MW2	07/05/00 - 10/15/01							

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW2	02/04/02	---	---	---	---	69	---	---
MW2	05/06/02	<0.50	<0.50	<0.50	44.8	252	<0.50	---
MW2	08/22/02	---	---	---	---	178	---	---
MW2	11/08/02	---	---	---	---	83	---	---
MW2	02/07/03	---	---	---	---	<50	---	---
MW2	05/02/03	---	---	---	---	56	---	---
MW2	08/14/03	---	---	---	---	62	---	---
MW2	11/14/03	---	---	---	---	132	---	---
MW2	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW2	06/15/04	---	---	---	---	---	---	<100
MW2	09/13/04	---	---	---	---	---	---	---
MW2	12/22/04	---	---	---	---	---	---	---
MW2	03/24/05	<0.50	<0.50	<0.50	37	<0.50	<0.50	<50.0
MW2	06/14/05	<0.50	1.90	<0.50	41.1	<0.50	<0.50	<50.0
MW2	09/12/05	<0.500	<0.500	<0.500	181	<0.500	<0.500	<50.0
MW2	12/13/05	<0.500	<0.500	<0.500	159	<0.500	0.680	<50.0
MW2	03/13/06	<0.50	<0.50	<0.50	28	<0.50	<0.50	<100
MW2	06/12/06	<0.50	<0.50	<0.50	40	<0.50	<0.50	<100
MW2	09/08/06	<0.50	<0.50	<0.50	440	<0.50	<0.50	<100
MW2	12/05/06	<0.50	<0.50	<0.50	620	<0.50	0.51	<100
MW2	03/12/07	<0.50	<0.50	<0.50	290	<0.50	<0.50	<100
MW2	05/29/07	<0.500	<0.500	<0.500	235	<0.500	<0.500	<50.0
MW2	08/29/07	<0.50	<0.50	<0.50	900	<0.50	0.50	<100
MW2	11/29/07	<0.50	<0.50	<0.50	1,300	<0.50	0.66	<100
MW2	02/27/08	<0.50	<0.50	<0.50	83	<0.50	<0.50	<100
MW2	05/28/08	<0.500	<0.500	<0.500	60.6	<0.500	<0.500	<50.0
MW2	08/27/08	<0.50	<0.50	<0.50	66	<0.50	<0.50	<50
MW2	11/25/08	<0.50	<0.50	<0.50	69	<0.50	<0.50	<50
MW2	02/25/09	<0.50	<0.50	<0.50	46	<0.50	<0.50	<50
MW2	05/27/09	<0.50	<0.50	<0.50	47	<0.50	<0.50	<50
MW2	09/08/09	<0.50	<0.50	<0.50	42	<0.50	<0.50	<50
MW2	12/02/09	<0.50	<0.50	<0.50	29	<0.50	<0.50	<50
MW2	04/28/10	<0.50	<0.50	<0.50	11	<0.50	<0.50	<50

MW3 09/12/94 - 04/14/00 Not analyzed for these analytes.
MW3 06/16/00 Property transferred to Valero Refining Company.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	Ethanol ($\mu\text{g/L}$)
MW3	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW3	05/06/02	<0.50	<0.50	<0.50	194.0	<0.50	<0.50	---
MW3	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW3	03/01/04	<0.50	<0.50	<0.50	3550.0	<0.50	<0.50	---
MW3	06/15/04	---	---	---	---	---	---	<100
MW3	09/13/04	---	---	---	---	---	---	---
MW3	12/22/04	---	---	---	---	---	---	---
MW3	03/24/05	<0.50	<0.50	<0.50	12,600	<0.50	<0.50	<50.0
MW3	06/14/05	<0.50	<0.50	<0.50	10,500	<0.50	<0.50	<50.0
MW3	09/12/05	<0.500	10.4	<0.500	16,100	<0.500	<0.500	<50.0
MW3	12/13/05	<0.500	5.04	<0.500	3,530h	<0.500	<0.500	<50.0
MW3	03/13/06	<0.50	<0.50	<0.50	12,000h	<0.50	<0.50	<100
MW3	06/12/06	<5.0	<5.0	<5.0	8,000	<5.0	<5.0	<1,000
MW3	09/08/06	<2.5	<2.5	<2.5	6,700	<2.5	<2.5	<500
MW3	12/05/06	<2.5	<2.5	<2.5	6,700	<2.5	<2.5	<500
MW3	03/12/07	<2.5	<2.5	<2.5	5,900	<2.5	<2.5	<500
MW3	05/29/07	<0.500	<0.500	<0.500	4,330	<0.500	<0.500	<50.0
MW3	08/29/07	<1.0	<1.0	<1.0	2,800	<1.0	<1.0	<200
MW3	11/29/07	<1.0	<1.0	<1.0	3,700	<1.0	<1.0	<200
MW3	02/27/08	<5.0	<5.0	<5.0	4,300	<5.0	<5.0	<1,000
MW3	05/28/08	<0.500	<0.500	<0.500	920	<0.500	<0.500	<50.0
MW3	08/27/08	<0.50	<0.50	<0.50	450	<0.50	<0.50	<50
MW3	11/25/08	<2.5	<2.5	<2.5	230	<2.5	<2.5	<250
MW3	02/25/09	<2.5	<2.5	<2.5	460	<2.5	<2.5	<250
MW3	05/27/09	<2.5	<2.5	<2.5	220	<2.5	<2.5	<250
MW3	09/09/09	<0.50	<0.50	<0.50	79	<0.50	<0.50	<50
MW3	12/02/09	<0.50	<0.50	<0.50	120	<0.50	<0.50	<50
MW3	04/28/10	<1.0	<1.0	<1.0	140	<1.0	<1.0	<100
MW4	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW4	06/16/00	Property transferred to Valero Refining Company.						
MW4	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW4	05/06/02	<0.50	<0.50	<0.50	499.0	0.8	<0.50	---
MW4	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW4	03/01/04	<0.50	<0.50	<0.50	1,780	<0.50	<0.50	---
MW4	06/15/04	---	---	---	---	---	---	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW4	09/13/04	---	---	---	---	---	---	---
MW4	12/22/04	---	---	---	---	---	---	---
MW4	03/24/05	<0.50	<0.50	<0.50	8,860	<0.50	<0.50	<50.0
MW4	06/14/05	<0.50	2.20	<0.50	5,890	<0.50	<0.50	<50.0
MW4	09/12/05	<0.500	<0.500	<0.500	7,230	<0.500	<0.500	<50.0
MW4	12/13/05	<0.500	3.49	<0.500	3,750g	<0.500	<0.500	<50.0
MW4	03/13/06	<0.50	<0.50	<0.50	2,000	<0.50	<0.50	<100
MW4	06/12/06	<0.50	<0.50	<0.50	740	<0.50	<0.50	<100
MW4	09/08/06	<0.50	<0.50	<0.50	2,800	<0.50	<0.50	<100
MW4	12/05/06	<0.50	<0.50	<0.50	3,900	<0.50	<0.50	<100
MW4	03/12/07	<1.0	<1.0	<1.0	2,800	<1.0	<1.0	<200
MW4	05/29/07	<0.500	<0.500	<0.500	1,350	<0.500	<0.500	<50.0
MW4	08/29/07	<0.50	<0.50	<0.50	940	<0.50	<0.50	<100
MW4	11/29/07	<0.50	<0.50	<0.50	810	<0.50	<0.50	<100
MW4	02/27/08	<0.50	<0.50	<0.50	220	<0.50	<0.50	<100
MW4	05/28/08	<0.500	<0.500	<0.500	107	<0.500	<0.500	<50.0
MW4	08/27/08	<0.50	<0.50	<0.50	130	<0.50	<0.50	<50
MW4	11/25/08	<0.50	<0.50	<0.50	69	<0.50	<0.50	<50
MW4	02/25/09	<2.5	<2.5	<2.5	46	<2.5	<2.5	<250
MW4	05/27/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<250
MW4	09/08/09	<1.0	<1.0	<1.0	18	<1.0	<1.0	<100
MW4	12/02/09	<0.50	<0.50	<0.50	38	<0.50	<0.50	<50
MW4	04/28/10	<0.50	<0.50	<0.50	23	<0.50	<0.50	<50
MW5	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW5	06/16/00	Property transferred to Valero Refining Company.						
MW5	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW5	05/06/02	<0.50	<0.50	<0.50	306	<0.50	3	---
MW5	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW5	03/01/04	<0.50	<0.50	<0.50	528	<0.50	1	---
MW5	06/15/04	---	---	---	---	---	---	<100
MW5	09/13/04	---	---	---	---	---	---	---
MW5	12/22/04	---	---	---	---	---	---	---
MW5	03/24/05	<0.50	<0.50	<0.50	1,560	<0.50	1.30	<50.0
MW5	06/14/05	<0.50	<0.50	<0.50	908	<0.50	1.70	<50.0
MW5	09/12/05	<0.500	13.6	<0.500	1,130	<0.500	<0.500	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW5	12/13/05	<0.500	16.5	<0.500	878	<0.500	1.01	<50.0
MW5	03/13/06	<0.50	<0.50	<0.50	1,800h	<0.50	<0.50	<100
MW5	06/12/06	<2.5	<2.5	<2.5	800	<2.5	<2.5	<500
MW5	09/08/06	<2.5	<2.5	<2.5	79	<2.5	<2.5	<500
MW5	12/05/06	<0.50	<0.50	<0.50	230	<0.50	<0.50	<100
MW5	03/12/07	<0.50	<0.50	<0.50	290	<0.50	<0.50	<100
MW5	05/29/07	<0.500	<0.500	<0.500	171	<0.500	<0.500	<50.0
MW5	08/29/07	<0.50	<0.50	<0.50	190	<0.50	<0.50	<100
MW5	11/29/07	<0.50	<0.50	<0.50	110	<0.50	<0.50	<100
MW5	02/27/08	<0.50	<0.50	<0.50	78	<0.50	<0.50	<100
MW5	05/28/08	<0.500	<0.500	<0.500	68.3	<0.500	<0.500	<50.0
MW5	08/27/08	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	11/25/08	<5.0	<5.0	<5.0	51	<5.0	<5.0	<500
MW5	02/25/09	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	05/27/09	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW5	09/09/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<250
MW5	12/02/09	<2.0	<2.0	<2.0	<20	<2.0	<2.0	<200
MW5	04/28/10	<0.50	<0.50	<0.50	6.7	<0.50	<0.50	<50
MW6	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW6	06/16/00	Property transferred to Valero Refining Company.						
MW6	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW6	05/06/02	<0.50	<0.50	<0.50	32	<0.50	<0.50	---
MW6	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW6	03/01/04	<0.50	<0.50	<0.50	2,000	<0.50	<0.50	---
MW6	06/15/04	---	---	---	---	---	---	<100
MW6	09/13/04	---	---	---	---	---	---	---
MW6	12/22/04	---	---	---	---	---	---	---
MW6	03/24/05	<0.50	<0.50	<0.50	14,700	<0.50	<0.50	<50.0
MW6	06/14/05	<0.50	<0.50	<0.50	22,800	<0.50	<0.50	<50.0
MW6	09/12/05	<0.500	<0.500	<0.500	15,400	<0.500	<0.500	<50.0
MW6	12/13/05	<0.500	<0.500	<0.500	5,640g	<0.500	<0.500	<50.0
MW6	03/13/06	<5.0	<5.0	<5.0	11,000	<5.0	<5.0	<1,000
MW6	06/12/06	<5.0	<5.0	<5.0	7,700	<5.0	<5.0	<1,000
MW6	09/08/06	<5.0	<5.0	<5.0	6,000	<5.0	<5.0	<1,000
MW6	12/05/06	<2.5	<2.5	<2.5	11,000	<2.5	<2.5	<500

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6	03/12/07	<2.5	<2.5	<2.5	5,200	<2.5	<2.5	<500
MW6	05/29/07	<0.500	<0.500	<0.500	3,640	<0.500	<0.500	<50.0
MW6	08/29/07	<2.5	<2.5	<2.5	4,400	<2.5	<2.5	<500
MW6	11/29/07	<2.5	<2.5	<2.5	7,800	<2.5	<2.5	<500
MW6	02/27/08	<25	<25	<25	2,600	<25	<25	<5,000
MW6	05/28/08	<0.500	<0.500	<0.500	156	<0.500	<0.500	<50.0
MW6	08/27/08	<50	<50	<50	<500	<50	<50	<5,000
MW6	11/25/08	<50	<50	<50	890	<50	<50	<5,000
MW6	02/25/09	<50	<50	<50	580	<50	<50	<5,000
MW6	05/27/09	<10	<10	<10	860	<10	<10	<1,000
MW6	09/09/09	<10	<10	<10	120	<10	<10	<1,000
MW6	12/02/09	<5.0	<5.0	<5.0	450	<5.0	<5.0	<500
MW6	04/28/10	<1.0	<1.0	<1.0	210	<1.0	<1.0	<100
MW7	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW7	06/16/00	Property transferred to Valero Refining Company.						
MW7	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW7	05/06/02	<0.50	<0.50	<0.50	144	<0.50	<0.50	---
MW7	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW7	03/01/04	<0.50	<0.50	<0.50	295	<0.50	<0.50	---
MW7	06/15/04	---	---	---	---	---	---	<100
MW7	09/13/04	---	---	---	---	---	---	---
MW7	12/22/04	---	---	---	---	---	---	---
MW7	03/24/05	<0.50	<0.50	<0.50	163	<0.50	<0.50	<50.0
MW7	06/14/05	<0.50	<0.50	<0.50	878	<0.50	<0.50	<50.0
MW7	09/12/05	<0.500	<0.500	<0.500	6,910	<0.500	<0.500	<50.0
MW7	12/13/05	<0.500	<0.500	<0.500	683	<0.500	<0.500	<50.0
MW7	03/13/06	<0.50	<0.50	<0.50	120	<0.50	<0.50	<100
MW7	06/12/06	<0.50	<0.50	<0.50	31	<0.50	<0.50	<100
MW7	09/08/06	<0.50	<0.50	<0.50	550	<0.50	<0.50	<100
MW7	12/05/06	<0.50	<0.50	<0.50	200	<0.50	<0.50	<100
MW7	03/12/07	<0.50	<0.50	<0.50	370	<0.50	<0.50	<100
MW7	05/29/07	<0.500	<0.500	<0.500	270	<0.500	<0.500	<50.0
MW7	08/29/07	<0.50	<0.50	<0.50	150	<0.50	<0.50	<100
MW7	11/29/07	<0.50	<0.50	<0.50	98	<0.50	<0.50	<100
MW7	02/27/08	<0.50	<0.50	<0.50	49	<0.50	<0.50	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW7	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW7	08/27/08	<0.50	<0.50	<0.50	7.9	<0.50	<0.50	<50
MW7	11/25/08	<0.50	<0.50	<0.50	19	<0.50	<0.50	<50
MW7	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW7	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW7	09/08/09	<0.50	<0.50	<0.50	9.6	<0.50	<0.50	<50
MW7	12/02/09	<0.50	<0.50	<0.50	5.1	<0.50	<0.50	<50
MW7	04/28/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW8	09/12/94 - 01/13/99	Not analyzed for these analytes.						
MW8	04/28/99	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	07/09/99 - 04/14/00	Not analyzed for these analytes.						
MW8	06/16/00	Property transferred to Valero Refining Company.						
MW8	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW8	05/06/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW8	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	06/15/04	---	---	---	---	---	---	<100
MW8	09/13/04	---	---	---	---	---	---	---
MW8	12/22/04	---	---	---	---	---	---	---
MW8	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW8	06/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW8	09/12/05	<0.500	<0.500	<0.500	46.2	<0.500	<0.500	<50.0
MW8	12/13/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW8	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	06/12/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	09/08/06	<0.50	<0.50	<0.50	6.9	<0.50	<0.50	---
MW8	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	03/12/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW8	08/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW8	11/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW8	02/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW8	08/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW8	11/25/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW8	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	09/09/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	12/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	04/28/10	Well inaccessible.						
MW9	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW9	06/16/00	Property transferred to Valero Refining Company.						
MW9	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW9	05/06/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW9	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9	06/15/04	---	---	---	---	---	---	<100
MW9	09/13/04	---	---	---	---	---	---	---
MW9	12/22/04	---	---	---	---	---	---	---
MW9	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9	06/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9	09/12/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9	12/13/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	06/12/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	09/08/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	03/12/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9	08/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9	11/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9	02/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9	08/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9	11/25/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW9	02/25/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/27/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	09/09/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	12/02/09	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	04/28/10	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW10	09/12/94 - 10/08/97		Not analyzed for these analytes.					
MW10	12/12/97		Well destroyed.					
MW11	09/12/94 - 04/14/00		Not analyzed for these analytes.					
MW11	06/16/00		Property transferred to Valero Refining Company.					
MW11	07/05/00 - 02/04/02		Not analyzed for these analytes.					
MW11	05/06/02	<0.50	<0.50	<0.50	311	1.00	<0.50	---
MW11	08/22/02 - 11/14/03		Not analyzed for these analytes.					
MW11	03/01/04	<0.50	<0.50	<0.50	21	<0.50	<0.50	---
MW11	06/15/04	---	---	---	---	---	---	<100
MW11	09/13/04	---	---	---	---	---	---	---
MW11	12/22/04	---	---	---	---	---	---	---
MW11	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW11	06/14/05	<0.50	<0.50	<0.50	49.0	<0.50	<0.50	<50.0
MW11	09/12/05	<0.500	<0.500	<0.500	24.2	<0.500	<0.500	<50.0
MW11	12/13/05	<0.500	<0.500	<0.500	70.8	<0.500	<0.500	<50.0
MW11	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	06/12/06	<0.50	<0.50	<0.50	56	<0.50	<0.50	---
MW11	09/08/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	03/12/07	<0.50	<0.50	<0.50	45	<0.50	<0.50	---
MW11	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW11	08/29/07	<0.50	<0.50	<0.50	100	<0.50	<0.50	---
MW11	11/29/07	<0.50	<0.50	<0.50	110	<0.50	<0.50	---
MW11	02/27/08	<0.50	<0.50	<0.50	31	<0.50	<0.50	---
MW11	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW11	08/27/08	<25	<25	<25	<250	<25	<25	<2,500
MW11	11/25/08	<25	<25	<25	<250	<25	<25	<2,500
MW11	02/25/09	<2.5	<2.5	<2.5	<25	<2.5	<2.5	---
MW11	05/27/09	<10	18	<10	120	<10	<10	---
MW11	09/09/09	<50	<50	<50	<500	<50	<50	---
MW11	12/02/09	<25	<25	<25	<250	<25	<25	---
MW11	04/28/10	<12	<12	<12	<120	<12	<12	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW12	10/17/95 - 04/14/00		Not analyzed for these analytes.					
MW12	06/16/00		Property transferred to Valero Refining Company.					
MW12	07/05/00 - Present		Not analyzed for these analytes.					
EW1	09/12/94 - 04/14/00		Not analyzed for these analytes.					
EW1	06/16/00		Property transferred to Valero Refining Company.					
EW1	07/05/00 - Present		Not analyzed for these analytes.					
EW2	09/12/94 - 04/14/00		Not analyzed for these analytes.					
EW2	06/16/00		Property transferred to Valero Refining Company.					
EW2	07/05/00 - Present		Not analyzed for these analytes.					
EW3	09/12/94 - 04/14/00		Not analyzed for these analytes.					
EW3	06/16/00		Property transferred to Valero Refining Company.					
EW3	07/05/00 - Present		Not analyzed for these analytes.					
EW4	09/12/94 - 04/14/00		Not analyzed for these analytes.					
EW4	06/16/00		Property transferred to Valero Refining Company.					
EW4	07/05/00 - Present		Not analyzed for these analytes.					
EW5	09/12/94 - 04/14/00		Not analyzed for these analytes.					
EW5	06/16/00		Property transferred to Valero Refining Company.					
EW5	07/05/00 - Present		Not analyzed for these analytes.					

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Notes:

TOC Elev.	= Top of well casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non aqueous phase liquid.
TPHd	= Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
µg/L	= Micrograms per liter.
<	= Less than the stated laboratory method reporting limit.
---	= Not measured/Not sampled/Not analyzed.
a	= Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	= Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	= Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
d	= Hydrocarbon pattern does not resemble the requested fuel.
e	= Analyte presence not confirmed by second column or GC/MS analysis.
f	= Analyte detected in laboratory method blank; result is suspect.
g	= Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	= Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	= Elevated result due to single analyte peak(s) in the quantitation range.
j	= Calibration verification recovery above the method control limit. A high bias may be indicated.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Well Installation Date	Well Destruction Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW1 a	1988	---	17.29	NS	22	NS	4	NS	6-22	NS	NS	NS
MW2 a	1988	---	16.39	NS	16	NS	4	NS	3-15	NS	NS	NS
MW3 a	1988	---	17.02	NS	16	NS	4	NS	4-15	NS	NS	NS
MW4 a	1988	---	17.29	NS	21	NS	4	NS	4-19	NS	NS	NS
MW5 a	1988	---	16.64	NS	21	NS	4	NS	5-20	NS	NS	NS
MW6 a	1988	---	17.31	NS	21	NS	4	NS	5-20	NS	NS	NS
MW7 a	1988	---	17.06	NS	40	NS	4	NS	3-19	NS	NS	NS
MW8	05/05/93	---	16.24	8	21.5	19	2	PVC	5-19	0.020	3.5-19	#3 Sand
MW9	05/05/93	---	15.56	8	19	19	2	PVC	5-19	0.020	3.5-19	#3 Sand
MW10	NS	12/12/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW11b	1995	---	17.98	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
MW12b	1995	---	16.15	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
EW1 a	Dec. 1991	---	16.27	NS	41	NS	4	NS	5-36	NS	NS	NS
EW2 a	Dec. 1991	---	16.07	NS	40	NS	NS	NS	5-35.5	NS	NS	NS
EW3 a	Dec. 1991	---	16.08	NS	40	NS	4	NS	5-35.5	NS	NS	NS
EW4 a	Dec. 1991	---	15.69	NS	40.5	NS	NS	NS	4-35.5	NS	NS	NS
EW5 a	Dec. 1991	---	16.67	NS	41	NS	4	NS	5-40	NS	NS	NS
SW1	11/10/93	---	NS	8	20.5	20	2	PVC	17.5-20	0.010	16-20	Pea Gravel

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Well Installation Date	Well Destruction Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
SM1	11/10/93	---	NS	8	20.5	20	2	PVC	17.5-20	0.010	16-20	Pea Gravel
VW1	11/10/93	---	NS	8	7	7	2	PVC	4.5-7	0.020	4-7	#3 Sand
VW2	11/10/93	---	NS	8	7.5	7	2	PVC	4.5-7	0.020	4-7	#3 Sand

Notes:

TOC = Top of well casing elevation; datum is mean sea level.

PVC = Polyvinyl chloride.

feet bgs = feet below ground surface.

NS = Not specified.

--- = Not measured.

a = Boring logs unavailable; data obtained by using cross sections from ERI's Site Conceptual Model, dated August 2, 2002.

b = Boring logs unavailable; data obtained from Delta Environmental's Proposed Additional Hydrogeologic Investigative Work, dated November 15, 1994; data are approximate values.

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)
02/16/98																			
03/24/00																			
04/01/00																			
06/28/00																			
07/11/00																			
07/20/00																			
07/31/00																			
08/10/00																			
08/16/00																			
08/24/00																			
09/12/00																			
09/26/00																			
10/12/00																			

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)															
	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)															
10/30/00	System down on arrival for carbon changeout. System running on departure.										13,788	1,787	2	56	—	—	24	2,450	55	A-INF	10,024	1,700	—	15	0.35	<91.01	0.00	<0.47	—	—	<0.005				
																			A-INT	59.1	<10	—	<1.0												
																			A-EFF	0.0	<10	—	<1.0												
11/08/00	14,008	2,007	220	60	—	—	25	2,300	51	A-INF	102.6	29	—	<1.0			37.69	<128.70		<0.35	<0.81	—	—	<0.004											
																		A-INT	41.8	<10	—	<1.0													
																		A-EFF	0.0	<10	—	<1.0													
11/21/00	System running on arrival. System down on departure for carbon changeout.										14,314	2,313	306	68	—	—	25	2,300	50	A-INF	322.0														
																		A-INT	32.3																
																		A-EFF	42.9																
12/06/00	System down on arrival for carbon changeout. System down on departure for carbon changeout.																																		
12/11/00	System down on arrival due to carbon changeout. System running on departure.										14,316	2,315	2	52	—	—	24	2,400	54	A-INF	957	240	—	2.1	8.15	<136.86	0.09	<0.91	—	—	<0.005				
																		A-INT	1.2	<10	—	<1.0													
																		A-EFF	3.1	<10	—	<1.0													
12/27/00	14,697	2,696	381	56	—	—	26	2,600	58	A-INF	192.1																								
																		A-INT	4.8																
																		A-EFF	0.0																
01/09/01	15,012	3,011	315	56	—	—	25	2,400	54	A-INF	82.4	32	—	<1.0			19.10	<155.95		<0.22	<1.12	—	—	<0.005											
																		A-INT	23.2	<10	—	<1.0													
																		A-EFF	0.0	<10	—	<1.0													
01/23/01	System down on departure for carbon changeout.										15,353	3,352	341	60	—	—	26	2,300	51	A-INF	485.0														
																		A-INT	35.2																
																		A-EFF	20.7																
01/31/01	15,355	3,354	2	45	—	—	33	1,500	34	A-INF	10,000																								
																		A-INT	0																
																		A-EFF	0																
02/13/01	15,669	3,668	314	56	—	—	12	4,000	90	A-INF	37.8	31	—	<1.0			5.55	<161.50		<0.18	<1.31	—	—	<0.008											
																		A-INT	29.5	<10	—	<1.0													
																		A-EFF	0	<10	—	<1.0													
02/27/01	System down on departure for changeout.										15,999	3,998	330	70	—	—	8	4,000	87	A-INF	316														
																		A-INT	37.5																
																		A-EFF	73.6																
03/13/01	System down on arrival for changeout and running on departure. Monthly samples taken.										16,002	4,001	3	65	—	—	9	4,000	88	A-INF	5,833	1,300	—	6.1	73.60	<235.10	0.39	<1.69	—	—	<0.008				
																		A-INT	190.4	16	—	<1.0													
																		A-EFF	0	11	—	<1.0													
03/27/01	System running on arrival and departure.										16,336	4,335	334	62	—	—	10	4,000	89	A-INF	182.6														
																		A-INT	16.8																
																		A-EFF	0																

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("HgO)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
04/12/01	System running on arrival and departure.	16,725	4,724	389	72	—	—	8	4,000	87	A-INF A-INT A-EFF	4.8 2.6 0	<10	--	<1.0	<219.46	<454.56	<1.19	<2.86	—	—	<0.008
04/25/01	System running on arrival and departure.	17,034	5,033	309	80	—	—	9	4,000	86	A-INF A-INT A-EFF	18.6 9.5 0	<10 <10 26	-- -- --	<1.0 <1.0 <1.0	<1.07	<455.64	<0.11	<2.99	—	—	<0.007
05/09/01	System running on arrival and departure.	17,371	5,370	337	86	—	—	10	4,000	85	A-INF A-INT A-EFF	11.3 3.6 5.9	<10 <10 <10	-- -- --	<1.0 <1.0 <1.0	<1.07	<455.64	<0.11	<2.99	—	—	<0.007
05/24/01	System running on arrival and departure.	17,734	5,733	363	86	—	—	20	3,050	65	A-INF A-INT A-EFF	6.2 1.6 3.1	<10	--	<1.0	<1.07	<455.64	<0.11	<2.99	—	—	<0.007
06/04/01	System running on arrival and departure.	17,992	5,991	258	80	—	—	40	500	11	A-INF A-INT A-EFF	496 19.7 3.2	280 <10 <10	-- -- --	<1.0 <1.0 <1.0	16.05	<471.69	<0.11	<3.11	—	—	<0.001
06/19/01	System running on arrival and departure.	18,353	6,352	361	80	—	—	38	500	11	A-INF A-INT A-EFF	140 6.4 3.0	<10	--	<1.0	<1.07	<455.64	<0.11	<2.99	—	—	<0.007
07/02/01	System running on arrival and departure.	18,660	6,659	307	80	—	—	38	500	11	A-INF A-INT A-EFF	7.2 0.0 0.0	<10	--	<1.0	<1.07	<455.64	<0.11	<2.99	—	—	<0.007
07/17/01	System running on arrival and departure.	19,028	7,027	368	75	—	—	10	4,000	86	A-INF A-INT A-EFF	0.0 0.0 0.0	<10 <10 <10	-- -- --	<1.0 <1.0 <1.0	<27.27	<498.96	<0.19	<3.29	—	—	<0.008
08/07/01	System running on arrival and shut down on departure for blower failure.	—	—	—	—	—	—	—	—	—	A-INF A-INT	—	—	—	—	—	—	—	—	—	<0.008	
08/13/01	System down on arrival; blower removed awaiting replacement.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
08/27/01	System down awaiting blower replacement.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
09/10/01	System down awaiting blower replacement.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10/18/01	System down on arrival, installed blower, and running on departure.	19,534	7,533	506	120	—	—	31	4,000	80	A-INF A-INT A-EFF	568.0 3.0 2.0	<10	--	<1.0	<219.46	<454.56	<1.19	<2.86	—	—	<0.008
10/24/01	System running on arrival and departure.	19,673	7,672	139	80	—	—	41	3,300	71	A-INF A-INT A-EFF	93.1 7.3 5	72 <10 <10	-- -- --	<1.0 <1.0 <1.0	7.76	<506.73	<0.19	<3.48	—	—	<0.006

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
11/07/01										A-INF	230.0	55	--	<1.0	5.46	<512.18	<0.09	<3.57	—	— <0.005
	20,012	8,011	339	74	—	—	45	3,000	65	A-INT	27.0	<10	--	<1.0						
										A-EFF	5.1	<10	--	<1.0						
11/21/01										A-INF	373.0									
	20,012	8,011	0	150	—	—	45	3,000	57	A-INT	0.0									
										A-EFF	0									
12/12/01										A-INF	98.1	45	--	1.3	4.00	<516.18	0.09	<3.66	—	— <0.005
	20,361	8,360	349	142	—	—	46	3,000	58	A-INT	1.0	<10	--	<1.0						
										A-EFF	2.7	<10	--	<1.0						
12/27/01										A-INF	2,396									
	20,508	8,507	147	142	—	—	44	2,400	46	A-INT	2.4									
										A-EFF	0									
01/09/02										A-INF	794.5	670	--	8.0	13.10	<529.28	0.17	<3.82	—	— <0.004
	20,541	8,540	33	148	—	—	42	2,700	51	A-INT	36.2	<10	--	<1.0						
										A-EFF	2	<10	--	<1.0						
01/23/02										A-INF	41.2									
	20,876	8,875	335	136	—	—	45	3,800	74	A-INT	8.3									
										A-EFF	7.2									
02/06/02										A-INF	260	458	--	24.5	42.27	<571.55	1.22	<4.92	—	— <0.003
	20,877	8,876	1	50	—	—	50	3,000	68	A-INT	4.9	<5.00	--	<0.500						
										A-EFF	0.1	<5.00	--	<0.500						
02/21/02										A-INF	189.8									
	21,237	9,236	360	158	—	—	50	2,600	49	A-INT	4.7									
										A-EFF	0.0									
03/06/02										A-INF	185.2	82.3	--	2.90	41.02	<612.57	2.08	<6.90	—	— <0.002
	21,549	9,548	312	152	—	—	45	2,800	53	A-INT	14.2	15.1	--	<0.500						
										A-EFF	1.4	16.0	--	<0.500						
03/21/02										A-INF	96.3									
	21,913	9,912	364	146	—	—	38	3,200	61	A-INT	1.5									
										A-EFF	1.7									
04/10/02										A-INF	64.3	12.0	--	0.16	9.07	<621.64	0.29	<7.40	—	— <0.001
	22,393	10,392	480	76	—	—	45	3,200	69	A-INT	19.6	<10	--	<0.10						
										A-EFF	6	<10	--	<0.10						
05/08/02										A-INF	354.1	440.0	--	3.2	0.05	<621.69	0.00	<7.43	—	— <0.000
	22,394	10,393	1	109	—	—	37	3,000	61	A-INT	16.7	<10	--	<0.10						
										A-EFF	11.9	10	--	<0.10						

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
05/16/02	System running on arrival and on departure.	22,592	10,591	198	118	7	—	41	2,800	57	A-INF	98.1									
										A-INT	3.9										
										A-EFF	3.9										
05/22/02	System running on arrival and on departure.	22,731	10,730	139	118	7	—	38	2,800	57	A-INF	98.1									
										A-INT	3.9										
										A-EFF	3.9										
06/05/02	System running on arrival and down on departure for carbon changeout.	23,068	11,067	337	118	—	—	38	3,000	60	A-INF	101.1									
										A-INT	10.1										
										A-EFF	18.2										
06/19/02	System down on arrival and running on departure.	23,068	11,067	0	76	—	—	9	3,000	65	A-INF	178.8	120.0	—	0.83	44.32	<666.01	0.32	<7.73	—	— <0.001
										A-INT	0.0	<10	—	<0.10	—						
										A-EFF	0.0	<10	—	<0.10	—						
07/03/02	System running on arrival and departure.	23,409	11,408	341	112	—	—	25	3,000	61	A-INF	62.2	33	—	0.25	6.11	<672.12	0.04	<7.79	—	— <0.001
										A-INT	0.0	<10	—	<0.10	—						
										A-EFF	0.0	<10	—	<0.10	—						
07/17/02	System down on arrival and running on departure.	23,434	11,433	25	109	—	—	70	3,000	61	A-INF	82.2									
										A-INT	0.0										
										A-EFF	0.0										
07/31/02	System running on arrival and departure.	23,764	11,763	330	110	—	—	21	3,000	61	A-INF	16.4									
										A-INT	0.0										
										A-EFF	0.0										
08/14/02	System running on arrival and departure.	24,103	12,102	339	112	—	—	16	3,000	61	A-INF	9.8	19	—	0.21	4.09	<676.21	0.04	<7.83	—	— <0.001
										A-INT	0.0	<10	—	<0.10	—						
										A-EFF	0.0	<10	—	<0.10	—						
08/28/02	System running on arrival and down departure.	24,414	12,413	311	110	—	—	16	3,000	61	A-INF	16.0									
										A-INT	0.0										
										A-EFF	0.0										
11/06/02	System down on arrival and running departure.	24,415	12,414	1	106	—	—	26	3,000	61	A-INF	1282	1,300	—	12	46.88	<723.10	0.43	<8.24	—	— <0.001
										A-INT	0.0	<10	—	<0.10	—						
										A-EFF	0.0	<10	—	<0.10	—						
11/20/02	System running on arrival and departure.	24,754	12,753	339	122	—	—	36	3,300	66	A-INF	67.6									
										A-INT	1.1										
										A-EFF	0.0										
12/04/02	System running on arrival and departure.	25,084	13,083	330	112	—	—	46	3,200	65	A-INF	47.5	<500	—	<5.0	<141.73	<864.83	<1.34	<9.48	—	— <0.005
										A-INT	0.2	<100	—	<1.0	—						
										A-EFF	0.0	<100	—	<1.0	—						

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)
12/18/02																			
	25,422	13,421	668	112	7	—	46	3,000	62	A-INF	76.1								
										A-INT	2.1								
										A-EFF	0.0								
01/06/03																			
	25,875	13,874	453	—	—	—	35	3200	80	A-INF	372.0								
										A-INT	602.0								
										A-EFF	604.0								
01/15/03																			
	25,875	13,874	0	112	—	—	45	2,800	57	A-INF	134.0	110	—	1.4	54.68	<919.51	0.57	<10.11	—
										A-INT	1.3	22	—	<0.20					
										A-EFF	0.0	<20	—	<0.20					
01/29/03																			
	26,210	14,209	335	114	—	—	45	2,700	54	A-INF	56.9								
										A-INT	0.0								
										A-EFF	0.0								
02/12/03																			
	26,548	14,547	338	110	—	—	44	2,800	57	A-INF	50.6	24	—	0.27	9.55	<929.06	0.12	<10.28	—
										A-INT	3.4	90	—	1.1					
										A-EFF	0.0	<10	—	<0.10					
02/26/03																			
	26,884	14,883	336	112	—	—	44	2,300	46	A-INF	122.9								
										A-INT	1.9								
										A-EFF	0.0								
03/12/03																			
	27,218	15,217	334	120	—	—	43	2,600	52	A-INF	30.4	59	—	0.81	5.64	<934.71	0.07	<10.36	—
										A-INT	0.6	<10	—	<0.10					
										A-EFF	0.1	<10	—	<0.10					
03/26/03																			
	27,555	15,554	337	116	—	—	40	2,700	54	A-INF	12.4								
										A-INT	2.5								
										A-EFF	0.1								
04/09/03																			
	27,889	15,888	334	120	—	—	40	2,800	56	A-INF	36.0	57	—	0.36	7.83	<942.53	0.08	<10.45	—
										A-INT	2.4	<10	—	<0.10					
										A-EFF	1.0	<10	—	<0.10					
04/23/03																			
	28,227	16,226	338	113	—	—	39	2,400	48	A-INF	54.7								
										A-INT	4.0								
										A-EFF	3.7								
05/07/03																			
	28,563	16,562	336	118	—	—	40	2,500	50	A-INF	8.5	14	—	0.34	4.73	<947.27	0.05	<10.49	—
										A-INT	1.8	<10	—	<0.10					
										A-EFF	2.2	<10	—	<0.10					
05/21/03																			
	28,900	16,899	337	127	—	—	38	2,750	54	A-INF	15.8								
										A-INT	2.4								
										A-EFF	1.3								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)										
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)									
06/04/03		System running on arrival. System down on departure for carbon changeout.								29,234	17,233	334	121	—	—	39	2,900	58	A-INF A-INT A-EFF	81.2 90.7 70.2									
06/18/03		System down on arrival for changeout. System running on departure.								29,237	17,236	3	120	—	—	39	2,800	56	A-INF A-INT A-EFF	120.0 0.1 0.1	790 <10 <10	-- -- --	12 0.13 <0.10	53.58	<1,000.85	0.82	<11.32	— — —	<0.001
07/02/03		System running on arrival and departure.								29,576	17,575	339	120	—	—	38	3,200	64	A-INF A-INT A-EFF	91.0 0.0 0.1	70 <10 <10	-- -- --	1.1 <0.10 <0.10	32.58	<1,033.43	0.50	<11.81	— — —	<0.001
07/16/03		System running on arrival and departure.								29,910	17,909	334	129	—	—	39	3,150	62	A-INF A-INT A-EFF	95.0 6.6 0.1		-- -- --	<0.10						
07/30/03		System running on arrival. Shut down for carbon changeout. Down on departure.								30,241	18,240	331	118	—	—	40	3,050	61	A-INF A-INT A-EFF	51.7 22.6 0.0									
08/13/03		System down on arrival. Restarted. Running on departure.								30,244	18,243	3	125	—	—	39	3,100	61	A-INF A-INT A-EFF	321.0 5.7 6.8	110 <10 10	-- -- --	1.9 <0.10 0.26	14.05	<1,047.48	0.23	<12.05	— — —	<0.001
08/27/03		System running on arrival and departure.								30,501	18,500	257	121	—	—	39	2,900	58	A-INF A-INT A-EFF	122.6 2.6 1.5									
09/10/03		System running on arrival and departure.								30,919	18,918	418	126	—	—	40	2,650	—	A-INF A-INT A-EFF	117.0 6.4 3.0	93 <10 <10	-- -- --	2.4 <0.10 <0.10	14.54	<1,062.02	0.31	<12.35	— — —	<0.0005
09/24/03		System running on arrival and departure.								31,256	19,255	337	120	—	—	38.5	3,150	63	A-INF A-INT A-EFF	96.0 17.0 0.6									
10/08/03		System running on arrival and departure.								31,587	19,586	331	120	—	—	38	3,000	60	A-INF A-INT A-EFF	31.0 1.9 0.0	33 <10 <10	-- -- --	0.52 <0.10 <0.10	8.82	<1,070.84	0.20	<12.56	— — —	<0.0005
10/22/03		System running on arrival. Shut down due to bad motor starter.								31,923	19,922	336	—	—	—	41	2,700	68	A-INF A-INT A-EFF	36.0 3.0 2.0									
11/03/03		System down on arrival and departure.																											
11/12/03		System down on arrival and departure. Replaced blower motor starter heater assembly.																											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Sample ID	Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)			
11/17/03										A-INF	262.0										
	31,927	19,926	4	110	—	—	36	3,100	63	A-INT	3.1										
										A-EFF	0.2										
12/01/03										A-INF	25.3	26	—	0.55	4.35	<1,075.19	0.08	<12.64	—	— <0.0005	
	32,263	20,262	336	108	—	—	38	2,800	57	A-INT	0.0	<10	—	<0.10							
										A-EFF	0.0	<10	—	<0.10							
12/15/03										A-INF	53.0										
	32,600	20,599	337	102	10	—	32	3,400	72	A-INT	7.0										
										A-EFF	2.7										
12/29/03										A-INF	46.9										
	32,932	20,931	332	94	9.5	—	34	3,400	73	A-INT	0.0										
										A-EFF	0.0										
01/12/04										A-INF	185.6	124	8.63	11.3	20.00	<1,095.18	1.58	<14.22	0.00	0.00 <0.0039	
01/26/04										A-INT	0.0	<10.2	<0.508	<0.508							
02/09/04										A-EFF	0.6	<10.2	<0.508	<0.508							
06/27/05										A-INF	34.1										
	33,268	21,267	336	72	1	—	136.1	3,900	85	A-INT	0.0										
										A-EFF	0.0										
										A-INF	711.0										
06/29/05										A-INT	0.0										
	33,289	21,288	20	72	1	—	74.9	2,800	61	A-EFF	0.0										
										A-INF	571.0										
07/01/05										A-INT	0.0										
07/08/05										A-EFF	0.0										
07/11/05										A-INF	1,683.0										
	33,362	21,361	71	79	1	—	68.1	4,000	86	A-INT	196.0										
										A-EFF	224.0										
07/15/05										A-INF	440.0										
	33,363	21,362	1	78	2	—	108.9	3,000	65	A-INT	0.0										
										A-INT	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)								
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)							
07/22/05	33,363	21,362	0	78	2	—	108.9	3,000	65	A-INF	440.0	799	71.8	72.7	12.27	<1,107.45	1.12	<15.33	1.07	1.07	0.003						
										A-INT1	0.0	20.2	4.87	2.03													
										A-INT2	—	—	—	—													
										A-EFF	0.0	<10.2	<0.609	0.508													
07/24/05	33,462	21,461	99	80	2	—	108.9	2,600	56	Responded to auto dialer callout. Shut down system, arranging for liquid-phase carbon (LPC) changeout (clogged) 3@500-pounds.																	
07/29/05	33,462	21,461	0	—	—	—	—	—	—																		
08/05/05	33,462	21,461	0	78	2	—	108.9	2,800	60	A-INF	16.0	8.64	0.704	0.855	9.36	<1,116.81	0.85	<16.19	0.84	1.91	<0.003						
										A-INT1	0.0	<5.00	<0.500	<0.500													
										A-INT2	0.0	<5.00	<0.500	<0.500													
										A-EFF	0.0	<5.00	<0.500	<0.500													
08/12/05	33,470	21,469	8	78	2	—	108.9	2,600	56	A-INF	56.0																
										A-INT1	46.0																
										A-INT2	6.0																
										A-EFF	0.0																
08/19/05	33,638	21,637	168	70	2	—	108.9	2,600	57	A-INF	18.0																
										A-INT	8.1																
										A-EFF	7.6																
08/26/05	33,638	21,637	0	70	2	—	108.9	2,600	57	A-INF	56.0																
										A-INT1	0.0																
										A-INT2	0.0																
										A-EFF	0.0																
09/02/05	33,806	21,805	168	70	2	—	122.5	3,000	66	A-INF	58.3																
										A-INT1	0.0																
										A-INT2	0.0																
										A-EFF	0.0																
09/09/05	33,974	21,973	168	70	2	—	122.5	2,600	57	A-INF	58.3	14.4	<0.500	0.520	1.29	<1,118.11	0.08	<16.26	<0.07	<1.98	<0.003						
										A-INT1	0.0	<5.00	<0.500	<0.500													
										A-INT2	0.0	<5.00	<0.500	<0.500													
										A-EFF	0.0	<5.00	<0.500	<0.500													
09/16/05	34,142	22,141	168	70	2	—	108.9	3,600	79	A-INF	168.0																
										A-INT1	3.0																
										A-INT2	0.0																
										A-EFF	0.0																
09/19/05	34,208	22,207	66	70	2	—	108.9	3,600	79	A-INF	—																
										A-INT1	—																
										A-INT2	—																
										A-EFF	—																

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
10/07/05	34,208	22,207	0	70	2	--	108.9	3,600	78	A-INF	6.0										
										A-INT1	21.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/14/05	System shut down for blower repair and vapor piping size increase.								—	A-INF	—										
	34,335	22,334	127	—	—	—	—	—	—	A-INT1	—										
										A-INT2	—										
										A-EFF	—										
02/23/06	System down on arrival. Retrofit complete. Restarted. Running on departure.								3	A-INF	12.2										
	3	34,338	3	69	—	—	122.5	3,000	147	A-INT1	12.1										
										A-INT2	0.8										
										A-EFF	0.4										
02/24/06	System running on arrival and departure.								24	A-INF	0.0	<5.00	<0.500	<0.500	<0.95	<1,119.06	<0.05	<16.31	<0.05	<2.03	<0.004
	24	34,359	21	70	2	—	136	1,600	79	A-INT1	0.0	27.3	3.24	<0.500							
										A-INT2	0.0	<5.00	<0.500	<0.500							
										A-EFF	0.0	<5.00	<0.500	<0.500							
03/03/06	System running on arrival and departure.								191	A-INF	0.0	24.5a	<0.500	<0.500	<0.73	<1,119.78	<0.02	<16.34	<0.02	<2.05	<0.004
	191	34,526	167	70	2	—	136	1,600	79	A-INT1	0.0	58.9 a	<0.500	<0.500							
										A-INT2	0.0	5.00	<0.500	<0.500							
										A-EFF	0.0	5.00	<0.500	<0.500							
03/10/06	System running on arrival and departure.								277	A-INF	0.0										
	277	34,612	86	70	2	—	136	1,600	79	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
03/17/06	System down on arrival (well box high level). Restarted. Running on departure.								375	A-INF	0.0										
	375	34,710	98	70	2	—	136	1,200	59	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
03/24/06	System running on arrival and departure.								510	A-INF	0.0										
	510	34,845	135	70	2	—	136	1,400	69	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
03/31/06	System down on arrival (well box high level). Restarted. Running on departure.								527	A-INF	0.0										
	527	34,862	17	70	2	—	149.71	1,500	74	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
04/07/06	System running on arrival and departure.								696	A-INF	0.0	<50.0	<0.500	0.535	<5.20	<1,124.98	<0.07	<16.41	<0.07	<2.12	<0.003
	696	35,031	169	70	2	—	135.9	1,400	69	A-INT1	0.0	<50.0	0.571	<0.500							
										A-INT2	0.0	70.8 a	<0.500	<0.500							
										A-EFF	0.0	84.9a	<0.500	<0.500							

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
04/13/06	System running on arrival, down on departure for carbon changeout.	837	35,172	141	76	2	—	135.9	2,200	107	A-INF	1.5										
										A-INT1	43.9											
										A-INT2	30.3											
										A-EFF	26.0											
04/28/06	System down on arrival and running on departure (carbon changeout 3@500 lbs.).	837	23,171	0	76	2	—	135.9	1,400	68	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/05/06	System running on arrival and departure.	1,006	23,340	169	70	2	—	108.7	1,500	74	A-INF	0.0	b	b	b							
										A-INT1	0.0	b	b	b								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
05/12/06	System running on arrival and departure.	1,172	23,506	166	70	2	—	122.3	1,500	74	A-INF	0.0	<50.0	<0.500	<0.500	<6.36	<1,131.33	<0.07	<16.48	<0.06	<2.18	<0.003
										A-INT1	0.0	<50.0	<0.500	<0.500								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
05/19/06	System running on arrival and departure.	1,339	23,673	167	70	2	—	135.9	1,600	79	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/25/06	System running on arrival and departure.	1,485	23,819	146	70	2	—	135.9	1,600	79	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/02/06	System running on arrival and departure.	1,676	24,010	191	70	2	—	135.9	1,600	79	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/09/06	System running on arrival and departure.	1,846	24,180	170	70	2	—	135.9	1,499	74	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/16/06	System down on arrival and running on departure.	1,967	24,301	121	70	2	—	135.9	1,400	69	A-INF	0.0	<50.0	2.73	<0.500	<10.61	<1,141.95	<0.11	<16.58	<0.34	<2.53	<0.003
										A-INT1	0.0	--	--	--								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
06/23/06	System running on arrival and departure.	2,134	24,468	167	70	2	—	135.9	1,450	71	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
06/30/06	System running on arrival and departure.	2,300	24,634	166	70	2	—	135.9	1,400	69	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
07/05/06	System running on arrival and departure.	2,424	24,758	124	70	2	—	135.9	2,000	98	A-INF	15.7	<50.0	<0.500	<0.500	<7.15	<1,149.10	<0.07	<16.65	<0.23	<2.76	<0.004
											A-INT1	0.0	<50.0	<0.500	<0.500							
											A-INT2	0.0	<50.0	<0.500	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
07/14/06	System running on arrival and departure.	2,644	24,978	220	70	2	—	135.9	2,000	98	A-INF	240.0										
											A-INT1	3.2										
											A-INT2	0.0										
											A-EFF	0.0										
07/20/06	System running on arrival and departure.	2,804	25,138	160	70	2	—	135.9	1,800	89	A-INF	61.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
07/28/06	System running on arrival and departure.	2,973	25,307	169	70	2	—	135.9	1,800	89	A-INF	56.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
08/04/06	System running on arrival and departure.	3,144	25,478	171	70	2	—	135.9	1,800	89	A-INF	96.0	147	1.30	1.71	<24.82	<1,173.92	<0.28	<16.93	<0.23	<2.98	<0.004
											A-INT1	0.0	<50.0	<0.500	<0.500							
											A-INT2	0.0	<50.0	<0.500	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
08/11/06	System running on arrival and departure.	3,308	25,642	164	70	2	—	135.9	2,200	108	A-INF	65.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
08/18/06	System running on arrival and departure.	3,483	25,817	175	70	2	—	135.9	2,500	123	A-INF	60.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
08/25/06	System down on arrival (H/H moisture separator), restarted system.	3,486	25,820	3	70	2	—	135.9	2,500	123	A-INF	56.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/01/06	System running on arrival and down for LPC changeout on departure.	3,654	25,988	168	70	2	—	135.9	2,500	123	A-INF	27.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)				
09/15/06		3,657	25,991	3	70	2	—	135.9	2,500	123	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/22/06		3,734	26,068	77	70	2	—	136.1	2,500	123	A-INF	30.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
10/13/06		3,742	26,076	8	70	2	—	136.1	2,500	123	A-INF	60.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
10/20/06		3,744	26,078	2	70	2	—	—	—	—	A-INF	—										
											A-INT1	—										
											A-INT2	—										
10/27/06		3,744	26,078	0	70	2	—	136.1	2,500	123	A-INF	204.0	<50.0	<0.500	<0.500	<23.40	<1,197.32	<0.26	<17.19	<0.21	<3.20	<0.006
											A-INT1	1.0	<50.0	2.08	<0.500							
											A-INT2	0.0	<50.0	<0.500	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
11/03/06		3,915	26,249	171	70	0	—	136.1	2,500	122	A-INF	10.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
11/10/06		4,079	26,413	164	100	2	—	136.1	2,500	117	A-INF	72.0	141	2.68	2.86	<14.34	<1,211.65	<0.25	<17.45	<0.24	<3.44	0.012
											A-INT1	2.0	65.4	3.46	<0.500							
											A-INT2	0.0	<50.0	1.31	0.686							
											A-EFF	0.0	<50.0	<0.500	1.16							
11/14/06		4,135	26,469	56	110	1	—	149.7	2,500	114	A-INF	53.0										
											A-INT1	1.0										
											A-INT2	0.0										
											A-EFF	0.0										
11/20/06		4,321	26,655	186	110	1	—	149.7	2,500	114	A-INF	63.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
11/27/06	System running on arrival and departure.	4,487	26,821	166	110	1	—	136.1	2,500	114	A-INF	63.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
12/05/06	System running on arrival and departure.	4,677	27,011	190	100	1	10	136.1	2,600	121	A-INF	10.0	<50.0	<0.500	<0.500	<25.35	<1,237.00	<0.45	<17.89	<0.42	<3.86	<0.005
											A-INT1	0.0	<50.0	<0.500	<0.500							
											A-INT2	0.0	<50.0	<0.500	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
12/15/06	System down on arrival and running on departure.	4,784	27,118	107	110	1	—	136.1	2,500	114	A-INF	16.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
12/21/06	System running on arrival and departure.	4,952	27,286	168	100	10	—	136.1	2,500	119	A-INF	46.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
12/27/06	System down on arrival and running on departure.	5,039	27,373	87	120	10	11	149.7	2,250	103	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
01/05/07	System down on arrival and running on departure.	5,137	27,471	98	110	10	10	136.1	2,400	112	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
01/12/07	System running on arrival and departure.	5,297	27,631	160	110	10	11	149.66	2,400	112	A-INF	10.0	<50.0	<0.500	<0.500	<13.50	<1,250.51	<0.14	<18.03	<0.14	<3.99	<0.005
											A-INT1	0.0	<50.0	<0.500	<0.500							
											A-INT2	0.0	<50.0	<0.500	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
01/19/07	System down on arrival and running on departure.	5,370	27,704	73	110	10	10	136.1	2,400	112	A-INF	6.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
01/26/07	System running on arrival and departure.	5,528	27,862	158	110	10	8	108.84	2,600	121	A-INF	1.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
02/02/07	System running on arrival and departure.	5,696	28,030	168	90	9	8	108.8	2,400	116	A-INF	3.0	<50.0	<0.500	<0.500	<8.50	<1,259.01	<0.09	<18.11	<0.09	<4.08	<0.005
											A-INT1	0.0	<50.0	<0.500	<0.500							
											A-INT2	0.0	<50.0	<0.500	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Field Measurements										Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
	Hour Meter	Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
02/09/07	System running on arrival and departure.	5,865	28,199	169	90	9	8	108.84	2,400	116	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
02/16/07	System running on arrival and locked out/tagged out on departure.	6,033	28,367	168	110	0	8	108.84	2,400	109	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
02/23/07	System locked out/tagged out on arrival and departure.																					
03/02/07	System locked out/tagged out on arrival and departure.																					
03/09/07	System locked out/tagged out on arrival and departure.																					
04/03/07	System locked out/tagged out on arrival, restarted, and running on departure.	6,033	28,367	0	110	0	8	108.84	2,600	118	A-INF	2.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
04/12/07	System running on arrival and departure.	6,240	28,574	207	90	0	8	108.84	2,600	123	A-INF	2.0	<50.0	<0.500	<0.500	<12.14	<1,271.14	<0.12	<18.23	<0.12	<4.20	<0.006
											A-INT1	0.0	<50.0	0.703	0.888							
											A-INT2	0.0	<50.0	0.646	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
04/20/07	System running on arrival and departure.	6,430	28,764	190	110	0	8	108.84	2,600	118	A-INF	4.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
04/25/07	System down on arrival and running on departure.	6,475	28,809	45	110	0	8	108.84	2,600	118	A-INF	4.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/04/07	System down on arrival and running on departure.	6,491	28,825	16	110	0	8	108.84	2,600	118	A-INF	2.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
05/11/07	System down on arrival and running on departure.	6,647	28,981	156	120	0	8	108.84	2,600	116	A-INF	4.0	<50.0	<0.500	<0.500	<9.10	<1,280.25	<0.09	<18.32	<0.09	<4.29	<0.005
											A-INT1	0.0	<50.0	0.973	<0.500							
											A-INT2	0.0	<50.0	<0.500	<0.500							
											A-EFF	0.0	<50.0	<0.500	<0.500							
05/17/07	System down on arrival and running on departure.	6,760	29,094	113	100	0	6	81.63	2,600	121	A-INF	3.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
05/25/07	System running on arrival and departure.	6,930	29,264	170	100	0	6	81.63	2,600	121	A-INF	2.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/08/07	System running on arrival and shut down on departure.	7,284	29,618	354	100	0	6	81.63	2,600	121	A-INF	4.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/21/07	System down on arrival and running on departure.	7,428	29,762	144	100	0	8	108.84	2,600	121	A-INF	1.0	b	b	b							
										A-INT1	0.0	<50.0	<0.500	<0.500								
										A-INT2	0.0	<50.0	1.17	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
06/29/07	System down on arrival and running on departure.	7,615	29,949	187	150	0	8	108.84	2,600	111	A-INF	1.0	<50.0	<0.500	<0.500	<20.56	<1,300.80	<0.21	<18.53	<0.21	<4.50	<0.005
										A-INT1	0.0	<50.0	<0.500	0.753								
										A-INT2	0.0	<50.0	1.81	<0.500								
										A-EFF	0.0	<50.0	<0.500	<0.500								
07/06/07	System down on arrival and running on departure.	7,660	29,994	45	150	0	7	95.24	2,400	102	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/11/07	System down on arrival and running on departure.	7,703	30,037	43	110	0	8	108.84	2,600	118	A-INF	1.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/18/07	System down on arrival and running on departure.	7,819	30,153	116	80	0	6	81.63	3,000	144	A-INF	1.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/20/07	System down on arrival and running on departure.	7,858	30,192	39	—	—	—	—	—	A-INF	—											
										A-INT1	—											
										A-INT2	—											
										A-EFF	—											
07/24/07	System running on arrival and departure.	7,952	30,286	94	70	0	6	81.63	3,200	157	A-INF	1.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
07/31/07	System running on arrival and departure.	8,120	30,454	168	70	0	6	81.63	3,400	167	A-INF	1.0	<50.0	<0.500	<0.500	<13.09	<1,313.90	<0.13	<18.66	<0.13	<4.63	0.000
										A-INT1	0.0	<50.0	<0.500	<0.500								
										A-INT2	0.0	<50.0	<0.500	<0.500								
										A-EFF	0.0	b	b	b								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
08/09/07																					
08/09/07		System running on arrival and departure.																			
	8,337	30,671	217	80	0	6	81.63	3,400	164	A-INF	0.0	1,100	27.5	29.7	<77.03	<1,390.92	<2.02	<20.68	<1.88	<6.50	<0.007
										A-INT1	0.0	<50.0	<0.500	<0.500							
										A-INT2	0.0	<50.0	<0.500	<0.500							
										A-EFF	0.0	<50.0	<0.500	<0.500							
08/15/07		System running on arrival and departure.																			
	8,458	30,792	121	80	0	6	81.63	3,400	164	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/23/07		System running on arrival and departure.																			
	8,674	31,008	216	85	0	6	81.63	3,000	143	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/28/07		System restarted on arrival and running on departure.																			
	8,780	31,114	106	85	0	6	81.63	3,000	143	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/07/07		System running on arrival and departure.																			
	9,002	31,336	222	100	0	6	81.63	3,600	167	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/14/07		System running on arrival and departure.																			
	9,170	31,504	168	100	0	6	81.63	3,000	139	A-INF	0.0	<11d	0.097d	0.0046d	<261.88	<1,652.81	7.00	<27.69	6.51	<13.01	0.000
										A-INT1	0.0	<11d	0.26d	0.0099d							
										A-INT2	0.0	<11d	0.25d	0.0055d							
										A-EFF	0.0	<11d	<0.0072d	0.0029d							
09/21/07		System running on arrival and departure.																			
	9,337	31,671	167	100	0	6	81.63	3,000	139	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
09/28/07		System running on arrival and departure.																			
	9,505	31,839	168	100	0	6	81.63	3,000	139	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/02/07		System running on arrival and shut down on departure.																			
	9,602	31,936	97	100	0	6	81.63	3,000	139	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/05/07		System restarted on arrival and running on departure.																			
	9,602	31,936	0	100	0	6	81.63	3,000	139	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
10/12/07		System running on arrival and departure.																			
	9,770	32,104	168	100	0	6	81.63	3,200	148	A-INF	0.0	<11	0.69c/0.40	0.013	<3.55	<1,656.35	0.00	<27.69	0.13	<13.14	0.000
										A-INT1	0.0	b	b	b							
										A-INT2	0.0	<11	0.36c/0.14	0.009							
										A-EFF	0.0	<11	0.014	0.007							
10/16/07		System running on arrival and departure.																			
	9,866	32,200	96	100	0	6	81.63	3,200	148	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
10/22/07		System running on arrival and departure.																			
	10,012	32,346	146	100	0	6	81.63	3,200	148	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
11/02/07		System running on arrival and departure.																			
	10,273	32,607	261	100	0	6	81.63	3,200	148	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
11/09/07		System running on arrival and departure.																			
	10,444	32,778	171	100	0	6	81.63	3,200	148	A-INF	0.0	<11	0.36	<0.0016	<4.11	<1,660.47	<0.00	<27.69	0.20	<13.33	<0.000
										A-INT1	0.0	<11	0.20	0.018							
										A-INT2	0.0	<11	0.42	0.014							
										A-EFF	0.0	<11	<0.0072	<0.0016							
11/16/07		System running on arrival and departure.																			
	10,610	32,944	166	100	0	6	81.63	3,200	148	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
11/21/07		System running on arrival and departure.																			
	10,728	33,062	118	100	0	6	81.63	3,000	139	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
11/26/07		System running on arrival and departure.																			
	10,848	33,182	120	100	0	6	81.63	3,000	139	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
12/07/07		System running on arrival and departure.																			
	11,112	33,446	264	90	0	6	81.63	3,000	142	A-INF	0.0	<11	0.12	0.0021	<3.99	<1,664.45	<0.00	<27.69	0.09	<13.42	<0.000
										A-INT1	0.0	<11	0.042	0.0029							
										A-INT2	0.0	<11	0.12	<0.0016							
										A-EFF	0.0	<11	<0.0072	<0.0016							
12/13/07		System down on arrival and departure.																			
	11,235	33,569	123	160	0	6	81.63	2,800	117	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
12/14/07		System shut down.																	
	11,261	33,595	26	160	0														
12/19/07		System down on arrival and running on departure.																	
	11,262	33,596	1	160	0	6.5	88.44	2,800	117	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
12/21/07		System running on arrival and departure.																	
	11,303	33,637	41	160	0	6.5	88.44	2,800	117	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
12/27/07		System running on arrival and departure.																	
	11,470	33,804	167	160	0	6.5	88.44	2,800	117	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
01/04/08		System down on arrival and departure.																	
	11,636	33,970	166	160	0														
01/07/08		System down on arrival and running on departure.																	
	11,636	33,970	0	160	0	6	81.63	2,800	117	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
01/18/08		System running on arrival and departure.																	
	11,904	34,238	268	160	0	6	81.63	2,800	117	A-INF	0.0	<11d	<0.0072d	<0.0016d	<4.22	<1,668.67	<0.00	<27.69	<0.02
										A-INT1	0.0	<11d	0.20d	0.015d					
										A-INT2	0.0	<11d	0.31d	<0.0016d					
										A-EFF	0.0	<1d	0.044d	0.0028d					
01/25/08		System down on arrival and running on departure.																	
	12,045	34,379	141	135	0	6	81.63	3,100	135	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
01/27/08		System down on arrival and running on departure.																	
	12,052	34,386	7	145	0	6	81.63	3,000	129	A-INF	—								
										A-INT1	—								
										A-INT2	—								
										A-EFF	—								
01/31/08		System down on arrival and running on departure.																	
	12,140	34,474	88	160	0	7	95.24	2,600	109	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								
02/08/08		System running on arrival and departure.																	
	12,261	34,595	121	165	0	7.5	102.04	2,500	104	A-INF	0.0								
										A-INT1	0.0								
										A-INT2	0.0								
										A-EFF	0.0								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
02/15/08	System running on arrival and departure.	12,481	34,815	220	150	0	5	68.03	2,800	119	A-INF	0.0	<11d	0.12d	<0.0016d	<2.81	<1,671.48	<0.00	<27.69	<0.02	<13.46	<0.000
										A-INT1	0.0	<11 d	0.078 d	0.0059 d								
										A-INT2	0.0	<11 d	0.22 d	<0.0016 d								
										A-EFF	0.0	<11d	<0.0072 d	<0.0016 d								
02/22/08	System running on arrival and departure.	12,651	34,985	170	150	0	5.5	74.83	2,800	119	A-INF	0.8										
										A-INT1	1.4											
										A-INT2	0.8											
										A-EFF	0.0											
02/26/08	System running on arrival and departure.	12,746	35,080	95	155	0	5.5	74.83	2,800	118	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
03/06/08	System running on arrival and departure.	12,988	35,322	242	160	0	5.5	74.83	2,600	109	A-INF	3.7										
										A-INT1	3.7											
										A-INT2	2.2											
										A-EFF	0.7											
03/14/08	System running on arrival and departure.	13,150	35,484	162	160	0	5.5	74.83	2,600	109	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
03/21/08	System running on arrival and departure.	13,327	35,661	177	162	0	6.0	81.63	3,000	125	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
03/28/08	System running on arrival and departure.	13,491	35,825	164	160	0	5.5	74.83	2,600	109	A-INF	0.0	<11d	0.059d	<0.0016d	<4.74	<1,676.22	<0.00	<27.69	0.04	<13.50	<0.000
										A-INT1	0.0	<11d	0.13d	0.0043d								
										A-INT2	0.0	<11d	0.17d	<0.0016d								
										A-EFF	0.0	<11d	<0.0072d	<0.0016d								
04/05/08	System running on arrival and departure.	13,656	35,990	165	155	0	5.5	74.83	2,600	110	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/11/08	System running on arrival and down on departure.	13,825	36,159	169	155	0	5.5	74.83	2,600	110	A-INF	0.0	<11	0.037	0.0030	<1.50	<1,677.72	<0.00	<27.69	0.01	<13.50	<0.000
										A-INT1	0.0	<11	0.11	0.0056								
										A-INT2	0.0	<11	0.14	<0.0016								
										A-EFF	0.0	<11	<0.0072	<0.0016								
04/15/08	System down on arrival and running on departure.	13,918	36,252	93	160	0	5.5	74.83	2,600	109	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
04/22/08	System running on arrival and departure.	14,085	36,419	167	160	0	5.5	74.83	2,600	109	A-INF	0.0									
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
05/02/08	System running on arrival and departure.	14,326	36,660	241	160	0	5.0	68.03	2,600	109	A-INF	0.0									
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
05/06/08	System running on arrival and departure.	14,413	36,747	87	160	0	5.0	68.03	2,600	109	A-INF	0.0	<11	0.21	<0.0016	<2.65	<1,680.37	<0.00	<27.69	0.03	<13.53 <0.000
										A-INT1	0.0	<11	0.066	0.0035							
										A-INT2	0.0	<11	0.093	<0.0016							
										A-EFF	0.0	<11	<0.0072	<0.0016							
05/16/08	System running on arrival and departure.	14,650	36,984	237	160	0	5.0	68.03	2,800	117	A-INF	0.0									
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
05/23/08	System running on arrival and departure.	14,819	37,153	169	160	0	5.0	68.03	2,800	117	A-INF	0.0									
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
05/28/08	System running on arrival and departure.	14,940	37,274	121	160	0	5.0	68.03	2,800	117	A-INF	0.0									
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/03/08	System running on arrival and departure.	15,083	37,417	143	150	0	5.0	68.03	2,800	119	A-INF	0.0									
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/13/08	System running on arrival and departure.	15,323	37,657	240	160	0	5.0	68.03	2,800	117	A-INF	0.0	<11	0.080	<0.0016	<4.23	<1,684.60	<0.00	<27.70	0.06	<13.59 <0.000
										A-INT1	0.0	<11	0.27	0.0094							
										A-INT2	0.0	<11	0.25	<0.0016							
										A-EFF	0.0	<11	<0.0072	<0.0016							
06/17/08	System running on arrival and departure.	15,418	37,752	95	100	0	5.0	68.03	2,800	130	A-INF	0.0									
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/23/08	System running on arrival and departure.	15,565	37,899	147	100	0	5.5	74.83	2,800	130	A-INF	0.0									
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
07/03/08										A-INF	0.0										
	15,802	38,136	237	100	0	5.5	74.83	2,800	130	A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/08/08										A-INF	0.0	<11	0.047	0.0023	<2.98	<1,687.58	<0.00	<27.70	0.02	<13.61	<0.000
	15,920	38,254	118	120	0	5.5	74.83	2,800	125	A-INT1	0.0	<11	0.17	0.0061							
										A-INT2	0.0	<11	0.28	<0.0016							
										A-EFF	0.0	<11	0.014	<0.0016							
07/14/08																					
07/15/08																					
07/21/08																					
07/29/08																					
08/08/08																					
08/15/08																					
08/22/08																					
08/29/08																					

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
09/05/08	System running on arrival and departure.	17,307	39,641	170	100	0	7.0	95.24	2,600	121	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/12/08	System running on arrival and departure.	17,472	39,806	165	100	0	6.0	81.63	2,600	121	A-INF	0.0	<11	0.029	<0.0030	<2.30	<1,694.87	<0.00	<27.70	0.01	<13.67	<0.000
											A-INT1	0.0	<11	0.011	0.0029							
											A-INT2	0.0	<11	0.13	<0.0016							
											A-EFF	0.0	<11	0.0075	<0.0016							
09/19/08	System down on arrival and running on departure.	17,631	39,965	159	100	0	6.0	81.63	2,800	130	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/26/08	System running on arrival and departure.	17,796	40,130	165	100	0	5.0	68.03	2,800	130	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
10/03/08	System running on arrival and departure.	17,964	40,298	168	120	0	5.0	68.03	2,900	130	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
10/10/08	System running on arrival and departure.	18,132	40,466	168	120	0	5.0	68.03	2,900	130	A-INF	0.0	<11	0.29c	<0.0023	<3.40	<1,698.27	<0.00	<27.70	0.05	<13.72	<0.000
											A-INT1	0.0	<11	0.19	0.0044							
											A-INT2	0.0	<11	0.24	<0.0016							
											A-EFF	0.0	<11	<0.0072	<0.0016							
10/17/08	System running on arrival and departure.	18,303	40,637	171	120	0	5.0	68.03	2,900	130	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
10/31/08	System running on arrival and departure.	18,640	40,974	337	150	0	6.0	81.63	2,700	115	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
11/07/08	System running on arrival and departure.	18,804	41,138	164	130	0	6.0	81.63	2,700	119	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
11/15/08	System running on arrival and departure.	18,973	41,307	169	105	0	6.0	81.63	2,800	129	A-INF	1.2										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
11/17/08	System running on arrival and departure.	18,992	41,326	19	105	0	6.0	81.63	2,700	124	A-INF	0.0	<11	0.19	0.0046	<4.49	<1,702.76	<0.00	<27.70	0.10	<13.81	<0.000
										A-INT1	0.0	<11	0.20	0.0023								
										A-INT2	0.0	<11	0.092	<0.0016								
										A-EFF	0.0	13	0.022	<0.0016								
11/25/08	System running on arrival and departure.	19,156	41,490	164	100	0	5.0	68.03	2,800	130	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/05/08	System running on arrival and departure.	19,395	41,729	239	100	0	5.0	68.03c	2,800	130	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/12/08	System running on arrival and departure.	19,397	41,731	2	100	0	5.0	68.03c	2,700	125	A-INF	0.0	<5.7	0.14	0.0046	<1.58	<1,704.34	0.00	<27.71	0.03	<13.84	<0.000
										A-INT1	0.0	<5.7	0.15	0.0018								
										A-INT2	0.0	<5.7	0.098	<0.0016								
										A-EFF	0.0	<5.7	0.028	<0.0016								
12/16/08	System running on arrival and departure.	19,492	41,826	95	100	0	5.0	68.03	2,800	130	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
12/24/08	System running on arrival and departure.	19,689	42,023	197	110	--	5.0	68.03	2,800	128	A-INF	4.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
01/02/09	System running on arrival and departure.	19,899	42,233	210	110	--	5.0	68.03	2,900	132	A-INF	3.5										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
01/09/09	System running on arrival and departure.	20,067	42,401	168	110	--	5.0	68.03	2,900	132	A-INF	0.0	<5.7	0.13	<0.0016	<1.84	<1,706.17	<0.00	<27.71	0.04	<13.89	<0.000
										A-INT1	0.0	<5.7	0.18	0.0021								
										A-INT2	0.0	<5.7	0.079	<0.0016								
										A-EFF	0.0	<5.7	0.088	<0.0016								
01/16/09	System running on arrival and departure.	20,234	42,568	167	110	--	5.0	68.03	2,900	132	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
01/20/09	System running on arrival and departure.	20,331	42,665	97	110	--	5.0	68.03	2,900	132	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)	
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)
01/30/09	System running on arrival and departure.	20,572	42,906	241	110	—	5.0	68.03	2,900	132	A-INF	0.0								
											A-INT1	0.0								
											A-INT2	0.0								
											A-EFF	0.0								
02/06/09	System running on arrival and departure.	20,738	43,072	166	110	—	5.0	68.03	2,400	109	A-INF	0.0								
											A-INT1	0.0								
											A-INT2	0.0								
											A-EFF	0.0								
02/13/09	System running on arrival and departure.	20,904	43,238	166	110	—	5.0	68.03	2,800	128	A-INF	0.0	<5.7	0.15	0.0050	<2.32	<1,708.49	<0.00	<27.71	0.06
											A-INT1	0.0	<5.7	0.13	0.0024					
											A-INT2	0.0	<5.7	0.061	<0.0016					
											A-EFF	0.0	<5.7	0.20	<0.0016					
02/20/09	System running on arrival and departure.	21,072	43,406	168	110	—	5.0	68.03	2,800	128	A-INF	0.0								
											A-INT1	0.0								
											A-INT2	0.0								
											A-EFF	0.0								
02/27/09	System running on arrival and departure.	21,240	43,574	168	110	—	5.0	68.03	3,100	141	A-INF	0.0								
											A-INT1	0.0								
											A-INT2	0.0								
											A-EFF	0.0								
03/06/09	System running on arrival and departure.	21,406	43,740	166	110	—	5.0	68.03	3,100	141	A-INF	0.0								
											A-INT1	0.0								
											A-INT2	0.0								
											A-EFF	0.0								
03/13/09	System running on arrival and departure.	21,574	43,908	168	110	—	5.0	68.03	3,100	141	A-INF	0.0	<5.7	0.078	0.0023	<1.92	<1,710.41	0.00	<27.71	0.04
											A-INT1	0.0	<5.7	0.27	0.0019					
											A-INT2	0.0	<5.7	0.069	<0.0016					
											A-EFF	0.0	<5.7	0.11	<0.0016					
03/20/09	System running on arrival and departure.	21,740	44,074	166	120	—	5.0	68.03	3,000	134	A-INF	0.0								
											A-INT1	0.0								
											A-INT2	0.0								
											A-EFF	0.0								
03/23/09	System running on arrival and departure.	21,830	44,164	90	125	—	5.0	68.03	3,000	133	A-INF	0.0								
											A-INT1	0.0								
											A-INT2	0.0								
											A-EFF	0.0								
03/31/09	System running on arrival and departure.	22,003	44,337	173	100	—	5.0	68.03	2,600	121	A-INF	0.0								
											A-INT1	0.0								
											A-INT2	0.0								
											A-EFF	0.0								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)				
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
04/07/09	System running on arrival and departure.	22,175	44,509	172	100	--	5.0	68.03	2,600	121	A-INF	0.0	<5.7	0.26	<0.0016	<1.68	<1,712.09	<0.00	<27.71	0.05	<14.03	<0.000
										A-INT1	0.0	<5.7	0.21	0.0018								
										A-INT2	0.0	<5.7	0.051	<0.0016								
										A-EFF	0.0	<5.7	0.13	<0.0016								
04/17/09	System running on arrival and departure.	22,417	44,751	242	100	--	5.0	68.03	2,600	121	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/24/09	System running on arrival and departure.	22,578	44,912	161	110	--	5.0	68.03	2,600	118	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/01/09	System running on arrival and departure.	22,747	45,081	169	100	--	5.0	68.03	2,600	121	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/08/09	System running on arrival and departure.	22,912	45,246	165	100	--	5.0	68.03	2,600	121	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/15/09	System running on arrival and departure.	23,110	45,444	198	100	--	5.0	68.03	2,000	93	A-INF	0.0	<5.7	0.34	<0.0016	<2.13	<1,714.21	<0.00	<27.71	0.11	<14.15	<0.000
										A-INT1	0.0	<5.7	0.44	0.0042								
										A-INT2	0.0	<5.7	0.12	<0.0016								
										A-EFF	0.0	<5.7	0.40	<0.0016								
05/22/09	System down on arrival and running on departure.	23,236	45,570	126	110	--	5.0	68.03	2,800	128	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/29/09	System running on arrival and departure.	23,405	45,739	169	120	--	5.0	68.03	2,600	116	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/05/09	System down on arrival and running on departure.	23,519	45,853	114	120	--	5.0	68.03	2,600	116	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/11/09	System running on arrival and departure.	23,658	45,992	139	110	--	5.0	68.03	2,600	118	A-INF	0.0	<5.7	0.87	0.0022	<1.23	<1,715.45	<0.00	<27.71	0.13	<14.28	<0.000
										A-INT1	0.0	<5.7	0.38	0.0025								
										A-INT2	0.0	<5.7	0.15	<0.0016								
										A-EFF	0.0	<5.7	0.72	<0.0016								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)		
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
06/12/09		System down on arrival and running on departure.																			
	23,670	46,004	12	110	--	0.0	0	2,600	118	A-INF	--										
										A-INT1	--										
										A-INT2	--										
										A-EFF	--										
06/19/09		System running on arrival and departure.																			
	23,855	46,189	185	120	--	4.5	61.22	2,600	116	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/26/09		System running on arrival and departure.																			
	24,001	46,335	146	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
06/29/09		System running on arrival and departure.																			
	24,076	46,410	75	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/10/09		System running on arrival and departure.																			
	24,339	46,673	263	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/17/09		System running on arrival and departure.																			
	24,509	46,843	170	100	--	5.0	68.03	2,400	111	A-INF	0.0	<5.7	0.034	0.0020	<2.08	<1,717.53	0.00	<27.71	0.17	<14.44	<0.000
										A-INT1	0.0	<5.7	0.27	0.0030							
										A-INT2	0.0	<5.7	0.24	<0.0016							
										A-EFF	0.0	<5.7	0.33	<0.0016							
07/24/09		System running on arrival and departure.																			
	24,675	47,009	166	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
07/31/09		System running on arrival and departure.																			
	24,842	47,176	167	120	--	5.0	68.03	2,400	107	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										
08/04/09		System running on arrival and departure.																			
	24,943	47,277	101	100	--	5.0	68.03	2,400	111	A-INF	0.0	<5.7d	0.069d	0.0088d	<1.03	<1,718.56	0.00	<27.71	0.01	<14.45	0.000
										A-INT1	0.0	<5.7d	0.33d	0.0083d							
										A-INT2	0.0	<5.7d	0.31d	0.0046d							
										A-EFF	0.0	<5.7d	0.53d	0.0035d							
08/14/09		System running on arrival and departure.																			
	25,179	47,513	236	100	--	5.0	68.03	2,400	111	A-INF	0.0										
										A-INT1	0.0										
										A-INT2	0.0										
										A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("HgO)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
08/21/09	System running on arrival and departure.	25,347	47,681	168	100	—	5.0	68.03	2,400	111	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
08/28/09	System running on arrival and departure.	25,519	47,853	172	110	—	5.0	68.03	2,400	109	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/04/09	System running on arrival and departure.	25,681	48,015	162	110	—	5.0	68.03	2,500	114	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/11/09	System running on arrival and departure.	25,849	48,183	168	110	—	5.0	68.03	2,400	109	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
09/14/09	System running on arrival and departure.	25,924	48,258	75	95	—	5.0	68.03	2,600	122	A-INF	0.0	<5.7	0.11	<0.0016	<2.44	<1,721.00	<0.00	<27.71	0.04	<14.49	<0.000
											A-INT1	0.0	<5.7	0.20	0.0024							
											A-INT2	0.0	<5.7	0.35	<0.0016							
											A-EFF	0.0	<5.7	0.33	<0.0016							
09/25/09	System running on arrival and departure.	26,185	48,519	261	100	—	5.0	68.03	2,400	111	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
10/02/09	System running on arrival and departure.	26,352	48,686	167	155	—	5.5	74.83	2,500	106	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
10/10/09	System running on arrival and departure.	26,545	48,879	193	95	—	5.0	68.03	2,600	122	A-INF	—										
											A-INT1	—										
											A-INT2	—										
											A-EFF	—										
10/15/09	System running on arrival and down on departure for carbon changeout.	26,665	48,999	120	105	—	5.0	68.03	2,600	120	A-INF	1.0	<5.7	<0.0072	0.0046	<1.90	<1,722.90	<0.00	<27.72	<0.02	<14.51	<0.000
											A-INT1	0.0	<5.7	0.42	0.0050							
											A-INT2	0.0	<5.7	0.54	<0.0016							
											A-EFF	0.0	<5.7	0.24	<0.0016							
10/19/09	System down on arrival for carbon changeout and running on departure.	26,666	49,000	1	95	—	5.0	68.03	2,750	129	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
10/30/09	System running on arrival and departure.	26,928	49,262	262	155	---	5.4	73.47	2,300	97	A-INF	1.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
11/06/09	System running on arrival and departure.	27,098	49,432	170	145	---	5.5	74.83	2,600	112	A-INF	0.0	<5.7	<0.0072	<0.0016	<1.07	<1,723.97	<0.00	<27.72	<0.00	<14.51	<0.000
											A-INT1	0.0	<5.7	0.39	0.0065							
											A-INT2	0.0	<5.7	0.59	0.0036							
											A-EFF	0.0	<5.7	0.27	<0.0016							
11/13/09	System running on arrival and departure.	27,264	49,598	166	145	---	5.5	74.83	2,400	103	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
11/20/09	System running on arrival and departure.	27,436	49,770	172	100	---	5.0	68.03	2,400	111	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
11/25/09	System running on arrival and departure.	27,552	49,886	116	100	---	5.0	68.03	2,400	111	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
12/04/09	System down on arrival and running on departure.	27,726	50,060	174	100	—	5.0	68.03	2,400	111	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
12/11/09	System down on arrival and running on departure.	27,816	50,150	90	100	---	5.0	68.03	2,400	111	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										
12/18/09	System running on arrival and departure.	27,975	50,309	159	110	—	5.0	68.03	2,500	114	A-INF	—	<5.7	<0.0072	0.0023	<2.11	<1,726.08	<0.00	<27.72	<0.00	<14.51	<0.000
											A-INT1	—	<5.7	0.069	<0.0016							
											A-INT2	—	<5.7	0.24	<0.0016							
											A-EFF	—	<5.7	0.30	<0.0016							
12/23/09	System running on arrival and departure.	28,096	50,430	121	110	—	5.0	68.03	2,500	114	A-INF	0.0	<5.7	<0.0072	0.0022	<0.29	<1,726.37	0.00	<27.72	<0.00	<14.51	<0.000
											A-INT1	0.0	<5.7	0.026	<0.0016							
											A-INT2	0.0	<5.7	0.098	<0.0016							
											A-EFF	0.0	<5.7	0.067	<0.0016							
12/31/09	System running on arrival and departure.	28,291	50,625	195	105	—	5.0	68.03	2,600	120	A-INF	0.0										
											A-INT1	0.0										
											A-INT2	0.0										
											A-EFF	0.0										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements							Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	
01/08/10										A-INF	0.0										
		System running on arrival and departure.								A-INT1	0.0										
	28,480	50,814	189	90	---	5.0	68.03	2,500	118	A-INT2	0.0										
										A-EFF	0.0										
01/15/10										A-INF	0.0	<5.7d	0.34d	<0.0016d	<1.39	<1,727.76	<0.00	<27.72	<0.04	<14.56	<0,000
		System running on arrival and departure.								A-INT1	0.0	<5.7d	0.032d	<0.0016d							
	28,648	50,982	168	90	---	5.0	68.03	2,600	123	A-INT2	0.0	<5.7d	0.22d	<0.0016d							
										A-EFF	0.0	<5.7d	0.24d	<0.0016d							
01/22/10										A-INF	0.0	<5.7	0.21	<0.0016	<0.43	<1,728.19	<0.00	<27.72	0.02	<14.58	<0.000
		System running on arrival and departure.								A-INT1	0.0	<5.7	0.019	<0.0016							
	28,818	51,152	170	90	---	5.0	68.03	2,400	113	A-INT2	0.0	<5.7	0.20	<0.0016							
										A-EFF	0.0	<5.7	0.20	<0.0016							
01/29/10										A-INF	0.0										
		System running on arrival and departure.								A-INT1	0.0										
	28,993	51,327	175	90	---	5.0	68.03	2,400	113	A-INT2	0.0										
										A-EFF	0.0										
02/05/10										A-INF	0.0										
		System running on arrival and departure.								A-INT1	0.0										
	29,153	51,487	160	90	---	5.0	68.03	2,600	123	A-INT2	0.0										
										A-EFF	0.0										
02/12/10										A-INF	0.0	<5.7	0.18	<0.0016	<1.27	<1,729.46	<0.00	<27.72	0.04	<14.62	<0.000
		System running on arrival and departure.								A-INT1	0.0	<5.7	0.053	<0.0016							
	29,322	51,656	169	90	---	5.0	68.03	2,600	123	A-INT2	0.0	<5.7	0.20	<0.0016							
										A-EFF	0.0	<5.7	0.20	<0.0016							
02/19/10										A-INF	0.0										
		System running on arrival and departure.								A-INT1	0.0										
	29,487	51,821	165	90	---	5.0	68.03	2,500	118	A-INT2	0.0										
										A-EFF	0.0										
02/26/10										A-INF	0.0										
		System running on arrival and departure.								A-INT1	0.0										
	29,655	51,989	168	100	---	5.0	68.03	2,500	116	A-INT2	0.0										
										A-EFF	0.0										
03/06/10										A-INF	0.0										
		System running on arrival and departure.								A-INT1	0.0										
	29,807	52,141	152	100	---	5.0	68.03	2,500	116	A-INT2	0.0										
										A-EFF	0.0										
03/09/10										A-INF	—										
		System down on arrival and running on departure.								A-INT1	—										
	29,813	52,147	6	—	---	5.0	68.03	—	—	A-INT2	—										
										A-EFF	—										

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
03/10/10	System running on arrival and departure.	29,844	52,178	31	—	—	5.0	68.03	—	A-INF	—											
										A-INT1	—											
										A-INT2	—											
										A-EFF	—											
03/19/10	System running on arrival and departure.	30,052	52,386	208	—	—	5.0	68.03	2,500	116	A-INF	0.0	<5.7	0.017	0.0034	<1.86	<1,731.32	<0.00	<27.72	0.03	<14.65	<0.000
										A-INT1	0.0	<5.7	0.29	0.0051								
										A-INT2	0.0	<5.7	0.26	<0.0016								
										A-EFF	0.0	<5.7	0.15	<0.0016								
03/26/10	System running on arrival and departure.	30,221	52,555	169	100	—	5.0	68.03	2,500	116	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/02/10	System running on arrival and departure.	30,387	52,721	166	80	—	5.0	68.03	2,500	120	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/07/10	System running on arrival and down on departure.	30,506	52,840	119	80	—	5.0	68.03	2,500	120	A-INF	—										
										A-INT1	—											
										A-INT2	—											
										A-EFF	—											
04/16/10	System down on arrival and running on departure.	30,506	52,840	0	80	—	5.0	68.03	2,600	125	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
04/23/10	System running on arrival and departure.	30,672	53,006	166	80	—	5.0	68.03	2,400	115	A-INF	0.0	<5.7	0.16	0.0059	<1.53	<1,732.85	0.00	<27.72	0.02	<14.68	<0.000
										A-INT1	0.0	<5.7	<0.0072	<0.0016								
										A-INT2	0.0	<5.7	<0.0072	<0.0016								
										A-EFF	0.0	<5.7	<0.0072	<0.0016								
04/30/10	System down on arrival and departure.	30,814	53,148	142	—	—	—	—	—	—	A-INF	—										
										A-INT1	—											
										A-INT2	—											
										A-EFF	—											
05/05/10	System down on arrival and running on departure.	30,814	53,148	0	—	—	—	—	—	—	A-INF	—										
										A-INT1	—											
										A-INT2	—											
										A-EFF	—											
05/07/10	System running on arrival and departure.	30,859	53,193	45	80	—	5.0	68.03	2,400	115	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Hour Meter	Field Measurements								Laboratory Analytical Results			TPHg Removed		Benzene Removed		MTBE Removed		Benzene Emitted (lbs/day)			
		Total Hours	Hours of Operation	Temp EFF (deg F)	Pressure ("H2O)	Vacuum ("Hg)	Vacuum (in H2O)	Flow (fpm)	Flow (scfm)	Sample ID	PID (ppmv)	TPHg (mg/M³)	MTBE (mg/M³)	Benzene (mg/M³)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)	Per Period (pounds)	Cumulative (pounds)		
05/14/10	System running on arrival and departure.	31,027	53,361	168	90	—	5.0	68.03	2,400	113	A-INF	0.0	<5.7	0.12	<0.0016	<0.87	<1,733.71	<0.00	<27.72	0.02	<14.70	<0.000
										A-INT1	0.0	<5.7	<0.0072	<0.0016								
										A-INT2	0.0	<5.7	<0.0072	<0.0016								
										A-EFF	0.0	<5.7	<0.0072	<0.0016								
05/21/10	System running on arrival and departure.	31,196	53,530	169	90	—	5.0	68.03	2,400	113	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
05/28/10	System running on arrival and departure.	31,361	53,695	165	80	—	5.0	68.03	2,000	96	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/04/10	System running on arrival and departure.	31,531	53,865	170	90	—	5.0	68.03	2,500	118	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/09/10	System running on arrival and departure.	31,648	53,982	117	90	—	5.0	68.03	2,500	118	A-INF	0.0										
										A-INT1	0.0											
										A-INT2	0.0											
										A-EFF	0.0											
06/18/10	System running on arrival and departure.	31,866	54,200	218	90	—	5.0	68.03	2,500	118	A-INF	0.0	<5.7	0.026	<0.0016	<2.07	<1,735.78	<0.00	<27.72	0.03	<14.72	<0.000
										A-INT1	0.0	<5.7	<0.0072	<0.0016								
										A-INT2	0.0	<5.7	0.0085	<0.0016								
										A-EFF	0.0	<5.7	<0.0072	<0.0016								

TABLE 3
OPERATION AND PERFORMANCE DATA FOR AIR SPARGE/SOIL VAPOR EXTRACTION SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Notes:	Removal rated are calculated using ERI SOP-25: "Hydrocarbons removed from a Vadose Well" Data prior to April 1, 2000, provided by Delta Environmental Consultants, Inc.
A-INF	= Influent vapor sample collected prior to biofilters.
A-INT1	= Vapor sample collected after 1st carbon vessel.
A-INT2	= Vapor sample collected after 2nd carbon vessel.
A-EFF	= Vapor sample collected from effluent sample port.
TPHg	= Total petroleum hydrocarbons as gasoline using EPA Method T0-3M; on and prior to 08/09/07, analyzed using EPA Method 18M.
MTBE	= Methyl tertiary butyl ether analyzed using EPA Method T0-15M; on and prior to 08/09/07, analyzed using EPA Method 18M.
Benzene	= Benzene analyzed using EPA Method T0-15M; on and prior to 08/09/07, analyzed using EPA Method 18M.
Temp EFF	= Temperature effluent.
deg F	= Degrees Fahrenheit.
In H2O	= Inches of water column.
In Hg	= Inches of mercury vacuum.
scfm	= Standard cubic feet per minute.
fpm	= Feet per minute.
lbs/day	= Pounds per day.
ppmv	= Parts per million by volume.
mg/M³	= Milligrams per cubic meter.
---	= Not sampled/Not measured/Not analyzed/Not calculated.
a	= Analyte was detected in the associated Method Blank.
b	= Tedlar Bag deflated, sample could not be analyzed.
c	= Concentration exceeds the calibration range.
d	= Sample analyzed past recommended holding time.

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/10/94	1,331,420	---	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
12/02/94	1,392,010	0.8	W-INF	65	1.9	0.9	<0.5	2.4	---	<0.029	<0.0	<0.0006	<0.001	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
01/13/95	1,415,980	0.4	W-INF	1,000	<0.5	<0.5	<0.5	<0.5	---	0.106	<0.1	<0.0002	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
02/23/95	1,494,030	1.3	W-INF	57	<0.5	<0.5	<0.5	2.7	---	0.344	<0.5	<0.0003	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
03/14/95	---	---	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
04/14/95	1,513,240	0.3	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	<0.009	<0.5	<0.0001	<0.001	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
05/18/95	1,714,850	4.1	W-INF	---	---	---	---	---	---	---	---	---	---	---	---
06/30/95	1,847,330	2.1	W-INF	1,700	480	23	66	180	---	<2,439	<2.9	0.6685	<0.670	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
07/12/95	1,908,730	3.6	W-INF	290	68	<2.0	2.4	5.6	---	0.510	<3.4	0.1404	<0.810	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
08/09/95	2,027,830	3.0	W-INF	6,600	1,700	260	370	550	---	3.423	<6.9	0.8784	<1.689	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
09/06/95	2,158,260	3.2	W-INF	120	17	0.84	1.0	3.0	---	3.656	<10.5	0.9342	<2.623	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
10/11/95	2,215,310	1.1	W-INF	160	22	0.97	1.2	4.0	---	0.067	<10.6	0.0093	<2.632	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
11/16/95	2,384,880	3.3	W-INF	120	4.9	<0.5	<0.5	5.9	---	0.198	<10.8	0.0190	<2.651	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
12/14/95	2,453,200	1.7	W-INF	450	46	16	4.6	65	---	0.162	<10.9	0.0145	<2.666	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
01/05/96	2,516,900	2.0	W-INF	240	26	2.4	1.2	20	---	0.163	<11.1	0.0191	<2.685	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	
02/14/96	2,680,160	2.8	W-INF	470	43	5.5	<0.5	55	---	0.484	<11.6	0.0470	<2.732	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
03/12/96	2,767,820	2.3	W-INF	620	60	9.8	3.9	70	---	0.399	<12.0	0.0377	<2.769	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
04/16/96	2,927,390	3.2	W-INF	790	120	27	8.8	120	---	0.939	<12.9	0.1198	<2.889	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
05/07/96	2,971,100	1.5	W-INF	430	66	2.7	5	32	---	0.222	<13.2	0.0339	<2.923	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
06/11/96	3,109,730	2.8	W-INF	2,900	470	120	19	410	---	1.926	<15.1	0.3100	<3.233	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
07/09/96	3,232,330	3.0	W-INF	490	55	6.2	<0.5	110	---	1.734	<16.8	0.2685	<3.502	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
08/08/96	3,365,060	3.1	W-INF	580	49	4.6	<1.0	75	---	0.592	<17.4	0.0576	<3.559	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
09/05/96	--	--	W-INF	740	67	19	10	72	---	--	--	--	--	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
10/02/96	3,530,230	2.1	W-INF	980	130	39	7.8	130	---	1.075	<18.5	0.1233	<3.683	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
11/08/96	3,657,370	2.4	W-INF	480	42	7.1	0.69	79	---	0.774	<19.3	0.0912	<3.774	---	---	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
12/09/96	3,735,650	1.8	W-INF	<50	<0.5	<0.5	<0.5	<0.5	---	<0.173	<19.4	<0.0139	<3.788	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
01/21/97	3,735,730	0.0	W-INF	690	69	20	20	91	---	0.000	<19.4	0.0000	<3.788	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
02/10/97	3,735,360	0.0	W-INF	860	100	24	1.4	160	---	--	<19.4	--	<3.788	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	
03/20/97	3,843,430	2.0	W-INF	86	<0.5	<0.5	<0.5	<0.5	5.1	---	0.426	<19.9	<0.0453	<3.833	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---	

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
04/03/97	3,918,650	3.7	W-INF	690	31	6.1	<5.0	89	---	0.244	<20.1	0.0099	<3.843	---	---
			W-INT1	<1,000	<10	<10	<10	<10	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
05/07/97	4,092,720	3.6	W-INF	1,000	57	29	11	110	---	1.227	<21.3	0.0639	<3.907	---	---
			W-INT1	<50	1.1	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
06/11/97	4,144,600	1.0	W-INF	570	66	14	4.7	75	---	0.340	<21.7	0.0266	<3.933	---	---
			W-INT1	<50	0.57	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
06/25/97	4,273,310	6.4	W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
07/24/97	4,363,090	2.2	W-INF	470	25	8.8	3.7	49	---	0.948	<22.6	0.0829	<4.016	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
08/04/97	4,408,100	2.8	W-INF	610	48	18	6.2	69	---	0.203	<22.8	0.0137	<4.030	---	---
			W-INT1	<50	0.76	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
10/21/97	4,496,810	0.8	W-INF	250	16	5.4	2.3	29	---	0.318	<23.2	0.0237	<4.054	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
11/04/97	4,553,090	2.8	W-INF	510	22	9.8	13	60	---	0.178	<23.3	0.0089	<4.063	---	---
			W-INT1	<50	0.82	<0.5	<0.5	0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
12/05/97	4,588,340	0.8	W-INF	79	1.5	<0.5	<0.5	53	---	0.087	<23.4	0.0035	<4.066	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
01/08/98	4,625,400	0.8	W-INF	83	2.6	0.74	<0.5	5.4	---	0.025	<23.4	0.0006	<4.067	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	0.58	<0.5	0.81	1.5	---	---	---	---	---	---	---
03/03/98	4,662,470	0.5	W-INF	<50	0.54	<0.5	<0.5	0.88	---	<0.021	<23.5	0.0005	<4.067	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
04/02/98	4,702,760	0.9	W-INF	1,100	170	32	12	160	---	0.193	<23.7	0.0287	<4.096	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
05/04/98	4,786,330	1.8	W-INF	1,000	140	23	8.5	150	---	0.732	<24.4	0.1081	<4.204	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
06/10/98	4,852,030	1.2	W-INF	670	110	16	7.6	74	---	0.458	<24.8	0.0685	<4.272	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
07/07/98	4,951,910	2.6	W-INF	690	91	13	6.3	55	---	0.567	<25.4	0.0838	<4,356	---	---
			W-INT1	<200	<2.0	<2.0	<2.0	<2.0	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
08/04/98	5,039,980	2.2	W-INF	230	36	6.4	2.5	17	---	0.338	<25.7	0.0467	<4,403	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
09/03/98	5,080,850	1.0	W-INF	280	13	2.0	6.4	21	---	0.087	<25.8	0.0084	<4,411	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
10/20/98	--	--	W-INF	740	43	54	25	110	---	---	---	---	---	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
11/09/98	5,232,360	1.6	W-INF	300	37	10	8.4	43	---	0.367	<26.2	0.0316	<4,443	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
12/08/98	5,284,180	1.2	W-INF	700	82	25	13	100	---	0.216	<26.4	0.0257	<4,469	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
01/13/99	5,377,930	1.8	W-INF	1,030	155	46.5	52.7	73.3	---	0.677	<27.1	0.0927	<4,561	---	---
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	---	---
			W-EFF	<500	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	---	---
02/08/99	5,441,820	1.7	W-INF	260	31	9.0	2.4	33	---	0.344	<27.4	0.0496	<4,611	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
03/08/99	5,509,090	1.7	W-INF	800	87	16	8.5	140	---	0.297	<27.7	0.0331	<4,644	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
04/05/99	5,571,890	1.6	W-INF	<500	36.6	12.2	5.84	20.9	---	<0.341	<28.1	0.0324	<4,676	---	---
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	---	---
			W-EFF	<500	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	---	---
05/06/99	5,621,560	1.1	W-INF	310	45	6.0	0.86	41	---	0.168	<28.2	0.0169	<4,693	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
06/07/99	5,706,250	1.8	W-INF	<250	24.8	<2.5	<2.5	8.74	---	<0.198	<28.4	0.0247	<4,718	---	---
			W-INT1	<100	<1.0	<1.0	<1.0	<1.0	---	---	---	---	---	---	---
			W-EFF	<250	<2.5	<2.5	<2.5	<2.5	---	---	---	---	---	---	---
07/28/99	5,805,010	1.3	W-INF	<100	7.00	<1.0	2.40	6.40	---	<0.144	<28.6	0.0131	<4,731	---	---
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	---	---	---	---	---	---	---
08/09/99	5,849,280	2.6	W-INF	<500	17.1	5.88	<5.0	26.8	---	<0.111	<28.7	0.0045	<4,735	---	---
			W-INT1	<250	<2.5	<2.5	<2.5	<2.5	---	---	---	---	---	---	---
			W-EFF	<250	<2.5	<2.5	<2.5	<2.5	---	---	---	---	---	---	---

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	
09/07/99	5,880,860	0.8	W-INF	<500	20.4	<5.0	<5.0	31.1	—	<0.132	<28.8	0.0049	<4.740	—	—	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	
10/12/99	5,966,690	1.7	W-INF	100	2	<1.0	<1.0	<1.0	—	0.215	<29.0	0.0080	<4.748	—	—	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
11/18/99	5,971,540	0.1	W-INF	660	66	7.8	5.6	57	—	0.015	<29.1	0.0014	<4.750	—	—	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
12/09/99	5,992,780	0.7	W-INF	200	28	3.2	2.2	22.4	—	0.076	<29.1	0.0083	<4.758	—	—	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
01/10/00	6,035,690	0.9	W-INF	120	11	1.5	1.8	14.5	—	0.057	<29.2	0.0070	<4.765	—	—	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
02/08/00	6,055,000	0.5	W-INF	130	14	<1.0	<1.0	11.9	—	0.020	<29.2	0.0020	<4.767	—	—	
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
			W-EFF	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
03/24/00	System shut down pending evaluation.			—	—	—	—	—	—	—	—	—	—	—	—	
03/28/00	6,080,125	0.4	System shut down upon departure.			—	—	—	—	—	—	—	—	—	—	—
04/01/00	6,080,360	0.0	W-INF	<50	<1.0	<1.0	<1.0	<1.0	—	<0.019	<29.2	<0.0016	<4.769	—	—	
			W-INT1	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
			W-INT2	<50	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
			W-EFF	<67	<1.0	<1.0	<1.0	<1.0	—	—	—	—	—	—	—	
06/05/02	Environmental Resolutions, Inc. assumed operation of the remediation system.			—	—	—	—	—	—	—	—	—	—	—	—	
	System down on arrival and running on departure. Startup. Water samples collected for startup.			—	—	—	—	—	—	—	—	—	—	—	—	
	10	0.0	W-INF	<50	<0.5	<0.5	<0.5	<0.5	—	<0.000	<29.2	<0.0000	<4.769	—	—	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	
06/19/02	47,370	2.4	W-INT2	<50	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	
			W-INF	270	<2.5	<2.5	<2.5	<2.5	1,300	0.152	<29.4	<0.0014	<4.770	2.473	2.473	
			W-INT1	<50	<0.5	<0.5	<0.5	<0.5	46	—	—	—	—	—	—	
07/17/02	114,230	0.0	W-INT2	<50	<0.5	<0.5	<0.5	<0.5	<2.5	—	—	—	—	—	—	
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	<2.5	—	—	—	—	—	—	
			W-INF	114,030	3.3	—	—	—	—	—	—	—	—	—	—	
			W-INT1	—	—	—	—	—	—	—	—	—	—	—	—	
07/31/02	179,580	3.2	W-INT2	—	—	—	—	—	—	—	—	—	—	—	—	
			W-EFF	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
08/14/02	System down on arrival and running on departure.														
	179,930	0.0	W-INF	620	4.1	<2.5	<2.5	<2.5	1,400	0.245	<29.6	0.0018	<4.772	0.742	3,216
			W-INT1	<50	<0.50	<0.50	<0.50	<0.5	150						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.5	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
08/28/02	System running on arrival and down on departure.														
	222,900	2.1													
11/06/02	System down on arrival and running on departure.														
	223,080	0.0	W-INF	660	<5.0	<5.0	<5.0	<5.0	1,700	0.230	<29.9	<0.0016	<4.774	0.558	3,774
			W-INT1	100	3.9	<0.5	<0.5	1.4	150						
			W-INT2	<50	<0.5	<0.5	<0.5	<0.5	<2.5						
			W-EFF	<50	<0.5	<0.5	<0.5	<0.5	<2.5						
11/20/02	System down on arrival and departure.														
12/04/02	System down on arrival and departure.														
12/18/02	System down on arrival and departure.														
01/03/03	System down on arrival and departure.														
	224,032	0.0													
01/06/03	System down on arrival and departure.														
01/15/03	System down on arrival and running on departure.														
	224,360	0.0	W-INF	730	<5.0	<5.0	<5.0	<5.0	1,200	0.007	<29.9	<0.0001	<4.774	0.015	3,789
			W-INT1	71	<0.50	<0.50	<0.50	<0.50	110						
			W-INT2	--	--	--	--	--	--						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
01/29/03	System running on arrival and departure.														
	283,830	3.0													
02/12/03	System running on arrival and departure.														
	321,540	1.9	W-INF	<500	<5.0	<5.0	<5.0	<5.0	500	<0.499	<30.4	<0.0041	<4.778	0.689	4,478
			W-INT1	<500	<5.0	<5.0	<5.0	<5.0	500						
			W-INT2	<250	<2.5	<2.5	<2.5	<2.5	330						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
02/26/03	System running on arrival and departure.														
	383,280	3.1													
03/12/03	System running on arrival and departure.														
	439,050	2.8	W-INF	190	<10	<10	<10	<10	1,200	0.338	<30.7	<0.0074	<4.785	0.833	5,312
			W-INT1	86	<2.5	<2.5	<2.5	<2.5	150						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	1.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.5						
03/26/03	System running on arrival and departure.														
	489,680	2.5													
04/09/03	System running on arrival and departure.														
	537,030	2.4	W-INF	<500	<25	<25	<25	<25	930	<0.282	<31.0	<0.0143	<4.799	0.871	6,182
			W-INT1	50	<2.5	<2.5	<2.5	<2.5	91						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	8.7						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.5						

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
04/23/03	System running on arrival and departure. 584,410	2.4													
05/07/03	System running on arrival and departure. 613,620	1.5	W-INF W-INT1 W-INT2 W-EFF	180 110 <50 <50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	430 99 18 <0.50	0.217	<31.2	<0.0096	<4.809	0.435	6.617
05/21/03	System running on arrival and departure. 646,410	1.6													
06/04/03	System running on arrival, down on departure for carbon changeout. 723,100	3.8													
06/18/03	System down on arrival, running on departure, monthly samples taken. 723,320	0.0	W-INF W-INT1 W-INT2 W-EFF	<250 <50 <50 <50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	410 <2.5 <2.5 <2.5	<0.197	<31.4	<0.0034	<4.812	0.384	7.001
07/02/03	System running on arrival and departure. 751,630	1.4	W-INF W-INT1 W-INT2 W-EFF	120 <50 <50 <50	<25 <0.50 <0.50 <0.50	<25 <0.50 <0.50 <0.50	<25 <0.50 <0.50 <0.50	29 <0.50 <0.50 <0.50	560 <0.50 <0.50 <0.50	0.044	<31.4	<0.0032	<4.816	0.115	7.116
07/16/03	System running on arrival and departure. 778,100	1.3													
07/30/03	System running on arrival and departure. 805,390	1.4													
08/13/03	System running on arrival and departure. 828,920	1.2	W-INF W-INT1 W-INT2 W-EFF	390 <50 <50 <50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	620 0.90 <0.50 <0.50	0.164	<31.6	<0.0113	<4.827	0.380	7.496
08/27/03	System running on arrival and departure. 854,560	1.3													
09/10/03	System down on arrival, running on departure. 854,800	0.0	W-INF W-INT1 W-INT2 W-EFF	89 <50 <50 <50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	140 0.81 <0.50 <0.50	0.052	<31.7	<0.0016	<4.828	0.082	7.578
09/24/03	System running on arrival and departure. 879,920	1.3													
10/08/03	System running on arrival and departure. 903,850	1.2	W-INF W-INT1 W-INT2 W-EFF	330 <50 <50 <50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	<10 <0.50 <0.50 <0.50	540 1.5 <0.50 <0.50	0.086	<31.7	<0.0031	<4.832	0.139	7.718

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/22/03	System running on arrival and departure. 927,460	1.2													
11/03/03	System running on arrival and departure. 947,710	1.2	W-INF	530	<10	<10	<10	<10	810	0.157	<31.9	<0.0037	<4.835	0.247	7.965
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	4.4						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
11/17/03	System down on arrival. Restarted. Running on departure. 964,770	0.9													
12/01/03	System running on arrival and departure. 992,510	1.4	W-INF	410	<250	<250	<250	<250	820	0.176	<32.1	<0.0486	<4.884	0.305	8.269
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	4.2						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
12/15/03	System running on arrival and departure. 1,021,420	1.4													
12/29/03	System running on arrival and departure. 1,051,220	1.5													
01/12/04	System down on arrival High/High ([H/H] holding tank), transfer pump failure. 1,062,140	0.5													
01/26/04	System shut down on arrival, replaced transfer pump restarted system. Collected monthly samples. 1,062,440	0.0	W-INF	300	<5.0	<5.0	<5.0	<5.0	770	0.207	<32.3	<0.0744	<4.958	0.464	8.733
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	5.7						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50						
02/09/04	System down on arrival (H/H holding tank, transfer pump appears to have failed). System shut down on departure. 1,062,450	0.0													
04/08/05	Started system and ran water through system into holding tank (did not discharge). Approximately 400 gallons. 1,064,739	0.0	W-INF	600	<0.50	<0.5	<0.5	<0.5	748	0.009	<32.3	<0.0001	<4.958	0.015	8.748
			W-INT1	<50.0	<0.50	<0.5	<0.5	<0.5	2.9						
			W-INT2	<50.0	<0.50	<0.5	<0.5	<0.5	<0.5						
			W-EFF	<50.0	<0.50	<0.5	<0.5	<0.5	<0.5						
06/27/05	1,065,780	0.0													
06/28/05	1,066,510	0.5													
06/29/05	1,075,770	6.4													
07/01/05	1,093,250	6.1													
07/08/05	1,146,060	5.2													
07/15/05	1,201,070	5.5													
07/22/05	1,257,570	5.6	W-INF	844	8.80	2.3	0.7	30.9	707	1.162	<33.5	0.0075	<4.966	1.170	9.918
			W-INT1	151	<0.50	<0.5	<0.5	<0.5	151						
			W-INT2	<50.0	<0.50	<0.5	<0.5	<0.5	1.9						
			W-EFF	<50.0	<0.50	<0.5	<0.5	<0.5	<0.5						
07/24/05	1,271,470	4.8													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
07/29/05	1,272,030	0.1													
08/05/05	1,272,630	0.1	W-INF	713	6.01	<0.500	0.569	9.69	647	0.098	<33.6	0.0009	<4.967	0.085	10.003
			W-INT1	<50.0	<0.500	<0.500	<0.500	<0.500	0.698						
			W-INT2	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500						
			W-EFF	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500						
08/12/05	1,326,820	5.4													
08/19/05	1,330,450	0.4													
08/26/05	1,346,130	1.6													
09/02/05	1,384,160	3.8													
09/09/05	1,436,360	5.2	W-INF	681	0.96	<0.50	<0.50	<0.50	664	0.952	<34.5	0.0048	<4.971	0.895	10.899
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
09/16/05	1,488,660	5.2													
09/19/05	1,507,200	4.3													
10/07/05	1,507,820	0.0													
10/14/05	1,550,690	4.3													
10/21/05	1,563,060	1.2													
10/28/05	1,578,720	1.6													
11/04/05	1,634,790	5.6													
11/11/05	1,670,990	3.6	W-INF	858	0.86	<0.50	<0.50	<0.50	695	1.506	<36.0	0.0018	<4.973	1.330	12.229
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	3.25						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	0.53						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
11/18/05	1,706,440	3.5													
11/21/05	1,715,550	2.1													
12/02/05	1,772,310	3.6													
12/09/05	1,786,420	1.4	W-INF	1,060	<0.50	<0.50	<0.50	<0.50	821	0.924	<36.9	<0.0007	<4.974	0.730	12.959
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	16.0						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
12/16/05	1,800,240	1.4													
12/22/05	1,804,140	0.5													
12/30/05	1,804,160	0.0													
01/06/06	1,823,487	1.9	W-INF	3,210c	<0.50	<0.50	<0.50	<0.50	1,240	0.660	<37.6	<0.0002	<4.974	0.319	13.277
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	28.8						
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
01/13/06	1,840,520	1.7													
01/20/06	1,853,860	1.3													
01/27/06	1,870,720	1.7													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	
02/03/06	1,887,390	1.7	W-INF	1,700d	<10	<10	<10	<10	1,700	1.309	<38.9	<0.0028	<4.977	0.784	14.061	
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	35							
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5							
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5							
02/10/06	System running on arrival and departure.			1,904,310	1.7											
02/17/06	System running on arrival and departure.			1,921,860	1.7											
02/23/06	System running on arrival and departure.			1,936,920	1.7											
02/24/06	System running on arrival and departure.			1,941,290	3.0											
03/03/06	System running on arrival and departure.			1,972,060	3.1	W-INF	<2,500	<25	<25	<25	1,700	<1.484	<40.4	<0.0124	<4.989	
	W-INT1		<500	<5.0	<5.0	<5.0	<5.0	250								
	W-INT2		<50	<0.50	<0.50	<0.50	<0.50	<2.5								
	W-EFF		<50	<0.50	<0.50	<0.50	<0.50	<2.5								
03/10/06	System running on arrival and departure.			1,989,680	1.8											
03/17/06	System down on arrival (moisture separator tank [MST] high level). Restarted. Running on departure.			2,002,980	1.3											
03/24/06	System running on arrival and departure.			2,038,840	3.6											
03/31/06	System down on arrival. Restarted. Running on departure.			2,042,050	0.3											
04/07/06	System running on arrival and departure.			2,079,030	3.7	W-INF	<2,500	<25	<25	<25	1,800	<2.231	<42.6	<0.0223	<5.011	
	W-INT1		400d	<2.5	<2.5	<2.5	<2.5	440								
	W-INT2		<50	<0.50	<0.50	<0.50	<0.50	<2.5								
	W-EFF		<50	<0.50	<0.50	<0.50	<0.50	<2.5								
04/13/06	System running on arrival and departure.			2,109,320	3.5											
04/28/06	System running on arrival and departure.			2,145,290	1.7											
05/05/06	System running on arrival and departure.			2,180,750	3.5	W-INF	<2,500	<25	<25	<25	1,800	<2.122	<44.7	<0.0212	<5.033	
	W-INT1		650d	<5.0	<5.0	<5.0	<5.0	800								
	W-INT2		<50	<0.50	<0.50	<0.50	<0.50	<2.5								
	W-EFF		<50	<0.50	<0.50	<0.50	<0.50	<2.5								
05/12/06	System running on arrival and departure.			2,213,710	3.3											
05/19/06	System running on arrival and departure.			2,245,730	3.2											

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
05/25/06	System running on arrival and departure. 2,272,150	3.1													
06/02/06	System running on arrival and departure. 2,305,800	2.9													
06/09/06	System running on arrival and departure. 2,334,660	2.9	W-INF W-INT1 W-INT2 W-EFF	<2,500 1,200d <50 <50	<25 15 <0.50 <0.50	<25 <10 <0.50 <0.50	<25 <10 <0.50 <0.50	<25 <10 <0.50 <0.50	2,100 1,100 9.6 <2.5	<3.210	<48.0	<0.0321	<5.065	2,504	20,856
06/16/06	System down on arrival and running on departure. 2,354,230	1.9													
06/23/06	System running on arrival and departure. 2,364,230	1.0													
06/30/06	System running on arrival and departure. 2,373,900	1.0													
07/05/06	System running on arrival and departure. 2,381,000	1.0	W-INF W-INT1 W-INT2 W-EFF	113 <50.0 <50.0 <50.0	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	169 9.86 <0.50 <0.50	0.505	<48.5	<0.0049	<5.070	0.439	21,294
07/14/06	System running on arrival and departure. 2,435,000	4.2													
07/21/06	System running on arrival and departure. 2,471,700	3.6													
07/28/06	System running on arrival and departure. 2,505,700	3.4													
08/04/06	System running on arrival and departure. 2,541,520	3.6	W-INF W-INT1 W-INT2 W-EFF	1,800 619 <50.0 <50.0	1.97 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	2.27 <0.50 0.64 <0.50	2,220 646 <0.50 <0.50	1.281	<49.7	0.0017	<5.071	1.600	22,894
08/11/06	System running on arrival and departure. 2,578,290	3.7													
08/18/06	System running on arrival and departure. 2,614,050	3.6													
08/25/06	System running on arrival and departure. 2,614,100	0.0													
09/01/06	System running on arrival and shut down on departure for carbon changeout. 2,651,170	3.7													
09/15/06	Carbon changeout complete. Restart system. 2,651,170	0.0													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
09/22/06	System down on arrival and locked out/tagged out on departure for repairs.														
	2,670,860	2.0	W-INF	861	<0.50	<0.50	<0.50	0.67	924	1.436	<51.2	<0.0013	<5.073	1.696	24.590
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	6.66						
			W-INT2	<50.0	0.84	<0.50	<0.50	2.98	1.29						
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50						
10/06/06	System down on arrival and running on departure.														
	2,670,860	0.0													
10/13/06	System down on arrival and departure.														
	2,672,600	0.2													
10/20/06	System down on arrival and locked out/tagged out on departure for carbon changeout.														
	2,672,860	0.0													
10/27/06	System down on arrival and running on departure.														
	2,672,860	0.0	W-INF	<2,500	<25	<25	<25	<25	2,400	<0.028	<51.2	<0.0002	<5.073	0.028	24.618
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
11/03/06	System running on arrival and departure.														
	2,710,410	3.7													
11/10/06	System running on arrival and departure.														
	2,751,080	4.0	W-INF	2,700d	<25	<25	<25	<25	2,500	1.697	<52.9	<0.0163	<5.089	1.599	26.217
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
11/14/06	System running on arrival and departure.														
	2,775,140	4.2													
11/20/06	System running on arrival and departure.														
	2,808,860	3.9													
11/27/06	System running on arrival and departure.														
	2,845,210	3.6													
12/05/06	System running on arrival and departure.														
	2,885,930	3.5	W-INF	2,500d	<25	<25	<25	<25	2,300	2.925	<55.8	<0.0281	<5.117	2.700	28.917
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	38						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
12/15/06	System down on arrival and running departure.														
	2,885,930	0.0													
12/21/06	System running on arrival and departure.														
	2,922,240	4.2													
12/26/06	System running on arrival and departure.														
	2,944,490	3.1													
01/05/07	System running on arrival and departure.														
	2,969,800	1.8													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
01/12/07	System running on arrival and departure. 3,012,350	4.2	W-INF	1,600d	<12	<12	<12	<12	1,700	2.162	<58.0	<0.0195	<5.137	2.110	31.027
			W-INT1	580d	<5.0	<5.0	<5.0	<5.0	590						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
01/19/07	System running on arrival and departure. 3,046,970	3.4													
01/26/07	System running on arrival and departure. 3,090,550	4.3													
02/02/07	System running on arrival and departure. 3,129,760	3.9	W-INF	1,400d	<12	<12	<12	<12	2,100	1.469	<59.5	<0.0118	<5.149	1.861	32.888
			W-INT1	1,100d	<10	<10	<10	<10	1,400						
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<2.5						
02/09/07	System running on arrival and departure. 3,169,480	3.9													
02/16/07	System running on arrival and locked out/tagged out on departure for carbon changeout. 3,187,150	1.8													
02/23/07	System locked out/tagged out on arrival and departure.														
03/02/07	System locked out/tagged out on arrival and departure.														
03/09/07	System locked out/tagged out on arrival and departure.														
04/03/07	System locked out/tagged out on arrival, restarted, and running on departure. 3,187,660	0.0													
04/12/07	System running on arrival and departure. 3,223,250	2.8	W-INF	2,700d,e	<25e	<25e	<25e	<25e	3,100e	1.599	<61.1	<0.0144	<5.163	2.028	34.916
			W-INT1	1,600d,e	<10e	<10e	<10e	<10e	1,800e						
			W-INT2	<50e	<0.50 e	<0.50 e	<0.50 e	<0.50 e	<2.5 e						
			W-EFF	<50 e	<0.50 e	<0.50 e	<0.50 e	<0.50 e	<2.5 e						
04/20/07	System running on arrival and departure. 3,235,130	1.0													
04/25/07	System down on arrival and running on departure. 3,246,590	1.6													
05/04/07	System down on arrival and running on departure. 3,248,650	0.2													
05/11/07	System down on arrival and running on departure. 3,255,710	0.7	W-INF	2,200f	<10 f	<10f	<10f	<10f	3,400f	0.664	<61.7	<0.0047	<5.168	0.880	35.796
			W-INT1	1,000f	<10f	<10f	<10f	<10f	1,600f						
			W-INT2	<50f	<0.50 f										
			W-EFF	<50 f	<0.50 f	<0.50 f	<0.50 f	<0.50 f	2.5 f						
05/17/07	System down on arrival and running on departure. 3,276,990	2.5													
05/25/07	System running on arrival and departure. 3,284,770	0.7													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
05/30/07	System running on arrival and departure. 3,299,240	2.0													
06/01/07	System down on arrival and running on departure.														
06/08/07	System down on arrival and running on departure. 3,338,400	3.0													
06/15/07	System down on arrival and running on departure.														
06/21/07	System down on arrival and running on departure. 3,351,600	0.7	W-INF	<2,500	<25	<25	<25	<25	1,600	<1.880	<63.6	<0.0140	<5.182	2.000	37.796
			W-INT1	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5					
			W-INT2	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5					
			W-EFF	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5					
06/29/07	System down on arrival and running on departure. 3,374,190	2.0													
07/06/07	System down on arrival and running on departure. 3,382,010	0.8													
07/11/07	System down on arrival and running on departure. 3,388,110	0.9													
07/18/07	System down on arrival and running on departure. 3,409,620	2.1													
07/20/07	System down on arrival and running on departure. 3,411,890	0.8													
07/24/07	System running on arrival and departure. 3,416,420	0.8													
07/31/07	System running on arrival and departure. 3,425,640	0.9	W-INF	1,040	0.86	<0.50	<0.50	<0.50	684	1,093	<64.7	0.0080	<5.190	0.705	38.502
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
08/09/07	System running on arrival and departure. 3,437,380	0.9	W-INF	2,330	<0.50	<0.50	<0.50	<0.50	1,590	0.165	<64.9	<0.0001	<5.190	0.111	38.613
			W-INT1	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	0.65					
			W-INT2	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
			W-EFF	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50					
08/14/07	System running on arrival and departure. 3,446,080	1.2													
08/21/07	System running on arrival and departure. 3,456,500	1.0													
08/28/07	System down on arrival and running on departure. 3,467,940	1.1													
09/07/07	System running on arrival and departure. 3,478,900	0.8													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
09/14/07	System running on arrival and departure. 3,485,690	0.7	W-INF	120	<0.50	<0.50	<0.50	<1.0	330	0.494	<65.4	<0.0002	<5.190	0.387	39.000
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	79	<0.50	<0.50	<0.50	<1.0	<5.0						
09/21/07	System running on arrival and departure. 3,492,210	0.7													
09/28/07	System running on arrival and departure. 3,498,950	0.7													
10/02/07	System running on arrival and shut down on departure. 3,502,850	0.7													
10/05/07	System shut down on arrival and running on departure. 3,502,920	0.0													
10/12/07	System running on arrival and running on departure. 3,522,910	2.0	W-INF	1,200	<5.0	<5.0	<5.0	<10	1,900	0.205	<65.6	<0.0009	<5.191	0.346	39.346
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
10/16/07	System running on arrival and running on departure. 3,524,550	0.3													
10/22/07	System running on arrival and running on departure. 3,546,660	2.6													
11/02/07	System running on arrival and running on departure. 3,556,830	0.6													
11/09/07	System running on arrival and running on departure. 3,576,540	2.0	W-INF	550	<2.5	<2.5	<2.5	<5.0	1,700	0.392	<65.9	<0.0017	<5.193	0.805	40.152
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
11/16/07	System running on arrival and running on departure. 3,585,210	0.9													
11/21/07	System running on arrival and running on departure. 3,590,160	0.7													
11/26/07	System down on arrival and running on departure. 3,595,010	0.7													
12/07/07	System running on arrival and running on departure. 3,605,900	0.7	W-INF	250	<2.5	<2.5	<2.5	<5.0	380	0.098	<66.0	<0.0006	<5.193	0.255	40.407
			W-INT1	<50	<0.50	0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
12/13/07	System running on arrival and running on departure. 3,609,430	0.4													
12/14/07	System shut down on arrival and departure. 3,610,550	0.8													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
12/19/07	System down on arrival and running on departure. 3,610,960 0.1														
12/21/07	System running on arrival and running on departure. 3,617,270 2.2														
12/27/07	System running on arrival and running on departure. 3,628,510 1.3														
01/04/08	System down on arrival and down on departure. 3,635,950 0.7														
01/07/08	System restarted. 3,635,950 0.0														
01/18/08	System running on arrival and departure. 3,647,250 0.7		W-INF	360	<1.0	<1.0	<1.0	<2.0	500	0.105	<66.2	<0.0006	<5.194	0.152	40,558
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
01/25/08	System down on arrival and running on departure. 3,653,500 0.6														
01/27/08	System down on arrival and running on departure. 3,654,200 0.2														
01/31/08	System down on arrival and running on departure. 3,659,910 1.0														
02/08/08	System running on arrival and departure. 3,690,670 2.7														
02/15/08	Restart system; running on departure. 3,704,620 1.4		W-INF	<50	<10.00	29	<10.00	49	2,400	<0.098	<66.2	<0.0026	<5.196	0.694	41.252
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	14						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
02/22/08	System running on arrival and departure. 3,716,980 1.2														
02/26/08	System running on arrival and departure. 3,722,530 1.0														
03/06/08	System running on arrival and departure. 3,738,110 1.2														
03/14/08	System running on arrival and departure. 3,749,150 1.0														
03/21/08	System down on arrival and running on departure. 3,757,000 0.8														
03/28/08	System down on arrival and running on departure. 3,757,540 0.1		W-INF	120	<0.50	<0.50	<0.50	<1.0	210	0.038	<66.3	<0.0023	<5.199	0.576	41.829
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	21						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
04/05/08	System running on arrival and departure. 3,757,690	0.0													
04/11/08	System running on arrival and down on departure. 3,757,750	0.0	W-INF W-INT1 W-INT2 W-EFF	370 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	270 24 <5.0 <5.0	0.000	<66.3	<0.0000	<5.199	0.000	41.829
04/15/08	System down on arrival and running on departure. 3,757,750	0.0													
04/22/08	System running on arrival and departure. 3,761,040	0.3													
05/02/08	System running on arrival and departure. 3,769,160	0.6													
05/06/08	System running on arrival and departure. 3,774,830	1.0	W-INF W-INT1 W-INT2 W-EFF	870 65 <50 <50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<5.0 <1.0 <1.0 <1.0	1,300 86 <5.0 <5.0	0.088	<66.4	<0.0002	<5.199	0.112	41.941
05/16/08	System running on arrival and departure. 3,785,690	0.8													
05/23/08	System running on arrival and departure. 3,788,780	0.3													
05/28/08	System running on arrival and departure. 3,790,260	0.2													
06/03/08	System running on arrival and departure. 3,795,970	0.7	W-INF W-INT1 W-INT2 W-EFF	630 82 <50 <50	<1.0 0.56 0.62 <0.50	<1.0 <1.4 1.5 <0.50	<1.0 <0.50 <1.0 <0.50	<2.0 <1.0 <1.0 <1.0	550 17 <5.0 <5.0	0.132	<66.5	<0.0003	<5.199	0.163	42.104
06/13/08	System running on arrival and departure. 3,796,670	0.1													
06/17/08	System running on arrival and departure. 3,797,130	0.1													
06/23/08	System running on arrival and departure. 3,797,230	0.0													
07/03/08	System running on arrival and departure. 3,797,330	0.0													
07/08/08	System running on arrival and departure. 3,797,510	0.0	W-INF W-INT1 W-INT2 W-EFF	640 <50 <50 <50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<2.5 <0.50 <0.50 <0.50	<5.0 <1.0 <1.0 <1.0	1,200 77 <5.0 <5.0	0.008	<66.5	<0.0000	<5.199	0.011	42.115

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results					TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
07/15/08	System running on arrival and departure. 3,797,760	0.0	W-INF	<50	2.0	<0.50	<0.50	<1.0	120	<0.001	<66.5	0.0000	<5.199	0.001	42.117
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
07/21/08	System running on arrival and departure. 3,799,120	0.2													
07/29/08	System running on arrival and departure. 3,799,560	0.0													
08/08/08	System running on arrival and departure. 3,799,950	0.0													
08/15/08	System running on arrival and departure. 3,800,390	0.0													
08/22/08	System running on arrival and departure. 3,800,440	0.0	W-INF	150	4.0	<0.50	<0.50	<1.0	370	0.002	<66.5	0.0001	<5.199	0.005	42.122
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
08/29/08	System running on arrival and departure. 3,801,090	0.1													
09/05/08	System running on arrival and departure. 3,801,360	0.0	W-INF	570	5.6	<5.0	<5.0	<10	4,700	0.003	<66.5	0.0000	<5.199	0.019	42.142
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
09/12/08	System running on arrival and departure. 3,801,700	0.0													
09/19/08	System running on arrival and departure. 3,802,220	0.1													
09/26/08	System running on arrival and departure. 3,821,130	1.9													
10/03/08	System running on arrival and departure. 3,829,660	0.9													
10/10/08	System running on arrival and departure. 3,836,030	0.6	W-INF	410	<1.0	<1.00	<1.00	<2.0	640	0.142	<66.7	<0.0010	<5.200	0.772	42.914
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
10/17/08	System running on arrival and departure. 3,842,780	0.7													
10/31/08	System running on arrival and departure. 3,859,120	0.8													
11/07/08	System running on arrival and departure. 3,865,290	0.6													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results					TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
11/15/08	System running on arrival and departure. 3,871,710	0.6													
11/17/08	System running on arrival and departure. 3,872,707	0.4	W-INF W-INT1 W-INT2 W-EFF	550 <50 <50 <50	<1.0 <0.50 <0.50 <0.50	<1.0 <0.50 <0.50 <0.50	<1.0 <0.50 <0.50 <0.50	<2.0 <1.0 <1.0 <1.0	940 <5.0 <5.0 <5.0	0.147	<66.8	<0.0003	<5.201	0.242	43.156
11/25/08	System running on arrival and departure. 3,875,830	0.3													
12/05/08	System running on arrival and departure. 3,883,530	0.5													
12/12/08	System running on arrival and departure. 3,887,570	0.4	W-INF W-INT1 W-INT2 W-EFF	180 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	280 <5.0 <5.0 <5.0	0.045	<66.9	<0.0001	<5.201	0.076	43.231
12/16/08	System running on arrival and departure. 3,891,390	0.7													
12/24/08	System running on arrival and departure. 3,892,540	0.1													
01/02/09	System running on arrival and departure. 3,912,840	1.6													
01/09/09	System running on arrival and departure. 3,921,110	0.8	W-INF W-INT1 W-INT2 W-EFF	63 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	310 <5.0 <5.0 <5.0	0.034	<66.9	<0.0001	<5.201	0.083	43.314
01/16/09	System running on arrival and departure. 3,923,430	0.2													
01/20/09	System running on arrival and departure. 3,928,540	0.9													
01/30/09	System running on arrival and departure. 3,939,740	0.8													
02/06/09	System running on arrival and departure. 3,947,850	0.8													
02/13/09	System running on arrival and departure. 3,955,300	0.7	W-INF W-INT1 W-INT2 W-EFF	97 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	400 <5.0 <5.0 <5.0	0.023	<66.9	<0.0001	<5.201	0.101	43.415
02/20/09	System down on arrival and departure. 3,961,760	0.6													
02/27/09	System down on arrival and departure. 3,961,760	0.0													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results					TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
03/06/09	System running on arrival and departure. 3,969,890	0.8													
03/10/09	System down on arrival and running on departure. 4,385,120	0.2													
03/13/09	System running on arrival and departure. 3,989,370	1.9	W-INF W-INT1 W-INT2 W-EFF	310 <50 <50 <50	1.5 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	1.6 <1.0 <1.0 <1.0	410 <5.0 <5.0 <5.0	0.058	<67.0	0.0003	<5.201	0.115	43.530
03/20/09	System running on arrival and departure. 3,999,140	1.0													
03/23/09	System running on arrival and departure. 3,999,870	0.2													
03/31/09	System running on arrival and departure. 4,009,710	0.9													
04/07/09	System running on arrival and departure. 4,015,770	0.6	W-INF W-INT1 W-INT2 W-EFF	360 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	490 <5.0 <5.0 <5.0	0.074	<67.0	<0.0002	<5.202	0.099	43.629
04/17/09	System running on arrival and departure. 4,030,486	1.0													
04/29/09	System running on arrival and departure. 4,047,450	1.0													
05/01/09	System running on arrival and departure. 4,057,140	3.4													
05/08/09	System running on arrival and departure. 4,064,660	0.8													
05/15/09	System running on arrival and departure. 4,070,650	0.6	W-INF W-INT1 W-INT2 W-EFF	360 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	470 <5.0 <5.0 <5.0	0.165	<67.2	<0.0002	<5.202	0.220	43.849
05/22/09	System running on arrival and departure. 4,075,430	0.5													
05/29/09	System running on arrival and departure. 4,077,470	0.2													
06/05/09	System running on arrival and departure. 4,083,490	0.6													
06/11/09	System running on arrival and departure. 4,094,140	1.2	W-INF W-INT1 W-INT2 W-EFF	<50 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <3.4	700 <5.0 <5.0 <5.0	<0.040	<67.2	<0.0001	<5.202	0.115	43.964

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
06/12/09	System down on arrival and running on departure. 4,095,170	0.7													
06/19/09	System running on arrival and departure. 4,104,580	1.9													
06/26/09	System running on arrival and departure. 4,112,860	0.8													
06/29/09	System running on arrival and departure. 4,116,600	0.9													
07/10/09	System running on arrival and departure. 4,129,920	0.8													
07/17/09	System running on arrival and departure. 4,137,560	0.8	W-INF	160	<2.5	<2.5	<2.5	<5.0	220	0.038	<67.3	<0.0005	<5.202	0.167	44.130
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
07/24/09	System running on arrival and departure. 4,145,570	0.8													
07/31/09	System running on arrival and departure. 4,152,830	0.7													
08/04/09	System running on arrival and departure. 4,157,350	0.8	W-INF	260	1.3	1.0	<0.50	1.4g	340	0.035	<67.3	0.0003	<5.203	0.046	44.177
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
08/14/09	System running on arrival and departure. 4,167,720	0.7													
08/21/09	System running on arrival and departure. 4,175,880	0.8													
08/28/09	System running on arrival and departure. 4,183,940	0.8													
09/04/09	System running on arrival and departure. 4,190,890	0.7													
09/11/09	System running on arrival and departure. 4,198,820	0.8													
09/14/09	System running on arrival and departure. 4,202,640	0.9	W-INF	1,300	3.8g	<2.5	<2.5	<5.0	2,200	0.295	<67.6	0.0010	<5.204	0.480	44.657
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
09/25/09	System down on arrival and running on departure. 4,224,590	1.4													
10/02/09	System down on arrival and running on departure. 4,236,600	1.2													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
10/15/09	System running on arrival and down on departure for carbon changeout.														
	4,260,050	1.3	W-INF	380h	<2.5	<2.5	<2.5	<5.0	670	0.402	<68.0	<0.0015	<5.205	0.687	45.344
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	9.1						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
10/19/09	System down on arrival and running on departure.														
	4,260,050	0.0													
10/30/09	System down on arrival and running on departure.														
	4,260,050	0.0													
11/06/09	System running on arrival and departure.														
	4,260,660	0.1	W-INF	73h	5.4	<2.5	<2.5	<5.0	58	0.001	<68.0	0.0000	<5.205	0.002	45.346
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
11/13/09	System running on arrival and departure.														
	4,260,670	0.0													
11/20/09	System down on arrival and running on departure.														
	4,261,910	0.1													
11/25/09	System running on arrival and departure.														
	4,265,320	0.5													
12/04/09	System down on arrival and running on departure.														
	4,278,560	1.0													
12/11/09	System down on arrival and departure.														
	4,280,560	0.2													
12/18/09	System down on arrival and departure.														
	4,280,650	0.0	W-INF	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<0.010	<68.0	<0.0005	<5.206	<0.005	<45.351
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
12/23/09	System down on arrival and departure.														
	4,280,660	0.0													
12/31/09	System down on arrival and departure.														
	4,280,660	0.0													
01/08/10	System running on arrival and departure.														
	4,284,140	0.3													
01/15/10	System running on arrival and departure.														
	4,288,090	0.4	W-INF	300h	<0.50	<0.50	<0.50	<1.0	450	0.011	<68.0	<0.0000	<5.206	0.014	<45.365
			W-INT1	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
01/22/10	System running on arrival and departure.														
	4,291,420	0.3													
01/29/10	System running on arrival and departure.														
	4,294,656	0.3													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results					TPHg Removed		Benzene Removed		MTBE Removed		
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
02/05/10	System running on arrival and departure. 4,297,890	0.3													
02/12/10	System running on arrival and departure. 4,301,320	0.3	W-INF W-INT1 W-INT2 W-EFF	<50 <50 <50 <50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<0.50 <0.50 <0.50 <0.50	<1.0 <1.0 <1.0 <1.0	110 <5.0 <5.0 <5.0	<0,019 	<68.1 	<0,0001 	<5.206 	0.031 	<45,396
02/19/10	System running on arrival and departure. 4,331,510	3.0													
02/26/10	System running on arrival and departure. 4,358,820	2.7													
03/06/10	System down on arrival and running on departure. 4,384,020	2.2													
03/09/10	System down on arrival and running on departure. 4,384,970	0.2													
03/10/10	System down on arrival and running on departure. 4,385,120	0.1													
03/12/10	System running on arrival and departure. 4,393,310	1.9													
03/19/10	System running on arrival and departure. 4,425,590	3.2	W-INF W-INT1 W-INT2 W-EFF	1,100 <50 <50 <50	8.5 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<10 <1.0 <1.0 <1.0	1,700 <5.0 <5.0 <5.0	0.596 	<68.7 	0.0047 	<5.210 	0.938 	<46.334
03/26/10	System running on arrival and departure. 4,457,600	3.2													
04/02/10	System running on arrival and departure. 4,477,070	1.9													
04/07/10	System running on arrival and down on departure. 4,489,430	1.7													
04/16/10	System down on arrival and running on departure. 4,489,500	0.0													
04/23/10	System running on arrival and departure. 4,518,760	2.9	W-INF W-INT1 W-INT2 W-EFF	950h 120h <50 <50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<5.0 <0.50 <0.50 <0.50	<10 <1.0 <1.0 <1.0	1,400 180 <5.0 <5.0	0.797 	<69.5 	<0.0052 	<5.216 	1.205 	<47.539
04/30/10	System down on arrival and departure. 4,545,880	2.7													
05/05/10	System down on arrival and running on departure. 4,546,150	0.0													
05/07/10	System running on arrival and departure. 4,552,010	2.0													

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Date	Total Flow (gallons)	Average Flow Rate (gpm)	Sample ID	Laboratory Analytical Results						TPHg Removed		Benzene Removed		MTBE Removed	
				TPHg ($\mu\text{g/l}$)	B ($\mu\text{g/l}$)	T ($\mu\text{g/l}$)	E ($\mu\text{g/l}$)	X ($\mu\text{g/l}$)	MTBE ($\mu\text{g/l}$)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)	Per Period (lbs)	Cumulative (lbs)
05/14/10	System running on arrival and departure. 4,572,650	2.1	W-INF	1,000h	<5.0	<5.0	<5.0	<10	1,400	0.438	<69.9	<0.0022	<5.218	0.629	<48.169
			W-INT1	340h	<0.50	<0.50	<0.50	<1.0	420						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
05/21/10	System running on arrival and departure. 4,592,460	1.8													
05/28/10	System running on arrival and departure. 4,611,710	1.9													
06/04/10	System running on arrival and departure. 4,631,150	1.9													
06/09/10	System running on arrival and departure. 4,642,820	1.6													
06/18/10	System running on arrival and departure. 4,663,990	2.5	W-INF	650h	<2.5	<2.5	<2.5	<5.0	950	0.629	<70.5	<0.0029	<5.221	0.895	<49.064
			W-INT1	500h	<2.5	<2.5	<2.5	<5.0	760						
			W-INT2	<50	<0.50	<0.50	<0.50	<1.0	<5.0						
			W-EFF	<50	<0.50	<0.50	<0.50	<1.0	<5.0						

TABLE 4
OPERATION AND PERFORMANCE DATA FOR GROUNDWATER PUMP AND TREAT SYSTEM

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Notes: * If value is below laboratory detection limit, then detection limit value is used for removal calculations.
 Data prior to April 1, 2000, provided by Delta Environmental Consultants, Inc.

W-INF	=	Water sample collected at the influent sample port.
W-INT	=	Water sample collected at the intermediate 1 sample port.
W-EFF	=	Water sample collected at the intermediate 2 sample port.
W-PSP#1	=	Water sample collected at the effluent sample port. Also referred to as PSP#1 for reporting purposes.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified)/8015B or LUFT GCMS.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 5030/8021B or 624.
MTBE	=	Methyl tertiary butyl ether analyzed using EPA Method 8020/8021B.
gal	=	Gallons.
gpm	=	Gallons per day.
µg/L	=	Micrograms per liter.
lbs	=	Pounds.
<	=	Less than the stated laboratory method reporting limit.
---	=	Not sampled/Not analyzed/Not recorded/Not measured/Not calculated/Not applicable.
a	=	Incorrect sample date is shown on laboratory report. The correct date is shown on table.
b	=	Estimated value above laboratory equipment calibration range.
c	=	Analyte detected in associated Method Blank.
d	=	The result for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.
e	=	Samples exceeded the EPA recommended temperature for analyses.
f	=	Sample analyzed past EPA recommended hold time.
g	=	Analyte presence was not confirmed by second column or GC/MS analysis.
h	=	The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard.

APPENDIX A

GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

$$1 \text{ well casing volume} = \pi r^2 h (7.48) \text{ where:}$$

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.


After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

APPENDIX B

**LABORATORY ANALYTICAL REPORTS
AND CHAIN-OF-CUSTODY RECORDS**



May 10, 2010

Paula Sime
 Environmental Resolutions, Inc.
 601 North McDowell Blvd.
 Petaluma, CA 94954-2312

RECEIVED
 MAY 13 2010

BY: _____

Subject: **Calscience Work Order No.: 10-05-0006**
 Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 5/1/2010 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
 Laboratories, Inc.
 Cecile deGuia
 Project Manager



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 1 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	10-05-0006-2-H	04/28/10 12:35	Aqueous	GC 27	05/01/10	05/04/10 02:33	100501B02S

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	190	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	99	68-140			

MW2	10-05-0006-3-H	04/28/10 12:40	Aqueous	GC 27	05/01/10	05/04/10 02:52	100501B02S
-----	----------------	----------------	---------	-------	----------	----------------	------------

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	73	68-140			

MW3	10-05-0006-4-H	04/28/10 12:10	Aqueous	GC 27	05/01/10	05/04/10 03:09	100501B02S
-----	----------------	----------------	---------	-------	----------	----------------	------------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	780	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	97	68-140			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 2 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW4	10-05-0006-5-H	04/28/10 12:16	Aqueous	GC 27	05/01/10	05/04/10 03:27	100501B02S

Comment(s):
 -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	600	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
Decachlorobiphenyl	97	68-140			

MW5	10-05-0006-6-H	04/28/10 12:25	Aqueous	GC 27	05/01/10	05/04/10 03:46	100501B02S
-----	----------------	----------------	---------	-------	----------	----------------	------------

Comment(s):
 -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.


Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	1600	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
Decachlorobiphenyl	93	68-140			

MW6	10-05-0006-7-H	04/28/10 12:55	Aqueous	GC 27	05/01/10	05/04/10 04:04	100501B02S
-----	----------------	----------------	---------	-------	----------	----------------	------------

Comment(s):
 -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	660	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
Decachlorobiphenyl	99	68-140			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 3 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW7	10-05-0006-8-H	04/28/10 12:05	Aqueous	GC 27	05/01/10	05/04/10 04:22	100501B02S

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L
Surrogates:	REC (%)	Control Limits		Qual	
Decachlorobiphenyl	94	68-140			

MW9	10-05-0006-9-H	04/28/10 11:45	Aqueous	GC 27	05/01/10	05/04/10 04:41	100501B02S
-----	----------------	----------------	---------	-------	----------	----------------	------------

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.


Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L
Surrogates:	REC (%)	Control Limits		Qual	
Decachlorobiphenyl	96	68-140			

MW11	10-05-0006-10-H	04/28/10 12:25	Aqueous	GC 27	05/01/10	05/04/10 04:58	100501B02S
------	-----------------	----------------	---------	-------	----------	----------------	------------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	1900	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
Decachlorobiphenyl	99	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 3510C
Method: EPA 8015B (M)


Project: ExxonMobil 70104

Page 4 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-330-1,510	N/A	Aqueous	GC 27	05/01/10	05/03/10 22:02	100501B02S

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1	U	ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	98	68-140			

 RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers




Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	10-05-0006-2-E	04/28/10 12:35	Aqueous	GC 18	05/03/10	05/04/10 05:15	100503B02

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	870	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	83	38-134			

MW2	10-05-0006-3-E	04/28/10 12:40	Aqueous	GC 18	05/03/10	05/04/10 05:50	100503B02
-----	----------------	----------------	---------	-------	----------	----------------	-----------


Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	70	38-134			

MW3	10-05-0006-4-E	04/28/10 12:10	Aqueous	GC 18	05/03/10	05/04/10 06:26	100503B02
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	1700	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	128	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW4	10-05-0006-5-E	04/28/10 12:16	Aqueous	GC 18	05/03/10	05/04/10 07:01	100503B02

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	1100	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	108	38-134			

MW5	10-05-0006-6-E	04/28/10 12:25	Aqueous	GC 18	05/03/10	05/04/10 10:34	100503B02
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.


Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	3700	500	10		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	80	38-134			

MW6	10-05-0006-7-E	04/28/10 12:55	Aqueous	GC 18	05/03/10	05/04/10 08:13	100503B02
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	1300	250	5		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	80	38-134			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW7	10-05-0006-8-E	04/28/10 12:05	Aqueous	GC 18	05/03/10	05/04/10 08:48	100503B02

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	69	38-134			

MW9	10-05-0006-9-E	04/28/10 11:45	Aqueous	GC 18	05/03/10	05/04/10 09:23	100503B02
-----	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	70	38-134			


MW11	10-05-0006-10-E	04/28/10 12:25	Aqueous	GC 18	05/03/10	05/04/10 09:59	100503B02
------	-----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	6600	50	1		ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	119	38-134			

Method Blank	099-12-436-4,693	N/A	Aqueous	GC 18	05/03/10	05/04/10 02:17	100503B02
--------------	------------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u> REC (%) Control Limits Qual					
1,4-Bromofluorobenzene	69	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	10-05-0006-2-D	04/28/10 12:35	Aqueous	GC 21	05/01/10	05/01/10 17:29	100501B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	7.4	0.50	1	
Toluene	0.67	0.50	1	Z	Xylenes (total)	1.7	1.0	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>						
1,4-Bromofluorobenzene	101	70-130							
MW2		10-05-0006-3-D	04/28/10 12:40	Aqueous	GC 21	05/01/10	05/01/10 18:03	100501B01	

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.61	0.50	1	Z	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>						
1,4-Bromofluorobenzene	80	70-130							
MW3		10-05-0006-4-D	04/28/10 12:10	Aqueous	GC 21	05/01/10	05/01/10 18:37	100501B01	


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	150	0.50	1		Ethylbenzene	8.2	0.50	1	
Toluene	6.0	0.50	1		Xylenes (total)	7.3	1.0	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>						
1,4-Bromofluorobenzene	91	70-130							
MW4		10-05-0006-5-D	04/28/10 12:16	Aqueous	GC 21	05/01/10	05/01/10 19:12	100501B01	

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	43	0.50	1		Ethylbenzene	16	0.50	1	
Toluene	3.9	0.50	1		Xylenes (total)	9.7	1.0	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>						
1,4-Bromofluorobenzene	122	70-130							
MW5		10-05-0006-6-D	04/28/10 12:25	Aqueous	GC 21	05/01/10	05/01/10 19:46	100501B01	

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	160	0.50	1		Ethylbenzene	120	0.50	1	
Toluene	30	0.50	1		Xylenes (total)	110	1.0	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>						
1,4-Bromofluorobenzene	93	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6	10-05-0006-7-D	04/28/10 12:55	Aqueous	GC 21	05/01/10	05/01/10 20:20	100501B01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	17	0.50	1		Ethylbenzene	29	0.50	1	
Toluene	3.2	0.50	1		Xylenes (total)	18	1.0	1	
Surrogates:	REC (%)	Control		Qual					
1,4-Bromofluorobenzene	126	70-130							
MW7	10-05-0006-8-D	04/28/10 12:05	Aqueous	GC 21	05/01/10	05/01/10 20:54	100501B01		


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control		Qual					
1,4-Bromofluorobenzene	77	70-130							
MW9	10-05-0006-9-D	04/28/10 11:45	Aqueous	GC 21	05/01/10	05/01/10 21:28	100501B01		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control		Qual					
1,4-Bromofluorobenzene	74	70-130							
MW11	10-05-0006-10-D	04/28/10 12:25	Aqueous	GC 21	05/01/10	05/01/10 22:02	100501B01		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	200	10	20		Ethylbenzene	400	10	20	
Toluene	170	10	20		Xylenes (total)	1600	20	20	
Surrogates:	REC (%)	Control		Qual					
1,4-Bromofluorobenzene	87	70-130							
Method Blank	099-12-667-802	N/A	Aqueous	GC 21	05/01/10	05/01/10 15:46	100501B01		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Ethylbenzene	ND	0.50	1	U
Toluene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Surrogates:	REC (%)	Control		Qual					
1,4-Bromofluorobenzene	77	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 3


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW2	10-05-0006-3-B	04/28/10 12:40	Aqueous	GC/MS L	05/03/10	05/04/10 06:33	100503L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	11	5.0	1		Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	99	80-128			1,4-Bromofluorobenzene	82	68-120		
Dibromofluoromethane	104	80-127			Toluene-d8	100	80-120		
MW3	10-05-0006-4-B	04/28/10 12:10	Aqueous	GC/MS L	05/03/10	05/04/10 07:02	100503L02		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	6.4	1.0	2		Tert-Amyl-Methyl Ether (TAME)	ND	1.0	2	U
Tert-Butyl Alcohol (TBA)	140	10	2		Ethanol	ND	100	2	U
Diisopropyl Ether (DIPE)	ND	1.0	2	U	1,2-Dibromoethane	ND	1.0	2	U
Ethyl-t-Butyl Ether (ETBE)	ND	1.0	2	U	1,2-Dichloroethane	ND	1.0	2	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	100	80-128			1,4-Bromofluorobenzene	96	68-120		
Dibromofluoromethane	106	80-127			Toluene-d8	98	80-120		
MW4	10-05-0006-5-B	04/28/10 12:16	Aqueous	GC/MS L	05/03/10	05/04/10 07:30	100503L02		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	2.9	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	23	5.0	1		Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	99	80-128			1,4-Bromofluorobenzene	95	68-120		
Dibromofluoromethane	107	80-127			Toluene-d8	98	80-120		

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW5	10-05-0006-6-B	04/28/10 12:25	Aqueous	GC/MS L	05/03/10	05/04/10 07:59	100503L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	1.2	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	6.7	5.0	1		Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	104	80-128			1,4-Bromofluorobenzene	99	68-120		
Dibromofluoromethane	109	80-127			Toluene-d8	99	80-120		


MW6	10-05-0006-7-A	04/28/10 12:55	Aqueous	GC/MS BB	05/05/10	05/05/10 17:11	100505L01
-----	----------------	----------------	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	1.0	2	U	Tert-Amyl-Methyl Ether (TAME)	ND	1.0	2	U
Tert-Butyl Alcohol (TBA)	210	10	2		Ethanol	ND	100	2	U
Diisopropyl Ether (DIPE)	ND	1.0	2	U	1,2-Dibromoethane	ND	1.0	2	U
Ethyl-t-Butyl Ether (ETBE)	ND	1.0	2	U	1,2-Dichloroethane	ND	1.0	2	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	94	80-128			1,4-Bromofluorobenzene	97	68-120		
Dibromofluoromethane	95	80-127			Toluene-d8	100	80-120		

MW7	10-05-0006-8-B	04/28/10 12:05	Aqueous	GC/MS L	05/03/10	05/04/10 08:56	100503L02
-----	----------------	----------------	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	0.88	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	97	80-128			1,4-Bromofluorobenzene	78	68-120		
Dibromofluoromethane	102	80-127			Toluene-d8	99	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 3 of 3


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-880-368	N/A	Aqueous	GC/MS L	05/03/10	05/03/10 23:45	100503L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	98	80-128			1,4-Bromofluorobenzene	83	68-120		
Dibromofluoromethane	102	80-127			Toluene-d8	97	80-120		

Method Blank	099-12-880-371	N/A	Aqueous	GC/MS BB	05/05/10	05/05/10 12:44	100505L01
--------------	----------------	-----	---------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	Ethanol	ND	50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dibromoethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
		Limits					Limits		
1,2-Dichloroethane-d4	108	80-128			1,4-Bromofluorobenzene	97	68-120		
Dibromofluoromethane	103	80-127			Toluene-d8	101	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	10-05-0006-2-B	04/28/10 12:35	Aqueous	GC/MS L	05/03/10	05/03/10 20:18	100503L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	940	20	40		Tert-Amyl-Methyl Ether (TAME)	ND	20	40	U
Tert-Butyl Alcohol (TBA)	2600	200	40		1,2-Dibromoethane	ND	20	40	U
Diisopropyl Ether (DIPE)	ND	20	40	U	1,2-Dichloroethane	ND	20	40	U
Ethyl-t-Butyl Ether (ETBE)	ND	20	40	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
Dibromofluoromethane	115	80-127			1,4-Bromofluorobenzene	89	68-120		
1,2-Dichloroethane-d4	109	80-128			Toluene-d8	103	80-120		
MW9	10-05-0006-9-A	04/28/10 11:45	Aqueous	GC/MS O	05/01/10	05/02/10 07:26	100501L02		

Comment(s): -The reporting limits are elevated due to high levels of non-target compounds.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	1,2-Dibromoethane	ND	0.50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	88	68-120			Dibromofluoromethane	113	80-127		
Toluene-d8	103	80-120			1,2-Dichloroethane-d4	125	80-128		
MW11	10-05-0006-10-B	04/28/10 12:25	Aqueous	GC/MS L	05/03/10	05/03/10 20:47	100503L01		


Comment(s): -The reporting limits are elevated due to high levels of non-target compounds.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	12	25	U	Tert-Amyl-Methyl Ether (TAME)	ND	12	25	U
Tert-Butyl Alcohol (TBA)	ND	120	25	U	1,2-Dibromoethane	ND	12	25	U
Diisopropyl Ether (DIPE)	ND	12	25	U	1,2-Dichloroethane	ND	12	25	U
Ethyl-t-Butyl Ether (ETBE)	ND	12	25	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,2-Dichloroethane-d4	97	80-128			1,4-Bromofluorobenzene	99	68-120		
Dibromofluoromethane	103	80-127			Toluene-d8	105	80-120		

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-884-362	N/A	Aqueous	GC/MS O	05/01/10	05/01/10 23:33	100501L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	1,2-Dibromoethane	ND	0.50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U					
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
1,2-Dichloroethane-d4	117	80-128			Toluene-d8	100	80-120		
Dibromofluoromethane	112	80-127			1,4-Bromofluorobenzene	93	68-120		

Method Blank	099-12-884-363	N/A	Aqueous	GC/MS L	05/03/10	05/03/10 11:53	100503L01
--------------	----------------	-----	---------	---------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	U	Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	U
Tert-Butyl Alcohol (TBA)	ND	5.0	1	U	1,2-Dibromoethane	ND	0.50	1	U
Diisopropyl Ether (DIPE)	ND	0.50	1	U	1,2-Dichloroethane	ND	0.50	1	U
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	U					
Surrogates:	REC (%)	Control	Qual		Surrogates:	REC (%)	Control	Qual	
1,2-Dichloroethane-d4	92	80-128			1,4-Bromofluorobenzene	85	68-120		
Dibromofluoromethane	97	80-127			Toluene-d8	97	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW1	Aqueous	GC 18	05/03/10	05/04/10	100503S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	84	78	68-122	5	0-18	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8021B


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW1	Aqueous	GC 21	05/01/10	05/01/10	100501S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	103	57-129	1	0-23	
Toluene	93	94	50-134	1	0-26	
Ethylbenzene	96	95	58-130	1	0-26	
p/m-Xylene	98	97	58-130	1	0-28	
o-Xylene	96	94	57-123	2	0-26	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B

Project ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-0002-5	Aqueous	GC/MS L	05/03/10	05/04/10	100503S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	103	76-124	1	0-20	
Toluene	100	102	80-120	2	0-20	
Ethylbenzene	100	93	78-126	7	0-20	
Methyl-t-Butyl Ether (MTBE)	101	102	67-121	1	0-49	
Tert-Butyl Alcohol (TBA)	58	14	36-162	6	0-30	3
Diisopropyl Ether (DIPE)	95	94	60-138	1	0-45	
Ethyl-t-Butyl Ether (ETBE)	95	97	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	101	103	65-120	2	0-20	
Ethanol	102	96	30-180	6	0-72	
1,1-Dichloroethene	89	85	73-127	5	0-20	
1,2-Dibromoethane	97	95	80-120	2	0-20	
1,2-Dichlorobenzene	100	92	80-120	9	0-20	
Carbon Tetrachloride	95	94	74-134	1	0-20	
Chlorobenzene	102	96	80-120	6	0-20	
Trichloroethene	97	96	77-120	2	0-20	
Vinyl Chloride	88	86	72-126	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B

Project ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-0137-4	Aqueous	GC/MS BB	05/05/10	05/05/10	100505S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	101	76-124	0	0-20	
Toluene	97	104	80-120	7	0-20	
Ethylbenzene	127	103	78-126	20	0-20	3
Methyl-t-Butyl Ether (MTBE)	84	96	67-121	14	0-49	
Tert-Butyl Alcohol (TBA)	104	103	36-162	1	0-30	
Diisopropyl Ether (DIPE)	93	99	60-138	7	0-45	
Ethyl-t-Butyl Ether (ETBE)	89	98	69-123	11	0-30	
Tert-Amyl-Methyl Ether (TAME)	88	98	65-120	10	0-20	
Ethanol	118	105	30-180	11	0-72	
1,1-Dichloroethene	102	100	73-127	2	0-20	
1,2-Dibromoethane	97	98	80-120	1	0-20	
1,2-Dichlorobenzene	101	105	80-120	4	0-20	
Carbon Tetrachloride	100	101	74-134	1	0-20	
Chlorobenzene	113	98	80-120	14	0-20	
Trichloroethene	102	100	77-120	2	0-20	
Vinyl Chloride	94	101	72-126	7	0-20	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B

Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-0005-2	Aqueous	GC/MS O	05/01/10	05/02/10	100501S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	118	119	76-124	1	0-20	
Toluene	113	111	80-120	2	0-20	
Ethylbenzene	120	121	78-126	1	0-20	
Methyl-t-Butyl Ether (MTBE)	117	114	67-121	3	0-49	
Tert-Butyl Alcohol (TBA)	99	98	36-162	1	0-30	
Diisopropyl Ether (DIPE)	89	87	60-138	2	0-45	
Ethyl-t-Butyl Ether (ETBE)	98	93	69-123	6	0-30	
Tert-Amyl-Methyl Ether (TAME)	112	112	65-120	0	0-20	
Ethanol	106	76	30-180	33	0-72	
1,2-Dibromoethane	114	117	80-120	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 05/01/10
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B

Project ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-05-0004-2	Aqueous	GC/MS L	05/03/10	05/03/10	100503S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	100	76-124	3	0-20	
Toluene	104	100	80-120	4	0-20	
Ethylbenzene	111	104	78-126	6	0-20	
Methyl-t-Butyl Ether (MTBE)	97	106	67-121	9	0-49	
Tert-Butyl Alcohol (TBA)	101	110	36-162	8	0-30	
Diisopropyl Ether (DIPE)	94	91	60-138	3	0-45	
Ethyl-t-Butyl Ether (ETBE)	96	94	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	103	102	65-120	1	0-20	
Ethanol	92	96	30-180	4	0-72	
1,2-Dibromoethane	106	102	80-120	4	0-20	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 10-05-0006
Preparation: EPA 3510C
Method: EPA 8015B (M)


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-330-1,510	Aqueous	GC 27	05/01/10	05/03/10	100501B02S

Parameter	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Diesel	97	89	75-117	9	0-13	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8015B (M)


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-4,693	Aqueous	GC 18	05/03/10	05/04/10	100503B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	84	86	78-120	2	0-10	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8021B


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-802	Aqueous	GC 21	05/01/10	05/01/10	100501B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	105	70-118	0	0-9	
Toluene	101	101	66-114	0	0-9	
Ethylbenzene	101	100	72-114	0	0-9	
p/m-Xylene	103	103	74-116	0	0-9	
o-Xylene	99	99	72-114	0	0-9	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number	
099-12-880-368	Aqueous	GC/MS L	05/03/10	05/03/10	100503L02	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL
Benzene	98	97	80-120	73-127	1	0-20
Toluene	99	98	80-120	73-127	1	0-20
Ethylbenzene	94	102	80-120	73-127	8	0-20
Methyl-t-Butyl Ether (MTBE)	109	106	69-123	60-132	3	0-20
Tert-Butyl Alcohol (TBA)	101	99	63-123	53-133	2	0-20
Diisopropyl Ether (DIPE)	92	91	59-137	46-150	0	0-37
Ethyl-t-Butyl Ether (ETBE)	95	93	69-123	60-132	3	0-20
Tert-Amyl-Methyl Ether (TAME)	100	97	70-120	62-128	3	0-20
Ethanol	79	79	28-160	6-182	0	0-57
1,1-Dichloroethene	104	91	78-126	70-134	13	0-28
1,2-Dibromoethane	95	99	79-121	72-128	4	0-20
1,2-Dichlorobenzene	100	97	80-120	73-127	4	0-20
Carbon Tetrachloride	95	93	74-134	64-144	2	0-20
Chlorobenzene	97	103	80-120	73-127	6	0-20
Trichloroethene	97	96	79-127	71-135	0	0-20
Vinyl Chloride	88	89	72-132	62-142	1	0-20


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed		LCS/LCSD Batch Number	
Parameter	LCS %REC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
Benzene	100	101	80-120	73-127	0	0-20	
Toluene	103	105	80-120	73-127	2	0-20	
Ethylbenzene	102	104	80-120	73-127	1	0-20	
Methyl-t-Butyl Ether (MTBE)	104	101	69-123	60-132	4	0-20	
Tert-Butyl Alcohol (TBA)	100	99	63-123	53-133	2	0-20	
Diisopropyl Ether (DIPE)	103	100	59-137	46-150	2	0-37	
Ethyl-t-Butyl Ether (ETBE)	105	103	69-123	60-132	2	0-20	
Tert-Amyl-Methyl Ether (TAME)	104	104	70-120	62-128	0	0-20	
Ethanol	88	87	28-160	6-182	1	0-57	
1,1-Dichloroethene	101	99	78-126	70-134	2	0-28	
1,2-Dibromoethane	104	100	79-121	72-128	4	0-20	
1,2-Dichlorobenzene	109	118	80-120	73-127	7	0-20	
Carbon Tetrachloride	103	102	74-134	64-144	1	0-20	
Chlorobenzene	97	97	80-120	73-127	0	0-20	
Trichloroethene	100	101	79-127	71-135	1	0-20	
Vinyl Chloride	94	101	72-132	62-142	7	0-20	


Total number of LCS compounds : 16

Total number of ME compounds : 0


Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-884-362	Aqueous	GC/MS O	05/01/10	05/01/10	100501L02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	120	118	80-120	2	0-20	
Toluene	113	108	80-120	4	0-20	
Ethylbenzene	120	120	80-120	0	0-20	
Methyl-t-Butyl Ether (MTBE)	110	119	69-123	8	0-20	
Tert-Butyl Alcohol (TBA)	96	105	63-123	10	0-20	
Diisopropyl Ether (DIPE)	89	90	59-137	1	0-37	
Ethyl-t-Butyl Ether (ETBE)	96	98	69-123	2	0-20	
Tert-Amyl-Methyl Ether (TAME)	113	108	70-120	4	0-20	
Ethanol	90	92	28-160	2	0-57	
1,2-Dibromoethane	114	114	79-121	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 10-05-0006
Preparation: EPA 5030B
Method: EPA 8260B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-884-363	Aqueous	GC/MS L	05/03/10	05/03/10	100503L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	96	80-120	9	0-20	
Toluene	108	98	80-120	10	0-20	
Ethylbenzene	109	97	80-120	11	0-20	
Methyl-t-Butyl Ether (MTBE)	86	96	69-123	11	0-20	
Tert-Butyl Alcohol (TBA)	97	98	63-123	2	0-20	
Diisopropyl Ether (DIPE)	94	83	59-137	12	0-37	
Ethyl-t-Butyl Ether (ETBE)	85	86	69-123	2	0-20	
Tert-Amyl-Methyl Ether (TAME)	99	96	70-120	3	0-20	
Ethanol	101	85	28-160	17	0-57	
1,2-Dibromoethane	97	94	79-121	3	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Glossary of Terms and Qualifiers

Work Order Number: 10-05-0006

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



Cecile de Guia

From: Paula Sime [psime@ERI-US.com]
Sent: May 03, 2010 15:15
To: Cecile de Guia
Subject: RE: 10-05-0006
Attachments: 70104_5-3-10.pdf

Rush authorized, thank you.



Paula Sime
Sr. Project Manager
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954
psime@eri-us.com
www.eri-us.com
707-766-2026-Office
707-338-8012-Cell
707-789-0414-Fax

Privileged And Confidential Communication: This electronic transmission, and any documents attached hereto, (a) are protected by the Electronic Communications Privacy Act (18 USC §§ 2510-2521), (b) may contain confidential and/or privileged information, and (c) are for the sole use of the intended recipient(s) named above. If you have received this electronic message in error, please notify the sender and delete the electronic message. Any disclosure, copying, distribution, action taken, or use of the contents of the information received in error is strictly prohibited and may be unlawful.

From: Janice Jacobson
Sent: Monday, May 03, 2010 1:44 PM
To: Paula Sime
Cc: Cecile de Guia
Subject: FW: 10-05-0006



Janice A. Jacobson
Project Manager
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954
jjacobson@eri-us.com
www.eri-us.com
707-766-2000-Office
707-975-0931-Cell
707-789-0414-Fax

Privileged And Confidential Communication: This electronic transmission, and any documents attached hereto, (a) are protected by the Electronic Communications Privacy Act (18 USC §§ 2510-2521), (b) may contain confidential and/or privileged information, and (c) are for the sole use of the intended recipient(s) named above. If you have received this electronic message in error, please notify the sender and delete the electronic

message. Any disclosure, copying, distribution, action taken, or use of the contents of the information received in error is strictly prohibited and may be unlawful.

From: Cecile de Guia [mailto:CdeGuia@calscience.com]

Sent: Monday, May 03, 2010 12:26 PM

To: Janice Jacobson

Cc: David R. Daniels

Subject: 10-05-0006

Janice- Please change the TAT fpr Diesel request to 48 HTS TAT to met the extraction holding time. You may leave the other requests on 5 days.

COC is attached.

Thank you.

<<10-05-0006.PDF>>

Cecile de Guia
Project Manager
Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841-1427
Phone: 714-895-5494 x221
Fax: 714-894-7501
CdeGuia@calscience.com

The difference is service

PRIVACY NOTICE:

This email (and/or the documents attached to it) is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, or exempt from disclosure under applicable Federal or State law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone or else to arrange for the return of the documents.

REPORT SECURITY NOTICE:

The client or recipient of any attached analytical report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience Environmental Laboratories, Inc. is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience Environmental Laboratories, Inc. for any defense to any litigation which arises.

Calscience
Environmental
Laboratories, Inc.

7440 Lincoln Way
Garden Grove, CA 92841

Phone: 714-895-5494

Fax: 714-894-7501

(0006)
ExxonMobil

Revised 5-3-10 PS

Consultant Name: Environmental Resolutions, Inc.

Consultant Address: 601 N. McDowell Boulevard

Consultant City/State/Zip: Petaluma, California, 94954

ExxonMobil Project Mgr: Jennifer Sedlachek

Consultant Project Mgr: Paula Sime

Consultant Telephone Number: 707-766-2000

Fax No.: 707-789-0414

Account #: NA

PO#:

4512297203

Invoice To: Jennifer Sedlachek

Report To: Paula Sime

Project Name: 250613X


ExxonMobil Site #: 70104

Major Project (AFE #):

Site Address: 1725 Park Street

Sampler Name (Print): Danny West

Site City, State, Zip: Alameda, California

Sampler Signature: 

Oversight Agency: Alameda County Environmental Health Department

Sample ID	Field Point Name	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative	Matrix	Analyze For:		RUSH TAT (Pre-Schedule)	5-day TAT	Standard 10-day TAT	Due Date of Report														
										Methanol	Sodium Bisulfite	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Finetic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	HNO ₃ (Red Label)	Ice	Other (Black Label)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Air	Other (specify): Distilled Water				
BB		4/28	12:00	2V						x		x						x											
MW1	MW1		12:35	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW2	MW2		12:40	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW3	MW3		12:10	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW4	MW4		12:16	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW5	MW5		12:25	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW6	MW6		12:55	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW7	MW7		12:05	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW8	MW8		12:00	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW9	MW9		11:45	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		
MW11	MW11		12:25	6V/2A						x			x					x	x	x	x	x	x	x	x	x	x		

Comments/Special Instructions:

PLEASE E-MAIL ALL PDF FILES TO
nprcallabs@eri-us.com

GLOBAL ID # T0600100555

7 CA Oxys= MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE.
Set TBA detection limit at or below 12 ug/L
Use silica gel cleanup on all TP_{Hd} analyses.

Laboratory Comments:

Temperature Upon Receipt:
Sample Containers Intact?
VOCs Free of Headspace?

Y

N

Y

N


QC Deliverables (please circle one):

Level 2


Level 3

Level 4

Site Specific - if yes, please attach pre-schedule w/ TestAmerica
Project Manager or attach specific instructions

Relinquished by: 

Date: 4/28 Time: 1520 Received by: TA Smalley CER Date: 4/30/10 Time: 13:50

Relinquished by: 

Date: 4-30-10 Time: 1730 Received by (Lab personnel): JLM Date: 5/1/10 Time: 7:30

**Calscience
Environmental
Laboratories, Inc.**

7440 Lincoln Way
Garden Grove, CA 92841

Phone: 714-895-5494

Fax: 714-894-7501

0006
ExxonMobil

Consultant Name:	Environmental Resolutions, Inc.	Account #:	NA	PO#:	4512297203
Consultant Address:	601 N. McDowell Boulevard	Invoice To:	Jennifer Sedlachek		
Consultant City/State/Zip:	Petaluma, California, 94954	Report To:	Paula Sime		
ExxonMobil Project Mgr:	Jennifer Sedlachek	Project Name:	250613X		
Consultant Project Mgr:	Paula Sime	ExxonMobil Site #:	70104	Major Project (AFE #):	
Consultant Telephone Number:	707-766-2000	Fax No.:	707-789-0414	Site Address:	1725 Park Street
Sampler Name (Print):	Danny West	Site City, State, Zip:	Alameda, California		
Sampler Signature:		Oversight Agency:	Alameda County Environmental Health Department		

Sample ID	Field Point Name	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative	Matrix	Analyze For:				RUSH TAT (Pre-Schedule)																
										Methanol	Sodium Bisulfate	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	HNO ₃ (Red Label)	Ice	Other	None (Black Label)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Air	Other (specify): Distilled Water	TPHg 8015B	BTEX 8021B	OXYGENATES 8260B	ETHANOL 8260B
BB		4/28	12:00	2V						x																				
MW1	MW1		12:35	6V/2A						x																				
MW2	MW2		12:40	6V/2A						x									x	x	x	x	x							
MW3	MW3		12:10	6V/2A						x								x	x	x	x	x								
MW4	MW4		12:16	6V/2A						x								x	x	x	x	x								
MW5	MW5		12:25	6V/2A						x								x	x	x	x	x								
MW6	MW6		12:55	6V/2A						x								x	x	x	x	x								
MW7	MW7		12:05	6V/2A						x								x	x	x	x	x								
MW8	MW8		12:05	6V/2A						x								x	x	x	x	x								
MW9	MW9		11:45	6V/2A						x								x	x	x	x	x								
MW11	MW11		12:25	6V/2A						x								x	x	x	x	x								

Comments/Special Instructions:

PLEASE E-MAIL ALL PDF FILES TO
norcallabs@eri-us.com

GLOBAL ID # T0600100555

7 CA Oxys= MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE.
Set TBA detection limit at or below 12 ug/L
Use silica gel cleanup on all TPHd analyses.

Laboratory Comments:

Temperature Upon Receipt:
Sample Containers Intact?
VOCs Free of Headspace?

Y N
Y N

QC Deliverables (please circle one)

Level 2
Level 3
Level 4

Site Specific - if yes, please attach pre-schedule w/ TestAmerica
Project Manager or attach specific instructions

Relinquished by:

Date: 4/28 Time: 1520 Received by: *T. O'Malley CER*

Date: 4/30/10 Time: 13:50
Date: 5/1/10 Time: 7:30

Relinquished by:

Date: 4-30-10 Time: 1730 Received by (Lab personnel): *J. H. M. G.L.*

0006



< WebShip > > > >
800-322-5555 www.gso.com

Ship From:

ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:

SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:

\$0.00

Reference:

ERI

Delivery Instructions:**Signature Type:**

SIGNATURE REQUIRED

Tracking #: 514064676



SDS

D

ORC
GARDEN GROVE

D92843A

81266859

Print Date : 04/30/10 15:53 PM

Barcode 1 of 4

Page 2 of 4



< WebShip > > > >

800-322-5555 www.gso.com

Ship From:

ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:

SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:

\$0.00

Reference:

ERI

Delivery Instructions:**Signature Type:**
SIGNATURE REQUIRED

Tracking #: 514064674



SDS


ORC
GARDEN GROVE

D92843A

81266857

Print Date : 04/30/10 15:53 PM

Package 2 of 4



WORK ORDER #: 10-05-0006

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: ERI

DATE: 05/01/10

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature 2.0 °C + 0.5°C (CF) = 2.5 °C Blank Sample Sample(s) outside temperature criteria (PM/APM contacted by: _____). Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling. Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs Only

Initial:

CUSTODY SEALS INTACT: Cooler _____ No (Not Intact) Not Present N/A

Initial:


 Sample _____ No (Not Intact) Not Present

Initial:

SAMPLE CONDITION:Yes No N/AChain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. No analysis requested. Not relinquished. No date/time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Proper containers and sufficient volume for analyses requested..... Analyses received within holding time..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation..... **CONTAINER TYPE:**Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____ Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Labeled/Checked by:

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by:

Preservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by:



June 25, 2010

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 10-06-1628**
Client Reference: **ExxonMobil 70104 / 022506 11X (Jun)**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/19/2010 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1628
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104 / 022506 11X (Jun)

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	10-06-1628-1-D	06/18/10 10:15	Aqueous	GC 18	06/22/10	06/22/10 23:58	100622B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u>					
1,4-Bromofluorobenzene	86	38-134			

W-INT2	10-06-1628-2-D	06/18/10 10:30	Aqueous	GC 18	06/22/10	06/23/10 00:36	100622B01
--------	----------------	----------------	---------	-------	----------	----------------	-----------


Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u>					
1,4-Bromofluorobenzene	86	38-134			

W-INT1	10-06-1628-3-D	06/18/10 10:45	Aqueous	GC 18	06/22/10	06/23/10 01:14	100622B01
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	500	50	1		ug/L
<u>Surrogates:</u>					
1,4-Bromofluorobenzene	86	38-134			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1628
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104 / 022506 11X (Jun)

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INF	10-06-1628-4-D	06/18/10 11:00	Aqueous	GC 18	06/22/10	06/23/10 01:51	100622B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.


Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	650	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

Method Blank	099-12-436-4,915	N/A	Aqueous	GC 18	06/22/10	06/22/10 21:28	100622B01
--------------	------------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1	U	ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	85	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1628
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104 / 022506 11X (Jun)

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	10-06-1628-1-A	06/18/10 10:15	Aqueous	GC 8	06/21/10	06/23/10 14:41	100622B02


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Toluene	ND	0.50	1	U	Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	U
Ethylbenzene	ND	0.50	1	U					
Surrogates:	REC (%)	Control	Qual	Limits					
1,4-Bromofluorobenzene	92	70-130							
W-INT2	10-06-1628-2-A	06/18/10 10:30	Aqueous	GC 8	06/21/10	06/23/10 15:12	100622B02		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Toluene	ND	0.50	1	U	Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	U
Ethylbenzene	ND	0.50	1	U					
Surrogates:	REC (%)	Control	Qual	Limits					
1,4-Bromofluorobenzene	92	70-130							
W-INT1	10-06-1628-3-B	06/18/10 10:45	Aqueous	GC 8	06/21/10	06/23/10 16:13	100622B02		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.5	5	U	Xylenes (total)	ND	5.0	5	U
Toluene	ND	2.5	5	U	Methyl-t-Butyl Ether (MTBE)	760	25	5	
Ethylbenzene	ND	2.5	5	U					
Surrogates:	REC (%)	Control	Qual	Limits					
1,4-Bromofluorobenzene	92	70-130							
W-INF	10-06-1628-4-A	06/18/10 11:00	Aqueous	GC 8	06/21/10	06/23/10 12:40	100622B02		

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.5	5	U	Xylenes (total)	ND	5.0	5	U
Toluene	ND	2.5	5	U	Methyl-t-Butyl Ether (MTBE)	950	25	5	
Ethylbenzene	ND	2.5	5	U					
Surrogates:	REC (%)	Control	Qual	Limits					
1,4-Bromofluorobenzene	93	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1628
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L


Project: ExxonMobil 70104 / 022506 11X (Jun)

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-853	N/A	Aqueous	GC 8	06/22/10	06/23/10 02:46	100622B02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1	U	Xylenes (total)	ND	1.0	1	U
Toluene	ND	0.50	1	U	Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	U
Ethylbenzene	ND	0.50	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>						
1,4-Bromofluorobenzene	95	70-130							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1628
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ExxonMobil 70104 / 022506 11X (Jun)


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 18	06/22/10	06/22/10	100622S01

Parameter	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	83	89	68-122	7	0-18	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1628
Preparation: EPA 5030B
Method: EPA 8021B


Project ExxonMobil 70104 / 022506 11X (Jun)


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
10-06-1614-21	Aqueous	GC 8	06/22/10	06/23/10	100622S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	94	90	57-129	5	0-23	
Toluene	62	57	50-134	8	0-26	
Ethylbenzene	93	88	58-130	5	0-26	
p/m-Xylene	90	83	58-130	8	0-28	
o-Xylene	90	84	57-123	7	0-26	
Methyl-t-Butyl Ether (MTBE)	100	95	44-134	5	0-27	

RPD - Relative Percent Difference , CL - Control Limit

7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501





Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 10-06-1628
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104 / 022506 11X (Jun)


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-4,915	Aqueous	GC 18	06/22/10	06/22/10	100622B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	91	92	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 10-06-1628
Preparation: EPA 5030B
Method: EPA 8021B

Project: ExxonMobil 70104 / 022506 11X (Jun)


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-853	Aqueous	GC 8	06/22/10	06/23/10	100622B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	94	96	70-118	2	0-9	
Toluene	94	95	66-114	1	0-9	
Ethylbenzene	96	96	72-114	0	0-9	
p/m-Xylene	97	97	74-116	0	0-9	
o-Xylene	94	94	72-114	0	0-9	
Methyl-t-Butyl Ether (MTBE)	101	101	41-137	0	0-13	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Glossary of Terms and Qualifiers

Work Order Number: 10-06-1628

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS recovery percentage is within LCS ME control limit range.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



Calscience Environmental Laboratories, Inc.

7440 Lincoln Way

Garden Grove, CA 92841

Phone: 714-895-5494

Fax: 714-894-7501

ExxonMobil

1628

Consultant Name: Environmental Resolutions, Inc.

Consultant Address: 601 North McDowell Blvd


Consultant City/State/Zip: Petaluma, California 94954

ExxonMobil Project Mgr: Jennifer C. Sedlachek

Consultant Project Mgr: Paula Sime

Consultant Telephone Number: (707) 766-2000

Sampler Name (Print): J. Newman

Sampler Signature: 

Fax No.: (707) 789-0414

Account #: NA

PO#: 4508883534

Invoice To: Jennifer C. Sedlachek

Report To: Paula Sime

Project Name: 022506 11X (Jun)

ExxonMobil Site #: 7-0104

Major Project (AFE #):

Site Address: 1725 Park Street

Site City, State, Zip: Alameda, California

Oversight Agency:

Sample ID	Field Point Name	Date Sampled	Time Sampled	No. of Containers Shipped	Preservative						Matrix	Analyze For:	RUSH TAT (Pre-Schedule)	
					Grab	Composite	Field Filtered	Methanol	Sodium Bisulfate	HCl (Blue Label)				
1 W-PSP-1		6/19/10 1615		4 VOA	X				X	NaOH (Orange Label)				
2 W-INT 2		6/19/10 1630		4 VOA	X				X	H ₂ SO ₄ Plastic (Yellow Label)				
3 W-INT 1		6/19/10 1645		4 VOA	X				X	H ₂ SO ₄ Glass (Yellow Label)				
4 W-INF		6/19/10 1700		4 VOA	X				X	HNO ₃ (Red Label)				
										Ice				
										Other				
										None (Black Label)				
											Groundwater			
											Wastewater			
											Drinking Water			
											Sludge			
											Soil			
											Air			
											Other (specify):			
												8015B TPHg		
												8021B BTEX		
												8020 MTBE		

Comments/Special Instructions:

Laboratory Comments:

Temperature Upon Receipt:

Sample Containers Intact?

VOCs Free of Headspace?

QC Deliverables (please circle one)

Y

Y

Z

Level 2

Level 3

Level 4

Site Specific - if yes, please attach pre-schedule w/ TestAmerica Project Manager or attach specific instructions

GLOBAL ID # ()

Relinquished by:

J. Newman

Date

6/19/10

Time

1600

Received by:

To: O'Donnell CCR

Date

6/18/10

Time

1530

Relinquished by:

To: O'Donnell TGS

Date

6/18/10

Time

1730

Received by (Lab personnel):

9 col

Date

6/19/10

Time

0930

(1628)

Page 12 of 13



< WebShip > > >
800-322-5555 www.gsa.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
ERI, BTS, Parsons

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #: 514380041



SDS

ORC

D

GARDEN GROVE

D92843A



82496862

Print Date : 06/18/10 10:16 AM

Package 1 of 1

WORK ORDER #: 10-06-1628

SAMPLE RECEIPT FORM Cooler / of /

CLIENT: ERI

DATE: 06/19/10

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 20.8 °C + 0.5°C (CF) = 3.3 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: YL

CUSTODY SEALS INTACT:

<input type="checkbox"/> Cooler	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>YL</u>
<input type="checkbox"/> Sample	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: <u>KP</u>

SAMPLE CONDITION:

Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
---	---	-----------------------------	------------------------------

COC document(s) received complete.....	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
--	---	-----------------------------	------------------------------

Collection date/time, matrix, and/or # of containers logged in based on sample labels. 6/19/10

No analysis requested. Not relinquished. No date/time relinquished.

Sampler's name indicated on COC..... Yes No N/A

Sample container label(s) consistent with COC..... Yes No N/A

Sample container(s) intact and good condition..... Yes No N/A

Proper containers and sufficient volume for analyses requested..... Yes No N/A

Analyses received within holding time..... Yes No N/A

pH / Residual Chlorine / Dissolved Sulfide received within 24 hours..... Yes No N/A

Proper preservation noted on COC or sample container..... Yes No N/A

Unpreserved vials received for Volatiles analysis

Volatile analysis container(s) free of headspace..... Yes No N/A

Tedlar bag(s) free of condensation..... Yes No N/A

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® TerraCores® _____

Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs


500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna

250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____

Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Labeled/Checked by: KP

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: WSC

Preservative: h: HCL n: HNO₃ na₂:Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: WSC

*The difference is service*

05/24/2010

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: Calscience Work Order No.: **10-05-1240**

Client Reference: **ExxonMobil 70104 / 022506 11X**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 05/15/10 and analyzed in accordance with the attached chain of custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is proved herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely

A handwritten signature in black ink that reads "Cecile L deGuia".


Cecile deGuia


Project Manager



May 24, 2010 09:02 Work Order: 10-05-1240
Client: Environmental Resolutions, Inc. Project Name: ExxonMobil 70104 / 022506 11X
 601 North McDowell Blvd.
 Petaluma, CA 94954-2312 PO Number: 4512297203
Attn: Paula Sime Date Received: 05/15/10 09:00

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
W-PSP-1	10-05-1240-1	05/14/10 13:00
W-INT2	10-05-1240-2	05/14/10 13:15
W-INT1	10-05-1240-3	05/14/10 13:30
W-INF	10-05-1240-4	05/14/10 13:45





The difference is service

Client: Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Work Order: 10-05-1240
Project Name: ExxonMobil 70104 / 022506 11X
Received: 05/15/10 09:00


Attn: Paula Sime

ANALYTICAL REPORT


Analyte	Result	Flag	Units	MDL	RL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: 1 (W-PSP-1, Aqueous) Sampled: 05/14/10 13:00									
EPA 8015B (M) TPH-Gasoline Standard 50ppb (Sample: 10-05-1240-1-A)									
TPH as Gasoline	ND	U	ug/L		50	1	05/17/10 13:00	EPA 8015B (M)	100517B01
<i>Surr: 1,4-Bromofluorobenzene (38-134%)</i>	85%						05/17/10 13:00	EPA 8015B (M)	100517B01
EPA 8015B (M)/EPA 8021B TPH(g)/BTXE/MTBE (Sample: 10-05-1240-1-B)									
Benzene	ND	U	ug/L		0.50	1	05/18/10 14:24	EPA 8021B	100518B01
Toluene	ND	U	ug/L		0.50	1	05/18/10 14:24	EPA 8021B	100518B01
Ethylbenzene	ND	U	ug/L		0.50	1	05/18/10 14:24	EPA 8021B	100518B01
Xylenes (total)	ND	U	ug/L		1.0	1	05/18/10 14:24	EPA 8021B	100518B01
Methyl-t-Butyl Ether (MTBE)	ND	U	ug/L		5.0	1	05/18/10 14:24	EPA 8021B	100518B01
<i>Surr: 1,4-Bromofluorobenzene (70-130%)</i>	94%						05/18/10 14:24	EPA 8021B	100518B01
Sample ID: 2 (W-INT2, Aqueous) Sampled: 05/14/10 13:15									
EPA 8015B (M) TPH-Gasoline Standard 50ppb (Sample: 10-05-1240-2-A)									
TPH as Gasoline	ND	U	ug/L		50	1	05/17/10 13:33	EPA 8015B (M)	100517B01
<i>Surr: 1,4-Bromofluorobenzene (38-134%)</i>	86%						05/17/10 13:33	EPA 8015B (M)	100517B01
EPA 8015B (M)/EPA 8021B TPH(g)/BTXE/MTBE (Sample: 10-05-1240-2-B)									
Benzene	ND	U	ug/L		0.50	1	05/18/10 14:54	EPA 8021B	100518B01
Toluene	ND	U	ug/L		0.50	1	05/18/10 14:54	EPA 8021B	100518B01
Ethylbenzene	ND	U	ug/L		0.50	1	05/18/10 14:54	EPA 8021B	100518B01
Xylenes (total)	ND	U	ug/L		1.0	1	05/18/10 14:54	EPA 8021B	100518B01
Methyl-t-Butyl Ether (MTBE)	ND	U	ug/L		5.0	1	05/18/10 14:54	EPA 8021B	100518B01
<i>Surr: 1,4-Bromofluorobenzene (70-130%)</i>	89%						05/18/10 14:54	EPA 8021B	100518B01
Sample ID: 3 (W-INT1, Aqueous) Sampled: 05/14/10 13:30									
EPA 8015B (M) TPH-Gasoline Standard 50ppb (Sample: 10-05-1240-3-A)									
-The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard..									
TPH as Gasoline	340		ug/L		50	1	05/17/10 14:07	EPA 8015B (M)	100517B01
<i>Surr: 1,4-Bromofluorobenzene (38-134%)</i>	83%						05/17/10 14:07	EPA 8015B (M)	100517B01
EPA 8015B (M)/EPA 8021B TPH(g)/BTXE/MTBE (Sample: 10-05-1240-3-B)									
Benzene	ND	U	ug/L		0.50	1	05/18/10 15:24	EPA 8021B	100518B01
Toluene	ND	U	ug/L		0.50	1	05/18/10 15:24	EPA 8021B	100518B01
Ethylbenzene	ND	U	ug/L		0.50	1	05/18/10 15:24	EPA 8021B	100518B01
Xylenes (total)	ND	U	ug/L		1.0	1	05/18/10 15:24	EPA 8021B	100518B01
Methyl-t-Butyl Ether (MTBE)	420		ug/L		5.0	1	05/18/10 15:24	EPA 8021B	100518B01
<i>Surr: 1,4-Bromofluorobenzene (70-130%)</i>	91%						05/18/10 15:24	EPA 8021B	100518B01

Sample ID: 4 (W-INF, Aqueous) Sampled: 05/14/10 13:45

EPA 8015B (M) TPH-Gasoline Standard 50ppb (Sample: 10-05-1240-4-A)



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501





The difference is service

Client:	Environmental Resolutions, Inc. 601 North McDowell Blvd. Petaluma, CA 94954-2312	Work Order:	10-05-1240
		Project Name:	ExxonMobil 70104 / 022506 11X
Attn:	Paula Sime	Received:	05/15/10 09:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	RL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: 4 (W-INF, Aqueous) Sampled: 05/14/10 13:45									
EPA 8015B (M) TPH-Gasoline Standard 50ppb (Sample: 10-05-1240-4-A)									
-The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard..									
TPH as Gasoline	1000		ug/L		50	1	05/17/10 14:40	EPA 8015B (M)	100517B01
<i>Surr: 1,4-Bromofluorobenzene (38-134%)</i>	83%						05/17/10 14:40	<i>EPA 8015B (M)</i>	<i>100517B01</i>
EPA 8015B (M)/EPA 8021B TPH(g)/BTXE/MTBE (Sample: 10-05-1240-4-B)									
Benzene	ND	U	ug/L		5.0	10	05/18/10 15:54	EPA 8021B	100518B01
Toluene	ND	U	ug/L		5.0	10	05/18/10 15:54	EPA 8021B	100518B01
Ethylbenzene	ND	U	ug/L		5.0	10	05/18/10 15:54	EPA 8021B	100518B01
Xylenes (total)	ND	U	ug/L		10	10	05/18/10 15:54	EPA 8021B	100518B01
Methyl-t-Butyl Ether (MTBE)	1400		ug/L		50	10	05/18/10 15:54	EPA 8021B	100518B01
<i>Surr: 1,4-Bromofluorobenzene (70-130%)</i>	90%						05/18/10 15:54	<i>EPA 8021B</i>	<i>100518B01</i>






The difference is service

Client:	Environmental Resolutions, Inc. 601 North McDowell Blvd. Petaluma, CA 94954-2312	Work Order:	10-05-1240
		Project Name:	ExxonMobil 70104 / 022506 11X
Attn:	Paula Sime	Received:	05/15/10 09:00

PROJECT QUALITY CONTROL DATA
Blank

Analyte	Blank Value	Q	Units	QC Batch	Lab Number	Analyzed Date/Time
EPA 8015B (M) TPH-Gasoline Standard 50ppb						
099-12-436-4,770						
TPH as Gasoline	ND	U	ug/L	100517B01	099-12-436-4,770	05/17/10 10:12
<i>Surr: 1,4-Bromofluorobenzene (38-134%)</i>	84%			100517B01	099-12-436-4,770	05/17/10 10:12
EPA 8015B (M)/EPA 8021B TPH(g)/BTXE/MTBE						
099-12-667-818						
Benzene	ND	U	ug/L	100518B01	099-12-667-818	05/18/10 13:53
Toluene	ND	U	ug/L	100518B01	099-12-667-818	05/18/10 13:53
Ethylbenzene	ND	U	ug/L	100518B01	099-12-667-818	05/18/10 13:53
Xylenes (total)	ND	U	ug/L	100518B01	099-12-667-818	05/18/10 13:53
Methyl-t-Butyl Ether (MTBE)	ND	U	ug/L	100518B01	099-12-667-818	05/18/10 13:53
<i>Surr: 1,4-Bromofluorobenzene (70-130%)</i>	90%			100518B01	099-12-667-818	05/18/10 13:53






The difference is service

Client:	Environmental Resolutions, Inc. 601 North McDowell Blvd. Petaluma, CA 94954-2312	Work Order:	10-05-1240
		Project Name:	ExxonMobil 70104 / 022506 11X
		Received:	05/15/10 09:00

PROJECT QUALITY CONTROL DATA
Matrix Spike

Analyte	Orig. Val.	MS Val.	Q	Units	Spike Conc.	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
EPA 8015B (M) TPH-Gasoline Standard 50ppb										
10-05-1240-1										
TPH as Gasoline	ND	2205		ug/L	2,000.00	110	68-122	100517S01	10-05-1240-1	05/17/10 11:52
EPA 8015B (M)/EPA 8021B TPH(g)/BTXE/MTBE										
10-05-1240-1										
Benzene	ND	84.78		ug/L	100.00	85	57-129	100518S01	10-05-1240-1	05/18/10 16:24
Toluene	ND	86.73		ug/L	100.00	87	50-134	100518S01	10-05-1240-1	05/18/10 16:24
Ethylbenzene	ND	90.04		ug/L	100.00	90	58-130	100518S01	10-05-1240-1	05/18/10 16:24
p/m-Xylene	ND	180.3		ug/L	200.00	90	58-130	100518S01	10-05-1240-1	05/18/10 16:24
o-Xylene	ND	88.02		ug/L	100.00	88	57-123	100518S01	10-05-1240-1	05/18/10 16:24
Methyl-t-Butyl Ether (MTBE)	ND	90.06		ug/L	100.00	90	44-134	100518S01	10-05-1240-1	05/18/10 16:24





The difference is service


Client: Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Work Order: 10-05-1240
Project Name: ExxonMobil 70104 / 022506 11X
Received: 05/15/10 09:00

PROJECT QUALITY CONTROL DATA
Matrix Spike Dup

Analyte	Orig Val.	Duplicate	Q	Units	Spike Conc.	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
EPA 8015B (M) TPH-Gasoline Standard 50ppb												
10-05-1240-1												
TPH as Gasoline	ND	2236		ug/L	2,000.00	112	68-122	1	0-18	100517S01	10-05-1240-1	05/17/10 12:26
EPA 8015B (M)/EPA 8021B TPH(g)/BTXE/MTBE												
10-05-1240-1												
Benzene	ND	89.85		ug/L	100.00	90	57-129	6	0-23	100518S01	10-05-1240-1	05/18/10 16:54
Toluene	ND	91.78		ug/L	100.00	92	50-134	6	0-26	100518S01	10-05-1240-1	05/18/10 16:54
Ethylbenzene	ND	93.14		ug/L	100.00	93	58-130	3	0-26	100518S01	10-05-1240-1	05/18/10 16:54
p/m-Xylene	ND	186.8		ug/L	200.00	93	58-130	4	0-28	100518S01	10-05-1240-1	05/18/10 16:54
o-Xylene	ND	90.90		ug/L	100.00	91	57-123	3	0-26	100518S01	10-05-1240-1	05/18/10 16:54
Methyl-t-Butyl Ether (MTBE)	ND	92.32		ug/L	100.00	92	44-134	2	0-27	100518S01	10-05-1240-1	05/18/10 16:54





The difference is service


Client: Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Work Order: 10-05-1240
Project Name: ExxonMobil 70104 / 022506 11X
Received: 05/15/10 09:00

PROJECT QUALITY CONTROL DATA
LCS

Analyte	Known Val.	Analyzed	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
EPA 8015B (M) TPH-Gasoline Standard 50ppb								
099-12-436-4,770								
TPH as Gasoline	2,000.00	2213		ug/L	111	78-120	100517B01	05/17/10 10:45
EPA 8015B (M)/EPA 8021B TPH(g)/BTXE/MTBE								
099-12-667-818								
Benzene	100.00	89.2		ug/L	89	70-118	100518B01	05/18/10 12:53
Toluene	100.00	95.0		ug/L	95	66-114	100518B01	05/18/10 12:53
Ethylbenzene	100.00	96.5		ug/L	97	72-114	100518B01	05/18/10 12:53
p/m-Xylene	200.00	197		ug/L	99	74-116	100518B01	05/18/10 12:53
o-Xylene	100.00	94.8		ug/L	95	72-114	100518B01	05/18/10 12:53
Methyl-t-Butyl Ether (MTBE)	100.00	89.9		ug/L	90	41-137	100518B01	05/18/10 12:53





The difference is service


Client: Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Work Order: 10-05-1240
Project Name: ExxonMobil 70104 / 022506 11X
Received: 05/15/10 09:00

PROJECT QUALITY CONTROL DATA
LCS Dup

Analyte	LCS Val.	Duplicate	Q	Units	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
EPA 8015B (M) TPH-Gasoline Standard 50ppb											
099-12-436-4,770											
TPH as Gasoline	2,000.00	2231		ug/L	112	78-120	1	0-10	100517B01	099-12-436-4,770	05/17/10 11:19





Glossary of Terms and Qualifiers



Work Order Number: 10-05-1240

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



1240



< WebShip > > > >

800-322-5555 www.gso.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
CONOCO PHILLIPS, ETIC, ERI, BTS

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #: 514156446



SDS

ORC

D

GARDEN GROVE


D92843A



81637248

Print Date : 05/14/10 15:04 PM

Package 1 of 1



WORK ORDER #: 10-05-1240

SAMPLE RECEIPT FORMCooler 1 of 1CLIENT: ERIDATE: 05/15/10**TEMPERATURE:** Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature 3.0 °C + 0.5 °C (CF) = 3.5 °C Blank Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: _____).
- Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.
- Received at ambient temperature, placed on ice for transport by Courier.


Ambient Temperature: Air Filter Metals Only PCBs OnlyInitial: JL**CUSTODY SEALS INTACT:**

<input type="checkbox"/> Cooler	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>JL</u>
<input type="checkbox"/> Sample	<input type="checkbox"/>	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: <u>JL</u>

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper containers and sufficient volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
pH / Residual Chlorine / Dissolved Sulfide received within 24 hours.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs
 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna
 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Labeled/Checked by: JLContainer: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: JLPreservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: JL



May 03, 2010

RECEIVED
MAY 03 2010
BY _____

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 10-04-1833**
Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 4/24/2010 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Cecile L deGuia".

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1833
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	10-04-1833-1-D	04/23/10 13:00	Aqueous	GC 18	04/26/10	04/26/10 14:50	100426B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	71	38-134			

W-INT2	10-04-1833-2-D	04/23/10 13:13	Aqueous	GC 18	04/26/10	04/26/10 15:26	100426B01
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	71	38-134			

W-INT1	10-04-1833-3-D	04/23/10 13:30	Aqueous	GC 18	04/26/10	04/26/10 16:01	100426B01
--------	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	120	50	1		ug/L
Surrogates:	REC (%)	Control Limits		Qual	
1,4-Bromofluorobenzene	71	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1833
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-INF	10-04-1833-4-D	04/23/10 13:45	Aqueous	GC 18	04/26/10	04/26/10 16:37	100426B01


Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	950	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	74	38-134			

Method Blank	099-12-436-4,662	N/A	Aqueous	GC 18	04/26/10	04/26/10 10:06	100426B01
--------------	------------------	-----	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	71	38-134			

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1833
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-PSP-1	10-04-1833-1-C	04/23/10 13:00	Aqueous	GC 8	04/27/10	04/27/10 18:31	100427B02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>					

1,4-Bromofluorobenzene 97 70-130

W-INT2	10-04-1833-2-C	04/23/10 13:13	Aqueous	GC 8	04/27/10	04/27/10 20:01	100427B02
--------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>					

1,4-Bromofluorobenzene 95 70-130

W-INT1	10-04-1833-3-C	04/23/10 13:30	Aqueous	GC 8	04/27/10	04/27/10 20:31	100427B02
--------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	180	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>					

1,4-Bromofluorobenzene 95 70-130

W-INF	10-04-1833-4-C	04/23/10 13:45	Aqueous	GC 8	04/27/10	04/27/10 21:01	100427B02
-------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	5.0	10		Xylenes (total)	ND	10	10	
Toluene	ND	5.0	10		Methyl-t-Butyl Ether (MTBE)	1400	50	10	
Ethylbenzene	ND	5.0	10						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>					


1,4-Bromofluorobenzene 98 70-130

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers





Analytical Report



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1833
Preparation: EPA 5030B
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-796	N/A	Aqueous	GC 8	04/27/10	04/27/10 18:01	100427B02


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Toluene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	5.0	1	
Ethylbenzene	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>					
1,4-Bromofluorobenzene	100	70-130							

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 04/24/10
Work Order No: 10-04-1833
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 18	04/26/10	04/26/10	100426S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	94	99	68-122	5	0-18	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - Spike/Spike Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 04/24/10
Work Order No: 10-04-1833
Preparation: EPA 5030B
Method: EPA 8021B


Project ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-PSP-1	Aqueous	GC 8	04/27/10	04/27/10	100427S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	94	93	57-129	1	0-23	
Toluene	67	95	50-134	34	0-26	4
Ethylbenzene	96	96	58-130	0	0-26	
p/m-Xylene	95	97	58-130	1	0-28	
o-Xylene	93	93	57-123	0	0-26	
Methyl-t-Butyl Ether (MTBE)	97	92	44-134	6	0-27	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 10-04-1833
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-4,662	Aqueous	GC 18	04/26/10	04/26/10	100426B01

Parameter	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	101	101	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 10-04-1833
Preparation: EPA 5030B
Method: EPA 8021B

Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-796	Aqueous	GC 8	04/27/10	04/27/10	100427B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	99	70-118	3	0-9	
Toluene	104	102	66-114	2	0-9	
Ethylbenzene	104	103	72-114	1	0-9	
p/m-Xylene	107	106	74-116	1	0-9	
o-Xylene	102	101	72-114	0	0-9	
Methyl-t-Butyl Ether (MTBE)	105	99	41-137	5	0-13	

RPD - Relative Percent Difference , CL - Control Limit



Glossary of Terms and Qualifiers

Work Order Number: 10-04-1833

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



CHAIN OF CUSTODY RECORD

Page _____ of _____

1833

**Calscience
Environmental
Laboratories, Inc.**

**7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501**

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 610 North McDowell
City/State/Zip: Petaluma, CA 94954
Project Manager Paula Sime
Telephone Number: 707-766-2000
ERI Job Number: 2506 11X (April)
Sampler Name: (Print) John Newman

ExxonMobil Engineer Jennifer Sedlachek

Telephone Number 510-547-8196

Account #: 10228

PO #: 4508883534

Facility ID # 7-0104

Global ID#

Site Address 1725 Park Street

City, State Zip Alameda, California

1833



< WebShip > > > >
800-322-5555 www.gso.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
BTS, ERI, CRA

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #: 514015771



SDS

ORC

D

GARDEN GROVE

D92843A



81085360

Print Date : 04/23/10 15:33 PM

Package 1 of 1

Print All

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.


STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but or not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.



WORK ORDER #: 10-04-1833

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: ER

DATE: 04/24/10


TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature 2.7 °C + 0.5°C (CF) = 3.2 °C Blank Sample Sample(s) outside temperature criteria (PM/APM contacted by: _____). Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling. Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs Only Initial: JD**CUSTODY SEALS INTACT:**

<input type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>JD</u>
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: <u>AC</u>

SAMPLE CONDITION:

Yes No N/A

Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. No analysis requested. Not relinquished. No date/time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Proper containers and sufficient volume for analyses requested..... Analyses received within holding time..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation..... **CONTAINER TYPE:**Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® TerraCores® _____Water: VOA VOAH VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Labeled/Checked by: ERContainer: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: MSLPreservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: ER



April 27, 2010

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

RECEIVED
4/27/2010
BY: _____

Subject: **Calscience Work Order No.: 10-04-1816**
Client Reference: **ExxonMobil 70104**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 4/24/2010 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-04-1816-1-A	04/23/10 12:00	Air	GC 13	N/A	04/24/10 11:38	100424L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT2	10-04-1816-2-A	04/23/10 12:15	Air	GC 13	N/A	04/24/10 12:10	100424L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

A-INT1	10-04-1816-3-A	04/23/10 12:30	Air	GC 13	N/A	04/24/10 12:21	100424L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)


A-INF	10-04-1816-4-A	04/23/10 12:45	Air	GC 13	N/A	04/24/10 12:30	100424L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

Method Blank	098-01-005-2,240	N/A	Air	GC 13	N/A	04/24/10 09:17	100424L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1		ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-04-1816-1-A	04/23/10 12:00	Air	GC/MS K	N/A	04/24/10 13:59	100424L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	96	57-129			1,2-Dichloroethane-d4	106	47-137		
Toluene-d8	99	78-156							

A-INT2	10-04-1816-2-A	04/23/10 12:15	Air	GC/MS K	N/A	04/24/10 14:47	100424L01
--------	----------------	----------------	-----	---------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	105	47-137		
Toluene-d8	97	78-156							

A-INT1	10-04-1816-3-A	04/23/10 12:30	Air	GC/MS K	N/A	04/24/10 15:36	100424L01
--------	----------------	----------------	-----	---------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	103	57-129			1,2-Dichloroethane-d4	105	47-137		
Toluene-d8	99	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	10-04-1816-4-A	04/23/10 12:45	Air	GC/MS K	N/A	04/24/10 16:22	100424L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0018	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	0.046	0.0020	1	
Ethylbenzene	0.00073	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	104	47-137		
Toluene-d8	100	78-156							
Method Blank									
	099-12-983-639				N/A	Air	GC/MS K	N/A	04/24/10 12:48

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1		Xylenes (total)	ND	0.0020	1	
Toluene	ND	0.0050	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	
Ethylbenzene	ND	0.00050	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	94	57-129			1,2-Dichloroethane-d4	105	47-137		
Toluene-d8	98	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-04-1816-1-A	04/23/10 12:00	Air	GC 13	N/A	04/24/10 11:38	100424L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

A-INT2	10-04-1816-2-A	04/23/10 12:15	Air	GC 13	N/A	04/24/10 12:10	100424L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

A-INT1	10-04-1816-3-A	04/23/10 12:30	Air	GC 13	N/A	04/24/10 12:21	100424L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3


A-INF	10-04-1816-4-A	04/23/10 12:45	Air	GC 13	N/A	04/24/10 12:30	100424L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

Method Blank	098-01-005-2,240	N/A	Air	GC 13	N/A	04/24/10 09:17	100424L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1		mg/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-15M
Units: mg/m³

Project: ExxonMobil 70104

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-04-1816-1-A	04/23/10 12:00	Air	GC/MS K	N/A	04/24/10 13:59	100424L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	96	57-129			1,2-Dichloroethane-d4	106	47-137		
Toluene-d8	99	78-156							
A-INT2	10-04-1816-2-A	04/23/10 12:15	Air	GC/MS K	N/A	04/24/10 14:47	100424L01		


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	99	57-129			1,2-Dichloroethane-d4	105	47-137		
Toluene-d8	97	78-156							
A-INT1	10-04-1816-3-A	04/23/10 12:30	Air	GC/MS K	N/A	04/24/10 15:36	100424L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	103	57-129			1,2-Dichloroethane-d4	105	47-137		
Toluene-d8	99	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	10-04-1816-4-A	04/23/10 12:45	Air	GC/MS K	N/A	04/24/10 16:22	100424L01


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.0059	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	0.16	0.0072	1	
Ethylbenzene	0.0032	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	104	47-137		
Toluene-d8	100	78-156							

Method Blank	099-12-983-639	N/A	Air	GC/MS K	N/A	04/24/10 12:48	100424L01
--------------	----------------	-----	-----	---------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1		Xylenes (total)	ND	0.0087	1	
Toluene	ND	0.019	1		Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	
Ethylbenzene	ND	0.0022	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	94	57-129			1,2-Dichloroethane-d4	105	47-137		
Toluene-d8	98	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 04/24/10
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
10-04-1817-3	Air	GC 13	N/A	04/24/10	100424D01

Parameter	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
TPH as Gasoline	1.8	1.8	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Duplicate



Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 04/24/10
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
10-04-1817-3	Air	GC 13	N/A	04/24/10	100424D01

Parameter	Sample Conc.	DUP Conc	RPD	RPD CL	Qualifiers
TPH as Gasoline	6.7	6.7	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 10-04-1816
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 70104


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-983-639	Air	GC/MS K	N/A	04/24/10	100424L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	104	60-156	6	0-40	
Toluene	103	112	56-146	8	0-43	
Ethylbenzene	106	116	52-154	9	0-38	
p/m-Xylene	111	120	42-156	8	0-41	
o-Xylene	103	112	52-148	9	0-38	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Glossary of Terms and Qualifiers

Work Order Number: 10-04-1816

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



CHAIN OF CUSTODY RECORD

Page ____ of ____

**Calscience
Environmental
Laboratories, Inc.**

7440 LINCOLN WAY
GARDEN GROVE, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 601 North McDowell
City/State/Zip: Petaluma, CA 94954
Project Manager Paula Sime
Telephone Number: 707-766-2000
ERI Job Number: **2506-11X (monthly)**
Sampler Name: (Print) *Jon Newman*
Sampler Signature: *Jon Newman*

1816
ExxonMobil Engineer Jennifer Sedlachek
Telephone Number 510-547-8196
Account #: 10226
PO #: 4508883534
Facility ID # 7-0104
Global ID#
Site Address 1725 Park Street
City, State Zip Alameda, California

TAT	PROVIDE:	Special Instructions: * Include TPHg, BTEX, and MTBE						Matrix	Analyze For:					
												<input type="checkbox"/> 24 hour	<input type="checkbox"/> 72 hour	<input type="checkbox"/> EDF Report
		Sample ID / Description		DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TO-3M+TO-15*	
1		A-EFF		4/23/10	1200		X	NONE	1-1L		X		X	
2		A-INT2			1215		X	NONE	1-1L		X		X	
3		A-INT1			1230		X	NONE	1-1L		X		X	
4		A-INF			1245		X	NONE	1-1L		X		X	
Relinquished by:		<i>J Newman</i>		Date 4/23/10	Time 1345	Received by: <i>OC</i>	<i>OC</i>	Time 1345	Laboratory Comments:					
									Temperature Upon Receipt:					
									Sample Containers Intact?					
									VOAs Free of Headspace?					
Relinquished by:		<i>OC</i>		Date 4-23-10	Time 1730	Received by Calscience:	<i>OC</i>	Time 0930						



< WebShip > >>>
800-322-5555 www.gso.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
CRA, ERI

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #: 514015510



SDS

ORC

D

GARDEN GROVE

D92843A



81085024

Print Date : 04/23/10 15:22 PM

Package 1 of 1

[Send Label To Printer](#)

[Print All](#)

[Edit Shipment](#)

[Finish](#)

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.

STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.


ADDITIONAL OPTIONS:

[Send Label Via Email](#)

[Create Return Label](#)

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.

WORK ORDER #: 10-04- **SAMPLE RECEIPT FORM**Box 1 of 1CLIENT: ERIDATE: 04/24/10**TEMPERATURE:** Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature . °C + 0.5 °C (CF) = . °C Blank Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: _____).
- Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.


 Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs OnlyInitial: YL**CUSTODY SEALS INTACT:**

<input type="checkbox"/> Box	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>YL</u>
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>YL</u>

SAMPLE CONDITION:

Yes No N/A

Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. No analysis requested. Not relinquished. No date/time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Correct containers and volume for analyses requested..... Analyses received within holding time..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation..... **CONTAINER TYPE:**Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve(_____) EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Checked by: YLContainer: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: YLPreservative: h: HCL n: HNO3 na₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: YL



May 18, 2010

RECEIVED
MAY 20 2010
BY.....

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: Calscience Work Order No.: 10-05-1231
Client Reference: ExxonMobil 70104 / 022506 11X

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 5/15/2010 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia


Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager

Case Narrative
Work Order # 10-05-1231
Modified EPA TO-14A or EPA TO-15

EPA Methods TO-14A and TO-15 describe gas chromatographic procedures that will allow for the separation of volatile organic compounds and their qualitative and quantitative analysis by mass spectrometry (GC/MS). A known volume of sample is directed from the container (Summa® canister or Tedlar™ bag) through a solid multi-module (glass beads, tenex, cryofocuser) concentrator. Following concentration, the VOCs are thermally desorbed onto a gas chromatographic column for separation and then detected on a mass selective detector.

Comparison of EPA TO-14A/TO-15 versus Calscience EPA TO-14A/TO-15 (Modified)

Requirement	EPA Method	Calscience Modifications
BFB Acceptance Criteria	CLP Protocol	SW846 Protocol
Initial Calibration	Allowable % RSD for each Target Analyte <= 30%, two analytes allowed <= 40%	Allowable % RSD for each Target Analyte <= 30%, 10% of analytes allowed <= 40%
Initial Calibration Verification (ICV) - Second Source Standard (LCS)	Not Mentioned	Analytes contained in the LCS standard evaluated against historical control limits for the LCS
Daily Calibration Verification (CCV)	Allowable % Difference for each Target Analyte is <= 30%	Full List Analysis: Allowable % Difference for each CCC analyte is <= 30%
		Target List Analysis: Allowable % Difference for each target analytes is <= 30%
Daily Calibration Verification (CCV) - Internal Standard Area Response	Allowable +/- 40% (Range: 60% to 140%)	Allowable +/- 50% (Range: 50% to 150%)
Method Blank, Laboratory Control Sample and Sample - Internal Standard Area Response	Allowable +/- 40% of the mean area response of most recent Initial Calibration (Range: 60% to 140%)	Allowable +/- 50% of the mean area response of the most recent Calibration Verification (Range: 50% to 150%)
Surrogates	Not Mentioned	1,4-Bromofluorobenzene, 1,2-Dichloroethane-d4 and Toluene-d8 - % Recoveries based upon historical control limits +/-3S



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/15/10
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104 / 022506 11X

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-05-1231-1-A	05/14/10 12:30	Air	GC 13	N/A	05/15/10 10:38	100515L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)

A-INT2	10-05-1231-2-A	05/14/10 12:35	Air	GC 13	N/A	05/15/10 11:05	100515L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)

A-INT1	10-05-1231-3-A	05/14/10 12:40	Air	GC 13	N/A	05/15/10 11:16	100515L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)


A-INF	10-05-1231-4-A	05/14/10 12:45	Air	GC 13	N/A	05/15/10 11:27	100515L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)

Method Blank	098-01-005-2,301	N/A	Air	GC 13	N/A	05/15/10 09:05	100515L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/15/10
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104 / 022506 11X

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-05-1231-1-A	05/14/10 12:30	Air	GC/MS V	N/A	05/15/10 20:59	100515L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	U
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	97	47-137		
Toluene-d8	98	78-156							
A-INT2		10-05-1231-2-A	05/14/10 12:35	Air	GC/MS V	N/A	05/15/10 21:49	100515L01	


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	U
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	114	57-129			1,2-Dichloroethane-d4	99	47-137		
Toluene-d8	101	78-156							
A-INT1		10-05-1231-3-A	05/14/10 12:40	Air	GC/MS V	N/A	05/15/10 22:40	100515L01	

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	U
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	101	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	99	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/15/10
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104 / 022506 11X

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	10-05-1231-4-A	05/14/10 12:45	Air	GC/MS V	N/A	05/15/10 23:31	100515L01


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	0.032	0.0020	1	
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	103	78-156							

Method Blank	099-12-983-707	N/A	Air	GC/MS V	N/A	05/15/10 14:19	100515L01
--------------	----------------	-----	-----	---------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	U
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	98	47-137		
Toluene-d8	101	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/15/10
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104 / 022506 11X

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-05-1231-1-A	05/14/10 12:30	Air	GC 13	N/A	05/15/10 10:38	100515L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3

A-INT2	10-05-1231-2-A	05/14/10 12:35	Air	GC 13	N/A	05/15/10 11:05	100515L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3

A-INT1	10-05-1231-3-A	05/14/10 12:40	Air	GC 13	N/A	05/15/10 11:16	100515L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3


A-INF	10-05-1231-4-A	05/14/10 12:45	Air	GC 13	N/A	05/15/10 11:27	100515L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3

Method Blank	098-01-005-2,301	N/A	Air	GC 13	N/A	05/15/10 09:05	100515L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/15/10
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104 / 022506 11X

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-05-1231-1-A	05/14/10 12:30	Air	GC/MS V	N/A	05/15/10 20:59	100515L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	U
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	104	57-129			1,2-Dichloroethane-d4	97	47-137		
Toluene-d8	98	78-156							

A-INT2	10-05-1231-2-A	05/14/10 12:35	Air	GC/MS V	N/A	05/15/10 21:49	100515L01
--------	----------------	----------------	-----	---------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	U
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	114	57-129			1,2-Dichloroethane-d4	99	47-137		
Toluene-d8	101	78-156							

A-INT1	10-05-1231-3-A	05/14/10 12:40	Air	GC/MS V	N/A	05/15/10 22:40	100515L01
--------	----------------	----------------	-----	---------	-----	----------------	-----------

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	U
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	101	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	99	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 05/15/10
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-15M
Units: mg/m³

Project: ExxonMobil 70104 / 022506 11X

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	10-05-1231-4-A	05/14/10 12:45	Air	GC/MS V	N/A	05/15/10 23:31	100515L01


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	0.12	0.0072	1	
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	103	78-156							

Method Blank	099-12-983-707	N/A	Air	GC/MS V	N/A	05/15/10 14:19	100515L01
--------------	----------------	-----	-----	---------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	U
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	98	57-129			1,2-Dichloroethane-d4	98	47-137		
Toluene-d8	101	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 05/15/10
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-3M


Project: ExxonMobil 70104 / 022506 11X

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
10-05-1230-2	Air	GC 13	N/A	05/15/10	100515D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	2.3	2.3	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 05/15/10
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104 / 022506 11X

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
10-05-1230-2	Air	GC 13	N/A	05/15/10	100515D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	8.9	8.8	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: N/A
Work Order No: 10-05-1231
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 70104 / 022506 11X


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-983-707	Air	GC/MS V	N/A	05/15/10	100515L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	112	104	60-156	7	0-40	
Toluene	104	104	56-146	1	0-43	
Ethylbenzene	115	112	52-154	2	0-38	
p/m-Xylene	117	116	42-156	1	0-41	
o-Xylene	113	113	52-148	0	0-38	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Glossary of Terms and Qualifiers

Work Order Number: 10-05-1231

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.
	Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



**Calscience
Environmental
Laboratories, Inc.**

7440 Lincoln Way
Garden Grove, CA 92841

Phone: 714-895-5494

ExxonMobil

123

Consultant Name: Environmental Resolutions, Inc. **Account #:** NA **PO#:** 4508883534
Consultant Address: 601 North McDowell Blvd **Invoice To:** Jennifer C. Sedlachek
Consultant City/State/Zip: Petaluma, California 94954 **Report To:** Paula Sime
ExxonMobil Project Mgr: Jennifer C. Sedlachek **Project Name:** 022506 11X (Monthly)
Consultant Project Mgr: Paula Sime **ExxonMobil Site #:** 7-0104 **Major Project (AFE #):**
Consultant Telephone Number: (707) 766-2000 **Fax No.:** (707) 789-0414 **Site Address:** 1725 Park Street
Sampler Name (Print): Jen Neuman **Site City, State, Zip:** Alameda, California
Sampler Signature: Jen Neuman **Oversight Agency:** _____

Sample ID	Field Point Name	Date Sampled	Time Sampled	No. of Containers Shipped	Preservative Used										Matrix	Analyze For:	
					Grab	Composite	Field Filtered	Methanol	Sodium Bisulfite	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	HNO ₃ (Red Label)	Ice	Other	
A-EFF		5/14	12 ³⁰	1L Tedlar	X												RUSH TAT (Pre-Schedule)
A-INT2			12 ³⁵	1L Tedlar	X												5-day TAT
A-INT1			12 ⁴⁰	1L Tedlar	X												Standard 10-day TAT
A-INF			12 ⁴⁵	1L Tedlar	X												Due Date of Report

Comments/Special Instructions:

Laboratory Comments:

Temperature Upon Receipt

Sample Containers Intact?

VOCs Free of Headspace?

Y
Y

GLOBAL ID # ()
PLEASE ATTACH ALL PDF FILES TO
(varies by branch; E1 = geotracker01@en-us.com)

PLEASE EMAIL ALL PDF FILES TO varies by branch; E1 = ectracker1@ord.uic.com

Relinquished by: _____ **Date:** _____ **Time:** _____ **Received by:** _____ **Date:** _____ **Time:** _____

111 111 Date 1/13-1

Hermann 5/4/19 10-01 Valley (EC) 5/4/19 1330

Relinquished by: John Doe **Date:** 26/06/00 **Time:** 10:00 AM **Received by (Lab personnel):** Jane Smith **Date:** 26/06/00 **Time:** 10:00 AM

Received by (Lab personnel) Date Time

for small on 10/14/10 1730

10. *What is the relationship between the two main characters?*

QC Deliverables (please circle one)

Level 2

Level 3

| Level 4

Site Specific - if yes, please attach

Project Manager or attach specific

Project Manager or attach specific

1231



< WebShip > > >
800-322-5555 www.gso.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
ERI, STANTEC

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #: 514156631



SDS

ORC
GARDEN GROVE

D92843A



81637478

Print Date : 05/14/10 15:15 PM

Package 1 of 1

Print All

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.


STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value" in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.



WORK ORDER #: 10-05-1234

SAMPLE RECEIPT FORM

Box 1 of 1

CLIENT: ERI

DATE: 05/15/10

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature ____ • ____ °C + 0.5 °C (CF) = ____ • ____ °C Blank Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: _____).
- Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

 Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: YL

CUSTODY SEALS INTACT:

<input type="checkbox"/> Cooler	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/> N/A	Initial: <u>YL</u>
<input type="checkbox"/> Sample	<input type="checkbox"/> _____	<input type="checkbox"/> No (Not Intact)	<input checked="" type="checkbox"/> Not Present	<input type="checkbox"/>	Initial: <u>YL</u>

SAMPLE CONDITION:

Yes	No	N/A
-----	----	-----

- Chain-Of-Custody (COC) document(s) received with samples.....
- COC document(s) received complete.....
- Collection date/time, matrix, and/or # of containers logged in based on sample labels.
- No analysis requested. Not relinquished. No date/time relinquished.
- Sampler's name indicated on COC.....
- Sample container label(s) consistent with COC.....
- Sample container(s) intact and good condition.....
- Proper containers and sufficient volume for analyses requested.....
- Analyses received within holding time.....
- pH / Residual Chlorine / Dissolved Sulfide received within 24 hours.....
- Proper preservation noted on COC or sample container.....
- Unpreserved vials received for Volatiles analysis
- Volatile analysis container(s) free of headspace.....
- Tedlar bag(s) free of condensation.....

CONTAINER TYPE:


Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (____) EnCores® TerraCores® _____

Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____

Air: Tedlar® Summa® **Other:** _____ **Trip Blank Lot#:** _____ **Labeled/Checked by:** YL

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: WSC

Preservative: H: HCl I: HNO₃ N: Na₂S₂O₃ Na: NaOH P: H₃PO₄ S: H₂SO₄ Znna: ZnAc₂+NaOH f: Field-filtered Scanned by: YL



June 21, 2010

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

RECEIVED
JUN 22 2010

BY: _____

Subject: **Calscience Work Order No.: 10-06-1617**
Client Reference: **ExxonMobil 70104 / 022506 11X (Monthly)**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/19/2010 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager


Case Narrative

Work Order # 10-06-1617 Modified EPA TO-14A or EPA TO-15

EPA Methods TO-14A and TO-15 describe gas chromatographic procedures that will allow for the separation of volatile organic compounds and their qualitative and quantitative analysis by mass spectrometry (GC/MS). A known volume of sample is directed from the container (Summa® canister or Tedlar™ bag) through a solid multi-module (glass beads, tenex, cryofocuser) concentrator. Following concentration, the VOCs are thermally desorbed onto a gas chromatographic column for separation and then detected on a mass selective detector.

Comparison of EPA TO-14A/TO-15 versus Calscience EPA TO-14A/TO-15 (Modified)

Requirement	EPA Method	Calscience Modifications
BFB Acceptance Criteria	CLP Protocol	SW846 Protocol
Initial Calibration	Allowable % RSD for each Target Analyte <= 30%, two analytes allowed <= 40%	Allowable % RSD for each Target Analyte <= 30%, 10% of analytes allowed <= 40%
Initial Calibration Verification (ICV) - Second Source Standard (LCS)	Not Mentioned	Analytes contained in the LCS standard evaluated against historical control limits for the LCS
Daily Calibration Verification (CCV)	Allowable % Difference for each Target Analyte is <= 30%	Full List Analysis: Allowable % Difference for each CCC analyte is <= 30%
		Target List Analysis: Allowable % Difference for each target analytes is <= 30%
Daily Calibration Verification (CCV) - Internal Standard Area Response	Allowable +/- 40% (Range: 60% to 140%)	Allowable +/- 50% (Range: 50% to 150%)
Method Blank, Laboratory Control Sample and Sample - Internal Standard Area Response	Allowable +/- 40% of the mean area response of most recent Initial Calibration (Range: 60% to 140%)	Allowable +/- 50% of the mean area response of the most recent Calibration Verification (Range: 50% to 150%)
Surrogates	Not Mentioned	1,4-Bromofluorobenzene, 1,2-Dichloroethane-d4 and Toluene-d8 - % Recoveries based upon historical control limits +/-3S



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104 / 022506 11X (Monthly)

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-06-1617-1-A	06/18/10 09:15	Air	GC 13	N/A	06/19/10 11:57	100619L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)

A-INT2	10-06-1617-2-A	06/18/10 09:30	Air	GC 13	N/A	06/19/10 12:08	100619L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)

A-INT1	10-06-1617-3-A	06/18/10 09:45	Air	GC 13	N/A	06/19/10 12:19	100619L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)


A-INF	10-06-1617-4-A	06/18/10 10:00	Air	GC 13	N/A	06/19/10 12:26	100619L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)

Method Blank	098-01-005-2,378	N/A	Air	GC 13	N/A	06/19/10 09:06	100619L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	1.5	1	U	ppm (v/v)

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104 / 022506 11X (Monthly)

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-06-1617-1-A	06/18/10 09:15	Air	GC/MS K	N/A	06/19/10 14:43	100619L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	U
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	111	57-129			1,2-Dichloroethane-d4	127		47-137	
Toluene-d8	100	78-156							
A-INT2	10-06-1617-2-A	06/18/10 09:30	Air	GC/MS K	N/A	06/19/10 15:29	100619L01		


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	0.0024	0.0020	1	
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	109	57-129			1,2-Dichloroethane-d4	101		47-137	
Toluene-d8	99	78-156							
A-INT1	10-06-1617-3-A	06/18/10 09:45	Air	GC/MS K	N/A	06/19/10 16:16	100619L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	U
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	112	57-129			1,2-Dichloroethane-d4	103		47-137	
Toluene-d8	101	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-15M
Units: ppm (v/v)

Project: ExxonMobil 70104 / 022506 11X (Monthly)

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	10-06-1617-4-A	06/18/10 10:00	Air	GC/MS K	N/A	06/19/10 17:02	100619L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	0.0071	0.0020	1	
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	113	57-129			1,2-Dichloroethane-d4	105	47-137		
Toluene-d8	102	78-156							
Method Blank		099-12-983-793			N/A	Air	GC/MS K	N/A	06/19/10 12:42
									100619L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.00050	1	U	Xylenes (total)	ND	0.0020	1	U
Toluene	ND	0.0050	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0020	1	U
Ethylbenzene	ND	0.00050	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	95	78-156							

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104 / 022506 11X (Monthly)

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-06-1617-1-A	06/18/10 09:15	Air	GC 13	N/A	06/19/10 11:57	100619L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3

A-INT2	10-06-1617-2-A	06/18/10 09:30	Air	GC 13	N/A	06/19/10 12:08	100619L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3

A-INT1	10-06-1617-3-A	06/18/10 09:45	Air	GC 13	N/A	06/19/10 12:19	100619L01
--------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3


A-INF	10-06-1617-4-A	06/18/10 10:00	Air	GC 13	N/A	06/19/10 12:26	100619L01
-------	----------------	----------------	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3

Method Blank	098-01-005-2,378	N/A	Air	GC 13	N/A	06/19/10 09:06	100619L01
--------------	------------------	-----	-----	-------	-----	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	5.7	1	U	mg/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-15M
Units: mg/m³

Project: ExxonMobil 70104 / 022506 11X (Monthly)

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-EFF	10-06-1617-1-A	06/18/10 09:15	Air	GC/MS K	N/A	06/19/10 14:43	100619L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	U
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	111	57-129			1,2-Dichloroethane-d4	127	47-137		
Toluene-d8	100	78-156							
A-INT2	10-06-1617-2-A	06/18/10 09:30	Air	GC/MS K	N/A	06/19/10 15:29	100619L01		

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	0.0085	0.0072	1	
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	109	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	99	78-156							
A-INT1	10-06-1617-3-A	06/18/10 09:45	Air	GC/MS K	N/A	06/19/10 16:16	100619L01		


Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	U
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	112	57-129			1,2-Dichloroethane-d4	103	47-137		
Toluene-d8	101	78-156							

RL - Reporting Limit

DF - Dilution Factor

Qual - Qualifiers



Analytical Report

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 06/19/10
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-15M
Units: mg/m3

Project: ExxonMobil 70104 / 022506 11X (Monthly)

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
A-INF	10-06-1617-4-A	06/18/10 10:00	Air	GC/MS K	N/A	06/19/10 17:02	100619L01

Comment(s): -The method has been modified to use Tedlar bags instead of Summa Canisters.

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	0.026	0.0072	1	
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	113	57-129			1,2-Dichloroethane-d4	105	47-137		
Toluene-d8	102	78-156							
Method Blank		099-12-983-793			N/A	Air	GC/MS K	N/A	06/19/10 12:42
									100619L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.0016	1	U	Xylenes (total)	ND	0.0087	1	U
Toluene	ND	0.019	1	U	Methyl-t-Butyl Ether (MTBE)	ND	0.0072	1	U
Ethylbenzene	ND	0.0022	1	U					
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>	<u>Limits</u>	<u>Qual</u>
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	101	47-137		
Toluene-d8	95	78-156							

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 06/19/10
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104 / 022506 11X (Monthly)

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
A-INF	Air	GC 13	N/A	06/19/10	100619D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	ND	NA	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312


Date Received: 06/19/10
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-3M

Project: ExxonMobil 70104 / 022506 11X (Monthly)

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
A-INF	Air	GC 13	N/A	06/19/10	100619D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	ND	NA	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: N/A
Work Order No: 10-06-1617
Preparation: N/A
Method: EPA TO-15M

Project: ExxonMobil 70104 / 022506 11X (Monthly)


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-983-793	Air	GC/MS K	N/A	06/19/10	100619L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	106	103	60-156	2	0-40	
Toluene	101	100	56-146	1	0-43	
Ethylbenzene	102	101	52-154	2	0-38	
p/m-Xylene	102	99	42-156	2	0-41	
o-Xylene	103	101	52-148	2	0-38	

RPD - Relative Percent Difference , CL - Control Limit



7440 Lincoln Way, Garden Grove, CA 92841-1427 • TEL:(714) 895-5494 • FAX: (714) 894-7501



Glossary of Terms and Qualifiers

Work Order Number: 10-06-1617

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS recovery percentage is within LCS ME control limit range.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.



Calscience
Environmental
Laboratories, Inc.

7440 Lincoln Way
Garden Grove, CA 92841

Phone: 714-895-5494
Fax: 714-894-7501

ExxonMobil

1617

Consultant Name:	Environmental Resolutions, Inc.	Account #:	NA	PO#:	4508883534
Consultant Address:	601 North McDowell Blvd	Invoice To:	Jennifer C. Sedlachek		
Consultant City/State/Zip:	Petaluma, California 94954	Report To:	Paula Sime		
ExxonMobil Project Mgr:	Jennifer C. Sedlachek	Project Name:	022506 11X (Monthly)		
Consultant Project Mgr:	Paula Sime	ExxonMobil Site #:	7-0104	Major Project (AFE #):	
Consultant Telephone Number:	(707) 766-2000	Fax No.:	(707) 789-0414	Site Address:	1725 Park Street
Sampler Name (Print):	<i>Jen Hermann</i>	Site City, State, Zip:	Alameda, California		
Sampler Signature:	<i>Jen Hermann</i>	Oversight Agency:			

Sample ID	Field Point Name	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative		Matrix	Analyze For:		RUSH TAT (Pre-Schedule)					
								Methanol	Sodium Bisulfite		Groundwater	Wastewater	Drinking Water	Sludge	Soil	Air	Other (specify):	
A-EFF		6/18	9:15	1L Tedlar	X						X				X			X
A-INT2			9:30	1L Tedlar	X						X				X			X
A-INT1			9:45	1L Tedlar	X						X				X			X
A-INF			10:00	1L Tedlar	X						X				X			X

Comments/Special Instructions:

GLOBAL ID # ()

Relinquished by:

J Hermann

Date

6/18

Time

11:00

Received by:

To-Initially OER

Date

6/18/10

Time

1530

Relinquished by:

To-Initially TO ECR

Date

6/18/10

Time

1730

Received by (Lab personnel):

9 - cal

Date

6/19/10

Time

0930

Laboratory Comments:

Temperature Upon Receipt:

Sample Containers Intact?

VOCs Free of Headspace?

QC Deliverables (please circle one)

Y

N

Level 2

Level 3

Level 4

Site Specific - if yes, please attach pre-schedule w/ TestAmerica

Project Manager or attach specific instructions

Y

N

16/11



<WebShip>>>>
800-322-5555 www.gso.com

Ship From:
ALAN KEMP
CAL SCIENCE- CONCORD
5063 COMMERCIAL CIRCLE #H
CONCORD, CA 94520

Ship To:
SAMPLE RECEIVING
CEL
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

COD:
\$0.00

Reference:
ERI

Delivery Instructions:

Signature Type:
SIGNATURE REQUIRED

Tracking #:	514380029	SDS
		D
ORC GARDEN GROVE		
D92843A		
82496850		

Print Date : 06/16/10 10:16 AM

Package 1 of 1

Print All

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.


STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section.



WORK ORDER #: 10-06-1617

SAMPLE RECEIPT FORMCooler 4 of 4CLIENT: ERIDATE: 06/19/10**TEMPERATURE:** Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen)Temperature 16.0 °C + 0.5 °C (CF) = 16.5 °C Blank Sample Sample(s) outside temperature criteria (PM/APM contacted by: _____). Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling. Received at ambient temperature, placed on ice for transport by Courier.Ambient Temperature: Air Filter Metals Only PCBs OnlyInitial: YL**CUSTODY SEALS INTACT:** Cooler _____ No (Not Intact) Not Present N/AInitial: YL Sample _____ No (Not Intact) Not PresentInitial: TN**SAMPLE CONDITION:**

Yes No N/A

Chain-Of-Custody (COC) document(s) received with samples..... COC document(s) received complete..... Collection date/time, matrix, and/or # of containers logged in based on sample labels. No analysis requested. Not relinquished. No date/time relinquished.Sampler's name indicated on COC..... Sample container label(s) consistent with COC..... Sample container(s) intact and good condition..... Proper containers and sufficient volume for analyses requested..... Analyses received within holding time..... pH / Residual Chlorine / Dissolved Sulfide received within 24 hours..... Proper preservation noted on COC or sample container..... Unpreserved vials received for Volatiles analysisVolatile analysis container(s) free of headspace..... Tedlar bag(s) free of condensation..... **CONTAINER TYPE:**Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® TerraCores® _____Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs 500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna 250PB 250PBn 125PB 125PBznna 100PJ 100PJna₂ _____ _____Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Labeled/Checked by: TNContainer: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: YLPreservative: h: HCl n: HNO₃ na₂:Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ znna: ZnAc₂+NaOH f: Field-filtered Scanned by: YL

APPENDIX C
FIELD DATA SHEETS



VALUE, QUALITY, RESPONSE

Daily Field Report

Environmental Resolutions, Inc.

Project ID #: 70104

ERI Job # 0225062010

Subject: GW SAMPLING

Date: 4/28/2010

Equipment Used: SOLINST/HYDAC/PUMPS/BATTS'S/SAMPLING EQUIPMENT/ETC.

Sheet: 1

Name(s): WEST, DANIEL

Time Arrived On Site: 8:0

Time Departed Site: 14:15

- 08:00 -ARRIVED ON SITE
-INFORMED STATION OF WORK TO BE DONE
-SET UP EXCLUSION ZONE AND CHOCKED THE WHEELS ON VEHICLE
-REVIEWED APPLICABLE JSA'S
-PERFORMED SPSA FOR: PROPER PPE
-STARTED PAPERWORK FOR SITE AND LABELS
-SET UP DECON/WORK AREA AND DECON'D EQUIPMENT
08:00 -HELD H&S MEETING/REVIEWED HOSPITAL ROUTE /FINISHED AT 08:15
08:30 -OPENED WELLS AND ALLOWED WELLS TO CHARGE
09:00 -STARTED MEASURING /FINISHED AT 09:15
09:30 -STARTED PURGING /FINISHED AT 11:30
11:30 -STARTED SAMPLING /FINISHED AT 13:00
13:00 -STARTED PURGE WATER TREATMENT (ONSITE) /FINISHED AT 14:15
-DECON'D EQUIPMENT/CLEANED UP DECON STATION/LOADED TRUCK
-BROKE DOWN EXCLUSION ZONE/LOADED TRUCK
14:15 -ERI OFF SITE

*M/P/S 5 WELLS

*M/S 0 WELLS

M/S LOW FLOW 0 WELLS

*MO 3 WELLS

*O/P 0 WELLS

*POTABLE 0 WELLS

TOTAL PURGED GALLONS: 62

DECON WATER GALLONS: 20

*0 T/C SET UPS



DAILY FIELD REPORT

Environmental Resolutions, Inc.

PROJECT: 70104 JOB # + ACTIVITY: 2605
SUBJECT: CM DATE: 4/28
EQUIPMENT USED:
NAME: Danny West SHEET: 1 OF 1
PROJECT MNGR: Paula

Onsite 800
Safety Meeting
Open Wells
SW Wells

Rain, Overcast, Sun

Sample & Purged: MW 2, MW 3, MW 6, MW 9, MW 11

* Could not sample MW 8 due to construction going on at smog shop.

Decan 20
Purge 62

Total 82 gal plus those pumped to onsite system

Offsite ~~1415~~ 1415

WATER SAMPLING SITE STATUS

2506

Date: 4 28 2020

Inspected by: DW

ERI Job Number: ~~1005~~ Station No.: 70104

Site Address: 1725 Park St., Alameda

N = Not repairable in time available-see comments.

R = Repaired-see comments

ok = No action needed

Y = Yes

N = No

s = Soil

800M

w = water.

— 6 —

g - Gramiti on walls.

V = Vagrants (or evidence)

Depth to Water Data		QRT	2nd	YEAR	2010		Calc Case Volume for purge		
ERI #	2506 13x						2" WELL x 0.163		
Site #	7-0104	Address:	1725 Park St., Alameda, CA				4" WELL x 0.652		
PM:	Paula Sime						6" WELL x 1.467		
Date:	4/28/2010						r (squared) x 0.163		
Tech:	DW			Recharge formula:					
DTW Time				Step 1 ► Calc 80% in feet ►		TD - PreDTW x .80 (ft) =			
Start:				Step 2 ► Calc PostDTW (ft) ►		TD - PostDTW (ft) =			
Finish:				Take ratio of result from Step 2 and Step 1 to find % recharge					
WELL ID	TD	PreDTW	CASE D	CASE V	PostDTW	Rechrg 80%	Sample Time	DTP	Prd Thick
MW 1	20.42		4	13.31					
MW 2	15.14	4.98	4	6.62	12.33	27.66	12:40		
MW 3	14.05	4.87	4	5.99	5.35	94.77	12:10		
MW 4	17.96		4	11.71					
MW 5	18.81		4	12.26					
MW 6	18.3	4.9	4	8.74	5.09	98.58	12:55		
MW 7	18.36		4	11.97					
MW 8	18.73	4.33	2	2.35					
MW 9	18.68	5.82	2	2.10	7.16	89.58	11:45		
MW 11	14.74	5.3	2	1.54	5.3	100.00	12:25		
EW 1	X		4						
EW 3	X	5.25	4						
EW 5	X	4.66	4						

MONITORING - FIELD LOG					
ERI #	2506 13x	QRT	2nd	2010	
Client:	ExxonMobil	DATE:	4/28/10		
Site ID:	7-0104	TECH	DW		
ADDRESS:		PM:	Paula Sime		
1725 Park St., Alameda, CA	Total Purge Volume				
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
BB					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW 11	9:43	2	°C	uS	
	9:45	2	19.6	132.20	8.05
	9:46	4	20.1	93.40	7.64
	9:48	6	19.3	178.00	7.48
TOTAL PURGE		6			
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW 6	10:01	9	°C	uS	
	10:07	9	17.5	407.40	7.40
	10:13	18	17.4	408.00	7.22
	10:21	27	17.5	413.10	7.19
TOTAL PURGE		27			
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
MW 2	10:32	7	°C	uS	
	10:37	7	19.7	76.10	7.63
		14			
		21			
TOTAL PURGE		9			
COMMENTS:	AT 9 GALLONS				

MONITORING - FIELD LOG				
ERI #	2506 13x	QRT	2nd	2010
Client:	ExxonMobil	DATE:	4/28/10	
Site ID:	7-0104	TECH	DW	
ADDRESS:		PM:	Paula Sime	
1725 Park St., Alameda, CA		Total Purge Volume		
		PRG		
WELL #	TIME	VOL	TEMP	COND
MW 3	10:56	6	°C	uS
	11:00	6	18.9	542.00
	11:05	12	18.8	501.00
		18		7.27
TOTAL PURGE		15		
COMMENTS:	AT 15 GALLONS			
		PRG		
WELL #	TIME	VOL	TEMP	COND
MW 9	11:18	3	°C	uS
	11:21	3	20	392.60
		6		7.40
		9		
TOTAL PURGE		5		
COMMENTS:	AT 5 GALLONS			



Daily Field Report

Environmental Resolutions, Inc.

Project ID #: 70104

ERI Job # 0225062010

Subject: GW SAMPLING

Date: 4/28/2010

Equipment Used: SOLINST/HYDAC/PUMPS/BATTS'S/SAMPLING EQUIPMENT/ETC.

Sheet: 1

Name(s): SALGADO, JOSE A

Time Arrived On Site: 8:30

Time Departed Site: 14:15

08:30 -ARRIVED ON SITE
-INFORMED STATION OF WORK TO BE DONE
-SET UP EXCLUSION ZONE AND CHOCKED THE WHEELS ON VEHICLE
-REVIEWED APPLICABLE JSA'S
-PERFORMED SPSA FOR: CRIME
-STARTED PAPERWORK FOR SITE AND LABELS
-SET UP DECON/WORK AREA AND DECON'D EQUIPMENT
08:30 -HELD H&S MEETING/REVIEWED HOSPITAL ROUTE /FINISHED AT 08:45
09:00 -STARTED MEASURING /FINISHED AT 09:30
09:45 -STARTED PURGING /FINISHED AT 11:45
12:00 -STARTED SAMPLING /FINISHED AT 12:45
13:00 -STARTED PURGE WATER TREATMENT (ONSITE) /FINISHED AT 14:15
-DECON'D EQUIPMENT/CLEANED UP DECON STATION/LOADED TRUCK
-BROKE DOWN EXCLUSION ZONE/LOADED TRUCK
14:15 -ERI OFF SITE

*M/P/S 4 WELLS

*M/S 0 WELLS

M/S LOW FLOW 0 WELLS

*MO 1 WELLS

*O/P 0 WELLS

*POTABLE 0 WELLS

*TOOK TWO AT 2:00 PM

TOTAL PURGED GALLONS: 108

DECON WATER GALLONS: 15

*0 T/C SET UPS



DAILY FIELD REPORT

Environmental Resolutions, Inc.

PROJECT: 70104 JOB # + ACTIVITY: 250613X
SUBJECT: OM DATE: 4-28-10
EQUIPMENT USED:
NAME: Jose SHEET: 1 OF 1
PROJECT MNGR: Paula S.

Onsite 8:30, SAFETY
checked in station
DTR wells (DAN opened wells.
BT closed them.)
PURGE & Sampled - MW4, MW7, MW5, &
MW1.

TRANSFERRED H2O TO SYSTEM.

PROJECT 108
DECON 15
TOTAL 123 + DAN'S H2O

OFFsite

WATER SAMPLING SITE STATUS

ERI Job Number: 2506 Station No.: 70104

Site Address: 1725. PARK ST.

Date: 4-28-10
Inspected by: JAF

N = Not repairable in time available-see comments

R = Repaired-see comments

ok = No action needed

Y = Yes

VIII.

N = No.

s = Soil

S = 301.

w - Water.

© SEU

g = Graffiti on walls.

v = Vagrants (or evidence)

Depth to Water Data		QRT	2nd	YEAR	2010		Calc Case Volume for purge		
ERI #	2506 13x						2" WELL x 0.163		
Site #	7-0104	Address:	1725 Park St., Alameda, CA				4" WELL x 0.652		
PM:	Paula Sime						6" WELL x 1.467		
Date:	4/28/2010						r (squared) x 0.163		
Tech:	JS			Recharge formula:					
DTW Time				Step 1►	Calc 80% in feet►	TD - PreDTW x .80 (ft) =			
Start:				Step 2►	Calc PostDTW (ft)►	TD - PostDTW (ft) =			
Finish:				Take ratio of result from Step 2 and Step 1 to find % recharge					
WELL ID	TD	PreDTW	CASE D	CASE V	PostDTW	Rechrg 80%	Sample Time	DTP	Prd Thick
MW 1	20.42	6.69	4	8.95	7.22	96.14			
MW 2	15.14		4	9.87		100.00			
MW 3	14.05		4	9.16		100.00			
MW 4	17.96	5.39	4	8.20	5.86	96.26			
MW 5	18.81	6.2	4	8.22	6.59	96.91			
MW 6	18.3		4	11.93		100.00			
MW 7	18.36	4.66	4	8.93	4.68	99.85			
MW 8	18.73		2	3.05		100.00			
MW 9	18.68		2	3.04		100.00			
MW 11	14.74		2	2.40		100.00			
EW 1	X	13.16	4						
EW 3	X		4						
EW 5	X		4						

MONITORING - FIELD LOG				
ERI #	2506 13x	QRT	2nd	2010
Client:	ExxonMobil	DATE:	4/28/10	
Site ID:	7-0104	TECH	JS	
ADDRESS:		PM:	Paula Sime	
1725 Park St., Alameda, CA		Total Purge Volume		
		PRG		
WELL #	TIME	VOL	TEMP	COND
BB				pH
COMMENTS:				
		PRG		
MW5	TIME	VOL	TEMP	COND
	9:57	9	°C	uS
	10:02	9	17.50	325.00
	10:06	18	17.50	197.10
	10:10	27	17.60	214.00
				6.95
				6.85
				6.90
TOTAL PURGE				
COMMENTS:				
		PRG		
MW4	TIME	VOL	TEMP	COND
	10:20	9	°C	uS
	10:25	9	18.60	304.00
	10:29	18	18.40	318.00
	10:33	27	18.40	348.00
				6.96
				6.98
				7.04
TOTAL PURGE				
COMMENTS:				
		PRG		
MW7	TIME	VOL	TEMP	COND
	11:02	9	°C	uS
	11:07	9	17.20	119.90
	11:11	18	17.20	113.70
	11:15	27	17.20	112.70
				7.28
				7.23
				7.23
TOTAL PURGE				
COMMENTS:				
		PRG		
MW1	TIME	VOL	TEMP	COND
	11:23	9	°C	uS
	11:28	9	18.00	422.00
	11:32	18	18.00	431.00
	11:36	27	17.90	451.00
				6.92
				6.95
				6.99
TOTAL PURGE				
COMMENTS:				

APPENDIX D

ERI's SOP-25: "Hydrocarbons Removed from a Vadose Well"

HYDROCARBON REMOVAL FROM A VADOSE WELL
SOP-25

Rev: JO'C

POUNDS OF HYDROCARBON IN A VAPOR STREAM

INPUT DATA:

- 1) Vapor flow rate acfm (usually by Pitot tube)
- 2) Vapor pressure at the flow measuring device (in inches of H₂O) (use {-} for vacuum)
- 3) Vapor temperature at the flow-measuring device.
- 4) Hydrocarbon content of vapor (usually in mg/M³) for ppmv you need molecular weight.
- 5) Length of time (usually hours) over which flow rate occurred

From periodic measurements, a calculation of total pounds of hydrocarbons removed from a well or from a system is calculated. The input data listed above are measured at a point in time. To calculate quantities removed, some assumptions must be made about what was happening between measurements. The following assumptions will be used for the sake of consistency:

ASSUMPTIONS:

- 1) Vapor flow for the period equals the average of the initial and final reading for the period.
- 2) Pressure and temperature for the entire period will be the final reading.
- 3) Hydrocarbon concentration for the period equals the average of the initial and final reading.
- 4) The hours of operation can be taken from an hour meter, an electric meter or will be assumed to be equal to the time between measurements.
- 5) If the unit is found down - try to determine how many hours it did operate and use the data taken for the previous period to make the calculations. Restart the unit and then take data to start the next period.

SAMPLE DATA AND CALCULATIONS

Date	Time	Temp deg F	Press in H ₂ O	HC conc mg/M ³	Vapor flow acfm	Calc. lb. rem.
1/6/95	11:00	70	-46	2000	120	
1/7/95	13:00	55	-50	1350	90	
1/8/95	10:00	80	-13	750	100	7.4

Calculate the pounds of hydrocarbon removed from the system during the basis period from 13:00 (1:00 pm) on the 7th to 10 am on the 8th. Pressure and temperature of the measurements (at the flow meter) must be corrected to the P and T used to report the HC concentration (which are P = 1 atm and T = 70 deg F). 1 atm = 14.7 psia, 760 mm Hg, or 407 in H₂O. T_{abs} = 460 + T deg F

Hours of operation = 21, T = 80, P = -13, HC = (1350+750)/2 = 1050 mg/M³. Flow = 95

$$21 \times 60 \times 95 \times \frac{(460+70)}{(460+80)} \times \frac{(407-13)}{407} \times \frac{28.3}{1000} \times \frac{1050}{1000} \times \frac{1}{454} = 7.4 \text{ lb}$$

$$\begin{array}{ccccccccc} \text{hr} & \text{min} & \text{cu ft} & & \text{M}^3 & \text{g} & \text{lb} & \\ \hline \text{-----} & \text{-----} & \text{-----} & \times & \text{-----} & \text{-----} & \text{-----} & \\ \text{basis} & \text{hr} & \text{min} & \times & \text{T}_{\text{Corr}} & \times & \text{P}_{\text{Corr}} & \times \\ & & & & & & & \end{array} \times \frac{\text{cu ft}}{\text{M}^3} \times \frac{\text{M}^3}{\text{g}} \times \frac{\text{g}}{\text{lb}} = \frac{\text{lb}}{\text{basis}}$$

$$21 \times 60 \times 95 \times 0.98 \times 0.97 \times 0.0283 \times 1.050 \times 1/454 = 7.4 \text{ lb.}$$

cumulative lbs. (the running total) = the sum of all the previous periods.

Note: If results are given in ppm, an assumption about the molecular weight of the hydrocarbon must be made to convert ppm into mg/M³. ppmv x molecular wt. /24.1 = mg/M³. (Use 102 for gasoline)

APPENDIX E

**GROUNDWATER MONITORING AND SAMPLING DATA,
1701 PARK STREET
(P&D ENVIRONMENTAL, April 28, 2010)**

Table 1. Well Monitoring Data

Well Number	Date Monitored	Top of Casing Elevation (ft-msl.)	Depth to Water (ft)	Water Table Elevation (ft-MSL.)
MW1	4/28/2010	19.60	6.35	13.25
	12/3/2009		7.84	11.76
	2/25/2009		6.07	13.53
	11/25/2008		7.91	11.69
	8/27/2008		8.03	11.57
	5/28/2008		7.28	12.32
	2/27/2008		6.15	13.45
	11/29/2007		7.82	11.78
	8/29/2007		8.29	11.31
	5/29/2007		7.44	12.16
	3/12/2007		6.34	13.26
	11/6/2006		7.99	11.61
MW2	4/28/2010	20.31	6.76	13.55
	12/3/2009		8.23	12.08
	2/25/2009		6.37	13.94
	11/25/2008		8.21	12.10
	8/27/2008		8.40	11.91
	5/28/2008		7.72	12.59
	2/27/2008		6.49	13.82
	11/29/2007		8.15	12.16
	8/29/2007		8.55	11.76
	5/29/2007		7.79	12.52
	3/12/2007		6.82	13.49
	11/6/2006		8.25	12.06
MW3	4/28/2010	20.57	6.00	14.57
	12/3/2009		7.83	12.74
	2/25/2009		5.42	15.15
	11/25/2008		7.83	12.74
	8/27/2008		8.23	12.34
	5/28/2008		7.36	13.21
	2/27/2008		5.75	14.82
	11/29/2007		7.88	12.69
	8/29/2007		8.31	12.26
	5/29/2007		7.26	13.31
	3/12/2007		6.03	14.54
	11/6/2006		8.09	12.48
MW4	4/28/2010	19.69	5.82	13.87
	12/3/2009		7.60	12.09
	2/25/2009		5.32	14.37
	11/25/2008		7.61	12.08
	8/27/2008		7.91	11.78
	5/28/2008		6.97	12.72
	2/27/2008		5.38	14.31
	11/29/2007		7.57	12.12
	8/29/2007		8.07	11.62
	5/29/2007		7.38	12.31
	3/12/2007		5.30	14.39
	11/6/2006		7.60	12.09

Abbreviations and Notes:

ft-MSL = feet above mean sea level

ft = feet

Table 2. Summary of Laboratory Analytical Results

Well Number	Sample Date	TPH-G	TPH-D	TPH-MO	MTBE	Benzene	Toluene	Ethylbenzene	Total Xylenes	Fuel Oxygenates & Lead Scavengers
MW1	4/28/2010	19,000	2,800, b,c	260, b,c	840	3,400	680	500	1,600	ND, except TBA = 3,200, MTBE = 750
	12/3/2009	19,000	1,900, b, c	ND<250	1,500	4,500	670	400	1,300	ND, except TBA = 10,000, MTBE = 1,100
	2/25/2009	21,000	2,200, b,c	ND<250	ND<2,500	4,300	750	580	1,700	ND, except TBA = 17,000, MTBE = 1,400
	11/25/2008	20,000	2,400, c	ND<250	1,900	5,500	490	530	1,300	ND, except TBA = 16,000, MTBE = 1,600
	8/27/2008	46,000	5,200, c	ND<250	1,300	4,600	1,800	2,000	5,200	NA
	5/28/2008	40,000	6,100, c	290	1,600	4,200	2,600	1,700	5,900	NA
	2/27/2008	45,000	4,900, c	310	2,600	6,200	3,100	1,300	5,100	NA
	11/29/2007	27,000	3,100, b,c	ND<250	2,600	4,700	930	770	2,600	NA
	8/29/2007	26,000	3,900, h,c	470	3,200	5,400	1,400	810	3,000	NA
	5/30/2007	22,000	3,300, c	ND<250	ND<750	400	380	1,100	3,600	NA
MW2	3/12/2007	38,000	3,500, h,c	300	3,500	5,400	2,900	1,300	5,100	NA
	11/6/2006	44,000,a	3,400, a,c	360	3,900	5,600	2,300	920	3,000	NA
	4/28/2010	9,400, a	23,000, a,c,d	9,100, a,c,d	ND<250	1,200	35	40	29	ND, except TBA = 300, MTBE = 100
	12/3/2009	7,700, a	6,900, a, b,c	2,000, a, b,c	ND<250	840	29	34	28	ND, except TBA = 200, MTBE = 61
	2/25/2009	7,600, a	21,000, a,c,d	6,200	ND<160	810	18	46	24	ND, except TBA = 38, MTBE = 31, 1,2-DCA = 2.7
	11/25/2008	8,700, a	23,000, a,c,d	6,400	14,c	740	15	90	27	ND, except TBA = 11, MTBE = 14
	8/27/2008	13,000, a	9,200, a,c,d	2,200	ND<200	990	14	93	19	NA
	5/28/2008	12,000, a	25,000 a,c,d	7,200	ND<210	2,000	77	77	90	NA
	2/27/2008	11,000, a	21,000, a,c,d	6,800	ND<150	940	36	ND<10	22	NA
	11/29/2007	11,000, a	32,000, a,c,d	11,000	ND<50	1,000	28	120	31	NA
MW3	8/29/2007	8,600, a	6,300, a, b,c	2,600	ND<100	1,300	36	48	48	NA
	5/30/2007	14,000, a	22,000, a,c,d	5,800	ND<210	2,200	51	100	99	NA
	3/12/2007	8,500, a	74,000, a, c,d	21,000	ND<80	1,200	34	140	69	NA
	11/6/2006	14,000,a	45,000, a,c	11,000	ND<120	1,400	27	200	37	NA
	4/28/2010	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND
	12/3/2009	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND
	2/25/2009	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND
	11/25/2008	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND
	8/27/2008	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
	5/28/2008	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
MW4	2/27/2008	ND<50	ND<50	ND<250	15	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
	11/29/2007	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
	8/29/2007	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
	5/30/2007	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
	3/12/2007	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
	11/6/2006	ND<50	ND<50	ND<250	ND<5.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NA
	4/28/2010	6,300	1,400, c	ND<250	470	480	74	280	750	ND, except TBA = 350, MTBE = 360
	12/3/2009	6,300	1,200, c	ND<250	640	1,100	35	120	390	ND, except TBA = 600, MTBE = 390
	2/25/2009	11,000	2,200, c	ND<250	ND<300	350	120	490	1,400	ND, except TBA = 160, MTBE = 130
	11/25/2008	10,000	1,900, c	ND<250	270	630	130	390	1,500	ND, except TBA = 190, MTBE = 250
MW5	8/27/2008	9,300	830, c	ND<250	ND<250	260	85	370	1,300	NA
	5/28/2008	2,200	1,400, c	ND<250	ND<30	16	38	100	320	NA
	2/27/2008	8,000	1,900, c	ND<250	ND<50	47	110	270	1,300	NA
	11/29/2007	12,000	2,800, c	ND<250	ND<180	260	230	580	2,500	NA
	8/29/2007	12,000, a	560, c	ND<250	660	910	200	750	2,200	NA
	5/30/2007	43,000	4,500, c	610	3,600	5,800	3,700	1,400	5,400	NA
	3/12/2007	19,000	3,100, c	ND<250	370	560	450	1,100	4,400	NA
	11/6/2006	23,000	4,300,c	850	ND<900	680	250	930	3,100	NA
	4/28/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/3/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW6	2/25/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND
	5/28/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND
	2/27/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/29/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND
	5/30/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND
	3/12/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND

Abbreviations and Notes:

TPH-MO = Total Petroleum Hydrocarbons as Motor Oil
 TPH-D = Total Petroleum Hydrocarbons as Diesel
 TPH-G = Total Petroleum Hydrocarbons as Gasoline
 MTBE = Methyl tertiary-butyl ether
 TBA = tert-Butyl alcohol.
 1,2-DCA = 1,2-Dichloroethane
 ND = Not Detected.
 NA = Not Analyzed.
 a = Laboratory Note; lighter than water immiscible sheen/ product is present
 b = Laboratory Note; diesel range compounds are significant; no recognizable pattern
 c = Laboratory Note; gasoline range compounds are significant
 d = Laboratory Note; unmodified or weakly modified diesel range compounds are significant
 e = Analysis by EPA 8260B as part of fuel oxygenate analysis. All other results for MTBE and all results for BTEX are by EPA 8021B.
 Results are in micrograms per liter ($\mu\text{g/l}$), unless otherwise noted.