

**ExxonMobil
Environmental Services Company**

4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sedlachek
Project Manager

RECEIVED

1:41 pm, Nov 12, 2008

Alameda County
Environmental Health

ExxonMobil

November 10, 2008

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70104/1725 Park Street, Alameda, California.


Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled *Work Plan for Installation of Two Off-Site Groundwater Monitoring Wells*, dated November 10, 2008, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring, sampling, and remedial activities for the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: Work Plan for Installation of Two Off-Site Groundwater Monitoring Wells, dated November 10, 2008

cc: w/ attachment
Mr. Robert C. Ehlers, M.S., P.E., The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



*Southern California
Northern California
Pacific Northwest
Southwest
Texas
Montana*

November 10, 2008

ERI 250603.W01

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT Work Plan for Installation of Two Off-Site Groundwater Monitoring Wells
Former Exxon Service Station 70104
1725 Park Street, Alameda, California

ACEH Case No. RO #448

Ms. Sedlachek:

At the request of ExxonMobil Environmental Services Company, on behalf of ExxonMobil Oil Corporation (ExxonMobil), Environmental Resolutions, Inc. (ERI) prepared this work plan for the subject site (Plate 1). The purpose of the work is to delineate the extent of dissolved-phase fuel constituents downgradient of groundwater monitoring wells MW1 and extraction wells EW1 and EW2, as required by Alameda County Health Care Services (ACEH) in its letter dated September 11, 2008 (Appendix A). The proposed work consists of the installation of two off-site groundwater monitoring wells in Eagle Avenue to the east of the subject site (Plate 2).

SITE DESCRIPTION

Former Exxon Service Station 70104 is located at 1725 Park Street, on the northwestern corner of the intersection of Eagle Avenue and Park Street, in Oakland, California (Plate 1). The surrounding areas consist of residential and commercial properties (Plate 2).

The site is currently an active Valero-branded service station. There is an active Shell-branded service station located at 1701 Park Street (upgradient of the site), as well as a Former Chevron Service Station downgradient of the site. The ACEH currently requires coordinated groundwater monitoring with the Shell-branded service station (Appendix A).

Environmental Resolutions, Inc.

601 North McDowell Blvd., Petaluma, CA 94954-2312 | Tel: 707.766.2000 | Fax: 707.789.0414 | Contractor # A/C10-611383

GEOLOGY AND HYDROGEOLOGY

The site is located along the eastern margin of the San Francisco Bay within the East Bay Plain area of Alameda County (Hickenbottom & Muir, 1988). The surficial deposits in the site vicinity are mapped as dune sand consisting of fine-grained, very well sorted, well drained eolian deposits of Holocene and Peistocene age (Graymer, 2000).

The East Bay Plain is a subbasin of the Santa Clara Valley Groundwater Basin (CADWR, 2003). The East Bay Plain is regionally divided into major groundwater basins: the San Pablo and the San Francisco Basin. The San Francisco Basin is further divided into seven sub-areas. The site is located in the Oakland Sub-Area, which is filled primarily by alluvial deposits that range from 300 to 700 feet thick with no well-defined aquitards (CRWQCB, 1999). The site is located on Alameda Island with shallow groundwater and potential for saltwater intrusion; therefore, the groundwater does not have current or potential uses. Groundwater production wells were not identified within 1 mile of the site.

The site lies at an elevation of 16 feet above msl, on the eastern side of Alameda Island, approximately 1,400 feet west of the tidal canal and approximately one mile north and east of the San Francisco Bay (Plate 1). Surface waters in the site vicinity drain into San Francisco Bay.

Based on the results of previous investigation, there appears to be one upper water-bearing zone at the site. There is a sandy unit underlying the site that extends from the ground surface to approximately 40 feet bgs (the maximum depth explored). This sand unit contains sand, silty sand, and clayey sand (ERI, 2002).

During the second quarter 2008 groundwater monitoring event performed on May 28, 2008, the depth to groundwater in the wells ranged from 5.25 to 6.51 ft-TOC, and the groundwater flow direction was to the west with a horizontal gradient of 0.0118. During the monitoring program, the depth to groundwater has fluctuated from approximately 2 to 32 feet bgs.

PREVIOUS WORK

Fueling System Activities

The site currently dispenses diesel and Regular, Plus, and Premium Unleaded gasoline. The locations of the USTs, dispenser islands, and other select site features are shown on the Generalized Site Plan (Plate 2).

Three gasoline USTs were removed and replaced with three double-walled fiberglass tanks in 1988 (ERI, 2002).

Site Assessment Activities

Multiple phases of assessment were conducted from 1988 to 2002, which included the advancement of seven soil borings and installation of 12 groundwater monitoring wells, five groundwater extraction wells, two vapor extraction wells, and six air sparge wells and one well destruction (ERI, 2002). Locations of borings and wells are presented on Plate 2.

Remediation Activities

The GWPTS began operation in October 1994, and ran continuously until March 2000. The system was retrofitted and again operated from June 2002 to February 2004.

The SVE system began operation in February 1998 and operated until March 2000 when it was shut down for evaluation. The SVE system was retrofitted to include an AS system and was restarted in June 2000. The AS/SVE system operated from June 2000 to February 2004.

ERI retrofitted the GWPTS and AS/SVE systems again in 2005. ERI modified the SVE system to use an 8.45-horsepower regenerative blower (Siemens 2BH1 800-7A) capable of producing 360 scfm. ERI also modified groundwater extraction wells EW1 through EW5 to simultaneously extract soil vapor and pump and treat groundwater; however, well EW5 is not currently used. The retrofitted systems began operation on June 27, 2005.

Air sparging is not currently performed at the site but is available for use in the future.

As of June 13, 2008, a total of 66.5 pounds of TPHg, 5.17 pounds of benzene, and 42.31 pounds of MTBE were removed by the GWPTS system. A total of 1,654.2 pounds of TPHg, 26.84 pounds of benzene, and 13.75 pounds of MTBE were removed by the AS/SVE system during its periods of operation (ERI, 2008).

Groundwater Monitoring Activities

Quarterly groundwater monitoring was implemented at the site in 1994. NAPL was encountered in groundwater monitoring well MW5 during the October 1, 1994, and January 13, 1995, monitoring and sampling events, but has not been encountered in well MW5 or other site wells since. Dissolved-phase TPHd, TPHg, benzene, MTBE, and TBA are present beneath the site. The historic maximum

concentrations for each of these constituents were 10,400 ug/L, 59,400 ug/L, 10,000 ug/L, 360,000 ug/L, and 26,000 ug/L, respectively. Though dissolved-phase hydrocarbons concentrations have decreased across the site since system start up, results of the fourth quarter 2007 monitoring and sampling event showed an increase in hydrocarbon concentrations at groundwater monitoring wells MW1 and MW5. The increase in hydrocarbon concentrations may be due to active pumping from the extraction wells located on the edge of the property; however, with the destruction of groundwater monitoring well MW10 in 1997, there are no wells downgradient of the pumping wells to determine groundwater conditions or trends. Cumulative groundwater analytical results are included in Tables 1A and 1B. Well construction details are included in Table 2.

PROPOSED WORK

Due to increased concentrations of dissolved-phase petroleum hydrocarbons and oxygenated compounds in groundwater monitoring wells MW1 and MW5 during the November 29, 2007 monitoring and sampling event, the ACEH requires installation of a monitoring well network downgradient of groundwater monitoring well MW1 and extraction wells EW1 and EW2 (Appendix A).

ERI proposes to install two off-site groundwater monitoring wells (MW13 and MW14) east and southeast (downgradient) of the site at the locations depicted on Plate 2.

Pre-Field Activities

Prior to the onset of drilling activities, an encroachment permit will be obtained from the City of Alameda (the City) and well installation permits will be obtained from the Alameda County Public Works Agency (ACWPA). ERI personnel will visit the site to check for obstructions and to mark the proposed locations. Underground Service Alert, the City, ACPWA, and ACEH will be notified at least 48 hours prior to the beginning of field activities. Prior to drilling, the locations will be excavated using a hand auger or vacuum excavation equipment in accordance with ExxonMobil's subsurface clearance protocol.

Sampling and Well Installation Activities

The proposed wells will be drilled using a hollow-stem auger rig to a minimum of 10 feet bgs.

The drilling locations will be continuously sampled to total depth for geologic logging purposes and field screening using a PID. Select soil samples will be preserved and submitted for laboratory analysis.

The wells will be constructed using 2-inch diameter, Schedule 40, PVC casings. Each well will be screened with 0.020-inch slotted screen from 5 to 10 feet bgs.

The proposed groundwater monitoring wells will be surveyed in accordance with AB2886 and incorporated into the quarterly groundwater monitoring and sampling program for the site.

The procedures for drilling, decontamination, and well construction are described in the field protocol presented in Appendix B. The fieldwork will be conducted under the advisement of a professional geologist and in accordance with applicable regulatory guidelines.

Laboratory Analyses

Select soil samples will be submitted for analysis to an ExxonMobil-approved, state-certified analytical laboratory. The samples will be analyzed for TPHd and TPHg by EPA Method 8015B; BTEX by EPA Method 8021B; MTBE, oxygenated compounds (ETBE, TAME, TBA, DIPE), lead scavengers (EDB and 1,2-DCA), and ethanol by EPA Method 8260B.

Waste Management Plan

The soil and decontamination water generated during drilling activities will be temporarily stored on site in DOT-approved, 55-gallon drums. Soil cuttings will be transported to an ExxonMobil-approved facility for disposal. Decontamination water will be transported to Instrat, Inc. in Rio Vista, California, for proper disposal. Copies of the waste manifests for the proper disposal of soil and water will be included in the report.

Site Safety Plan

Fieldwork will be performed in accordance with a site-specific safety plan.

Report

After completion of the proposed field activities and receipt of analytical results, a report summarizing field and laboratory procedures, boring logs, and laboratory results will be submitted to ExxonMobil and ACEH. The report will be signed by a State of California professional geologist.

CONTACT INFORMATION

The responsible party contact is Ms. Jennifer C. Sedlachek, ExxonMobil Environmental Services Company, 4096 Piedmont Avenue #194, Oakland, California 94611. The consultant contact is Ms. Paula Sime, Environmental Resolutions, Inc., 601 North McDowell Boulevard, Petaluma, California 94954. The agency contact is Ms. Barbara Jakub, P.G., Alameda County Health Care Services Agency, Department of Environmental Health, 1131 Harbor Bay Parkway, Room 250, Alameda, California 94502-6577

LIMITATIONS

For any reports cited that were not generated by ERI, the data taken from those reports is used "as is" and is assumed to be accurate. ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these reports.

This report was prepared in accordance with generally accepted standards of environmental, geological and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.



Sincerely,

Environmental Resolutions, Inc.

Handwritten signature for:
 Rebekah A. Westrup
 Senior Staff Geologist

Handwritten signature
 Heidi Dieffenbach-Carle
 P.G. 6793

cc: Ms. Barbara Jakub, P.G., Alameda County Health Care Services Agency Department of Environmental Health, 1131 Harbor Bay Parkway, Room 250, Alameda, California 94502-6577

Mr. Robert C. Ehlers, M.S., P.E., The Valero Companies, Environmental Liability Management 685 West Third Street, Hanford, California 93230

Enclosures:

References

Acronym List

Plate 1 Site Vicinity Map
 Plate 2 Generalized Site Plan

Table 1A Cumulative Groundwater Monitoring and Sampling Data
 Table 1B Additional Cumulative Groundwater Monitoring and Sampling Data
 Table 2 Well Construction Details

Appendix A Correspondence
 Appendix B Field Protocol

REFERENCES

California Department of Water Resources (CADWR). 2003. *California's Groundwater. Bulletin 118 Update 2003 (with subsequent updates on line at <http://www.groundwater.water.ca.gov/bulletin118/>)*.

California Regional Water Quality Control Board San Francisco Bay Region Groundwater Committee (CRWQCB). June 1999. *East Bay Plain Groundwater Basin Beneficial Use Evaluation Report, Alameda and Contra Costa Counties, CA*.

Environmental Resolutions Inc. (ERI). August 2, 2002. Site Conceptual Model, Former Exxon Service Station 7-0104, 1725 Park Street, Alameda, California.


Environmental Resolutions Inc. (ERI). September 22, 2008. Groundwater Monitoring and Remediation Status Report, Second Quarter 2008 Former Exxon Service Station 70104, 1725 Park Street, Alameda, California

Graymer, R.W. 2000. Geologic map and map database of the Oakland metropolitan area, Alameda, Contra Costa, and San Francisco Counties, California. USGS, Miscellaneous Field Studies MF-2342.

Hickenbottom, Kelvin and Muir, Kenneth S. June 1988. *Geohydrogeology and Groundwater Quality Overview of the East Bay Plain Area, Alameda County, CA*. Alameda County Flood Control and Water Conservation District. 83p.

ACRONYM LIST


µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acfm	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polynuclear aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		




3-D TopoQuads Copyright © 1999 DeLorme Vermont, ME 04096 Source Data: USGS 1:50,000 Scale: 1:17,200 Detail: 13-0 Datum: WGS84

F:\EXXONMOBIL\ExxonMobil Projects\022506 (70104) Alameda\2506 AutoCad\2506topo.dwg, mkjones

EXPLANATION

 1/2-mile radius circle

APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads

SITE VICINITY MAP

FORMER EXXON SERVICE STATION 70104
1725 Park Street
Alameda, California


PROJECT NO.

2506

PLATE

1





F:\EXXONMOBIL\ExxonMobil Projects\022506 (70104) Alameda\2506 AutoCad\SPECIALITY MAPS\08 W01\08 W01 PROP WELLS_SP.dwg, mkjones
 FN 2506 08 W01 PROP WELLS_SP

- SB7 ● Soil Boring
- PL3 ● Product Line Boring
- DI4 ● Dispenser Island Boring



GENERALIZED SITE PLAN

FORMER
 EXXON SERVICE STATION 70104
 1725 Park Street
 Alameda, California

- EXPLANATION**
- MW11 ● Groundwater Monitoring Well
 - EW4 ● Recovery Well
 - MW10 ● Destroyed Groundwater Monitoring Well

- MW4 ● Groundwater Monitoring Well By Others
- VW2 ▲ Vapor Extraction Well
- AS1 ● Air Sparge/Soil Vapor Well
- MW14 ● Proposed Groundwater Monitoring Well

PROJECT NO.
2506
PLATE
2

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	09/12/94	17.35	7.11	10.24	No	—	1,600a	—	—	200	1.9	210	6.6
MW1	10/01/94	17.35	7.44	9.91	No	—	1,400a	—	—	200	<0.5	160	6.6
MW1	01/13/95	17.35	5.13	12.22	No	—	2,100a	—	—	410b	17	280b	89
MW1	04/27/95	17.35	6.57	10.78	No	—	4,700	—	—	460	41	340	270
MW1	08/03/95	17.35	7.46	9.89	No	—	1,900	30	—	140	<5.0	160	9.9
MW1	10/17/95	17.35	7.67	9.68	No	—	280	5.5	—	6.2	<0.5	13	0.75
MW1	01/24/96	17.35	6.52	10.83	No	—	740	440	—	21	1.4	38	3.1
MW1	04/24/96	17.35	5.95	11.40	No	—	7,800	250	—	200	110	1,000	740
MW1	07/26/96	17.35	7.60	9.75	No	—	620	23	—	8.0	0.99	26	1.0
MW1	10/30/96	17.35	8.06	9.29	No	—	700	33	—	14	2.9	85	3.5
MW1	01/31/97	17.35	5.12	12.23	No	—	7,600	<200	—	420	33	1,400	480
MW1	04/10/97	17.35	—	—	—	—	—	—	—	—	—	—	—
MW1	07/10/97	17.35	7.54	9.81	No	—	580	12	—	10	<0.5	<0.5	<0.5
MW1	10/08/97	17.35	—	—	—	—	—	—	—	—	—	—	—
MW1	01/28/98	17.35	4.48	12.87	No	—	820	—	<2.5	110	2.8	170	14
MW1	04/14/98	17.35	4.69	12.66	—	—	—	—	—	—	—	—	—
MW1	07/30/98	17.35	6.19	11.16	No	—	2,700	41	—	210	<5.0	550	<5.0
MW1	10/19/98	17.35	6.72	10.63	No	—	—	—	—	—	—	—	—
MW1	01/13/99	17.35	6.52	10.83	No	—	491	9.78	—	8.0	<0.5	<0.5	<0.5
MW1	04/28/99	17.35	5.37	11.98	—	—	—	—	—	—	—	—	—
MW1	07/09/99	17.35	6.39	10.96	No	—	1,030	10.6	—	114	8.07	184	0.644
MW1	10/25/99	17.35	6.68	10.67	No	—	—	—	—	—	—	—	—
MW1	01/21/00	17.35	6.20	11.15	No	—	<50	5.1	—	<1.0	<1.0	<1.0	<1.0
MW1	04/14/00	17.35	5.18	12.17	No	—	—	—	—	—	—	—	—
MW1	06/16/00	17.35	Property transferred to Valero Refining Company.										
MW1	07/05/00	17.35	5.93	11.42	No	—	88	200	—	4.3	<0.5	0.61	<0.5
MW1	10/03/00	17.35	6.51	10.84	No	—	<50	240	—	0.72	<0.5	<0.5	<0.5
MW1	01/02/01	17.35	6.17	11.18	No	—	<50	68	—	0.75	<0.5	<0.5	<0.5
MW1	04/02/01	17.35	7.42	9.93	No	—	140	4.3	—	<0.5	<0.5	4.1	1.1
MW1	07/02/01	17.35	6.27	11.08	No	—	74	14	—	<0.5	<0.5	<0.5	<0.5
MW1	10/15/01	17.35	6.64	10.71	No	—	110	83	—	2.6	<0.5	<0.5	<0.5
MW1	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.										
MW1	02/04/02	17.29	5.08	12.21	No	52.0	75.0	67.1	—	0.70	<0.50	0.50	<0.50
MW1	05/06/02	17.29	5.48	11.81	No	129	793	702	1,004	8.6	<0.5	0.5	1.1

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	08/22/02	17.29	7.14	10.15	No	602	1,150	181	---	120	0.8	9.0	3.6
MW1	11/08/02	17.29	6.19	11.10	No	504	947	182	---	95.6	4.0	3.7	2.7
MW1	02/07/03	17.29	6.00	11.29	No	610	1,190	284	---	89.7	3.8	45.3	13.2
MW1	05/02/03	17.29	5.76	11.53	No	797	1,020	296	---	75.8	9.0	5.7	11.9
MW1	08/14/03	17.29	7.04	10.25	No	531d	822	201	---	33.9	2.8	1.5	1.9
MW1	11/14/03	17.29	6.41	10.88	No	560d	574	276	---	19.8	1.8	2.0	2.2
MW1	03/01/04	17.29	4.63	12.66	No	785d	1,430	---	895	46.2	3.1	14.2	9.2
MW1	06/15/04	17.29	6.05	11.24	No	204d	621	668	---	11.1	<0.5	<0.5	<0.5
MW1	09/13/04	17.29	6.62	10.67	No	221d	754	479	---	34.4	1.5	1.1	1.2
MW1	12/22/04	17.29	5.67	11.62	No	288d, f	775	253	---	38.8	1.0	1.8	0.8
MW1	03/24/05	17.29	4.63	12.66	No	471d	952	---	120	41.6	1.4	12.8	6.0
MW1	06/14/05	17.29	5.55	11.74	No	695d	605	---	91	37.9	2.5	2.6	2.5
MW1	09/12/05	17.29	8.16	9.13	No	280d	1,410	---	4,780	1.43	<0.50	0.82	1.08
MW1	12/13/05	17.29	6.86	10.43	No	182d	4,610	---	6000h	2.35	0.71	<0.50	<0.50
MW1	03/13/06	17.29	6.31	10.98	No	470d	6,800i	---	4,600	70	<25	76	56
MW1	06/12/06	17.29	2.01	15.28	No	300d,f	16,000i	---	16,000	<50	<50	<50	<50
MW1	09/08/06	17.29	6.61	10.68	No	62d	4,200i	---	4,700	<25	<25	<25	<25
MW1	12/05/06	17.29	7.94	9.35	No	<47	6,300i	---	9,300	<25	<25	<25	<25
MW1	03/12/07	17.29	5.53	11.76	No	120d	3,300i	---	3,400	<25	<25	<25	<25
MW1	05/29/07	17.29	7.15	10.14	No	277d	2,680	---	3,550	2.86	0.97	1.70	3.71f
MW1	08/29/07	17.29	7.44	9.85	No	94d	3,500i	---	3,100	<25	<25	<25	<25
MW1	11/29/07	17.29	7.04	10.25	No	58d	3,600i	---	5,000	<25	<25	<25	<25
MW1	02/27/08	17.29	5.80	11.49	No	130d	2,700i	---	3,600	<25	<25	<25	<25
MW1	05/28/08	17.29	6.50	10.79	No	165d	1,720f	---	3,840	<0.50	<0.50	<0.50	<0.50
MW2	09/12/94	16.67	6.71	9.96	No	---	31,000a	---	---	4,400	120	1,700	2,100
MW2	10/01/94	16.67	7.22	9.45	No	---	45,000a	---	---	4,500	250	1,800	2,400
MW2	01/13/95	16.67	4.46	12.21	No	---	---	---	---	---	---	---	---
MW2	04/27/95	16.67	6.92	9.75	No	---	44,000	---	---	7,000	840	2,400	3,400
MW2	08/03/95	16.67	6.96	9.71	No	---	30,000	37,000	---	4,600	170	1,600	1,100
MW2	10/17/95	16.67	7.83	8.84	No	---	45,000	14,000	---	5,400	190	2,000	1,500
MW2	01/24/96	16.67	6.45	10.22	No	---	30,000	4,100	---	5,000	810	2,200	2,200
MW2	04/24/96	16.67	6.00	10.67	No	---	34,000	22,000	---	8,700	410	2,200	2,000
MW2	07/26/96	16.67	7.14	9.53	No	---	40,000	18,000	---	10,000	<200	1,800	760
MW2	10/30/96	16.67	6.95	9.72	No	---	43,000	18,000	---	9,100	<250	2,400	730

**TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70104

1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	01/31/97	16.67	5.07	11.60	No	---	28,000	8,000	---	2,400	630	1,500	3,300
MW2	04/10/97	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	07/10/97	16.67	7.34	9.33	No	---	18,000	2,600	---	2,900	82	1,500	530
MW2	10/08/97	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	01/28/98	16.67	4.46	12.21	No	---	29,000	---	28,000	5,600	410	1,500	720
MW2	04/14/98	16.67	4.48	12.19	---	---	---	---	---	---	---	---	---
MW2	07/30/98	16.67	6.01	10.66	No	---	24,000	6,300	---	7,500	<200	1,300	280
MW2	10/19/98	16.67	6.35	10.32	No	---	---	---	---	---	---	---	---
MW2	01/13/99	16.67	6.54	10.13	No	---	18,400	2,200	---	4,750	211	1,760	45.3
MW2	04/28/99	16.67	5.54	11.13	---	---	---	---	---	---	---	---	---
MW2	07/09/99	16.67	6.45	10.22	No	---	14,100	3,410	---	4,270	80.1	1,300	339
MW2	10/25/99	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	01/21/00	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	02/11/00	16.67	---	---	No	---	<50	15	---	<1.0	<1.0	<1.0	<1.0
MW2	04/14/00	16.67	4.69	11.98	No	---	---	---	---	---	---	---	---
MW2	06/16/00	16.67	Property transferred to Valero Refining Company.										
MW2	07/05/00	16.67	5.44	11.23	No	---	150	86	---	15	<0.5	6.2	2.8
MW2	10/03/00	16.67	6.31	10.36	No	---	200	2,500	---	35	0.51	5.1	12
MW2	01/02/01	16.67	---	---	---	---	---	---	---	---	---	---	---
MW2	04/02/01	16.67	5.00	11.67	No	---	<50	680	---	3.6	<0.5	<0.5	<0.5
MW2	07/02/01	16.67	5.62	11.05	No	---	1,400	890	---	13	1.1	<0.5	1.1
MW2	10/15/01	16.67	7.55	9.12	No	---	620	1,900	---	190	3.5	4.5	7
MW2	Nov-01	16.39	Well surveyed in compliance with AB 2886 requirements.										
MW2	02/04/02	16.39	4.71	11.68	No	69.0	122	7.10	---	31.4	5.40	9.10	10.4
MW2	05/06/02	16.39	5.08	11.31	No	252	1,250	646	958	125	22.5	68.2	63.1
MW2	08/22/02	16.39	6.88	9.51	No	178	1,270	652	---	269	<0.5	4.3	10.6
MW2	11/08/02	16.39	6.20	10.19	No	83	158	177	---	14.0	0.7	0.6	1.0
MW2	02/07/03	16.39	5.72	10.67	No	<50	173	78.1	---	43.1	3.4	4.5	5.5
MW2	05/02/03	16.39	4.18	12.21	No	56	60.0	50.5	---	4.10	<0.5	0.6	1.4
MW2	08/14/03	16.39	6.00	10.39	No	62d	1,080	506	---	143	1.1	0.7	2.0
MW2	11/14/03	16.39	5.81	10.58	No	132d	362	93.9	---	74.0	0.6	1.6	3.7
MW2	03/01/04	16.39	3.86	12.53	No	<100	<50.0	---	1.40	4.80	1.1	1.1	5.1
MW2	06/15/04	16.39	5.30	11.09	No	<50	<50.0	1.1	---	2.00	2.5	0.5	3.3
MW2	09/13/04	16.39	5.81	10.58	No	57d	<50.0	10.7	---	1.60	<0.5	<0.5	2.5
MW2	12/22/04	16.39	5.17	11.22	No	69d, f	<50.0	0.9	---	0.70	<0.5	<0.5	0.8

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	03/24/05	16.39	3.81	12.58	No	78d	54.0	---	0.80	6.30	0.5	1.1	1.5
MW2	06/14/05	16.39	4.89	11.50	No	84d	<50.0	---	<0.50	1.00	<0.5	<0.5	<0.5
MW2	09/12/05	16.39	7.26	9.13	No	65.2d	152	---	15.1	2.94	<0.50	<0.50	<0.50
MW2	12/13/05	16.39	5.87	10.52	No	88.4d	107	---	28.6	24.3	<0.50	<0.50	0.82
MW2	03/13/06	16.39	4.70	11.69	No	<47	<50	---	1.3	6.8	<0.50	<0.50	1.6
MW2	06/12/06	16.39	5.79	10.60	No	130d,f	140	---	0.69	9.1	2.2	4.2	21
MW2	09/08/06	16.39	5.96	10.43	No	<47	71	---	18	1.9	<0.50	<0.50	<0.50
MW2	12/05/06	16.39	---	---	No	520d	97	---	26	6.2	<0.50	<0.50	<0.50
MW2	03/12/07	16.39	4.97	11.42	No	48d	160	---	11	51	<1.0	<1.0	<1.0
MW2	05/29/07	16.39	5.90	10.49	No	93.5d	172	---	18.4	59.6	<0.50	<0.50	0.56f
MW2	08/29/07	16.39	6.51	9.88	No	99d	260	---	47	79	<1.0	<1.0	<1.0
MW2	11/29/07	16.39	6.33	10.06	No	89d	440	---	55	170	<2.5	<2.5	<2.5
MW2	02/27/08	16.39	4.67	11.72	No	<47	<250	---	2.8	2.6	<2.5	3.5	13
MW2	05/28/08	16.39	5.63	10.76	No	153d	88.8	---	4.03	7.43	<0.50	<0.50	<0.50
MW3	09/12/94	17.11	6.58	10.53	No	---	3,100a	---	---	580	8	340	100
MW3	10/01/94	17.11	6.85	10.26	No	---	3,800a	---	---	640	11	230	130
MW3	01/13/95	17.11	5.27	11.84	No	---	3,800a	---	---	690	24	210	130
MW3	04/27/95	17.11	6.05	11.06	No	---	7,500	---	---	940	35	810	530
MW3	08/03/95	17.11	6.71	10.40	No	---	1,900	24	---	380	<5.0	140	45
MW3	10/17/95	17.11	7.46	9.65	No	---	6,100	<5.0	---	950	29	230	190
MW3	01/24/96	17.11	5.83	11.28	No	---	3,000	<100	---	730	15	190	110
MW3	04/24/96	17.11	5.38	11.73	No	---	11,000	<100	---	1,200	130	1,000	1,400
MW3	07/26/96	17.11	6.80	10.31	No	---	2,500	250	---	800	16	24	56
MW3	10/30/96	17.11	7.20	9.91	No	---	5,200	2,900	---	1,300	28	170	180
MW3	01/31/97	17.11	4.31	12.80	No	---	---	---	---	---	---	---	---
MW3	04/10/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	07/10/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	10/08/97	17.11	---	---	---	---	---	---	---	---	---	---	---
MW3	01/28/98	17.11	4.03	13.08	No	---	---	---	---	---	---	---	---
MW3	04/14/98	17.11	3.80	13.31	No	---	---	---	---	---	---	---	---
MW3	07/30/98	17.11	5.84	11.27	No	---	---	---	---	---	---	---	---
MW3	10/19/98	17.11	6.25	10.86	No	---	---	---	---	---	---	---	---
MW3	01/13/99	17.11	6.14	10.97	No	---	---	---	---	---	---	---	---
MW3	04/28/99	17.11	4.95	12.16	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW3	07/09/99	17.11	--	--	--	--	--	--	--	--	--	--	--
MW3	10/25/99	17.11	--	--	--	--	--	--	--	--	--	--	--
MW3	01/21/00	17.11	--	--	--	--	--	--	--	--	--	--	--
MW3	04/14/00	17.11	--	--	--	--	--	--	--	--	--	--	--
MW3	06/16/00	17.11	Property transferred to Valero Refining Company.										
MW3	07/05/00	17.11	--	--	--	--	--	--	--	--	--	--	--
MW3	10/03/00	17.11	--	--	--	--	--	--	--	--	--	--	--
MW3	01/02/01	17.11	5.78	11.33	No	560c	2,700	3,100	--	1300	8.8	11	21.3
MW3	04/02/01	17.11	4.71	12.40	No	620	3,700	1,400	--	1,400	11	36	21
MW3	07/02/01	17.11	5.82	11.29	No	880	5,300	1,200	--	1,300	32	30	730
MW3	10/15/01	17.11	6.12	10.99	No	210d	2,300	1,800	--	630	2.5	8.2	3.34
MW3	Nov-01	17.02	Well surveyed in compliance with AB 2886 requirements.										
MW3	02/04/02	17.02	4.59	12.43	No	402	8,830	1,420	--	2,300	166	150	158
MW3	05/06/02	17.02	4.84	12.18	No	1,300	7,950	544	967	1,930	18.0	80.0	648
MW3	08/22/02	17.02	6.42	10.60	No	416	2,270	298	--	506	3.5	8.0	6.5
MW3	11/08/02	17.02	5.66	11.36	No	193	1,640	470	--	330	1.8	4.9	2.7
MW3	02/07/03	17.02	4.99	12.03	No	800	1,360	662	--	328	6.5	9.0	35.0
MW3	05/02/03	17.02	4.73	12.29	No	562	2,500	300	--	306	4.8	17.5	29.1
MW3	08/14/03	17.02	6.02	11.00	No	227d	2,040	367	--	356	3.4	3.9	3.2
MW3	11/14/03	17.02	6.01	11.01	No	280d	1,880	794	--	244	2.6	3.7	4.5
MW3	03/01/04	17.02	3.71	13.31	No	484d	3,660	--	288	865	11.5	22.5	20.5
MW3	06/15/04	17.02	5.28	11.74	No	866d	9,980	180	--	1,120	82.0	86.0	1,740
MW3	09/13/04	17.02	5.91	11.11	No	390d	1,640	183	--	454	4.8	6.7	6.8
MW3	12/22/04	17.02	4.88	12.14	No	209d,f	1,770	44.9	--	230	2.8	8.2	9.2
MW3	03/24/05	17.02	3.59	13.43	No	808d	4,800	--	128	930	45.1	59.6	425
MW3	06/14/05	17.02	4.71	12.31	No	1,440d	6,080	--	144	1,330	34.0	39.0	217
MW3	09/12/05	17.02	7.03	9.99	No	417d	1,480	--	114	447	4.48	8.40	13.9
MW3	12/13/05	17.02	5.89	11.13	No	317d	1,160	--	26.5	218	2.19	3.87	6.70
MW3	03/13/06	17.02	4.41	12.61	No	640d	2,800	--	45	830	12	10	17
MW3	06/12/06	17.02	5.41	11.61	No	620d,f	4,800	--	43	580	20	42	480
MW3	09/08/06	17.02	6.16	10.86	No	130d	810	--	22	130	<2.5	<2.5	<2.5
MW3	12/05/06	17.02	6.61	10.41	No	110d	720	--	16	100	<2.5	<2.5	<2.5
MW3	03/12/07	17.02	4.70	12.32	No	160d	720	--	12	79	<2.5	4.1	4.4
MW3	05/29/07	17.02	5.87	11.15	No	195d	782	--	14.7	109	1.76	1.89	2.79f
MW3	08/29/07	17.02	6.64	10.38	No	100d	530	--	10	64	<2.5	<2.5	<2.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW3	11/29/07	17.02	6.32	10.70	No	100d	560	--	9.8	72	<2.5	<2.5	<2.5
MW3	02/27/08	17.02	4.49	12.53	No	130d	690	--	12	110	<2.5	7.5	8.8
MW3	05/28/08	17.02	6.19	10.83	No	819d	1,640f	--	13.8f	85.6	<0.50	130	37.5
MW4	09/12/94	17.34	6.80	10.54	No	--	5,200a	--	--	900	57	310	490
MW4	10/01/94	17.34	7.09	10.25	No	--	9,100a	--	--	1,200	66	360	380
MW4	01/13/95	17.34	4.66	12.68	No	--	25,000a	--	--	1,300	200	550	1,000
MW4	04/27/95	17.34	5.54	11.80	No	--	5,900	--	--	650	130	350	590
MW4	08/03/95	17.34	6.92	10.42	No	--	4,200	5,700	--	1,000	<12	170	140
MW4	10/17/95	17.34	7.50	9.84	No	--	6,900	1,700	--	1,300	30	360	380
MW4	01/24/96	17.34	5.81	11.53	No	--	6,300	830	--	1,900	46	290	330
MW4	04/24/96	17.34	5.44	11.90	No	--	5,000	1,600	--	1,800	<20	190	130
MW4	07/26/96	17.34	7.03	10.31	No	--	9,100	1,200	--	1,700	<25	340	280
MW4	10/30/96	17.34	7.57	9.77	No	--	5,300	1,500	--	1,100	35	420	300
MW4	01/31/97	17.34	4.22	13.12	No	--	6,500	40,000	--	1,200	28	490	130
MW4	04/10/97	17.34	--	--	--	--	--	--	--	--	--	--	--
MW4	07/10/97	17.34	7.56	9.78	No	--	10,000	11,000	--	1,100	120	470	720
MW4	10/08/97	17.34	--	--	--	--	--	--	--	--	--	--	--
MW4	01/28/98	17.34	3.70	13.64	No	--	1,700	--	4,900	450	6.8	220	73
MW4	04/14/98	17.34	3.81	13.53	--	--	--	--	--	--	--	--	--
MW4	07/30/98	17.34	5.96	11.38	No	--	2,900	2,800	--	680	<10	220	56
MW4	10/19/98	17.34	6.51	10.83	No	--	--	--	--	--	--	--	--
MW4	01/13/99	17.34	6.24	11.10	No	--	2,140	1,800	--	146	<10	60.9	16.2
MW4	04/28/99	17.34	4.80	12.54	--	--	--	--	--	--	--	--	--
MW4	07/09/99	17.34	6.04	11.30	No	--	1,300	1,310	--	322	<2.5	76.1	<2.5
MW4	10/25/99	17.34	6.51	10.83	No	--	--	--	--	--	--	--	--
MW4	01/21/00	17.34	5.75	11.59	No	--	2,200	1,000	--	410	3.70	40	14.4
MW4	04/14/00	17.34	4.39	12.95	No	--	--	--	--	--	--	--	--
MW4	06/16/00	17.34	Property transferred to Valero Refining Company.										
MW4	07/05/00	17.34	5.48	11.86	No	--	1,600	260	--	400	3.9	100	84
MW4	10/03/00	17.34	6.22	11.12	No	--	1,600	190	--	280	2	64	34.10
MW4	01/02/01	17.34	5.93	11.41	No	--	840	1,000	--	210	2.5	45	28.10
MW4	04/02/01	17.34	4.89	12.45	No	--	1,900	320	--	340	8.5	110	116
MW4	07/02/01	17.34	5.83	11.51	No	--	100	<2	--	3.9	<0.5	0.65	<0.5
MW4	10/15/01	17.34	6.36	10.98	No	--	930	360	--	140	7	24	10

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	Nov-01	17.29	Well surveyed in compliance with AB 2886 requirements.										
MW4	02/04/02	17.29	4.35	12.94	No	774	1,250	46.1	---	124	4.40	46.7	43.5
MW4	05/06/02	17.29	4.95	12.34	No	776	2,040	1,410	2,120	165	5.0	42.0	39.0
MW4	08/22/02	17.29	6.65	10.64	No	445	1,570	1,070	---	73.3	<0.5	9.9	6.8
MW4	11/08/02	17.29	5.60	11.69	No	680	2,340	1,200	---	169	4.3	34.9	23.3
MW4	02/07/03	17.29	4.97	12.32	No	429	2,250	672	---	125	24.9	60.0	109
MW4	05/02/03	17.29	4.92	12.37	No	631	2,450	1,230	---	82.9	2.8	26.4	24.7
MW4	08/14/03	17.29	6.35	10.94	No	444	1,160	286	---	97.0	2.8	14.6	7.4
MW4	11/14/03 ^e	17.29	---	---	---	---	---	---	---	---	---	---	---
MW4	03/01/04	17.29	3.65	13.64	No	571d	1,860	---	66.7	104	4.4	38.3	25.4
MW4	06/15/04	17.29	5.60	11.69	No	453d	632	35.0	---	63.8	1.6	7.3	5.9
MW4	09/13/04	17.29	6.23	11.06	No	444d	1,120	93.4	---	126	3.9	17.8	9.7
MW4	12/22/04	17.29	5.01	12.28	No	561d,f	1,600	31.2	---	105	3.9	24.8	13.3
MW4	03/24/05	17.29	3.64	13.65	No	756d	2,120	---	255	94.9	4.9	44.6	32.3
MW4	06/14/05	17.29	4.84	12.45	No	992d	1,760	---	20.3	105	5.2	25.2	15.1
MW4	09/12/05	17.29	7.41	9.88	No	351d	922	---	524	48.2	<0.50	1.63	1.70
MW4	12/13/05	17.29	6.18	11.11	No	728d	1,970	---	836h	144	4.63	15.9	8.64
MW4	03/13/06	17.29	4.71	12.58	No	590d	1,400	---	16	84	2.7	22	15
MW4	06/12/06	17.29	5.88	11.41	No	330d,f	840	---	11	83	3.0	9.8	11
MW4	09/08/06	17.29	6.48	10.81	No	320d	1,000	---	65	88	3.4	6.1	3.6
MW4	12/05/06	17.29	7.15	10.14	No	240d	680	---	78	43	<2.5	3.2	<2.5
MW4	03/12/07	17.29	4.62	12.67	No	390d	1,200	---	44	57	1.8	11	7.4
MW4	05/29/07	17.29	6.32	10.97	No	772d	531	---	8.65	51.6	2.39	6.59	4.63f
MW4	08/29/07	17.29	7.02	10.27	No	250d	470	---	6.8	40	<2.5	4.2	3.0
MW4	11/29/07	17.29	6.61	10.68	No	320d	680	---	5.1	46	<2.5	6.8	4.2
MW4	02/27/08	17.29	4.87	12.42	No	440d	1,000	---	3.4	56	<2.5	18	5.7
MW4	05/28/08	17.29	6.00	11.29	No	714d	627f	---	4.13f	61.6	<0.50	7.36	2.88
MW5	09/12/94	16.71	7.12	9.59	No	---	10,000a	---	---	2,300	17	320	230
MW5	10/01/94	16.71	7.06	9.65	Sheen	---	11,000a	---	---	2,300	19	220	200
MW5	01/13/95	16.71	4.85	11.86	Sheen	---	---	---	---	---	---	---	---
MW5	04/27/95	16.71	6.51	10.20	No	---	14,000	---	---	2,200	72	540	350
MW5	08/03/95	16.71	7.24	9.47	No	---	<10,000	39,000	---	2,100	<100	210	<100
MW5	10/17/95	16.71	7.80	8.91	No	---	13,000	38,000	---	1,800	14	240	170
MW5	01/24/96	16.71	6.66	10.05	No	---	10,000	20,000	---	2,400	79	340	190

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	04/24/96	16.71	5.80	10.91	No	---	13,000	33,000	---	3,700	120	520	170
MW5	07/26/96	16.71	7.67	9.04	No	---	15,000	140,000	---	3,400	53	280	76
MW5	10/30/96	16.71	7.77	8.94	No	---	10,000	110,000a	---	2,600	76	260	150
MW5	01/31/97	16.71	4.90	11.81	No	---	10,000	---	34,000	2,400	66	430	140
MW5	04/10/97	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	07/10/97	16.71	7.65	9.06	No	---	9,800	36,000	52,000	1,400	120	190	120
MW5	10/08/97	16.71	---	---	---	---	---	---	---	---	---	---	---
MW5	01/28/98	16.71	3.95	12.76	No	---	6,500	---	15,000	1,500	34	73	57
MW5	04/14/98	16.71	4.30	12.41	---	---	---	---	---	---	---	---	---
MW5	07/30/98	16.71	5.86	10.85	No	---	8,300	4,300	---	1,700	26	110	66
MW5	10/19/98	16.71	6.20	10.51	No	---	---	---	---	---	---	---	---
MW5	01/13/99	16.71	6.37	10.34	No	---	4,780	3,650	---	1,240	11.1	<10	<10
MW5	04/28/99	16.71	5.25	11.46	---	---	---	---	---	---	---	---	---
MW5	07/09/99	16.71	6.08	10.63	No	---	4,360	2,360	---	1,780	18.6	45	<5.0
MW5	10/25/99	16.71	6.46	10.25	No	---	---	---	---	---	---	---	---
MW5	01/21/00	16.71	5.79	10.92	No	---	2,600	3,100	---	720	4.7	25	11.3
MW5	04/14/00	16.71	4.57	12.14	No	---	---	---	---	---	---	---	---
MW5	06/16/00	16.71	Property transferred to Valero Refining Company.										
MW5	07/05/00	16.71	5.37	11.34	No	---	5,100	380	---	1,800	14	52	34
MW5	10/03/00	16.71	5.93	10.78	No	---	5,800	630	---	2,000	8.9	59	21
MW5	01/02/01	16.71	5.68	11.03	No	---	4,800	1,100	---	1,600	9.6	38	15
MW5	04/02/01	16.71	4.87	11.84	No	---	6,800	1,500	---	2,000	40	150	49
MW5	07/02/01	16.71	5.77	10.94	No	---	4,100	960	---	1,600	20	35	21
MW5	10/15/01	16.71	6.15	10.56	No	---	3,900	1,000	---	1,400	8.7	17	15.7
MW5	Nov-01	16.64	Well surveyed in compliance with AB 2886 requirements.										
MW5	02/04/02	16.64	4.69	11.95	No	976	4,380	620	---	1,440	38.0	84.0	50.0
MW5	05/06/02	16.64	5.00	11.64	No	1,360	3,810	764	1,220	1,110	20.0	26.0	26.0
MW5	08/22/02	16.64	6.98	9.66	No	695	3,190	545	---	823	9.0	11.0	31.0
MW5	11/08/02	16.64	5.31	11.33	No	645	3,360	746	---	1,050	9.4	11.1	17.8
MW5	02/07/03	16.64	5.75	10.89	No	689	3,550	400	---	1,100	25.0	65.0	29.0
MW5	05/02/03	16.64	5.34	11.30	No	934	4,070	439	---	818	16.9	31.9	28.6
MW5	08/14/03	16.64	6.37	10.27	No	988d	3,860	286	---	912	15.6	16.2	24.0
MW5	11/14/03	16.64	6.01	10.63	No	1,000d	3,450	198	---	841	15.0	14.8	17.4
MW5	03/01/04	16.64	4.04	12.60	No	711d	3,160	---	52.7	767	21.5	32.5	26.5
MW5	06/15/04	16.64	5.47	11.17	No	600d	4,520	52.0	---	930	14.5	17.5	24.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW5	09/13/04	16.64	5.99	10.65	No	686d	3,960	70.0	—	998	12.0	14.0	20.0
MW5	12/22/04	16.64	5.08	11.56	No	1,200d, f	3,110	52.6	—	1,000	58.5	91.9	90.3
MW5	03/24/05	16.64	3.85	12.79	No	1,240d	3,370	—	30.7	962	24.3	80.5	80.0
MW5	06/14/05	16.64	4.92	11.72	No	1,640d	4,210	—	28.1	976	25.0	51.0	64.0
MW5	09/12/05	16.64	7.86	8.78	No	780d	1,130	—	23.4	481	6.44	4.94	10.1
MW5	12/13/05	16.64	6.22	10.42	No	1,090d	2,210	—	18.7	698	8.07	9.59	8.15
MW5	03/13/06	16.64	5.52	11.12	No	770d	3,000	—	10	510	17	63	37
MW5	06/12/06	16.64	6.42	10.22	No	490d,f	2,200	—	6.8	290	14	22	40
MW5	09/08/06	16.64	6.07	10.57	No	600d	2,300	—	7.9	360	<10	<10	<10
MW5	12/05/06	16.64	7.71	8.93	No	710d	1,900	—	7.1	300	6.3	<5.0	5.7
MW5	03/12/07	16.64	4.95	11.69	No	630d	2,300	—	5.5	310	23	32	37
MW5	05/29/07	16.64	6.51	10.13	No	1,710d	2,880	—	5.24	438	18.3	19.3	45.6f
MW5	08/29/07	16.64	7.03	9.61	No	590d	2,000	—	6.3	220	<5.0	<5.0	9.0
MW5	11/29/07	16.64	6.67	9.97	No	480d	1,400	—	4.8	150	7.2	<5.0	6.9
MW5	02/27/08	16.64	5.22	11.42	No	830d	2,600	—	2.8	260	22	79	65
MW5	05/28/08	16.64	6.10	10.54	No	1,630d	2,040f	—	4.17f	249	10.7	16.8	29.0
MW6	09/12/94	17.56	6.88	10.68	No	—	1,500a	—	—	150	4.4	170	85
MW6	10/01/94	17.56	7.15	10.41	No	—	87a	—	—	120	<0.5	99	38
MW6	01/13/95	17.56	4.80	12.76	No	—	9,900a	—	—	710	220	780	1,100
MW6	04/27/95	17.56	6.14	11.42	No	—	3,900	—	—	340	40	460	320
MW6	08/03/95	17.56	6.83	10.73	No	—	1,100	65	—	89	<2.5	110	63
MW6	10/17/95	17.56	7.66	9.90	No	—	8,500	<5.0	—	410	74	850	110
MW6	01/24/96	17.56	5.86	11.70	No	—	31,000	<5.0	—	560	1,500	2,200	7,500
MW6	04/24/96	17.56	5.39	12.17	No	—	15,000	280	—	460	570	1,400	3,300
MW6	07/26/96	17.56	6.97	10.59	No	—	27,000	1,300	—	270	660	1,600	5,500
MW6	10/30/96	17.56	7.45	10.11	No	—	28,000	900	—	490	440	1,800	6,200
MW6	01/31/97	17.56	4.30	13.26	No	—	7,000	770	—	190	1,000	380	1,400
MW6	04/10/97	17.56	—	—	—	—	—	—	—	—	—	—	—
MW6	07/10/97	17.56	7.57	9.99	No	—	6,800	1,100	—	200	<50	300	860
MW6	10/08/97	17.56	7.48	10.08	No	—	51,000	580	—	870	7,300	2,600	12,000
MW6	01/28/98	17.56	3.74	13.82	No	—	15,000	—	2,400	650	2,300	900	2,700
MW6	04/14/98	17.56	3.92	13.64	No	—	25,000	—	2,100	850	3,300	1,200	4,300
MW6	07/30/98	17.56	6.09	11.47	No	—	5,900	910	—	270	65	500	630
MW6	10/19/98	17.56	6.56	11.00	No	—	—	—	—	—	—	—	—

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6	01/13/99	17.56	6.35	11.21	No	—	3,150	422	—	204	107	297	304
MW6	04/28/99	17.56	4.89	12.67	No	—	15,300	—	436	1,270	980	1,100	3,320
MW6	07/09/99	17.56	6.07	11.49	No	—	1,140	439	—	121	9.95	160	4.69
MW6	10/25/99	17.56	6.11	11.45	No	—	2,200	3,400	—	590	<10	22	12.1
MW6	01/21/00	17.56	5.86	11.70	No	—	1,300	1,000	—	95	15	94	74
MW6	04/14/00	17.56	4.29	13.27	No	—	13,000	420	—	440	630	840	3,000
MW6	06/16/00	17.56	Property transferred to Valero Refining Company.										
MW6	07/05/00	17.56	5.39	12.17	No	—	5,800	830	—	1,000	13	550	798
MW6	10/03/00	17.56	6.14	11.42	No	—	490	3,800	—	61	<0.5	74	12
MW6	01/02/01	17.56	—	—	—	—	—	—	—	—	—	—	—
MW6	04/02/01	17.56	4.70	12.86	No	400	16,000	450	—	370	690	870	3,200
MW6	07/02/01	17.56	8.73	8.83	No	520	3,700	2,000	—	330	<5	160	32
MW6	10/15/01	17.56	6.24	11.32	No	1,100d	27,000	790	—	<12	<12	<12	<12
MW6	Nov-01	17.31	Well surveyed in compliance with AB 2886 requirements.										
MW6	02/04/02	17.31	4.24	13.07	No	168	14,800	545	—	425	120	1,480	4,030
MW6	05/06/02	17.31	4.83	12.48	No	1,540	8,580	380	522.0	988	24.0	866	1,080
MW6	08/22/02	17.31	6.49	10.82	No	10,400	4,050	716	—	44.5	11.5	460	270
MW6	11/08/02	17.31	5.49	11.82	No	822	5,640	1,150	—	49.3	42.7	586	858
MW6	02/07/03	17.31	4.89	12.42	No	1,590	14,300	572	—	134	393	1,000	3,720
MW6	05/02/03	17.31	4.68	12.63	No	1,550	8,880	1,560	—	92.0	167	672	1,530
MW6	08/14/03	17.31	6.15	11.16	No	666d	6,560	3,780	—	28.2	5.3	133	184
MW6	11/14/03	17.31	6.03	11.28	No	338d	5,370	4,520	—	26.4	3.1	44.9	45.0
MW6	03/01/04	17.31	3.60	13.71	No	1,630d	9,020	—	134	223	265	546	1,700
MW6	06/15/04	17.31	5.41	11.90	No	521d	6,920	3,470	—	300	10.0	97.0	173
MW6	09/13/04	17.31	6.06	11.25	No	122d	1,010	733	—	23	<5.0	11.0	<5.0
MW6	12/22/04	17.31	4.98	12.33	No	884d,f	4,050	75.4	—	101	169	208	980
MW6	03/24/05	17.31	3.59	13.72	No	1,310d	7,650	—	129	460	46.0	365	1,240
MW6	06/14/05	17.31	4.67	12.64	No	895d	1,940	—	153	195	7.6	26.3	18.3
MW6	09/12/05	17.31	7.12	10.19	No	182d	560	—	286	10.2	<0.50	<0.50	<0.50
MW6	12/13/05	17.31	5.98	11.33	No	212d	397	—	88.1	12.6	2.64	3.31	4.58
MW6	03/13/06	17.31	4.28	13.03	No	850d	4,300	—	110	440	40	130	900
MW6	06/12/06	17.31	5.40	11.91	No	350d,f	1,600	—	<5.0	120	<10	<10	31
MW6	09/08/06	17.31	6.34	10.97	No	66d	290	—	16	4.0	<0.50	<0.50	<0.50
MW6	12/05/06	17.31	6.74	10.57	No	75d	260	—	23	3.5	<0.50	<0.50	1.8
MW6	03/12/07	17.31	4.71	12.60	No	170d	890	—	11	12	2.8	12	88

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6	05/29/07	17.31	5.96	11.35	No	169d	318	--	7.08	7.77	1.03	<0.50	0.98f
MW6	08/29/07	17.31	6.80	10.51	No	60d	170	--	<2.5	3.1	<0.50	<0.50	<0.50
MW6	11/29/07	17.31	6.46	10.85	No	<47	180	--	<2.5	<0.50	<0.50	<0.50	<0.50
MW6	02/27/08	17.31	4.44	12.87	No	1,200d	14,000	--	30	82	250	1,200	4,500
MW6	05/28/08	17.31	5.75	11.56	No	3,610d	19,800	--	6.45f	33.4	30.2	1,080	3,270f
MW7	09/12/94	17.12	6.43	10.69	No	--	6,000a	--	--	490	50	280	70
MW7	10/01/94	17.12	6.71	10.41	No	--	8,900a	--	--	940	670	310	160
MW7	01/13/95	17.12	4.29	12.83	No	--	20,000a	--	--	590	780	970	4,200
MW7	04/27/95	17.12	5.00	12.12	No	--	8,800	--	--	410	32	410	230
MW7	08/03/95	17.12	6.53	10.59	No	--	4,900	17,000	--	390	<50	290	<50
MW7	10/17/95	17.12	7.23	9.89	No	--	6,700	17,000	--	530	26	240	25
MW7	01/24/96	17.12	5.26	11.86	No	--	9,300	60,000	--	2,000	390	350	230
MW7	04/24/96	17.12	5.06	12.06	No	--	9,000	360,000	--	2,400	850	150	130
MW7	07/26/96	17.12	6.62	10.50	No	--	4,800	86,000	--	530	25	60	46
MW7	10/30/96	17.12	7.09	10.03	No	--	3,400	28,000	--	180	9.8	58	38
MW7	01/31/97	17.12	3.65	13.47	No	--	3,800	45,000	--	300	18	48	37
MW7	04/10/97	17.12	--	--	--	--	--	--	--	--	--	--	--
MW7	07/10/97	17.12	7.44	9.68	No	--	3,500	18,000	--	70	<25	<25	<25
MW7	10/08/97	17.12	--	--	--	--	--	--	--	--	--	--	--
MW7	01/28/98	17.12	3.06	14.06	No	--	100	--	250	1.0	<0.5	<0.5	0.67
MW7	04/14/98	17.12	3.10	14.02	--	--	--	--	--	--	--	--	--
MW7	07/30/98	17.12	5.78	11.34	No	--	100	670	--	1.4	<0.5	<0.5	<0.5
MW7	10/19/98	17.12	6.25	10.87	No	--	--	--	--	--	--	--	--
MW7	01/13/99	17.12	5.98	11.14	No	--	273	530	--	<2.5	<2.5	<2.5	<2.5
MW7	04/28/99	17.12	4.32	12.80	--	--	--	--	--	--	--	--	--
MW7	07/09/99	17.12	5.67	11.45	No	--	139	860	--	3.79	7.10	1.19	8.65
MW7	10/25/99	17.12	6.23	10.89	No	--	<50	<1.0	--	<1.0	<1.0	<1.0	<1.0
MW7	01/21/00	17.12	5.41	11.71	No	--	410	500	--	10	2.5	<1.0	2.5
MW7	04/14/00	17.12	3.84	13.28	No	--	--	--	--	--	--	--	--
MW7	06/16/00	17.12	Property transferred to Valero Refining Company.										
MW7	07/05/00	17.12	5.05	12.07	No	--	140	480	--	<0.5	<0.5	<0.5	0.56
MW7	10/03/00	17.12	5.88	11.24	No	--	370	1,900	--	<0.5	0.62	<0.5	3.20
MW7	01/02/01	17.12	5.52	11.60	No	--	120	1,500	--	2.2	<0.5	<0.5	<0.5
MW7	04/02/01	17.12	4.26	12.86	No	--	120	1,500	--	0.91	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW7	07/02/01	17.12	5.42	11.70	No	—	110	740	—	4.1	<0.5	0.75	0.84
MW7	10/15/01	17.12	7.50	9.62	No	—	170	740	—	<0.5	<0.5	<0.5	0.69
MW7	Nov-01	17.06	Well surveyed in compliance with AB 2886 requirements.										
MW7	02/04/02	17.06	3.81	13.25	No	88.0	928	610	—	<0.50	<0.50	<0.50	<0.50
MW7	05/06/02	17.06	4.51	12.55	No	72	591	565	712.0	2.4	<0.5	2.5	4.1
MW7	08/22/02	17.06	6.25	10.81	No	<50	586	482	—	2.5	<2.5	<2.5	3.0
MW7	11/08/02	17.06	5.03	12.03	No	<50	463	319	—	1.7	<0.5	<0.5	0.6
MW7	02/07/03	17.06	4.57	12.49	No	<50	344	440	—	0.9	0.9	0.8	3.5
MW7	05/02/03	17.06	4.39	12.67	No	<50	323	307	—	0.80	<0.5	<0.5	<0.5
MW7	08/14/03	17.06	5.96	11.10	No	<50	197	45.5	—	2.00	<0.5	<0.5	1.0
MW7	11/14/03	17.06	6.04	11.02	No	<50	146	48.0	—	1.50	<0.5	0.6	1.7
MW7	03/01/04	17.06	2.91	14.15	No	138d	<50.0	—	8.10	<0.50	<0.5	<0.5	<0.5
MW7	06/10/04	17.06	5.18	11.88	No	293d	9,830	26.0	—	501	2,280	205	1,920
MW7	09/13/04	17.06	5.85	11.21	No	292d	1,350	82.5	—	64.5	<2.5	6.5	225
MW7	12/22/04	17.06	4.51	12.55	No	173d,f	<50.0	12.2	—	0.50	<0.5	0.8	<0.5
MW7	03/24/05	17.06	2.92	14.14	No	124d	<50.0	—	2.10	<0.50	<0.5	<0.5	<0.5
MW7	06/14/05	17.06	4.31	12.75	No	89d	<50.0	—	4.50	<0.50	<0.5	<0.5	<0.5
MW7	09/12/05	17.06	6.92	10.14	No	68.0d	<50.0	—	10.8	<0.50	<0.50	<0.50	<0.50
MW7	12/13/05	17.06	5.71	11.35	No	249d	<50.0	—	5.93	<0.50	<0.50	<0.50	<0.50
MW7	03/13/06	17.06	3.66	13.40	No	<47	<50	—	3.0	<0.50	<0.50	<0.50	<0.50
MW7	06/12/06	17.06	5.22	11.84	No	<47	<50	—	2.3	<0.50	<0.50	<0.50	<0.50
MW7	09/08/06	17.06	6.27	10.79	No	<47	<50	—	6.1	<0.50	<0.50	<0.50	<0.50
MW7	12/05/06	17.06	6.61	10.45	No	<47	<50	—	4.1	<0.50	<0.50	<0.50	<0.50
MW7	03/12/07	17.06	4.41	12.65	No	<47	<50	—	5.2	<0.50	<0.50	<0.50	<0.50
MW7	05/29/07	17.06	5.72	11.34	No	178d	<50.0	—	1.84	<0.50	<0.50	<0.50	<0.50
MW7	08/29/07	17.06	6.64	10.42	No	<47	<50	—	3.8	<0.50	<0.50	<0.50	<0.50
MW7	11/29/07	17.06	6.26	10.80	No	<47	<50	—	3.3	<0.50	<0.50	<0.50	<0.50
MW7	02/27/08	17.06	4.11	12.95	No	<47	57	—	3.7	2.1	1.0	5.4	19
MW7	05/28/08	17.06	5.53	11.53	No	111d	<50.0	—	1.83f	<0.50	<0.50	<0.50	<0.50
MW8	09/12/94	16.33	6.42	9.91	No	—	<50a	—	—	<0.5	<0.5	<0.5	<0.5
MW8	10/01/94	16.33	6.62	9.71	No	—	<50a	—	—	<0.5	<0.5	<0.5	<0.5
MW8	01/13/95	16.33	5.25	11.08	No	—	<50a	—	—	<0.5	<0.5	<0.5	<0.5
MW8	04/27/95	16.33	6.00	10.33	No	—	<50	—	—	<0.5	<0.5	<0.5	<0.5
MW8	08/03/95	16.33	6.28	10.05	No	—	<50	<2.5	—	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW8	10/17/95	16.33	6.93	9.40	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/24/96	16.33	5.71	10.62	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/24/96	16.33	5.52	10.81	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	07/26/96	16.33	6.27	10.06	No	---	<50	230	---	<0.5	<0.5	<0.5	<0.5
MW8	10/30/96	16.33	6.69	9.64	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW8	01/31/97	16.33	5.18	11.15	No	---	---	---	---	---	---	---	---
MW8	04/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/10/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	10/08/97	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	01/28/98	16.33	5.11	11.22	No	---	---	---	---	---	---	---	---
MW8	04/14/98	16.33	5.02	11.31	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	07/30/98	16.33	5.84	10.49	No	---	<50	6.6	---	<0.5	<0.5	<0.5	<0.5
MW8	10/19/98	16.33	6.07	10.26	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW8	01/13/99	16.33	5.59	10.74	No	---	<50	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW8	04/28/99	16.33	5.38	10.95	No	---	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	07/09/99	16.33	5.71	10.62	No	---	<50	3.01	<0.5	<0.5	<0.5	<0.5	<0.5
MW8	10/25/99	16.33	6.15	10.18	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW8	01/21/00	16.33	6.51	9.82	No	---	<50	<1.0	---	<1.0	<1.0	<1.0	<1.0
MW8	04/14/00	16.33	5.54	10.79	Brown	---	<50	<1	---	<1	<1	<1	<1
MW8	06/16/00	16.33	Property transferred to Valero Refining Company.										
MW8	07/05/00	16.33	5.67	10.66	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	10/03/00	16.33	6.02	10.31	No	---	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	01/02/01	16.33	5.95	10.38	No	140c	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	04/02/01	16.33	---	---	---	---	---	---	---	---	---	---	---
MW8	07/02/01	16.33	5.76	10.57	No	<50	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	10/15/01	16.33	6.19	10.14	No	<50	<50	<2	---	<0.5	<0.5	<0.5	<0.5
MW8	Nov-01	16.24	Well surveyed in compliance with AB 2886 requirements.										
MW8	02/04/02 e	16.24	---	---	---	---	---	---	---	---	---	---	---
MW8	05/06/02	16.24	5.31	10.93	No	<50	<50.0	0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW8	08/22/02	16.24	6.07	10.17	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	11/08/02	16.24	5.91	10.33	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	02/07/03	16.24	5.34	10.90	No	<50	<50.0	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW8	05/02/03	16.24	5.27	10.97	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW8	08/14/03	16.24	5.60	10.64	No	<50	<50.0	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW8	11/14/03	16.24	6.01	10.23	No	55d	<50.0	<0.5	---	<0.50	<0.5	0.7	1.7

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW8	03/01/04	16.24	5.16	11.08	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	06/15/04	16.24	5.36	10.88	No	<50	<50.0	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW8	09/13/04	16.24	5.81	10.43	No	<50	<50.0	0.9	---	<0.50	<0.5	<0.5	0.7
MW8	12/22/04	16.24	5.42	10.82	No	<50	<50.0	<0.50	---	0.50	<0.5	0.5	<0.5
MW8	03/24/05	16.24	5.03	11.21	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	06/14/05	16.24	5.09	11.15	No	<50	<50.0	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW8	09/12/05	16.24	6.24	10.00	No	69.5d	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	12/13/05	16.24	5.69	10.55	No	<50.0	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	03/13/06	16.24	5.28	10.96	No	<47	<50	---	<0.50	0.69	<0.50	<0.50	<0.50
MW8	06/12/06	16.24	4.58	11.66	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	09/08/06	16.24	4.58	11.66	No	<50	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	12/05/06	16.24	6.02	10.22	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	03/12/07	16.24	5.31	10.93	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	05/29/07	16.24	5.71	10.53	No	<47.6	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW8	08/29/07	16.24	6.16	10.08	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	11/29/07	16.24	6.08	10.16	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	02/27/08	16.24	5.25	10.99	No	<47	<50	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW8	05/28/08	16.24	5.83	10.41	No	<47.2	<50.0	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	09/12/94	15.62	6.84	8.78	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	10/01/94	15.62	6.97	8.65	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	01/13/95	15.62	6.18	9.44	No	---	<50a	---	---	<0.5	<0.5	<0.5	<0.5
MW9	04/27/95	15.62	6.58	9.04	No	---	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	08/03/95	15.62	6.72	8.90	No	---	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	10/17/95	15.62	7.09	8.53	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	01/24/96	15.62	6.46	9.16	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	04/24/96	15.62	6.43	9.19	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	07/26/96	15.62	6.80	8.82	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	10/30/96	15.62	6.94	8.68	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW9	01/31/97	15.62	6.10	9.52	No	---	---	---	---	---	---	---	---
MW9	04/10/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	07/10/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	10/08/97	15.62	---	---	---	---	---	---	---	---	---	---	---
MW9	01/28/98	15.62	5.66	9.96	No	---	---	---	---	---	---	---	---
MW9	04/14/98	15.62	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9	07/30/98	15.62	6.17	9.45	No	--	--	--	--	--	--	--	--
MW9	10/19/98	15.62	6.40	9.22	No	--	--	--	--	--	--	--	--
MW9	01/13/99	15.62	6.28	9.34	No	--	--	--	--	--	--	--	--
MW9	04/28/99	15.62	5.87	9.75	No	--	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5
MW9	07/09/99	15.62	6.24	9.38	No	--	<50	<2.0	--	<0.5	<0.5	<0.5	<0.5
MW9	10/25/99	15.62	6.67	8.95	No	--	<50	<1.0	--	<1.0	<1.0	<1.0	<1.0
MW9	01/21/00	15.62	6.93	8.69	No	--	<50	<1.0	--	<1.0	<1.0	<1.0	<1.0
MW9	04/14/00	15.62	6.05	9.57	Turbid	--	<50	<1	--	<1	<1	<1	<1
MW9	06/16/00	15.62	Property transferred to Valero Refining Company.										
MW9	07/05/00	15.62	6.34	9.28	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	10/03/00	15.62	6.52	9.10	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	01/02/01	15.62	6.53	9.09	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	04/02/01	15.62	6.21	9.41	No	--	<50	<2	--	<0.5	<0.5	0.57	0.73
MW9	07/02/01	15.62	6.40	9.22	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	10/15/01	15.62	6.65	8.97	No	--	<50	<2	--	<0.5	<0.5	<0.5	<0.5
MW9	Nov-01	15.56	Well surveyed in compliance with AB 2886 requirements.										
MW9	02/04/02	15.56	4.77	10.79	No	<50.0	<50.0	0.50	--	<0.50	<0.50	<0.50	<0.50
MW9	05/06/02	15.56	6.29	9.27	No	<50	<50.0	<0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW9	08/22/02	15.56	6.70	8.86	No	<50	<50.0	<0.5	--	<0.5	<0.5	<0.5	<0.5
MW9	11/08/02	15.56	6.55	9.01	No	<50	<50.0	<0.5	--	<0.5	<0.5	<0.5	<0.5
MW9	02/07/03	15.56	6.35	9.21	No	<50	<50.0	<0.5	--	<0.5	<0.5	<0.5	<0.5
MW9	05/02/03	15.56	6.16	9.40	No	91	<50.0	<0.5	--	<0.50	<0.5	<0.5	<0.5
MW9	08/14/03	15.56	6.54	9.02	No	<50	<50.0	<0.5	--	<0.50	<0.5	<0.5	<0.5
MW9	11/14/03	15.56	6.60	8.96	No	<50	<50.0	<0.5	--	<0.50	<0.5	<0.5	<0.5
MW9	03/01/04	15.56	5.89	9.67	No	<50	<50.0	--	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/15/04	15.56	6.43	9.13	No	<50	<50.0	<0.50	--	<0.50	<0.5	<0.5	<0.5
MW9	09/13/04	15.56	6.58	8.98	No	<50	<50.0	<0.50	--	<0.50	<0.5	<0.5	<0.5
MW9	12/22/04	15.56	6.28	9.28	No	<50	<50.0	<0.50	--	<0.50	<0.5	<0.5	<0.5
MW9	03/24/05	15.56	5.61	9.95	No	<50	<50.0	--	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	06/14/05	15.56	6.06	9.50	No	<50	<50.0	--	<0.50	<0.50	<0.5	<0.5	<0.5
MW9	09/12/05	15.56	6.65	8.91	No	<50.0	<50.0	--	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	12/13/05	15.56	6.32	9.24	No	<50.0	<50.0	--	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	03/13/06	15.56	5.90	9.66	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	06/12/06	15.56	5.96	9.60	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	09/08/06	15.56	6.43	9.13	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW9	12/05/06	15.56	6.45	9.11	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	03/12/07	15.56	5.98	9.58	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	05/29/07	15.56	6.32	9.24	No	<47.6	<50.0	--	<0.500	<0.50	<0.50	<0.50	<0.50
MW9	08/29/07	15.56	6.51	9.05	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	11/29/07	15.56	6.49	9.07	No	<47	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50
MW9	02/27/08	15.56	5.90	9.66	No	<47	<50	--	<0.50	<0.50	<0.50	0.56	2.2
MW9	05/28/08	15.56	6.40	9.16	No	63.5d	<50.0	--	0.800f	<0.50	<0.50	<0.50	<0.50
MW10	09/12/94	16.79	7.04	9.75	No	--	71a	--	--	<0.5	<0.5	1.6	<0.5
MW10	10/01/94	16.79	7.30	9.49	No	--	330a	--	--	1.1	<0.5	2.8	0.73
MW10	01/13/95	16.79	6.04	10.75	No	--	90a	--	--	<0.5	<0.5	<0.5	<0.5
MW10	04/27/95	16.79	6.66	10.13	No	--	140	--	--	<0.5	<0.5	5.4	1.3
MW10	08/03/95	16.79	7.23	9.56	No	--	150	<2.5	--	<0.5	<0.5	<0.5	<0.5
MW10	10/17/95	16.79	7.93	8.86	No	--	<50	95	--	<0.5	<0.5	<0.5	<0.5
MW10	01/24/96	16.79	6.43	10.36	No	--	760	24	--	1.6	0.52	62	28
MW10	04/24/96	16.79	6.42	10.37	No	--	110	6.8	--	<0.5	<0.5	7.1	<0.5
MW10	07/26/96	16.79	7.47	9.32	No	--	140	<5.0	--	<0.5	<0.5	12	0.86
MW10	10/30/96	16.79	7.88	8.91	No	--	<50	5.6	--	<0.5	<0.5	<0.5	<0.5
MW10	01/31/97	16.79	5.88	10.91	No	--	<50	10	--	<0.5	<0.5	<0.5	<0.5
MW10	04/10/97	16.79	--	--	--	--	--	--	--	--	--	--	--
MW10	07/10/97	16.79	7.32	9.47	No	--	<50	<2.5	--	<0.5	<0.5	<0.5	<0.5
MW10	10/08/97	16.79	--	--	--	--	--	--	--	--	--	--	--
MW10	12/12/97	Well destroyed.											
MW11	10/17/95	18.04	7.72	10.32	No	--	34,000	890	--	3,800	150	950	4,500
MW11	01/24/96	18.04	5.97	12.07	No	--	44,000	<500	--	3,800	1,200	2,100	9,800
MW11	04/24/96	18.04	5.84	12.20	No	--	34,000	720	--	2,900	1,400	1,700	8,300
MW11	07/26/96	18.04	6.98	11.06	No	--	39,000	800	--	4,600	4,200	950	9,500
MW11	10/30/96	18.04	7.54	10.50	No	--	53,000	990	--	4,200	3,600	2,100	9,600
MW11	01/31/97	18.04	5.00	13.04	No	--	23,000	--	310	170	2,500	940	4,300
MW11	04/10/97	18.04	--	--	No	--	29,000	200	--	1,200	440	970	6,400
MW11	07/10/97	18.04	7.30	10.74	No	--	42,000	690	--	1,700	870	1,900	12,000
MW11	10/08/97	18.04	7.62	10.42	No	--	42,000	1,100	--	1,700	2,500	1,400	9,900
MW11	01/28/98	18.04	4.77	13.27	No	--	35,000	--	6,800	2,400	3,500	1,700	7,900

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW11	04/14/98	18.04	4.68	13.36	No	—	15,000	—	1,200	1,700	250	500	2,000
MW11	07/30/98	18.04	6.33	11.71	No	—	24,000	1,700	—	1,600	560	1,000	4,300
MW11	10/19/98	18.04	6.65	11.39	No	—	29,000	1,700	—	1,200	2,500	920	4,900
MW11	01/13/99	18.04	6.42	11.62	No	—	50,900	1,920	—	2,210	6,440	2,030	10,600
MW11	04/28/99	18.04	5.30	12.74	No	—	59,400	—	2,390	3,790	4,260	1,790	2,970
MW11	07/09/99	18.04	6.22	11.82	No	—	51,500	4,630	—	5,890	5,340	2,370	12,700
MW11	10/25/99	18.04	6.77	11.27	No	—	51,000	1,700	—	3,900	5,800	2,300	12,300
MW11	01/21/00	18.04	6.47	11.57	No	—	56,000	1,100	—	2,300	4,600	2,100	11,600
MW11	04/14/00	18.04	5.09	12.95	No	—	42,000	2,100	—	3,000	2,600	1,600	8,000
MW11	06/16/00	18.04	Property transferred to Valero Refining Company.										
MW11	07/05/00	18.04	5.93	12.11	No	—	32,000	3,900	—	3,000	2,700	1,300	6,200
MW11	10/03/00	18.04	6.57	11.47	No	—	46,000	4,300	—	2,900	3,600	1,600	7,900
MW11	01/02/01	18.04	6.46	11.58	No	1,600c	44,000	4,200	—	3,900	3,600	1,300	6,500
MW11	04/02/01	18.04	5.44	12.60	No	2,000	39,000	3,100	—	2,600	3,600	1,500	7,500
MW11	07/02/01	18.04	9.10	8.94	No	2,300	45,000	3,000	—	2,000	2,000	1,400	7,200
MW11	10/15/01	18.04	8.10	9.94	No	1,400d	55,000	2,600	—	5,100	5,700	1,900	9,100
MW11	Nov-01	17.98	Well surveyed in compliance with AB 2886 requirements.										
MW11	02/04/02	17.98	5.14	12.84	No	2,430	37,800	1,910	—	3,340	3,550	1,450	6,480
MW11	05/06/02	17.98	5.51	12.47	No	3,000	27,200	1,350	1,984	1,420	1,580	1,110	4,960
MW11	08/22/02	17.98	6.63	11.35	No	5,660	28,100	2,240	—	2,020	1,520	1,120	5,360
MW11	11/08/02	17.98	5.34	12.64	No	3,680	26,000	246	—	1,170	2,130	1,020	5,390
MW11	02/07/03	17.98	5.42	12.56	No	4,360	50,000	1,400	—	3,660	4,500	1,920	8,600
MW11	05/02/03	17.98	5.17	12.81	No	2,330	41,200	1,080	—	1,980	1,860	1,450	7,100
MW11	08/14/03	17.98	6.42	11.56	No	5,480d	46,700	1,140	—	3,360	2,150	1,870	7,640
MW11	11/14/03	17.98	6.39	11.59	No	3,530d	45,800	240	—	2,070	3,300	2,010	8,680
MW11	03/01/04	17.98	4.58	13.40	No	2,030d	5,540	—	61.7	246	350	205	904
MW11	06/15/04	17.98	5.83	12.15	No	2,090d	48,100	580	—	2,040	2,160	2,430	10,100
MW11	09/13/04	17.98	6.41	11.57	No	3,220d	40,300	250	—	2,210	1,290	1,930	8,350
MW11	12/22/04	17.98	5.49	12.49	No	1,770d,f	20,800	105	—	1,060	1,540	750	3,220
MW11	03/24/05	17.98	4.22	13.76	No	643d	4,030	—	800	64.0	52.1	114	532
MW11	06/14/05	17.98	5.42	12.56	No	3,830d	36,900	—	351	1,330	2,760	1,520	6,870
MW11	09/12/05	17.98	7.18	10.80	No	4,020d	16,600	—	245	1,050	795	1,090	4,190
MW11	12/13/05	17.98	6.52	11.46	No	2,670d	28,700	—	97.0	942	527	1,320	6,070
MW11	03/13/06	17.98	4.95	13.03	No	1,100d	5,000	—	<0.50	17	<10	130	730
MW11	06/12/06	17.98	5.77	12.21	No	1,300d,f	28,000	—	21	920	1,500	1,400	5,100

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW11	09/08/06	17.98	6.70	11.28	No	2,300d	21,000	---	25	990	790	1,000	3,700
MW11	12/05/06	17.98	6.93	11.05	No	2,900d	21,000	---	37	700	510	1,000	4,500
MW11	03/12/07	17.98	5.40	12.58	No	1,200d	13,000	---	28	420	280	580	2,700
MW11	05/29/07	17.98	6.40	11.58	No	2,850d	26,400	---	51.8	844	724	1,520	3,940f
MW11	08/29/07	17.98	7.11	10.87	No	2,200d	16,000	---	56	640	210	760	2,600
MW11	11/29/07	17.98	6.91	11.07	No	1,400d	16,000	---	28	550	160	750	2,600
MW11	02/27/08	17.98	5.16	12.82	No	1,300d	13,000	---	11	390	370	800	3,200
MW11	05/28/08	17.98	6.35	11.63	No	4,660d	31,900	---	29.8f	632	1,100	1,280	4,910f
MW12	10/17/95	16.30	6.38	9.92	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/24/96	16.30	4.86	11.44	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/24/96	16.30	4.46	11.84	No	---	<50	<5.0	---	<0.5	0.68	<0.5	0.72
MW12	07/26/96	16.30	5.90	10.40	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	10/30/96	16.30	6.56	9.74	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	01/31/97	16.30	4.57	11.73	No	---	<50	<5.0	---	<0.5	<0.5	<0.5	<0.5
MW12	04/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	07/10/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	10/08/97	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	01/28/98	16.30	3.90	12.40	No	---	---	---	---	---	---	---	---
MW12	04/14/98	16.30	3.67	12.63	No	---	---	---	---	---	---	---	---
MW12	07/30/98	16.30	5.00	11.30	No	---	---	---	---	---	---	---	---
MW12	10/19/98	16.30	---	---	No	---	---	---	---	---	---	---	---
MW12	01/13/99	16.30	5.19	11.11	No	---	---	---	---	---	---	---	---
MW12	04/28/99	16.30	4.53	11.77	---	---	---	---	---	---	---	---	---
MW12	07/09/99- 04/14/0	Not monitored or sampled.											
MW12	06/16/00	16.30	Property transferred to Valero Refining Company.										
MW12	07/05/00- 04/02/0	Not monitored or sampled.											
MW12	07/02/01	16.30	8.34	7.96	No	---	---	---	---	---	---	---	---
MW12	10/15/01	16.30	---	---	---	---	---	---	---	---	---	---	---
MW12	Nov-01	16.15	Well surveyed in compliance with AB 2886 requirements.										
MW12	02/04/02 - Present	Not monitored or sampled.											
EW1	09/12/94	16.22	6.13	10.09	No	---	400a	---	---	40	<0.5	10	5.4
EW1	10/01/94	16.22	7.63	8.59	No	---	3,400a	---	---	<0.5	4.4	30	11

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW1	01/13/95	16.22	11.46	4.76	No	---	680a	---	---	40	<0.5	12	16
EW1	04/27/95	16.22	15.47	0.75	No	---	---	---	---	---	---	---	---
EW1	08/03/95	16.22	13.85	2.37	No	---	<125	590	---	2.7	<1.2	<1.2	<1.2
EW1	10/17/95	16.22	8.05	8.17	No	---	3,600	400	---	220	<0.5	160	36
EW1	01/24/96	16.22	11.07	5.15	No	---	64	260	---	4.3	<0.5	1.3	0.53
EW1	04/24/96	16.22	6.20	10.02	No	---	740	3,000	---	130	2.3	35	2.1
EW1	07/26/96	16.22	13.93	2.29	No	---	<50	960	---	<0.5	<0.5	<0.5	<0.5
EW1	10/30/96	16.22	13.74	2.48	No	---	<50	5,300	---	0.52	<0.5	<0.5	<0.5
EW1	01/31/97	16.22	8.40	7.82	No	---	---	---	---	---	---	---	---
EW1	04/10/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	07/10/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	10/08/97	16.22	---	---	---	---	---	---	---	---	---	---	---
EW1	01/28/98	16.22	3.35	12.87	No	---	---	---	---	---	---	---	---
EW1	04/14/98	16.22	3.52	12.70	No	---	---	---	---	---	---	---	---
EW1	07/30/98	16.22	5.48	10.74	No	---	---	---	---	---	---	---	---
EW1	10/19/98	16.22	5.77	10.45	No	---	---	---	---	---	---	---	---
EW1	01/13/99	16.22	5.49	10.73	No	---	---	---	---	---	---	---	---
EW1	04/28/99	16.22	4.31	11.91	No	---	---	---	---	---	---	---	---
EW1	07/09/99- 04/14/0	Not monitored or sampled.											
EW1	06/16/00	16.22	Property transferred to Valero Refining Company.										
EW1	07/05/00- 10/15/0	Not monitored or sampled.											
EW1	Nov-01	16.27	Well surveyed in compliance with AB 2886 requirements.										
EW1	02/04/02	16.27	---	---	---	---	---	---	---	---	---	---	---
EW1	05/06/02	16.27	4.94	11.33	No	---	---	---	---	---	---	---	---
EW1	08/22/02 e	16.27	---	---	---	---	---	---	---	---	---	---	---
EW1	11/08/02	16.27	3.80	12.47	No	---	---	---	---	---	---	---	---
EW1	02/07/03	16.27	12.45	3.82	No	---	---	---	---	---	---	---	---
EW1	05/02/03	16.27	6.55	9.72	No	---	---	---	---	---	---	---	---
EW1	08/14/03	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	11/14/03	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	03/01/04	16.27	---	---	No	---	---	---	---	---	---	---	---
EW1	06/15/04	16.27	4.47	11.80	No	---	---	---	---	---	---	---	---
EW1	09/13/04	16.27	5.12	11.15	No	---	---	---	---	---	---	---	---
EW1	12/22/04	16.27	4.17	12.10	No	---	---	---	---	---	---	---	---
EW1	03/24/05	16.27	2.97	13.30	No	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW1	06/14/05	16.27	3.98	12.29	No	--	--	--	--	--	--	--	--
EW1	09/12/05	16.27	14.39	1.88	No	--	--	--	--	--	--	--	--
EW1	12/13/05	16.27	12.7	3.57	No	--	--	--	--	--	--	--	--
EW1	03/13/06	16.27	11.43	4.84	No	--	--	--	--	--	--	--	--
EW1	06/12/06	16.27	11.78	4.49	No	--	--	--	--	--	--	--	--
EW1	09/08/06	16.27	5.18	11.09	No	--	--	--	--	--	--	--	--
EW1	12/05/06	16.27	10.48	5.79	No	--	--	--	--	--	--	--	--
EW1	03/12/07	16.27	3.82	12.45	No	--	--	--	--	--	--	--	--
EW1	05/29/07	16.27	14.9	1.37	No	--	--	--	--	--	--	--	--
EW1	08/29/07	16.27	7.82	8.45	No	--	--	--	--	--	--	--	--
EW1	11/29/07	16.27	6.23	10.04	No	--	--	--	--	--	--	--	--
EW1	02/27/08	16.27	4.38	11.89	No	--	--	--	--	--	--	--	--
EW1	05/28/08	16.27	6.51	9.76	No	--	--	--	--	--	--	--	--
EW2	09/12/94	16.05	6.09	9.96	No	--	8,800a	--	--	2,000	79	180	290
EW2	10/01/94	16.05	7.32	8.73	No	--	9,500a	--	--	1,400	6.7	700	310
EW2	01/13/95	16.05	14.38	1.67	No	--	5,700a	--	--	930	270	21	280
EW2	04/27/95	16.05	15.23	0.82	No	--	--	--	--	--	--	--	--
EW2	08/03/95	16.05	7.19	8.86	No	--	830	1,600	--	170	27	36	64
EW2	10/17/95	16.05	18.97	-2.92	No	--	180	3,600	--	<0.5	<0.5	<0.5	5.1
EW2	01/24/96	16.05	20.32	-4.27	No	--	1,700	6,400	--	290	82	14	170
EW2	04/24/96	16.05	9.46	6.59	No	--	3,500	7,300	--	670	200	110	490
EW2	07/26/96	16.05	16.50	-0.45	No	--	1,400	14,000	--	250	56	10	220
EW2	10/30/96	16.05	20.30	-4.25	No	--	1,500	13,000	--	200	44	8.8	190
EW2	01/31/97	16.05	19.21	-3.16	No	--	--	--	--	--	--	--	--
EW2	04/10/97	16.05	--	--	--	--	--	--	--	--	--	--	--
EW2	07/10/97	16.05	--	--	--	--	--	--	--	--	--	--	--
EW2	10/08/97	16.05	--	--	--	--	--	--	--	--	--	--	--
EW2	01/28/98	16.05	3.35	12.70	No	--	--	--	--	--	--	--	--
EW2	04/14/98	16.05	3.45	12.60	No	--	--	--	--	--	--	--	--
EW2	07/30/98	16.05	11.50	4.55	No	--	--	--	--	--	--	--	--
EW2	10/19/98	16.05	5.67	10.38	No	--	--	--	--	--	--	--	--
EW2	01/13/99	16.05	9.57	6.48	No	--	--	--	--	--	--	--	--
EW2	04/28/99	16.05	10.15	5.90	No	--	--	--	--	--	--	--	--
EW2	07/09/99- 04/14/0	Not monitored or sampled.											

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW2	06/16/00	16.05	Property transferred to Valero Refining Company.										
EW2	07/05/00- 10/15/0	Not monitored or sampled.											
EW2	Nov-01	16.07	Well surveyed in compliance with AB 2886 requirements.										
EW2	02/04/02 - Present	Not monitored or sampled.											
EW3	09/12/94	16.02	6.12	9.90	No	--	300a	--	--	44	5.9	12	31
EW3	10/01/94	16.02	10.52	5.50	No	--	140a	--	--	12	0.42	1.7	3.7
EW3	01/13/95	16.02	18.13	-2.11	No	--	230a	--	--	4.6	7.6	1.2	6.6
EW3	04/27/95	16.02	23.07	-7.05	No	--	--	--	--	--	--	--	--
EW3	08/03/95	16.02	22.90	-6.88	No	--	<200	1,400	--	<2.0	<2.0	<2.0	<2.0
EW3	10/17/95	16.02	22.87	-6.85	No	--	74	2,400	--	4.4	<0.5	<0.5	<0.5
EW3	01/24/96	16.02	20.97	-4.95	No	--	120	2,300	--	16	<0.5	<0.5	<0.5
EW3	04/24/96	16.02	18.10	-2.08	No	--	180	3,800	--	34	3.7	8.9	11
EW3	07/26/96	16.02	13.14	2.88	No	--	180	2,000	--	45	0.7	<0.5	2.1
EW3	10/30/96	16.02	9.24	6.78	No	--	660	2,800	--	60	8.2	<0.5	100
EW3	01/31/97	16.02	11.10	4.92	No	--	--	--	--	--	--	--	--
EW3	04/10/97	16.02	--	--	--	--	--	--	--	--	--	--	--
EW3	07/10/97	16.02	--	--	--	--	--	--	--	--	--	--	--
EW3	10/08/97	16.02	--	--	--	--	--	--	--	--	--	--	--
EW3	01/28/98	16.02	3.42	12.60	No	--	--	--	--	--	--	--	--
EW3	04/14/98	16.02	3.50	12.52	No	--	--	--	--	--	--	--	--
EW3	07/30/98	16.02	18.57	-2.55	No	--	--	--	--	--	--	--	--
EW3	10/19/98	16.02	5.65	10.37	No	--	--	--	--	--	--	--	--
EW3	01/13/99	16.02	13.85	2.17	No	--	--	--	--	--	--	--	--
EW3	04/28/99	16.02	4.52	11.50	No	--	--	--	--	--	--	--	--
EW3	07/09/99- 04/14/0	Not monitored or sampled.											
EW3	06/16/00	16.02	Property transferred to Valero Refining Company.										
EW3	07/05/00- 10/15/0	Not monitored or sampled.											
EW3	Nov-01	16.08	Well surveyed in compliance with AB 2886 requirements.										
EW3	02/04/02	16.08	--	--	--	--	--	--	--	--	--	--	--
EW3	05/06/02	16.08	5.38	10.70	No	--	--	--	--	--	--	--	--
EW3	08/22/02	16.08	13.00	3.08	No	--	--	--	--	--	--	--	--
EW3	11/08/02	16.08	4.19	11.89	No	--	--	--	--	--	--	--	--
EW3	02/07/03	16.08	21.15	-5.07	No	--	--	--	--	--	--	--	--
EW3	05/02/03	16.08	23.50	-7.42	No	--	--	--	--	--	--	--	--

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW3	08/14/03	16.08	6.07	10.01	No	--	--	--	--	--	--	--	--
EW3	11/14/03	16.08	6.04	10.04	No	--	--	--	--	--	--	--	--
EW3	03/01/04	16.08	3.98	12.10	No	--	--	--	--	--	--	--	--
EW3	06/15/04	16.08	4.80	11.28	No	--	--	--	--	--	--	--	--
EW3	09/13/04	16.08	5.56	10.52	No	--	--	--	--	--	--	--	--
EW3	12/22/04	16.08	4.51	11.57	No	--	--	--	--	--	--	--	--
EW3	03/24/05	16.08	3.23	12.85	No	--	--	--	--	--	--	--	--
EW3	06/14/05	16.08	4.31	11.77	No	--	--	--	--	--	--	--	--
EW3	09/12/05	16.08	32.48	-16.40	No	--	--	--	--	--	--	--	--
EW3	12/13/05	16.08	5.66	10.42	No	--	--	--	--	--	--	--	--
EW3	03/13/06	16.08	4.48	11.60	No	--	--	--	--	--	--	--	--
EW3	06/12/06	16.08	4.97	11.11	No	--	--	--	--	--	--	--	--
EW3	09/08/06	16.08	5.65	10.43	No	--	--	--	--	--	--	--	--
EW3	12/05/06	16.08	6.99	9.09	No	--	--	--	--	--	--	--	--
EW3	03/12/07	16.08	4.36	11.72	No	--	--	--	--	--	--	--	--
EW3	05/29/07	16.08	5.84	10.24	No	--	--	--	--	--	--	--	--
EW3	08/29/07	16.08	7.38	8.70	No	--	--	--	--	--	--	--	--
EW3	11/29/07	16.08	5.99	10.09	No	--	--	--	--	--	--	--	--
EW3	02/27/08	16.08	4.53	11.55	No	--	--	--	--	--	--	--	--
EW3	05/28/08	16.08	5.52	10.56	No	--	--	--	--	--	--	--	--
EW4	09/12/94	16.61	5.69	10.92	No	--	4,000a	--	--	1,700	12	210	77
EW4	10/01/94	16.61	7.90	8.71	No	--	460a	--	--	100	1.5	15	11
EW4	01/13/95	16.61	11.36	5.25	No	--	520a	--	--	89	8.8	1.6	82
EW4	04/27/95	16.61	16.30	0.31	No	--	--	--	--	--	--	--	--
EW4	08/03/95	16.61	6.45	10.16	No	--	42,000	17,000	--	3,100	1,100	2,000	8,200
EW4	10/17/95	16.61	15.89	0.72	No	--	92	2,500	--	6.3	<0.5	<0.5	<0.5
EW4	01/24/96	16.61	6.03	10.58	No	--	220	9,200	--	79	2.5	2.9	10
EW4	04/24/96	16.61	4.97	11.64	No	--	4,600	860	--	49	36	69	1,100
EW4	07/26/96	16.61	6.54	10.07	No	--	2,900	15,000	--	610	6.2	200	300
EW4	10/30/96	16.61	6.53	10.08	No	--	550	3,400	--	68	11	<2.5	71
EW4	01/31/97	16.61	3.98	12.63	No	--	--	--	--	--	--	--	--
EW4	04/10/97	16.61	--	--	--	--	--	--	--	--	--	--	--
EW4	07/10/97	16.61	--	--	--	--	--	--	--	--	--	--	--
EW4	10/08/97	16.61	--	--	--	--	--	--	--	--	--	--	--

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW4	01/28/98	16.61	3.22	13.39	No	---	---	---	---	---	---	---	---
EW4	04/14/98	16.61	3.20	13.41	No	---	---	---	---	---	---	---	---
EW4	07/30/98	16.61	4.89	11.72	No	---	---	---	---	---	---	---	---
EW4	10/19/98	16.61	5.16	11.45	No	---	---	---	---	---	---	---	---
EW4	01/13/99	16.61	5.57	11.04	No	---	---	---	---	---	---	---	---
EW4	04/28/99	16.61	4.27	12.34	No	---	---	---	---	---	---	---	---
EW4	07/09/99- 04/14/0	Not monitored or sampled.											
EW4	06/16/00	16.61	Property transferred to Valero Refining Company.										
EW4	07/05/00- 10/15/0	Not monitored or sampled.											
EW4	Nov-01	15.69	Well surveyed in compliance with AB 2886 requirements.										
EW4	02/04/02 - Present	Not monitored or sampled.											
EW5	09/12/94	16.51	6.30	10.21	No	---	180a	---	---	26	1.7	11	12
EW5	10/01/94	16.51	11.83	4.68	No	---	130a	---	---	16	0.92	5.7	8.5
EW5	01/13/95	16.51	12.54	3.97	No	---	130a	---	---	0.6	0.8	0.6	2.9
EW5	04/27/95	16.51	13.11	3.40	No	---	---	---	---	---	---	---	---
EW5	08/03/95	16.51	11.99	4.52	No	---	70	210	---	<0.5	<0.5	<0.5	<0.5
EW5	10/17/95	16.51	13.43	3.08	No	---	78	50	---	1.5	<0.5	<0.5	3.0
EW5	01/24/96	16.51	9.72	6.79	No	---	2,500	350	---	280	66	22	370
EW5	04/24/96	16.51	8.13	8.38	No	---	6,400	400	---	690	240	380	1,300
EW5	07/26/96	16.51	10.00	6.51	No	---	850	84	---	82	2.5	2.4	100
EW5	10/30/96	16.51	9.82	6.69	No	---	1,200	68	---	110	5.1	2.2	120
EW5	01/31/97	16.51	9.00	7.51	No	---	---	---	---	---	---	---	---
EW5	04/10/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	07/10/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	10/08/97	16.51	---	---	---	---	---	---	---	---	---	---	---
EW5	01/28/98	16.51	3.54	12.97	No	---	---	---	---	---	---	---	---
EW5	04/14/98	16.51	3.65	12.86	No	---	---	---	---	---	---	---	---
EW5	07/30/98	16.51	7.63	8.88	No	---	---	---	---	---	---	---	---
EW5	10/19/98	16.51	5.75	10.76	No	---	---	---	---	---	---	---	---
EW5	01/13/99	16.51	7.03	9.48	No	---	---	---	---	---	---	---	---
EW5	04/28/99	16.51	8.80	7.71	No	---	---	---	---	---	---	---	---
EW5	07/09/99- 04/14/0	Not monitored or sampled.											
EW5	06/16/00	16.51	Property transferred to Valero Refining Company.										
EW5	07/05/00- 10/15/0	Not monitored or sampled.											

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
EW5	Nov-01	16.67	Well surveyed in compliance with AB 2886 requirements.										
EW5	02/04/02	16.67	---	---	---	---	---	---	---	---	---	---	---
EW5	05/06/02	16.67	4.78	11.89	No	---	---	---	---	---	---	---	---
EW5	08/22/02	16.67	6.61	10.06	No	---	---	---	---	---	---	---	---
EW5	11/08/02	16.67	3.74	12.93	No	---	---	---	---	---	---	---	---
EW5	02/07/03	16.67	6.40	10.27	No	---	---	---	---	---	---	---	---
EW5	05/02/03	16.67	5.91	10.76	No	---	---	---	---	---	---	---	---
EW5	08/14/03	16.67	6.28	10.39	No	---	---	---	---	---	---	---	---
EW5	11/14/03	16.67	6.19	10.48	No	---	---	---	---	---	---	---	---
EW5	03/01/04	16.67	4.02	12.65	No	---	---	---	---	---	---	---	---
EW5	06/15/04	16.67	4.97	11.70	No	---	---	---	---	---	---	---	---
EW5	09/13/04	16.67	5.47	11.20	No	---	---	---	---	---	---	---	---
EW5	12/22/04	16.67	4.71	11.96	No	---	---	---	---	---	---	---	---
EW5	03/24/05	16.67	3.15	13.52	No	---	---	---	---	---	---	---	---
EW5	06/14/05	16.67	4.28	12.39	No	---	---	---	---	---	---	---	---
EW5	09/12/05	16.67	7.46	9.21	No	---	---	---	---	---	---	---	---
EW5	12/13/05	16.67	5.47	11.20	No	---	---	---	---	---	---	---	---
EW5	03/13/06	16.67	3.71	12.96	No	---	---	---	---	---	---	---	---
EW5	06/12/06	16.67	4.36	12.31	No	---	---	---	---	---	---	---	---
EW5	09/08/06	16.67	5.70	10.97	No	---	---	---	---	---	---	---	---
EW5	12/05/06	16.67	6.41	10.26	No	---	---	---	---	---	---	---	---
EW5	03/12/07	16.67	4.48	12.19	No	---	---	---	---	---	---	---	---
EW5	05/29/07	16.67	5.76	10.91	No	---	---	---	---	---	---	---	---
EW5	08/29/07	16.67	6.36	10.31	No	---	---	---	---	---	---	---	---
EW5	11/29/07	16.67	6.04	10.63	No	---	---	---	---	---	---	---	---
EW5	02/27/08	16.67	4.38	12.29	No	---	---	---	---	---	---	---	---
EW5	05/28/08	16.67	5.25	11.42	No	---	---	---	---	---	---	---	---

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Notes:	=	
TOC Elev.	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
NAPL	=	Non-aqueous phase liquid.
TPHd	=	Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the stated laboratory reporting limit.
---	=	Not analyzed/Not measured/Not sampled.
a	=	Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	=	Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	=	Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
d	=	Hydrocarbon pattern does not resemble the requested fuel.
e	=	Well inaccessible.
f	=	Analyte detected in laboratory method blank; result is suspect.
g	=	Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	=	Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	=	Elevated result due to single analyte peak(s) in the quantitation range.
j	=	Calibration verification recovery above the method control limit. A high bias may be indicated.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW1	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW1	06/16/00	Property transferred to Valero Refining Company.						
MW1	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW1	05/06/02	<0.50	<0.50	<0.50	297	<0.50	<0.50	---
MW1	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW1	03/01/04	<0.50	<0.50	<0.50	42.3	<0.50	<0.50	---
MW1	06/15/04	---	---	---	---	---	---	<100
MW1	09/13/04	---	---	---	---	---	---	---
MW1	12/22/04	---	---	---	---	---	---	---
MW1	03/24/05	<0.50	<0.50	<0.50	3,020	<0.50	<0.50	<50.0
MW1	06/14/05	<0.50	<0.50	<0.50	6,590	<0.50	<0.50	<50.0
MW1	09/12/05	<0.500	<0.500	<0.500	10,900	<0.500	<0.500	<50.0
MW1	12/13/05	<0.500	<0.500	<0.500	6,590h	<0.500	<0.500	<50.0
MW1	03/13/06	<50	<50	<50	15,000	<50	<50	---
MW1	06/12/06	<50	<50	<50	26,000	<50	<50	---
MW1	09/08/06	<25	<25	<25	22,000	<25	<25	---
MW1	12/05/06	<25	<25	<25	12,000	<25	<25	---
MW1	03/12/07	<100	<100	<100	9,000	<100	<100	---
MW1	05/29/07	<0.500	<0.500	1.11	12,100	<0.500	<0.500	---
MW1	08/29/07	<50	<50	<50	12,000	<50	<50	---
MW1	11/29/07	<50	<50	<50	11,000	<50	<50	---
MW1	02/27/08	<50	<50	<50	11,000	<50	<50	---
MW1	05/28/08	<0.500	<0.500	<25.0	14,100	<0.500	<0.500	---
MW2	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW2	06/16/00	Property transferred to Valero Refining Company.						
MW2	07/05/00 - 10/15/01	Not analyzed for these analytes.						
MW2	02/04/02	---	---	---	---	69	---	---
MW2	05/06/02	<0.50	<0.50	<0.50	44.8	252	<0.50	---
MW2	08/22/02	---	---	---	---	178	---	---
MW2	11/08/02	---	---	---	---	83	---	---
MW2	02/07/03	---	---	---	---	<50	---	---
MW2	05/02/03	---	---	---	---	56	---	---
MW2	08/14/03	---	---	---	---	62	---	---
MW2	11/14/03	---	---	---	---	132	---	---
MW2	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW2	06/15/04	---	---	---	---	---	---	<100
MW2	09/13/04	---	---	---	---	---	---	---
MW2	12/22/04	---	---	---	---	---	---	---
MW2	03/24/05	<0.50	<0.50	<0.50	37	<0.50	<0.50	<50.0
MW2	06/14/05	<0.50	1.90	<0.50	41.1	<0.50	<0.50	<50.0
MW2	09/12/05	<0.500	<0.500	<0.500	181	<0.500	<0.500	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW2	12/13/05	<0.500	<0.500	<0.500	159	<0.500	0.680	<50.0
MW2	03/13/06	<0.50	<0.50	<0.50	28	<0.50	<0.50	<100
MW2	06/12/06	<0.50	<0.50	<0.50	40	<0.50	<0.50	<100
MW2	09/08/06	<0.50	<0.50	<0.50	440	<0.50	<0.50	<100
MW2	12/05/06	<0.50	<0.50	<0.50	620	<0.50	0.51	<100
MW2	03/12/07	<0.50	<0.50	<0.50	290	<0.50	<0.50	<100
MW2	05/29/07	<0.500	<0.500	<0.500	235	<0.500	<0.500	<50.0
MW2	08/29/07	<0.50	<0.50	<0.50	900	<0.50	0.50	<100
MW2	11/29/07	<0.50	<0.50	<0.50	1,300	<0.50	0.66	<100
MW2	02/27/08	<0.50	<0.50	<0.50	83	<0.50	<0.50	<100
MW2	05/28/08	<0.500	<0.500	<0.500	60.6	<0.500	<0.500	<50.0
MW3	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW3	06/16/00	Property transferred to Valero Refining Company.						
MW3	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW3	05/06/02	<0.50	<0.50	<0.50	194.0	<0.50	<0.50	---
MW3	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW3	03/01/04	<0.50	<0.50	<0.50	3550.0	<0.50	<0.50	---
MW3	06/15/04	---	---	---	---	---	---	<100
MW3	09/13/04	---	---	---	---	---	---	---
MW3	12/22/04	---	---	---	---	---	---	---
MW3	03/24/05	<0.50	<0.50	<0.50	12,600	<0.50	<0.50	<50.0
MW3	06/14/05	<0.50	<0.50	<0.50	10,500	<0.50	<0.50	<50.0
MW3	09/12/05	<0.500	10.4	<0.500	16,100	<0.500	<0.500	<50.0
MW3	12/13/05	<0.500	5.04	<0.500	3,530h	<0.500	<0.500	<50.0
MW3	03/13/06	<0.50	<0.50	<0.50	12,000h	<0.50	<0.50	<100
MW3	06/12/06	<5.0	<5.0	<5.0	8,000	<5.0	<5.0	<1,000
MW3	09/08/06	<2.5	<2.5	<2.5	6,700	<2.5	<2.5	<500
MW3	12/05/06	<2.5	<2.5	<2.5	6,700	<2.5	<2.5	<500
MW3	03/12/07	<2.5	<2.5	<2.5	5,900	<2.5	<2.5	<500
MW3	05/29/07	<0.500	<0.500	<0.500	4,330	<0.500	<0.500	<50.0
MW3	08/29/07	<1.0	<1.0	<1.0	2,800	<1.0	<1.0	<200
MW3	11/29/07	<1.0	<1.0	<1.0	3,700	<1.0	<1.0	<200
MW3	02/27/08	<5.0	<5.0	<5.0	4,300	<5.0	<5.0	<1,000
MW3	05/28/08	<0.500	<0.500	<0.500	920	<0.500	<0.500	<50.0
MW4	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW4	06/16/00	Property transferred to Valero Refining Company.						
MW4	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW4	05/06/02	<0.50	<0.50	<0.50	499.0	0.8	<0.50	---
MW4	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW4	03/01/04	<0.50	<0.50	<0.50	1,780	<0.50	<0.50	---
MW4	06/15/04	---	---	---	---	---	---	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW4	09/13/04	---	---	---	---	---	---	---
MW4	12/22/04	---	---	---	---	---	---	---
MW4	03/24/05	<0.50	<0.50	<0.50	8,860	<0.50	<0.50	<50.0
MW4	06/14/05	<0.50	2.20	<0.50	5,890	<0.50	<0.50	<50.0
MW4	09/12/05	<0.500	<0.500	<0.500	7,230	<0.500	<0.500	<50.0
MW4	12/13/05	<0.500	3.49	<0.500	3,750g	<0.500	<0.500	<50.0
MW4	03/13/06	<0.50	<0.50	<0.50	2,000	<0.50	<0.50	<100
MW4	06/12/06	<0.50	<0.50	<0.50	740	<0.50	<0.50	<100
MW4	09/08/06	<0.50	<0.50	<0.50	2,800	<0.50	<0.50	<100
MW4	12/05/06	<0.50	<0.50	<0.50	3,900	<0.50	<0.50	<100
MW4	03/12/07	<1.0	<1.0	<1.0	2,800	<1.0	<1.0	<200
MW4	05/29/07	<0.500	<0.500	<0.500	1,350	<0.500	<0.500	<50.0
MW4	08/29/07	<0.50	<0.50	<0.50	940	<0.50	<0.50	<100
MW4	11/29/07	<0.50	<0.50	<0.50	810	<0.50	<0.50	<100
MW4	02/27/08	<0.50	<0.50	<0.50	220	<0.50	<0.50	<100
MW4	05/28/08	<0.500	<0.500	<0.500	107	<0.500	<0.500	<50.0
MW5	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW5	06/16/00	Property transferred to Valero Refining Company.						
MW5	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW5	05/06/02	<0.50	<0.50	<0.50	306	<0.50	3	---
MW5	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW5	03/01/04	<0.50	<0.50	<0.50	528	<0.50	1	---
MW5	06/15/04	---	---	---	---	---	---	<100
MW5	09/13/04	---	---	---	---	---	---	---
MW5	12/22/04	---	---	---	---	---	---	---
MW5	03/24/05	<0.50	<0.50	<0.50	1,560	<0.50	1.30	<50.0
MW5	06/14/05	<0.50	<0.50	<0.50	908	<0.50	1.70	<50.0
MW5	09/12/05	<0.500	13.6	<0.500	1,130	<0.500	<0.500	<50.0
MW5	12/13/05	<0.500	16.5	<0.500	878	<0.500	1.01	<50.0
MW5	03/13/06	<0.50	<0.50	<0.50	1,800h	<0.50	<0.50	<100
MW5	06/12/06	<2.5	<2.5	<2.5	800	<2.5	<2.5	<500
MW5	09/08/06	<2.5	<2.5	<2.5	79	<2.5	<2.5	<500
MW5	12/05/06	<0.50	<0.50	<0.50	230	<0.50	<0.50	<100
MW5	03/12/07	<0.50	<0.50	<0.50	290	<0.50	<0.50	<100
MW5	05/29/07	<0.500	<0.500	<0.500	171	<0.500	<0.500	<50.0
MW5	08/29/07	<0.50	<0.50	<0.50	190	<0.50	<0.50	<100
MW5	11/29/07	<0.50	<0.50	<0.50	110	<0.50	<0.50	<100
MW5	02/27/08	<0.50	<0.50	<0.50	78	<0.50	<0.50	<100
MW5	05/28/08	<0.500	<0.500	<0.500	68.3	<0.500	<0.500	<50.0
MW6	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW6	06/16/00	Property transferred to Valero Refining Company.						

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW6	05/06/02	<0.50	<0.50	<0.50	32	<0.50	<0.50	---
MW6	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW6	03/01/04	<0.50	<0.50	<0.50	2,000	<0.50	<0.50	---
MW6	06/15/04	---	---	---	---	---	---	<100
MW6	09/13/04	---	---	---	---	---	---	---
MW6	12/22/04	---	---	---	---	---	---	---
MW6	03/24/05	<0.50	<0.50	<0.50	14,700	<0.50	<0.50	<50.0
MW6	06/14/05	<0.50	<0.50	<0.50	22,800	<0.50	<0.50	<50.0
MW6	09/12/05	<0.500	<0.500	<0.500	15,400	<0.500	<0.500	<50.0
MW6	12/13/05	<0.500	<0.500	<0.500	5,640g	<0.500	<0.500	<50.0
MW6	03/13/06	<5.0	<5.0	<5.0	11,000	<5.0	<5.0	<1,000
MW6	06/12/06	<5.0	<5.0	<5.0	7,700	<5.0	<5.0	<1,000
MW6	09/08/06	<5.0	<5.0	<5.0	6,000	<5.0	<5.0	<1,000
MW6	12/05/06	<2.5	<2.5	<2.5	11,000	<2.5	<2.5	<500
MW6	03/12/07	<2.5	<2.5	<2.5	5,200	<2.5	<2.5	<500
MW6	05/29/07	<0.500	<0.500	<0.500	3,640	<0.500	<0.500	<50.0
MW6	08/29/07	<2.5	<2.5	<2.5	4,400	<2.5	<2.5	<500
MW6	11/29/07	<2.5	<2.5	<2.5	7,800	<2.5	<2.5	<500
MW6	02/27/08	<25	<25	<25	2,600	<25	<25	<5,000
MW6	05/28/08	<0.500	<0.500	<0.500	156	<0.500	<0.500	<50.0
MW7	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW7	06/16/00	Property transferred to Valero Refining Company.						
MW7	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW7	05/06/02	<0.50	<0.50	<0.50	144	<0.50	<0.50	---
MW7	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW7	03/01/04	<0.50	<0.50	<0.50	295	<0.50	<0.50	---
MW7	06/15/04	---	---	---	---	---	---	<100
MW7	09/13/04	---	---	---	---	---	---	---
MW7	12/22/04	---	---	---	---	---	---	---
MW7	03/24/05	<0.50	<0.50	<0.50	163	<0.50	<0.50	<50.0
MW7	06/14/05	<0.50	<0.50	<0.50	878	<0.50	<0.50	<50.0
MW7	09/12/05	<0.500	<0.500	<0.500	6,910	<0.500	<0.500	<50.0
MW7	12/13/05	<0.500	<0.500	<0.500	683	<0.500	<0.500	<50.0
MW7	03/13/06	<0.50	<0.50	<0.50	120	<0.50	<0.50	<100
MW7	06/12/06	<0.50	<0.50	<0.50	31	<0.50	<0.50	<100
MW7	09/08/06	<0.50	<0.50	<0.50	550	<0.50	<0.50	<100
MW7	12/05/06	<0.50	<0.50	<0.50	200	<0.50	<0.50	<100
MW7	03/12/07	<0.50	<0.50	<0.50	370	<0.50	<0.50	<100
MW7	05/29/07	<0.500	<0.500	<0.500	270	<0.500	<0.500	<50.0
MW7	08/29/07	<0.50	<0.50	<0.50	150	<0.50	<0.50	<100
MW7	11/29/07	<0.50	<0.50	<0.50	98	<0.50	<0.50	<100
MW7	02/27/08	<0.50	<0.50	<0.50	49	<0.50	<0.50	<100

**TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW7	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW8	09/12/94 - 01/13/99	Not analyzed for these analytes.						
MW8	04/28/99	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	07/09/99 - 04/14/00	Not analyzed for these analytes.						
MW8	06/16/00	Property transferred to Valero Refining Company.						
MW8	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW8	05/06/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW8	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW8	06/15/04	---	---	---	---	---	---	<100
MW8	09/13/04	---	---	---	---	---	---	---
MW8	12/22/04	---	---	---	---	---	---	---
MW8	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW8	06/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW8	09/12/05	<0.500	<0.500	<0.500	46.2	<0.500	<0.500	<50.0
MW8	12/13/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW8	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	06/12/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	09/08/06	<0.50	<0.50	<0.50	6.9	<0.50	<0.50	---
MW8	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	03/12/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW8	08/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW8	11/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW8	02/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW8	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW9	06/16/00	Property transferred to Valero Refining Company.						
MW9	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW9	05/06/02	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW9	03/01/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW9	06/15/04	---	---	---	---	---	---	<100
MW9	09/13/04	---	---	---	---	---	---	---
MW9	12/22/04	---	---	---	---	---	---	---
MW9	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9	06/14/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW9	09/12/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9	12/13/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW9	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	06/12/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW9	09/08/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	03/12/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW9	08/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9	11/29/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW9	02/27/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW9	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW10	09/12/94 - 10/08/97	Not analyzed for these analytes.						
MW10	12/12/97	Well destroyed.						
MW11	09/12/94 - 04/14/00	Not analyzed for these analytes.						
MW11	06/16/00	Property transferred to Valero Refining Company.						
MW11	07/05/00 - 02/04/02	Not analyzed for these analytes.						
MW11	05/06/02	<0.50	<0.50	<0.50	311	1.00	<0.50	---
MW11	08/22/02 - 11/14/03	Not analyzed for these analytes.						
MW11	03/01/04	<0.50	<0.50	<0.50	21	<0.50	<0.50	---
MW11	06/15/04	---	---	---	---	---	---	<100
MW11	09/13/04	---	---	---	---	---	---	---
MW11	12/22/04	---	---	---	---	---	---	---
MW11	03/24/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW11	06/14/05	<0.50	<0.50	<0.50	49.0	<0.50	<0.50	<50.0
MW11	09/12/05	<0.500	<0.500	<0.500	24.2	<0.500	<0.500	<50.0
MW11	12/13/05	<0.500	<0.500	<0.500	70.8	<0.500	<0.500	<50.0
MW11	03/13/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	06/12/06	<0.50	<0.50	<0.50	56	<0.50	<0.50	---
MW11	09/08/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	12/05/06	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW11	03/12/07	<0.50	<0.50	<0.50	45	<0.50	<0.50	---
MW11	05/29/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW11	08/29/07	<0.50	<0.50	<0.50	100	<0.50	<0.50	---
MW11	11/29/07	<0.50	<0.50	<0.50	110	<0.50	<0.50	---
MW11	02/27/08	<0.50	<0.50	<0.50	31	<0.50	<0.50	---
MW11	05/28/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW12	10/17/95 - 04/14/00	Not analyzed for these analytes.						
MW12	06/16/00	Property transferred to Valero Refining Company.						
MW12	07/05/00 - Present	Not analyzed for these analytes.						
EW1	09/12/94 - 04/14/00	Not analyzed for these analytes.						

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 70104
 1725 Park Street
 Alameda, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
EW1	06/16/00	Property transferred to Valero Refining Company.						
EW1	07/05/00 - Present	Not analyzed for these analytes.						
EW2	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW2	06/16/00	Property transferred to Valero Refining Company.						
EW2	07/05/00 - Present	Not analyzed for these analytes.						
EW3	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW3	06/16/00	Property transferred to Valero Refining Company.						
EW3	07/05/00 - Present	Not analyzed for these analytes.						
EW4	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW4	06/16/00	Property transferred to Valero Refining Company.						
EW4	07/05/00 - Present	Not analyzed for these analytes.						
EW5	09/12/94 - 04/14/00	Not analyzed for these analytes.						
EW5	06/16/00	Property transferred to Valero Refining Company.						
EW5	07/05/00 - Present	Not analyzed for these analytes.						

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Notes:	=	
TOC Elev.	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
NAPL	=	Non-aqueous phase liquid.
TPHd	=	Total petroleum hydrocarbons as diesel using EPA Method 5030/8015 (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the stated laboratory reporting limit.
---	=	Not analyzed/Not measured/Not sampled.
a	=	Total volatile hydrocarbons by DHS /LUFT Manual Method.
b	=	Results obtained from a 1:10 dilution analyzed on January 17, 1995.
c	=	Diesel-range hydrocarbons reportedly detected in bailer blank; result is suspect.
d	=	Hydrocarbon pattern does not resemble the requested fuel.
e	=	Well inaccessible.
f	=	Analyte detected in laboratory method blank; result is suspect.
g	=	Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
h	=	Initial analysis within holding time. Reanalysis for required dilution, confirmation, or QA/QC was past holding time.
i	=	Elevated result due to single analyte peak(s) in the quantitation range.
j	=	Calibration verification recovery above the method control limit. A high bias may be indicated.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Well Installation Date	Well Destruction Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW1 a	1988	---	17.29	NS	22	NS	4	NS	6-22	NS	NS	NS
MW2 a	1988	---	16.39	NS	16	NS	4	NS	3-15	NS	NS	NS
MW3 a	1988	---	17.02	NS	16	NS	4	NS	4-15	NS	NS	NS
MW4 a	1988	---	17.29	NS	21	NS	4	NS	4-19	NS	NS	NS
MW5 a	1988	---	16.64	NS	21	NS	4	NS	5-20	NS	NS	NS
MW6 a	1988	---	17.31	NS	21	NS	4	NS	5-20	NS	NS	NS
MW7 a	1988	---	17.06	NS	40	NS	4	NS	3-19	NS	NS	NS
MW8	05/05/93	---	16.24	8	21.5	19	2	PVC	5-19	0.020	3.5-19	#3 Sand
MW9	05/05/93	---	15.56	8	19	19	2	PVC	5-19	0.020	3.5-19	#3 Sand
MW10	NS	12/12/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW11b	1995	---	17.98	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
MW12b	1995	---	16.15	8	20	20	2	PVC	5-20	0.020	4-20	#3 Sand
EW1 a	Dec. 1991	---	16.27	NS	41	NS	4	NS	5-36	NS	NS	NS
EW2 a	Dec. 1991	---	16.07	NS	40	NS	NS	NS	5-35.5	NS	NS	NS
EW3 a	Dec. 1991	---	16.08	NS	40	NS	4	NS	5-35.5	NS	NS	NS
EW4 a	Dec. 1991	---	15.69	NS	40.5	NS	NS	NS	4-35.5	NS	NS	NS
EW5 a	Dec. 1991	---	16.67	NS	41	NS	4	NS	5-40	NS	NS	NS
SW1	11/10/93	---	NS	8	20.5	20	2	PVC	17.5-20	0.010	16-20	Pea Gravel

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70104
1725 Park Street
Alameda, California

Well ID	Well Installation Date	Well Destruction Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
SM1	11/10/93	---	NS	8	20.5	20	2	PVC	17.5-20	0.010	16-20	Pea Gravel
VW1	11/10/93	---	NS	8	7	7	2	PVC	4.5-7	0.020	4-7	#3 Sand
VW2	11/10/93	---	NS	8	7.5	7	2	PVC	4.5-7	0.020	4-7	#3 Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- PVC = Polyvinyl chloride.
- feet bgs = feet below ground surface.
- = Not measured.
- NS = Not specified.
- a = Boring logs unavailable; data obtained by using cross sections from ERI's Site Conceptual Model, dated August 2, 2002.
- b = Boring logs unavailable; data obtained from Delta Environmental's Proposed Additional Hydrogeologic Investigative Work, dated November 15, 1994; data are approximate values.

APPENDIX A

CORRESPONDENCE



RECEIVED
SEP 16 2008

BY:

ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

September 11, 2008

Jennifer Sedlachek
ExxonMobil
4096 Piedmont, Ave., #194
Oakland, CA 94611

Subject: Fuel Leak Case No. RO0000448 and Geotracker Global ID T0600100555, Exxon 7-0104, 1725 Park St., Alameda, CA

Dear Ms. Sedlachek:

Alameda County Environmental Health (ACEH) staff has reviewed case file for the site including the most recently submitted documents entitled *Groundwater Monitoring and Remediation Status Report, First Quarter 2008* dated May 12, 2008 and *Groundwater Monitoring and Remediation Status Report, Fourth Quarter 2007* dated March 14, 2008 prepared by Environmental Resolutions, Inc. (ERI). The groundwater monitoring and remediation reports detail the ongoing remediation activities and groundwater sampling that occur for the subject site and indicate that active groundwater extraction has reduced concentrations in wells MW-4 and MW-7 but may have increased them in downgradient well MW1. Current concentrations in well MW-1 are 2,700 micrograms per liter ($\mu\text{g/L}$) total petroleum hydrocarbons as gasoline (TPHg), $<25 \mu\text{g/L}$ benzene 3,600 $\mu\text{g/L}$ methyl tertiary butyl ether (MTBE) and 11,000 $\mu\text{g/L}$ tertiary butyl alcohol (TBA). In addition, there are no downgradient monitoring well to determine if contaminants are migrating downgradient of MW-4.

TECHNICAL COMMENTS

1. **Contaminant Migration in Groundwater.** It appears that contaminant concentrations have declined in well MW-4 and MW-7. However, petroleum hydrocarbon and oxygenate concentrations have increased in downgradient wells MW-1 and MW-5. This may be due to the active pumping from the extraction wells located at the edge of the property. MTBE and TBA concentrations of 3,600 $\mu\text{g/L}$ and 11,000 $\mu\text{g/L}$ are present in MW-1. There are currently no wells located downgradient of groundwater monitoring well MW-1 or extraction wells EW-1 or EW-2 since well MW-10 was destroyed in 1997. ACEH requests that you install a monitoring well downgradient of these wells. Please prepare a work plan to install a downgradient monitoring well network by the date requested below.
2. **Coordinated Groundwater Monitoring with the adjacent Property.** Please continue to perform coordinated groundwater monitoring events with the adjacent site at 1701 Park Street. They are expected to begin analyzing groundwater for TBA in the near future and install a groundwater treatment system at the site.

TECHNICAL REPORT REQUEST

Please submit technical reports to Alameda County Environmental Health (Attention: Barbara Jakub), according to the schedule presented below:

- **November 11, 2008 – Soil and Water Investigation Work Plan**

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

ACEH's Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of reports in electronic form. The electronic copy replaces paper copies and is expected to be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program FTP site are provided on the attached "Electronic Report Upload Instructions." Submission of reports to the Alameda County FTP site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for all groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitoring wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, these same reporting requirements were added to Spills, Leaks, Investigations, and Cleanup (SLIC) sites. Beginning July 1, 2005, electronic submittal of a complete copy of all reports for all sites is required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.swrcb.ca.gov/ust/electronic_submittal/report_rqmts.shtml).

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or

Ms. Jennifer Sedlachek
RO0000448
September 11, 2008, Page 3

certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND


Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 639-1287 or send me an electronic mail message at barbara.jakub@acgov.org.

Sincerely,



Barbara J. Jakub, P.G.
Hazardous Materials Specialist

Enclosures: ACEH Electronic Report Upload (ftp) Instructions

cc: Paula Sime, ERI, 601 N McDowell Blvd., Petaluma, CA 94954
Mr. Robert Ehlers, The Valero Companies, 685 West Third, Hanford, CA 93230
Mr. Edward Simas, Xtra Oil Corporation, 2307 Pacific Ave., Alameda, CA 94552
Mr. Paul King, P&D Environmental, 55 Santa Clara Ave., Oakland, CA 94610
Donna Drogos, ACEH
Barbara Jakub, ACEH
Stephen Plunkett, ACEH
File

Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC)	ISSUE DATE: July 5, 2005
	REVISION DATE: December 16, 2005
	PREVIOUS REVISIONS: October 31, 2005
SECTION: Miscellaneous Administrative Topics & Procedures	SUBJECT: Electronic Report Upload (ftp) Instructions

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities.

REQUIREMENTS

- Entire report including cover letter must be submitted to the ftp site as a **single portable document format (PDF) with no password protection**. (Please do not submit reports as attachments to electronic mail.)
- It is **preferable** that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- Signature pages and perjury statements **must** be included and have either original or electronic signature.
- **Do not password protect the document**. Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. **Documents with password protection will not be accepted.**
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:
RO#_Report Name_Year-Month-Date (e.g., RO#5555_WorkPlan_2005-06-14)

Additional Recommendations

- A separate copy of the tables in the document should be submitted by e-mail to your Caseworker in **Excel** format. These are for use by assigned Caseworker only.

Submission Instructions

1) Obtain User Name and Password:

- a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
 - i) Send an e-mail to dehloptoxic@acgov.org
or
 - ii) Send a fax on company letterhead to (510) 337-9335, to the attention of Alicia Lam-Finneke.
- b) In the subject line of your request, be sure to include **"ftp PASSWORD REQUEST"** and in the body of your request, include the **Contact Information, Site Addresses, and the Case Numbers (RO# available in Geotracker) you will be posting for.**

2) Upload Files to the ftp Site

- a) Using Internet Explorer (IE4+), go to <ftp://alcoftp1.acgov.org>
 - (i) Note: Netscape and Firefox browsers will not open the FTP site.
- b) Click on File, then on Login As.
- c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
- d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
- e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.

3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs

- a) Send email to dehloptoxic@acgov.org notify us that you have placed a report on our ftp site.
- b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name at acgov.org. (e.g., firstname.lastname@acgov.org)
- c) The subject line of the e-mail must start with the RO# followed by **Report Upload**. (e.g., Subject: RO1234 Report Upload)

APPENDIX B

FIELD PROTOCOL

FIELD PROTOCOL

Site Safety Plan

Field work will be performed by ERI personnel in accordance with a Site Safety Plan developed for the site. This SSP describes the basic safety requirements for the subsurface investigation and the drilling of soil borings at the work site. SSP applies to ERI personnel and subcontractors. Personnel at the site are informed of the contents of the SSP prior to beginning work. A copy of the SSP is kept at the work site and is available for reference during the work. The ERI geologist oversees health and safety operations during field work.

Soil Borings and Sampling

Prior to the drilling of soil borings, ERI will acquire necessary permits from the appropriate agencies. ERI also contacts Underground Service Alert (USA) and a private underground utility locator (per ExxonMobil protocol) before drilling to help locate utility lines at the site. ERI will clear the proposed locations to a depth of approximately 4 or 8 feet (depending on the location), before drilling to reduce the risk of damaging underground structures.

Drilling will be performed using a hollow-stem auger drill rig. Drill rods and sampling equipment will be steam-cleaned before use and between borings to minimize the possibility of crosshole contamination. The rinsate will be containerized and stored on site. ERI will coordinate with ExxonMobil for appropriate disposal of the rinsate.

Drilling will be performed under the observation of a field geologist, and the earth materials in the boring will be identified using visual and manual methods, and classified as drilling progresses using the Unified Soil Classification System.

During drilling, soil samples will be collected at five-foot intervals and continuously across anticipated screen intervals. Samples will be collected with a California-modified, split-spoon sampler equipped with laboratory-cleaned brass sleeves. Samples will be collected by advancing the auger to a point just above the sampling depth and driving the sampler into the soil. The sampler will be driven 18 inches with a standard 140-pound hammer repeatedly dropped 30 inches. The number of blows required to drive the sampler each successive 6-inch interval will be counted and recorded to give an indication of soil consistency.

Soil samples will be monitored with a photo-ionization detector (PID), which measures hydrocarbon concentrations in the ambient air or headspace above the soil sample. Field instruments such as the PID are useful for indicating relative levels of hydrocarbon vapors, but do not detect concentrations of hydrocarbons with the same precision as laboratory analyses. Soil samples selected for possible chemical analysis will be sealed promptly with Teflon® tape and plastic caps. Select soil samples may be collected using EPA Method 5035. The samples will be labeled and placed in iced storage for transport to the laboratory. Chain-of-Custody records will be initiated by the geologist in the field, updated throughout handling of the samples, and sent with the samples to the laboratory. Copies of these records will be in the final report. Cuttings generated during drilling will be placed on plastic sheeting and covered and left at the site. ERI will coordinate with ExxonMobil for the soil to be removed to an appropriate disposal facility.

Monitoring or Recovery Well Construction

Monitoring or recovery wells are constructed in borings using thread-jointed, 2-inch to 6-inch inner diameter, Schedule 40 polyvinyl chloride (PVC) casing. No chemical cements, glues, or solvents are used in well construction. The screened portion of each well consists of factory-perforated, wire-wrapped, or continuously spiral slotted casing with 0.010- to 0.020-inch wide slots. Unperforated casing is installed from the top of each screen to the ground surface. The annular space in the well is packed with sand to approximately 1 to 2 feet above the slotted interval. A bentonite plug is added above the sand pack to prevent cement from entering the well pack. The remaining annulus is backfilled to grade with a slurry of Portland cement.

The monitoring wells are protected with a traffic-rated utility box equipped. The box has a watertight seal to protect against surface-water infiltration. The design of this box discourages vandalism and reduces the possibility of accidental disturbance of the well.

Well Development

ERI will wait a minimum of 24 hours before development of the monitoring wells to allow the grout to cure. Initially, a water sample is collected for subjective analysis before development of the monitoring wells. This sample is collected from near the water surface in the well with a pre-cleaned Teflon® bailer. The wells are developed with a surge block and pump. Well development continues until the discharge water is clear of silt and sand, typically approximately 10 casing volumes. Clay-size sediments derived from the screened portion of the formation cannot be eliminated by well development. ERI coordinates with Exxon Mobil for disposal of the purged water.