#### **RECEIVED**

1:25 pm, Oct 12, 2009

Alameda County Environmental Health



October 5, 2009

Barbara Jakub Alameda County Health Agency 1131 Harbor Bay parkway, Suite250 Alameda, California 94502-577

Re:

Quarterly Summary Report—Third Quarter 2009 Former 76 Service Station # 0843 RO # 0450 1629 Webster Street Alameda, CA

Dear Ms. Jakub:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,

Terry L. Grayson Site Manager

Risk Management & Remediation

October 8, 2009

Ms. Barbara Jakub Alameda County Health Agency 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502

Re: Quarterly Summary Report – Third Quarter 2009
Fuel Leak Case No. RO0000450

Dear Ms. Jakub:

DELTA

On behalf of ConocoPhillips Company (COP), Delta Consultants (Delta) is submitting the Quarterly Summary Report - Third Quarter 2009, and forwarding a copy of TRC Solutions, Inc. (TRC's) Quarterly Monitoring Report, July through September 2009, dated September 28, 2009, for the following location:

#### **Service Station**

Location

76 Service Station No. 0843

1629 Webster Street Alameda, California

Sincerely, **Delta Consultants** 

om & B. Bangara

James B. Barnard, P.G.

California Registered Professional Geologist No. 7478

cc: Mr. Terry Grayson, ConocoPhillips (electronic copy)



#### QUARTERLY SUMMARY REPORT Third Quarter 2009

76 Service Station No. 0843 1629 Webster Street Alameda, California

#### **PREVIOUS ASSESSMENT**

June 1998 - Tosco Marketing Company (Tosco, now ConocoPhillips) exhumed and removed two 10,000-gallon gasoline underground storage tanks (USTs), one 550-gallon used oil UST, product lines, and fuel dispensers. Two holes approximately ¾-inch in diameter were observed in the used oil tank during removal. Approximately 338 tons of hydrocarbon impacted soil and backfill were removed from beneath the former USTs, fuel dispensers, and product lines during the UST removal activities.

<u>March 1999</u> – Four soil borings (B1 through B4) were advanced at the site and converted to monitor wells MW-1 through MW-4. Groundwater was encountered from 8 to 15 feet below ground surface (bgs). Static groundwater was observed at depths ranging from 4 and 6 feet bgs subsequent to well installation.

<u>December 1999</u> – Two off-site soil borings (B5 and B6) were advanced and subsequently converted to monitor wells MW-5 and MW-6. Groundwater was initially present at approximately 10 feet bgs. Static groundwater was observed at a depth of approximately 7 feet bgs subsequent to well installation.

<u>March 2001</u> - An underground utility survey was conducted to identify and locate underground utilities beneath and in the vicinity of the site that could provide potential preferential pathways for groundwater flow.

<u>May 2001</u> - Five direct-push soil borings (GP-1 through GP-5) were advanced to evaluate whether underground utilities in the vicinity of the site are providing preferential pathways for groundwater flow and the migration of dissolved phase hydrocarbons. The results of the investigation indicated insufficient evidence that underground utility lines were providing preferential pathways for the off-site migration of dissolved phase hydrocarbons.

<u>December 2001</u> - Twelve direct-push soil borings (GP-6 through GP-17) were advanced to further assess the extent of residual hydrocarbons in the vadose zone beneath the site. The results of the investigation indicated that the extent of the residual hydrocarbon impact reported in the previous investigations was limited.

<u>December 2002</u> - One on-site monitoring well (MW-2) was destroyed during remedial excavation of hydrocarbon-impacted soil. Prior to destruction, monitoring well MW-2 was located near the former eastern dispenser island. During the remedial excavation, monitoring well MW-2 was replaced with on-site backfill monitoring well MW-2A. Approximately 292 tons of hydrocarbon-impacted soil was removed from beneath the former eastern dispenser island.

Former 76 Service Station No. 0843

<u>September 2003</u> - A *Request and Work Plan for Closure* prepared by ERI was submitted to the Alameda County Health Care Services Agency (ACHCSA), dated September 10, 2003. The report summarized why no further action is needed for the site; the report also included plans to destroy the existing wells upon regulatory acceptance for no further action. Closure was not granted.

<u>June 2004</u> – A work plan was submitted for the installation of two additional monitor wells down-gradient of MW-5.

<u>May 2005</u> – A work plan titled *Work Plan Addendum – Site Assessment Activity* dated May 17, 2005 was prepared by ATC Associates Inc. (ATC) for the installation of two offsite monitor wells.

<u>September 2005</u> – A work plan was prepared by ATC titled *Work Plan Subsurface Investigation*, for the installation of one on-site monitor well.

<u>September 2005</u> – Site environmental consulting responsibilities were transferred to Delta.

On January 24, 2007 Delta submitted a work plan to the ACHCSA recommending the advancement of one soil boring and the installation of three ozone injection wells at the site.

On August 14, 2008 Gregg Drilling under the supervision of a Delta field geologist advanced one soil boring to a depth of 55 feet bgs. The details of this investigation are described in the *Site Investigation Report* dated October 29, 2008.

In May 2009, as proposed in Delta's Work Plan *Site Investigation and Well Installations*, dated March 16, 2009, a total of seven groundwater monitoring wells (MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, MW-11) and one injection point well (TSP-1) were installed at the site. One onsite monitoring well (MW-2A) was also abandoned. Results of this investigation are presented in the *Site Investigation and Well Installation Report*, dated July 9, 2009.

#### **SENSITIVE RECEPTORS**

<u>June/July 2002</u> - A groundwater receptor survey was conducted. Three irrigation wells were located within a one-half mile radius of the site. The wells are located approximately 1,980 feet west and 2,245 feet southwest of the site, cross-gradient and up-gradient of the site.

November 2006 – A survey entailing a visit to the DWR office in Sacramento was conducted to examine well log records and to identify domestic wells within the survey area. The DWR survey provided 15 potential receptors within one mile of the site; one domestic well located 0.5 mile southwest of the site; one domestic/irrigation well located 0.7 mile southeast of the site; 11 irrigation wells with three located 0.1 mile northwest, west, and southeast of the site; and two industrial wells located 0.3 miles southwest and 0.9 mile northeast of the site.

#### GROUNDWATER MONITORING AND SAMPLING

Quarterly groundwater monitoring and sampling was initiated in March 1999. Seven new monitoring wells (MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, and MW-11 were installed onsite during the Second Quarter 2009, and were subsequently incorporated into TRC's Second Quarter 2009 Monitoring and Sampling program. Since The second quarter, twelve points have been gauged and sampled.

During the most recent groundwater monitoring and sampling event conducted on September 14, 2009, depth to groundwater ranged from 6.29 feet (MW-5) to 7.83 (MW-1AR) below top of casing (TOC). The groundwater flow direction was interpreted to be to the northeast with a gradient of 0.005 foot per foot (ft/ft) as compared to the previous quarterly sampling event (05/28/09) when the groundwater flow direction was interpreted to be to the east, with a gradient of 0.02 ft/ft. Historic groundwater flow directions are shown on a rose diagram presented as Attachment B.

#### **Constituents of Concern:**

- **TPHg:** Total purgeable petroleum hydrocarbons (as gasoline), were above the laboratory's indicated reporting limits in eight of the twelve groundwater samples collected and submitted for analysis, with a maximum concentration of 11,000 micrograms per liter (μg/L) in MW-11. During the previous sampling event (5/28/2009), TPHg was (again) above the laboratory's indicated reporting limits in nine of the twelve wells sampled with a maximum concentration of 1,200 in MW-9.
- **Benzene:** Benzene was not reported above the laboratory's indicated reporting limits in any of the twelve wells sampled during the current event. These results are consistent with the previous (05/28/09) sampling event.
- MTBE: MTBE was above the laboratory's indicated reporting limits in nine of the twelve wells samples, with a maximum concentration of 18,000 µg/L in well MW-11. During the previous sampling event (05/28/2009), MTBE was above the laboratory's indicated reporting limits in nine of the twelve wells sampled with a maximum concentration of 15,000 µg/L in both wells MW-7 and MW-11.

Toluene, Ethylbenzene, and Total Xylenes were all below laboratory indicated reporting limits in all twelve of the wells sampled during this event. During previous sampling event (5/28/09), Ethylbenzene and Total Xylenes were above laboratory indicated reporting limits in two of the twelve sampled wells with maximum concentrations of 1.4 µg/L (MW-7), and 15 (MW-9), respectively. Toluene was below laboratory indicated reporting limits during the previous sampling event.

#### **REMEDIATION STATUS**

Approximately 338 tons of hydrocarbon impacted soil and backfill were removed from beneath the former USTs, fuel dispensers, and product lines during the June 1998 UST removal activities. Approximately 292 tons of hydrocarbon-impacted soil was removed from beneath the former eastern island during the December 2002 excavation.

#### **CHARACTERIZATION STATUS**

Based on the data obtained during the August 2008 site investigation, additional assessment was recommended in the vicinity between monitoring well MW-2A, and monitoring well MW-1, and in the northeast corner of the site along the intersection of Pacific and Webster streets. Analytical data from groundwater samples collected from the Shell service station located approximately 75 feet south (up-gradient) of the site indicate that TPPH and MTBE are present in the groundwater and it appears that MW-1 is showing petroleum hydrocarbon impact from the off-site migration of these constituents onto the site.

Additional site investigation ensued in May 2009, pursuant to the ACDPEH-Approved *Workplan for Additional Assessment*, prepared and submitted by Delta. Results of this investigation are presented in the *Site Investigation and Well Installation Report*, dated July 9, 2009.

#### DISCUSSION

Groundwater monitoring and sampling of the seven new monitoring wells began during the Second Quarter 2009.

During the Third Quarter 2009, Delta proceeded with the proposed ozone injection feasibility testing event. Daily injections, lasting the course of four weeks led to the collection of data which indicates that:

#### RECENT CORRESPONDENCE

During the first quarter 2009, Alameda County Health Department (ACDH) acknowledged in a letter dated March 6, 2009, receipt of the Work Plan – Site Investigation and Monitoring Well Installation submitted by Delta dated March 16, 2009. The Work Plan was approved by ACDH on April 9, 2009.

#### WASTE DISPOSAL SUMMARY

Waste generated during the feasibility testing was removed from site and properly disposed of at a COP-approved facility.

#### THIS QUARTER ACTIVITIES (Third Quarter 2009)

- 1. TRC conducted the quarterly monitoring and sampling activities at the site on September 14, 2009.
- 2. During a four week period from August 10, 2009 to September 4, 2009, Integral, with oversight by Delta, performed a daily ozone injection feasibility test. Confirmation groundwater samples were collected by TRC on September 14, 2009 as part of the regularly scheduled third quarter 2009 monitoring and sampling event. The *Ozone Injection Feasibility Testing Report* was submitted to the Alameda County Health Agency on September 30, 2009.

#### **NEXT QUARTER ACTIVITIES (Fourth Quarter 2009)**

- 1. TRC will conduct quarterly groundwater monitoring and sampling activities at the site.
- 2. Delta will prepare and submit the quarterly summary report.


**CONSULTANT:** Delta Consultants

Attachment A – Historic Groundwater Flow Directions

#### Attachment A Historic Groundwater Flow Directions

#### Historic Groundwater Flow Directions ConocoPhillips Site No. 0843

1629 Webster Street Alameda, California N



Legend Concentric circles represent quarterly monitoring events First Quarter 1999 through Third Quarter 2009 41 data points shown





21 Technology Drive Irvine, CA 92618

949.727.9336 PHONE 949.727.7399 FAX

www.TRCsolutions.com

DATE:

September 28, 2009

TO:

ConocoPhillips Company

76 Broadway

Sacramento, CA 95818

ATTN:

MR. TERRY GRAYSON

SITE:

FORMER 76 STATION 0843

1629 WEBSTER STREET ALAMEDA, CALIFORNIA

RE:

QUARTERLY MONITORING REPORT

JULY THROUGH SEPTEMBER 2009

Dear Mr. Grayson:

Please find enclosed our Quarterly Monitoring Report for Former 76 Station 0843, located at 1629 Webster Street, Alameda, California If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan /

Groundwater Program Operations Manager

CC: Mr. James Barnard, Delta Consultants (2 copies)

Enclosures

20-0400/0843R25 QMS

#### QUARTERLY MONITORING REPORT JULY THROUGH SEPTEMBER 2009

FORMER 76 STATION 0843 1629 Webster Street Alameda, California

Prepared For:

Mr. Terry Grayson CONOCOPHILLIPS COMPANY 76 Broadway Sacramento, California 95818

By:

Senior Project Geologist, Irvine Operations


Date: <u>9/26/09</u>



|                           | LIST OF ATTACHMENTS   |
|---------------------------|---|
| Summary Sheet             | Summary of Gauging and Sampling Activities  |
| Tables                    | Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 1b: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results Table 2b: Additional Historic Analytical Results |
| Coordinated<br>Event Data | Shell Service Station (Not Provided this Quarter)   |
| Figures                   | Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map Figure 6: Dissolved-Phase TBA Concentration Map   |
| Graphs                    | Groundwater Elevations vs. Time Benzene Concentrations vs. Time   |
| Field Activities          | General Field Procedures Field Monitoring Data Sheets – 09/14/09 Groundwater Sampling Field Notes – 09/14/09  |
| Laboratory<br>Reports     | Official Laboratory Reports Quality Control Reports Chain of Custody Records  |
| Disposal<br>Documents     | Disposal/Treatment Manifests – Current (Pending)  |
| Statements                | Limitations   |

# Summary of Gauging and Sampling Activities July 2009 through September 2009 Former 76 Station 0843 1629 Webster Street Alameda, CA

| Project Coordinator: <b>Terry Grayson</b> Telephone: <b>916-558-7666</b>   | Water Sampling Contractor: <i>TRC</i> Compiled by: <b>Christina Carrillo</b> |
|--|--|
| Date(s) of Gauging/Sampling Event: 09/14/09  | Complica by: Christina Carrino   |
| Sample Points  |  |
| Groundwater wells: 10 onsite, 2 offsite Purging method: Submersible pump Purge water disposal: Crosby and Overton trea Other Sample Points: 0 Type:  | Points gauged: 12 Points sampled: 12 tment facility                          |
| Liquid Phase Hydrocarbons (LPH)  |  |
| Sample Points with LPH: <b>0</b> Maximum thickness LPH removal frequency: Treatment or disposal of water/LPH:  | s (feet):<br>Method:   |
| Hydrogeologic Parameters   |  |
| Average groundwater elevation (relative to available Average change in groundwater elevation since presented groundwater gradient and flow direction Current event: 0.005 ft/ft, northeast Previous event: 0.02 ft/ft, east (05/28/09) | evious event: -0.71 feet<br>n:   |
| Selected Laboratory Results Sample Points with detected Benzene: 0   | Sample Points above MCL (1.0 µg/l):  |
| Sample Points with detected <b>Benzene: 0</b> Maximum reported benzene concentration:  | Sample Points above MCL (1.0 µg/1)   |
| Sample Points with TPH-G by GC/MS 9 Sample Points with MTBE 8260B 9  | Maximum: 11,000 μg/l (MW-11)  Maximum: 18,000 μg/l (MW-11)                   |
| Notes:   |  |



#### TABLE KEY

#### **STANDARD ABBREVIATIONS**

-- = not analyzed, measured, or collected

LPH = liquid-phase hydrocarbons Trace = less than 0.01 foot of LPH in well

μg/l = micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l = milligrams per liter (approx. equivalent to parts per million, ppm)

ND< = not detected at or above laboratory detection limit TOC = top of casing (surveyed reference elevation)

D = duplicate

P = no-purge sample

#### **ANALYTES**

BTEX = benzene, toluene, ethylbenzene, and (total) xylenes

DIPE = di-isopropyl ether

ETBE = ethyl tertiary butyl ether

MTBE = methyl tertiary butyl ether

PCB = polychlorinated biphenyls

PCE = tetrachloroethene
TBA = tertiary butyl alcohol
TCA = trichloroethane
TCE = trichloroethene

TPH-G = total petroleum hydrocarbons with gasoline distinction

TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B

TPH-D = total petroleum hydrocarbons with diesel distinction

TRPH = total recoverable petroleum hydrocarbons

TAME = tertiary amyl methyl ether

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane (same as EDC, ethylene dichloride)

1,1-DCE = 1,1-dichloroethene

1,2-DCE = 1,2-dichloroethene (cis- and trans-)

#### NOTES

- 1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
- 2. Groundwater elevations for wells with LPH are calculated as: <u>Surface Elevation Measured Depth to Water + (Dp x LPH Thickness)</u>, where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
- 3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
- 4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
- 5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
- 6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
- 7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.

#### REFERENCE

TRC began groundwater monitoring and sampling for Former 76 Station 0843 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

#### Contents of Tables 1 and 2 Site: Former 76 Station 0843

| Current | Event |
|---------|-------|
|---------|-------|

| Table 1  | Well/<br>Date | Depth to<br>Water    | LPH<br>Thickness             | Ground-<br>water<br>Elevation   | Change in<br>Elevation       | TPH-G<br>8015                     | TPH-G<br>(GC/MS)                 | Benzene                           | Toluene                          | Ethyl-<br>benzene | Total<br>Xylenes         | MTBE<br>(8021B)      | MTBE<br>(8260B)           |
|----------|---------------|----------------------|------------------------------|---------------------------------|------------------------------|-----------------------------------|----------------------------------|-----------------------------------|----------------------------------|-------------------|--------------------------|----------------------|---------------------------|
| Table 1a | Well/<br>Date | TBA                  | Ethanol<br>(8260B)           | DIPE                            | ETBE                         | TAME                              | Carbon<br>(organic,<br>total)    | Chromium<br>VI                    | Chromium<br>(total)              | Iron<br>Ferrous   | Manganese<br>(dissolved) | Manganese<br>(total) | Nitrogen<br>as<br>Nitrate |
| Table 1b | Well/<br>Date | Sulfate              | Dissolved<br>Oxygen<br>(Lab) | Redox<br>Potential<br>(ORP-Lab) | Specific<br>Con-<br>ductance | Post-purge<br>Dissolved<br>Oxygen | Pre-purge<br>Dissolved<br>Oxygen | Pre-purge<br>ORP                  | Post-purge<br>ORP                |                   |                          |                      |                           |
| Historic | Data          |                      |                              |                                 |                              |                                   |                                  |                                   |                                  |                   |                          |                      |                           |
| Table 2  | Well/<br>Date | Depth to<br>Water    | LPH<br>Thickness             | Ground-<br>water<br>Elevation   | Change in<br>Elevation       | TPH-G<br>8015                     | TPH-G<br>(GC/MS)                 | Benzene                           | Toluene                          | Ethyl-<br>benzene | Total<br>Xylenes         | MTBE<br>(8021B)      | MTBE<br>(8260B)           |
| Table 2a | Well/<br>Date | TBA                  | Ethanol<br>(8260B)           | Ethylene-<br>dibromide<br>(EDB) | 1,2-DCA<br>(EDC)             | DIPE                              | ETBE                             | TAME                              | Carbon<br>(organic,<br>total)    | Chromium<br>VI    | Chromium<br>(total)      | Iron<br>Ferrous      | Manganese<br>(dissolved)  |
| Table 2b | Well/<br>Date | Manganese<br>(total) | Nitrogen<br>as<br>Nitrate    | Sulfate                         | Dissolved<br>Oxygen<br>(Lab) | Redox<br>Potential<br>(ORP-Lab)   | Specific<br>Con-<br>ductance     | Post-purge<br>Dissolved<br>Oxygen | Pre-purge<br>Dissolved<br>Oxygen | Pre-purge<br>ORP  | Post-purge<br>ORP        |                      |                           |

#### Table 1 CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS **September 14, 2009**

#### Former 76 Station 0843

| Date    | TOC       | Depth to | LPH       |             | Change in    |             |             |             |             |             |             |             |             | Comments |
|---------|-----------|----------|-----------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|
| Sampled | Elevation | Water    | Thickness |             | Elevation    | TPH-G       | TPH-G       |             |             | Ethyl-      | Total       | MTBE        | MTBE        |          |
|         |           |          |           | Elevation   |              | 8015        | (GC/MS)     | Benzene     | Toluene     | benzene     | Xylenes     | (8021B)     | (8260B)     |          |
|         | (feet)    | (feet)   | (feet)    | (feet)      | (feet)       | $(\mu g/l)$ |          |
| MW-1    |           |          | (Scree    | en Interval | in feet: 4.5 | -20.5)      |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 19.13   | 7.60     | 0.00      | 11.53       | -1.14        |             | 1700        | ND<5.0      | ND<5.0      | ND<5.0      | ND<10       |             | 2100        |          |
| MW-1AR  |           |          | (Scree    | en Interval | in feet: 25- | 30)         |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 19.29   | 7.83     | 0.00      | 11.46       | -0.58        |             | 480         | ND<1.0      | ND<1.0      | ND<1.0      | ND<2.0      |             | 890         |          |
| MW-1BR  |           |          | (Scree    | en Interval | in feet: 30- | 35)         |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 19.13   | 7.80     | 0.00      | 11.33       | -1.10        |             | 450         | ND<1.0      | ND<1.0      | ND<1.0      | ND<2.0      |             | 680         |          |
| MW-3    |           |          | (Scree    | en Interval | in feet: 5.0 | -20.0)      |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 18.05   | 6.88     | 0.00      | 11.17       | -1.24        |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0      |             | ND<0.50     |          |
| MW-4    |           |          | (Scree    | en Interval | in feet: 5.0 | -20.5)      |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 18.14   | 6.76     | 0.00      | 11.38       | -1.06        |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0      |             | ND<0.50     |          |
| MW-5    |           |          | (Scree    | en Interval | in feet: 5-2 | 0)          |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 16.45   | 6.29     | 0.00      | 10.16       | -1.17        |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0      |             | ND<0.50     |          |
| MW-6    |           |          | (Scree    | en Interval | in feet: 5-2 | 0)          |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 16.97   | 6.30     | 0.00      | 10.67       | -1.04        |             | 230         | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0      |             | 310         |          |
| MW-7    |           |          | (Scree    | en Interval | in feet: 25- | 30)         |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 17.81   | 6.77     | 0.00      | 11.04       | 1.52         |             | 7900        | ND<25       | ND<25       | ND<25       | ND<50       |             | 15000       |          |
| MW-8    |           |          | (Scree    | en Interval | in feet: 25- | 30)         |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 18.13   | 6.97     | 0.00      | 11.16       | 0.45         |             | 3500        | ND<25       | ND<25       | ND<25       | ND<50       |             | 5600        |          |
| MW-9    |           |          | (Scree    | en Interval | in feet: 20- | 25)         |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 18.75   | 7.36     | 0.00      | 11.39       | -1.12        |             | 280         | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0      |             | 390         |          |
| MW-10   |           |          | (Scree    | en Interval | in feet: 25- | 30)         |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 18.84   | 7.50     | 0.00      | 11.34       | -0.81        |             | 3300        | ND<6.2      | ND<6.2      | ND<6.2      | ND<12       |             | 4900        |          |
| MW-11   |           |          |           |             | in feet: 25- | 30)         |             |             |             |             |             |             |             |          |
| 09/14/0 | 9 18.72   | 7.45     | 0.00      | 11.27       | -1.27        |             | 11000       | ND<25       | ND<25       | ND<25       | ND<50       |             | 18000       |          |
| 0843    |           |          |           |             |              |             |             | Page        | 1 of 1      |             |             |             |             | @TRC     |

Table 1 a ADDITIONAL CURRENT ANALYTICAL RESULTS Former 76 Station 0843

| Date                 |        |          |           |           |           | Carbon      |          |          |           |             |           | Nitrogen |
|----------------------|--------|----------|-----------|-----------|-----------|-------------|----------|----------|-----------|-------------|-----------|----------|
| Sampled              | TTD 4  | Ethanol  | DIDE      | EEDE      | T         | (organic,   | Chromium | Chromium | Iron      | Manganese   | Manganese | as       |
|                      | TBA    | (8260B)  | DIPE      | ETBE      | TAME      | total)      | VI       | (total)  | Ferrous   | (dissolved) | (total)   | Nitrate  |
|                      | (µg/l) | (µg/l)   | (µg/l)    | (µg/l)    | (µg/l)    | (mg/l)      | (µg/l)   | (µg/l)   | (µg/l)    | (μg/l)      | (µg/l)    | (mg/l)   |
| MW-1                 |        |          |           |           |           |             |          |          |           |             |           |          |
| 09/14/09             | ND<100 | ND<2500  | ND<5.0    | ND<5.0    | ND<5.0    | 1.4         | 2.2      | 220      | ND<100    | 3.7         | 1600      | 11       |
| MW-1AR               |        |          |           |           |           |             |          |          |           |             |           |          |
| 09/14/09             | 110    | ND<500   | ND<1.0    | ND<1.0    | ND<1.0    | 4.5         | ND<2.0   | 170      | 2500      | 570         | 830       | 17       |
| MW-1BR               |        |          |           |           |           |             |          |          |           |             |           |          |
| 09/14/09             | 33     | ND<500   | ND<1.0    | ND<1.0    | 1.9       | 3.7         | ND<2.0   | 250      | ND<500    | 230         | 930       | 17       |
|                      |        |          |           |           |           |             |          |          |           |             |           |          |
| <b>MW-3</b> 09/14/09 | ND<10  | ND<250   | ND<0.50   | ND<0.50   | ND<0.50   |             |          |          |           |             |           |          |
| 09/14/09             | ND<10  | ND<230   | 112 (0.00 | 112 10.00 | 112 10.00 |             |          |          |           |             |           |          |
| MW-4                 | NTD 10 | ND 250   | ND 40.50  | ND -0.50  | NID +0.50 |             |          |          |           |             |           |          |
| 09/14/09             | ND<10  | ND<250   | ND<0.50   | ND<0.50   | ND<0.50   |             |          |          |           |             |           |          |
| MW-5                 |        |          |           |           |           |             |          |          |           |             |           |          |
| 09/14/09             | ND<10  | ND<250   | ND<0.50   | ND<0.50   | ND<0.50   |             |          |          |           |             |           |          |
| MW-6                 |        |          |           |           |           |             |          |          |           |             |           |          |
| 09/14/09             | 23     | ND<250   | ND<0.50   | ND<0.50   | ND<0.50   |             |          |          |           |             |           |          |
| MW-7                 |        |          |           |           |           |             |          |          |           |             |           |          |
| 09/14/09             | 680    | ND<12000 | ND<25     | ND<25     | ND<25     | 9.8         | ND<2.0   | 76       | 3200      | 2000        | 2200      | 4.2      |
| MW-8                 |        |          |           |           |           |             |          |          |           |             |           |          |
| 09/14/09             | ND<500 | ND<12000 | ND<25     | ND<25     | ND<25     | 14          | ND<2.0   | 60       | 480       | 1000        | 1300      | 7.7      |
|                      |        |          |           |           |           |             |          |          |           |             |           |          |
| <b>MW-9</b> 09/14/09 | 24     | ND<250   | ND<0.50   | ND<0.50   | ND<0.50   | 3.0         | ND<2.0   | 520      | ND<1000   | 180         | 4700      | 5.0      |
|                      | 24     | ND<230   | 112 (0.00 | 112 10.00 | 112 10.00 | 5.0         | ND<2.0   | 320      | 112 (1000 | 180         | 4700      | 5.0      |
| MW-10                | 240    | ND<3100  | ND 40     | ND 62     | ND 60     | 2.7         | ND 0.0   | 24       | 210       | 200         | 200       |          |
| 09/14/09             | 240    | ND<3100  | ND<6.2    | ND<6.2    | ND<6.2    | 2.7         | ND<2.0   | 24       | 210       | 280         | 380       | 6.3      |
| MW-11                |        |          |           |           |           |             |          |          |           |             |           |          |
| 09/14/09             | 850    | ND<12000 | ND<25     | ND<25     | ND<25     | 3.3         | ND<2.0   | 14       | 310       | 570         | 740       | 0.73     |
| 0843                 |        |          |           |           | I         | Page 1 of 1 |          |          |           |             | 07        | TDC      |

Table 1 b
ADDITIONAL CURRENT ANALYTICAL RESULTS
Former 76 Station 0843

| Date<br>Sampled         | Sulfate | Oxygen (Lab) | Redox<br>Potential<br>(ORP-Lab) | Specific Con- ductance | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen | Pre-purge<br>ORP   | Post-purge<br>ORP |  |    |
|-------------------------|---------|--------------|---------------------------------|------------------------|-----------------------------|----------------------------|--------------------|-------------------|--|----|
|                         | (mg/l)  | (mg O/)      | (mV)                            | (µmhos)                | (mg/l)                      | (mg/l)                     | (mV)               | (mV)              |  |    |
| <b>MW-1</b> 09/14/09    | 25      | 6.8          | 204                             | 429                    | 1.93                        | 3.81                       | 233                | 146               |  |    |
| <b>MW-1AR</b> 09/14/09  | 39      | 7.0          | 205                             | 655                    | 1.68                        | 1.83                       | 235                | 187               |  |    |
| <b>MW-1BR</b> 09/14/09  | 59      | 6.7          | 207                             | 673                    | 0.46                        | 1.02                       | 228                | 143               |  |    |
| <b>MW-3</b> 09/14/09    |         | 6.6          | 196                             | 658                    | 0.49                        | 2.02                       | 146                | 119               |  |    |
| <b>MW-4</b> 09/14/09    |         | 7.1          | 195                             | 1020                   | 2.16                        | 2.78                       | 142                | 63                |  |    |
| <b>MW-5</b> 09/14/09    |         | 4.0          | 204                             | 609                    | 0.64                        | 2.08                       | 147                | 115               |  |    |
| <b>MW-6</b> 09/14/09    |         | 7.1          | 205                             | 595                    | 0.46                        | 1.07                       | 154                | 118               |  |    |
| <b>MW-7</b> 09/14/09    | 180     | 6.9          | 217                             | 1030                   | 0.26                        | 1.35                       | -13                | -53               |  |    |
| <b>MW-8</b> 09/14/09    | 260     | 6.2          | 407                             | 1100                   | 0.28                        | 1.11                       | 151                | 92                |  |    |
| <b>MW-9</b><br>09/14/09 | 68      | 7.3          | 204                             | 580                    | 3.58                        | 4.16                       | 236                | 171               |  |    |
| <b>MW-10</b> 09/14/09   | 33      | 6.1          | 205                             | 675                    | 2.19                        | 0.67                       | 235                | 114               |  |    |
| MW-11<br>09/14/09       | 37      | 6.7          | 192                             | 780                    | 0.81                        | 0.82                       | 224                | 49                |  |    |
| 09/14/09                | 31      | 0.7          | 192                             | 700                    |                             | 0.82<br>Page 1 of 1        | <i>22</i> <b>4</b> | 49                |  | RC |

### Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009

Former 76 Station 0843

| Date    | TOC       | Depth to | LPH       | Ground-    | Change in       |         |             |             |         |             |         |             |         | Comments              |
|---------|-----------|----------|-----------|------------|-----------------|---------|-------------|-------------|---------|-------------|---------|-------------|---------|-----------------------|
| Sampled | Elevation | Water    | Thickness | water      | Elevation       | TPH-G   | TPH-G       |             |         | Ethyl-      | Total   | MTBE        | MTBE    |                       |
|         |           |          |           | Elevation  | 1               | 8015    | (GC/MS)     | Benzene     | Toluene | benzene     | Xylenes | (8021B)     | (8260B) |                       |
| -       | (feet)    | (feet)   | (feet)    | (feet)     | (feet)          | (µg/l)  | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)  | $(\mu g/l)$ | (µg/l)  | $(\mu g/l)$ | (µg/l)  |                       |
| MW-1    |           |          | (Scre     | en Interva | al in feet: 4.5 | 5-20.5) |             |             |         |             |         |             |         |                       |
| 03/05/9 | 99 16.18  |          |           |            |                 | 86.6    |             | ND          | 2.04    | ND          | 4.06    |             | 23.9    |                       |
| 06/03/9 | 99 16.18  | 6.24     | 0.00      | 9.94       |                 | ND      |             | ND          | ND      | ND          | ND      | ND          | ND      |                       |
| 09/02/9 | 99 16.18  | 7.19     | 0.00      | 8.99       | -0.95           | ND      |             | ND          | ND      | ND          | ND      | ND          | ND      |                       |
| 12/14/9 | 99 16.18  | 8.07     | 0.00      | 8.11       | -0.88           | ND      |             | ND          | ND      | ND          | ND      | ND          |         |                       |
| 03/14/0 | 00 16.18  | 5.47     | 0.00      | 10.71      | 2.60            | ND      |             | ND          | ND      | ND          | ND      | ND          |         |                       |
| 05/31/0 | 00 16.18  | 6.22     | 0.00      | 9.96       | -0.75           | ND      |             | ND          | ND      | ND          | ND      | ND          |         |                       |
| 08/29/0 | 00 16.18  | 6.82     | 0.00      | 9.36       | -0.60           | ND      |             | ND          | ND      | ND          | ND      | ND          |         |                       |
| 12/01/0 | 00 16.18  | 7.54     | 0.00      | 8.64       | -0.72           | ND      |             | ND          | ND      | ND          | ND      | ND          |         |                       |
| 03/17/0 | 01 16.18  | 5.73     | 0.00      | 10.45      | 1.81            | ND      |             | ND          | ND      | ND          | ND      | ND          |         |                       |
| 05/23/0 | 01 16.18  | 6.43     | 0.00      | 9.75       | -0.70           | ND      |             | ND          | ND      | ND          | ND      | ND          |         |                       |
| 09/24/0 | 01 16.18  | 7.12     | 0.00      | 9.06       | -0.69           | ND<50   |             | ND<0.50     | ND<0.50 | ND<0.50     | ND<0.50 | ND<5.0      |         |                       |
| 12/10/0 | 01 16.18  | 6.89     | 0.00      | 9.29       | 0.23            | ND<50   |             | ND<0.50     | ND<0.50 | ND<0.50     | ND<0.50 | ND<5.0      |         |                       |
| 03/11/0 | 02 16.18  | 5.61     | 0.00      | 10.57      | 1.28            | ND<50   |             | ND<0.50     | ND<0.50 | ND<0.50     | ND<0.50 | ND<5.0      |         |                       |
| 06/07/0 | 02 16.18  | 5.71     | 0.00      | 10.47      | -0.10           | ND<50   |             | ND<0.50     | ND<0.50 | ND<0.50     | ND<0.50 | ND<2.5      |         |                       |
| 09/03/0 | 02 16.18  |          |           |            |                 |         |             |             |         |             |         |             |         | Not monitored/sampled |
| 12/12/0 | 02 16.18  | 7.80     | 0.00      | 8.38       |                 |         |             |             |         |             |         |             |         | No longer sampled     |
| 03/13/0 | 03 16.18  | 5.94     | 0.00      | 10.24      | 1.86            |         |             |             |         |             |         |             |         |                       |
| 06/12/0 | 03 16.18  | 6.10     | 0.00      | 10.08      | -0.16           |         |             |             |         |             |         |             |         |                       |
| 09/12/0 | 03 16.18  | 6.65     | 0.00      | 9.53       | -0.55           |         |             |             |         |             |         |             |         |                       |
| 12/31/0 | 03 16.18  | 5.74     | 0.00      | 10.44      | 0.91            |         |             |             |         |             |         |             |         | Monitored Only        |
| 02/12/0 |           | 6.02     | 0.00      | 10.16      |                 |         |             |             |         |             |         |             |         | Monitored Only        |
| 06/07/0 |           |          | 0.00      | 9.57       | -0.59           |         |             |             |         |             |         |             |         | Monitored Only        |
|         |           |          |           |            |                 |         |             |             |         |             |         |             |         | ·                     |

**CTRC** 

Page 1 of 13

### Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009

Former 76 Station 0843

| Date<br>Sampled | TOC<br>Elevation | Depth to<br>Water | LPH<br>Thickness |            | Change in Elevation | TPH-G       | TDILC            |             |             | E411              | T-4-1            | MTDE         | MTBE    | Comments        |
|-----------------|------------------|-------------------|------------------|------------|---------------------|-------------|------------------|-------------|-------------|-------------------|------------------|--------------|---------|-----------------|
| Sumpled         | Lievation        | vv ater           | THICKNESS        | Elevation  |                     | 8015        | TPH-G<br>(GC/MS) | Benzene     | Toluene     | Ethyl-<br>benzene | Total<br>Xylenes | MTBE (8021B) | (8260B) |                 |
|                 | (feet)           | (feet)            | (feet)           | (feet)     | (feet)              | $(\mu g/l)$ | (µg/l)           | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$       | (μg/l)           | (µg/l)       | (µg/l)  |                 |
| MW-1            | continued        |                   |                  |            |                     |             |                  |             |             |                   |                  |              |         |                 |
| 09/17/0         |                  | 7.58              | 0.00             | 8.60       | -0.97               |             |                  |             |             |                   |                  |              |         | Sampled Q1 only |
| 12/11/0         | )4 16.18         | 6.49              | 0.00             | 9.69       | 1.09                |             |                  |             |             |                   |                  |              |         | Sampled Q1 only |
| 03/15/0         | )5 16.18         | 5.28              | 0.00             | 10.90      | 1.21                |             | ND<50            | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 27      |                 |
| 05/17/0         | )5 16.18         | 5.83              | 0.00             | 10.35      | -0.55               |             |                  |             |             |                   |                  |              |         | Sampled Q1 only |
| 07/27/0         | )5 16.18         | 6.52              | 0.00             | 9.66       | -0.69               |             |                  |             |             |                   |                  |              |         | Sampled Q1 only |
| 11/23/0         | )5 16.18         | 7.28              | 0.00             | 8.90       | -0.76               |             |                  |             |             |                   |                  |              |         | Sampled Q1 only |
| 02/24/0         | 06 16.18         | 6.60              | 0.00             | 9.58       | 0.68                |             | 910              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 5100    |                 |
| 05/30/0         | 06 16.18         | 6.48              | 0.00             | 9.70       | 0.12                |             |                  |             |             |                   |                  |              |         | Sampled Q1 only |
| 08/30/0         | 06 16.18         | 9.51              | 0.00             | 6.67       | -3.03               |             |                  |             |             |                   |                  |              |         | Sampled Q1 only |
| 11/22/0         | 06 16.18         | 7.05              | 0.00             | 9.13       | 2.46                |             | 220              | ND<0.50     | ND<0.50     | ND<0.50           | ND<0.50          |              | 420     |                 |
| 02/23/0         | 07 16.18         | 6.40              | 0.00             | 9.78       | 0.65                |             | 1300             | ND<5.0      | ND<5.0      | ND<5.0            | ND<5.0           |              | 1700    |                 |
| 05/18/0         | 07 16.18         | 6.65              | 0.00             | 9.53       | -0.25               |             | 2300             | ND<5.0      | ND<5.0      | ND<5.0            | ND<5.0           |              | 3300    |                 |
| 08/10/0         | 07 16.18         | 7.26              | 0.00             | 8.92       | -0.61               |             | 4100             | ND<25       | ND<25       | ND<25             | ND<25            |              | 4300    |                 |
| 11/09/0         | 07 16.18         | 7.40              | 0.00             | 8.78       | -0.14               |             | 5700             | ND<25       | ND<25       | ND<25             | ND<25            |              | 5400    |                 |
| 02/08/0         | 08 16.18         | 6.09              | 0.00             | 10.09      | 1.31                |             | 2600             | ND<5.0      | ND<5.0      | ND<5.0            | ND<10            |              | 4100    |                 |
| 05/16/0         | 08 16.18         | 6.87              | 0.00             | 9.31       | -0.78               |             | 1800             | ND<12       | ND<12       | ND<12             | 42               |              | 3500    |                 |
| 08/15/0         | 08 16.18         | 7.78              | 0.00             | 8.40       | -0.91               |             | 1200             | ND<5.0      | ND<5.0      | ND<5.0            | ND<10            |              | 1900    |                 |
| 11/26/0         | 08 16.18         | 8.65              | 0.00             | 7.53       | -0.87               |             | 720              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 2400    |                 |
| 02/24/0         | 9 19.13          | 6.73              | 0.00             | 12.40      | 4.87                |             | 630              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 2300    |                 |
| 05/28/0         | 9 19.13          | 6.46              | 0.00             | 12.67      | 0.27                |             | 1000             | ND<10       | ND<10       | ND<10             | ND<20            |              | 4100    |                 |
| 09/14/0         | 9 19.13          | 7.60              | 0.00             | 11.53      | -1.14               |             | 1700             | ND<5.0      | ND<5.0      | ND<5.0            | ND<10            |              | 2100    |                 |
| MW-1AR          |                  |                   | (Scre            | en Interva | al in feet: 25-     | -30)        |                  |             |             |                   |                  |              |         |                 |
| 05/28/0         | 9 19.29          | 7.25              |                  | 12.04      |                     |             | 380              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 930     |                 |
| 00.40           |                  |                   |                  |            |                     |             |                  | Page 2      | of 13       |                   |                  |              |         |                 |

**CTRC** 

Page 2 of 13

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through September 2009
Former 76 Station 0843

| Date<br>Sampled | TOC<br>Elevation | Depth to<br>Water | LPH<br>Thickness | water      | Change in Elevation | TPH-G   | TPH-G   |         |         | Ethyl-  | Total   | MTBE    | MTBE    | Comments                       |
|-----------------|------------------|-------------------|------------------|------------|---------------------|---------|---------|---------|---------|---------|---------|---------|---------|--------------------------------|
|                 |                  |                   |                  | Elevation  |                     | 8015    | (GC/MS) | Benzene | Toluene | benzene | Xylenes | (8021B) | (8260B) |                                |
|                 | (feet)           | (feet)            | (feet)           | (feet)     | (feet)              | (µg/l)  |                                |
| MW-1A           |                  |                   |                  |            |                     |         |         |         |         |         |         |         |         |                                |
| 09/14/0         | 9 19.29          | 7.83              | 0.00             | 11.46      | -0.58               |         | 480     | ND<1.0  | ND<1.0  | ND<1.0  | ND<2.0  |         | 890     |                                |
| MW-1BR          |                  |                   | (Scre            | en Interva | ıl in feet: 30-     | -35)    |         |         |         |         |         |         |         |                                |
| 05/28/0         | 9 19.13          | 6.70              | 0.00             | 12.43      |                     |         | 290     | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | 810     |                                |
| 09/14/0         | 9 19.13          | 7.80              | 0.00             | 11.33      | -1.10               |         | 450     | ND<1.0  | ND<1.0  | ND<1.0  | ND<2.0  |         | 680     |                                |
| MW-2            |                  |                   | (Scre            | en Interva | ıl in feet: 4.5     | 5-20.5) |         |         |         |         |         |         |         |                                |
| 03/05/9         | 9 15.57          |                   | 0.00             |            |                     | 34400   |         | 2070    | 7710    | 2340    | 8240    |         | 8460    |                                |
| 06/03/9         | 9 15.57          | 5.96              | 0.00             | 9.61       |                     | 51200   |         | 1820    | 7570    | 2510    | 7320    | 6460    | 8800    |                                |
| 09/02/9         | 9 15.57          | 6.85              | 0.00             | 8.72       | -0.89               | 17000   |         | 1000    | 3100    | 1400    | 3700    | 4000    | 3720    |                                |
| 12/14/9         | 9 15.57          | 7.65              | 0.00             | 7.92       | -0.80               | 83000   |         | 3000    | 22000   | 4500    | 17000   | 9100    | 11000   |                                |
| 03/14/0         | 0 15.57          | 5.26              | 0.00             | 10.31      | 2.39                | 31000   |         | 1600    | 4600    | 2300    | 7300    | 5700    | 8700    |                                |
| 05/31/0         | 0 15.57          | 5.60              | 0.00             | 9.97       | -0.34               | 9970    |         | 598     | 1030    | 487     | 2060    | 2500    | 1670    |                                |
| 08/29/0         | 0 15.57          | 6.35              | 0.00             | 9.22       | -0.75               | 7900    |         | 390     | 1500    | 280     | 1900    | 1800    | 1300    |                                |
| 12/01/0         | 0 15.57          | 7.06              | 0.00             | 8.51       | -0.71               | 87500   |         | 1860    | 17400   | 5590    | 19400   | 6220    | 3790    |                                |
| 03/17/0         | 1 15.57          | 5.98              | 0.00             | 9.59       | 1.08                | 4310    |         | 371     | 59.0    | 280     | 682     | 321     | 433     |                                |
| 05/23/0         | 1 15.57          | 6.97              | 0.00             | 8.60       | -0.99               | 45400   |         | 374     | 4490    | 2790    | 10900   | ND      | 406     |                                |
| 09/24/0         | 1 15.57          | 7.56              | 0.00             | 8.01       | -0.59               | 76000   |         | 430     | 13000   | 4700    | 18000   | ND<2000 | 480     |                                |
| 12/10/0         | 1 15.57          | 6.52              | 0.00             | 9.05       | 1.04                | 82000   |         | 320     | 9100    | 4400    | 16000   | ND<2500 | 270     |                                |
| 03/11/0         | 2 15.57          | 5.51              | 0.00             | 10.06      | 1.01                | 14000   |         | 75      | 1400    | 1100    | 3600    | ND<250  | 150     |                                |
| 06/07/0         | 2 15.57          | 5.73              | 0.00             | 9.84       | -0.22               | 14000   |         | 120     | 1200    | 1400    | 4700    | 540     | 200     |                                |
| 09/03/0         | 2 15.57          | 6.81              | 0.00             | 8.76       | -1.08               | 10000   |         | 150     | 1200    | 610     | 2800    | 510     | 460     |                                |
| 12/12/0         | 2 15.57          |                   |                  |            |                     |         |         |         |         |         |         |         |         | Destroyed, replaced with MW-2A |

MW-2a

(Screen Interval in feet: 5-11.5)

**CTRC** 

## Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009 Former 76 Station 0843

Date TOC Depth to LPH Ground- Change in Sampled Elevation Water Thickness water Elevation Elevation (feet) (feet)

|          |           |        |        | Elevation |        | 8015        | (GC/MS) | Benzene     | Toluene     | benzene     | Xylenes | (8021B) | (8260B) |
|----------|-----------|--------|--------|-----------|--------|-------------|---------|-------------|-------------|-------------|---------|---------|---------|
|          | (feet)    | (feet) | (feet) | (feet)    | (feet) | $(\mu g/l)$ | (µg/l)  | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)  | (µg/l)  | (µg/l)  |
| MW-2a    | continued |        |        |           |        |             |         |             |             |             |         |         |         |
| 12/12/02 |           | 7.45   | 0.00   | 8.11      |        | 3400        |         | 80          | 260         | 210         | 1000    | 380     | 400     |
| 03/13/03 |           | 5.85   | 0.00   |           |        | ND<50       |         | ND<0.50     | ND<0.50     | ND<0.50     | 1.8     | 2.4     | 2.4     |
| 06/12/03 |           | 6.08   | 0.00   |           |        | ND<50       |         | 0.59        | 0.69        | ND<0.50     | 1.2     | 6.0     | 4.7     |
| 09/12/03 | 15.56     | 6.54   | 0.00   | 9.02      |        |             | 120     | 1.8         | 4.2         | 6.1         | 20      |         | 6.6     |
| 12/31/03 | 15.56     | 5.63   | 0.00   | 9.93      | 0.91   | 88          |         | 0.79        | 1.8         | 3.6         | 14      | ND<5.0  | 2.9     |
| 02/12/04 | 15.56     | 5.68   | 0.00   | 9.88      | -0.05  | 160         |         | 2.6         | 4.8         | 13          | 48      | 7.2     | 7.9     |
| 06/07/04 | 15.56     | 6.21   | 0.00   | 9.35      | -0.53  | 94          |         | 0.80        | 1.2         | 2.1         | 9.1     | 4.5     | 3.7     |
| 09/17/04 | 15.56     | 7.16   | 0.00   | 8.40      | -0.95  |             | 230     | 3.5         | 6.1         | 13          | 41      |         | 83      |
| 12/11/04 | 15.56     | 5.84   | 0.00   | 9.72      | 1.32   |             | ND<50   | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0  |         | 1.2     |
| 03/15/05 | 15.56     | 5.52   | 0.00   | 10.04     | 0.32   |             | 92      | 0.84        | 1.7         | 2.4         | 9.8     |         | ND<10   |
| 05/17/05 | 15.56     | 5.55   | 0.00   | 10.01     | -0.03  |             | 54      | 2.1         | 1.7         | 1.9         | 7.0     |         | 2.9     |
| 07/27/05 | 15.56     | 6.16   | 0.00   | 9.40      | -0.61  |             | ND<50   | 0.66        | 1.1         | 1.3         | 4.2     |         | 3.7     |
| 11/23/05 | 15.56     | 6.88   | 0.00   | 8.68      | -0.72  |             | 120     | 1.3         | 2.8         | 7.8         | 30      |         | 10      |
| 02/24/06 | 15.56     | 5.79   | 0.00   | 9.77      | 1.09   |             | 84      | 0.51        | 1.2         | 4.2         | 16      |         | 7.2     |
| 05/30/06 | 15.56     | 5.62   | 0.00   | 9.94      | 0.17   |             | 69      | 0.90        | 2.2         | 3.7         | 14      |         | 4.1     |
| 08/30/06 | 15.56     | 6.38   | 0.00   | 9.18      | -0.76  |             | 77      | ND<0.50     | 0.50        | 1.0         | 3.3     |         | 2.5     |
| 11/22/06 | 15.56     | 6.60   | 0.00   | 8.96      | -0.22  |             | ND<50   | ND<0.50     | ND<0.50     | ND<0.50     | 2.2     |         | 0.59    |
| 02/23/07 | 15.56     | 6.05   | 0.00   | 9.51      | 0.55   |             | ND<50   | ND<0.50     | 0.66        | ND<0.50     | 1.1     |         | 0.72    |
| 05/18/07 | 15.56     | 6.29   | 0.00   | 9.27      | -0.24  |             | ND<50   | ND<0.50     | ND<0.50     | 0.68        | 1.6     |         | 0.81    |
| 08/10/07 | 15.56     | 6.90   | 0.00   | 8.66      | -0.61  |             | ND<50   | ND<0.50     | ND<0.50     | 1.6         | 3.9     |         | ND<0.50 |
| 11/09/07 | 15.56     | 6.96   | 0.00   | 8.60      | -0.06  |             | ND<50   | ND<0.50     | ND<0.50     | 2.4         | 4.4     |         | ND<0.50 |
| 02/08/08 | 15.56     | 5.76   | 0.00   | 9.80      | 1.20   |             | ND<50   | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0  |         | ND<0.50 |
| 05/16/08 | 15.56     | 6.50   | 0.00   | 9.06      | -0.74  |             | ND<50   | ND<0.50     | ND<0.50     | 0.56        | 1.2     |         | ND<0.50 |

0843 Page 4 of 13



## Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009 Former 76 Station 0843

| Date<br>Sampled |          | Depth to<br>Water | LPH<br>Thickness |            | Change in Elevation | TPH-G       | TPH-G   |             |             | Ethyl-      | Total   | MTBE    | MTBE    | Comments          |
|-----------------|----------|-------------------|------------------|------------|---------------------|-------------|---------|-------------|-------------|-------------|---------|---------|---------|-------------------|
| 1               |          |                   |                  | Elevation  |                     | 8015        | (GC/MS) | Benzene     | Toluene     | benzene     | Xylenes | (8021B) | (8260B) |                   |
|                 | (feet)   | (feet)            | (feet)           | (feet)     | (feet)              | $(\mu g/l)$ | (µg/l)  | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)  | (µg/l)  | (µg/l)  |                   |
| MW-2A           | continue | <u> </u>          |                  |            |                     |             |         |             |             |             |         |         |         |                   |
| 08/15/08        |          | 7.35              | 0.00             | 8.21       | -0.85               |             | 78      | ND<0.50     | 0.79        | 2.9         | 6.5     |         | ND<0.50 |                   |
| 11/26/0         | 8 15.56  | 8.12              | 0.00             | 7.44       | -0.77               |             | 120     | 0.56        | 0.66        | 4.6         | 6.0     |         | 1.8     |                   |
| 02/24/09        | 9 18.51  | 6.19              | 0.00             | 12.32      | 4.88                |             | ND<50   | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0  |         | ND<0.50 |                   |
| MW-3            |          |                   | (Scre            | en Interva | ıl in feet: 5.0     | 0-20.0)     |         |             |             |             |         |         |         |                   |
| 03/05/99        | 9 15.11  |                   | 0.00             |            |                     | 135         |         | ND          | ND          | ND          | 4.84    |         | 2.46    |                   |
| 06/03/99        | 9 15.11  | 5.57              | 0.00             | 9.54       |                     | ND          |         | ND          | ND          | ND          | ND      | 5.23    | 12.7    |                   |
| 09/02/99        | 9 15.11  | 6.50              | 0.00             | 8.61       | -0.93               | ND          |         | ND          | ND          | ND          | ND      | 13      | 11      |                   |
| 12/14/99        | 9 15.11  | 7.28              | 0.00             | 7.83       | -0.78               | ND          |         | ND          | ND          | ND          | ND      | ND      |         |                   |
| 03/14/0         | 0 15.11  | 4.87              | 0.00             | 10.24      | 2.41                | ND          |         | ND          | ND          | ND          | ND      | 7.2     | 6.3     |                   |
| 05/31/0         | 0 15.11  | 5.58              | 0.00             | 9.53       | -0.71               | ND          |         | ND          | ND          | ND          | ND      | ND      |         |                   |
| 08/29/0         | 0 15.11  | 6.06              | 0.00             | 9.05       | -0.48               | ND          |         | ND          | ND          | ND          | ND      | ND      | ND      |                   |
| 12/01/0         | 0 15.11  | 6.76              | 0.00             | 8.35       | -0.70               | ND          |         | ND          | ND          | ND          | ND      | ND      |         |                   |
| 03/17/0         | 1 15.11  | 5.09              | 0.00             | 10.02      | 1.67                | ND          |         | ND          | ND          | ND          | ND      | ND      |         |                   |
| 05/23/0         | 1 15.11  | 5.72              | 0.00             | 9.39       | -0.63               | ND          |         | ND          | ND          | ND          | ND      | ND      |         |                   |
| 09/24/0         | 1 15.11  | 6.34              | 0.00             | 8.77       | -0.62               | ND<50       |         | ND<0.50     | ND<0.50     | ND<0.50     | ND<0.50 | ND<5.0  |         |                   |
| 12/10/0         | 1 15.11  | 6.31              | 0.00             | 8.80       | 0.03                | ND<50       |         | ND<0.50     | ND<0.50     | ND<0.50     | ND<0.50 | ND<5.0  |         |                   |
| 03/11/02        | 2 15.11  | 5.15              | 0.00             | 9.96       | 1.16                | ND<50       |         | ND<0.50     | ND<0.50     | ND<0.50     | ND<0.50 | ND<5.0  |         |                   |
| 06/07/02        | 2 15.11  | 5.45              | 0.00             | 9.66       | -0.30               | ND<50       |         | ND<0.50     | ND<0.50     | ND<0.50     | ND<0.50 | ND<2.5  |         |                   |
| 12/12/02        | 2 15.11  | 7.15              | 0.00             | 7.96       | -1.70               |             |         |             |             |             |         |         |         | No longer sampled |
| 03/13/03        | 3 15.11  | 5.37              | 0.00             | 9.74       | 1.78                |             |         |             |             |             |         |         |         |                   |
| 06/12/03        | 3 15.11  | 5.51              | 0.00             | 9.60       | -0.14               |             |         |             |             |             |         |         |         |                   |
| 09/12/03        | 3 15.11  | 6.03              | 0.00             | 9.08       | -0.52               |             |         |             |             |             |         |         |         |                   |
| 12/31/03        | 3 15.11  | 5.62              | 0.00             | 9.49       | 0.41                |             |         |             |             |             |         |         |         | Monitored Only    |
|                 |          |                   |                  |            |                     |             |         |             |             |             |         |         |         |                   |

**CTRC** 

Page 5 of 13

0843

### Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009

Former 76 Station 0843

| Date<br>Sampled | TOC<br>Elevation | Depth to<br>Water | LPH<br>Thickness |           | Change in Elevation | TPH-G       | TPH-G       |             |             | Ethyl-  | Total       | MTBE        | MTBE        | Comments         |
|-----------------|------------------|-------------------|------------------|-----------|---------------------|-------------|-------------|-------------|-------------|---------|-------------|-------------|-------------|------------------|
|                 |                  |                   |                  | Elevation | 1                   | 8015        | (GC/MS)     | Benzene     | Toluene     | benzene | Xylenes     | (8021B)     | (8260B)     |                  |
|                 | (feet)           | (feet)            | (feet)           | (feet)    | (feet)              | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)  | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ |                  |
| MW-3            | continued        |                   |                  |           |                     |             |             |             |             |         |             |             |             |                  |
| 02/12/0         | )4 15.11         | 5.51              | 0.00             | 9.60      | 0.11                |             |             |             |             |         |             |             |             | Monitored Only   |
| 06/07/0         | )4 15.11         | 5.92              | 0.00             | 9.19      | -0.41               |             |             |             |             |         |             |             |             | Monitored Only   |
| 09/17/0         | )4 15.11         |                   |                  |           |                     |             |             |             |             |         |             |             |             | Unable to locate |
| 12/11/0         | )4 15.11         | 5.94              | 0.00             | 9.17      |                     |             |             |             |             |         |             |             |             | Sampled annually |
| 03/11/0         | )5 15.11         | 4.76              | 0.00             | 10.35     | 1.18                |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |                  |
| 05/17/0         | )5 15.11         | 5.23              | 0.00             | 9.88      | -0.47               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |                  |
| 07/27/0         | )5 15.11         | 5.81              | 0.00             | 9.30      | -0.58               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |                  |
| 11/23/0         | )5 15.11         | 6.60              | 0.00             | 8.51      | -0.79               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |                  |
| 02/24/0         | 06 15.11         | 5.37              | 0.00             | 9.74      | 1.23                |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | 2.2         |                  |
| 05/30/0         | 06 15.11         | 5.08              | 0.00             | 10.03     | 0.29                |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | 0.92        |                  |
| 08/30/0         | 06 15.11         | 5.52              | 0.00             | 9.59      | -0.44               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<0.50     |             | 0.51        |                  |
| 11/22/0         | 06 15.11         | 6.38              | 0.00             | 8.73      | -0.86               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<0.50     |             | 0.94        |                  |
| 02/23/0         | 07 15.11         | 5.72              | 0.00             | 9.39      | 0.66                |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<0.50     |             | 0.61        |                  |
| 05/18/0         | 07 15.11         | 5.94              | 0.00             | 9.17      | -0.22               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<0.50     |             | 1.1         |                  |
| 08/10/0         | 07 15.11         | 7.64              | 0.00             | 7.47      | -1.70               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<0.50     |             | ND<0.50     |                  |
| 11/09/0         | 07 15.11         | 6.75              | 0.00             | 8.36      | 0.89                |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<0.50     |             | 1.1         |                  |
| 02/08/0         | 08 15.11         | 5.39              | 0.00             | 9.72      | 1.36                |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |                  |
| 05/16/0         | 08 15.11         | 6.17              | 0.00             | 8.94      | -0.78               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | 1.2         |                  |
| 08/15/0         | 08 15.11         | 7.01              | 0.00             | 8.10      | -0.84               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | 1.3         |                  |
| 11/26/0         | 08 15.11         | 7.73              | 0.00             | 7.38      | -0.72               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | 2.8         |                  |
| 02/24/0         | 9 18.05          | 5.98              | 0.00             | 12.07     | 4.69                |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | 1.9         |                  |
| 05/28/0         | 9 18.05          | 5.64              | 0.00             | 12.41     | 0.34                |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |                  |
| 09/14/0         | 9 18.05          | 6.88              | 0.00             | 11.17     | -1.24               |             | ND<50       | ND<0.50     | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |                  |
|                 |                  |                   |                  |           |                     |             |             | D (         |             |         |             |             |             |                  |

**CTRC** 

Page 6 of 13

### Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009

Former 76 Station 0843

Date TOC Depth to LPH Ground- Change in Comments Sampled Elevation Water Thickness water Elevation TPH-G TPH-G **MTBE MTBE** Ethyl-Total Elevation 8015 (GC/MS) Toluene (8021B) (8260B) Benzene benzene Xylenes (feet) (feet) (feet) (feet) (feet)  $(\mu g/l)$  $(\mu g/l)$ MW-4 (Screen Interval in feet: 5.0-20.5) 03/05/99 15.17 0.00 ND ND ND ND 2.44 25.2 ----06/03/99 15.17 5.45 0.00 9.72 ND ND ND ND ND ND 3.96 --09/02/99 15.17 6.48 0.00 8.69 -1.03 ND ND ND ND ND 23 27 0.00 12/14/99 15.17 7.27 7.90 -0.79ND NDND ND ND 200 270 03/14/00 15.17 4.67 0.00 10.50 2.60 ND ND ND ND ND 46 49 05/31/00 15.17 5.48 0.00 9.69 -0.81ND NDND ND ND ND --08/29/00 15.17 6.10 0.00 9.07 -0.62ND ND ND ND ND 6.1 3.2 12/01/00 15.17 6.79 0.00 8.38 -0.69ND ND ND ND ND 152 101 03/17/01 15.17 5.01 0.00 10.16 1.78 ND ND ND ND ND ND 05/23/01 15.17 5.78 0.00 9.39 -0.77ND ND ND ND ND ND 09/24/01 15.17 6.42 0.00 8.75 -0.64ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 ND<5.0 12/10/01 15.17 6.41 0.00 8.76 0.01 ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 1700 1300 03/11/02 15.17 5.05 0.00 10.12 1.36 ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 ND<5.0 06/07/02 15.17 5.42 0.00 9.75 -0.37ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 ND<2.5 09/03/02 15.17 6.50 0.00 8.67 -1.08 ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 ND<2.5 0.00 12/12/02 15.17 7.18 7.99 -0.68ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 2.9 3.3 --03/13/03 15.17 5.42 0.00 9.75 1.76 ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 ND<2.0 06/12/03 15.17 5.60 0.00 9.57 -0.18ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 ND<2.0 09/12/03 15.17 6.07 0.00 9.10 -0.47--ND<50 ND<0.50 ND<0.50 ND<0.50 ND<1.0 --ND<2.0 12/31/03 15.17 5.63 0.00 9.54 0.44 750 ND<5.0 ND<5.0 ND<5.0 ND<5.0 790 0.00 02/12/04 15.17 5.26 9.91 0.37 ND<50 ND<0.50 ND<0.50 ND<0.50 ND<0.50 ND<5.0 06/07/04 15.17 5.82 0.00 9.35 -0.56 ND<50 ND<0.3 ND<0.3 ND<0.3 ND<0.6 ND<1 ----09/17/04 15.17 6.86 0.00 8.31 -1.04 56 ND<0.50 ND<0.50 ND<0.50 ND<1.0 10

**CTRC** 

0843 Page 7 of 13

#### Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009 Former 76 Station 0843

| Date    | TOC       | Depth to | LPH       |                    | Change in       |        |         |         |         |         |         |         |         | Comments |
|---------|-----------|----------|-----------|--------------------|-----------------|--------|---------|---------|---------|---------|---------|---------|---------|----------|
| Sampled | Elevation | Water    | Thickness | water<br>Elevation | Elevation       | TPH-G  | TPH-G   | D       | m 1     | Ethyl-  | Total   | MTBE    | MTBE    |          |
|         | (f4)      | (f4)     | (f4)      |                    |                 | 8015   | (GC/MS) | Benzene | Toluene | benzene | Xylenes | (8021B) | (8260B) |          |
|         | (feet)    | (feet)   | (feet)    | (feet)             | (feet)          | (µg/l) | (µg/l)  | (µg/l)  | (µg/l)  | (µg/l)  | (µg/l)  | (µg/l)  | (µg/l)  |          |
|         | continued |          | 0.00      | 0.16               | 0.05            |        | 250     | NID 2.5 | ND 0.5  | ND 2.5  | ND 50   |         | 200     |          |
| 12/11/0 |           |          | 0.00      | 9.16               | 0.85            |        | 350     | ND<2.5  | ND<2.5  | ND<2.5  | ND<5.0  |         | 380     |          |
| 03/11/0 |           |          | 0.00      | 10.56              | 1.40            |        | ND<50   |         | ND<0.50 |         | ND<1.0  |         | ND<0.50 |          |
| 05/17/0 |           |          | 0.00      | 10.24              | -0.32           |        | ND<50   |         |         | ND<0.50 | ND<1.0  |         | ND<0.50 |          |
| 07/27/0 |           |          | 0.00      | 9.43               | -0.81           |        | ND<50   |         |         | ND<0.50 | ND<1.0  |         | ND<0.50 |          |
| 11/23/0 |           |          | 0.00      | 8.58               | -0.85           |        | ND<50   |         | ND<0.50 |         | ND<1.0  |         | 23      |          |
| 02/24/0 |           | 5.19     | 0.00      | 9.98               | 1.40            |        | ND<50   |         |         | ND<0.50 | ND<1.0  |         | 4.7     |          |
| 05/30/0 | 06 15.17  | 5.07     | 0.00      | 10.10              | 0.12            |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | ND<0.50 |          |
| 08/30/0 | 06 15.17  | 6.02     | 0.00      | 9.15               | -0.95           |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |         | ND<0.50 |          |
| 11/22/0 | 06 15.17  | 6.37     | 0.00      | 8.80               | -0.35           |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |         | 16      |          |
| 02/23/0 | 07 15.17  | 5.61     | 0.00      | 9.56               | 0.76            |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |         | ND<0.50 |          |
| 05/18/0 | 07 15.17  | 5.87     | 0.00      | 9.30               | -0.26           |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |         | ND<0.50 |          |
| 08/10/0 | 07 15.17  | 7.49     | 0.00      | 7.68               | -1.62           |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |         | ND<0.50 |          |
| 11/09/0 | 07 15.17  | 6.77     | 0.00      | 8.40               | 0.72            |        | 50      | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |         | 39      |          |
| 02/08/0 | 08 15.17  | 5.10     | 0.00      | 10.07              | 1.67            |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | ND<0.50 |          |
| 05/16/0 | 08 15.17  | 6.06     | 0.00      | 9.11               | -0.96           |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | ND<0.50 |          |
| 08/15/0 | 08 15.17  | 6.91     | 0.00      | 8.26               | -0.85           |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | 1.1     |         | ND<0.50 |          |
| 11/26/0 | 08 15.17  | 7.71     | 0.00      | 7.46               | -0.80           |        | 55      | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | 11      |          |
| 02/24/0 | 09 18.14  | 5.96     | 0.00      | 12.18              | 4.72            |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | 1.8     |          |
| 05/28/0 | 09 18.14  | 5.70     | 0.00      | 12.44              | 0.26            |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | ND<0.50 |          |
| 09/14/0 | 09 18.14  | 6.76     | 0.00      | 11.38              | -1.06           |        | ND<50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | ND<0.50 |          |
| MW-5    |           |          | (Scre     | en Interva         | ıl in feet: 5-2 | (0)    |         |         |         |         |         |         |         |          |
| 12/14/9 | 99 13.34  | 6.45     | 0.00      | 6.89               |                 | ND     |         | ND      | ND      | ND      | ND      | 3.5     | 3.8     |          |
| 03/14/0 | 00 13.34  | 4.46     | 0.00      | 8.88               | 1.99            | ND     |         | ND      | ND      | ND      | ND      | ND      |         |          |
| 0843    |           |          |           |                    |                 |        |         | Page 8  | 3 of 13 |         |         |         |         | @TPC     |

#### Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009

Former 76 Station 0843

| Date<br>Sampled | TOC<br>Elevation | Depth to<br>Water | LPH<br>Thickness |        | Change in<br>Elevation | TPH-G<br>8015 | TPH-G<br>(GC/MS) | Benzene | Toluene | Ethyl-<br>benzene | Total<br>Xylenes | MTBE (8021B) | MTBE (8260B) | Comments         |
|-----------------|------------------|-------------------|------------------|--------|------------------------|---------------|------------------|---------|---------|-------------------|------------------|--------------|--------------|------------------|
|                 | (feet)           | (feet)            | (feet)           | (feet) | (feet)                 | (μg/l)        | (μg/l)           | (μg/l)  | (µg/l)  | (μg/l)            | (μg/l)           | (μg/l)       | (μg/l)       |                  |
| MW-5            | continued        |                   |                  |        |                        |               |                  |         |         |                   |                  |              |              |                  |
| 05/31/0         | 00 13.34         | 5.18              | 0.00             | 8.16   | -0.72                  | ND            |                  | ND      | ND      | ND                | ND               | ND           |              |                  |
| 08/29/0         | 00 13.34         | 5.46              | 0.00             | 7.88   | -0.28                  | ND            |                  | ND      | ND      | ND                | ND               | ND           |              |                  |
| 12/01/0         | 00 13.34         | 5.95              | 0.00             | 7.39   | -0.49                  | ND            |                  | ND      | ND      | ND                | ND               | ND           |              |                  |
| 03/17/0         | 13.34            | 5.36              | 0.00             | 7.98   | 0.59                   | ND            |                  | ND      | ND      | ND                | ND               | ND           |              |                  |
| 05/23/0         | 13.34            | 5.09              | 0.00             | 8.25   | 0.27                   | ND            |                  | ND      | ND      | ND                | ND               | ND           |              |                  |
| 09/24/0         | 13.34            | 5.58              | 0.00             | 7.76   | -0.49                  | ND<50         |                  | ND<0.50 | ND<0.50 | ND<0.50           | ND<0.50          | ND<5.0       |              |                  |
| 12/10/0         | 13.34            | 5.51              | 0.00             | 7.83   | 0.07                   | ND<50         |                  | ND<0.50 | ND<0.50 | ND<0.50           | ND<0.50          | ND<5.0       |              |                  |
| 03/11/0         | 02 13.34         | 4.70              | 0.00             | 8.64   | 0.81                   | ND<50         |                  | ND<0.50 | ND<0.50 | ND<0.50           | ND<0.50          | ND<5.0       |              |                  |
| 06/07/0         | 02 13.34         |                   |                  |        |                        |               |                  |         |         |                   |                  |              |              | Paved over       |
| 09/03/0         | 02 13.34         |                   |                  |        |                        |               |                  |         |         |                   |                  |              |              | Paved over       |
| 12/12/0         | 02 13.34         | 6.42              | 0.00             | 6.92   |                        | ND<50         |                  | ND<0.50 | ND<0.50 | ND<0.50           | ND<0.50          | ND<2.0       |              |                  |
| 03/13/0         | 03 13.34         | 5.12              | 0.00             | 8.22   | 1.30                   | ND<50         |                  | ND<0.50 | 0.54    | ND<0.50           | ND<0.50          | ND<2.0       |              |                  |
| 06/12/0         | 03 13.34         | 5.24              | 0.00             | 8.10   | -0.12                  | ND<50         |                  | ND<0.50 | ND<0.50 | ND<0.50           | ND<0.50          | ND<2.0       |              |                  |
| 09/12/0         | 03 13.34         | 5.53              | 0.00             | 7.81   | -0.29                  |               | ND<50            | ND<0.50 | ND<0.50 | ND<0.50           | ND<1.0           |              | ND<2.0       |                  |
| 12/31/0         | 03 13.34         | 5.11              | 0.00             | 8.23   | 0.42                   | ND<50         |                  | ND<0.50 | ND<0.50 | ND<0.50           | ND<0.50          | ND<5.0       |              |                  |
| 02/12/0         | 04 13.34         | 5.02              | 0.00             | 8.32   | 0.09                   | ND<50         |                  | ND<0.50 | ND<0.50 | ND<0.50           | ND<0.50          | ND<5.0       |              |                  |
| 06/07/0         | 04 13.34         | 5.35              | 0.00             | 7.99   | -0.33                  | ND<50         |                  | ND<0.3  | ND<0.3  | ND<0.3            | ND<0.6           | ND<1         |              |                  |
| 09/17/0         | 04 13.34         | 6.10              | 0.00             | 7.24   | -0.75                  |               |                  |         |         |                   |                  |              |              | Sampled annually |
| 12/11/0         | 04 13.34         | 5.53              | 0.00             | 7.81   | 0.57                   |               |                  |         |         |                   |                  |              |              | Sampled annually |
| 03/11/0         | )5 13.34         | 4.96              | 0.00             | 8.38   | 0.57                   |               | ND<50            | ND<0.50 | ND<0.50 | ND<0.50           | ND<1.0           |              | ND<0.50      |                  |
| 05/17/0         | )5 13.34         | 5.04              | 0.00             | 8.30   | -0.08                  |               | ND<50            | ND<0.50 | ND<0.50 | ND<0.50           | ND<1.0           |              | ND<0.50      |                  |
| 07/27/0         | )5 13.34         | 5.31              | 0.00             | 8.03   | -0.27                  |               | ND<50            | ND<0.50 | ND<0.50 | ND<0.50           | ND<1.0           |              | ND<0.50      |                  |
| 11/23/0         | )5 13.34         | 5.86              | 0.00             | 7.48   | -0.55                  |               | ND<50            | ND<0.50 | ND<0.50 | ND<0.50           | ND<1.0           |              | ND<0.50      |                  |
| 0843            |                  |                   |                  |        |                        |               |                  | Page 9  | 9 of 13 |                   |                  |              |              | @TRC             |

## Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009 Former 76 Station 0843

| Date<br>Sampled | TOC<br>Elevation | Depth to<br>Water | LPH<br>Thickness | water      | Change in Elevation | TPH-G       | TPH-G       |         |             | Ethyl-  | Total       | MTBE        | MTBE        | Comments |
|-----------------|------------------|-------------------|------------------|------------|---------------------|-------------|-------------|---------|-------------|---------|-------------|-------------|-------------|----------|
|                 |                  |                   |                  | Elevation  | l                   | 8015        | (GC/MS)     | Benzene | Toluene     | benzene | Xylenes     | (8021B)     | (8260B)     |          |
|                 | (feet)           | (feet)            | (feet)           | (feet)     | (feet)              | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)  | $(\mu g/l)$ | (µg/l)  | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ |          |
| MW-5            | continued        |                   |                  |            |                     |             |             |         |             |         |             |             |             |          |
| 02/24/0         | 06 13.34         | 5.08              | 0.00             | 8.26       | 0.78                |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| 05/30/0         | 06 13.34         | 5.01              | 0.00             | 8.33       | 0.07                |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| 08/30/0         | 06 13.34         | 5.65              | 0.00             | 7.69       | -0.64               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<0.50     |             | ND<0.50     |          |
| 11/22/0         | 06 13.34         | 5.82              | 0.00             | 7.52       | -0.17               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<0.50     |             | ND<0.50     |          |
| 02/23/0         | 13.34            | 4.47              | 0.00             | 8.87       | 1.35                |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | 0.53        |             | ND<0.50     |          |
| 05/18/0         | 13.34            | 5.51              | 0.00             | 7.83       | -1.04               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<0.50     |             | ND<0.50     |          |
| 08/10/0         | 7 13.34          | 6.05              | 0.00             | 7.29       | -0.54               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<0.50     |             | ND<0.50     |          |
| 11/09/0         | 7 13.34          | 6.10              | 0.00             | 7.24       | -0.05               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<0.50     |             | ND<0.50     |          |
| 02/08/0         | 08 13.34         | 5.06              | 0.00             | 8.28       | 1.04                |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| 05/16/0         | 08 13.34         | 5.69              | 0.00             | 7.65       | -0.63               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| 08/15/0         | 08 13.34         | 6.35              | 0.00             | 6.99       | -0.66               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| 11/26/0         | 08 13.34         | 6.82              | 0.00             | 6.52       | -0.47               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| 02/24/0         | 9 16.45          | 5.10              | 0.00             | 11.35      | 4.83                |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| 05/28/0         | 9 16.45          | 5.12              | 0.00             | 11.33      | -0.02               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| 09/14/0         | 9 16.45          | 6.29              | 0.00             | 10.16      | -1.17               |             | ND<50       | ND<0.50 | ND<0.50     | ND<0.50 | ND<1.0      |             | ND<0.50     |          |
| MW-6            |                  |                   | (Scre            | en Interva | ıl in feet: 5-2     | 20)         |             |         |             |         |             |             |             |          |
| 12/14/9         | 9 14.08          | 6.64              | 0.00             | 7.44       |                     | ND          |             | ND      | ND          | ND      | ND          | 11000       | 18000       |          |
| 03/14/0         | 00 14.08         | 4.72              | 0.00             | 9.36       | 1.92                | ND          |             | ND      | ND          | ND      | ND          | 19000       | 21000       |          |
| 05/31/0         | 00 14.08         | 5.28              | 0.00             | 8.80       | -0.56               | ND          |             | ND      | ND          | ND      | ND          | 13200       |             |          |
| 08/29/0         | 00 14.08         | 5.39              | 0.00             | 8.69       | -0.11               | ND          |             | ND      | ND          | ND      | ND          | 270         | 400         |          |
| 12/01/0         | 00 14.08         | 6.11              | 0.00             | 7.97       | -0.72               | ND          |             | ND      | ND          | ND      | ND          | 6330        | 3640        |          |
| 03/17/0         | 14.08            | 6.02              | 0.00             | 8.06       | 0.09                | 18700       |             | 2950    | 989         | 1040    | 3000        | 10200       | 11500       |          |
| 05/23/0         | 14.08            | 5.82              | 0.00             | 8.26       | 0.20                | ND          |             | ND      | ND          | ND      | ND          | 4660        |             |          |
|                 |                  |                   |                  |            |                     |             |             |         |             |         |             |             |             |          |

**CTRC** 

Page 10 of 13

## Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009

Former 76 Station 0843

| Date      | TOC       | Depth to | LPH       |                    | Change in |        |         |         |         |         |         |         |         | Comments   |
|-----------|-----------|----------|-----------|--------------------|-----------|--------|---------|---------|---------|---------|---------|---------|---------|------------|
| Sampled   | Elevation | Water    | Thickness | water<br>Elevation | Elevation | TPH-G  | TPH-G   |         |         | Ethyl-  | Total   | MTBE    | MTBE    |            |
|           |           |          |           |                    |           | 8015   | (GC/MS) | Benzene | Toluene | benzene | Xylenes | (8021B) | (8260B) |            |
|           | (feet)    | (feet)   | (feet)    | (feet)             | (feet)    | (µg/l) | (µg/l)  | (µg/l)  | (µg/l)  | (µg/l)  | (μg/l)  | (µg/l)  | (µg/l)  |            |
|           | continued |          |           |                    |           |        |         |         |         |         |         |         |         |            |
| 09/24/0   |           | 6.59     |           | 7.49               | -0.77     | ND<50  |         | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 160     | 190     |            |
| 12/10/0   |           | 6.50     |           | 7.58               | 0.09      | ND<50  |         | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 3200    | 2400    |            |
| 03/11/0   | 02 14.08  | 4.81     | 0.00      | 9.27               | 1.69      | ND<50  |         | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 92      | 120     |            |
| 06/07/0   | 02 14.08  |          |           |                    |           |        |         |         |         |         |         |         |         | Paved over |
| 09/03/0   | 02 14.08  |          |           |                    |           |        |         |         |         |         |         |         |         | Paved over |
| 12/12/0   | 02 14.08  | 6.51     | 0.00      | 7.57               |           | 590    |         | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1500    | 6200    |            |
| 03/13/0   | 03 14.08  | 5.20     | 0.00      | 8.88               | 1.31      | 1600   |         | ND<5.0  | ND<5.0  | ND<5.0  | ND<5.0  | 4900    | 4100    |            |
| D 03/13/0 | 03 14.08  | 5.20     | 0.00      | 8.88               | 1.31      |        |         |         |         |         |         |         | 5100    |            |
| 06/12/0   | 03 14.08  | 5.38     | 0.00      | 8.70               | -0.18     | 1600   |         | ND<10   | ND<10   | ND<10   | ND<10   | 5200    | 3700    |            |
| 09/12/0   | 03 14.08  | 6.29     | 0.00      | 7.79               | -0.91     |        | ND<250  | ND<2.5  | ND<2.5  | ND<2.5  | ND<5.0  |         | 310     |            |
| 12/31/0   | 03 14.08  | 5.38     | 0.00      | 8.70               | 0.91      | 3300   |         | ND<25   | ND<25   | ND<25   | ND<25   | 3800    |         |            |
| 02/12/0   | 04 14.08  | 5.06     | 0.00      | 9.02               | 0.32      | 1100   |         | ND<10   | ND<10   | ND<10   | ND<10   | 1900    | 2800    |            |
| 06/07/0   | 04 14.08  | 5.45     | 0.00      | 8.63               | -0.39     | 2500   |         | ND<3    | ND<3    | ND<3    | ND<6    | 3200    | 2900    |            |
| 09/17/0   | 04 14.08  | 6.20     | 0.00      | 7.88               | -0.75     |        | 1300    | ND<10   | ND<10   | ND<10   | ND<20   |         | 2000    |            |
| 12/11/0   | 04 14.08  | 5.60     | 0.00      | 8.48               | 0.60      |        | 1800    | ND<10   | ND<10   | ND<10   | ND<20   |         | 2700    |            |
| 03/11/0   | 05 14.08  | 4.71     | 0.00      | 9.37               | 0.89      |        | ND<1000 | ND<10   | ND<10   | ND<10   | ND<20   |         | 2500    |            |
| 05/17/0   | 05 14.08  | 4.98     | 0.00      | 9.10               | -0.27     |        | ND<1000 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | 2200    |            |
| 07/27/0   | 05 14.08  | 5.48     | 0.00      | 8.60               | -0.50     |        | ND<1000 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | 1100    |            |
| 11/23/0   | 05 14.08  | 6.01     | 0.00      | 8.07               | -0.53     |        | 590     | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | 1700    |            |
| 02/24/0   | 06 14.08  | 5.12     | 0.00      | 8.96               | 0.89      |        | 400     | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0  |         | 990     |            |
| 05/30/0   | 06 14.08  | 5.04     | 0.00      | 9.04               | 0.08      |        | ND<1200 | ND<12   | ND<12   | ND<12   | ND<25   |         | 560     |            |
| 08/30/0   | 06 14.08  | 7.01     | 0.00      | 7.07               | -1.97     |        | 930     | ND<5.0  | ND<5.0  | ND<5.0  | ND<5.0  |         | 820     |            |
| 11/22/0   | 06 14.08  | 6.16     | 0.00      | 7.92               | 0.85      |        | 690     | ND<5.0  | ND<5.0  | ND<5.0  | ND<5.0  |         | 620     |            |
|           |           |          |           |                    |           |        |         |         |         |         |         |         |         |            |

**CTRC** 

Page 11 of 13

## Table 2 HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 1999 Through September 2009 Former 76 Station 0843

| Date<br>Sampled      |           | Depth to<br>Water | LPH<br>Thickness | Ground-<br>water<br>Elevation | Change in Elevation | TPH-G<br>8015 | TPH-G<br>(GC/MS) | Benzene     | Toluene     | Ethyl-<br>benzene | Total<br>Xylenes | MTBE (8021B) | MTBE<br>(8260B) | Comments |
|----------------------|-----------|-------------------|------------------|-------------------------------|---------------------|---------------|------------------|-------------|-------------|-------------------|------------------|--------------|-----------------|----------|
|                      | (feet)    | (feet)            | (feet)           | (feet)                        | (feet)              | $(\mu g/l)$   | $(\mu g/l)$      | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$       | (µg/l)           | $(\mu g/l)$  | (µg/l)          |          |
| <b>MW-6</b> 02/23/0  | continued | 5.44              | 0.00             | 8.64                          | 0.72                |               | 190              | ND<0.50     | ND<0.50     | ND<0.50           | ND<0.50          |              | 410             |          |
| 05/18/0              |           | 5.63              | 0.00             | 8.45                          | -0.19               |               | 390              | ND<0.50     | ND<0.50     | ND<0.50           | ND<0.50          |              | 620             |          |
| 08/10/0              |           | 6.71              | 0.00             | 7.37                          | -1.08               |               | 390              | ND<0.50     | ND<0.50     | ND<0.50           | ND<0.50          |              | 660             |          |
| 11/09/0              |           | 6.17              | 0.00             | 7.91                          | 0.54                |               | 580              |             |             | ND<0.50           |                  |              | 820             |          |
| 02/08/0              | 8 14.08   | 5.20              | 0.00             | 8.88                          | 0.97                |               | 360              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 570             |          |
| 05/16/0              | 8 14.08   | 5.70              | 0.00             | 8.38                          | -0.50               |               | 200              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 480             |          |
| 08/15/0              | 8 14.08   | 6.46              | 0.00             | 7.62                          | -0.76               |               | 160              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 450             |          |
| 11/26/0              | 8 14.08   | 7.01              | 0.00             | 7.07                          | -0.55               |               | 300              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 400             |          |
| 02/24/0              | 9 16.97   | 5.20              | 0.00             | 11.77                         | 4.70                |               | 250              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 450             |          |
| 05/28/0              | 9 16.97   | 5.26              | 0.00             | 11.71                         | -0.06               |               | 74               | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 290             |          |
| 09/14/0              | 9 16.97   | 6.30              | 0.00             | 10.67                         | -1.04               |               | 230              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 310             |          |
| MW-7                 |           |                   | (Scre            | en Interva                    | ıl in feet: 25-     | .30)          |                  |             |             |                   |                  |              |                 |          |
| 05/28/0              | 9 17.81   | 8.29              | 0.00             | 9.52                          |                     |               | 1100             | ND<0.50     | ND<0.50     | 1.4               | 7.1              |              | 15000           |          |
| 09/14/0              | 9 17.81   | 6.77              | 0.00             | 11.04                         | 1.52                |               | 7900             | ND<25       | ND<25       | ND<25             | ND<50            |              | 15000           |          |
| MW-8                 |           |                   | (Scre            | en Interva                    | ıl in feet: 25-     | .30)          |                  |             |             |                   |                  |              |                 |          |
| 05/28/0              | 9 18.13   | 7.42              | 0.00             | 10.71                         |                     |               | 850              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 12000           |          |
| 09/14/0              | 9 18.13   | 6.97              | 0.00             | 11.16                         | 0.45                |               | 3500             | ND<25       | ND<25       | ND<25             | ND<50            |              | 5600            |          |
| MW-9                 |           |                   | (Scre            | en Interva                    | ıl in feet: 20-     | .25)          |                  |             |             |                   |                  |              |                 |          |
| 05/28/0              | 9 18.75   | 6.24              | 0.00             | 12.51                         |                     |               | 1200             | ND<0.50     | ND<0.50     | 0.75              | 15               |              | 13000           |          |
| 09/14/0              | 9 18.75   | 7.36              | 0.00             | 11.39                         | -1.12               |               | 280              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 390             |          |
| <b>MW-10</b> 05/28/0 | 9 18.84   | 6.69              | (Scree           | en Interva<br>12.15           | ll in feet: 25-<br> |               | 700              | ND<0.50     | ND<0.50     | ND<0.50           | ND<1.0           |              | 3500            |          |



Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through September 2009

Former 76 Station 0843

| Date                 | TOC                          | Depth to      | LPH       | Ground-    | Change in       |             |             |             |             |             |             |             |             | Comments |
|----------------------|------------------------------|---------------|-----------|------------|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|
| Sampled              | Elevation                    | Water         | Thickness | water      | Elevation       | TPH-G       | TPH-G       |             |             | Ethyl-      | Total       | MTBE        | MTBE        |          |
|                      |                              |               |           | Elevation  | 1               | 8015        | (GC/MS)     | Benzene     | Toluene     | benzene     | Xylenes     | (8021B)     | (8260B)     |          |
|                      | (feet)                       | (feet)        | (feet)    | (feet)     | (feet)          | $(\mu g/l)$ |          |
| <b>MW-10</b> 09/14/0 | <b>continue</b> 0<br>9 18.84 | <b>i</b> 7.50 | 0.00      | 11.34      | -0.81           |             | 3300        | ND<6.2      | ND<6.2      | ND<6.2      | ND<12       |             | 4900        |          |
| MW-11                |                              |               | (Scre     | en Interva | al in feet: 25- | -30)        |             |             |             |             |             |             |             |          |
| 05/28/0              | 9 18.72                      | 6.18          | 0.00      | 12.54      |                 |             | 920         | ND<0.50     | ND<0.50     | ND<0.50     | ND<1.0      |             | 15000       |          |
| 09/14/0              | 9 18.72                      | 7.45          | 0.00      | 11.27      | -1.27           |             | 11000       | ND<25       | ND<25       | ND<25       | ND<50       |             | 18000       |          |



Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date<br>Sampled | TBA<br>(μg/l) | Ethanol<br>(8260B)<br>(μg/l) | Ethylene-<br>dibromide<br>(EDB)<br>(µg/l) | 1,2-DCA<br>(EDC)<br>(μg/l) | DIPE<br>(μg/l) | ETBE<br>(μg/l) | TAME<br>(µg/l) | Carbon (organic, total) (mg/l) | Chromium<br>VI<br>(µg/l) | Chromium<br>(total)<br>(µg/l) | Iron<br>Ferrous<br>(µg/l) | Manganese<br>(dissolved)<br>(μg/l) |
|-----------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|--------------------------------|--------------------------|-------------------------------|---------------------------|------------------------------------|
| MW-1            |               |                              |   |                            |                |                |                |                                |                          |                               |                           |                                    |
| 09/02/99        | ND            | ND                           |   |                            | ND             | ND             | ND             |                                |                          |                               |                           |                                    |
| 03/15/05        | ND<5.0        | ND<50                        |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 02/24/06        | 62            | ND<250                       |   |                            | ND<0.50        | ND<0.50        | 5.5            |                                |                          |                               |                           |                                    |
| 11/22/06        | 74            | ND<250                       |   |                            | ND<0.50        | ND<0.50        | 0.51           |                                |                          |                               |                           |                                    |
| 02/23/07        | ND<100        | ND<2500                      |   |                            | ND<5.0         | ND<5.0         | ND<5.0         |                                |                          |                               |                           |                                    |
| 05/18/07        | ND<100        | ND<2500                      |   |                            | ND<5.0         | ND<5.0         | ND<5.0         |                                |                          |                               |                           |                                    |
| 08/10/07        | ND<500        | ND<12000                     |   |                            | ND<25          | ND<25          | ND<25          |                                |                          |                               |                           |                                    |
| 11/09/07        | ND<500        | ND<12000                     |   |                            | ND<25          | ND<25          | ND<25          |                                |                          |                               |                           |                                    |
| 02/08/08        | ND<100        | ND<2500                      |   |                            | ND<5.0         | ND<5.0         | ND<5.0         |                                |                          |                               |                           |                                    |
| 05/16/08        | ND<250        | ND<6200                      |   |                            | ND<12          | ND<12          | ND<12          |                                |                          |                               |                           |                                    |
| 08/15/08        | ND<100        | ND<2500                      |   |                            | ND<5.0         | ND<5.0         | ND<5.0         |                                |                          |                               |                           |                                    |
| 11/26/08        | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 02/24/09        | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | 2.5            | 1.3                            |                          |                               | ND<100                    | ND<1.0                             |
| 05/28/09        | ND<200        | ND<5000                      | ND<10                                     | ND<10                      | ND<10          | ND<10          | ND<10          | 1.8                            | 2.0                      | 87                            | ND<500                    | 2.4                                |
| 09/14/09        | ND<100        | ND<2500                      |   |                            | ND<5.0         | ND<5.0         | ND<5.0         | 1.4                            | 2.2                      | 220                           | ND<100                    | 3.7                                |
| MW-1AR          |               |                              |   |                            |                |                |                |                                |                          |                               |                           |                                    |
| 05/28/09        | ND<10         | ND<250                       | ND<0.50                                   | ND<0.50                    | ND<0.50        | ND<0.50        | 1.6            |                                |                          |                               |                           |                                    |
| 09/14/09        | 110           | ND<500                       |   |                            | ND<1.0         | ND<1.0         | ND<1.0         | 4.5                            | ND<2.0                   | 170                           | 2500                      | 570                                |
| MW-1BR          |               |                              |   |                            |                |                |                |                                |                          |                               |                           |                                    |
| 05/28/09        | ND<10         | ND<250                       | ND<0.50                                   | ND<0.50                    | ND<0.50        | ND<0.50        | 2.0            |                                |                          |                               |                           |                                    |
| 09/14/09        | 33            | ND<500                       |   |                            | ND<1.0         | ND<1.0         | 1.9            | 3.7                            | ND<2.0                   | 250                           | ND<500                    | 230                                |
| MW-2            |               |                              |   |                            |                |                |                |                                |                          |                               |                           |                                    |
| 09/02/99        | ND            | ND                           |   |                            | ND             | ND             | ND             |                                |                          |                               |                           |                                    |
| 12/14/99        | ND            | ND                           | ND  | ND                         | ND             | ND             | ND             |                                |                          |                               |                           |                                    |

Page 1 of 8

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date     |           |             | Ethylene-   |             |             |             |             | Carbon    |          |          |             |             |
|----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|----------|----------|-------------|-------------|
| Sampled  |           | Ethanol     | dibromide   | 1,2-DCA     |             |             |             | (organic, | Chromium | Chromium | Iron        | Manganese   |
|          | TBA       | (8260B)     | (EDB)       | (EDC)       | DIPE        | ETBE        | TAME        | total)    | VI       | (total)  | Ferrous     | (dissolved) |
|          | (µg/l)    | (µg/l)      | $(\mu g/l)$ | (mg/l)    | (µg/l)   | (µg/l)   | $(\mu g/l)$ | (µg/l)      |
|          | continued |             |             |             |             |             |             |           |          |          |             |             |
| 03/14/00 | 1300      | ND          | ND          | ND          | ND          | ND          | ND          |           |          |          |             |             |
| 05/31/00 | ) ND      | ND          | ND          | ND          | ND          | ND          | ND          |           |          |          |             |             |
| 08/29/00 | 250       | ND          | ND          | ND          | ND          | ND          | ND          |           |          |          |             |             |
| 12/01/00 | ) ND      | ND          | ND          | ND          | ND          | ND          | ND          |           |          |          |             |             |
| 03/17/01 | ND        | ND          | ND          | ND          | 14.8        | ND          | ND          |           |          |          |             |             |
| 05/23/01 | ND        | ND          | ND          | ND          | ND          | ND          | ND          |           |          |          |             |             |
| 09/24/01 | ND<5000   | ND<50000000 | ND<100      | ND<100      | ND<100      | ND<100      | ND<100      |           |          |          |             |             |
| 12/10/01 | ND<500    | ND<12000000 | ND<25       | ND<25       | ND<25       | ND<25       | ND<25       |           |          |          |             |             |
| 03/11/02 | ND<1000   | ND<5000000  | ND<20       | ND<20       | ND<20       | ND<20       | ND<20       |           |          |          |             |             |
| 06/07/02 | ND<1000   | ND<2000000  | ND<25       | ND<25       | ND<25       | ND<25       | ND<25       |           |          |          |             |             |
| 09/03/02 | ND<1000   | ND<5000000  | ND<20       | ND<20       | ND<20       | ND<20       | ND<20       |           |          |          |             |             |
| MW-2a    |           |             |             |             |             |             |             |           |          |          |             |             |
| 12/12/02 | ND<100    | ND<500000   | ND<2.0      | 2.3         | ND<2.0      | ND<2.0      | ND<2.0      |           |          |          |             |             |
| 03/13/03 | ND<100    | ND<500000   | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      |           |          |          |             |             |
| 06/12/03 | ND<100    | ND<500000   | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      |           |          |          |             |             |
| 09/12/03 | ND<100    | ND<500      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      |           |          |          |             |             |
| 12/31/03 | ND<100    | ND<500      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      |           |          |          |             |             |
| 02/12/04 | ND<100    | ND<500      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      |           |          |          |             |             |
| 06/07/04 | ND<12     | ND<800      | ND<0.5      | ND<0.5      | ND<1        | ND<1        | ND<1        |           |          |          |             |             |
| 09/17/04 | 6.7       | ND<50       |             |             | ND<1.0      | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 12/11/04 | ND<5.0    | ND<50       |             |             | ND<1.0      | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 03/15/05 | ND<5.0    | ND<50       |             |             | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 05/17/05 | ND<5.0    | ND<50       |             |             | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 07/27/05 | 5 ND<5.0  | ND<50       |             |             | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 11/23/05 | ND<10     | ND<250      |             |             | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |

Page 2 of 8

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date     |             |             | Ethylene- |         |             |             |             | Carbon    |          |          |             |             |
|----------|-------------|-------------|-----------|---------|-------------|-------------|-------------|-----------|----------|----------|-------------|-------------|
| Sampled  |             | Ethanol     | dibromide | 1,2-DCA |             |             |             | (organic, | Chromium | Chromium | Iron        | Manganese   |
|          | TBA         | (8260B)     | (EDB)     | (EDC)   | DIPE        | ETBE        | TAME        | total)    | VI       | (total)  | Ferrous     | (dissolved) |
|          | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)    | (µg/l)  | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ | (mg/l)    | (µg/l)   | (µg/l)   | $(\mu g/l)$ | (µg/l)      |
| MW-2A    | continued   |             |           |         |             |             |             |           |          |          |             |             |
| 02/24/06 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 05/30/06 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 08/30/06 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 11/22/06 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 02/23/07 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 05/18/07 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 08/10/07 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 11/09/07 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 02/08/08 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 05/16/08 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 08/15/08 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 11/26/08 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 02/24/09 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     | 17        |          |          | 110         | ND<1.0      |
| MW-3     |             |             |           |         |             |             |             |           |          |          |             |             |
| 09/02/99 | ND          | ND          |           |         | ND          | ND          | ND          |           |          |          |             |             |
| 03/11/05 | ND<5.0      | ND<50       |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 05/17/05 | ND<5.0      | ND<50       |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 07/27/05 | ND<5.0      | ND<50       |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 11/23/05 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 02/24/06 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 05/30/06 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 08/30/06 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 11/22/06 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 02/23/07 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
| 05/18/07 | ND<10       | ND<250      |           |         | ND<0.50     | ND<0.50     | ND<0.50     |           |          |          |             |             |
|          | 1.2 .10     | 1.2 .200    |           |         |             |             |             |           |          |          |             |             |

Page 3 of 8

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date     |             |            | Ethylene- |         |         |         |         | Carbon    |          |          |             |             |
|----------|-------------|------------|-----------|---------|---------|---------|---------|-----------|----------|----------|-------------|-------------|
| Sampled  |             | Ethanol    | dibromide | 1,2-DCA |         |         |         | (organic, | Chromium | Chromium | Iron        | Manganese   |
|          | TBA         | (8260B)    | (EDB)     | (EDC)   | DIPE    | ETBE    | TAME    | total)    | VI       | (total)  | Ferrous     | (dissolved) |
|          | $(\mu g/l)$ | (µg/l)     | (µg/l)    | (µg/l)  | (µg/l)  | (µg/l)  | (µg/l)  | (mg/l)    | (µg/l)   | (µg/l)   | $(\mu g/l)$ | (µg/l)      |
| MW-3 co  | ntinued     |            |           |         |         |         |         |           |          |          |             |             |
| 08/10/07 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 11/09/07 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 02/08/08 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 05/16/08 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 08/15/08 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 11/26/08 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 02/24/09 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 | 3.2       |          |          | ND<100      | ND<1.0      |
| 05/28/09 | ND<10       | ND<250     | ND<0.50   | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 09/14/09 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| MW-4     |             |            |           |         |         |         |         |           |          |          |             |             |
| 09/02/99 | ND          | ND         |           |         | ND      | ND      | ND      |           |          |          |             |             |
| 12/10/01 | ND<290      | ND<7100000 | ND<14     | ND<14   | ND<14   | ND<14   | ND<14   |           |          |          |             |             |
| 12/12/02 | ND<100      | ND<500000  | ND<2.0    | ND<2.0  | ND<2.0  | ND<2.0  | ND<2.0  |           |          |          |             |             |
| 09/12/03 |             | ND<500     |           |         |         |         |         |           |          |          |             |             |
| 09/17/04 | ND<5.0      | ND<50      |           |         | ND<1.0  | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 12/11/04 | ND<25       | ND<250     |           |         | ND<5.0  | ND<2.5  | ND<2.5  |           |          |          |             |             |
| 03/11/05 | ND<5.0      | ND<50      |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 05/17/05 | ND<5.0      | ND<50      |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 07/27/05 | ND<5.0      | ND<50      |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 11/23/05 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 02/24/06 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 05/30/06 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 08/30/06 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 11/22/06 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
| 02/23/07 | ND<10       | ND<250     |           |         | ND<0.50 | ND<0.50 | ND<0.50 |           |          |          |             |             |
|          |             |            |           |         |         |         |         |           |          |          |             |             |

Page 4 of 8

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date     |         |             | Ethylene- |             |             |             |             | Carbon    |             |             |             |             |
|----------|---------|-------------|-----------|-------------|-------------|-------------|-------------|-----------|-------------|-------------|-------------|-------------|
| Sampled  |         | Ethanol     | dibromide | 1,2-DCA     |             |             |             | (organic, | Chromium    | Chromium    | Iron        | Manganese   |
|          | TBA     | (8260B)     | (EDB)     | (EDC)       | DIPE        | ETBE        | TAME        | total)    | VI          | (total)     | Ferrous     | (dissolved) |
|          | (µg/l)  | $(\mu g/l)$ | (µg/l)    | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ | (mg/l)    | $(\mu g/l)$ | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)      |
| MW-4 co  | ntinued |             |           |             |             |             |             |           |             |             |             |             |
| 05/18/07 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 08/10/07 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 11/09/07 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 02/08/08 | ND<10   | 290         |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 05/16/08 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 08/15/08 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 11/26/08 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 02/24/09 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     | 1.7       |             |             | ND<100      | 3.1         |
| 05/28/09 | ND<10   | ND<250      | ND<0.50   | ND<0.50     | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 09/14/09 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| MW-5     |         |             |           |             |             |             |             |           |             |             |             |             |
| 09/12/03 |         | ND<500      |           |             |             |             |             |           |             |             |             |             |
| 03/11/05 | ND<5.0  | ND<50       |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 05/17/05 | ND<5.0  | ND<50       |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 07/27/05 | ND<5.0  | ND<50       |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 11/23/05 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 02/24/06 | 59      | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 05/30/06 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 08/30/06 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 11/22/06 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 02/23/07 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 05/18/07 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 08/10/07 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 11/09/07 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
| 02/08/08 | ND<10   | ND<250      |           |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |             |             |             |
|          |         |             |           |             |             |             |             |           |             |             |             |             |

**CTRC** 

Page 5 of 8

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date     |             |             | Ethylene-   |             |             |             |             | Carbon    |             |          |             |             |
|----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|----------|-------------|-------------|
| Sampled  |             | Ethanol     | dibromide   | 1,2-DCA     |             |             |             | (organic, | Chromium    | Chromium | Iron        | Manganese   |
|          | TBA         | (8260B)     | (EDB)       | (EDC)       | DIPE        | ETBE        | TAME        | total)    | VI          | (total)  | Ferrous     | (dissolved) |
| -        | $(\mu g/l)$ | (µg/l)      | $(\mu g/l)$ | (mg/l)    | $(\mu g/l)$ | (µg/l)   | $(\mu g/l)$ | (µg/l)      |
| MW-5 co  | ntinued     |             |             |             |             |             |             |           |             |          |             |             |
| 05/16/08 | ND<10       | ND<250      |             |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |          |             |             |
| 08/15/08 | ND<10       | ND<250      |             |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |          |             |             |
| 11/26/08 | ND<10       | ND<250      |             |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |          |             |             |
| 02/24/09 | ND<10       | ND<250      |             |             | ND<0.50     | ND<0.50     | ND<0.50     | 4.5       |             |          | ND<100      | ND<1.0      |
| 05/28/09 | ND<10       | ND<250      | ND<0.50     | ND<0.50     | ND<0.50     | ND<0.50     | ND<0.50     |           |             |          |             |             |
| 09/14/09 | ND<10       | ND<250      |             |             | ND<0.50     | ND<0.50     | ND<0.50     |           |             |          |             |             |
| MW-6     |             |             |             |             |             |             |             |           |             |          |             |             |
| 03/17/01 | ND          | ND          | ND          | 219         | ND          | ND          | ND          |           |             |          |             |             |
| 09/24/01 | ND<100      | ND<1000000  | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      |           |             |          |             |             |
| 12/10/01 | ND<500      | ND<12000000 | ND<25       | ND<25       | ND<25       | ND<25       | ND<25       |           |             |          |             |             |
| 03/11/02 | ND<100      | ND<500000   | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      | ND<2.0      |           |             |          |             |             |
| 12/12/02 | ND<10000    | ND<50000000 | ND<200      | ND<200      | ND<200      | ND<200      | ND<200      |           |             |          |             |             |
| 03/13/03 | ND<5000     | ND<25000000 | ND<100      | ND<100      | ND<100      | ND<100      | ND<100      |           |             |          |             |             |
| 06/12/03 | ND<2000     | ND<10000000 | ND<40       | ND<40       | ND<40       | ND<40       | ND<40       |           |             |          |             |             |
| 09/12/03 |             | ND<2500     |             |             |             |             |             |           |             |          |             |             |
| 02/12/04 | ND<2000     | ND<10000    | ND<40       | ND<40       | ND<40       | ND<40       | ND<40       |           |             |          |             |             |
| 06/07/04 | ND<200      | ND<8000     | ND<5        | ND<5        | ND<10       | ND<10       | ND<10       |           |             |          |             |             |
| 09/17/04 | ND<100      | ND<1000     |             |             | ND<20       | ND<10       | ND<10       |           |             |          |             |             |
| 12/11/04 | ND<100      | ND<1000     |             |             | ND<20       | ND<10       | ND<10       |           |             |          |             |             |
| 03/11/05 | ND<100      | ND<1000     |             |             | ND<10       | ND<10       | ND<10       |           |             |          |             |             |
| 05/17/05 | ND<100      | ND<1000     |             |             | ND<10       | ND<10       | ND<10       |           |             |          |             |             |
| 07/27/05 | ND<100      | ND<1000     |             |             | ND<10       | ND<10       | ND<10       |           |             |          |             |             |
| 11/23/05 | ND<10       | ND<250      |             |             | ND<0.50     | ND<0.50     | 1.0         |           |             |          |             |             |
| 02/24/06 | ND<10       | ND<250      |             |             | ND<0.50     | ND<0.50     | 0.68        |           |             |          |             |             |
| 05/30/06 | ND<250      | ND<6200     |             |             | ND<12       | ND<12       | ND<12       |           |             |          |             |             |
|          |             |             |             |             |             |             |             |           |             |          |             |             |

**CTRC** 

Page 6 of 8

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date<br>Sampled       | TBA<br>(μg/l) | Ethanol<br>(8260B)<br>(μg/l) | Ethylene-<br>dibromide<br>(EDB)<br>(µg/l) | 1,2-DCA<br>(EDC)<br>(μg/l) | DIPE<br>(μg/l) | ETBE<br>(µg/l) | TAME<br>(µg/l) | Carbon (organic, total) (mg/l) | Chromium<br>VI<br>(µg/l) | Chromium<br>(total)<br>(µg/l) | Iron<br>Ferrous<br>(µg/l) | Manganese<br>(dissolved)<br>(μg/l) |
|-----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|--------------------------------|--------------------------|-------------------------------|---------------------------|------------------------------------|
| MW-6 co               | ntinued       |                              |   |                            |                |                |                |                                |                          |                               |                           |                                    |
| 08/30/06              | ND<100        | ND<2500                      |   |                            | ND<5.0         | ND<5.0         | ND<5.0         |                                |                          |                               |                           |                                    |
| 11/22/06              | ND<100        | ND<2500                      |   |                            | ND<5.0         | ND<5.0         | ND<5.0         |                                |                          |                               |                           |                                    |
| 02/23/07              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 05/18/07              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 08/10/07              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 11/09/07              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | 0.52           |                                |                          |                               |                           |                                    |
| 02/08/08              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 05/16/08              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 08/15/08              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 11/26/08              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 02/24/09              | ND<10         | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        | 2.7                            |                          |                               | ND<100                    | 1.2                                |
| 05/28/09              | ND<10         | ND<250                       | ND<0.50                                   | ND<0.50                    | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| 09/14/09              | 23            | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        |                                |                          |                               |                           |                                    |
| MW-7                  |               |                              |   |                            |                |                |                |                                |                          |                               |                           |                                    |
| 05/28/09              | 150           | ND<250                       | ND<0.50                                   | ND<0.50                    | ND<0.50        | ND<0.50        | 11             |                                |                          |                               |                           |                                    |
| 09/14/09              | 680           | ND<12000                     |   |                            | ND<25          | ND<25          | ND<25          | 9.8                            | ND<2.0                   | 76                            | 3200                      | 2000                               |
| MW-8                  |               |                              |   |                            |                |                |                |                                |                          |                               |                           |                                    |
| 05/28/09              | 36            | ND<250                       | ND<0.50                                   | ND<0.50                    | ND<0.50        | ND<0.50        | 9.7            | 9.9                            | ND<2.0                   | 140                           | ND<1000                   | 280                                |
| 09/14/09              | ND<500        | ND<12000                     |   |                            | ND<25          | ND<25          | ND<25          | 14                             | ND<2.0                   | 60                            | 480                       | 1000                               |
| MW-9                  |               |                              |   |                            |                |                |                |                                |                          |                               |                           |                                    |
| 05/28/09              | 40            | ND<250                       | ND<0.50                                   | ND<0.50                    | ND<0.50        | ND<0.50        | 11             |                                |                          |                               |                           |                                    |
| 09/14/09              | 24            | ND<250                       |   |                            | ND<0.50        | ND<0.50        | ND<0.50        | 3.0                            | ND<2.0                   | 520                           | ND<1000                   | 180                                |
| <b>MW-10</b> 05/28/09 | 39            | ND<250                       | ND<0.50                                   | ND<0.50                    | ND<0.50        | ND<0.50        | 4.6            | 2.4                            | 2.0                      | ND<10                         | 150                       | 280                                |

**CTRC** 

Page 7 of 8

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date                  |                  |          | Ethylene- |             |             |         |        | Carbon    |          |             |             |             |
|-----------------------|------------------|----------|-----------|-------------|-------------|---------|--------|-----------|----------|-------------|-------------|-------------|
| Sampled               |                  | Ethanol  | dibromide | 1,2-DCA     |             |         |        | (organic, | Chromium | Chromium    | Iron        | Manganese   |
|                       | TBA              | (8260B)  | (EDB)     | (EDC)       | DIPE        | ETBE    | TAME   | total)    | VI       | (total)     | Ferrous     | (dissolved) |
|                       | (µg/l)           | (µg/l)   | (µg/l)    | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)  | (µg/l) | (mg/l)    | (µg/l)   | $(\mu g/l)$ | $(\mu g/l)$ | (µg/l)      |
| <b>MW-10</b> 09/14/09 | continued<br>240 | ND<3100  |           |             | ND<6.2      | ND<6.2  | ND<6.2 | 2.7       | ND<2.0   | 24          | 210         | 280         |
| <b>MW-11</b> 05/28/09 | 140              | ND<250   | ND<0.50   | ND<0.50     | ND<0.50     | ND<0.50 | 9.4    |           |          |             |             |             |
| 09/14/09              | 850              | ND<12000 |           |             | ND<25       | ND<25   | ND<25  | 3.3       | ND<2.0   | 14          | 310         | 570         |



Page 8 of 8

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date<br>Sampled       | Manganese<br>(total)<br>(μg/l) | Nitrogen<br>as<br>Nitrate<br>(mg/l) | Sulfate<br>(mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox<br>Potential<br>(ORP-Lab)<br>(mV) | Specific<br>Con-<br>ductance<br>(µmhos) | Post-purge<br>Dissolved<br>Oxygen<br>(mg/l) | Pre-purge<br>Dissolved<br>Oxygen<br>(mg/l) | Pre-purge<br>ORP<br>(mV) | Post-purge<br>ORP<br>(mV) |  |
|-----------------------|--------------------------------|-------------------------------------|-------------------|--------------------------------|---|---|---|--|--------------------------|---------------------------|--|
| MW-1                  |                                |                                     |                   |                                |   |   |   |  |                          |                           |  |
| 02/24/09              | 500                            |                                     | 18                |                                |   |   | 4.63  | 3.22                                       | 57                       | 59                        |  |
| 05/28/09              | 550                            | 9.9                                 | 25                | 8.6                            | 130                                     | 463                                     | 0.80  | 2.95                                       | 119                      | 171                       |  |
| 09/14/09              | 1600                           | 11                                  | 25                | 6.8                            | 204                                     | 429                                     | 1.93  | 3.81                                       | 233                      | 146                       |  |
| MW-1AR<br>05/28/09    |                                |                                     |                   |                                |   |   | 1.72  | 0.95                                       | 144                      | 177                       |  |
| 09/14/09              | 830                            | 17                                  | 39                | 7.0                            | 205                                     | 655                                     | 1.68  | 1.83                                       | 235                      | 187                       |  |
| MW-1BR                |                                |                                     |                   |                                |   |   |   |  |                          |                           |  |
| 05/28/09              |                                |                                     |                   |                                |   |   | 0.61  | 1.37                                       | 145                      | 165                       |  |
| 09/14/09              | 930                            | 17                                  | 59                | 6.7                            | 207                                     | 673                                     | 0.46  | 1.02                                       | 228                      | 143                       |  |
| <b>MW-2A</b> 02/24/09 | 130                            |                                     | 87                |                                |   |   | 3.38  | 4.44                                       | 50                       | 34                        |  |
| <b>MW-3</b> 02/24/09  | 1100                           |                                     | 130               |                                |   |   | 5.01  | 2.30                                       | 46                       | 49                        |  |
| 05/28/09              |                                |                                     |                   |                                |   |   | 0.61  | 4.03                                       | 141                      | 85                        |  |
| 09/14/09              |                                |                                     |                   | 6.6                            | 196                                     | 658                                     | 0.49  | 2.02                                       | 146                      | 119                       |  |
| MW-4                  |                                |                                     |                   |                                |   |   |   |  |                          |                           |  |
| 02/24/09              | 250                            |                                     | 130               |                                |   |   | 6.15  | 4.27                                       | 61                       | 64                        |  |
| 05/28/09              |                                |                                     |                   |                                |   |   | 3.68  | 3.76                                       | 141                      | 55                        |  |
| 09/14/09              |                                |                                     |                   | 7.1                            | 195                                     | 1020                                    | 2.16  | 2.78                                       | 142                      | 63                        |  |
| MW-5                  | <b>520</b>                     |                                     | - 1               |                                |   |   |   | 2.50                                       | 25                       | 24                        |  |
| 02/24/09              |                                |                                     | 64                |                                |   |   | 5.65  | 2.58                                       | 27                       | 34                        |  |
| 05/28/09              |                                |                                     |                   |                                |   |   | 1.71  | 4.32                                       | 138                      | 94                        |  |
| 09/14/09              |                                |                                     |                   | 4.0                            | 204                                     | 609                                     | 0.64  | 2.08                                       | 147                      | 115                       |  |




Page 1 of 2


Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

| Date     |           | Nitrogen |         | Dissolved | Redox     | Specific | Post-purge | Pre-purge |           |            |
|----------|-----------|----------|---------|-----------|-----------|----------|------------|-----------|-----------|------------|
| Sampled  | Manganese | as       |         | Oxygen    | Potential | Con-     | Dissolved  | Dissolved | Pre-purge | Post-purge |
|          | (total)   | Nitrate  | Sulfate | (Lab)     | (ORP-Lab) | ductance | Oxygen     | Oxygen    | ORP       | ORP        |
|          | (µg/l)    | (mg/l)   | (mg/l)  | (mg O/)   | (mV)      | (µmhos)  | (mg/l)     | (mg/l)    | (mV)      | (mV)       |
| MW-6     |           |          |         |           |           |          |            |           |           |            |
| 02/24/09 | 2300      |          | 85      |           |           |          | 3.40       | 1.29      | 68        | 67         |
| 05/28/09 |           |          |         |           |           |          | 1.06       | 1.85      | 142       | 56         |
| 09/14/09 |           |          |         | 7.1       | 205       | 595      | 0.46       | 1.07      | 154       | 118        |
| MW-7     |           |          |         |           |           |          |            |           |           |            |
| 05/28/09 |           |          |         |           |           |          | 1.24       | 0.63      | 160       | 124        |
| 09/14/09 | 2200      | 4.2      | 180     | 6.9       | 217       | 1030     | 0.26       | 1.35      | -13       | -53        |
| MW-8     |           |          |         |           |           |          |            |           |           |            |
| 05/28/09 | 830       | 12       | 130     | 9.0       | 124       | 923      | 2.22       | 1.38      | 146       | 68         |
| 09/14/09 | 1300      | 7.7      | 260     | 6.2       | 407       | 1100     | 0.28       | 1.11      | 151       | 92         |
| MW-9     |           |          |         |           |           |          |            |           |           |            |
| 09/14/09 | 4700      | 5.0      | 68      | 7.3       | 204       | 580      | 3.58       | 4.16      | 236       | 171        |
| MW-10    |           |          |         |           |           |          |            |           |           |            |
| 05/28/09 | 350       | 9.1      | 30      | 7.1       | 139       | 661      | 0.30       | 1.76      | 151       | 156        |
| 09/14/09 | 380       | 6.3      | 33      | 6.1       | 205       | 675      | 2.19       | 0.67      | 235       | 114        |
| MW-11    |           |          |         |           |           |          |            |           |           |            |
| 05/28/09 |           |          |         |           |           |          | 0.22       | 0.80      | 1.56      | 147        |
| 09/14/09 | 740       | 0.73     | 37      | 6.7       | 192       | 780      | 0.81       | 0.82      | 224       | 49         |



Page 2 of 2





Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. NA = not analyzed, measured, or collected. UST = underground storage tank. Shell Service Station data not provided this quarter.






165521

PROJECT:

FACILITY:
FORMER 76 STATION 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

GROUNDWATER ELEVATION
CONTOUR MAP
September 14, 2009



Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.  $\mu$ g/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. ( ) = representative historical value. UST = underground storage tank. Shell Service Station data not provided this quarter.






165521

PROJECT:

FACILITY: FORMER 76 STATION 0843 1629 WEBSTER STREET

ALAMEDA, CALIFORNIA

DISSOLVED-PHASE TPH-G (GC/MS) CONCENTRATION MAP September 14, 2009



Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  $\mu$ g/I = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. ( ) = representative historical value.  ${\sf UST = underground\ storage\ tank.\ \ Shell\ Service\ Station\ data\ not\ provided\ this\ quarter.}$ 






165521

PROJECT:

FACILITY: FORMER 76 STATION 0843 1629 WEBSTER STREET ALAMEDA, CALIFORNIA

**DISSOLVED-PHASE BENZENE CONCENTRATION MAP** September 14, 2009

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether.  $\mu$ g/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. ( ) = representative historical value. UST = underground storage tank. Shell Service Station data not provided this quarter. Results obtained using EPA Method 8260B.






165521

PROJECT:

FACILITY: FORMER 76 STATION 0843 1629 WEBSTER STREET ALAMEDA, CALIFORNIA

**DISSOLVED-PHASE MTBE CONCENTRATION MAP** September 14, 2009



Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TBA = tertiary butyl alcohol. μg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. ( ) = representative historical value. UST = underground storage tank. Shell Service Station data not provided this quarter. Results obtained using EPA Method 8260B.







165521


PROJECT:


FACILITY: FORMER 76 STATION 0843 1629 WEBSTER STREET ALAMEDA, CALIFORNIA


**DISSOLVED-PHASE TBA CONCENTRATION MAP September 14, 2009** 












#### **Benzene Concentrations vs Time**

Former 76 Station 0843



02/26/99

10/18/01

06/09/04

01/30/07

09/21/09

02/26/99

10/18/01


06/09/04

01/30/07

09/21/09

#### **Benzene Concentrations vs Time**

Former 76 Station 0843



#### GENERAL FIELD PROCEDURES

#### **Groundwater Monitoring and Sampling Assignments**

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

#### Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

#### **Purging and Groundwater Parameter Measurement**

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

#### **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

#### Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

#### **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

#### **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

3/7/08 version

# FIELD MONITORING DATA SHEET

| Technician:_ | Andrew Vidners | Job #/Task #:    | 165521 | FAZO | Date: | 9/14/09 |
|--------------|----------------|------------------|--------|------|-------|---------|
| Site#_       | 0843           | Project Manager_ | A. (0) | ins  | Page  | 1 of 2  |

|            |          | Time     | Total   | Depth<br>to | Depth<br>to | Product<br>Thickness | Time            |                  |
|------------|----------|----------|---------|-------------|-------------|----------------------|-----------------|------------------|
| Well#      | TOC      | Gauged   |         | Water       | Product     | (feet)               | Time<br>Sampled | Misc. Well Notes |
| MW- 4      | V        | 0643     | 18.24   | 6.76        | ~           |                      | 0811            | 2"               |
| Mw-3       | V        | 0650     | 19.91   | 6-88        |             |                      | 0633            | 211              |
| MW-5       | 1        | 0700     | 20.28   | 6.29        | *           |                      | 0855            | 2"               |
| MW-6       | √        | 0710     | 20.12   | 6.30        |             | _                    | 0916            | Z "              |
| Mw-8       | <b>✓</b> | 0720     | 29,38   | 6.97        |             | _                    | 1020            | Z '              |
| MW-7       | ~        | 0731     | 29 16   | 6.77        |             |                      | 1034            | 2"               |
|            |          |          |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            | _        | <i>*</i> |         |             |             |                      |                 |                  |
|            |          |          |         |             | :           |                      |                 |                  |
|            |          | ***      |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      | ·               |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            | 11       |          | ,       |             | <del></del> |                      |                 |                  |
|            |          |          |         |             |             |                      |                 |                  |
|            |          |          |         |             |             |                      |                 | :                |
|            |          |          |         |             | 1           |                      |                 |                  |
|            |          |          |         |             | _           |                      |                 |                  |
| FIELD DATA | COMPLE   | ETE      | QA/QC   |             | coc         | WI                   | ELL BOX CO      | ONDITION SHEETS  |
| MANIFEST   |          | DRUM IN  | VENTOR' | ſ .         | TRAFFIC (   | CONTROL              |                 |                  |



### FIELD MONITORING DATA SHEET

 Technician: Picky // Job #/Task #: 165521 /FA20
 Date: 09/14/09

 Site # 6843
 Project Manager A. Colling
 Page 2 of 2

| Well#      | TOC         | Time<br>Gauged | Total<br>Depth | Depth<br>to<br>Water | Depth<br>to<br>Product | Product<br>Thickness<br>(feet) | Time<br>Sampled                                  | Misc. Well Notes |
|------------|-------------|----------------|----------------|----------------------|------------------------|--------------------------------|--|------------------|
| mw. 182    | <b>V</b>    | 0641           | 34.50          | 7.80                 | ·                      |                                | 0816   | z"               |
| mw./AR     |             | 0647           |                |                      |                        |                                | 0835   | 2"               |
| mw-10      |             | 0652           |                | 7.50                 |                        |                                | 0859   | ۲۰۱              |
| mw-1       | V           | 6657           |                | 7.60                 |                        |                                | 0922   | <b>て</b> ''      |
| mw-9       |             | 0702           |                | 7.36                 |                        |                                | 1000   | 211              |
| mw.11      |             | 0706           |                |                      |                        |                                | 1027   | Sil              |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            | •           |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            | •           |                |                |                      |                        |                                |  |                  |
|            | · .         |                |                |                      |                        |                                |  |                  |
|            | <del></del> |                |                |                      |                        |                                | <del>                                     </del> |                  |
|            |             |                |                |                      | -                      |                                |  |                  |
|            |             |                |                |                      |                        |                                | <u>.                                    </u>     |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
|            |             |                |                |                      |                        |                                |  |                  |
| FIELD DATA | COMPL       | ETE            | QA/QC          |                      | COC                    | W                              | ELL BOX C  | ONDITION SHEETS  |
| MANIFEST   |             | DRUM IN        | VENTOR         | Y                    | TRAFFIC (              | CONTROL                        |  |                  |



Technician:

Vidners

Site: 0843 165521 Project No : Date: Sub Well No.\_ Purge Method: 6.76 Depth to Water (feet): Depth to Product (feet): 18.24 Total Depth (feet) LPH & Water Recovered (gallons): Z Water Column (feet): Casing Diameter (Inches):\_ 2 80% Recharge Depth(feet): 1 Well Volume (gallons):

| Time<br>Start | Time<br>Stop       | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm) | Temperature<br>(F,C) | рН   | D O<br>(mg/L) | ORP  | Turbidity |
|---------------|--------------------|-----------------------------|-------------------------------|-------------------------|----------------------|------|---------------|------|-----------|
| Pre           | -Purge             | និសាសស្វាស្វាន              | errasalpea scoriji            |                         |                      |      | 2.78          | 147  |           |
| 0866          |                    |                             | 2                             | 1168                    | 18.0                 | 6.80 |               | 1    |           |
|               |                    |                             | 4,                            | 1177                    | 18.1                 | 6.84 |               |      |           |
|               | 0804               |                             | 6                             | 1191                    | 18.2                 | 6.88 |               |      | <u> </u>  |
| Post          | PVRGE              |                             |                               |                         |                      |      | 2.16          | 63   |           |
| Sta           | <br>itic at Time S | ampled                      | Tota                          | I [<br>al Gallons Pur   | ged                  |      | Sample        | Time |           |
|               | 9.06               |                             |                               | 6                       |                      |      | 0811          |      | ·         |
| Comment       | :s:                |                             | •                             |                         |                      |      | <u> </u>      |      |           |

MW-3 Sub Well No. Purge Method: 6.88 Depth to Water (feet): Depth to Product (feet): 19.91 Total Depth (feet)\_ LPH & Water Recovered (gallons): 13.03 2 Water Column (feet): Casing Diameter (Inches):\_ 949 3 80% Recharge Depth(feet): 1 Well Volume (gallons):

| Time<br>Start | Time<br>Stop    | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm) | Temperature<br>(F,C) | pН   | D.O<br>(mg/L) | ORP  | Turbidity |
|---------------|-----------------|-----------------------------|-------------------------------|-------------------------|----------------------|------|---------------|------|-----------|
|               | -Purge          |                             |                               |                         |                      |      | 2.02          | 146  |           |
| 0824          |                 |                             | 3                             | 675.5                   | 14.6                 | 7.41 | _             |      |           |
|               |                 |                             | 6                             | 637.1                   | 21.0                 | 7.20 |               |      |           |
|               | 0828            |                             | 9                             | 688.5                   | 21.3                 | 6.99 |               |      |           |
| POST          | PURGE           |                             |                               |                         |                      |      | 0.49          | 119  |           |
| Sta           | atic at Time Sa | ampled                      | Tot                           | al Gallons Pur          | ged                  | [    | Sample        | Time | <u> </u>  |
|               | 6.43            |                             |                               | 9                       |                      |      | 0833          |      |           |
| Commen        | s:              |                             |                               |                         |                      |      |               |      |           |



Technician: A. Vidwrs

| Site: 0843 Project No.:        | 165521                           | Date: 9/4/09 |
|--------------------------------|----------------------------------|--------------|
| Well No. MW-5                  | Purge Method: Sub                |              |
| Depth to Water (feet): 4.29    | Depth to Product (feet):         |              |
| Total Depth (feet) 20. 26      | LPH & Water Recovered (gallons): |              |
| Water Column (feet): 13.99     | Casing Diameter (Inches): 2      | <u> </u>     |
| 80% Recharge Depth(feet): 9.04 | 1 Well Volume (gallons): 3       | ·<br>• ·     |

| Comment       | <del></del>   | <del></del>                 | <u>L</u>                      |                      |                      |      | -055          |      |           |
|---------------|---------------|-----------------------------|-------------------------------|----------------------|----------------------|------|---------------|------|-----------|
|               | 9.00          |                             |                               | 9                    |                      |      | 0855          |      |           |
| Sta           | tic at Time S | ampled                      | Tota                          | al Gallons Pur       | ged                  |      | Sample        | Time | .1        |
| POST          | PURGE         |                             |                               |                      |                      |      | 0.64          | 115  |           |
|               | 0850          |                             | 9                             | 598.8                | 21.4.                | 6.52 |               |      |           |
|               |               |                             | 6                             | 584.4                | 21.1                 | 6.61 |               |      |           |
| 3846          |               |                             | 3                             | 600.2                | i9.6                 | 6.77 |               |      |           |
|               | -Purge        |                             |                               |                      |                      |      | 7.08          | 147  |           |
| Time<br>Start | Time<br>Stop  | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity (µS/cm) | Temperature<br>(F,C) | pН   | D O<br>(mg/L) | ORP  | Turbidity |

| Well No. MW-6                 | Purge Method: Sih                |
|-------------------------------|----------------------------------|
| Depth to Water (feet): 6.30   | Depth to Product (feet):         |
| Total Depth (feet) 20, 12     | LPH & Water Recovered (gallons): |
| Water Column (feet): 13.92    | Casing Diameter (Inches): 2      |
| 80% Recharge Depth(feet): 406 | 1 Well Volume (gallons): 3       |

| Time<br>Start | Time<br>Stop         | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm) | Temperature<br>(F,C) | рĤ   | D O<br>(mg/L) | ORP  | Turbidity |
|---------------|----------------------|-----------------------------|-------------------------------|-------------------------|----------------------|------|---------------|------|-----------|
| Pre           | -Purge               |                             |                               |                         |                      |      | 1.07          | 154  |           |
| 0906          |                      |                             | 3                             | 576.5                   | 19.7                 | 6.66 | <del></del>   |      |           |
|               |                      |                             | 6                             | 5803                    | 203                  | 6.53 |               |      |           |
|               | 0910                 |                             | 9                             | 601.5                   | 20.5                 | 6.48 | <u> </u>      |      |           |
| Post          | PURGE                |                             |                               |                         |                      |      | 0.46          | 118  |           |
| Sta           | .I<br>itic at Time S | ampled                      | Tot                           | l<br>al Gallons Pur     | ged                  |      | Sample        | Time |           |
|               | 9.06                 |                             |                               | 9                       |                      |      | 09/6          |      |           |
| Comment       | s:                   |                             | ·                             |                         |                      |      | - 1/10        |      |           |



A. Vidhers Technician: Site: 0943 165521 Project No.:\_ Well No. Purge Method: 6.97 Depth to Water (feet): Depth to Product (feet): 29.59 Total Depth (feet) LPH & Water Recovered (gallons): 22-61 Water Column (feet): Casing Diameter (Inches): 11.49 80% Recharge Depth(feet): 1 Well Volume (gallons):

| Comment       | 7.43          |                             |                               | 12                      |                      |      | 1020          |      |           |
|---------------|---------------|-----------------------------|-------------------------------|-------------------------|----------------------|------|---------------|------|-----------|
| Sta           | tic at Time S | ampled                      | Tota                          | al Gallons Pur          | ged                  |      | Sample        | Time |           |
|               |               |                             |                               |                         |                      |      |               |      |           |
| POST          | PURGE         |                             |                               |                         |                      |      | 0 28          | 42   |           |
|               | 0949          |                             | 12                            | 1059                    | 21.1                 | 6.82 |               |      |           |
| `             |               |                             | 8                             | 1040                    | 21, 1                | 6.83 |               |      |           |
| 0944          |               |                             | 4                             | 473.2                   | 20,5                 | 6.69 |               |      |           |
|               | -Purge        |                             |                               |                         |                      |      | 1.17          | 15)  |           |
| Time<br>Start | Time<br>Stop  | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm) | Temperature<br>(F,C) | Нq   | D O<br>(mg/L) | ORP  | Turbidity |

| Commen        |                |                             | 1                             | TO AV                | [4                     |      | 1057          |         |          |
|---------------|----------------|-----------------------------|-------------------------------|----------------------|------------------------|------|---------------|---------|----------|
|               | 7.57           |                             |                               | -10 AV               | 12                     |      | 1034          | ·       |          |
| Sta           | atic at Time S | ampled                      | Tota                          | al Gallons Pur       | ged                    | •    | Sample        | Time    | 1        |
| [*7]          | TVLOE          |                             |                               |                      |                        |      | 0.26          | -53     |          |
| POST          | PURGE          |                             | 12                            | 1006                 | 21.8                   | 6.69 | 0.3/          | -       |          |
|               | 1010           |                             |                               |                      |                        | 6.11 |               |         | ļ        |
|               |                |                             | 8                             | 189.9                | 21.3                   | / 71 |               |         |          |
| 1005          |                |                             | 4                             | 1016                 | 21.0                   | 6.91 |               | <u></u> |          |
| Pre           | -Purge         |                             |                               |                      |                        |      | 1.35          | -13     |          |
| Time<br>Start | Time<br>Stop   | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity (µS/cm) | Temperature<br>(F , C) | рН   | D:O<br>(mg/L) | ORP     | Turbidit |



Technician: Ricky #-

| Site: 084     | 3_            | Proje                       | ect No : 16                   | 5521                    | <del></del>                           |   | Date:   | 09/14 | 100       |
|---------------|---------------|-----------------------------|-------------------------------|-------------------------|---------------------------------------|---|---|-------|-----------|
| Well No       | ma-           | 18 12 m                     | W. IBR                        | Purge Method            | d:                                    | Sub   |   |       |           |
| Depth to Wa   | ater (feet):  | 7.80                        |                               | Depth to Prod           | duct (feet):                          |   |   | -     |           |
| Total Depth   | (feet)        | 34.50                       | ****                          |                         | Recovered (ga                         |   |   |       |           |
| Water Colu    | mn (feet):    | 26.70                       | <del></del>                   | Casing Diame            | eter (Inches): 2                      |   |   | rene  |           |
|               |               | et): 13,14                  |                               | 1 Well Volum            | e (gallons):_5_                       | <u></u>                                       | <del></del>                                     |       |           |
| Time<br>Start | Time<br>Stop  | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm) | Temperature<br>( F ,                  | рН  | D.O<br>(mg/L)                                   | ORP   | Turbidity |
| l             | ourge         |                             |                               |                         |                                       |   | 501   | 228   |           |
| 0756          |               |                             | <u>5</u> _                    | 808.7                   |                                       | 6.08  |   |       |           |
|               |               |                             | 10                            | 835-2                   | · · · · · · · · · · · · · · · · · · · | 5.86  | - 46  | 143   |           |
|               | 0803          |                             | 15                            | 813.8                   | 19.0                                  | 3.64  | 0.46  | 113   |           |
| <u> </u>      | ļ- <u></u>    |                             |                               | a A                     |                                       |   |   |       |           |
| Stat          | ic at Time Sa | ampled                      | Tota                          | al Gallons Pur          | ged                                   | <u> </u>                                      | Sample  | Time  |           |
|               | 9.00          | <b>∂</b>                    |                               | 15                      |                                       | 0810  | 6   |       |           |
| Comments      | ):<br>        |                             |                               |                         |                                       |   | - VIII (1-2-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1 |       |           |
| Well No       | ma            | 1-1412                      | -                             | Purge Metho             | d:                                    | SWB   | ····  | ·     |           |
| Depth to W    | ater (feet):  | 7.83                        |                               | Depth to Pro            | duct (feet):                          |   |   |       |           |
|               |               | 29.80                       |                               |                         | r Recovered (g                        |   |   |       |           |
|               |               | 2197                        |                               | Casing Diam             | eter (Inches):_3                      | <u>, "                                   </u> |   |       |           |
|               |               | eet): <u>  12-22</u>        |                               | 1 Well Volun            | ne (gallons): <u>4</u>                |   |   |       |           |
| Time<br>Start | Time<br>Stop  | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity (µS/cm)    | Temperature<br>(F, 6)                 | рН  | DO<br>(mg/L)                                    | ORP   | Turbidity |

| Comment       | 8.10          |                             |                               | 12                      |                               | 0835 |               |      |                                |
|---------------|---------------|-----------------------------|-------------------------------|-------------------------|-------------------------------|------|---------------|------|--------------------------------|
| Sta           | tic at Time S | Sampled                     | Tot                           | al Gallons Pur          | ged                           |      | Sample        | Time |                                |
|               |               |                             |                               |                         |                               |      |               |      |                                |
|               | 0811          |                             | 12                            | 697.7                   | 190                           | 5.70 | 1.68          | 187  |                                |
|               |               |                             | 8                             | 692.5                   | 19.0                          | 5.70 |               |      |                                |
| 0805          |               |                             | 4                             | 663.4                   | 18.8                          | 5.68 |               |      | n the Ballace for the separate |
| Pre-          | Purge         |                             | 370                           |                         |                               |      | 1.83          | 532  |                                |
| Time<br>Start | Time<br>Stop  | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm) | Temperature<br>(F, <b>G</b> ) | рH   | D O<br>(mg/L) | ORP  | Turbidit                       |



Technician: Roky U

| Site: <b>0</b> 84. | 3              | Proje                       | ect No.:                      | 165521                  |                        |          | Date:_        | <u>08</u>    | 09/14/0   |
|--------------------|----------------|-----------------------------|-------------------------------|-------------------------|------------------------|----------|---------------|--------------|-----------|
| Well No            | mw             | -10                         | <del></del> .                 | Purge Method            | d:                     | du2      |               |              |           |
| Depth to Wa        | ater (feet):   | 7.50                        |                               |                         | duct (feet):           |          |               |              |           |
| Total Depth        | (feet)         | 29.23                       |                               | LPH & Water             | Recovered (ga          | allons): | ·             |              |           |
|                    |                | 21.73                       |                               |                         | eter (Inches):_        |          |               |              |           |
|                    |                | eet): <u>11-85</u>          |                               | 1 Well Volum            | e (gallons): <u> </u>  |          | hW            |              |           |
| Time<br>Start      | Time<br>Stop   | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm) | Temperature<br>(F, C)  | рН       | D O<br>(mg/L) | ORP          | Turbidity |
| Pre-               | Purge          |                             |                               |                         |                        |          | 0.67          | 235          |           |
| 0846               |                |                             | 8                             | 6807                    | 20.4                   | 6.00     |               |              | <b></b>   |
|                    |                |                             |                               | 714.5                   |                        | 5.73     | 2.19          |              |           |
|                    | 0825           |                             | 12                            | 721.6                   | 20.0                   | 5.63     | 2.19          |              |           |
| Sta                | tic at Time S  | ampled                      | Tot                           | al Gallons Pur          | ged                    | <u> </u> | Sample        |              |           |
| Comments           | 11.50          |                             |                               |                         | .,                     | 08       | 59            | <del>,</del> |           |
| Comment            |                |                             |                               |                         |                        |          |               |              |           |
| Well No            | MW-1           | -th as halfaland spaces.    | ، استند غربتم سوسی            | Purge Metho             | od:                    | Sub      |               |              |           |
| Depth to W         | /ater (feet):_ | 7.60                        |                               | Depth to Pro            | duct (feet):           |          |               | <del></del>  |           |
|                    |                | 19.85                       |                               | LPH & Wate              | r Recovered (g         | allons): |               |              |           |
|                    |                | 12.25                       |                               | Casing Diam             | neter (Inches):_       | 2 '`     |               |              |           |
|                    |                | eet): 10.05                 |                               | 1 Well Volun            | ne (gallons): <u> </u> |          |               |              |           |

| Time<br>Start | Time<br>Stop  | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm) | Temperature<br>(F, 🕙 | pН   | D O<br>(mg/L) | ORP      | Turbidity |
|---------------|---------------|-----------------------------|-------------------------------|-------------------------|----------------------|------|---------------|----------|-----------|
| Pre-          | Purge         | 1 4400                      |                               |                         |                      |      | 3.81          | 233      |           |
| 0912          |               |                             | 3                             | 295.4                   | 19.9                 | 6.16 |               | <u> </u> |           |
|               |               |                             | 6                             | 351.1                   | 19.7                 | 5.83 |               |          |           |
|               | 0916          |                             | 9                             | 419.1                   | 19.7                 | 5.68 | 193           | 146      |           |
|               |               |                             |                               |                         | 10-                  |      |               |          |           |
| Sta           | tic at Time S | Sampled                     | Tot                           | al Gallons Pu           | ged                  |      | Sample        | Time     |           |
|               | 9.80          | 2                           |                               | 9                       |                      | 097  | 27            |          |           |
| Comment       |               |                             |                               |                         |                      |      |               |          |           |



Technician: Ricky 14

| Site: <u>084</u> | 3                    | Proje                       | ct No.: 16                    | 55Z)_  |                              |             | Date:_         | <del>08</del> € | 9/14/0    |  |
|------------------|----------------------|-----------------------------|-------------------------------|--|------------------------------|-------------|----------------|-----------------|-----------|--|
| Well No          | mw-9                 |                             |                               | Purge Method                                     | d:                           | Sub         |                |                 |           |  |
| Depth to W       | ater (feet):         | 7.36                        |                               | Depth to Prod                                    | duct (feet):                 |             |                |                 |           |  |
|                  |                      | 4.40                        |                               | LPH & Water Recovered (gallons):                 |                              |             |                |                 |           |  |
| •                |                      | 7,04                        |                               | Casing Diam                                      | eter (inches): <u>-2</u>     | 211         |                |                 |           |  |
| 80% Recha        | rge Depth(fe         | eet): 10.77                 |                               | 1 Well Volum                                     | e (gallons):_3               |             |                |                 |           |  |
| Time<br>Start    | Time<br>Stop         | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity<br>(µS/cm)                          | Temperature                  | рН          | D O.<br>(mg/L) | ORP             | Turbidity |  |
| Pre-             | Purge                |                             |                               |  |                              |             | 4.16           | 234             |           |  |
| 0947             |                      |                             |                               | 486.6  | 51.8                         | 5.79        |                |                 |           |  |
|                  | 0951                 |                             | <u>6</u><br>9                 | 540.3  | 21.1                         | 6.17        | 3.58           | 171             |           |  |
|                  | 17:00                |                             | 77.4                          | LO-Us-à Du-                                      |                              |             | Compale        | Ti              |           |  |
| Stat             | ic at Time Sa<br>どりら |                             | l Ota                         | al Gallons Pur<br><b>Q</b>                       | gea                          | i c         | Sample<br>Soo  | e i ime         |           |  |
| Comments         |                      |                             |                               |  | 7 1/1                        |             |                |                 |           |  |
| Well No.         | mw.                  | 1/                          | 1-104                         | Purge Metho                                      | d:                           | ,ω          |                |                 |           |  |
|                  |                      | 7.45                        |                               |  | duct (feet):                 |             |                |                 |           |  |
|                  |                      | 27.49                       |                               |  | r Recovered (g               |             |                |                 |           |  |
| · ·              | -                    | 20.64                       |                               |  | eter (inches):2              |             |                |                 |           |  |
|                  |                      | eet): 11.46                 |                               |  | ne (gallons): <u>4</u>       |             |                |                 |           |  |
| Time<br>Start    | Time<br>Stop         | Depth to<br>Water<br>(feet) | Volume<br>Purged<br>(gallons) | Conductivity (µS/cm)                             | Temperature<br>(F <b>©</b> ) | pH          | D.O<br>(mg/L)  | ORP             | Turbidity |  |
| Pre              | Purge                | 100 Apr 13                  |                               |  |                              |             | 0.82           | 224             |           |  |
| 1015             |                      |                             | 4                             | 861.3  | 21.8                         | 6.00        | <b> </b>       | <b></b>         |           |  |
|                  | 1020                 |                             | 12                            | 845.6  | 20.8                         | 5.80<br>572 | 081            | 49              |           |  |
|                  | <u> </u>             |                             |                               | <del>                                     </del> |                              |             |                | 1               | 1         |  |

Total Gallons Purged

Static at Time Sampled

Comments:

7.15



Sample Time

1027



Date of Report: 09/23/2009

Anju Farfan

TRC

21 Technology Drive Irvine, CA 92618

0843 RE:

BC Work Order: 0912166 B068502 Invoice ID:

Enclosed are the results of analyses for samples received by the laboratory on 9/14/2009. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers

Client Service Rep



 TRC
 Project:
 0843
 Reported:
 09/23/2009 15:27

 21 Technology Drive
 Project Number:
 4511010865

Irvine, CA 92618 Project Manager: Anju Farfan

### **Laboratory / Client Sample Cross Reference**

| Laboratory | Client Sample Information | on .        |                |                  |                                    |
|------------|---------------------------|-------------|----------------|------------------|------------------------------------|
| 0912166-01 | COC Number:               |             | Receive Date:  | 09/14/2009 21:00 | Metal Analysis: 2-Lab Filtered and |
|            | Project Number:           | 0843        | Sampling Date: | 09/14/2009 10:20 | Acidified                          |
|            | Sampling Location:        |             | Sample Depth:  |                  |                                    |
|            | Sampling Point:           | MW-8        | Sample Matrix: | Water            |                                    |
|            | Sampled By:               | TRCI        |                |                  |                                    |
| 0912166-02 | COC Number:               |             | Receive Date:  | 09/14/2009 21:00 | Metal Analysis: 2-Lab Filtered and |
|            | Project Number:           | 0843        | Sampling Date: | 09/14/2009 10:34 | Acidified                          |
|            | Sampling Location:        |             | Sample Depth:  |                  |                                    |
|            | Sampling Point:           | MW-7        | Sample Matrix: | Water            |                                    |
|            | Sampled By:               | TRCI        |                |                  |                                    |
| 0912166-03 | COC Number:               |             | Receive Date:  | 09/14/2009 21:00 | Metal Analysis: 2-Lab Filtered and |
|            | Project Number:           | 0843        | Sampling Date: | 09/14/2009 08:16 | Acidified                          |
|            | Sampling Location:        |             | Sample Depth:  |                  |                                    |
|            | Sampling Point:           | MW-1BR      | Sample Matrix: | Water            |                                    |
|            | Sampled By:               | TRCI        | ·              |                  |                                    |
| 0912166-04 | COC Number:               |             | Receive Date:  | 09/14/2009 21:00 | Metal Analysis: 2-Lab Filtered and |
|            | Project Number:           | 0843        | Sampling Date: | 09/14/2009 08:35 | Acidified                          |
|            | Sampling Location:        |             | Sample Depth:  |                  |                                    |
|            | Sampling Point:           | MW-1AR      | Sample Matrix: | Water            |                                    |
|            | Sampled By:               | TRCI        |                |                  |                                    |
| 912166-05  | COC Number:               |             | Receive Date:  | 09/14/2009 21:00 | Metal Analysis: 2-Lab Filtered and |
|            | Project Number:           | 0843        | Sampling Date: | 09/14/2009 08:59 | Acidified                          |
|            | Sampling Location:        | <del></del> | Sample Depth:  |                  |                                    |
|            | Sampling Point:           | MW-10       | Sample Matrix: | Water            |                                    |
|            | Sampled By:               | TRCI        | 22             |                  |                                    |



Irvine, CA 92618

 TRC
 Project:
 0843
 Reported:
 09/23/2009
 15:27

 21 Technology Drive
 Project Number:
 4511010865

Project Manager: Anju Farfan

### **Laboratory / Client Sample Cross Reference**

| Laboratory | Client Sample Information | on .  |   |
|------------|---------------------------|-------|---|
| 0912166-06 | COC Number:               |       | Receive Date: 09/14/2009 21:00 Metal Analysis: 2-Lab Filtered and |
|            | Project Number:           | 0843  | Sampling Date: 09/14/2009 09:22 Acidified                         |
|            | Sampling Location:        |       | Sample Depth:   |
|            | Sampling Point:           | MW-1  | Sample Matrix: Water  |
|            | Sampled By:               | TRCI  |   |
| 0912166-07 | COC Number:               |       | Receive Date: 09/14/2009 21:00 Metal Analysis: 2-Lab Filtered and |
|            | Project Number:           | 0843  | Sampling Date: 09/14/2009 10:00 Acidified                         |
|            | Sampling Location:        |       | Sample Depth:   |
|            | Sampling Point:           | MW-9  | Sample Matrix: Water  |
|            | Sampled By:               | TRCI  |   |
| 0912166-08 | COC Number:               |       | Receive Date: 09/14/2009 21:00 Metal Analysis: 2-Lab Filtered and |
| 0012100 00 | Project Number:           | 0843  | Sampling Date: 09/14/2009 10:27 Acidified                         |
|            | Sampling Location:        |       | Sample Depth:   |
|            | Sampling Point:           | MW-11 | Sample Matrix: Water  |
|            | Sampled By:               | TRCI  |   |
| 0912166-09 | COC Number:               |       | Receive Date: 09/14/2009 21:00                                    |
|            | Project Number:           | 0843  | Sampling Date: 09/14/2009 08:11                                   |
|            | Sampling Location:        |       | Sample Depth:   |
|            | Sampling Point:           | MW-4  | Sample Matrix: Water  |
|            | Sampled By:               | TRCI  |   |
| 0912166-10 | COC Number:               |       | Receive Date: 09/14/2009 21:00                                    |
|            | Project Number:           | 0843  | Sampling Date: 09/14/2009 08:33                                   |
|            | Sampling Location:        |       | Sample Depth:   |
|            | Sampling Point:           | MW-3  | Sample Matrix: Water  |
|            | Sampled By:               | TRCI  | ·   |



TRC Project: 0843 Reported: 09/23/2009 15:27

21 Technology Drive Project Number: 4511010865
Irvine, CA 92618 Project Manager: Anju Farfan

## **Laboratory / Client Sample Cross Reference**

| Laboratory | Client Sample Information  |                              |  |   |  |  |  |  |  |  |  |
|------------|--|------------------------------|--|---|--|--|--|--|--|--|--|
| 0912166-11 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | <br>0843<br><br>MW-5<br>TRCI | Receive Date:<br>Sampling Date:<br>Sample Depth:<br>Sample Matrix: | 09/14/2009 21:00<br>09/14/2009 08:55<br><br>Water |  |  |  |  |  |  |  |
| 0912166-12 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | <br>0843<br><br>MW-6<br>TRCI | Receive Date:<br>Sampling Date:<br>Sample Depth:<br>Sample Matrix: | 09/14/2009 21:00<br>09/14/2009 09:16<br><br>Water |  |  |  |  |  |  |  |

TRC Project: 0843 Reported: 09/23/2009 15:27

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

# Volatile Organic Analysis (EPA Method 8260)

| <b>BCL Sample ID:</b> 0912166-01          | Client Sample | e Name: | 0843, MW-8, 9/14/2   | 009 10:20:00   | )AM      |                |         |         |          |          |      |         |
|---|---------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|---------|
|   | •             |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | МВ   | Lab     |
| Constituent                               | Result        | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals   |
| Benzene                                   | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethylbenzene                              | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Methyl t-butyl ether                      | 5600          | ug/L    | 50                   | EPA-8260       | 09/15/09 | 09/16/09 13:21 | KEA     | MS-V12  | 100      | BSI0836  | ND   | A01     |
| Toluene                                   | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Total Xylenes                             | ND            | ug/L    | 50                   | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| t-Amyl Methyl ether                       | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| t-Butyl alcohol                           | ND            | ug/L    | 500                  | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Diisopropyl ether                         | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethanol                                   | ND            | ug/L    | 12000                | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethyl t-butyl ether                       | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Total Purgeable Petroleum<br>Hydrocarbons | 3500          | ug/L    | 2500                 | Luft-GC/M<br>S | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01,A90 |
| 1,2-Dichloroethane-d4 (Surrogate)         | 99.5          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:21 | KEA     | MS-V12  | 100      | BSI0836  |      |         |
| 1,2-Dichloroethane-d4 (Surrogate)         | 98.9          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 102           | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:21 | KEA     | MS-V12  | 100      | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 99.3          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 99.0          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:21 | KEA     | MS-V12  | 100      | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 99.5          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:57 | KEA     | MS-V12  | 50       | BSI0836  |      |         |

TRC Project: 0843 Reported: 09/23/2009 15:27

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

# Water Analysis (General Chemistry)

| BCL Sample ID: 0912166         | 6-01 <b>c</b> | Client Sampl | e Name:      | 0843, MW-8, 9/14/2009 10:20:00AM |                 |          |                |         |         |          |          |      |       |
|--------------------------------|---------------|--------------|--------------|----------------------------------|-----------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                                |               |              |              |                                  |                 | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                    |               | Result       | Units        | PQL                              | Method          | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Nitrate as NO3                 |               | 7.7          | mg/L         | 0.44                             | EPA-300.0       | 09/14/09 | 09/15/09 03:44 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Sulfate                        |               | 260          | mg/L         | 1.0                              | EPA-300.0       | 09/14/09 | 09/15/09 03:44 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Electrical Conductivity @ 25 C |               | 1100         | umhos/c<br>m | 1.00                             | EPA-120.1       | 09/15/09 | 09/15/09 13:40 | RML     | MET-1   | 1        | BSI0867  |      |       |
| Iron (II) Species              |               | 480          | ug/L         | 100                              | SM-3500-F<br>eD | 09/15/09 | 09/15/09 05:30 | MRM     | SPEC05  | 1        | BSI0870  | ND   |       |
| Non-Volatile Organic Carbon    |               | 14           | mg/L         | 1.5                              | EPA-415.1       | 09/16/09 | 09/17/09 09:17 | CDR     | TOC2    | 5        | BSI1052  | ND   | A01   |
| Dissolved Oxygen               |               | 6.2          | mg O/L       | 0.50                             | SM-4500O<br>G   | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:          | 0912166-01 | Client Sample | e Name: | 0843, MW-8 | 3, 9/14/2009 10:20:00 | AM       |                |         |         |          |          |      |       |
|-------------------------|------------|---------------|---------|------------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                         |            | -             |         |            |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent             |            | Result        | Units   | PQL        | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Hexavalent Chromium     |            | ND            | ug/L    | 2.0        | EPA-7196              | 09/15/09 | 09/15/09 07:38 | TDC     | KONE-1  | 1        | BSI0896  | ND   |       |
| Manganese               |            | 1000          | ug/L    | 1.0        | EPA-200.8             | 09/15/09 | 09/21/09 13:22 | JDC     | PE-EL1  | 1        | BSI1111  | ND   |       |
| Total Chromium          |            | 60            | ug/L    | 10         | EPA-6010<br>B         | 09/17/09 | 09/17/09 14:44 | ARD     | PE-OP1  | 1        | BSI1037  | ND   |       |
| Total Recoverable Manga | anese      | 1300          | ug/L    | 2.0        | EPA-200.8             | 09/16/09 | 09/22/09 11:54 | JDC     | PE-EL1  | 2        | BSI0963  | ND   | A01   |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-02          | Client Sample | e Name: | 0843, MW-7, 9/14/2   | 009 10:34:00   | )AM      |                |         |         |          |          |      |         |
|---|---------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|---------|
|   | -             |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab     |
| Constituent                               | Result        | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals   |
| Benzene                                   | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethylbenzene                              | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Methyl t-butyl ether                      | 15000         | ug/L    | 100                  | EPA-8260       | 09/15/09 | 09/16/09 13:03 | KEA     | MS-V12  | 200      | BSI0836  | ND   | A01     |
| Toluene                                   | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Total Xylenes                             | ND            | ug/L    | 50                   | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| t-Amyl Methyl ether                       | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| t-Butyl alcohol                           | 680           | ug/L    | 500                  | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Diisopropyl ether                         | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethanol                                   | ND            | ug/L    | 12000                | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethyl t-butyl ether                       | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Total Purgeable Petroleum<br>Hydrocarbons | 7900          | ug/L    | 2500                 | Luft-GC/M<br>S | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01,A90 |
| 1,2-Dichloroethane-d4 (Surrogate)         | 98.7          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 1,2-Dichloroethane-d4 (Surrogate)         | 99.9          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:03 | KEA     | MS-V12  | 200      | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 99.8          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:03 | KEA     | MS-V12  | 200      | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 100           | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 98.8          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:39 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 99.6          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:03 | KEA     | MS-V12  | 200      | BSI0836  |      |         |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID: 0912166-02      | Client Samp | le Name:     | 0843, MW- | 7, 9/14/2009 10:34:00 | AM       |                |         |         |          |          |      |       |
|--------------------------------|-------------|--------------|-----------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                                | -           |              |           |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                    | Result      | Units        | PQL       | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Nitrate as NO3                 | 4.2         | mg/L         | 0.44      | EPA-300.0             | 09/14/09 | 09/15/09 03:58 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Sulfate                        | 180         | mg/L         | 1.0       | EPA-300.0             | 09/14/09 | 09/15/09 03:58 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Electrical Conductivity @ 25 C | 1030        | umhos/c<br>m | 1.00      | EPA-120.1             | 09/15/09 | 09/15/09 13:42 | RML     | MET-1   | 1        | BSI0867  |      |       |
| Iron (II) Species              | 3200        | ug/L         | 200       | SM-3500-F<br>eD       | 09/15/09 | 09/15/09 05:30 | MRM     | SPEC05  | 2        | BSI0870  | ND   | A01   |
| Non-Volatile Organic Carbon    | 9.8         | mg/L         | 0.30      | EPA-415.1             | 09/16/09 | 09/16/09 21:46 | CDR     | TOC2    | 1        | BSI1052  | ND   |       |
| Dissolved Oxygen               | 6.9         | mg O/L       | 0.50      | SM-4500O<br>G         | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:          | 0912166-02 | Client Sample | e Name: | 0843, MW- | 7, 9/14/2009 10:34:00 | AM       |                |         |         |          |          |      |       |
|-------------------------|------------|---------------|---------|-----------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                         |            | -             |         |           |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent             |            | Result        | Units   | PQL       | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Hexavalent Chromium     |            | ND            | ug/L    | 2.0       | EPA-7196              | 09/15/09 | 09/15/09 07:39 | TDC     | KONE-1  | 1        | BSI0896  | ND   |       |
| Manganese               |            | 2000          | ug/L    | 5.0       | EPA-200.8             | 09/15/09 | 09/22/09 10:44 | JDC     | PE-EL1  | 5        | BSI1111  | ND   | A01   |
| Total Chromium          |            | 76            | ug/L    | 10        | EPA-6010<br>B         | 09/17/09 | 09/17/09 14:46 | ARD     | PE-OP1  | 1        | BSI1037  | ND   |       |
| Total Recoverable Manga | inese      | 2200          | ug/L    | 2.0       | EPA-200.8             | 09/16/09 | 09/22/09 12:11 | JDC     | PE-EL1  | 2        | BSI0963  | ND   | A01   |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-03          | Client Sampl | e Name: | 0843, MW-1BR, 9/1    | 4/2009 8:16    | :00AM    |                |         |         |          |          |      |         |
|---|--------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|---------|
|   | -            |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab     |
| Constituent                               | Result       | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals   |
| Benzene                                   | ND           | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Ethylbenzene                              | ND           | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Methyl t-butyl ether                      | 680          | ug/L    | 5.0                  | EPA-8260       | 09/15/09 | 09/15/09 19:33 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Toluene                                   | ND           | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Total Xylenes                             | ND           | ug/L    | 2.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| t-Amyl Methyl ether                       | 1.9          | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| t-Butyl alcohol                           | 33           | ug/L    | 20                   | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Diisopropyl ether                         | ND           | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Ethanol                                   | ND           | ug/L    | 500                  | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Ethyl t-butyl ether                       | ND           | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Total Purgeable Petroleum<br>Hydrocarbons | 450          | ug/L    | 100                  | Luft-GC/M<br>S | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01,A90 |
| 1,2-Dichloroethane-d4 (Surrogate)         | 97.9         | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  |      |         |
| 1,2-Dichloroethane-d4 (Surrogate)         | 103          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:33 | KEA     | MS-V12  | 10       | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 95.5         | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:33 | KEA     | MS-V12  | 10       | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 97.3         | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 97.9         | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:49 | KEA     | MS-V12  | 2        | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 101          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:33 | KEA     | MS-V12  | 10       | BSI0836  |      |         |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-03 | Client Samp | le Name:     | 0843, MW-1 | BR, 9/14/2009 8:16: | MA00     |                |         |         |          |          |      |       |
|----------------------------------|-------------|--------------|------------|---------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                                  | -           |              |            |                     | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                      | Result      | Units        | PQL        | Method              | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Nitrate as NO3                   | 17          | mg/L         | 0.44       | EPA-300.0           | 09/14/09 | 09/15/09 04:13 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Sulfate                          | 59          | mg/L         | 1.0        | EPA-300.0           | 09/14/09 | 09/15/09 04:13 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Electrical Conductivity @ 25 C   | 673         | umhos/c<br>m | 1.00       | EPA-120.1           | 09/15/09 | 09/15/09 13:47 | RML     | MET-1   | 1        | BSI0868  |      |       |
| Iron (II) Species                | ND          | ug/L         | 500        | SM-3500-F<br>eD     | 09/15/09 | 09/15/09 05:30 | MRM     | SPEC05  | 5        | BSI0870  | ND   | A10   |
| Non-Volatile Organic Carbon      | 3.7         | mg/L         | 0.30       | EPA-415.1           | 09/16/09 | 09/16/09 22:04 | CDR     | TOC2    | 1        | BSI1052  | ND   |       |
| Dissolved Oxygen                 | 6.7         | mg O/L       | 0.50       | SM-4500O<br>G       | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:          | 0912166-03 | Client Sample | e Name: | 0843, MW- | -1BR, 9/14/2009 8:16: | 00AM     |                |         |         |          |          |      |       |
|-------------------------|------------|---------------|---------|-----------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                         |            | -             |         |           |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent             |            | Result        | Units   | PQL       | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Hexavalent Chromium     |            | ND            | ug/L    | 2.0       | EPA-7196              | 09/14/09 | 09/14/09 23:56 | CRR     | KONE-1  | 1        | BSI0853  | ND   |       |
| Manganese               |            | 230           | ug/L    | 1.0       | EPA-200.8             | 09/15/09 | 09/21/09 13:34 | JDC     | PE-EL1  | 1        | BSI1111  | ND   |       |
| Total Chromium          |            | 250           | ug/L    | 10        | EPA-6010              | 09/17/09 | 09/17/09 14:48 | ARD     | PE-OP1  | 1        | BSI1037  | ND   |       |
|                         |            |               |         |           | В                     |          |                |         |         |          |          |      |       |
| Total Recoverable Manga | anese      | 930           | ug/L    | 1.0       | EPA-200.8             | 09/16/09 | 09/22/09 12:14 | JDC     | PE-EL1  | 1        | BSI0963  | ND   |       |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID</b> : 0912166-04         | Client Sample | e Name: | 0843, MW-1AR, 9/1    | 4/2009 8:35    | :00AM    |                |         |         |          |          |      |         |
|---|---------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|---------|
|   | •             |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab     |
| Constituent                               | Result        | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals   |
| Benzene                                   | ND            | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Ethylbenzene                              | ND            | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Methyl t-butyl ether                      | 890           | ug/L    | 5.0                  | EPA-8260       | 09/15/09 | 09/15/09 19:15 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Toluene                                   | ND            | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Total Xylenes                             | ND            | ug/L    | 2.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| t-Amyl Methyl ether                       | ND            | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| t-Butyl alcohol                           | 110           | ug/L    | 20                   | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Diisopropyl ether                         | ND            | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Ethanol                                   | ND            | ug/L    | 500                  | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Ethyl t-butyl ether                       | ND            | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01     |
| Total Purgeable Petroleum<br>Hydrocarbons | 480           | ug/L    | 100                  | Luft-GC/M<br>S | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  | ND   | A01,A90 |
| 1,2-Dichloroethane-d4 (Surrogate)         | 96.0          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  |      |         |
| 1,2-Dichloroethane-d4 (Surrogate)         | 101           | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:15 | KEA     | MS-V12  | 10       | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 99.4          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:15 | KEA     | MS-V12  | 10       | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 95.9          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 101           | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:31 | KEA     | MS-V12  | 2        | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 99.1          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:15 | KEA     | MS-V12  | 10       | BSI0836  |      |         |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166- | i-04 <b>c</b> | lient Sampl | e Name:      | 0843, MW | -1AR, 9/14/2009 8:35:0 | MA00     |                |         |         |          |          |      |             |
|--------------------------------|---------------|-------------|--------------|----------|------------------------|----------|----------------|---------|---------|----------|----------|------|-------------|
|                                | -             |             |              |          |                        | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab         |
| Constituent                    |               | Result      | Units        | PQL      | Method                 | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals       |
| Nitrate as NO3                 |               | 17          | mg/L         | 0.44     | EPA-300.0              | 09/14/09 | 09/15/09 04:27 | CRR     | IC5     | 1        | BSI0860  | ND   |             |
| Sulfate                        |               | 39          | mg/L         | 1.0      | EPA-300.0              | 09/14/09 | 09/15/09 04:27 | CRR     | IC5     | 1        | BSI0860  | ND   |             |
| Electrical Conductivity @ 25 C |               | 655         | umhos/c<br>m | 1.00     | EPA-120.1              | 09/15/09 | 09/15/09 13:49 | RML     | MET-1   | 1        | BSI0868  |      |             |
| Iron (II) Species              |               | 2500        | ug/L         | 100      | SM-3500-F<br>eD        | 09/15/09 | 09/15/09 05:30 | MRM     | SPEC05  | 1        | BSI0870  | ND   |             |
| Non-Volatile Organic Carbon    |               | 4.5         | mg/L         | 0.30     | EPA-415.1              | 09/16/09 | 09/16/09 22:22 | CDR     | TOC2    | 1        | BSI1052  | ND   |             |
| Dissolved Oxygen               |               | 7.0         | mg O/L       | 0.50     | SM-4500O<br>G          | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | <b>S</b> 05 |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-04 | Client Sampl | e Name: | 0843, MW-1A | R, 9/14/2009 8:35 | 00AM     |                |         |         |          |          |      |       |
|----------------------------------|--------------|---------|-------------|-------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                                  | -            |         |             |                   | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                      | Result       | Units   | PQL         | Method            | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Hexavalent Chromium              | ND           | ug/L    | 2.0         | EPA-7196          | 09/14/09 | 09/14/09 23:56 | CRR     | KONE-1  | 1        | BSI0853  | ND   |       |
| Manganese                        | 570          | ug/L    | 1.0         | EPA-200.8         | 09/15/09 | 09/21/09 13:36 | JDC     | PE-EL1  | 1        | BSI1111  | ND   |       |
| Total Chromium                   | 170          | ug/L    | 10          | EPA-6010<br>B     | 09/17/09 | 09/17/09 14:50 | ARD     | PE-OP1  | 1        | BSI1037  | ND   |       |
| Total Recoverable Manganese      | 830          | ug/L    | 1.0         | Б<br>ЕРА-200.8    | 09/16/09 | 09/22/09 12:27 | JDC     | PE-EL1  | 1        | BSI0963  | ND   |       |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-05          | Client Sampl | e Name: | 0843, MW-10, 9/14/   | /2009 8:59:0   | 0AM      |                |         |         |          |          |      |         |
|---|--------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|---------|
|   | -            |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab     |
| Constituent                               | Result       | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals   |
| Benzene                                   | ND           | ug/L    | 6.2                  | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| Ethylbenzene                              | ND           | ug/L    | 6.2                  | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| Methyl t-butyl ether                      | 4900         | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:21 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Toluene                                   | ND           | ug/L    | 6.2                  | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| Total Xylenes                             | ND           | ug/L    | 12                   | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| t-Amyl Methyl ether                       | ND           | ug/L    | 6.2                  | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| t-Butyl alcohol                           | 240          | ug/L    | 120                  | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| Diisopropyl ether                         | ND           | ug/L    | 6.2                  | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| Ethanol                                   | ND           | ug/L    | 3100                 | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| Ethyl t-butyl ether                       | ND           | ug/L    | 6.2                  | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01     |
| Total Purgeable Petroleum<br>Hydrocarbons | 3300         | ug/L    | 620                  | Luft-GC/M<br>S | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  | ND   | A01,A90 |
| 1,2-Dichloroethane-d4 (Surrogate)         | 99.6         | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:21 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 1,2-Dichloroethane-d4 (Surrogate)         | 100          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 97.1         | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 101          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:21 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 96.7         | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:21 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 99.0         | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 15:12 | KEA     | MS-V12  | 12.500   | BSI0836  |      |         |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:            | 0912166-05 | Client Samp | le Name:     | 0843, MW- | 10, 9/14/2009 8:59:00 | DAM      |                |         |         |          |          |      |       |
|---------------------------|------------|-------------|--------------|-----------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                           |            | -           |              |           |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent               |            | Result      | Units        | PQL       | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Nitrate as NO3            |            | 6.3         | mg/L         | 0.44      | EPA-300.0             | 09/14/09 | 09/15/09 04:42 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Sulfate                   |            | 33          | mg/L         | 1.0       | EPA-300.0             | 09/14/09 | 09/15/09 04:42 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Electrical Conductivity @ | D 25 C     | 675         | umhos/c<br>m | 1.00      | EPA-120.1             | 09/15/09 | 09/15/09 13:50 | RML     | MET-1   | 1        | BSI0868  |      |       |
| Iron (II) Species         |            | 210         | ug/L         | 100       | SM-3500-F<br>eD       | 09/15/09 | 09/15/09 05:30 | MRM     | SPEC05  | 1        | BSI0870  | ND   |       |
| Non-Volatile Organic Car  | rbon       | 2.7         | mg/L         | 0.30      | EPA-415.1             | 09/16/09 | 09/16/09 22:39 | CDR     | TOC2    | 1        | BSI1052  | ND   |       |
| Dissolved Oxygen          |            | 6.1         | mg O/L       | 0.50      | SM-4500O<br>G         | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:          | 0912166-05 | Client Sample | e Name: | 0843, MW-1 | 0, 9/14/2009 8:59:00 | DAM      |                |         |         |          |          |      |       |
|-------------------------|------------|---------------|---------|------------|----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                         |            | -             |         |            |                      | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent             |            | Result        | Units   | PQL        | Method               | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Hexavalent Chromium     |            | ND            | ug/L    | 2.0        | EPA-7196             | 09/15/09 | 09/15/09 07:39 | TDC     | KONE-1  | 1        | BSI0896  | ND   |       |
| Manganese               |            | 280           | ug/L    | 1.0        | EPA-200.8            | 09/15/09 | 09/21/09 13:39 | JDC     | PE-EL1  | 1        | BSI1111  | ND   |       |
| Total Chromium          |            | 24            | ug/L    | 10         | EPA-6010             | 09/17/09 | 09/17/09 14:52 | ARD     | PE-OP1  | 1        | BSI1037  | ND   |       |
|                         |            |               |         |            | В                    |          |                |         |         |          |          |      |       |
| Total Recoverable Manga | inese      | 380           | ug/L    | 1.0        | EPA-200.8            | 09/16/09 | 09/22/09 12:30 | JDC     | PE-EL1  | 1        | BSI0963  | ND   |       |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-06          | Client Sampl | e Name: | 0843, MW-1, 9/14/2   | 009 9:22:00    | AM       |                |         |         |          |          |      |         |
|---|--------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|---------|
|   | =            |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab     |
| Constituent                               | Result       | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals   |
| Benzene                                   | ND           | ug/L    | 5.0                  | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Ethylbenzene                              | ND           | ug/L    | 5.0                  | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Methyl t-butyl ether                      | 2100         | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 18:02 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Toluene                                   | ND           | ug/L    | 5.0                  | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Total Xylenes                             | ND           | ug/L    | 10                   | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| t-Amyl Methyl ether                       | ND           | ug/L    | 5.0                  | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| t-Butyl alcohol                           | ND           | ug/L    | 100                  | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Diisopropyl ether                         | ND           | ug/L    | 5.0                  | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Ethanol                                   | ND           | ug/L    | 2500                 | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Ethyl t-butyl ether                       | ND           | ug/L    | 5.0                  | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01     |
| Total Purgeable Petroleum<br>Hydrocarbons | 1700         | ug/L    | 500                  | Luft-GC/M<br>S | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  | ND   | A01,A90 |
| 1,2-Dichloroethane-d4 (Surrogate)         | 94.3         | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:02 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 1,2-Dichloroethane-d4 (Surrogate)         | 98.7         | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 96.3         | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 97.2         | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:02 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 101          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 18:02 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 98.0         | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:57 | KEA     | MS-V12  | 10       | BSI0836  |      |         |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-06 | Client Sampl | le Name:     | 0843, MW- | 1, 9/14/2009 9:22:00 | AM       |                |         |         |          |          |      |       |
|----------------------------------|--------------|--------------|-----------|----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                                  | -            |              |           |                      | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                      | Result       | Units        | PQL       | Method               | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Nitrate as NO3                   | 11           | mg/L         | 0.44      | EPA-300.0            | 09/14/09 | 09/15/09 04:56 | CRR     | IC5     | 1        | BS10860  | ND   |       |
| Sulfate                          | 25           | mg/L         | 1.0       | EPA-300.0            | 09/14/09 | 09/15/09 04:56 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Electrical Conductivity @ 25 C   | 429          | umhos/c<br>m | 1.00      | EPA-120.1            | 09/15/09 | 09/15/09 13:51 | RML     | MET-1   | 1        | BSI0868  |      |       |
| Iron (II) Species                | ND           | ug/L         | 100       | SM-3500-F<br>eD      | 09/15/09 | 09/15/09 05:30 | MRM     | SPEC05  | 1        | BSI0870  | ND   |       |
| Non-Volatile Organic Carbon      | 1.4          | mg/L         | 0.30      | EPA-415.1            | 09/16/09 | 09/16/09 22:57 | CDR     | TOC2    | 1        | BSI1052  | ND   |       |
| Dissolved Oxygen                 | 6.8          | mg O/L       | 0.50      | SM-4500O<br>G        | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:         | 0912166-06 | Client Sample | e Name: | 0843, MW- | 1, 9/14/2009 9:22:00/ | AΜ       |                |         |         |          |          |      |       |
|------------------------|------------|---------------|---------|-----------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                        |            | -             |         |           |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent            |            | Result        | Units   | PQL       | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Hexavalent Chromium    |            | 2.2           | ug/L    | 2.0       | EPA-7196              | 09/15/09 | 09/15/09 07:55 | TDC     | KONE-1  | 1        | BSI0896  | ND   |       |
| Manganese              |            | 3.7           | ug/L    | 1.0       | EPA-200.8             | 09/15/09 | 09/21/09 13:42 | JDC     | PE-EL1  | 1        | BSI1111  | ND   |       |
| Total Chromium         |            | 220           | ug/L    | 10        | EPA-6010<br>B         | 09/18/09 | 09/21/09 12:18 | ARD     | PE-OP1  | 1        | BSI1100  | ND   |       |
| Total Recoverable Mang | anese      | 1600          | ug/L    | 2.0       | EPA-200.8             | 09/16/09 | 09/22/09 12:33 | JDC     | PE-EL1  | 2        | BSI0963  | ND   | A01   |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-07          | Client Sampl | e Name: | 0843, MW-9, 9/14/2   | 009 10:00:00   | )AM      |                |         |         |          |          |      |       |
|---|--------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|-------|
|   |              |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | МВ   | Lab   |
| Constituent                               | Result       | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Benzene                                   | ND           | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethylbenzene                              | ND           | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Methyl t-butyl ether                      | 390          | ug/L    | 2.5                  | EPA-8260       | 09/15/09 | 09/16/09 12:10 | KEA     | MS-V12  | 5        | BSI0836  | ND   | A01   |
| Toluene                                   | ND           | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Xylenes                             | ND           | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Amyl Methyl ether                       | ND           | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Butyl alcohol                           | 24           | ug/L    | 10                   | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Diisopropyl ether                         | ND           | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethanol                                   | ND           | ug/L    | 250                  | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethyl t-butyl ether                       | ND           | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Purgeable Petroleum<br>Hydrocarbons | 280          | ug/L    | 50                   | Luft-GC/M<br>S | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  | ND   | A90   |
| 1,2-Dichloroethane-d4 (Surrogate)         | 106          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:10 | KEA     | MS-V12  | 5        | BSI0836  |      |       |
| 1,2-Dichloroethane-d4 (Surrogate)         | 95.2         | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| Toluene-d8 (Surrogate)                    | 97.8         | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| Toluene-d8 (Surrogate)                    | 94.6         | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:10 | KEA     | MS-V12  | 5        | BSI0836  |      |       |
| 4-Bromofluorobenzene (Surrogate)          | 104          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 13:39 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| 4-Bromofluorobenzene (Surrogate)          | 93.9         | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:10 | KEA     | MS-V12  | 5        | BSI0836  |      |       |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-07 | Client Samp | le Name:     | 0843, MW-9 | 9, 9/14/2009 10:00:00 | AM       |                |         |         |          |          |      |       |
|----------------------------------|-------------|--------------|------------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                                  |             |              |            |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                      | Result      | Units        | PQL        | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Nitrate as NO3                   | 5.0         | mg/L         | 0.44       | EPA-300.0             | 09/14/09 | 09/15/09 05:10 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Sulfate                          | 68          | mg/L         | 1.0        | EPA-300.0             | 09/14/09 | 09/15/09 05:10 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Electrical Conductivity @ 25 C   | 580         | umhos/c<br>m | 1.00       | EPA-120.1             | 09/15/09 | 09/15/09 13:56 | RML     | MET-1   | 1        | BSI0868  |      |       |
| Iron (II) Species                | ND          | ug/L         | 1000       | SM-3500-F<br>eD       | 09/15/09 | 09/15/09 05:30 | MRM     | SPEC05  | 10       | BSI0870  | ND   | A10   |
| Non-Volatile Organic Carbon      | 3.0         | mg/L         | 0.30       | EPA-415.1             | 09/16/09 | 09/16/09 23:14 | CDR     | TOC2    | 1        | BSI1052  | ND   |       |
| Dissolved Oxygen                 | 7.3         | mg O/L       | 0.50       | SM-4500O<br>G         | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:          | 0912166-07 | Client Sample | Name: | 0843, MW- | 9, 9/14/2009 10:00:00 | AM       |                |         |         |          |          |      |       |
|-------------------------|------------|---------------|-------|-----------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                         |            | -             |       |           |                       | Prep     | Run            |         | Instru- |          | QC       | МВ   | Lab   |
| Constituent             |            | Result        | Units | PQL       | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Hexavalent Chromium     |            | ND            | ug/L  | 2.0       | EPA-7196              | 09/15/09 | 09/15/09 07:39 | TDC     | KONE-1  | 1        | BSI0896  | ND   |       |
| Manganese               |            | 180           | ug/L  | 1.0       | EPA-200.8             | 09/15/09 | 09/21/09 13:45 | JDC     | PE-EL1  | 1        | BSI1111  | ND   |       |
| Total Chromium          |            | 520           | ug/L  | 10        | EPA-6010              | 09/18/09 | 09/21/09 12:20 | ARD     | PE-OP1  | 1        | BSI1100  | ND   |       |
|                         |            |               |       |           | В                     |          |                |         |         |          |          |      |       |
| Total Recoverable Manga | anese      | 4700          | ug/L  | 5.0       | EPA-200.8             | 09/16/09 | 09/22/09 12:36 | JDC     | PE-EL1  | 5        | BSI0963  | ND   | A01   |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-08          | Client Sample | e Name: | 0843, MW-11, 9/14/   | 2009 10:27:0   | MA00     |                |         |         |          |          |      |         |
|---|---------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|---------|
|   | -             |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab     |
| Constituent                               | Result        | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals   |
| Benzene                                   | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethylbenzene                              | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Methyl t-butyl ether                      | 18000         | ug/L    | 100                  | EPA-8260       | 09/15/09 | 09/16/09 12:45 | KEA     | MS-V12  | 200      | BSI0836  | ND   | A01     |
| Toluene                                   | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Total Xylenes                             | ND            | ug/L    | 50                   | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| t-Amyl Methyl ether                       | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| t-Butyl alcohol                           | 850           | ug/L    | 500                  | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Diisopropyl ether                         | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethanol                                   | ND            | ug/L    | 12000                | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Ethyl t-butyl ether                       | ND            | ug/L    | 25                   | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01     |
| Total Purgeable Petroleum<br>Hydrocarbons | 11000         | ug/L    | 2500                 | Luft-GC/M<br>S | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  | ND   | A01,A90 |
| 1,2-Dichloroethane-d4 (Surrogate)         | 99.6          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| 1,2-Dichloroethane-d4 (Surrogate)         | 97.9          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:45 | KEA     | MS-V12  | 200      | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 97.1          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  |      |         |
| Toluene-d8 (Surrogate)                    | 99.4          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:45 | KEA     | MS-V12  | 200      | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 100           | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:45 | KEA     | MS-V12  | 200      | BSI0836  |      |         |
| 4-Bromofluorobenzene (Surrogate)          | 98.9          | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 17:26 | KEA     | MS-V12  | 50       | BSI0836  |      |         |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:            | 0912166-08 | Client Samp | le Name:     | 0843, MW- | -11, 9/14/2009 10:27:0 | 0AM      |                |         |         |          |          |      |       |
|---------------------------|------------|-------------|--------------|-----------|------------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                           |            | -           |              |           |                        | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent               |            | Result      | Units        | PQL       | Method                 | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Nitrate as NO3            |            | 0.73        | mg/L         | 0.44      | EPA-300.0              | 09/14/09 | 09/15/09 05:25 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Sulfate                   |            | 37          | mg/L         | 1.0       | EPA-300.0              | 09/14/09 | 09/15/09 05:25 | CRR     | IC5     | 1        | BSI0860  | ND   |       |
| Electrical Conductivity @ | 25 C       | 780         | umhos/c<br>m | 1.00      | EPA-120.1              | 09/15/09 | 09/15/09 13:57 | RML     | MET-1   | 1        | BSI0868  |      |       |
| Iron (II) Species         |            | 310         | ug/L         | 100       | SM-3500-F<br>eD        | 09/15/09 | 09/15/09 05:30 | MRM     | SPEC05  | 1        | BSI0870  | ND   |       |
| Non-Volatile Organic Carb | oon        | 3.3         | mg/L         | 0.30      | EPA-415.1              | 09/16/09 | 09/16/09 23:31 | CDR     | TOC2    | 1        | BSI1052  | ND   |       |
| Dissolved Oxygen          |            | 6.7         | mg O/L       | 0.50      | SM-4500O<br>G          | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |



21 Technology Drive Project Number: 4511010865 Irvine, CA 92618 Project Manager: Anju Farfan

| BCL Sample ID:          | 0912166-08 | Client Sample | e Name: | 0843, MW-1 | 11, 9/14/2009 10:27:0 | 0AM      |                |         |         |          |          |      |       |
|-------------------------|------------|---------------|---------|------------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                         |            | -             |         |            |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent             |            | Result        | Units   | PQL        | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Hexavalent Chromium     |            | ND            | ug/L    | 2.0        | EPA-7196              | 09/15/09 | 09/15/09 07:41 | TDC     | KONE-1  | 1        | BSI0896  | ND   |       |
| Manganese               |            | 570           | ug/L    | 1.0        | EPA-200.8             | 09/15/09 | 09/21/09 13:48 | JDC     | PE-EL1  | 1        | BSI1111  | ND   |       |
| Total Chromium          |            | 14            | ug/L    | 10         | EPA-6010              | 09/18/09 | 09/21/09 12:22 | ARD     | PE-OP1  | 1        | BSI1100  | ND   |       |
|                         |            |               |         |            | В                     |          |                |         |         |          |          |      |       |
| Total Recoverable Manga | anese      | 740           | ug/L    | 1.0        | EPA-200.8             | 09/16/09 | 09/22/09 12:39 | JDC     | PE-EL1  | 1        | BSI0963  | ND   |       |

21 Technology Drive Project Number: 4511010865 Irvine, CA 92618 Project Manager: Anju Farfan

| BCL Sample ID:                         | 0912166-09 | Client Sample | Name: | 0843, MW-4, 9/14/2   | 009 8:11:00    | AM       |                |         |         |          |          |      |       |
|--|------------|---------------|-------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|-------|
|  |            |               |       |                      |                | Prep     | Run            |         | Instru- |          | QC       | МВ   | Lab   |
| Constituent                            |            | Result        | Units | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Benzene                                |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethylbenzene                           |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Methyl t-butyl ether                   |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Toluene                                |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Xylenes                          |            | ND            | ug/L  | 1.0                  | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Amyl Methyl ether                    |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Butyl alcohol                        |            | ND            | ug/L  | 10                   | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Diisopropyl ether                      |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethanol                                |            | ND            | ug/L  | 250                  | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethyl t-butyl ether                    |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Purgeable Petroleun Hydrocarbons | n          | ND            | ug/L  | 50                   | Luft-GC/M<br>S | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| 1,2-Dichloroethane-d4 (Su              | ırrogate)  | 94.4          | %     | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| Toluene-d8 (Surrogate)                 |            | 96.0          | %     | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| 4-Bromofluorobenzene (S                | urrogate)  | 102           | %     | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:45 | KEA     | MS-V12  | 1        | BSI0836  |      |       |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID: 09            | 12166-09 | Client Sampl | le Name: | 0843, MW- | 4, 9/14/2009 8:11:00 | ΑM       |                |         |         |          |          |      |       |
|------------------------------|----------|--------------|----------|-----------|----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                              |          | -            |          |           |                      | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                  |          | Result       | Units    | PQL       | Method               | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Electrical Conductivity @ 25 | S C      | 1020         | umhos/c  | 1.00      | EPA-120.1            | 09/15/09 | 09/15/09 13:59 | RML     | MET-1   | 1        | BSI0868  |      |       |
|                              |          |              | m        |           |                      |          |                |         |         |          |          |      |       |
| Dissolved Oxygen             |          | 7.1          | mg O/L   | 0.50      | SM-4500O<br>G        | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:                            | 0912166-10 | Client Sample | Name: | 0843, MW-3, 9/14/2   | 009 8:33:00    | AM       |                |         |         |          |          |      |       |
|---|------------|---------------|-------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|-------|
|   |            | -             |       |                      |                | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                               |            | Result        | Units | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Benzene                                   |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethylbenzene                              |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Methyl t-butyl ether                      |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Toluene                                   |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Xylenes                             |            | ND            | ug/L  | 1.0                  | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Amyl Methyl ether                       |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Butyl alcohol                           |            | ND            | ug/L  | 10                   | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Diisopropyl ether                         |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethanol                                   |            | ND            | ug/L  | 250                  | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethyl t-butyl ether                       |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Purgeable Petroleum<br>Hydrocarbons |            | ND            | ug/L  | 50                   | Luft-GC/M<br>S | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| 1,2-Dichloroethane-d4 (Sui                | rrogate)   | 101           | %     | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| Toluene-d8 (Surrogate)                    |            | 94.1          | %     | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| 4-Bromofluorobenzene (Su                  | ırrogate)  | 100           | %     | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:27 | KEA     | MS-V12  | 1        | BSI0836  |      |       |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:          | 0912166-10 | Client Samp | le Name: | 0843, MW- | -3, 9/14/2009 8:33:00 | ΔM       |                |         |         |          |          |      |       |
|-------------------------|------------|-------------|----------|-----------|-----------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                         |            | -           |          |           |                       | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent             |            | Result      | Units    | PQL       | Method                | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Electrical Conductivity | @ 25 C     | 658         | umhos/c  | 1.00      | EPA-120.1             | 09/16/09 | 09/16/09 10:45 | RML     | MET-1   | 1        | BSI0950  |      |       |
|                         |            |             | m        |           |                       |          |                |         |         |          |          |      |       |
| Dissolved Oxygen        |            | 6.6         | mg O/L   | 0.50      | SM-4500O              | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0899  |      | S05   |
|                         |            |             |          |           | G                     |          |                |         |         |          |          |      |       |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID:                         | 0912166-11 | Client Sample | Name: | 0843, MW-5, 9/14/2   | 009 8:55:00    | AM       |                |         |         |          |          |      |       |
|--|------------|---------------|-------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|-------|
|  |            | •             |       |                      |                | Prep     | Run            |         | Instru- |          | QC       | МВ   | Lab   |
| Constituent                            |            | Result        | Units | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Benzene                                |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethylbenzene                           |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Methyl t-butyl ether                   |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Toluene                                |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Xylenes                          |            | ND            | ug/L  | 1.0                  | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Amyl Methyl ether                    |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Butyl alcohol                        |            | ND            | ug/L  | 10                   | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Diisopropyl ether                      |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethanol                                |            | ND            | ug/L  | 250                  | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethyl t-butyl ether                    |            | ND            | ug/L  | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Purgeable Petroleum Hydrocarbons | ı          | ND            | ug/L  | 50                   | Luft-GC/M<br>S | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| 1,2-Dichloroethane-d4 (Su              | rrogate)   | 100           | %     | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| Toluene-d8 (Surrogate)                 |            | 93.5          | %     | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| 4-Bromofluorobenzene (Su               | ırrogate)  | 99.5          | %     | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 20:10 | KEA     | MS-V12  | 1        | BSI0836  |      |       |



21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| BCL Sample ID: 09121           | 166-11 C | Client Sample | Name:   | 0843, MW-5, 9/1 | 4/2009 8:55:00A | M        |                |         |         |          |          |      |       |
|--------------------------------|----------|---------------|---------|-----------------|-----------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                                | -        |               |         |                 |                 | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent                    |          | Result        | Units   | PQL             | Method          | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Electrical Conductivity @ 25 C |          | 609           | umhos/c | 1.00            | EPA-120.1       | 09/15/09 | 09/15/09 14:00 | RML     | MET-1   | 1        | BSI0868  |      |       |
|                                |          |               | m       |                 |                 |          |                |         |         |          |          |      |       |
| Dissolved Oxygen               |          | 4.0           | mg O/L  | 0.50            | SM-4500O<br>G   | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0901  |      | S05   |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

| <b>BCL Sample ID:</b> 0912166-12          | Client Sample | e Name: | 0843, MW-6, 9/14/2   | 009 9:16:00    | ΔM       |                |         |         |          |          |      |       |
|---|---------------|---------|----------------------|----------------|----------|----------------|---------|---------|----------|----------|------|-------|
|   |               |         |                      |                | Prep     | Run            |         | Instru- |          | QC       | МВ   | Lab   |
| Constituent                               | Result        | Units   | PQL                  | Method         | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Benzene                                   | ND            | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethylbenzene                              | ND            | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Methyl t-butyl ether                      | 310           | ug/L    | 2.5                  | EPA-8260       | 09/15/09 | 09/16/09 12:27 | KEA     | MS-V12  | 5        | BSI0836  | ND   | A01   |
| Toluene                                   | ND            | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Xylenes                             | ND            | ug/L    | 1.0                  | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Amyl Methyl ether                       | ND            | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| t-Butyl alcohol                           | 23            | ug/L    | 10                   | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Diisopropyl ether                         | ND            | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethanol                                   | ND            | ug/L    | 250                  | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Ethyl t-butyl ether                       | ND            | ug/L    | 0.50                 | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   |       |
| Total Purgeable Petroleum<br>Hydrocarbons | 230           | ug/L    | 50                   | Luft-GC/M<br>S | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  | ND   | A90   |
| 1,2-Dichloroethane-d4 (Surrogate)         | 100           | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:27 | KEA     | MS-V12  | 5        | BSI0836  |      |       |
| 1,2-Dichloroethane-d4 (Surrogate)         | 99.9          | %       | 76 - 114 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| Toluene-d8 (Surrogate)                    | 96.2          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  |      |       |
| Toluene-d8 (Surrogate)                    | 98.0          | %       | 88 - 110 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:27 | KEA     | MS-V12  | 5        | BSI0836  |      |       |
| 4-Bromofluorobenzene (Surrogate)          | 103           | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/16/09 12:27 | KEA     | MS-V12  | 5        | BSI0836  |      |       |
| 4-Bromofluorobenzene (Surrogate)          | 104           | %       | 86 - 115 (LCL - UCL) | EPA-8260       | 09/15/09 | 09/15/09 19:51 | KEA     | MS-V12  | 1        | BSI0836  |      |       |



21 Technology Drive Project Number: 4511010865
Irvine, CA 92618 Project Manager: Anju Farfan

| BCL Sample ID:          | 0912166-12 | Client Samp | le Name: | 0843, MW-6 | 6, 9/14/2009 9:16:00 <i>A</i> | ΑM       |                |         |         |          |          |      |       |
|-------------------------|------------|-------------|----------|------------|-------------------------------|----------|----------------|---------|---------|----------|----------|------|-------|
|                         |            | -           |          |            |                               | Prep     | Run            |         | Instru- |          | QC       | MB   | Lab   |
| Constituent             |            | Result      | Units    | PQL        | Method                        | Date     | Date/Time      | Analyst | ment ID | Dilution | Batch ID | Bias | Quals |
| Electrical Conductivity | @ 25 C     | 595         | umhos/c  | 1.00       | EPA-120.1                     | 09/15/09 | 09/15/09 14:02 | RML     | MET-1   | 1        | BSI0868  |      |       |
|                         |            |             | m        |            |                               |          |                |         |         |          |          |      |       |
| Dissolved Oxygen        |            | 7.1         | mg O/L   | 0.50       | SM-4500O<br>G                 | 09/15/09 | 09/15/09 07:30 | HPR     | MANUAL  | 1        | BSI0901  |      | S05   |

21 Technology Drive Project Number: 4511010865 Irvine, CA 92618 Project Manager: Anju Farfan

#### **Volatile Organic Analysis (EPA Method 8260)**

#### **Quality Control Report - Precision & Accuracy**

|                                   |          |                        |            |        |        |        |       |      |          | Contr | ol Limits          |
|-----------------------------------|----------|------------------------|------------|--------|--------|--------|-------|------|----------|-------|--------------------|
|                                   |          |                        | Source     | Source |        | Spike  |       |      | Percent  |       | Percent            |
| Constituent                       | Batch ID | QC Sample Type         | Sample ID  | Result | Result | Added  | Units | RPD  | Recovery | RPD   | Recovery Lab Quals |
| Benzene                           | BSI0836  | Matrix Spike           | 0911528-36 | 0      | 20.650 | 25.000 | ug/L  |      | 82.6     |       | 70 - 130           |
|                                   |          | Matrix Spike Duplicate | 0911528-36 | 0      | 24.920 | 25.000 | ug/L  | 18.7 | 99.7     | 20    | 70 - 130           |
| Toluene                           | BSI0836  | Matrix Spike           | 0911528-36 | 0      | 19.650 | 25.000 | ug/L  |      | 78.6     |       | 70 - 130           |
|                                   |          | Matrix Spike Duplicate | 0911528-36 | 0      | 23.660 | 25.000 | ug/L  | 18.5 | 94.6     | 20    | 70 - 130           |
| 1,2-Dichloroethane-d4 (Surrogate) | BSI0836  | Matrix Spike           | 0911528-36 | ND     | 9.2600 | 10.000 | ug/L  |      | 92.6     |       | 76 - 114           |
|                                   |          | Matrix Spike Duplicate | 0911528-36 | ND     | 9.4400 | 10.000 | ug/L  |      | 94.4     |       | 76 - 114           |
| Toluene-d8 (Surrogate)            | BSI0836  | Matrix Spike           | 0911528-36 | ND     | 10.100 | 10.000 | ug/L  |      | 101      |       | 88 - 110           |
|                                   |          | Matrix Spike Duplicate | 0911528-36 | ND     | 9.8200 | 10.000 | ug/L  |      | 98.2     |       | 88 - 110           |
| 4-Bromofluorobenzene (Surrogate)  | BSI0836  | Matrix Spike           | 0911528-36 | ND     | 10.290 | 10.000 | ug/L  |      | 103      |       | 86 - 115           |
|                                   |          | Matrix Spike Duplicate | 0911528-36 | ND     | 9.9900 | 10.000 | ug/L  |      | 99.9     |       | 86 - 115           |

21 Technology Drive Project Number: 4511010865 Irvine, CA 92618 Project Manager: Anju Farfan

#### **Water Analysis (General Chemistry)**

#### **Quality Control Report - Precision & Accuracy**

|                                |          |                        |               | _      |        |        |          |     |          | Contr | ol Limits          |
|--------------------------------|----------|------------------------|---------------|--------|--------|--------|----------|-----|----------|-------|--------------------|
|                                |          |                        | Source        | Source |        | Spike  |          |     | Percent  |       | Percent            |
| Constituent                    | Batch ID | QC Sample Type         | Sample ID     | Result | Result | Added  | Units    | RPD | Recovery | RPD   | Recovery Lab Quals |
| Nitrate as NO3                 | BSI0860  | Duplicate              | 0912149-01    | 24.157 | 24.192 |        | mg/L     | 0.1 |          | 10    |                    |
|                                |          | Matrix Spike           | 0912149-01    | 24.157 | 48.225 | 22.358 | mg/L     |     | 108      |       | 80 - 120           |
|                                |          | Matrix Spike Duplicate | 0912149-01    | 24.157 | 48.064 | 22.358 | mg/L     | 0.7 | 107      | 10    | 80 - 120           |
| Sulfate                        | BSI0860  | Duplicate              | 0912149-01    | 100.71 | 100.95 |        | mg/L     | 0.2 |          | 10    |                    |
|                                |          | Matrix Spike           | 0912149-01    | 100.71 | 212.24 | 101.01 | mg/L     |     | 110      |       | 80 - 120           |
|                                |          | Matrix Spike Duplicate | 0912149-01    | 100.71 | 212.38 | 101.01 | mg/L     | 0.1 | 111      | 10    | 80 - 120           |
| Electrical Conductivity @ 25 C | BSI0868  | Duplicate              | 0911596-02RE1 | 1970.0 | 1939.0 |        | umhos/cm | 1.6 |          | 10    |                    |
| Iron (II) Species              | BSI0870  | Duplicate              | 0912166-01    | 481.10 | 481.10 |        | ug/L     | 0   |          | 10    |                    |
| Dissolved Oxygen               | BSI0899  | Duplicate              | 0912166-01    | 6.2000 | 6.2000 |        | mg O/L   | 0   |          | 10    |                    |
| Dissolved Oxygen               | BSI0901  | Duplicate              | 0912166-11    | 4.0000 | 4.0000 |        | mg O/L   | 0   |          | 10    |                    |
| Electrical Conductivity @ 25 C | BSI0950  | Duplicate              | 0912154-01    | 637.40 | 646.20 |        | umhos/cm | 1.4 |          | 10    |                    |
| Non-Volatile Organic Carbon    | BSI1052  | Duplicate              | 0912166-01    | 14.005 | 14.305 |        | mg/L     | 2.1 |          | 10    |                    |
|                                |          | Matrix Spike           | 0912166-01    | 14.005 | 41.407 | 25.126 | mg/L     |     | 109      |       | 80 - 120           |
|                                |          | Matrix Spike Duplicate | 0912166-01    | 14.005 | 41.477 | 25.126 | mg/L     | 0.3 | 109      | 10    | 80 - 120           |

Irvine, CA 92618

TRC Project: 0843
21 Technology Drive Project Number: 4511010865

Project Number: 4511010865 Project Manager: Anju Farfan **Reported:** 09/23/2009 15:27

#### **Water Analysis (Metals)**

#### **Quality Control Report - Precision & Accuracy**

|                             |          |                        |            |            |        |        |       |      |          | Contr | ol Limits |             |
|-----------------------------|----------|------------------------|------------|------------|--------|--------|-------|------|----------|-------|-----------|-------------|
|                             |          |                        | Source     | Source     |        | Spike  |       |      | Percent  |       | Percent   | ·           |
| Constituent                 | Batch ID | QC Sample Type         | Sample ID  | Result     | Result | Added  | Units | RPD  | Recovery | RPD   | Recover   | y Lab Quals |
| Hexavalent Chromium         | BSI0853  | Duplicate              | 0912156-01 | 0.061000   | ND     |        | ug/L  |      |          | 10    |           |             |
|                             |          | Matrix Spike           | 0912156-01 | 0.061000   | 42.093 | 52.632 | ug/L  |      | 79.9     |       | 85 - 115  | Q03         |
|                             |          | Matrix Spike Duplicate | 0912156-01 | 0.061000   | 40.596 | 52.632 | ug/L  | 3.6  | 77.0     | 10    | 85 - 115  | Q03         |
| Hexavalent Chromium         | BSI0896  | Duplicate              | 0912166-01 | 0.31700    | ND     |        | ug/L  |      |          | 10    |           |             |
|                             |          | Matrix Spike           | 0912166-01 | 0.31700    | 51.401 | 52.632 | ug/L  |      | 97.1     |       | 85 - 115  |             |
|                             |          | Matrix Spike Duplicate | 0912166-01 | 0.31700    | 51.049 | 52.632 | ug/L  | 0.7  | 96.4     | 10    | 85 - 115  |             |
| Total Recoverable Manganese | BSI0963  | Duplicate              | 0912166-01 | 1271.0     | 1338.1 |        | ug/L  | 5.2  |          | 20    |           |             |
|                             |          | Matrix Spike           | 0912166-01 | 1271.0     | 1434.8 | 100.00 | ug/L  |      | 164      |       | 70 - 130  | A03         |
|                             |          | Matrix Spike Duplicate | 0912166-01 | 1271.0     | 1363.2 | 100.00 | ug/L  | 55.9 | 92.2     | 20    | 70 - 130  | A03,Q02     |
| Total Chromium              | BSI1037  | Duplicate              | 0912224-01 | -0.0029879 | ND     |        | ug/L  |      |          | 20    |           |             |
|                             |          | Matrix Spike           | 0912224-01 | -0.0029879 | 205.36 | 200.00 | ug/L  |      | 103      |       | 75 - 125  |             |
|                             |          | Matrix Spike Duplicate | 0912224-01 | -0.0029879 | 203.62 | 200.00 | ug/L  | 0.9  | 102      | 20    | 75 - 125  |             |
| Total Chromium              | BSI1100  | Duplicate              | 0912278-01 | 2.6318     | ND     |        | ug/L  |      |          | 20    |           |             |
|                             |          | Matrix Spike           | 0912278-01 | 2.6318     | 224.10 | 200.00 | ug/L  |      | 111      |       | 75 - 125  |             |
|                             |          | Matrix Spike Duplicate | 0912278-01 | 2.6318     | 217.97 | 200.00 | ug/L  | 2.8  | 108      | 20    | 75 - 125  |             |
| Manganese                   | BSI1111  | Duplicate              | 0912279-01 | 7.2840     | 7.1780 |        | ug/L  | 1.5  |          | 20    |           |             |
|                             |          | Matrix Spike           | 0912279-01 | 7.2840     | 116.05 | 102.04 | ug/L  |      | 107      |       | 70 - 130  |             |
|                             |          | Matrix Spike Duplicate | 0912279-01 | 7.2840     | 118.04 | 102.04 | ug/L  | 1.8  | 109      | 20    | 70 - 130  |             |
|                             |          |                        |            |            |        |        |       |      |          |       |           |             |

21 Technology DriveProject Number:4511010865Irvine, CA 92618Project Manager:Anju Farfan

#### **Volatile Organic Analysis (EPA Method 8260)**

#### **Quality Control Report - Laboratory Control Sample**

|                                   |          |              |                |        |                |      |       |                 |     | Control             | <u>Limits</u> |           |
|-----------------------------------|----------|--------------|----------------|--------|----------------|------|-------|-----------------|-----|---------------------|---------------|-----------|
| Constituent                       | Batch ID | QC Sample ID | OC Type        | Result | Spike<br>Level | PQL  | Units | Percent         | RPD | Percent<br>Recovery | RPD           | Lab Quals |
| Benzene                           | BSI0836  | BSI0836-BS1  | QC Type<br>LCS | 27.510 | 25.000         | 0.50 | ug/L  | Recovery<br>110 | KPD | 70 - 130            | RPD           | Lan Quais |
| Toluene                           | BSI0836  | BSI0836-BS1  | LCS            | 25.290 | 25.000         | 0.50 | ug/L  | 101             |     | 70 - 130            |               |           |
| 1,2-Dichloroethane-d4 (Surrogate) | BSI0836  | BSI0836-BS1  | LCS            | 9.5700 | 10.000         |      | ug/L  | 95.7            |     | 76 - 114            |               |           |
| Toluene-d8 (Surrogate)            | BSI0836  | BSI0836-BS1  | LCS            | 9.9600 | 10.000         |      | ug/L  | 99.6            |     | 88 - 110            |               |           |
| 4-Bromofluorobenzene (Surrogate)  | BSI0836  | BSI0836-BS1  | LCS            | 10.130 | 10.000         |      | ug/L  | 101             |     | 86 - 115            |               |           |

21 Technology Drive Project Number: 4511010865 Irvine, CA 92618 Project Manager: Anju Farfan

#### Water Analysis (General Chemistry)

#### **Quality Control Report - Laboratory Control Sample**

|                                |          |              |         |        |        |      |          |          |     | Control  | <u>Limits</u> |           |
|--------------------------------|----------|--------------|---------|--------|--------|------|----------|----------|-----|----------|---------------|-----------|
|                                |          |              |         |        | Spike  |      |          | Percent  |     | Percent  |               |           |
| Constituent                    | Batch ID | QC Sample ID | QC Type | Result | Level  | PQL  | Units    | Recovery | RPD | Recovery | RPD           | Lab Quals |
| Nitrate as NO3                 | BSI0860  | BSI0860-BS1  | LCS     | 22.568 | 22.134 | 0.44 | mg/L     | 102      |     | 90 - 110 |               |           |
| Sulfate                        | BSI0860  | BSI0860-BS1  | LCS     | 103.79 | 100.00 | 1.0  | mg/L     | 104      |     | 90 - 110 |               |           |
| Electrical Conductivity @ 25 C | BSI0867  | BSI0867-BS1  | LCS     | 316.10 | 303.00 | 1.00 | umhos/cm | 104      |     | 90 - 110 |               |           |
| Electrical Conductivity @ 25 C | BSI0868  | BSI0868-BS1  | LCS     | 318.90 | 303.00 | 1.00 | umhos/cm | 105      |     | 90 - 110 |               |           |
| Iron (II) Species              | BSI0870  | BSI0870-BS1  | LCS     | 2028.1 | 2000.0 | 100  | ug/L     | 101      |     | 90 - 110 |               |           |
| Electrical Conductivity @ 25 C | BSI0950  | BSI0950-BS1  | LCS     | 318.90 | 303.00 | 1.00 | umhos/cm | 105      |     | 90 - 110 |               |           |
| Non-Volatile Organic Carbon    | BSI1052  | BSI1052-BS1  | LCS     | 5.0710 | 5.0000 | 0.30 | mg/L     | 101      |     | 85 - 115 |               |           |

21 Technology Drive Project Number: 4511010865
Irvine, CA 92618 Project Manager: Anju Farfan

#### Water Analysis (Metals)

#### **Quality Control Report - Laboratory Control Sample**

|                             |          |              |         |        |                |     |       |         |     | Control             | <u>Limits</u> |           |
|-----------------------------|----------|--------------|---------|--------|----------------|-----|-------|---------|-----|---------------------|---------------|-----------|
| Constituent                 | Batch ID | QC Sample ID | QC Type | Result | Spike<br>Level | PQL | Units | Percent | RPD | Percent<br>Recovery | RPD           | Lab Quals |
| Hexavalent Chromium         | BSI0853  | BSI0853-BS1  | LCS     | 48.735 | 50.000         | 2.0 | ug/L  | 97.5    | KPD | 85 - 115            | KPD           | Lab Quais |
| Hexavalent Chromium         | BSI0896  | BSI0896-BS1  | LCS     | 48.702 | 50.000         | 2.0 | ug/L  | 97.4    |     | 85 - 115            |               |           |
| Total Recoverable Manganese | BSI0963  | BSI0963-BS1  | LCS     | 114.26 | 100.00         | 1.0 | ug/L  | 114     |     | 85 - 115            |               |           |
| Total Chromium              | BSI1037  | BSI1037-BS1  | LCS     | 206.54 | 200.00         | 10  | ug/L  | 103     |     | 85 - 115            |               |           |
| Total Chromium              | BSI1100  | BSI1100-BS1  | LCS     | 204.38 | 200.00         | 10  | ug/L  | 102     |     | 85 - 115            |               |           |
| Manganese                   | BSI1111  | BSI1111-BS1  | LCS     | 106.55 | 100.00         | 1.0 | ug/L  | 107     |     | 85 - 115            |               |           |

21 Technology Drive Project Number: 4511010865 Irvine, CA 92618 Project Manager: Anju Farfan

# **Volatile Organic Analysis (EPA Method 8260)**

## **Quality Control Report - Method Blank Analysis**

| Constituent                            | Batch ID | QC Sample ID | MB Result | Units | PQL M             | DL  | Lab Quals |
|--|----------|--------------|-----------|-------|-------------------|-----|-----------|
| Benzene                                | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 0.50              |     |           |
| Ethylbenzene                           | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 0.50              |     |           |
| Methyl t-butyl ether                   | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 0.50              |     |           |
| Toluene                                | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 0.50              |     |           |
| Total Xylenes                          | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 1.0               |     |           |
| t-Amyl Methyl ether                    | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 0.50              |     |           |
| t-Butyl alcohol                        | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 10                |     |           |
| Diisopropyl ether                      | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 0.50              |     |           |
| Ethanol                                | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 250               |     |           |
| Ethyl t-butyl ether                    | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 0.50              |     |           |
| Total Purgeable Petroleum Hydrocarbons | BSI0836  | BSI0836-BLK1 | ND        | ug/L  | 50                |     |           |
| 1,2-Dichloroethane-d4 (Surrogate)      | BSI0836  | BSI0836-BLK1 | 104       | %     | 76 - 114 (LCL - U | CL) |           |
| Toluene-d8 (Surrogate)                 | BSI0836  | BSI0836-BLK1 | 99.6      | %     | 88 - 110 (LCL - U | CL) |           |
| 4-Bromofluorobenzene (Surrogate)       | BSI0836  | BSI0836-BLK1 | 99.9      | %     | 86 - 115 (LCL - U | CL) |           |



21 Technology Drive Project Number: 4511010865 Irvine, CA 92618 Project Manager: Anju Farfan

# Water Analysis (General Chemistry)

# **Quality Control Report - Method Blank Analysis**

| Constituent                 | Batch ID | QC Sample ID | MB Result | Units | PQL  | MDL | Lab Quals |
|-----------------------------|----------|--------------|-----------|-------|------|-----|-----------|
| Nitrate as NO3              | BSI0860  | BSI0860-BLK1 | ND        | mg/L  | 0.44 |     |           |
| Sulfate                     | BSI0860  | BSI0860-BLK1 | ND        | mg/L  | 1.0  |     |           |
| Iron (II) Species           | BSI0870  | BSI0870-BLK1 | ND        | ug/L  | 100  |     |           |
| Non-Volatile Organic Carbon | BSI1052  | BSI1052-BLK1 | ND        | mg/L  | 0.30 |     |           |



21 Technology Drive Project Number: 4511010865 Irvine, CA 92618 Project Manager: Anju Farfan

# Water Analysis (Metals)

## **Quality Control Report - Method Blank Analysis**

| Constituent                 | Batch ID | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-----------------------------|----------|--------------|-----------|-------|-----|-----|-----------|
| Hexavalent Chromium         | BSI0853  | BSI0853-BLK1 | ND        | ug/L  | 2.0 |     |           |
| Hexavalent Chromium         | BSI0896  | BSI0896-BLK1 | ND        | ug/L  | 2.0 |     |           |
| Total Recoverable Manganese | BSI0963  | BSI0963-BLK1 | ND        | ug/L  | 1.0 |     |           |
| Total Chromium              | BSI1037  | BSI1037-BLK1 | ND        | ug/L  | 10  |     |           |
| Total Chromium              | BSI1100  | BSI1100-BLK1 | ND        | ug/L  | 10  |     |           |
| Manganese                   | BSI1111  | BSI1111-BLK1 | ND        | ug/L  | 1.0 |     |           |



21 Technology Drive Project Number: 4511010865
Irvine, CA 92618 Project Manager: Anju Farfan

#### **Notes And Definitions**

| MDL Method Detection Limit | MDL | Method Detection Limit |
|----------------------------|-----|------------------------|
|----------------------------|-----|------------------------|

ND Analyte Not Detected at or above the reporting limit

PQL Practical Quantitation Limit

RPD Relative Percent Difference

A01 PQL's and MDL's are raised due to sample dilution.

A03 The sample concentration is more than 4 times the spike level.

A10 PQL's and MDL's were raised due to matrix interference.

A90 TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.

Q02 Matrix spike precision is not within the control limits.

Q03 Matrix spike recovery(s) is(are) not within the control limits.

S05 The sample holding time was exceeded.

September 17, 2009

TRC 21 Technology Drive Irvine, CA 92618 Attn: Anju Farfan RE: 09-12166

Attached are the results from Zalco Laboratories, Inc.

| BCL Sample ID 09-12166-01 09-12166-02 09-12166-03 09-12166-04 09-12166-05 09-12166-06 09-12166-07 09-12166-08 09-12166-09 | Client Sample ID MW-8 MW-7 MW-1BR MW1AR MW-10 MW-1 MW-9 MW-11 MW-4 | Sample Date/Time<br>09/14/09@10:20<br>09/14/09@10:34<br>09/14/09@08:16<br>09/14/09@08:35<br>09/14/09@08:59<br>09/14/09@09:22<br>09/14/09@10:00<br>09/14/09@10:27<br>09/14/09@08:11 |
|---|--|--|
|   |  | $\sim$   |



## Analytical & Consulting Services

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

Wednesday, September 16, 2009

Molly Meyers BC Laboratories Inc 4100 Atlas Court Bakersfield, CA 93308

TEL: (661) 327-4911 FAX (661) 327-1918

RE: 0912166

Dear Molly Meyers:

Order No.: 0909170

Zalco Laboratories, Inc. received 12 sample(s) on 9/15/2009 for the analyses presented in the following report.

We appreciate your business and look forward to serving you in the future. Please feel free to call our office if you have any questions regarding these test results.

Sincerely,

Authorized Signature Zalco Laboratories, Inc.

(661) 395-0539



Analytical and Consulting Services

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

Qual.

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

Analyses

0912166 Client Sample ID: 0912166-01

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-001A

Collection Date:

9/14/2009 10:20:00 AM

Matrix:

**AQUEOUS** 

**OXIDATION REDUCTION POTENTIAL BY ASTM D1498** 

Oxidation Reduction Potential

D1498

Method

Result

mν

Units

9/15/2009

Date Analyzed

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

0912166

Client Sample ID:

0912166-02

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-002A

Collection Date: Matrix:

9/14/2009 10:34:00 AM

AQUEOUS

Analyses Method Result Units Date Analyzed Qual.

**OXIDATION REDUCTION POTENTIAL BY ASTM D1498** 

Oxidation Reduction Potential

D1498

217

mν

9/15/2009

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

0912166

Client Sample ID:

0912166-03

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-003A

Collection Date:

9/14/2009 8:16:00 AM

Matrix:

**AQUEOUS** 

Analyses Method Result Units Date Analyzed Qual.

**OXIDATION REDUCTION POTENTIAL BY ASTM D1498** 

Oxidation Reduction Potential

D1498

mν

9/15/2009

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting NSS - Non-Sufficient Sample Amount



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

Qual.

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

0912166

Client Sample ID:

Analyses

0912166-04

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-004A

**Collection Date:** 

9/14/2009 8:35:00 AM

Matrix:

**AQUEOUS** 

OXIDATION REDUCTION POTENTIAL BY ASTM D1498

Oxidation Reduction Potential

D1498

Method

205

Result

mν

Units

9/15/2009

Date Analyzed

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

Qual.

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

0912166

Client Sample ID: 0912166-05

Analyses

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-005A

Collection Date:

9/14/2009 8:59:00 AM

Matrix:

**AQUEOUS** 

OXIDATION REDUCTION POTENTIAL BY ASTM D1498

Oxidation Reduction Potential

Method

Result

mν

Units

9/15/2009

Date Analyzed

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

Qual.

CLIENT: Lab Order: BC Laboratories Inc

0909170

Project:

0912166

Analyses

Client Sample ID: 0912166-06

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-006A

Collection Date:

9/14/2009 9:22:00 AM

Matrix:

**AQUEOUS** 

**OXIDATION REDUCTION POTENTIAL BY ASTM D1498** 

Oxidation Reduction Potential

D1498

Method

Result

mv

Units

9/15/2009

Date Analyzed

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting



D1498

**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

0912166

Client Sample ID: 0912166-07

Report Comment:

Oxidation Reduction Potential

Report Date:

9/16/2009

Lab ID:

0909170-007A

9/15/2009

Collection Date:

9/14/2009 10:00:00 AM

Matrix:

**AQUEOUS** 

| Analyses                 | Method         | Result  | Units | Date Analyzed | Qual. |
|--------------------------|----------------|---------|-------|---------------|-------|
|                          |                |         |       |               |       |
| OXIDATION REDUCTION POTE | NTIAL BY ASTIV | I D1498 |       |               |       |

mν

204

B - Analyte detected in the associated Method Blank

<sup>\* -</sup> Value exceeds Maximum Contaminant Level



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

Qual.

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

0912166

Client Sample ID: 0912166-08

Analyses

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-008A

Collection Date:

9/14/2009 10:27:00 AM

Matrix:

**AQUEOUS** 

**OXIDATION REDUCTION POTENTIAL BY ASTM D1498** 

Oxidation Reduction Potential

D1498

Method

Result

mν

Units

9/15/2009

**Date Analyzed** 

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

CLIENT:

BC Laboratories Inc

0909170

Lab Order: Project:

0912166

- 10,000

Client Sample ID: 0912166-09

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-009A

Collection Date:

9/14/2009 8:11:00 AM

Matrix:

**AQUEOUS** 

| Analyses   | Method | Result | Units | Date Analyzed Qual. |
|--|--------|--------|-------|---------------------|
| OXIDATION REDUCTION POTE Oxidation Reduction Potential |        |        | mν    | 9/15/2009           |

B - Analyte detected in the associated Method Blank

<sup>\* -</sup> Value exceeds Maximum Contaminant Level



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

0912166

Client Sample ID: 0912166-10

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-010A

Collection Date:

9/14/2009 8:33:00 AM

Matrix:

**AQUEOUS** 

| Analyses   | Method | Result | Units | Date Analyzed Qual. |
|--|--------|--------|-------|---------------------|
| OXIDATION REDUCTION POTEN<br>Oxidation Reduction Potential |        |        | mv    | 9/15/2009           |

B - Analyte detected in the associated Method Blank

<sup>\* -</sup> Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded



Analytical and Consulting Services

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

Qual.

CLIENT:

BC Laboratories Inc

Lab Order:

Analyses

0909170

Project: Client Sample ID: 0912166-11

0912166

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-011A

**Collection Date:** 

9/14/2009 8:33:00 AM

Matrix:

**AQUEOUS** 

OXIDATION REDUCTION POTENTIAL BY ASTM D1498

Oxidation Reduction Potential

Method

Result

mν

Units

9/15/2009

Date Analyzed

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting NSS - Non-Sufficient Sample Amount



**Analytical and Consulting Services** 

4309 Armour Avenue Bakersfield, California 93308

(661) 395-0539 FAX (661) 395-3069

Oual.

CLIENT:

BC Laboratories Inc

Lab Order:

0909170

Project:

0912166

Client Sample ID: 0912166-12

Analyses

Report Comment:

Report Date:

9/16/2009

Lab ID:

0909170-012A

Collection Date:

9/14/2009 9:16:00 AM

Matrix:

**AQUEOUS** 

**OXIDATION REDUCTION POTENTIAL BY ASTM D1498** 

Oxidation Reduction Potential

D1498

Method

Result

mν

Units

9/15/2009

Date Analyzed

Qualifiers / Abbreviations: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

\* - Value exceeds Maximum Contaminant Level

H - Hold Time Exceeded

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

DLR: Detection Limit for Reporting

| BC LABORATORIES INC.                                  |                                   | SAMPLE     | RECEIP   | TFORM  | Re        | v. No. 12  | 06/24/08                                | Page _    | _ Of "\(\frac{7}{3}\) |                |
|---|-----------------------------------|------------|--|--|-----------|--|---|-----------|-----------------------|----------------|
| Submission #: $09 - 12166$                            | >                                 |            |  |  |           |  |   |           |                       |                |
|   | MATION<br>Hand Deliv<br>(Specify) | very 🗆     |  | Office and the second s | ce Chest  |  | Non                                     |           | ify)                  |                |
| Refrigerant: Ice → Blue Ice □                         | None                              | □ Otl      | her 🗆 🔻  | Commen   | ts:       |  | - CANADAR - TAX - A                     | 71.7      | - MARKET              |                |
|   | Containe                          | rs 🗆       | 1  | Comme  |           |  |   |           |                       |                |
| All samples received? Yes ONO A                       | All samples                       | containers | s intact? Y                                      | es No (  |           | Descripti  | on(s) mate                              | th COC? Y | No [                  | 7              |
| MAES INC.   | nissivity: _                      |            |  |  | Thermomet | ter ID:#8  | D_                                      | Date/Time | a/11/10               | 9<br>2055<br>1 |
| SAMPLE CONTAINERS                                     |                                   | 2          | 101/2  | 107  | SAMPLE    | NUMBERS  |   |           |                       |                |
| OT GENERAL MINERAL/ GENERAL PHYSICAL                  | l                                 | <u> </u>   | 101 8  | 110 4  | 111 8     | 1 4 6  | 7                                       | 8         | 9                     | 10             |
| T PE UNPRESERVED                                      | BC                                | BC         | 12   | (3)  | 6         | B  |   |           |                       |                |
| OT INORGANIC CHEMICAL METALS                          |                                   | W) C       |  |  | 19        |  |   |           |                       |                |
| PT INORGANIC CHEMICAL METALS PT CYANIDE FOR LOUS TUMS | P                                 | 0          |  |  |           |  |   |           |                       |                |
| T NITROGEN FORMS                                      |                                   |            |  |  |           |  |   |           |                       |                |
| PT TOTAL SULFIDE                                      |                                   |            |  |  |           |  |   |           |                       |                |
| 202. NITRATE / NITRITE 2T TOTAL ORGANIC CARBON        | FG                                |            |  |  |           | 1  |   |           |                       |                |
| PT TOX  |                                   |            |  |  |           |  |   |           |                       |                |
| T CHEMICAL OXYGEN DEMAND                              |                                   |            |  |  |           |  |   |           |                       |                |
| ATA PHENOLICS   | TENESCO E                         |            |  |  |           | ĺ  |   |           |                       |                |
| 0mi VOA VIAL TRAVEL BLANK                             |                                   |            |  |  |           |  |   |           |                       |                |
| 0ml VOA VIAL  | A 13                              | H13        | 1A 3   | A3   | MB        | A 3  | ( )                                     | ( )       |                       | ( )            |
| <u>)T EPA 413.1, 413.2, 418.1</u>                     |                                   |            |  |  |           |  |   |           |                       |                |
| 'T ODOR   |                                   |            |  |  |           |  |   |           |                       |                |
| RADIOLOGICAL  |                                   |            |  |  |           |  |   | ·         |                       |                |
| BACTERIOLOGICAL                                       |                                   |            |  |  |           |  |   |           |                       |                |
| 0 ml VOA VIAL- 504                                    |                                   |            |  |  |           |  | _                                       |           |                       |                |
| OT EPA 508/608/8080                                   |                                   |            |  |  |           |  |   |           |                       |                |
| OT EPA 515.1/8150                                     |                                   |            |  |  |           |  |   |           |                       |                |
| )T EPA 525  |                                   |            |  |  |           |  |   |           |                       |                |
| )T EPA 525 TRAVEL BLANK                               |                                   |            |  |  |           |  |   |           |                       |                |
| 00ml EPA 547  |                                   |            |  |  |           |  |   |           |                       |                |
| 00ml EPA 531.1  |                                   |            |  |  |           |  |   |           |                       |                |
| QT EPA 548  |                                   |            | ***************************************          |  |           |  |   |           |                       |                |
| <u>)</u> T EPA 549                                    |                                   |            |  |  |           |  | *************************************** |           |                       |                |
| OT EPA 632  |                                   |            |  |  | <b> </b>  |  |   |           |                       |                |
| )T EPA 8015M  |                                   |            |  |  |           |  |   |           |                       |                |
| )T AMBER  | 4                                 |            | (  |  | ^         | <u></u>  |   |           |                       |                |
| OZ. JAR   | 1                                 |            |  |  |           |  |   |           |                       |                |
| 12 OZ. JAR  |                                   |            |  | <del>                                     </del>   |           |  |   |           |                       |                |
| 3OIL SLEEVE   |                                   |            |  |  |           |  |   |           |                       |                |
| °CB VIAL  |                                   |            |  |  |           | <del>                                     </del> |   |           |                       |                |
| LASTIC BAG  |                                   |            |  |  |           |  |   |           |                       |                |
| ERROUS IRON   |                                   |            |  |  |           |  | · · · · · · · · · · · · · · · · · · ·   |           |                       |                |
| ENCORE  |                                   |            | <del>                                     </del> |  |           | <del>                                     </del> |   | -         |                       | l              |
|   | H                                 | <u>L</u>   |  |  |           |  |   | 1         |                       |                |

omments:\_\_ ample Numbering Completed By:\_ = Actual / C = Corrected

Date/Time:


| BC LABORATORIES INC.  |  | SAMPLI         | E RECEIP    | TFORM   | Re               | v. No. 12         | 06/24/08              | Page _         | 70,5            |               |
|---|--|----------------|-------------|---------|------------------|-------------------|-----------------------|----------------|-----------------|---------------|
| Submission #: $90 - 210$                                      | (0)  |                |             |         |                  |                   | 00/2 //00             | . age <u>-</u> |                 |               |
| SHIPPING INFO   | DRMATION<br>Hand Deli<br>r □ (Specify  | very $\square$ |             |         | lce Chest<br>Box | YÉ .              | NG CON<br>Non<br>Othe |                | cify)           |               |
| Refrigerant: Ice Blue Ice                                     | □ None   | □ Ot           | her □       | Commen  | ts:              |                   |                       |                | 70 - 100        |               |
| Custody Seals Ice Chest I                                     | Containe   | ers 🗆          | 7           | Comme   |                  |                   |                       |                |                 |               |
| All samples received? Yes ₩ No □                              | All samples  |                | s intact? Y | es No I |                  | Descript          | tion(s) mate          | h COC? Y       | estra No        |               |
| COC Received  | Emissivity:  |                |             |         |                  | #                 | <b>か</b>              |                | alul            | <del>/</del>  |
| Y YES □ NO  | Limesivity.  |                | Jonamer     | phe     | Inermome         | ter ID:47 (       |                       | Date/Time      | = <i>1/19/0</i> | 14 2055       |
|   | Temperature  | : A            | <u></u> °   | C / C   | 1.7              | °C                |                       | Analyst Ir     | nit/ <i>IA</i>  | 7             |
|   |  |                |             |         | CAMBLE           | NUMBERS           |                       |                |                 |               |
| SAMPLE CONTAINERS   | 1  | 2              | 3           | 4       | 5 5              | 6                 | 7                     | 0              |                 |               |
| QT GENERAL MINERAL/ GENERAL PHYSICA                           | AL   |                | ·           |         |                  |                   | 1                     | 8              | 9               | 10            |
| PT PE UNPRESERVED   | Z (comment   |                | BC          |         | C                |                   |                       |                |                 |               |
| OT INORGANIC CHEMICAL METALS                                  | 12   |                |             |         |                  |                   |                       |                |                 |               |
| PT INORGANIC CHEMICAL METALS                                  | Constant and the second  |                |             |         | 0                | D                 |                       |                |                 | <del> </del>  |
| PT INORGANIC CHEMICAL METALS PT CHANDE TO POPULATE POPULATION |  |                | E           |         |                  |                   |                       |                |                 | <del> </del>  |
| PT NITROGEN FORMS Ifor  | and the same of th |                |             |         |                  |                   |                       |                |                 |               |
| PT TOTAL SULFIDE  | 100.0  |                |             |         |                  |                   |                       |                |                 |               |
| 202 NITRATE / NITRITE   |  |                |             |         |                  |                   |                       |                |                 |               |
| PT TOTAL ORGANIC CARBON                                       |  | FG             | FG          | FG      | FG               | FG                | FG                    | F6             |                 |               |
| PT TOX  |  | <u>'</u>       |             |         | -                | ,                 | ,                     |                |                 |               |
| PT CHEMICAL OXYGEN DEMAND                                     |  |                |             |         |                  |                   |                       |                |                 |               |
| PLA PHENOLICS   |  |                |             |         |                  | ·                 |                       |                |                 |               |
| 40ml VOA VIAL TRAVEL BLANK                                    |  |                | 1 5         |         |                  |                   |                       |                |                 |               |
| 40ml VOA VIAL   | (  | ( )            | A 3         | AB      | A 3              | A 3,              | A 3                   | A 13           | (               | ( )           |
| OT EPA 413.1, 413.2, 418.1                                    |  |                |             |         |                  |                   |                       |                |                 |               |
| PT ODOR   |  |                |             |         |                  |                   |                       |                |                 |               |
| RADIOLOGICAL  | 200  |                |             |         |                  |                   |                       |                |                 |               |
| BACTERIOLOGICAL   |  |                |             |         |                  |                   |                       |                |                 |               |
| 40 ml VOA VIAL- 504   |  |                |             |         |                  |                   |                       |                |                 |               |
| OT EPA 508/608/8080<br>OT EPA 515.1/8150                      |  | <u> </u>       |             |         |                  | ·                 |                       |                |                 |               |
| QT EPA 525  |  |                |             |         |                  |                   |                       |                |                 |               |
| QT EPA 525 TRAVEL BLANK                                       |  |                |             |         |                  |                   |                       |                |                 |               |
| 100ml EPA 547   |  |                |             |         |                  |                   |                       |                |                 |               |
| 100ml EPA 531.1   |  |                |             |         |                  |                   |                       |                |                 |               |
| OT EPA 548  |  |                |             |         |                  |                   |                       |                |                 | LI            |
| QT EPA 549  |  |                |             |         |                  |                   |                       |                |                 |               |
| QT EPA 632  |  |                |             |         |                  |                   |                       |                |                 |               |
| OT EPA 8015M  |  |                |             |         |                  |                   |                       |                |                 |               |
| OT AMBER  |  | ii.            |             |         |                  |                   |                       |                |                 |               |
| 3 OZ. JAR   |  |                |             |         |                  | -                 |                       |                |                 |               |
| 32 OZ. JAR  |  |                |             |         |                  |                   |                       |                |                 |               |
| SOIL SLEEVE   | The state of the s |                |             |         |                  |                   |                       |                |                 |               |
| PCB VIAL  | 7  |                |             |         |                  |                   |                       |                |                 |               |
| PLASTIC BAG   | S. Cartering   |                |             |         |                  |                   |                       |                |                 | <u> </u>      |
| FERROUS IRON .  |  |                |             |         |                  |                   | ·                     |                |                 |               |
| ENCORE  |  |                |             |         |                  |                   |                       | ·              |                 | <del>  </del> |
| omments:  | -7   |                |             | . )     |                  |                   |                       |                |                 |               |
| ample Numbering Completed By:                                 | MM   | Date/Tir       | пе:         | 4104    | 2110,            | -<br>H:\DOCS\WP80 | NLAB_DOCSIF           | ORMS\SAMREC    | C2.WPD]         |               |

| Submission #:  | BC LABORATORIES INC.                |  | SAMPLE   | RECEIP   | TFORM  | l Re     | v. No. 12  | 06/24/08   | Page _   |  | )  |
|--|-------------------------------------|--|--|--|--|----------|------------|--|--|--|--|
| Secretal Express   UPS   None   Class   Secretal Service   Content   Specify   Secrity   Secri   | Submission #: (1)9 - 120            | 6  |  |  |  |          |            |  |  |  |  |
| Custody Seals   Ice Chest  | SHIPPING INFO                       | Hand Deli  | very 🗆   |  |  |          | Ŕ          | Non  | e 🗆  | ify)   |  |
| All samples received? Yeld No O All samples containers intent? Yes PNO Description(s) match COC? Yeld? No D  COC Received  YES ON O Temperature: A 2 10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | Refrigerant: Ice Due Ice [          | None   | □ Oth  | ner 🗆 🤇  | Commer   | ıts:     |            |  |  |  |  |
| COC Received    YES  | T                                   | 1  |  | None 🛱   | Comme  | ents:    |            |  |  |  |  |
| TO YES ON Temperature: A 2 'C I C 1.4 'C Analyst Init (  | All samples received? Yes No 🗆      | All samples  | containers                                       | s intact? Y                                      | es No  | 0        | Descrip    | tion(s) mate                                     | ch COC? Y  | e <b>s</b> P, No                                 | Ď  |
| SAMPLE CONTAINERS  1 2 3 4 6 4 7 1 1 10  OT GENERAL MERAL PHYSICAL  PT PE UPPRESERVED  OF DORGADIC CHEMICAL METALS  PT INORGANIC CARRON  PT INORGAN | Y YES NO                            | Emissivity: _  | . 98 c<br>:A                                     | ontainer:  | cic_   | Thermome | eter ID:#7 | 3D_  |  | 1/2/2  | 99<br>2055<br>1                                  |
| OT GENERAL MINERAL GENERAL PHYSICAL PT PE UPPLESENCED  BC BC BC TO TROGGONG CHEMICAL METALS PT MORGANIC CHEMICAL METALS PT MORGANIC CHEMICAL METALS PT MORGANIC CHEMICAL METALS PT MORGANIC GENERICAL METALS PT MORGANIC GENERICAL METALS PT TOTAL SULFIDE RIGHTHATE INTRITE RIGHTHATE RIGHTHATE INTRITE RIGHTHATE INTRITE RIGHTHATE RIGHTHATE INTRITE RIGHTHATE RIGHTHA |                                     | 1  | 2  | 3  | 4  |          |            |  |  |  |  |
| FFFE UPPRESERVED  OT ENGRGANIC CHEMICAL METALS  PT SYLANDE - PERCUS TROYS   | OT GENERAL MINERAL/ GENERAL PHYSICA | L I  | <u> </u>   |  |  |          |            | 1  |  | l 9  | 10   |
| OT PORGANIC CHEMICAL METALS  PT INORGANIC CHEMICAL METALS  PT INORGANIC CHEMICAL METALS  PT INOTAL SULFIDE  E. NITRATE HINTHITE  PT TOTAL SULFIDE  E. NITRATE HINTHITE  PT TOTAL ORGANIC CARBON  PT TOTAL ORGANIC CARBON  PT TOTAL  PT CHEMICAL OXYGEN DEMAND  FLA PHENOLICS  SIGNI YOU VIAL TRAVEL BLANK  SOTEPA 4151, 4131, 4181  PT ODOR  RADIOLOGICAL  SALVING VIAL SSI  OT EPA 5151/8159  |                                     |  |  |  | BC   |          | BC         | 100  | B.C.   |  |  |
| PT INORGANIC CHEMICAL METALS  DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD  | OT INORGANIC CHEMICAL METALS        | 577  |  |  |  |          | 1          | 10,0   | 15,5   |  |  |
| PT CALANDE — CROIS TROIS  PT NOTAGES PORMS  PT TOTAL SUR LETTE  100. NITRATE / NITRITE  PT TOTAL ORGANIC CARBON  PT TOTAL ORGANIC CARBON  PT TOTAL ORGANIC CARBON  PT TOTAL ORGANIC CARBON  PT CHEMICAL OXYGEN DEMAND  PA PHENOLICS  100. NITRATE / NITRITE  PT TOTAL ORGANIC CARBON  PT TOTO  PA PASH NO AVAL TRAVEL BLANK  100. NITRATE / NITRITE  1 |                                     |  | İ  | D  | D  |          |            | 10   | 0  |  |  |
| PT NITROGEN FORMS PT TOTAL SULFIDE DEAD, NITRATE THINTET PT TOTAL ORGANIC CARBON PT TOX PT TOX PT CHEMICAL OXYGEN DEMAND PLA PHENOLICS 90al VOA VIAL TRAVEL BLANK 90al VOA VIAL 1  | (Chara-                             | 1017000  |  | Wange.   | E  | TE.      |            |  | F  |  |  |
| FT TOTAL SULFIDE 202 NITRATE / NITRITE 202 NITRATE / NITRITE 203 NITRATE / NITRITE 204 NITRATE / NITRITE 205 NITRATE / NITRITE 206 NITRATE / NITRITE 207 NITRATE / NITRITE 208 N |                                     |  |  | 100  |  |          |            | <del>                                     </del> |  |  |  |
| 26. NIBATE / NITRITE PT TOTAL ORGANIC CARBON PT (TOX PT CHEMICAL OXYGEN DEMAND PLA PIRINOLICS 40ml VOA VALA TRAVEL BILANK 40ml VOA VALA Sel CT EPA 510.1 Sel CT EPA 511.1 Sel CT EPA 512.5 Sel CT EPA 513.1 Sel CT EPA 547 100ml EPA 53.1 Sel CT EPA 549 CT EPA 540 C |                                     |  |  |  |  | -        |            |  | 1  |  |  |
| FT TOTAL ORGANIC CARBON  FT TOX  FT CHEMICAL OXYGEN DEMAND  PA PHENOLICS  10mil VOA VIAL TRAVEL BLANK  10mil VOA VIAL  1   |                                     |  | -2   |  |  |          |            |  |  |  |  |
| PT TOX  PT CHEMICAL OXYGEN DEMAND  PA PHENOLICS  9   |                                     | 200  |  |  |  |          |            | <del> </del>                                     | <del>                                     </del> | <u> </u>   | <del>  </del>                                    |
| PT CHEMICAL OXYGEN DEMAND PA PHENOLICS 40ml VOA VIAL TRAVEL BLANK 40ml VOA VIAL TRAVEL BLANK 40ml VOA VIAL 1   |                                     |  |  |  |  |          |            |  |  |  |  |
| PAPENOLICS # # # # # # # # # # # # # # # # # # #   |                                     |  |  |  |  |          |            |  | <del> </del>                                     |  |  |
| 40mi VOA VIAL TRAVEL BLANK 40mi VOA VIAL 40m |                                     |  |  |  |  |          |            |  | -  | <u> </u>   |  |
| 40mi VOA VIAL  |                                     | 200  |  |  |  |          |            |  |  |  |  |
| OT EPA 413.1, 413.2, 418.1  PT ODOR  RADIOLOGICAL  BACTERIOLOGICAL  BACTER |                                     | -  | ( )  |  | ,  | 1 ,      | 1 .        |  | 1 ,  | ,  | <del> </del>                                     |
| PT ODOR RADIOLOGICAL BACTERIOLOGICAL 40 ml VOA VIAL- 504 60 ml VOA VIAL- 504 70 TEPA 508/608/8080 70 TEPA 515/18/150 70 TEPA 525 TRAVEL BLANK 100ml EPA 525 70 TEPA 525 TRAVEL BLANK 100ml EPA 531.1 70 TEPA 548 70 TEPA 549 70 TEPA 549 70 TEPA 549 70 TEPA 540 7 |                                     |  |  |  |  | <u> </u> | 1          | 1  | ,, ,, ,,   | '  | 1 '  |
| RADIOLOGICAL BACTERIOLOGICAL 40 ml VOA VIAL - 504 OT EPA 508608780800 OT EPA 515.1/8150 OT EPA 515.2 OT EPA 525 OT EPA 547 100ml EPA 547 100ml EPA 548 OT EPA 548 OT EPA 549 OT EPA 632 OT EPA 632 OT EPA 633 OT EPA 639 OT EPA 63015M OT AMBER BOZ. JAR SOUL SLEEVE PCB VIAL PLASTIC BAG FERROUS IRON  I COMMERCIAL   |                                     |  |  |  |  | 1        |            |  |  |  |  |
| BACTERIOLOGICAL  40 mi VOA VIAL- 504  OT EPA 508/608/8080  OT EPA 515.1/8150  OT EPA 515.1/8150  OT EPA 525 TRAVEL BLANK  100ml EPA 547  100ml EPA 543.1  OT EPA 548  OT EPA 549  OT EPA 632  OT EPA 632  OT EPA 8015M  OT AMBER  8 OZ. JAR  32 OZ. JAR  SOIL SLEEVE  PCB VIAL  PLASTIC BAG  FERROUS RON  ENCORE   |                                     | A STATE OF THE STA |  |  |  |          |            | 1.   | <u> </u>   |  |  |
| 40 mi VOA VIAL- 504 OT EPA 508/608/8080 OT EPA 515.1/8150 OT EPA 525 OT EPA 525 TRAVEL BLANK 100ml EPA 547 100ml EPA 547 100ml EPA 548 OT EPA 549 OT EPA 549 OT EPA 5632 OT EPA 8015M OT EPA 8015M OT AMBER 8 OZ. JAR 32 OZ. JAR 501L SLEEVE PCB VIAL PLASTIC BAG ENCORE   |                                     |  |  |  |  |          |            |  |  |  |  |
| OT EPA 508/608/80800 OT EPA 515.1/8150 OT EPA 525 OT EPA 525 TRAVEL BLANK 100ml EPA 547 100ml EPA 548 OT EPA 548 OT EPA 632 OT EPA 632 OT EPA 8015M OT AMBER 8 OZ. JAR 32 OZ. JAR 32 OZ. JAR 30 OZ. JAR 50 OL SLEEVE PCB VIAL PLASTIC BAG FERROUS IRON ENCORE  | ;                                   |  |  |  |  |          |            |  |  |  |  |
| QT EPA 515.1/8150  |                                     |  |  |  |  |          |            |  |  |  |  |
| OT EPA 525 OT EPA 525 TRAVEL BLANK 100ml EPA 547 100ml EPA 531.1 OT EPA 548 OT EPA 549 OT EPA 632 OT EPA 632 OT AMBER 8 OZ. JAR 9 OT EPA 630 ENCORE  |                                     |  |  |  |  |          |            | <u> </u>   |  | <u> </u>   |  |
| OT EPA 525 TRAVEL BLANK  100ml EPA 547  100ml EPA 531.1  OT EPA 548  OT EPA 549  OT EPA 632  OT AMBER  8 OZ. JAR  32 OZ. JAR  SOIL SLEEVE  PCB VIAL  PLASTIC BAG  FERROUS IRON  I O O O O O O O O O O O O O O O O O O  |                                     |  |  |  |  |          | <u> </u>   |  |  |  |  |
| 100ml EPA 547  |                                     |  |  |  |  |          |            |  | <u> </u>   | <b></b>  |  |
| 100mJ EPA 531.1  |                                     |  |  |  |  |          |            |  |  |  |  |
| QT EPA 548       QT EPA 549       QT EPA 632       QT EPA 632       QT EPA 8015M       QT EPA   |                                     |  |  |  | <b> </b>   |          |            |  |  | <del> </del>                                     | -  |
| QT EPA 549   |                                     |  |  | -  | -  | -        |            |  | ·  |  | <del>                                     </del> |
| OT EPA 632 OT EPA 8015M OT AMBER OT AMB |                                     |  |  |  |  |          |            |  |  |  |  |
| OT EPA 8015M OT AMBER OT AMBER 8 OZ. JAR 8 OZ. JAR 92 OZ. JAR SOIL SLEEVE PCB VIAL PLASTIC BAG FERROUS IRON ENCORE   |                                     |  |  |  |  |          |            |  | <del></del>                                      | -  | -  |
| OT AMBER  8 OZ. JAR  8 OZ. JAR  32 OZ. JAR  SOIL SLEEVE  PCB VIAL  PLASTIC BAG  FERROUS IRON  ENCORE   |                                     |  |  |  |  |          |            |  |  |  | -  |
| 8 OZ. JAR 32 OZ. JAR SOIL SLEEVE PCB VIAL PLASTIC BAG FERROUS IRON ENCORE  |                                     |  | · ·  | 14   | 17   | 14       | 11         | <u></u>  | 17   | -  | -  |
| 32 OZ. JAR  SOIL SLEEVE  PCB VIAL  PLASTIC BAG  FERROUS IRON  ENCORE   |                                     | - Charles  | <del>                                     </del> |  | '  | + 11     | 177        | 77   | 1,,  |  | -  |
| SOIL SLEEVE  |                                     | 14.<br>14.<br>14.<br>14.<br>14.<br>14.<br>14.<br>14.<br>14.<br>14.   |  |  | <u> </u>   |          |            | _  |  |  |  |
| PCB VIAL PLASTIC BAG FERROUS IRON ENCORE   |                                     |  | <del> </del>                                     |  | -  |          | -          |  |  | <del> </del>                                     | -  |
| PLASTIC BAG  FERROUS IRON  ENCORE  |                                     |  | 1  | <del>                                     </del> | 1  |          |            | -  |  | <del>                                     </del> |  |
| FERROUS IRON ENCORE  |                                     |  |  |  | -  |          |            | -  | -  |  | -  |
| ENCORE   |                                     |  |  | <del> </del>                                     | <del>                                     </del> | -        | -          |  |  |  | -  |
|  |                                     | The second   | 1  | -  | <del> </del>                                     |          |            |  |  |  |  |
|  |                                     | <u> </u>   |  | <u>L</u>   | 1  |          |            | 1  |  | <u> </u>   |  |


Date/Time:

[H:\DOCS\WP80\LAB\_DOCS\FORMS\SAMREC2.WPD]

BC LABORATORIES, INC. (661) 327-4911



Bakersfield, CA 93308 FAX (661) 327-1918



# **CHAIN OF CUSTODY**

|                |  |                      |               |  |           | Analy  | /sis   | Re   | dne              | air <b>a dealar.</b> ceann ann a |                | Λ   | 7  |
|----------------|--|----------------------|---------------|--|-----------|--|--|--|------------------|----------------------------------|----------------|---|--|
| Bill to: C     | Conoco Phillips/ TRC   | Consultant Firm: TR  | C             | MATRIX<br>(GW)   | 50        | tetal chouses toology terous I can by 55, 18 3300F & 10  |  |  |                  | 6-, 8260                         | 150.16         | 200   | 24   |
| Address        | ::   | 21 Technology Driv   |               | Ground-  | / 8015    | 2 2 2  |  |  |                  | 900                              | ,              | 10 60 NOV   | 700  |
| 1629           | Webster St.  | Irvine, CA 92618-230 | )2            | water  | Gas by    | STON S   |  | 8260B  |                  |                                  | 0 PA           | Suffest e   | sted                                       |
|                |  | Attn: Anju Farfan    |               | (S)<br>Soil  | , G       | 10 10 10 10 10 10 10 10 10 10 10 10 10 1   | oxygenates                                   |  |                  | 600/100g                         | -w 0           | Q. 20   | 6y 200.5                                   |
| City:          |  | 4-digit site#: ೧೪५   | 3             | (WW)   | by 8021B, |  | √ ge   | S m  | 9                | 700                              | 926<br>450     | 1019<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>100 |  |
| A.1            | ameda  | Workorder # 62867    | -4511010865   | Waste-<br>water  | )y 8(     | 300 L 180 L  | (O )   | X  | 826              | GC/MS/                           | SECT           | 300.00<br>300.00<br>38aves  | ime  |
| State: C       | A Zip:   | Project #: 16557     | Î             | (SL)   | ш         |  | ist?   | BE/(   | L by             | Ö                                | Con C          | F Jog   | 2  |
| Conoco         | Phillips Mgr: Terry Gro  | Sampler Name: 72,    | clay H.       | Sludge   | Z         |  | money<br>many<br>many<br>trans               | CMT  | 0                | -G by                            |                | <u>१ ५</u> ६  | \$ 0<br>0<br>0                             |
| Lab#           | Sample Description   | Field Point Name     | Date & Time   |  | STEX/MTBE |  | 8260 full list w/                            | BTEX/MTBE/OXYS BY  | ETHANOL by 8260B | Ā                                | 25.50          | SSel  | Turnaround Time                            |
| _              |  |                      | Sampled       | 0 (1)  | Lens.A    | XX   | 00   | <u></u>  | <u> </u>         |                                  | S P            | \$ 30<br>V  | 4-   |
| -h             | - A STATE OF THE S | mw-8                 | 09/14/09 1030 | 5 GW   |           |  |  |  |                  |                                  |                |   | < 70/4Y                                    |
| -2             |  | un w-7               | 1030          |  | -         |  |  |  |                  |                                  |                |   | - Comment                                  |
| -3             |  | mw-1BR               | SIL           |  |           |  |  |  |                  |                                  | 200            |   |  |
| -17            |  | mw-14R               | OLS'S         |  |           |  |  |  | 1000             |                                  |                |   |  |
| ~ <del>5</del> |  | mur lo               | 0954          |  |           |  |  | REPORT LEASE FOR THE PARTY OF T |                  |                                  |                |   |  |
| -6             |  | mw-1                 | 0922          |  |           | TO CONTRACT OF THE PARTY OF THE |  |  |                  |                                  | -              |   | 200 CO |
| _7             |  | mw-9                 | 1000          |  |           |  |  |  |                  |                                  |                |   |  |
| -6             |  | mw-11                | J 1027        |  |           | VV   |  | V  | 1                | <i>y</i>                         | $\vee$         | 0/  | / \/                                       |
| Comments       | s:   | Relinquished by:     | Signature     |  |           | Receive  | d by:  | lon  |                  | Date<br>9                        | & Ti           |   | 47)  |
|                |  | Relinguished by (    | Signature     | and the section of th |           | Receive  | <i>'\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i> | L Scor   |                  | 1-//                             | 1/1/           | me  | <i>f</i>                                   |
| GLOBAL         | ID:  | 1/212 h              | ILLOW THE     | 2  |           | RU   | ALLU   | سال  | nesi <b>k</b>    |                                  | e & Ti<br>4-09 |   | 20   |
| TOGGA          | i  | Relinquished by: (S  | Signature)    | 2106   |           | Receive  | n. ^   |  |                  | 1                                | e & Ti         |   | ain  |
| 1000           | 102263   | 1 R Kly              | 9-14-09       | 2006   |           |  | 4\J_\  |  |                  | 14-1                             | 4-6            | <u> </u>  | aidD                                       |

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

|  |                    |   |                              |                           |  |                | An               | aly                | /sis                         | Re  | que        | ste                      | d  |          |                        |
|--|--------------------|---|------------------------------|---------------------------|--|----------------|------------------|--------------------|------------------------------|---|------------|--------------------------|--|----------|------------------------|
| Bill to: Conoco Phillips/ TRC                                  |                    | Consultant Firm: TRC  |                              | MATRIX<br>(GW)            | ក  |                |                  |                    |                              |   | \$260B     |                          | AND DESCRIPTION OF THE PROPERTY OF THE PROPERT |          |                        |
| Address:   | 1629 Webster St-   | 21 Technology Drive<br>Irvine, CA 92618-2302<br>Attn: Anju Farfan |                              |                           | Ground-<br>water<br>(S)  | 3, Gas by 8015 |                  |                    | nates                        | / 8260B   |            | in By                    | -  | 4500-0   | )///48<br>Requested    |
| city: Alameda  |                    | 4-digit site#: 0943 Workorder# 02907 - 45  6 0865                 |                              |                           | (WW)<br>Waste-<br>water  | by 8021B,      | TPH GAS by 8015M | TPH DIESEL by 8015 | 8260 full list w/ oxygenates | BTEX/MTBE/OXYS BY                                     | 8260B      | TPH-G by GC/MS, EDBE     | conductance by   |          | Turnaround Time Reques |
| State: CA  | Zip:               | Project #: 6552)  |                              |                           | (SL)<br>Sludge   | Ш              | Š                | Į                  | Š.                           | D<br>D  | D A        | S C                      | - N  | 8        | 3 5                    |
| Conoco Phillips Mgr: Terry Gray Sin Sampler Name: Andrew Vides |                    |   |                              |                           |  |                | GAS              | Ш<br>О             | 3                            | INO   | S S        | တို                      | (Š,  | a .      |                        |
| Lab#   | Sample Description | Field Point Name  |                              | Date & Time<br>Sampled    |  | BTEX/MTBE by   | 루                | Ē                  | 8260                         |   | ETHANOL by | Ā                        | SPACH  |          |                        |
| -9   | 1                  | NW-4  | 9/1                          | 4/09 08/1                 | 6W   |                |                  |                    |                              | X   | X          | X                        | X  | XX       | ( 7 DAY                |
| -10  |                    | MW-3  |                              | 0833                      |  |                |                  |                    |                              |   |            |                          |  |          |                        |
| -11  | /                  | NW-5  |                              | 0855                      | and the state of t |                |                  |                    |                              |   |            |                          |  |          |                        |
| -12  |                    | MW-6  | \                            | 09/6                      | 1  |                |                  |                    |                              | <u>\</u>  | 1          | V                        | V  | <u> </u> | V V                    |
|  |                    |   |                              |                           |  |                |                  |                    |                              |   |            |                          |  |          |                        |
|  |                    |   |                              |                           |  |                |                  | ****               |                              |   |            |                          |  |          |                        |
| Comments:  |                    |   | Relinquished by: (Signature) |                           |  | Received by:   |                  |                    |                              |   | loy        | Date & Time 9/14/09 1340 |  |          |                        |
| GLOBAL ID: 70600/07263   |                    | Relinquished by: (S) Relinquished by: (S)                         | 9/14/09<br>2100              | Received by: Received by: |  |                |                  |                    |                              | Date & Time  9-14-09 16 60  Date & Time  9-14-09 2100 |            |                          |  |          |                        |

# Receipt of Manifest is Pending

(September 28, 2009)



#### Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.