




December 15, 2011

Roya C. Kambin
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6270
RKLG@chevron.com

Ms. Barbara Jakub
Alameda County Health Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

RE: Fourth Quarter 2011 Groundwater Monitoring Report
1629 Webster Street, Alameda, California
Fuel Leak Case No.: RO0000450



Dear Ms. Jakub,

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (925) 790-6270.

Sincerely,

A handwritten signature in black ink, appearing to read "Roya Kambin".

Roya Kambin
Union Oil of California – Project Manager

Attachment
Fourth Quarter 2011 Monitoring Report

Ms. Barbara Jakub
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, California 94502-6577

Subject:
Fourth Quarter 2011 Monitoring Report Submittal

ENVIRONMENT

Dear Ms. Jakub:

On behalf of Chevron Environmental Management Company, for itself and as Attorney-in-Fact for Union Oil Company of California (hereinafter "EMC"), ARCADIS is submitting the enclosed Quarterly Groundwater Monitoring Report for the following facility:

Date:
December 15, 2011

Contact:
Katherine Brandt

| <u>Facility No.</u> | <u>Case No.</u> | <u>Location</u> |
|---------------------|-----------------|--|
| 0843 | RO0000450 | 1629 Webster Street Alameda, California |

Phone:
510.596.9675

Email:
katherine.brandt@arcadis-us.com

If you have any questions, please contact Katherine Brandt at 510.596.9675.
Sincerely,

Our ref:
B0047584.0001

ARCADIS



David Lay
Professional Geologist



Katherine Brandt
Certified Project Manager

Copies:
Ms. Cherie McCaulou, CRWQCB – San Francisco Bay Region, 1515 Clay Street, Suite
1400, Oakland, California 94612 (CD)

**UNION OIL OF CALIFORNIA
QUARTERLY MONITORING REPORT
FOURTH QUARTER 2011
December 15, 2011**

Facility No.: 0843 Address: 1629 Webster Street, Alameda, California

Consulting Company/Contact Person/Phone No.: ARCADIS / Katherine Brandt / 510.596.9675

Primary Agency/Contact Person/Regulatory ID No.: Alameda County Department of Environmental Health / Ms. Barbara Jakub
Case No. RO0000450

WORK PERFORMED DURING THIS REPORTING PERIOD (Fourth Quarter – 2011) :

1. TRC Solutions (TRC) conducted groundwater monitoring and sampling on November 21, 2011. Field data sheets and general procedures are included as **Attachment A**. Twelve (12) groundwater monitoring wells were gauged and sampled during this monitoring event (MW-1, MW-1AR, MW-1BR, MW-3 through MW-11).

All groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-g) by Luft GC/MS; benzene, toluene, ethylbenzene, and total xylenes (BTEX, collectively), oxygenates (methyl tertiary butyl ether [MTBE], ethyl tertiary butyl ether [ETBE], di-isopropyl ether [DIPE], tertiary amyl methyl ether [TAME], tertiary butyl alcohol [TBA]), 1,2-dibromoethane (EDB) and 1,2-dichloroethane (1,2-DCE or EDC) by United States Environmental Protection Agency (EPA) Method 8260B; as well as field parameters electrical conductivity (EC), dissolved oxygen (DO), and oxidation reduction potential (ORP).

Additionally, the samples collected from groundwater monitoring wells MW-1, MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, and MW-11 were analyzed for nitrate as NO₃, sulfate, ferrous iron, non-volatile organic compounds, chromium (hexavalent, dissolved, and total), dissolved manganese, total recoverable manganese, dissolved vanadium, and total recoverable vanadium. Samples collected from wells MW-5 and MW-6 were only additionally analyzed for chromium (hexavalent, dissolved, and total).

The site location map, the site plan, and the groundwater contour map are presented on **Figures 1** through **3**. Concentration maps for TPH-g, benzene, and MTBE are on **Figures 4** through **6**. Current Groundwater Gauging and Analytical Results are summarized in **Table 1**, Current Additional Groundwater Analytical Results are summarized in **Table 1a**, Historic Groundwater Gauging and Analytical Results are summarized in **Table 2**, Historic Additional Groundwater Analytical Results are summarized in **Table 2a**, and Historical Groundwater Results from TRC are included as **Attachment B**. A copy of the laboratory analytical report and chain-of-custody documentation is included as **Attachment C**.

The adjacent Shell Station No. 13-5032 (Shell) located at 1601 Webster Street is on a semi-annual sampling schedule and therefore was not sampled this quarter. Concentration data for TPH-g, benzene, and MTBE related to monitoring wells associated with the Shell from the third quarter sampling are included on **Figures 4** through **6**.

WORK PROPOSED FOR THE NEXT REPORTING PERIOD (First Quarter – 2012):

1. Perform groundwater monitoring and related reporting during first quarter 2012.

Current Phase of Project: Groundwater Monitoring/Remediation Pending

Site Use: Vacant Lot

Frequency of Sampling: Groundwater – Quarterly

Frequency of Monitoring: Groundwater – Quarterly

Are Separate-Phase Hydrocarbons (SPH) Present On-Site: No

Cumulative SPH Recovered to Date: None

SPH Recovered This Quarter: None

Bulk Soil Removed to Date: Unknown

Bulk Soil Removed this Quarter: None

Water Wells or Surface Waters within a 2,000': Three irrigation wells located 0.1 mile west, northwest, and southeast of the site

**UNION OIL OF CALIFORNIA
QUARTERLY MONITORING REPORT
FOURTH QUARTER 2011
December 15, 2011**

Facility No.: 0843 Address: 1629 Webster Street, Alameda, California

Radius and Their Respective Directions:

Groundwater Use Designation: Irrigation

Current Remediation Techniques: None

Permits for Discharge (No.): None

Approximate Depth to Groundwater: 6.28 (MW-5) – 7.82 (MW-1AR) feet below top of casing
Measured Estimated

Groundwater Gradient: 0.005 ft/ft (Magnitude) North-northeast (Direction)

DISCUSSION:

Groundwater conditions during the fourth quarter 2011 remained generally consistent with previous quarters. The maximum dissolved concentrations of TPH-g (1,400 micrograms per liter [$\mu\text{g/L}$]), MTBE (5,900 $\mu\text{g/L}$), TBA (2,200 $\mu\text{g/L}$), and TAME (6.4 $\mu\text{g/L}$) were detected in the samples collected from MW-7. Benzene, toluene, ethylbenzene, total xylenes, ETBE, DIPE, EDB, EDC, and ethanol were not detected above the laboratory reporting limits for all wells sampled.

Additionally, maximum concentrations of ferrous iron (2,800 milligrams per liter [mg/L]), non-volatile organic compounds (3.9 mg/L), and dissolved manganese (670 $\mu\text{g/L}$) were detected in the samples collected from MW-7. Maximum concentrations of total chromium (220 $\mu\text{g/L}$), total recoverable manganese (1,100 $\mu\text{g/L}$), and total recoverable vanadium (78 $\mu\text{g/L}$) were detected in the samples collected from MW-1. Maximum concentration of nitrate as NO_3 (28 mg/L) was detected in the sample collected from MW-1BR. Maximum concentration of sulfate (48 mg/L) was detected in the sample collected from MW-8. Maximum concentration of hexavalent chromium (6.4 $\mu\text{g/L}$) was detected in the sample collected from MW-10, a decrease in concentration from previous sampling events. The maximum concentration of dissolved vanadium (1.7 $\mu\text{g/L}$) was detected in the samples collected from MW-1BR and MW-9.

Groundwater elevations at the service station vary by approximately one-and-a-half feet, creating a relatively gentle hydraulic gradient of 0.005 foot per foot in the north-northeast direction.

CONCLUSIONS AND RECOMMENDATIONS:

Dissolved hydrocarbon constituent concentrations have remained relatively consistent with previous quarters. ARCADIS recommends continued groundwater monitoring.


ATTACHMENTS:

- Figure 1: Site Location Map
- Figure 2: Site Plan
- Figure 3: Groundwater Contour Map
- Figure 4: TPH-g Concentration Map
- Figure 5: Benzene Concentration Map
- Figure 6: MTBE Concentration Map

- Table 1: Current Groundwater Gauging and Analytical Results
- Table 1a: Current Additional Groundwater Analytical Results
- Table 2: Historic Groundwater Gauging and Analytical Results
- Table 2a: Historic Additional Groundwater Analytical Results

- Attachment A: Field Data Sheets and General Procedures
- Attachment B: Historical Groundwater Results from TRC
- Attachment C: Laboratory Report and Chain-of-Custody Documentation

CITY: PETALUMA, CA DIV/GROUP: ENV DB: J. HARRIS ID: J. HARRIS -PIC: J. VOGUELEY PM: K. ABBOTT TM: K. ABBOTT LVR(OPTION)=-OFF-REF
 G:\ENV\CAD\Peralum\ACT1800\47584\0000\1\DWG\47584\01.dwg LAYOUT: 18.0S (LMS TECH) PAGESETUP: 4/19/2011 11:40 AM ACADVER: 18.0S (LMS TECH) PAGESETUP: 4/19/2011 11:057 AM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: Oakland West.jpg



**PROJECT
LOCATION**

REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., OAKLAND WEST, CALIFORNIA, 1993.




UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

SITE LOCATION MAP



FIGURE
1

XREFS: IMAGES: PROJECTNAME: ---
 47584X01




LEGEND

- PROPERTY BOUNDARY
- MW-1 ◉ FORMER 76 STATION MONITORING WELL
- S-9 ◉ SHELL SERVICE STATION MONITORING WELL
- TBW-N ◉ SHELL TANK BACKFILL MONITORING WELL
- MW-2A ☒ ABANDONED WELL

NOTES:

1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.




UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

SITE PLAN



XREFS: IMAGES: PROJECTNAME: ---
 47584X01




LEGEND

- PROPERTY BOUNDARY
- MW-1 ◉ FORMER 76 STATION MONITORING WELL
- S-9 ◉ SHELL SERVICE STATION MONITORING WELL
- TBW-N ◉ SHELL TANK BACKFILL MONITORING WELL
- MW-2A ☒ ABANDONED WELL
- (11.55) GROUNDWATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL (FT MSL)
- 11.4 — GROUNDWATER ELEVATION CONTOUR (FT MSL; DASHED WHERE INFERRED)
- 0.005 FT/FT → APPROXIMATE GROUNDWATER FLOW DIRECTION AND GRADIENT (FOOT PER FOOT)
- * NOT USED FOR CONTOURING; SHORT SCREEN INTERVAL; DIFFERENT CONSTRUCTION


NOTES:

1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.



| | |
|--|--------------------|
| UNION OIL FORMER FACILITY NO. 0843 1629 WEBSTER STREET ALAMEDA, CALIFORNIA | |
| GROUNDWATER ELEVATION CONTOUR MAP NOVEMBER 21, 2011 | |
| | FIGURE 3 |

XREFS: IMAGES: PROJECTNAME: ---
 47584X01




LEGEND

- PROPERTY BOUNDARY
- MW-1 ◉ FORMER 76 STATION MONITORING WELL
- S-9 ◉ SHELL SERVICE STATION MONITORING WELL
- TBW-N ◉ SHELL TANK BACKFILL MONITORING WELL
- MW-2A ☒ ABANDONED WELL
- [TPH-g] TOTAL PETROLEUM HYDROCARBONS AS GASOLINE (C4-C12) CONCENTRATION IN MICROGRAMS PER LITER (µg/L)
- 100 ——— TPH-g ISOCONCENTRATION CONTOUR (µg/L; DASHED WHERE INFERRED)
- < DENOTES LESS THAN LABORATORY REPORTING LIMIT
- J ESTIMATED VALUE

NOTES:

1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
3. SHELL DATA COLLECTED THIRD QUARTER 2011.



UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA


**TPH-g CONCENTRATION MAP
 NOVEMBER 21, 2011**



FIGURE

4

XREFS: IMAGES: PROJECTNAME: ---
 47584X01




LEGEND

- PROPERTY BOUNDARY
- MW-1 ◉ FORMER 76 STATION MONITORING WELL
- S-9 ◉ SHELL SERVICE STATION MONITORING WELL
- TBW-N ◉ SHELL TANK BACKFILL MONITORING WELL
- MW-2A ◉ ABANDONED WELL
- [BENZ] BENZENE CONCENTRATION IN MICROGRAMS PER LITER (µg/L)
- 100 - - - BENZENE ISOCONCENTRATION CONTOUR (µg/L; DASHED WHERE INFERRED)
- < DENOTES LESS THAN LABORATORY REPORTING LIMIT

NOTES:

1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
3. SHELL DATA COLLECTED THIRD QUARTER 2011.




UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

**BENZENE CONCENTRATION MAP
 NOVEMBER 21, 2011**



XREFS: IMAGES: PROJECTNAME: ---
 47584X01




LEGEND

- PROPERTY BOUNDARY
- MW-1 ◉ FORMER 76 STATION MONITORING WELL
- S-9 ◉ SHELL SERVICE STATION MONITORING WELL
- TBW-N ◉ SHELL TANK BACKFILL MONITORING WELL
- MW-2A ◉ ABANDONED WELL
- [MTBE] METHYL TERTIARY BUTYL ETHER CONCENTRATION IN MICROGRAMS PER LITER (µg/L)
- 100 — MTBE ISOCONCENTRATION CONTOUR (µg/L; DASHED WHERE INFERRED)
- < DENOTES LESS THAN LABORATORY REPORTING LIMIT

NOTES:

1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
3. SHELL DATA COLLECTED THIRD QUARTER 2011.



UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

**MTBE CONCENTRATION MAP
 NOVEMBER 21, 2011**



ARCADIS

Tables

Table 1
Current Groundwater Gauging and Analytical Results
Union Oil of California
Unocal Site 0843
1629 Webster Street, Alameda, California

| Well ID | Date Sampled | TOC Elevation (feet AMSL) | DTW (feet bTOC) | LPH Thickness (feet) | GW Elevation (feet AMSL) | TPH-G Luft-GC/MS | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE | TBA | TAME | ETBE | DIPE | EDB | EDC | Ethanol | Comments |
|---------|--------------|---------------------------|-----------------|----------------------|--------------------------|------------------|---------|---------|---------------|---------------|-------|-------|-------|-------|-------|-------|-------|---------|----------|
| MW-1 | 11/21/2011 | 19.13 | 7.58 | 0.00 | 11.55 | 85* | <0.50 | <0.50 | <0.50 | <1.0 | 130 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A01, A90 |
| MW-1AR | 11/21/2011 | 19.29 | 7.82 | 0.00 | 11.47 | 21* J | <0.50 | <0.50 | <0.50 | <1.0 | 22 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-1BR | 11/21/2011 | 19.13 | 7.78 | 0.00 | 11.35 | 29* J | <0.50 | <0.50 | <0.50 | <1.0 | 34 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-3 | 11/21/2011 | 18.05 | 6.90 | 0.00 | 11.15 | <50* | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-4 | 11/21/2011 | 18.14 | 6.80 | 0.00 | 11.34 | <50* | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-5 | 11/21/2011 | 16.45 | 6.28 | 0.00 | 10.17 | 12* J | <0.50 | <0.50 | <0.50 | <1.0 | 1.2 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-6 | 11/21/2011 | 16.97 | 6.36 | 0.00 | 10.61 | 55* | <0.50 | <0.50 | <0.50 | <1.0 | 86 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-7 | 11/21/2011 | 17.81 | 6.67 | 0.00 | 11.14 | 1,400* | <0.50 | <0.50 | <0.50 | <1.0 | 5,900 | 2,200 | 6.4 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A90 |
| MW-8 | 11/21/2011 | 18.13 | 7.02 | 0.00 | 11.11 | 900* | <0.50 | <0.50 | <0.50 | <1.0 | 2,500 | 250 | 2.6 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-9 | 11/21/2011 | 18.75 | 7.45 | 0.00 | 11.30 | 33* J | <0.50 | <0.50 | <0.50 | <1.0 | 44 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | J |
| MW-10 | 11/21/2011 | 18.84 | 7.52 | 0.00 | 11.32 | <50* | <0.50 | <0.50 | <0.50 | <1.0 | 1.4 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-11 | 11/21/2011 | 18.72 | 7.36 | 0.00 | 11.36 | 850* | <0.50 | <0.50 | <0.50 | <1.0 | 2,100 | 270 | 2.1 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |

Note

Analytical results given in micrograms per liter (µg/l) unless otherwise noted

Standard Abbreviations

| | |
|-------|---|
| < | not detected at or above laboratory detection limit |
| µg/l | micrograms per liter (approx. equivalent to parts per billion, ppb) |
| TOC | top of casing (surveyed reference elevation) |
| AMSL | above mean sea level |
| DTW | depth to water |
| bTOC | below top of casing |
| LPH | liquid-phase hydrocarbons |
| GW | groundwater |
| TPH-G | total petroleum hydrocarbons as gasoline |
| MTBE | methyl tertiary butyl ether |
| TBA | tertiary butyl alcohol |
| TAME | tertiary amyl methyl ether |
| ETBE | ethyl tertiary butyl ether |
| DIPE | di-isopropyl ether |
| EDB | 1,2-dibromoethane |
| EDC | 1,2-dichloroethane (same as ethylene dichloride) |
| 8260B | EPA Method 8260B for BTEX/MTBE/Oxygenates |
| GC/MS | gas chromatography-mass spectrometry |
| A01 | PQL's and MDL's are raised due to sample dilution. |
| A90 | TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE. |
| * | TPPH (C6 through C12) |
| J | Estimated Value |

Table 1a
Current Additional Groundwater Analytical Results
Union Oil of California
Unocal Site 0843
1629 Webster Street, Alameda, California

| Well ID | Date Sampled | EC @ 25°C (umhos/cm) | DO (mg/l) | ORP (mV) | Nitrate as NO3 (mg/l) | Sulfate (mg/l) | Ferrous Iron | Non-Volatile Organic Compounds (mg/l) | Hexavalent Chromium | Dissolved Chromium | Dissolved Manganese | Dissolved Vanadium | Total Chromium | Total Recoverable Manganese | Total Recoverable Vanadium |
|---------|--------------|----------------------|-----------|----------|-----------------------|----------------|--------------|---------------------------------------|---------------------|--------------------|---------------------|--------------------|----------------|-----------------------------|----------------------------|
| MW-1 | 11/21/2011 | 378 | 2.3 | 310.6 | 16 | 23 | 54 J | 1.1 | <2.0 | 1.4 J | 0.98 J | <3.0 | 220 | 1,100 | 78 |
| MW-1AR | 11/21/2011 | 456.2 | 0.77 | 305.8 | 20 | 28 | <100 | 1.4 | <2.0 | <10 | 71 | 1.1 J | 6.7 J | 220 | 3.4 |
| MW-1BR | 11/21/2011 | 481.8 | 0.89 | 316.9 | 28 | 25 | 62 J | 1.2 | <2.0 | 2.8 J | 26 | 1.7 J | 9.6 J | 120 | 4.4 |
| MW-3 | 11/21/2011 | 652.7 | 1.24 | 323.1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4 | 11/21/2011 | 464 | 4.1 | 321.8 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-5 | 11/21/2011 | 616.7 | 1.78 | 297.7 | -- | -- | -- | -- | <2.0 | 1.7 J | 160 | -- | -- | -- | -- |
| MW-6 | 11/21/2011 | 560.8 | 1.12 | 300.6 | -- | -- | -- | -- | <2.0 | <10 | 40 | -- | -- | -- | -- |
| MW-7 | 11/21/2011 | 692.7 | 1.5 | 273.9 | 3.6 | 41 | 2,800 | 3.9 | <2.0 | <10 | 670 | <3.0 | 59 | 790 | 33 |
| MW-8 | 11/21/2011 | 649.00 | 1.50 | 283.9 | 5.3 | 48 | 530 | 3.4 | <2.0 | <10 | 660 | 1.6 | 30 | 780 | 13 |
| MW-9 | 11/21/2011 | 660 | 2.1 | 271.1 | 16.0 | 38 | 62 J | 1.9 | 3.8 | 4.8 J | 9.5 | 1.7 J | 83 | 880 | 33 |
| MW-10 | 11/21/2011 | 546.4 | 1.12 | 319.1 | 19 | 30 | <100 | 1.3 | 6.4 | 7.9 J | 2.9 | 1.0 J | 13 | 92 | 3.1 |
| MW-11 | 11/21/2011 | 765.5 | 1.3 | 240.2 | 6.6 | 26 | <100 | 2.5 | <2.0 | <10 | 370 | <3.0 | 2.7 J | 950 | 2.6 J |

Note

Analytical results given in micrograms per liter (µg/l) unless otherwise noted

Standard Abbreviations

- not analyzed, measured, or collected
- < not detected at or above laboratory detection limit
- umhos/cm micromhos per centimeter
- mg/l milligrams per liter (approx. equivalent to parts per million, ppm)
- µg/l micrograms per liter (approx. equivalent to parts per billion, ppb)
- mV millivolts
- EC Electrical Conductivity
- DO Dissolved Oxygen
- ORP Oxidation Reduction Potential
- J Estimated Value

Table 2
Historic Groundwater Gauging and Analytical Results
Union Oil of California
Unocal Site 0843
1629 Webster Street, Alameda, California

| Well ID | Date Sampled | TOC Elevation (feet AMSL) | DTW (feet bTOC) | LPH Thickness (feet) | GW Elevation (feet AMSL) | TPH-G Luft-GC/MS | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE | TBA | TAME | ETBE | DIPE | EDB | EDC | Ethanol | Comments |
|---------|--------------|---------------------------|-----------------|----------------------|--------------------------|------------------|---------|---------|---------------|---------------|-------|-------|-------|-------|-------|-------|-------|---------|----------|
| MW-1 | 8/4/2011 | 19.13 | 6.78 | 0.00 | 12.35 | 310 | <0.50 | <0.50 | <0.50 | <1.0 | 420 | 13 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A01, A90 |
| MW-1 | 11/21/2011 | 19.13 | 7.58 | 0.00 | 11.55 | 85* | <0.50 | <0.50 | <0.50 | <1.0 | 130 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A01, A90 |
| MW-1AR | 8/4/2011 | 19.29 | 6.95 | 0.00 | 12.34 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 16 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-1AR | 11/21/2011 | 19.29 | 7.82 | 0.00 | 11.47 | 21* J | <0.50 | <0.50 | <0.50 | <1.0 | 22 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-1BR | 8/4/2011 | 19.13 | 6.92 | 0.00 | 12.21 | 59 | <0.50 | <0.50 | <0.50 | <1.0 | 60 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A90 |
| MW-1BR | 11/21/2011 | 19.13 | 7.78 | 0.00 | 11.35 | 29* J | <0.50 | <0.50 | <0.50 | <1.0 | 34 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-3 | 8/4/2011 | 18.05 | 6.10 | 0.00 | 11.95 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 0.55 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-3 | 11/21/2011 | 18.05 | 6.90 | 0.00 | 11.15 | <50* | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-4 | 8/4/2011 | 18.14 | 6.00 | 0.00 | 12.14 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-4 | 11/21/2011 | 18.14 | 6.80 | 0.00 | 11.34 | <50* | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-5 | 8/4/2011 | 16.45 | 5.63 | 0.00 | 10.82 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-5 | 11/21/2011 | 16.45 | 6.28 | 0.00 | 10.17 | 12* J | <0.50 | <0.50 | <0.50 | <1.0 | 1.2 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-6 | 8/4/2011 | 16.97 | 5.69 | 0.00 | 11.28 | 75 | <0.50 | <0.50 | <0.50 | <1.0 | 80 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A90 |
| MW-6 | 11/21/2011 | 16.97 | 6.36 | 0.00 | 10.61 | 55* | <0.50 | <0.50 | <0.50 | <1.0 | 86 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-7 | 8/4/2011 | 17.81 | 5.85 | 0.00 | 11.96 | 2,300 | <0.50 | <0.50 | <0.50 | <1.0 | 6,300 | 2,200 | 6.7 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A01, A90 |
| MW-7 | 11/21/2011 | 17.81 | 6.67 | 0.00 | 11.14 | 1,400* | <0.50 | <0.50 | <0.50 | <1.0 | 5,900 | 2,200 | 6.4 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A90 |
| MW-8 | 8/4/2011 | 18.13 | 6.23 | 0.00 | 11.90 | 2,000 | <0.50 | <0.50 | <0.50 | <1.0 | 4,400 | 370 | 4.9 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A01, A90 |
| MW-8 | 11/21/2011 | 18.13 | 7.02 | 0.00 | 11.11 | 900* | <0.50 | <0.50 | <0.50 | <1.0 | 2,500 | 250 | 2.6 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-9 | 8/4/2011 | 18.75 | 6.59 | 0.00 | 12.16 | 62 | <0.50 | <0.50 | <0.50 | <1.0 | 59 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A90 |
| MW-9 | 11/21/2011 | 18.75 | 7.45 | 0.00 | 11.30 | 33* J | <0.50 | <0.50 | <0.50 | <1.0 | 44 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | J |
| MW-10 | 8/4/2011 | 18.84 | 6.73 | 0.00 | 12.11 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 7.4 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-10 | 11/21/2011 | 18.84 | 7.52 | 0.00 | 11.32 | <50* | <0.50 | <0.50 | <0.50 | <1.0 | 1.4 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |
| MW-11 | 8/4/2011 | 18.72 | 6.54 | 0.00 | 12.18 | 1,400 | <0.50 | <0.50 | <0.50 | <1.0 | 2,000 | 110 | 2.4 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | A01, A90 |
| MW-11 | 11/21/2011 | 18.72 | 7.36 | 0.00 | 11.36 | 850* | <0.50 | <0.50 | <0.50 | <1.0 | 2,100 | 270 | 2.1 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | |

Note

Analytical results given in micrograms per liter (µg/l) unless otherwise noted

Standard Abbreviations

- < not detected at or above laboratory detection limit
- µg/l micrograms per liter (approx. equivalent to parts per billion, ppb)
- TOC top of casing (surveyed reference elevation)
- AMSL above mean sea level
- DTW depth to water
- bTOC below top of casing
- LPH liquid-phase hydrocarbons
- GW groundwater
- TPH-G total petroleum hydrocarbons as gasoline
- MTBE methyl tertiary butyl ether
- TBA tertiary butyl alcohol
- TAME tertiary amyl methyl ether
- ETBE ethyl tertiary butyl ether
- DIPE di-isopropyl ether
- EDB 1,2-dibromoethane
- EDC 1,2-dichloroethane (same as ethylene dichloride)
- 8260B EPA Method 8260B for BTEX/MTBE/Oxygenates
- GC/MS gas chromatography–mass spectrometry
- A01 PQL's and MDL's are raised due to sample dilution.
- A90 TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.
- * TPPH (C6 through C12)
- J Estimated Value

Table 2a
Historic Additional Groundwater Analytical Results
Union Oil of California
Unocal Site 0843
1629 Webster Street, Alameda, California

| Well ID | Date Sampled | EC @ 25°C (umhos/cm) | DO (mg/l) | ORP (mV) | Nitrate as NO3 (mg/l) | Sulfate (mg/l) | Ferrous Iron | Non-Volatile Organic Compounds | | | | | Total Chromium | Total Recoverable Manganese | Total Recoverable Vanadium |
|---------|--------------|----------------------|-----------|----------|-----------------------|----------------|--------------|--------------------------------|--------------------|---------------------|--------------------|-----------------|----------------|-----------------------------|----------------------------|
| | | | | | | | | Hexavalent Chromium | Dissolved Chromium | Dissolved Manganese | Dissolved Vanadium | Estimated Value | | | |
| MW-1 | 8/4/2011 | 438 | 8.8 | 297.8 | 24 | 30 | 300 | 1.5 | <2.0 | <10 | 2.3 | <3.0 | 99 | 830 | 63 |
| MW-1 | 11/21/2011 | 378 | 2.3 | 310.6 | 16 | 23 | 54 J | 1.1 | <2.0 | 1.4 J | 0.98 J | <3.0 | 220 | 1,100 | 78 |
| MW-1AR | 8/4/2011 | 371 | 8.3 | 305.3 | 21 | 28 | 160 | 1.5 | <2.0 | <10 | 94 | <3.0 | 15 | 250 | 9.1 |
| MW-1AR | 11/21/2011 | 456.2 | 0.77 | 305.8 | 20 | 28 | <100 | 1.4 | <2.0 | <10 | 71 | 1.1 J | 6.7 J | 220 | 3.4 |
| MW-1BR | 8/4/2011 | 437 | 9.4 | 310.9 | 28 | 27 | 170 | 1.3 | <2.0 | <10 | 98 | <3.0 | 13 | 170 | 7.4 |
| MW-1BR | 11/21/2011 | 481.8 | 0.89 | 316.9 | 28 | 25 | 62 J | 1.2 | <2.0 | 2.8 J | 26 | 1.7 J | 9.6 J | 120 | 4.4 |
| MW-3 | 8/4/2011 | 614 | 6.1 | 312.8 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-3 | 11/21/2011 | 652.7 | 1.24 | 323.1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4 | 8/4/2011 | 1,080 | 9.7 | 311.5 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4 | 11/21/2011 | 464 | 4.1 | 321.8 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-5 | 8/4/2011 | 582 | 7.1 | 282.0 | -- | -- | -- | -- | <2.0 | <10 | 120 | -- | -- | -- | -- |
| MW-5 | 11/21/2011 | 616.7 | 1.78 | 297.7 | -- | -- | -- | -- | <2.0 | 1.7 J | 160 | -- | -- | -- | -- |
| MW-6 | 8/4/2011 | 484 | 6.9 | 316.9 | -- | -- | -- | -- | <2.0 | <10 | 82 | -- | -- | -- | -- |
| MW-6 | 11/21/2011 | 560.8 | 1.12 | 300.6 | -- | -- | -- | -- | <2.0 | <10 | 40 | -- | -- | -- | -- |
| MW-7 | 8/4/2011 | 635 | 7.8 | 4.84 | 4.0 | 48 | 3,400 | 4.0 | <2.0 | <10 | 680 | <3.0 | 58 | 880 | 36 |
| MW-7 | 11/21/2011 | 692.7 | 1.5 | 273.9 | 3.6 | 41 | 2,800 | 3.9 | <2.0 | <10 | 670 | <3.0 | 59 | 790 | 33 |
| MW-8 | 8/4/2011 | 599 | 7.9 | 239.7 | 5.3 | 48 | 390 | 3.1 | <2.0 | <10 | 760 | <3.0 | 28 | 1,000 | 13 |
| MW-8 | 11/21/2011 | 649.00 | 1.50 | 283.9 | 5.3 | 48 | 530 | 3.4 | <2.0 | <10 | 660 | 1.6 | 30 | 780 | 13 |
| MW-9 | 8/4/2011 | 629 | 7.8 | 333.4 | 15 | 45 | 280 | 2.3 | 5.2 | <10 | 45 | <3.0 | 56 | 660 | 27 |
| MW-9 | 11/21/2011 | 660 | 2.1 | 271.1 | 16.0 | 38 | 62 J | 1.9 | 3.8 | 4.8 J | 9.5 | 1.7 J | 83 | 880 | 33 |
| MW-10 | 8/4/2011 | 450 | 7.0 | 282.4 | 21 | 32 | 390 | 1.7 | 6.7 | <10 | 13 | <3.0 | 19 | 150 | 6.3 |
| MW-10 | 11/21/2011 | 546.4 | 1.12 | 319.1 | 19 | 30 | <100 | 1.3 | 6.4 | 7.9 J | 2.9 | 1.0 J | 13 | 92 | 3.1 |
| MW-11 | 8/4/2011 | 685 | 8.0 | 518.6 | 9.8 | 27 | 210 | 3.1 | <2.0 | <10 | 250 | <3.0 | <10 | 980 | 3.6 |
| MW-11 | 11/21/2011 | 765.5 | 1.3 | 240.2 | 6.6 | 26 | <100 | 2.5 | <2.0 | <10 | 370 | <3.0 | 2.7 J | 950 | 2.6 J |

Note
Analytical results given in micrograms per liter (µg/l) unless otherwise noted

Standard Abbreviations

- not analyzed, measured, or collected
- < not detected at or above laboratory detection limit
- umhos/cm micromhos per centimeter
- mg/l milligrams per liter (approx. equivalent to parts per million, ppm)
- µg/l micrograms per liter (approx. equivalent to parts per billion, ppb)
- mV millivolts
- EC Electrical Conductivity
- DO Dissolved Oxygen
- ORP Oxidation Reduction Potential
- J Estimated Value

ARCADIS

Attachment A

Field Data Sheets and General Procedures



123 Technology Drive West
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

DATE: November 30, 2011

TO: Katherine Brandt
ARCADIS U.S., Inc.
1900 Powell Street, 12th Floor
Emeryville, California 94608

SITE: Unocal Site 0843
Facility 351849
1629 Webster Street, Alameda CA


RE: Transmittal of Groundwater Monitoring Data

Dear Ms. Brandt,

Please find attached the field data sheets, chain of custody (COC) forms, and technical services request (TSR) form for the monitoring event that was completed on November 21, 2011. Field measurements and collection of samples submitted to the laboratory were completed in general accordance with our usual groundwater monitoring protocol which is also attached for your reference.

Please call me at 949-341-7440 if you have questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Anju Farfan". The signature is written over a small "TRC" logo.

Anju Farfan
Groundwater Program Operations Manager

GENERAL FIELD PROCEDURES

Groundwater Gauging and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater gauging and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements (Gauging)

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Unless otherwise instructed, a well that is found to contain a measureable amount of LPH (0.01 foot) is not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps. The pump intake is initially set at about 5 feet below the level of water in the casing, and is lowered as needed to compensate for falling water level. Pump depths are recorded in Field Notes.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously, using a flow cell, until they become stable in general accordance with EPA guidelines.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

GENERAL FIELD PROCEDURES

Samples are collected by lowering a new, disposable polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

Sample containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well. If wells must be gauged or sampled out of order, alternate interface probes and/or pumps are utilized and are noted in field documentation.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liquinox and water and rinsing twice. The final rinse is in deionized water.

Purge Water Disposal

Purge water is generally collected in labeled drums for disposal as non-hazardous waste. Drums may be left on site for disposal by others, or transported to a collection location at a TRC field office, in either Fullerton, California or Concord, California, for eventual transfer to a licensed treatment or recycling facility. Alternatively, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: Bob Rodriguez Job #/Task #: 183487.0035.1849

Date: 11/21/11

Site # 08243 Project Manager A. FARRAN

Page 1 of 2

| Well # | TOC | Time Gauged | Total Depth | Depth to Water | Depth to Product | Product Thickness (feet) | Time Sampled | Misc. Well Notes |
|--------|-----|-------------|-------------|----------------|------------------|--------------------------|--------------|------------------|
| MW-1 | ✓ | 0607 | 20.08 | 7.58 | — | — | 0825 | 2" |
| MW-1AR | ✓ | 0610 | 29.70 | 7.82 | — | — | 0845 | 2" |
| MW-1BR | ✓ | 0613 | 34.45 | 7.78 | — | — | 0900 | 2" |
| MW-10 | ✓ | 0617 | 29.16 | 7.32 | — | — | 0955 | 2" |
| MW-3 | ✓ | 0624 | 19.87 | 6.90 | — | — | 1030 | 2" |
| MW-4 | ✓ | 0629 | 17.09 | 6.80 | — | — | 1100 | 2" |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| | | | |
|---------------------|----------------|-----------------|---------------------------|
| FIELD DATA COMPLETE | QA/QC | COC | WELL BOX CONDITION SHEETS |
| MANIFEST | DRUM INVENTORY | TRAFFIC CONTROL | |



FIELD MONITORING DATA SHEET

Technician: A. Vidners

Job #/Task #: 183487.0035.1849

Date: 11/21/11

Site # 0843

Project Manager AF

Page 2 of 2

| Well # | TOC | Time Gauged | Total Depth | Depth to Water | Depth to Product | Product Thickness (feet) | Time Sampled | Misc. Well Notes |
|--------|-----|-------------|-------------|----------------|------------------|--------------------------|--------------|------------------|
| MW-9 | ✓ | 0606 | 24.41 | 7.45 | — | — | 0740 | 2" |
| MW-11 | ✓ | 0610 | 27.51 | 7.36 | — | — | 0805 | 2" |
| MW-7 | ✓ | 0614 | 29.12 | 6.67 | — | — | 0856 | 2" |
| MW-8 | ✓ | 0619 | 29.52 | 7.02 | — | — | 0905 | 2" |
| MW-5 | ✓ | 0629 | 20.25 | 6.28 | — | — | 0937 | 2" |
| MW-6 | ✓ | 0637 | 20.12 | 6.36 | — | — | 1019 | 2" |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| | | | | |
|---------------------|----------------|-----------------|-----|---------------------------|
| FIELD DATA COMPLETE | | QA/QC | COC | WELL BOX CONDITION SHEETS |
| MANIFEST | DRUM INVENTORY | TRAFFIC CONTROL | | |



GROUNDWATER SAMPLING FIELD NOTES

Technician: R. RODRIGUEZ

Site: 0843

Project No.: 183487.00.35.1849

Date: 11/21/11

Well No. MW-1

Purge Method: Sub

Depth to Water (feet): 7.58

Depth to Product (feet):

Total Depth (feet) 20.08

LPH & Water Recovered (gallons):

Water Column (feet): 2.50

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 10.08

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 3.20 | 216 | |
| 0726 | | | 3 | 392.1 | 13.8 | 6.62 | 2.41 | 223 | |
| | | | 6 | 362.7 | 15.4 | 6.17 | 2.39 | 228 | |
| | 0731 | | 9 | 378.0 | 16.7 | 5.94 | 2.31 | 219 | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| <u>7.70</u> | | | <u>9</u> | | | <u>0825</u> | | | |
| Comments: <u>PUMP 5ft Below WATER LEVEL</u> | | | | | | | | | |

Well No. MW-1A

Purge Method: Sub

Depth to Water (feet): 7.82

Depth to Product (feet):

Total Depth (feet) 29.70

LPH & Water Recovered (gallons):

Water Column (feet): 21.88

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 12.20

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------------------|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 1.52 | 219 | |
| 0731 | | | 4 | 418.4 | 17.4 | 5.92 | 2.69 | 217 | |
| | | | 8 | 454.9 | 17.7 | 5.97 | 0.80 | 214 | |
| | <u>0744</u> | | 12 | 458.2 | 18.0 | 6.02 | 0.73 | 202 | |
| | | | 16 | 456.2 | 17.9 | 6.05 | 0.77 | 194 | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| <u>7.92</u> | | | <u>16</u> | | | <u>0845</u> | | | |
| Comments: <u>PUMP DEPTH: 17.57</u> | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: R. Rodriguez

Site: 0843

Project No.: 182487.0035.1849

Date: 11/21/11

Well No. MW-1BR

Purge Method: Sub

Depth to Water (feet): 7.78

Depth to Product (feet):

Total Depth (feet) 34.45

LPH & Water Recovered (gallons):

Water Column (feet): 26.67

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 13.11

1 Well Volume (gallons): 5

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|-----------------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 1.34 | 187 | |
| 0731 | | | 5 | 471.0 | 17.5 | 6.14 | 0.99 | 181 | |
| | | | 10 | 473.2 | 18.0 | 6.15 | 0.93 | 176 | |
| | 0802 | | 15 | 481.8 | 18.0 | 6.16 | 0.89 | 177 | |
| Static at Time Sampled | | Total Gallons Purged | | | Sample Time | | | | |
| 7.95 | | 15 | | | 0900 | | | | |
| Comments: <u>Pump Depth 20ft.</u> | | | | | | | | | |

Well No. MW-10

Purge Method: Sub

Depth to Water (feet): 7.52

Depth to Product (feet):

Total Depth (feet) 29.16

LPH & Water Recovered (gallons):

Water Column (feet): 21.64

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 11.85

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|-----------------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 1.66 | 153 | |
| 0937 | | | 4 | 528.0 | 17.6 | 6.54 | 1.13 | 161 | |
| | | | 8 | 544.3 | 18.5 | 6.39 | 1.08 | 166 | |
| | 0946 | | 12 | 546.4 | 19.1 | 6.32 | 1.12 | 158 | |
| Static at Time Sampled | | Total Gallons Purged | | | Sample Time | | | | |
| 10.05 | | 12 | | | 0955 | | | | |
| Comments: <u>Pump Depth 14ft.</u> | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: P. RODRIGUEZ

Site: 0843

Project No.: 183487.0035

Date: 11/21/11

Well No. MW-3

Purge Method: Sub

Depth to Water (feet): 6.90

Depth to Product (feet):

Total Depth (feet): 19.87

LPH & Water Recovered (gallons):

Water Column (feet): 12.97

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 9.49

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|----------------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 1.42 | 144 | |
| 1015 | | | 3 | 622.4 | 18.6 | 6.57 | 1.28 | 146 | |
| | | | 6 | 639.6 | 19.6 | 6.48 | 1.30 | 138 | |
| | 1021 | | 9 | 652.7 | 20.3 | 6.43 | 1.24 | 136 | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 9.49 | | | 9 | | | 1030 | | | |
| Comments: <u>Pump Depth 15ft</u> | | | | | | | | | |

Well No. MW-4

Purge Method: Sub

Depth to Water (feet): 6.80

Depth to Product (feet):

Total Depth (feet): 17.09

LPH & Water Recovered (gallons):

Water Column (feet): 10.29

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 8.86

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|--|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 2.67 | 133 | |
| 1048 | | | 2 | 461.8 | 17.2 | 7.15 | 4.23 | 135 | |
| | | | 4 | 464.7 | 17.9 | 7.10 | 4.17 | 137 | |
| | 1051 | | 6 | 463.9 | 17.7 | 7.08 | 4.10 | 140 | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 8.40 | | | 6 | | | 1100 | | | |
| Comments: <u>Pump Depth 16 ft. Well Dry at 6 Gallons. Recovers quickly</u> | | | | | | | | | |



GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Adams

Site: 0843

Project No.: 183407.0035-1849

Date: 11/21/11

Well No. MW-5
 Depth to Water (feet): 6.28
 Total Depth (feet): 20.25
 Water Column (feet): 13.97
 80% Recharge Depth(feet): 9.07

Purge Method: Sub
 Depth to Product (feet): _____
 LPH & Water Recovered (gallons): _____
 Casing Diameter (Inches): 2
 1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-----------|-----------------------|-------------------------|----------------------|--------------------|-----------------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 2.91 | 213 | |
| 0423 | | | 3 | 597.2 | 18.9 | 6.93 | 2.08 | 214 | |
| | | | 6 | 608.0 | 19.5 | 6.84 | 2.12 | 213 | |
| | 0428 | | 9 | 616.7 | 19.9 | 6.78 | 1.78 | 213 | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 8.93 | | | 9 | | | 11-08 0937 | | | |
| Comments: <u>Pump depth = 11 ft. Adjusted as water level dropped.</u> | | | | | | | | | |

Well No. MW-6
 Depth to Water (feet): 6.36
 Total Depth (feet): 20.12
 Water Column (feet): 13.76
 80% Recharge Depth(feet): 9.11

Purge Method: Sub
 Depth to Product (feet): _____
 LPH & Water Recovered (gallons): _____
 Casing Diameter (Inches): 2
 1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 1.42 | 203 | |
| 1000 | | | 3 | 535.4 | 18.6 | 6.91 | 1.21 | 207 | |
| | | | 6 | 546.4 | 19.1 | 6.83 | 1.18 | 208 | |
| | 1005 | | 9 | 560.8 | 19.3 | 6.75 | 1.12 | 209 | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 7.19 | | | 9 | | | 1019 | | | |
| Comments: | | | | | | | | | |



GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Viduris

Site: 0843

Project No.: 103487.0035.1849

Date: 11/21/11

Well No. MW-9

Purge Method: Sub

Depth to Water (feet): 7.45

Depth to Product (feet): _____

Total Depth (feet): 24.41

LPH & Water Recovered (gallons): _____

Water Column (feet): 16.96

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 10.84

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 3.86 | 199 | |
| 0723 | | | 3 | 635.5 | 17.5 | 7.41 | 2.48 | 197 | |
| | | | 6 | 649.5 | 18.3 | 7.35 | 2.30 | 197 | |
| | 0729 | | 9 | 660.0 | 18.9 | 7.33 | 2.07 | 196 | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 9.51 | | | 9 | | | 0740 | | | |
| Comments: Pump depth = 12 ft. Adjusted as water level dropped | | | | | | | | | |

Well No. MW-11

Purge Method: Sub

Depth to Water (feet): 7.36

Depth to Product (feet): _____

Total Depth (feet): 27.51

LPH & Water Recovered (gallons): _____

Water Column (feet): 20.15

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 11.39

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|-------------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 2.67 | 199 | |
| 0748 | | | 4 | 769.2 | 18.7 | 6.90 | 1.71 | 202 | |
| | | | 8 | 771.4 | 19.3 | 6.81 | 1.07 | 204 | |
| | 0754 | | 12 | 765.5 | 19.3 | 6.76 | 1.27 | 206 | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 9.31 | | | 12 | | | 0805 | | | |
| Comments: Pump depth = 12 ft. | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Videns

Site: 0813

Project No.: 183487.0035.1849

Date: 11/21/11

Well No. MW-7

Purge Method: Sub

Depth to Water (feet): 6.67

Depth to Product (feet):

Total Depth (feet): 29.12

LPH & Water Recovered (gallons):

Water Column (feet): 22.45

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 11.16

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 1.20 | 217 | |
| 0824 | | | 4 | 673.7 | 14.1 | 6.65 | 1.46 | 218 | |
| | 0828 | | 8 | 700.5 | 14.4 | 6.62 | 1.60 | 219 | |
| 0831 | 0833 | | 12 | 692.7 | 14.6 | 6.62 | 1.48 | 217 | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 8.73 | | | 12 | | | 0856 | | | |
| Comments: <u>Well went dry at 8 gallons, recharged quickly.</u> | | | | | | | | | |

Well No. MW-8

Purge Method: Sub

Depth to Water (feet): 7.02

Depth to Product (feet):

Total Depth (feet): 29.52

LPH & Water Recovered (gallons):

Water Column (feet): 22.50

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 11.52

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | 1.32 | 218 | |
| 0836 | | | 4 | 604.9 | 20.4 | 6.60 | 1.28 | 219 | |
| | | | 8 | 629.1 | 20.1 | 6.60 | 1.51 | 218 | |
| | 0844 | | 12 | 649.0 | 20.1 | 6.60 | 1.50 | 216 | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 7.69 | | | 12 | | | 0905 | | | |
| Comments: <u>Well went dry at 9 gallons, recharged quickly.</u> | | | | | | | | | |

WELL BOX CONDITION REPORT

SITE NO. 0843

ADDRESS 1629 WEBSTER ST. ALAMEDA

DATE 11/21/11

PERFORMED BY: R. RODRIGUEZ

PAGE 1 OF 2

| Well Name | Current Well Box Size | # of Ears | # of Stripped Ears | # of Broken Ears | # of Broken Bolts | # of Missing Bolts | Seal Damaged | Missing Lid | Broken Lid | Well Box is Exposed | Well Box is Below Grade | Unable to Access | Unable to Locate | Foundation Damaged | Paved Over | Street Well | Saw Cut Needed | System Well | USA Marked Well | Comments | |
|-----------|-----------------------|-----------|--------------------|------------------|-------------------|--------------------|--------------|-------------|------------|---------------------|-------------------------|------------------|------------------|--------------------|------------|-------------|----------------|-------------|-----------------|----------|--|
| MW1 | 8" | 3 | | | | | | | | | | | | | | | | | | OK | |
| MW-1AR | 8" | 2 | | 1 | | | X | | | | | | | | | | X | | | | |
| MW-1BR | 8" | 2 | | | | | | | | | | | | | | | | | | OK | |
| MW-10 | 12" | 2 | | | | | | | | | | | | | | | | | | OK | |
| MW-3 | 8" | 3 | | | | | | | | | | | | | | | | | | OK | |
| MW-4 | 8" | 3 | | | | | | | | | | | | | | | | | | OK | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |



WELL BOX CONDITION REPORT

SITE NO. 0843
 ADDRESS 1629 Webster St. Alameda, CA
 DATE 11/2/4

PERFORMED BY: A. Vidwers
 PAGE 2 OF 2



| Well Name | Current Well Box Size | # of Ears | # of Slipped Ears | # of Broken Ears | # of Broken Bolts | # of Missing Bolts | Seal Damaged | Missing Lid | Broken Lid | Well Box is Exposed | Well Box is Below Grade | Unable to Access | Unable to Locate | Foundation Damaged | Paved Over | Street Well | Saw Cut Needed | System Well | USA Marked Well | Comments |
|-----------|-----------------------|-----------|-------------------|------------------|-------------------|--------------------|--------------|-------------|------------|---------------------|-------------------------|------------------|------------------|--------------------|------------|-------------|----------------|-------------|-----------------|--|
| Mw-9 | 8" | 2 | | | | | | | | | | | | | | | | | | OK |
| Mw-11 | 8" | 2 | | 1 | | | | | | | | | | | | | Y | | N | Unable to USA, ground is wet |
| Mw-7 | 8" | 2 | | | | | | | | | Y | | | | | | | | | Wellbox in area that collects standing water |
| Mw-8 | 8" | 2 | | 1 | | | | | | | | | | | | | Y | | N | |
| Mw-5 | 12" | 2 | | | | | | | | | | | | | | Y | | | | OK |
| Mw-6 | 8" | 3 | | | | | | | | | | | | | | Y | | | | OK |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |



CHAIN OF CUSTODY FORM

Union Oil Company of California ■ 6101 Bollinger Canyon Road ■ San Ramon, CA 94583

COC _____ of _____

| Union Oil Site ID: <u>1223</u> | | | | Union Oil Consultant: <u>Arcadis</u> | | ANALYSES REQUIRED | | | | | | | | | | | | | | |
|--|--------|-----|----------------|--|-----------------|---|---|--|---|---------------------------------------|--|----------------------------|------------------|------------------------------------|------------------------------|-----------------------------|------------------|--------------------------|-------------------------|--|
| Site Global ID: <u>7600122223</u> | | | | Consultant Contact: <u>Lucy Froude</u> | | TPH - Diesel by EPA 8215 TPH - G by GC/MS (C ₆ -C ₁₂) BTEX/MTBE/OXYS by EPA 8260B Ethanol by EPA 8260B, EPB, FDC, 726AS EPA-8260B Fuels with OXYS TOC by 415.1 Specific Gravity by 1701.1 Density by 415.1 Sulfate by 300.0, Nitrate by 300.0 Dissolved Manganese by 200.8 Dissolved Vanadium by 200.8 Total Manganese by 200.8 Lowry Nitrogen by 350.0 Chromium VI by 7196, Dissolved by 7196 Total Chromium by 7196 | Consultant Phone No.: <u>510 590-7275</u> | | Turnaround Time (TAT): Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> | | | | | | | | | | | |
| Site Address: <u>1219 W. 1st St. Arcadia, CA</u> | | | | Sampling Company: <u>TRC</u> | | | Special Instructions | | | | | | | | | | | | | |
| Union Oil PM: <u>Eric Kambin</u> | | | | Sampled By (PRINT): <u>Arden Adams</u> | | | This is a LEGAL document. ALL fields must be filled out CORRECTLY and COMPLETELY. | | | | | | | | | | | | | |
| Union Oil PM Phone No.: <u>925 710 2270</u> | | | | Sampler Signature:  | | | | | | | | | | | | | | | | |
| Charge Code: <u>NWRTB-0 351949 -0- LAB</u> | | | | BC Laboratories, Inc. Project Manager: Molly Meyers 4100 Atlas Court, Bakersfield, CA 93308 Phone No. 661-327-4911 | | | | | | | | | | | | | | | | |
| SAMPLE ID | | | | Sample Time | # of Containers | | | | | | | | | | | | Notes / Comments | | | |
| Field Point Name | Matrix | DTW | Date (yyymmdd) | | | | TPH - Diesel by EPA 8215 | TPH - G by GC/MS (C ₆ -C ₁₂) | BTEX/MTBE/OXYS by EPA 8260B | Ethanol by EPA 8260B, EPB, FDC, 726AS | EPA-8260B Fuels with OXYS TOC by 415.1 | Specific Gravity by 1701.1 | Density by 415.1 | Sulfate by 300.0, Nitrate by 300.0 | Dissolved Manganese by 200.8 | Dissolved Vanadium by 200.8 | | Total Manganese by 200.8 | Lowry Nitrogen by 350.0 | Chromium VI by 7196, Dissolved by 7196 |
| MW-9 | W-S-A | | 11/12/11 | 0740 | 7 | | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| MW-11 | W-S-A | | | 0805 | | | | | | | | X | X | X | X | X | X | X | X | |
| MW-7 | W-S-A | | | 0856 | | | | | | | | X | X | X | X | X | X | X | X | |
| MW-8 | W-S-A | | | 0905 | ↓ | | | | | | X | X | X | X | X | X | X | X | | |
| MW-5 | W-S-A | | | 0937 | 8 | | | | | | | | | | | | X | X | | |
| MW-6 | W-S-A | | | 1019 | 6 | | | | | | | | | | | | X | X | | |
| MW-1 | W-S-A | | | 0825 | 9 | | | | | | X | X | X | X | X | X | X | X | | |
| MW-1AC | W-S-A | | | 0845 | | | | | | | X | X | X | X | X | X | X | X | | |
| MW-1BR | W-S-A | | | 0910 | | | | | | | X | X | X | X | X | X | X | X | | |
| MW-1C | W-S-A | | | 0955 | ↓ | | | | | | X | X | X | X | X | X | X | X | | |
| MW-3 | W-S-A | | | 1030 | 2 | | | | | | | | | | | | | | | |
| MW-4 | W-S-A | | | 1100 | 6 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | |
| Relinquished By:  Company: <u>TRC</u> Date / Time: <u>11/21/11</u> | | | | Relinquished By: _____ Company: _____ Date / Time: _____ | | | | Relinquished By: _____ Company: _____ Date / Time: _____ | | | | | | | | | | | | |
| Received By: <u>Arden Adams</u> Company: <u>TRC</u> Date / Time: <u>11/21/11 1:30</u> | | | | Received By: _____ Company: _____ Date / Time: _____ | | | | Received By: _____ Company: _____ Date / Time: _____ | | | | | | | | | | | | |

TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM

26-Oct-11

Site ID: 0843
Address 1629 Webster Street
City: Alameda
Cross Street: Pacific Ave

Project No.: 183487.0035.1849 / 00TA01
Client: Roya Kambin
Contact #: 925-790-6270
PM: Kathy Brandt Arcadis
PM Contact #: 510-596-9675

Total number of wells: 12 **Min. Well Diameter (in.):** 2 **# of Techs, # of Hrs:** 2, 8
Depth to Water (ft.): 6 **Max. Well Diameter (in.):** 2 **Travel Time (hrs):**
Max. Well Depth (ft): 20

| ACTIVITIES: | Frequency | Notes |
|---|-----------|-------|
| Gauging: <input checked="" type="checkbox"/> | Quarterly | |
| Purge/Sampling: <input checked="" type="checkbox"/> | Quarterly | |
| No Purge/Sample <input type="checkbox"/> | | |

| RELATED ACTIVITIES | Notes |
|--|-----------------|
| Drums: <input checked="" type="checkbox"/> | |
| Other Activities: <input type="checkbox"/> | |
| Traffic Control: <input checked="" type="checkbox"/> | City of Alameda |

PERMIT INFORMATION:

Non-expiring permit #: EN-09-0013

NOTIFICATIONS:

Sam Koka, owner, SK Auto: 510-865-7631

SITE INFORMATION:

Coordinated event with Shell at 1601 Webster Street (Semi 1/3)
Gauge, purge and sampling order: MW-1, MW-1AR, MW-1BR, MW-9, MW-10, MW-11, MW-7, MW-8, MW-3, MW-4, MW-5 & MW-6
Take post-purge field readings after each casing volume purged.
MW-5 is in the middle of the Wienerschnitzel drive thru driveway. Must have the well done before 7:00am.
MW-3 is in the planter.

TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM

26-Oct-11

Site ID: 0843
Address 1629 Webster Street
City: Alameda
Cross Street: Pacific Ave

Project No.: 183487.0035.1849 / 00TA01
Client: Roya Kambin
Contact #: 925-790-6270
PM: Kathy Brandt Arcadis
PM Contact #: 510-596-9675

LAB INFORMATION:

Global ID: T0600102263
Lab WO: 351849

Lab Used: BC

Lab Notes: Lab Analyses:
TPH-G by GC/MS (C6 - C12), BTEX/MTBE/OXYS by 8260B, EDB/EDC by 8260B, Ethanol by 8260B [Containers: 3 voas w/HCl]
Specific Conductance by 120.1, DO by SM4500-O [Container: one 1L poly unpreserved]
ORP by ASTM D1948 [two 1L ambers unpreserved]

Additional analyses for wells MW-1, MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, MW-11:
Sulfate by 300.0; Nitrate by 300.0, Dissolved Manganese by 200.8, Dissolved Vanadium by 200.8, Dissolved Chromium by 6010, Chromium VI by 7196 [no additional container needed]
Total Manganese by 200.8, Total Chromium by 6010, Total Vanadium by 200.8 [Container: one 1L poly w/HNO3]
Ferrous Iron by 3500FE+D [Container: one 500 mL poly w/HCl]
TOC by 415.1 [Containers: one 500mL amber w/H2SO4]

Additional analyses for wells MW-5 & MW-6:
Chromium VI by 7196, dissolved Chromium by 6010 [Container: one 1Pt poly unpreserved]
Total Chromium by 6010 [Container: one 1Pt poly w/HNO3]

TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM

26-Oct-11

Site ID.: 0843
Address 1629 Webster Street
City: Alameda
Cross Street Pacific Ave

| Well IDs | Benz. | MTBE | Gauging | | | | Sampling | | | | Field Measurements | | | Comments | |
|----------|-------|------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|----------|-----------|
| | | | Q1 | Q2 | Q3 | Q4 | Q1 | Q2 | Q3 | Q4 | Pre-Purge | Post-Purge | Type | | |
| → MW-5 | 0 | 0 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | 2" casing |
| MW-4 | 0 | 0 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | 2" casing |
| MW-3 | 0 | 0.55 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | 2" casing |
| MW-10 | 0 | 7.4 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | |
| MW-1AR | 0 | 16 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | |
| MW-9 | 0 | 59 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | |
| MW-1BR | 0 | 60 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | |
| ← MW-6 | 0 | 80 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | 2" casing |
| MW-1 | 0 | 420 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | 2" casing |
| MW-11 | 0 | 2000 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | |
| MW-8 | 0 | 4400 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | |
| MW-7 | 0 | 6300 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | D.O, ORP | |

ARCADIS

Attachment B

Historical Groundwater Results from TRC

**Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**

**February 14, 2011
Former 76 Station 0843**

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-1 | | | | | | | | | | | | | | |
| 2/14/2011 | 19.13 | 6.78 | 0 | 12.35 | 1.35 | -- | 580 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 1100 | |
| MW-1AR | | | | | | | | | | | | | | |
| 2/14/2011 | 19.29 | 7.01 | 0 | 12.28 | 1.19 | -- | 58 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 91 | |
| MW-1BR | | | | | | | | | | | | | | |
| 2/14/2011 | 19.13 | 6.96 | 0 | 12.17 | 1.50 | -- | 80 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 140 | |
| MW-3 | | | | | | | | | | | | | | |
| 2/14/2011 | 18.05 | 6.04 | 0 | 12.01 | 1.36 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 45 | |
| MW-4 | | | | | | | | | | | | | | |
| 2/14/2011 | 18.14 | 5.94 | 0 | 12.20 | 1.48 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-5 | | | | | | | | | | | | | | |
| 2/14/2011 | 16.45 | 5.49 | 0 | 10.96 | 0.87 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-6 | | | | | | | | | | | | | | |
| 2/14/2011 | 16.97 | 5.63 | 0 | 11.34 | 0.91 | -- | 110 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 180 | |
| MW-7 | | | | | | | | | | | | | | |
| 2/14/2011 | 17.81 | 6.33 | 0 | 11.48 | 0.90 | -- | 7900 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 13000 | |
| MW-8 | | | | | | | | | | | | | | |
| 2/14/2011 | 18.13 | 6.22 | 0 | 11.91 | 1.38 | -- | 3900 | ND<25 | ND<25 | ND<25 | ND<50 | -- | 7100 | |
| MW-9 | | | | | | | | | | | | | | |
| 2/14/2011 | 18.75 | 6.69 | 0 | 12.06 | 1.33 | -- | 170 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 320 | |
| MW-10 | | | | | | | | | | | | | | |
| 2/14/2011 | 18.84 | 6.71 | 0 | 12.13 | 1.45 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.9 | |
| MW-11 | | | | | | | | | | | | | | |
| 2/14/2011 | 18.72 | 6.52 | 0 | 12.20 | 1.48 | -- | 3500 | ND<6.2 | ND<6.2 | ND<6.2 | ND<12 | -- | 7400 | |

Table 1a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Carbon (organic, total) (mg/l) | Chromium VI (µg/l) | Chromium (total) (µg/l) | Chromium (dissolved) (µg/l) | Iron Ferrous (µg/l) | Comments |
|---------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|---|--------------------------|-------------------------------|-----------------------------------|---------------------------|----------|
| MW-1 | | | | | | | | | | | | | |
| 2/14/2011 | 99 | ND<500 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 1.6 | 2.7 | 91 | ND<10 | ND<500 | |
| MW-1AR | | | | | | | | | | | | | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.0 | 2.6 | ND<10 | ND<10 | 420 | |
| MW-1BR | | | | | | | | | | | | | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.7 | 3.7 | 34 | ND<10 | 290 | |
| MW-3 | | | | | | | | | | | | | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | |
| MW-4 | | | | | | | | | | | | | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | |
| MW-5 | | | | | | | | | | | | | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | |
| MW-6 | | | | | | | | | | | | | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | -- | |
| MW-7 | | | | | | | | | | | | | |
| 2/14/2011 | ND<1000 | ND<25000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | 4.1 | ND<2.0 | 43 | ND<10 | 2700 | |
| MW-8 | | | | | | | | | | | | | |
| 2/14/2011 | ND<500 | ND<12000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<25 | 3.7 | ND<2.0 | 59 | ND<10 | 440 | |
| MW-9 | | | | | | | | | | | | | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.4 | 6.6 | 22 | ND<10 | 230 | |
| MW-10 | | | | | | | | | | | | | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.8 | 14 | 18 | 15 | 160 | |
| MW-11 | | | | | | | | | | | | | |
| 2/14/2011 | 670 | ND<3100 | ND<6.2 | ND<6.2 | ND<6.2 | ND<6.2 | ND<6.2 | 3.5 | ND<2.0 | 14 | ND<10 | 240 | |

Table 1b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

| Date Sampled | Manganese (dissolved) (µg/l) | Manganese (total) (µg/l) | Nitrogen as Nitrate (mg/l) | Sulfate (mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox Potential (ORP-Lab) (mV) | Specific Conductance (umhos) | Post-purge Dissolved Oxygen () | Pre-purge Dissolved Oxygen () | Pre-purge ORP () | Post-purge ORP () | Comments |
|---------------|------------------------------|--------------------------|----------------------------|----------------|--------------------------------|--------------------------------|------------------------------|---------------------------------|--------------------------------|-------------------|--------------------|----------|
| MW-1 | | | | | | | | | | | | |
| 2/14/2011 | 5.4 | 530 | 18 | 25 | 8.9 | 418.5 | 509 | 6.45 | 4.45 | 355 | 356 | |
| MW-1AR | | | | | | | | | | | | |
| 2/14/2011 | 150 | 190 | 21 | 32 | 7.3 | 217.9 | 537 | 1.31 | 1.48 | 349 | 362 | |
| MW-1BR | | | | | | | | | | | | |
| 2/14/2011 | 73 | 170 | 29 | 28 | 8.1 | 286.1 | 531 | 1.07 | 1.74 | 356 | 351 | |
| MW-3 | | | | | | | | | | | | |
| 2/14/2011 | -- | -- | -- | -- | 4.9 | 288.9 | 587 | 1.15 | 2.43 | 187 | 188 | |
| MW-4 | | | | | | | | | | | | |
| 2/14/2011 | -- | -- | -- | -- | 9.2 | 294.6 | 770 | 7.02 | 6.84 | 187 | 172 | |
| MW-5 | | | | | | | | | | | | |
| 2/14/2011 | -- | -- | -- | -- | 6.0 | 317.6 | 617 | 1.55 | 2.81 | 179 | 195 | |
| MW-6 | | | | | | | | | | | | |
| 2/14/2011 | -- | -- | -- | -- | 5.2 | 326.6 | 542 | 1.01 | 2.16 | 195 | 198 | |
| MW-7 | | | | | | | | | | | | |
| 2/14/2011 | 920 | 1000 | 2.9 | 55 | 8.0 | 191.4 | 713 | 0.94 | 1.20 | 198 | 76 | |
| MW-8 | | | | | | | | | | | | |
| 2/14/2011 | 830 | 1400 | 5.8 | 75 | 8.0 | 267.0 | 694 | 2.81 | 3.44 | 197 | 188 | |
| MW-9 | | | | | | | | | | | | |
| 2/14/2011 | 60 | 440 | 8.1 | 29 | 9.5 | 305.5 | 690 | 0.78 | 0.64 | 349 | 346 | |
| MW-10 | | | | | | | | | | | | |
| 2/14/2011 | 43 | 45 | 13 | 30 | 9.2 | 326.6 | 560 | 2.25 | 3.77 | 342 | 355 | |
| MW-11 | | | | | | | | | | | | |
| 2/14/2011 | 560 | 760 | 3.1 | 21 | 9.4 | 473.7 | 750 | 0.88 | 0.56 | 337 | 324 | |

**Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**

**February 14, 2011
Former 76 Station 0843**

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|-----------------------|
| MW-1 | | | | | | | | | | | | | | |
| 3/5/1999 | 16.18 | -- | -- | -- | -- | 86.6 | -- | ND | 2.04 | ND | 4.06 | -- | 23.9 | |
| 6/3/1999 | 16.18 | 6.24 | 0 | 9.94 | -- | ND | -- | ND | ND | ND | ND | ND | ND | |
| 9/2/1999 | 16.18 | 7.19 | 0 | 8.99 | -0.95 | ND | -- | ND | ND | ND | ND | ND | ND | |
| 12/14/1999 | 16.18 | 8.07 | 0 | 8.11 | -0.88 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 3/14/2000 | 16.18 | 5.47 | 0 | 10.71 | 2.60 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 5/31/2000 | 16.18 | 6.22 | 0 | 9.96 | -0.75 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 8/29/2000 | 16.18 | 6.82 | 0 | 9.36 | -0.60 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 12/1/2000 | 16.18 | 7.54 | 0 | 8.64 | -0.72 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 3/17/2001 | 16.18 | 5.73 | 0 | 10.45 | 1.81 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 5/23/2001 | 16.18 | 6.43 | 0 | 9.75 | -0.70 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 9/24/2001 | 16.18 | 7.12 | 0 | 9.06 | -0.69 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 12/10/2001 | 16.18 | 6.89 | 0 | 9.29 | 0.23 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 3/11/2002 | 16.18 | 5.61 | 0 | 10.57 | 1.28 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 6/7/2002 | 16.18 | 5.71 | 0 | 10.47 | -0.10 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 9/3/2002 | 16.18 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Not monitored/sampled |
| 12/12/2002 | 16.18 | 7.80 | 0 | 8.38 | -- | -- | -- | -- | -- | -- | -- | -- | -- | No longer sampled |
| 3/13/2003 | 16.18 | 5.94 | 0 | 10.24 | 1.86 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/12/2003 | 16.18 | 6.10 | 0 | 10.08 | -0.16 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/12/2003 | 16.18 | 6.65 | 0 | 9.53 | -0.55 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/31/2003 | 16.18 | 5.74 | 0 | 10.44 | 0.91 | -- | -- | -- | -- | -- | -- | -- | -- | Monitored only |
| 2/12/2004 | 16.18 | 6.02 | 0 | 10.16 | -0.28 | -- | -- | -- | -- | -- | -- | -- | -- | Monitored only |
| 6/7/2004 | 16.18 | 6.61 | 0 | 9.57 | -0.59 | -- | -- | -- | -- | -- | -- | -- | -- | Monitored only |
| 9/17/2004 | 16.18 | 7.58 | 0 | 8.60 | -0.97 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 only |
| 12/11/2004 | 16.18 | 6.49 | 0 | 9.69 | 1.09 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 only |
| 3/15/2005 | 16.18 | 5.28 | 0 | 10.90 | 1.21 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 27 | |
| 5/17/2005 | 16.18 | 5.83 | 0 | 10.35 | -0.55 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 only |
| 7/27/2005 | 16.18 | 6.52 | 0 | 9.66 | -0.69 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 only |
| 11/23/2005 | 16.18 | 7.28 | 0 | 8.90 | -0.76 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 only |
| 2/24/2006 | 16.18 | 6.60 | 0 | 9.58 | 0.68 | -- | 910 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 5100 | |
| 5/30/2006 | 16.18 | 6.48 | 0 | 9.70 | 0.12 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 only |
| 8/30/2006 | 16.18 | 9.51 | 0 | 6.67 | -3.03 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 only |
| 11/22/2006 | 16.18 | 7.05 | 0 | 9.13 | 2.46 | -- | 220 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 420 | |
| 2/23/2007 | 16.18 | 6.40 | 0 | 9.78 | 0.65 | -- | 1300 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 1700 | |

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|------------------------|
| 5/18/2007 | 16.18 | 6.65 | 0 | 9.53 | -0.25 | -- | 2300 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 3300 | |
| 8/10/2007 | 16.18 | 7.26 | 0 | 8.92 | -0.61 | -- | 4100 | ND<25 | ND<25 | ND<25 | ND<25 | -- | 4300 | |
| 11/9/2007 | 16.18 | 7.40 | 0 | 8.78 | -0.14 | -- | 5700 | ND<25 | ND<25 | ND<25 | ND<25 | -- | 5400 | |
| 2/8/2008 | 16.18 | 6.09 | 0 | 10.09 | 1.31 | -- | 2600 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 4100 | |
| 5/16/2008 | 16.18 | 6.87 | 0 | 9.31 | -0.78 | -- | 1800 | ND<12 | ND<12 | ND<12 | 42 | -- | 3500 | |
| 8/15/2008 | 16.18 | 7.78 | 0 | 8.40 | -0.91 | -- | 1200 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 1900 | |
| 11/26/2008 | 16.18 | 8.65 | 0 | 7.53 | -0.87 | -- | 720 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2400 | |
| 2/24/2009 | 19.13 | 6.73 | 0 | 12.40 | 4.87 | -- | 630 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2300 | |
| 5/28/2009 | 19.13 | 6.46 | 0 | 12.67 | 0.27 | -- | 1000 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 4100 | |
| 9/14/2009 | 19.13 | 7.60 | 0 | 11.53 | -1.14 | -- | 1700 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 2100 | |
| 11/13/2009 | 19.13 | 7.83 | 0 | 11.30 | -0.23 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 2/5/2010 | 19.13 | 6.72 | 0 | 12.41 | 1.11 | -- | 1600 | ND<12 | ND<12 | ND<12 | ND<25 | -- | 3400 | |
| 6/7/2010 | 19.13 | 6.58 | 0 | 12.55 | 0.14 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 8/3/2010 | 19.13 | 7.20 | 0 | 11.93 | -0.62 | -- | 280 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 1400 | |
| 11/11/2010 | 19.13 | 8.13 | 0 | 11.00 | -0.93 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 2/14/2011 | 19.13 | 6.78 | 0 | 12.35 | 1.35 | -- | 580 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 1100 | |
| MW-1AR | | | | | | | | | | | | | | |
| 5/28/2009 | 19.29 | 7.25 | 0 | 12.04 | -- | -- | 380 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 930 | |
| 9/14/2009 | 19.29 | 7.83 | 0 | 11.46 | -0.58 | -- | 480 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 890 | |
| 11/13/2009 | 19.29 | 8.07 | 0 | 11.22 | -0.24 | -- | 290 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 580 | |
| 2/5/2010 | 19.29 | 7.15 | 0 | 12.14 | 0.92 | -- | 140 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 350 | |
| 6/7/2010 | 19.29 | 6.90 | 0 | 12.39 | 0.25 | -- | 120 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 200 | |
| 8/3/2010 | 19.29 | 7.48 | 0 | 11.81 | -0.58 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 81 | |
| 11/11/2010 | 19.29 | 8.20 | 0 | 11.09 | -0.72 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 120 | |
| 2/14/2011 | 19.29 | 7.01 | 0 | 12.28 | 1.19 | -- | 58 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 91 | |
| MW-1BR | | | | | | | | | | | | | | |
| 5/28/2009 | 19.13 | 6.70 | 0 | 12.43 | -- | -- | 290 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 810 | |
| 9/14/2009 | 19.13 | 7.80 | 0 | 11.33 | -1.10 | -- | 450 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 680 | |
| 11/13/2009 | 19.13 | 7.88 | 0 | 11.25 | -0.08 | -- | 270 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 490 | |
| 2/5/2010 | 19.13 | 7.84 | 0 | 11.29 | 0.04 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 280 | |
| 6/7/2010 | 19.13 | 7.28 | 0 | 11.85 | 0.56 | -- | 180 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 320 | |
| 8/3/2010 | 19.13 | 7.44 | 0 | 11.69 | -0.16 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 280 | |
| 11/11/2010 | 19.13 | 8.46 | 0 | 10.67 | -1.02 | -- | 75 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 230 | |
| 2/14/2011 | 19.13 | 6.96 | 0 | 12.17 | 1.50 | -- | 80 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 140 | |

MW-2

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|---------------------------|
| 3/5/1999 | 15.57 | -- | 0 | -- | -- | 34400 | -- | 2070 | 7710 | 2340 | 8240 | -- | 8460 | |
| 6/3/1999 | 15.57 | 5.96 | 0 | 9.61 | -- | 51200 | -- | 1820 | 7570 | 2510 | 7320 | 6460 | 8800 | |
| 9/2/1999 | 15.57 | 6.85 | 0 | 8.72 | -0.89 | 17000 | -- | 1000 | 3100 | 1400 | 3700 | 4000 | 3720 | |
| 12/14/1999 | 15.57 | 7.65 | 0 | 7.92 | -0.80 | 83000 | -- | 3000 | 22000 | 4500 | 17000 | 9100 | 11000 | |
| 3/14/2000 | 15.57 | 5.26 | 0 | 10.31 | 2.39 | 31000 | -- | 1600 | 4600 | 2300 | 7300 | 5700 | 8700 | |
| 5/31/2000 | 15.57 | 5.60 | 0 | 9.97 | -0.34 | 9970 | -- | 598 | 1030 | 487 | 2060 | 2500 | 1670 | |
| 8/29/2000 | 15.57 | 6.35 | 0 | 9.22 | -0.75 | 7900 | -- | 390 | 1500 | 280 | 1900 | 1800 | 1300 | |
| 12/1/2000 | 15.57 | 7.06 | 0 | 8.51 | -0.71 | 87500 | -- | 1860 | 17400 | 5590 | 19400 | 6220 | 3790 | |
| 3/17/2001 | 15.57 | 5.98 | 0 | 9.59 | 1.08 | 4310 | -- | 371 | 59.0 | 280 | 682 | 321 | 433 | |
| 5/23/2001 | 15.57 | 6.97 | 0 | 8.60 | -0.99 | 45400 | -- | 374 | 4490 | 2790 | 10900 | ND | 406 | |
| 9/24/2001 | 15.57 | 7.56 | 0 | 8.01 | -0.59 | 76000 | -- | 430 | 13000 | 4700 | 18000 | ND<2000 | 480 | |
| 12/10/2001 | 15.57 | 6.52 | 0 | 9.05 | 1.04 | 82000 | -- | 320 | 9100 | 4400 | 16000 | ND<2500 | 270 | |
| 3/11/2002 | 15.57 | 5.51 | 0 | 10.06 | 1.01 | 14000 | -- | 75 | 1400 | 1100 | 3600 | ND<250 | 150 | |
| 6/7/2002 | 15.57 | 5.73 | 0 | 9.84 | -0.22 | 14000 | -- | 120 | 1200 | 1400 | 4700 | 540 | 200 | |
| 9/3/2002 | 15.57 | 6.81 | 0 | 8.76 | -1.08 | 10000 | -- | 150 | 1200 | 610 | 2800 | 510 | 460 | |
| 12/12/2002 | 15.57 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | troyed; Replaced with MW. |
| MW-2A | | | | | | | | | | | | | | |
| 12/12/2002 | 15.56 | 7.45 | 0 | 8.11 | -- | 3400 | -- | 80 | 260 | 210 | 1000 | 380 | 400 | |
| 3/13/2003 | -- | 5.85 | 0 | -- | -- | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 1.8 | 2.4 | 2.4 | |
| 6/12/2003 | -- | 6.08 | 0 | -- | -- | ND<50 | -- | 0.59 | 0.69 | ND<0.50 | 1.2 | 6.0 | 4.7 | |
| 9/12/2003 | 15.56 | 6.54 | 0 | 9.02 | -- | -- | 120 | 1.8 | 4.2 | 6.1 | 20 | -- | 6.6 | |
| 12/31/2003 | 15.56 | 5.63 | 0 | 9.93 | 0.91 | 88 | -- | 0.79 | 1.8 | 3.6 | 14 | ND<5.0 | 2.9 | |
| 2/12/2004 | 15.56 | 5.68 | 0 | 9.88 | -0.05 | 160 | -- | 2.6 | 4.8 | 13 | 48 | 7.2 | 7.9 | |
| 6/7/2004 | 15.56 | 6.21 | 0 | 9.35 | -0.53 | 94 | -- | 0.80 | 1.2 | 2.1 | 9.1 | 4.5 | 3.7 | |
| 9/17/2004 | 15.56 | 7.16 | 0 | 8.40 | -0.95 | -- | 230 | 3.5 | 6.1 | 13 | 41 | -- | 83 | |
| 12/11/2004 | 15.56 | 5.84 | 0 | 9.72 | 1.32 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.2 | |
| 3/15/2005 | 15.56 | 5.52 | 0 | 10.04 | 0.32 | -- | 92 | 0.84 | 1.7 | 2.4 | 9.8 | -- | ND<10 | |
| 5/17/2005 | 15.56 | 5.55 | 0 | 10.01 | -0.03 | -- | 54 | 2.1 | 1.7 | 1.9 | 7.0 | -- | 2.9 | |
| 7/27/2005 | 15.56 | 6.16 | 0 | 9.40 | -0.61 | -- | ND<50 | 0.66 | 1.1 | 1.3 | 4.2 | -- | 3.7 | |
| 11/23/2005 | 15.56 | 6.88 | 0 | 8.68 | -0.72 | -- | 120 | 1.3 | 2.8 | 7.8 | 30 | -- | 10 | |
| 2/24/2006 | 15.56 | 5.79 | 0 | 9.77 | 1.09 | -- | 84 | 0.51 | 1.2 | 4.2 | 16 | -- | 7.2 | |
| 5/30/2006 | 15.56 | 5.62 | 0 | 9.94 | 0.17 | -- | 69 | 0.90 | 2.2 | 3.7 | 14 | -- | 4.1 | |
| 8/30/2006 | 15.56 | 6.38 | 0 | 9.18 | -0.76 | -- | 77 | ND<0.50 | 0.50 | 1.0 | 3.3 | -- | 2.5 | |
| 11/22/2006 | 15.56 | 6.60 | 0 | 8.96 | -0.22 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.2 | -- | 0.59 | |

**Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**

**February 14, 2011
Former 76 Station 0843**

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|-------------------|
| 2/23/2007 | 15.56 | 6.05 | 0 | 9.51 | 0.55 | -- | ND<50 | ND<0.50 | 0.66 | ND<0.50 | 1.1 | -- | 0.72 | |
| 5/18/2007 | 15.56 | 6.29 | 0 | 9.27 | -0.24 | -- | ND<50 | ND<0.50 | ND<0.50 | 0.68 | 1.6 | -- | 0.81 | |
| 8/10/2007 | 15.56 | 6.90 | 0 | 8.66 | -0.61 | -- | ND<50 | ND<0.50 | ND<0.50 | 1.6 | 3.9 | -- | ND<0.50 | |
| 11/9/2007 | 15.56 | 6.96 | 0 | 8.60 | -0.06 | -- | ND<50 | ND<0.50 | ND<0.50 | 2.4 | 4.4 | -- | ND<0.50 | |
| 2/8/2008 | 15.56 | 5.76 | 0 | 9.80 | 1.20 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 5/16/2008 | 15.56 | 6.50 | 0 | 9.06 | -0.74 | -- | ND<50 | ND<0.50 | ND<0.50 | 0.56 | 1.2 | -- | ND<0.50 | |
| 8/15/2008 | 15.56 | 7.35 | 0 | 8.21 | -0.85 | -- | 78 | ND<0.50 | 0.79 | 2.9 | 6.5 | -- | ND<0.50 | |
| 11/26/2008 | 15.56 | 8.12 | 0 | 7.44 | -0.77 | -- | 120 | 0.56 | 0.66 | 4.6 | 6.0 | -- | 1.8 | |
| 2/24/2009 | 18.51 | 6.19 | 0 | 12.32 | 4.88 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-3 | | | | | | | | | | | | | | |
| 3/5/1999 | 15.11 | -- | 0 | -- | -- | 135 | -- | ND | ND | ND | 4.84 | -- | 2.46 | |
| 6/3/1999 | 15.11 | 5.57 | 0 | 9.54 | -- | ND | -- | ND | ND | ND | ND | 5.23 | 12.7 | |
| 9/2/1999 | 15.11 | 6.50 | 0 | 8.61 | -0.93 | ND | -- | ND | ND | ND | ND | 13 | 11 | |
| 12/14/1999 | 15.11 | 7.28 | 0 | 7.83 | -0.78 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 3/14/2000 | 15.11 | 4.87 | 0 | 10.24 | 2.41 | ND | -- | ND | ND | ND | ND | 7.2 | 6.3 | |
| 5/31/2000 | 15.11 | 5.58 | 0 | 9.53 | -0.71 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 8/29/2000 | 15.11 | 6.06 | 0 | 9.05 | -0.48 | ND | -- | ND | ND | ND | ND | ND | ND | |
| 12/1/2000 | 15.11 | 6.76 | 0 | 8.35 | -0.70 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 3/17/2001 | 15.11 | 5.09 | 0 | 10.02 | 1.67 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 5/23/2001 | 15.11 | 5.72 | 0 | 9.39 | -0.63 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 9/24/2001 | 15.11 | 6.34 | 0 | 8.77 | -0.62 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 12/10/2001 | 15.11 | 6.31 | 0 | 8.80 | 0.03 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 3/11/2002 | 15.11 | 5.15 | 0 | 9.96 | 1.16 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 6/7/2002 | 15.11 | 5.45 | 0 | 9.66 | -0.30 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 12/12/2002 | 15.11 | 7.15 | 0 | 7.96 | -1.70 | -- | -- | -- | -- | -- | -- | -- | -- | No longer sampled |
| 3/13/2003 | 15.11 | 5.37 | 0 | 9.74 | 1.78 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/12/2003 | 15.11 | 5.51 | 0 | 9.60 | -0.14 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/12/2003 | 15.11 | 6.03 | 0 | 9.08 | -0.52 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/31/2003 | 15.11 | 5.62 | 0 | 9.49 | 0.41 | -- | -- | -- | -- | -- | -- | -- | -- | Monitored only |
| 2/12/2004 | 15.11 | 5.51 | 0 | 9.60 | 0.11 | -- | -- | -- | -- | -- | -- | -- | -- | Monitored only |
| 6/7/2004 | 15.11 | 5.92 | 0 | 9.19 | -0.41 | -- | -- | -- | -- | -- | -- | -- | -- | Monitored only |
| 9/17/2004 | 15.11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Unable to locate |
| 12/11/2004 | 15.11 | 5.94 | 0 | 9.17 | -- | -- | -- | -- | -- | -- | -- | -- | -- | Sampled annually |
| 3/11/2005 | 15.11 | 4.76 | 0 | 10.35 | 1.18 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|------------------------|
| 5/17/2005 | 15.11 | 5.23 | 0 | 9.88 | -0.47 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 7/27/2005 | 15.11 | 5.81 | 0 | 9.30 | -0.58 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 11/23/2005 | 15.11 | 6.60 | 0 | 8.51 | -0.79 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 2/24/2006 | 15.11 | 5.37 | 0 | 9.74 | 1.23 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.2 | |
| 5/30/2006 | 15.11 | 5.08 | 0 | 10.03 | 0.29 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.92 | |
| 8/30/2006 | 15.11 | 5.52 | 0 | 9.59 | -0.44 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 0.51 | |
| 11/22/2006 | 15.11 | 6.38 | 0 | 8.73 | -0.86 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 0.94 | |
| 2/23/2007 | 15.11 | 5.72 | 0 | 9.39 | 0.66 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 0.61 | |
| 5/18/2007 | 15.11 | 5.94 | 0 | 9.17 | -0.22 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 1.1 | |
| 8/10/2007 | 15.11 | 7.64 | 0 | 7.47 | -1.70 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 11/9/2007 | 15.11 | 6.75 | 0 | 8.36 | 0.89 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 1.1 | |
| 2/8/2008 | 15.11 | 5.39 | 0 | 9.72 | 1.36 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 5/16/2008 | 15.11 | 6.17 | 0 | 8.94 | -0.78 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.2 | |
| 8/15/2008 | 15.11 | 7.01 | 0 | 8.10 | -0.84 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.3 | |
| 11/26/2008 | 15.11 | 7.73 | 0 | 7.38 | -0.72 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.8 | |
| 2/24/2009 | 18.05 | 5.98 | 0 | 12.07 | 4.69 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.9 | |
| 5/28/2009 | 18.05 | 5.64 | 0 | 12.41 | 0.34 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 9/14/2009 | 18.05 | 6.88 | 0 | 11.17 | -1.24 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 11/13/2009 | 18.05 | 7.02 | 0 | 11.03 | -0.14 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 2/5/2010 | 18.05 | 6.02 | 0 | 12.03 | 1.00 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.9 | |
| 6/7/2010 | 18.05 | 5.92 | 0 | 12.13 | 0.10 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 8/3/2010 | 18.05 | 6.47 | 0 | 11.58 | -0.55 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.78 | |
| 11/11/2010 | 18.05 | 7.40 | 0 | 10.65 | -0.93 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 2/14/2011 | 18.05 | 6.04 | 0 | 12.01 | 1.36 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 45 | |
| MW-4 | | | | | | | | | | | | | | |
| 3/5/1999 | 15.17 | -- | 0 | -- | -- | ND | -- | ND | ND | ND | 2.44 | -- | 25.2 | |
| 6/3/1999 | 15.17 | 5.45 | 0 | 9.72 | -- | ND | -- | ND | ND | ND | ND | ND | 3.96 | |
| 9/2/1999 | 15.17 | 6.48 | 0 | 8.69 | -1.03 | ND | -- | ND | ND | ND | ND | 23 | 27 | |
| 12/14/1999 | 15.17 | 7.27 | 0 | 7.90 | -0.79 | ND | -- | ND | ND | ND | ND | 200 | 270 | |
| 3/14/2000 | 15.17 | 4.67 | 0 | 10.50 | 2.60 | ND | -- | ND | ND | ND | ND | 46 | 49 | |
| 5/31/2000 | 15.17 | 5.48 | 0 | 9.69 | -0.81 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 8/29/2000 | 15.17 | 6.10 | 0 | 9.07 | -0.62 | ND | -- | ND | ND | ND | ND | 6.1 | 3.2 | |
| 12/1/2000 | 15.17 | 6.79 | 0 | 8.38 | -0.69 | ND | -- | ND | ND | ND | ND | 152 | 101 | |
| 3/17/2001 | 15.17 | 5.01 | 0 | 10.16 | 1.78 | ND | -- | ND | ND | ND | ND | ND | -- | |

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| 5/23/2001 | 15.17 | 5.78 | 0 | 9.39 | -0.77 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 9/24/2001 | 15.17 | 6.42 | 0 | 8.75 | -0.64 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 12/10/2001 | 15.17 | 6.41 | 0 | 8.76 | 0.01 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1700 | 1300 | |
| 3/11/2002 | 15.17 | 5.05 | 0 | 10.12 | 1.36 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 6/7/2002 | 15.17 | 5.42 | 0 | 9.75 | -0.37 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 9/3/2002 | 15.17 | 6.50 | 0 | 8.67 | -1.08 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 12/12/2002 | 15.17 | 7.18 | 0 | 7.99 | -0.68 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.9 | 3.3 | |
| 3/13/2003 | 15.17 | 5.42 | 0 | 9.75 | 1.76 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.0 | -- | |
| 6/12/2003 | 15.17 | 5.60 | 0 | 9.57 | -0.18 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.0 | -- | |
| 9/12/2003 | 15.17 | 6.07 | 0 | 9.10 | -0.47 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 12/31/2003 | 15.17 | 5.63 | 0 | 9.54 | 0.44 | 750 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 790 | -- | |
| 2/12/2004 | 15.17 | 5.26 | 0 | 9.91 | 0.37 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 6/7/2004 | 15.17 | 5.82 | 0 | 9.35 | -0.56 | ND<50 | -- | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.6 | ND<1 | -- | |
| 9/17/2004 | 15.17 | 6.86 | 0 | 8.31 | -1.04 | -- | 56 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 10 | |
| 12/11/2004 | 15.17 | 6.01 | 0 | 9.16 | 0.85 | -- | 350 | ND<2.5 | ND<2.5 | ND<2.5 | ND<5.0 | -- | 380 | |
| 3/11/2005 | 15.17 | 4.61 | 0 | 10.56 | 1.40 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 5/17/2005 | 15.17 | 4.93 | 0 | 10.24 | -0.32 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 7/27/2005 | 15.17 | 5.74 | 0 | 9.43 | -0.81 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 11/23/2005 | 15.17 | 6.59 | 0 | 8.58 | -0.85 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 23 | |
| 2/24/2006 | 15.17 | 5.19 | 0 | 9.98 | 1.40 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 4.7 | |
| 5/30/2006 | 15.17 | 5.07 | 0 | 10.10 | 0.12 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 8/30/2006 | 15.17 | 6.02 | 0 | 9.15 | -0.95 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 11/22/2006 | 15.17 | 6.37 | 0 | 8.80 | -0.35 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 16 | |
| 2/23/2007 | 15.17 | 5.61 | 0 | 9.56 | 0.76 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 5/18/2007 | 15.17 | 5.87 | 0 | 9.30 | -0.26 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 8/10/2007 | 15.17 | 7.49 | 0 | 7.68 | -1.62 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 11/9/2007 | 15.17 | 6.77 | 0 | 8.40 | 0.72 | -- | 50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 39 | |
| 2/8/2008 | 15.17 | 5.10 | 0 | 10.07 | 1.67 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 5/16/2008 | 15.17 | 6.06 | 0 | 9.11 | -0.96 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 8/15/2008 | 15.17 | 6.91 | 0 | 8.26 | -0.85 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.1 | -- | ND<0.50 | |
| 11/26/2008 | 15.17 | 7.71 | 0 | 7.46 | -0.80 | -- | 55 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 11 | |
| 2/24/2009 | 18.14 | 5.96 | 0 | 12.18 | 4.72 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.8 | |
| 5/28/2009 | 18.14 | 5.70 | 0 | 12.44 | 0.26 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 9/14/2009 | 18.14 | 6.76 | 0 | 11.38 | -1.06 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

**Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**

**February 14, 2011
Former 76 Station 0843**

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments | |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|------------------------|------------------------|
| 11/13/2009 | 18.14 | 6.97 | 0 | 11.17 | -0.21 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only | |
| 2/5/2010 | 18.14 | 5.55 | 0 | 12.59 | 1.42 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.91 | | |
| 6/7/2010 | 18.14 | 5.78 | 0 | 12.36 | -0.23 | -- | -- | -- | -- | -- | -- | -- | -- | | Sampled Q1 and Q3 only |
| 8/3/2010 | 18.14 | 6.47 | 0 | 11.67 | -0.69 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |
| 11/11/2010 | 18.14 | 7.42 | 0 | 10.72 | -0.95 | -- | -- | -- | -- | -- | -- | -- | -- | | Sampled Q1 and Q3 only |
| 2/14/2011 | 18.14 | 5.94 | 0 | 12.20 | 1.48 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |
| MW-5 | | | | | | | | | | | | | | | |
| 12/14/1999 | 13.34 | 6.45 | 0 | 6.89 | -- | ND | -- | ND | ND | ND | ND | 3.5 | 3.8 | | |
| 3/14/2000 | 13.34 | 4.46 | 0 | 8.88 | 1.99 | ND | -- | ND | ND | ND | ND | ND | -- | | |
| 5/31/2000 | 13.34 | 5.18 | 0 | 8.16 | -0.72 | ND | -- | ND | ND | ND | ND | ND | -- | | |
| 8/29/2000 | 13.34 | 5.46 | 0 | 7.88 | -0.28 | ND | -- | ND | ND | ND | ND | ND | -- | | |
| 12/1/2000 | 13.34 | 5.95 | 0 | 7.39 | -0.49 | ND | -- | ND | ND | ND | ND | ND | -- | | |
| 3/17/2001 | 13.34 | 5.36 | 0 | 7.98 | 0.59 | ND | -- | ND | ND | ND | ND | ND | -- | | |
| 5/23/2001 | 13.34 | 5.09 | 0 | 8.25 | 0.27 | ND | -- | ND | ND | ND | ND | ND | -- | | |
| 9/24/2001 | 13.34 | 5.58 | 0 | 7.76 | -0.49 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | | |
| 12/10/2001 | 13.34 | 5.51 | 0 | 7.83 | 0.07 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | | |
| 3/11/2002 | 13.34 | 4.70 | 0 | 8.64 | 0.81 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | | |
| 6/7/2002 | 13.34 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Paved over | |
| 9/3/2002 | 13.34 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Paved over | |
| 12/12/2002 | 13.34 | 6.42 | 0 | 6.92 | -- | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.0 | -- | | |
| 3/13/2003 | 13.34 | 5.12 | 0 | 8.22 | 1.30 | ND<50 | -- | ND<0.50 | 0.54 | ND<0.50 | ND<0.50 | ND<2.0 | -- | | |
| 6/12/2003 | 13.34 | 5.24 | 0 | 8.10 | -0.12 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.0 | -- | | |
| 9/12/2003 | 13.34 | 5.53 | 0 | 7.81 | -0.29 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | | |
| 12/31/2003 | 13.34 | 5.11 | 0 | 8.23 | 0.42 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | | |
| 2/12/2004 | 13.34 | 5.02 | 0 | 8.32 | 0.09 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | | |
| 6/7/2004 | 13.34 | 5.35 | 0 | 7.99 | -0.33 | ND<50 | -- | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.6 | ND<1 | -- | | |
| 9/17/2004 | 13.34 | 6.10 | 0 | 7.24 | -0.75 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled annually | |
| 12/11/2004 | 13.34 | 5.53 | 0 | 7.81 | 0.57 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled annually | |
| 3/11/2005 | 13.34 | 4.96 | 0 | 8.38 | 0.57 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |
| 5/17/2005 | 13.34 | 5.04 | 0 | 8.30 | -0.08 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |
| 7/27/2005 | 13.34 | 5.31 | 0 | 8.03 | -0.27 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |
| 11/23/2005 | 13.34 | 5.86 | 0 | 7.48 | -0.55 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |
| 2/24/2006 | 13.34 | 5.08 | 0 | 8.26 | 0.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |
| 5/30/2006 | 13.34 | 5.01 | 0 | 8.33 | 0.07 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | |

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|------------------------|
| 8/30/2006 | 13.34 | 5.65 | 0 | 7.69 | -0.64 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 11/22/2006 | 13.34 | 5.82 | 0 | 7.52 | -0.17 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 2/23/2007 | 13.34 | 4.47 | 0 | 8.87 | 1.35 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 0.53 | -- | ND<0.50 | |
| 5/18/2007 | 13.34 | 5.51 | 0 | 7.83 | -1.04 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 8/10/2007 | 13.34 | 6.05 | 0 | 7.29 | -0.54 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 11/9/2007 | 13.34 | 6.10 | 0 | 7.24 | -0.05 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 2/8/2008 | 13.34 | 5.06 | 0 | 8.28 | 1.04 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 5/16/2008 | 13.34 | 5.69 | 0 | 7.65 | -0.63 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 8/15/2008 | 13.34 | 6.35 | 0 | 6.99 | -0.66 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 11/26/2008 | 13.34 | 6.82 | 0 | 6.52 | -0.47 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 2/24/2009 | 16.45 | 5.10 | 0 | 11.35 | 4.83 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 5/28/2009 | 16.45 | 5.12 | 0 | 11.33 | -0.02 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 9/14/2009 | 16.45 | 6.29 | 0 | 10.16 | -1.17 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 11/13/2009 | 16.45 | 6.23 | 0 | 10.22 | 0.06 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 2/5/2010 | 16.45 | 5.38 | 0 | 11.07 | 0.85 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 6/7/2010 | 16.45 | 5.39 | 0 | 11.06 | -0.01 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 8/3/2010 | 16.45 | 5.89 | 0 | 10.56 | -0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 11/11/2010 | 16.45 | 6.36 | 0 | 10.09 | -0.47 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 2/14/2011 | 16.45 | 5.49 | 0 | 10.96 | 0.87 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-6 | | | | | | | | | | | | | | |
| 12/14/1999 | 14.08 | 6.64 | 0 | 7.44 | -- | ND | -- | ND | ND | ND | ND | 11000 | 18000 | |
| 3/14/2000 | 14.08 | 4.72 | 0 | 9.36 | 1.92 | ND | -- | ND | ND | ND | ND | 19000 | 21000 | |
| 5/31/2000 | 14.08 | 5.28 | 0 | 8.80 | -0.56 | ND | -- | ND | ND | ND | ND | 13200 | -- | |
| 8/29/2000 | 14.08 | 5.39 | 0 | 8.69 | -0.11 | ND | -- | ND | ND | ND | ND | 270 | 400 | |
| 12/1/2000 | 14.08 | 6.11 | 0 | 7.97 | -0.72 | ND | -- | ND | ND | ND | ND | 6330 | 3640 | |
| 3/17/2001 | 14.08 | 6.02 | 0 | 8.06 | 0.09 | 18700 | -- | 2950 | 989 | 1040 | 3000 | 10200 | 11500 | |
| 5/23/2001 | 14.08 | 5.82 | 0 | 8.26 | 0.20 | ND | -- | ND | ND | ND | ND | 4660 | -- | |
| 9/24/2001 | 14.08 | 6.59 | 0 | 7.49 | -0.77 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 160 | 190 | |
| 12/10/2001 | 14.08 | 6.50 | 0 | 7.58 | 0.09 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 3200 | 2400 | |
| 3/11/2002 | 14.08 | 4.81 | 0 | 9.27 | 1.69 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 92 | 120 | |
| 6/7/2002 | 14.08 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Paved over |
| 9/3/2002 | 14.08 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Paved over |
| 12/12/2002 | 14.08 | 6.51 | 0 | 7.57 | -- | 590 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1500 | 6200 | |
| 3/13/2003 | 14.08 | 5.20 | 0 | 8.88 | 1.31 | -- | -- | -- | -- | -- | -- | -- | 5100 | |

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|------------------------|
| 3/13/2003 | 14.08 | 5.20 | 0 | 8.88 | 1.31 | 1600 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 4900 | 4100 | |
| 6/12/2003 | 14.08 | 5.38 | 0 | 8.70 | -0.18 | 1600 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 5200 | 3700 | |
| 9/12/2003 | 14.08 | 6.29 | 0 | 7.79 | -0.91 | -- | ND<250 | ND<2.5 | ND<2.5 | ND<2.5 | ND<5.0 | -- | 310 | |
| 12/31/2003 | 14.08 | 5.38 | 0 | 8.70 | 0.91 | 3300 | -- | ND<25 | ND<25 | ND<25 | ND<25 | 3800 | -- | |
| 2/12/2004 | 14.08 | 5.06 | 0 | 9.02 | 0.32 | 1100 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 1900 | 2800 | |
| 6/7/2004 | 14.08 | 5.45 | 0 | 8.63 | -0.39 | 2500 | -- | ND<3 | ND<3 | ND<3 | ND<6 | 3200 | 2900 | |
| 9/17/2004 | 14.08 | 6.20 | 0 | 7.88 | -0.75 | -- | 1300 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 2000 | |
| 12/11/2004 | 14.08 | 5.60 | 0 | 8.48 | 0.60 | -- | 1800 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 2700 | |
| 3/11/2005 | 14.08 | 4.71 | 0 | 9.37 | 0.89 | -- | ND<1000 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 2500 | |
| 5/17/2005 | 14.08 | 4.98 | 0 | 9.10 | -0.27 | -- | ND<1000 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2200 | |
| 7/27/2005 | 14.08 | 5.48 | 0 | 8.60 | -0.50 | -- | ND<1000 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1100 | |
| 11/23/2005 | 14.08 | 6.01 | 0 | 8.07 | -0.53 | -- | 590 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1700 | |
| 2/24/2006 | 14.08 | 5.12 | 0 | 8.96 | 0.89 | -- | 400 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 990 | |
| 5/30/2006 | 14.08 | 5.04 | 0 | 9.04 | 0.08 | -- | ND<1200 | ND<12 | ND<12 | ND<12 | ND<25 | -- | 560 | |
| 8/30/2006 | 14.08 | 7.01 | 0 | 7.07 | -1.97 | -- | 930 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 820 | |
| 11/22/2006 | 14.08 | 6.16 | 0 | 7.92 | 0.85 | -- | 690 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 620 | |
| 2/23/2007 | 14.08 | 5.44 | 0 | 8.64 | 0.72 | -- | 190 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 410 | |
| 5/18/2007 | 14.08 | 5.63 | 0 | 8.45 | -0.19 | -- | 390 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 620 | |
| 8/10/2007 | 14.08 | 6.71 | 0 | 7.37 | -1.08 | -- | 390 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 660 | |
| 11/9/2007 | 14.08 | 6.17 | 0 | 7.91 | 0.54 | -- | 580 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 820 | |
| 2/8/2008 | 14.08 | 5.20 | 0 | 8.88 | 0.97 | -- | 360 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 570 | |
| 5/16/2008 | 14.08 | 5.70 | 0 | 8.38 | -0.50 | -- | 200 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 480 | |
| 8/15/2008 | 14.08 | 6.46 | 0 | 7.62 | -0.76 | -- | 160 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 450 | |
| 11/26/2008 | 14.08 | 7.01 | 0 | 7.07 | -0.55 | -- | 300 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 400 | |
| 2/24/2009 | 16.97 | 5.20 | 0 | 11.77 | 4.70 | -- | 250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 450 | |
| 5/28/2009 | 16.97 | 5.26 | 0 | 11.71 | -0.06 | -- | 74 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 290 | |
| 9/14/2009 | 16.97 | 6.30 | 0 | 10.67 | -1.04 | -- | 230 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 310 | |
| 11/13/2009 | 16.97 | 6.40 | 0 | 10.57 | -0.10 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 2/5/2010 | 16.97 | 5.89 | 0 | 11.08 | 0.51 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 310 | |
| 6/7/2010 | 16.97 | 5.52 | 0 | 11.45 | 0.37 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 8/3/2010 | 16.97 | 5.96 | 0 | 11.01 | -0.44 | -- | 71 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 180 | |
| 11/11/2010 | 16.97 | 6.54 | 0 | 10.43 | -0.58 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled Q1 and Q3 only |
| 2/14/2011 | 16.97 | 5.63 | 0 | 11.34 | 0.91 | -- | 110 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 180 | |

MW-7

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| 5/28/2009 | 17.81 | 8.29 | 0 | 9.52 | -- | -- | 1100 | ND<0.50 | ND<0.50 | 1.4 | 7.1 | -- | 15000 | |
| 9/14/2009 | 17.81 | 6.77 | 0 | 11.04 | 1.52 | -- | 7900 | ND<25 | ND<25 | ND<25 | ND<50 | -- | 15000 | |
| 11/13/2009 | 17.81 | 6.78 | 0 | 11.03 | -0.01 | -- | 5700 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 13000 | |
| 2/5/2010 | 17.81 | 8.50 | 0 | 9.31 | -1.72 | -- | 4300 | ND<12 | ND<12 | ND<12 | ND<25 | -- | 12000 | |
| 6/7/2010 | 17.81 | 5.74 | 0 | 12.07 | 2.76 | -- | 7100 | ND<12 | ND<12 | ND<12 | ND<25 | -- | 16000 | |
| 8/3/2010 | 17.81 | 6.36 | 0 | 11.45 | -0.62 | -- | 1600 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 12000 | |
| 11/11/2010 | 17.81 | 7.23 | 0 | 10.58 | -0.87 | -- | 2600 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 13000 | |
| 2/14/2011 | 17.81 | 6.33 | 0 | 11.48 | 0.90 | -- | 7900 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 13000 | |
| MW-8 | | | | | | | | | | | | | | |
| 5/28/2009 | 18.13 | 7.42 | 0 | 10.71 | -- | -- | 850 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 12000 | |
| 9/14/2009 | 18.13 | 6.97 | 0 | 11.16 | 0.45 | -- | 3500 | ND<25 | ND<25 | ND<25 | ND<50 | -- | 5600 | |
| 11/13/2009 | 18.13 | 7.11 | 0 | 11.02 | -0.14 | -- | 3200 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 6700 | |
| 2/5/2010 | 18.13 | 7.38 | 0 | 10.75 | -0.27 | -- | 2400 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 6300 | |
| 6/7/2010 | 18.13 | 6.07 | 0 | 12.06 | 1.31 | -- | 4200 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 9000 | |
| 8/3/2010 | 18.13 | 6.56 | 0 | 11.57 | -0.49 | -- | 1200 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 5600 | |
| 11/11/2010 | 18.13 | 7.60 | 0 | 10.53 | -1.04 | -- | ND<5000 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 4900 | |
| 2/14/2011 | 18.13 | 6.22 | 0 | 11.91 | 1.38 | -- | 3900 | ND<25 | ND<25 | ND<25 | ND<50 | -- | 7100 | |
| MW-9 | | | | | | | | | | | | | | |
| 5/28/2009 | 18.75 | 6.24 | 0 | 12.51 | -- | -- | 1200 | ND<0.50 | ND<0.50 | 0.75 | 15 | -- | 13000 | |
| 9/14/2009 | 18.75 | 7.36 | 0 | 11.39 | -1.12 | -- | 280 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 390 | |
| 11/13/2009 | 18.75 | 7.56 | 0 | 11.19 | -0.20 | -- | 170 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 280 | |
| 2/5/2010 | 18.75 | 6.70 | 0 | 12.05 | 0.86 | -- | 100 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 190 | |
| 6/7/2010 | 18.75 | 6.59 | 0 | 12.16 | 0.11 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 66 | |
| 8/3/2010 | 18.75 | 7.00 | 0 | 11.75 | -0.41 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 99 | |
| 11/11/2010 | 18.75 | 8.02 | 0 | 10.73 | -1.02 | -- | 83 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 270 | |
| 2/14/2011 | 18.75 | 6.69 | 0 | 12.06 | 1.33 | -- | 170 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 320 | |
| MW-10 | | | | | | | | | | | | | | |
| 5/28/2009 | 18.84 | 6.69 | 0 | 12.15 | -- | -- | 700 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 3500 | |
| 9/14/2009 | 18.84 | 7.50 | 0 | 11.34 | -0.81 | -- | 3300 | ND<6.2 | ND<6.2 | ND<6.2 | ND<12 | -- | 4900 | |
| 11/13/2009 | 18.84 | 7.70 | 0 | 11.14 | -0.20 | -- | 1500 | ND<2.5 | ND<2.5 | ND<2.5 | ND<5.0 | -- | 3300 | |
| 2/5/2010 | 18.84 | 6.66 | 0 | 12.18 | 1.04 | -- | 110 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 260 | |
| 6/7/2010 | 18.84 | 6.56 | 0 | 12.28 | 0.10 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 7.9 | |
| 8/3/2010 | 18.84 | 7.14 | 0 | 11.70 | -0.58 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.3 | |
| 11/11/2010 | 18.84 | 8.16 | 0 | 10.68 | -1.02 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.6 | |
| 2/14/2011 | 18.84 | 6.71 | 0 | 12.13 | 1.45 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.9 | |

**Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**

**February 14, 2011
Former 76 Station 0843**

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-G 8015 (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|-------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-11 | | | | | | | | | | | | | | |
| 5/28/2009 | 18.72 | 6.18 | 0 | 12.54 | -- | -- | 920 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 15000 | |
| 9/14/2009 | 18.72 | 7.45 | 0 | 11.27 | -1.27 | -- | 11000 | ND<25 | ND<25 | ND<25 | ND<50 | -- | 18000 | |
| 11/13/2009 | 18.72 | 7.51 | 0 | 11.21 | -0.06 | -- | 6200 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 13000 | |
| 2/5/2010 | 18.72 | 7.50 | 0 | 11.22 | 0.01 | -- | 4500 | ND<12 | ND<12 | ND<12 | ND<25 | -- | 13000 | |
| 6/7/2010 | 18.72 | 6.36 | 0 | 12.36 | 1.14 | -- | 4300 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 9500 | |
| 8/3/2010 | 18.72 | 6.90 | 0 | 11.82 | -0.54 | -- | 1400 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 6000 | |
| 11/11/2010 | 18.72 | 8.00 | 0 | 10.72 | -1.10 | -- | 1600 | ND<5.0 | ND<5.0 | ND<5.0 | ND<10 | -- | 6100 | |
| 2/14/2011 | 18.72 | 6.52 | 0 | 12.20 | 1.48 | -- | 3500 | ND<6.2 | ND<6.2 | ND<6.2 | ND<12 | -- | 7400 | |

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | EDB (504) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Carbon (organic, total) (mg/l) | Chromium VI (µg/l) | Chromium (total) (µg/l) | Chromium (dissolved) (µg/l) | Comments |
|---------------|---------------|------------------------------|---|------------------------|----------------------------|----------------|----------------|----------------|---|--------------------------|-------------------------------|-----------------------------------|----------|
| MW-1 | | | | | | | | | | | | | |
| 9/2/1999 | ND | ND | -- | -- | -- | ND | ND | ND | -- | -- | -- | -- | |
| 3/15/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2006 | 62 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | 5.5 | -- | -- | -- | -- | |
| 11/22/2006 | 74 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | 0.51 | -- | -- | -- | -- | |
| 2/23/2007 | ND<100 | ND<2500 | -- | -- | -- | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | |
| 5/18/2007 | ND<100 | ND<2500 | -- | -- | -- | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | |
| 8/10/2007 | ND<500 | ND<12000 | -- | -- | -- | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | |
| 11/9/2007 | ND<500 | ND<12000 | -- | -- | -- | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | |
| 2/8/2008 | ND<100 | ND<2500 | -- | -- | -- | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | |
| 5/16/2008 | ND<250 | ND<6200 | -- | -- | -- | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | |
| 8/15/2008 | ND<100 | ND<2500 | -- | -- | -- | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | |
| 11/26/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | 2.5 | 1.3 | -- | -- | -- | |
| 5/28/2009 | ND<200 | ND<5000 | ND<10 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 1.8 | 2.0 | 87 | -- | |
| 9/14/2009 | ND<100 | ND<2500 | -- | -- | -- | ND<5.0 | ND<5.0 | ND<5.0 | 1.4 | 2.2 | 220 | -- | |
| 2/5/2010 | ND<250 | ND<6200 | ND<12 | -- | ND<12 | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | |
| 8/3/2010 | 140 | ND<500 | ND<1.0 | -- | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 1.5 | ND<2.0 | 70 | ND<10 | |
| 2/14/2011 | 99 | ND<500 | ND<1.0 | -- | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 1.6 | 2.7 | 91 | ND<10 | |
| MW-1AR | | | | | | | | | | | | | |
| 5/28/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 1.6 | -- | -- | -- | -- | |
| 9/14/2009 | 110 | ND<500 | -- | -- | -- | ND<1.0 | ND<1.0 | ND<1.0 | 4.5 | ND<2.0 | 170 | -- | |
| 11/13/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/5/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 6/7/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.1 | ND<2.0 | 25 | ND<10 | |
| 8/3/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.2 | ND<2.0 | ND<10 | ND<10 | |
| 11/11/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.3 | ND<2.0 | 14 | ND<10 | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.0 | 2.6 | ND<10 | ND<10 | |
| MW-1BR | | | | | | | | | | | | | |
| 5/28/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 2.0 | -- | -- | -- | -- | |
| 9/14/2009 | 33 | ND<500 | -- | -- | -- | ND<1.0 | ND<1.0 | 1.9 | 3.7 | ND<2.0 | 250 | -- | |
| 11/13/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 1.2 | -- | -- | -- | -- | |
| 2/5/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 6/7/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.8 | ND<2.0 | 26 | ND<10 | |
| 8/3/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.8 | ND<2.0 | 25 | ND<10 | |

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | EDB (504) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Carbon (organic, total) (mg/l) | Chromium VI (µg/l) | Chromium (total) (µg/l) | Chromium (dissolved) (µg/l) | Comments |
|--------------|---------------|------------------------------|---|------------------------|----------------------------|----------------|----------------|----------------|---|--------------------------|-------------------------------|-----------------------------------|----------|
| 11/11/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.9 | ND<2.0 | 12 | ND<10 | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.7 | 3.7 | 34 | ND<10 | |
| MW-2 | | | | | | | | | | | | | |
| 9/2/1999 | ND | ND | -- | -- | -- | ND | ND | ND | -- | -- | -- | -- | |
| 12/14/1999 | ND | ND | ND | -- | ND | ND | ND | ND | -- | -- | -- | -- | |
| 3/14/2000 | 1300 | ND | ND | -- | ND | ND | ND | ND | -- | -- | -- | -- | |
| 5/31/2000 | ND | ND | ND | -- | ND | ND | ND | ND | -- | -- | -- | -- | |
| 8/29/2000 | 250 | ND | ND | -- | ND | ND | ND | ND | -- | -- | -- | -- | |
| 12/1/2000 | ND | ND | ND | -- | ND | ND | ND | ND | -- | -- | -- | -- | |
| 3/17/2001 | ND | ND | ND | -- | ND | 14.8 | ND | ND | -- | -- | -- | -- | |
| 5/23/2001 | ND | ND | ND | -- | ND | ND | ND | ND | -- | -- | -- | -- | |
| 9/24/2001 | ND<5000 | ND<5000000 | ND<100 | -- | ND<100 | ND<100 | ND<100 | ND<100 | -- | -- | -- | -- | |
| 12/10/2001 | ND<500 | ND<1200000 | ND<25 | -- | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | |
| 3/11/2002 | ND<1000 | ND<5000000 | ND<20 | -- | ND<20 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | |
| 6/7/2002 | ND<1000 | ND<2000000 | ND<25 | -- | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | |
| 9/3/2002 | ND<1000 | ND<5000000 | ND<20 | -- | ND<20 | ND<20 | ND<20 | ND<20 | -- | -- | -- | -- | |
| MW-2A | | | | | | | | | | | | | |
| 12/12/2002 | ND<100 | ND<500000 | ND<2.0 | -- | 2.3 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 3/13/2003 | ND<100 | ND<500000 | ND<2.0 | -- | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 6/12/2003 | ND<100 | ND<500000 | ND<2.0 | -- | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 9/12/2003 | ND<100 | ND<500 | ND<2.0 | -- | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 12/31/2003 | ND<100 | ND<500 | ND<2.0 | -- | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 2/12/2004 | ND<100 | ND<500 | ND<2.0 | -- | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 6/7/2004 | ND<12 | ND<800 | ND<0.5 | -- | ND<0.5 | ND<1 | ND<1 | ND<1 | -- | -- | -- | -- | |
| 9/17/2004 | 6.7 | ND<50 | -- | -- | -- | ND<1.0 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 12/11/2004 | ND<5.0 | ND<50 | -- | -- | -- | ND<1.0 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 3/15/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/17/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 7/27/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/23/2005 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/30/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/30/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/22/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/23/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | EDB (504) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Carbon (organic, total) (mg/l) | Chromium VI (µg/l) | Chromium (total) (µg/l) | Chromium (dissolved) (µg/l) | Comments |
|--------------|---------------|------------------------------|---|------------------------|----------------------------|----------------|----------------|----------------|---|--------------------------|-------------------------------|-----------------------------------|----------|
| 5/18/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/10/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/9/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/8/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/16/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/15/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/26/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | 17 | -- | -- | -- | |
| MW-3 | | | | | | | | | | | | | |
| 9/2/1999 | ND | ND | -- | -- | -- | ND | ND | ND | -- | -- | -- | -- | |
| 3/11/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/17/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 7/27/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/23/2005 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/30/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/30/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/22/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/23/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/18/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/10/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/9/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/8/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/16/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/15/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/26/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | 3.2 | -- | -- | -- | |
| 5/28/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 9/14/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/5/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/3/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| MW-4 | | | | | | | | | | | | | |
| 9/2/1999 | ND | ND | -- | -- | -- | ND | ND | ND | -- | -- | -- | -- | |
| 12/10/2001 | ND<290 | ND<710000 | ND<14 | -- | ND<14 | ND<14 | ND<14 | ND<14 | -- | -- | -- | -- | |

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | EDB (504) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Carbon (organic, total) (mg/l) | Chromium VI (µg/l) | Chromium (total) (µg/l) | Chromium (dissolved) (µg/l) | Comments |
|--------------|---------------|------------------------------|---|------------------------|----------------------------|----------------|----------------|----------------|---|--------------------------|-------------------------------|-----------------------------------|----------|
| 12/12/2002 | ND<100 | ND<500000 | ND<2.0 | -- | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 9/12/2003 | -- | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/17/2004 | ND<5.0 | ND<50 | -- | -- | -- | ND<1.0 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 12/11/2004 | ND<25 | ND<250 | -- | -- | -- | ND<5.0 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | |
| 3/11/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/17/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 7/27/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/23/2005 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/30/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/30/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/22/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/23/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/18/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/10/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/9/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/8/2008 | ND<10 | 290 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/16/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/15/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/26/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | 1.7 | -- | -- | -- | |
| 5/28/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 9/14/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/5/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/3/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| MW-5 | | | | | | | | | | | | | |
| 9/12/2003 | -- | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/11/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/17/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 7/27/2005 | ND<5.0 | ND<50 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/23/2005 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2006 | 59 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/30/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/30/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |

**Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS**

Former 76 Station 0843

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | EDB (504) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Carbon (organic, total) (mg/l) | Chromium VI (µg/l) | Chromium (total) (µg/l) | Chromium (dissolved) (µg/l) | Comments |
|--------------|---------------|------------------------------|---|------------------------|----------------------------|----------------|----------------|----------------|---|--------------------------|-------------------------------|-----------------------------------|----------|
| 11/22/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/23/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/18/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/10/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/9/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/8/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/16/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/15/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/26/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | 4.5 | -- | -- | -- | |
| 5/28/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 9/14/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/5/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/3/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| MW-6 | | | | | | | | | | | | | |
| 3/17/2001 | ND | ND | ND | -- | 219 | ND | ND | ND | -- | -- | -- | -- | |
| 9/24/2001 | ND<100 | ND<1000000 | ND<2.0 | -- | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 12/10/2001 | ND<500 | ND<1200000 | ND<25 | -- | ND<25 | ND<25 | ND<25 | ND<25 | -- | -- | -- | -- | |
| 3/11/2002 | ND<100 | ND<500000 | ND<2.0 | -- | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 12/12/2002 | ND<10000 | ND<5000000 | ND<200 | -- | ND<200 | ND<200 | ND<200 | ND<200 | -- | -- | -- | -- | |
| 3/13/2003 | ND<5000 | ND<2500000 | ND<100 | -- | ND<100 | ND<100 | ND<100 | ND<100 | -- | -- | -- | -- | |
| 6/12/2003 | ND<2000 | ND<1000000 | ND<40 | -- | ND<40 | ND<40 | ND<40 | ND<40 | -- | -- | -- | -- | |
| 9/12/2003 | -- | ND<2500 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/12/2004 | ND<2000 | ND<10000 | ND<40 | -- | ND<40 | ND<40 | ND<40 | ND<40 | -- | -- | -- | -- | |
| 6/7/2004 | ND<200 | ND<8000 | ND<5 | -- | ND<5 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 9/17/2004 | ND<100 | ND<1000 | -- | -- | -- | ND<20 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 12/11/2004 | ND<100 | ND<1000 | -- | -- | -- | ND<20 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 3/11/2005 | ND<100 | ND<1000 | -- | -- | -- | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 5/17/2005 | ND<100 | ND<1000 | -- | -- | -- | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 7/27/2005 | ND<100 | ND<1000 | -- | -- | -- | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 11/23/2005 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | 1.0 | -- | -- | -- | -- | |
| 2/24/2006 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | 0.68 | -- | -- | -- | -- | |
| 5/30/2006 | ND<250 | ND<6200 | -- | -- | -- | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | |
| 8/30/2006 | ND<100 | ND<2500 | -- | -- | -- | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | |

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | EDB (504) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Carbon (organic, total) (mg/l) | Chromium VI (µg/l) | Chromium (total) (µg/l) | Chromium (dissolved) (µg/l) | Comments |
|--------------|---------------|------------------------------|---|------------------------|----------------------------|----------------|----------------|----------------|---|--------------------------|-------------------------------|-----------------------------------|----------|
| 11/22/2006 | ND<100 | ND<2500 | -- | -- | -- | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | |
| 2/23/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/18/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/10/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/9/2007 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | 0.52 | -- | -- | -- | -- | |
| 2/8/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 5/16/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/15/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 11/26/2008 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/24/2009 | ND<10 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | 2.7 | -- | -- | -- | |
| 5/28/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 9/14/2009 | 23 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/5/2010 | 41 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 8/3/2010 | ND<10 | ND<250 | ND<0.50 | ND<0.010 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| MW-7 | | | | | | | | | | | | | |
| 5/28/2009 | 150 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 11 | -- | -- | -- | -- | |
| 9/14/2009 | 680 | ND<12000 | -- | -- | -- | ND<25 | ND<25 | ND<25 | 9.8 | ND<2.0 | 76 | -- | |
| 11/13/2009 | ND<200 | ND<5000 | ND<10 | -- | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 2/5/2010 | 1600 | ND<6200 | ND<12 | -- | ND<12 | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | |
| 6/7/2010 | ND<250 | ND<6200 | ND<12 | -- | ND<12 | ND<12 | ND<12 | ND<12 | 3.9 | ND<2.0 | 11 | ND<10 | |
| 8/3/2010 | 1400 | ND<5000 | ND<10 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 3.6 | ND<2.0 | 79 | ND<10 | |
| 11/11/2010 | 1200 | ND<2500 | ND<5.0 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 4.1 | ND<2.0 | 27 | ND<10 | |
| 2/14/2011 | ND<1000 | ND<25000 | ND<5.0 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 4.1 | ND<2.0 | 43 | ND<10 | |
| MW-8 | | | | | | | | | | | | | |
| 5/28/2009 | 36 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 9.7 | 9.9 | ND<2.0 | 140 | -- | |
| 9/14/2009 | ND<500 | ND<12000 | -- | -- | -- | ND<25 | ND<25 | ND<25 | 14 | ND<2.0 | 60 | -- | |
| 11/13/2009 | ND<100 | ND<2500 | ND<5.0 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | -- | -- | -- | |
| 2/5/2010 | 960 | ND<5000 | ND<10 | -- | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 6/7/2010 | ND<200 | ND<5000 | ND<10 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 4.0 | ND<2.0 | 21 | ND<10 | |
| 8/3/2010 | 670 | ND<2500 | ND<5.0 | ND<0.010 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 3.9 | ND<2.0 | 74 | ND<10 | |
| 11/11/2010 | ND<1000 | ND<25000 | ND<5.0 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 3.7 | ND<2.0 | 46 | ND<10 | |
| 2/14/2011 | ND<500 | ND<12000 | ND<25 | -- | ND<25 | ND<25 | ND<25 | ND<25 | 3.7 | ND<2.0 | 59 | ND<10 | |
| MW-9 | | | | | | | | | | | | | |
| 5/28/2009 | 40 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 11 | -- | -- | -- | -- | |

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | EDB (504) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Carbon (organic, total) (mg/l) | Chromium VI (µg/l) | Chromium (total) (µg/l) | Chromium (dissolved) (µg/l) | Comments |
|--------------|---------------|------------------------------|---|------------------------|----------------------------|----------------|----------------|----------------|---|--------------------------|-------------------------------|-----------------------------------|----------|
| 9/14/2009 | 24 | ND<250 | -- | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | 3.0 | ND<2.0 | 520 | -- | |
| 11/13/2009 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 2/5/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 6/7/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.7 | 6.1 | 24 | ND<10 | |
| 8/3/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.6 | 2.5 | 25 | ND<10 | |
| 11/11/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.4 | 2.6 | 24 | ND<10 | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.4 | 6.6 | 22 | ND<10 | |
| MW-10 | | | | | | | | | | | | | |
| 5/28/2009 | 39 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 4.6 | 2.4 | 2.0 | ND<10 | -- | |
| 9/14/2009 | 240 | ND<3100 | -- | -- | -- | ND<6.2 | ND<6.2 | ND<6.2 | 2.7 | ND<2.0 | 24 | -- | |
| 11/13/2009 | ND<50 | ND<1200 | ND<2.5 | -- | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | -- | -- | -- | |
| 2/5/2010 | 35 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | -- | |
| 6/7/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.0 | 6.5 | 15 | ND<10 | |
| 8/3/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.0 | 8.7 | 19 | ND<10 | |
| 11/11/2010 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.8 | 10 | 20 | 11 | |
| 2/14/2011 | ND<10 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.8 | 14 | 18 | 15 | |
| MW-11 | | | | | | | | | | | | | |
| 5/28/2009 | 140 | ND<250 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 9.4 | -- | -- | -- | -- | |
| 9/14/2009 | 850 | ND<12000 | -- | -- | -- | ND<25 | ND<25 | ND<25 | 3.3 | ND<2.0 | 14 | -- | |
| 11/13/2009 | ND<200 | ND<5000 | ND<10 | -- | ND<10 | ND<10 | ND<10 | ND<10 | -- | -- | -- | -- | |
| 2/5/2010 | 1600 | ND<6200 | ND<12 | -- | ND<12 | ND<12 | ND<12 | ND<12 | -- | -- | -- | -- | |
| 6/7/2010 | ND<200 | ND<5000 | ND<10 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 3.0 | ND<2.0 | ND<10 | ND<10 | |
| 8/3/2010 | 620 | ND<2500 | ND<5.0 | ND<0.010 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 2.9 | ND<2.0 | ND<10 | ND<10 | |
| 11/11/2010 | ND<100 | ND<2500 | ND<5.0 | -- | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | 2.8 | ND<2.0 | 17 | ND<10 | |
| 2/14/2011 | 670 | ND<3100 | ND<6.2 | -- | ND<6.2 | ND<6.2 | ND<6.2 | ND<6.2 | 3.5 | ND<2.0 | 14 | ND<10 | |

**Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS**

Former 76 Station 0843

| Date Sampled | Iron Ferrous (µg/l) | Manganese (dissolved) (µg/l) | Manganese (total) (µg/l) | Nitrogen as Nitrate (mg/l) | Sulfate (mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox Potential (ORP-Lab) (mV) | Specific Conductance (umhos) | Post-purge Dissolved Oxygen () | Pre-purge Dissolved Oxygen () | Pre-purge ORP () | Post-purge ORP () | Comments |
|---------------|---------------------|------------------------------|--------------------------|----------------------------|----------------|--------------------------------|--------------------------------|------------------------------|--------------------------------|-------------------------------|------------------|-------------------|----------|
| MW-1 | | | | | | | | | | | | | |
| 9/2/1999 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/15/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/24/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/22/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/23/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/18/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/10/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/9/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/8/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/16/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/15/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/26/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/24/2009 | ND<100 | ND<1.0 | 500 | -- | 18 | -- | -- | -- | 4.63 | 3.22 | 57 | 59 | |
| 5/28/2009 | ND<500 | 2.4 | 550 | 9.9 | 25 | 8.6 | 130 | 463 | 0.80 | 2.95 | 119 | 171 | |
| 9/14/2009 | ND<100 | 3.7 | 1600 | 11 | 25 | 6.8 | 204 | 429 | 1.93 | 3.81 | 233 | 146 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 0.83 | 1.42 | 66 | 71 | |
| 8/3/2010 | ND<100 | 1.8 | 1100 | 16 | 24 | 6.7 | 333.4 | 508 | 1.10 | 1.68 | 172 | 158 | |
| 2/14/2011 | ND<500 | 5.4 | 530 | 18 | 25 | 8.9 | 418.5 | 509 | 6.45 | 4.45 | 355 | 356 | |
| MW-1AR | | | | | | | | | | | | | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 1.72 | 0.95 | 144 | 177 | |
| 9/14/2009 | 2500 | 570 | 830 | 17 | 39 | 7.0 | 205 | 655 | 1.68 | 1.83 | 235 | 187 | |
| 11/13/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 3.13 | 2.98 | 174 | 16 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 0.37 | 0.94 | 79 | 75 | |
| 6/7/2010 | 490 | 210 | 450 | 21 | 30 | 6.1 | 273.4 | 554 | 0.79 | 1.27 | 56 | 78 | |
| 8/3/2010 | 550 | 180 | 230 | 21 | 31 | 8.1 | 225.1 | 537 | 0.39 | 0.58 | 148 | 108 | |
| 11/11/2010 | 370 | 210 | 330 | 20 | 31 | 7.6 | 206.5 | 545 | 2.67 | 2.46 | 204 | 216 | |
| 2/14/2011 | 420 | 150 | 190 | 21 | 32 | 7.3 | 217.9 | 537 | 1.31 | 1.48 | 349 | 362 | |
| MW-1BR | | | | | | | | | | | | | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 0.61 | 1.37 | 145 | 165 | |
| 9/14/2009 | ND<500 | 230 | 930 | 17 | 59 | 6.7 | 207 | 673 | 0.46 | 1.02 | 228 | 143 | |
| 11/13/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 5.74 | 4.59 | 151 | 107 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 0.38 | 0.82 | 85 | 79 | |
| 6/7/2010 | 380 | 110 | 180 | 27 | 30 | 6.6 | 479.4 | 539 | 0.74 | 1.42 | 48 | 10 | |
| 8/3/2010 | 240 | 130 | 230 | 26 | 28 | 7.3 | 271.8 | 548 | 0.37 | 0.43 | 54 | 59 | |

**Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS**

Former 76 Station 0843

| Date Sampled | Iron Ferrous (µg/l) | Manganese (dissolved) (µg/l) | Manganese (total) (µg/l) | Nitrogen as Nitrate (mg/l) | Sulfate (mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox Potential (ORP-Lab) (mV) | Specific Conductance (umhos) | Post-purge Dissolved Oxygen (l) | Pre-purge Dissolved Oxygen (l) | Pre-purge ORP (l) | Post-purge ORP (l) | Comments |
|--------------|---------------------|------------------------------|--------------------------|----------------------------|----------------|--------------------------------|--------------------------------|------------------------------|---------------------------------|--------------------------------|-------------------|--------------------|----------|
| 11/11/2010 | 250 | 130 | 170 | ND<0.44 | 28 | 7.0 | 227.8 | 540 | 1.78 | 1.43 | 212 | 212 | |
| 2/14/2011 | 290 | 73 | 170 | 29 | 28 | 8.1 | 286.1 | 531 | 1.07 | 1.74 | 356 | 351 | |
| MW-2 | | | | | | | | | | | | | |
| 9/2/1999 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/14/1999 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/14/2000 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/31/2000 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/29/2000 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/1/2000 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/17/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/24/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/10/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/11/2002 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/7/2002 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/3/2002 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-2A | | | | | | | | | | | | | |
| 12/12/2002 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/13/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/12/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/12/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/7/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/17/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/11/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/15/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/17/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/27/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/23/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/24/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/22/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/23/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

**Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS**

Former 76 Station 0843

| Date Sampled | Iron Ferrous (µg/l) | Manganese (dissolved) (µg/l) | Manganese (total) (µg/l) | Nitrogen as Nitrate (mg/l) | Sulfate (mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox Potential (ORP-Lab) (mV) | Specific Conductance (umhos) | Post-purge Dissolved Oxygen (l) | Pre-purge Dissolved Oxygen (l) | Pre-purge ORP (l) | Post-purge ORP (l) | Comments |
|--------------|---------------------|------------------------------|--------------------------|----------------------------|----------------|--------------------------------|--------------------------------|------------------------------|---------------------------------|--------------------------------|-------------------|--------------------|----------|
| 5/18/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/10/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/9/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/8/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/16/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/15/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/26/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2009 | 110 | ND<1.0 | 130 | -- | 87 | -- | -- | -- | 3.38 | 4.44 | 50 | 34 | |
| MW-3 | | | | | | | | | | | | | |
| 9/2/1999 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/11/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/17/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/27/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/23/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/22/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/23/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/18/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/10/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/9/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/8/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/16/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/15/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/26/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2009 | ND<100 | ND<1.0 | 1100 | -- | 130 | -- | -- | -- | 5.01 | 2.30 | 46 | 49 | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 0.61 | 4.03 | 141 | 85 | |
| 9/14/2009 | -- | -- | -- | -- | -- | 6.6 | 196 | 658 | 0.49 | 2.02 | 146 | 119 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 1.04 | 2.64 | 338 | 71 | |
| 8/3/2010 | -- | -- | -- | -- | -- | 6.7 | 279.4 | 601 | 0.95 | 2.24 | 103 | 103 | |
| 2/14/2011 | -- | -- | -- | -- | -- | 4.9 | 288.9 | 587 | 1.15 | 2.43 | 187 | 188 | |
| MW-4 | | | | | | | | | | | | | |
| 9/2/1999 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/10/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

**Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS**

Former 76 Station 0843

| Date Sampled | Iron Ferrous (µg/l) | Manganese (dissolved) (µg/l) | Manganese (total) (µg/l) | Nitrogen as Nitrate (mg/l) | Sulfate (mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox Potential (ORP-Lab) (mV) | Specific Conductance (umhos) | Post-purge Dissolved Oxygen (l) | Pre-purge Dissolved Oxygen (l) | Pre-purge ORP (l) | Post-purge ORP (l) | Comments |
|--------------|---------------------|------------------------------|--------------------------|----------------------------|----------------|--------------------------------|--------------------------------|------------------------------|---------------------------------|--------------------------------|-------------------|--------------------|----------|
| 12/12/2002 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/12/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/17/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/11/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/11/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/17/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/27/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/23/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/22/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/23/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/18/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/10/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/9/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/8/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/16/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/15/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/26/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2009 | ND<100 | 3.1 | 250 | -- | 130 | -- | -- | -- | 6.15 | 4.27 | 61 | 64 | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 3.68 | 3.76 | 141 | 55 | |
| 9/14/2009 | -- | -- | -- | -- | -- | 7.1 | 195 | 1020 | 2.16 | 2.78 | 142 | 63 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 8.59 | 7.70 | 309 | 326 | |
| 8/3/2010 | -- | -- | -- | -- | -- | 8.3 | 280.9 | 1110 | 5.26 | 2.88 | 102 | 106 | |
| 2/14/2011 | -- | -- | -- | -- | -- | 9.2 | 294.6 | 770 | 7.02 | 6.84 | 187 | 172 | |
| MW-5 | | | | | | | | | | | | | |
| 9/12/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/11/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/17/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/27/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/23/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

**Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS**

Former 76 Station 0843

| Date Sampled | Iron Ferrous (µg/l) | Manganese (dissolved) (µg/l) | Manganese (total) (µg/l) | Nitrogen as Nitrate (mg/l) | Sulfate (mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox Potential (ORP-Lab) (mV) | Specific Conductance (umhos) | Post-purge Dissolved Oxygen (l) | Pre-purge Dissolved Oxygen (l) | Pre-purge ORP (l) | Post-purge ORP (l) | Comments |
|--------------|---------------------|------------------------------|--------------------------|----------------------------|----------------|--------------------------------|--------------------------------|------------------------------|---------------------------------|--------------------------------|-------------------|--------------------|----------|
| 11/22/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/23/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/18/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/10/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/9/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/8/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/16/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/15/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/26/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2009 | ND<100 | ND<1.0 | 720 | -- | 64 | -- | -- | -- | 5.65 | 2.58 | 27 | 34 | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 1.71 | 4.32 | 138 | 94 | |
| 9/14/2009 | -- | -- | -- | -- | -- | 4.0 | 204 | 609 | 0.64 | 2.08 | 147 | 115 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 2.08 | 2.59 | 295 | 71 | |
| 8/3/2010 | -- | -- | -- | -- | -- | 8.6 | 288.2 | 611 | 7.12 | 2.08 | 62 | 102 | |
| 2/14/2011 | -- | -- | -- | -- | -- | 6.0 | 317.6 | 617 | 1.55 | 2.81 | 179 | 195 | |
| MW-6 | | | | | | | | | | | | | |
| 3/17/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/24/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/10/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/11/2002 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/12/2002 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/13/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/12/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/12/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/12/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/7/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/17/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/11/2004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/11/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/17/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/27/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/23/2005 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/30/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

**Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS**

Former 76 Station 0843

| Date Sampled | Iron Ferrous (µg/l) | Manganese (dissolved) (µg/l) | Manganese (total) (µg/l) | Nitrogen as Nitrate (mg/l) | Sulfate (mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox Potential (ORP-Lab) (mV) | Specific Conductance (umhos) | Post-purge Dissolved Oxygen (l) | Pre-purge Dissolved Oxygen (l) | Pre-purge ORP (l) | Post-purge ORP (l) | Comments |
|--------------|---------------------|------------------------------|--------------------------|----------------------------|----------------|--------------------------------|--------------------------------|------------------------------|---------------------------------|--------------------------------|-------------------|--------------------|----------|
| 11/22/2006 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/23/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/18/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/10/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/9/2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/8/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 5/16/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/15/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/26/2008 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/24/2009 | ND<100 | 1.2 | 2300 | -- | 85 | -- | -- | -- | 3.40 | 1.29 | 68 | 67 | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 1.06 | 1.85 | 142 | 56 | |
| 9/14/2009 | -- | -- | -- | -- | -- | 7.1 | 205 | 595 | 0.46 | 1.07 | 154 | 118 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 2.96 | 2.73 | 314 | 135 | |
| 8/3/2010 | -- | -- | -- | -- | -- | 8.0 | 291.7 | 530 | 0.72 | 1.35 | 96 | 103 | |
| 2/14/2011 | -- | -- | -- | -- | -- | 5.2 | 326.6 | 542 | 1.01 | 2.16 | 195 | 198 | |
| MW-7 | | | | | | | | | | | | | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 1.24 | 0.63 | 160 | 124 | |
| 9/14/2009 | 3200 | 2000 | 2200 | 4.2 | 180 | 6.9 | 217 | 1030 | 0.26 | 1.35 | -13 | -53 | |
| 11/13/2009 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0.76 | 1 | -24 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 1.46 | 0.69 | -10 | -7 | |
| 6/7/2010 | 1200 | 1200 | 1500 | 4.1 | 72 | 8.2 | 342.6 | 801 | 0.57 | 1.10 | 11 | -13 | |
| 8/3/2010 | 4500 | 1100 | 1500 | 3.9 | 69 | 8.9 | 105.6 | 745 | 2.18 | 1.05 | 112 | 105 | |
| 11/11/2010 | 2000 | 1000 | 1000 | 2.3 | 67 | 6.3 | 54.88 | 740 | 1.45 | 2.32 | 176 | 190 | |
| 2/14/2011 | 2700 | 920 | 1000 | 2.9 | 55 | 8.0 | 191.4 | 713 | 0.94 | 1.20 | 198 | 76 | |
| MW-8 | | | | | | | | | | | | | |
| 5/28/2009 | ND<1000 | 280 | 830 | 12 | 130 | 9.0 | 124 | 923 | 2.22 | 1.38 | 146 | 68 | |
| 9/14/2009 | 480 | 1000 | 1300 | 7.7 | 260 | 6.2 | 407 | 1100 | 0.28 | 1.11 | 151 | 92 | |
| 11/13/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 3.51 | 0.84 | 111 | 72 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 1.17 | 0.58 | 88 | 63 | |
| 6/7/2010 | 620 | 870 | 1200 | 6.1 | 81 | 8.3 | 350.3 | 791 | 0.72 | 1.27 | 22 | 35 | |
| 8/3/2010 | 1500 | 860 | 1300 | 6.8 | 85 | 8.9 | 218.5 | 733 | 3.03 | 0.90 | 88 | 101 | |
| 11/11/2010 | 430 | 810 | 1000 | 5.2 | 83 | 7.7 | 229.2 | 724 | 1.31 | 0.98 | 179 | 170 | |
| 2/14/2011 | 440 | 830 | 1400 | 5.8 | 75 | 8.0 | 267.0 | 694 | 2.81 | 3.44 | 197 | 188 | |
| MW-9 | | | | | | | | | | | | | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

**Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS**

Former 76 Station 0843

| Date Sampled | Iron Ferrous (µg/l) | Manganese (dissolved) (µg/l) | Manganese (total) (µg/l) | Nitrogen as Nitrate (mg/l) | Sulfate (mg/l) | Dissolved Oxygen (Lab) (mg O/) | Redox Potential (ORP-Lab) (mV) | Specific Conductance (umhos) | Post-purge Dissolved Oxygen () | Pre-purge Dissolved Oxygen () | Pre-purge ORP () | Post-purge ORP () | Comments |
|--------------|---------------------|------------------------------|--------------------------|----------------------------|----------------|--------------------------------|--------------------------------|------------------------------|--------------------------------|-------------------------------|------------------|-------------------|----------|
| 9/14/2009 | ND<1000 | 180 | 4700 | 5.0 | 68 | 7.3 | 204 | 580 | 3.58 | 4.16 | 236 | 171 | |
| 11/13/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 5.06 | 4.22 | 81 | 105 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 0.93 | 1.25 | 102 | 102 | |
| 6/7/2010 | 280 | 200 | 1100 | 6.9 | 41 | 7.9 | 380.3 | 665 | 0.95 | 1.46 | 61 | 39 | |
| 8/3/2010 | 160 | 120 | 540 | 5.8 | 42 | 7.2 | 300.6 | 651 | 1.02 | 0.70 | 48 | 64 | |
| 11/11/2010 | ND<500 | 180 | 1000 | 6.0 | 35 | 6.5 | 217.8 | 686 | 1.92 | 2.72 | 201 | 207 | |
| 2/14/2011 | 230 | 60 | 440 | 8.1 | 29 | 9.5 | 305.5 | 690 | 0.78 | 0.64 | 349 | 346 | |
| MW-10 | | | | | | | | | | | | | |
| 5/28/2009 | 150 | 280 | 350 | 9.1 | 30 | 7.1 | 139 | 661 | 0.30 | 1.76 | 151 | 156 | |
| 9/14/2009 | 210 | 280 | 380 | 6.3 | 33 | 6.1 | 205 | 675 | 2.19 | 0.67 | 235 | 114 | |
| 11/13/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 1.20 | 1.58 | 95 | 77 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 0.83 | 0.98 | 87 | 87 | |
| 6/7/2010 | 260 | 18 | 340 | 10 | 29 | 8.1 | 379.1 | 490 | 3.24 | 3.26 | 82 | 84 | |
| 8/3/2010 | 150 | 10 | 150 | 12 | 27 | 8.4 | 315.2 | 476 | 3.71 | 3.62 | 74 | 62 | |
| 11/11/2010 | ND<100 | 9.2 | 160 | 13 | 28 | 7.6 | 175.6 | 529 | 3.07 | 4.23 | 190 | 207 | |
| 2/14/2011 | 160 | 43 | 45 | 13 | 30 | 9.2 | 326.6 | 560 | 2.25 | 3.77 | 342 | 355 | |
| MW-11 | | | | | | | | | | | | | |
| 5/28/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 0.22 | 0.80 | 1.56 | 147 | |
| 9/14/2009 | 310 | 570 | 740 | 0.73 | 37 | 6.7 | 192 | 780 | 0.81 | 0.82 | 224 | 49 | |
| 11/13/2009 | -- | -- | -- | -- | -- | -- | -- | -- | 0.35 | 1.52 | 53 | 23 | |
| 2/5/2010 | -- | -- | -- | -- | -- | -- | -- | -- | 1.33 | 1.56 | 280 | 126 | |
| 6/7/2010 | 310 | 280 | 980 | 1.5 | 20 | 7.0 | 501.3 | 737 | 0.70 | 1.31 | 97 | 44 | |
| 8/3/2010 | 100 | 440 | 730 | 3.3 | 20 | 6.9 | 317.6 | 727 | 0.54 | 1.21 | 12 | -20 | |
| 11/11/2010 | 990 | 610 | 830 | 2.7 | 23 | 6.6 | 145.0 | 718 | 0.60 | 2.02 | 192 | 211 | |
| 2/14/2011 | 240 | 560 | 760 | 3.1 | 21 | 9.4 | 473.7 | 750 | 0.88 | 0.56 | 337 | 324 | |

ARCADIS

Attachment C

Laboratory Report and Chain-of-Custody Documentation



Date of Report: 12/08/2011

Kathy Brandt

Arcadis

1900 Powell Street 12th Floor
Emeryville, CA 94608

Project: 0843
BC Work Order: 1119267
Invoice ID: B112725

Enclosed are the results of analyses for samples received by the laboratory on 11/21/2011. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014



Table of Contents

Sample Information

| | |
|---|---|
| Chain of Custody and Cooler Receipt form..... | 4 |
| Laboratory / Client Sample Cross Reference..... | 9 |

Sample Results

| | |
|--|----|
| 1119267-01 - MW-9-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 13 |
| Water Analysis (General Chemistry)..... | 14 |
| Water Analysis (Metals)..... | 15 |
| 1119267-02 - MW-11-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 16 |
| Water Analysis (General Chemistry)..... | 17 |
| Water Analysis (Metals)..... | 18 |
| 1119267-03 - MW-7-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 19 |
| Water Analysis (General Chemistry)..... | 20 |
| Water Analysis (Metals)..... | 21 |
| 1119267-04 - MW-8-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 22 |
| Water Analysis (General Chemistry)..... | 23 |
| Water Analysis (Metals)..... | 24 |
| 1119267-05 - MW-5-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 25 |
| Water Analysis (General Chemistry)..... | 26 |
| Water Analysis (Metals)..... | 27 |
| 1119267-06 - MW-6-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 28 |
| Water Analysis (General Chemistry)..... | 29 |
| Water Analysis (Metals)..... | 30 |
| 1119267-07 - MW-1-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 31 |
| Water Analysis (General Chemistry)..... | 32 |
| Water Analysis (Metals)..... | 33 |
| 1119267-08 - MW-1AR-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 34 |
| Water Analysis (General Chemistry)..... | 35 |
| Water Analysis (Metals)..... | 36 |
| 1119267-09 - MW-1BR-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 37 |
| Water Analysis (General Chemistry)..... | 38 |
| Water Analysis (Metals)..... | 39 |
| 1119267-10 - MW-10-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 40 |
| Water Analysis (General Chemistry)..... | 41 |
| Water Analysis (Metals)..... | 42 |
| 1119267-11 - MW-3-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 43 |
| Water Analysis (General Chemistry)..... | 44 |
| 1119267-12 - MW-4-W-111121 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 45 |
| Water Analysis (General Chemistry)..... | 46 |

Quality Control Reports

Volatile Organic Analysis (EPA Method 8260)

| | |
|--------------------------------|----|
| Method Blank Analysis..... | 47 |
| Laboratory Control Sample..... | 48 |



Table of Contents

| | |
|---|----|
| Precision and Accuracy..... | 49 |
| Water Analysis (General Chemistry) | |
| Method Blank Analysis..... | 50 |
| Laboratory Control Sample..... | 51 |
| Precision and Accuracy..... | 52 |
| Water Analysis (Metals) | |
| Method Blank Analysis..... | 53 |
| Laboratory Control Sample..... | 54 |
| Precision and Accuracy..... | 55 |
| Notes | |
| Notes and Definitions..... | 56 |



CHAIN OF CUSTODY FORM
 Union Oil Company of California ■ 6101 Bollinger Canyon Road ■ San Ramon, CA 94583

COC 1 of 1

| Union Oil Site ID: <u>0843</u> | | | | Union Oil Consultant: <u>Arcadis</u> | | | | ANALYSES REQUIRED | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--------|-----|---------------|---|-----------------|-----|---------|------|---------|-----|----------------------|----|---------|---------------------|--------------------|-----------------|------------|-------------|----------|----------------|
| Site Global ID: <u>T0600102263</u> | | | | Consultant Contact: <u>Kathy Brandt</u> | | | | Turnaround Time (TAT): Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> Special Instructions Notes / Comments | | | | | | | | | | | | | | | | |
| Site Address: <u>1629 Webster St.</u> <u>Alameda, CA</u> | | | | Consultant Phone No.: <u>510 596-9675</u> | | | | | | | | | | | | | | | | | | | | |
| Union Oil PM: <u>Roya Kambin</u> | | | | Sampling Company: <u>TRC</u> | | | | | | | | | | | | | | | | | | | | |
| Union Oil PM Phone No.: <u>925 790 6270</u> | | | | Sampled By (PRINT): <u>Andrew Velizus</u> | | | | | | | | | | | | | | | | | | | | |
| Charge Code: <u>NWRB-0 351849 -0- LAB</u> | | | | Sampler Signature: | | | | ORP by ASTM D1942 TPH - G by GOMS (C6-C12) BTEX/MBEOXYS by EPA 8260B Ethanol by EPA 8260B, EPB/EDC by 8260B TOC by 415.1 SPECIFIC CONDUCTANCE by 120.1, DO by SM4500-0 SOLUBLE by 300.0, nitrate by 300.0, Dissolved Manganese by 200.8 Dissolved Vanadium by 200.8 Total Manganese by 200.8 Total Iron by 3500 FE+D, Vanadium by 200.8 Chromium VI by 7196, Chromium by 6010 Total Chromium by 6010 | | | | | | | | | | | | | | | | |
| This is a LEGAL document. ALL fields must be filled out CORRECTLY and COMPLETELY. <u>11-19267</u> | | | | BC Laboratories, Inc. Project Manager: <u>Molly Meyers</u> 4100 Atlas Court, Bakersfield, CA 93308 Phone No. 661-327-4911 | | | | | | | | | | | | | | | | | | | | |
| SAMPLE ID | | | | Field Point Name | Matrix | DTW | Date (yymmdd) | Sample Time | # of Containers | ORP | TPH - G | BTEX | Ethanol | TOC | SPECIFIC CONDUCTANCE | DO | SOLUBLE | Dissolved Manganese | Dissolved Vanadium | Total Manganese | Total Iron | Chromium VI | Chromium | Total Chromium |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Mw-9 | W-S-A | | 11/12/11 | 0740 | 9 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| | | | | Mw-11 | W-S-A | | | 0805 | | | | | | | | | | | | | | | | |
| | | | | Mw-7 | W-S-A | | | 0856 | | | | | | | | | | | | | | | | |
| | | | | Mw-8 | W-S-A | | | 0905 | | | | | | | | | | | | | | | | |
| | | | | Mw-5 | W-S-A | | | 0937 | 8 | | | | | | | | | | | | | | | |
| | | | | Mw-6 | W-S-A | | | 1019 | 8 | | | | | | | | | | | | | | | |
| | | | | Mw-1 | W-S-A | | | 0825 | 9 | | | | | | | | | | | | | | | |
| | | | | Mw-1AR | W-S-A | | | 0845 | | | | | | | | | | | | | | | | |
| | | | | Mw-1BR | W-S-A | | | 0900 | | | | | | | | | | | | | | | | |
| | | | | Mw-10 | W-S-A | | | 0955 | | | | | | | | | | | | | | | | |
| | | | | Mw-3 | W-S-A | | | 1030 | 6 | | | | | | | | | | | | | | | |
| | | | | Mw-4 | W-S-A | | | 1100 | 6 | | | | | | | | | | | | | | | |
| Relinquished By <u>[Signature]</u> Company <u>TRC</u> Date / Time: <u>11/21/11</u> | | | | Relinquished By <u>[Signature]</u> Company <u>BC Labs</u> Date / Time: <u>11-21-11 1900</u> | | | | Relinquished By <u>[Signature]</u> Company <u>BC</u> Date / Time: <u>11-21-11 2130</u> | | | | | | | | | | | | | | | | |
| Received By <u>[Signature]</u> Company <u>BC Labs</u> Date / Time: <u>11-21-11 1330</u> | | | | Received By <u>[Signature]</u> Company <u>BC</u> Date / Time: <u>11-21-11 1900</u> | | | | Received By <u>[Signature]</u> Company <u>BC</u> Date / Time: <u>11-21-11 2130</u> | | | | | | | | | | | | | | | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com



BC LABORATORIES INC. SAMPLE RECEIPT FORM Rev. No. 12 06/24/08 Page 1 of 4

Submission #: 11-19267

SHIPPING INFORMATION
 Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER
 Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals Ice Chest Containers None Comments: _____
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received
 YES NO

Emissivity: .98 Container: QTR Thermometer ID: 177 Date/Time 11-21-11
 Temperature: A 2.1 °C / C 2.4 °C Analyst Init BLT 2130

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------------|------------------|------------------|------------------|----|---|---|---|---|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | B | B | B | B | | | | | | |
| PT PE UNPRESERVED | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT INORGANIC CHEMICAL METALS | C | C | C | C | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | | | | | | | |
| PT TOTAL ORGANIC CARBON | D | D | D | | | | | | | |
| PT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PIA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | A3 | A3 | A3 | A3 | | | | | | |
| 40ml VOA VIAL | | | | | | | | | | |
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| QT EPA 508/608/8080 | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT AMBER | | | | | | | | | | |
| 8 OZ. JAR | | | | | | | | | | |
| 32 OZ. JAR | E ₁ F | E ₁ F | E ₁ F | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| FERROUS IRON | G | G | G | G | | | | | | |
| ENCORE | | | | | | | | | | |

CHK BY: MA DISTRIBUTION: MA
 SUB-OUT L

SHORT HOLDING TIME
 NO₂ NO₃ OP SS
 DO Cl₂ BOD MBAS COT

Comments: _____
 Sample Numbering Completed By: MSA Date/Time: 11/22/11 0020
 A = Actual / C = Corrected

X



BC LABORATORIES INC. SAMPLE RECEIPT FORM Rev. No. 12 06/24/08 Page 2 of 4

Submission #: 11-19267

SHIPPING INFORMATION
 Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER
 Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Comments: _____
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received YES NO
 Emissivity: .98 Container: Q+PE Thermometer ID: 177 Date/Time 11-21-11
 Temperature: A 2.1 °C / C 2.4 °C Analyst Init BLT 2130

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------------|----------------|---|---|------|------|--------------------|---|---|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | | | | | B | B | | | | |
| PT PE UNPRESERVED | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | C | C | | | | |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | D | D | D MA HK | | | | |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | |
| PT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PTA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | (| (| (| (| A | B | A | B | (| (|
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| QT EPA 508/608/8080 | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT AMBER | | | | | | | | | | |
| 8 OZ. JAR | | | | E, F | D, E | D, E | | | | |
| 32 OZ. JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| FERROUS IRON | | | | | | | | | | |
| ENCORE | | | | | | | | | | |

Comments: _____
 Sample Numbering Completed By: MA Date/Time: 11/22/11 @ 0200
 A = Actual / C = Corrected [H:\DOCS\WPB0\LAB_DOCS\FORMS\SAMREC2.WPD] 0



BC LABORATORIES INC. SAMPLE RECEIPT FORM Rev. No. 12 06/24/08 Page 3 of 4

Submission #: 11-19267

SHIPPING INFORMATION
 Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER
 Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Comments: _____
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received YES NO
 Emissivity: .98 Container: Q+Pe Thermometer ID: 177 Date/Time 11-21-11
 Temperature: A 2.3 °C / C 2.6 °C Analyst Init BLT 2130

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------------|----------------|---|---|---|---|---|----|----|----|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | | | | | | | B | B | B | |
| PT PE UNPRESERVED | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | C | C | C | |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | | | | D | D | D | |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | |
| PT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PTA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | (|) | (|) | (|) | (|) | (|) |
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| QT EPA 508/608/8080 | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT AMBER | | | | | | | | | | |
| 8 OZ. JAR | | | | | | | GF | GF | GF | |
| 32 OZ. JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | G | G | G | |
| FERROUS IRON | | | | | | | | | | |
| ENCORE | | | | | | | | | | |

Comments: _____
 Sample Numbering Completed By: MA Date/Time: 11/22/11 0800
 A = Actual / C = Corrected (H:\DOCS\IWP80\LAB_DOCS\FORMS\SAMREC2.WPD) Z



BC LABORATORIES INC. SAMPLE RECEIPT FORM Rev. No. 12 06/24/08 Page 4 of 4

Submission #: 119267

SHIPPING INFORMATION
 Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER
 Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals Ice Chest Containers None Comments: _____
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received YES NO
 Emissivity: .98 Container: Q+P Thermometer ID: 177 Date/Time 11-21-11
 Temperature: A 1.4 °C / C 1.7 °C Analyst Init BLI 2130

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | | |
|--------------------------------------|----------------|------|---|---|---|---|---|------|------|------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | B | B | | | | | | | | | B |
| PT PE UNPRESERVED | | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | | | | | C |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | | | | | | | | D |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | | |
| PT TOX | | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | | |
| PTA PHENOLICS | | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | | |
| 40ml VOA VIAL | A, B | A, B | | | | | | A, B | A, B | A, B | A, B |
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | | |
| PT ODOR | | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | | |
| QT EPA 508/608/8080 | | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | | |
| QT AMBER | | | | | | | | | | | |
| 8 OZ. JAR | | | | | | | | | | | |
| 32 OZ. JAR | C, D | C, D | | | | | | | | | E, F |
| SOIL SLEEVE | | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | | G |
| FERROUS IRON | | | | | | | | | | | |
| ENCORE | | | | | | | | | | | |

Comments: _____
 Sample Numbering Completed By: AA Date/Time: 11/22/11 09:20
 A = Actual / C = Corrected

[H:\DOCS\WP801\LAB_DOCS\FORMS\SAMREC2.WPD]



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information |
|------------|---------------------------|
|------------|---------------------------|

| | | |
|-------------------|---|--|
| 1119267-01 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-9-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 07:40 Sample Depth: --- Lab Matrix: Water Sample Type: Water Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-9 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

| | | |
|-------------------|--|---|
| 1119267-02 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-11-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 08:05 Sample Depth: --- Lab Matrix: Water Sample Type: Water Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-11 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|--|---|

| | | |
|-------------------|---|--|
| 1119267-03 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-7-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 08:56 Sample Depth: --- Lab Matrix: Water Sample Type: Water Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information |
|------------|---------------------------|
|------------|---------------------------|

| | | |
|-------------------|---|--|
| 1119267-04 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-8-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 09:05 Sample Depth: --- Lab Matrix: Water Sample Type: Water Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-8 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

| | | |
|-------------------|---|--|
| 1119267-05 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-5-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 09:37 Sample Depth: --- Lab Matrix: Water Sample Type: Water Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-5 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

| | | |
|-------------------|---|--|
| 1119267-06 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-6-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 10:19 Sample Depth: --- Lab Matrix: Water Sample Type: Water Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | |
|---------------------------|---------------------------|--------------------|--|
| 1119267-07 | COC Number: | --- | Receive Date: 11/21/2011 21:30 |
| | Project Number: | 0843 | Sampling Date: 11/21/2011 08:25 |
| | Sampling Location: | --- | Sample Depth: --- |
| | Sampling Point: | MW-1-W-111121 | Lab Matrix: Water |
| | Sampled By: | TRCI | Sample Type: Water |
| | | | Metal Analysis: 2-Lab Filtered and Acidified |
| | | | Delivery Work Order: |
| | | | Global ID: T0600102263 |
| | | | Location ID (FieldPoint): MW-1 |
| | | | Matrix: W |
| | | | Sample QC Type (SACode): CS |
| | | | Cooler ID: |
| | 1119267-08 | COC Number: | --- |
| Project Number: | | 0843 | Sampling Date: 11/21/2011 08:45 |
| Sampling Location: | | --- | Sample Depth: --- |
| Sampling Point: | | MW-1AR-W-111121 | Lab Matrix: Water |
| Sampled By: | | TRCI | Sample Type: Water |
| | | | Metal Analysis: 2-Lab Filtered and Acidified |
| | | | Delivery Work Order: |
| | | | Global ID: T0600102263 |
| | | | Location ID (FieldPoint): MW-1AR |
| | | | Matrix: W |
| | | | Sample QC Type (SACode): CS |
| | | | Cooler ID: |
| 1119267-09 | | COC Number: | --- |
| | Project Number: | 0843 | Sampling Date: 11/21/2011 09:00 |
| | Sampling Location: | --- | Sample Depth: --- |
| | Sampling Point: | MW-1BR-W-111121 | Lab Matrix: Water |
| | Sampled By: | TRCI | Sample Type: Water |
| | | | Metal Analysis: 2-Lab Filtered and Acidified |
| | | | Delivery Work Order: |
| | | | Global ID: T0600102263 |
| | | | Location ID (FieldPoint): MW-1BR |
| | | | Matrix: W |
| | | | Sample QC Type (SACode): CS |
| | | | Cooler ID: |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information |
|------------|---------------------------|
|------------|---------------------------|

| | | |
|-------------------|--|---|
| 1119267-10 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-10-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 09:55 Sample Depth: --- Lab Matrix: Water Sample Type: Water Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-10 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|--|---|

| | | |
|-------------------|---|--|
| 1119267-11 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-3-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 10:30 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-3 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

| | | |
|-------------------|---|--|
| 1119267-12 | COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-4-W-111121 Sampled By: TRCI | Receive Date: 11/21/2011 21:30 Sampling Date: 11/21/2011 11:00 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-4 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-01 | Client Sample Name: 0843, MW-9-W-111121, 11/21/2011 7:40:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|---|-----------|-------------|----------------------|-----------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 44 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | ND | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 103 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 96.0 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 97.5 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 03:21 | JMC | MS-V10 | 1 | BUL0012 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-01 | Client Sample Name: 0843, MW-9-W-111121, 11/21/2011 7:40:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|-------------|---------|-----------|-------|
| Nitrate as NO3 | 16 | mg/L | 0.44 | EPA-300.0 | ND | | 1 |
| Sulfate | 38 | mg/L | 1.0 | EPA-300.0 | ND | | 1 |
| Electrical Conductivity @ 25 C | 648 | umhos/cm | 1.00 | EPA-120.1 | | | 2 |
| Iron (II) Species | ND | ug/L | 100 | SM-3500-FeD | ND | | 3 |
| Non-Volatile Organic Carbon | 1.9 | mg/L | 0.30 | EPA-415.1 | ND | | 4 |
| Dissolved Oxygen | 7.5 | mg O/L | 0.50 | SM-4500OG | | S05 | 5 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 271.1 | mV | -1000 | ASTM-D1498 | | | 6 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-300.0 | 11/22/11 | 11/22/11 12:31 | LD1 | IC2 | 1 | BUK1705 |
| 2 | EPA-120.1 | 12/05/11 | 12/05/11 14:33 | RML | MET-1 | 1 | BUL0222 |
| 3 | SM-3500-FeD | 11/22/11 | 11/22/11 05:30 | MSA | SPEC05 | 1 | BUK2115 |
| 4 | EPA-415.1 | 12/05/11 | 12/05/11 17:31 | CDR | TOC2 | 1 | BUL0243 |
| 5 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 6 | ASTM-D1498 | 11/29/11 | 11/29/11 15:59 | RLP | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-01 | Client Sample Name: 0843, MW-9-W-111121, 11/21/2011 7:40:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|------------------------------------|------------|-------------|------------|------------------|---------|-----------|-------|
| Hexavalent Chromium | 3.8 | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Dissolved Manganese | 9.5 | ug/L | 1.0 | EPA-200.8 | ND | | 3 |
| Dissolved Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 3 |
| Total Chromium | 83 | ug/L | 10 | EPA-6010B | ND | | 4 |
| Total Recoverable Manganese | 880 | ug/L | 1.0 | EPA-200.8 | ND | | 5 |
| Total Recoverable Vanadium | 33 | ug/L | 3.0 | EPA-200.8 | ND | | 5 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:28 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:45 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-200.8 | 11/23/11 | 12/02/11 04:33 | PPS | PE-EL1 | 1 | BUK1992 |
| 4 | EPA-6010B | 11/30/11 | 12/01/11 06:56 | ARD | PE-OP1 | 1 | BUK2038 |
| 5 | EPA-200.8 | 11/30/11 | 12/01/11 23:20 | PPS | PE-EL1 | 1 | BUK2034 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-02 | Client Sample Name: 0843, MW-11-W-111121, 11/21/2011 8:05:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|-------------|-------------|----------------------|-------------------|---------|------------|----------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 2100 | ug/L | 100 | EPA-8260 | ND | A01 | 2 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | 2.1 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | 270 | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | 850 | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 105 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 102 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 2 |
| Toluene-d8 (Surrogate) | 98.3 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 98.6 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 2 |
| 4-Bromofluorobenzene (Surrogate) | 101 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 102 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 2 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 03:03 | JMC | MS-V10 | 1 | BUL0012 |
| 2 | EPA-8260 | 11/30/11 | 12/01/11 18:07 | JMC | MS-V10 | 200 | BUL0012 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-02 | Client Sample Name: 0843, MW-11-W-111121, 11/21/2011 8:05:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|-------------|---------|-----------|-------|
| Nitrate as NO3 | 6.6 | mg/L | 0.44 | EPA-300.0 | ND | | 1 |
| Sulfate | 26 | mg/L | 1.0 | EPA-300.0 | ND | | 1 |
| Electrical Conductivity @ 25 C | 731 | umhos/cm | 1.00 | EPA-120.1 | | | 2 |
| Iron (II) Species | ND | ug/L | 100 | SM-3500-FeD | ND | | 3 |
| Non-Volatile Organic Carbon | 2.5 | mg/L | 0.30 | EPA-415.1 | ND | | 4 |
| Dissolved Oxygen | 7.0 | mg O/L | 0.50 | SM-4500OG | | S05 | 5 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 240.2 | mV | -1000 | ASTM-D1498 | | | 6 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-300.0 | 11/22/11 | 11/22/11 13:25 | LD1 | IC2 | 1 | BUK1705 |
| 2 | EPA-120.1 | 12/05/11 | 12/05/11 14:34 | RML | MET-1 | 1 | BUL0222 |
| 3 | SM-3500-FeD | 11/22/11 | 11/22/11 05:30 | MSA | SPEC05 | 1 | BUK2115 |
| 4 | EPA-415.1 | 12/05/11 | 12/05/11 18:24 | CDR | TOC2 | 1 | BUL0243 |
| 5 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 6 | ASTM-D1498 | 11/29/11 | 11/29/11 16:09 | RLP | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-02 | Client Sample Name: 0843, MW-11-W-111121, 11/21/2011 8:05:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|------------------------------------|------------|-------------|------------|------------------|---------|-----------|----------|
| Hexavalent Chromium | ND | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Dissolved Manganese | 370 | ug/L | 1.0 | EPA-200.8 | ND | | 3 |
| Dissolved Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 3 |
| Total Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 4 |
| Total Recoverable Manganese | 950 | ug/L | 1.0 | EPA-200.8 | ND | | 5 |
| Total Recoverable Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 5 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:28 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:47 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-200.8 | 11/23/11 | 12/02/11 04:36 | PPS | PE-EL1 | 1 | BUK1992 |
| 4 | EPA-6010B | 11/30/11 | 12/01/11 06:58 | ARD | PE-OP1 | 1 | BUK2038 |
| 5 | EPA-200.8 | 11/30/11 | 12/01/11 23:23 | PPS | PE-EL1 | 1 | BUK2034 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-03 | Client Sample Name: 0843, MW-7-W-111121, 11/21/2011 8:56:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|-------------|-------------|----------------------|-------------------|---------|------------|----------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 5900 | ug/L | 250 | EPA-8260 | ND | A01 | 2 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | 6.4 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | 2200 | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | 1400 | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 102 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 105 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 2 |
| Toluene-d8 (Surrogate) | 95.7 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 99.9 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 2 |
| 4-Bromofluorobenzene (Surrogate) | 99.5 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 99.4 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 2 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 02:45 | JMC | MS-V10 | 1 | BUL0012 |
| 2 | EPA-8260 | 11/30/11 | 12/01/11 17:49 | JMC | MS-V10 | 500 | BUL0012 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-03 | Client Sample Name: 0843, MW-7-W-111121, 11/21/2011 8:56:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|-------------|---------|-----------|-------|
| Nitrate as NO3 | 3.6 | mg/L | 0.44 | EPA-300.0 | ND | | 1 |
| Sulfate | 41 | mg/L | 1.0 | EPA-300.0 | ND | | 1 |
| Electrical Conductivity @ 25 C | 672 | umhos/cm | 1.00 | EPA-120.1 | | | 2 |
| Iron (II) Species | 2800 | ug/L | 100 | SM-3500-FeD | ND | | 3 |
| Non-Volatile Organic Carbon | 3.9 | mg/L | 0.30 | EPA-415.1 | ND | | 4 |
| Dissolved Oxygen | 7.6 | mg O/L | 0.50 | SM-4500OG | | S05 | 5 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 273.9 | mV | -1000 | ASTM-D1498 | | | 6 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-300.0 | 11/22/11 | 11/22/11 13:39 | LD1 | IC2 | 1 | BUK1705 |
| 2 | EPA-120.1 | 12/05/11 | 12/05/11 14:40 | RML | MET-1 | 1 | BUL0222 |
| 3 | SM-3500-FeD | 11/22/11 | 11/22/11 05:30 | MSA | SPEC05 | 1 | BUK2115 |
| 4 | EPA-415.1 | 12/05/11 | 12/05/11 18:37 | CDR | TOC2 | 1 | BUL0243 |
| 5 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 6 | ASTM-D1498 | 11/29/11 | 11/29/11 16:20 | RLP | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-03 | Client Sample Name: 0843, MW-7-W-111121, 11/21/2011 8:56:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|------------------------------------|------------|-------------|------------|------------------|---------|-----------|-------|
| Hexavalent Chromium | ND | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Dissolved Manganese | 670 | ug/L | 1.0 | EPA-200.8 | ND | | 3 |
| Dissolved Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 3 |
| Total Chromium | 59 | ug/L | 10 | EPA-6010B | ND | | 4 |
| Total Recoverable Manganese | 790 | ug/L | 1.0 | EPA-200.8 | ND | | 5 |
| Total Recoverable Vanadium | 33 | ug/L | 3.0 | EPA-200.8 | ND | | 5 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:28 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:49 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-200.8 | 11/23/11 | 12/02/11 04:45 | PPS | PE-EL1 | 1 | BUK1992 |
| 4 | EPA-6010B | 11/30/11 | 12/01/11 06:59 | ARD | PE-OP1 | 1 | BUK2038 |
| 5 | EPA-200.8 | 11/30/11 | 12/01/11 23:33 | PPS | PE-EL1 | 1 | BUK2034 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-04 | Client Sample Name: 0843, MW-8-W-111121, 11/21/2011 9:05:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|-------------|-------------|----------------------|-------------------|---------|------------|----------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 2500 | ug/L | 100 | EPA-8260 | ND | A01 | 2 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | 2.6 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | 250 | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | 900 | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 102 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 102 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 2 |
| Toluene-d8 (Surrogate) | 98.0 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 99.3 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 2 |
| 4-Bromofluorobenzene (Surrogate) | 98.7 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 100 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 2 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 02:27 | JMC | MS-V10 | 1 | BUL0012 |
| 2 | EPA-8260 | 11/30/11 | 12/01/11 17:31 | JMC | MS-V10 | 200 | BUL0012 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-04 | Client Sample Name: 0843, MW-8-W-111121, 11/21/2011 9:05:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|-------------|---------|-----------|-------|
| Nitrate as NO3 | 5.3 | mg/L | 0.44 | EPA-300.0 | ND | | 1 |
| Sulfate | 48 | mg/L | 1.0 | EPA-300.0 | ND | | 1 |
| Electrical Conductivity @ 25 C | 594 | umhos/cm | 1.00 | EPA-120.1 | | | 2 |
| Iron (II) Species | 530 | ug/L | 100 | SM-3500-FeD | ND | | 3 |
| Non-Volatile Organic Carbon | 3.4 | mg/L | 0.30 | EPA-415.1 | ND | | 4 |
| Dissolved Oxygen | 8.5 | mg O/L | 0.50 | SM-4500OG | | S05 | 5 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 283.9 | mV | -1000 | ASTM-D1498 | | | 6 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-300.0 | 11/22/11 | 11/22/11 13:52 | LD1 | IC2 | 1 | BUK1705 |
| 2 | EPA-120.1 | 12/05/11 | 12/05/11 14:46 | RML | MET-1 | 1 | BUL0222 |
| 3 | SM-3500-FeD | 11/22/11 | 11/22/11 05:30 | MSA | SPEC05 | 1 | BUK2115 |
| 4 | EPA-415.1 | 12/05/11 | 12/05/11 18:50 | CDR | TOC2 | 1 | BUL0243 |
| 5 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 6 | ASTM-D1498 | 11/29/11 | 11/29/11 16:24 | RLP | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-04 | Client Sample Name: 0843, MW-8-W-111121, 11/21/2011 9:05:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|------------------------------------|------------|-------------|------------|------------------|---------|-----------|-------|
| Hexavalent Chromium | ND | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Dissolved Manganese | 660 | ug/L | 1.0 | EPA-200.8 | ND | | 3 |
| Dissolved Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 3 |
| Total Chromium | 30 | ug/L | 10 | EPA-6010B | ND | | 4 |
| Total Recoverable Manganese | 780 | ug/L | 1.0 | EPA-200.8 | ND | | 5 |
| Total Recoverable Vanadium | 13 | ug/L | 3.0 | EPA-200.8 | ND | | 5 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:28 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:50 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-200.8 | 11/23/11 | 12/02/11 04:48 | PPS | PE-EL1 | 1 | BUK1992 |
| 4 | EPA-6010B | 11/30/11 | 12/01/11 07:01 | ARD | PE-OP1 | 1 | BUK2038 |
| 5 | EPA-200.8 | 11/30/11 | 12/01/11 23:36 | PPS | PE-EL1 | 1 | BUK2034 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-05 | Client Sample Name: 0843, MW-5-W-111121, 11/21/2011 9:37:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|---|------------|-------------|----------------------|-----------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 1.2 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | ND | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 102 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 93.8 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 99.8 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 02:09 | JMC | MS-V10 | 1 | BUL0012 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-05 | Client Sample Name: 0843, MW-5-W-111121, 11/21/2011 9:37:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|------------|---------|-----------|-------|
| Electrical Conductivity @ 25 C | 610 | umhos/cm | 1.00 | EPA-120.1 | | | 1 |
| Dissolved Oxygen | 7.7 | mg O/L | 0.50 | SM-4500OG | | S05 | 2 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 297.7 | mV | -1000 | ASTM-D1498 | | | 3 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-120.1 | 12/05/11 | 12/05/11 14:51 | RML | MET-1 | 1 | BUL0222 |
| 2 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 3 | ASTM-D1498 | 11/29/11 | 11/29/11 16:28 | RPL | MET-1 | 1 | BUK2100 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-05 | Client Sample Name: 0843, MW-5-W-111121, 11/21/2011 9:37:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------|------------|-------------|-----------|------------------|---------|-----------|----------|
| Hexavalent Chromium | ND | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Total Chromium | 160 | ug/L | 10 | EPA-6010B | ND | | 3 |

| Run # | Method | Prep Date | Run | | Instrument | Dilution | QC |
|-------|-----------|-----------|----------------|---------|------------|----------|----------|
| | | | Date/Time | Analyst | | | Batch ID |
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:28 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:52 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-6010B | 11/30/11 | 12/01/11 07:08 | ARD | PE-OP1 | 1 | BUK2038 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-06 | Client Sample Name: 0843, MW-6-W-111121, 11/21/2011 10:19:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|-----------|-------------|----------------------|-------------------|---------|------------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 86 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | 55 | ug/L | 50 | Luft-GC/MS | ND | A90 | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 104 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 93.6 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 100 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 01:52 | JMC | MS-V10 | 1 | BUL0012 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-06 | Client Sample Name: 0843, MW-6-W-111121, 11/21/2011 10:19:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|------------|---------|-----------|-------|
| Electrical Conductivity @ 25 C | 522 | umhos/cm | 1.00 | EPA-120.1 | | | 1 |
| Dissolved Oxygen | 8.1 | mg O/L | 0.50 | SM-4500OG | | S05 | 2 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 300.6 | mV | -1000 | ASTM-D1498 | | | 3 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-120.1 | 12/05/11 | 12/05/11 14:57 | RML | MET-1 | 1 | BUL0222 |
| 2 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 3 | ASTM-D1498 | 11/29/11 | 11/29/11 17:53 | RPL | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-06 | Client Sample Name: 0843, MW-6-W-111121, 11/21/2011 10:19:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------|-----------|-------------|-----------|------------------|---------|-----------|----------|
| Hexavalent Chromium | ND | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Total Chromium | 40 | ug/L | 10 | EPA-6010B | ND | | 3 |

| Run # | Method | Prep Date | Run | | Instrument | Dilution | QC |
|-------|-----------|-----------|----------------|---------|------------|----------|----------|
| | | | Date/Time | Analyst | | | Batch ID |
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:28 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:54 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-6010B | 11/30/11 | 12/01/11 07:09 | ARD | PE-OP1 | 1 | BUK2038 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-07 | Client Sample Name: 0843, MW-1-W-111121, 11/21/2011 8:25:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|------------|-------------|----------------------|-------------------|---------|------------|----------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 130 | ug/L | 1.0 | EPA-8260 | ND | A01 | 2 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | 85 | ug/L | 50 | Luft-GC/MS | ND | A90 | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 103 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 103 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 2 |
| Toluene-d8 (Surrogate) | 88.9 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 89.6 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 2 |
| 4-Bromofluorobenzene (Surrogate) | 96.7 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 101 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 2 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 01:34 | JMC | MS-V10 | 1 | BUL0012 |
| 2 | EPA-8260 | 11/30/11 | 12/01/11 17:13 | JMC | MS-V10 | 2 | BUL0012 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-07 | Client Sample Name: 0843, MW-1-W-111121, 11/21/2011 8:25:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|-------------|---------|-----------|-------|
| Nitrate as NO3 | 16 | mg/L | 0.44 | EPA-300.0 | ND | | 1 |
| Sulfate | 23 | mg/L | 1.0 | EPA-300.0 | ND | | 1 |
| Electrical Conductivity @ 25 C | 389 | umhos/cm | 1.00 | EPA-120.1 | | | 2 |
| Iron (II) Species | ND | ug/L | 100 | SM-3500-FeD | ND | | 3 |
| Non-Volatile Organic Carbon | 1.1 | mg/L | 0.30 | EPA-415.1 | ND | | 4 |
| Dissolved Oxygen | 9.1 | mg O/L | 0.50 | SM-4500OG | | S05 | 5 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 310.6 | mV | -1000 | ASTM-D1498 | | | 6 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-300.0 | 11/22/11 | 11/22/11 14:06 | LD1 | IC2 | 1 | BUK1705 |
| 2 | EPA-120.1 | 12/05/11 | 12/05/11 15:03 | RML | MET-1 | 1 | BUL0222 |
| 3 | SM-3500-FeD | 11/22/11 | 11/22/11 05:30 | MSA | SPEC05 | 1 | BUK2115 |
| 4 | EPA-415.1 | 12/05/11 | 12/05/11 19:30 | CDR | TOC2 | 1 | BUL0243 |
| 5 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 6 | ASTM-D1498 | 11/29/11 | 11/29/11 16:35 | RLP | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-07 | Client Sample Name: 0843, MW-1-W-111121, 11/21/2011 8:25:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|------------------------------------|-------------|-------------|------------|------------------|---------|-----------|----------|
| Hexavalent Chromium | ND | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Dissolved Manganese | ND | ug/L | 1.0 | EPA-200.8 | ND | | 3 |
| Dissolved Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 3 |
| Total Chromium | 220 | ug/L | 10 | EPA-6010B | ND | | 4 |
| Total Recoverable Manganese | 1100 | ug/L | 1.0 | EPA-200.8 | ND | | 5 |
| Total Recoverable Vanadium | 78 | ug/L | 3.0 | EPA-200.8 | ND | | 5 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:32 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:55 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-200.8 | 11/23/11 | 12/02/11 04:51 | PPS | PE-EL1 | 1 | BUK1992 |
| 4 | EPA-6010B | 11/30/11 | 12/01/11 07:11 | ARD | PE-OP1 | 1 | BUK2038 |
| 5 | EPA-200.8 | 11/30/11 | 12/01/11 23:39 | PPS | PE-EL1 | 1 | BUK2034 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-08 | Client Sample Name: 0843, MW-1AR-W-111121, 11/21/2011 8:45:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|---|-----------|-------------|----------------------|-----------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 22 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | ND | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 103 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 98.3 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 98.3 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 01:16 | JMC | MS-V10 | 1 | BUL0012 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-08 | Client Sample Name: 0843, MW-1AR-W-111121, 11/21/2011 8:45:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|-------------|---------|-----------|-------|
| Nitrate as NO3 | 20 | mg/L | 0.44 | EPA-300.0 | ND | | 1 |
| Sulfate | 28 | mg/L | 1.0 | EPA-300.0 | ND | | 1 |
| Electrical Conductivity @ 25 C | 415 | umhos/cm | 1.00 | EPA-120.1 | | | 2 |
| Iron (II) Species | ND | ug/L | 100 | SM-3500-FeD | ND | | 3 |
| Non-Volatile Organic Carbon | 1.4 | mg/L | 0.30 | EPA-415.1 | ND | | 4 |
| Dissolved Oxygen | 7.5 | mg O/L | 0.50 | SM-4500OG | | S05 | 5 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 305.8 | mV | -1000 | ASTM-D1498 | | | 6 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-300.0 | 11/22/11 | 11/22/11 14:47 | AKB | IC2 | 1 | BUK1705 |
| 2 | EPA-120.1 | 12/05/11 | 12/05/11 15:08 | RML | MET-1 | 1 | BUL0222 |
| 3 | SM-3500-FeD | 11/22/11 | 11/22/11 05:30 | MSA | SPEC05 | 1 | BUK2115 |
| 4 | EPA-415.1 | 12/05/11 | 12/05/11 19:44 | CDR | TOC2 | 1 | BUL0243 |
| 5 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 6 | ASTM-D1498 | 11/29/11 | 11/29/11 17:57 | RLP | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| BCL Sample ID: 1119267-08 | Client Sample Name: 0843, MW-1AR-W-111121, 11/21/2011 8:45:00AM | | | | | | |
|------------------------------------|--|-------------|------------|------------------|---------|-----------|----------|
| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
| Hexavalent Chromium | ND | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Dissolved Manganese | 71 | ug/L | 1.0 | EPA-200.8 | ND | | 3 |
| Dissolved Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 3 |
| Total Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 4 |
| Total Recoverable Manganese | 220 | ug/L | 1.0 | EPA-200.8 | ND | | 5 |
| Total Recoverable Vanadium | 3.4 | ug/L | 3.0 | EPA-200.8 | ND | | 5 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:32 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:57 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-200.8 | 11/23/11 | 12/02/11 04:54 | PPS | PE-EL1 | 1 | BUK1992 |
| 4 | EPA-6010B | 11/30/11 | 12/01/11 07:12 | ARD | PE-OP1 | 1 | BUK2038 |
| 5 | EPA-200.8 | 11/30/11 | 12/01/11 23:42 | PPS | PE-EL1 | 1 | BUK2034 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-09 | Client Sample Name: 0843, MW-1BR-W-111121, 11/21/2011 9:00:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|---|-----------|-------------|----------------------|-----------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 34 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | ND | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 103 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 97.6 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 97.9 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 00:58 | JMC | MS-V10 | 1 | BUL0012 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-09 | Client Sample Name: 0843, MW-1BR-W-111121, 11/21/2011 9:00:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|-------------|---------|-----------|-------|
| Nitrate as NO3 | 28 | mg/L | 0.44 | EPA-300.0 | ND | | 1 |
| Sulfate | 25 | mg/L | 1.0 | EPA-300.0 | ND | | 1 |
| Electrical Conductivity @ 25 C | 446 | umhos/cm | 1.00 | EPA-120.1 | | | 2 |
| Iron (II) Species | ND | ug/L | 100 | SM-3500-FeD | ND | | 3 |
| Non-Volatile Organic Carbon | 1.2 | mg/L | 0.30 | EPA-415.1 | ND | | 4 |
| Dissolved Oxygen | 8.4 | mg O/L | 0.50 | SM-4500OG | | S05 | 5 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 316.9 | mV | -1000 | ASTM-D1498 | | | 6 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-300.0 | 11/22/11 | 11/22/11 15:01 | AKB | IC2 | 1 | BUK1705 |
| 2 | EPA-120.1 | 12/05/11 | 12/05/11 15:14 | RML | MET-1 | 1 | BUL0222 |
| 3 | SM-3500-FeD | 11/22/11 | 11/22/11 05:30 | MSA | SPEC05 | 1 | BUK2116 |
| 4 | EPA-415.1 | 12/05/11 | 12/05/11 19:57 | CDR | TOC2 | 1 | BUL0243 |
| 5 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 6 | ASTM-D1498 | 11/29/11 | 11/29/11 16:43 | RLP | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| | |
|----------------------------------|--|
| BCL Sample ID: 1119267-09 | Client Sample Name: 0843, MW-1BR-W-111121, 11/21/2011 9:00:00AM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|------------------------------------|------------|-------------|------------|------------------|---------|-----------|----------|
| Hexavalent Chromium | ND | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Dissolved Manganese | 26 | ug/L | 1.0 | EPA-200.8 | ND | | 3 |
| Dissolved Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 3 |
| Total Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 4 |
| Total Recoverable Manganese | 120 | ug/L | 1.0 | EPA-200.8 | ND | | 5 |
| Total Recoverable Vanadium | 4.4 | ug/L | 3.0 | EPA-200.8 | ND | | 5 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:32 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 10:59 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-200.8 | 11/23/11 | 12/02/11 04:57 | PPS | PE-EL1 | 1 | BUK1992 |
| 4 | EPA-6010B | 11/30/11 | 12/01/11 07:14 | ARD | PE-OP1 | 1 | BUK2038 |
| 5 | EPA-200.8 | 11/30/11 | 12/01/11 23:45 | PPS | PE-EL1 | 1 | BUK2034 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-10 | Client Sample Name: 0843, MW-10-W-111121, 11/21/2011 9:55:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|---|------------|-------------|----------------------|-----------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 1.4 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | ND | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 104 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 96.5 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 102 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 00:40 | JMC | MS-V10 | 1 | BUL0011 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-10 | Client Sample Name: 0843, MW-10-W-111121, 11/21/2011 9:55:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|-------------|---------|-----------|-------|
| Nitrate as NO3 | 19 | mg/L | 0.44 | EPA-300.0 | ND | | 1 |
| Sulfate | 30 | mg/L | 1.0 | EPA-300.0 | ND | | 1 |
| Electrical Conductivity @ 25 C | 446 | umhos/cm | 1.00 | EPA-120.1 | | | 2 |
| Iron (II) Species | ND | ug/L | 100 | SM-3500-FeD | ND | | 3 |
| Non-Volatile Organic Carbon | 1.3 | mg/L | 0.30 | EPA-415.1 | ND | | 4 |
| Dissolved Oxygen | 9.1 | mg O/L | 0.50 | SM-4500OG | | S05 | 5 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 319.1 | mV | -1000 | ASTM-D1498 | | | 6 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-300.0 | 11/22/11 | 11/22/11 15:14 | AKB | IC2 | 1 | BUK1705 |
| 2 | EPA-120.1 | 12/05/11 | 12/05/11 15:40 | RML | MET-1 | 1 | BUL0223 |
| 3 | SM-3500-FeD | 11/22/11 | 11/22/11 05:30 | MSA | SPEC05 | 1 | BUK2116 |
| 4 | EPA-415.1 | 12/05/11 | 12/05/11 20:10 | CDR | TOC2 | 1 | BUL0243 |
| 5 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1822 |
| 6 | ASTM-D1498 | 11/29/11 | 11/29/11 16:47 | RLP | MET-1 | 1 | BUK2100 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

| BCL Sample ID: 1119267-10 | Client Sample Name: 0843, MW-10-W-111121, 11/21/2011 9:55:00AM | | | | | | |
|------------------------------------|---|-------------|------------|------------------|---------|-----------|----------|
| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
| Hexavalent Chromium | 6.4 | ug/L | 2.0 | EPA-7196 | ND | | 1 |
| Dissolved Chromium | ND | ug/L | 10 | EPA-6010B | ND | | 2 |
| Dissolved Manganese | 2.9 | ug/L | 1.0 | EPA-200.8 | ND | | 3 |
| Dissolved Vanadium | ND | ug/L | 3.0 | EPA-200.8 | ND | | 3 |
| Total Chromium | 13 | ug/L | 10 | EPA-6010B | ND | | 4 |
| Total Recoverable Manganese | 92 | ug/L | 1.0 | EPA-200.8 | ND | | 5 |
| Total Recoverable Vanadium | 3.1 | ug/L | 3.0 | EPA-200.8 | ND | | 5 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-7196 | 11/22/11 | 11/22/11 00:21 | AKB | KONE-1 | 1 | BUK1666 |
| 2 | EPA-6010B | 11/23/11 | 11/28/11 11:00 | ARD | PE-OP1 | 1 | BUK1795 |
| 3 | EPA-200.8 | 11/23/11 | 12/02/11 05:00 | PPS | PE-EL1 | 1 | BUK1992 |
| 4 | EPA-6010B | 11/30/11 | 12/01/11 07:15 | ARD | PE-OP1 | 1 | BUK2038 |
| 5 | EPA-200.8 | 11/30/11 | 12/01/11 23:48 | PPS | PE-EL1 | 1 | BUK2034 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-11 | Client Sample Name: 0843, MW-3-W-111121, 11/21/2011 10:30:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|---|--------|-------|----------------------|------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | ND | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 102 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 94.7 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 98.1 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 00:22 | JMC | MS-V10 | 1 | BUL0011 |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-11 | Client Sample Name: 0843, MW-3-W-111121, 11/21/2011 10:30:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|------------|---------|-----------|-------|
| Electrical Conductivity @ 25 C | 620 | umhos/cm | 1.00 | EPA-120.1 | | | 1 |
| Dissolved Oxygen | 6.8 | mg O/L | 0.50 | SM-4500OG | | S05 | 2 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 323.1 | mV | -1000 | ASTM-D1498 | | | 3 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-120.1 | 12/05/11 | 12/05/11 15:52 | RML | MET-1 | 1 | BUL0223 |
| 2 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1823 |
| 3 | ASTM-D1498 | 11/29/11 | 11/29/11 16:51 | RLP | MET-1 | 1 | BUK2104 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-12 | Client Sample Name: 0843, MW-4-W-111121, 11/21/2011 11:00:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|---|--------|-------|----------------------|------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Purgeable Petroleum Hydrocarbons (C6-C12) | ND | ug/L | 50 | Luft-GC/MS | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 100 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 89.1 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 100 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 11/30/11 | 12/01/11 00:04 | JMC | MS-V10 | 1 | BUL0011 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

| | |
|----------------------------------|---|
| BCL Sample ID: 1119267-12 | Client Sample Name: 0843, MW-4-W-111121, 11/21/2011 11:00:00AM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|----------|-------|------------|---------|-----------|-------|
| Electrical Conductivity @ 25 C | 1140 | umhos/cm | 1.00 | EPA-120.1 | | | 1 |
| Dissolved Oxygen | 8.9 | mg O/L | 0.50 | SM-4500OG | | S05 | 2 |
| Oxidation Reduction Potential (Eobs_Ag/AgCl) | 321.8 | mV | -1000 | ASTM-D1498 | | | 3 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-120.1 | 12/05/11 | 12/05/11 15:57 | RML | MET-1 | 1 | BUL0223 |
| 2 | SM-4500OG | 11/22/11 | 11/22/11 07:15 | HPR | YSI-57 | 1 | BUK1823 |
| 3 | ASTM-D1498 | 11/29/11 | 11/29/11 16:59 | RLP | MET-1 | 1 | BUK2104 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

| Constituent | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-------------|--------------|-----------|-------|-----|-----|-----------|
|-------------|--------------|-----------|-------|-----|-----|-----------|

QC Batch ID: BUL0011

| | | | | | | |
|--|--------------|------|------|------|----------------------|--|
| Benzene | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dibromoethane | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dichloroethane | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| Ethylbenzene | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| Toluene | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| Total Xylenes | BUL0011-BLK1 | ND | ug/L | 1.0 | | |
| t-Amyl Methyl ether | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| t-Butyl alcohol | BUL0011-BLK1 | ND | ug/L | 10 | | |
| Diisopropyl ether | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| Ethanol | BUL0011-BLK1 | ND | ug/L | 250 | | |
| Ethyl t-butyl ether | BUL0011-BLK1 | ND | ug/L | 0.50 | | |
| Total Purgeable Petroleum Hydrocarbons (C6-I | BUL0011-BLK1 | ND | ug/L | 50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BUL0011-BLK1 | 102 | % | | 76 - 114 (LCL - UCL) | |
| Toluene-d8 (Surrogate) | BUL0011-BLK1 | 99.1 | % | | 88 - 110 (LCL - UCL) | |
| 4-Bromofluorobenzene (Surrogate) | BUL0011-BLK1 | 103 | % | | 86 - 115 (LCL - UCL) | |

QC Batch ID: BUL0012

| | | | | | | |
|--|--------------|------|------|------|----------------------|--|
| Benzene | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dibromoethane | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dichloroethane | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| Ethylbenzene | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| Toluene | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| Total Xylenes | BUL0012-BLK1 | ND | ug/L | 1.0 | | |
| t-Amyl Methyl ether | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| t-Butyl alcohol | BUL0012-BLK1 | ND | ug/L | 10 | | |
| Diisopropyl ether | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| Ethanol | BUL0012-BLK1 | ND | ug/L | 250 | | |
| Ethyl t-butyl ether | BUL0012-BLK1 | ND | ug/L | 0.50 | | |
| Total Purgeable Petroleum Hydrocarbons (C6-I | BUL0012-BLK1 | ND | ug/L | 50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BUL0012-BLK1 | 103 | % | | 76 - 114 (LCL - UCL) | |
| Toluene-d8 (Surrogate) | BUL0012-BLK1 | 99.0 | % | | 88 - 110 (LCL - UCL) | |
| 4-Bromofluorobenzene (Surrogate) | BUL0012-BLK1 | 101 | % | | 86 - 115 (LCL - UCL) | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

| Constituent | QC Sample ID | Type | Result | Spike Level | Units | Percent Recovery | RPD | Control Limits | | Lab Quals |
|-----------------------------------|--------------|------|--------|-------------|-------|------------------|-----|------------------|-----|--------------|
| | | | | | | | | Percent Recovery | RPD | |
| QC Batch ID: BUL0011 | | | | | | | | | | |
| Benzene | BUL0011-BS1 | LCS | 25.880 | 25.000 | ug/L | 104 | | 70 - 130 | | |
| Toluene | BUL0011-BS1 | LCS | 27.820 | 25.000 | ug/L | 111 | | 70 - 130 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BUL0011-BS1 | LCS | 9.8600 | 10.000 | ug/L | 98.6 | | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BUL0011-BS1 | LCS | 10.060 | 10.000 | ug/L | 101 | | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BUL0011-BS1 | LCS | 10.150 | 10.000 | ug/L | 102 | | 86 - 115 | | |
| QC Batch ID: BUL0012 | | | | | | | | | | |
| Benzene | BUL0012-BS1 | LCS | 23.310 | 25.000 | ug/L | 93.2 | | 70 - 130 | | |
| Toluene | BUL0012-BS1 | LCS | 24.790 | 25.000 | ug/L | 99.2 | | 70 - 130 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BUL0012-BS1 | LCS | 10.180 | 10.000 | ug/L | 102 | | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BUL0012-BS1 | LCS | 10.100 | 10.000 | ug/L | 101 | | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BUL0012-BS1 | LCS | 9.7700 | 10.000 | ug/L | 97.7 | | 86 - 115 | | |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

| Constituent | Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Control Limits | | Lab |
|-----------------------------------|------|-----------------------|---------------|--------|-------------|-------|-----|------------------|-----|----------|
| | | | | | | | | Percent Recovery | RPD | |
| QC Batch ID: BUL0011 | | Used client sample: N | | | | | | | | |
| Benzene | MS | 1119268-01 | ND | 23.290 | 25.000 | ug/L | | 93.2 | | 70 - 130 |
| | MSD | 1119268-01 | ND | 23.370 | 25.000 | ug/L | 0.3 | 93.5 | 20 | 70 - 130 |
| Toluene | MS | 1119268-01 | ND | 24.530 | 25.000 | ug/L | | 98.1 | | 70 - 130 |
| | MSD | 1119268-01 | ND | 24.480 | 25.000 | ug/L | 0.2 | 97.9 | 20 | 70 - 130 |
| 1,2-Dichloroethane-d4 (Surrogate) | MS | 1119268-01 | ND | 9.7500 | 10.000 | ug/L | | 97.5 | | 76 - 114 |
| | MSD | 1119268-01 | ND | 9.6400 | 10.000 | ug/L | 1.1 | 96.4 | | 76 - 114 |
| Toluene-d8 (Surrogate) | MS | 1119268-01 | ND | 9.8500 | 10.000 | ug/L | | 98.5 | | 88 - 110 |
| | MSD | 1119268-01 | ND | 9.9900 | 10.000 | ug/L | 1.4 | 99.9 | | 88 - 110 |
| 4-Bromofluorobenzene (Surrogate) | MS | 1119268-01 | ND | 10.040 | 10.000 | ug/L | | 100 | | 86 - 115 |
| | MSD | 1119268-01 | ND | 9.9200 | 10.000 | ug/L | 1.2 | 99.2 | | 86 - 115 |
| QC Batch ID: BUL0012 | | Used client sample: N | | | | | | | | |
| Benzene | MS | 1117914-93 | ND | 26.800 | 25.000 | ug/L | | 107 | | 70 - 130 |
| | MSD | 1117914-93 | ND | 24.980 | 25.000 | ug/L | 7.0 | 99.9 | 20 | 70 - 130 |
| Toluene | MS | 1117914-93 | ND | 28.560 | 25.000 | ug/L | | 114 | | 70 - 130 |
| | MSD | 1117914-93 | ND | 26.890 | 25.000 | ug/L | 6.0 | 108 | 20 | 70 - 130 |
| 1,2-Dichloroethane-d4 (Surrogate) | MS | 1117914-93 | ND | 10.290 | 10.000 | ug/L | | 103 | | 76 - 114 |
| | MSD | 1117914-93 | ND | 10.350 | 10.000 | ug/L | 0.6 | 104 | | 76 - 114 |
| Toluene-d8 (Surrogate) | MS | 1117914-93 | ND | 10.130 | 10.000 | ug/L | | 101 | | 88 - 110 |
| | MSD | 1117914-93 | ND | 10.090 | 10.000 | ug/L | 0.4 | 101 | | 88 - 110 |
| 4-Bromofluorobenzene (Surrogate) | MS | 1117914-93 | ND | 9.6800 | 10.000 | ug/L | | 96.8 | | 86 - 115 |
| | MSD | 1117914-93 | ND | 9.9700 | 10.000 | ug/L | 3.0 | 99.7 | | 86 - 115 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

Quality Control Report - Method Blank Analysis

| Constituent | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-----------------------------|--------------|-----------|-------|------|-----|-----------|
| QC Batch ID: BUK1705 | | | | | | |
| Nitrate as NO3 | BUK1705-BLK1 | ND | mg/L | 0.44 | | |
| Sulfate | BUK1705-BLK1 | ND | mg/L | 1.0 | | |
| QC Batch ID: BUK2115 | | | | | | |
| Iron (II) Species | BUK2115-BLK1 | ND | ug/L | 100 | | |
| QC Batch ID: BUK2116 | | | | | | |
| Iron (II) Species | BUK2116-BLK1 | ND | ug/L | 100 | | |
| QC Batch ID: BUL0243 | | | | | | |
| Non-Volatile Organic Carbon | BUL0243-BLK1 | ND | mg/L | 0.30 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

Quality Control Report - Laboratory Control Sample

| Constituent | QC Sample ID | Type | Result | Spike Level | Units | Percent Recovery | RPD | Control Limits | | Lab Quals |
|--------------------------------|--------------|------|--------|-------------|----------|------------------|-----|------------------|-----|--------------|
| | | | | | | | | Percent Recovery | RPD | |
| QC Batch ID: BUK1705 | | | | | | | | | | |
| Nitrate as NO3 | BUK1705-BS1 | LCS | 21.138 | 22.134 | mg/L | 95.5 | | 90 - 110 | | |
| Sulfate | BUK1705-BS1 | LCS | 97.465 | 100.00 | mg/L | 97.5 | | 90 - 110 | | |
| QC Batch ID: BUK2115 | | | | | | | | | | |
| Iron (II) Species | BUK2115-BS1 | LCS | 2008.0 | 2000.0 | ug/L | 100 | | 90 - 110 | | |
| QC Batch ID: BUK2116 | | | | | | | | | | |
| Iron (II) Species | BUK2116-BS1 | LCS | 2008.0 | 2000.0 | ug/L | 100 | | 90 - 110 | | |
| QC Batch ID: BUL0222 | | | | | | | | | | |
| Electrical Conductivity @ 25 C | BUL0222-BS1 | LCS | 329.00 | 303.00 | umhos/cm | 109 | | 90 - 110 | | |
| QC Batch ID: BUL0223 | | | | | | | | | | |
| Electrical Conductivity @ 25 C | BUL0223-BS1 | LCS | 308.40 | 303.00 | umhos/cm | 102 | | 90 - 110 | | |
| QC Batch ID: BUL0243 | | | | | | | | | | |
| Non-Volatile Organic Carbon | BUL0243-BS1 | LCS | 5.0450 | 5.0000 | mg/L | 101 | | 85 - 115 | | |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)
Quality Control Report - Precision & Accuracy

Table with columns: Constituent, Source Type, Source Sample ID, Source Result, Result, Spike Added, Units, RPD, Percent Recovery, Control Limits RPD, Control Limits Percent Recovery, Lab Quals. Includes QC Batch IDs BUK1705, BUK1822, BUK1823, BUK2100, BUK2104, BUK2115, BUK2116, BUL0222, BUL0223, BUL0243.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

Quality Control Report - Method Blank Analysis

| Constituent | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-----------------------------|--------------|-----------|-------|-----|-----|-----------|
| QC Batch ID: BUK1666 | | | | | | |
| Hexavalent Chromium | BUK1666-BLK1 | ND | ug/L | 2.0 | | |
| QC Batch ID: BUK1795 | | | | | | |
| Dissolved Chromium | BUK1795-BLK1 | ND | ug/L | 10 | | |
| QC Batch ID: BUK1992 | | | | | | |
| Dissolved Manganese | BUK1992-BLK1 | ND | ug/L | 1.0 | | |
| Dissolved Vanadium | BUK1992-BLK1 | ND | ug/L | 3.0 | | |
| QC Batch ID: BUK2034 | | | | | | |
| Total Recoverable Manganese | BUK2034-BLK2 | ND | ug/L | 1.0 | | |
| Total Recoverable Vanadium | BUK2034-BLK1 | ND | ug/L | 3.0 | | |
| QC Batch ID: BUK2038 | | | | | | |
| Total Chromium | BUK2038-BLK1 | ND | ug/L | 10 | | |



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

Quality Control Report - Laboratory Control Sample

| Constituent | QC Sample ID | Type | Result | Spike Level | Units | Percent Recovery | RPD | Control Limits | | Lab |
|-----------------------------|--------------|------|--------|-------------|-------|------------------|-----|------------------|-----|-----|
| | | | | | | | | Percent Recovery | RPD | |
| QC Batch ID: BUK1666 | | | | | | | | | | |
| Hexavalent Chromium | BUK1666-BS1 | LCS | 49.980 | 50.000 | ug/L | 100 | | 85 - 115 | | |
| QC Batch ID: BUK1795 | | | | | | | | | | |
| Dissolved Chromium | BUK1795-BS1 | LCS | 200.98 | 200.00 | ug/L | 100 | | 85 - 115 | | |
| QC Batch ID: BUK1992 | | | | | | | | | | |
| Dissolved Manganese | BUK1992-BS1 | LCS | 89.946 | 100.00 | ug/L | 89.9 | | 85 - 115 | | |
| Dissolved Vanadium | BUK1992-BS1 | LCS | 38.528 | 40.000 | ug/L | 96.3 | | 85 - 115 | | |
| QC Batch ID: BUK2034 | | | | | | | | | | |
| Total Recoverable Manganese | BUK2034-BS2 | LCS | 89.129 | 100.00 | ug/L | 89.1 | | 85 - 115 | | |
| Total Recoverable Vanadium | BUK2034-BS1 | LCS | 37.386 | 40.000 | ug/L | 93.5 | | 85 - 115 | | |
| QC Batch ID: BUK2038 | | | | | | | | | | |
| Total Chromium | BUK2038-BS1 | LCS | 200.83 | 200.00 | ug/L | 100 | | 85 - 115 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

Quality Control Report - Precision & Accuracy

| Constituent | Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Control Limits | | Lab Quals |
|-----------------------------|------|--|---------------|--------|-------------|-------|-----|------------------|------------------|-----------|
| | | | | | | | | Percent Recovery | Percent Recovery | |
| QC Batch ID: BUK1666 | | Used client sample: Y - Description: MW-9-W-111121, 11/21/2011 07:40 | | | | | | | | |
| Hexavalent Chromium | DUP | 1119267-01 | 3.8180 | 3.7270 | | ug/L | 2.4 | | 10 | |
| | MS | 1119267-01 | 3.8180 | 57.112 | 52.632 | ug/L | | 101 | 85 - 115 | |
| | MSD | 1119267-01 | 3.8180 | 57.146 | 52.632 | ug/L | 0.1 | 101 | 10 | 85 - 115 |
| QC Batch ID: BUK1795 | | Used client sample: N | | | | | | | | |
| Dissolved Chromium | DUP | 1119367-02 | 6.1343 | ND | | ug/L | | | 20 | |
| | MS | 1119367-02 | 6.1343 | 214.42 | 204.08 | ug/L | | 102 | 75 - 125 | |
| | MSD | 1119367-02 | 6.1343 | 211.65 | 204.08 | ug/L | 1.3 | 101 | 20 | 75 - 125 |
| QC Batch ID: BUK1992 | | Used client sample: N | | | | | | | | |
| Dissolved Manganese | DUP | 1119284-02 | ND | ND | | ug/L | | | 20 | |
| | MS | 1119284-02 | ND | 82.739 | 102.04 | ug/L | | 81.1 | 70 - 130 | |
| | MSD | 1119284-02 | ND | 83.069 | 102.04 | ug/L | 0.4 | 81.4 | 20 | 70 - 130 |
| Dissolved Vanadium | DUP | 1119284-02 | 66.428 | 65.615 | | ug/L | 1.2 | | 20 | |
| | MS | 1119284-02 | 66.428 | 103.65 | 40.816 | ug/L | | 91.2 | 70 - 130 | |
| | MSD | 1119284-02 | 66.428 | 102.56 | 40.816 | ug/L | 1.1 | 88.5 | 20 | 70 - 130 |
| QC Batch ID: BUK2034 | | Used client sample: N | | | | | | | | |
| Total Recoverable Manganese | DUP | 1119565-01 | 112.76 | 114.57 | | ug/L | 1.6 | | 20 | |
| | MS | 1119565-01 | 112.76 | 216.79 | 100.00 | ug/L | | 104 | 70 - 130 | |
| | MSD | 1119565-01 | 112.76 | 214.87 | 100.00 | ug/L | 0.9 | 102 | 20 | 70 - 130 |
| Total Recoverable Vanadium | DUP | 1119565-01 | ND | ND | | ug/L | | | 20 | |
| | MS | 1119565-01 | ND | 44.546 | 40.000 | ug/L | | 111 | 70 - 130 | |
| | MSD | 1119565-01 | ND | 45.210 | 40.000 | ug/L | 1.5 | 113 | 20 | 70 - 130 |
| QC Batch ID: BUK2038 | | Used client sample: N | | | | | | | | |
| Total Chromium | DUP | 1119212-01 | 17.593 | 17.555 | | ug/L | 0.2 | | 20 | |
| | MS | 1119212-01 | 17.593 | 211.63 | 200.00 | ug/L | | 97.0 | 75 - 125 | |
| | MSD | 1119212-01 | 17.593 | 213.27 | 200.00 | ug/L | 0.8 | 97.8 | 20 | 75 - 125 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 12/08/2011 15:50
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference
- A01 PQL's and MDL's are raised due to sample dilution.
- A90 TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.
- S05 The sample holding time was exceeded.