

RECEIVED

By Alameda County Environmental Health at 1:51 pm, Jan 02, 2013



ARCADIS U.S., Inc.
2000 Powell Street
7th Floor
Emeryville
California 94608
Tel 510.652.4500
Fax 510.652.4906
www.arcadis-us.com

Mr. Keith Nowell
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Subject:
Fourth Quarter 2012 Monitoring Report Submittal

ENVIRONMENT

Dear Mr. Nowell:

On behalf of Chevron Environmental Management Company, for itself and as Attorney-in-Fact for Union Oil Company of California (hereinafter "EMC"), ARCADIS is submitting the enclosed Quarterly Groundwater Monitoring Report for the following facility:

<u>Facility No.</u>	<u>Case No.</u>	<u>Location</u>
0843	RO0000450	1629 Webster Street Alameda, California

Date:
December 20, 2012

Contact:
Katherine Brandt

Phone:
510.596.9675

Email:
Katherine.Brandt@arcadis-us.com

Our ref:
B0047584.0001


If you have any questions or comments regarding the contents of this document, please contact Ms. Roya Kambin of Chevron at 925.790.6270 or by e-mail at RKambin@Chevron.com. Alternatively, you may contact Katherine Brandt of ARCADIS at 510.596.9675 or by e-mail at Katherine.Brandt@arcadis-us.com.

Sincerely,

ARCADIS

Katherine Brandt
Certified Project Manager

David W. Lay, P.G., C.P.G.
Professional Geologist



Copies:

Ms. Cherie McCaulou, CRWQCB – San Francisco Bay Region, 1515 Clay Street, Suite 1400, Oakland, California 94612 (CD)
Mr. Sam and Michelle Koka, 802 Pacific Avenue, Alameda, CA 94501



Roya C. Kambin
Project Manager
Marketing Business Unit

Chevron Environmental Management Company
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6270
RKLG@chevron.com

December 20, 2012

Mr. Keith Nowell
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RE: Fourth Quarter 2012 Groundwater Monitoring Report
1629 Webster Street, Alameda, California
Fuel Leak Case No.: RO0000450

Dear Mr. Nowell,

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (925) 790-6270.

Sincerely,

A handwritten signature in black ink, appearing to read "Roya Kambin".

Roya Kambin
Union Oil of California – Project Manager

Attachment
Fourth Quarter 2012 Groundwater Monitoring Report

**UNION OIL OF CALIFORNIA
QUARTERLY MONITORING REPORT
FOURTH QUARTER 2012
December 20, 2012**

Facility No.: 0843 Address: 1629 Webster Street, Alameda, California

Consulting Company/Contact Person/Phone No.: ARCADIS / Katherine Brandt / 510.596.9675

Primary Agency/Contact Person/Regulatory ID No.: Alameda County Department of Environmental Health / Mr. Keith Nowell
Case No. RO0000450

WORK PERFORMED DURING THIS REPORTING PERIOD (Fourth Quarter – 2012) :

1. TRC Solutions (TRC) conducted groundwater monitoring and sampling on October 25, 2012. Field data sheets and general procedures are included as **Attachment A**. Twelve (12) groundwater monitoring wells were gauged and sampled during this monitoring event (MW-1, MW-1AR, MW-1BR, and MW-3 through MW-11).

All groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-g) by United States Environmental Protection Agency (EPA) Method 8015B; benzene, toluene, ethylbenzene, and total xylenes (BTEX, collectively), oxygenates (methyl tertiary butyl ether [MTBE], ethyl tertiary butyl ether [ETBE], di-isopropyl ether [DIPE], tertiary amyl methyl ether [TAME], tertiary butyl alcohol [TBA]), 1,2-dibromoethane (EDB), 1,2-dichloroethane (1,2-DCE or EDC), and ethanol by EPA Method 8260B; as well as field parameters electrical conductivity (EC), dissolved oxygen (DO), and oxidation reduction potential (ORP).

Additionally, the samples collected from groundwater monitoring wells MW-1, MW-1AR, MW-1BR, and MW-7 through MW-11 were analyzed for nitrate as NO₃, sulfate, ferric iron, non-volatile organic compounds, chromium (hexavalent, dissolved, and total), dissolved manganese, total recoverable manganese, dissolved vanadium, and total recoverable vanadium. Samples collected from wells MW-5 and MW-6 were only additionally analyzed for chromium (hexavalent, dissolved, and total).

The site location map, the site plan, and the groundwater contour map are presented on **Figures 1** through **3**. Concentration maps for TPH-g, benzene, and MTBE are on **Figures 4** through **6**. Current Groundwater Gauging and Analytical Results are summarized in **Table 1**, Current Additional Groundwater Analytical Results are summarized in **Table 1a**, Historic Groundwater Gauging and Analytical Results are summarized in **Table 2**, Historic Additional Groundwater Analytical Results are summarized in **Table 2a**, and Historical Groundwater Results from TRC are included as **Attachment B**. A copy of the laboratory analytical report and chain-of-custody documentation is included as **Attachment C**.

The adjacent Shell Station No. 13-5032 (Shell) located at 1601 Webster Street was not sampled this quarter.

WORK PROPOSED FOR THE NEXT REPORTING PERIOD (First Quarter – 2013):

1. Perform groundwater monitoring and related reporting during first quarter 2013.

Current Phase of Project: Groundwater Monitoring/Remediation Pending

Site Use: Vacant Lot

Frequency of Sampling: Groundwater – Quarterly

Frequency of Monitoring: Groundwater – Quarterly

Are Separate-Phase Hydrocarbons (SPH) Present
On-Site: No

Cumulative SPH Recovered to Date: None

SPH Recovered This Quarter: None

Bulk Soil Removed to Date: Unknown

Bulk Soil Removed this Quarter: None

Water Wells or Surface Waters within a 2,000'
Radius and Their Respective Directions: Three irrigation wells located 0.1 mile west, northwest,
and southeast of the site

Groundwater Use Designation: Irrigation

**UNION OIL OF CALIFORNIA
QUARTERLY MONITORING REPORT
FOURTH QUARTER 2012
December 20, 2012**

Facility No.: 0843 Address: 1629 Webster Street, Alameda, California

Current Remediation Techniques: None

Permits for Discharge (No.): None

Approximate Depth to Groundwater: 6.62 (MW-5) – 8.27 (MW-1AR) feet below top of casing
Measured Estimated

Approximate Groundwater Elevation: 9.83 (MW-5) – 11.03 (MW-1) feet relative to mean sea level
Measured Estimated

Groundwater Gradient: 0.004 ft/ft (Magnitude) North-northeast (Direction)

DISCUSSION:

Groundwater conditions during the fourth quarter 2012 remained generally consistent with previous quarters. The maximum dissolved concentrations of TPH-g (290 micrograms per liter [$\mu\text{g}/\text{L}$]), MTBE (3,600 $\mu\text{g}/\text{L}$), TBA (2,000 $\mu\text{g}/\text{L}$), and TAME (3.4 $\mu\text{g}/\text{L}$) were detected in the samples collected from MW-7. Benzene, toluene, ethylbenzene, total xylenes, ETBE, DIPE, EDB, EDC, and ethanol were not detected above the laboratory reporting limits for all wells sampled.

Additionally, the maximum concentration of nitrate as NO_3 (28 milligrams per liter [mg/L]) was detected in the sample collected from MW-1BR. The maximum concentration of sulfate (38 mg/L) was detected in the sample collected from MW-9. The maximum concentration of ferric iron (1,500 $\mu\text{g}/\text{L}$) was detected in the sample collected from MW-7. The maximum concentration of non-volatile organic compounds (3.4 mg/L) was detected in the sample collected from MW-8. The maximum concentration of hexavalent chromium (10 $\mu\text{g}/\text{L}$) was detected in the sample collected from MW-10. The maximum concentrations of dissolved manganese (570 $\mu\text{g}/\text{L}$) and total recoverable manganese (620 $\mu\text{g}/\text{L}$) were detected in the samples collected from MW-11. The maximum concentrations of dissolved vanadium (6.7 $\mu\text{g}/\text{L}$) and total recoverable vanadium (42 $\mu\text{g}/\text{L}$) were detected in the samples collected from MW-1. The maximum concentration of total chromium (77 $\mu\text{g}/\text{L}$) was detected in the samples collected from well MW-5. Dissolved chromium was not detected above the laboratory reporting limits for all wells sampled.

Groundwater elevations at the service station vary by approximately one foot, creating a relatively gentle hydraulic gradient of 0.004 foot per foot in the north-northeast direction.

CONCLUSIONS AND RECOMMENDATIONS:

Dissolved hydrocarbon constituent concentrations have remained relatively consistent with previous quarters. ARCADIS recommends continued groundwater monitoring.


ATTACHMENTS:

- Figure 1: Site Location Map
 - Figure 2: Site Plan
 - Figure 3: Groundwater Contour Map
 - Figure 4: TPH-g Concentration Map
 - Figure 5: Benzene Concentration Map
 - Figure 6: MTBE Concentration Map
-
- Table 1: Current Groundwater Gauging and Analytical Results
 - Table 1a: Current Additional Groundwater Analytical Results
 - Table 2: Historic Groundwater Gauging and Analytical Results
 - Table 2a: Historic Additional Groundwater Analytical Results

- Attachment A: Field Data Sheets and General Procedures
- Attachment B: Historical Groundwater Results from TRC
- Attachment C: Laboratory Report and Chain-of-Custody Documentation

ARCADIS

Figures



REFERENCE: BASE MAP USGS 7.5 MIN. TOPO. QUAD., OAKLAND WEST, CALIFORNIA, 1993.



XREFS: PROJECTNAME: ---
IMAGES: Oakland West.jpg




UNION OIL
FORMER FACILITY NO. 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

SITE LOCATION MAP

 ARCADIS

FIGURE
1

XREFS: IMAGES: PROJECTNAME: ---
 47584X01



LEGEND

- - - PROPERTY BOUNDARY
- MW-1 (●) FORMER 76 STATION MONITORING WELL
- S-9 (○) SHELL SERVICE STATION MONITORING WELL
- TBW-N (●) SHELL TANK BACKFILL MONITORING WELL
- MW-2A (X) ABANDONED WELL

0 50' 100'
 GRAPHIC SCALE


UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

SITE PLAN

NOTES:

1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.

XREFS: IMAGES: PROJECTNAME: ---
 47584X01 GW.jpg



LEGEND

- PROPERTY BOUNDARY
- MW-1 FORMER 76 STATION MONITORING WELL
- S-9 SHELL SERVICE STATION MONITORING WELL
- TBW-N SHELL TANK BACKFILL MONITORING WELL
- MW-2A ABANDONED WELL
- (11.03) GROUNDWATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL (FT MSL)
- 10.00** — GROUNDWATER ELEVATION CONTOUR (FT MSL; DASHED WHERE INFERRED)
- 0.004 FT/FT** APPROXIMATE GROUNDWATER FLOW DIRECTION AND GRADIENT (FOOT PER FOOT)
- * NOT USED FOR CONTOURING; SHORT SCREEN INTERVAL; DIFFERENT CONSTRUCTION
- ** NOT USED FOR CONTOURING

NOTES:


1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.

0 50' 100'
 GRAPHIC SCALE

UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

GROUNDWATER ELEVATION
 CONTOUR MAP
 OCTOBER 25, 2012

XREFS: IMAGES: PROJECTNAME: ---
 47584X01



LEGEND

- PROPERTY BOUNDARY
- MW-1** FORMER 76 STATION MONITORING WELL
- S-9** SHELL SERVICE STATION MONITORING WELL
- TBW-N** SHELL TANK BACKFILL MONITORING WELL
- MW-2A** (Abandoned Well)
- [TPH-g]** TOTAL PETROLEUM HYDROCARBONS AS GASOLINE (C4-C12) CONCENTRATION IN MICROGRAMS PER LITER ($\mu\text{g}/\text{L}$)
- 100** — TPH-g ISOCONCENTRATION CONTOUR ($\mu\text{g}/\text{L}$; DASHED WHERE INFERRED)
- < DENOTES LESS THAN LABORATORY REPORTING LIMIT
- [NS] NOT SAMPLED (SEE NOTE 3)

NOTES:


- BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
- ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
- THE ADJACENT SHELL STATION WAS NOT SAMPLED THIS QUARTER.

0 50' 100'
 GRAPHIC SCALE

UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

TPH-g CONCENTRATION MAP
 OCTOBER 25, 2012

XREFS: IMAGES: PROJECTNAME: ---
 47584X01



LEGEND

- PROPERTY BOUNDARY
- MW-1 FORMER 76 STATION MONITORING WELL
- S-9 SHELL SERVICE STATION MONITORING WELL
- TBW-N SHELL TANK BACKFILL MONITORING WELL
- MW-2A ABANDONED WELL
- [BENZ] BENZENE CONCENTRATION IN MICROGRAMS PER LITER ($\mu\text{g}/\text{L}$)
- < DENOTES LESS THAN LABORATORY REPORTING LIMIT
- [NS] NOT SAMPLED (SEE NOTE 3)

0 50' 100'
 GRAPHIC SCALE


UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

BENZENE CONCENTRATION MAP
 OCTOBER 25, 2012

NOTES:

1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
3. THE ADJACENT SHELL STATION WAS NOT SAMPLED THIS QUARTER.

XREFS: IMAGES: PROJECTNAME: ---
 47584X01 MTBE.jpg



LEGEND

- PROPERTY BOUNDARY
- MW-1 FORMER 76 STATION MONITORING WELL
- S-9 SHELL SERVICE STATION MONITORING WELL
- TBW-N SHELL TANK BACKFILL MONITORING WELL
- MW-2A (Abandoned Well)
- [MTBE] METHYL TERTIARY BUTYL ETHER CONCENTRATION IN MICROGRAMS PER LITER (μg/L)
- 100 — MTBE ISOCONCENTRATION CONTOUR (μg/L; DASHED WHERE INFERRED)
- < DENOTES LESS THAN LABORATORY REPORTING LIMIT
- [NS] NOT SAMPLED (SEE NOTE 3)
- * NOT USED FOR CONTOURING

NOTES:

1. BASE MAP PROVIDED BY TRC, DATED AUGUST 2010, AT A SCALE OF 1"=60'. SHELL SERVICE STATION DATA PROVIDED BY CRA.
2. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
3. THE ADJACENT SHELL STATION WAS NOT SAMPLED THIS QUARTER.

0 50' 100'
 GRAPHIC SCALE

UNION OIL
 FORMER FACILITY NO. 0843
 1629 WEBSTER STREET
 ALAMEDA, CALIFORNIA

MTBE CONCENTRATION MAP
 OCTOBER 25, 2012

ARCADIS

Tables

Table 1
Current Groundwater Gauging and Analytical Results
Unocal Site 0843
1629 Webster Street, Alameda, California

Well ID	Date Sampled	TOC Elevation (feet MSL)	DTW bTOC)	LPH (feet)	GW Elevation (feet MSL)		TPH-G 8015B	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	TBA	TAME	ETBE	DIPE	EDB	EDC	Ethanol	Comments
MW-1	10/25/2012	19.13	8.10	0.00	11.03	<50	<0.50	<0.50	<0.50	<1.0	250	60	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01
MW-1AR	10/25/2012	19.29	8.27	0.00	11.02	<50	<0.50	<0.50	<0.50	<1.0	19	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
MW-1BR	10/25/2012	19.13	8.23	0.00	10.90	<50	<0.50	<0.50	<0.50	<1.0	12	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
MW-3	10/25/2012	18.05	7.30	0.00	10.75	<50	<0.50	<0.50	<0.50	<1.0	1.0	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
MW-4	10/25/2012	18.14	7.23	0.00	10.91	<50	<0.50	<0.50	<0.50	<1.0	11	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
MW-5	10/25/2012	16.45	6.62	0.00	9.83	<50	<0.50	<0.50	<0.50	<1.0	2.5	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
MW-6	10/25/2012	16.97	6.69	0.00	10.28	<50	<0.50	<0.50	<0.50	<1.0	57	11	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
MW-7	10/25/2012	17.81	7.19	0.00	10.62	290	<0.50	<0.50	<0.50	<1.0	3,600	2,000	3.4	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01
MW-8	10/25/2012	18.13	7.39	0.00	10.74	<50	<0.50	<0.50	<0.50	<1.0	810	380	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01
MW-9	10/25/2012	18.75	7.87	0.00	10.88	<50	<0.50	<0.50	<0.50	<1.0	270	88	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01
MW-10	10/25/2012	18.84	7.95	0.00	10.89	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
MW-11	10/25/2012	18.72	7.77	0.00	10.95	<50	<0.50	<0.50	<0.50	<1.0	1,000	590	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01

Note

Analytical results given in micrograms per liter ($\mu\text{g/l}$) unless otherwise noted

Standard Abbreviations

<	not detected at or above laboratory detection limit
$\mu\text{g/l}$	micrograms per liter (approx. equivalent to parts per billion, ppb)
TOC	top of casing (surveyed reference elevation)
MSL	relative to mean sea level
DTW	depth to water
bTOC	below top of casing
LPH	liquid-phase hydrocarbons
GW	groundwater
TPH-G	total petroleum hydrocarbons as gasoline
MTBE	methyl tertiary butyl ether
TBA	tertiary butyl alcohol
TAME	tertiary amyl methyl ether
ETBE	ethyl tertiary butyl ether
DIPE	di-isopropyl ether
EDB	1,2-dibromoethane
EDC	1,2-dichloroethane (same as ethylene dichloride)
8015B	EPA Method 8015B for TPH-G
8260B	EPA Method 8260B for BTEX/MTBE/Oxygenates
A01	PQL's and MDL's are raised due to sample dilution.
PQL	practical quantitation limit
MDL	method detection limit

Table 1a
Current Additional Groundwater Analytical Results
Unocal Site 0843
1629 Webster Street, Alameda, California

Well ID	Date Sampled	EC @ 25°C (umhos/cm)	DO (mg/l)	ORP (mV)	Nitrate as NO3 (mg/l)	Sulfate (mg/l)	Ferric Iron (mg/l)	Non-Volatile Organic Compounds					Dissolved Hexavalent Chromium (mg/l)	Dissolved Dissolved Manganese (mg/l)	Dissolved Vanadium (mg/l)	Total Chromium (mg/l)	Total Manganese (mg/l)	Total Vanadium (mg/l)	Comments
								Non-Volatile Organic Compounds	Hexavalent Chromium (mg/l)	Dissolved Chromium (mg/l)	Dissolved Manganese (mg/l)	Dissolved Vanadium (mg/l)							
MW-1	10/25/2012	405	7.8	260.1	13	23	200	1.3	2.6	<10	330	6.7	62	490	42	S05			
MW-1AR	10/25/2012	463	6.6	251.2	23	34	<100	1.7	2.1	<10	270	<3.0	18	290	11	S05			
MW-1BR	10/25/2012	432	5.2	266.5	28	28	<100	1.3	3.1	<10	190	<3.0	13	210	10	S05			
MW-3	10/25/2012	660	6.6	199.1	--	--	--	--	--	--	--	--	--	--	--	--	S05		
MW-4	10/25/2012	985	5.3	225.2	--	--	--	--	--	--	--	--	--	--	--	--	S05		
MW-5	10/25/2012	616	8.0	231.0	--	--	--	--	<2.0	<10	--	--	77	--	--	--	S05		
MW-6	10/25/2012	517	8.0	267.9	--	--	--	--	<2.0	<10	--	--	34	--	--	--	S05		
MW-7	10/25/2012	692	7.6	41.69	4.5	30	1,500	2.8	<2.0	<10	530	<3.0	13	570	8.9	S05			
MW-8	10/25/2012	587	7.0	70.85	4.8	36	600	3.4	<2.0	<10	560	<3.0	16	600	11	S05			
MW-9	10/25/2012	616	5.4	171.3	16	38	<100	1.9	3.7	<10	240	3.1	20	270	15	S05			
MW-10	10/25/2012	512	6.5	243.9	20	34	<100	1.5	10	<10	96	<3.0	13	110	4.3	S05			
MW-11	10/25/2012	717	5.9	264.1	5.2	28	260	3.0	<2.0	<10	570	<3.0	23	620	12	S05			

Note

Analytical results given in micrograms per liter ($\mu\text{g/l}$) unless otherwise noted

Standard Abbreviations

--	not analyzed, measured, or collected
<	not detected at or above laboratory detection limit
umhos/cm	micromhos per centimeter
mg/l	milligrams per liter (approx. equivalent to parts per million, ppm)
$\mu\text{g/l}$	micrograms per liter (approx. equivalent to parts per billion, ppb)
mV	millivolts
EC	electrical conductivity
DO	dissolved oxygen
ORP	oxidation reduction potential
120.1	EPA Method 120.1 for EC
SM-4500OG	SM-4500OG for DO
ASTM-D1498	ASTM-D1498 for ORP
300.0	EPA Method 300.0 for sulfate and nitrate as NO3
SM-3500-FeD	SM-3500-FeD for ferric iron
415.1	EPA Method 415.1 for non-volatile organic compounds
7196	EPA Method 7196 for hexavalent chromium
6010B	EPA Method 6010B for dissolved and total chromium
200.8	EPA Method 200.8 for dissolved and total recoverable manganese and vanadium
A01	PQL's and MDL's are raised due to sample dilution.
A10	PQL's and MDL's were raised due to matrix interference.
S05	The sample holding time was exceeded.
PQL	practical quantitation limit
MDL	method detection limit

Table 2
Historic Groundwater Gauging and Analytical Results
Unocal Site 0843
1629 Webster Street, Alameda, California

Well ID	Date Sampled	TOC Elevation (feet MSL)	DTW (feet bTOC)	LPH Thickness (feet)	GW Elevation (feet MSL)	TPH-G 8015B	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	TBA	TAME	ETBE	DIPE	EDB	EDC	Ethanol	Comments	
MW-7	5/14/2012	17.81	5.57	0.00	12.24	<50	<0.50	<0.50	<0.50	<1.0	5,600	2,300	4.4	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-7	8/13/2012	17.81	6.42	0.00	11.39	<50	<0.50	<0.50	<0.50	<1.0	4,800	2,000	3.9	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-7	10/25/2012	17.81	7.19	0.00	10.62	290	<0.50	<0.50	<0.50	<1.0	3,600	2,000	3.4	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-8	8/4/2011	18.13	6.23	0.00	11.90	2,000	<0.50	<0.50	<0.50	<1.0	4,400	370	4.9	<0.50	<0.50	<0.50	<0.50	<250	A01, A90	
MW-8	11/21/2011	18.13	7.02	0.00	11.11	900*	<0.50	<0.50	<0.50	<1.0	2,500	250	2.6	<0.50	<0.50	<0.50	<0.50	<250		
MW-8	2/2/2012	18.13	6.97	0.00	11.16	<50	<0.50	<0.50	<0.50	<1.0	2,400	740	2.3	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-8	5/14/2012	18.13	5.91	0.00	12.22	<50	<0.50	<0.50	<0.50	<1.0	2,100	590	1.7	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-8	8/13/2012	18.13	6.71	0.00	11.42	<50	<0.50	<0.50	<0.50	<1.0	1,600	450	1.2	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-8	10/25/2012	18.13	7.39	0.00	10.74	<50	<0.50	<0.50	<0.50	<1.0	810	380	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-9	8/4/2011	18.75	6.59	0.00	12.16	62	<0.50	<0.50	<0.50	<1.0	59	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A90	
MW-9	11/21/2011	18.75	7.45	0.00	11.30	33* J	<0.50	<0.50	<0.50	<1.0	44	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	J	
MW-9	2/2/2012	18.75	7.47	0.00	11.28	<50	<0.50	<0.50	<0.50	<1.0	6.1	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250		
MW-9	5/14/2012	18.75	6.30	0.00	12.45	<50	<0.50	<0.50	<0.50	<1.0	190	51	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-9	8/13/2012	18.75	7.12	0.00	11.63	<50	<0.50	<0.50	<0.50	<1.0	220	36	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-9	10/25/2012	18.75	7.87	0.00	10.88	<50	<0.50	<0.50	<0.50	<1.0	270	88	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-10	8/4/2011	18.84	6.73	0.00	12.11	<50	<0.50	<0.50	<0.50	<1.0	7.4	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250		
MW-10	11/21/2011	18.84	7.52	0.00	11.32	50*	<0.50	<0.50	<0.50	<1.0	1.4	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250		
MW-10	2/2/2012	18.84	7.52	0.00	11.32	<50	<0.50	<0.50	<0.50	<1.0	3.2	1.4	<10	<0.50	<0.50	<0.50	<0.50	<250		
MW-10	5/14/2012	18.84	6.42	0.00	12.42	<50	<0.50	<0.50	<0.50	<1.0	1.5	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250		
MW-10	8/13/2012	18.84	7.24	0.00	11.60	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250		
MW-10	10/25/2012	18.84	7.95	0.00	10.89	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01	
MW-11	8/4/2011	18.72	6.54	0.00	12.18	1,400	<0.50	<0.50	<0.50	<1.0	2,000	110	2.4	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01, A90
MW-11	11/21/2011	18.72	7.36	0.00	11.36	850*	<0.50	<0.50	<0.50	<1.0	2,100	270	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
MW-11	2/2/2012	18.72	7.32	0.00	11.40	<50	<0.50	<0.50	<0.50	<1.0	2,500	730	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01
MW-11	5/14/2012	18.72	6.21	0.00	12.51	<50	<0.50	<0.50	<0.50	<1.0	1,700	570	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01
MW-11	8/13/2012	18.72	7.03	0.00	11.69	<50	<0.50	<0.50	<0.50	<1.0	1,100	280	0.87	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01
MW-11	10/25/2012	18.72	7.77	0.00	10.95	<50	<0.50	<0.50	<0.50	<1.0	1,000	590	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01

Note

Analytical results given in micrograms per liter ($\mu\text{g/l}$) unless otherwise noted

Standard Abbreviations

<	not detected at or above laboratory detection limit
$\mu\text{g/l}$	micrograms per liter (approx. equivalent to parts per billion, ppb)
TOC	top of casing (surveyed reference elevation)
MSL	relative to mean sea level
DTW	depth to water
bTOC	below top of casing
LPH	liquid-phase hydrocarbons
GW	groundwater
TPH-G	total petroleum hydrocarbons as gasoline
MTBE	methyl tertiary butyl ether
TBA	tertiary butyl alcohol
TAME	tertiary amyl methyl ether
ETBE	ethyl tertiary butyl ether
DIPE	di-isopropyl ether
EDB	1,2-dibromoethane
EDC	1,2-dichloroethane (same as ethylene dichloride)
8260B	EPA Method 8260B for BTEX/MTBE/Oxygenates
GC/MS	gas chromatography-mass spectrometry
A01	PQL's and MDL's are raised due to sample dilution.
A90	TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.
TPPH	total purgeable petroleum hydrocarbons
*	TPPH (C6 through C12)
J	Estimated Value
PQL	practical quantitation limit
MDL	method detection limit

Table 2a
Historic Additional Groundwater Analytical Results
Unocal Site 0843
1629 Webster Street, Alameda, California

Well ID	Date Sampled	EC @ 25°C (umhos/cm)	DO (mg/l)	ORP (mV)	Nitrate as NO ₃ (mg/l)		Ferrous Iron	Non-Volatile Organic Compounds (mg/l)						Total Chromium	Total Recoverable Manganese	Total Recoverable Vanadium	Comments
					Sulfate (mg/l)	Hexavalent Chromium		Dissolved Chromium	Dissolved Manganese	Dissolved Vanadium	Total Chromium						
MW-1	8/4/2011	438	8.8	297.8	24	30	300	1.5	<2.0	<10	2.3	<3.0	99	830	63	A01, A90	
MW-1	11/21/2011	378	2.3	310.6	16	23	54 J	1.1	<2.0	1,4 J	0.98 J	<3.0	220	1,100	78		
MW-1	2/2/2012	424	7.6	273.0	20	23	<100	1.2	<2.0	<10	1.4	<3.0	130	920	67	A10, S05	
MW-1	5/14/2012	493	7.9	275.5	19	28	<200	1.6	2.1	<10	<1.0	<3.0	60	460	38	A10, S05	
MW-1	8/13/2012	445	6.6	332.7	14	25	<100	1.4	<2.0	<10	2.6	<3.0	62	400	33	S05	
MW-1	10/25/2012	405	7.8	260.1	13	23	200	1.3	2.6	<10	330	6.7	62	490	42	S05	
MW-1AR	8/4/2011	371	8.3	305.3	21	28	160	1.5	<2.0	<10	94	<3.0	15	250	9.1		
MW-1AR	11/21/2011	456.2	0.77	305.8	20	28	<100	1.4	<2.0	<10	71	1.1 J	6.7 J	220	3.4		
MW-1AR	2/2/2012	468	7.90	269.1	23	35	<100	1.6	<2.0	<10	110	<3.0	22	290	11	S05	
MW-1AR	5/14/2012	474	5.60	286.0	23	33	<100	1.5	<2.0	<10	62	<3.0	16	260	8.0	S05	
MW-1AR	8/13/2012	457	6.5	313.5	24	36	<100	1.6	<2.0	<10	150	<3.0	31	320	9.8	S05	
MW-1AR	10/25/2012	463	6.6	251.2	23	34	<100	1.7	2.1	<10	270	<3.0	18	290	11	S05	
MW-1BR	8/4/2011	437	9.4	310.9	28	27	170	1.3	<2.0	<10	98	<3.0	13	170	7.4	A90	
MW-1BR	11/21/2011	481.8	0.89	316.9	28	25	62 J	1.2	<2.0	2.8 J	26	1.7 J	9.6 J	120	4.4		
MW-1BR	2/2/2012	456	7.20	273.1	29	28	<100	1.3	<2.0	<10	40	<3.0	55	400	23	S05	
MW-1BR	5/14/2012	443	4.20	287.0	24	24	<100	1.3	2.5	<10	50	<3.0	<10	340	<3.0	S05	
MW-1BR	8/13/2012	435	5.8	314.3	30	29	<100	1.3	<2.0	<10	94	<3.0	<10	220	3.1	S05	
MW-1BR	10/25/2012	432	5.2	266.5	28	28	<100	1.3	3.1	<10	190	<3.0	13	210	10	S05	
MW-3	8/4/2011	614	6.1	312.8	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	11/21/2011	652.7	1.24	323.1	--	--	--	--	--	--	--	--	--	--	--		
MW-3	2/2/2012	576	6.00	301.8	--	--	--	--	--	--	--	--	--	--	--	S05	
MW-3	5/14/2012	624	7.70	296.9	--	--	--	--	--	--	--	--	--	--	--	S05	
MW-3	8/13/2012	674	8.0	292.4	--	--	--	--	--	--	--	--	--	--	--	S05	
MW-3	10/25/2012	660	6.6	199.1	--	--	--	--	--	--	--	--	--	--	--	S05	
MW-4	8/4/2011	1,080	9.7	311.5	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	11/21/2011	464	4.1	321.8	--	--	--	--	--	--	--	--	--	--	--		
MW-4	2/2/2012	980	7.7	297.7	--	--	--	--	--	--	--	--	--	--	--	S05	
MW-4	5/14/2012	1,030	8.7	296.8	--	--	--	--	--	--	--	--	--	--	--	S05	
MW-4	8/13/2012	1,110	8.7	305.9	--	--	--	--	--	--	--	--	--	--	--	S05	
MW-4	10/25/2012	985	5.3	225.2	--	--	--	--	--	--	--	--	--	--	--	S05	
MW-5	8/4/2011	582	7.1	282.0	--	--	--	--	<2.0	<10	120	--	--	--	--	--	
MW-5	11/21/2011	616.7	1.78	297.7	--	--	--	--	<2.0	1.7 J	160	--	--	--	--		
MW-5	2/2/2012	620	8.00	236.9	--	--	--	--	<2.0	<10	--	--	72	--	--	S05	
MW-5	5/14/2012	612	6.20	307.5	--	--	--	--	<2.0	<10	--	--	52	--	--	S05	
MW-5	8/13/2012	628	7.4	321.7	--	--	--	--	<2.0	<10	--	--	85	--	--	S05	
MW-5	10/25/2012	616	8.0	231.0	--	--	--	--	<2.0	<10	--	--	77	--	--	S05	
MW-6	8/4/2011	484	6.9	316.9	--	--	--	--	<2.0	<10	82	--	--	--	--	A90	
MW-6	11/21/2011	560.8	1.12	300.6	--	--	--	--	<2.0	<10	40	--	--	--	--		
MW-6	2/2/2012	535	6.40	252.9	--	--	--	--	<2.0	<10	--	--	77	--	--	S05	
MW-6	5/14/2012	525	8.30	312.0	--	--	--	--	<2.0	<10	--	--	65	--	--	S05	
MW-6	8/13/2012	522	8.9	327.7	--	--	--	--	<2.0	<10	--	--	49	--	--	S05	
MW-6	10/25/2012	517	8.0	267.9	--	--	--	--	<2.0	<10	--	--	34	--	--	S05	
MW-7	8/4/2011	635	7.8	4.84	4.0	48	3,400	4.0	<2.0	<10	680	<3.0	58	880	36	A01, A90	
MW-7	11/21/2011	692.7	1.5	273.9	3.6	41	2,800	3.9	<2.0	<10	670	<3.0	59	790	33		
MW-7	2/2/2012	682	7.1	67.33	4.1	39	1,800	3.6	<2.0	<10	710	<3.0	<10	620	<3.0	S05	

Table 2a
Historic Additional Groundwater Analytical Results
Unocal Site 0843
1629 Webster Street, Alameda, California

Well ID	Date Sampled	EC @ 25°C (umhos/cm)	DO (mg/l)	ORP (mV)	Nitrate as NO ₃ (mg/l)	Sulfate (mg/l)	Ferrous Iron	Non-Volatile Organic Compounds					Total Chromium	Total Recoverable Manganese	Total Recoverable Vanadium	Comments
								Hexavalent Chromium	Dissolved Chromium	Dissolved Manganese	Dissolved Vanadium	Total Chromium				
MW-7	5/14/2012	690	8.0	72.99	5.1	36	1,700	3.2	<2.0	<10	630	<3.0	21	800	12	S05
MW-7	8/13/2012	681	7.1	251.0	4.3	32	1,200	3.0	<2.0	<10	610	<3.0	22	750	17	A01, S05
MW-7	10/25/2012	692	7.6	41.69	4.5	30	1,500	2.8	<2.0	<10	530	<3.0	13	570	8.9	S05
MW-8	8/4/2011	599	7.9	239.7	5.3	48	390	3.1	<2.0	<10	760	<3.0	28	1,000	13	A01, A90
MW-8	11/21/2011	649.00	1.50	283.9	5.3	48	530	3.4	<2.0	<10	660	1.6	30	780	13	
MW-8	2/2/2012	602	7.00	196.2	5.2	47	<100	3.4	<2.0	<10	730	<3.0	<10	800	3.6	S05
MW-8	5/14/2012	587	8.00	102.8	6.3	45	340	3.1	<2.0	<10	630	<3.0	23	680	10	S05
MW-8	8/13/2012	578	7.3	302.9	5.7	38	210	2.8	<2.0	<10	610	<3.0	12	730	12	A01, S05
MW-8	10/25/2012	587	7.0	70.85	4.8	36	600	3.4	<2.0	<10	560	<3.0	16	600	11	S05
MW-9	8/4/2011	629	7.8	333.4	15	45	280	2.3	5.2	<10	45	<3.0	56	660	27	A90
MW-9	11/21/2011	660	2.1	271.1	16.0	38	62 J	1.9	3.8	4.8 J	9.5	1.7 J	83	880	33	
MW-9	2/2/2012	640	6.9	288.1	19	40	<200	2.0	5.2	<10	2.0	<3.0	160	1,500	68	A10, S05
MW-9	5/14/2012	631	4.2	190.8	15	35	<100	2.0	3.3	<10	30	<3.0	34	360	15	S05
MW-9	8/13/2012	621	6.7	319.5	16	39	<100	1.9	<2.0	<10	47	<3.0	39	370	15	S05
MW-9	10/25/2012	616	5.4	171.3	16.0	38	<100	1.9	3.7	<10	240	3.1	20	270	15	S05
MW-10	8/4/2011	450	7.0	282.4	21	32	390	1.7	6.7	<10	13	<3.0	19	150	6.3	
MW-10	11/21/2011	546.4	1.12	319.1	19	30	<100	1.3	6.4	7.9 J	2.9	1.0 J	13	92	3.1	
MW-10	2/2/2012	535	6.90	297.6	20	34	<100	1.4	10	11	5.3	<3.0	16	62	3.7	S05
MW-10	5/14/2012	538	5.80	219.5	19	34	<100	1.5	11	11	4.9	<3.0	14	41	<3.0	S05
MW-10	8/13/2012	514	6.1	318.2	20	34	<100	1.4	9.4	11	7.1	<3.0	14	35	3.3	S05
MW-10	10/25/2012	512	6.5	243.9	20	34	<100	1.5	10	<10	96.0	<3.0	13	110	4.3	S05
MW-11	8/4/2011	685	8.0	518.6	9.8	27	210	3.1	<2.0	<10	250	<3.0	<10	980	3.6	A01, A90
MW-11	11/21/2011	765.5	1.3	240.2	6.6	26	<100	2.5	<2.0	<10	370	<3.0	2.7 J	950	2.6 J	
MW-11	2/2/2012	732	6.8	288.8	7.0	29	<100	2.7	<2.0	<10	540	<3.0	<10	830	<3.0	S05
MW-11	5/14/2012	741	5.1	521.5	6.9	30	<100	2.8	<2.0	<10	450	<3.0	<10	760	4.0	S05
MW-11	8/13/2012	708	6.3	497.2	7.9	31	<100	2.4	<2.0	<10	540	<3.0	<10	620	<3.0	S05
MW-11	10/25/2012	717	5.9	264.1	5.2	28	260	3.0	<2.0	<10	570	<3.0	23.00	620	12	S05

Note

Analytical results given in micrograms per liter (µg/l) unless otherwise noted

Standard Abbreviations

--	not analyzed, measured, or collected
<	not detected at or above laboratory detection limit
umhos/cm	micromhos per centimeter
mg/l	milligrams per liter (approx. equivalent to parts per million, ppm)
µg/l	micrograms per liter (approx. equivalent to parts per billion, ppb)
mV	millivolts
EC	electrical conductivity
DO	dissolved oxygen
ORP	oxidation reduction potential
120.1	EPA Method 120.1 for EC
SM-4500OG	SM-4500OG for DO
ASTM-D1498	ASTM-D1498 for ORP
300.0	EPA Method 300.0 for sulfate and nitrate as NO ₃
SM-3500-FeD	SM-3500-FeD for ferric iron
415.1	EPA Method 415.1 for non-volatile organic compounds
7196	EPA Method 7196 for hexavalent chromium
6010B	EPA Method 6010B for dissolved and total chromium
200.8	EPA Method 200.8 for dissolved and total recoverable manganese and vanadium
A01	PQL's and MDL's are raised due to sample dilution.
A10	PQL's and MDL's were raised due to matrix interference.
A90	TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.
S05	The sample holding time was exceeded.
PQL	practical quantitation limit
MDL	method detection limit

ARCADIS

Attachment A

Field Data Sheets and
General Procedures



**123 Technology Drive
Irvine, California 92618**

**949.727.9336 PHONE
949.727.7399 FAX**

www.TRCsolutions.com

DATE: November 1, 2012

TO: Kathy Brandt, ARCADIS
Andrea Valdivia, ARCADIS

SITE: Unocal Site 0843
Facility 351849
1629 Webster Street, Alameda, CA

RE: Transmittal of Groundwater Monitoring Data

Please find attached the field data sheets, chain of custody (COC) forms, and technical services request (TSR) form for the monitoring event that was completed on October 25, 2012. Field measurements and collection of samples submitted to the laboratory were completed in general accordance with our usual groundwater monitoring protocol which is also attached for your reference.

Please call me at 949-341-7440 if you have questions.

Sincerely,

Anju Farfan
Groundwater Program Operations Manager

GENERAL FIELD PROCEDURES

Groundwater Gauging and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater gauging and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements (Gauging)

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Unless otherwise instructed, a well that is found to contain a measureable amount of LPH (0.01 foot) is not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps. The pump intake is initially set at about 5 feet below the level of water in the casing, and is lowered as needed to compensate for falling water level. Pump depths are recorded in Field Notes.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously, using a flow cell, until they become stable in general accordance with EPA guidelines.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

GENERAL FIELD PROCEDURES

Samples are collected by lowering a new, disposable polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

Sample containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well. If wells must be gauged or sampled out of order, alternate interface probes and/or pumps are utilized and are noted in field documentation.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liquinox and water and rinsing twice. The final rinse is in deionized water.

Purge Water Disposal

Purge water is generally collected in labeled drums for disposal as non-hazardous waste. Drums may be left on site for disposal by others, or transported to a collection location at a TRC field office, in either Fullerton, California or Concord, California, for eventual transfer to a licensed treatment or recycling facility. Alternatively, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: JOEJob #/Task #: 189791.0035.1849Date: 10/25/12Site # 0843Project Manager A. FarfanPage 1 of 2

Well #	TOC	Time Gauged	Total Depth	Depth to Water	Depth to Product	Product Thickness (feet)	Time Sampled	Misc. Well Notes
MW-7	X	0721	29.15	7.19	—	—	1113	2"
MW-8	X	0729	29.50	7.39	—	—	1130	2"
MW-3	X	0734	19.85	7.30	—	—	1253	2"
MW-4	X	0741	16.55	7.23	—	—	1217	2"
MW-5	X	0750	20.25	6.62	—	—	0925	2"
MW-6	X	0755	20.07	6.69	—	—	1002	2"
FIELD DATA COMPLETE		QA/QC		COC	WELL BOX CONDITION SHEETS			
MANIFEST	DRUM INVENTORY	TRAFFIC CONTROL						

GROUNDWATER SAMPLING FIELD NOTES

Technician: Bailio

Site: 0843

Project No.: 189791.0035.1849

Date: 10/25/12

Well No. MW-1

Purge Method: 5u6

Depth to Water (feet): 8.10

Depth to Product (feet): —

Total Depth (feet) 20.02

LPH & Water Recovered (gallons): —

Water Column (feet): 11.92

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 10.48

1 Well Volume (gallons): 2

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
							3.95	162	
<u>0908</u>		<u>15</u>	<u>2</u>	<u>140.7</u>	<u>15.3</u>	<u>6.95</u>	<u>3.06</u>	<u>143</u>	
			<u>4</u>	<u>220.7</u>	<u>16.9</u>	<u>6.82</u>	<u>4.03</u>	<u>148</u>	
<u>0912</u>		<u>↓</u>	<u>6</u>	<u>271.6</u>	<u>17.7</u>	<u>6.67</u>	<u>2.10</u>	<u>151</u>	
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>8.20</u>			<u>6</u>			<u>0950</u>			
Comments:									

Well No. MW-1AR

Purge Method: 5u6

Depth to Water (feet): 8.27

Depth to Product (feet): —

Total Depth (feet) 29.73

LPH & Water Recovered (gallons): —

Water Column (feet): 21.46

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 12.56

1 Well Volume (gallons): 4

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
							3.14	157	
<u>0916</u>		<u>22</u>	<u>4</u>	<u>449.0</u>	<u>18.6</u>	<u>6.44</u>	<u>2.23</u>	<u>138</u>	
			<u>8</u>	<u>469.7</u>	<u>19.0</u>	<u>6.38</u>	<u>1.09</u>	<u>128</u>	
<u>0922</u>		<u>↓</u>	<u>12</u>	<u>472.6</u>	<u>19.2</u>	<u>6.35</u>	<u>0.72</u>	<u>128</u>	
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>8.92</u>			<u>12</u>			<u>1010</u>			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Banhu

Site: 0843

Project No.: 189791, DD35, 1849

Date: 10/25/12

Well No. MW - 1BR

Purge Method: Sub

Depth to Water (feet): 8.23

Depth to Product (feet): —

Total Depth (feet) 34.47

LPH & Water Recovered (gallons): —

Water Column (feet): 26.24

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 13.47

1 Well Volume (gallons): 5

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
							2.56	133	
0928		29	5	412.8	19.1	6.44	2.03	72	
			10	428.2	19.3	6.38	0.67	61	
0937		1	15	430.3	19.2	6.20	0.46	50	
Static at Time Sampled		Total Gallons Purged				Sample Time			
8.40		15				1030			
Comments:									

Well No. MW - 9

Purge Method: Sub

Depth to Water (feet): 7.87

Depth to Product (feet): —

Total Depth (feet) 24.38

LPH & Water Recovered (gallons): —

Water Column (feet): 16.51

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 11.17

1 Well Volume (gallons): 3

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
							1.79	142	
1104		22	3	585.0	20.1	6.46	0.89	73	
			6	587.4	20.3	6.15	1.11	77	
1111		1	9	604.5	20.4	6.19	0.52	75	
Static at Time Sampled		Total Gallons Purged				Sample Time			
11.17		9				1116			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Bailio

Site: D843

Project No.: 189791.0035.1849

Date: 10/25/12

Well No. MW-10

Purge Method: Sub

Depth to Water (feet): 7.95

Depth to Product (feet): —

Total Depth (feet) 29.10

LPH & Water Recovered (gallons): —

Water Column (feet): 21.15

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 12.18

1 Well Volume (gallons): 4

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
1135		25	4	510.4	20.8	6.54	0.96	165	
		↓	8	516.0	20.6	6.43	0.75	170	
1141		↓	12	517.0	20.5	6.36	0.32	175	
Static at Time Sampled			Total Gallons Purged			Sample Time			
11.90			12			1150			
Comments:									

Well No. MW-11

Purge Method: Sub

Depth to Water (feet): 7.77

Depth to Product (feet): —

Total Depth (feet) 27.48

LPH & Water Recovered (gallons): —

Water Column (feet): 19.71

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 11.71

1 Well Volume (gallons): 2

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
1224		24	2	687.2	19.6	6.25	0.69	121	
		↓	4	698.1	20.1	6.28	0.62	129	
1228		↓	6	718.4	20.2	6.20	0.63	131	
Static at Time Sampled			Total Gallons Purged			Sample Time			
8.00			6			1243			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 0843

Project No.: 149791.0035.1849

Date: 10/25/12

Well No. MW-7

Purge Method: Sub

Depth to Water (feet): 7.19

Depth to Product (feet): —

Total Depth (feet) 29.15

LPH & Water Recovered (gallons): —

Water Column (feet): 21.96

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 11.58

1 Well Volume (gallons): 4

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F/C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
10:29			4	666.8	20.0	6.55	0.93	79	
	10:35		8	694.2	19.7	6.59	3.45	50	
10:36	10:40		12	693.1	20.1	6.61	2.18	36	
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.90			12			11/3			
Comments: Dry at 8 gals. Recharges quickly									

Well No. MW-8

Purge Method: Sub

Depth to Water (feet): 7.39

Depth to Product (feet): —

Total Depth (feet) 29.60

LPH & Water Recovered (gallons): —

Water Column (feet): 22.11

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 11.81

1 Well Volume (gallons): 4

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F/C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
10:43	10:46		4	558.8	20.9	6.53	0.66	58	
10:57			8	589.4	19.3	6.84	1.00	64	
	11:00		12	592.0	20.2	6.65	1.68	112	
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.65			12			11/30			
Comments: Dry at 6 gals. Recharges quickly									

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 0443

Project No.: 189791.0035, 1849

Date: 10/25/12

Well No. MW-3

Depth to Water (feet): 7.30

Total Depth (feet) 19.85

Water Column (feet): 12.55

80% Recharge Depth(feet): 9.81

Purge Method: Sub

Depth to Product (feet):

LPH & Water Recovered (gallons):

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 3

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
1234		12'	3	641.1	20.5	7.07	0.94	189	
		16	6	635.5	20.5	6.91	1.04	100	
1238		19'	9	732.5	21.1	6.70	0.77	172	
							0.53	174	
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.70			9			1253			
Comments: Dry at 9 gal. Recharges quickly									

Well No. MW-4

Depth to Water (feet): 7.23

Total Depth (feet) 16.65

Water Column (feet): 9.42

80% Recharge Depth(feet): 9.11

Purge Method: HB

Depth to Product (feet):

LPH & Water Recovered (gallons):

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 2

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
1143			.2	1118	21.6	6.92	1.88	165	
			4	1101	21.1	7.09	2.75	170	
1154			6	1058	20.7	7.19	2.84	180	
							4.73	183	
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.65			6			1217			
Comments: Dry at 6 gal. Recharges quickly									

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 0843

Project No.: 189791.0035.1849

Date: 10/25/12

Well No. MW-5

Purge Method: JL Sub DIA

Depth to Water (feet): 6.62

Depth to Product (feet):

Total Depth (feet) 20.25

LPH & Water Recovered (gallons):

Water Column (feet): 13.63

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 9.34

1 Well Volume (gallons): 3

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP 300	Turbidity
Pre-Purge									
0907			3	566.3	19.3	7.00	2.40	198	
			6	640.7	19.3	6.94	6.13	199	
0910			9	628.4	19.4	7.00	6.40	195	
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.65			9			0925			
Comments: Dry at 9 gals. Recharges quickly									

Well No. MW-6

Purge Method: JL Sub DIA

Depth to Water (feet): 6.69

Depth to Product (feet):

Total Depth (feet) 20.07

LPH & Water Recovered (gallons):

Water Column (feet): 13.38

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 9.36

1 Well Volume (gallons): 3

Time Start	Time Stop	Pump Depth (feet)	Volume Purged (gallons)	Conductivity ($\mu\text{S}/\text{cm}$)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0948			3	526.7	18.6	6.83	1.37	210	
			6	539.1	18.3	6.68	4.99	210	
0950			9	536.6	18.9	6.70	5.90	206	
Static at Time Sampled			Total Gallons Purged			Sample Time			
7.83			9			1002			
Comments:									

WELL BOX CONDITION REPORT

SITE NO. 0843
 ADDRESS 1629 Webster St.
 DATE 10/25/12

PERFOMED BY:


Bentley
 PAGE 2 OF 2

Well Name	Comments
MW1	
MWIAR	
MW1DR	
MW9	
MW10	
MW11	
Current Well Box Size	
# of Shipped Ears	
# of Ears	

CHAIN OF CUSTODY FORM

Union Oil Company of California ■ 6101 Bollinger Canyon Road ■ San Ramon, CA 94583

COC _____ of _____

Union Oil Site ID:	S-13			Union Oil Consultant:				ANALYSES REQUIRED	Turnaround Time (TAT):	
Site Global ID:	20600000000000000000000000000000			Consultant Contact:					Standard <input type="checkbox"/> 24 Hours <input type="checkbox"/>	
Site Address:	1200 Bollinger Canyon Rd San Ramon, CA 94583			Consultant Phone No.:					48 Hours <input type="checkbox"/> 72 Hours <input type="checkbox"/>	
Union Oil PM:	John L. Koenig			Sampling Company:	TRC				Special Instructions	
Union Oil PM Phone No.:	925-473-1234			Sampled By (PRINT):						
Charge Code: NWRTB-0	S-13-49			Sampler Signature:						
				BC Laboratories, Inc. Project Manager: Molly Meyers 4100 Atlas Court, Bakersfield, CA 93308 Phone No. 661-327-4911						
SAMPLE ID				Sample Time	# of Containers	TPH-Diesel by EPA 8015	TPH-G by GC/MS	BTEX/MTBE/OXYs by EPA 8260B	EPA 8260B Full List with OXYS	Notes / Comments
Field Point Name	Matrix	DTW	Date (yymmdd)			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A			1222	1250	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1210	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1230	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1116	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1150	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1243	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1113	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1130	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1253 121730	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				1217	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A				0925	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
W-S-A		V		1002	12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Relinquished By	Company	Date / Time:		Relinquished By	Company	Date / Time:		Relinquished By	Company	Date / Time:
	TRC	2006-12-13 12:30								
Received By	Company	Date / Time:		Received By	Company	Date / Time:		Received By	Company	Date / Time:
										

TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM
 17-Sep-12

Site ID:	0843	Project No.:	189791.0035.1849 / 00TA01
Address	1629 Webster Street	Client:	Roya Kambin
City:	Alameda	Contact #:	925-790-6270
Cross Street:	Pacific Ave	PM:	Kathy Brandt Arcadis
		PM Contact #:	510-596-9675

Total number of wells:	12	Min. Well Diameter (in.):	2	# of Techs, # of Hrs:	2, 6
Depth to Water (ft.):	6	Max. Well Diameter (in.):	2	Travel Time (hrs):	
		Max. Well Depth (ft.):	20	Hotel PO#:	

ACTIVITIES:	Frequency	Notes
Gauging:	<input checked="" type="checkbox"/> Quarterly	
Purge/Sampling:	<input checked="" type="checkbox"/> Quarterly	
No Purge/Sample	<input type="checkbox"/>	

RELATED ACTIVITIES	Note
Drums:	<input checked="" type="checkbox"/>
Other Activities:	<input type="checkbox"/>
Traffic Control:	<input checked="" type="checkbox"/> City of Alameda

PERMIT INFORMATION:

Non-expiring permit #: EN-09-0013

NOTIFICATIONS:

Sam Koka, owner, SK Auto: 510-865-7631

SITE INFORMATION:

Coordinated event with Shell at 1601 Webster Street (Semi 1/3)

Gauge, purge and sampling order: MW-1, MW-1AR, MW-1BR, MW-9, MW-10, MW-11, MW-7, MW-8, MW-3, MW-4, MW-5 & MW-6

Take post-purge field readings after each casing volume purged.

MW-5 is in the middle of the Wienerschnitzel drive thru driveway. Must have the well done before 7:00am.

MW-3 is in the planter.

TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM
17-Sep-12

Site ID: 0843 **Project No.:** 189791.0035.1849 / 00TA01
Address 1629 Webster Street **Client:** Roya Kambin
City: Alameda **Contact #:** 925-790-6270
Cross Street: Pacific Ave **PM:** Kathy Brandt **Arcadis**
PM Contact #: 510-596-9675

LAB INFORMATION:

Global ID: T0600102263

Lab WO: 351849

Lab Used: BC

Lab Notes: Lab Analyses:
TPH-G by 8015B (C6 - C12), BTEX/MTBE/OXYS by 8260B, EDB/EDC by 8260B, Ethanol by 8260B [Containers: 6 vials w/HCl]
Specific Conductance by 120.1, DO by SM4500-O [Container: one 1L poly unpreserved]
ORP by ASTM D1948 [two 1L ambers unpreserved]

Additional analyses for wells MW-1, MW-1AR, MW-1BR, MW-7, MW-8, MW-9, MW-10, MW-11:
Sulfate by 300.0, Nitrate by 300.0, Dissolved Manganese by 200.8, Dissolved Vanadium by 200.8, Dissolved Chromium by 6010, Chromium VI by 7196 [no additional container needed]
Total Manganese by 200.8, Total Chromium by 6010, Total Vanadium by 200.8 [Container: one 1L poly w/HNO3]
Ferrous Iron by 3500FE+D [Container: one 500 mL poly w/HCl]
TOC by 415.1 [Containers: one 500mL amber w/H₂SO₄]

Additional analyses for wells MW-5 & MW-6:
Chromium VI by 7196, dissolved Chromium by 6010 [Container: one 1Pt poly unpreserved]
Total Chromium by 6010 [Container: one 1Pt poly w/HNO3]

TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM

17-Sep-12

Site ID.: 0843
Address 1629 Webster Street
City: Alameda
Cross Street Pacific Ave

Well IDs	Benz.	MTBE	Gauging				Sampling				Field Measurements			Comments
			Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Pre-Purge	Post-Purge	Type	
MW-5	0	0	<input checked="" type="checkbox"/>	D.O, ORP										
MW-3	0	0	<input checked="" type="checkbox"/>	D.O, ORP	2" casing									
MW-10	0	0	<input checked="" type="checkbox"/>	D.O, ORP										
MW-4	0	5	<input checked="" type="checkbox"/>	D.O, ORP	2" casing									
MW-1BR	0	15	<input checked="" type="checkbox"/>	D.O, ORP										
MW-1AR	0	18	<input checked="" type="checkbox"/>	D.O, ORP										
MW-6	0	89	<input checked="" type="checkbox"/>	D.O, ORP	2" casing									
MW-9	0	220	<input checked="" type="checkbox"/>	D.O, ORP										
MW-1	0	610	<input checked="" type="checkbox"/>	D.O, ORP	2" casing									
MW-11	0	1100	<input checked="" type="checkbox"/>	D.O, ORP										
MW-8	0	1600	<input checked="" type="checkbox"/>	D.O, ORP										
MW-7	0	4800	<input checked="" type="checkbox"/>	D.O, ORP										

ARCADIS

Attachment B

Historical Groundwater
Results from TRC

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
MW-1														
2/14/2011	19.13	6.78	0	12.35	1.35	--	580	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	1100	
MW-1AR														
2/14/2011	19.29	7.01	0	12.28	1.19	--	58	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	91	
MW-1BR														
2/14/2011	19.13	6.96	0	12.17	1.50	--	80	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	140	
MW-3														
2/14/2011	18.05	6.04	0	12.01	1.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	45	
MW-4														
2/14/2011	18.14	5.94	0	12.20	1.48	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-5														
2/14/2011	16.45	5.49	0	10.96	0.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-6														
2/14/2011	16.97	5.63	0	11.34	0.91	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	180	
MW-7														
2/14/2011	17.81	6.33	0	11.48	0.90	--	7900	ND<50	ND<50	ND<50	ND<100	--	13000	
MW-8														
2/14/2011	18.13	6.22	0	11.91	1.38	--	3900	ND<25	ND<25	ND<25	ND<50	--	7100	
MW-9														
2/14/2011	18.75	6.69	0	12.06	1.33	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	320	
MW-10														
2/14/2011	18.84	6.71	0	12.13	1.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
MW-11														
2/14/2011	18.72	6.52	0	12.20	1.48	--	3500	ND<6.2	ND<6.2	ND<6.2	ND<12	--	7400	

Table 1a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Carbon (organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Iron Ferrous ($\mu\text{g/l}$)	Comments
MW-1													
2/14/2011	99	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.6	2.7	91	ND<10	ND<500	
MW-1AR													
2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.0	2.6	ND<10	ND<10	420	
MW-1BR													
2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.7	3.7	34	ND<10	290	
MW-3													
2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	
MW-4													
2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	
MW-5													
2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	
MW-6													
2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--	
MW-7													
2/14/2011	ND<1000	ND<25000	ND<50	ND<50	ND<50	ND<50	ND<50	4.1	ND<2.0	43	ND<10	2700	
MW-8													
2/14/2011	ND<500	ND<12000	ND<25	ND<25	ND<25	ND<25	ND<25	3.7	ND<2.0	59	ND<10	440	
MW-9													
2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.4	6.6	22	ND<10	230	
MW-10													
2/14/2011	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	14	18	15	160	
MW-11													
2/14/2011	670	ND<3100	ND<6.2	ND<6.2	ND<6.2	ND<6.2	ND<6.2	3.5	ND<2.0	14	ND<10	240	

Table 1b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843												
Date Sampled	Manganese dissolved (µg/l)	Manganese total (µg/l)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O/)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (umhos)	Post-purge Dissolved Oxygen (%)	Pre-purge Dissolved Oxygen (%)	Pre-purge ORP (%)	Post-purge ORP (%)	Comments
MW-1												
2/14/2011	5.4	530	18	25	8.9	418.5	509	6.45	4.45	355	356	
MW-1AR												
2/14/2011	150	190	21	32	7.3	217.9	537	1.31	1.48	349	362	
MW-1BR												
2/14/2011	73	170	29	28	8.1	286.1	531	1.07	1.74	356	351	
MW-3												
2/14/2011	--	--	--	--	4.9	288.9	587	1.15	2.43	187	188	
MW-4												
2/14/2011	--	--	--	--	9.2	294.6	770	7.02	6.84	187	172	
MW-5												
2/14/2011	--	--	--	--	6.0	317.6	617	1.55	2.81	179	195	
MW-6												
2/14/2011	--	--	--	--	5.2	326.6	542	1.01	2.16	195	198	
MW-7												
2/14/2011	920	1000	2.9	55	8.0	191.4	713	0.94	1.20	198	76	
MW-8												
2/14/2011	830	1400	5.8	75	8.0	267.0	694	2.81	3.44	197	188	
MW-9												
2/14/2011	60	440	8.1	29	9.5	305.5	690	0.78	0.64	349	346	
MW-10												
2/14/2011	43	45	13	30	9.2	326.6	560	2.25	3.77	342	355	
MW-11												
2/14/2011	560	760	3.1	21	9.4	473.7	750	0.88	0.56	337	324	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1														
3/5/1999	16.18	--	--	--	--	86.6	--	ND	2.04	ND	4.06	--	23.9	
6/3/1999	16.18	6.24	0	9.94	--	ND	--	ND	ND	ND	ND	ND	ND	
9/2/1999	16.18	7.19	0	8.99	-0.95	ND	--	ND	ND	ND	ND	ND	ND	
12/14/1999	16.18	8.07	0	8.11	-0.88	ND	--	ND	ND	ND	ND	ND	--	
3/14/2000	16.18	5.47	0	10.71	2.60	ND	--	ND	ND	ND	ND	ND	--	
5/31/2000	16.18	6.22	0	9.96	-0.75	ND	--	ND	ND	ND	ND	ND	--	
8/29/2000	16.18	6.82	0	9.36	-0.60	ND	--	ND	ND	ND	ND	ND	--	
12/1/2000	16.18	7.54	0	8.64	-0.72	ND	--	ND	ND	ND	ND	ND	--	
3/17/2001	16.18	5.73	0	10.45	1.81	ND	--	ND	ND	ND	ND	ND	--	
5/23/2001	16.18	6.43	0	9.75	-0.70	ND	--	ND	ND	ND	ND	ND	--	
9/24/2001	16.18	7.12	0	9.06	-0.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/2001	16.18	6.89	0	9.29	0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
3/11/2002	16.18	5.61	0	10.57	1.28	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
6/7/2002	16.18	5.71	0	10.47	-0.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
9/3/2002	16.18	--	--	--	--	--	--	--	--	--	--	--	--	Not monitored/sampled
12/12/2002	16.18	7.80	0	8.38	--	--	--	--	--	--	--	--	--	No longer sampled
3/13/2003	16.18	5.94	0	10.24	1.86	--	--	--	--	--	--	--	--	
6/12/2003	16.18	6.10	0	10.08	-0.16	--	--	--	--	--	--	--	--	
9/12/2003	16.18	6.65	0	9.53	-0.55	--	--	--	--	--	--	--	--	
12/31/2003	16.18	5.74	0	10.44	0.91	--	--	--	--	--	--	--	--	Monitored only
2/12/2004	16.18	6.02	0	10.16	-0.28	--	--	--	--	--	--	--	--	Monitored only
6/7/2004	16.18	6.61	0	9.57	-0.59	--	--	--	--	--	--	--	--	Monitored only
9/17/2004	16.18	7.58	0	8.60	-0.97	--	--	--	--	--	--	--	--	Sampled Q1 only
12/11/2004	16.18	6.49	0	9.69	1.09	--	--	--	--	--	--	--	--	Sampled Q1 only
3/15/2005	16.18	5.28	0	10.90	1.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	27	
5/17/2005	16.18	5.83	0	10.35	-0.55	--	--	--	--	--	--	--	--	Sampled Q1 only
7/27/2005	16.18	6.52	0	9.66	-0.69	--	--	--	--	--	--	--	--	Sampled Q1 only
11/23/2005	16.18	7.28	0	8.90	-0.76	--	--	--	--	--	--	--	--	Sampled Q1 only
2/24/2006	16.18	6.60	0	9.58	0.68	--	910	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5100	
5/30/2006	16.18	6.48	0	9.70	0.12	--	--	--	--	--	--	--	--	Sampled Q1 only
8/30/2006	16.18	9.51	0	6.67	-3.03	--	--	--	--	--	--	--	--	Sampled Q1 only
11/22/2006	16.18	7.05	0	9.13	2.46	--	220	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	420	
2/23/2007	16.18	6.40	0	9.78	0.65	--	1300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1700	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water		TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)		Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
				Change in Elevation (feet)	(feet)		Benzene (µg/l)	Toluene (µg/l)					
5/18/2007	16.18	6.65	0	9.53	-0.25	--	2300	ND<5.0	ND<5.0	ND<5.0	--	3300	
8/10/2007	16.18	7.26	0	8.92	-0.61	--	4100	ND<25	ND<25	ND<25	--	4300	
11/9/2007	16.18	7.40	0	8.78	-0.14	--	5700	ND<25	ND<25	ND<25	--	5400	
2/8/2008	16.18	6.09	0	10.09	1.31	--	2600	ND<5.0	ND<5.0	ND<5.0	ND<10	--	4100
5/16/2008	16.18	6.87	0	9.31	-0.78	--	1800	ND<12	ND<12	ND<12	42	--	3500
8/15/2008	16.18	7.78	0	8.40	-0.91	--	1200	ND<5.0	ND<5.0	ND<5.0	ND<10	--	1900
11/26/2008	16.18	8.65	0	7.53	-0.87	--	720	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2400
2/24/2009	19.13	6.73	0	12.40	4.87	--	630	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2300
5/28/2009	19.13	6.46	0	12.67	0.27	--	1000	ND<10	ND<10	ND<10	ND<20	--	4100
9/14/2009	19.13	7.60	0	11.53	-1.14	--	1700	ND<5.0	ND<5.0	ND<5.0	ND<10	--	2100
11/13/2009	19.13	7.83	0	11.30	-0.23	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/5/2010	19.13	6.72	0	12.41	1.11	--	1600	ND<12	ND<12	ND<12	ND<25	--	3400
6/7/2010	19.13	6.58	0	12.55	0.14	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	19.13	7.20	0	11.93	-0.62	--	280	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	1400
11/11/2010	19.13	8.13	0	11.00	-0.93	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	19.13	6.78	0	12.35	1.35	--	580	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	1100
MW-1AR													
5/28/2009	19.29	7.25	0	12.04	--	--	380	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	930
9/14/2009	19.29	7.83	0	11.46	-0.58	--	480	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	890
11/13/2009	19.29	8.07	0	11.22	-0.24	--	290	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	580
2/5/2010	19.29	7.15	0	12.14	0.92	--	140	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	350
6/7/2010	19.29	6.90	0	12.39	0.25	--	120	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	200
8/3/2010	19.29	7.48	0	11.81	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	81
11/11/2010	19.29	8.20	0	11.09	-0.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	120
2/14/2011	19.29	7.01	0	12.28	1.19	--	58	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	91
MW-1BR													
5/28/2009	19.13	6.70	0	12.43	--	--	290	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	810
9/14/2009	19.13	7.80	0	11.33	-1.10	--	450	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	680
11/13/2009	19.13	7.88	0	11.25	-0.08	--	270	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	490
2/5/2010	19.13	7.84	0	11.29	0.04	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	280
6/7/2010	19.13	7.28	0	11.85	0.56	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	320
8/3/2010	19.13	7.44	0	11.69	-0.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	280
11/11/2010	19.13	8.46	0	10.67	-1.02	--	75	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	230
2/14/2011	19.13	6.96	0	12.17	1.50	--	80	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	140
MW-2													

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water		TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)		Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
				Water Elevation (feet)	Change in Elevation (feet)		Benzene (µg/l)	Toluene (µg/l)					
3/5/1999	15.57	--	0	--	--	34400	--	2070	7710	2340	8240	--	8460
6/3/1999	15.57	5.96	0	9.61	--	51200	--	1820	7570	2510	7320	6460	8800
9/2/1999	15.57	6.85	0	8.72	-0.89	17000	--	1000	3100	1400	3700	4000	3720
12/14/1999	15.57	7.65	0	7.92	-0.80	83000	--	3000	22000	4500	17000	9100	11000
3/14/2000	15.57	5.26	0	10.31	2.39	31000	--	1600	4600	2300	7300	5700	8700
5/31/2000	15.57	5.60	0	9.97	-0.34	9970	--	598	1030	487	2060	2500	1670
8/29/2000	15.57	6.35	0	9.22	-0.75	7900	--	390	1500	280	1900	1800	1300
12/1/2000	15.57	7.06	0	8.51	-0.71	87500	--	1860	17400	5590	19400	6220	3790
3/17/2001	15.57	5.98	0	9.59	1.08	4310	--	371	59.0	280	682	321	433
5/23/2001	15.57	6.97	0	8.60	-0.99	45400	--	374	4490	2790	10900	ND	406
9/24/2001	15.57	7.56	0	8.01	-0.59	76000	--	430	13000	4700	18000	ND<2000	480
12/10/2001	15.57	6.52	0	9.05	1.04	82000	--	320	9100	4400	16000	ND<2500	270
3/11/2002	15.57	5.51	0	10.06	1.01	14000	--	75	1400	1100	3600	ND<250	150
6/7/2002	15.57	5.73	0	9.84	-0.22	14000	--	120	1200	1400	4700	540	200
9/3/2002	15.57	6.81	0	8.76	-1.08	10000	--	150	1200	610	2800	510	460
12/12/2002	15.57	--	--	--	--	--	--	--	--	--	--	--	troyed; Replaced with MW-
MW-2A													
12/12/2002	15.56	7.45	0	8.11	--	3400	--	80	260	210	1000	380	400
3/13/2003	--	5.85	0	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	1.8	2.4	2.4
6/12/2003	--	6.08	0	--	--	ND<50	--	0.59	0.69	ND<0.50	1.2	6.0	4.7
9/12/2003	15.56	6.54	0	9.02	--	--	120	1.8	4.2	6.1	20	--	6.6
12/31/2003	15.56	5.63	0	9.93	0.91	88	--	0.79	1.8	3.6	14	ND<5.0	2.9
2/12/2004	15.56	5.68	0	9.88	-0.05	160	--	2.6	4.8	13	48	7.2	7.9
6/7/2004	15.56	6.21	0	9.35	-0.53	94	--	0.80	1.2	2.1	9.1	4.5	3.7
9/17/2004	15.56	7.16	0	8.40	-0.95	--	230	3.5	6.1	13	41	--	83
12/11/2004	15.56	5.84	0	9.72	1.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2
3/15/2005	15.56	5.52	0	10.04	0.32	--	92	0.84	1.7	2.4	9.8	--	ND<10
5/17/2005	15.56	5.55	0	10.01	-0.03	--	54	2.1	1.7	1.9	7.0	--	2.9
7/27/2005	15.56	6.16	0	9.40	-0.61	--	ND<50	0.66	1.1	1.3	4.2	--	3.7
11/23/2005	15.56	6.88	0	8.68	-0.72	--	120	1.3	2.8	7.8	30	--	10
2/24/2006	15.56	5.79	0	9.77	1.09	--	84	0.51	1.2	4.2	16	--	7.2
5/30/2006	15.56	5.62	0	9.94	0.17	--	69	0.90	2.2	3.7	14	--	4.1
8/30/2006	15.56	6.38	0	9.18	-0.76	--	77	ND<0.50	0.50	1.0	3.3	--	2.5
11/22/2006	15.56	6.60	0	8.96	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	2.2	--	0.59

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water		TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)		Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
				Change in Elevation (feet)	Water Elevation (feet)		Benzene (µg/l)	Toluene (µg/l)					
2/23/2007	15.56	6.05	0	9.51	0.55	--	ND<50	ND<0.50	0.66	ND<0.50	1.1	--	0.72
5/18/2007	15.56	6.29	0	9.27	-0.24	--	ND<50	ND<0.50	ND<0.50	0.68	1.6	--	0.81
8/10/2007	15.56	6.90	0	8.66	-0.61	--	ND<50	ND<0.50	ND<0.50	1.6	3.9	--	ND<0.50
11/9/2007	15.56	6.96	0	8.60	-0.06	--	ND<50	ND<0.50	ND<0.50	2.4	4.4	--	ND<0.50
2/8/2008	15.56	5.76	0	9.80	1.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
5/16/2008	15.56	6.50	0	9.06	-0.74	--	ND<50	ND<0.50	ND<0.50	0.56	1.2	--	ND<0.50
8/15/2008	15.56	7.35	0	8.21	-0.85	--	78	ND<0.50	0.79	2.9	6.5	--	ND<0.50
11/26/2008	15.56	8.12	0	7.44	-0.77	--	120	0.56	0.66	4.6	6.0	--	1.8
2/24/2009	18.51	6.19	0	12.32	4.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
MW-3													
3/5/1999	15.11	--	0	--	--	135	--	ND	ND	ND	4.84	--	2.46
6/3/1999	15.11	5.57	0	9.54	--	ND	--	ND	ND	ND	ND	5.23	12.7
9/2/1999	15.11	6.50	0	8.61	-0.93	ND	--	ND	ND	ND	ND	13	11
12/14/1999	15.11	7.28	0	7.83	-0.78	ND	--	ND	ND	ND	ND	ND	--
3/14/2000	15.11	4.87	0	10.24	2.41	ND	--	ND	ND	ND	ND	7.2	6.3
5/31/2000	15.11	5.58	0	9.53	-0.71	ND	--	ND	ND	ND	ND	ND	--
8/29/2000	15.11	6.06	0	9.05	-0.48	ND	--	ND	ND	ND	ND	ND	ND
12/1/2000	15.11	6.76	0	8.35	-0.70	ND	--	ND	ND	ND	ND	ND	--
3/17/2001	15.11	5.09	0	10.02	1.67	ND	--	ND	ND	ND	ND	ND	--
5/23/2001	15.11	5.72	0	9.39	-0.63	ND	--	ND	ND	ND	ND	ND	--
9/24/2001	15.11	6.34	0	8.77	-0.62	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
12/10/2001	15.11	6.31	0	8.80	0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
3/11/2002	15.11	5.15	0	9.96	1.16	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
6/7/2002	15.11	5.45	0	9.66	-0.30	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--
12/12/2002	15.11	7.15	0	7.96	-1.70	--	--	--	--	--	--	--	No longer sampled
3/13/2003	15.11	5.37	0	9.74	1.78	--	--	--	--	--	--	--	--
6/12/2003	15.11	5.51	0	9.60	-0.14	--	--	--	--	--	--	--	--
9/12/2003	15.11	6.03	0	9.08	-0.52	--	--	--	--	--	--	--	--
12/31/2003	15.11	5.62	0	9.49	0.41	--	--	--	--	--	--	--	Monitored only
2/12/2004	15.11	5.51	0	9.60	0.11	--	--	--	--	--	--	--	Monitored only
6/7/2004	15.11	5.92	0	9.19	-0.41	--	--	--	--	--	--	--	Monitored only
9/17/2004	15.11	--	--	--	--	--	--	--	--	--	--	--	Unable to locate
12/11/2004	15.11	5.94	0	9.17	--	--	--	--	--	--	--	--	Sampled annually
3/11/2005	15.11	4.76	0	10.35	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water		TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)		Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
				Change in Elevation (feet)	(feet)		Benzene (µg/l)	Toluene (µg/l)					
5/17/2005	15.11	5.23	0	9.88	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
7/27/2005	15.11	5.81	0	9.30	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/2005	15.11	6.60	0	8.51	-0.79	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
2/24/2006	15.11	5.37	0	9.74	1.23	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	2.2	
5/30/2006	15.11	5.08	0	10.03	0.29	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	0.92	
8/30/2006	15.11	5.52	0	9.59	-0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	--	0.51	
11/22/2006	15.11	6.38	0	8.73	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	--	0.94	
2/23/2007	15.11	5.72	0	9.39	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	--	0.61	
5/18/2007	15.11	5.94	0	9.17	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	--	1.1	
8/10/2007	15.11	7.64	0	7.47	-1.70	--	ND<50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/9/2007	15.11	6.75	0	8.36	0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	--	1.1	
2/8/2008	15.11	5.39	0	9.72	1.36	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
5/16/2008	15.11	6.17	0	8.94	-0.78	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	1.2	
8/15/2008	15.11	7.01	0	8.10	-0.84	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	1.3	
11/26/2008	15.11	7.73	0	7.38	-0.72	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	2.8	
2/24/2009	18.05	5.98	0	12.07	4.69	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
5/28/2009	18.05	5.64	0	12.41	0.34	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
9/14/2009	18.05	6.88	0	11.17	-1.24	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/13/2009	18.05	7.02	0	11.03	-0.14	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/5/2010	18.05	6.02	0	12.03	1.00	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	1.9	
6/7/2010	18.05	5.92	0	12.13	0.10	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	18.05	6.47	0	11.58	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	0.78	
11/11/2010	18.05	7.40	0	10.65	-0.93	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	18.05	6.04	0	12.01	1.36	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	45	
MW-4													
3/5/1999	15.17	--	0	--	--	ND	--	ND	ND	ND	2.44	--	25.2
6/3/1999	15.17	5.45	0	9.72	--	ND	--	ND	ND	ND	ND	ND	3.96
9/2/1999	15.17	6.48	0	8.69	-1.03	ND	--	ND	ND	ND	ND	23	27
12/14/1999	15.17	7.27	0	7.90	-0.79	ND	--	ND	ND	ND	ND	200	270
3/14/2000	15.17	4.67	0	10.50	2.60	ND	--	ND	ND	ND	ND	46	49
5/31/2000	15.17	5.48	0	9.69	-0.81	ND	--	ND	ND	ND	ND	ND	--
8/29/2000	15.17	6.10	0	9.07	-0.62	ND	--	ND	ND	ND	ND	6.1	3.2
12/1/2000	15.17	6.79	0	8.38	-0.69	ND	--	ND	ND	ND	ND	152	101
3/17/2001	15.17	5.01	0	10.16	1.78	ND	--	ND	ND	ND	ND	ND	--

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water		TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)		Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
				Change in Elevation (feet)	(feet)		Benzene (µg/l)	Toluene (µg/l)					
5/23/2001	15.17	5.78	0	9.39	-0.77	ND	--	ND	ND	ND	ND	ND	--
9/24/2001	15.17	6.42	0	8.75	-0.64	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
12/10/2001	15.17	6.41	0	8.76	0.01	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1700	1300
3/11/2002	15.17	5.05	0	10.12	1.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
6/7/2002	15.17	5.42	0	9.75	-0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--
9/3/2002	15.17	6.50	0	8.67	-1.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--
12/12/2002	15.17	7.18	0	7.99	-0.68	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.9	3.3
3/13/2003	15.17	5.42	0	9.75	1.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--
6/12/2003	15.17	5.60	0	9.57	-0.18	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--
9/12/2003	15.17	6.07	0	9.10	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0
12/31/2003	15.17	5.63	0	9.54	0.44	750	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	790	--
2/12/2004	15.17	5.26	0	9.91	0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
6/7/2004	15.17	5.82	0	9.35	-0.56	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--
9/17/2004	15.17	6.86	0	8.31	-1.04	--	56	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10
12/11/2004	15.17	6.01	0	9.16	0.85	--	350	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	380
3/11/2005	15.17	4.61	0	10.56	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
5/17/2005	15.17	4.93	0	10.24	-0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
7/27/2005	15.17	5.74	0	9.43	-0.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
11/23/2005	15.17	6.59	0	8.58	-0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	23
2/24/2006	15.17	5.19	0	9.98	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.7
5/30/2006	15.17	5.07	0	10.10	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
8/30/2006	15.17	6.02	0	9.15	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50
11/22/2006	15.17	6.37	0	8.80	-0.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	16
2/23/2007	15.17	5.61	0	9.56	0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50
5/18/2007	15.17	5.87	0	9.30	-0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50
8/10/2007	15.17	7.49	0	7.68	-1.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50
11/9/2007	15.17	6.77	0	8.40	0.72	--	50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	39
2/8/2008	15.17	5.10	0	10.07	1.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
5/16/2008	15.17	6.06	0	9.11	-0.96	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
8/15/2008	15.17	6.91	0	8.26	-0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.1	--	ND<0.50
11/26/2008	15.17	7.71	0	7.46	-0.80	--	55	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11
2/24/2009	18.14	5.96	0	12.18	4.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.8
5/28/2009	18.14	5.70	0	12.44	0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
9/14/2009	18.14	6.76	0	11.38	-1.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water		TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)		Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
				Water Elevation (feet)	Change in Elevation (feet)		Benzene (µg/l)	Toluene (µg/l)					
11/13/2009	18.14	6.97	0	11.17	-0.21	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/5/2010	18.14	5.55	0	12.59	1.42	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	0.91	
6/7/2010	18.14	5.78	0	12.36	-0.23	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	18.14	6.47	0	11.67	-0.69	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/11/2010	18.14	7.42	0	10.72	-0.95	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	18.14	5.94	0	12.20	1.48	--	ND<50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-5													
12/14/1999	13.34	6.45	0	6.89	--	ND	--	ND	ND	ND	3.5	3.8	
3/14/2000	13.34	4.46	0	8.88	1.99	ND	--	ND	ND	ND	ND	--	
5/31/2000	13.34	5.18	0	8.16	-0.72	ND	--	ND	ND	ND	ND	--	
8/29/2000	13.34	5.46	0	7.88	-0.28	ND	--	ND	ND	ND	ND	--	
12/1/2000	13.34	5.95	0	7.39	-0.49	ND	--	ND	ND	ND	ND	--	
3/17/2001	13.34	5.36	0	7.98	0.59	ND	--	ND	ND	ND	ND	--	
5/23/2001	13.34	5.09	0	8.25	0.27	ND	--	ND	ND	ND	ND	--	
9/24/2001	13.34	5.58	0	7.76	-0.49	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
12/10/2001	13.34	5.51	0	7.83	0.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
3/11/2002	13.34	4.70	0	8.64	0.81	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
6/7/2002	13.34	--	--	--	--	--	--	--	--	--	--	--	Paved over
9/3/2002	13.34	--	--	--	--	--	--	--	--	--	--	--	Paved over
12/12/2002	13.34	6.42	0	6.92	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--
3/13/2003	13.34	5.12	0	8.22	1.30	ND<50	--	ND<0.50	0.54	ND<0.50	ND<0.50	ND<2.0	--
6/12/2003	13.34	5.24	0	8.10	-0.12	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--
9/12/2003	13.34	5.53	0	7.81	-0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0
12/31/2003	13.34	5.11	0	8.23	0.42	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
2/12/2004	13.34	5.02	0	8.32	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--
6/7/2004	13.34	5.35	0	7.99	-0.33	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--
9/17/2004	13.34	6.10	0	7.24	-0.75	--	--	--	--	--	--	--	Sampled annually
12/11/2004	13.34	5.53	0	7.81	0.57	--	--	--	--	--	--	--	Sampled annually
3/11/2005	13.34	4.96	0	8.38	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
5/17/2005	13.34	5.04	0	8.30	-0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
7/27/2005	13.34	5.31	0	8.03	-0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
11/23/2005	13.34	5.86	0	7.48	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
2/24/2006	13.34	5.08	0	8.26	0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
5/30/2006	13.34	5.01	0	8.33	0.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Ground-Water			Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)		Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
		Depth to Water (feet)	LPH Thickness (feet)	Water Elevation (feet)			Benzene (µg/l)	Toluene (µg/l)					
8/30/2006	13.34	5.65	0	7.69	-0.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/2006	13.34	5.82	0	7.52	-0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
2/23/2007	13.34	4.47	0	8.87	1.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.53	--	ND<0.50
5/18/2007	13.34	5.51	0	7.83	-1.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50
8/10/2007	13.34	6.05	0	7.29	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50
11/9/2007	13.34	6.10	0	7.24	-0.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50
2/8/2008	13.34	5.06	0	8.28	1.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
5/16/2008	13.34	5.69	0	7.65	-0.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
8/15/2008	13.34	6.35	0	6.99	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
11/26/2008	13.34	6.82	0	6.52	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
2/24/2009	16.45	5.10	0	11.35	4.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
5/28/2009	16.45	5.12	0	11.33	-0.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
9/14/2009	16.45	6.29	0	10.16	-1.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
11/13/2009	16.45	6.23	0	10.22	0.06	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/5/2010	16.45	5.38	0	11.07	0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
6/7/2010	16.45	5.39	0	11.06	-0.01	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	16.45	5.89	0	10.56	-0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
11/11/2010	16.45	6.36	0	10.09	-0.47	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	16.45	5.49	0	10.96	0.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50
MW-6													
12/14/1999	14.08	6.64	0	7.44	--	ND	--	ND	ND	ND	ND	11000	18000
3/14/2000	14.08	4.72	0	9.36	1.92	ND	--	ND	ND	ND	ND	19000	21000
5/31/2000	14.08	5.28	0	8.80	-0.56	ND	--	ND	ND	ND	ND	13200	--
8/29/2000	14.08	5.39	0	8.69	-0.11	ND	--	ND	ND	ND	ND	270	400
12/1/2000	14.08	6.11	0	7.97	-0.72	ND	--	ND	ND	ND	ND	6330	3640
3/17/2001	14.08	6.02	0	8.06	0.09	18700	--	2950	989	1040	3000	10200	11500
5/23/2001	14.08	5.82	0	8.26	0.20	ND	--	ND	ND	ND	ND	4660	--
9/24/2001	14.08	6.59	0	7.49	-0.77	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	160	190
12/10/2001	14.08	6.50	0	7.58	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	3200	2400
3/11/2002	14.08	4.81	0	9.27	1.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	92	120
6/7/2002	14.08	--	--	--	--	--	--	--	--	--	--	--	Paved over
9/3/2002	14.08	--	--	--	--	--	--	--	--	--	--	--	Paved over
12/12/2002	14.08	6.51	0	7.57	--	590	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1500	6200
3/13/2003	14.08	5.20	0	8.88	1.31	--	--	--	--	--	--	--	5100

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water		TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)		Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
				Change in Elevation (feet)	(feet)		Benzene (µg/l)	Toluene (µg/l)					
3/13/2003	14.08	5.20	0	8.88	1.31	1600	--	ND<5.0	ND<5.0	ND<5.0	4900	4100	
6/12/2003	14.08	5.38	0	8.70	-0.18	1600	--	ND<10	ND<10	ND<10	5200	3700	
9/12/2003	14.08	6.29	0	7.79	-0.91	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	310
12/31/2003	14.08	5.38	0	8.70	0.91	3300	--	ND<25	ND<25	ND<25	ND<25	3800	--
2/12/2004	14.08	5.06	0	9.02	0.32	1100	--	ND<10	ND<10	ND<10	ND<10	1900	2800
6/7/2004	14.08	5.45	0	8.63	-0.39	2500	--	ND<3	ND<3	ND<3	ND<6	3200	2900
9/17/2004	14.08	6.20	0	7.88	-0.75	--	1300	ND<10	ND<10	ND<10	ND<20	--	2000
12/11/2004	14.08	5.60	0	8.48	0.60	--	1800	ND<10	ND<10	ND<10	ND<20	--	2700
3/11/2005	14.08	4.71	0	9.37	0.89	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	2500
5/17/2005	14.08	4.98	0	9.10	-0.27	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2200
7/27/2005	14.08	5.48	0	8.60	-0.50	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1100
11/23/2005	14.08	6.01	0	8.07	-0.53	--	590	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1700
2/24/2006	14.08	5.12	0	8.96	0.89	--	400	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	990
5/30/2006	14.08	5.04	0	9.04	0.08	--	ND<1200	ND<12	ND<12	ND<12	ND<25	--	560
8/30/2006	14.08	7.01	0	7.07	-1.97	--	930	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	820
11/22/2006	14.08	6.16	0	7.92	0.85	--	690	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	620
2/23/2007	14.08	5.44	0	8.64	0.72	--	190	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	410
5/18/2007	14.08	5.63	0	8.45	-0.19	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	620
8/10/2007	14.08	6.71	0	7.37	-1.08	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	660
11/9/2007	14.08	6.17	0	7.91	0.54	--	580	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	820
2/8/2008	14.08	5.20	0	8.88	0.97	--	360	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	570
5/16/2008	14.08	5.70	0	8.38	-0.50	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	480
8/15/2008	14.08	6.46	0	7.62	-0.76	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	450
11/26/2008	14.08	7.01	0	7.07	-0.55	--	300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400
2/24/2009	16.97	5.20	0	11.77	4.70	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	450
5/28/2009	16.97	5.26	0	11.71	-0.06	--	74	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	290
9/14/2009	16.97	6.30	0	10.67	-1.04	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	310
11/13/2009	16.97	6.40	0	10.57	-0.10	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/5/2010	16.97	5.89	0	11.08	0.51	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	310
6/7/2010	16.97	5.52	0	11.45	0.37	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
8/3/2010	16.97	5.96	0	11.01	-0.44	--	71	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	180
11/11/2010	16.97	6.54	0	10.43	-0.58	--	--	--	--	--	--	--	Sampled Q1 and Q3 only
2/14/2011	16.97	5.63	0	11.34	0.91	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	180

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 ($\mu\text{g/l}$)	TPH-G (GC/MS) ($\mu\text{g/l}$)	Benzene ($\mu\text{g/l}$)	Toluene ($\mu\text{g/l}$)	Ethyl-benzene ($\mu\text{g/l}$)	Total Xylenes ($\mu\text{g/l}$)	MTBE (8021B) ($\mu\text{g/l}$)	MTBE (8260B) ($\mu\text{g/l}$)	Comments
5/28/2009	17.81	8.29	0	9.52	--	--	1100	ND<0.50	ND<0.50	1.4	7.1	--	15000	
9/14/2009	17.81	6.77	0	11.04	1.52	--	7900	ND<25	ND<25	ND<25	ND<50	--	15000	
11/13/2009	17.81	6.78	0	11.03	-0.01	--	5700	ND<10	ND<10	ND<10	ND<20	--	13000	
2/5/2010	17.81	8.50	0	9.31	-1.72	--	4300	ND<12	ND<12	ND<12	ND<25	--	12000	
6/7/2010	17.81	5.74	0	12.07	2.76	--	7100	ND<12	ND<12	ND<12	ND<25	--	16000	
8/3/2010	17.81	6.36	0	11.45	-0.62	--	1600	ND<10	ND<10	ND<10	ND<20	--	12000	
11/11/2010	17.81	7.23	0	10.58	-0.87	--	2600	ND<5.0	ND<5.0	ND<5.0	ND<10	--	13000	
2/14/2011	17.81	6.33	0	11.48	0.90	--	7900	ND<50	ND<50	ND<50	ND<100	--	13000	
MW-8														
5/28/2009	18.13	7.42	0	10.71	--	--	850	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	12000	
9/14/2009	18.13	6.97	0	11.16	0.45	--	3500	ND<25	ND<25	ND<25	ND<50	--	5600	
11/13/2009	18.13	7.11	0	11.02	-0.14	--	3200	ND<5.0	ND<5.0	ND<5.0	ND<10	--	6700	
2/5/2010	18.13	7.38	0	10.75	-0.27	--	2400	ND<10	ND<10	ND<10	ND<20	--	6300	
6/7/2010	18.13	6.07	0	12.06	1.31	--	4200	ND<10	ND<10	ND<10	ND<20	--	9000	
8/3/2010	18.13	6.56	0	11.57	-0.49	--	1200	ND<5.0	ND<5.0	ND<5.0	ND<10	--	5600	
11/11/2010	18.13	7.60	0	10.53	-1.04	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	4900	
2/14/2011	18.13	6.22	0	11.91	1.38	--	3900	ND<25	ND<25	ND<25	ND<50	--	7100	
MW-9														
5/28/2009	18.75	6.24	0	12.51	--	--	1200	ND<0.50	ND<0.50	0.75	15	--	13000	
9/14/2009	18.75	7.36	0	11.39	-1.12	--	280	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	390	
11/13/2009	18.75	7.56	0	11.19	-0.20	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	280	
2/5/2010	18.75	6.70	0	12.05	0.86	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	190	
6/7/2010	18.75	6.59	0	12.16	0.11	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	66	
8/3/2010	18.75	7.00	0	11.75	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	99	
11/11/2010	18.75	8.02	0	10.73	-1.02	--	83	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	270	
2/14/2011	18.75	6.69	0	12.06	1.33	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	320	
MW-10														
5/28/2009	18.84	6.69	0	12.15	--	--	700	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3500	
9/14/2009	18.84	7.50	0	11.34	-0.81	--	3300	ND<6.2	ND<6.2	ND<6.2	ND<12	--	4900	
11/13/2009	18.84	7.70	0	11.14	-0.20	--	1500	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	3300	
2/5/2010	18.84	6.66	0	12.18	1.04	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	260	
6/7/2010	18.84	6.56	0	12.28	0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	7.9	
8/3/2010	18.84	7.14	0	11.70	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.3	
11/11/2010	18.84	8.16	0	10.68	-1.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.6	
2/14/2011	18.84	6.71	0	12.13	1.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.9	

Table 2
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

February 14, 2011
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-Water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-11														
5/28/2009	18.72	6.18	0	12.54	--	--	920	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	15000	
9/14/2009	18.72	7.45	0	11.27	-1.27	--	11000	ND<25	ND<25	ND<25	ND<50	--	18000	
11/13/2009	18.72	7.51	0	11.21	-0.06	--	6200	ND<10	ND<10	ND<10	ND<20	--	13000	
2/5/2010	18.72	7.50	0	11.22	0.01	--	4500	ND<12	ND<12	ND<12	ND<25	--	13000	
6/7/2010	18.72	6.36	0	12.36	1.14	--	4300	ND<10	ND<10	ND<10	ND<20	--	9500	
8/3/2010	18.72	6.90	0	11.82	-0.54	--	1400	ND<5.0	ND<5.0	ND<5.0	ND<10	--	6000	
11/11/2010	18.72	8.00	0	10.72	-1.10	--	1600	ND<5.0	ND<5.0	ND<5.0	ND<10	--	6100	
2/14/2011	18.72	6.52	0	12.20	1.48	--	3500	ND<6.2	ND<6.2	ND<6.2	ND<12	--	7400	

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	EDB (504) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Carbon (organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Comments
MW-1													
9/2/1999	ND	ND	--	--	--	ND	ND	ND	--	--	--	--	
3/15/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2006	62	ND<250	--	--	--	ND<0.50	ND<0.50	5.5	--	--	--	--	
11/22/2006	74	ND<250	--	--	--	ND<0.50	ND<0.50	0.51	--	--	--	--	
2/23/2007	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	
5/18/2007	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	
8/10/2007	ND<500	ND<12000	--	--	--	ND<25	ND<25	ND<25	--	--	--	--	
11/9/2007	ND<500	ND<12000	--	--	--	ND<25	ND<25	ND<25	--	--	--	--	
2/8/2008	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	
5/16/2008	ND<250	ND<6200	--	--	--	ND<12	ND<12	ND<12	--	--	--	--	
8/15/2008	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	2.5	1.3	--	--	--	
5/28/2009	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	1.8	2.0	87	--	
9/14/2009	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	1.4	2.2	220	--	
2/5/2010	ND<250	ND<6200	ND<12	--	ND<12	ND<12	ND<12	ND<12	--	--	--	--	
8/3/2010	140	ND<500	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.5	ND<2.0	70	ND<10	
2/14/2011	99	ND<500	ND<1.0	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.6	2.7	91	ND<10	
MW-1AR													
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	1.6	--	--	--	--	
9/14/2009	110	ND<500	--	--	--	ND<1.0	ND<1.0	ND<1.0	4.5	ND<2.0	170	--	
11/13/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
6/7/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.1	ND<2.0	25	ND<10	
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.2	ND<2.0	ND<10	ND<10	
11/11/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.3	ND<2.0	14	ND<10	
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.0	2.6	ND<10	ND<10	
MW-1BR													
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	2.0	--	--	--	--	
9/14/2009	33	ND<500	--	--	--	ND<1.0	ND<1.0	1.9	3.7	ND<2.0	250	--	
11/13/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	1.2	--	--	--	--	
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
6/7/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	ND<2.0	26	ND<10	
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	ND<2.0	25	ND<10	

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	EDB (504) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Carbon (organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Comments
11/11/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.9	ND<2.0	12	ND<10	
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.7	3.7	34	ND<10	
MW-2													
9/2/1999	ND	ND	--	--	--	ND	ND	ND	--	--	--	--	
12/14/1999	ND	ND	ND	--	ND	ND	ND	ND	--	--	--	--	
3/14/2000	1300	ND	ND	--	ND	ND	ND	ND	--	--	--	--	
5/31/2000	ND	ND	ND	--	ND	ND	ND	ND	--	--	--	--	
8/29/2000	250	ND	ND	--	ND	ND	ND	ND	--	--	--	--	
12/1/2000	ND	ND	ND	--	ND	ND	ND	ND	--	--	--	--	
3/17/2001	ND	ND	ND	--	ND	14.8	ND	ND	--	--	--	--	
5/23/2001	ND	ND	ND	--	ND	ND	ND	ND	--	--	--	--	
9/24/2001	ND<5000	ID<5000000	ND<100	--	ND<100	ND<100	ND<100	ND<100	--	--	--	--	
12/10/2001	ND<500	ID<1200000	ND<25	--	ND<25	ND<25	ND<25	ND<25	--	--	--	--	
3/11/2002	ND<1000	ND<5000000	ND<20	--	ND<20	ND<20	ND<20	ND<20	--	--	--	--	
6/7/2002	ND<1000	ND<2000000	ND<25	--	ND<25	ND<25	ND<25	ND<25	--	--	--	--	
9/3/2002	ND<1000	ND<5000000	ND<20	--	ND<20	ND<20	ND<20	ND<20	--	--	--	--	
MW-2A													
12/12/2002	ND<100	ND<500000	ND<2.0	--	2.3	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
3/13/2003	ND<100	ND<500000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
6/12/2003	ND<100	ND<500000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
9/12/2003	ND<100	ND<500	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
12/31/2003	ND<100	ND<500	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
2/12/2004	ND<100	ND<500	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
6/7/2004	ND<12	ND<800	ND<0.5	--	ND<0.5	ND<1	ND<1	ND<1	--	--	--	--	
9/17/2004	6.7	ND<50	--	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--	--	
12/11/2004	ND<5.0	ND<50	--	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--	--	
3/15/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/17/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
7/27/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/22/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	EDB (504) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Carbon (organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Comments
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/8/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	17	--	--	--	
MW-3													
9/2/1999	ND	ND	--	--	--	ND	ND	ND	--	--	--	--	
3/11/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/17/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
7/27/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/22/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/8/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	3.2	--	--	--	
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
9/14/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
MW-4													
9/2/1999	ND	ND	--	--	--	ND	ND	ND	--	--	--	--	
12/10/2001	ND<290	ND<7100000	ND<14	--	ND<14	ND<14	ND<14	ND<14	--	--	--	--	

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	EDB (504) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Carbon (organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Comments
12/12/2002	ND<100	ND<500000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
9/12/2003	--	ND<500	--	--	--	--	--	--	--	--	--	--	
9/17/2004	ND<5.0	ND<50	--	--	--	ND<1.0	ND<0.50	ND<0.50	--	--	--	--	
12/11/2004	ND<25	ND<250	--	--	--	ND<5.0	ND<2.5	ND<2.5	--	--	--	--	
3/11/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/17/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
7/27/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/22/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/8/2008	ND<10	290	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	1.7	--	--	--	
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
9/14/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
MW-5													
9/12/2003	--	ND<500	--	--	--	--	--	--	--	--	--	--	
3/11/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/17/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
7/27/2005	ND<5.0	ND<50	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2006	59	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/30/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	EDB (504) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Carbon (organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Comments
11/22/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/8/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	4.5	--	--	--	
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
9/14/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
MW-6													
3/17/2001	ND	ND	ND	--	219	ND	ND	ND	--	--	--	--	
9/24/2001	ND<100	ND<1000000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
12/10/2001	ND<500	ID<1200000	ND<25	--	ND<25	ND<25	ND<25	ND<25	--	--	--	--	
3/11/2002	ND<100	ND<500000	ND<2.0	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--	--	
12/12/2002	ND<10000	ID<5000000	ND<200	--	ND<200	ND<200	ND<200	ND<200	--	--	--	--	
3/13/2003	ND<5000	ID<2500000	ND<100	--	ND<100	ND<100	ND<100	ND<100	--	--	--	--	
6/12/2003	ND<2000	ID<1000000	ND<40	--	ND<40	ND<40	ND<40	ND<40	--	--	--	--	
9/12/2003	--	ND<2500	--	--	--	--	--	--	--	--	--	--	
2/12/2004	ND<2000	ND<10000	ND<40	--	ND<40	ND<40	ND<40	ND<40	--	--	--	--	
6/7/2004	ND<200	ND<8000	ND<5	--	ND<5	ND<10	ND<10	ND<10	--	--	--	--	
9/17/2004	ND<100	ND<1000	--	--	--	ND<20	ND<10	ND<10	--	--	--	--	
12/11/2004	ND<100	ND<1000	--	--	--	ND<20	ND<10	ND<10	--	--	--	--	
3/11/2005	ND<100	ND<1000	--	--	--	ND<10	ND<10	ND<10	--	--	--	--	
5/17/2005	ND<100	ND<1000	--	--	--	ND<10	ND<10	ND<10	--	--	--	--	
7/27/2005	ND<100	ND<1000	--	--	--	ND<10	ND<10	ND<10	--	--	--	--	
11/23/2005	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	1.0	--	--	--	--	
2/24/2006	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	0.68	--	--	--	--	
5/30/2006	ND<250	ND<6200	--	--	--	ND<12	ND<12	ND<12	--	--	--	--	
8/30/2006	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	EDB (504) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Carbon (organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Comments
11/22/2006	ND<100	ND<2500	--	--	--	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
2/23/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
5/18/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
8/10/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/9/2007	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	0.52	--	--	--	--	--
2/8/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
5/16/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
8/15/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
11/26/2008	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
2/24/2009	ND<10	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	2.7	--	--	--	--
5/28/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
9/14/2009	23	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
2/5/2010	41	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
8/3/2010	ND<10	ND<250	ND<0.50	ND<0.010	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	--
MW-7													
5/28/2009	150	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	11	--	--	--	--	--
9/14/2009	680	ND<12000	--	--	--	ND<25	ND<25	ND<25	9.8	ND<2.0	76	--	--
11/13/2009	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	--	--	--	--	--
2/5/2010	1600	ND<6200	ND<12	--	ND<12	ND<12	ND<12	ND<12	--	--	--	--	--
6/7/2010	ND<250	ND<6200	ND<12	--	ND<12	ND<12	ND<12	ND<12	3.9	ND<2.0	11	ND<10	
8/3/2010	1400	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	3.6	ND<2.0	79	ND<10	
11/11/2010	1200	ND<2500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	4.1	ND<2.0	27	ND<10	
2/14/2011	ND<1000	ND<25000	ND<50	--	ND<50	ND<50	ND<50	ND<50	4.1	ND<2.0	43	ND<10	
MW-8													
5/28/2009	36	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	9.7	9.9	ND<2.0	140	--	--
9/14/2009	ND<500	ND<12000	--	--	--	ND<25	ND<25	ND<25	14	ND<2.0	60	--	--
11/13/2009	ND<100	ND<2500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	--	--	--	--
2/5/2010	960	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	--	--	--	--	--
6/7/2010	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	4.0	ND<2.0	21	ND<10	
8/3/2010	670	ND<2500	ND<5.0	ND<0.010	ND<5.0	ND<5.0	ND<5.0	ND<5.0	3.9	ND<2.0	74	ND<10	
11/11/2010	ND<1000	ND<25000	ND<50	--	ND<50	ND<50	ND<50	ND<50	3.7	ND<2.0	46	ND<10	
2/14/2011	ND<500	ND<12000	ND<25	--	ND<25	ND<25	ND<25	ND<25	3.7	ND<2.0	59	ND<10	
MW-9													
5/28/2009	40	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	11	--	--	--	--	--

Table 2a
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	TBA ($\mu\text{g/l}$)	Ethanol (8260B) ($\mu\text{g/l}$)	Ethylene-dibromide (EDB) ($\mu\text{g/l}$)	EDB (504) ($\mu\text{g/l}$)	1,2-DCA (EDC) ($\mu\text{g/l}$)	DIPE ($\mu\text{g/l}$)	ETBE ($\mu\text{g/l}$)	TAME ($\mu\text{g/l}$)	Carbon (organic, total) (mg/l)	Chromium VI ($\mu\text{g/l}$)	Chromium (total) ($\mu\text{g/l}$)	Chromium (dissolved) ($\mu\text{g/l}$)	Comments
9/14/2009	24	ND<250	--	--	--	ND<0.50	ND<0.50	ND<0.50	3.0	ND<2.0	520	--	
11/13/2009	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
2/5/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
6/7/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.7	6.1	24	ND<10	
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.6	2.5	25	ND<10	
11/11/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.4	2.6	24	ND<10	
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.4	6.6	22	ND<10	
MW-10													
5/28/2009	39	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	4.6	2.4	2.0	ND<10	--	
9/14/2009	240	ND<3100	--	--	--	ND<6.2	ND<6.2	ND<6.2	2.7	ND<2.0	24	--	
11/13/2009	ND<50	ND<1200	ND<2.5	--	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	--	--	--	
2/5/2010	35	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	--	--	--	
6/7/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.0	6.5	15	ND<10	
8/3/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.0	8.7	19	ND<10	
11/11/2010	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	10	20	11	
2/14/2011	ND<10	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1.8	14	18	15	
MW-11													
5/28/2009	140	ND<250	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	9.4	--	--	--	--	
9/14/2009	850	ND<12000	--	--	--	ND<25	ND<25	ND<25	3.3	ND<2.0	14	--	
11/13/2009	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	--	--	--	--	
2/5/2010	1600	ND<6200	ND<12	--	ND<12	ND<12	ND<12	ND<12	--	--	--	--	
6/7/2010	ND<200	ND<5000	ND<10	--	ND<10	ND<10	ND<10	ND<10	3.0	ND<2.0	ND<10	ND<10	
8/3/2010	620	ND<2500	ND<5.0	ND<0.010	ND<5.0	ND<5.0	ND<5.0	ND<5.0	2.9	ND<2.0	ND<10	ND<10	
11/11/2010	ND<100	ND<2500	ND<5.0	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	2.8	ND<2.0	17	ND<10	
2/14/2011	670	ND<3100	ND<6.2	--	ND<6.2	ND<6.2	ND<6.2	ND<6.2	3.5	ND<2.0	14	ND<10	

Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	Iron Ferrous ($\mu\text{g/l}$)	Manganese dissolved ($\mu\text{g/l}$)	Manganese total ($\mu\text{g/l}$)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O/l)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (umhos)	Post-purge Dissolved Oxygen (O_2)	Pre-purge Dissolved Oxygen (O_2)	Pre-purge ORP (O_2)	Post-purge ORP (O_2)	Comments
MW-1													
9/2/1999	--	--	--	--	--	--	--	--	--	--	--	--	--
3/15/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
11/22/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
2/23/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
5/18/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
8/10/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
11/9/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
2/8/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
5/16/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
8/15/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
11/26/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2009	ND<100	ND<1.0	500	--	18	--	--	--	4.63	3.22	57	59	
5/28/2009	ND<500	2.4	550	9.9	25	8.6	130	463	0.80	2.95	119	171	
9/14/2009	ND<100	3.7	1600	11	25	6.8	204	429	1.93	3.81	233	146	
2/5/2010	--	--	--	--	--	--	--	--	0.83	1.42	66	71	
8/3/2010	ND<100	1.8	1100	16	24	6.7	333.4	508	1.10	1.68	172	158	
2/14/2011	ND<500	5.4	530	18	25	8.9	418.5	509	6.45	4.45	355	356	
MW-1AR													
5/28/2009	--	--	--	--	--	--	--	--	1.72	0.95	144	177	
9/14/2009	2500	570	830	17	39	7.0	205	655	1.68	1.83	235	187	
11/13/2009	--	--	--	--	--	--	--	--	3.13	2.98	174	16	
2/5/2010	--	--	--	--	--	--	--	--	0.37	0.94	79	75	
6/7/2010	490	210	450	21	30	6.1	273.4	554	0.79	1.27	56	78	
8/3/2010	550	180	230	21	31	8.1	225.1	537	0.39	0.58	148	108	
11/11/2010	370	210	330	20	31	7.6	206.5	545	2.67	2.46	204	216	
2/14/2011	420	150	190	21	32	7.3	217.9	537	1.31	1.48	349	362	
MW-1BR													
5/28/2009	--	--	--	--	--	--	--	--	0.61	1.37	145	165	
9/14/2009	ND<500	230	930	17	59	6.7	207	673	0.46	1.02	228	143	
11/13/2009	--	--	--	--	--	--	--	--	5.74	4.59	151	107	
2/5/2010	--	--	--	--	--	--	--	--	0.38	0.82	85	79	
6/7/2010	380	110	180	27	30	6.6	479.4	539	0.74	1.42	48	10	
8/3/2010	240	130	230	26	28	7.3	271.8	548	0.37	0.43	54	59	

Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	Iron Ferrous ($\mu\text{g/l}$)	Manganese dissolved ($\mu\text{g/l}$)	Manganese total ($\mu\text{g/l}$)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O/)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (umhos)	Post-purge Dissolved Oxygen (O_2)	Pre-purge Dissolved Oxygen (O_2)	Pre-purge ORP (mV)	Post-purge ORP (mV)	Comments
11/11/2010	250	130	170	ND<0.44	28	7.0	227.8	540	1.78	1.43	212	212	
2/14/2011	290	73	170	29	28	8.1	286.1	531	1.07	1.74	356	351	
MW-2													
9/2/1999	--	--	--	--	--	--	--	--	--	--	--	--	--
12/14/1999	--	--	--	--	--	--	--	--	--	--	--	--	--
3/14/2000	--	--	--	--	--	--	--	--	--	--	--	--	--
5/31/2000	--	--	--	--	--	--	--	--	--	--	--	--	--
8/29/2000	--	--	--	--	--	--	--	--	--	--	--	--	--
12/1/2000	--	--	--	--	--	--	--	--	--	--	--	--	--
3/17/2001	--	--	--	--	--	--	--	--	--	--	--	--	--
5/23/2001	--	--	--	--	--	--	--	--	--	--	--	--	--
9/24/2001	--	--	--	--	--	--	--	--	--	--	--	--	--
12/10/2001	--	--	--	--	--	--	--	--	--	--	--	--	--
3/11/2002	--	--	--	--	--	--	--	--	--	--	--	--	--
6/7/2002	--	--	--	--	--	--	--	--	--	--	--	--	--
9/3/2002	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-2A													
12/12/2002	--	--	--	--	--	--	--	--	--	--	--	--	--
3/13/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
6/12/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
9/12/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
12/31/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
2/12/2004	--	--	--	--	--	--	--	--	--	--	--	--	--
6/7/2004	--	--	--	--	--	--	--	--	--	--	--	--	--
9/17/2004	--	--	--	--	--	--	--	--	--	--	--	--	--
12/11/2004	--	--	--	--	--	--	--	--	--	--	--	--	--
3/15/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
5/17/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
7/27/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
11/23/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
8/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
11/22/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
2/23/2007	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	Iron Ferrous (µg/l)	Manganese dissolved (µg/l)	Manganese total (µg/l)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O/)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (umhos)	Post-purge Dissolved Oxygen ()	Pre-purge Dissolved Oxygen ()	Pre-purge ORP ()	Post-purge ORP ()	Comments
5/18/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
8/10/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
11/9/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
2/8/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
5/16/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
8/15/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
11/26/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2009	110	ND<1.0	130	--	87	--	--	--	3.38	4.44	50	34	
MW-3													
9/2/1999	--	--	--	--	--	--	--	--	--	--	--	--	--
3/11/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
5/17/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
7/27/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
11/23/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
8/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
11/22/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
2/23/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
5/18/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
8/10/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
11/9/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
2/8/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
5/16/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
8/15/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
11/26/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2009	ND<100	ND<1.0	1100	--	130	--	--	--	5.01	2.30	46	49	
5/28/2009	--	--	--	--	--	--	--	--	0.61	4.03	141	85	
9/14/2009	--	--	--	--	--	6.6	196	658	0.49	2.02	146	119	
2/5/2010	--	--	--	--	--	--	--	--	1.04	2.64	338	71	
8/3/2010	--	--	--	--	--	6.7	279.4	601	0.95	2.24	103	103	
2/14/2011	--	--	--	--	--	4.9	288.9	587	1.15	2.43	187	188	
MW-4													
9/2/1999	--	--	--	--	--	--	--	--	--	--	--	--	--
12/10/2001	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	Iron Ferrous (µg/l)	Nitrogen			Dissolved Oxygen (Lab) (mg O/)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (umhos)	Post-purge Dissolved Oxygen (%)	Pre-purge Dissolved Oxygen (%)	Pre-purge ORP (%)	Post-purge ORP (%)	Comments	
		Manganese dissolved (µg/l)	Manganese total (µg/l)	Nitrate (mg/l)									
12/12/2002	--	--	--	--	--	--	--	--	--	--	--	--	
9/12/2003	--	--	--	--	--	--	--	--	--	--	--	--	
9/17/2004	--	--	--	--	--	--	--	--	--	--	--	--	
12/11/2004	--	--	--	--	--	--	--	--	--	--	--	--	
3/11/2005	--	--	--	--	--	--	--	--	--	--	--	--	
5/17/2005	--	--	--	--	--	--	--	--	--	--	--	--	
7/27/2005	--	--	--	--	--	--	--	--	--	--	--	--	
11/23/2005	--	--	--	--	--	--	--	--	--	--	--	--	
2/24/2006	--	--	--	--	--	--	--	--	--	--	--	--	
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	
8/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	
11/22/2006	--	--	--	--	--	--	--	--	--	--	--	--	
2/23/2007	--	--	--	--	--	--	--	--	--	--	--	--	
5/18/2007	--	--	--	--	--	--	--	--	--	--	--	--	
8/10/2007	--	--	--	--	--	--	--	--	--	--	--	--	
11/9/2007	--	--	--	--	--	--	--	--	--	--	--	--	
2/8/2008	--	--	--	--	--	--	--	--	--	--	--	--	
5/16/2008	--	--	--	--	--	--	--	--	--	--	--	--	
8/15/2008	--	--	--	--	--	--	--	--	--	--	--	--	
11/26/2008	--	--	--	--	--	--	--	--	--	--	--	--	
2/24/2009	ND<100	3.1	250	--	130	--	--	6.15	4.27	61	64		
5/28/2009	--	--	--	--	--	--	--	3.68	3.76	141	55		
9/14/2009	--	--	--	--	--	7.1	195	1020	2.16	2.78	142	63	
2/5/2010	--	--	--	--	--	--	--	8.59	7.70	309	326		
8/3/2010	--	--	--	--	--	8.3	280.9	1110	5.26	2.88	102	106	
2/14/2011	--	--	--	--	--	9.2	294.6	770	7.02	6.84	187	172	
MW-5													
9/12/2003	--	--	--	--	--	--	--	--	--	--	--	--	
3/11/2005	--	--	--	--	--	--	--	--	--	--	--	--	
5/17/2005	--	--	--	--	--	--	--	--	--	--	--	--	
7/27/2005	--	--	--	--	--	--	--	--	--	--	--	--	
11/23/2005	--	--	--	--	--	--	--	--	--	--	--	--	
2/24/2006	--	--	--	--	--	--	--	--	--	--	--	--	
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	
8/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	

Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	Iron Ferrous ($\mu\text{g/l}$)	Manganese dissolved ($\mu\text{g/l}$)	Manganese total ($\mu\text{g/l}$)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O/)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (umhos)	Post-purge Dissolved Oxygen (O_2)	Pre-purge Dissolved Oxygen (O_2)	Pre-purge ORP (mV)	Post-purge ORP (mV)	Comments
11/22/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
2/23/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
5/18/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
8/10/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
11/9/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
2/8/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
5/16/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
8/15/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
11/26/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2009	ND<100	ND<1.0	720	--	64	--	--	--	5.65	2.58	27	34	
5/28/2009	--	--	--	--	--	--	--	--	1.71	4.32	138	94	
9/14/2009	--	--	--	--	--	4.0	204	609	0.64	2.08	147	115	
2/5/2010	--	--	--	--	--	--	--	--	2.08	2.59	295	71	
8/3/2010	--	--	--	--	--	8.6	288.2	611	7.12	2.08	62	102	
2/14/2011	--	--	--	--	--	6.0	317.6	617	1.55	2.81	179	195	
MW-6													
3/17/2001	--	--	--	--	--	--	--	--	--	--	--	--	--
9/24/2001	--	--	--	--	--	--	--	--	--	--	--	--	--
12/10/2001	--	--	--	--	--	--	--	--	--	--	--	--	--
3/11/2002	--	--	--	--	--	--	--	--	--	--	--	--	--
12/12/2002	--	--	--	--	--	--	--	--	--	--	--	--	--
3/13/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
6/12/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
9/12/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
2/12/2004	--	--	--	--	--	--	--	--	--	--	--	--	--
6/7/2004	--	--	--	--	--	--	--	--	--	--	--	--	--
9/17/2004	--	--	--	--	--	--	--	--	--	--	--	--	--
12/11/2004	--	--	--	--	--	--	--	--	--	--	--	--	--
3/11/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
5/17/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
7/27/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
11/23/2005	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
8/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	Iron Ferrous (µg/l)	Manganese dissolved (µg/l)	Manganese total (µg/l)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O/)	Redox Potential (ORP-Lab) (mV)	Specific Conductance (umhos)	Post-purge Dissolved Oxygen ()	Pre-purge Dissolved Oxygen ()	Pre-purge ORP ()	Post-purge ORP ()	Comments
11/22/2006	--	--	--	--	--	--	--	--	--	--	--	--	--
2/23/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
5/18/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
8/10/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
11/9/2007	--	--	--	--	--	--	--	--	--	--	--	--	--
2/8/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
5/16/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
8/15/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
11/26/2008	--	--	--	--	--	--	--	--	--	--	--	--	--
2/24/2009	ND<100	1.2	2300	--	85	--	--	--	3.40	1.29	68	67	
5/28/2009	--	--	--	--	--	--	--	--	1.06	1.85	142	56	
9/14/2009	--	--	--	--	--	7.1	205	595	0.46	1.07	154	118	
2/5/2010	--	--	--	--	--	--	--	--	2.96	2.73	314	135	
8/3/2010	--	--	--	--	--	8.0	291.7	530	0.72	1.35	96	103	
2/14/2011	--	--	--	--	--	5.2	326.6	542	1.01	2.16	195	198	
MW-7													
5/28/2009	--	--	--	--	--	--	--	--	1.24	0.63	160	124	
9/14/2009	3200	2000	2200	4.2	180	6.9	217	1030	0.26	1.35	-13	-53	
11/13/2009	--	--	--	--	--	--	--	--	--	0.76	1	-24	
2/5/2010	--	--	--	--	--	--	--	--	1.46	0.69	-10	-7	
6/7/2010	1200	1200	1500	4.1	72	8.2	342.6	801	0.57	1.10	11	-13	
8/3/2010	4500	1100	1500	3.9	69	8.9	105.6	745	2.18	1.05	112	105	
11/11/2010	2000	1000	1000	2.3	67	6.3	54.88	740	1.45	2.32	176	190	
2/14/2011	2700	920	1000	2.9	55	8.0	191.4	713	0.94	1.20	198	76	
MW-8													
5/28/2009	ND<1000	280	830	12	130	9.0	124	923	2.22	1.38	146	68	
9/14/2009	480	1000	1300	7.7	260	6.2	407	1100	0.28	1.11	151	92	
11/13/2009	--	--	--	--	--	--	--	--	3.51	0.84	111	72	
2/5/2010	--	--	--	--	--	--	--	--	1.17	0.58	88	63	
6/7/2010	620	870	1200	6.1	81	8.3	350.3	791	0.72	1.27	22	35	
8/3/2010	1500	860	1300	6.8	85	8.9	218.5	733	3.03	0.90	88	101	
11/11/2010	430	810	1000	5.2	83	7.7	229.2	724	1.31	0.98	179	170	
2/14/2011	440	830	1400	5.8	75	8.0	267.0	694	2.81	3.44	197	188	
MW-9													
5/28/2009	--	--	--	--	--	--	--	--	--	--	--	--	

Table 2b
ADDITIONAL CURRENT ANALYTICAL RESULTS

Former 76 Station 0843

Date Sampled	Iron Ferrous (µg/l)	Manganese (dissolved) (µg/l)	Manganese (total) (µg/l)	Nitrogen as Nitrate (mg/l)	Sulfate (mg/l)	Dissolved Oxygen (Lab) (mg O/)	Redox Potential (ORP-Lab) (mV)	Specific Con- ductance (umhos)	Post-purge Dissolved Oxygen (%)	Pre-purge Dissolved Oxygen (%)	Pre-purge ORP (%)	Post-purge ORP (%)	Comments
9/14/2009	ND<1000	180	4700	5.0	68	7.3	204	580	3.58	4.16	236	171	
11/13/2009	--	--	--	--	--	--	--	--	5.06	4.22	81	105	
2/5/2010	--	--	--	--	--	--	--	--	0.93	1.25	102	102	
6/7/2010	280	200	1100	6.9	41	7.9	380.3	665	0.95	1.46	61	39	
8/3/2010	160	120	540	5.8	42	7.2	300.6	651	1.02	0.70	48	64	
11/11/2010	ND<500	180	1000	6.0	35	6.5	217.8	686	1.92	2.72	201	207	
2/14/2011	230	60	440	8.1	29	9.5	305.5	690	0.78	0.64	349	346	
MW-10													
5/28/2009	150	280	350	9.1	30	7.1	139	661	0.30	1.76	151	156	
9/14/2009	210	280	380	6.3	33	6.1	205	675	2.19	0.67	235	114	
11/13/2009	--	--	--	--	--	--	--	--	1.20	1.58	95	77	
2/5/2010	--	--	--	--	--	--	--	--	0.83	0.98	87	87	
6/7/2010	260	18	340	10	29	8.1	379.1	490	3.24	3.26	82	84	
8/3/2010	150	10	150	12	27	8.4	315.2	476	3.71	3.62	74	62	
11/11/2010	ND<100	9.2	160	13	28	7.6	175.6	529	3.07	4.23	190	207	
2/14/2011	160	43	45	13	30	9.2	326.6	560	2.25	3.77	342	355	
MW-11													
5/28/2009	--	--	--	--	--	--	--	--	0.22	0.80	1.56	147	
9/14/2009	310	570	740	0.73	37	6.7	192	780	0.81	0.82	224	49	
11/13/2009	--	--	--	--	--	--	--	--	0.35	1.52	53	23	
2/5/2010	--	--	--	--	--	--	--	--	1.33	1.56	280	126	
6/7/2010	310	280	980	1.5	20	7.0	501.3	737	0.70	1.31	97	44	
8/3/2010	100	440	730	3.3	20	6.9	317.6	727	0.54	1.21	12	-20	
11/11/2010	990	610	830	2.7	23	6.6	145.0	718	0.60	2.02	192	211	
2/14/2011	240	560	760	3.1	21	9.4	473.7	750	0.88	0.56	337	324	

ARCADIS

Attachment C

Laboratory Report and
Chain-of-Custody
Documentation



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Date of Report: 11/09/2012

Kathy Brandt

Arcadis

1900 Powell Street 12th Floor
Emeryville, CA 94608

Project: 0843

BC Work Order: 1220646

Invoice ID: B133855

Enclosed are the results of analyses for samples received by the laboratory on 10/25/2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Molly Meyers
Client Service Rep



Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com



Table of Contents

Sample Information

Chain of Custody and Cooler Receipt form.....	4
Laboratory / Client Sample Cross Reference.....	9

Sample Results

1220646-01 - MW-1-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	13
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	14
Water Analysis (General Chemistry).....	15
Water Analysis (Metals).....	16
1220646-02 - MW-1AR-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	17
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	18
Water Analysis (General Chemistry).....	19
Water Analysis (Metals).....	20
1220646-03 - MW-1BR-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	21
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	22
Water Analysis (General Chemistry).....	23
Water Analysis (Metals).....	24
1220646-04 - MW-9-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	25
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	26
Water Analysis (General Chemistry).....	27
Water Analysis (Metals).....	28
1220646-05 - MW-10-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	29
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	30
Water Analysis (General Chemistry).....	31
Water Analysis (Metals).....	32
1220646-06 - MW-11-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	33
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	34
Water Analysis (General Chemistry).....	35
Water Analysis (Metals).....	36
1220646-07 - MW-7-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	37
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	38
Water Analysis (General Chemistry).....	39
Water Analysis (Metals).....	40
1220646-08 - MW-8-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	41
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	42
Water Analysis (General Chemistry).....	43
Water Analysis (Metals).....	44
1220646-09 - MW-3-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	45
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	46
Water Analysis (General Chemistry).....	47
1220646-10 - MW-4-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	48
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	49
Water Analysis (General Chemistry).....	50
1220646-11 - MW-5-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	51

Table of Contents

Purgeable Aromatics and Total Petroleum Hydrocarbons.....	52
Water Analysis (General Chemistry).....	53
Water Analysis (Metals).....	54
1220646-12 - MW-6-W-121025	
Volatile Organic Analysis (EPA Method 8260).....	55
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	56
Water Analysis (General Chemistry).....	57
Water Analysis (Metals).....	58
Quality Control Reports	
Volatile Organic Analysis (EPA Method 8260)	
Method Blank Analysis.....	59
Laboratory Control Sample.....	61
Precision and Accuracy.....	62
Purgeable Aromatics and Total Petroleum Hydrocarbons	
Method Blank Analysis.....	63
Laboratory Control Sample.....	64
Precision and Accuracy.....	65
Water Analysis (General Chemistry)	
Method Blank Analysis.....	66
Laboratory Control Sample.....	67
Precision and Accuracy.....	68
Water Analysis (Metals)	
Method Blank Analysis.....	69
Laboratory Control Sample.....	70
Precision and Accuracy.....	71
Notes	
Notes and Definitions.....	72



Chain of Custody and Cooler Receipt Form for 1220646 Page 1 of 5

12-201040

CHAIN OF CUSTODY FORM

Union Oil Company of California ■ 6101 Bollinger Canyon Road ■ San Ramon, CA 94583

Union Oil Site ID:	084/3	Union Oil Consultant:	Arcalis	COC / of /		
Site Global ID:	T0600102263	Consultant Contact:	Kathy Bennett			
Site Address:	1629 Webster Street Alameda	Consultant Phone No.:	510/536-9635			
Union Oil P.M.:	Roya Kamkin	Sampling Company:	TRC			
Union Oil P.M. Phone No.:	725-790-6270	Sampled By (PRINT):	Banks / Joe			
Charge Code: NWRTB-0351849-0-LAB		Sampler Signature:	<i>[Signature]</i>			
This is a LEGAL document. ALL fields must be filled out CORRECTLY and COMPLETELY.						
SAMPLE ID	Matrix	DTW	Date	Sample Time	# of Containers	Notes / Comments
MW-1	W-S-A	-1	12/10/25	0950	1/2	
MW-1 AR	W-S-A	-2		1010	1/2	
MW-1 BR	W-S-A	-3		1030	1/2	
MW-1	W-S-A	-4		1116	1/2	
MW-1D	W-S-A	-5		1150	1/2	
MW-11	W-S-A	-6		1243	1/2	
MW-7	W-S-A	-7		1113	1/2	
MW-8	W-S-A	-8		1130	1/2	
MW-3	W-S-A	-9		1253	1/2	
MW-4	W-S-A	-10		1217	1/2	
MW-5	W-S-A	-11		0925	1/1	
MW-6	W-S-A	-12		1002	1/1	
Released By	Company	Date / Time:	Company	Date / Time:	1900	Released By
<i>[Signature]</i>	TRC	10/21/12 1430	<i>[Signature]</i>	BC Labs	10-25-12 12:00	Company
Received By	Company	Date / Time:	Company	Date / Time:		Received By
<i>[Signature]</i>	BC Lab	10-25-12 1430	<i>[Signature]</i>	BC Lab	10-25-12 19:00	Company
			<i>[Signature]</i>	<i>[Signature]</i>		Received By
						Date / Time:
						BC Lab
						10-25-12 22:00

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Chain of Custody and Cooler Receipt Form for 1220646 Page 2 of 5

BC LABORATORIES INC.		COOLER RECEIPT FORM			Rev. No. 13	08/17/12	Page 1 Of 4			
Submission #: 12-20646										
SHIPPING INFORMATION				SHIPPING CONTAINER						
Federal Express <input type="checkbox"/>	UPS <input type="checkbox"/>	Hand Delivery <input type="checkbox"/>	Other <input type="checkbox"/> (Specify) _____	Ice Chest <input checked="" type="checkbox"/>	Box <input type="checkbox"/>	None <input type="checkbox"/>	Other <input type="checkbox"/> (Specify) _____			
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: _____										
Custody Seals	Ice Chest <input type="checkbox"/> Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>	Containers <input type="checkbox"/> Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>	Comments: _____							
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>								
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Emissivity: 0.95 Container: Q4P8 Thermometer ID: 207	Date/Time 10-25-12								
	Temperature: (A) 1.6 °C / (C) 1.8 °C	Analyst Init JNW 2215								
SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL	P/C	B/C	B/C							
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON	D	D	D							
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A10	A10	A10	I	I	I	I	I	I	I
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
.40 ml VOA VIAL-504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT AMBER	E/F	E/F	E/F							
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCII VIAL										
PLASTIC BAG										
FERROUS IRON	G	G	G							
ENCORE										
SMART KIT										
Comments: _____										
Sample Numbering Completed By: JNW Date/Time: 10/25/12 2245	10/25/12 2245									
\ = Actual / C = Corrected										



Chain of Custody and Cooler Receipt Form for 1220646 Page 3 of 5

BC LABORATORIES INC.		COOLER RECEIPT FORM				Rev. No. 13	08/17/12	Page <u>2</u> OF <u>1</u>		
Submission #: 12-20646										
SHIPPING INFORMATION Federal Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____				SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____						
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: Custody Seals: Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input checked="" type="checkbox"/> Comments: Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>										
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Description(s) match COC? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>						
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: 0.95 Container: QPDR Thermometer ID: 207 Temperature: (A) 1.2 °C / (C) 1.4 °C		Date/Time 10-25-12 2215 Analyst Init JMW						
SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL			BC	BC	BC					
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON				D	D	D				
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	1	1	1	A10	A10	A10	1	1	1	
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT AMBER				EF	EF	EF				
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON				E1	G1	E1				
ENCORE										
SMART KIT										
Comments:	JMW		Date/Time: 10/25/12 2215							
Sample Numbering Completed By:										
A = Actual / C = Corrected										



Chain of Custody and Cooler Receipt Form for 1220646 Page 4 of 5

BC LABORATORIES INC.

COOLER RECEIPT FORM

Rev. No. 13 08/17/12 Page 3 Of 4

Submission #: 12-20646

SHIPPING INFORMATION
 Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER
 Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals Ice Chest Containers None Comments:
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	Emissivity: 0.95 Container: D4P Thermometer ID: 207	Date/Time 10-25-12 Analyst Init JNW 2215
	Temperature: (A) 1.8 °C / (C) 2.0 °C	

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL	B	B						B/C		
PT PE UNPRESERVED	C	C								
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS	D	D								
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A10	A10						A10		
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT AMBER	EF	EF						DEF		
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON								G		
ENCORE										
SMART KIT								JNW 10/25		

Comments:

Sample Numbering Completed By: JNW Date/Time: 10/25/12 2245

A = Actual / C = Corrected

IS:MyDOCSWordPerfect AB DOCS\FORMS\SAHIECR13J



Chain of Custody and Cooler Receipt Form for 1220646 Page 5 of 5

BC LABORATORIES INC.		COOLER RECEIPT FORM		Rev. No. 13	08/17/12	Page 1 Of 4				
Submission #: 12-20646										
SHIPPING INFORMATION				SHIPPING CONTAINER						
Federal Express <input type="checkbox"/>	UPS <input type="checkbox"/>	Hand Delivery <input type="checkbox"/>	BC Lab Field Service <input checked="" type="checkbox"/>	Ice Chest <input checked="" type="checkbox"/>	None <input type="checkbox"/>	Other <input type="checkbox"/> (Specify) _____				
Other <input type="checkbox"/> (Specify) _____				Box <input type="checkbox"/>	Other <input type="checkbox"/> (Specify) _____					
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: _____										
Custody Seals	Ice Chest <input type="checkbox"/>	Containers <input type="checkbox"/>	None <input checked="" type="checkbox"/> Comments: _____							
Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>		Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>		Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: 0.95	Container: Q1pe	Thermometer ID: 207	Date/Time: 10-25-12 2215	Analyst Init: JNW				
		Temperature: (A) 1.3 °C / (C) 1.5 °C								
SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL								BC	B	P
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	1	1	1	1	1	1	1	A10	A10	A10
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT AMBER								DEF	CD	CD
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON								G		
ENCORE										
SMART KIT										
Comments: SF is labeled MW-S, time & date match COC.										
Sample Numbering Completed By: JNW	Date/Time: 10/25/12 2245									06
= Actual / C = Corrected										0



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information	
1220646-01	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-1-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 09:50 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-1 Matrix: W Sample QC Type (SACode): CS Cooler ID:
1220646-02	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-1AR-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 10:10 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-1AR Matrix: W Sample QC Type (SACode): CS Cooler ID:
1220646-03	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-1BR-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 10:30 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-1BR Matrix: W Sample QC Type (SACode): CS Cooler ID:



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
1220646-04	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-9-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 11:16 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-9 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
1220646-05	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-10-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 11:50 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-10 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
1220646-06	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-11-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 12:43 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-11 Matrix: W Sample QC Type (SACode): CS Cooler ID:	



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
1220646-07	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-7-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 11:13 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
1220646-08	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-8-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 11:30 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-8 Matrix: W Sample QC Type (SACode): CS Cooler ID:	
1220646-09	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-3-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 12:53 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-3 Matrix: W Sample QC Type (SACode): CS Cooler ID:	



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information	
1220646-10	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-4-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 12:17 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-4 Matrix: W Sample QC Type (SACode): CS Cooler ID:
1220646-11	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-5-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 09:25 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-5 Matrix: W Sample QC Type (SACode): CS Cooler ID:
1220646-12	COC Number: --- Project Number: 0843 Sampling Location: --- Sampling Point: MW-6-W-121025 Sampled By: TRCI	Receive Date: 10/25/2012 22:00 Sampling Date: 10/25/2012 10:02 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T0600102263 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID:



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-01	Client Sample Name: 0843, MW-1-W-121025, 10/25/2012 9:50:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	250	ug/L	5.0	EPA-8260B	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	60	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	103	%	75 - 125 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4 (Surrogate)	99.8	%	75 - 125 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate)	90.4	%	80 - 120 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	96.5	%	80 - 120 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzene (Surrogate)	88.0	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	88.9	%	80 - 120 (LCL - UCL)	EPA-8260B			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260B	10/29/12	10/29/12	13:18	JMC	MS-V12	1	BVJ2379
2	EPA-8260B	10/29/12	10/30/12	17:14	JMC	MS-V12	10	BVJ2379



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-01	Client Sample Name: 0843, MW-1-W-121025, 10/25/2012 9:50:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	72.8	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 14:42	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-01	Client Sample Name:	0843, MW-1-W-121025, 10/25/2012 9:50:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	13	mg/L	0.44	EPA-300.0	ND		1
Sulfate	23	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	405	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	200	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	1.3	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	7.8	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (E _{obs} _Ag/AgCl)	260.1	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	10/25/12	10/26/12 08:42	LD1	IC5	1	BVJ2257
2	EPA-120.1	10/29/12	10/29/12 14:39	RML	MET-1	1	BVJ2311
3	SM-3500-FeD	10/26/12	10/26/12 15:45	TDC	KONE-1	1	BVJ2392
4	EPA-415.1	10/30/12	10/30/12 19:11	CDR	TOC2	1	BVJ2409
5	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
6	ASTM-D1498	10/26/12	10/26/12 12:34	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-01	Client Sample Name:	0843, MW-1-W-121025, 10/25/2012 9:50:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	2.6	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	330	ug/L	1.0	EPA-200.8	ND		3
Dissolved Vanadium	6.7	ug/L	3.0	EPA-200.8	ND		3
Total Chromium	ND	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	490	ug/L	1.0	EPA-200.8	ND		5
Total Recoverable Vanadium	42	ug/L	3.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 08:19	TDC	KONE-1	1	BVJ2348
2	EPA-6010B	10/26/12	10/29/12 17:50	ARD	PE-OP1	1	BVJ2277
3	EPA-200.8	10/26/12	10/31/12 13:01	SRM	PE-EL1	1	BVJ2441
4	EPA-6010B	10/29/12	10/30/12 10:25	ARD	PE-OP1	1	BVJ2323
5	EPA-200.8	11/01/12	11/06/12 14:46	SRM	PE-EL1	1	BVK0064



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-02	Client Sample Name:	0843, MW-1AR-W-121025, 10/25/2012 10:10:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	19	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	109	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	96.5	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	90.9	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	10/29/12	10/29/12 13:00	JMC	MS-V12	1	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-02	Client Sample Name: 0843, MW-1AR-W-121025, 10/25/2012 10:10:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	79.2	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 15:04	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-02	Client Sample Name:	0843, MW-1AR-W-121025, 10/25/2012 10:10:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	23	mg/L	0.44	EPA-300.0	ND		1
Sulfate	34	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	463	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	ND	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	1.7	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	6.6	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (E _{obs} _Ag/AgCl)	251.2	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	10/25/12	10/26/12 09:40	LD1	IC5	1	BVJ2257
2	EPA-120.1	10/29/12	10/29/12 14:46	RML	MET-1	1	BVJ2311
3	SM-3500-FeD	10/26/12	10/26/12 15:45	TDC	KONE-1	1	BVJ2392
4	EPA-415.1	10/30/12	10/30/12 19:51	CDR	TOC2	1	BVJ2409
5	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
6	ASTM-D1498	10/26/12	10/26/12 12:49	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-02	Client Sample Name:	0843, MW-1AR-W-121025, 10/25/2012 10:10:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	2.1	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	270	ug/L	1.0	EPA-200.8	ND		3
Dissolved Vanadium	ND	ug/L	3.0	EPA-200.8	ND		3
Total Chromium	18	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	290	ug/L	1.0	EPA-200.8	ND		5
Total Recoverable Vanadium	11	ug/L	3.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 08:19	TDC	KONE-1	1	BVJ2348
2	EPA-6010B	10/26/12	10/29/12 17:52	ARD	PE-OP1	1	BVJ2277
3	EPA-200.8	10/26/12	10/31/12 12:33	SRM	PE-EL1	1	BVJ2441
4	EPA-6010B	10/29/12	10/30/12 10:27	ARD	PE-OP1	1	BVJ2323
5	EPA-200.8	11/01/12	11/06/12 14:49	SRM	PE-EL1	1	BVK0064



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-03	Client Sample Name:	0843, MW-1BR-W-121025, 10/25/2012 10:30:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	12	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	97.9	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	92.4	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	94.0	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	10/29/12	10/29/12 12:43	JMC	MS-V12	1	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-03	Client Sample Name: 0843, MW-1BR-W-121025, 10/25/2012 10:30:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	79.5	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 15:26	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-03	Client Sample Name:	0843, MW-1BR-W-121025, 10/25/2012 10:30:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	28	mg/L	0.44	EPA-300.0	ND		1
Sulfate	28	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	432	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	ND	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	1.3	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	5.2	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (E _{obs} _Ag/AgCl)	266.5	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	10/25/12	10/26/12 09:54	LD1	IC5	1	BVJ2257
2	EPA-120.1	10/29/12	10/29/12 14:53	RML	MET-1	1	BVJ2311
3	SM-3500-FeD	10/26/12	10/26/12 15:45	TDC	KONE-1	1	BVJ2392
4	EPA-415.1	10/30/12	10/30/12 20:04	CDR	TOC2	1	BVJ2409
5	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
6	ASTM-D1498	10/26/12	10/26/12 12:57	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-03	Client Sample Name:	0843, MW-1BR-W-121025, 10/25/2012 10:30:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	3.1	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	190	ug/L	1.0	EPA-200.8	ND		3
Dissolved Vanadium	ND	ug/L	3.0	EPA-200.8	ND		3
Total Chromium	13	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	210	ug/L	1.0	EPA-200.8	ND		5
Total Recoverable Vanadium	10	ug/L	3.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 08:19	TDC	KONE-1	1	BVJ2351
2	EPA-6010B	10/26/12	10/29/12 17:54	ARD	PE-OP1	1	BVJ2277
3	EPA-200.8	10/26/12	10/31/12 13:04	SRM	PE-EL1	1	BVJ2441
4	EPA-6010B	10/29/12	10/30/12 10:28	ARD	PE-OP1	1	BVJ2323
5	EPA-200.8	11/01/12	11/06/12 14:52	SRM	PE-EL1	1	BVK0064



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-04	Client Sample Name: 0843, MW-9-W-121025, 10/25/2012 11:16:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	270	ug/L	5.0	EPA-8260B	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	88	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	106	%	75 - 125 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4 (Surrogate)	102	%	75 - 125 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate)	95.8	%	80 - 120 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	98.3	%	80 - 120 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzene (Surrogate)	91.6	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	87.0	%	80 - 120 (LCL - UCL)	EPA-8260B			2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	10/29/12	10/29/12 12:25	JMC	MS-V12	1	BVJ2378
2	EPA-8260B	10/29/12	10/30/12 16:57	JMC	MS-V12	10	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-04	Client Sample Name:	0843, MW-9-W-121025, 10/25/2012 11:16:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	77.5	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 15:48	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-04	Client Sample Name:	0843, MW-9-W-121025, 10/25/2012 11:16:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	16	mg/L	0.44	EPA-300.0	ND		1
Sulfate	38	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	616	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	ND	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	1.9	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	5.4	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (E _{obs} _Ag/AgCl)	171.3	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	10/25/12	10/26/12 10:09	LD1	IC5	1	BVJ2257
2	EPA-120.1	10/29/12	10/29/12 15:00	RML	MET-1	1	BVJ2311
3	SM-3500-FeD	10/26/12	10/26/12 15:45	TDC	KONE-1	1	BVJ2392
4	EPA-415.1	10/30/12	10/30/12 20:17	CDR	TOC2	1	BVJ2409
5	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
6	ASTM-D1498	10/26/12	10/26/12 13:01	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-04	Client Sample Name:	0843, MW-9-W-121025, 10/25/2012 11:16:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	3.7	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	240	ug/L	1.0	EPA-200.8	ND		3
Dissolved Vanadium	3.1	ug/L	3.0	EPA-200.8	ND		3
Total Chromium	20	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	270	ug/L	1.0	EPA-200.8	ND		5
Total Recoverable Vanadium	15	ug/L	3.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 08:19	TDC	KONE-1	1	BVJ2351
2	EPA-6010B	10/26/12	10/29/12 17:55	ARD	PE-OP1	1	BVJ2277
3	EPA-200.8	10/26/12	10/31/12 13:07	SRM	PE-EL1	1	BVJ2441
4	EPA-6010B	10/29/12	10/30/12 10:35	ARD	PE-OP1	1	BVJ2323
5	EPA-200.8	11/01/12	11/06/12 14:55	SRM	PE-EL1	1	BVK0064



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-05	Client Sample Name:	0843, MW-10-W-121025, 10/25/2012 11:50:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	101	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	94.5	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	90.9	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	10/29/12	10/29/12 12:08	JMC	MS-V12	1	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-05	Client Sample Name: 0843, MW-10-W-121025, 10/25/2012 11:50:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	73.5	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 16:10	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-05	Client Sample Name:	0843, MW-10-W-121025, 10/25/2012 11:50:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	20	mg/L	0.44	EPA-300.0	ND		1
Sulfate	34	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	512	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	ND	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	1.5	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	6.5	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (E _{obs} _Ag/AgCl)	243.9	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	10/25/12	10/26/12 10:52	LD1	IC5	1	BVJ2257
2	EPA-120.1	10/29/12	10/29/12 15:08	RML	MET-1	1	BVJ2311
3	SM-3500-FeD	10/26/12	10/26/12 15:50	TDC	KONE-1	1	BVJ2392
4	EPA-415.1	10/30/12	10/30/12 20:31	CDR	TOC2	1	BVJ2409
5	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
6	ASTM-D1498	10/26/12	10/26/12 13:06	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-05	Client Sample Name:	0843, MW-10-W-121025, 10/25/2012 11:50:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	10	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	96	ug/L	1.0	EPA-200.8	ND		3
Dissolved Vanadium	ND	ug/L	3.0	EPA-200.8	ND		3
Total Chromium	13	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	110	ug/L	1.0	EPA-200.8	ND		5
Total Recoverable Vanadium	4.3	ug/L	3.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 08:19	TDC	KONE-1	1	BVJ2351
2	EPA-6010B	10/26/12	10/29/12 18:02	ARD	PE-OP1	1	BVJ2277
3	EPA-200.8	10/26/12	10/31/12 13:10	SRM	PE-EL1	1	BVJ2441
4	EPA-6010B	10/29/12	10/30/12 10:37	ARD	PE-OP1	1	BVJ2323
5	EPA-200.8	11/01/12	11/06/12 14:59	SRM	PE-EL1	1	BVK0064



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-06	Client Sample Name: 0843, MW-11-W-121025, 10/25/2012 12:43:00PM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	1000	ug/L	25	EPA-8260B	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	590	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	108	%	75 - 125 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4 (Surrogate)	101	%	75 - 125 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate)	96.1	%	80 - 120 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	96.9	%	80 - 120 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzene (Surrogate)	90.2	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	97.0	%	80 - 120 (LCL - UCL)	EPA-8260B			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260B	10/29/12	10/29/12	11:50	JMC	MS-V12	1	BVJ2378
2	EPA-8260B	10/29/12	10/30/12	16:39	JMC	MS-V12	50	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-06	Client Sample Name: 0843, MW-11-W-121025, 10/25/2012 12:43:00PM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	78.4	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 16:32	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-06	Client Sample Name:	0843, MW-11-W-121025, 10/25/2012 12:43:00PM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	5.2	mg/L	0.44	EPA-300.0	ND		1
Sulfate	28	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	717	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	260	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	3.0	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	5.9	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (E _{obs} _Ag/AgCl)	264.1	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	10/25/12	10/26/12 11:06	LD1	IC5	1	BVJ2257
2	EPA-120.1	10/29/12	10/29/12 15:15	RML	MET-1	1	BVJ2311
3	SM-3500-FeD	10/26/12	10/26/12 15:50	TDC	KONE-1	1	BVJ2392
4	EPA-415.1	10/30/12	10/30/12 20:44	CDR	TOC2	1	BVJ2409
5	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
6	ASTM-D1498	10/26/12	10/26/12 13:10	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-06	Client Sample Name:	0843, MW-11-W-121025, 10/25/2012 12:43:00PM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	ND	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	570	ug/L	1.0	EPA-200.8	ND		3
Dissolved Vanadium	ND	ug/L	3.0	EPA-200.8	ND		3
Total Chromium	23	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	620	ug/L	1.0	EPA-200.8	ND		5
Total Recoverable Vanadium	12	ug/L	3.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 08:19	TDC	KONE-1	1	BVJ2351
2	EPA-6010B	10/26/12	10/29/12 18:03	ARD	PE-OP1	1	BVJ2277
3	EPA-200.8	10/26/12	10/31/12 13:13	SRM	PE-EL1	1	BVJ2441
4	EPA-6010B	10/29/12	10/30/12 10:38	ARD	PE-OP1	1	BVJ2323
5	EPA-200.8	11/01/12	11/06/12 15:02	SRM	PE-EL1	1	BVK0064



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-07	Client Sample Name: 0843, MW-7-W-121025, 10/25/2012 11:13:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	3600	ug/L	25	EPA-8260B	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	3.4	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	2000	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	98.1	%	75 - 125 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4 (Surrogate)	103	%	75 - 125 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate)	93.4	%	80 - 120 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	96.9	%	80 - 120 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzene (Surrogate)	91.8	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	86.8	%	80 - 120 (LCL - UCL)	EPA-8260B			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260B	10/29/12	10/29/12	11:33	JMC	MS-V12	1	BVJ2378
2	EPA-8260B	10/29/12	10/30/12	16:22	JMC	MS-V12	50	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-07	Client Sample Name: 0843, MW-7-W-121025, 10/25/2012 11:13:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	290	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	75.6	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 16:55	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-07	Client Sample Name:	0843, MW-7-W-121025, 10/25/2012 11:13:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	4.5	mg/L	0.44	EPA-300.0	ND		1
Sulfate	30	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	692	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	1500	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	2.8	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	7.6	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (E _{obs} _Ag/AgCl)	41.69	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	10/25/12	10/26/12 11:21	LD1	IC5	1	BVJ2257
2	EPA-120.1	10/29/12	10/29/12 15:25	RML	MET-1	1	BVJ2311
3	SM-3500-FeD	10/26/12	10/26/12 15:50	TDC	KONE-1	1	BVJ2392
4	EPA-415.1	10/30/12	10/30/12 20:57	CDR	TOC2	1	BVJ2409
5	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
6	ASTM-D1498	10/26/12	10/26/12 13:14	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-07	Client Sample Name:	0843, MW-7-W-121025, 10/25/2012 11:13:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	ND	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	530	ug/L	1.0	EPA-200.8	ND		3
Dissolved Vanadium	ND	ug/L	3.0	EPA-200.8	ND		3
Total Chromium	13	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	570	ug/L	1.0	EPA-200.8	ND		5
Total Recoverable Vanadium	8.9	ug/L	3.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 08:19	TDC	KONE-1	1	BVJ2351
2	EPA-6010B	10/26/12	10/29/12 18:05	ARD	PE-OP1	1	BVJ2277
3	EPA-200.8	10/26/12	10/31/12 13:16	SRM	PE-EL1	1	BVJ2441
4	EPA-6010B	10/29/12	10/30/12 10:40	ARD	PE-OP1	1	BVJ2323
5	EPA-200.8	11/01/12	11/06/12 15:05	SRM	PE-EL1	1	BVK0064



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-08	Client Sample Name: 0843, MW-8-W-121025, 10/25/2012 11:30:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	810	ug/L	12	EPA-8260B	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	380	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	104	%	75 - 125 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4 (Surrogate)	99.0	%	75 - 125 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate)	92.5	%	80 - 120 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	94.0	%	80 - 120 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzene (Surrogate)	89.9	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	90.5	%	80 - 120 (LCL - UCL)	EPA-8260B			2

Run #	Method	Prep Date	Run Date/Time		Analyst	Instrument	Dilution	QC Batch ID
			Date	Time				
1	EPA-8260B	10/29/12	10/29/12	11:15	JMC	MS-V12	1	BVJ2378
2	EPA-8260B	10/29/12	10/30/12	16:04	JMC	MS-V12	25	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-08	Client Sample Name: 0843, MW-8-W-121025, 10/25/2012 11:30:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	72.6	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 17:17	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-08	Client Sample Name:	0843, MW-8-W-121025, 10/25/2012 11:30:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO ₃	4.8	mg/L	0.44	EPA-300.0	ND		1
Sulfate	36	mg/L	1.0	EPA-300.0	ND		1
Electrical Conductivity @ 25 C	587	umhos/cm	1.00	EPA-120.1			2
Iron (II) Species	600	ug/L	100	SM-3500-FeD	ND		3
Non-Volatile Organic Carbon	3.4	mg/L	0.30	EPA-415.1	ND		4
Dissolved Oxygen	7.0	mg O/L	0.50	SM-4500OG		S05	5
Oxidation Reduction Potential (E _{obs} _Ag/AgCl)	70.85	mV	-1000	ASTM-D1498			6

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	10/25/12	10/26/12 11:35	LD1	IC5	1	BVJ2257
2	EPA-120.1	10/29/12	10/29/12 15:34	RML	MET-1	1	BVJ2311
3	SM-3500-FeD	10/26/12	10/26/12 15:50	TDC	KONE-1	1	BVJ2392
4	EPA-415.1	10/30/12	10/30/12 21:37	CDR	TOC2	1	BVJ2410
5	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
6	ASTM-D1498	10/26/12	10/26/12 13:17	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-08	Client Sample Name:	0843, MW-8-W-121025, 10/25/2012 11:30:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	ND	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Dissolved Manganese	560	ug/L	1.0	EPA-200.8	ND		3
Dissolved Vanadium	ND	ug/L	3.0	EPA-200.8	ND		3
Total Chromium	16	ug/L	10	EPA-6010B	ND		4
Total Recoverable Manganese	600	ug/L	1.0	EPA-200.8	ND		5
Total Recoverable Vanadium	11	ug/L	3.0	EPA-200.8	ND		5

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 08:22	TDC	KONE-1	1	BVJ2351
2	EPA-6010B	10/26/12	10/29/12 18:07	ARD	PE-OP1	1	BVJ2277
3	EPA-200.8	10/26/12	10/31/12 13:19	SRM	PE-EL1	1	BVJ2441
4	EPA-6010B	10/29/12	10/30/12 10:42	ARD	PE-OP1	1	BVJ2323
5	EPA-200.8	11/01/12	11/06/12 15:08	SRM	PE-EL1	1	BVK0064



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-09	Client Sample Name:	0843, MW-3-W-121025, 10/25/2012 12:53:00PM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	1.0	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	108	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	93.5	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	91.0	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	10/29/12	10/29/12 10:58	JMC	MS-V12	1	BVJ2380



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-09	Client Sample Name: 0843, MW-3-W-121025, 10/25/2012 12:53:00PM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	78.8	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 17:39	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-09	Client Sample Name: 0843, MW-3-W-121025, 10/25/2012 12:53:00PM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Electrical Conductivity @ 25 C	660	umhos/cm	1.00	EPA-120.1			1
Dissolved Oxygen	6.6	mg O/L	0.50	SM-4500OG		S05	2
Oxidation Reduction Potential (Eobs_Ag/AgCl)	199.1	mV	-1000	ASTM-D1498			3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-120.1	10/29/12	10/29/12 15:41	RML	MET-1	1	BVJ2311
2	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
3	ASTM-D1498	10/26/12	10/26/12 13:22	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-10	Client Sample Name:	0843, MW-4-W-121025, 10/25/2012 12:17:00PM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	11	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	101	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	91.1	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	89.9	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	10/29/12	10/29/12 10:40	JMC	MS-V12	1	BVJ2379



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-10	Client Sample Name:	0843, MW-4-W-121025, 10/25/2012 12:17:00PM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	77.0	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 18:01	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-10	Client Sample Name:	0843, MW-4-W-121025, 10/25/2012 12:17:00PM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Electrical Conductivity @ 25 C	985	umhos/cm	1.00	EPA-120.1			1
Dissolved Oxygen	5.3	mg O/L	0.50	SM-4500OG		S05	2
Oxidation Reduction Potential (Eobs_Ag/AgCl)	225.2	mV	-1000	ASTM-D1498			3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-120.1	10/29/12	10/29/12 16:05	RML	MET-1	1	BVJ2312
2	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2321
3	ASTM-D1498	10/26/12	10/26/12 13:26	RML	MET-1	1	BVJ2289



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-11	Client Sample Name:	0843, MW-5-W-121025, 10/25/2012 9:25:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	2.5	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	102	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	93.9	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	88.7	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	10/29/12	10/29/12 10:23	JMC	MS-V12	1	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-11	Client Sample Name: 0843, MW-5-W-121025, 10/25/2012 9:25:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	78.9	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	10/31/12	11/01/12 21:03	jjh	GC-V4	1	BVJ2538



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-11	Client Sample Name:	0843, MW-5-W-121025, 10/25/2012 9:25:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Electrical Conductivity @ 25 C	616	umhos/cm	1.00	EPA-120.1			1
Dissolved Oxygen	8.0	mg O/L	0.50	SM-4500OG		S05	2
Oxidation Reduction Potential (Eobs_Ag/AgCl)	231.0	mV	-1000	ASTM-D1498			3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-120.1	10/29/12	10/29/12 16:20	RML	MET-1	1	BVJ2312
2	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2322
3	ASTM-D1498	10/26/12	10/26/12 13:30	RML	MET-1	1	BVJ2290



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-11	Client Sample Name: 0843, MW-5-W-121025, 10/25/2012 9:25:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	ND	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Total Chromium	77	ug/L	10	EPA-6010B	ND		3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-7196	10/26/12	10/26/12 08:22	TDC	KONE-1	1	BVJ2351
2	EPA-6010B	10/26/12	10/29/12 18:08	ARD	PE-OP1	1	BVJ2277
3	EPA-6010B	10/29/12	10/30/12 10:43	ARD	PE-OP1	1	BVJ2323



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1220646-12	Client Sample Name:	0843, MW-6-W-121025, 10/25/2012 10:02:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	57	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	11	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane-d4 (Surrogate)	102	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	95.9	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	89.0	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	10/29/12	10/29/12 10:06	JMC	MS-V12	1	BVJ2378



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1220646-12	Client Sample Name: 0843, MW-6-W-121025, 10/25/2012 10:02:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	75.4	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	11/01/12	11/01/12 21:26	jjh	GC-V4	1	BVK0053



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

BCL Sample ID:	1220646-12	Client Sample Name: 0843, MW-6-W-121025, 10/25/2012 10:02:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Electrical Conductivity @ 25 C	517	umhos/cm	1.00	EPA-120.1			1
Dissolved Oxygen	8.0	mg O/L	0.50	SM-4500OG		S05	2
Oxidation Reduction Potential (Eobs_Ag/AgCl)	267.9	mV	-1000	ASTM-D1498			3

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-120.1	10/29/12	10/29/12 16:27	RML	MET-1	1	BVJ2312
2	SM-4500OG	10/26/12	10/26/12 07:50	HPR	YSI-57	1	BVJ2322
3	ASTM-D1498	10/26/12	10/26/12 13:41	RML	MET-1	1	BVJ2290



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

BCL Sample ID:	1220646-12	Client Sample Name:	0843, MW-6-W-121025, 10/25/2012 10:02:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Hexavalent Chromium	ND	ug/L	2.0	EPA-7196	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		2
Total Chromium	34	ug/L	10	EPA-6010B	ND		3

Run #	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC Batch ID
			Date/Time				
1	EPA-7196	10/26/12	10/26/12 09:22	TDC	KONE-1	1	BVJ2351
2	EPA-6010B	10/26/12	10/29/12 18:10	ARD	PE-OP1	1	BVJ2277
3	EPA-6010B	10/29/12	10/30/12 10:45	ARD	PE-OP1	1	BVJ2323



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BJV2378						
Benzene	BJV2378-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BJV2378-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BJV2378-BLK1	ND	ug/L	0.50		
Ethylbenzene	BJV2378-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BJV2378-BLK1	ND	ug/L	0.50		
Toluene	BJV2378-BLK1	ND	ug/L	0.50		
Total Xylenes	BJV2378-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BJV2378-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BJV2378-BLK1	ND	ug/L	10		
Diisopropyl ether	BJV2378-BLK1	ND	ug/L	0.50		
Ethanol	BJV2378-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BJV2378-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane-d4 (Surrogate)	BJV2378-BLK1	105	%	75 - 125 (LCL - UCL)		
Toluene-d8 (Surrogate)	BJV2378-BLK1	95.0	%	80 - 120 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BJV2378-BLK1	89.5	%	80 - 120 (LCL - UCL)		
QC Batch ID: BJV2379						
Benzene	BJV2379-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BJV2379-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BJV2379-BLK1	ND	ug/L	0.50		
Ethylbenzene	BJV2379-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BJV2379-BLK1	ND	ug/L	0.50		
Toluene	BJV2379-BLK1	ND	ug/L	0.50		
Total Xylenes	BJV2379-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BJV2379-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BJV2379-BLK1	ND	ug/L	10		
Diisopropyl ether	BJV2379-BLK1	ND	ug/L	0.50		
Ethanol	BJV2379-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BJV2379-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane-d4 (Surrogate)	BJV2379-BLK1	96.3	%	75 - 125 (LCL - UCL)		
Toluene-d8 (Surrogate)	BJV2379-BLK1	93.8	%	80 - 120 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BJV2379-BLK1	88.3	%	80 - 120 (LCL - UCL)		
QC Batch ID: BJV2380						
Benzene	BJV2380-BLK1	ND	ug/L	0.50		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: Bvj2380						
1,2-Dibromoethane	BVJ2380-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BVJ2380-BLK1	ND	ug/L	0.50		
Ethylbenzene	BVJ2380-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BVJ2380-BLK1	ND	ug/L	0.50		
Toluene	BVJ2380-BLK1	ND	ug/L	0.50		
Total Xylenes	BVJ2380-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BVJ2380-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BVJ2380-BLK1	ND	ug/L	10		
Diisopropyl ether	BVJ2380-BLK1	ND	ug/L	0.50		
Ethanol	BVJ2380-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BVJ2380-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane-d4 (Surrogate)	BVJ2380-BLK1	100	%	75 - 125 (LCL - UCL)		
Toluene-d8 (Surrogate)	BVJ2380-BLK1	94.6	%	80 - 120 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BVJ2380-BLK1	87.6	%	80 - 120 (LCL - UCL)		



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	Control Limits		Lab Quals
							RPD	Percent Recovery	
QC Batch ID: BVJ2378									
Benzene	BVJ2378-BS1	LCS	28.920	25.000	ug/L	116		70 - 130	
Toluene	BVJ2378-BS1	LCS	28.230	25.000	ug/L	113		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BVJ2378-BS1	LCS	9.5300	10.000	ug/L	95.3		75 - 125	
Toluene-d8 (Surrogate)	BVJ2378-BS1	LCS	9.3700	10.000	ug/L	93.7		80 - 120	
4-Bromofluorobenzene (Surrogate)	BVJ2378-BS1	LCS	9.7700	10.000	ug/L	97.7		80 - 120	
QC Batch ID: BVJ2379									
Benzene	BVJ2379-BS1	LCS	28.820	25.000	ug/L	115		70 - 130	
Toluene	BVJ2379-BS1	LCS	28.200	25.000	ug/L	113		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BVJ2379-BS1	LCS	9.5100	10.000	ug/L	95.1		75 - 125	
Toluene-d8 (Surrogate)	BVJ2379-BS1	LCS	9.8300	10.000	ug/L	98.3		80 - 120	
4-Bromofluorobenzene (Surrogate)	BVJ2379-BS1	LCS	9.5200	10.000	ug/L	95.2		80 - 120	
QC Batch ID: BVJ2380									
Benzene	BVJ2380-BS1	LCS	31.190	25.000	ug/L	125		70 - 130	
Toluene	BVJ2380-BS1	LCS	28.840	25.000	ug/L	115		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BVJ2380-BS1	LCS	9.9000	10.000	ug/L	99.0		75 - 125	
Toluene-d8 (Surrogate)	BVJ2380-BS1	LCS	9.5500	10.000	ug/L	95.5		80 - 120	
4-Bromofluorobenzene (Surrogate)	BVJ2380-BS1	LCS	10.050	10.000	ug/L	100		80 - 120	



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
								Percent Recovery	RPD	Percent Recovery
QC Batch ID: BVJ2378		Used client sample: N								
Benzene	MS	1220466-06	ND	31.240	25.000	ug/L		125		70 - 130
	MSD	1220466-06	ND	31.370	25.000	ug/L	0.4	125	20	70 - 130
Toluene	MS	1220466-06	ND	28.260	25.000	ug/L		113		70 - 130
	MSD	1220466-06	ND	28.600	25.000	ug/L	1.2	114	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	MS	1220466-06	ND	10.150	10.000	ug/L		102		75 - 125
	MSD	1220466-06	ND	9.5600	10.000	ug/L	6.0	95.6		75 - 125
Toluene-d8 (Surrogate)	MS	1220466-06	ND	9.0600	10.000	ug/L		90.6		80 - 120
	MSD	1220466-06	ND	9.0600	10.000	ug/L	0	90.6		80 - 120
4-Bromofluorobenzene (Surrogate)	MS	1220466-06	ND	9.5600	10.000	ug/L		95.6		80 - 120
	MSD	1220466-06	ND	9.4600	10.000	ug/L	1.1	94.6		80 - 120
QC Batch ID: BVJ2379		Used client sample: Y - Description: MW-4-W-121025, 10/25/2012 12:17								
Benzene	MS	1220646-10	ND	27.840	25.000	ug/L		111		70 - 130
	MSD	1220646-10	ND	29.910	25.000	ug/L	7.2	120	20	70 - 130
Toluene	MS	1220646-10	ND	26.530	25.000	ug/L		106		70 - 130
	MSD	1220646-10	ND	27.190	25.000	ug/L	2.5	109	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	MS	1220646-10	ND	9.2800	10.000	ug/L		92.8		75 - 125
	MSD	1220646-10	ND	9.8900	10.000	ug/L	6.4	98.9		75 - 125
Toluene-d8 (Surrogate)	MS	1220646-10	ND	9.2400	10.000	ug/L		92.4		80 - 120
	MSD	1220646-10	ND	9.4300	10.000	ug/L	2.0	94.3		80 - 120
4-Bromofluorobenzene (Surrogate)	MS	1220646-10	ND	9.2000	10.000	ug/L		92.0		80 - 120
	MSD	1220646-10	ND	9.3000	10.000	ug/L	1.1	93.0		80 - 120
QC Batch ID: BVJ2380		Used client sample: Y - Description: MW-3-W-121025, 10/25/2012 12:53								
Benzene	MS	1220646-09	ND	25.510	25.000	ug/L		102		70 - 130
	MSD	1220646-09	ND	25.140	25.000	ug/L	1.5	101	20	70 - 130
Toluene	MS	1220646-09	ND	24.310	25.000	ug/L		97.2		70 - 130
	MSD	1220646-09	ND	24.760	25.000	ug/L	1.8	99.0	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	MS	1220646-09	ND	9.5900	10.000	ug/L		95.9		75 - 125
	MSD	1220646-09	ND	9.2400	10.000	ug/L	3.7	92.4		75 - 125
Toluene-d8 (Surrogate)	MS	1220646-09	ND	9.6900	10.000	ug/L		96.9		80 - 120
	MSD	1220646-09	ND	9.4700	10.000	ug/L	2.3	94.7		80 - 120
4-Bromofluorobenzene (Surrogate)	MS	1220646-09	ND	9.4200	10.000	ug/L		94.2		80 - 120
	MSD	1220646-09	ND	9.3600	10.000	ug/L	0.6	93.6		80 - 120

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Page 62 of 72



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BVJ2538						
Gasoline Range Organics (C6 - C12)	BVJ2538-BLK1	ND	ug/L	50		
a,a,a-Trifluorotoluene (FID Surrogate)	BVJ2538-BLK1	74.6	%	70 - 130 (LCL - UCL)		
QC Batch ID: BVK0053						
Gasoline Range Organics (C6 - C12)	BVK0053-BLK1	ND	ug/L	50		
a,a,a-Trifluorotoluene (FID Surrogate)	BVK0053-BLK1	76.7	%	70 - 130 (LCL - UCL)		



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	Control Limits		Lab Quals
							RPD	Percent Recovery	
QC Batch ID: BVJ2538									
Gasoline Range Organics (C6 - C12)	BVJ2538-BS1	LCS	1002.0		ug/L			85 - 115	
a,a,a-Trifluorotoluene (FID Surrogate)	BVJ2538-BS1	LCS	35.517	40.000	ug/L	88.8		70 - 130	
QC Batch ID: BVK0053									
Gasoline Range Organics (C6 - C12)	BVK0053-BS1	LCS	964.54		ug/L			85 - 115	
a,a,a-Trifluorotoluene (FID Surrogate)	BVK0053-BS1	LCS	35.177	40.000	ug/L	87.9		70 - 130	



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
								Percent Recovery	Percent RPD	Lab Quals
QC Batch ID: BVJ2538		Used client sample: N								
Gasoline Range Organics (C6 - C12)	MS	1219349-51	ND	975.76		ug/L			70 - 130	
	MSD	1219349-51	ND	984.78		ug/L	0.9	20	70 - 130	
a,a,a-Trifluorotoluene (FID Surrogate)	MS	1219349-51	ND	34.500	40.000	ug/L		86.2	70 - 130	
	MSD	1219349-51	ND	35.247	40.000	ug/L	2.1	88.1	70 - 130	
QC Batch ID: BVK0053		Used client sample: N								
Gasoline Range Organics (C6 - C12)	MS	1219349-52	ND	934.26		ug/L			70 - 130	
	MSD	1219349-52	ND	982.78		ug/L	5.1	20	70 - 130	
a,a,a-Trifluorotoluene (FID Surrogate)	MS	1219349-52	ND	34.305	40.000	ug/L		85.8	70 - 130	
	MSD	1219349-52	ND	34.498	40.000	ug/L	0.6	86.2	70 - 130	



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: Bvj2257						
Nitrate as NO ₃	BVJ2257-BLK1	ND	mg/L	0.44		
Sulfate	BVJ2257-BLK1	ND	mg/L	1.0		
QC Batch ID: Bvj2392						
Iron (II) Species	BVJ2392-BLK1	ND	ug/L	100		
QC Batch ID: Bvj2409						
Non-Volatile Organic Carbon	BVJ2409-BLK1	ND	mg/L	0.30		
QC Batch ID: Bvj2410						
Non-Volatile Organic Carbon	BVJ2410-BLK1	ND	mg/L	0.30		



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	Control Limits		Lab Quals
							RPD	Percent Recovery	
QC Batch ID: BVJ2257									
Nitrate as NO ₃	BVJ2257-BS1	LCS	23.958	22.134	mg/L	108		90 - 110	
Sulfate	BVJ2257-BS1	LCS	106.13	100.00	mg/L	106		90 - 110	
QC Batch ID: BVJ2311									
Electrical Conductivity @ 25 C	BVJ2311-BS1	LCS	316.20	303.00	umhos/cm	104		90 - 110	
QC Batch ID: BVJ2312									
Electrical Conductivity @ 25 C	BVJ2312-BS1	LCS	315.00	303.00	umhos/cm	104		90 - 110	
QC Batch ID: BVJ2392									
Iron (II) Species	BVJ2392-BS1	LCS	2504.9	2500.0	ug/L	100		90 - 110	
QC Batch ID: BVJ2409									
Non-Volatile Organic Carbon	BVJ2409-BS1	LCS	5.3990	5.0000	mg/L	108		85 - 115	
QC Batch ID: BVJ2410									
Non-Volatile Organic Carbon	BVJ2410-BS1	LCS	5.3740	5.0000	mg/L	107		85 - 115	



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (General Chemistry)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
								Percent Recovery	Percent RPD	Lab Quals
QC Batch ID: BVJ2257		Used client sample: Y - Description: MW-1-W-121025, 10/25/2012 09:50								
Nitrate as NO ₃	DUP	1220646-01	13.050	13.024		mg/L	0.2		10	
	MS	1220646-01	13.050	34.860	22.358	mg/L		97.5		80 - 120
	MSD	1220646-01	13.050	34.887	22.358	mg/L	0.1	97.7	10	80 - 120
Sulfate	DUP	1220646-01	22.840	22.669		mg/L	0.8		10	
	MS	1220646-01	22.840	131.60	101.01	mg/L		108		80 - 120
	MSD	1220646-01	22.840	131.66	101.01	mg/L	0.1	108	10	80 - 120
QC Batch ID: BVJ2289		Used client sample: Y - Description: MW-1-W-121025, 10/25/2012 09:50								
Oxidation Reduction Potential (E _{obs} _Ag/ D		DUP	1220646-01	260.11	264.90	mV	1.8		10	
QC Batch ID: BVJ2290		Used client sample: Y - Description: MW-5-W-121025, 10/25/2012 09:25								
Oxidation Reduction Potential (E _{obs} _Ag/ D		DUP	1220646-11	230.99	238.22	mV	3.1		10	
QC Batch ID: BVJ2311		Used client sample: N								
Electrical Conductivity @ 25 C		DUP	1220639-04	1891.0	1882.0	umhos/cm	0.5		10	
QC Batch ID: BVJ2312		Used client sample: Y - Description: MW-4-W-121025, 10/25/2012 12:17								
Electrical Conductivity @ 25 C		DUP	1220646-10	984.80	1001.0	umhos/cm	1.6		10	
QC Batch ID: BVJ2321		Used client sample: Y - Description: MW-1-W-121025, 10/25/2012 09:50								
Dissolved Oxygen		DUP	1220646-01	7.8000	7.8000	mg O/L	0		10	
QC Batch ID: BVJ2322		Used client sample: Y - Description: MW-5-W-121025, 10/25/2012 09:25								
Dissolved Oxygen		DUP	1220646-11	8.0000	8.0000	mg O/L	0		10	
QC Batch ID: BVJ2392		Used client sample: Y - Description: MW-1-W-121025, 10/25/2012 09:50								
Iron (II) Species		DUP	1220646-01	198.19	187.57	ug/L	5.5		10	
QC Batch ID: BVJ2409		Used client sample: N								
Non-Volatile Organic Carbon	DUP	1220639-02	1.0780	1.1700		mg/L	8.2		10	
	MS	1220639-02	1.0780	6.2231	5.0251	mg/L		102		80 - 120
	MSD	1220639-02	1.0780	6.2623	5.0251	mg/L	0.6	103	10	80 - 120
QC Batch ID: BVJ2410		Used client sample: Y - Description: MW-8-W-121025, 10/25/2012 11:30								
Non-Volatile Organic Carbon	DUP	1220646-08	3.3670	3.4140		mg/L	1.4		10	
	MS	1220646-08	3.3670	8.5216	5.0251	mg/L		103		80 - 120
	MSD	1220646-08	3.3670	8.5869	5.0251	mg/L	0.8	104	10	80 - 120



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BVJ2277						
Dissolved Chromium	BVJ2277-BLK1	ND	ug/L	10		
QC Batch ID: BVJ2323						
Total Chromium	BVJ2323-BLK1	ND	ug/L	10		
QC Batch ID: BVJ2348						
Hexavalent Chromium	BVJ2348-BLK1	ND	ug/L	2.0		
QC Batch ID: BVJ2351						
Hexavalent Chromium	BVJ2351-BLK1	ND	ug/L	2.0		
QC Batch ID: BVJ2441						
Dissolved Manganese	BVJ2441-BLK1	ND	ug/L	1.0		
Dissolved Vanadium	BVJ2441-BLK1	ND	ug/L	3.0		
QC Batch ID: BVK0064						
Total Recoverable Manganese	BVK0064-BLK1	ND	ug/L	1.0		
Total Recoverable Vanadium	BVK0064-BLK1	ND	ug/L	3.0		



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	Control Limits		Lab Quals
							RPD	Percent Recovery	
QC Batch ID: BVJ2277									
Dissolved Chromium	BVJ2277-BS1	LCS	194.60	200.00	ug/L	97.3		85 - 115	
QC Batch ID: BVJ2323									
Total Chromium	BVJ2323-BS1	LCS	213.33	200.00	ug/L	107		85 - 115	
QC Batch ID: BVJ2348									
Hexavalent Chromium	BVJ2348-BS1	LCS	49.949	50.000	ug/L	99.9		85 - 115	
QC Batch ID: BVJ2351									
Hexavalent Chromium	BVJ2351-BS1	LCS	49.980	50.000	ug/L	100		85 - 115	
QC Batch ID: BVJ2441									
Dissolved Manganese	BVJ2441-BS1	LCS	98.965	100.00	ug/L	99.0		85 - 115	
Dissolved Vanadium	BVJ2441-BS1	LCS	39.196	40.000	ug/L	98.0		85 - 115	
QC Batch ID: BVK0064									
Total Recoverable Manganese	BVK0064-BS1	LCS	99.477	100.00	ug/L	99.5		85 - 115	
Total Recoverable Vanadium	BVK0064-BS1	LCS	39.591	40.000	ug/L	99.0		85 - 115	



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Water Analysis (Metals)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
								Percent Recovery	Percent RPD	Lab Quals
QC Batch ID: BVJ2277		Used client sample: N								
Dissolved Chromium	DUP	1220639-01	3.4255	ND		ug/L			20	
	MS	1220639-01	3.4255	196.82	204.08	ug/L		94.8		75 - 125
	MSD	1220639-01	3.4255	195.21	204.08	ug/L	0.8	94.0	20	75 - 125
QC Batch ID: BVJ2323		Used client sample: N								
Total Chromium	DUP	1220593-01	2.7904	ND		ug/L			20	
	MS	1220593-01	2.7904	205.47	200.00	ug/L		101		75 - 125
	MSD	1220593-01	2.7904	195.96	200.00	ug/L	4.7	96.6	20	75 - 125
QC Batch ID: BVJ2348		Used client sample: N								
Hexavalent Chromium	DUP	1220647-04	2.3020	3.4880		ug/L	41.0		10	
	MS	1220647-04	2.3020	51.127	52.632	ug/L		92.8		85 - 115
	MSD	1220647-04	2.3020	52.120	52.632	ug/L	1.9	94.7	10	85 - 115
QC Batch ID: BVJ2351		Used client sample: Y - Description: MW-1BR-W-121025, 10/25/2012 10:30								
Hexavalent Chromium	DUP	1220646-03	3.1270	3.3660		ug/L	7.4		10	
	MS	1220646-03	3.1270	51.884	52.632	ug/L		92.6		85 - 115
	MSD	1220646-03	3.1270	52.388	52.632	ug/L	1.0	93.6	10	85 - 115
QC Batch ID: BVJ2441		Used client sample: Y - Description: MW-1AR-W-121025, 10/25/2012 10:10								
Dissolved Manganese	DUP	1220646-02	271.73	268.29		ug/L	1.3		20	
	MS	1220646-02	271.73	364.33	102.04	ug/L		90.7		70 - 130
	MSD	1220646-02	271.73	364.12	102.04	ug/L	0.1	90.5	20	70 - 130
Dissolved Vanadium										
	DUP	1220646-02	1.7110	ND		ug/L			20	
	MS	1220646-02	1.7110	39.156	40.816	ug/L		91.7		70 - 130
	MSD	1220646-02	1.7110	38.454	40.816	ug/L	1.8	90.0	20	70 - 130
QC Batch ID: BVK0064		Used client sample: N								
Total Recoverable Manganese	DUP	1220726-02	41.544	39.859		ug/L	4.1		20	
	MS	1220726-02	41.544	129.71	100.00	ug/L		88.2		70 - 130
	MSD	1220726-02	41.544	128.96	100.00	ug/L	0.6	87.4	20	70 - 130
Total Recoverable Vanadium										
	DUP	1220726-02	0.92700	ND		ug/L			20	
	MS	1220726-02	0.92700	40.105	40.000	ug/L		97.9		70 - 130
	MSD	1220726-02	0.92700	39.247	40.000	ug/L	2.2	95.8	20	70 - 130



Arcadis
1900 Powell Street 12th Floor
Emeryville, CA 94608

Reported: 11/09/2012 16:57
Project: 0843
Project Number: 351849
Project Manager: Kathy Brandt

Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.
A02	The difference between duplicate readings is less than the PQL.
S05	The sample holding time was exceeded.