

Environmental Management  
Company  
6001 Bollinger Canyon Rd, L4050  
P.O. Box 6012  
San Ramon, CA 94583-2324  
Tel 925-842-1589  
Fax 925-842-8370

Karen Streich  
Project Manager

AG

April 19, 2004

R0464

**ChevronTexaco**

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Alameda County  
APR 23 2004  
Environmental Health

Re: Chevron Service Station # 9-1851

Address: 451 Hegenberger Rd, Oakland, CA


I have reviewed the attached routine groundwater monitoring report dated March 25, 2004.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich  
Project Manager

Enclosure: Report



# GETTLER-RYAN INC.

## TRANSMITTAL

March 31, 2004  
G-R #385145

TO: Mr. Tom Sparrowe  
Cambria Environmental Technology, Inc.  
5900 Hollis Street, Suite A  
Emeryville, CA 94608

CC: Ms. Karen Streich  
ChevronTexaco Company  
P.O. Box 6004  
San Ramon, California 94583

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Chevron Service Station  
#9-1851  
451 Hegenberger Road  
Oakland, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	March 25, 2004	Groundwater Monitoring and Sampling Report First Quarter - Event of March 1, 2004

### COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **April 19, 2004**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway,  
Suite 250, Alameda, CA 94502-6577  
Mr. Ben Shimek, (Owner), 31 Industrial Way, Greenbrae, CA 94904

Enclosures

trans/9-1851-ks

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888  
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317  
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



# GETTLER - RYAN INC.

March 25, 2004  
G-R Job #385145

Ms. Karen Streich  
ChevronTexaco Company  
P.O. Box 6004  
San Ramon, CA 94583

**RE: First Quarter Event of March 1, 2004**  
Groundwater Monitoring & Sampling Report  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

*Deanna L. Harding*  
Deanna L. Harding  
Project Coordinator

*Hagop Kevork*  
Hagop Kevork  
P.E. No. C55734



Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Groundwater Analytical Results - Oxygenate Compounds  
Table 3: Groundwater Analytical Results  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

**GETTLER - RYAN INC.**  
 6747 Sierra Ct., Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Chevron Service Station #9-1851  
 451 Hegenberger Road  
 Oakland, California

FIGURE  
**1**

PROJECT NUMBER  
 385145

REVIEWED BY

DATE  
 March 1, 2004

REVISED DATE

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-1										
10/17/95	2.61	-1.51	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/96	2.61	-0.72	3.33	--	<50	<0.5	<0.5	<0.5	<0.5	9.5
06/26/96	2.61	-1.23	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	46
09/25/96	2.61	-1.41	4.02	--	<250	<2.5	<2.5	<2.5	<2.5	940
12/17/96	2.61	-0.96	3.57	--	<50	0.9	<0.5	<0.5	<0.5	260
03/20/97	2.61	-1.54	4.15	--	<50	<2.0	<2.0	<2.0	<2.0	76
06/20/97	2.61	-1.72	4.33	--	<50	<0.5	<0.5	<0.5	<0.5	64
09/09/97	2.61	-1.74	4.35	--	<50	<0.5	<0.5	<0.5	<0.5	110
12/12/97	2.61	-0.39	3.00	--	<50	<0.5	<0.5	<0.5	<0.5	27
02/19/98	2.61	0.78	1.83	--	<50	<0.5	<0.5	<0.5	<0.5	14
06/23/98	2.61	-0.73	3.34	--	210	<0.5	<0.5	<0.5	<0.5	3,400
08/31/98	2.61	-0.88	3.49	--	1,400	630	<5.0	<5.0	<5.0	16,000
12/29/98	2.61	-1.22	3.83	--	<500	<5.0	<5.0	<5.0	<5.0	1,090
03/11/99	2.61	-0.43	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	33.9
06/24/99	2.61	-0.77	3.38	--	<500	65.7	<5.0	<5.0	<5.0	1,160
09/29/99	2.61	-1.01	3.62	--	81.7	<0.5	<0.5	<0.5	<0.5	1,130
12/08/99	2.61	-1.46	4.07	--	<50	<0.5	<0.5	<0.5	<0.5	233
03/01/00	2.61	0.66	1.95	--	100	<0.5	<0.5	<0.5	<0.5	37.9
06/19/00	2.61	-0.80	3.41	--	<50	3.8	<0.50	<0.50	<0.50	88/91 <sup>2</sup>
09/30/00	2.61	-1.23	3.84	--	<130	<1.3	<1.3	<1.3	<1.3	460/530 <sup>2</sup>
10/05/00	2.61	-1.32	3.93	--	--	--	--	--	--	--
12/08/00	8.61	4.41	4.20	--	<50.0	<0.500	<0.500	<0.500	<0.500	58.7
03/03/01 <sup>11</sup>	8.61	6.30	2.31	--	<50	<0.50	<0.50	<0.50	<0.50	8.9
06/19/01	8.61	5.27	3.34	--	<50	<0.50	<0.50	<0.50	<0.50	51
09/05/01	8.61	4.84	3.77	--	<50	<0.50	<0.50	<0.50	<1.5	180
12/10/01	8.61	6.14	2.47	--	<50	<0.50	<0.50	<0.50	<1.5	21
03/04/02	8.61	5.48	3.13	--	<50	<0.50	<0.50	<0.50	<1.5	47
06/03/02	8.61	2.90	5.71	--	<50	<0.50	<0.50	<0.50	<1.5	31
09/14/02	8.61	4.86	3.75	--	<50	<0.50	<0.50	<0.50	<1.5	140
12/13/02	8.61	5.32	3.29	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	8.61	5.54	3.07	--	<50	<0.50	<0.50	<0.50	<1.5	35
06/09/03 <sup>13</sup>	8.61	5.09	3.52	--	<50	<0.5	<0.5	<0.5	<0.5	69

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-1 (cont)</b>										
09/03/03 <sup>13</sup>	8.61	4.49	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	1
12/01/03 <sup>13</sup>	8.61	5.34	3.27	--	<50	<0.5	<0.5	<0.5	<0.5	100
03/01/04 <sup>13</sup>	8.61	6.55	2.06	--	<50	<0.5	<0.5	<0.5	<0.5	26
<b>MW-2</b>										
10/17/95 <sup>3</sup>	3.51	-1.82	5.33	1,600 <sup>4</sup>	170	3.5	<0.5	1.0	6.1	--
03/29/96	3.51	-0.44	3.95	3,000 <sup>4</sup>	89	4.7	<0.5	0.64	0.74	21
06/26/96	3.51	-1.09	4.60	2,000 <sup>4</sup>	80	8.7	<0.5	1.2	1.3	31
09/25/96	3.51	INACCESSIBLE	--	--	--	--	--	--	--	--
12/17/96	3.51	-0.41	3.92	2,400 <sup>4</sup>	110	<0.5	<0.5	0.75	2.1	27
03/20/97	3.51	-1.32	4.83	3,400 <sup>4</sup>	140	8.2	<2.0	<2.0	<2.0	58
06/20/97	3.51	-1.53	5.04	1,600 <sup>4</sup>	62	7.7	<0.5	<0.5	<0.5	38
09/09/97	3.51	-1.47	4.98	82 <sup>4</sup>	190	9.4	<0.5	<0.5	0.86	48
12/12/97	3.51	-0.40	3.91	8,500 <sup>4</sup>	180	1.8	<0.5	<0.5	3.2	34
02/19/98	3.51	0.55	2.96	3,800 <sup>4</sup>	<100	1.8	<1.0	<1.0	<1.0	230
06/23/98	3.51	-0.54	4.05	--	60	<0.5	<0.5	<0.5	<0.5	55
08/31/98	3.51	-0.80	4.31	--	61	2.2	<0.5	<0.5	1.1	53
12/29/98	3.51	-1.12	4.63	--	54	1.3	<0.5	<0.5	0.752	38.1
03/11/99	3.51	-0.01	3.52	--	648	2.9	<2.0	<2.0	<2.0	73.2
06/24/99	3.51	-0.49	4.00	--	264	.58	<0.5	1.01	<0.5	44.1
09/29/99	3.51	-0.93	4.44	--	54.3	.66	<0.5	<0.5	<0.5	35.7
12/08/99	3.51	-1.38	4.89	--	<50	1.27	<0.5	<0.5	<0.5	56.9
03/01/00	3.51	0.48	3.03	--	68	1.57	<0.5	<0.5	<0.5	110
06/19/00	3.51	-0.66	4.17	--	58 <sup>1</sup>	1.5	<0.50	<0.50	<0.50	90/59 <sup>2</sup>
09/30/00	3.51	-1.15	4.66	--	<50	<0.50	0.82	<0.50	1.1	48/50 <sup>2</sup>
10/05/00 <sup>8,9</sup>	3.51	-1.20	4.71	4,000 <sup>7</sup>	--	--	--	--	--	--
12/08/00	9.52	4.55	4.97	--	<50.0	<0.500	<0.500	<0.500	<0.500	61.8
03/03/01 <sup>11</sup>	9.52	6.25	3.27	--	310 <sup>12</sup>	0.60	<0.50	<0.50	1.3	97
06/19/01	9.52	5.47	4.05	--	<50	<0.50	<0.50	<0.50	<0.50	30
09/05/01	9.52	4.98	4.54	--	<50	<0.50	1.2	<0.50	<1.5	46
12/10/01	9.52	6.07	3.45	--	<50	<0.50	<0.50	<0.50	<1.5	22
03/04/02	9.52	5.58	3.94	--	<50	<0.50	<0.50	<0.50	<1.5	61

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-2 (cont)</b>										
06/03/02	9.52	5.44	4.08	--	<50	<0.50	<0.50	<0.50	<1.5	71
09/14/02	9.52	4.87	4.65	--	<50	<0.50	<0.50	<0.50	<1.5	77
12/13/02	9.52	5.21	4.31	--	53	<0.50	<0.50	<0.50	<1.5	44
03/14/03	9.52	5.61	3.91	--	<50	<0.50	<0.50	<0.50	<1.5	55
06/09/03 <sup>13</sup>	9.52	5.19	4.33	--	<50	<0.5	<0.5	<0.5	<0.5	67
09/03/03 <sup>13</sup>	9.52	4.59	4.93	--	<50	<0.5	<0.5	<0.5	<0.5	0.9
12/01/03 <sup>13</sup>	9.52	5.37	4.15	--	<50	<0.5	<0.5	<0.5	<0.5	72
03/01/04 <sup>13</sup>	9.52	6.40	3.12	--	<50	<0.5	<0.5	<0.5	<0.5	130
<b>MW-3</b>										
10/17/95 <sup>5</sup>	3.08	-1.34	4.42	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/96	3.08	0.08	3.00	--	<50	<0.5	<0.5	<0.5	<0.5	26
06/26/96	3.08	-0.52	3.60	--	<50	<0.5	<0.5	<0.5	<0.5	47
09/25/96	3.08	-1.06	4.14	--	<125	<1.2	<1.2	<1.2	<1.2	570
12/17/96	3.08	-0.12	3.20	--	<500	<5.0	<5.0	<5.0	<5.0	680
03/20/97	3.08	-0.22	3.30	--	<50	<5.7	<5.7	<5.7	<5.7	430
06/20/97	3.08	-0.78	3.86	--	<500	<5.0	<5.0	<5.0	<5.0	1,400
09/09/97	3.08	-1.11	4.19	--	76 <sup>4</sup>	22	<0.5	<0.5	<0.5	920
12/12/97	3.08	0.12	2.96	--	52	15	<0.5	<0.5	<0.5	710
02/19/98	3.08	0.86	2.22	--	<50	6.6	<0.5	<0.5	<0.5	380
06/23/98	3.08	-0.17	3.25	--	<50	<0.5	<0.5	<0.5	<0.5	390
08/31/98	3.08	-0.78	3.86	--	<50	19	<0.5	<0.5	<0.5	830
12/29/98	3.08	-0.45	3.53	--	<250	<2.5	<2.5	<2.5	<2.5	416
03/11/99	3.08	-0.27	3.35	--	<50	<0.5	<0.5	<0.5	<0.5	262
06/24/99	3.08	-0.53	3.61	--	<50	12.8	<0.5	<0.5	<0.5	620
09/29/99	3.08	-0.87	3.95	--	<50	<0.5	<0.5	<0.5	<0.5	2,840
12/08/99	3.08	-0.46	3.54	--	73.4	<0.5	<0.5	<0.5	<0.5	1,620
03/01/00	3.08	0.65	2.43	--	<200	<2.0	<2.0	<2.0	<2.0	1,880
06/19/00	3.08	-0.30	3.38	--	<250	20	<2.5	<2.5	<2.5	1,200/920 <sup>2</sup>
09/30/00	3.08	-0.92	4.00	--	<250	<2.5	<2.5	<2.5	<2.5	730/2,100 <sup>2</sup>
10/05/00	3.08	-0.94	4.02	--	--	--	--	--	--	--
12/08/00	9.08	5.38	3.70	--	<50.0	<0.500	<0.500	<0.500	<0.500	1,620

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-3 (cont)</b>										
03/03/01 <sup>11</sup>	9.08	6.84	2.24	--	<50	<0.50	<0.50	<0.50	<0.50	1,000
06/19/01	9.08	5.37	3.71	--	<120	4.8	<1.2	<1.2	<1.2	510
09/05/01	9.08	5.04	4.04	--	130	<0.50	<0.50	<0.50	<1.5	1,400
12/10/01	9.08	6.54	2.54	--	130	<0.50	<0.50	<0.50	<1.5	1,000
03/04/02	9.08	6.24	2.84	--	120	<0.50	<0.50	<0.50	<1.5	720
06/03/02	9.08	5.80	3.28	--	130	<0.50	<0.50	<0.50	<1.5	710
09/14/02	9.08	4.93	4.15	--	590	<20	<1.0	<1.0	<3.0	2,600
12/13/02	9.08	5.23	3.85	--	430	<0.50	<0.50	<0.50	<1.5	2,000
03/14/03	9.08	6.09	2.99	--	310	<0.50	<0.50	<0.50	<1.5	1,600
06/09/03 <sup>13</sup>	9.08	5.74	3.34	--	330	<0.5	<0.5	<0.5	<0.5	1,800
09/03/03 <sup>13</sup>	9.08	5.11	3.97	--	720	<3	<3	<3	<3	4,100
12/01/03 <sup>13</sup>	9.08	5.32	3.76	--	520	<1	<1	<1	<1	2,400
03/01/04 <sup>13</sup>	9.08	6.97	2.11	--	140	<0.5	<0.5	<0.5	<0.5	850
<b>MW-4</b>										
10/17/95	3.48	-1.60	5.08	--	<125	<1.2	<1.2	<1.2	<1.2	--
03/29/96	3.48	-1.13	4.61	--	<1,000	<10	<10	<10	<10	6,700
06/26/96	3.48	-0.82	4.30	--	<2,000	<20	<20	<20	<20	7,200
09/25/96	3.48	-1.85	5.33	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/17/96	3.48	0.67	2.81	--	<2,000	120	<20	<20	<20	11,000
03/20/97	3.48	-1.02	4.50	--	250 <sup>4</sup>	<2.0	<2.0	<2.0	<2.0	10,000/8,600 <sup>6</sup>
06/20/97	3.48	-2.20	5.68	--	<2,500	<25	<25	<25	<25	9,300
09/09/97	3.48	-2.02	5.50	--	460 <sup>4</sup>	<0.5	<0.5	<0.5	<0.5	6,600
12/12/97	3.48	-1.55	5.03	--	430 <sup>4</sup>	120	<2.5	<2.5	<2.5	7,800
02/19/98	3.48	0.13	3.35	--	510 <sup>4</sup>	130	<0.5	<0.5	<0.5	6,600
06/23/98	3.48	-1.50	4.98	--	550 <sup>4</sup>	<0.5	<0.5	<0.5	<0.5	6,800
08/31/98	3.48	-1.94	5.42	--	<500	450	<5.0	<5.0	<5.0	14,000
12/29/98	3.48	-1.58	5.06	--	<5,000	<50	<50	<50	<50	16,100
03/11/99	3.48	-0.30	3.78	--	979	<5.0	<5.0	<5.0	<5.0	15,100
06/24/99	3.48	-0.83	4.31	--	<2,500	715	<25	<25	<25	12,400
09/29/99	3.48	-2.10	5.58	--	1,380	<5.0	<5.0	<5.0	<5.0	11,700
12/08/99	3.48	-1.85	5.33	--	318	<0.5	<0.5	<0.5	<0.5	11,100



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-4 (cont)</b>										
03/01/00	3.48	-1.72	5.20	--	<50	<0.5	<0.5	<0.5	<0.5	9,940
06/19/00	3.48	-1.88	5.36	--	<1,000	220	<10	<10	<10	7,300/9,500 <sup>2</sup>
09/30/00	3.48	-0.29	3.77	--	740 <sup>1</sup>	<2.5	<2.5	<2.5	<2.5	6,000/7,800 <sup>2</sup>
10/05/00	3.48	-0.38	3.86	--	--	--	--	--	--	--
12/08/00	9.48	5.03	4.45	--	<50.0	<0.500	<0.500	<0.500	<0.500	6,230
03/03/01 <sup>11</sup>	9.48	5.65	3.83	--	<250	<2.5	<2.5	<2.5	<2.5	3,600
06/19/01	9.48	6.11	3.37	--	<500	140	<5.0	<5.0	<5.0	2,500
09/05/01	9.48	5.52	3.96	--	400	<0.50	<0.50	<0.50	<1.5	2,800
12/10/01	9.48	4.43	5.05	--	700	<0.50	<0.50	<0.50	<1.5	3,400
03/04/02	9.48	5.81	3.67	--	660	<0.50	<0.50	<0.50	<1.5	2,900
06/03/02	9.48	4.24	5.24	--	610	<0.50	<0.50	<0.50	<1.5	3,000
09/14/02	9.48	4.26	5.22	--	490	<10	<1.0	<1.0	<3.0	2,400
12/13/02	9.48	4.81	4.67	--	440	<0.50	<0.50	<0.50	<1.5	2,200
03/14/03	9.48	4.84	4.64	--	490	<0.50	<0.50	<0.50	<1.5	2,600
06/09/03 <sup>13</sup>	9.48	4.45	5.03	--	340	<0.5	<0.5	<0.5	<0.5	1,700
09/03/03 <sup>13</sup>	9.48	3.83	5.65	--	320	<1	<1	<1	<1	1,600
12/01/03 <sup>13</sup>	9.48	4.51	4.97	--	350	<1	<1	<1	<1	1,700
03/01/04 <sup>13</sup>	9.48	4.80	4.68	--	240	<0.5	<0.5	<0.5	<0.5	1,200
<b>MW-5</b>										
10/23/00 <sup>10</sup>	8.77	4.18	4.59	--	<50	<0.500	<0.500	<0.500	<0.500	4.34
12/08/00	8.77	5.34	3.43	--	<50.0	<0.500	<0.500	<0.500	<0.500	11.0
03/03/01 <sup>11</sup>	8.77	6.37	2.40	--	<50	<0.50	<0.50	<0.50	<0.50	24
06/19/01	8.77	INACCESSIBLE - CAR PARKED OVER WELL			--	--	--	--	--	--
09/05/01	8.77	5.02	3.75	--	<50	<0.50	<0.50	<0.50	<1.5	31
12/10/01	8.77	5.98	2.79	--	<50	<0.50	<0.50	<0.50	<1.5	45
03/04/02	8.77	6.25	2.52	--	<50	<0.50	<0.50	<0.50	<1.5	29
06/03/02	8.77	5.57	3.20	--	<50	<0.50	<0.50	<0.50	<1.5	40
09/14/02	8.77	4.92	3.85	--	<50	<0.50	<0.50	<0.50	<1.5	92
12/13/02	8.77	5.32	3.45	--	<50	<0.50	<0.50	<0.50	<1.5	32
03/14/03	8.77	5.82	2.95	--	<50	<0.50	<0.50	<0.50	<1.5	71
06/09/03 <sup>13</sup>	8.77	5.58	3.19	--	<50	<0.5	<0.5	<0.5	<0.5	79

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-5 (cont)</b>										
09/03/03 <sup>13</sup>	8.77	4.98	3.79	--	<50	<0.5	<0.5	<0.5	<0.5	2
12/01/03 <sup>13</sup>	8.77	5.43	3.34	--	<50	<0.5	<0.5	<0.5	<0.5	52
03/01/04 <sup>13</sup>	8.77	6.29	2.48	--	<50	<0.5	<0.5	<0.5	<0.5	120
<b>MW-6</b>										
10/23/00 <sup>10</sup>	11.45	4.30	7.15	--	<50	<0.500	<0.500	<0.500	<0.500	5.96
12/08/00	11.45	4.61	6.84	--	<50.0	<0.500	<0.500	<0.500	<0.500	8.80
03/03/01 <sup>11</sup>	11.45	5.32	6.13	--	<50	<0.50	<0.50	<0.50	<0.50	9.0
06/19/01	11.45	5.65	5.80	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/05/01	11.45	6.29	5.16	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/10/01	11.45	6.64	4.81	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/04/02	11.45	7.29	4.16	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/03/02	11.45	5.74	5.71	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/14/02	11.45	4.80	6.65	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/13/02	11.45	5.06	6.39	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	11.45	4.98	6.47	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/09/03 <sup>13</sup>	11.45	4.67	6.78	--	<50	<0.5	0.7	<0.5	<0.5	1
09/03/03 <sup>13</sup>	11.45	4.37	7.08	--	<50	<0.5	<0.5	<0.5	<0.5	0.8
12/01/03 <sup>13</sup>	11.45	7.88	3.57	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/01/04 <sup>13</sup>	11.45	8.27	3.18	--	<50	<0.5	<0.5	<0.5	<0.5	25
<b>MW-7</b>										
10/23/00 <sup>10</sup>	10.58	4.33	6.25	--	<50	<0.500	<0.500	<0.500	<0.500	1,210
12/08/00	10.58	3.35	7.23	--	<50.0	<0.500	<0.500	<0.500	<0.500	338
03/03/01 <sup>11</sup>	10.58	4.31	6.27	--	72 <sup>12</sup>	<0.50	<0.50	<0.50	<0.50	460
06/19/01	10.58	4.76	5.82	--	110 <sup>1</sup>	18	<0.50	<0.50	<0.50	440
09/05/01	10.58	4.04	6.54	--	180	<0.50	<0.50	<0.50	<1.5	640
12/10/01	10.58	5.04	5.54	--	110	<0.50	<0.50	<0.50	<1.5	390
03/04/02	10.58	3.68	6.90	--	220	1.1	<0.50	3.0	<1.5	460
06/03/02	10.58	4.94	5.64	--	130	<0.50	<0.50	<0.50	<1.5	350
09/14/02	10.58	3.55	7.03	--	120	<2.0	<0.50	<0.50	<1.5	340

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

<b>WELL ID/ DATE</b>	<b>TOC* (ft.)</b>	<b>GWE (msl)</b>	<b>DTW (ft.)</b>	<b>TPH-D (ppb)</b>	<b>TPH-G (ppb)</b>	<b>B (ppb)</b>	<b>T (ppb)</b>	<b>E (ppb)</b>	<b>X (ppb)</b>	<b>MTBE (ppb)</b>
<b>MW-7 (cont)</b>										
12/13/02	10.58	4.99	5.59	--	57	<0.50	<0.50	<0.50	<1.5	150
03/14/03	10.58	4.60	5.98	--	77	<0.50	<0.50	<0.50	<1.5	240
06/09/03 <sup>13</sup>	10.58	4.32	6.26	--	79	<0.5	<0.5	<0.5	<0.5	210
09/03/03 <sup>13</sup>	10.58	3.72	6.86	--	<50	<0.5	<0.5	<0.5	<0.5	0.8
12/01/03 <sup>13</sup>	10.58	5.11	5.47	--	58	<0.5	<0.5	<0.5	<0.5	130
<b>03/01/04<sup>13</sup></b>	<b>10.58</b>	<b>4.60</b>	<b>5.98</b>	--	<b>71</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>180</b>
<b>TRIP BLANK</b>										
10/17/95	--	--	--	--	--	--	--	--	--	--
03/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/26/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/25/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/17/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/97	--	--	--	--	<50	<2.0	<2.0	<2.0	<2.0	--
09/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/23/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/29/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
03/11/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/24/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/08/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/01/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/05/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
12/08/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>TRIP BLANK (cont)</b>										
03/03/01 <sup>11</sup>	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
06/19/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/05/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
<b>QA</b>										
12/10/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/04/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/03/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/14/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/09/03 <sup>13</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/03/03 <sup>13</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/01/03 <sup>13</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/01/04 <sup>13</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to June 19, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-D = Total Petroleum Hydrocarbons as Diesel TPH-G = Total Petroleum Hydrocarbons as Gasoline	X = Xylenes MTBE = Methyl tertiary butyl ether (ppb) = Parts per billion
GWE = Groundwater Elevation (msl) = Mean sea level	B = Benzene T = Toluene	-- = Not Measured/Not Analyzed
DTW = Depth to Water	E = Ethylbenzene	QA = Quality Assurance/Trip Blank

- \* TOC elevations were surveyed on November 15, 2000, by Virgil Chavez Land Surveying. The benchmark for the survey was the letter "O" in Oakland on an inlet in the westerly curb of Oakport Road, 150' southerly of the end of curve. (Benchmark Elevation = 7.82 feet, msl).
- <sup>1</sup> Laboratory report indicates gasoline C6-C12.
- <sup>2</sup> MTBE by EPA Method 8260.
- <sup>3</sup> Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane (1,1-DCA) was detected at 1.7 ppb.
- <sup>4</sup> Chromatogram pattern indicates an unidentified hydrocarbon.
- <sup>5</sup> Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.
- <sup>6</sup> Confirmation run.
- <sup>7</sup> Laboratory report indicates unidentified hydrocarbons >C16.
- <sup>8</sup> Sample analyzed for Total Metals by EPA 200 Series Methods. All Analytes were less then the reporting limit except for Nickel was detected at 0.067 ppm and Zinc was detected at 0.024ppm.
- <sup>9</sup> Laboratory report indicates that Semi-Volatile Organic Compounds (SVOCs) by EPA Method 8270 were all less then the reporting limit except for Bis(2-ethylhexyl)phthalate was detected at 14 ppb, which may be a possible contamination.
- <sup>10</sup> Data was provided by Delta Environmental Consultants, Inc.
- <sup>11</sup> Laboratory report indicates sample was analyzed outside the EPA recommended holding time.
- <sup>12</sup> Laboratory report indicates unidentified hydrocarbons C6-C12.
- <sup>13</sup> BTEX and MTBE by EPA Method 8260.

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
<b>MW-1</b>						
06/23/98	<50,000	<10,000	4,500	<200	<200	<200
08/31/98	--	--	17,000	--	--	--
03/11/99	--	--	54.1	--	--	--
06/24/99	<10,000	<2,000	1,800	<20	<20	258
06/19/00	<500	<100	91	<2.0	<2.0	11
09/30/00	--	--	530	--	--	--
06/09/03	--	--	69	--	--	--
09/03/03	<50	--	1	--	--	--
12/01/03	<50	--	100	--	--	--
03/01/04	<50	--	26	--	--	--
<b>MW-2</b>						
06/23/98	<500	<100	56	<2.0	<2.0	<2.0
03/11/99	--	--	101	--	--	--
06/24/99	<1,000	<200	52.5	<2.0	<2.0	<2.0
06/19/00	<500	<100	59	<2.0	<2.0	4.0
09/30/00	--	--	50	--	--	--
06/09/03	--	--	67	--	--	--
09/03/03	<50	--	0.9	--	--	--
12/01/03	<50	--	72	--	--	--
03/01/04	<50	--	130	--	--	--
<b>MW-3</b>						
06/23/98	<5,000	<1,000	420	<20	<20	26
03/11/99	--	--	580	--	--	--
06/24/99	<6,670	<1,330	900	<13.3	<13.3	<13.3
06/19/00	570	<100	920	<2.0	<2.0	65
09/30/00	--	--	2,100	--	--	--
06/09/03	--	--	1,800	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
<b>MW-3 (cont)</b>						
09/03/03	<250	--	4,100	--	--	--
12/01/03	<130	--	2,400	--	--	--
03/01/04	<50	--	850	--	--	--
<b>MW-4</b>						
06/23/98	<50,000	<10,000	11,000	<200	<200	860
03/11/99	--	--	17,600	--	--	--
06/24/99	<125,000	<25,000	17,000	<250	<250	2600
06/19/00	<25,000	<5,000	9,500	<100	<100	1,100
09/30/00	--	--	7,800	--	--	--
06/09/03	--	--	1,700	--	--	--
09/03/03	<130	--	1,600	--	--	--
12/01/03	<100	--	1,700	--	--	--
03/01/04	<50	--	1,200	--	--	--
<b>MW-5</b>						
10/23/00	<1,000	<100	4.34	<2.00	<2.00	<2.00
06/09/03	--	--	79	--	--	--
09/03/03	<50	--	2	--	--	--
12/01/03	<50	--	52	--	--	--
03/01/04	<50	--	120	--	--	--
<b>MW-6</b>						
10/23/00	<1,000	<100	5.96	<2.00	<2.00	<2.00
06/09/03	--	--	1	--	--	--
09/03/03	<50	--	0.8	--	--	--
12/01/03	<50	--	<0.5	--	--	--
03/01/04	<50	--	25	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

<b>WELL ID/ DATE</b>	<b>ETHANOL (ppb)</b>	<b>TBA (ppb)</b>	<b>MTBE (ppb)</b>	<b>DIPE (ppb)</b>	<b>ETBE (ppb)</b>	<b>TAME (ppb)</b>
<b>MW-7</b>						
10/23/00	<6,670	<667	1,210	13.3	13.3	199
06/09/03	--	--	210	--	--	--
09/03/03	<50	--	0.8	--	--	--
12/01/03	<50	--	130	--	--	--
03/01/04	<50	--	180	--	--	--



**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

---

**EXPLANATIONS:**

Groundwater laboratory analytical results prior to June 19, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed

**Table 3**  
**Groundwater Analytical Results**  
Chevron Service Station #9-1851  
451 Hegenberger Road  
Oakland, California

<b>WELL ID/ DATE</b>	<b>TOG (ppb)</b>	<b>Benzene by (EPA 8240) (ppb)</b>	<b>Xylene by (EPA 8240) (ppb)</b>	<b>C-1,2- DCE (ppb)</b>	<b>Carbon Disulfide (ppb)</b>	<b>Vinyl Chloride (ppb)</b>
<b>MW-2</b>						
10/17/95	<5,000	--	--	11	--	--
03/29/96	--	11	2.5	17	--	5.4
06/26/96	--	11	<2.0	15	--	12
09/25/96	--	--	--	--	--	--
12/17/96	--	10	<2.0	2.3	--	5.5
03/20/97	--	--	--	<2.0	--	3.2
06/20/97	--	7.2	<2.0	4.6	2.2	5.2
09/09/97	--	11	<2.0	<2.0	<2.0	<2.0
12/12/97	--	<2.0	<2.0	<2.0	<2.0	<2.0
02/19/98	--	<3.3	<3.3	<3.3	<3.3	<3.3

**EXPLANATIONS:**

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

TOG = Total Oil and Grease

c-1,2-DCE = cis-1,2-Dichloroethene

(ppb) = Parts per billion

-- = Not Analyzed

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145  
 Site Address: 451 Hegenberger Road Event Date: 3-1-04 (inclusive)  
 City: Oakland, CA Sampler: Joc

Well ID: MW-1 Date Monitored: 3-1-04 Well Condition: o.k.  
 Well Diameter: 2 in.  
 Total Depth: 14.65 ft.  
 Depth to Water: 2.06 ft.  
12.59 xVF 0.17 = 2.14 x3 (case volume) = Estimated Purge Volume: 6.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer   
 Stack Pump   
 Suction Pump   
 Grundfos   
 Other:

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer   
 Discrete Bailer   
 Other:

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0805 Weather Conditions: Showers  
 Sample Time/Date: 0822 3-1-04 Water Color: clear Odor: none  
 Purging Flow Rate: 0.2 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water?  If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0821</u>	<u>2</u>	<u>7.56</u>	<u>10.07</u>	<u>63.7</u>	_____	_____
<u>0825</u>	<u>4</u>	<u>7.52</u>	<u>11.02</u>	<u>64.0</u>	_____	_____
<u>0830</u>	<u>6.5</u>	<u>7.51</u>	<u>10.92</u>	<u>63.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145  
 Site Address: 451 Hegenberger Road Event Date: 3-1-04 (inclusive)  
 City: Oakland, CA Sampler: Joe

Well ID: MW-2 Date Monitored: 3-1-04 Well Condition: O.K.  
 Well Diameter: 2 in.  
 Total Depth: 14.92 ft.  
 Depth to Water: 3.12 ft.  
11.80 xVF 0.17 = 2.00 x3 (case volume) = Estimated Purge Volume: 6 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1030 Weather Conditions: showers  
 Sample Time/Date: 1103/3-1-04 Water Color: clear Odor: none  
 Purging Flow Rate: 0.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm) x 100	Temperature (C)	D.O. (mg/L)	ORP (mV)
<u>1039</u>	<u>2</u>	<u>7.81</u>	<u>6.54</u>	<u>63.6</u>	_____	_____
<u>1044</u>	<u>4</u>	<u>7.37</u>	<u>6.50</u>	<u>63.1</u>	_____	_____
<u>1050</u>	<u>6</u>	<u>7.32</u>	<u>6.62</u>	<u>63.4</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145  
 Site Address: 451 Hegenberger Road Event Date: 3-1-04 (inclusive)  
 City: Oakland, CA Sampler: Joc

Well ID: MW-3 Date Monitored: 3-1-04 Well Condition: o.k.  
 Well Diameter: 2 in.  
 Total Depth: 14.75 ft.  
 Depth to Water: 2-11 ft.  
12.64 xVF 0.17 = 2.15 x3 (case volume) = Estimated Purge Volume: 6.5 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1236 Weather Conditions: showers  
 Sample Time/Date: 1308 3-1-04 Water Color: clear Odor: mild  
 Purging Flow Rate: 0.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm) <sup>x100</sup>	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1243</u>	<u>2</u>	<u>7.74</u>	<u>9.16</u>	<u>64.0</u>	_____	_____
<u>1249</u>	<u>4</u>	<u>7.64</u>	<u>9.15</u>	<u>64.7</u>	_____	_____
<u>1254</u>	<u>6.5</u>	<u>7.66</u>	<u>9.10</u>	<u>63.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145  
 Site Address: 451 Hegenberger Road Event Date: 3-1-04 (inclusive)  
 City: Oakland, CA Sampler: Sox

Well ID: MW-4 Date Monitored: 3-1-04 Well Condition: \_\_\_\_\_

Well Diameter: 2 in.

Total Depth: 14.88 ft.

Depth to Water: 4.68 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

10.20 x VF 0.17 = 1.73 x3 (case volume) = Estimated Purge Volume: 5.5 gal.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Bailed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1153 Weather Conditions: Rain  
 Sample Time/Date: 1225, 13-1-04 Water Color: clear Odor: some  
 Purging Flow Rate: 0.7 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm) x 100	Temperature (C/E)	D.O. (mg/L)	ORP (mV)
<u>1205</u>	<u>1.5</u>	<u>7.07</u>	<u>3.04</u>	<u>64.0</u>	_____	_____
<u>1209</u>	<u>3</u>	<u>6.93</u>	<u>3.42</u>	<u>64.2</u>	_____	_____
<u>1214</u>	<u>5.5</u>	<u>6.41</u>	<u>3.41</u>	<u>69.2</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145  
 Site Address: 451 Hegenberger Road Event Date: 3-1-09 (inclusive)  
 City: Oakland, CA Sampler: Soc

Well ID: MW-5 Date Monitored: 3-1-09 Well Condition: o.k.  
 Well Diameter: 2 in.  
 Total Depth: 10.05 ft.  
 Depth to Water: 2.48 ft.  
7.57 x VF 0.17 = 1.29 x3 (case volume) = Estimated Purge Volume: 4 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0944 Weather Conditions: Showers  
 Sample Time/Date: 1020131-04 Water Color: clear Odor: none  
 Purging Flow Rate: 0.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm) <sup>x1000</sup>	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0956</u>	<u>1</u>	<u>7.37</u>	<u>2.41</u>	<u>63.3</u>	_____	_____
<u>1002</u>	<u>2.5</u>	<u>7.30</u>	<u>2.06</u>	<u>63.5</u>	_____	_____
<u>1008</u>	<u>4</u>	<u>7.32</u>	<u>1.95</u>	<u>63.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>5</u>	<u>6</u> x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_





# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145  
 Site Address: 451 Hegenberger Road Event Date: 3-1-04 (inclusive)  
 City: Oakland, CA Sampler: Joc

Well ID: MW-6 Date Monitored: 3-1-04 Well Condition: OK  
 Well Diameter: 2 in.  
 Total Depth: 10.06 ft.  
 Depth to Water: 3.18 ft.  
 Volume Factor (VF) table:  

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

 Estimated Purge Volume: 3.5 gal.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft.  
 Depth to Water: \_\_\_\_\_ ft.  
 Hydrocarbon Thickness: 0 ft.  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal.  
 Amt Removed from Well: \_\_\_\_\_ gal.  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0900 Weather Conditions: Showers  
 Sample Time/Date: 0935 3-1-04 Water Color: clear Odor: none  
 Purging Flow Rate: 0.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0915</u>	<u>1</u>	<u>7.06</u>	<u>3.98</u>	<u>64.2</u>		
<u>0919</u>	<u>2</u>	<u>7.18</u>	<u>4.04</u>	<u>64.6</u>		
<u>0924</u>	<u>3.5</u>	<u>7.22</u>	<u>4.10</u>	<u>64.1</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145  
 Site Address: 451 Hegenberger Road Event Date: 3-1-04 (inclusive)  
 City: Oakland, CA Sampler: Joc

Well ID: MW-7 Date Monitored: 3-1-04 Well Condition: OK  
 Well Diameter: 2 in.  
 Total Depth: 13.34 ft.  
 Depth to Water: 5.98 ft.  
7.38 xVF 0.17 = 1.25 x3 (case volume) = Estimated Purge Volume: 4 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer   
 Stack Pump   
 Suction Pump   
 Grundfos   
 Other:

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer   
 Discrete Bailer   
 Other:

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1115 Weather Conditions: Showers  
 Sample Time/Date: 1142 13-1-04 Water Color: Clear Odor: None  
 Purging Flow Rate: 0.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1126</u>	<u>1.5</u>	<u>7.79</u>	<u>5.52</u>	<u>63.3</u>		
<u>1130</u>	<u>3</u>	<u>7.61</u>	<u>5.33</u>	<u>63.4</u>		
<u>1134</u>	<u>4</u>	<u>7.54</u>	<u>5.39</u>	<u>63.1</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-7	6 x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



030304-03

Acct. #: 10904 For Lancaster Laboratories use only  
 Sample #: 4227604-11

SCR#: \_\_\_\_\_  
 Group # 887005

Facility #: <u>SS#9-1851 G-R#385145 Global ID#T0600102238</u> Site Address: <u>451 HEGENBERGER ROAD, OAKLAND, CA</u> Chevron PM: <u>KS</u> Lead Consultant: <u>CAMBRIA</u> <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568</u> Consultant/Office: <u>Deanna L. Harding (deanna@gnnc.com)</u> Consultant Prj. Mgr.: _____ Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>JOE ASEMIAN</u> Service Order #: _____ <input type="checkbox"/> Non SAR: _____				Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/> Oil		Analyses Requested Preservation Codes H H * * * * * BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 TPH 8015 MOD GRO TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Lead 7420 <input type="checkbox"/> 7421 Ethanol (8260)				Preservative Codes H = HCl T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits								
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421	Ethanol (8260)	Comments / Remarks
<u>QA</u>	<u>-</u>	<u>-</u>	<input checked="" type="checkbox"/>						<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	
<u>MW-1</u>	<u>3-1-04</u>	<u>0842</u>	<input checked="" type="checkbox"/>						<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	
<u>MW-2</u>		<u>1103</u>	<input checked="" type="checkbox"/>						<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	
<u>MW-3</u>		<u>1308</u>	<input checked="" type="checkbox"/>						<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	
<u>MW-4</u>		<u>1225</u>	<input checked="" type="checkbox"/>						<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	
<u>MW-5</u>		<u>1020</u>	<input checked="" type="checkbox"/>						<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	
<u>MW-6</u>		<u>0935</u>	<input checked="" type="checkbox"/>						<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	
<u>MW-7</u>		<u>1142</u>	<input checked="" type="checkbox"/>						<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	

**Turnaround Time Requested (TAT) (please circle)**

STD. TAT  
 24 hour      4 day      5 day  
 72 hour      48 hour

**Data Package Options (please circle if required)**

QC Summary      Type I — Full  
 Type VI (Raw Data)       Coelt Deliverable not needed  
 WIP (RWQCB)  
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>3-2-04</u>	Time: <u>14:00</u>	Received by: <u>[Signature]</u>	Date: <u>3/3/04</u>	Time: <u>11:44</u>
Relinquished by: <u>[Signature]</u>	Date: <u>3/3/04</u>	Time: _____	Received by: <u>Bernardo Amaya</u>	Date: <u>3/3/04</u>	Time: <u>1350</u>
Relinquished by: <u>Bernardo Amaya</u>	Date: <u>3/3/04</u>	Time: <u>1600</u>	Received by: <u>Arborne</u>	Date: <u>3/3/04</u>	Time: _____
Relinquished by Commercial Carrier: _____	UPS      FedEx      Other: <u>Arborne</u>	Date: _____	Received by: <u>[Signature]</u>	Date: <u>3/4/04</u>	Time: <u>0930</u>
Temperature Upon Receipt: <u>1.5°</u>	Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No				

## ANALYTICAL RESULTS

Prepared for:

ChevronTexaco  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

## SAMPLE GROUP


The sample group for this submittal is 887005. Samples arrived at the laboratory on Thursday, March 04, 2004. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-040301	NA	Water	4227604
MW-1-W-040301	Grab	Water	4227605
MW-2-W-040301	Grab	Water	4227606
MW-3-W-040301	Grab	Water	4227607
MW-4-W-040301	Grab	Water	4227608
MW-5-W-040301	Grab	Water	4227609
MW-6-W-040301	Grab	Water	4227610
MW-7-W-040301	Grab	Water	4227611

1 COPY TO  
ELECTRONIC  
COPY TOCambria C/O Gettler- Ryan  
Gettler-RyanAttn: Deanna L. Harding  
Attn: Cheryl Hansen

Questions? Contact your Client Services Representative  
Teresa L. Cunningham at (717) 656-2300.

Respectfully Submitted,



Victoria M. Martell  
Chemist

Lancaster Laboratories Sample No. **WW 4227604**
**QA-T-040301**                      **NA**                      **Water**  
 Facility# 91851 Job# 385145                      **GRD**  
 451 Hegenberger, Oakland T0600102238 **QA**  
 Collected: 03/01/2004

Account Number: 10904

 Submitted: 03/04/2004 09:30  
 Reported: 03/12/2004 at 15:23  
 Discard: 04/12/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

**QA451**

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/05/2004 11:44	Todd T Smythe	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 14:07	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/05/2004 11:44	Todd T Smythe	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 14:07	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4227605

 MW-1-W-040301                      Grab                      Water  
 Facility# 91851    Job# 385145                                      GRD  
 451 Hegenberger, Oakland T0600102238    MW-1  
 Collected: 03/01/2004 08:42                      by JA

Account Number: 10904

 Submitted: 03/04/2004 09:30  
 Reported: 03/12/2004 at 15:23  
 Discard: 04/12/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

1-451

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	26.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/05/2004 12:13		Todd T Smythe	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004 09:07		Elizabeth M Taylor	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/05/2004 12:13		Todd T Smythe	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2004 09:07		Elizabeth M Taylor	n.a.

Lancaster Laboratories Sample No. **WW 4227606**

 MW-2-W-040301                      Grab                      Water  
 Facility# 91851    Job# 385145                                      GRD  
 451 Hegenberger, Oakland T0600102238    MW-2  
 Collected: 03/01/2004 11:03                      by JA

Account Number: 10904

 Submitted: 03/04/2004 09:30  
 Reported: 03/12/2004 at 15:23  
 Discard: 04/12/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

2-451

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	130.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasline Method	1	03/05/2004 13:40	Todd T Smythe	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004 13:26	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/05/2004 13:40	Todd T Smythe	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2004 13:26	Carrie J McCullough	n.a.



Lancaster Laboratories Sample No. WW 4227607

 MW-3-W-040301                      Grab                      Water  
 Facility# 91851    Job# 385145                                      GRD  
 451 Hegenberger, Oakland T0600102238 MW-3  
 Collected: 03/01/2004 13:08                      by JA

Account Number: 10904

 Submitted: 03/04/2004 09:30  
 Reported: 03/12/2004 at 15:24  
 Discard: 04/12/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

3-451

CAT No.	Analysis Name	CAS Number	As Received		Units	Dilution Factor
			As Received Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	140.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	850.	5.	ug/l	10
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/05/2004 14:08	Todd T Smythe	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004 14:45	Carrie J McCullough	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004 15:12	Carrie J McCullough	10
01146	GC VOA Water Prep	SW-846 5030B	1	03/05/2004 14:08	Todd T Smythe	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2004 14:45	Carrie J McCullough	n.a.

**Lancaster Laboratories Sample No. WW 4227608**
**MW-4-W-040301**                      **Grab**                      **Water**  
**Facility# 91851**    **Job# 385145**                      **GRD**  
**451 Hegenberger, Oakland T0600102238 MW-4**  
**Collected: 03/01/2004 12:25**                      **by JA**

Account Number: 10904

**Submitted: 03/04/2004 09:30**  
**Reported: 03/12/2004 at 15:24**  
**Discard: 04/12/2004**
**ChevronTexaco**  
**6001 Bollinger Canyon Rd L4310**  
**San Ramon CA 94583**

4-451

CAT	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	240.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1,200.	5.	ug/l	10
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/05/2004 14:37	Todd T Smythe	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004 15:39	Carrie J McCullough	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004 16:05	Carrie J McCullough	10
01146	GC VOA Water Prep	SW-846 5030B	1	03/05/2004 14:37	Todd T Smythe	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2004 15:39	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. **WW 4227609**
**MW-5-W-040301**                      **Grab**                      **Water**  
**Facility# 91851**    **Job# 385145**                      **GRD**  
**451 Hegenberger, Oakland T0600102238 MW-5**  
**Collected: 03/01/2004 10:20**                      **by JA**

Account Number: 10904

 Submitted: 03/04/2004 09:30  
 Reported: 03/12/2004 at 15:24  
 Discard: 04/12/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

5-451

CAT No.	Analysis Name	CAS Number	AS Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	120.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/05/2004	15:06	Todd T Smythe	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004	16:32	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/05/2004	15:06	Todd T Smythe	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2004	16:32	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. **WW 4227610**

 MW-6-W-040301                      Grab                      Water  
 Facility# 91851    Job# 385145                                      GRD  
 451 Hegenberger, Oakland T0600102238    MW-6  
 Collected: 03/01/2004 09:35                      by JA

Account Number: 10904

 Submitted: 03/04/2004 09:30  
 Reported: 03/12/2004 at 15:24  
 Discard: 04/12/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

6-451

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit	50. ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	25.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/05/2004 15:35		Todd T Smythe	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004 16:58		Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/05/2004 15:35		Todd T Smythe	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2004 16:58		Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4227611

 MW-7-W-040301 Grab Water GRD  
 Facility# 91851 Job# 385145  
 451 Hegenberger, Oakland T0600102238 MW-7  
 Collected: 03/01/2004 11:42 by JA

Account Number: 10904

 Submitted: 03/04/2004 09:30  
 Reported: 03/12/2004 at 15:24  
 Discard: 04/12/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

7-451

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	71.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	180.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/05/2004 16:04	Todd T Smythe	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	03/09/2004 17:25	Carrie J McCullough	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/05/2004 16:04	Todd T Smythe	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2004 17:25	Carrie J McCullough	n.a.

## Quality Control Summary

 Client Name: ChevronTexaco  
 Reported: 03/12/04 at 03:24 PM

Group Number: 887005

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

### Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 04065A08B TPH-GRO - Waters	N.D.	50.	4227604-4227605 ug/l	104	130	70-130	22	30
Batch number: 04065A08C TPH-GRO - Waters	N.D.	50.	4227606-4227611 ug/l	104	130	70-130	22	30
Batch number: P040683AA	Sample number(s): 4227605							
Ethanol	N.D.	50.	ug/l	104		46-145		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	98		77-127		
Benzene	N.D.	0.5	ug/l	99		85-117		
Toluene	N.D.	0.5	ug/l	95		85-115		
Ethylbenzene	N.D.	0.5	ug/l	95		82-119		
Xylene (Total)	N.D.	0.5	ug/l	97		84-120		
Batch number: P040691AA	Sample number(s): 4227606-4227611							
Ethanol	N.D.	50.	ug/l	102		46-145		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	95		77-127		
Benzene	N.D.	0.5	ug/l	99		85-117		
Toluene	N.D.	0.5	ug/l	94		85-115		
Ethylbenzene	N.D.	0.5	ug/l	95		82-119		
Xylene (Total)	N.D.	0.5	ug/l	97		84-120		
Batch number: P040701AA	Sample number(s): 4227604							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	96		77-127		
Benzene	N.D.	0.5	ug/l	97		85-117		
Toluene	N.D.	0.5	ug/l	91		85-115		
Ethylbenzene	N.D.	0.5	ug/l	94		82-119		
Xylene (Total)	N.D.	0.5	ug/l	95		84-120		

### Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04065A08B TPH-GRO - Waters	139		63-154					
Batch number: 04065A08C TPH-GRO - Waters	139		63-154					
Batch number: P040683AA Ethanol	105	96	41-155	10	30			

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

## Quality Control Summary

Client Name: ChevronTexaco  
Reported: 03/12/04 at 03:24 PM

Group Number: 887005

### Sample Matrix Quality Control

Analysis Name	MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup RPD Max
	<u>%REC</u>	<u>%REC</u>	<u>Limits</u>	<u>RPD</u>	<u>MAX</u>	<u>Conc</u>	<u>Conc</u>	<u>RPD</u>
Methyl Tertiary Butyl Ether	94	102	69-134	2	30			
Benzene	104	105	83-128	1	30			
Toluene	101	101	83-127	0	30			
Ethylbenzene	100	101	82-129	0	30			
Xylene (Total)	100	102	82-130	1	30			
Batch number: P040691AA      Sample number(s): 4227606-4227611								
Ethanol	89	86	41-155	3	30			
Methyl Tertiary Butyl Ether	(2)	(2)	69-134	0	30			
Benzene	106	104	83-128	2	30			
Toluene	104	101	83-127	3	30			
Ethylbenzene	105	100	82-129	5	30			
Xylene (Total)	107	102	82-130	5	30			
Batch number: P040701AA      Sample number(s): 4227604								
Methyl Tertiary Butyl Ether	100	101	69-134	1	30			
Benzene	105	105	83-128	0	30			
Toluene	103	106	83-127	3	30			
Ethylbenzene	101	102	82-129	1	30			
Xylene (Total)	103	104	82-130	1	30			

### Surrogate Quality Control

Analysis Name: TPH-GRO - Waters  
Batch number: 04065A08B  
Trifluorotoluene-F

4227604	112
4227605	111
Blank	111
LCS	118
LCSD	114
MS	130

Limits: 57-146

Analysis Name: TPH-GRO - Waters  
Batch number: 04065A08C  
Trifluorotoluene-F

4227606	109
4227607	107
4227608	109
4227609	113
4227610	109
4227611	113
Blank	105
LCS	118
LCSD	114
MS	130

Limits: 57-146

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

## Quality Control Summary

 Client Name: ChevronTexaco  
 Reported: 03/12/04 at 03:24 PM

Group Number: 887005

### Surrogate Quality Control

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH

Batch number: P040683AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4227605	98	93	96	95
Blank	98	94	97	94
LCS	101	95	97	96
MS	99	95	97	96
MSD	100	93	96	96
Limits:	81-120	82-112	85-112	83-113

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH

Batch number: P040691AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4227606	98	95	96	95
4227607	98	94	97	95
4227608	100	94	96	94
4227609	100	94	95	96
4227610	98	94	96	95
4227611	100	93	97	95
Blank	99	95	95	95
LCS	99	93	97	96
MS	98	92	96	95
MSD	99	95	95	95
Limits:	81-120	82-112	85-112	83-113

Analysis Name: BTEX+MTBE by 8260B

Batch number: P040701AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4227604	99	93	96	95
Blank	100	95	96	95
LCS	100	95	96	96
MS	101	94	96	96
MSD	100	95	96	96
Limits:	81-120	82-112	85-112	83-113

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>N.D.</b>	none detected	<b>BMQL</b>	Below Minimum Quantitation Level
<b>TNTC</b>	Too Numerous To Count	<b>MPN</b>	Most Probable Number
<b>IU</b>	International Units	<b>CP Units</b>	cobalt-chloroplatinate units
<b>umhos/cm</b>	micromhos/cm	<b>NTU</b>	nephelometric turbidity units
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>ug</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>ml</b>	milliliter(s)	<b>l</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>ul</b>	microliter(s)
<b>&lt;</b>	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>J</b>	estimated value - The result falls within the Method Detection Limit (MDL) and Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

### Organic Qualifiers

<b>A</b>	TIC is a possible aldol-condensation product
<b>B</b>	Analyte was also detected in the blank
<b>C</b>	Pesticide result confirmed by GC/MS
<b>D</b>	Compound quantitated on a diluted sample
<b>E</b>	Concentration exceeds the calibration range of the instrument
<b>N</b>	Presumptive evidence of a compound (TICs only)
<b>P</b>	Concentration difference between primary and confirmation columns >25%
<b>U</b>	Compound was not detected
<b>X,Y,Z</b>	Defined in case narrative

### Inorganic Qualifiers

<b>B</b>	Value is <CRDL, but ≥IDL
<b>E</b>	Estimated due to interference
<b>M</b>	Duplicate injection precision not met
<b>N</b>	Spike sample not within control limits
<b>S</b>	Method of standard additions (MSA) used for calculation
<b>U</b>	Compound was not detected
<b>W</b>	Post digestion spike out of control limits
<b>*</b>	Duplicate analysis not within control limits
<b>+</b>	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.