



GETTLER-RYAN INC.

RECEIVED

9:58 am, May 10, 2010

Alameda County
Environmental Health

TRANSMITTAL

January 27, 2009

G-R #385145

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608
(VIA PDF)

CC: Mr. Aaron Costa
Chevron EMC
6111 Bollinger Canyon Road,
Room 3660
San Ramon, California 94583
(VIA PDF)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station
#9-1851
451 Hegenberger Road
Oakland, California
RO 0000464**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	January 26, 2009	Groundwater Monitoring and Sampling Report Fourth Quarter Event of December 19, 2008

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced items for **your use and distribution (including PDF submittal of the entire report to GeoTracker)**:

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 (Distributed by CRA via PDF)

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **February 10, 2009**, at which time this final report will be distributed to the following:

cc: Mr. Ben Shimek, (Owner), 31 Industrial Way, Greenbrae, CA 94904

Enclosures



Aaron Costa
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6111 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 543-2961
Fax (925) 543-2324
acosta@chevron.com

January 27, 2009

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-1851
Address 451 Hegenberger Road

I have reviewed the attached routine groundwater monitoring report dated
January 27, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon who assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Aaron Costa".

Aaron Costa
Project Manager

Attachment: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job # 385145
 Event Date: 12/19/08
 Sampler: Steve Rice

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1	broken	ok	ok	3(S)	ok	ok	ok	N	N	8"/Bart-Ingr/3	N
MW-2	ok							N	N	8"/Emco/2	↓
MW-3	ok			(B) 2(S)	ok			N	N	7"/Morrison/2	
MW-4	ok							N	N	8"/Emco/2	
MW-5	ok							N	N	8"/Emco/2	
MW-6	ok							N	N	8"/Emco/2	
MW-7	ok	M	ok					N	N	8"/Emco/2	

Comments MW-1 lid broken into 3 pieces



GETTLER - RYAN INC.



January 26, 2009
G-R Job #385145

Mr. Aaron Costa
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3660
San Ramon, CA 94583

RE: Fourth Quarter Event of December 19, 2008
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

Dear Mr. Costa:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.


Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and the laboratory analytical reports are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,


Deanna L. Harding
Project Coordinator


Douglas J. Lee
Senior Geologist, P.G. No. 6882



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Groundwater Analytical Results - Oxygenate Compounds
- Table 3: Groundwater Analytical Results
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-1851
 451 Hegenberger Road
 Oakland, California

FIGURE
1

PROJECT NUMBER 385145	REVIEWED BY	DATE December 19, 2008	REVISED DATE
---------------------------------	-------------	---------------------------	--------------

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				SPHT (ft.)	Removed (gallons)							
MW-1												
10/17/95	2.61	-1.51	4.12	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/96	2.61	-0.72	3.33	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	9.5
06/26/96	2.61	-1.23	3.84	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	46
09/25/96	2.61	-1.41	4.02	0.00	0.00	--	<250	<2.5	<2.5	<2.5	<2.5	940
12/17/96	2.61	-0.96	3.57	0.00	0.00	--	<50	0.9	<0.5	<0.5	<0.5	260
03/20/97	2.61	-1.54	4.15	0.00	0.00	--	<50	<2.0	<2.0	<2.0	<2.0	76
06/20/97	2.61	-1.72	4.33	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	64
09/09/97	2.61	-1.74	4.35	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	110
12/12/97	2.61	-0.39	3.00	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	27
02/19/98	2.61	0.78	1.83	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	14
06/23/98	2.61	-0.73	3.34	0.00	0.00	--	210	<0.5	<0.5	<0.5	<0.5	3,400
08/31/98	2.61	-0.88	3.49	0.00	0.00	--	1,400	630	<5.0	<5.0	<5.0	16,000
12/29/98	2.61	-1.22	3.83	0.00	0.00	--	<500	<5.0	<5.0	<5.0	<5.0	1,090
03/11/99	2.61	-0.43	3.04	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	33.9
06/24/99	2.61	-0.77	3.38	0.00	0.00	--	<500	65.7	<5.0	<5.0	<5.0	1,160
09/29/99	2.61	-1.01	3.62	0.00	0.00	--	81.7	<0.5	<0.5	<0.5	<0.5	1,130
12/08/99	2.61	-1.46	4.07	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	233
03/01/00	2.61	0.66	1.95	0.00	0.00	--	100	<0.5	<0.5	<0.5	<0.5	37.9
06/19/00	2.61	-0.80	3.41	0.00	0.00	--	<50	3.8	<0.50	<0.50	<0.50	88/91 ²
09/30/00	2.61	-1.23	3.84	0.00	0.00	--	<130	<1.3	<1.3	<1.3	<1.3	460/530 ²
10/05/00	2.61	-1.32	3.93	0.00	0.00	--	--	--	--	--	--	--
12/08/00	8.61	4.41	4.20	0.00	0.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	58.7
03/03/01 ¹¹	8.61	6.30	2.31	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	8.9
06/19/01	8.61	5.27	3.34	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	51
09/05/01	8.61	4.84	3.77	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	180
12/10/01	8.61	6.14	2.47	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	21
03/04/02	8.61	5.48	3.13	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	47
06/03/02	8.61	2.90	5.71	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	31
09/14/02	8.61	4.86	3.75	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	140
12/13/02	8.61	5.32	3.29	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	8.61	5.54	3.07	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	35
06/09/03 ¹³	8.61	5.09	3.52	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	69
09/03/03 ¹³	8.61	4.49	4.12	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	1
12/01/03 ¹³	8.61	5.34	3.27	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	100
03/01/04 ¹³	8.61	6.55	2.06	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	26
06/02/04 ¹³	8.61	5.31	3.30	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	93

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				SPHT (ft.)	Removed (gallons)							
MW-1 (cont)												
09/03/04 ¹³	8.61	4.47	4.14	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	140
12/20/04 ¹³	8.61	4.99	3.62	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	37
03/12/05 ¹³	8.61	5.57	3.04	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	130
06/28/05 ¹³	8.61	5.33	3.28	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	93
09/01/05 ¹³	8.61	5.03	3.58	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	59
12/01/05 ¹³	8.61	5.56	3.05	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	62
03/04/06 ¹³	8.61	5.30	3.31	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	88
06/01/06 ¹³	8.61	5.17	3.44	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	36
09/01/06 ¹³	8.61	5.62	2.99	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	18
12/15/06 ¹³	8.61	5.70	2.91	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	8
03/15/07 ¹³	8.61	5.18	3.43	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	17
06/15/07 ¹³	8.61	4.94	3.67	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	8
09/06/07 ¹³	8.61	5.19	3.42	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	3
12/07/07 ¹³	8.61	5.30	3.31	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	7
03/07/08 ¹³	8.61	5.16	3.45	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	9
06/24/08 ¹³	8.61	4.85	3.76	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	3
09/11/08 ¹³	8.61	4.11	4.50	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	9
12/19/08 ¹³	8.61	4.88	3.73	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	6
MW-2												
10/17/95 ³	3.51	-1.82	5.33	0.00	0.00	1,600 ⁴	170	3.5	<0.5	1.0	6.1	--
03/29/96	3.51	-0.44	3.95	0.00	0.00	3,000 ⁴	89	4.7	<0.5	0.64	0.74	21
06/26/96	3.51	-1.09	4.60	0.00	0.00	2,000 ⁴	80	8.7	<0.5	1.2	1.3	31
09/25/96	3.51	INACCESSIBLE		--	--	--	--	--	--	--	--	--
12/17/96	3.51	-0.41	3.92	0.00	0.00	2,400 ⁴	110	<0.5	<0.5	0.75	2.1	27
03/20/97	3.51	-1.32	4.83	0.00	0.00	3,400 ⁴	140	8.2	<2.0	<2.0	<2.0	58
06/20/97	3.51	-1.53	5.04	0.00	0.00	1,600 ⁴	62	7.7	<0.5	<0.5	<0.5	38
09/09/97	3.51	-1.47	4.98	0.00	0.00	82 ⁴	190	9.4	<0.5	<0.5	0.86	48
12/12/97	3.51	-0.40	3.91	0.00	0.00	8,500 ⁴	180	1.8	<0.5	<0.5	3.2	34
02/19/98	3.51	0.55	2.96	0.00	0.00	3,800 ⁴	<100	1.8	<1.0	<1.0	<1.0	230
06/23/98	3.51	-0.54	4.05	0.00	0.00	--	60	<0.5	<0.5	<0.5	<0.5	55
08/31/98	3.51	-0.80	4.31	0.00	0.00	--	61	2.2	<0.5	<0.5	1.1	53
12/29/98	3.51	-1.12	4.63	0.00	0.00	--	54	1.3	<0.5	<0.5	0.752	38.1
03/11/99	3.51	-0.01	3.52	0.00	0.00	--	648	2.9	<2.0	<2.0	<2.0	73.2
06/24/99	3.51	-0.49	4.00	0.00	0.00	--	264	.58	<0.5	1.01	<0.5	44.1
09/29/99	3.51	-0.93	4.44	0.00	0.00	--	54.3	.66	<0.5	<0.5	<0.5	35.7

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	SPH							
					Removed (gallons)	TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-2 (cont)												
12/08/99	3.51	-1.38	4.89	0.00	0.00	--	<50	1.27	<0.5	<0.5	<0.5	56.9
03/01/00	3.51	0.48	3.03	0.00	0.00	--	68	1.57	<0.5	<0.5	<0.5	110
06/19/00	3.51	-0.66	4.17	0.00	0.00	--	58 ¹	1.5	<0.50	<0.50	<0.50	90/59 ²
09/30/00	3.51	-1.15	4.66	0.00	0.00	--	<50	<0.50	0.82	<0.50	1.1	48/50 ²
10/05/00 ^{8,9}	3.51	-1.20	4.71	0.00	0.00	4,000 ⁷	--	--	--	--	--	--
12/08/00	9.52	4.55	4.97	0.00	0.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	61.8
03/03/01 ¹¹	9.52	6.25	3.27	0.00	0.00	--	310 ¹²	0.60	<0.50	<0.50	1.3	97
06/19/01	9.52	5.47	4.05	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	30
09/05/01	9.52	4.98	4.54	0.00	0.00	--	<50	<0.50	1.2	<0.50	<1.5	46
12/10/01	9.52	6.07	3.45	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	22
03/04/02	9.52	5.58	3.94	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	61
06/03/02	9.52	5.44	4.08	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	71
09/14/02	9.52	4.87	4.65	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	77
12/13/02	9.52	5.21	4.31	0.00	0.00	--	53	<0.50	<0.50	<0.50	<1.5	44
03/14/03	9.52	5.61	3.91	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	55
06/09/03 ¹³	9.52	5.19	4.33	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	67
09/03/03 ¹³	9.52	4.59	4.93	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	0.9
12/01/03 ¹³	9.52	5.37	4.15	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	72
03/01/04 ¹³	9.52	6.40	3.12	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	130
06/02/04 ¹³	9.52	5.31	4.21	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	46
09/03/04 ¹³	9.52	5.38	4.14	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	69
12/20/04	9.52	4.96**	4.60	0.05	0.01 ¹⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--	--
03/12/05 ¹³	9.52	5.62	3.90	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	57
06/28/05 ¹³	9.52	5.46	4.06	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	6
09/01/05	9.52	5.03**	4.52	0.04	1.10 ¹⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--	--
12/01/05 ¹³	9.52	5.51	4.01	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	3
03/04/06 ¹³	9.52	5.25	4.27	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	14
06/01/06 ¹³	9.52	5.12	4.40	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	35
09/01/06 ¹³	9.52	5.62	3.90	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	31
12/15/06 ¹³	9.52	5.64	3.88	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	25
03/15/07 ¹³	9.52	5.25	4.27	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	15
06/15/07 ¹⁶	9.52	5.03**	4.49	0.00	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--	--
09/06/07 ¹³	9.52	5.20	4.32	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	43
12/07/07 ¹³	9.52	5.06	4.46	0.00	0.00	--	<250 ¹⁷	<0.5	<0.5	<0.5	<0.5	28
03/07/08 ¹³	9.52	5.15**	4.38	0.01	0.01	--	<50	<0.5	<0.5	<0.5	<0.5	19

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH								MTBE (µg/L)
					Removed (gallons)	TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)		
MW-2 (cont)													
06/24/08	9.52	4.88**	5.16	0.65	0.73 ¹⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	
09/11/08	9.52	4.30**	5.50	0.35	0.13 ¹⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	
12/19/08	9.52	4.75**	4.80	0.04	0.50 ¹⁸	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	
MW-3													
10/17/95 ⁵	3.08	-1.34	4.42	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/29/96	3.08	0.08	3.00	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	26	
06/26/96	3.08	-0.52	3.60	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	47	
09/25/96	3.08	-1.06	4.14	0.00	0.00	--	<125	<1.2	<1.2	<1.2	<1.2	570	
12/17/96	3.08	-0.12	3.20	0.00	0.00	--	<500	<5.0	<5.0	<5.0	<5.0	680	
03/20/97	3.08	-0.22	3.30	0.00	0.00	--	<50	<5.7	<5.7	<5.7	<5.7	430	
06/20/97	3.08	-0.78	3.86	0.00	0.00	--	<500	<5.0	<5.0	<5.0	<5.0	1,400	
09/09/97	3.08	-1.11	4.19	0.00	0.00	--	76 ⁴	22	<0.5	<0.5	<0.5	920	
12/12/97	3.08	0.12	2.96	0.00	0.00	--	52	15	<0.5	<0.5	<0.5	710	
02/19/98	3.08	0.86	2.22	0.00	0.00	--	<50	6.6	<0.5	<0.5	<0.5	380	
06/23/98	3.08	-0.17	3.25	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	390	
08/31/98	3.08	-0.78	3.86	0.00	0.00	--	<50	19	<0.5	<0.5	<0.5	830	
12/29/98	3.08	-0.45	3.53	0.00	0.00	--	<250	<2.5	<2.5	<2.5	<2.5	416	
03/11/99	3.08	-0.27	3.35	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	262	
06/24/99	3.08	-0.53	3.61	0.00	0.00	--	<50	12.8	<0.5	<0.5	<0.5	620	
09/29/99	3.08	-0.87	3.95	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	2,840	
12/08/99	3.08	-0.46	3.54	0.00	0.00	--	73.4	<0.5	<0.5	<0.5	<0.5	1,620	
03/01/00	3.08	0.65	2.43	0.00	0.00	--	<200	<2.0	<2.0	<2.0	<2.0	1,880	
06/19/00	3.08	-0.30	3.38	0.00	0.00	--	<250	20	<2.5	<2.5	<2.5	1,200/920 ²	
09/30/00	3.08	-0.92	4.00	0.00	0.00	--	<250	<2.5	<2.5	<2.5	<2.5	730/2,100 ²	
10/05/00	3.08	-0.94	4.02	0.00	0.00	--	--	--	--	--	--	--	
12/08/00	9.08	5.38	3.70	0.00	0.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	1,620	
03/03/01 ¹¹	9.08	6.84	2.24	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	1,000	
06/19/01	9.08	5.37	3.71	0.00	0.00	--	<120	4.8	<1.2	<1.2	<1.2	510	
09/05/01	9.08	5.04	4.04	0.00	0.00	--	130	<0.50	<0.50	<0.50	<1.5	1,400	
12/10/01	9.08	6.54	2.54	0.00	0.00	--	130	<0.50	<0.50	<0.50	<1.5	1,000	
03/04/02	9.08	6.24	2.84	0.00	0.00	--	120	<0.50	<0.50	<0.50	<1.5	720	
06/03/02	9.08	5.80	3.28	0.00	0.00	--	130	<0.50	<0.50	<0.50	<1.5	710	
09/14/02	9.08	4.93	4.15	0.00	0.00	--	590	<20	<1.0	<1.0	<3.0	2,600	
12/13/02	9.08	5.23	3.85	0.00	0.00	--	430	<0.50	<0.50	<0.50	<1.5	2,000	
03/14/03	9.08	6.09	2.99	0.00	0.00	--	310	<0.50	<0.50	<0.50	<1.5	1,600	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH								
				SPHT (ft.)	Removed (gallons)	TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-3 (cont)												
06/09/03 ¹³	9.08	5.74	3.34	0.00	0.00	--	330	<0.5	<0.5	<0.5	<0.5	1,800
09/03/03 ¹³	9.08	5.11	3.97	0.00	0.00	--	720	<3	<3	<3	<3	4,100
12/01/03 ¹³	9.08	5.32	3.76	0.00	0.00	--	520	<1	<1	<1	<1	2,400
03/01/04 ¹³	9.08	6.97	2.11	0.00	0.00	--	140	<0.5	<0.5	<0.5	<0.5	850
06/02/04 ¹³	9.08	5.43	3.65	0.00	0.00	--	220	<0.5	<0.5	<0.5	<0.5	1,500
09/03/04 ¹³	9.08	4.07	5.01	0.00	0.00	--	300	<1	<1	<1	<1	1,800
12/20/04 ¹³	9.08	4.23	4.85	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	86
03/12/05 ¹³	9.08	4.69	4.39	0.00	0.00	--	<50	0.6	<0.5	<0.5	<0.5	110
06/28/05 ¹³	9.08	4.52	4.56	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	23
09/01/05 ¹³	9.08	4.41	4.67	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	47
12/01/05 ¹³	9.08	4.65	4.43	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	19
03/04/06 ¹³	9.08	4.76	4.32	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	36
06/01/06 ¹³	9.08	4.56	4.52	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	29
09/01/06 ¹³	9.08	4.42	4.66	0.00	0.00	--	75	<0.5	<0.5	<0.5	<0.5	29
12/15/06 ¹³	9.08	5.01	4.07	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	14
03/15/07 ¹³	9.08	4.82	4.26	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	24
06/15/07 ¹³	9.08	4.46	4.62	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	18
09/06/07 ¹³	9.08	4.38	4.70	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	14
12/07/07 ¹³	9.08	4.48	4.60	0.00	0.00	--	<250 ¹⁷	<0.5	<0.5	<0.5	<0.5	16
03/07/08 ¹³	9.08	4.77	4.31	0.00	0.00	--	51	<0.5	<0.5	<0.5	<0.5	20
06/24/08 ¹³	9.08	4.40	4.68	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	21
09/11/08 ¹³	9.08	4.06	5.02	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	29
12/19/08 ¹³	9.08	4.41	4.67	0.00	0.00	--	59	<0.5	<0.5	<0.5	0.9	21
MW-4												
10/17/95	3.48	-1.60	5.08	0.00	0.00	--	<125	<1.2	<1.2	<1.2	<1.2	--
03/29/96	3.48	-1.13	4.61	0.00	0.00	--	<1,000	<10	<10	<10	<10	6,700
06/26/96	3.48	-0.82	4.30	0.00	0.00	--	<2,000	<20	<20	<20	<20	7,200
09/25/96	3.48	-1.85	5.33	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/17/96	3.48	0.67	2.81	0.00	0.00	--	<2,000	120	<20	<20	<20	11,000
03/20/97	3.48	-1.02	4.50	0.00	0.00	--	250 ⁴	<2.0	<2.0	<2.0	<2.0	10,000/8,600 ⁶
06/20/97	3.48	-2.20	5.68	0.00	0.00	--	<2,500	<25	<25	<25	<25	9,300
09/09/97	3.48	-2.02	5.50	0.00	0.00	--	460 ⁴	<0.5	<0.5	<0.5	<0.5	6,600
12/12/97	3.48	-1.55	5.03	0.00	0.00	--	430 ⁴	<2.5	<2.5	<2.5	<2.5	7,800
02/19/98	3.48	0.13	3.35	0.00	0.00	--	510 ⁴	<0.5	<0.5	<0.5	<0.5	6,600
06/23/98	3.48	-1.50	4.98	0.00	0.00	--	550 ⁴	<0.5	<0.5	<0.5	<0.5	6,800

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				SPHT (ft.)	Removed (gallons)							
MW-4 (cont)												
08/31/98	3.48	-1.94	5.42	0.00	0.00	--	<500	450	<5.0	<5.0	<5.0	14,000
12/29/98	3.48	-1.58	5.06	0.00	0.00	--	<5,000	<50	<50	<50	<50	16,100
03/11/99	3.48	-0.30	3.78	0.00	0.00	--	979	<5.0	<5.0	<5.0	<5.0	15,100
06/24/99	3.48	-0.83	4.31	0.00	0.00	--	<2,500	715	<25	<25	<25	12,400
09/29/99	3.48	-2.10	5.58	0.00	0.00	--	1,380	<5.0	<5.0	<5.0	<5.0	11,700
12/08/99	3.48	-1.85	5.33	0.00	0.00	--	318	<0.5	<0.5	<0.5	<0.5	11,100
03/01/00	3.48	-1.72	5.20	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	9,940
06/19/00	3.48	-1.88	5.36	0.00	0.00	--	<1,000	220	<10	<10	<10	7,300/9,500 ²
09/30/00	3.48	-0.29	3.77	0.00	0.00	--	740 ¹	<2.5	<2.5	<2.5	<2.5	6,000/7,800 ²
10/05/00	3.48	-0.38	3.86	0.00	0.00	--	--	--	--	--	--	--
12/08/00	9.48	5.03	4.45	0.00	0.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	6,230
03/03/01 ¹¹	9.48	5.65	3.83	0.00	0.00	--	<250	<2.5	<2.5	<2.5	<2.5	3,600
06/19/01	9.48	6.11	3.37	0.00	0.00	--	<500	140	<5.0	<5.0	<5.0	2,500
09/05/01	9.48	5.52	3.96	0.00	0.00	--	400	<0.50	<0.50	<0.50	<1.5	2,800
12/10/01	9.48	4.43	5.05	0.00	0.00	--	700	<0.50	<0.50	<0.50	<1.5	3,400
03/04/02	9.48	5.81	3.67	0.00	0.00	--	660	<0.50	<0.50	<0.50	<1.5	2,900
06/03/02	9.48	4.24	5.24	0.00	0.00	--	610	<0.50	<0.50	<0.50	<1.5	3,000
09/14/02	9.48	4.26	5.22	0.00	0.00	--	490	<10	<1.0	<1.0	<3.0	2,400
12/13/02	9.48	4.81	4.67	0.00	0.00	--	440	<0.50	<0.50	<0.50	<1.5	2,200
03/14/03	9.48	4.84	4.64	0.00	0.00	--	490	<0.50	<0.50	<0.50	<1.5	2,600
06/09/03 ¹³	9.48	4.45	5.03	0.00	0.00	--	340	<0.5	<0.5	<0.5	<0.5	1,700
09/03/03 ¹³	9.48	3.83	5.65	0.00	0.00	--	320	<1	<1	<1	<1	1,600
12/01/03 ¹³	9.48	4.51	4.97	0.00	0.00	--	350	<1	<1	<1	<1	1,700
03/01/04 ¹³	9.48	4.80	4.68	0.00	0.00	--	240	<0.5	<0.5	<0.5	<0.5	1,200
06/02/04 ¹³	9.48	4.55	4.93	0.00	0.00	--	240	<0.5	<0.5	<0.5	<0.5	1,600
09/03/04 ¹³	9.48	4.49	4.99	0.00	0.00	--	270	<1	<1	<1	<1	1,500
12/20/04 ¹³	9.48	5.30	4.18	0.00	0.00	--	230	<3	<3	<3	<3	1,900
03/12/05 ¹³	9.48	4.16	5.32	0.00	0.00	--	180	<1	<1	<1	<1	1,200
06/28/05 ¹³	9.48	4.22	5.26	0.00	0.00	--	180	<0.5	<0.5	<0.5	<0.5	920
09/01/05 ¹³	9.48	4.57	4.91	0.00	0.00	--	250	<1	<1	<1	<1	1,500
12/01/05 ¹³	9.48	4.60	4.88	0.00	0.00	--	61	<0.5	<0.5	<0.5	<0.5	260
03/04/06 ¹³	9.48	4.46	5.02	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	80
06/01/06 ¹³	9.48	5.25	4.23	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	51
09/01/06 ¹³	9.48	4.12	5.36	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	29
12/15/06 ¹³	9.48	4.54	4.94	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	19
03/15/07 ¹³	9.48	4.46	5.02	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	18

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH							
					Removed (gallons)	TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-4 (cont)												
06/15/07 ¹³	9.48	4.48	5.00	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	16
09/06/07 ¹³	9.48	4.51	4.97	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	9
12/07/07 ¹³	9.48	4.97	4.51	0.00	0.00	--	<250 ¹⁷	<0.5	<0.5	<0.5	<0.5	15
03/07/08 ¹³	9.48	4.63	4.85	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	15
06/24/08 ¹³	9.48	5.75	3.73	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	15
09/11/08 ¹³	9.48	3.77	5.71	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	34
12/19/08 ¹³	9.48	4.59	4.89	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	33
MW-5												
10/23/00 ¹⁰	8.77	4.18	4.59	0.00	0.00	--	<50	<0.500	<0.500	<0.500	<0.500	4.34
12/08/00	8.77	5.34	3.43	0.00	0.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	11.0
03/03/01 ¹¹	8.77	6.37	2.40	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	24
06/19/01	8.77	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--
09/05/01	8.77	5.02	3.75	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	31
12/10/01	8.77	5.98	2.79	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	45
03/04/02	8.77	6.25	2.52	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	29
06/03/02	8.77	5.57	3.20	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	40
09/14/02	8.77	4.92	3.85	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	92
12/13/02	8.77	5.32	3.45	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	32
03/14/03	8.77	5.82	2.95	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	71
06/09/03 ¹³	8.77	5.58	3.19	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	79
09/03/03 ¹³	8.77	4.98	3.79	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	2
12/01/03 ¹³	8.77	5.43	3.34	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	52
03/01/04 ¹³	8.77	6.29	2.48	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	120
06/02/04 ¹³	8.77	5.66	3.11	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	110
09/03/04 ¹³	8.77	3.66	5.11	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	80
12/20/04 ¹³	8.77	3.67	5.10	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	62
03/12/05 ¹³	8.77	4.06	4.71	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	58
06/28/05 ¹³	8.77	3.84	4.93	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	64
09/01/05 ¹³	8.77	3.85	4.92	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	61
12/01/05 ¹³	8.77	3.96	4.81	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	50
03/04/06 ¹³	8.77	3.99	4.78	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	49
06/01/06 ¹³	8.77	3.88	4.89	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	38
09/01/06 ¹³	8.77	3.83	4.94	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	32
12/15/06 ¹³	8.77	4.09	4.68	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	26
03/15/07 ¹³	8.77	3.89	4.88	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	23

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
					Removed (gallons)								
MW-5 (cont)													
06/15/07 ¹³	8.77	3.90	4.87	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	22
09/06/07 ¹³	8.77	4.00	4.77	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	17
12/07/07 ¹³	8.77	3.78	4.99	0.00	0.00	--	<250 ¹⁷	<0.5	<0.5	<0.5	<0.5	<0.5	22
03/07/08 ¹³	8.77	3.88	4.89	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	18
06/24/08 ¹³	8.77	3.65	5.12	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	18
09/11/08 ¹³	8.77	3.56	5.21	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	18
12/19/08 ¹³	8.77	3.79	4.98	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	17
MW-6													
10/23/00 ¹⁰	11.45	4.30	7.15	0.00	0.00	--	<50	<0.500	<0.500	<0.500	<0.500	<0.500	5.96
12/08/00	11.45	4.61	6.84	0.00	0.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	8.80
03/03/01 ¹¹	11.45	5.32	6.13	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	9.0
06/19/01	11.45	5.65	5.80	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5
09/05/01	11.45	6.29	5.16	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
12/10/01	11.45	6.64	4.81	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
03/04/02	11.45	7.29	4.16	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
06/03/02	11.45	5.74	5.71	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
09/14/02	11.45	4.80	6.65	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
12/13/02	11.45	5.06	6.39	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	11.45	4.98	6.47	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
06/09/03 ¹³	11.45	4.67	6.78	0.00	0.00	--	<50	<0.5	0.7	<0.5	<0.5	<0.5	1
09/03/03 ¹³	11.45	4.37	7.08	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	0.8
12/01/03 ¹³	11.45	7.88	3.57	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
03/01/04 ¹³	11.45	8.27	3.18	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	25
06/02/04 ¹³	11.45	7.95	3.50	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
09/03/04 ¹³	11.45	9.28	2.17	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	0.6
12/20/04 ¹³	11.45	5.42	6.03	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	0.6
03/12/05 ¹³	11.45	6.40	5.05	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/28/05 ¹³	11.45	9.09	2.36	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
09/01/05 ¹³	11.45	8.58	2.87	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1
12/01/05 ¹³	11.45	8.55	2.90	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
03/04/06 ¹³	11.45	7.74	3.71	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/01/06 ¹³	11.45	8.88	2.57	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
09/01/06 ¹³	11.45	9.09	2.36	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	1
12/15/06 ¹³	11.45	8.29	3.16	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/07 ¹³	11.45	9.03	2.42	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	SPH							
					Removed (gallons)	TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-6 (cont)												
06/15/07 ¹³	11.45	8.13	3.32	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/06/07 ¹³	11.45	6.04	5.41	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	0.6
12/07/07 ¹³	11.45	5.51	5.94	0.00	0.00	--	<250 ¹⁷	<0.5	<0.5	<0.5	<0.5	1
03/07/08 ¹³	11.45	5.23	6.22	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/24/08 ¹³	11.45	8.97	2.48	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/11/08 ¹³	11.45	8.88	2.57	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	1
12/19/08 ¹³	11.45	7.78	3.67	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	1
MW-7												
10/23/00 ¹⁰	10.58	4.33	6.25	0.00	0.00	--	<50	<0.500	<0.500	<0.500	<0.500	1,210
12/08/00	10.58	3.35	7.23	0.00	0.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	338
03/03/01 ¹¹	10.58	4.31	6.27	0.00	0.00	--	72 ¹²	<0.50	<0.50	<0.50	<0.50	460
06/19/01	10.58	4.76	5.82	0.00	0.00	--	110 ¹	18	<0.50	<0.50	<0.50	440
09/05/01	10.58	4.04	6.54	0.00	0.00	--	180	<0.50	<0.50	<0.50	<1.5	640
12/10/01	10.58	5.04	5.54	0.00	0.00	--	110	<0.50	<0.50	<0.50	<1.5	390
03/04/02	10.58	3.68	6.90	0.00	0.00	--	220	1.1	<0.50	3.0	<1.5	460
06/03/02	10.58	4.94	5.64	0.00	0.00	--	130	<0.50	<0.50	<0.50	<1.5	350
09/14/02	10.58	3.55	7.03	0.00	0.00	--	120	<2.0	<0.50	<0.50	<1.5	340
12/13/02	10.58	4.99	5.59	0.00	0.00	--	57	<0.50	<0.50	<0.50	<1.5	150
03/14/03	10.58	4.60	5.98	0.00	0.00	--	77	<0.50	<0.50	<0.50	<1.5	240
06/09/03 ¹³	10.58	4.32	6.26	0.00	0.00	--	79	<0.5	<0.5	<0.5	<0.5	210
09/03/03 ¹³	10.58	3.72	6.86	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	0.8
12/01/03 ¹³	10.58	5.11	5.47	0.00	0.00	--	58	<0.5	<0.5	<0.5	<0.5	130
03/01/04 ¹³	10.58	4.60	5.98	0.00	0.00	--	71	<0.5	<0.5	<0.5	<0.5	180
06/02/04 ¹³	10.58	5.77	4.81	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	87
09/03/04 ¹³	10.58	4.16	6.42	0.00	0.00	--	55	<0.5	<0.5	<0.5	<0.5	140
12/20/04 ¹³	10.58	4.36	6.22	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	130
03/12/05 ¹³	10.58	4.79	5.79	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	110
06/28/05 ¹³	10.58	5.96	4.62	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	30
09/01/05 ¹³	10.58	5.80	4.78	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	70
12/01/05 ¹³	10.58	6.57	4.01	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	35
03/04/06 ¹³	10.58	4.69	5.89	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	49
06/01/06 ¹³	10.58	5.48	5.10	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	35
09/01/06 ¹³	10.58	5.27	5.31	0.00	0.00	--	<50	0.5	5	<0.5	5	17
12/15/06 ¹³	10.58	4.69	5.89	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	20
03/15/07 ¹³	10.58	4.91	5.67	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	19

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				SPHT (ft.)	Removed (gallons)							
MW-7 (cont)												
06/15/07 ¹³	10.58	5.53	5.05	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	12
09/06/07 ¹³	10.58	5.16	5.42	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	14
12/07/07 ¹³	10.58	5.20	5.38	0.00	0.00	--	<250 ¹⁷	<0.5	<0.5	<0.5	<0.5	8
03/07/08 ¹³	10.58	5.04	5.54	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	8
06/24/08 ¹³	10.58	4.48	6.10	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	9
09/11/08 ¹³	10.58	3.72	6.86	0.00	0.00	--	99	<0.5	<0.5	<0.5	<0.5	16
12/19/08 ¹³	10.58	4.04	6.54	0.00	0.00	--	<50	<0.5	0.7	<0.5	1	9
TRIP BLANK												
10/17/95	--	--	--	--	--	--	--	--	--	--	--	--
03/29/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/26/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/25/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/17/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/20/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/97	--	--	--	--	--	--	<50	<2.0	<2.0	<2.0	<2.0	--
09/09/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/23/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/29/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/11/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
06/24/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/29/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/08/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/01/00	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/30/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/05/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
12/08/00	--	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
03/03/01 ¹¹	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
06/19/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/05/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-D (µg/L)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				SPHT (ft.)	Removed (gallons)							
QA												
12/10/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/04/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/03/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/14/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/13/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/09/03 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/03/03 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/01/03 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/01/04 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/02/04 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/03/04 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/20/04 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/12/05 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/28/05 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/01/05 ¹³	--	--	--	--	--	--	<50	<0.5	3 ¹⁵	<0.5	2 ¹⁵	<0.5
12/01/05 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/04/06 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/01/06 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/01/06 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/06 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/07 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/07 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/06/07 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/07/07 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/07/08 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/24/08 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/11/08 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/19/08 ¹³	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 19, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	DTW = Depth to Water	X = Xylenes
GWE = Groundwater Elevation	TPH-D = Total Petroleum Hydrocarbons as Diesel	MTBE = Methyl Tertiary Butyl Ether
SPHT = Separate Phase Hydrocarbon Thickness	TPH-G = Total Petroleum Hydrocarbons as Gasoline	(ppb) = Parts per billion
SPH = Separate Phase Hydrocarbons	B = Benzene	(µg/L) = Micrograms per liter
(msl) = Mean sea level	T = Toluene	-- = Not Measured/Not Analyzed
	E = Ethylbenzene	QA = Quality Assurance/Trip Blank

* TOC elevations were surveyed on November 15, 2000, by Virgil Chavez Land Surveying. The benchmark for the survey was the letter "O" in Oakland on an inlet in the westerly curb of Oakport Road, 150' southerly of the end of curve. (Benchmark Elevation = 7.82 feet, msl).

** GWE was corrected for the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

1 Laboratory report indicates gasoline C6-C12.

2 MTBE by EPA Method 8260.

3 Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane (1,1-DCA) was detected at 1.7 ppb.

4 Chromatogram pattern indicates an unidentified hydrocarbon.

5 Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.

6 Confirmation run.

7 Laboratory report indicates unidentified hydrocarbons >C16.

8 Sample analyzed for Total Metals by EPA 200 Series Methods. All Analytes were less then the reporting limit except for Nickel was detected at 0.067 ppm and Zinc was detected at 0.024 ppm.

9 Laboratory report indicates that Semi-Volatile Organic Compounds (SVOCs) by EPA Method 8270 were all less then the reporting limit except for Bis(2-ethylhexyl)phthalate was detected at 14 ppb, which may be a possible contamination.

10 Data was provided by Delta Environmental Consultants, Inc.

11 Laboratory report indicates sample was analyzed outside the EPA recommended holding time.

12 Laboratory report indicates unidentified hydrocarbons C6-C12.

13 BTEX and MTBE by EPA Method 8260.

14 Product + Water removed.

15 Analytical result confirmed.

16 Probe did not detect SPH but was covered with product; SPH was confirmed with bailer.

17 Laboratory report indicates due to excessive foaming of the sample, normal reporting limits were not attained.

18 Water plus 15 milliliters of product removed from well.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-1						
06/23/98	<50,000	<10,000	4,500	<200	<200	<200
08/31/98	--	--	17,000	--	--	--
03/11/99	--	--	54.1	--	--	--
06/24/99	<10,000	<2,000	1,800	<20	<20	258
06/19/00	<500	<100	91	<2.0	<2.0	11
09/30/00	--	--	530	--	--	--
06/09/03	--	--	69	--	--	--
09/03/03	<50	--	1	--	--	--
12/01/03	<50	--	100	--	--	--
03/01/04	<50	--	26	--	--	--
06/02/04	<50	--	93	--	--	--
09/03/04	<50	--	140	--	--	--
12/20/04	<50	--	37	--	--	--
03/12/05	<50	--	130	--	--	--
06/28/05	<50	--	93	--	--	--
09/01/05	<50	--	59	--	--	--
12/01/05	<50	--	62	--	--	--
03/04/06	<50	--	88	--	--	--
06/01/06	<50	--	36	--	--	--
09/01/06	<50	--	18	--	--	--
12/15/06	<50	--	8	--	--	--
03/15/07	<50	--	17	--	--	--
06/15/07	<50	--	8	--	--	--
09/06/07	<50	--	3	--	--	--
12/07/07	<50	--	7	--	--	--
03/07/08	<50	--	9	--	--	--
06/24/08	<50	--	9	--	--	--
12/19/08	<50	--	6	--	--	--
MW-2						
06/23/98	<500	<100	56	<2.0	<2.0	<2.0
03/11/99	--	--	101	--	--	--
06/24/99	<1,000	<200	52.5	<2.0	<2.0	<2.0
06/19/00	<500	<100	59	<2.0	<2.0	4.0
09/30/00	--	--	50	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-2 (cont)						
06/09/03	--	--	67	--	--	--
09/03/03	<50	--	0.9	--	--	--
12/01/03	<50	--	72	--	--	--
03/01/04	<50	--	130	--	--	--
06/02/04	<50	--	46	--	--	--
09/03/04	<50	--	69	--	--	--
12/20/04	NOT SAMPLED DUE TO THE PERSENCE OF SPH					
03/12/05	<50	--	57	--	--	--
06/28/05	<50	--	6	--	--	--
09/01/05	NOT SAMPLED DUE TO THE PERSENCE OF SPH					
12/01/05	<50	--	3	--	--	--
03/04/06	<50	--	14	--	--	--
06/01/06	<50	--	35	--	--	--
09/01/06	<50	--	31	--	--	--
12/15/06	<50	--	25	--	--	--
03/15/07	<50	--	15	--	--	--
06/15/07	NOT SAMPLED DUE TO THE PERSENCE OF SPH					
09/06/07	<50	--	43	--	--	--
12/07/07	<50	--	28	--	--	--
03/07/08	<50	--	19	--	--	--
06/24/08	NOT SAMPLED DUE TO THE PERSENCE OF SPH					
09/11/08	NOT SAMPLED DUE TO THE PERSENCE OF SPH					
12/19/08	NOT SAMPLED DUE TO THE PERSENCE OF SPH					
MW-3						
06/23/98	<5,000	<1,000	420	<20	<20	26
03/11/99	--	--	580	--	--	--
06/24/99	<6,670	<1,330	900	<13.3	<13.3	<13.3
06/19/00	570	<100	920	<2.0	<2.0	65
09/30/00	--	--	2,100	--	--	--
06/09/03	--	--	1,800	--	--	--
09/03/03	<250	--	4,100	--	--	--
12/01/03	<130	--	2,400	--	--	--
03/01/04	<50	--	850	--	--	--
06/02/04	<50	--	1,500	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-3 (cont)						
09/03/04	<100	--	1,800	--	--	--
12/20/04	<50	--	86	--	--	--
03/12/05	<50	--	110	--	--	--
06/28/05	<50	--	23	--	--	--
09/01/05	<50	--	47	--	--	--
12/01/05	<50	--	19	--	--	--
03/04/06	<50	--	36	--	--	--
06/01/06	<50	--	29	--	--	--
09/01/06	<50	--	29	--	--	--
12/15/06	<50	--	14	--	--	--
03/15/07	<50	--	24	--	--	--
06/15/07	<50	--	18	--	--	--
09/06/07	<50	--	14	--	--	--
12/07/07	<50	--	16	--	--	--
03/07/08	<50	--	20	--	--	--
06/24/08	<50	--	21	--	--	--
09/11/08	<50	--	29	--	--	--
12/19/08	<50	--	21	--	--	--
MW-4						
06/23/98	<50,000	<10,000	11,000	<200	<200	860
03/11/99	--	--	17,600	--	--	--
06/24/99	<125,000	<25,000	17,000	<250	<250	2600
06/19/00	<25,000	<5,000	9,500	<100	<100	1,100
09/30/00	--	--	7,800	--	--	--
06/09/03	--	--	1,700	--	--	--
09/03/03	<130	--	1,600	--	--	--
12/01/03	<100	--	1,700	--	--	--
03/01/04	<50	--	1,200	--	--	--
06/02/04	<50	--	1,600	--	--	--
09/03/04	<100	--	1,500	--	--	--
12/20/04	<250	--	1,900	--	--	--
03/12/05	<100	--	1,200	--	--	--
06/28/05	<50	--	920	--	--	--
09/01/05	<100	--	1,500	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-4 (cont)						
12/01/05	<50	--	260	--	--	--
03/04/06	<50	--	80	--	--	--
06/01/06	<50	--	51	--	--	--
09/01/06	<50	--	29	--	--	--
12/15/06	<50	--	19	--	--	--
03/15/07	<50	--	18	--	--	--
06/15/07	<50	--	16	--	--	--
09/06/07	<50	--	9	--	--	--
12/07/07	<50	--	15	--	--	--
03/07/08	<50	--	15	--	--	--
06/24/08	<50	--	15	--	--	--
09/11/08	<50	--	34	--	--	--
12/19/08	<50	--	33	--	--	--
MW-5						
10/23/00	<1,000	<100	4.34	<2.00	<2.00	<2.00
06/09/03	--	--	79	--	--	--
09/03/03	<50	--	2	--	--	--
12/01/03	<50	--	52	--	--	--
03/01/04	<50	--	120	--	--	--
06/02/04	<50	--	110	--	--	--
09/03/04	<50	--	80	--	--	--
12/20/04	<50	--	62	--	--	--
03/12/05	<50	--	58	--	--	--
06/28/05	<50	--	64	--	--	--
09/01/05	<50	--	61	--	--	--
12/01/05	<50	--	50	--	--	--
03/04/06	<50	--	49	--	--	--
06/01/06	<50	--	38	--	--	--
09/01/06	<50	--	32	--	--	--
12/15/06	<50	--	26	--	--	--
03/15/07	<50	--	23	--	--	--
06/15/07	<50	--	22	--	--	--
09/06/07	<50	--	17	--	--	--
12/07/07	<50	--	22	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-5 (cont)						
03/07/08	<50	--	18	--	--	--
06/24/08	<50	--	18	--	--	--
09/11/08	<50	--	18	--	--	--
12/19/08	<50	--	17	--	--	--
MW-6						
10/23/00	<1,000	<100	5.96	<2.00	<2.00	<2.00
06/09/03	--	--	1	--	--	--
09/03/03	<50	--	0.8	--	--	--
12/01/03	<50	--	<0.5	--	--	--
03/01/04	<50	--	25	--	--	--
06/02/04	<50	--	<0.5	--	--	--
09/03/04	<50	--	0.6	--	--	--
12/20/04	<50	--	0.6	--	--	--
03/12/05	<50	--	<0.5	--	--	--
06/28/05	<50	--	<0.5	--	--	--
09/01/05	<50	--	1	--	--	--
12/01/05	<50	--	<0.5	--	--	--
03/04/06	<50	--	<0.5	--	--	--
06/01/06	<50	--	<0.5	--	--	--
09/01/06	<50	--	1	--	--	--
12/15/06	<50	--	<0.5	--	--	--
03/15/07	<50	--	<0.5	--	--	--
06/15/07	<50	--	<0.5	--	--	--
09/06/07	<50	--	0.6	--	--	--
12/07/07	<50	--	1	--	--	--
03/07/08	<50	--	<0.5	--	--	--
06/24/08	<50	--	<0.5	--	--	--
09/11/08	<50	--	1	--	--	--
12/19/08	<50	--	1	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-7						
10/23/00	<6,670	<667	1,210	13.3	13.3	199
06/09/03	--	--	210	--	--	--
09/03/03	<50	--	0.8	--	--	--
12/01/03	<50	--	130	--	--	--
03/01/04	<50	--	180	--	--	--
06/02/04	<50	--	87	--	--	--
09/03/04	<50	--	140	--	--	--
12/20/04	<50	--	130	--	--	--
03/12/05	<50	--	110	--	--	--
06/28/05	<50	--	30	--	--	--
09/01/05	<50	--	70	--	--	--
12/01/05	<50	--	35	--	--	--
03/04/06	<50	--	49	--	--	--
06/01/06	<50	--	35	--	--	--
09/01/06	<50	--	17	--	--	--
12/15/06	<50	--	20	--	--	--
03/15/07	<50	--	19	--	--	--
06/15/07	<50	--	12	--	--	--
09/06/07	<50	--	14	--	--	--
12/07/07	<50	--	8	--	--	--
03/07/08	<50	--	8	--	--	--
06/24/08	<50	--	9	--	--	--
09/11/2008	<50	--	16	--	--	--
12/19/08	<50	--	9	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to June 19, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = t-Butyl alcohol

MTBE = Methyl Tertiary Butyl Ether

DIPE = di-Isopropyl ether

ETBE = Ethyl t-butyl ether

TAME = t-Amyl methyl ether

($\mu\text{g/L}$) = Micrograms per liter

-- = Not Analyzed

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOG (µg/L)	Benzene by (EPA 8240) (µg/L)	Xylene by (EPA 8240) (µg/L)	C-1,2- DCE (µg/L)	Carbon Disulfide (µg/L)	Vinyl Chloride (µg/L)
MW-2						
10/17/95	<5,000	--	--	11	--	--
03/29/96	--	11	2.5	17	--	5.4
06/26/96	--	11	<2.0	15	--	12
09/25/96	--	--	--	--	--	--
12/17/96	--	10	<2.0	2.3	--	5.5
03/20/97	--	--	--	<2.0	--	3.2
06/20/97	--	7.2	<2.0	4.6	2.2	5.2
09/09/97	--	11	<2.0	<2.0	<2.0	<2.0
12/12/97	--	<2.0	<2.0	<2.0	<2.0	<2.0
02/19/98	--	<3.3	<3.3	<3.3	<3.3	<3.3

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

TOG = Total Oil and Grease

c-1,2-DCE = cis-1,2-Dichloroethene

(µg/L) = Micrograms per liter

-- = Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/19/08 (inclusive)
 Sampler: SR

Well ID: MW-1
 Well Diameter: 2 in.
 Total Depth: 4.63 ft.
 Depth to Water: 3.73 ft.
10.90 xVF 1.17 = 1.8

Date Monitored: 12/19/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 x3 case volume = Estimated Purge Volume: 5.5 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.91

Purge Equipment:

Disposable Bailer

Stainless Steel Bailer _____

Stack Pump _____

Suction Pump _____

Grundfos _____

Peristaltic Pump _____

QED Bladder Pump _____

Other: _____

Sampling Equipment:

Disposable Bailer

Pressure Bailer _____

Discrete Bailer _____

Peristaltic Pump _____

QED Bladder Pump _____

Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0843
 Sample Time/Date: 0905 12/19/08
 Approx. Flow Rate: _____ gpm.
 Did well de-water? If yes, Time: _____

Weather Conditions: cloudy
 Water Color: cloudy Odor: DN mild
 Sediment Description: light
 Volume: _____ gal. DTW @ Sampling: 3.92

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm (µS))	Temperature (C F)	D.O. (mg/L)	ORP (mV)
<u>0847</u>	<u>2</u>	<u>7.08</u>	<u>1652</u>	<u>16.3</u>	_____	_____
<u>0851</u>	<u>4</u>	<u>7.04</u>	<u>1666</u>	<u>16.2</u>	_____	_____
<u>0854</u>	<u>5.5</u>	<u>7.00</u>	<u>1671</u>	<u>16.2</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/19/08 (inclusive)
 Sampler: SR

Well ID: MW-2
 Well Diameter: 2 in.
 Total Depth: 14.90 ft.
 Depth to Water: 4.90 ft.
10.10 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 12/19/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: 1155 (2400 hrs)
 Time Completed: 1210 (2400 hrs)
 Depth to Product: 4.76 ft
 Depth to Water: 4.90 ft
 Hydrocarbon Thickness: 0.04 ft
 Visual Confirmation/Description:
black & oily
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 15 ml gal
 Water Removed: 0.5 gal
 Product Transferred to: GR warehouse
500 ml amber

Start Time (purge): _____ Weather Conditions: cloudy
 Sample Time/Date: / Water Color: _____ Odor: V / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - µS)	Temperature (C / F)	D.O (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)

COMMENTS: SPH present, no sample taken

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/19/08 (inclusive)
 Sampler: SR

Well ID: MW-3
 Well Diameter: 2 in.
 Total Depth: 14.68 ft.
 Depth to Water: 4.67 ft.

Date Monitored: 12/19/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.67
 Check if water column is less than 0.50 ft.
 xVF 0.17 = 1.7 x3 case volume = Estimated Purge Volume: 5.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft.
 Depth to Water: _____ ft.
 Hydrocarbon Thickness: _____ ft.
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0955 Weather Conditions: cloudy
 Sample Time/Date: 1020 12/19/08 Water Color: lt. gray Odor: (B) N mild
 Approx. Flow Rate: _____ gpm. Sediment Description: cloudy
 Did well de-water? If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 6.04

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>IS</u>)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0959</u>	<u>2</u>	<u>6.86</u>	<u>>3999</u>	<u>17.7</u>		
<u>1003</u>	<u>4</u>	<u>6.79</u>	<u>>3999</u>	<u>17.8</u>		
<u>1006</u>	<u>5.5</u>	<u>6.72</u>	<u>>3999</u>	<u>17.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>

COMMENTS: preservative rinsed from samples due to high reaction

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/19/08 (inclusive)
 Sampler: SR

Well ID: MW-4
 Well Diameter: 2 in.
 Total Depth: 15.08 ft.
 Depth to Water: 4.89 ft.
10.19 xVF .17 = 1.7

Date Monitored: 12/19/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.92 gal.

Purge Equipment: ✓
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment: ✓
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one) _____
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1035 Weather Conditions: Cloudy
 Sample Time/Date: 1100 12/19/08 Water Color: lt. yellow Odor: (Y) N weak
 Approx. Flow Rate: _____ gpm. Sediment Description: clear
 Did well de-water? ✓ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 6.54

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (US)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1039</u>	<u>2</u>	<u>6.95</u>	<u>3782</u>	<u>18.9</u>	_____	_____
<u>1043</u>	<u>4</u>	<u>6.90</u>	<u>3790</u>	<u>18.7</u>	_____	_____
<u>1046</u>	<u>5.5</u>	<u>6.87</u>	<u>3804</u>	<u>18.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>

COMMENTS: preservative rinsed from sample due to high reaction

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1851 Job Number: 385145
 Site Address: 451 Hegenberger Road Event Date: 12/19/08 (inclusive)
 City: Oakland, CA Sampler: SR

Well ID: MW-5 Date Monitored: 12/19/08
 Well Diameter: 2 in.
 Total Depth: 7.18 ft.
 Depth to Water: 4.98 ft. Check if water column is less than 0.50 ft.
2.20 x VF .17 = 0.3 x3 case volume = Estimated Purge Volume: 1.5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.42

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): 0918 Weather Conditions: cloudy
 Sample Time/Date: 0940 12/19/08 Water Color: cloudy Odor: PHN weak
 Approx. Flow Rate: _____ gpm. Sediment Description: light
 Did well de-water? N If yes, Time: _____ Volume: _____ gal DTW @ Sampling: 5.38

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - C)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0920</u>	<u>.5</u>	<u>6.80</u>	<u>>3999</u>	<u>16.9</u>	_____	_____
<u>0922</u>	<u>1</u>	<u>6.84</u>	<u>>3999</u>	<u>16.4</u>	_____	_____
<u>0925</u>	<u>1.5</u>	<u>6.88</u>	<u>>3999</u>	<u>16.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>

COMMENTS: preservative rinsed from sample due to high reaction

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/19/08 (inclusive)
 Sampler: SR

Well ID: MW-6
 Well Diameter: 2 in.
 Total Depth: 10.05 ft.
 Depth to Water: 3.67 ft.

Date Monitored: 12/19/08

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.94
 Check if water column is less than 0.50 ft.
 xVF = 0.17 = 1.0 x3 case volume = Estimated Purge Volume: 3 gal.

Purge Equipment:
 Disposable Bailer /
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer /
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0805 Weather Conditions: cloudy
 Sample Time/Date: 0827 12/19/08 Water Color: dark gray Odor: Y1(N)
 Approx. Flow Rate: _____ gpm. Sediment Description: heavy silt
 Did well de-water? n If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 4.61

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0808</u>	<u>1</u>	<u>7.81</u>	<u>1730</u>	<u>15.7</u>		
<u>0811</u>	<u>2</u>	<u>7.68</u>	<u>1734</u>	<u>15.5</u>		
<u>0814</u>	<u>3</u>	<u>7.60</u>	<u>1740</u>	<u>15.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/19/08 (inclusive)
 Sampler: SR

Well ID: MW-7
 Well Diameter: 2 in.
 Total Depth: 13.3i ft.
 Depth to Water: 6.54 ft.

Date Monitored: 12/19/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.89

Check if water column is less than 0.50 ft.

6.77 x VF .17 = 1.1 x3 case volume = Estimated Purge Volume: 3.5 gal.

Purge Equipment:

Disposable Bailer

Stainless Steel Bailer _____

Stack Pump _____

Suction Pump _____

Grundfos _____

Peristaltic Pump _____

QED Bladder Pump _____

Other: _____

Sampling Equipment:

Disposable Bailer

Pressure Bailer _____

Discrete Bailer _____

Peristaltic Pump _____

QED Bladder Pump _____

Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbent Sock (circle one)	
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1112 Weather Conditions: cloudy

Sample Time/Date: 1135 12/19/08 Water Color: lt. gray Odor: DI N weak

Approx. Flow Rate: _____ gpm. Sediment Description: cloudy

Did well de-water? N If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 7.58

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm) (µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1115</u>	<u>1</u>	<u>7.04</u>	<u>920</u>	<u>17.9</u>	_____	_____
<u>1118</u>	<u>2</u>	<u>6.98</u>	<u>935</u>	<u>17.7</u>	_____	_____
<u>1122</u>	<u>3.5</u>	<u>6.95</u>	<u>941</u>	<u>17.8</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



121908-09

For Lancaster Laboratories use only
 Acct. #: 10904 Sample # 5563783-89 Group #: 009366

G# 1125706

Facility #: <u>SS#9-1851-OML G-R#385145 Global ID#T0600102238</u> Site Address: <u>451 HEGENBERGER ROAD, OAKLAND, CA</u> AC <u>CRACE</u> Chevron PM: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568</u> Lead Consultant: Consultant/Office: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Prj. Mgr.: Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>Steve Rice</u>			Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes H H BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method ETHANOL (8260)										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits							
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	ETHANOL (8260)	Comments / Remarks		
QA	12/19/08		X						2	X	X								X		HCL rinsed from bottles because of strong reaction, samples for MW-3, MW-4, MW-5 have a 7 day hold time	
MW-1		0905	X			X			6	X	X								X			
MW-3		1020	X			X			6	X	X								X			
MW-4		1100	X			X			6	X	X								X			
MW-5		0940	X			X			6	X	X								X			
MW-6		0827	X			X			6	X	X								X			
MW-7		1135	X			X			6	X	X								X			
Turnaround Time Requested (TAT) (please circle) STD. TAT 72 hour 48 hour 24 hour 4 day 5 day			Relinquished by: <u>[Signature]</u> Date: <u>12/19/08</u> Time: <u>1400</u>		Received by: <u>[Signature]</u> Date: <u>12/15/08</u> Time: <u>1400</u>		Relinquished by: <u>[Signature]</u> Date: <u>12/15/08</u> Time: <u>1550</u>		Received by: <u>[Signature]</u> Date: _____ Time: _____		Relinquished by Commercial Carrier: UPS FedEx Other _____		Received by: <u>[Signature]</u> Date: <u>12/15/08</u> Time: _____		Temperature Upon Receipt: <u>14.2</u> °C		Custody Seals Intact? <u>Yes</u> No					
Data Package Options (please circle if required) QC Summary Type I - Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk																						



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

RECEIVED

DEC 31 2008

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

GETTLER-RYAN INC.
GENERAL CONTRACTORS

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 1125706. Samples arrived at the laboratory on Saturday, December 20, 2008. The PO# for this group is 0015025028 and the release number is COSTA.

Client Description

QA-T-081219 NA Water
MW-1-W-081219 Grab Water
MW-3-W-081219 Grab Water
MW-4-W-081219 Grab Water
MW-5-W-081219 Grab Water
MW-6-W-081219 Grab Water
MW-7-W-081219 Grab Water

Lancaster Labs Number

5563783
5563784
5563785
5563786
5563787
5563788
5563789

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink that reads "Susan M. Goshert".

Susan M. Goshert
Group Leader

Lancaster Laboratories Sample No. **WW5563783**

Group No. **1125706**

QA-T-081219 NA Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger Rd-Oakland T0600102238 QA
 Collected:12/19/2008

Account Number: 10904

Submitted: 12/20/2008 10:00
 Reported: 12/31/2008 at 11:27
 Discard: 01/31/2009

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HROQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12/29/2008 17:51	Joseph E McKenzie	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	12/26/2008 08:58	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/29/2008 17:51	Joseph E McKenzie	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/26/2008 08:58	Ginelle L Feister	1

Lancaster Laboratories Sample No. **WW5563784**

Group No. **1125706**

MW-1-W-081219 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger Rd-Oakland T0600102238 MW-1
 Collected: 12/19/2008 09:05 by SR

Account Number: 10904

Submitted: 12/20/2008 10:00
 Reported: 12/31/2008 at 11:27
 Discard: 01/31/2009

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HRO01

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	ug/l	1
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	6	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12/29/2008 18:57	Joseph E McKenzie	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/24/2008 23:23	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/29/2008 18:57	Joseph E McKenzie	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/24/2008 23:23	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. **WW5563785**

Group No. **1125706**

MW-3-W-081219 Grab Water

Facility# 91851 Job# 385145 GRD

451 Hegenberger Rd-Oakland T0600102238 MW-3

Collected: 12/19/2008 10:20 by SR

Account Number: 10904

Submitted: 12/20/2008 10:00

Reported: 12/31/2008 at 11:27

Discard: 01/31/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

HRO03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO N. CA water C6-C12	n.a.	59	50	ug/l	1
Preservation requirements were not met. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 6.						
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	21	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	0.9	0.5	ug/l	1
The pH of the GC/MS volatile fraction was pH = 6 at the time of analysis.						

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12/23/2008 16:25	Tyler O Griffin	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/24/2008 23:47	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/23/2008 16:25	Tyler O Griffin	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/24/2008 23:47	Michael A Ziegler	1

Lancaster Laboratories Sample No. WW5563786
Group No. 1125706
MW-4-W-081219 Grab Water
Facility# 91851 Job# 385145 GRD
451 Hegenberger Rd-Oakland T0600102238 MW-4
 Collected: 12/19/2008 11:00 by SR

Account Number: 10904

 Submitted: 12/20/2008 10:00
 Reported: 12/31/2008 at 11:27
 Discard: 01/31/2009

 Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HRO04

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	ug/l	1
	Preservation requirements were not met. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 6.					
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	33	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1
	The pH of the GC/MS volatile fraction was pH = 6 at the time of analysis.					

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12/23/2008	16:46	Tyler O Griffin	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/25/2008	00:11	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/23/2008	16:46	Tyler O Griffin	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/25/2008	00:11	Michael A Ziegler	1

Lancaster Laboratories Sample No. WW5563787
Group No. 1125706
MW-5-W-081219 Grab Water
Facility# 91851 Job# 385145 GRD
451 Hegenberger Rd-Oakland T0600102238 MW-5
 Collected: 12/19/2008 09:40 by SR

Account Number: 10904

 Submitted: 12/20/2008 10:00
 Reported: 12/31/2008 at 11:27
 Discard: 01/31/2009

 Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HRO05

CAT No.	Analysis Name	CAS Number	As Received		Units	Dilution Factor
			As Received Result	As Received Method Detection Limit		
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	ug/l	1
Preservation requirements were not met. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 6.						
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	17	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1
The pH of the GC/MS volatile fraction was pH = 6 at the time of analysis.						

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12/23/2008 17:08	Tyler O Griffin	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/25/2008 00:34	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/23/2008 17:08	Tyler O Griffin	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/25/2008 00:34	Michael A Ziegler	1

Lancaster Laboratories Sample No. **WW5563788**

Group No. **1125706**

MW-6-W-081219 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger Rd-Oakland T0600102238 MW-6
 Collected:12/19/2008 08:27 by SR

Account Number: 10904

Submitted: 12/20/2008 10:00
 Reported: 12/31/2008 at 11:27
 Discard: 01/31/2009

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HRO06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12/29/2008 19:18	Joseph E McKenzie	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/25/2008 00:58	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/29/2008 19:18	Joseph E McKenzie	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/25/2008 00:58	Michael A Ziegler	1

Lancaster Laboratories Sample No. **WW5563789**

Group No. **1125706**

MW-7-W-081219 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger Rd-Oakland T0600102238 MW-7
 Collected:12/19/2008 11:35 by SR

Account Number: 10904

Submitted: 12/20/2008 10:00
 Reported: 12/31/2008 at 11:27
 Discard: 01/31/2009

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HRO07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	9	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	0.7	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	1	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12/29/2008 19:40	Joseph E McKenzie	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/25/2008 01:22	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/29/2008 19:40	Joseph E McKenzie	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/25/2008 01:22	Michael A Ziegler	1

Quality Control Summary

 Client Name: Chevron
 Reported: 12/31/08 at 11:27 AM

Group Number: 1125706

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>		
Batch number: 08358A20A TPH-GRO N. CA water C6-C12	Sample number(s): 5563785-5563787		N.D.	50.	ug/l	127	118	75-135	7	30
Batch number: 08364A20A TPH-GRO N. CA water C6-C12	Sample number(s): 5563783-5563784, 5563788-5563789		N.D.	50.	ug/l	100	84	75-135	18	30
Batch number: D083594AA Ethanol	Sample number(s): 5563784-5563789		N.D.	50.	ug/l	113		45-156		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	101		73-119				
Benzene	N.D.	0.5	ug/l	99		78-119				
Toluene	N.D.	0.5	ug/l	102		85-115				
Ethylbenzene	N.D.	0.5	ug/l	97		82-119				
Xylene (Total)	N.D.	0.5	ug/l	103		83-113				
Batch number: D083612AA Methyl Tertiary Butyl Ether	Sample number(s): 5563783		N.D.	0.5	ug/l	90		73-119		
Benzene	N.D.	0.5	ug/l	93		78-119				
Toluene	N.D.	0.5	ug/l	100		85-115				
Ethylbenzene	N.D.	0.5	ug/l	95		82-119				
Xylene (Total)	N.D.	0.5	ug/l	99		83-113				

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 08358A20A TPH-GRO N. CA water C6-C12	Sample number(s): 5563785-5563787 UNSPK: P559179		127	63-154					
Batch number: 08364A20A TPH-GRO N. CA water C6-C12	Sample number(s): 5563783-5563784, 5563788-5563789 UNSPK: P565668		100	63-154					
Batch number: D083594AA Ethanol	Sample number(s): 5563784-5563789 UNSPK: P562904		115	115	32-164	0	30		
Methyl Tertiary Butyl Ether	97	95	69-127	2	30				
Benzene	101	101	83-128	1	30				
Toluene	104	103	83-127	1	30				
Ethylbenzene	99	98	82-129	1	30				
Xylene (Total)	102	103	82-130	1	30				
Batch number: D083612AA	Sample number(s): 5563783 UNSPK: P562875								

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron

Group Number: 1125706

Reported: 12/31/08 at 11:27 AM

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Methyl Tertiary Butyl Ether	97	99	69-127	1	30				
Benzene	103	106	83-128	3	30				
Toluene	111	108	83-127	2	30				
Ethylbenzene	104	103	82-129	1	30				
Xylene (Total)	109	109	82-130	1	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: TPH-GRO N. CA water C6-C12
 Batch number: 08358A20A
 Trifluorotoluene-F

5563785	88
5563786	89
5563787	86
Blank	90
LCS	134
LCSD	130
MS	132

Limits: 63-135

 Analysis Name: TPH-GRO N. CA water C6-C12
 Batch number: 08364A20A
 Trifluorotoluene-F

5563783	90
5563784	88
5563788	89
5563789	90
Blank	90
LCS	123
LCSD	117
MS	121

Limits: 63-135

 Analysis Name: BTEX, MTBE, ETOH
 Batch number: D083594AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5563784	92	100	96	97
5563785	92	99	95	96
5563786	94	98	97	97
5563787	92	97	94	95
5563788	94	98	96	98
5563789	90	98	94	96

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 12/31/08 at 11:27 AM

Group Number: 1125706

Surrogate Quality Control

Blank	89	94	96	97
LCS	91	101	98	106
MS	93	100	97	106
MSD	92	101	98	105
Limits:	80-116	77-113	80-113	78-113

Analysis Name: BTEX+MTBE by 8260B
Batch number: D083612AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5563783	92	101	98	95
Blank	91	100	96	91
LCS	87	96	96	97
MS	91	100	98	99
MSD	90	99	96	99
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.