



**RECEIVED**

11:09 am, Aug 19, 2011  
Alameda County  
Environmental Health

**Dave Patten**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6111 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 543-1740  
Fax (925) 543-2324  
drpatten@chevron.com

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-1851  
451 Hegenberger Drive  
Oakland, CA

I have reviewed the attached report dated August 18, 2011.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Dave Patten  
Project Manager

Attachment: Report



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A  
Emeryville, California 94608  
Telephone: (510) 420-0700 Fax: (510) 420-9170  
<http://www.craworld.com>

August 18, 2011

Reference No. 311976

Mr. Mark Detterman  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: Second Quarter 2011  
Groundwater Monitoring and Sampling Report  
Former Chevron Service Station 9-1851  
451 Hegenberger Road  
Oakland, California  
Fuel Leak Case RO0000464

---

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *Second Quarter 2011 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California. Blaine Tech's June 27, 2011 *Second Quarter Monitoring* report is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' July 7, 2011 *Analytical Results* is included as Attachment B.

---

Equal  
Employment Opportunity  
Employer

---



**CONESTOGA-ROVERS  
& ASSOCIATES**

August 18, 2011

Reference No. 311976

- 2 -

Please contact Nathan Lee at (510) 420-3333 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES



Nathan Lee, PG 8486

NL/aa/12

Encl.

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation Contour and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report

cc: Mr. David Patten, Chevron  
SimGas, LLC, Property Owner

## FIGURES




Figure 1  
 VICINITY MAP  
 FORMER CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 Oakland, California





## TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS							
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	10/17/1995	2.61	4.12	-1.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-1	03/29/1996	2.61	3.33	-0.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	9.5	-	-	-	-	-	-	-	-
MW-1	06/26/1996	2.61	3.84	-1.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	46	-	-	-	-	-	-	-	-
MW-1	09/25/1996	2.61	4.02	-1.41	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	940	-	-	-	-	-	-	-	-
MW-1	12/17/1996	2.61	3.57	-0.96	0.00	0.00	-	-	-	-	<50	0.9	<0.5	<0.5	<0.5	260	-	-	-	-	-	-	-	-
MW-1	03/20/1997	2.61	4.15	-1.54	0.00	0.00	-	-	-	-	<50	<2.0	<2.0	<2.0	<2.0	76	-	-	-	-	-	-	-	-
MW-1	06/20/1997	2.61	4.33	-1.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	64	-	-	-	-	-	-	-	-
MW-1	09/09/1997	2.61	4.35	-1.74	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	110	-	-	-	-	-	-	-	-
MW-1	12/12/1997	2.61	3.00	-0.39	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	27	-	-	-	-	-	-	-	-
MW-1	02/19/1998	2.61	1.83	0.78	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	14	-	-	-	-	-	-	-	-
MW-1	06/23/1998	2.61	3.34	-0.73	0.00	0.00	-	-	-	-	210	<0.5	<0.5	<0.5	<0.5	3,400	-	<50,000	<10,000	<200	<200	<200	<200	<200
MW-1	08/31/1998	2.61	3.49	-0.88	0.00	0.00	-	-	-	-	1,400	630	<5.0	<5.0	<5.0	16,000	-	-	-	-	-	-	-	-
MW-1	12/29/1998	2.61	3.83	-1.22	0.00	0.00	-	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	1,090	-	-	-	-	-	-	-	-
MW-1	03/11/1999	2.61	3.04	-0.43	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	33.9	-	-	-	-	-	-	-	-
MW-1	06/24/1999	2.61	3.38	-0.77	0.00	0.00	-	-	-	-	<500	65.7	<5.0	<5.0	<5.0	1,160	-	<10,000	<2,000	<20	<20	<20	<20	258
MW-1	09/29/1999	2.61	3.62	-1.01	0.00	0.00	-	-	-	-	81.7	<0.5	<0.5	<0.5	<0.5	1,130	-	-	-	-	-	-	-	-
MW-1	12/08/1999	2.61	4.07	-1.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	233	-	-	-	-	-	-	-	-
MW-1	03/01/2000	2.61	1.95	0.66	0.00	0.00	-	-	-	-	100	<0.5	<0.5	<0.5	<0.5	37.9	-	-	-	-	-	-	-	-
MW-1	06/19/2000	2.61	3.41	-0.80	0.00	0.00	-	-	-	-	<50	3.8	<0.50	<0.50	<0.50	88	91 <sup>2</sup>	<500	<100	<2.0	<2.0	<2.0	11	-
MW-1	09/30/2000	2.61	3.84	-1.23	0.00	0.00	-	-	-	-	<130	<1.3	<1.3	<1.3	<1.3	460	530 <sup>2</sup>	-	-	-	-	-	-	-
MW-1	10/05/2000	2.61	3.93	-1.32	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	12/08/2000	8.61	4.20	4.41	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	58.7	-	-	-	-	-	-	-	-
MW-1	03/03/2001 <sup>11</sup>	8.61	2.31	6.30	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	8.9	-	-	-	-	-	-	-	-
MW-1	06/19/2001	8.61	3.34	5.27	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	51	-	-	-	-	-	-	-	-
MW-1	09/05/2001	8.61	3.77	4.84	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	180	-	-	-	-	-	-	-	-
MW-1	12/10/2001	8.61	2.47	6.14	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	21	-	-	-	-	-	-	-	-
MW-1	03/04/2002	8.61	3.13	5.48	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	47	-	-	-	-	-	-	-	-
MW-1	06/03/2002	8.61	5.71	2.90	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	31	-	-	-	-	-	-	-	-
MW-1	09/14/2002	8.61	3.75	4.86	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	140	-	-	-	-	-	-	-	-
MW-1	12/13/2002	8.61	3.29	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-
MW-1	03/14/2003	8.61	3.07	5.54	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	35	-	-	-	-	-	-	-	-
MW-1	06/09/2003 <sup>13</sup>	8.61	3.52	5.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	69	-	-	-	-	-	-	-
MW-1	09/03/2003 <sup>13</sup>	8.61	4.12	4.49	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME			
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	12/01/2003 <sup>13</sup>	8.61	3.27	5.34	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	100	<50	-	-	-	-	-	-	-
MW-1	03/01/2004 <sup>13</sup>	8.61	2.06	6.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	26	<50	-	-	-	-	-	-	-
MW-1	06/02/2004 <sup>13</sup>	8.61	3.30	5.31	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	93	<50	-	-	-	-	-	-	-
MW-1	09/03/2004 <sup>13</sup>	8.61	4.14	4.47	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	140	<50	-	-	-	-	-	-	-
MW-1	12/20/2004 <sup>13</sup>	8.61	3.62	4.99	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	37	<50	-	-	-	-	-	-	-
MW-1	03/12/2005 <sup>13</sup>	8.61	3.04	5.57	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	-	-
MW-1	06/28/2005 <sup>13</sup>	8.61	3.28	5.33	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	93	<50	-	-	-	-	-	-	-
MW-1	09/01/2005 <sup>13</sup>	8.61	3.58	5.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	59	<50	-	-	-	-	-	-	-
MW-1	12/01/2005 <sup>13</sup>	8.61	3.05	5.56	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	62	<50	-	-	-	-	-	-	-
MW-1	03/04/2006 <sup>13</sup>	8.61	3.31	5.30	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	88	<50	-	-	-	-	-	-	-
MW-1	06/01/2006 <sup>13</sup>	8.61	3.44	5.17	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	36	<50	-	-	-	-	-	-	-
MW-1	09/01/2006 <sup>13</sup>	8.61	2.99	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-
MW-1	12/15/2006 <sup>13</sup>	8.61	2.91	5.70	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	-	-
MW-1	03/15/2007 <sup>13</sup>	8.61	3.43	5.18	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	-	-
MW-1	06/15/2007 <sup>13</sup>	8.61	3.67	4.94	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	-	-
MW-1	09/06/2007 <sup>13</sup>	8.61	3.42	5.19	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-
MW-1	12/07/2007 <sup>13</sup>	8.61	3.31	5.30	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-	-	-	-
MW-1	03/07/2008 <sup>13</sup>	8.61	3.45	5.16	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	-	-
MW-1	06/24/2008 <sup>13</sup>	8.61	3.76	4.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-
MW-1	09/11/2008 <sup>13</sup>	8.61	4.50	4.11	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	-	-	-	-	-	-	-	-
MW-1	12/19/2008 <sup>13</sup>	8.61	3.73	4.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	-	-
MW-1	06/01/2009	8.61	4.77	3.84	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-
MW-1	09/30/2009	8.61	4.81	3.80	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-
MW-1	12/10/2009	8.61	3.95	4.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-	-
MW-1	12/11/2009	8.61	3.81	4.80	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	03/08/2010	8.61	2.90	5.71	0.00	0.00	-	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-	-
MW-1	06/06/2010	8.61	3.40	5.21	0.00	0.00	280	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-
MW-1	09/02/2010	8.61	4.02	4.59	0.00	0.00	320	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-
MW-1	12/09/2010	8.61	3.23	5.38	0.00	0.00	320	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-
MW-1	03/23/2011	8.61	2.33	6.28	0.00	0.00	1,100	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-
MW-1	06/24/2011	8.61	3.06	5.55	0.00	0.00	-	85 J	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-
MW-2	10/17/1995 <sup>3</sup>	3.51	5.33	-1.82	0.00	0.00	-	-	1,600 <sup>4</sup>	-	170	3.5	<0.5	1.0	6.1	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS									
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME				
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-2	03/29/1996	3.51	3.95	-0.44	0.00	0.00	-	-	3,000 <sup>4</sup>	-	89	11 / 4.7	<0.5	0.64	2.5 / 0.74	21	-	-	-	-	-	-	-	-	-	-
MW-2	06/26/1996	3.51	4.60	-1.09	0.00	0.00	-	-	2,000 <sup>4</sup>	-	80	8.7 / 11	<0.5	1.2	<2.0 / 1.3	31	-	-	-	-	-	-	-	-	-	-
MW-2	09/25/1996	3.51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/17/1996	3.51	3.92	-0.41	0.00	0.00	-	-	2,400 <sup>4</sup>	-	110	<0.5 / 10	<0.5	0.75	<2.0 / 2.1	27	-	-	-	-	-	-	-	-	-	-
MW-2	03/20/1997	3.51	4.83	-1.32	0.00	0.00	-	-	3,400 <sup>4</sup>	-	140	8.2	<2.0	<2.0	<2.0	58	-	-	-	-	-	-	-	-	-	-
MW-2	06/20/1997	3.51	5.04	-1.53	0.00	0.00	-	-	1,600 <sup>4</sup>	-	62	7.7 / 7.2	<0.5	<0.5	<0.5 / <2.0	38	-	-	-	-	-	-	-	-	-	-
MW-2	09/09/1997	3.51	4.98	-1.47	0.00	0.00	-	-	82 <sup>4</sup>	-	190	9.4 / 11	<0.5	<0.5	<2.0 / 0.86	48	-	-	-	-	-	-	-	-	-	-
MW-2	12/12/1997	3.51	3.91	-0.40	0.00	0.00	-	-	8,500 <sup>4</sup>	-	180	<2.0 / 1.8	<0.5	<0.5	<2.0 / 3.2	34	-	-	-	-	-	-	-	-	-	-
MW-2	02/19/1998	3.51	2.96	0.55	0.00	0.00	-	-	3,800 <sup>4</sup>	-	<100	<3.3 / 1.8	<1.0	<1.0	<3.3 / <1.0	230	-	-	-	-	-	-	-	-	-	-
MW-2	06/23/1998	3.51	4.05	-0.54	0.00	0.00	-	-	-	-	60	<0.5	<0.5	<0.5	<0.5	55	-	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	
MW-2	08/31/1998	3.51	4.31	-0.80	0.00	0.00	-	-	-	-	61	2.2	<0.5	<0.5	1.1	53	-	-	-	-	-	-	-	-	-	-
MW-2	12/29/1998	3.51	4.63	-1.12	0.00	0.00	-	-	-	-	54	1.3	<0.5	<0.5	0.752	38.1	-	-	-	-	-	-	-	-	-	-
MW-2	03/11/1999	3.51	3.52	-0.01	0.00	0.00	-	-	-	-	648	2.9	<2.0	<2.0	<2.0	73.2	-	-	-	-	-	-	-	-	-	-
MW-2	06/24/1999	3.51	4.00	-0.49	0.00	0.00	-	-	-	-	264	0.58	<0.5	1.01	<0.5	44.1	-	<1,000	<200	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	
MW-2	09/29/1999	3.51	4.44	-0.93	0.00	0.00	-	-	-	-	54.3	0.66	<0.5	<0.5	<0.5	35.7	-	-	-	-	-	-	-	-	-	-
MW-2	12/08/1999	3.51	4.89	-1.38	0.00	0.00	-	-	-	-	<50	1.27	<0.5	<0.5	<0.5	56.9	-	-	-	-	-	-	-	-	-	-
MW-2	03/01/2000	3.51	3.03	0.48	0.00	0.00	-	-	-	-	68	1.57	<0.5	<0.5	<0.5	110	-	-	-	-	-	-	-	-	-	-
MW-2	06/19/2000	3.51	4.17	-0.66	0.00	0.00	-	-	-	-	58.00 <sup>1</sup>	1.5	<0.50	<0.50	<0.50	90	59 <sup>2</sup>	<500	<100	<2.0	<2.0	<2.0	<2.0	4.0		
MW-2	09/30/2000	3.51	4.66	-1.15	0.00	0.00	-	-	-	-	<50	<0.50	0.82	<0.50	1.1	48	50 <sup>2</sup>	-	-	-	-	-	-	-	-	-
MW-2	10/05/2000 <sup>8,9</sup>	3.51	4.71	-1.20	0.00	0.00	-	-	4,000 <sup>7</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/08/2000	9.52	4.97	4.55	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	61.8	-	-	-	-	-	-	-	-	-	-
MW-2	03/03/2001 <sup>11</sup>	9.52	3.27	6.25	0.00	0.00	-	-	-	-	310 <sup>12</sup>	0.60	<0.50	<0.50	1.3	97	-	-	-	-	-	-	-	-	-	-
MW-2	06/19/2001	9.52	4.05	5.47	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	30	-	-	-	-	-	-	-	-	-	-
MW-2	09/05/2001	9.52	4.54	4.98	0.00	0.00	-	-	-	-	<50	<0.50	1.2	<0.50	<1.5	46	-	-	-	-	-	-	-	-	-	-
MW-2	12/10/2001	9.52	3.45	6.07	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	22	-	-	-	-	-	-	-	-	-	-
MW-2	03/04/2002	9.52	3.94	5.58	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	61	-	-	-	-	-	-	-	-	-	-
MW-2	06/03/2002	9.52	4.08	5.44	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	71	-	-	-	-	-	-	-	-	-	-
MW-2	09/14/2002	9.52	4.65	4.87	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	77	-	-	-	-	-	-	-	-	-	-
MW-2	12/13/2002	9.52	4.31	5.21	0.00	0.00	-	-	-	-	53	<0.50	<0.50	<0.50	<1.5	44	-	-	-	-	-	-	-	-	-	-
MW-2	03/14/2003	9.52	3.91	5.61	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	55	-	-	-	-	-	-	-	-	-	-
MW-2	06/09/2003 <sup>13</sup>	9.52	4.33	5.19	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	67	-	-	-	-	-	-	-	-	-
MW-2	09/03/2003 <sup>13</sup>	9.52	4.93	4.59	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.9	<50	-	-	-	-	-	-	-	-
MW-2	12/01/2003 <sup>13</sup>	9.52	4.15	5.37	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	72	<50	-	-	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs							
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	03/01/2004 <sup>13</sup>	9.52	3.12	6.40	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	-
MW-2	06/02/2004 <sup>13</sup>	9.52	4.21	5.31	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	46	<50	-	-	-	-	-	-
MW-2	09/03/2004 <sup>13</sup>	9.52	4.14	5.38	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	69	<50	-	-	-	-	-	-
MW-2	12/20/2004	9.52	4.60	4.96**	0.05	0.01 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/12/2005 <sup>13</sup>	9.52	3.90	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	57	<50	-	-	-	-	-	-
MW-2	06/28/2005 <sup>13</sup>	9.52	4.06	5.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	-
MW-2	09/01/2005	9.52	4.52	5.03**	0.04	1.10 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/01/2005 <sup>13</sup>	9.52	4.01	5.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-
MW-2	03/04/2006 <sup>13</sup>	9.52	4.27	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-	-
MW-2	06/01/2006 <sup>13</sup>	9.52	4.40	5.12	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-	-	-
MW-2	09/01/2006 <sup>13</sup>	9.52	3.90	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	31	<50	-	-	-	-	-	-
MW-2	12/15/2006 <sup>13</sup>	9.52	3.88	5.64	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-	-	-
MW-2	03/15/2007 <sup>13</sup>	9.52	4.27	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-
MW-2	06/15/2007 <sup>16</sup>	9.52	4.49	5.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/06/2007 <sup>13</sup>	9.52	4.32	5.20	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	43	<50	-	-	-	-	-	-
MW-2	12/07/2007 <sup>13</sup>	9.52	4.46	5.06	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	28	<50	-	-	-	-	-	-
MW-2	03/07/2008 <sup>13</sup>	9.52	4.38	5.15**	0.01	0.01	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-	-	-
MW-2	06/24/2008	9.52	5.16	4.88**	0.65	0.73 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/11/2008	9.52	5.50	4.30**	0.35	0.13 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/19/2008	9.52	4.80	4.75**	0.04	0.50 <sup>18</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/01/2009	9.52	4.90	4.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/30/2009	9.52	4.82	4.70**	0.09	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/10/2009	9.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/11/2009	9.52	4.89	4.63**	0.10	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/08/2010	9.52	3.82	5.74**	0.05	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/06/2010	9.52	4.52	5.06**	0.07	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/02/2010 <sup>22</sup>	9.52	4.89	4.67**	0.05	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/09/2010 <sup>24</sup>	9.52	3.74	5.82**	0.05	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/23/2011 <sup>24</sup>	9.52	3.38	8.81**	3.34	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-2</b>	<b>06/24/2011<sup>24</sup></b>	<b>9.52</b>	<b>4.08</b>	<b>5.48**</b>	<b>0.05</b>	<b>0.05</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	10/17/1995 <sup>3</sup>	3.08	4.42	-1.34	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-3	03/29/1996	3.08	3.00	0.08	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	26	-	-	-	-	-	-	-	-

**GROUNDWATER MONITORING AND SAMPLING DATA  
CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs						
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	06/26/1996	3.08	3.60	-0.52	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	47	-	-	-	-	-	-	-
MW-3	09/25/1996	3.08	4.14	-1.06	0.00	0.00	-	-	-	-	<125	<1.2	<1.2	<1.2	<1.2	570	-	-	-	-	-	-	-
MW-3	12/17/1996	3.08	3.20	-0.12	0.00	0.00	-	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	680	-	-	-	-	-	-	-
MW-3	03/20/1997	3.08	3.30	-0.22	0.00	0.00	-	-	-	-	<50	<5.7	<5.7	<5.7	<5.7	430	-	-	-	-	-	-	-
MW-3	06/20/1997	3.08	3.86	-0.78	0.00	0.00	-	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	1,400	-	-	-	-	-	-	-
MW-3	09/09/1997	3.08	4.19	-1.11	0.00	0.00	-	-	-	-	76 <sup>1</sup>	22	<0.5	<0.5	<0.5	920	-	-	-	-	-	-	-
MW-3	12/12/1997	3.08	2.96	0.12	0.00	0.00	-	-	-	-	52	15	<0.5	<0.5	<0.5	710	-	-	-	-	-	-	-
MW-3	02/19/1998	3.08	2.22	0.86	0.00	0.00	-	-	-	-	<50	6.6	<0.5	<0.5	<0.5	380	-	-	-	-	-	-	-
MW-3	06/23/1998	3.08	3.25	-0.17	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	390	-	<5,000	<1,000	<20	<20	26	-
MW-3	08/31/1998	3.08	3.86	-0.78	0.00	0.00	-	-	-	-	<50	19	<0.5	<0.5	<0.5	830	-	-	-	-	-	-	-
MW-3	12/29/1998	3.08	3.53	-0.45	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	416	-	-	-	-	-	-	-
MW-3	03/11/1999	3.08	3.35	-0.27	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	262	-	-	-	-	-	-	-
MW-3	06/24/1999	3.08	3.61	-0.53	0.00	0.00	-	-	-	-	<50	12.8	<0.5	<0.5	<0.5	620	-	<6,670	<1,330	<13.3	<13.3	<13.3	-
MW-3	09/29/1999	3.08	3.95	-0.87	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	2,840	-	-	-	-	-	-	-
MW-3	12/08/1999	3.08	3.54	-0.46	0.00	0.00	-	-	-	-	73.4	<0.5	<0.5	<0.5	<0.5	1,620	-	-	-	-	-	-	-
MW-3	03/01/2000	3.08	2.43	0.65	0.00	0.00	-	-	-	-	<200	<2.0	<2.0	<2.0	<2.0	1,880	-	-	-	-	-	-	-
MW-3	06/19/2000	3.08	3.38	-0.30	0.00	0.00	-	-	-	-	<250	20	<2.5	<2.5	<2.5	1,200	920 <sup>2</sup>	570	<100	<2.0	<2.0	65	-
MW-3	09/30/2000	3.08	4.00	-0.92	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	730	2,100 <sup>2</sup>	-	-	-	-	-	-
MW-3	10/05/2000	3.08	4.02	-0.94	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	12/08/2000	9.08	3.70	5.38	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	1,620	-	-	-	-	-	-	-
MW-3	03/03/2001 <sup>11</sup>	9.08	2.24	6.84	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	1,000	-	-	-	-	-	-	-
MW-3	06/19/2001	9.08	3.71	5.37	0.00	0.00	-	-	-	-	<120	4.8	<1.2	<1.2	<1.2	510	-	-	-	-	-	-	-
MW-3	09/05/2001	9.08	4.04	5.04	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	1,400	-	-	-	-	-	-	-
MW-3	12/10/2001	9.08	2.54	6.54	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	1,000	-	-	-	-	-	-	-
MW-3	03/04/2002	9.08	2.84	6.24	0.00	0.00	-	-	-	-	120	<0.50	<0.50	<0.50	<1.5	720	-	-	-	-	-	-	-
MW-3	06/03/2002	9.08	3.28	5.80	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	710	-	-	-	-	-	-	-
MW-3	09/14/2002	9.08	4.15	4.93	0.00	0.00	-	-	-	-	590	<20	<1.0	<1.0	<3.0	2,600	-	-	-	-	-	-	-
MW-3	12/13/2002	9.08	3.85	5.23	0.00	0.00	-	-	-	-	430	<0.50	<0.50	<0.50	<1.5	2,000	-	-	-	-	-	-	-
MW-3	03/14/2003	9.08	2.99	6.09	0.00	0.00	-	-	-	-	310	<0.50	<0.50	<0.50	<1.5	1,600	-	-	-	-	-	-	-
MW-3	06/09/2003 <sup>13</sup>	9.08	3.34	5.74	0.00	0.00	-	-	-	-	330	<0.5	<0.5	<0.5	<0.5	-	1,800	-	-	-	-	-	-
MW-3	09/03/2003 <sup>13</sup>	9.08	3.97	5.11	0.00	0.00	-	-	-	-	720	<3	<3	<3	<3	-	4,100	<250	-	-	-	-	-
MW-3	12/01/2003 <sup>13</sup>	9.08	3.76	5.32	0.00	0.00	-	-	-	-	520	<1	<1	<1	<1	-	2,400	<130	-	-	-	-	-
MW-3	03/01/2004 <sup>13</sup>	9.08	2.11	6.97	0.00	0.00	-	-	-	-	140	<0.5	<0.5	<0.5	<0.5	-	850	<50	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs							
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	06/02/2004 <sup>13</sup>	9.08	3.65	5.43	0.00	0.00	-	-	-	-	220	<0.5	<0.5	<0.5	<0.5	-	1,500	<50	-	-	-	-	-	-
MW-3	09/03/2004 <sup>13</sup>	9.08	5.01	4.07	0.00	0.00	-	-	-	-	300	<1	<1	<1	<1	-	1,800	<100	-	-	-	-	-	-
MW-3	12/20/2004 <sup>13</sup>	9.08	4.85	4.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	86	<50	-	-	-	-	-	-
MW-3	03/12/2005 <sup>13</sup>	9.08	4.39	4.69	0.00	0.00	-	-	-	-	<50	0.6	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-	-	-
MW-3	06/28/2005 <sup>13</sup>	9.08	4.56	4.52	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-	-	-
MW-3	09/01/2005 <sup>13</sup>	9.08	4.67	4.41	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	47	<50	-	-	-	-	-	-
MW-3	12/01/2005 <sup>13</sup>	9.08	4.43	4.65	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-	-	-
MW-3	03/04/2006 <sup>13</sup>	9.08	4.32	4.76	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	36	<50	-	-	-	-	-	-
MW-3	06/01/2006 <sup>13</sup>	9.08	4.52	4.56	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-	-
MW-3	09/01/2006 <sup>13</sup>	9.08	4.66	4.42	0.00	0.00	-	-	-	-	75	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-	-
MW-3	12/15/2006 <sup>13</sup>	9.08	4.07	5.01	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-	-
MW-3	03/15/2007 <sup>13</sup>	9.08	4.26	4.82	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	24	<50	-	-	-	-	-	-
MW-3	06/15/2007 <sup>13</sup>	9.08	4.62	4.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-
MW-3	09/06/2007 <sup>13</sup>	9.08	4.70	4.38	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-	-
MW-3	12/07/2007 <sup>13</sup>	9.08	4.60	4.48	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-	-
MW-3	03/07/2008 <sup>13</sup>	9.08	4.31	4.77	0.00	0.00	-	-	-	-	51	<0.5	<0.5	<0.5	<0.5	-	20	<50	-	-	-	-	-	-
MW-3	06/24/2008 <sup>13</sup>	9.08	4.68	4.40	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	21	<50	-	-	-	-	-	-
MW-3	09/11/2008 <sup>13</sup>	9.08	5.02	4.06	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-	-
MW-3	12/19/2008 <sup>13</sup>	9.08	4.67	4.41	0.00	0.00	-	-	-	-	59	<0.5	<0.5	<0.5	0.9	-	21	<50	-	-	-	-	-	-
MW-3	06/01/2009	9.08	4.48	4.60	0.00	0.00	-	-	-	-	60 J	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-	-	-
MW-3	09/30/2009	9.08	3.98	5.10	0.00	0.00	-	-	-	-	72 J	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-	-	-
MW-3	12/10/2009	9.08	4.95	4.13	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	12/11/2009	9.08	4.60	4.48	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/08/2010	9.08	3.70	5.38	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	32	<50	-	-	-	-	-	-
MW-3	06/06/2010	9.08	4.37	4.71	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/02/2010	9.08	4.82	4.26	0.00	0.00	240	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-	-	-
MW-3	12/09/2010 <sup>24</sup>	9.08	3.82	5.26	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/23/2011	9.08	3.25	5.83	0.00	0.00	4,600	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-
<b>MW-3</b>	<b>06/24/2011</b>	<b>9.08</b>	<b>4.37</b>	<b>4.71</b>	<b>0.00</b>	<b>0.00</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	10/17/1995	3.48	5.08	-1.60	0.00	0.00	-	-	-	-	<125	<1.2	<1.2	<1.2	<1.2	-	-	-	-	-	-	-	-	-
MW-4	03/29/1996	3.48	4.61	-1.13	0.00	0.00	-	-	-	-	<1,000	<10	<10	<10	<10	6,700	-	-	-	-	-	-	-	-
MW-4	06/26/1996	3.48	4.30	-0.82	0.00	0.00	-	-	-	-	<2,000	<20	<20	<20	<20	7,200	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS							
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	09/25/1996	3.48	5.33	-1.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
MW-4	12/17/1996	3.48	2.81	0.67	0.00	0.00	-	-	-	-	<2,000	120	<20	<20	<20	11,000	-	-	-	-	-	-	-	-
MW-4	03/20/1997	3.48	4.50	-1.02	0.00	0.00	-	-	-	-	250 <sup>4</sup>	<2.0	<2.0	<2.0	<2.0	10,000	8,600 <sup>6</sup>	-	-	-	-	-	-	-
MW-4	06/20/1997	3.48	5.68	-2.20	0.00	0.00	-	-	-	-	<2,500	<25	<25	<25	<25	9,300	-	-	-	-	-	-	-	-
MW-4	09/09/1997	3.48	5.50	-2.02	0.00	0.00	-	-	-	-	460 <sup>4</sup>	<0.5	<0.5	<0.5	<0.5	6,600	-	-	-	-	-	-	-	-
MW-4	12/12/1997	3.48	5.03	-1.55	0.00	0.00	-	-	-	-	430 <sup>4</sup>	120	<2.5	<2.5	<2.5	7,800	-	-	-	-	-	-	-	-
MW-4	02/19/1998	3.48	3.35	0.13	0.00	0.00	-	-	-	-	510 <sup>4</sup>	130	<0.5	<0.5	<0.5	6,600	-	-	-	-	-	-	-	-
MW-4	06/23/1998	3.48	4.98	-1.50	0.00	0.00	-	-	-	-	550 <sup>4</sup>	<0.5	<0.5	<0.5	<0.5	6,800	-	<50,000	<10,000	<200	<200	860	-	-
MW-4	08/31/1998	3.48	5.42	-1.94	0.00	0.00	-	-	-	-	<500	450	<5.0	<5.0	<5.0	14,000	-	-	-	-	-	-	-	-
MW-4	12/29/1998	3.48	5.06	-1.58	0.00	0.00	-	-	-	-	<5,000	<50	<50	<50	<50	16,100	-	-	-	-	-	-	-	-
MW-4	03/11/1999	3.48	3.78	-0.30	0.00	0.00	-	-	-	-	979	<5.0	<5.0	<5.0	<5.0	15,100	-	-	-	-	-	-	-	-
MW-4	06/24/1999	3.48	4.31	-0.83	0.00	0.00	-	-	-	-	<2,500	715	<25	<25	<25	12,400	-	<125,000	<25,000	<250	<250	2,600	-	-
MW-4	09/29/1999	3.48	5.58	-2.10	0.00	0.00	-	-	-	-	1,380	<5.0	<5.0	<5.0	<5.0	11,700	-	-	-	-	-	-	-	-
MW-4	12/08/1999	3.48	5.33	-1.85	0.00	0.00	-	-	-	-	318	<0.5	<0.5	<0.5	<0.5	11,100	-	-	-	-	-	-	-	-
MW-4	03/01/2000	3.48	5.20	-1.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	9,940	-	-	-	-	-	-	-	-
MW-4	06/19/2000	3.48	5.36	-1.88	0.00	0.00	-	-	-	-	<1,000	220	<10	<10	<10	7,300	9,500 <sup>2</sup>	<25,000	<5,000	<100	<100	1,100	-	-
MW-4	09/30/2000	3.48	3.77	-0.29	0.00	0.00	-	-	-	-	740 <sup>1</sup>	<2.5	<2.5	<2.5	<2.5	6,000	7,800 <sup>2</sup>	-	-	-	-	-	-	-
MW-4	10/05/2000	3.48	3.86	-0.38	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	12/08/2000	9.48	4.45	5.03	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	6,230	-	-	-	-	-	-	-	-
MW-4	03/03/2001 <sup>11</sup>	9.48	3.83	5.65	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	3,600	-	-	-	-	-	-	-	-
MW-4	06/19/2001	9.48	3.37	6.11	0.00	0.00	-	-	-	-	<500	140	<5.0	<5.0	<5.0	2,500	-	-	-	-	-	-	-	-
MW-4	09/05/2001	9.48	3.96	5.52	0.00	0.00	-	-	-	-	400	<0.50	<0.50	<0.50	<1.5	2,800	-	-	-	-	-	-	-	-
MW-4	12/10/2001	9.48	5.05	4.43	0.00	0.00	-	-	-	-	700	<0.50	<0.50	<0.50	<1.5	3,400	-	-	-	-	-	-	-	-
MW-4	03/04/2002	9.48	3.67	5.81	0.00	0.00	-	-	-	-	660	<0.50	<0.50	<0.50	<1.5	2,900	-	-	-	-	-	-	-	-
MW-4	06/03/2002	9.48	5.24	4.24	0.00	0.00	-	-	-	-	610	<0.50	<0.50	<0.50	<1.5	3,000	-	-	-	-	-	-	-	-
MW-4	09/14/2002	9.48	5.22	4.26	0.00	0.00	-	-	-	-	490	<10	<1.0	<1.0	<3.0	2,400	-	-	-	-	-	-	-	-
MW-4	12/13/2002	9.48	4.67	4.81	0.00	0.00	-	-	-	-	440	<0.50	<0.50	<0.50	<1.5	2,200	-	-	-	-	-	-	-	-
MW-4	03/14/2003	9.48	4.64	4.84	0.00	0.00	-	-	-	-	490	<0.50	<0.50	<0.50	<1.5	2,600	-	-	-	-	-	-	-	-
MW-4	06/09/2003 <sup>13</sup>	9.48	5.03	4.45	0.00	0.00	-	-	-	-	340	<0.5	<0.5	<0.5	<0.5	-	1,700	-	-	-	-	-	-	-
MW-4	09/03/2003 <sup>13</sup>	9.48	5.65	3.83	0.00	0.00	-	-	-	-	320	<1	<1	<1	<1	-	1,600	<130	-	-	-	-	-	-
MW-4	12/01/2003 <sup>13</sup>	9.48	4.97	4.51	0.00	0.00	-	-	-	-	350	<1	<1	<1	<1	-	1,700	<100	-	-	-	-	-	-
MW-4	03/01/2004 <sup>13</sup>	9.48	4.68	4.80	0.00	0.00	-	-	-	-	240	<0.5	<0.5	<0.5	<0.5	-	1,200	<50	-	-	-	-	-	-
MW-4	06/02/2004 <sup>13</sup>	9.48	4.93	4.55	0.00	0.00	-	-	-	-	240	<0.5	<0.5	<0.5	<0.5	-	1,600	<50	-	-	-	-	-	-

**GROUNDWATER MONITORING AND SAMPLING DATA  
CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME			
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	09/03/2004 <sup>13</sup>	9.48	4.99	4.49	0.00	0.00	-	-	-	-	270	<1	<1	<1	<1	-	1,500	<100	-	-	-	-	-	-	-
MW-4	12/20/2004 <sup>13</sup>	9.48	4.18	5.30	0.00	0.00	-	-	-	-	230	<3	<3	<3	<3	-	1,900	<250	-	-	-	-	-	-	-
MW-4	03/12/2005 <sup>13</sup>	9.48	5.32	4.16	0.00	0.00	-	-	-	-	180	<1	<1	<1	<1	-	1,200	<100	-	-	-	-	-	-	-
MW-4	06/28/2005 <sup>13</sup>	9.48	5.26	4.22	0.00	0.00	-	-	-	-	180	<0.5	<0.5	<0.5	<0.5	-	920	<50	-	-	-	-	-	-	-
MW-4	09/01/2005 <sup>13</sup>	9.48	4.91	4.57	0.00	0.00	-	-	-	-	250	<1	<1	<1	<1	-	1,500	<100	-	-	-	-	-	-	-
MW-4	12/01/2005 <sup>13</sup>	9.48	4.88	4.60	0.00	0.00	-	-	-	-	61	<0.5	<0.5	<0.5	<0.5	-	260	<50	-	-	-	-	-	-	-
MW-4	03/04/2006 <sup>13</sup>	9.48	5.02	4.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	80	<50	-	-	-	-	-	-	-
MW-4	06/01/2006 <sup>13</sup>	9.48	4.23	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	51	<50	-	-	-	-	-	-	-
MW-4	09/01/2006 <sup>13</sup>	9.48	5.36	4.12	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-	-	-
MW-4	12/15/2006 <sup>13</sup>	9.48	4.94	4.54	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-	-	-	-
MW-4	03/15/2007 <sup>13</sup>	9.48	5.02	4.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-
MW-4	06/15/2007 <sup>13</sup>	9.48	5.00	4.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-	-	-
MW-4	09/06/2007 <sup>13</sup>	9.48	4.97	4.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	-	-
MW-4	12/07/2007 <sup>13</sup>	9.48	4.51	4.97	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-	-
MW-4	03/07/2008 <sup>13</sup>	9.48	4.85	4.63	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-	-
MW-4	06/24/2008 <sup>13</sup>	9.48	3.73	5.75	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-	-
MW-4	09/11/2008 <sup>13</sup>	9.48	5.71	3.77	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	34	<50	-	-	-	-	-	-	-
MW-4	12/19/2008 <sup>13</sup>	9.48	4.89	4.59	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	33	<50	-	-	-	-	-	-	-
MW-4	06/01/2009	9.48	4.45	5.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-	-	-	-
MW-4	09/30/2009	9.48	4.37	5.11	0.00	0.00	-	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-	-	-	-
MW-4	12/10/2009	9.48	9.04	0.44	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	33	<50	-	-	-	-	-	-	-
MW-4	03/08/2010	9.48	4.93	4.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	30	<50	-	-	-	-	-	-	-
MW-4	06/06/2010	9.48	4.60	4.88	0.00	0.00	400	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	21	<50	-	-	-	-	-	-	-
MW-4	09/02/2010	9.48	5.00	4.48	0.00	0.00	500	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	-	-
MW-4	12/09/2010	9.48	4.91	4.57	0.00	0.00	370	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	48	<50	-	-	-	-	-	-	-
MW-4	03/23/2011	9.48	5.12	4.36	0.00	0.00	500	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-	-	-
<b>MW-4</b>	<b>06/24/2011</b>	<b>9.48</b>	<b>5.33</b>	<b>4.15</b>	<b>0.00</b>	<b>0.00</b>	-	<b>94 J</b>	-	<b>90 J</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	<b>16</b>	<b>&lt;50</b>	-	-	-	-	-	-	-
MW-5	10/23/2000 <sup>10</sup>	8.77	4.59	4.18	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	4.34	-	<1,000	<100	<2.00	<2.00	<2.00	-	-	-
MW-5	12/08/2000	8.77	3.43	5.34	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	11.0	-	-	-	-	-	-	-	-	-
MW-5	03/03/2001 <sup>11</sup>	8.77	2.40	6.37	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	24	-	-	-	-	-	-	-	-	-
MW-5	06/19/2001	8.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/05/2001	8.77	3.75	5.02	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	31	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME			
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	12/10/2001	8.77	2.79	5.98	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	45	-	-	-	-	-	-	-	-	-
MW-5	03/04/2002	8.77	2.52	6.25	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	29	-	-	-	-	-	-	-	-	-
MW-5	06/03/2002	8.77	3.20	5.57	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	40	-	-	-	-	-	-	-	-	-
MW-5	09/14/2002	8.77	3.85	4.92	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	92	-	-	-	-	-	-	-	-	-
MW-5	12/13/2002	8.77	3.45	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	32	-	-	-	-	-	-	-	-	-
MW-5	03/14/2003	8.77	2.95	5.82	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	71	-	-	-	-	-	-	-	-	-
MW-5	06/09/2003 <sup>13</sup>	8.77	3.19	5.58	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	79	-	-	-	-	-	-	-	-
MW-5	09/03/2003 <sup>13</sup>	8.77	3.79	4.98	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-
MW-5	12/01/2003 <sup>13</sup>	8.77	3.34	5.43	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	52	<50	-	-	-	-	-	-	-
MW-5	03/01/2004 <sup>13</sup>	8.77	2.48	6.29	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	120	<50	-	-	-	-	-	-	-
MW-5	06/02/2004 <sup>13</sup>	8.77	3.11	5.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-	-	-	-
MW-5	09/03/2004 <sup>13</sup>	8.77	5.11	3.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	80	<50	-	-	-	-	-	-	-
MW-5	12/20/2004 <sup>13</sup>	8.77	5.10	3.67	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	62	<50	-	-	-	-	-	-	-
MW-5	03/12/2005 <sup>13</sup>	8.77	4.71	4.06	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	58	<50	-	-	-	-	-	-	-
MW-5	06/28/2005 <sup>13</sup>	8.77	4.93	3.84	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	64	<50	-	-	-	-	-	-	-
MW-5	09/01/2005 <sup>13</sup>	8.77	4.92	3.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	61	<50	-	-	-	-	-	-	-
MW-5	12/01/2005 <sup>13</sup>	8.77	4.81	3.96	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	50	<50	-	-	-	-	-	-	-
MW-5	03/04/2006 <sup>13</sup>	8.77	4.78	3.99	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	49	<50	-	-	-	-	-	-	-
MW-5	06/01/2006 <sup>13</sup>	8.77	4.89	3.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	38	<50	-	-	-	-	-	-	-
MW-5	09/01/2006 <sup>13</sup>	8.77	4.94	3.83	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	32	<50	-	-	-	-	-	-	-
MW-5	12/15/2006 <sup>13</sup>	8.77	4.68	4.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	26	<50	-	-	-	-	-	-	-
MW-5	03/15/2007 <sup>13</sup>	8.77	4.88	3.89	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-	-	-	-
MW-5	06/15/2007 <sup>13</sup>	8.77	4.87	3.90	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-	-	-	-
MW-5	09/06/2007 <sup>13</sup>	8.77	4.77	4.00	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	-	-
MW-5	12/07/2007 <sup>13</sup>	8.77	4.99	3.78	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-	-	-	-
MW-5	03/07/2008 <sup>13</sup>	8.77	4.89	3.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-
MW-5	06/24/2008 <sup>13</sup>	8.77	5.12	3.65	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-
MW-5	09/11/2008 <sup>13</sup>	8.77	5.21	3.56	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-
MW-5	12/19/2008 <sup>13</sup>	8.77	4.98	3.79	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	-	-
MW-5	06/01/2009	8.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/30/2009	8.77	3.45	5.32	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-	-	-
MW-5	12/10/2009	8.77	4.76	4.01	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/06/2010	8.77	4.93	3.84	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME			
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	09/02/2010	8.77	5.30	3.47	0.00	0.00	190	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	12	<50	-	-	-	-	-	-	-
MW-5	12/09/2010 <sup>23,24</sup>	8.77	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/23/2011	8.77	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-5</b>	<b>06/24/2011</b>	<b>8.77</b>	<b>4.88</b>	<b>3.89</b>	<b>0.00</b>	<b>0.00</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	10/23/2000 <sup>10</sup>	11.45	7.15	4.30	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	5.96	-	<1,000	<100	<2.00	<2.00	<2.00	<2.00	-	-
MW-6	12/08/2000	11.45	6.84	4.61	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	8.80	-	-	-	-	-	-	-	-	-
MW-6	03/03/2001 <sup>11</sup>	11.45	6.13	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	9.0	-	-	-	-	-	-	-	-	-
MW-6	06/19/2001	11.45	5.80	5.65	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-	-
MW-6	09/05/2001	11.45	5.16	6.29	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
MW-6	12/10/2001	11.45	4.81	6.64	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
MW-6	03/04/2002	11.45	4.16	7.29	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
MW-6	06/03/2002	11.45	5.71	5.74	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
MW-6	09/14/2002	11.45	6.65	4.80	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
MW-6	12/13/2002	11.45	6.39	5.06	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
MW-6	03/14/2003	11.45	6.47	4.98	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
MW-6	06/09/2003 <sup>13</sup>	11.45	6.78	4.67	0.00	0.00	-	-	-	-	<50	<0.5	0.7	<0.5	<0.5	-	1	-	-	-	-	-	-	-	-
MW-6	09/03/2003 <sup>13</sup>	11.45	7.08	4.37	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.8	<50	-	-	-	-	-	-	-
MW-6	12/01/2003 <sup>13</sup>	11.45	3.57	7.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	03/01/2004 <sup>13</sup>	11.45	3.18	8.27	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-	-	-	-
MW-6	06/02/2004 <sup>13</sup>	11.45	3.50	7.95	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	09/03/2004 <sup>13</sup>	11.45	2.17	9.28	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-	-	-
MW-6	12/20/2004 <sup>13</sup>	11.45	6.03	5.42	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-	-	-
MW-6	03/12/2005 <sup>13</sup>	11.45	5.05	6.40	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	06/28/2005 <sup>13</sup>	11.45	2.36	9.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	09/01/2005 <sup>13</sup>	11.45	2.87	8.58	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-
MW-6	12/01/2005 <sup>13</sup>	11.45	2.90	8.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	03/04/2006 <sup>13</sup>	11.45	3.71	7.74	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	06/01/2006 <sup>13</sup>	11.45	2.57	8.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	09/01/2006 <sup>13</sup>	11.45	2.36	9.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-
MW-6	12/15/2006 <sup>13</sup>	11.45	3.16	8.29	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	03/15/2007 <sup>13</sup>	11.45	2.42	9.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	06/15/2007 <sup>13</sup>	11.45	3.32	8.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS							
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	09/06/2007 <sup>13</sup>	11.45	5.41	6.04	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-	-
MW-6	12/07/2007 <sup>13</sup>	11.45	5.94	5.51	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-
MW-6	03/07/2008 <sup>13</sup>	11.45	6.22	5.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-
MW-6	06/24/2008 <sup>13</sup>	11.45	2.48	8.97	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-
MW-6	09/11/2008 <sup>13</sup>	11.45	2.57	8.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-
MW-6	12/19/2008 <sup>13</sup>	11.45	3.67	7.78	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-
MW-6	06/01/2009	11.45	5.32	6.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.9 J	<50	-	-	-	-	-	-
MW-6	09/30/2009	11.45	5.32	6.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-
MW-6	12/10/2009	11.45	2.54	8.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/08/2010	11.45	3.30	8.15	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-
MW-6	06/06/2010	11.45	2.42	9.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/02/2010	11.45	3.03	8.42	0.00	0.00	110 J	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-
MW-6	12/09/2010 <sup>24</sup>	11.45	2.34	9.11	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/23/2011	11.45	2.62	8.83	0.00	0.00	180	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-
<b>MW-6</b>	<b>06/24/2011</b>	<b>11.45</b>	<b>5.11</b>	<b>6.34</b>	<b>0.00</b>	<b>0.00</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	10/23/2000 <sup>10</sup>	10.58	6.25	4.33	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	1,210	-	<6,670	<667	13.3	13.3	199	-	-
MW-7	12/08/2000	10.58	7.23	3.35	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	338	-	-	-	-	-	-	-	-
MW-7	03/03/2001 <sup>11</sup>	10.58	6.27	4.31	0.00	0.00	-	-	-	-	72 <sup>12</sup>	<0.50	<0.50	<0.50	<0.50	460	-	-	-	-	-	-	-	-
MW-7	06/19/2001	10.58	5.82	4.76	0.00	0.00	-	-	-	-	110 <sup>1</sup>	18	<0.50	<0.50	<0.50	440	-	-	-	-	-	-	-	-
MW-7	09/05/2001	10.58	6.54	4.04	0.00	0.00	-	-	-	-	180	<0.50	<0.50	<0.50	<1.5	640	-	-	-	-	-	-	-	-
MW-7	12/10/2001	10.58	5.54	5.04	0.00	0.00	-	-	-	-	110	<0.50	<0.50	<0.50	<1.5	390	-	-	-	-	-	-	-	-
MW-7	03/04/2002	10.58	6.90	3.68	0.00	0.00	-	-	-	-	220	1.1	<0.50	3.0	<1.5	460	-	-	-	-	-	-	-	-
MW-7	06/03/2002	10.58	5.64	4.94	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	350	-	-	-	-	-	-	-	-
MW-7	09/14/2002	10.58	7.03	3.55	0.00	0.00	-	-	-	-	120	<2.0	<0.50	<0.50	<1.5	340	-	-	-	-	-	-	-	-
MW-7	12/13/2002	10.58	5.59	4.99	0.00	0.00	-	-	-	-	57	<0.50	<0.50	<0.50	<1.5	150	-	-	-	-	-	-	-	-
MW-7	03/14/2003	10.58	5.98	4.60	0.00	0.00	-	-	-	-	77	<0.50	<0.50	<0.50	<1.5	240	-	-	-	-	-	-	-	-
MW-7	06/09/2003 <sup>13</sup>	10.58	6.26	4.32	0.00	0.00	-	-	-	-	79	<0.5	<0.5	<0.5	<0.5	-	210	-	-	-	-	-	-	-
MW-7	09/03/2003 <sup>13</sup>	10.58	6.86	3.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.8	<50	-	-	-	-	-	-
MW-7	12/01/2003 <sup>13</sup>	10.58	5.47	5.11	0.00	0.00	-	-	-	-	58	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	-
MW-7	03/01/2004 <sup>13</sup>	10.58	5.98	4.60	0.00	0.00	-	-	-	-	71	<0.5	<0.5	<0.5	<0.5	-	180	<50	-	-	-	-	-	-
MW-7	06/02/2004 <sup>13</sup>	10.58	4.81	5.77	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	87	<50	-	-	-	-	-	-
MW-7	09/03/2004 <sup>13</sup>	10.58	6.42	4.16	0.00	0.00	-	-	-	-	55	<0.5	<0.5	<0.5	<0.5	-	140	<50	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME			
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	12/20/2004 <sup>13</sup>	10.58	6.22	4.36	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	-	-
MW-7	03/12/2005 <sup>13</sup>	10.58	5.79	4.79	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-	-	-	-
MW-7	06/28/2005 <sup>13</sup>	10.58	4.62	5.96	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	30	<50	-	-	-	-	-	-	-
MW-7	09/01/2005 <sup>13</sup>	10.58	4.78	5.80	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	70	<50	-	-	-	-	-	-	-
MW-7	12/01/2005 <sup>13</sup>	10.58	4.01	6.57	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-	-	-	-
MW-7	03/04/2006 <sup>13</sup>	10.58	5.89	4.69	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	49	<50	-	-	-	-	-	-	-
MW-7	06/01/2006 <sup>13</sup>	10.58	5.10	5.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-	-	-	-
MW-7	09/01/2006 <sup>13</sup>	10.58	5.31	5.27	0.00	0.00	-	-	-	-	<50	0.5	5	<0.5	5	-	17	<50	-	-	-	-	-	-	-
MW-7	12/15/2006 <sup>13</sup>	10.58	5.89	4.69	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	20	<50	-	-	-	-	-	-	-
MW-7	03/15/2007 <sup>13</sup>	10.58	5.67	4.91	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-	-	-	-
MW-7	06/15/2007 <sup>13</sup>	10.58	5.05	5.53	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	12	<50	-	-	-	-	-	-	-
MW-7	09/06/2007 <sup>13</sup>	10.58	5.42	5.16	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-	-	-
MW-7	12/07/2007 <sup>13</sup>	10.58	5.38	5.20	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	-	-
MW-7	03/07/2008 <sup>13</sup>	10.58	5.54	5.04	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	-	-
MW-7	06/24/2008 <sup>13</sup>	10.58	6.10	4.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	-	-
MW-7	09/11/2008 <sup>13</sup>	10.58	6.86	3.72	0.00	0.00	-	-	-	-	99	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-	-	-
MW-7	12/19/2008 <sup>13</sup>	10.58	6.54	4.04	0.00	0.00	-	-	-	-	<50	<0.5	0.7	<0.5	1	-	9	<50	-	-	-	-	-	-	-
MW-7	06/01/2009	10.58	4.10	6.48	0.00	0.00	-	-	-	-	70J	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	-	-
MW-7	09/30/2009	10.58	3.11	7.47	0.00	0.00	-	-	-	-	110	<0.5	<0.5	<0.5	<0.5	-	11	<50	-	-	-	-	-	-	-
MW-7	12/10/2009	10.58	6.93	3.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/08/2010	10.58	5.70	4.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-	-	-	-
MW-7	06/06/2010	10.58	5.56	5.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/02/2010	10.58	5.87	4.71	0.00	0.00	390	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-	-	-	-
MW-7	12/09/2010 <sup>23</sup>	10.58	5.44	5.14	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/23/2011	10.58	4.64	5.94	0.00	0.00	480	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-	-
<b>MW-7</b>	<b>06/24/2011</b>	<b>10.58</b>	<b>5.70</b>	<b>4.88</b>	<b>0.00</b>	<b>0.00</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	12/10/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	03/04/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	06/03/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	09/14/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	12/13/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	03/14/2003	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs							
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	06/09/2003 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	09/03/2003 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	12/01/2003 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	03/01/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	06/02/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	09/03/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	12/20/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	03/12/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	06/28/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	09/01/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	315 <sup>15</sup>	<0.5	215 <sup>15</sup>	-	<0.5	-	-	-	-	-	-	-
QA	12/01/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	03/04/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	06/01/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	09/01/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	12/15/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	03/15/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	06/15/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	09/06/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	12/07/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	03/07/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	06/24/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	09/11/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	12/19/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	06/01/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	09/30/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	12/10/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	03/08/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	06/06/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	09/02/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	12/09/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	03/23/2011	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-
QA	06/24/2011	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-

**GROUNDWATER MONITORING AND SAMPLING DATA  
CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS							
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	03/29/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	06/26/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	09/25/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	12/17/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	03/20/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	06/20/1997	-	-	-	-	-	-	-	-	-	<50	<2.0	<2.0	<2.0	<2.0	-	-	-	-	-	-	-	-	-
Trip Blank	09/09/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	12/12/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	02/19/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	06/23/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	08/31/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	12/29/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0	-	-	-	-	-	-	-	-
Trip Blank	03/11/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-	-	-
Trip Blank	06/24/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-	-	-
Trip Blank	09/29/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	12/08/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-	-	-
Trip Blank	03/01/2000	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-
Trip Blank	06/19/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-
Trip Blank	09/30/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-
Trip Blank	10/05/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-
Trip Blank	12/08/2000	-	-	-	-	-	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	-	-	-	-	-	-	-	-
Trip Blank	03/03/2001 <sup>11</sup>	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-
Trip Blank	06/19/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-
Trip Blank	09/05/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-

**Abbreviations and Notes:**

TOC = Top of casing.

DTW = Depth to water.

GWE = Groundwater Elevation.

LNAPLT = Light non-aqueous phase liquid thickness.

TPH-DRO = Total petroleum hydrocarbons - diesel range organics.

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics.

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS							
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME		
Units		ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

VOCS = Volatile Organic Compounds

BTEX = Benzene, toluene, ethylbenzene, xylenes.

MTBE = Methyl tertiary butyl ether.

TBA = Tertiary butyl alcohol.

DIPE = Di-isopropyl ether.

ETBE = Ethyl tertiary butyl ether.

TAME = Tert amyl methyl ether.

Ft = Feet.

Ft-amsl = Feet above mean sea level.

Gal = Gallons.

µg/L = Micrograms per liter.

- = Not analyzed/not applicable.

<x = Not detected above laboratory method detection limit x.

J = Estimated value.

\* TOC elevations were surveyed on November 15, 2000, by Virgil Chavez Land Surveying. The benchmark for the survey was the letter "O" in Oakland on an inlet in the westerly curb of Oakport Road, 150' southerly of the end of curve. (Benchmark Elevation = 7.82 feet, msl).

\*\* GWE was corrected for the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPLT x 0.80)].

1 Laboratory report indicates gasoline C6-C12.

2 MTBE by EPA Method 8260.

3 Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane (1,1-DCA) was detected at 1.7 ppb.

4 Chromatogram pattern indicates an unidentified hydrocarbon.

5 Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.

6 Confirmation run.

7 Laboratory report indicates unidentified hydrocarbons >C16.

8 Sample analyzed for Total Metals by EPA 200 Series Methods. All Analytes were less then the reporting limit except for Nickel was detected at 0.067 ppm and Zinc was detected at 0.024 ppm.

9 Laboratory report indicates that Semi-Volatile Organic Compounds

10 Data was provided by Delta Environmental Consultants, Inc.

11 Laboratory report indicates sample was analyzed outside the EPA recommended holding time.

12 Laboratory report indicates unidentified hydrocarbons C6-C12.

13 BTEX and MTBE by EPA Method 8260.

14 LNAPL + Water removed.

15 Analytical result confirmed.

**GROUNDWATER MONITORING AND SAMPLING DATA  
CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME			
Units		ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

- 16 Probe did not detect LNAPL but was covered with product; LNAPL was confirmed with bailer.
- 17 Laboratory report indicates due to excessive foaming of the sample, normal reporting limits were not attained.
- 18 Water plus 15 milliliters of product removed from well.
- 19 The vial submitted for volatile analysis did not have a pH<2 at the time of analysis, pH = 7.
- 20 Due to excessive foaming of the sample, normal reporting limits were not attained.
- 21 Laboratory report indicates the result reported for xylene (total) is possibly the result of carryover from the sample injected prior to this sample.  
Since only one vial was submitted, a repeat analysis without headspace could not be performed to confirm the results.
- 22 Not sampled due to presence of LNAPL.
- 23 Sampled semi-annually.
- 24 Inaccessible - car parked over well.
- 25 Monitoring and sampling occurred on 06/10/2010; however, the sample collection date was incorrectly written on the COC.

ATTACHMENT A

MONITORING DATA PACKAGE





June 27, 2011

Chevron Environmental Management Company  
Dave Patten  
6111 Bollinger Canyon Rd.  
San Ramon, CA 94583

Second Quarter 2011 Monitoring at  
Chevron Service Station 91851  
451 Hegenberger Rd.  
Oakland, CA

Monitoring performed on June 24, 2011

---

**Blaine Tech Services, Inc. Groundwater Monitoring Event 110624-WW1**

This submission covers the routine monitoring of groundwater wells conducted on June 24, 2011 at this location. Seven monitoring wells were measured for depth to groundwater (DTW). Two monitoring wells were sampled. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

Second Quarter Groundwater Monitoring at Chevron 91851, 451 Hegenberger Rd., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

[www.blainetech.com](http://www.blainetech.com)

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to IWM facilities of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker  
Blaine Tech Services, Inc.  
Senior Project Manager

attachments: SOP  
Well Gauging Sheet  
Individual Well Monitoring Data Sheets  
Chain of Custody  
Wellhead Inspection Form  
Bill of Lading  
Calibration Log

cc: CRA  
Attn: Nathan Lee  
5900 Hollis St. Suite A  
Emeryville, CA 94608

Second Quarter Groundwater Monitoring at Chevron 91851, 451 Hegenberger Rd., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

[www.blainetech.com](http://www.blainetech.com)

# BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

---

## SAMPLING PROCEDURES OVERVIEW

### SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

### INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing over two-hundredths of a foot (0.02') of product.

### EVACUATION

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be

evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

## PARAMETER STABILIZATION

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

## DEWATERED WELLS

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

## MEASURING RECHARGE

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

## PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading documentation to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility.

## SAMPLE COLLECTION DEVICES

All samples are collected using disposable bailers.

## SAMPLE CONTAINERS

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

## TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

## DUPLICATES

Duplicates, if requested, may be collected at a site. The Duplicate sample is collected, typically from the well containing the most measurable contaminants. The Duplicate sample is labeled the same as the original.

## SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

## DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label.

Chain of Custody records are created using client specific preprinted forms following USEPA specifications.

Bill of Lading records are contemporaneous records created in the field at the site where the non-hazardous purgewater is generated. Field Technicians use preprinted Bill of Lading forms.

## DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle. The steam cleaner is used to decon reels, pumps and bailers.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

## DISSOLVED OXYGEN READINGS

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated between wells as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

## OXYIDATON REDUCTION POTENTIAL READINGS

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter GP). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

## FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

## WELL GAUGING DATA

Project # 110624-UWI

Date 6/24/11

Client CHEVRON

Site <sup>①</sup> 59-451 HEVENBERG FR RD, OAKLAND, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
Mw-1	0807	2					3.06	14.52		
Mw-2	0847	2	ODOR	4.03	0.05	—	4.08	—		THICK * SPH
Mw-3	0836	2					4.37	14.61		
Mw-4	0829	2	ODOR				5.33	15.02		
Mw-5	0823	2					4.88	7.07		
Mw-6	0811	2					5.11	9.91		
Mw-7	0817	2					5.70	13.22		
* Mw-2: THICK SPH - UNABLE TO OBTAIN ACCURATE GAUGE										
BAILER CHECK: THICK BLACK SPH BLOBS. COATING BAILER										

# CHEVRON WELL MONITORING DATA SHEET

Project #: 110624-WW1	Station #: 9-1851
Sampler: WW	Date: 6/24/11
Weather: clear	Ambient Air Temperature: 66.7 °F
Well I.D.: MW-1	Well Diameter: (2) 3 4 6 8
Total Well Depth: 14.52	Depth to Water: 3.06
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.35	

Purge Method:

- Bailer  
 Disposable Bailer  
 Positive Air Displacement  
 Electric Submersible
- Waterra  
 Peristaltic  
 Extraction Pump  
 Other \_\_\_\_\_

Sampling Method:

Bailer

- Disposable Bailer  
 Extraction Port  
 Dedicated Tubing  
 Other: \_\_\_\_\_

1.8 (Gals.) X 3 = 5.4 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <del>µS</del> )	Turbidity (NTUs)	Gals. Removed	Observations
0908	70.4	7.44	1346	104	1.8	
0911	71.8	7.91	1313	102	3.6	
0914	72.5	6.87	1311	109	5.4	

Did well dewater? Yes  No  Gallons actually evacuated: 5.4

Sampling Date: 6/24/11      Sampling Time: 0920      Depth to Water: 3.07

Sample I.D.: MW-1      Laboratory: Lancaster Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: see coc

Duplicate I.D.:      Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):      Pre-purge: \_\_\_\_\_ mg/L      Post-purge: \_\_\_\_\_ mg/L

O.R.P. (if req'd):      Pre-purge: \_\_\_\_\_ mV      Post-purge: \_\_\_\_\_ mV



# CHEVRON WELL MONITORING DATA SHEET

Project #: 110624-WW1	Station #: 9-1851
Sampler: WW	Date: 6/24/11
Weather: clear	Ambient Air Temperature: 66.7 °F
Well I.D.: MW-2	Well Diameter: (2) 3 4 6 8
Total Well Depth: —	Depth to Water: 4.08
Depth to Free Product: 4.03	Thickness of Free Product (feet): 0.05
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: ~~Bailer~~ ~~Water~~ ~~Disposible Bailer~~ ~~Peristaltic~~ ~~Positive Air Displacement~~ ~~Extraction Pump~~ ~~Electric Submersible~~ ~~Other~~

Sampling Method: Bailer Disposible Bailer ~~Extraction Port~~ ~~Dedicated Tubing~~ Other: \_\_\_\_\_

(Gals.) X 3 = \_\_\_\_\_ Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
* THICK SPH ENCOUNTERED (0.05'), COATING PROBE.						
BAILER CHECK: THICK BLACK SPH BLOBS COATING BAILER.						
-NO SAMPLE TAKEN.						

Did well dewater?      Yes      No      Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 6/24/11      Sampling Time: \_\_\_\_\_      Depth to Water: \_\_\_\_\_

Sample I.D.: MW-      Laboratory: Lancaster Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: see coc

Duplicate I.D.: \_\_\_\_\_      Analyzed for: TPH-G BTEX MTBE OXYS Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

# CHEVRON WELL MONITORING DATA SHEET

Project #: 110624-WW1	Station #: 9-1851
Sampler: WW	Date: 6/24/11
Weather: Sunny	Ambient Air Temperature: 70.8 °F
Well I.D.: MW-4	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 15.02	Depth to Water: 5.33
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.27	

Purge Method:

- Bailer  
 Disposable Bailer  
 Positive Air Displacement  
 Electric Submersible
- Waterra  
 Peristaltic  
 Extraction Pump  
 Other \_\_\_\_\_

Sampling Method: Bailer

- Disposable Bailer  
 Extraction Port  
 Dedicated Tubing

Other: \_\_\_\_\_

1.6	(Gals.) X	3	=	4.8	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <del>µS</del> )	Turbidity (NTUs)	Gals. Removed	Observations
0928	69.3	7.42	2736	35	1.6	
0931	68.9	7.22	5050	16	3.2	
0934	68.1	7.15	5555	33	4.8	

Did well dewater? Yes  No  Gallons actually evacuated: 4.8

Sampling Date: 6/24/11 Sampling Time: 1005 Depth to Water: 10.44 SITE DEPART

Sample I.D.: MW-4 Laboratory: Lancaster Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: see coc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L Post-purge: \_\_\_\_\_ mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV Post-purge: \_\_\_\_\_ mV









ATTACHMENT B

LABORATORY ANALYTICAL REPORT

## ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

Prepared for:

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

July 07, 2011

Project: 91851

Submittal Date: 06/25/2011  
Group Number: 1253440  
PO Number: 0015074399  
Release Number: PATTEN  
State of Sample Origin: CAClient Sample DescriptionMW-1-W-110624 NA Water  
MW-4-W-110624 NA Water  
QA-T-110624 NA WaterLancaster Labs (LLI) #6328425  
6328426  
6328427


The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Blaine Tech Services, Inc.	Attn: Dustin Becker
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Ian Hull
ELECTRONIC COPY TO	CRA	Attn: Nathan Lee



Questions? Contact your Client Services Representative  
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



Tracy A. Cole  
Senior Specialist



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description: MW-1-W-110624 NA Water**  
**Facility #91851 BTST**  
**451 Hegenberger Rd T0600102238 MW-1**

**LLI Sample # WW 6328425**  
**LLI Group # 1253440**  
**Account # 10991**

**Project Name: 91851**

Collected: 06/24/2011 09:20 by WW

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 06/25/2011 09:00

Reported: 07/07/2011 12:22

HAG-1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	1	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
<b>GC Extractable TPH SW-846 8015B w/Si Gel</b>						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	110	1
<b>GC Extractable TPH SW-846 8015B modified w/Si Gel</b>						
10006	Motor Oil C16-C36 w/Si Gel	n.a.	85 J	41	120	1
10006	Total TPH w/Si Gel	n.a.	85 J	41	120	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D111831AA	07/02/2011 08:16	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D111831AA	07/02/2011 08:16	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11181A07A	07/01/2011 03:16	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11181A07A	07/01/2011 03:16	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111780039A	06/29/2011 10:05	Dustin A Underkoffler	1
10006	TPH Fuels water w/Si Gel	SW-846 8015B modified	1	111800009A	06/29/2011 19:00	Heather E Williams	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111780039A	06/28/2011 10:00	Catherine R Wiker	1
11195	TPH w/ Silica Gel Waters Ext.	SW-846 3510C	1	111800009A	06/28/2011 10:00	Catherine R Wiker	1

\*=This limit was used in the evaluation of the final result



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description: MW-4-W-110624 NA Water**  
**Facility #91851 BTST**  
**451 Hegenberger Rd T0600102238 MW-4**

**LLI Sample # WW 6328426**  
**LLI Group # 1253440**  
**Account # 10991**

**Project Name: 91851**

Collected: 06/24/2011 10:05 by WW

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 06/25/2011 09:00

Reported: 07/07/2011 12:22

HAG-4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	16	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
<b>GC Extractable TPH SW-846 8015B w/Si Gel</b>						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	90	J 50	110	1
<b>GC Extractable TPH SW-846 8015B modified w/Si Gel</b>						
10006	Motor Oil C16-C36 w/Si Gel	n.a.	94	J 38	110	1
10006	Total TPH w/Si Gel	n.a.	94	J 38	110	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D111831AA	07/02/2011 08:39	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D111831AA	07/02/2011 08:39	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11181A07A	07/01/2011 03:41	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11181A07A	07/01/2011 03:41	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111780039A	06/29/2011 10:25	Dustin A Underkoffler	1
10006	TPH Fuels water w/Si Gel	SW-846 8015B modified	1	111800009A	06/29/2011 19:25	Heather E Williams	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111780039A	06/28/2011 10:00	Catherine R Wiker	1
11195	TPH w/ Silica Gel Waters Ext.	SW-846 3510C	1	111800009A	06/28/2011 10:00	Catherine R Wiker	1

\*=This limit was used in the evaluation of the final result



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** QA-T-110624 NA Water  
Facility #91851 BTST  
451 Hegenberger Rd T0600102238 QA

LLI Sample # WW 6328427  
LLI Group # 1253440  
Account # 10991

**Project Name:** 91851

Collected: 06/24/2011 07:50

Chevron

Submitted: 06/25/2011 09:00

6001 Bollinger Canyon Rd L4310

Reported: 07/07/2011 12:22

San Ramon CA 94583

HAGQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P111794AA	06/28/2011 22:22	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P111794AA	06/28/2011 22:22	Kevin A Sposito	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11181A07A	06/30/2011 23:24	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11181A07A	06/30/2011 23:24	Laura M Krieger	1

\*=This limit was used in the evaluation of the final result

## Quality Control Summary

Client Name: Chevron

Group Number: 1253440

Reported: 07/07/11 at 12:22 PM

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: D111831AA	Sample number(s): 6328425-6328426								
Benzene	N.D.	0.5	1	ug/l	94		79-120		
Ethanol	N.D.	50.	250	ug/l	110		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	91		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	87		76-120		
Toluene	N.D.	0.5	1	ug/l	95		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	92		80-120		
Batch number: P111794AA	Sample number(s): 6328427								
Benzene	N.D.	0.5	1	ug/l	88	87	79-120	1	30
Ethylbenzene	N.D.	0.5	1	ug/l	92	92	79-120	0	30
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	90	89	76-120	2	30
Toluene	N.D.	0.5	1	ug/l	93	94	79-120	1	30
Xylene (Total)	N.D.	0.5	1	ug/l	93	94	80-120	0	30
Batch number: 11181A07A	Sample number(s): 6328425-6328427								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	109	109	75-135	0	30
Batch number: 111780039A	Sample number(s): 6328425-6328426								
TPH-DRO CA C10-C28 w/ Si Gel	N.D.	32.	100	ug/l	91	90	52-126	1	20
Batch number: 111800009A	Sample number(s): 6328425-6328426								
Motor Oil C16-C36 w/Si Gel	N.D.	40.	120	ug/l					
Total TPH w/Si Gel	N.D.	40.	120	ug/l	85	89	66-117	4	20

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: D111831AA	Sample number(s): 6328425-6328426 UNSPK: P328401								
Benzene	97	92	80-126	5	30				
Ethanol	117	102	53-146	14	30				
Ethylbenzene	98	96	71-134	3	30				
Methyl Tertiary Butyl Ether	88	86	72-126	2	30				
Toluene	100	96	80-125	3	30				
Xylene (Total)	97	94	79-125	3	30				

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 07/07/11 at 12:22 PM

Group Number: 1253440

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water  
Batch number: D111831AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6328425	100	100	102	92
6328426	98	97	102	91
Blank	99	103	101	92
LCS	96	101	101	101
MS	96	102	100	99
MSD	97	100	101	100

Limits: 80-116                      77-113                      80-113                      78-113

Analysis Name: UST VOCs by 8260B - Water  
Batch number: P111794AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6328427	96	94	102	98
Blank	98	94	101	98
LCS	98	97	101	99
LCSD	97	95	102	98

Limits: 80-116                      77-113                      80-113                      78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 11181A07A  
Trifluorotoluene-F

6328425	100
6328426	95
6328427	92
Blank	98
LCS	106
LCSD	104

Limits: 63-135

Analysis Name: TPH-DRO CA C10-C28 w/ Si Gel  
Batch number: 111780039A  
Orthoterphenyl

6328425	96
6328426	102
Blank	94
LCS	94
LCSD	90

Limits: 59-131

Analysis Name: TPH Fuels water w/Si Gel  
Batch number: 111800009A  
Chlorobenzene                      Orthoterphenyl

6328425	72	86
---------	----	----

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 07/07/11 at 12:22 PM

Group Number: 1253440

### Surrogate Quality Control

6328426	70	92
Blank	79	97
LCS	72	100
LCSD	74	103

---

Limits: 59-128                      70-122

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

062411-05

CHAIN OF CUSTODY FORM

10991/1253440/6328425-27

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583 COC ( of )

Chevron Site Number: <u>91851</u> Chevron Site Global ID: <u>T060012238</u> Chevron Site Address: <u>451 Hegenberger Rd., Oakland, CA</u> Chevron PM: <u>DAVE PATTEN</u> Chevron PM Phone No.: <u>(925)790-6491</u> <input checked="" type="checkbox"/> Retail and Terminal Business Unit (RTBU) Job <input checked="" type="checkbox"/> Construction/Retail Job	Chevron Consultant: <u>CRA</u> Address: <u>5900 Hollis St. Suite A Emeryville, CA</u> Consultant Contact: <u>Nathan Lee</u> Consultant Phone No. <u>510-420-3351</u> Consultant Project No. <u>110624 - www</u> Sampling Company: <u>Blaine Tech Services</u> Sampled By (Print): <u>William Work</u> Sampler Signature: <u>[Signature]</u>	<b>ANALYSES REQUIRED</b>
--	--	--------------------------

<b>Charge Code: NWRTB-0091851-0-OML</b> NWRTB 00SITE NUMBER-0- WBS <b>(WBS ELEMENTS:</b> SITE ASSESSMENT: <u>A1L</u> REMEDIATION IMPLEMENTATION: <u>R5L</u> SITE MONITORING: <u>OML</u> OPERATION MAINTENANCE & MONITORING: <u>M1L</u>  <i>THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.</i>	<b>Lancaster Laboratories</b> <input checked="" type="checkbox"/> Lancaster, PA Lab Contact: <u>Jill Parker</u>  2425 New Holland Pike, Lancaster, PA 17601 Phone No: (717)656-2300	Other Lab _____ _____ _____ _____ _____	Temp. Blank Check Time Temp. <u>0750</u> <u>1°C</u> <u>0950</u> <u>1°C</u> _____ _____ _____	<input checked="" type="checkbox"/> H <input type="checkbox"/> H <input type="checkbox"/> OXYGENATES <input type="checkbox"/> HVOC <input type="checkbox"/> <input type="checkbox"/> HC SCREEN <input type="checkbox"/> <input type="checkbox"/> DRO <input type="checkbox"/> ORO <input type="checkbox"/> <input type="checkbox"/> MTBE <input type="checkbox"/> <input type="checkbox"/> GRO <input checked="" type="checkbox"/> <input type="checkbox"/> MTBE <input type="checkbox"/> <input type="checkbox"/> Ca, Fe, K, Mg, Mn, Na <input type="checkbox"/> TITL 22 METALS <input type="checkbox"/> STLC <input type="checkbox"/> <input type="checkbox"/> ALKALINITY <input type="checkbox"/> <input type="checkbox"/> SPECIFIC CONDUCTIVITY <input type="checkbox"/> TRPH <input type="checkbox"/> <input type="checkbox"/> ETHANOL <input checked="" type="checkbox"/> TPH-D <input checked="" type="checkbox"/> TPH-MC	Preservation Codes  H =HCL T=Thiosulfate N =HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other  Special Instructions Must meet lowest detection limits possible for 8260 Compounds, Run TPHmo and DRO with Silica Gel Clean Up
--	--	--	--	--	---

SAMPLE ID				Sample Time	# of Containers	Container Type	ANALYSES REQUIRED										Notes/Comments
Field Point Name	Matrix	Top Depth	Date (yymmdd)				EPA 8260B/GC/MS	TPH-G	EPA 8015B	EPA 8021B	EPA 6010	EPA 6010/7000	EPA 150.1	SM2510B	EPA 418.1	EPA 8260	
MW-1	W		110624-0920	10	mixed	X	X						X	X	X		
MW-4	W		110624-1005	10	mixed	X	X						X	X	X		
QA	T		110624-0750	2	Hot was	X	X										

Relinquished By: <u>[Signature]</u> Company: <u>BLAINE TECH SERVICES</u> Date/Time: <u>6/24/11 10:45</u>	Relinquished To: <u>[Signature]</u> Company: <u>LLI</u> Date/Time: <u>6/24/11 10:45</u>	Turnaround Time: Standard <input type="checkbox"/> 24 Hours <input type="checkbox"/> 48 hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> Other <input type="checkbox"/>
Relinquished By: <u>[Signature]</u> Company: <u>LLI</u> Date/Time: <u>6/24/11</u>	Relinquished To: <u>[Signature]</u> Company: <u>FE</u> Date/Time: _____	Sample Integrity: (Check by lab on arrival) Intact: <u>X</u> On Ice: <u>X</u> Temp: <u>1.9-3.1°C</u>
Relinquished By: <u>[Signature]</u> Company: <u>LLI</u> Date/Time: _____	Relinquished To: <u>[Signature]</u> Company: <u>LLI</u> Date/Time: <u>6/25/11 0900</u>	COC # _____



# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>ug</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>ml</b>	milliliter(s)	<b>l</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>ul</b>	microliter(s)
<b>&lt;</b>	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>J</b>	estimated value – The result is $\geq$ the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
<b>A</b> TIC is a possible aldol-condensation product	<b>B</b> Value is $<$ CRDL, but $\geq$ IDL
<b>B</b> Analyte was also detected in the blank	<b>E</b> Estimated due to interference
<b>C</b> Pesticide result confirmed by GC/MS	<b>M</b> Duplicate injection precision not met
<b>D</b> Compound quantitated on a diluted sample	<b>N</b> Spike sample not within control limits
<b>E</b> Concentration exceeds the calibration range of the instrument	<b>S</b> Method of standard additions (MSA) used for calculation
<b>N</b> Presumptive evidence of a compound (TICs only)	<b>U</b> Compound was not detected
<b>P</b> Concentration difference between primary and confirmation columns $>$ 25%	<b>W</b> Post digestion spike out of control limits
<b>U</b> Compound was not detected	<b>*</b> Duplicate analysis not within control limits
<b>X,Y,Z</b> Defined in case narrative	<b>+</b> Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.