Catalina Espino Devine
Project Manager
Marketing Business Unit

Chevron Environmental Management Company
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-3949
espino@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 91851
451 Hegenberger Drive
Oakland, CA

I have reviewed the attached report dated November 9, 2012.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Catalina Espino Devine
Project Manager

Attachment: Report

CONESTOGA-ROVERS & ASSOCIATES

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
http://www.craworld.com

November 9, 2012 Reference No. 311976

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Second Semi-Annual 2012
Groundwater Monitoring and Sampling Report
Chevron Service Station 91851
451 Hegenberger Road
Oakland, California
Fuel Leak Case RO0000464

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *Second Semi-Annual 2012 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California. Blaine Tech's *Third Quarter Monitoring* report is included as Attachment A. Current and historical groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' *Analytical Results* are included as Attachment B.

RESULTS OF SECOND SEMI-ANNUAL 2012 EVENT

On September 13, 2012, Blaine Tech monitored and sampled the site wells per the established schedule. Table 1 presents the groundwater monitoring analytical data and Figure 2 presents the groundwater flow direction and hydrocarbon concentrations. Light non-aqueous phase liquid (LNAPL) was measured in well MW-2 and is consistent with previous data.

Results of the current monitoring event indicate the following:

- Groundwater Flow Direction — Southwest
- Hydraulic Gradient — 0.04
- Approximate Depth to Water — 3.5 to 6 feet below grade

Results of the current sampling event are presented below in Table A:

TABLE A: GROUNDWATER ANALYTICAL DATA

Well ID	TPHmo (µg/L)	TPHd (µg/L)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
ESLs	***100***	***100***	***100***	***1.0***	***40***	***30***	***20***	***5***
MW-1	<38	<50	<50	<0.5	<0.5	<0.5	<0.5	2
MW-2	**LNAPL**							
MW-3	**4,400**	**2,000**	<50	<0.5	<0.5	<0.5	<0.5	**24**
MW-4	**260**	<50	<50	<0.5	<0.5	<0.5	<0.5	**31**
MW-5	NA	NA	<50	<0.5	<0.5	<0.5	<0.5	**6**
MW-6	**180**	**180**	<50	<0.5	<0.5	<0.5	<0.5	**6**
MW-7	**54 J**	<50	<50	<0.5	<0.5	<0.5	<0.5	3

µg/L Micrograms per liter
TPHd Total petroleum hydrocarbons as diesel with silica gel cleanup
TPHmo Total petroleum hydrocarbons as motor oil with silica gel clean up
J Estimated Value
< Indicates constituent was not detected at or above laboratory reporting limit
NA Not Analyzed
ESL *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater*, Prepared by California Regional Water Quality Control Board San Francisco Bay Region, Interim Final - November 2007, (Revised May 2008), Table F-1a-Groundwater Screening Levels-Current or Potential Drinking Water Resource.

CONCLUSIONS AND RECOMMENDATIONS

- Dissolved hydrocarbon concentrations are within historical ranges, seasonal fluctuations, and are stable or decreasing.
- LNAPL thickness of 0.10 feet was observed in well MW-2. LNAPL has been detected in MW-2 intermittently since December 2004 with a maximum thickness of 0.65 in June 2008.

ANTICIPATED FUTURE ACTIVITIES

Groundwater Monitoring

Blaine Tech will monitor and sample site wells per the established schedule. CRA will submit a groundwater monitoring and sampling report.

Additional Activity
CRA submitted the September 21, 2012 Subsurface Investigation Report and Remedial Excavation Work Plan which was approved by ACEH in a letter dated October 10, 2012. CRA is conducting a remedial excavation which started on November 5, 2012.

Please contact Nathan Lee at (510) 420-3333 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Celina Hernandez, PG 8931

CH/cw/20
Encl.

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation Contour and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report

cc: Ms. Catalina Espino Devine, Chevron *(electronic copy)*
Navdeep Singh Grewal, Property Owner

FIGURES



SOURCE: USGS QUADRANGLE MAP;
EAST OAKLAND, CALIFORNIA; DATE: 1997
SAN LEANDRO, CALIFORNIA; DATE: 1993

Figure 1

VICINITY MAP
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
Oakland, California

311976-95(020)GN-EM001 NOV 8/2012



Figure 2

GROUNDWATER ELEVATION CONTOUR AND HYDROCARBON CONCENTRATION MAP
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
Oakland, California
September 13, 2012

311976-95(020)GN-EM002 NOV 2/2012

TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-1	10/17/1995	2.61	4.12	-1.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-1	03/29/1996	2.61	3.33	-0.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	9.5	-	-	-	-	-	-
MW-1	06/26/1996	2.61	3.84	-1.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	46	-	-	-	-	-	-
MW-1	09/25/1996	2.61	4.02	-1.41	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	940	-	-	-	-	-	-
MW-1	12/17/1996	2.61	3.57	-0.96	0.00	0.00	-	-	-	-	<50	0.9	<0.5	<0.5	<0.5	260	-	-	-	-	-	-
MW-1	03/20/1997	2.61	4.15	-1.54	0.00	0.00	-	-	-	-	<50	<2.0	<2.0	<2.0	<2.0	76	-	-	-	-	-	-
MW-1	06/20/1997	2.61	4.33	-1.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	64	-	-	-	-	-	-
MW-1	09/09/1997	2.61	4.35	-1.74	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	110	-	-	-	-	-	-
MW-1	12/12/1997	2.61	3.00	-0.39	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	27	-	-	-	-	-	-
MW-1	02/19/1998	2.61	1.83	0.78	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	14	-	-	-	-	-	-
MW-1	06/23/1998	2.61	3.34	-0.73	0.00	0.00	-	-	-	-	210	<0.5	<0.5	<0.5	<0.5	3,400	-	<50,000	<10,000	<200	<200	<200
MW-1	08/31/1998	2.61	3.49	-0.88	0.00	0.00	-	-	-	-	1,400	630	<5.0	<5.0	<5.0	16,000	-	-	-	-	-	-
MW-1	12/29/1998	2.61	3.83	-1.22	0.00	0.00	-	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	1,090	-	-	-	-	-	-
MW-1	03/11/1999	2.61	3.04	-0.43	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	33.9	-	-	-	-	-	-
MW-1	06/24/1999	2.61	3.38	-0.77	0.00	0.00	-	-	-	-	<500	65.7	<5.0	<5.0	<5.0	1,160	-	<10,000	<2,000	<20	<20	258
MW-1	09/29/1999	2.61	3.62	-1.01	0.00	0.00	-	-	-	-	81.7	<0.5	<0.5	<0.5	<0.5	1,130	-	-	-	-	-	-
MW-1	12/08/1999	2.61	4.07	-1.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	233	-	-	-	-	-	-
MW-1	03/01/2000	2.61	1.95	0.66	0.00	0.00	-	-	-	-	100	<0.5	<0.5	<0.5	<0.5	37.9	-	-	-	-	-	-
MW-1	06/19/2000	2.61	3.41	-0.80	0.00	0.00	-	-	-	-	<50	3.8	<0.50	<0.50	<0.50	88	91[2]	<500	<100	<2.0	<2.0	11
MW-1	09/30/2000	2.61	3.84	-1.23	0.00	0.00	-	-	-	-	<130	<1.3	<1.3	<1.3	<1.3	460	530[2]	-	-	-	-	-
MW-1	10/05/2000	2.61	3.93	-1.32	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	12/08/2000	8.61	4.20	4.41	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	58.7	-	-	-	-	-	-
MW-1	03/03/2001[11]	8.61	2.31	6.30	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	8.9	-	-	-	-	-	-
MW-1	06/19/2001	8.61	3.34	5.27	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	51	-	-	-	-	-	-
MW-1	09/05/2001	8.61	3.77	4.84	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	180	-	-	-	-	-	-
MW-1	12/10/2001	8.61	2.47	6.14	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	21	-	-	-	-	-	-
MW-1	03/04/2002	8.61	3.13	5.48	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	47	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-1	06/03/2002	8.61	5.71	2.90	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	31	-	-	-	-	-	-
MW-1	09/14/2002	8.61	3.75	4.86	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	140	-	-	-	-	-	-
MW-1	12/13/2002	8.61	3.29	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-1	03/14/2003	8.61	3.07	5.54	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	35	-	-	-	-	-	-
MW-1	06/09/2003[13]	8.61	3.52	5.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	69	-	-	-	-	-
MW-1	09/03/2003[13]	8.61	4.12	4.49	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-1	12/01/2003[13]	8.61	3.27	5.34	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	100	<50	-	-	-	-
MW-1	03/01/2004[13]	8.61	2.06	6.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	26	<50	-	-	-	-
MW-1	06/02/2004[13]	8.61	3.30	5.31	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	93	<50	-	-	-	-
MW-1	09/03/2004[13]	8.61	4.14	4.47	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	140	<50	-	-	-	-
MW-1	12/20/2004[13]	8.61	3.62	4.99	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	37	<50	-	-	-	-
MW-1	03/12/2005[13]	8.61	3.04	5.57	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-
MW-1	06/28/2005[13]	8.61	3.28	5.33	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	93	<50	-	-	-	-
MW-1	09/01/2005[13]	8.61	3.58	5.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	59	<50	-	-	-	-
MW-1	12/01/2005[13]	8.61	3.05	5.56	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	62	<50	-	-	-	-
MW-1	03/04/2006[13]	8.61	3.31	5.30	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	88	<50	-	-	-	-
MW-1	06/01/2006[13]	8.61	3.44	5.17	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	36	<50	-	-	-	-
MW-1	09/01/2006[13]	8.61	2.99	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-1	12/15/2006[13]	8.61	2.91	5.70	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-
MW-1	03/15/2007[13]	8.61	3.43	5.18	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-
MW-1	06/15/2007[13]	8.61	3.67	4.94	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-
MW-1	09/06/2007[13]	8.61	3.42	5.19	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-
MW-1	12/07/2007[13]	8.61	3.31	5.30	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-
MW-1	03/07/2008[13]	8.61	3.45	5.16	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-
MW-1	06/24/2008[13]	8.61	3.76	4.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-
MW-1	09/11/2008[13]	8.61	4.50	4.11	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	-	-	-	-	-
MW-1	12/19/2008[13]	8.61	3.73	4.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					PRIMARY VOCS						ADDITIONAL VOCS				
Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	06/01/2009	8.61	4.77	3.84	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-
MW-1	09/30/2009	8.61	4.81	3.80	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-1	12/10/2009	8.61	3.95	4.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-
MW-1	12/11/2009	8.61	3.81	4.80	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	03/08/2010	8.61	2.90	5.71	0.00	0.00	-	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-
MW-1	06/06/2010	8.61	3.40	5.21	0.00	0.00	280	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-
MW-1	09/02/2010	8.61	4.02	4.59	0.00	0.00	320	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-
MW-1	12/09/2010	8.61	3.23	5.38	0.00	0.00	320	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-
MW-1	03/23/2011	8.61	2.33	6.28	0.00	0.00	1,100	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-
MW-1	06/24/2011	8.61	3.06	5.55	0.00	0.00	-	85 J	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-1	09/30/2011	8.61	3.75	4.86	0.00	0.00	-	<39	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	1 J	<50	<5	<0.5	<0.5	<0.5
MW-1	03/16/2012	8.61	3.32	5.29	0.00	0.00	-	<41	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-1	**09/13/2012**	**8.61**	**3.52**	**5.09**	**0.00**	**0.00**	**-**	**<38**	**-**	**<50**	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**-**	**2**	**<50**	**-**	**-**	**-**	**-**
MW-2	10/17/1995[3]	3.51	5.33	-1.82	0.00	0.00	-	-	1,600[4]	-	170	3.5	<0.5	1.0	6.1	-	-	-	-	-	-	-
MW-2	03/29/1996	3.51	3.95	-0.44	0.00	0.00	-	-	3,000[4]	-	89	11 / 4.7	<0.5	0.64	2.5 / 0.74	21	-	-	-	-	-	-
MW-2	06/26/1996	3.51	4.60	-1.09	0.00	0.00	-	-	2,000[4]	-	80	8.7 / 11	<0.5	1.2	<2.0 / 1.3	31	-	-	-	-	-	-
MW-2	09/25/1996	3.51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/17/1996	3.51	3.92	-0.41	0.00	0.00	-	-	2,400[4]	-	110	<0.5 / 10	<0.5	0.75	<2.0 / 2.1	27	-	-	-	-	-	-
MW-2	03/20/1997	3.51	4.83	-1.32	0.00	0.00	-	-	3,400[4]	-	140	8.2	<2.0	<2.0	<2.0	58	-	-	-	-	-	-
MW-2	06/20/1997	3.51	5.04	-1.53	0.00	0.00	-	-	1,600[4]	-	62	7.7 / 7.2	<0.5	<0.5	<0.5 / <2.0	38	-	-	-	-	-	-
MW-2	09/09/1997	3.51	4.98	-1.47	0.00	0.00	-	-	82[4]	-	190	9.4 / 11	<0.5	<0.5	<2.0 / 0.86	48	-	-	-	-	-	-
MW-2	12/12/1997	3.51	3.91	-0.40	0.00	0.00	-	-	8,500[4]	-	180	<2.0 / 1.8	<0.5	<0.5	<2.0 / 3.2	34	-	-	-	-	-	-
MW-2	02/19/1998	3.51	2.96	0.55	0.00	0.00	-	-	3,800[4]	-	<100	<3.3 / 1.8	<1.0	<1.0	<3.3 / <1.0	230	-	-	-	-	-	-
MW-2	06/23/1998	3.51	4.05	-0.54	0.00	0.00	-	-	-	-	60	<0.5	<0.5	<0.5	<0.5	55	-	<500	<100	<2.0	<2.0	<2.0
MW-2	08/31/1998	3.51	4.31	-0.80	0.00	0.00	-	-	-	-	61	2.2	<0.5	<0.5	1.1	53	-	-	-	-	-	-
MW-2	12/29/1998	3.51	4.63	-1.12	0.00	0.00	-	-	-	-	54	1.3	<0.5	<0.5	0.752	38.1	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-2	03/11/1999	3.51	3.52	-0.01	0.00	0.00	-	-	-	-	648	2.9	<2.0	<2.0	<2.0	73.2	-	-	-	-	-	-
MW-2	06/24/1999	3.51	4.00	-0.49	0.00	0.00	-	-	-	-	264	0.58	<0.5	1.01	<0.5	44.1	-	<1,000	<200	<2.0	<2.0	<2.0
MW-2	09/29/1999	3.51	4.44	-0.93	0.00	0.00	-	-	-	-	54.3	0.66	<0.5	<0.5	<0.5	35.7	-	-	-	-	-	-
MW-2	12/08/1999	3.51	4.89	-1.38	0.00	0.00	-	-	-	-	<50	1.27	<0.5	<0.5	<0.5	56.9	-	-	-	-	-	-
MW-2	03/01/2000	3.51	3.03	0.48	0.00	0.00	-	-	-	-	68	1.57	<0.5	<0.5	<0.5	110	-	-	-	-	-	-
MW-2	06/19/2000	3.51	4.17	-0.66	0.00	0.00	-	-	-	-	58.00[1]	1.5	<0.50	<0.50	<0.50	90	59[2]	<500	<100	<2.0	<2.0	4.0
MW-2	09/30/2000	3.51	4.66	-1.15	0.00	0.00	-	-	-	-	<50	<0.50	0.82	<0.50	1.1	48	50[2]	-	-	-	-	-
MW-2	10/05/2000[8,9]	3.51	4.71	-1.20	0.00	0.00	-	-	4,000[7]	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/08/2000	9.52	4.97	4.55	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	61.8	-	-	-	-	-	-
MW-2	03/03/2001[11]	9.52	3.27	6.25	0.00	0.00	-	-	-	-	310[12]	0.60	<0.50	<0.50	1.3	97	-	-	-	-	-	-
MW-2	06/19/2001	9.52	4.05	5.47	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	30	-	-	-	-	-	-
MW-2	09/05/2001	9.52	4.54	4.98	0.00	0.00	-	-	-	-	<50	<0.50	1.2	<0.50	<1.5	46	-	-	-	-	-	-
MW-2	12/10/2001	9.52	3.45	6.07	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	22	-	-	-	-	-	-
MW-2	03/04/2002	9.52	3.94	5.58	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	61	-	-	-	-	-	-
MW-2	06/03/2002	9.52	4.08	5.44	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	71	-	-	-	-	-	-
MW-2	09/14/2002	9.52	4.65	4.87	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	77	-	-	-	-	-	-
MW-2	12/13/2002	9.52	4.31	5.21	0.00	0.00	-	-	-	-	53	<0.50	<0.50	<0.50	<1.5	44	-	-	-	-	-	-
MW-2	03/14/2003	9.52	3.91	5.61	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	55	-	-	-	-	-	-
MW-2	06/09/2003[13]	9.52	4.33	5.19	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	67	-	-	-	-	-
MW-2	09/03/2003[13]	9.52	4.93	4.59	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.9	<50	-	-	-	-
MW-2	12/01/2003[13]	9.52	4.15	5.37	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	72	<50	-	-	-	-
MW-2	03/01/2004[13]	9.52	3.12	6.40	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-
MW-2	06/02/2004[13]	9.52	4.21	5.31	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	46	<50	-	-	-	-
MW-2	09/03/2004[13]	9.52	4.14	5.38	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	69	<50	-	-	-	-
MW-2	12/20/2004	9.52	4.60	4.96**	0.05	0.01[14]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/12/2005[13]	9.52	3.90	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	57	<50	-	-	-	-
MW-2	06/28/2005[13]	9.52	4.06	5.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-2	09/01/2005	9.52	4.52	5.03**	0.04	1.10[14]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/01/2005[13]	9.52	4.01	5.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-
MW-2	03/04/2006[13]	9.52	4.27	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-
MW-2	06/01/2006[13]	9.52	4.40	5.12	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-
MW-2	09/01/2006[13]	9.52	3.90	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	31	<50	-	-	-	-
MW-2	12/15/2006[13]	9.52	3.88	5.64	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-
MW-2	03/15/2007[13]	9.52	4.27	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-
MW-2	06/15/2007[16]	9.52	4.49	5.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/06/2007[13]	9.52	4.32	5.20	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	43	<50	-	-	-	-
MW-2	12/07/2007[13]	9.52	4.46	5.06	0.00	0.00	-	-	-	-	<250[17]	<0.5	<0.5	<0.5	<0.5	-	28	<50	-	-	-	-
MW-2	03/07/2008[13]	9.52	4.38	5.15**	0.01	0.01	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-
MW-2	06/24/2008	9.52	5.16	4.88**	0.65	0.73[14]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/11/2008	9.52	5.50	4.30**	0.35	0.13[14]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/19/2008	9.52	4.80	4.75**	0.04	0.50[18]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/01/2009	9.52	4.90	4.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/30/2009	9.52	4.82	4.70**	0.09	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/10/2009	9.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/11/2009	9.52	4.89	4.63**	0.10	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/08/2010	9.52	3.82	5.74**	0.05	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/06/2010	9.52	4.52	5.06**	0.07	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/02/2010[22]	9.52	4.89	4.67**	0.05	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/09/2010[22]	9.52	3.74	5.82**	0.05	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/23/2011[22]	9.52	3.38	8.81**	0.04	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/24/2011[22]	9.52	4.08	5.48**	0.05	0.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/30/2011[22]	9.52	4.76	4.81**	0.06	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/16/2012[22]	9.52	4.64	4.96**	0.10	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	**09/13/2012[22]**	**9.52**	**4.66**	**4.94****	**0.10**	**0.00**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-3	10/17/1995[5]	3.08	4.42	-1.34	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
MW-3	03/29/1996	3.08	3.00	0.08	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	26	-	-	-	-	-	-
MW-3	06/26/1996	3.08	3.60	-0.52	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	47	-	-	-	-	-	-
MW-3	09/25/1996	3.08	4.14	-1.06	0.00	0.00	-	-	-	-	<125	<1.2	<1.2	<1.2	<1.2	570	-	-	-	-	-	-
MW-3	12/17/1996	3.08	3.20	-0.12	0.00	0.00	-	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	680	-	-	-	-	-	-
MW-3	03/20/1997	3.08	3.30	-0.22	0.00	0.00	-	-	-	-	<50	<5.7	<5.7	<5.7	<5.7	430	-	-	-	-	-	-
MW-3	06/20/1997	3.08	3.86	-0.78	0.00	0.00	-	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	1,400	-	-	-	-	-	-
MW-3	09/09/1997	3.08	4.19	-1.11	0.00	0.00	-	-	-	-	76[4]	22	<0.5	<0.5	<0.5	920	-	-	-	-	-	-
MW-3	12/12/1997	3.08	2.96	0.12	0.00	0.00	-	-	-	-	52	15	<0.5	<0.5	<0.5	710	-	-	-	-	-	-
MW-3	02/19/1998	3.08	2.22	0.86	0.00	0.00	-	-	-	-	<50	6.6	<0.5	<0.5	<0.5	380	-	-	-	-	-	-
MW-3	06/23/1998	3.08	3.25	-0.17	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	390	-	<5,000	<1,000	<20	<20	26
MW-3	08/31/1998	3.08	3.86	-0.78	0.00	0.00	-	-	-	-	<50	19	<0.5	<0.5	<0.5	830	-	-	-	-	-	-
MW-3	12/29/1998	3.08	3.53	-0.45	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	416	-	-	-	-	-	-
MW-3	03/11/1999	3.08	3.35	-0.27	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	262	-	-	-	-	-	-
MW-3	06/24/1999	3.08	3.61	-0.53	0.00	0.00	-	-	-	-	<50	12.8	<0.5	<0.5	<0.5	620	-	<6,670	<1,330	<13.3	<13.3	<13.3
MW-3	09/29/1999	3.08	3.95	-0.87	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	2,840	-	-	-	-	-	-
MW-3	12/08/1999	3.08	3.54	-0.46	0.00	0.00	-	-	-	-	73.4	<0.5	<0.5	<0.5	<0.5	1,620	-	-	-	-	-	-
MW-3	03/01/2000	3.08	2.43	0.65	0.00	0.00	-	-	-	-	<200	<2.0	<2.0	<2.0	<2.0	1,880	-	-	-	-	-	-
MW-3	06/19/2000	3.08	3.38	-0.30	0.00	0.00	-	-	-	-	<250	20	<2.5	<2.5	<2.5	1,200	920[2]	570	<100	<2.0	<2.0	65
MW-3	09/30/2000	3.08	4.00	-0.92	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	730	2,100[2]	-	-	-	-	-
MW-3	10/05/2000	3.08	4.02	-0.94	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	12/08/2000	9.08	3.70	5.38	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	1,620	-	-	-	-	-	-
MW-3	03/03/2001[11]	9.08	2.24	6.84	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	1,000	-	-	-	-	-	-
MW-3	06/19/2001	9.08	3.71	5.37	0.00	0.00	-	-	-	-	<120	4.8	<1.2	<1.2	<1.2	510	-	-	-	-	-	-
MW-3	09/05/2001	9.08	4.04	5.04	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	1,400	-	-	-	-	-	-
MW-3	12/10/2001	9.08	2.54	6.54	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	1,000	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-3	03/04/2002	9.08	2.84	6.24	0.00	0.00	-	-	-	-	120	<0.50	<0.50	<0.50	<1.5	720	-	-	-	-	-	-
MW-3	06/03/2002	9.08	3.28	5.80	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	710	-	-	-	-	-	-
MW-3	09/14/2002	9.08	4.15	4.93	0.00	0.00	-	-	-	-	590	<20	<1.0	<1.0	<3.0	2,600	-	-	-	-	-	-
MW-3	12/13/2002	9.08	3.85	5.23	0.00	0.00	-	-	-	-	430	<0.50	<0.50	<0.50	<1.5	2,000	-	-	-	-	-	-
MW-3	03/14/2003	9.08	2.99	6.09	0.00	0.00	-	-	-	-	310	<0.50	<0.50	<0.50	<1.5	1,600	-	-	-	-	-	-
MW-3	06/09/2003[13]	9.08	3.34	5.74	0.00	0.00	-	-	-	-	330	<0.5	<0.5	<0.5	<0.5	-	1,800	-	-	-	-	-
MW-3	09/03/2003[13]	9.08	3.97	5.11	0.00	0.00	-	-	-	-	720	<3	<3	<3	<3	-	4,100	<250	-	-	-	-
MW-3	12/01/2003[13]	9.08	3.76	5.32	0.00	0.00	-	-	-	-	520	<1	<1	<1	<1	-	2,400	<130	-	-	-	-
MW-3	03/01/2004[13]	9.08	2.11	6.97	0.00	0.00	-	-	-	-	140	<0.5	<0.5	<0.5	<0.5	-	850	<50	-	-	-	-
MW-3	06/02/2004[13]	9.08	3.65	5.43	0.00	0.00	-	-	-	-	220	<0.5	<0.5	<0.5	<0.5	-	1,500	<50	-	-	-	-
MW-3	09/03/2004[13]	9.08	5.01	4.07	0.00	0.00	-	-	-	-	300	<1	<1	<1	<1	-	1,800	<100	-	-	-	-
MW-3	12/20/2004[13]	9.08	4.85	4.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	86	<50	-	-	-	-
MW-3	03/12/2005[13]	9.08	4.39	4.69	0.00	0.00	-	-	-	-	<50	0.6	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-
MW-3	06/28/2005[13]	9.08	4.56	4.52	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-
MW-3	09/01/2005[13]	9.08	4.67	4.41	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	47	<50	-	-	-	-
MW-3	12/01/2005[13]	9.08	4.43	4.65	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-
MW-3	03/04/2006[13]	9.08	4.32	4.76	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	36	<50	-	-	-	-
MW-3	06/01/2006[13]	9.08	4.52	4.56	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-
MW-3	09/01/2006[13]	9.08	4.66	4.42	0.00	0.00	-	-	-	-	75	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-
MW-3	12/15/2006[13]	9.08	4.07	5.01	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-
MW-3	03/15/2007[13]	9.08	4.26	4.82	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	24	<50	-	-	-	-
MW-3	06/15/2007[13]	9.08	4.62	4.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-3	09/06/2007[13]	9.08	4.70	4.38	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-
MW-3	12/07/2007[13]	9.08	4.60	4.48	0.00	0.00	-	-	-	-	<250[17]	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-
MW-3	03/07/2008[13]	9.08	4.31	4.77	0.00	0.00	-	-	-	-	51	<0.5	<0.5	<0.5	<0.5	-	20	<50	-	-	-	-
MW-3	06/24/2008[13]	9.08	4.68	4.40	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	21	<50	-	-	-	-
MW-3	09/11/2008[13]	9.08	5.02	4.06	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-3	12/19/2008[13]	9.08	4.67	4.41	0.00	0.00	-	-	-	-	59	<0.5	<0.5	<0.5	0.9	-	21	<50	-	-	-	-
MW-3	06/01/2009	9.08	4.48	4.60	0.00	0.00	-	-	-	-	60 J	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-
MW-3	09/30/2009	9.08	3.98	5.10	0.00	0.00	-	-	-	-	72 J	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-
MW-3	12/10/2009	9.08	4.95	4.13	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	12/11/2009	9.08	4.60	4.48	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/08/2010	9.08	3.70	5.38	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	32	<50	-	-	-	-
MW-3	06/06/2010	9.08	4.37	4.71	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/02/2010	9.08	4.82	4.26	0.00	0.00	240	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-
MW-3	12/09/2010[23]	9.08	3.82	5.26	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/23/2011	9.08	3.25	5.83	0.00	0.00	4,600	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-
MW-3	06/24/2011	9.08	4.37	4.71	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/30/2011	9.08	5.07	4.01	0.00	0.00	-	<40	-	<50	<50	<5	<5	<5	<5	-	21 J	<500	2,200	<5	<5	<5
MW-3	03/16/2012	9.08	3.99	5.09	0.00	0.00	-	53 J	-	89 J	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-3	**09/13/2012**	**9.08**	**4.31**	**4.77**	**0.00**	**0.00**	**-**	**4,400**	**-**	**2,000**	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**-**	**24**	**<50**	**-**	**-**	**-**	**-**
MW-4	10/17/1995	3.48	5.08	-1.60	0.00	0.00	-	-	-	-	<125	<1.2	<1.2	<1.2	<1.2	-	-	-	-	-	-	-
MW-4	03/29/1996	3.48	4.61	-1.13	0.00	0.00	-	-	-	-	<1,000	<10	<10	<10	<10	6,700	-	-	-	-	-	-
MW-4	06/26/1996	3.48	4.30	-0.82	0.00	0.00	-	-	-	-	<2,000	<20	<20	<20	<20	7,200	-	-	-	-	-	-
MW-4	09/25/1996	3.48	5.33	-1.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
MW-4	12/17/1996	3.48	2.81	0.67	0.00	0.00	-	-	-	-	<2,000	120	<20	<20	<20	11,000	-	-	-	-	-	-
MW-4	03/20/1997	3.48	4.50	-1.02	0.00	0.00	-	-	-	-	250[4]	<2.0	<2.0	<2.0	<2.0	10,000	8,600[6]	-	-	-	-	-
MW-4	06/20/1997	3.48	5.68	-2.20	0.00	0.00	-	-	-	-	<2,500	<25	<25	<25	<25	9,300	-	-	-	-	-	-
MW-4	09/09/1997	3.48	5.50	-2.02	0.00	0.00	-	-	-	-	460[4]	<0.5	<0.5	<0.5	<0.5	6,600	-	-	-	-	-	-
MW-4	12/12/1997	3.48	5.03	-1.55	0.00	0.00	-	-	-	-	430[4]	120	<2.5	<2.5	<2.5	7,800	-	-	-	-	-	-
MW-4	02/19/1998	3.48	3.35	0.13	0.00	0.00	-	-	-	-	510[4]	130	<0.5	<0.5	<0.5	6,600	-	-	-	-	-	-
MW-4	06/23/1998	3.48	4.98	-1.50	0.00	0.00	-	-	-	-	550[4]	<0.5	<0.5	<0.5	<0.5	6,800	-	<50,000	<10,000	<200	<200	860
MW-4	08/31/1998	3.48	5.42	-1.94	0.00	0.00	-	-	-	-	<500	450	<5.0	<5.0	<5.0	14,000	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-4	12/29/1998	3.48	5.06	-1.58	0.00	0.00	-	-	-	-	<5,000	<50	<50	<50	<50	16,100	-	-	-	-	-	-
MW-4	03/11/1999	3.48	3.78	-0.30	0.00	0.00	-	-	-	-	979	<5.0	<5.0	<5.0	<5.0	15,100	-	-	-	-	-	-
MW-4	06/24/1999	3.48	4.31	-0.83	0.00	0.00	-	-	-	-	<2,500	715	<25	<25	<25	12,400	-	<125,000	<25,000	<250	<250	2,600
MW-4	09/29/1999	3.48	5.58	-2.10	0.00	0.00	-	-	-	-	1,380	<5.0	<5.0	<5.0	<5.0	11,700	-	-	-	-	-	-
MW-4	12/08/1999	3.48	5.33	-1.85	0.00	0.00	-	-	-	-	318	<0.5	<0.5	<0.5	<0.5	11,100	-	-	-	-	-	-
MW-4	03/01/2000	3.48	5.20	-1.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	9,940	-	-	-	-	-	-
MW-4	06/19/2000	3.48	5.36	-1.88	0.00	0.00	-	-	-	-	<1,000	220	<10	<10	<10	7,300	9,500[2]	<25,000	<5,000	<100	<100	1,100
MW-4	09/30/2000	3.48	3.77	-0.29	0.00	0.00	-	-	-	-	740[1]	<2.5	<2.5	<2.5	<2.5	6,000	7,800[2]	-	-	-	-	-
MW-4	10/05/2000	3.48	3.86	-0.38	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	12/08/2000	9.48	4.45	5.03	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	6,230	-	-	-	-	-	-
MW-4	03/03/2001[11]	9.48	3.83	5.65	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	3,600	-	-	-	-	-	-
MW-4	06/19/2001	9.48	3.37	6.11	0.00	0.00	-	-	-	-	<500	140	<5.0	<5.0	<5.0	2,500	-	-	-	-	-	-
MW-4	09/05/2001	9.48	3.96	5.52	0.00	0.00	-	-	-	-	400	<0.50	<0.50	<0.50	<1.5	2,800	-	-	-	-	-	-
MW-4	12/10/2001	9.48	5.05	4.43	0.00	0.00	-	-	-	-	700	<0.50	<0.50	<0.50	<1.5	3,400	-	-	-	-	-	-
MW-4	03/04/2002	9.48	3.67	5.81	0.00	0.00	-	-	-	-	660	<0.50	<0.50	<0.50	<1.5	2,900	-	-	-	-	-	-
MW-4	06/03/2002	9.48	5.24	4.24	0.00	0.00	-	-	-	-	610	<0.50	<0.50	<0.50	<1.5	3,000	-	-	-	-	-	-
MW-4	09/14/2002	9.48	5.22	4.26	0.00	0.00	-	-	-	-	490	<10	<1.0	<1.0	<3.0	2,400	-	-	-	-	-	-
MW-4	12/13/2002	9.48	4.67	4.81	0.00	0.00	-	-	-	-	440	<0.50	<0.50	<0.50	<1.5	2,200	-	-	-	-	-	-
MW-4	03/14/2003	9.48	4.64	4.84	0.00	0.00	-	-	-	-	490	<0.50	<0.50	<0.50	<1.5	2,600	-	-	-	-	-	-
MW-4	06/09/2003[13]	9.48	5.03	4.45	0.00	0.00	-	-	-	-	340	<0.5	<0.5	<0.5	<0.5	-	1,700	-	-	-	-	-
MW-4	09/03/2003[13]	9.48	5.65	3.83	0.00	0.00	-	-	-	-	320	<1	<1	<1	<1	-	1,600	<130	-	-	-	-
MW-4	12/01/2003[13]	9.48	4.97	4.51	0.00	0.00	-	-	-	-	350	<1	<1	<1	<1	-	1,700	<100	-	-	-	-
MW-4	03/01/2004[13]	9.48	4.68	4.80	0.00	0.00	-	-	-	-	240	<0.5	<0.5	<0.5	<0.5	-	1,200	<50	-	-	-	-
MW-4	06/02/2004[13]	9.48	4.93	4.55	0.00	0.00	-	-	-	-	240	<0.5	<0.5	<0.5	<0.5	-	1,600	<50	-	-	-	-
MW-4	09/03/2004[13]	9.48	4.99	4.49	0.00	0.00	-	-	-	-	270	<1	<1	<1	<1	-	1,500	<100	-	-	-	-
MW-4	12/20/2004[13]	9.48	4.18	5.30	0.00	0.00	-	-	-	-	230	<3	<3	<3	<3	-	1,900	<250	-	-	-	-
MW-4	03/12/2005[13]	9.48	5.32	4.16	0.00	0.00	-	-	-	-	180	<1	<1	<1	<1	-	1,200	<100	-	-	-	-

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-4	06/28/2005[13]	9.48	5.26	4.22	0.00	0.00	-	-	-	-	180	<0.5	<0.5	<0.5	<0.5	-	920	<50	-	-	-	-
MW-4	09/01/2005[13]	9.48	4.91	4.57	0.00	0.00	-	-	-	-	250	<1	<1	<1	<1	-	1,500	<100	-	-	-	-
MW-4	12/01/2005[13]	9.48	4.88	4.60	0.00	0.00	-	-	-	-	61	<0.5	<0.5	<0.5	<0.5	-	260	<50	-	-	-	-
MW-4	03/04/2006[13]	9.48	5.02	4.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	80	<50	-	-	-	-
MW-4	06/01/2006[13]	9.48	4.23	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	51	<50	-	-	-	-
MW-4	09/01/2006[13]	9.48	5.36	4.12	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-
MW-4	12/15/2006[13]	9.48	4.94	4.54	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-
MW-4	03/15/2007[13]	9.48	5.02	4.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-4	06/15/2007[13]	9.48	5.00	4.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-
MW-4	09/06/2007[13]	9.48	4.97	4.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-
MW-4	12/07/2007[13]	9.48	4.51	4.97	0.00	0.00	-	-	-	-	<250[17]	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-
MW-4	03/07/2008[13]	9.48	4.85	4.63	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-
MW-4	06/24/2008[13]	9.48	3.73	5.75	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-
MW-4	09/11/2008[13]	9.48	5.71	3.77	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	34	<50	-	-	-	-
MW-4	12/19/2008[13]	9.48	4.89	4.59	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	33	<50	-	-	-	-
MW-4	06/01/2009	9.48	4.45	5.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-
MW-4	09/30/2009	9.48	4.37	5.11	0.00	0.00	-	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-
MW-4	12/10/2009	9.48	9.04	0.44	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	33	<50	-	-	-	-
MW-4	03/08/2010	9.48	4.93	4.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	30	<50	-	-	-	-
MW-4	06/06/2010	9.48	4.60	4.88	0.00	0.00	400	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	21	<50	-	-	-	-
MW-4	09/02/2010	9.48	5.00	4.48	0.00	0.00	500	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-
MW-4	12/09/2010	9.48	4.91	4.57	0.00	0.00	370	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	48	<50	-	-	-	-
MW-4	03/23/2011	9.48	5.12	4.36	0.00	0.00	500	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-
MW-4	06/24/2011	9.48	5.33	4.15	0.00	0.00	-	94 J	-	90 J	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-
MW-4	09/30/2011	9.48	5.31	4.17	0.00	0.00	-	<39	-	<50	<50	<5	<5	<5	<5	-	13 J	<500	680 J	<5	<5	<5
MW-4	03/16/2012	9.48	4.45	5.03	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-4	**09/13/2012**	**9.48**	**5.00**	**4.48**	**0.00**	**0.00**	**-**	**260**	**-**	**<50**	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**-**	**31**	**<50**	**-**	**-**	**-**	**-**

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-5	10/23/2000[10]	8.77	4.59	4.18	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	4.34	-	<1,000	<100	<2.00	<2.00	<2.00
MW-5	12/08/2000	8.77	3.43	5.34	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	11.0	-	-	-	-	-	-
MW-5	03/03/2001[11]	8.77	2.40	6.37	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	24	-	-	-	-	-	-
MW-5	06/19/2001	8.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/05/2001	8.77	3.75	5.02	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	31	-	-	-	-	-	-
MW-5	12/10/2001	8.77	2.79	5.98	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	45	-	-	-	-	-	-
MW-5	03/04/2002	8.77	2.52	6.25	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	29	-	-	-	-	-	-
MW-5	06/03/2002	8.77	3.20	5.57	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	40	-	-	-	-	-	-
MW-5	09/14/2002	8.77	3.85	4.92	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	92	-	-	-	-	-	-
MW-5	12/13/2002	8.77	3.45	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	32	-	-	-	-	-	-
MW-5	03/14/2003	8.77	2.95	5.82	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	71	-	-	-	-	-	-
MW-5	06/09/2003[13]	8.77	3.19	5.58	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	79	-	-	-	-	-
MW-5	09/03/2003[13]	8.77	3.79	4.98	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-
MW-5	12/01/2003[13]	8.77	3.34	5.43	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	52	<50	-	-	-	-
MW-5	03/01/2004[13]	8.77	2.48	6.29	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	120	<50	-	-	-	-
MW-5	06/02/2004[13]	8.77	3.11	5.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-
MW-5	09/03/2004[13]	8.77	5.11	3.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	80	<50	-	-	-	-
MW-5	12/20/2004[13]	8.77	5.10	3.67	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	62	<50	-	-	-	-
MW-5	03/12/2005[13]	8.77	4.71	4.06	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	58	<50	-	-	-	-
MW-5	06/28/2005[13]	8.77	4.93	3.84	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	64	<50	-	-	-	-
MW-5	09/01/2005[13]	8.77	4.92	3.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	61	<50	-	-	-	-
MW-5	12/01/2005[13]	8.77	4.81	3.96	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	50	<50	-	-	-	-
MW-5	03/04/2006[13]	8.77	4.78	3.99	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	49	<50	-	-	-	-
MW-5	06/01/2006[13]	8.77	4.89	3.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	38	<50	-	-	-	-
MW-5	09/01/2006[13]	8.77	4.94	3.83	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	32	<50	-	-	-	-
MW-5	12/15/2006[13]	8.77	4.68	4.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	26	<50	-	-	-	-

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-5	03/15/2007[13]	8.77	4.88	3.89	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-
MW-5	06/15/2007[13]	8.77	4.87	3.90	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-
MW-5	09/06/2007[13]	8.77	4.77	4.00	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-
MW-5	12/07/2007[13]	8.77	4.99	3.78	0.00	0.00	-	-	-	-	<250[17]	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-
MW-5	03/07/2008[13]	8.77	4.89	3.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-5	06/24/2008[13]	8.77	5.12	3.65	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-5	09/11/2008[13]	8.77	5.21	3.56	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-5	12/19/2008[13]	8.77	4.98	3.79	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-
MW-5	06/01/2009	8.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/30/2009	8.77	3.45	5.32	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-
MW-5	12/10/2009	8.77	4.76	4.01	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/06/2010	8.77	4.93	3.84	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/02/2010	8.77	5.30	3.47	0.00	0.00	190	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	12	<50	-	-	-	-
MW-5	12/09/2010[23,24]	8.77	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/23/2011	8.77	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/24/2011	8.77	4.88	3.89	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/30/2011	8.77	5.22	3.55	0.00	0.00	-	43 J	-	<50	<50	<5	<5	<5	<5	-	8 J	<500	<50	<5	<5	<5
MW-5	03/16/2012	8.77	4.73	4.04	0.00	0.00	-	-	-	58 J	<50	<0.5	<0.5	<0.5	<0.5	-	5	<50	-	-	-	-
MW-5	**09/13/2012**	**8.77**	**4.90**	**3.87**	**0.00**	**0.00**	**-**	**-**	**-**	**-**	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**-**	**6**	**<50**	**-**	**-**	**-**	**-**
MW-6	10/23/2000[10]	11.45	7.15	4.30	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	5.96	-	<1,000	<100	<2.00	<2.00	<2.00
MW-6	12/08/2000	11.45	6.84	4.61	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	8.80	-	-	-	-	-	-
MW-6	03/03/2001[11]	11.45	6.13	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	9.0	-	-	-	-	-	-
MW-6	06/19/2001	11.45	5.80	5.65	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-
MW-6	09/05/2001	11.45	5.16	6.29	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-6	12/10/2001	11.45	4.81	6.64	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-6	03/04/2002	11.45	4.16	7.29	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-6	06/03/2002	11.45	5.71	5.74	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-6	09/14/2002	11.45	6.65	4.80	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-6	12/13/2002	11.45	6.39	5.06	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-6	03/14/2003	11.45	6.47	4.98	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-6	06/09/2003[13]	11.45	6.78	4.67	0.00	0.00	-	-	-	-	<50	<0.5	0.7	<0.5	<0.5	-	1	-	-	-	-	-
MW-6	09/03/2003[13]	11.45	7.08	4.37	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.8	<50	-	-	-	-
MW-6	12/01/2003[13]	11.45	3.57	7.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	03/01/2004[13]	11.45	3.18	8.27	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-
MW-6	06/02/2004[13]	11.45	3.50	7.95	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	09/03/2004[13]	11.45	2.17	9.28	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-
MW-6	12/20/2004[13]	11.45	6.03	5.42	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-
MW-6	03/12/2005[13]	11.45	5.05	6.40	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	06/28/2005[13]	11.45	2.36	9.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	09/01/2005[13]	11.45	2.87	8.58	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-6	12/01/2005[13]	11.45	2.90	8.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	03/04/2006[13]	11.45	3.71	7.74	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	06/01/2006[13]	11.45	2.57	8.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	09/01/2006[13]	11.45	2.36	9.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-6	12/15/2006[13]	11.45	3.16	8.29	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	03/15/2007[13]	11.45	2.42	9.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	06/15/2007[13]	11.45	3.32	8.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	09/06/2007[13]	11.45	5.41	6.04	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-
MW-6	12/07/2007[13]	11.45	5.94	5.51	0.00	0.00	-	-	-	-	<250[17]	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-6	03/07/2008[13]	11.45	6.22	5.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	06/24/2008[13]	11.45	2.48	8.97	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	09/11/2008[13]	11.45	2.57	8.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-
MW-6	12/19/2008[13]	11.45	3.67	7.78	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-6	06/01/2009	11.45	5.32	6.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.9 J	<50	-	-	-	-
MW-6	09/30/2009	11.45	5.32	6.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-
MW-6	12/10/2009	11.45	2.54	8.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/08/2010	11.45	3.30	8.15	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-
MW-6	06/06/2010	11.45	2.42	9.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/02/2010	11.45	3.03	8.42	0.00	0.00	110 J	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-6	12/09/2010[23]	11.45	2.34	9.11	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/23/2011	11.45	2.62	8.83	0.00	0.00	180	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-
MW-6	06/24/2011	11.45	5.11	6.34	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/30/2011	11.45	3.86	7.59	0.00	0.00	-	51 J	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	4 J	<50	<5	<0.5	<0.5	0.6 J
MW-6	03/16/2012 [26]	11.45	3.69	7.76	0.00	0.00	-	190/66 J	-	78 J/<50	<50/<50	<0.5/<0.5	<0.5/<0.5	<0.5/<0.5	<0.5/<0.5	-	3/<0.5	<50/<50	-	-	-	-
MW-6	**09/13/2012**	**11.45**	**4.31**	**7.14**	**0.00**	**0.00**	**-**	**180**	**-**	**180**	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**-**	**6**	**<50**	**-**	**-**	**-**	**-**
MW-7	10/23/2000[10]	10.58	6.25	4.33	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	1,210	-	<6,670	<667	13.3	13.3	199
MW-7	12/08/2000	10.58	7.23	3.35	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	338	-	-	-	-	-	-
MW-7	03/03/2001[11]	10.58	6.27	4.31	0.00	0.00	-	-	-	-	72[12]	<0.50	<0.50	<0.50	<0.50	460	-	-	-	-	-	-
MW-7	06/19/2001	10.58	5.82	4.76	0.00	0.00	-	-	-	-	110[1]	18	<0.50	<0.50	<0.50	440	-	-	-	-	-	-
MW-7	09/05/2001	10.58	6.54	4.04	0.00	0.00	-	-	-	-	180	<0.50	<0.50	<0.50	<1.5	640	-	-	-	-	-	-
MW-7	12/10/2001	10.58	5.54	5.04	0.00	0.00	-	-	-	-	110	<0.50	<0.50	<0.50	<1.5	390	-	-	-	-	-	-
MW-7	03/04/2002	10.58	6.90	3.68	0.00	0.00	-	-	-	-	220	1.1	<0.50	3.0	<1.5	460	-	-	-	-	-	-
MW-7	06/03/2002	10.58	5.64	4.94	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	350	-	-	-	-	-	-
MW-7	09/14/2002	10.58	7.03	3.55	0.00	0.00	-	-	-	-	120	<2.0	<0.50	<0.50	<1.5	340	-	-	-	-	-	-
MW-7	12/13/2002	10.58	5.59	4.99	0.00	0.00	-	-	-	-	57	<0.50	<0.50	<0.50	<1.5	150	-	-	-	-	-	-
MW-7	03/14/2003	10.58	5.98	4.60	0.00	0.00	-	-	-	-	77	<0.50	<0.50	<0.50	<1.5	240	-	-	-	-	-	-
MW-7	06/09/2003[13]	10.58	6.26	4.32	0.00	0.00	-	-	-	-	79	<0.5	<0.5	<0.5	<0.5	-	210	-	-	-	-	-
MW-7	09/03/2003[13]	10.58	6.86	3.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.8	<50	-	-	-	-
MW-7	12/01/2003[13]	10.58	5.47	5.11	0.00	0.00	-	-	-	-	58	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-7	03/01/2004[13]	10.58	5.98	4.60	0.00	0.00	-	-	-	-	71	<0.5	<0.5	<0.5	<0.5	-	180	<50	-	-	-	-
MW-7	06/02/2004[13]	10.58	4.81	5.77	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	87	<50	-	-	-	-
MW-7	09/03/2004[13]	10.58	6.42	4.16	0.00	0.00	-	-	-	-	55	<0.5	<0.5	<0.5	<0.5	-	140	<50	-	-	-	-
MW-7	12/20/2004[13]	10.58	6.22	4.36	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-
MW-7	03/12/2005[13]	10.58	5.79	4.79	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-
MW-7	06/28/2005[13]	10.58	4.62	5.96	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	30	<50	-	-	-	-
MW-7	09/01/2005[13]	10.58	4.78	5.80	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	70	<50	-	-	-	-
MW-7	12/01/2005[13]	10.58	4.01	6.57	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-
MW-7	03/04/2006[13]	10.58	5.89	4.69	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	49	<50	-	-	-	-
MW-7	06/01/2006[13]	10.58	5.10	5.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-
MW-7	09/01/2006[13]	10.58	5.31	5.27	0.00	0.00	-	-	-	-	<50	0.5	5	<0.5	5	-	17	<50	-	-	-	-
MW-7	12/15/2006[13]	10.58	5.89	4.69	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	20	<50	-	-	-	-
MW-7	03/15/2007[13]	10.58	5.67	4.91	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-
MW-7	06/15/2007[13]	10.58	5.05	5.53	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	12	<50	-	-	-	-
MW-7	09/06/2007[13]	10.58	5.42	5.16	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-
MW-7	12/07/2007[13]	10.58	5.38	5.20	0.00	0.00	-	-	-	-	<250[17]	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-
MW-7	03/07/2008[13]	10.58	5.54	5.04	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-
MW-7	06/24/2008[13]	10.58	6.10	4.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-
MW-7	09/11/2008[13]	10.58	6.86	3.72	0.00	0.00	-	-	-	-	99	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-
MW-7	12/19/2008[13]	10.58	6.54	4.04	0.00	0.00	-	-	-	-	<50	<0.5	0.7	<0.5	1	-	9	<50	-	-	-	-
MW-7	06/01/2009	10.58	4.10	6.48	0.00	0.00	-	-	-	-	70 J	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-
MW-7	09/30/2009	10.58	3.11	7.47	0.00	0.00	-	-	-	-	110	<0.5	<0.5	<0.5	<0.5	-	11	<50	-	-	-	-
MW-7	12/10/2009	10.58	6.93	3.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/08/2010	10.58	5.70	4.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-
MW-7	06/06/2010	10.58	5.56	5.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/02/2010	10.58	5.87	4.71	0.00	0.00	390	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-
MW-7	12/09/2010[23]	10.58	5.44	5.14	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
MW-7	03/23/2011	10.58	4.64	5.94	0.00	0.00	480	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-
MW-7	06/24/2011	10.58	5.70	4.88	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/30/2011	10.58	6.60	3.98	0.00	0.00	-	48 J	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	81	<0.5	<0.5	0.7 J
MW-7	03/16/2012	10.58	5.93	4.65	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	5	<50	-	-	-	-
MW-7	**09/13/2012**	**10.58**	**6.16**	**4.42**	**0.00**	**0.00**	**-**	**54 J**	**-**	**<50**	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**-**	**3**	**<50**	**-**	**-**	**-**	**-**
QA	12/10/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	03/04/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	06/03/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	09/14/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	12/13/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	03/14/2003	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	06/09/2003[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/03/2003[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/01/2003[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/01/2004[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/02/2004[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/03/2004[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/20/2004[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/12/2005[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/28/2005[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/01/2005[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	315[15]	<0.5	215[15]	-	<0.5	-	-	-	-	-
QA	12/01/2005[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/04/2006[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/01/2006[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/01/2006[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/15/2006[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					*PRIMARY VOCS*						*ADDITIONAL VOCS*				
Location	Date	*TOC*	*DTW*	*GWE*	*LNAPLT*	*LNAPL REMOVED*	*Motor Oil*	*Motor Oil w/ Si Gel*	*TPH-DRO*	*TPH-DRO w/ Si Gel*	*TPH-GRO*	*B*	*T*	*E*	*X*	*MTBE*	*MTBE by SW8260*	*Ethanol*	*TBA*	*DIPE*	*ETBE*	*TAME*
	Units	*ft*	*ft*	*ft-amsl*	*ft*	*gal*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*	*µg/L*
QA	03/15/2007[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/15/2007[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/06/2007[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/07/2007[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/07/2008[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/24/2008[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/11/2008[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/19/2008[13]	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/01/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/30/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/10/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/08/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/06/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/02/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/09/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/23/2011	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/24/2011	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/30/2011	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/16/2012	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	**09/13/2012**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**<50**	**<0.5**	**<0.5**	**<0.5**	**<0.5**	**-**	**<0.5**	**-**	**-**	**-**	**-**	**-**
Trip Blank	03/29/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
Trip Blank	06/26/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	09/25/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	12/17/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	03/20/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	06/20/1997	-	-	-	-	-	-	-	-	-	<50	<2.0	<2.0	<2.0	<2.0	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					PRIMARY VOCS						ADDITIONAL VOCS				
Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	09/09/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	12/12/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	02/19/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	06/23/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	08/31/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	12/29/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0	-	-	-	-	-	-
Trip Blank	03/11/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-
Trip Blank	06/24/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-
Trip Blank	09/29/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	12/08/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-
Trip Blank	03/01/2000	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	06/19/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-
Trip Blank	09/30/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-
Trip Blank	10/05/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-
Trip Blank	12/08/2000	-	-	-	-	-	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	-	-	-	-	-	-
Trip Blank	03/03/2001[11]	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-
Trip Blank	06/19/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-
Trip Blank	09/05/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-

Abbreviations and Notes:

TOC = Top of casing.

DTW = Depth to water.

GWE = Groundwater Elevation.

LNAPLT = Light non-aqueous phase liquid thickness.

TPH-DRO = Total petroleum hydrocarbons - diesel range organics.

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics.

VOCS = Volatile Organic Compounds

BTEX = Benzene, toluene, ethylbenzene, xylenes.

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					PRIMARY VOCS						ADDITIONAL VOCS				
Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

MTBE = Methyl tertiary butyl ether.
TBA = Tertiary butyl alcohol.
DIPE = Di-isopropyl ether.
ETBE = Ethyl tertiary butyl ether.
TAME = Tert amyl methyl ether.
Ft = Feet.
Ft-amsl = Feet above mean sea level.
Gal = Gallons.
µg/L = Micrograms per liter.
- = Not analyzed/not applicable.
<x = Not detected above laboratory method detection limit x.
J = Estimated value.

* TOC elevations were surveyed on November 15, 2000, by Virgil Chavez Land Surveying. The benchmark for the survey was the letter "O" in Oakland on an inlet in the westerly curb of Oakport Road, 150' southerly of the end of curve. (Benchmark Elevation = 7.82 feet, msl).

** GWE was corrected for the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPLT x 0.80)].

1 Laboratory report indicates gasoline C6-C12.
2 MTBE by EPA Method 8260.
3 Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane (1,1-DCA) was detected at 1.7 ppb.
4 Chromatogram pattern indicates an unidentified hydrocarbon.
5 Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.
6 Confirmation run.
7 Laboratory report indicates unidentified hydrocarbons >C16.
8 Sample analyzed for Total Metals by EPA 200 Series Methods. All Analytes were less then the reporting limit except for Nickel was detected at 0.067 ppm and Zinc was detected at 0.024 ppm.
9 Laboratory report indicates that Semi-Volatile Organic Compounds
10 Data was provided by Delta Environmental Consultants, Inc.
11 Laboratory report indicates sample was analyzed outside the EPA recommended holding time.
12 Laboratory report indicates unidentified hydrocarbons C6-C12.
13 BTEX and MTBE by EPA Method 8260.
14 LNAPL + Water removed.
15 Analytical result confirmed.
16 Probe did not detect LNAPL but was covered with product; LNAPL was confirmed with bailer.

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 91851
451 HEGENBERGER ROAD
OAKLAND, CALIFORNIA

							HYDROCARBONS					PRIMARY VOCS						ADDITIONAL VOCS				
Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

17 Laboratory report indicates due to excessive foaming of the sample, normal reporting limits were not attained.

18 Water plus 15 milliliters of product removed from well.

19 The vial submitted for volatile analysis did not have a pH<2 at the time of analysis, pH = 7.

20 Due to excessive foaming of the sample, normal reporting limits were not attained.

21 Laboratory report indicates the result reported for xylene (total) is possibly the result of carryover from the sample injected prior to this sample.
Since only one vial was submitted, a repeat analysis without headspace could not be performed to confirm the results.

22 Not sampled due to presence of LNAPL.

23 Sampled semi-annually.

24 Inaccessible - car parked over well.

25 Monitoring and sampling occurred on 06/10/2010; however, the sample collection date was incorrectly written on the COC.

26 Pre-purge / post purge samples

ATTACHMENT A

MONITORING DATA PACKAGE

BLAINE™
TECH SERVICES

September 14, 2012

Chevron Environmental Management Company
Catalina Devine
6111 Bollinger Canyon Rd.
San Ramon, CA 94583

Third Quarter 2012 Monitoring at
Chevron Service Station 91851
451 Hegenberger Rd.
Oakland, CA

Monitoring performed on September 13, 2012

Blaine Tech Services, Inc. Groundwater Monitoring Event 120913-BW1

This submission covers the routine monitoring of groundwater wells conducted on September 13, 2012 at this location. Seven monitoring wells were measured for depth to groundwater (DTW). Six monitoring wells were sampled. Well MW-2 was not sampled due to the presence of SPH. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps, or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

SAN JOSE 1680 ROGERS AVENUE SAN JOSE, CA 95112-1105 (408) 573-0555 | SACRAMENTO | LOS ANGELES FAX (408) 573-7771 | SAN DIEGO LIC. 746684 www.blainetech.com

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to Blaine Tech of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,

Dustin Becker
Blaine Tech Services, Inc.
Senior Project Manager

attachments: SOP
Well Gauging Sheet
Individual Well Monitoring Data Sheets
Chain of Custody
Wellhead Inspection Form
Bill of Lading
Calibration Log

cc: CRA
Attn: Nathan Lee
5900 Hollis St. Suite A
Emeryville, CA 94608

SAN JOSE 1680 ROGERS AVENUE SAN JOSE, CA 95112-1105 (408) 573-0555
SACRAMENTO
LOS ANGELES FAX (408) 573-7771 LIC. 746684
SAN DIEGO www.blainetech.com

BLAINE TECH SERVICES, INC.
METHODS AND PROCEDURES
FOR THE ROUTINE MONITORING OF
GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

SAMPLING PROCEDURES OVERVIEW

SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing product.

TRADITIONAL PURGING & SAMPLING

Evacuation

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

Parameter Stabilization

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

Sample Collection

All samples are collected using disposable bailers.

Sample Containers

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

Dewatered Wells

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewaters and does not immediately recharge.

Measuring Recharge

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

Dissolved Oxygen Measurements

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated

as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

Oxidation Reduction Potential Measurements (ORP)

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

LOW FLOW SAMPLING USING SAMPLE-PRO BLADDER PUMP

Calibration

Calibrate YSI Flow Cell as per manufacturer's specifications. Thoroughly rinse probe and cup between parameters. Calibration order as follows:

1. pH (use 3-point calibration of 7, 4, 10)
2. Oxygen Reduction Potential (ORP)
3. Specific Conductance
4. Dissolved Oxygen (DO) (calibrate simulating 100% oxygen saturation)

Purging & Sampling Collection

1. Insert new bladder into Sample-Pro pump housing.
2. Remove dedicated PE tubing from the well or start with new PE tubing cut to the required length.
3. Attach the PE tubing to the Sample-Pro Bladder Pump.
4. Gently lower the Sample-Pro Bladder Pump, and PE tubing into the well, placing the Sample-Pro Bladder Pump intake at the center of the screened interval. Take care to minimize disturbance to the water column.
5. Direct effluent line into YSI 556 Flow Cell.
6. Set Sample-Pro Bladder Pump speed at 100 - 500 ml/min.
7. Collect water quality parameter measurements for temperature, pH, conductivity, turbidity, DO and ORP every 3-5 minutes.
8. Monitor drawdown during purging with electronic water level meter. Record water level with each parameter measurement. MAXIMUM DRAWDOWN IS 0.33 FEET.
9. Collect parameter measurements until stability is achieved. Stability is defined as three consecutive measurements where:

Temp	± 1 ° Celsius
pH	± 0.1
Conductivity	± 3%
Turbidity	± 10% NTU
DO	± 0.3 mg/l
ORP	± 10 Mv

10. Sample may be collected once stability is achieved and at least one system volume of water removed from the well.
11. Disconnect effluent line from YSI 556 Flow Cell.
12. Sample through effluent line while maintaining constant flow rate.
13. Remove Sample-Pro Bladder Pump, and PE tubing from well.
14. Detach and reinstall dedicated PE tubing in well.

PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading or Non-Hazardous Waste Manifest to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility

TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

DUPLICATES

Duplicates, if requested, may be collected at a site.

SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label. Field documentation is contemporaneous.

DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment such as hose reels, pumps and bailers is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is

facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle.
Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

WELL GAUGING DATA

Project # 120913-BW1 Date 9/13/12 Client Chevron

Site 451 Hegenberger Rd. Oakland

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	0820	2	—	—	—	—	3.52	14.50		
MW-2	0850	2	odor	4.56	0.10	—	4.66	—		Thick SPH
MW-3	0843	2	—	—	—	—	4.31	14.58		
MW-4	0838	2	—	—	—	—	5.00	14.93		
MW-5	0834	2	—	—	—	—	4.90	7.06		
MW-6	0825	2	—	—	—	—	4.31	9.91		
MW-7	0830	2	—	—	—	—	6.16	13.21		

CHEVRON WELL MONITORING DATA SHEET

Project #: 120913-BW1	Station #: 9-1851
Sampler: BW	Date: 9/13/12
Weather: Clear	Ambient Air Temperature: 60° F
Well I.D.: MW-1	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth: 14.50	Depth to Water: 3.52
Depth to Free Product: -	Thickness of Free Product (feet): -
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.72	

Purge Method:

- Bailer
- X Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other_____

Sampling Method: Bailer

- X Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

1.8 (Gals.) X 3 = 5.4 Gals.
1 Case Volume | Specified Volumes | Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS))	Turbidity (NTUs)	Gals. Removed	Observations
0905	78.2	6.18	1409	20	2.0	
0908	79.1	6.28	1394	21	4.0	
0911	79.4	6.32	1412	17	6.0	

Did well dewater? Yes (No) Gallons actually evacuated: 6.0

Sampling Date: 9/13/12 Sampling Time: 0920 Depth to Water: 3.61

Sample I.D.: MW-1 Laboratory: (Lancaster) Other_____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120913-BW1	Station #: 9-1851
Sampler: BW	Date: 9/13/12
Weather: Clear	Ambient Air Temperature: 60°F
Well I.D.: MW-2	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth: —	Depth to Water: 4.66
Depth to Free Product: 4.56	Thickness of Free Product (feet): 0.10
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:

Bailer / Disposable Bailer / Positive Air Displacement / Electric Submersible / Waterra / Peristaltic / Extraction Pump / Other_____

Sampling Method: Bailer / Disposable Bailer / Extraction Port / Dedicated Tubing / Other: _____

_____ (Gals.) X _____ = _____ Gals.
1 Case Volume | Specified Volumes | Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
* Thick SPH Encountered (0.10') Coated probe *						
	* No Sample Taken *					

Did well dewater? Yes No Gallons actually evacuated:

Sampling Date: Sampling Time: Depth to Water:

Sample I.D.: Laboratory: Lancaster Other_____

Analyzed for: TPH-G BTEX MTBE OXYS Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120913-BW1	Station #: 9-1851
Sampler: BW	Date: 9/13/12
Weather: Clear	Ambient Air Temperature: 74°F
Well I.D.: MW-3	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth: 14.58	Depth to Water: 4.31
Depth to Free Product: ~	Thickness of Free Product (feet): ~
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.36	

Purge Method:

- Bailer
- (X) Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other_____

Sampling Method: Bailer

- (X) Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

1.6 (Gals.) X 3 = 4.8 Gals.
1 Case Volume | Specified Volumes | Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1210	72.1	7.11	16.31	155	1.6	
1213	71.8	7.00	16.85	727	3.2	
1217	71.2	6.95	19.01	>1000	5.0	

Did well dewater? Yes (No) Gallons actually evacuated: 5.0

Sampling Date: 9/13/12 Sampling Time: 1235 Depth to Water: 6.18

Sample I.D.: MW-3 Laboratory: (Lancaster) Other_____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120913-BW1	Station #: 9-1851
Sampler: BW	Date: 9/13/12
Weather: Clear	Ambient Air Temperature: 71°F
Well I.D.: MW-4	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth: 14.93	Depth to Water: 5.00
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.99	

Purge Method:

- Bailer
- (X) Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other_____

Sampling Method: Bailer

- (X) Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

1.6 (Gals.) X 3 = 4.8 Gals.
1 Case Volume | Specified Volumes | Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius^2 * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS))	Turbidity (NTUs)	Gals. Removed	Observations
1127	76.0	6.70	2332	2	1.6	
1130	73.1	6.73	5201	37	3.2	
1134	72.9	6.78	5118	48	5.0	

Did well dewater? Yes (No) Gallons actually evacuated: 5.0

Sampling Date: 9/13/12 Sampling Time: 1150 Depth to Water: 6.21

Sample I.D.: MW-4 Laboratory: (Lancaster) Other_____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120913-BW1	Station #: 9-1851
Sampler: BW	Date: 9/13/12
Weather: Clear	Ambient Air Temperature: 70° F
Well I.D.: MW-5	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth: 7.06	Depth to Water: 4.90
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.33	

Purge Method:

- Bailer
- X Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other____

Sampling Method: Bailer

- X Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: ____

0.4 (Gals.) X 3 = 1.2 Gals.
1 Case Volume | Specified Volumes | Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS))	Turbidity (NTUs)	Gals. Removed	Observations
1110	72.1	6.61	6814	525	0.4	
1112	72.3	6.68	6281	640	0.8	
	* Well dewatered @ 0.8 gallons					
1330	71.9	6.70	6115	743	Grab	
* insufficient water to collect full bottle set #						

Did well dewater? (Yes) No Gallons actually evacuated: 0.8

Sampling Date: 9/13/12 Sampling Time: 1330 Depth to Water: 6.39 (2hrs+)

Sample I.D.: MW-5 Laboratory: (Lancaster) Other____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120913-BW1	Station #: 9-1851
Sampler: BW	Date: 9/13/12
Weather: Clear	Ambient Air Temperature: 62°F
Well I.D.: MW-6	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth: 9.91	Depth to Water: 4.31
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.43	

Purge Method:

- Bailer
- X Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other____

Sampling Method: Bailer

- X Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: ____

0.9 (Gals.) X 3 = 2.7 Gals.
1 Case Volume | Specified Volumes | Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS))	Turbidity (NTUs)	Gals. Removed	Observations
0945	70.8	6.54	2430	300	1.0	
0947	70.8	6.48	2212	965	2.0	
* Well dewatered @ 2.0 gallons *						
* Insufficient water to collect full bottle set *						
1255	72.1	6.53	2187	71000	Grab	

Did well dewater? (Yes) No Gallons actually evacuated: 2.0

Sampling Date: 9/13/12 Sampling Time: 1255 Depth to Water: 7.11 (2hrs+)

Sample I.D.: MW-6 Laboratory: (Lancaster) Other____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120913-BW1	Station #: 9-1851
Sampler: BW	Date: 9/13/12
Weather: Clear	Ambient Air Temperature: 63°F
Well I.D.: MW-7	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth: 13.21	Depth to Water: 6.16
Depth to Free Product: -	Thickness of Free Product (feet): -
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.57	

Purge Method:

- Bailer
- X Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other_____

Sampling Method: Bailer

- X Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

1.1 (Gals.) X 3 = 3.3 Gals.
1 Case Volume | Specified Volumes | Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1001	71.6	6.53	697	395	1.1	
1003	71.9	6.55	646	455	2.2	
1005	71.9	6.56	641	>1000	3.5	

Did well dewater? Yes (No) Gallons actually evacuated: 3.5

Sampling Date: 9/13/12 Sampling Time: 1015 Depth to Water: 7.19

Sample I.D.: MW-7 Laboratory: (Lancaster) Other_____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ▪ 6111 Bollinger Canyon Rd. ▪ San Ramon, CA 94583 COC 1 of 1

Chevron Site Number: 91851
Chevron Site Global ID: T060012238
Chevron Site Address: 451 Hegenberger Rd.,
Oakland, CA
Chevron PM: CATALINA DEVINE
Chevron PM Phone No.: (925)790-3949
☒ Retail and Terminal Business Unit (RTBU) Job
☒ Construction/Retail Job

Chevron Consultant: CRA
Address: 5900 Hollis St. Suite A Emeryville,
CAConsultant Contact: Nathan Lee
Consultant Phone No. 510-420-3351
Consultant Project No. 120913-BW1
Sampling Company: Blaine Tech Services
Sampled By (Print): Brian Weeks
Sampler Signature:

Charge Code: NWRTB-0091851-0-OML
NWRTB 00SITE NUMBER-0- WBS
(WBS ELEMENTS:
SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L
SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L

THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.

Lancaster Laboratories
☒ Lancaster, PA
Lab Contact: Jill Parker
2425 New Holland Pike,
Lancaster, PA 17601
Phone No:
(717)656-2300

Other Lab

Temp. Blank Check

Time	Temp.
0815	1°C
0915	1°C
1015	1°C
1115	1°C
1215	1°C
1315	1°C

ANALYSES REQUIRED

Preservation Codes: H=HCL T=Thiosulfate; N=HNO_3 B=NaOH; S=H_2SO_4 O=Other
Acct# 10991
Grp# 133758
Sample# 6789226-32

Special Instructions: Must meet lowest detection limits possible for 8260 Compounds, Run TPHmo and DRO with Silica Gel Clean Up

SAMPLE ID: Field Point Name	Matrix	Top Depth	Date (yymmdd)	Sample Time	# of Containers	Container Type	EPA 8260B/GC/MS TPH-G☐ BTEX☒ MTBE☒ OXYGENATES☐ HVOC☐	EPA 8015B GRO☒ DRO☐ ORO☐ HC SCREEN☐	EPA 8021B BTEX☐ MTBE☐	EPA 6010 Ca, Fe, K, Mg, Mn, Na	EPA6010/7000 TITLE 22 METALS☐ TTLC☐ STLC☐	EPA310.1 ALKALINITY☐ / EPA150.1 PH☐	SM2510B SPECIFIC CONDUCTIVITY	EPA 418.1 TRPH☐ / EPA 413.1 OIL & GREASE☐	EPA 8260 ETHANOL	EPA 8015 TPH-D☒	EPA 4015 TPH-mo	Notes/Comments
MW-1	WG		120913	0920	10	VOA+Amber	X	X							X	X	X	
MW-3	WG			1235	10	VOA+Amber	X	X							X	X	X	
MW-4	WG			1150	10	VOA+Amber	X	X							X	X	X	
MW-5	WG			1330	6	VOA	X	X							X			
MW-6	WG			1255	8	VOA+Amber	X	X							X	X	X	
MW-7	WG			1015	10	VOA+Amber	X	X							X	X	X	
QA	T		120913	0815	2	VOA	X	X										

Relinquished By	Company	Date/Time	Relinquished To	Company	Date/Time
	BTS	9/13/12 1410		9/13/12	1410
	LLI	9/13/12 1630		FE	
				LLI	9/14/12 915

Turnaround Time: Standard☒ 24 Hours☐ 48 hours☐ 72 Hours☐ Other☐
Sample Integrity: (Check by lab on arrival)
Intact: X On Ice: X Temp: 0.9°-1.6°
COC #

WELLHEAD INSPECTION CHECKLIST

Client Chevron Date 9/13/12

Site Address 451 Hegenberger Rd. Oakland

Job Number 120913-BW1 Technician BW

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12"or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12"or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-1		X	X					X		
MW-2		X	X					X		
MW-3		X	X					X		
MW-4		X	X					X		
MW-5	X	X	X							
MW-6	X	X	X	X						
MW-7	X	X	X							

NOTES: MW-1: Lid broken 3/4 Tabs stripped, MW-2: 3/4 Tabs stripped

MW-3: Lid broken, 3/4 Tabs strip, MW-4: 3/4 Tab strip

CHEVRON-NORTHERN CALIFORNIA TYPE **A** BILL OF LADING BILL OF LADING No. BTS015

SOURCE RECORD **BILL OF LADING**

FOR PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND-WATER WELLS IS COLLECTED BY THE CONTRACTOR AND HAULED TO THEIR FACILITY IN SAN JOSE, CALIFORNIA FOR TEMPORARILY HOLDING PENDING TRANSPORT BY OTHERS TO FINAL DESTINATION.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BLAINE TECH), 1680 Rogers Ave. San Jose CA (408) 573-0555). BLAINE TECH. is authorized by Chevron Environmental Management Company (CHEVRON EMC) to recover, collect, apportion into loads, and haul the purgewater that is drawn from wells at the CHEVRON EMC facility indicated below and to deliver that purgewater to BLAINE TECH for temporarily holding. Transport routing of the purgewater may be direct from one CHEVRON EMC facility to BLAINE TECH; from one CHEVRON EMC facility to BLAINE TECH via another CHEVRON EMC facility; or any combination thereof. The well purgewater is and remains the property of CHEVRON EMC.

This **Source Record BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

9-1851 Catalina Devine
CHEVRON # Chevron Engineer

451 Hegenberger Rd. Oakland, CA
street number street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
MW-1	6.0		
MW-3	5.0		
MW-4	5.0		
MW-5	0.8		
MW-6	2.0		
MW-7	3.5		

added equip. rinse water / 4.0

any other adjustments /

TOTAL GALS. RECOVERED 26.3

loaded onto BTS vehicle # 47

BTS event # 120913-BW1 time 1440 date 9/13/12

Transporter signature

****

REC'D AT BTS San Jose time 1600 date 9/13/12

Unloaded/received by signature

TEST EQUIPMENT CALIBRATION LOG

PROJECT NAME 451 Hegenberger Rd. Oakland				PROJECT NUMBER 120913-BW1			
EQUIPMENT NAME	EQUIPMENT NUMBER	DATE/TIME OF TEST	STANDARDS USED	EQUIPMENT READING	CALIBRATED TO: OR WITHIN 10%:	TEMP.	INITIALS
Myron-L Ultrameter II	62223842	9/13/12 0645	pH 7,10,4 Cond 3900 ms/cm	7.0, 10.0, 4.0 3900 ms/cm	ok ✓	17.8°C	BW
Hach 2100P Turbidimeter	08070C031944	9/13/12 0650	800 ntu	809 ntu	ok ✓	N/A	BW

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

September 26, 2012

Project: 91851

Submittal Date: 09/14/2012
Group Number: 1335758
PO Number: 0015098202
Release Number: ESPINO DEVINE
State of Sample Origin: CA

Client Sample Description	Lancaster Labs (LLI) #
MW-1-W-120913 NA Water	6789226
MW-3-W-120913 NA Water	6789227
MW-4-W-120913 NA Water	6789228
MW-5-W-120913 NA Water	6789229
MW-6-W-120913 NA Water	6789230
MW-7-W-120913 NA Water	6789231
QA-T-120913 NA Water	6789232

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Blaine Tech Services, Inc.	Attn: Dustin Becker
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Nathan Lee
ELECTRONIC COPY TO	CRA	Attn: Ian Hull

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Respectfully Submitted,



Jill M. Parker
Senior Specialist

(717) 556-7262

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-1-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-1

LLI Sample # WW 6789226
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 09:20 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	**ug/l**	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1
	The reverse surrogate, capric acid, is present at <1%.					
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B modified**		**ug/l**	**ug/l**	**ug/l**	
10006	Motor Oil C16-C36 w/Si Gel	n.a.	N.D.	38	110	1
10006	Total TPH w/Si Gel	n.a.	N.D.	38	110	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P122641AA	09/20/2012 15:46	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P122641AA	09/20/2012 15:46	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12261B20A	09/18/2012 23:35	Kathrine K Muramatsu	1
01146	GC VOA Water Prep	SW-846 5030B	1	12261B20A	09/18/2012 23:35	Kathrine K Muramatsu	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	122620013A	09/20/2012 19:05	Christine E Dolman	1
10006	TPH Fuels water w/Si Gel	SW-846 8015B modified	1	122590017A	09/20/2012 20:20	Heather E Williams	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	122620013A	09/18/2012 21:15	Karen L Beyer	1

*=This limit was used in the evaluation of the final result

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-1-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-1

LLI Sample # WW 6789226
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 09:20 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW1

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11195	TPH w/ Silica Gel Waters Ext.	SW-846 3510C	1	122590017A	09/17/2012 09:50	William H Saadeh	1

*=This limit was used in the evaluation of the final result

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-3-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-3

LLI Sample # WW 6789227
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 12:35 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	**ug/l**	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	24	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	2,000	50	100	1
	The reverse surrogate, capric acid, is present at <1%.					
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B modified**		**ug/l**	**ug/l**	**ug/l**	
10006	Motor Oil C16-C36 w/Si Gel	n.a.	4,400	190	570	5
10006	Total TPH w/Si Gel	n.a.	4,400	190	570	5
	TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.					

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P122641AA	09/20/2012 16:14	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P122641AA	09/20/2012 16:14	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12261B20A	09/18/2012 23:57	Kathrine K Muramatsu	1
01146	GC VOA Water Prep	SW-846 5030B	1	12261B20A	09/18/2012 23:57	Kathrine K Muramatsu	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	122620013A	09/20/2012 22:48	Christine E Dolman	1
10006	TPH Fuels water w/Si Gel	SW-846 8015B modified	1	122590017A	09/21/2012 15:05	Heather E Williams	5
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	122620013A	09/18/2012 21:15	Karen L Beyer	1

*=This limit was used in the evaluation of the final result

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-3-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-3

LLI Sample # WW 6789227
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 12:35 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW3

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11195	TPH w/ Silica Gel Waters Ext.	SW-846 3510C	1	122590017A	09/17/2012 09:50	William H Saadeh	1

*=This limit was used in the evaluation of the final result

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-4-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-4

LLI Sample # WW 6789228
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 11:50 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	**ug/l**	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	31	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1
	The reverse surrogate, capric acid, is present at <1%.					
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B modified**		**ug/l**	**ug/l**	**ug/l**	
10006	Motor Oil C16-C36 w/Si Gel	n.a.	260	38	110	1
10006	Total TPH w/Si Gel	n.a.	260	38	110	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.
Target analytes were detected in the method blank associated with the samples as noted on the QC Summary. The following corrective action was taken:
The sample was re-extracted outside the method required holding time and the QC is compliant. All results are reported from the first trial. Similar results were obtained in both trials.
The reverse surrogate, capric acid, is present at <1%.

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P122641AA	09/20/2012 16:42	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P122641AA	09/20/2012 16:42	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12262A07A	09/19/2012 08:07	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12262A07A	09/19/2012 08:07	Marie D John	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-4-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-4

LLI Sample # WW 6789228
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 11:50 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW4

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	122620013A	09/20/2012 19:27	Christine E Dolman	1
10006	TPH Fuels water w/Si Gel	SW-846 8015B modified	1	122590017A	09/20/2012 20:44	Heather E Williams	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	122620013A	09/18/2012 21:15	Karen L Beyer	1
11195	TPH w/ Silica Gel Waters Ext.	SW-846 3510C	1	122590017A	09/17/2012 09:50	William H Saadeh	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-5-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-5

LLI Sample # WW 6789229
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 13:30 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	**ug/l**	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	6	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P122641AA	09/20/2012 17:09	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P122641AA	09/20/2012 17:09	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12262A07A	09/19/2012 08:33	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12262A07A	09/19/2012 08:33	Marie D John	1

*=This limit was used in the evaluation of the final result

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-6-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-6

LLI Sample # WW 6789230
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 12:55 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	**ug/l**	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	6	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	180	50	100	1
	The reverse surrogate, capric acid, is present at <1%.					
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B modified**		**ug/l**	**ug/l**	**ug/l**	
10006	Motor Oil C16-C36 w/Si Gel	n.a.	180	38	110	1
10006	Total TPH w/Si Gel	n.a.	180	38	110	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.
Target analytes were detected in the method blank associated with the samples as noted on the QC Summary. Sufficient sample was not available to repeat the analysis.

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P122641AA	09/20/2012 17:37	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P122641AA	09/20/2012 17:37	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12262A07A	09/19/2012 01:10	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12262A07A	09/19/2012 01:10	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	122620013A	09/20/2012 23:11	Christine E Dolman	1
10006	TPH Fuels water w/Si Gel	SW-846 8015B modified	1	122590017A	09/20/2012 21:08	Heather E Williams	1

*=This limit was used in the evaluation of the final result

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-6-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-6

LLI Sample # WW 6789230
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 12:55 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW6

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	122620013A	09/18/2012 21:15	Karen L Beyer	1
11195	TPH w/ Silica Gel Waters Ext.	SW-846 3510C	1	122590017A	09/17/2012 09:50	William H Saadeh	1

*=This limit was used in the evaluation of the final result

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: MW-7-W-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-7

LLI Sample # WW 6789231
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 10:15 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW7

CAT No.	Analysis Name	CAS Number	As Received Result		As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**		**ug/l**	**ug/l**	
10943	Benzene	71-43-2	N.D.		0.5	1	1
10943	Ethanol	64-17-5	N.D.		50	250	1
10943	Ethylbenzene	100-41-4	N.D.		0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	3		0.5	1	1
10943	Toluene	108-88-3	N.D.		0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.		0.5	1	1
GC Volatiles	**SW-846 8015B**		**ug/l**		**ug/l**	**ug/l**	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.		50	100	1
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B**		**ug/l**		**ug/l**	**ug/l**	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.		50	99	1
	The reverse surrogate, capric acid, is present at <1%.						
GC Petroleum Hydrocarbons w/Si	**SW-846 8015B modified**		**ug/l**		**ug/l**	**ug/l**	
10006	Motor Oil C16-C36 w/Si Gel	n.a.	54	J	38	110	1
10006	Total TPH w/Si Gel	n.a.	54	J	38	110	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.
Target analytes were detected in the method blank associated with the samples as noted on the QC Summary. The following corrective action was taken:
The sample was re-extracted outside the method required holding time and the QC is compliant. All results are reported from the first trial. Similar results were obtained in both trials.
The reverse surrogate, capric acid, is present at <1%.

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P122641AA	09/20/2012 18:04	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P122641AA	09/20/2012 18:04	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12262A07A	09/19/2012 01:36	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12262A07A	09/19/2012 01:36	Marie D John	1

*=This limit was used in the evaluation of the final result

Sample Description: **MW-7-W-120913 NA Water**
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 MW-7

LLI Sample # WW 6789231
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 10:15 by BW

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOMW7

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	122620013A	09/20/2012 19:50	Christine E Dolman	1
10006	TPH Fuels water w/Si Gel	SW-846 8015B modified	1	122590017A	09/20/2012 21:32	Heather E Williams	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	122620013A	09/18/2012 21:15	Karen L Beyer	1
11195	TPH w/ Silica Gel Waters Ext.	SW-846 3510C	1	122590017A	09/17/2012 09:50	William H Saadeh	1

eurofins | Lancaster Laboratories

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Analysis Report

Sample Description: QA-T-120913 NA Water
Facility# 91851 BTST
451 Hegenberger-Oakland T0600102238 QA

LLI Sample # WW 6789232
LLI Group # 1335758
Account # 10991

Project Name: 91851

Collected: 09/13/2012 08:15

Submitted: 09/14/2012 09:15
Reported: 09/26/2012 15:35

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

HOQA-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	**SW-846 8260B**		**ug/l**	**ug/l**	**ug/l**	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles	**SW-846 8015B**		**ug/l**	**ug/l**	**ug/l**	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P122642AA	09/20/2012 08:36	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P122642AA	09/20/2012 08:36	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12262A07A	09/18/2012 23:28	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12262A07A	09/18/2012 23:28	Marie D John	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: Chevron Group Number: 1335758
Reported: 09/26/12 at 03:35 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL**	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: P122641AA	Sample number(s): 6789226-6789231								
Benzene	N.D.	0.5	1	ug/l	99		77-121		
Ethanol	N.D.	50.	250	ug/l	104		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	94		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	98		68-121		
Toluene	N.D.	0.5	1	ug/l	101		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	97		77-120		
Batch number: P122642AA	Sample number(s): 6789232								
Benzene	N.D.	0.5	1	ug/l	105		77-121		
Ethylbenzene	N.D.	0.5	1	ug/l	98		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	104		68-121		
Toluene	N.D.	0.5	1	ug/l	105		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	101		77-120		
Batch number: 12261B20A	Sample number(s): 6789226-6789227								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	96	96	75-135	0	30
Batch number: 12262A07A	Sample number(s): 6789228-6789232								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	114	111	75-135	3	30
Batch number: 122590017A	Sample number(s): 6789226-6789228,6789230-6789231								
Motor Oil C16-C36 w/Si Gel	59 J	40.	120	ug/l					
Total TPH w/Si Gel	59 J	40.	120	ug/l	73	73	32-121	0	20
Batch number: 122620013A	Sample number(s): 6789226-6789228,6789230-6789231								
TPH-DRO CA C10-C28 w/ Si Gel	N.D.	32.	100	ug/l	66	70	50-118	7	20

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: P122641AA	Sample number(s): 6789226-6789231 UNSPK: P788870								
Benzene	102	103	72-134	0	30				
Ethanol	113	104	53-146	8	30				
Ethylbenzene	101	98	71-134	3	30				
Methyl Tertiary Butyl Ether	101	97	72-126	3	30				
Toluene	107	107	80-125	0	30				
Xylene (Total)	103	100	79-125	2	30				

*- Outside of specification
**-This limit was used in the evaluation of the final result for the blank
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron Group Number: 1335758
Reported: 09/26/12 at 03:35 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: P122642AA	Sample number(s): 6789232 UNSPK: P789398								
Benzene	111	112	72-134	1	30				
Ethylbenzene	103	104	71-134	0	30				
Methyl Tertiary Butyl Ether	103	102	72-126	1	30				
Toluene	110	112	80-125	1	30				
Xylene (Total)	106	106	79-125	0	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water
Batch number: P122641AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6789226	95	101	101	92
6789227	95	99	103	93
6789228	95	100	102	92
6789229	95	98	102	92
6789230	96	101	102	92
6789231	95	99	102	93
Blank	94	98	102	92
LCS	95	99	102	95
MS	95	102	101	95
MSD	93	100	102	94
Limits:	80-116	77-113	80-113	78-113

Analysis Name: UST VOCs by 8260B - Water
Batch number: P122642AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6789232	96	98	102	90
Blank	94	97	102	90
LCS	94	101	101	93
MS	94	100	101	92
MSD	94	101	101	92
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 12261B20A

	Trifluorotoluene-F
6789226	80
6789227	81
Blank	74
LCS	91

*- Outside of specification
**-This limit was used in the evaluation of the final result for the blank
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Group Number: 1335758
Reported: 09/26/12 at 03:35 PM

Surrogate Quality Control

LCSD	100		
Limits:	63-135		

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 12262A07A

	Trifluorotoluene-F
6789228	85
6789229	86
6789230	91
6789231	85
6789232	88
Blank	88
LCS	103
LCSD	101
Limits:	63-135

Analysis Name: TPH Fuels water w/Si Gel
Batch number: 122590017A

	Chlorobenzene	Orthoterphenyl
6789226	65	72
6789227	64	29*
6789228	65	70
6789230	69	67
6789231	70	81
Blank	75	85
LCS	67	81
LCSD	69	84
Limits:	29-107	43-114

Analysis Name: TPH-DRO CA C10-C28 w/ Si Gel
Batch number: 122620013A

	Orthoterphenyl
6789226	74
6789227	94
6789228	70
6789230	73
6789231	73
Blank	63
LCS	83
LCSD	87
Limits:	50-154

*- Outside of specification
**-This limit was used in the evaluation of the final result for the blank
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd.■ San Ramon, CA 94583 COC 1 of 1

Chevron Site Number: 91851
Chevron Site Global ID: T060012238
Chevron Site Address: 451 Hegenberger Rd., Oakland, CA
Chevron PM: CATALINA DEVINE
Chevron PM Phone No.: (925)790-3949
☒ Retail and Terminal Business Unit (RTBU) Job
☒ Construction/Retail Job

Chevron Consultant: CRA
Address: 5900 Hollis St. Suite A Emeryville, CA
Consultant Contact: Nathan Lee
Consultant Phone No. 510-420-3351
Consultant Project No. 120913-BW1
Sampling Company: Blaine Tech Services
Sampled By (Print): Brian Weeks
Sampler Signature:

Charge Code: NWRTB-0091851-0-OML
NWRTB 00SITE NUMBER-0- WBS
(WBS ELEMENTS:
SITE ASSESSMENT: **A1L** REMEDIATION IMPLEMENTATION: **R5L**
SITE MONITORING: **OML** OPERATION MAINTENANCE & MONITORING: **M1L**

THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.

Lancaster Laboratories
☒ Lancaster, PA
Lab Contact: Jill Parker
2425 New Holland Pike, Lancaster, PA 17601
Phone No: (717)656-2300

Other Lab

Temp. Blank Check

Time	Temp.
0815	1°C
0915	1°C
1015	1°C
1115	1°C
1215	1°C
1315	1°C

ANALYSES REQUIRED

Preservation Codes: H =HCL T= Thiosulfate; N =HNO_3 B = NaOH; S = H_2SO_4 O = Other
Acct# 10991
Grp# 1335758
Sample# 6789226-32

Special Instructions: Must meet lowest detection limits possible for 8260 Compounds, Run TPHmo and DRO with Silica Gel Clean Up

SAMPLE ID: Field Point Name	Matrix	Top Depth	Date (yymmdd)	Sample Time	# of Containers	Container Type	EPA 8260B/GC/MS TPH-G☐ BTEX☒ MTBE☒ OXYGENATES☐ HVOC☐	EPA 8015B GRO☒ DRO☐ ORO☐ HC SCREEN☐	EPA 8021B BTEX☐ MTBE☐	EPA 6010 Ca, Fe, K, Mg, Mn, Na	EPA6010/7000 TITLE 22 METALS☐ TTLC☐ STLC☐	EPA150.1 PH☐	EPA 310.1 ALKALINITY☐	SM2510B SPECIFIC CONDUCTIVITY	EPA 418.1 TRPH☐	EPA 413.1 OIL & GREASE☐	EPA 8260 ETHANOL	EPA 8015 TPH-D☒	EPA 8015 TPH-mo	Notes/Comments
MW-1	WG		120913	0920	10	VOA + Amber	X	X									X	X	X	
MW-3	WG			1235	10	VOA + Amber	X	X									X	X	X	
MW-4	WG			1150	10	VOA + Amber	X	X									X	X	X	
MW-5	WG			1330	6	VOA	X	X									X			
MW-6	WG			1255	8	VOA + Amber	X	X									X	X	X	
MW-7	WG			1015	10	VOA + Amber	X	X									X	X	X	
QA	T		120913	0815	2	VOA	X	X												

Relinquished By	Company	Date/Time	Relinquished To	Company	Date/Time
	BTS	9/13/12@1410			9/13/12 1410
	LLI	9/13/12 1630		FE	
				LLI	9/14/12 915

Turnaround Time: Standard☒ 24 Hours☐ 48 hours☐ 72 Hours☐ Other☐
Sample Integrity: (Check by lab on arrival)
Intact: X On Ice: X Temp: 0.9°-1.6°
COC #

eurofins | Lancaster Laboratories

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	**BMQL**	Below Minimum Quantitation Level
N.D.	none detected	**MPN**	Most Probable Number
TNTC	Too Numerous To Count	**CP Units**	cobalt-chloroplatinate units
IU	International Units	**NTU**	nephelometric turbidity units
umhos/cm	micromhos/cm	**ng**	nanogram(s)
C	degrees Celsius	**F**	degrees Fahrenheit
meq	milliequivalents	**lb.**	pound(s)
g	gram(s)	**kg**	kilogram(s)
µg	microgram(s)	**mg**	milligram(s)
mL	milliliter(s)	**L**	liter(s)
m3	cubic meter(s)	**µL**	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*****	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.