



ENVIRONMENTAL ENGINEERING, INC.
6620 Owens Drive, Suite A • Pleasanton, CA 94588
TEL (925)734-6400 • FAX (925)734-6401
www.somaenv.com

April 2, 2014

RECEIVED

By Alameda County Environmental Health at 3:05 pm, Apr 03, 2014

Mr. Mark Detterman
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Subject: Freedom Food and Gas (Formerly Freedom ARCO Mini-Mart)
Site Address: 15101 Freedom Avenue, San Leandro, California
STID 4473/RO0000473

Dear Mr. Detterman:


SOMA's "First Quarter 2014 Groundwater Monitoring and Remediation Progress Report" for the subject property has been uploaded to the State's GeoTracker database and Alameda County's FTP site for your review.

Thank you for your time in reviewing our report. Please do not hesitate to call me at (925) 734-6400, if you have questions or comments.

Sincerely,

Mansour Sepehr, Ph.D., PE
Principal Hydrogeologist

cc: Mr. Mohammad Pazdel w/report enclosure



**First Quarter 2014
Groundwater Monitoring and
Remediation Progress Report**

**Freedom Food and Gas
15101 Freedom Avenue
San Leandro, California**

April 2, 2014

Project 2551/2553

Prepared for

**Mr. Mohammad Pazdel
1770 Pistacia Court
Fairfield, California**



ENVIRONMENTAL ENGINEERING, INC.

6620 Owens Drive Suite A Pleasanton CA 94588 Ph: 925.734.6400 F: 925.734-6401 www.somaenv.com

PERJURY STATEMENT

Site Location: 15101 Freedom Avenue, San Leandro, California

"I declare under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge".

A handwritten signature in cursive script, reading "M. Pazdel", written over a horizontal line.

Mohammad Pazdel
1770 Pistacia Court
Fairfield, California 94533
Responsible Party

CERTIFICATION

SOMA Environmental Engineering, Inc. has prepared this report on behalf of the responsible party, Mr. Mohammad Pazdel, for property located at 15101 Freedom Avenue, San Leandro, California, to comply with Alameda County Health Care Services requirements for the First Quarter 2014 groundwater monitoring event.



Mansour Sepehr, PhD, PE
Principal Hydrogeologist




TABLE OF CONTENTS

CERTIFICATION	i
TABLE OF CONTENTS.....	ii
LIST OF FIGURES	iii
LIST OF TABLES.....	iii
LIST OF APPENDICES	iv
1. INTRODUCTION	1
1.1 Field Activities.....	1
1.2 Laboratory Analysis	2
2. RESULTS	2
2.1 Field Measurements, First WBZ Wells.....	2
2.2 Laboratory Analysis, First WBZ Wells.....	3
2.3 Field Measurements, Second WBZ Wells	4
2.4 Laboratory Analysis for Second WBZ Wells	5
3. OPERATION OF TREATMENT SYSTEM	6
4. MULTI-PHASE EXTRACTION EVENTS	7
5. CONCLUSIONS AND RECOMMENDATIONS.....	7
6. REPORT LIMITATIONS	8

LIST OF FIGURES

- Figure 1: Site vicinity map
- Figure 2: Site Map Showing Locations of USTs, Fuel Dispensers, Soil Borings, and Groundwater Monitoring Wells
- Figure 3: Groundwater Elevation Contour Map in Feet, First WBZ, March 12, 2014
- Figure 4: Contour Map of TPH-g Concentrations in Groundwater, First WBZ, March 12 and 13, 2014
- Figure 5: Contour Map of Benzene Concentrations in Groundwater, First WBZ, March 12 and 13, 2014
- Figure 6: Contour Map of MtBE Concentrations in Groundwater, First WBZ, March 12 and 13, 2014
- Figure 7: Contour Map of TBA and map of ETBE and TAME Concentrations in Groundwater, First WBZ, March 12 and 13, 2014
- Figure 8: Groundwater Elevation Contour Map in Feet, Second WBZ, March 12, 2014
- Figure 9: Map Showing TPH-g and MtBE Concentrations in Groundwater, Second WBZ, March 12 and 13, 2014
- Figure 10: Schematic diagram of Groundwater Remediation System
- Figure 11: Cumulative mass of VOCs removed

LIST OF TABLES

- Table 1: Historical Groundwater Elevation Data and Analytical Results
- Table 2: Historical Gasoline Oxygenates Results
- Table 3: Effluent Chemical Analytical Results and Operational History of Remediation System
- Table 4: Cumulative Masses of Petroleum Hydrocarbons Removed from the Groundwater Since Installation of the Treatment System

LIST OF APPENDICES

- Appendix A: Standard Operating Procedures for Conducting Groundwater Monitoring Activities
- Appendix B: Table of Elevations and Coordinates on Monitoring Wells, Field Measurements of Physical, Chemical, and Natural Attenuation Parameters of Groundwater Samples, and Groundwater Gradient Calculations
- Appendix C: Laboratory Reports and Chain of Custody Forms for the First Quarter 2014 Monitoring Event
- Appendix D: Laboratory Reports and Chain of Custody Forms for the Treatment System

1. INTRODUCTION

SOMA Environmental Engineering, Inc. (SOMA) has prepared this report on behalf of the responsible party, Mr. Mohammad Pazdel, for property located at 15101 Freedom Avenue, San Leandro, California. The site is located in an area of primarily residential properties and adjacent commercial areas (Figure 1). The property was formerly owned by Mr. Mohammad Pazdel. In late 2009, the property was sold to DDH, LLC, Assignee and in early 2010 it was sold to Mr. Mohammad Mashhoon. Under the new management, the site is currently operational with the business name "Freedom Food and Gas" (formerly "Freedom Arco Mini-Mart").

This report summarizes results of the First Quarter 2014 groundwater monitoring event conducted on March 12 and 13, 2014. It includes physical and chemical properties measured in the field and laboratory analysis results for each groundwater sample. It also presents the remediation progress report for First Quarter 2014, which includes operation of a groundwater extraction and treatment system.

1.1 Field Activities

In March 2014, SOMA's field crew conducted a groundwater monitoring event in accordance with procedures and guidelines of Alameda County Health Care Services (ACHCS) and the California Regional Water Quality Control Board (CRWQCB). Figure 2 shows well locations.

On March 12, 2014, the following wells were measured for depth to groundwater: five on-site monitoring wells (MW-1 to MW-5) and two off-site wells (MW-6 and MW-7) in the First water-bearing zone (WBZ); two extraction wells (EX-1 and EX-2), two MPE wells (MPE-1 and MPE-2), and three on-site monitoring wells (MW-1D, MW-3D, and MW-4D) in the Second WBZ. On March 12 and 13, 2014, additional field measurements and groundwater samples were collected from all monitoring and MPE wells, except MW-3 and MPE-2 which were not sampled due to the presence of Free-Product (FP). Grab groundwater samples were also collected from extraction wells EX-1 and EX-2. Properties measured include pH, temperature, and electrical conductivity (EC).

A natural attenuation study was conducted during this event to determine whether petroleum hydrocarbons in groundwater are biodegrading. Dissolved oxygen (DO) and oxidation reduction potential (ORP) measurements were taken for all monitoring and MPE wells.

1.2 Laboratory Analysis

Curtis & Tompkins Laboratories, a California state-certified laboratory, analyzed groundwater samples for the following: total petroleum hydrocarbons as gasoline (TPH-g); benzene, toluene, ethylbenzene, total xylenes (collectively termed BTEX); methyl tertiary-butyl ether (MtBE); and gasoline oxygenates, ethanol and lead scavengers. Samples were prepared using EPA Method 5030B and analyzed using EPA Method 8260B.

2. RESULTS

Following are results of field measurements and laboratory analysis for the First Quarter 2014 groundwater monitoring event.

2.1 Field Measurements, First WBZ Wells

Table 1 presents calculated groundwater elevations and depths to groundwater for each monitoring well. Depths to groundwater ranged from 14.56 feet in MW-7 to 23.47 feet in MW-1. In MW-3, 0.15 feet of FP and in MPE-2, 0.04 feet of FP was observed during this monitoring event. Appendix A includes the procedure for FP measurement.

Corresponding groundwater elevations ranged from 28.82 feet in MW-6 to 30.99 feet in MW-1. Groundwater elevations at extraction wells EX-1 and EX-2 were 26.21 feet and 23.92 feet, respectively. Groundwater elevations in MW-3 and MPE-2 were corrected for the presence of FP (Table 1).

Figure 3 displays the contour map of groundwater elevations. As illustrated, groundwater flows towards extraction wells, at a gradient of 0.029 feet/feet. Since the previous monitoring event (Fourth Quarter 2013) the gradient has decreased. Groundwater gradient calculations are attached in Appendix B.

Upon equalization with the surrounding aquifer at each well location, when the purge cycle was terminated, DO in the First WBZ ranged from 0.20 mg/L in MPE-1 to 2.59 mg/L in MW-7. ORP showed negative redox potentials in all tested wells except MW-7. Negative redox potentials indicate that contaminants in groundwater are conducive to anaerobic biodegradation. ORP showed positive redox potential in MW-7. Positive redox potentials are more energetically favorable in utilizing electron acceptors during chemical reactions. This promotes the removal of organic mass from the contaminated groundwater by indigenous bacteria in the subsurface during the release of the transfer of electrons.

Field measurements taken during this monitoring event are included in Appendix B (Table A).

2.2 Laboratory Analysis, First WBZ Wells

Appendix C includes the laboratory report and chain-of-custody form for this monitoring event.

Table 1 presents TPH-g, BTEX, and MtBE analysis results for the current and historical groundwater monitoring events.

TPH-g was below laboratory-reporting limit in MW-4 and was detected at concentrations ranging from 190 µg/L in MW-2 to 67,000 µg/L in MPE-1. As mentioned above (Section 1.1), MW-3 and MPE-2 were not sampled due to the presence of FP. Since the previous monitoring event (Fourth Quarter 2013), TPH-g increased significantly in MPE-1, decreased in MW-1, MW-2, MW-4, MW-5, MW-6, MW-7, and EX-1, and remained constant in EX-2.

It is to be noted that no comparison could be made for MW-3 and MPE-2 due to the presence of FP.

Figure 4 displays the contour map of TPH-g concentrations in groundwater. As illustrated, the highest TPH-g impact is in the southern portion of the site and in the vicinity of the dispenser islands around MPE-1.

The following BTEX concentrations were observed:

- Benzene was below laboratory-reporting limits in MW-2 and MW-7. Detectable benzene concentrations ranged from 12 µg/L in EX-1 to 1,800 µg/L in MPE-1.
- Toluene was below laboratory-reporting limits in MW-1, MW-2, MW-4, MW-5, MW-7, and EX-1. Detectable toluene concentrations ranged from 5.40 µg/L in MW-6 to 3,500 µg/L in MPE-1.
- Ethylbenzene was below laboratory-reporting limit in MW-2 and was detected in concentrations ranging from 3.70 µg/L in MW-7 to 1,800 µg/L in MPE-1.
- Total xylenes were below laboratory-reporting limits in MW-2. Detectable concentrations ranged from 1.50 µg/L in MW-7 to 10,100 µg/L in MPE-1.

Figure 5 displays the contour map of benzene in groundwater. The highest benzene impact is in the southern portion of the site and in the vicinity of the dispenser islands around MPE-1. Since the previous monitoring event (Fourth Quarter 2013), benzene has increased in MPE-1, and decreased in MW-1, MW-2, MW-4, MW-5, MW-6, EX-1, and, EX-2.

MtBE was below the laboratory-reporting limit in MW-2 and MW-6. Detectable MtBE ranged from 1.4 µg/L in MW-1 and MW-5 to 170 µg/L in MPE-1. Figure 6 displays the contour map of MtBE concentrations in groundwater. The highest MtBE impact is in the southern portion of the site and in the vicinity of the

dispenser islands around MPE-1. Since the previous monitoring event (Fourth Quarter 2013), MtBE has increased in MPE-1 and decreased in MW-4, MW-5, MW-6, MW-7, EX-1, and EX-2. No comparison could be made for MW-1 due to higher reporting limit during the previous monitoring event.

As shown in Table 1, TPH-g, benzene, toluene, ethylbenzene, and total xylenes all increased in more impacted well MPE-1 and decreased in MW-6 where free-product has been observed in the past, since the previous monitoring event (Fourth Quarter 2013) while no comparison could be made for MW-3 and MPE-2 due to the presence of FP.

Table 2 shows analysis results for gasoline oxygenate and lead scavenger concentrations for the current as well as historical events.

The following gasoline oxygenate and lead scavenger concentrations were observed:

- In MW-1, MW-2, MW-6, and EX-2 all gasoline oxygenates and lead scavengers were below laboratory-reporting limits.
- Tertiary-butyl alcohol (TBA) was below laboratory-reporting limits in MW-5 and MW-7 along with the wells listed above. Detectable TBA concentrations ranged from 48 µg/L in EX-1 to 1,100 µg/L in MPE-1. Figure 7 shows the contour map of TBA concentrations in First WBZ wells. Since the previous monitoring event (Fourth Quarter 2013), TBA decreased in MW-4, MW-6, EX-1, and MPE-1, more significantly in MW-4. No comparison could be made for EX-2 due to higher dilution and reporting limit.
- Methyl tertiary-amyl ether (TAME) was detected in MW-5 at 2.2 µg/L, MW-7 at 0.64 µg/L, EX-1 at 3.1 µg/L, MPE-1 at 160 µg/L, and was below the laboratory-reporting limit in remaining wells. Figure 7 displays the map of TAME concentrations in First WBZ wells.
- Ethyl tertiary-butyl ether (ETBE) was detected in EX-1 at 0.77 µg/L, and was below laboratory-reporting limits in remaining wells. Figure 7 displays the map of ETBE concentrations in First WBZ wells.
- 1,2-dichloroethane (1,2-DCA), Isopropyl ether (DIPE), 1,2-dibromoethane (EDB), and ethanol were below laboratory-reporting limits in all groundwater samples. Analysis results for ethanol are shown in Appendix C.

2.3 Field Measurements, Second WBZ Wells

Table 1 presents calculated groundwater elevations and depths to groundwater for each Second WBZ monitoring well. Depths to groundwater ranged from 22.38 feet in MW-4D to 23.68 feet in MW-1D. Corresponding groundwater elevations ranged from 30.74 feet in MW-1D and MW-4D to 30.88 feet in MW-3D.

Figure 8 displays the contour map of groundwater elevations in the Second WBZ. Groundwater flows from northwesterly at a gradient of 0.0023 feet/feet. The groundwater gradient has decreased since the previous monitoring event (Fourth Quarter 2013) and the flow direction has changed from southwesterly to northwesterly. Groundwater gradient calculations are attached in Appendix B.

Upon equalization with the surrounding aquifer at each well location, when the purge cycle was terminated, DO in the Second WBZ ranged from 0.34 mg/L in MW-1D to 0.55 mg/L in MW-4D. ORP showed positive redox potentials in all second WBZ wells. Positive redox potentials are more energetically favorable in utilizing electron acceptors during chemical reactions. This promotes the removal of organic mass from the contaminated groundwater by indigenous bacteria in the subsurface during the release of the transfer of electrons.

Field measurements taken during this monitoring event are included in Appendix B.

2.4 Laboratory Analysis for Second WBZ Wells

Appendix C includes the laboratory report and chain-of-custody form for this monitoring event.

Table 1 presents TPH-g, BTEX, and MtBE analysis results for the current and historical groundwater monitoring events.

TPH-g was below laboratory-reporting limit in MW-1D and MW-4D and was detected in MW-3D at 130 µg/L. TPH-g has increased in MW-3D since the previous monitoring event (Fourth Quarter 2013). Figure 9 shows the map of TPH-g concentrations in Second WBZ.

The following BTEX concentrations were observed:

- All BTEX analytes were below laboratory-reporting limits in MW-1D and MW-4D.
- In MW-3D, benzene was below laboratory-reporting limit. Toluene, ethylbenzene, and total xylenes were detected at 2.9 µg/L, 2.5 µg/l, and 16.6 µg/L, respectively. Since the previous monitoring event (Fourth Quarter 2013), toluene, ethylbenzene, and total xylenes have increased in this well.

MtBE was below the laboratory-reporting limit in MW-1D and was detected in MW-3D and MW-4D at 0.97 µg/L and 4.0 µg/L, respectively. Since the previous monitoring event (Fourth Quarter 2013), MtBE has decreased in MW-3D and increased in MW-4D. Figure 9 shows the map of MtBE concentrations in Second WBZ.

Table 2 shows analysis results for gasoline oxygenate and lead scavenger concentrations for the current as well as historical events.

All gasoline oxygenate, lead scavenger, and ethanol concentrations were below laboratory-reporting limits in Second WBZ wells.

3. OPERATION OF TREATMENT SYSTEM

SOMA installed a groundwater treatment system at the site in December 2009. The system includes two extraction wells (EX-1 and EX-2), trenching containing influent and effluent lines and electrical conduits, and the treatment system compound. During system operation, extracted groundwater is pumped from extraction wells through underground piping to a fenced treatment compound, adjacent to the existing service station building.

In the treatment compound, groundwater is treated using granular activated carbon (GAC) and subsequently discharged to the sanitary sewer. Two GAC vessels are connected in series. The first unit (1,000 gallons) serves as the primary treatment unit, and the second (55 gallons) provides an additional safety buffer prior to discharge. Effectiveness of the GAC units is monitored by collection and analysis of samples from the system discharge, including a sample collected from water that has passed only through the first GAC unit. When analytical results indicate that the first GAC unit is no longer effectively treating groundwater, the vessel will be removed from the treatment line and refurbished with new carbon. Since the system began discharging, approximately 2,982,396 gallons of groundwater have been treated and discharged at the site (as of March 18, 2014).

The treatment system operates under discharge permit issued by Oro Loma Sanitary District (OLSD) in May 2009. This discharge permit was most recently renewed in May 2012. Treated groundwater has been discharging to the OLSD sewer since December 9, 2009. Figure 10 shows the schematic diagram of the groundwater treatment system. Treatment system effluent is sampled monthly to comply with OLSD discharge permit requirements. Table 3 includes analytical results and operational history of the treatment system. As shown in Table 4, as of January 9, 2014, cumulative masses of TPH-g and BTEX extracted from groundwater were approximately 36.04 pounds, 1.38 pounds, 0.36 pounds, 0.89 pounds, and 4.84 pounds, respectively. Appendix D includes laboratory analytical results.

4. MULTI-PHASE EXTRACTION EVENTS

No MPE events were performed during First Quarter 2014. The overall estimated total mass of VOCs extracted by previous MPE events is 2,737 pounds. This includes the following: 106 pounds, November 2007 pilot test; 243 pounds, October 2009 event; 72 pounds, November 2009 event; 97 pounds, December 2009 event; 17 pounds, February 2010 event; 11 pounds, March 2010 event; 30 pounds, June 2010 event; 30 pounds, August 2010 event; 79 pounds, October 2010 event; 27 pounds, April 2011 event; 94 pounds, August 2011 event; 300 pounds, May 2013 event; 841 pounds, August 2013 event; and 790 pounds, October 2013 event.

Figure 11 shows the extracted mass of VOCs during different MPE events at the site.

5. CONCLUSIONS AND RECOMMENDATIONS

First Quarter 2014 groundwater monitoring and previous MPE events results are summarized below.

- Groundwater flows towards extraction wells in the First WBZ and northwesterly in the Second WBZ.
- The highest hydrocarbon concentrations were observed in the southern portion of the site and in the vicinity of the dispenser islands around MPE extraction well MPE-1. FP was observed in MW-3 and extraction well MPE-2.
- Since the previous monitoring event (Fourth Quarter 2013), TPH-g, benzene, toluene, ethylbenzene, and total xylenes all increased in more impacted well MPE-1 and decreased in MW-6 while no comparison could be made for MW-3 and MPE-2 due to the presence of FP.
- In the Second WBZ, since the previous monitoring event (Fourth Quarter 2013), TPH-g, toluene, ethylbenzene, and total xylenes increased in MW-MW-3D; MtBE decreased in MW-3D and increased in MW-4D.
- The total mass of hydrocarbon removed by MPE operations (as of November 2013) is estimated to be 2,737 pounds.

Based on results of this monitoring event and previous MPE events, SOMA recommends the following action items:

- Continue quarterly groundwater monitoring to increase understanding of seasonal variations in groundwater quality conditions.
- Due to increased effectiveness of MPE operation during October-November 2013 event and the presence of FP in MW-3 and MPE-2, SOMA

proposes additional MPE operation for mitigating the chemical source areas around MPE-1 and MPE-2.



SOMA completed the field activities as approved by ACHCS on October 30, 2013. Results and SOMA's recommendations were documented in 'Additional Off-site Investigation Report and Updated Site Conceptual Model' dated March 7, 2014.

6. REPORT LIMITATIONS

This report is the summary of work done by SOMA, including observations and descriptions of site conditions. It includes analysis results produced by Curtis & Tompkins Laboratories for the current groundwater monitoring event. Quantities and locations of wells were selected to provide the required information, but may not be representative of entire site conditions. All conclusions and recommendations are based on laboratory analysis results. Conclusions beyond those specifically stated in this document should not be inferred from this report.

SOMA warrants that services were provided in accordance with generally accepted practices in the environmental engineering and consulting field at the time of this sampling.

Figures



approximate scale in feet



Figure 1: Site vicinity map.





Figure 2: Site Map Showing Locations of USTs, Fuel Dispensers, Soil Borings, and Groundwater Monitoring Wells




approximate scale in feet

0 50 100

Figure 3: Groundwater Elevation Contour Map in Feet, First WBZ, March 12, 2014





approximate scale in feet




Figure 4: Contour Map of TPH-g Concentrations in Groundwater, First WBZ, March 12, 2014




Figure 5: Contour Map of Benzene Concentrations in Groundwater, First WBZ, March 12 and 13, 2014




Figure 6: Contour Map of MtBE Concentrations in Groundwater, First WBZ, March 12 and 13, 2014

approximate scale in feet
 0 50 100






Figure 7: Contour Map of TBA and map of ETBE and TAME Concentrations in Groundwater, First WBZ, March 12 and 13, 2014



approximate scale in feet
 0 50 100

Figure 8: Groundwater Elevation Contour Map in Feet, Second WBZ, March 12, 2014





- 0.0 TPH-g Concentrations in ug/L
- 0.0 MtBE Concentrations in ug/L
- Decommissioned Monitoring Wells Nov 2009
- Monitoring Wells Installed 12/07
- Monitoring Wells
- MPE wells installed in April 2009 and extraction wells installed in Nov 2009

approximate scale in feet
 0 50 100

Figure 9: Map Showing TPH-g and MtBE Concentrations in Groundwater, Second WBZ, March 12 and 13, 2014






Figure 10: Schematic diagram of Groundwater Remediation System




Figure 11: Cumulative mass of VOCs removed

Tables

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
1st WBZ											
MW-1	5/10/2002	51.71	22.85	-	28.86	5,700	360	4.5	340	450	2
	8/8/2002	51.71	23.31	-	28.40	9,100	590	2.6	830	362	<1.3
	11/8/2002	51.71	23.58	-	28.13	7,900	570	3.1	680	392	< 1.0
	2/21/2003	51.71	22.62	-	29.09	2,900	160	1.6 C	170	211	<0.5
	5/28/2003	51.71	22.43	-	29.28	1,700	55	<0.5	90	115	2.00
	8/12/2003	51.71	21.30	-	30.41	2,600	2.5	<0.5	190	130	<0.5
	10/9/2003	51.71	23.49	-	28.22	9,200	560.0	2.7 C	670	648	<1.0
	1/15/2004	51.71	22.43	-	29.28	5,500	190	<1.0	220	124.4	<0.5
	5/25/2004	51.71	22.94	-	28.77	8,000	400	1.50	420	393	3.40
	9/21/2004	54.46	23.49	-	30.97	9,300	580	9.30	690	683	4.60
	12/14/2004	54.46	23.01	-	31.45	7,360	337	<4.3	731	633	<4.3
	3/11/2005	54.46	21.48	-	32.98	2,510	45.2	<0.5	23.2	39.63	2.80
	6/15/2005	54.46	22.42	-	32.04	1,690	36.3	<2.0	59.5	28.73	2.01
	8/26/2005	54.46	23.00	-	31.46	7,310	318	<8.60	475	316	5.15
	11/11/2005	54.46	21.40	-	33.06	9,640	341	<8.6	467	329.7	6.04
	2/9/2006	54.46	21.81	-	32.65	775	14	<2.0	12.6	10.32	4.01
	5/9/2006	54.46	21.68	-	32.78	444	7.80	<2.0	12.1	6.31	1.75
	8/10/2006	54.46	22.79	-	31.67	5,090	324	<8.60	108	59.9	8.24
	10/26/2006	54.46	23.19	-	31.27	6,950	556	<4.0	190	136.09	8.61
	1/25/2007	54.46	22.82	-	31.64	2,640	196	<2.0	105	25.5	7.92
	4/26/2007	54.46	22.67	-	31.79	861	95.5	<2.0	17	6.36	4.00
	7/25/2007	54.46	23.25	-	31.21	4,520	412	<4.0	182	77.9	7.48
10/23/2007	54.46	23.42	-	31.04	3,900	117	<2.0	87.1	23.87	4.54	
1/22/2008	54.46	22.59	-	31.87	2,260	81.3	<2.0	17.5	<2.0	4.23	
4/16/2008	54.46	22.89	-	31.57	2,320	248	<2.0	54.1	37.3	<0.5	
7/3/2008	54.46	23.33	-	31.13	5,240	414	<2.0	168	94	6.56	
10/15/2008	54.46	23.76	-	30.70	4,500 ^Y	260	<1.0	150	130	3.40	
1/7/2009	54.46	23.25	-	31.21	4,800	140	<1.3	48	32	1.70	
4/14/2009	54.46	22.52	-	31.94	1,800 ^Y	78	<0.5	35	18	2.50	
8/27/2009	54.46	23.6	-	30.86	4,500	330	<2.0	97	42	4.60	
12/2/2009	54.46	23.43	-	31.03	3,800 ^Y	250	<2.0	110	25	2.50	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-1 cont	3/17/2010	54.46	22.32	-	32.14	1,100	33	<0.50	46	18	1.70
	6/3/2010	54.46	22.88	-	31.58	10,000	330	4.3	680	841.5	5.20
	9/2/2010	54.46	23.28	-	31.18	8,900	440	<5.0	510	310	<5.0
	12/2/2010	54.46	23.21	-	31.25	7,400	250	<3.1	390	180	<3.1
	3/4/2011	54.46	21.95	N	32.51	2,400	67	<0.5	45	8.4	2.20
	5/20/2011	54.46	22.8	N	31.66	9,500	260	6.2	970	480	<3.6
	9/9/2011	54.46	22.81	N	31.65	6,400	220	<1.3	380	160	2.30
	12/2/2011	54.46	21.97	N	32.49	4,700 ^x	96	<1.7	310	200	<3.3
	3/2/2012	54.46	22.82	N	31.64	6,800	320	<2.5	430	120	<2.5
	6/7/2012	54.46	22.92	N	31.54	5,600	130	<2.5	360	160	2.9
	9/21/2012	54.46	23.56	N	30.90	8,000	300	<2.5	410	340	2.6
	12/14/2012	54.46	22.77	N	31.69	5,900	130	<2.5	320	97	<2.5
	3/28/2013	54.46	23.15	N	31.31	5,100	230	<2.5	280	48	3.6
	6/11/2013	54.46	23.48	N	30.98	6,800	200	<2.5	300	120	<2.5
	9/17/2013	54.46	23.84	N	30.62	7,500	120	<2.5	410	260	<2.5
	12/6/2013	54.46	24.16	N	30.30	5,300	71	<1.7	240	84	<1.7
	3/13/2014	54.46	23.47	N	30.99	2,800	16	<0.5	74	15	1.4
MW-2	5/10/2002	49.66	22.83	-	26.83 *	3,100	67	8	250	215	56
	8/8/2002	49.66	21.41	-	28.25	2,700	4.6	<0.5	310	140	<0.5
	11/8/2002	49.66	21.79	-	27.87	3,400	4.6	< 0.5	310	160	< 0.5
	2/21/2003	49.66	20.51	-	29.15	890	1.7 C	0.80 C	68	38.92 C	<0.5
	5/28/2003	49.66	20.33	-	29.33	2,700	5.2 C	<0.5	120	140	1.2
	8/12/2003	49.66	23.18	-	26.48*	8,500	640	<2.5	560	659	<0.8
	10/9/2003	49.66	21.71	-	27.95	3100 H	4.3 C	<0.5	210	160	<0.5
	1/15/2004	49.66	20.31	-	29.35	660 H	1.5 C	<0.5	8.9	25	<0.5
	5/25/2004	49.66	21.09	-	28.57	4,500	5.1 C	<0.5	190	230	0.70
	9/21/2004	52.41	21.71	-	30.70	370	0.76 C	<0.5	25	16	0.50
	12/14/2004	52.41	21.20	-	31.21	880	1.0	<0.5	66	52	<0.5

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-2 cont.	3/11/2005	52.41	19.15	-	33.26	564	<0.5	<0.5	21	11.9	<0.5
	6/15/2005	52.41	20.30	-	32.11	2,040	1.2	<2.0	78.2	22	<0.5
	8/26/2005	52.41	20.97	-	31.44	1,500	0.930	<2.00	87.6	21	0.86
	11/11/2005	52.41	25.30	-	27.11	2,140	1.08	<2.0	104	29	0.79
	2/9/2006	52.41	19.41	-	33.00	1,410	<0.5	<2.0	99.6	21.4	0.72
	5/9/2006	52.41	19.41	-	33.00	1,100	<0.5	<2.0	86.5	17	<0.5
	8/10/2006	52.41	20.8	-	31.61	3,180	2.87	<2.0	88.9	24.8	<0.50
	10/26/2006	52.41	21.22	-	31.19	1,200	<0.5	<2.0	23.5	4.79	0.6
	1/25/2007	52.41	20.89	-	31.52	623	0.64	<2.0	42.4	4.37	0.66
	4/26/2007	52.41	20.65	-	31.76	169	<0.5	<2.0	15.2	2.3	<0.5
	7/25/2007	52.41	21.43	-	30.98	276	0.78	<2.0	22.1	4.04	<0.5
	10/23/2007	52.41	21.59	-	30.82	535	<0.5	<2.0	18	5.11	<0.5
	1/22/2008	52.31	20.45	-	31.86	132	<0.5	<2.0	12.2	<2.0	<0.5
	4/15/2008	52.41	20.89	-	31.52	852	<0.5	<2.0	27.2	4.78	<0.5
	7/2/2008	52.41	21.5	-	30.91	98.3	<0.5	<2.0	2.76	<2.0	<0.5
	10/15/2008	52.41	22.06	-	30.35	1,400 ^Y	<0.5	<0.5	60	17	<0.5
	1/7/2009	52.41	21.35	-	31.06	93	<0.5	<0.5	2.1	0.74	<0.5
	4/13/2009	52.41	20.52	-	31.89	480 ^Y	<0.5	<0.5	20	5.5	<0.5
	8/27/2009	52.41	21.85	-	30.56	130	<0.5	<0.5	2.5	0.61	<0.5
	12/1/2009	52.41	21.59	-	30.82	760 ^Y	<0.5	<0.5	14	1.5	<0.5
	3/17/2010	52.41	20.11	-	32.30	480	<0.5	<0.5	30	6.9	<0.5
	6/3/2010	52.41	21	-	31.41	690	<0.5	<0.5	14	2.6	<0.5
	9/2/2010	52.41	21.42	-	30.99	470	<0.5	<0.5	7.6	1	<0.5
12/2/2010	52.41	21.44	-	30.97	470	<0.5	<0.5	7.6	3.3	<0.5	
3/4/2011	52.41	19.65	N	32.76	240	<0.5	<0.5	6.6	0.8	<0.5	
5/20/2011	52.41	20.75	N	31.66	310	<0.5	<0.5	4.8	<0.5	<0.5	
9/9/2011	52.41	21.05	N	31.36	1,000	<0.5	<0.5	12	0.76	<0.5	
12/2/2011	52.41	20.14	N	32.27	900 ^X	<2.9	<1.7	14	1.9	<3.3	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-2 cont.	3/2/2012	52.41	19.98	N	32.43	880	<0.5	<0.5	5.3	0.58	<0.5
	6/7/2012	52.41	21.04	N	31.37	720	<0.5	<0.5	7.9	0.79	<0.5
	9/21/2012	52.41	21.78	N	30.63	1,400	<0.5	<0.5	11	<0.5	<0.5
	12/14/2012	52.41	20.71	N	31.70	760	<0.5	<0.5	10	1.5	<0.5
	3/28/2013	52.41	21.24	N	31.17	890	<0.5	<0.5	4.3	<0.5	<0.5
	6/11/2013	52.41	21.67	N	30.74	510	150	<0.5	15	12.3	3.1
	9/16/2013	52.41	22.15	N	30.26	210	<0.5	<0.5	1.1	<0.5	<0.5
	12/6/2013	52.41	22.52	N	29.89	290	1.4	<0.5	1.1	<0.5	<0.5
	3/13/2014	52.41	21.56	N	30.85	190	<0.5	<0.5	<0.5	<0.5	<0.5
MW-3	5/10/2002	51.16	22.28	-	28.88	44,000	6,000	900	1,500	6,200	2,400
	8/8/2002	51.16	22.88	-	28.28	40,000	5,800	1,100	1,600	6,500	1,300
	11/8/2002	51.16	23.19	-	27.97	47,000	5,300	1,200	2,200	8,600	1,000
	2/21/2003	51.16	22.02	-	29.14	39,000	5,500	1,500	2,000	8,600	1,300
	5/28/2003	51.16	21.89	-	29.27	52,000	7,300	3,000	2,800	12,700	2,100
	8/12/2003	51.16	22.66	-	28.50	31,000	6,100	860	1,500	6,900	1,200
	10/9/2003	51.16	23.06	-	28.10	41,000	6,100	1,100	2,200	10,200	960
	1/15/2004	51.16	21.85	-	29.31	51,000	4,100	1,100	2,000	8,400	590
	5/25/2004	51.16	22.55	-	28.61	65,000	4,300	1,300	2,500	10,500	720
	9/21/2004	53.91	23.08	-	30.83	42,000	4,900	890	2,200	8,700	480
	12/14/2004	53.91	22.52	-	31.39	35,151	4,066	972	2,942	13,032	491
	3/11/2005	53.91	20.90	-	33.01	42,600	3,040	1,100	1,530	6,670	968
	6/15/2005	53.91	21.85	-	32.06	84,100	5,110	2,160	3,030	8,800	2,670
	8/26/2005	53.91	22.49	-	31.42	43,500	3,630	1,080	2,500	6,830	1,440
	11/11/2005	53.91	22.81	-	31.10	47,700	4,240	520	2,170	6,320	1,390
	2/9/2006	53.91	21.12	-	32.79	44,500	5,070	1360	1,920	4,840	3,280
5/9/2006	53.91	21.09	-	32.82	48,100	2,510	1,140	1,950	5,030	2,210	
8/10/2006	53.91	22.26	-	31.65	42,100	3,450	869	1,760	5,650	3,570	
10/26/2006	53.91	22.73	-	31.18	33,400	4,800	331	1,170	3,510	4,790	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-3 cont.	1/25/2007	53.91	22.34	-	31.57	19,300	4,820	167	1,540	3,740	3,430
	4/26/2007	53.91	22.24	-	31.67	30,700	2,350	158	1,470	4,320	1,330
	7/25/2007	53.91	22.83	-	31.08	34,900	5,400	364	2,080	6,360	1,980
	10/23/2007	53.91	23.01	-	30.9	22,600	4,070	<86	1,120	3,095	970
	1/22/2008	53.96	22.04	-	31.92	22,100	1,280	453	1,330	3,520	490
	4/16/2008	53.91	22.4	-	31.51	20,700	2,790	182	860	3,389	263
	7/3/2008	53.91	22.9	-	31.01	48,500	3,760	346	3,130	12,980	573
	10/16/2008	53.91	23.36	-	30.55	50,000	3,900	300	3,100	11,000	460
	1/8/2009	53.91	22.82	-	31.09	54,000	2,600	180	2,500	8,800	220
	4/13/2009	53.91	22.06	-	31.85	49,000	2,900	170	2,100	8,100	490
	8/27/2009	53.91	23.11	-	30.80	43,000	2,500	160	1,900	7,000	210
	12/2/2009	53.91	23.00	-	30.91	30,000	2,100	180	1,600	5,600	91
	3/17/2010	53.91	21.90	-	32.01	24,000	970	81	1,100	3,700	38
	6/3/2010	53.91	22.49	-	31.42	31,000	1,200	110	1,300	4,400	34
	9/2/2010	53.91	22.76	-	31.15	26,000	1,100	81	1,200	3,810	26
	12/2/2010	53.91	22.86	-	31.05	18,000	830	47	780	2,360	14
	3/4/2011	53.91	21.44	N	32.47	18,000	410	32	850	2,480	16
	5/20/2011	53.91	22.36	N	31.55	12,000	710	24	620	1,460	11
	9/9/2011	53.91	22.44	N	31.47	11,000	1,100	26	580	1,430	7.8
	12/2/2011	53.91	21.60	N	32.31	5,100 ^x	280	12	370	740	<1.7
3/2/2012	53.91	22.39	N	31.52	13,000	440	23	690	1,570	<5.0	
6/7/2012	53.91	22.50	N	31.41	9,000	290	9.3	520	900	<5.0	
9/21/2012	53.91	23.17	N	30.74	12,000	710	26	630	1,230	8.2	
12/14/2012	53.91	22.32	Y	31.59	8,500	350	8.7	550	1,003	<5	
3/28/2013	53.91	22.69	Y	31.22	9,300	790	8.2	760	974	8.7	
6/11/2013	53.91	23.06	Y	30.85	14,000	700	26	860	1,630	6.1	
9/17/2013	53.91	23.41	Y	30.50	28,000	570	37	1,800	3,560	<10	
12/6/2013	53.91	23.76	Y	30.15	23,000	360	26	1,700	3,330	<10	
	3/12/2014	53.91	23.13	22.98	30.88	FP	FP	FP	FP	FP	FP
MW-4	5/10/2002	50.54	21.78	-	28.76	880	25	1.0C	110	52	12,000
	8/8/2002	50.54	22.50	-	28.04	3,800	70	<5.0	300	115	4,800
	11/8/2002	50.54	22.81	-	27.73	5,100	150	10	460	258	2,400

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-4 cont.	2/21/2003	50.54	21.48	-	29.06	3,200	98	66	220	360	6,600
	5/28/2003	50.54	21.24	-	29.30	6,200	140	46	200	790	2,300
	8/12/2003	50.54	22.32	-	28.22	7,500	180	57	220	1450	1,900
	10/9/2003	50.54	22.74	-	27.80	5,800	250	32	300	970	7,800
	1/15/2004	50.54	21.19	-	29.35	5,900	270	17 C	150	640	7,300
	5/25/2004	50.54	22.03	-	28.51	9,100	210	51	200	1190	1800
	9/21/2004	53.31	22.76	-	30.55	5,200	290	12	370	600	7300
	12/14/2004	53.31	21.99	-	31.32	8,937	538	114	416	2379	5021
	3/11/2005	53.31	20.01	-	33.30	12,300	225	39.6	80.1	1465	3870
	6/15/2005	53.31	21.25	-	32.06	7,690	114	32.6	77.1	555	1150
	8/26/2005	53.31	22.03	-	31.28	8,850	175	24.6	150	851	1380
	11/11/2005	53.31	22.43	-	30.88	9,990	356	<43	196	700	3,640
	2/9/2006	53.31	20.31	-	33.00	6,850	205	<43	67.2	255.2	5,120
	5/9/2006	53.31	20.33	-	32.98	1,290	18.1	<8.6	12.9	25.87	799
	8/10/2006	53.31	21.74	-	31.57	7,830	118	<8.60	25.3	174.6	919
	10/26/2006	53.31	22.29	-	31.02	1,540	81.9	<43	96	46.4	3,610
	1/25/2007	53.31	21.86	-	31.45	4,370	163	<8.6	85.1	269.1	1,050
	4/26/2007	53.31	21.63	-	31.68	4,380	140	<8.6	67	276.8	576
	7/25/2007	53.31	22.49	-	30.82	4,970	220	<8.60	198	241.5	1,040
	10/23/2007	53.31	22.69	-	30.62	4,200	267	<8.6	147	155.5	1,220
	1/22/2008	53.36	21.39	-	31.97	2,180	133	<22.0	43.1	32.2	1,800
	4/15/2008	53.31	21.9	-	31.41	4,240	90.4	<22.0	107	380	674
	7/2/2008	53.31	22.55	-	30.76	2,300	193	<22.0	212	183	4,050
10/16/2008	53.31	23.13	-	30.18	8,900	320	3.7	430	1,160	450	
1/8/2009	53.31	22.42	-	30.89	19,000	430	44	590	3,380	440	
4/13/2009	53.31	21.51	-	31.80	21,000	400	38	450	2,880	330	
8/27/2009	53.31	22.94	-	30.37	16,000	960	64	560	2,120	290	
12/2/2009	53.31	22.36	-	30.95	4,400	480	6	170	640	110	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-4 cont.	3/17/2010	53.31	21.39	-	31.92	14,000	260	6	230	1,220	93
	6/3/2010	53.31	22.23	-	31.08	18,000	240	4	310	770	41
	9/2/2010	53.31	22.51	-	30.80	1,800	800	<3.6	150	25	33
	12/2/2010	53.31	22.71	-	30.60	3,800	1,500	<10	200	115	29
	3/3/2011	53.31	20.64	N	32.67	2,400	28	<0.71	28	17	3
	5/19/2011	53.31	21.84	N	31.47	1,800	27	<0.5	29	11.2	4.8
	9/8/2011	53.31	22.11	N	31.20	3,600	300	2.6	270	68.5	59
	12/1/2011	53.31	21.38	N	31.93	1,400 ^x	370	<0.84	110	30.6	110
	3/2/2012	53.31	22.02	N	31.29	3,100	780	<2.0	150	59.6	50
	6/7/2012	53.31	22.24	N	31.07	2,000	290	<2.5	66	23	29
	9/21/2012	53.31	22.87	N	30.44	2,900	820	<2.5	75	17	72
	12/14/2012	53.31	21.84	N	31.47	840	48	<0.5	14	4.5	2.5
	3/28/2013	53.31	22.24	N	31.07	790	650	<5.0	26	<5.0	15
	6/11/2013	53.31	22.71	N	30.60	1,100	860	<5.0	64	<5.0	35
	9/17/2013	53.31	23.23	N	30.08	<1,000	1,300	<10	22	<10	44
	12/6/2013	53.31	23.6	N	29.71	2,300	3,300	<10	78	199	42
3/13/2014	53.31	22.6	N	30.71	<630	600	<6.3	7.0	21	6.8	
MW-5	5/10/2002	47.79	19.02	-	28.77	25,000	1,000	1200	1,100	3,060	1,800
	8/8/2002	47.79	19.80	-	27.99	18,000	1,000	660	950	1,720	1,500
	11/8/2002	47.79	20.14	-	27.65	16,000	1,300	380	930	1,550	1,200
	2/21/2003	47.79	18.70	-	29.09	12,000	390	71	770	1,100	860
	5/28/2003	47.79	18.52	-	29.27	9,100	210	31	560	790	600
	8/12/2003	47.79	19.54	-	28.25	12,000	660	75	660	1,110	1,000
	10/9/2003	47.79	20.06	-	27.73	15,000	1,000	130	1,000	1,430	1,700
	1/15/2004	47.79	18.42	-	29.37	9,900	450 C	16	500	431	1,100
	5/25/2004	47.79	19.30	-	28.49	9,200	380	24	490	536	720
	9/21/2004	50.53	20.15	-	30.38	10,000	980	71	560	770	1200
	12/14/2004	50.53	19.30	-	31.23	10,502	587	64	1040	1133	1015
	3/11/2005	50.53	17.20	-	33.33	8,390	407	<5.5	83	42.5	1530
	6/15/2005	50.53	18.54	-	31.99	9,350	147	18.3	435	146.2	573
	8/26/2005	50.53	19.31	-	31.22	9,500	261	<22	726	321.3	749
	11/11/2005	50.53	19.75	-	30.78	10,000	443	41.5	527	278.5	1,430

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-5 cont.	2/9/2006	50.53	17.58	-	32.95	7,640	237	<22	187	50.2	2,050
	5/9/2006	50.53	17.54	-	32.99	8,360	111	<8.6	300	75.84	566
	8/10/2006	50.53	19.02	-	31.51	16,100	250	<22	455	187.4	1,590
	10/26/2006	50.53	19.61	-	30.92	10,100	430	<22	375	192.6	3,060
	1/25/2007	50.53	19.19	-	31.34	3,960	340	<22	323	150.1	1,740
	4/26/2007	50.53	18.89	-	31.64	4,590	187	<8.6	307	116.5	861
	7/25/2007	50.53	19.81	-	30.72	6,490	419	21.8	413	223.2	913
	10/23/2007	50.53	19.98	-	30.55	6,120	550	11	284	141.4	433
	1/22/2008	50.18	18.69	-	31.49	9,810	572	22	574	184.1	126
	4/15/2008	50.18	19.16	-	31.02	8,890	335	15.1	477	397.5	136
	7/3/2008	50.53	19.88	-	30.65	13,100	949	34.4	875	825.5	176
	10/16/2008	50.53	20.45	-	30.08	11,000	870	25	820	668	160
	1/8/2009	50.53	19.72	-	30.81	12,000	490	21	690	456	76
	4/13/2009	50.53	18.81	-	31.72	9,000 ^Y	200	11	390	198	44
	8/27/2009	50.53	21.30	-	29.23	7,400	610	15	320	185	66
	12/2/2009	50.53	20.00	-	30.53	8,400 ^Y	400	12	540	296	45
Pre-MPE	3/17/2010	50.53	18.73	-	31.80	4,800	120	8.7	120	107	14
	6/4/2010	50.53	19.60	-	30.93	7,200	160	5.7	190	149.2	24
	9/2/2010	50.53	19.82	-	30.71	9,200	110	12	270	318	35
	12/2/2010	50.53	20.10	-	30.43	9,100	170	6.7	350	442	23
	3/4/2011	50.53	18.00	N	32.53	2,600	18	0.62	54	18.1	3
	5/20/2011	50.53	19.18	N	31.35	4,000	91	8.5	110	106	33
	8/4/2011	50.53	NM	-	NC	3,000	23	0.95	92	43.7	5.4
	9/9/2011	50.53	19.41	N	31.12	4,200	120	2.8	140	61.1	22
	12/2/2011	50.53	18.59	N	31.94	6,900 ^X	96	12	220	104	32
	3/2/2012	50.53	19.30	N	31.23	5,400	43	1.8	110	85	7
	6/7/2012	50.53	19.45	N	31.08	3,700	32	<1.0	100	59	4.4
	9/21/2012	50.53	20.17	N	30.36	3,900	68	1.5	140	88.5	9.8
	12/14/2012	50.53	19.12	N	31.41	3,100	48	6.7	100	62.3	5.2
	3/28/2013	50.53	19.47	N	31.06	1,900	30	<1.0	59	48.4	4.5
	6/11/2013	50.53	20.03	N	30.50	2,900	22	3.9	110	131	3.0
	9/17/2013	50.53	20.54	N	29.99	4,200	55	7.9	180	229	5.2
	12/6/2013	50.53	20.86	N	29.67	3,600	35	2.1	160	241	2.5
	3/13/2014	50.53	19.91	N	30.62	2,100	23	<1.0	130	73	1.4

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-6	9/21/2004	45.82	17.64	-	28.18	34,000	150	130	2200	8100	0.6
	12/14/2004	45.82	15.75	-	30.07	5,161	137	7	436	1136	<5.5
	3/11/2005	45.82	13.80	-	32.02	6,040	125	3.22	260	722.1	4.94
	6/15/2005	45.82	14.78	-	31.04	5,590	44.3	6.60	272	382	5.85
	8/26/2005	45.82	15.91	-	29.91	6,130	99	<8.6	378	492.9	5.66
	11/11/2005	45.82	16.55	-	29.27	11,400	101	<8.6	645	834.7	4.33
	2/9/2006	45.82	13.92	-	31.90	2,790	32.3	<8.6	131	131.22	7.30
	5/9/2006	45.82	13.95	-	31.87	3,730	25	<2.0	213	207.82	5.87
	8/10/2006	45.82	15.28	-	30.54	4,800	41.9	<2.0	201	189	10.4
	10/26/2006	45.82	16.11	-	29.71	6,080	37.4	<2.0	116	183	9.78
	1/25/2007	45.82	15.76	-	30.06	3,220	25.2	<2.0	219	174	14.7
	4/26/2007	45.82	15.18	-	30.64	3,110	28	<2.0	165	138.47	14.6
	7/25/2007	45.82	16.82	-	29.00	4,960	54.1	<2.0	199	255.87	8.05
	10/23/2007	45.82	16.91	-	28.91	9,610	64.3	<2.0	188	302.6	5.81
	1/21/2008	45.82	15.36	-	30.46	3,290	33	<2.0	149	131.31	3.86
	4/15/2008	45.82	15.73	-	30.09	2,070	10.8	<2.0	51.1	67	<0.5
	7/2/2008	45.82	16.9	-	28.92	7,900	42.4	<2.0	194	296	3.58
	10/15/2008	45.82	17.21	-	28.61	18,000 ^Y	42	1.4	320	673	1.7
	1/7/2009	45.82	17.08	-	28.74	13,000	47	<3.1	210	425	<3.1
	4/13/2009	45.82	15.52	-	30.30	7,200 ^Y	26	<1.3	170	312.6	2.6
8/26/2009	45.82	17.82	-	28.00	10,000 ^Y	25	<2.0	130	294	2.2	
12/1/2009	45.82	17.34	-	28.48	11,000 ^Y	31	6.1	220	539	<2.0	
3/16/2010	45.82	14.81	-	31.01	31,000	63	140	970	4,200	64	
6/3/2010	45.82	15.72	-	30.10	27,000	22	67	840	3,100	32	
9/1/2010	45.82	16.86	-	28.96	33,000	24	34	1,100	3,780	12	
12/2/2010	45.82	16.98	-	28.84	70,000	32	55	1,700	5,670	18	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-6 cont.	3/3/2011	45.82	14.35	Y	31.47	7,000	18	<2.5	97	237	11
	5/20/2011	45.82	14.95	Y	30.87	14,000	14	<2.5	300	823	7.2
	9/8/2011	45.82	16.14	Y	29.68	23,000	28	<2.5	360	812	3.4
	12/1/2011	45.82	16.17	16.15	29.66	FP	FP	FP	FP	FP	FP
	3/2/2012	45.82	16.11	Y	29.71	14,000	23	<4.2	400	694.4	<4.2
	6/6/2012	45.82	16.31	Y	29.51	9,200	12	<1.7	210	320	<1.7
	9/20/2012*	45.82	17.36	17.32	28.49	FP	FP	FP	FP	FP	FP
	12/13/2012	45.82	15.46	Y	30.36	13,000	22	<0.71	83	62.8	5.1
	3/27/2013	45.82	16.3	Y	29.52	7,400	27	<1.3	190	221.8	<1.3
	6/10/2013	45.82	17.37	Y	28.45	12,000	20	<2.5	280	230	<2.5
	9/16/2013	45.82	18.11	18.06	27.74	FP	FP	FP	FP	FP	FP
	12/5/2013	45.82	18.75	Y	27.07	18,000	220	330	460	2,030	6.1
	3/12/2014	45.82	17	Y	28.82	8,900	42	5.4	290	760	<2.5
MW-7	9/21/2004	44.74	15.21	-	29.53	2,900	<0.5	<0.5	52	61	8.1
	12/14/2004	44.74	13.90	-	30.84	<50	1.6	<0.5	29	58	6.0
	3/11/2005	44.74	11.46	-	33.28	2,230	<2.5	<2.5	39.4	51.4	12.4
	6/15/2005	44.74	12.97	-	31.77	2,940	0.85	<2.0	50.6	31.9	13.7
	8/26/2005	44.74	14.10	-	30.64	2,310	<0.50	<2.0	55.7	29.6	4.01
	11/11/2005	44.74	14.59	-	30.15	3,030	<0.5	<2.0	66.5	42.3	9.76
	2/9/2006	44.74	NM	-	NM	NA	NA	NA	NA	NA	NA
	5/9/2006	44.74	12.02	-	32.72	1,400	<0.5	<2.0	19.8	12.4	2.30
	8/10/2006	44.74	13.72	-	31.02	604	<0.50	<2.0	6.2	4.63	1.42
	10/26/2006	44.74	14.38	-	30.36	1350	<0.50	<2.0	16.6	10.8	1.87
	1/25/2007	44.74	13.93	-	30.81	340	<0.5	<2.0	6.84	2.44	1.63
	4/26/2007	44.74	14.44	-	30.30	552	<0.5	<2.0	11.4	6.11	4.12
	7/25/2007	44.74	14.79	-	29.95	1,230	<0.5	<2.0	27	19.24	3.2
	10/23/2007	44.74	14.88	-	29.86	1,730	0.67	<2.0	20.7	17.31	8.44
	1/21/2008	44.74	13.34	-	31.40	610	1.15	<2.0	8.4	4.34	17.2
	4/15/2008	44.74	13.91	-	30.83	1,460	<0.5	<2.0	15.9	19.7	17.3
	7/2/2008	44.74	14.87	-	29.87	1,450	<0.5	<2.0	11	6.8	22.1
10/15/2008	44.74	15.68	-	29.06	1,900 ^Y	0.56	1.2	27	39.5	55	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-7 cont.	1/7/2009	44.74	14.72	-	30.02	2,700	1.2	2.9	11	25	39
	4/13/2009	44.74	13.54	-	31.20	2,300 ^Y	<0.5	<0.5	15	6.3	63
	8/26/2009	44.74	15.84	-	28.90	2,700 ^Y	<0.5	<0.5	48	53	140
	12/1/2009	44.74	15.03	-	29.71	1,800 ^Y	<0.5	<0.5	22	15	120
	3/16/2010	44.74	12.56	-	32.18	1,100	<0.5	<0.5	3.2	1.4	65
	6/3/2010	44.74	13.80	-	30.94	740	<0.5	<0.5	1.8	0.62	28
	9/1/2010	44.74	14.84	-	29.90	1,200	<0.5	<0.5	10	3.2	29
	12/2/2010	44.74	14.74	-	30.00	1,400	<0.5	<0.5	8	0.74	21
	3/3/2011	44.74	13.31	N	31.43	1,000	<0.5	<0.5	1.8	<0.5	16
	5/19/2011	44.74	13.43	N	31.31	810	<0.5	<0.5	2.2	0.79	7.8
	9/8/2011	44.74	14.38	N	30.36	1,000	<0.5	<0.5	8.3	2.9	5.4
	12/1/2011	44.74	13.57	N	31.17	1,500 ^X	<0.33	<0.19	12	5.7	13
	3/2/2012	44.74	14.16	N	30.58	1,000	<0.5	<0.5	4	1.1	5.1
	6/6/2012	44.74	14.00	N	30.74	780	<0.5	<0.5	2.9	1.0	2.6
	9/20/2012	44.74	15.26	N	29.48	1,200	<0.5	<0.5	4.3	0.92	2.7
	12/13/2012	44.74	13.34	N	31.40	1,100	<0.5	<0.5	0.99	<0.5	3.4
	3/27/2013	44.74	14.30	N	30.44	680	<0.5	<0.5	1.8	<0.5	4.2
	6/10/2013	44.74	15.06	N	29.68	890	<0.5	<0.5	2.6	<0.5	2.3
	9/16/2013	44.74	15.78	N	28.96	1,400	<0.5	<0.5	7.9	2.7	4.1
	12/5/2013	44.74	16.21	N	28.53	1,800	<0.5	<0.5	8	3.1	5.7
3/12/2014	44.74	14.56	N	30.18	920	<0.5	<0.5	3.7	1.5	4.6	
MW-8	9/21/2004	41.14	12.98	-	28.16	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	12/14/2004	41.14	11.22	-	29.92	<50	<0.5	<0.5	<0.5	<1.0	<0.5
	3/11/2005	41.14	NM	-	NM	NA	NA	NA	NA	NA	NA
	6/15/2005	41.14	10.46	-	30.68	<200	0.53	<2.0	<0.5	<1.0	<0.5
	8/26/2005	41.14	11.53	-	29.61	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	11/11/2005	41.14	11.92	-	29.22	<50	<0.5	<2.0	1.36	1.8	<0.5
	2/9/2006	41.14	9.74	-	31.40	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	5/9/2006	41.14	9.90	-	31.24	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	8/10/2006	41.14	10.9	-	30.24	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	10/26/2006	41.14	11.68	-	29.46	<50	<0.50	<2.0	3.37	<1.0	<0.50

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)	
MW-8 cont.	1/25/2007	41.14	11.44	-	29.70	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
	4/26/2007	41.14	10.81	-	30.33	<50	<0.5	<2.0	4.29	<2.0	<0.5	
	7/25/2007	41.14	12.31	-	28.83	<50	<0.5	<2.0	4.39	<2.0	<0.5	
	10/23/2007	41.14	12.37	-	28.77	<50	<0.5	<2.0	4.31	<2.0	<0.5	
	1/21/2008	41.14	11.02	-	30.12	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
	4/15/2008	41.14	11.44	-	29.70	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
	7/2/2008	41.14	12.39	-	28.75	94.8	<0.5	<2.0	1	<2.0	<0.5	
	10/15/2008	41.14	13.42	-	27.72	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	1/7/2009	41.14	12.50	-	28.64	<50	<0.5	<0.5	<0.5	0.6	<0.5	
	4/13/2009	41.14	11.23	-	29.91	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	8/27/2009	41.14	13.24	-	27.90	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	Well Decommissioned 11/13/2009											
	MW-9	9/21/2004	40.26	12.18	-	28.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/14/2004		40.26	10.91	-	29.35	<50	<0.5	<0.5	<0.5	<1.0	<0.5	
3/11/2005		40.26	10.52	-	29.74	<200	<0.5	<0.5	<0.5	<1.0	<0.5	
6/15/2005		40.26	14.73	-	25.53	<200	<0.5	<2.0	<0.5	<1.0	<0.5	
8/26/2005		40.26	10.59	-	29.67	<50	<0.50	<2.0	<0.50	<1.0	<0.50	
11/11/2005		40.26	11.25	-	29.01	<50	<0.5	<2.0	<0.5	<1.0	<0.5	
2/9/2006		40.26	10.05	-	30.21	<50	<0.50	<2.0	<0.50	<1.0	<0.50	
5/9/2006		40.26	9.06	-	31.20	<50	<0.50	<2.0	<0.50	<1.0	<0.50	
8/10/2006		40.26	10.01	-	30.25	<50	<0.50	<2.0	<0.50	<1.0	<0.50	
10/26/2006		40.26	10.81	-	29.45	<50	<0.50	<2.0	<0.50	<1.0	<0.50	
1/25/2007		40.26	10.67	-	29.59	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
4/26/2007		40.26	10.05	-	30.21	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
7/25/2007		40.26	11.44	-	28.82	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
10/23/2007		40.26	11.59	-	28.67	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
1/21/2008		40.26	10.37	-	29.89	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
4/15/2008		40.26	10.56	-	29.70	<50	<0.5	<2.0	<0.5	<2.0	<0.5	
7/2/2008	40.26	11.95	-	28.31	161	<0.5	<2.0	2.15	<2.0	<0.5		
10/15/2008	40.26	12.64	-	27.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5		

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-9 cont.	1/7/2009	40.26	11.75	-	28.51	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	4/13/2009	40.26	10.89	-	29.37	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	8/26/2009	40.26	12.50	-	27.76	<50	<0.5	<0.5	<0.5	<0.5	<0.5
Well Decommissioned 11/13/2009											
Extraction Wells											
EX-1	12/2/2009	47.36	17.02	-	30.34	2,900	120	4	64	410	25
	3/16/2010	47.36	19.08	-	28.28	2,200	150	18	94	326	210
	6/3/2010	47.36	17.02	-	30.34	3,600	180	6.3	150	428	83
	9/1/2010	47.36	16.88	-	30.48	550	6.5	0.5	6.9	31.7	38
	12/2/2010	47.36	19.84	-	27.52	<200	3.1	<2.0	<2.0	<2.0	210
	3/3/2011	47.36	14.96	N	32.4	530	51	0.94	15	31.3	110
	5/19/2011	47.36	16.12	N	31.24	370	42	<0.71	7.6	17.2	110
	9/8/2011	47.36	16.47	N	30.89	110	5	<0.5	2.2	6.4	12
	12/1/2011	47.36	16.1	N	31.26	780 ^x	91	3	29	85	150
	3/2/2012	47.36	16.35	N	31.01	140	6	<0.5	3.5	8	14
	6/6/2012	47.36	24.76	N	22.6	250	22	<0.5	4.7	20	71
	9/20/2012	47.36	17.26	N	30.1	95	24	<0.5	<0.5	2.61	36
	12/13/2012	47.36	16.55	N	30.81	1,000	73	2.3	47	110	48
	3/27/2013	47.36	16.15	N	31.21	69	4.1	<0.5	3.3	10	1.8
	6/10/2013	47.36	24.25	N	23.11	340	37	<0.5	5.9	15.1	62
9/16/2013	47.36	22.54	N	24.82	97	14	<0.5	<0.5	<0.5	65	
12/5/2013	47.36	22.53	N	24.83	390	42	2.5	9.8	32.6	76	
3/12/2014	47.36	21.15	N	26.21	250	12	<0.5	4.7	17.2	40	
EX-2	12/2/2009	45.96	17.56	-	28.4	7,100 ^y	9.3	3.2	440	770	<3.1
	3/16/2010	45.96	19.65	-	26.31	13,000	600	360	770	2,250	15
	6/3/2010	45.96	17.10	-	28.86	16,000	590	400	700	2,500	9.5
	9/1/2010	45.96	16.99	-	28.97	6,100	230	74	200	890	11
	12/2/2010	45.96	20.87	-	25.09	14,000	510	270	640	2,170	15
	3/3/2011	45.96	14.61	N	31.35	8,600	340	52	460	1,350	13
	5/19/2011	45.96	15.08	N	30.88	7,500	260	65	390	1,080	11
	9/8/2011	45.96	16.34	N	29.62	3,400	190	28	160	451	5.4
	12/1/2011	45.96	22.60	N	23.36	9,900 ^x	630	200	690	1,760	<3.3

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)	
EX-2 cont.	3/2/2012	45.96	16.48	N	29.48	5,000	220	25	200	600	7.1	
	6/6/2012	45.96	18.90	N	27.06	6,900	290	97	310	790	5.2	
	9/20/2012	45.96	17.49	N	28.47	1,800	170	14	62	204	5.0	
	12/13/2012	45.96	15.96	N	30	7,300	490	180	610	1,290	5.2	
	3/27/2013	45.96	16.59	N	29.37	2,200	130	9.6	100	288	4.3	
	6/10/2013	45.96	23.11	N	22.85	2,600	190	20	100	248	6.8	
	9/20/2013	45.96	23.11	N	22.85	3,900	210	37	170	450	6.3	
	12/5/2013	45.96	23.28	N	22.68	3,700	160	46	110	394	7.2	
	3/12/2014	45.96	22.04	N	23.92	3,700	100	9.8	220	498	5.7	
	MPE Wells											
MPE-1	12/1/2009	51.96	21.41	-	30.55	NA	NA	NA	NA	NA	NA	
	3/16/2010	51.96	20.22	-	31.74	NA	NA	NA	NA	NA	NA	
	6/3/2010	51.96	21.18	-	30.78	NA	NA	NA	NA	NA	NA	
	9/1/2010	51.96	21.25	-	30.71	NA	NA	NA	NA	NA	NA	
	12/2/2010	51.96	21.64	-	30.32	NA	NA	NA	NA	NA	NA	
	Pre-MPE	3/3/2011	51.96	19.33	-	32.63	NA	NA	NA	NA	NA	NA
		5/19/2011	51.96	20.6	-	31.36	NA	NA	NA	NA	NA	NA
		8/4/2011	51.96	NM	-	NC	49,000	210	100	840	7,070	45
	Post-MPE	9/8/2011	51.96	20.83	-	31.13	NA	NA	NA	NA	NA	NA
		9/26/2011	51.96	20.94	Y	31.02	62,000	6,300	3,700	1,800	9,400	1,200
		12/2/2011	51.96	20.14	Y	31.82	56,000	9,000	7,700	2,200	10,800	2,600
		3/2/2012	51.96	20.73	Y	31.23	97,000	11,000	11,000	2,600	12,600	2,700
		6/6/2012	51.96	20.96	Y	31.00	78,000	4,500	4,900	2,300	10,700	750
		9/20/2012	51.96	21.58	Y	30.38	89,000	8,600	9,200	3,400	14,800	1,900
		12/14/2012	51.96	20.57	Y	31.39	98,000	7,400	9,600	2,900	13,300	1,300
		3/27/2013	51.96	20.91	Y	31.05	61,000	6,600	4,500	2,200	9,400	1,500
	6/10/2013	51.96	21.47	Y	30.49	42,000	1,900	980	630	4,400	670	
	9/17/2013	51.96	21.98	Y	29.98	45,000	2,400	1,400	1,200	8,000	150	
	12/6/2013	51.96	22.41	Y	29.55	27,000	1,600	220	990	5,000	110	
3/13/2014	51.96	21.33	Y	30.63	67,000	1,800	3,500	1,800	10,100	170		
MPE-2												
MPE-2	12/1/2009	53.72	22.87	-	30.85	NA	NA	NA	NA	NA	NA	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MPE-2 cont. Pre-MPE Post-MPE	3/16/2010	53.72	21.7	-	32.02	NA	NA	NA	NA	NA	NA
	6/3/2010	53.72	22.35	-	31.37	NA	NA	NA	NA	NA	NA
	9/1/2010	53.72	23.7	-	30.02	NA	NA	NA	NA	NA	NA
	12/2/2010	53.72	22.7	-	31.02	NA	NA	NA	NA	NA	NA
	3/3/2011	53.72	21.25	-	32.47	NA	NA	NA	NA	NA	NA
	5/19/2011	53.72	22.19	-	31.53	NA	NA	NA	NA	NA	NA
	8/4/2011	53.72	NM	-	NC	46,000	2,100	80	1,900	5,300	75
	9/8/2011	53.72	22.31	-	31.41	NA	NA	NA	NA	NA	NA
	9/26/2011	53.72	22.38	N	31.34	37,000	1,800	33	1,700	2,760	<17
	12/2/2011	53.72	21.44	N	32.28	26,000	1,600	43	1,800	3,370	<17
	3/2/2012	53.72	22.24	N	31.48	36,000	1,100	19	1,700	2,970	<17
	6/7/2012	53.72	22.35	N	31.37	33,000	1,800	27	1,600	2,700	29
	9/21/2012	53.72	23.03	N	30.69	31,000	1,700	13	1,900	2,747	14
	12/14/2012	53.72	22.17	N	31.55	31,000	1,700	20	1,800	2,490	16
	3/28/2013	53.72	22.53	N	31.19	20,000	2,200	<20	1,300	960	<20
	6/11/2013	53.72	22.9	N	30.82	26,000	920	<13	1,500	1,352	<13
	9/17/2013	53.72	23.29	N	30.43	23,000	680	15	1,400	1,059	<13
	12/5/2013	53.72	23.73	23.61	30.07	FP	FP	FP	FP	FP	FP
3/12/2014	53.72	22.89	22.85	30.86	FP	FP	FP	FP	FP	FP	
2nd WBZ											
MW-1D	1/3/2008	54.42	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
	1/22/2008	54.42	22.85	-	31.57	<50	<0.50	<2.0	<0.50	<2.0	<0.50
	4/16/2008	54.42	23.10	-	31.32	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/3/2008	54.42	23.44	-	30.98	75.9	<0.5	<2.0	0.54	<2.0	<0.5
	10/15/2008	54.42	23.82	-	30.60	120	1.6	<0.5	2.8	3.6	<0.5
	1/8/2009	54.42	23.44	-	30.98	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	4/14/2009	54.42	23.06	-	31.36	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	8/26/2009	54.42	23.73	-	30.69	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2009	54.42	23.59	-	30.83	330 ^Y	<0.5	<0.5	1.3	2.2	<0.5
	3/16/2010	54.42	22.60	-	31.82	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	6/4/2010	54.42	23.10	-	31.32	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	9/1/2010	54.42	23.51	-	30.91	<50	<0.5	<0.5	0.52	1.8	<0.5
	12/3/2010	54.42	23.41	-	31.01	61	<0.5	<0.5	1.0	3.73	<0.5

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-1D cont.	3/3/2011	54.42	22.27	N	32.15	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	5/19/2011	54.42	22.89	N	31.53	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	54.42	23.08	N	31.34	220	<0.5	<0.5	0.6	1.4	<0.5
	12/1/2011	54.42	22.26	N	32.16	<22	<0.33	<0.19	<0.15	<0.20	<0.38
	3/2/2012	54.42	23.01	N	31.41	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	6/6/2012	54.42	23.18	N	31.24	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	9/20/2012	54.42	23.76	N	30.66	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	12/13/2012	54.42	23.04	N	31.38	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	3/27/2013	54.42	23.34	N	31.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	6/10/2013	54.42	23.69	N	30.73	110	<0.5	<0.5	0.55	<0.5	<0.5
	9/16/2013	54.42	24.02	N	30.40	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	12/5/2013	54.42	24.31	N	30.11	<50	<0.5	<0.5	<0.5	1.3	<0.5
	3/12/2014	54.42	23.68	N	30.74	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	MW-3D	1/3/2008	54.10		-	-	<50	<0.50	<2.0	<0.50	<2.0
1/22/2008		54.10	22.31	-	31.79	<50	<0.50	<2.0	<0.50	<2.0	88.3
4/16/2008		54.10	22.64	-	31.46	<50	<0.5	<2.0	<0.5	<2.0	71.1
7/3/2008		54.10	23.17	-	30.93	<50	<0.5	<2.0	<0.5	<2.0	67.4
10/16/2008		54.10	23.62	-	30.48	<50	<0.5	<0.5	<0.5	<0.5	37
1/8/2009		54.10	23.07	-	31.03	<50	<0.5	<0.5	<0.5	<0.5	29
4/14/2009		54.10	22.36	-	31.74	<50	<0.5	<0.5	<0.5	<0.5	44
8/26/2009		54.10	23.41	-	30.69	<50	<0.5	<0.5	<0.5	<0.5	20
12/1/2009		54.10	23.27	-	30.83	110 Y	<0.5	<0.5	<0.5	0.52	24
3/16/2010		54.10	22.10	-	32.00	<50	<0.5	<0.5	<0.5	<0.5	7.1
6/4/2010		54.10	22.70	-	31.40	<50	<0.5	<0.5	<0.5	<0.5	17
9/1/2010		54.10	23.09	-	31.01	78	<0.5	<0.5	1.1	4.71	24
12/3/2010		54.10	22.90	-	31.20	<50	<0.5	<0.5	0.56	1.4	13
3/3/2011		54.10	21.66	N	32.44	<50	1.3	<0.5	<0.5	0.59	14
5/19/2011		54.10	22.61	N	31.49	<50	<0.5	<0.5	<0.5	<0.5	5.2
9/8/2011		54.10	22.68	N	31.42	69	<0.5	<0.5	<0.5	0.62	4.8
12/1/2011		54.10	22.86	N	31.24	<22	<0.33	<0.19	<0.15	<0.20	10
3/2/2012		54.10	22.60	N	31.50	<50	<0.5	<0.5	<0.5	<0.5	4.2
6/6/2012		54.10	22.77	N	31.33	<50	<0.5	<0.5	<0.5	<0.5	4.8
9/20/2012		54.10	23.42	N	30.68	<50	<0.5	<0.5	<0.5	<0.5	5.1
12/13/2012	54.10	22.57	N	31.53	<50	<0.5	<0.5	<0.5	<0.5	4.4	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-3D cont.	3/27/2013	54.10	22.87	N	31.23	<50	<0.5	<0.5	<0.5	<0.5	4.4
	6/10/2013	54.10	23.27	N	30.83	<50	<0.5	<0.5	<0.5	<0.5	3.5
	9/16/2013	54.10	23.65	N	30.45	<50	<0.5	<0.5	<0.5	<0.5	2.1
	12/5/2013	54.10	23.97	N	30.13	<50	<0.5	<0.5	<0.5	0.53	1.6
	3/13/2014	54.10	23.22	N	30.88	130	<0.5	2.9	2.5	16.6	0.97
MW-4D	1/4/2008	53.12		-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
	1/22/2008	53.12	21.11	-	32.01	91.5	18.7	<2.0	7.08	11.42	219
	4/15/2008	53.12	21.67	-	31.45	<50	<0.5	<2.0	<0.5	<2.0	27
	7/3/2008	53.12	22.39	-	30.73	<50	<0.5	<2.0	<0.5	<2.0	6.27
	10/16/2008	53.12	22.98	-	30.14	<50	<0.5	<0.5	<0.5	<0.5	1.9
	1/8/2009	53.12	22.25	-	30.87	<50	<0.5	<0.5	<0.5	<0.5	2
	4/14/2009	53.12	21.34	-	31.78	<50	<0.5	<0.5	<0.5	<0.5	2.2
	8/27/2009	53.12	22.79	-	30.33	<50	<0.5	<0.5	<0.5	<0.5	2.2
	12/1/2009	53.12	22.49	-	30.63	120 ^Y	<0.5	<0.5	1.4	2.3	2.3
	3/16/2010	53.12	21.02	-	32.10	<50	<0.5	<0.5	<0.5	<0.5	0.65
	6/4/2010	53.12	21.93	-	31.19	<50	<0.5	<0.5	<0.5	<0.5	1.1
	9/1/2010	53.12	23.32	-	29.80	<50	<0.5	<0.5	0.85	3.76	2.2
	12/3/2010	53.12	22.46	-	30.66	<50	<0.5	<0.5	<0.5	0.67	<0.5
	3/3/2011	53.12	20.45	N	32.67	<50	<0.5	<0.5	<0.5	<0.5	0.58
	5/19/2011	53.12	21.57	N	31.55	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	53.12	21.92	N	31.20	59	<0.5	<0.5	<0.5	0.51	1.7
	12/1/2011	53.12	21.19	N	31.93	<22	<0.33	<0.19	<0.15	<0.20	4.2
	3/2/2012	53.12	21.8	N	31.32	<50	<0.5	<0.5	0.85	1.2	2.7
	6/6/2012	53.12	22.00	N	31.12	<50	<0.5	<0.5	<0.5	<0.5	1.3
	9/20/2012	53.12	22.67	N	30.45	<50	<0.5	<0.5	<0.5	<0.5	1.6
	12/13/2012	53.12	21.55	N	31.57	<50	<0.5	<0.5	<0.5	<0.5	0.94
	3/27/2013	53.12	21.98	N	31.14	<50	<0.5	<0.5	<0.5	<0.5	2.1
	6/10/2013	53.12	22.55	N	30.57	<50	<0.5	<0.5	<0.5	<0.5	1.7
	9/16/2013	53.12	23.05	N	30.07	<50	<0.5	<0.5	<0.5	<0.5	4.6
12/6/2013	53.12	23.43	N	29.69	<50	<0.5	<0.5	<0.5	<0.5	3.4	
3/13/2014	53.12	22.38	N	30.74	<50	<0.5	<0.5	<0.5	<0.5	4.0	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Free-Product (feet)/ Sheen (Y/N)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
1573 153 RD	1/3/2008	NS	NM	-	NC	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/2/2008	NS	NM	-	NC	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	10/16/2008	NS	NM	-	NC	<50	<0.5	<0.5	<0.5	<0.5	<0.5
Equipment Blanks											
EB-PMP	1/21/2008	-	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
EB-PRB	1/21/2008	-	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
EB-PMP2	1/22/2008	-	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
EB-PRB2	1/22/2008	-	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
ESL (ug/L)	-	-	-	-	-	100	1	40	30	20	5

Notes:

The first time SOMA monitored this Site was in May 2002.

*: Due to minimal recharge rates in well MW-2, the groundwater elevation recorded on these dates did not match the overall site conditions, May 2002 & August 2003.

NC: Not Calculated

¹: Top of casing elevations were surveyed to a datum of 67.07 M.S.L by Kier & Wright Civil Engineers & Land Surveyors on May 7, 2002.

On October 11, 2004, the site was re-surveyed by Harrington Surveys, Inc. of Walnut Creek, CA to a datum of California Coordinate System, Zone 3, NAD 83.

² MtBE analyzed by EPA Method 8021B, and confirmed by EPA Method 8260B.

<: Not detected above the laboratory reporting limit.

Y: Sample exhibits chromatographic pattern which does not resemble standard

^c Presence confirmed, but confirmation concentration differed by more than a factor of two.

C: Presence confirmed, but RPD between columns exceeds 40%.

H: Heavier hydrocarbons contributed to the quantitation.

x: Does not match pattern of reference Gasoline Standard. Hydrocarbons in the range of C5-C12 quantified as gasoline (possibly aged gasoline)

NA: Not Analyzed. Well MW-8 was inaccessible during the First Quarter 2005, car was parked over well.
 Not Analyzed. Well MW-7 was inaccessible during the First Quarter 2006, car was parked over well.

NM: Not Measured. Well MW-8 was inaccessible during the First Quarter 2005, car was parked over well.
 Not Measured. Well MW-7 was inaccessible during the First Quarter 2006, car was parked over well.

The first time SOMA monitored wells MW-6 to MW-9 was in September 2004.

EB-PMP/EB-PRB: Equipment Blanks for Pump and Probe

ESL: Environmental Screening Levels per CRWQCB SFBay Region Interim Final Nov. 2007 (Revised May 2008);
 Table F-1a, Groundwater Screening Levels (groundwater is a current or potential drinking water resource)

MW-8 and MW-9 were decommissioned November 13, 2009

FP: Groundwater not sampled due to presence of free-product
 Groundwater elevation corrected upon presence of FP as follows:
 Corrected depth to groundwater is equal to (measured depth)- 0.68/(free product thickness)
 The correction factor is derived by the following: specific gravity of gas at 20 °C is 0.68, then specific gravity is multiplied by the thickness of free product

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
1st WBZ							
MW-1	8/8/2002	78	<1.3	<1.3	<1.3	NA	NA
	11/1/2002	42	<1.0	<1.0	<1.0	NA	NA
	2/21/2003	47	<0.5	<0.5	<0.5	NA	NA
	5/28/2003	25	<0.5	<0.5	<0.5	NA	NA
	8/12/2003	<10	<0.5	<0.5	<0.5	NA	NA
	10/9/2003	70	<1.0	<1.0	<1.0	NA	NA
	1/15/2004	55	<0.5	<0.5	<0.5	NA	NA
	5/25/2004	62	<0.7	<0.7	<0.7	NA	NA
	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
	12/14/2004	<21.5	<4.3	<4.3	<17.2	NA	NA
	3/11/2005	81	<0.5	<0.5	<2.0	NA	NA
	6/15/2005	<10	<0.5	<0.5	<2.0	NA	NA
	8/26/2005	68.9	<2.15	<2.15	<8.6	NA	NA
	11/11/2005	46	<2.15	<2.15	<8.6	NA	NA
	2/9/2006	11.3	<0.5	<0.5	<2.0	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	0.51	<0.5
	8/10/2006	<43	<2.15	<2.15	<8.60	3.37	<2.15
	10/26/2006	39.4	<1.0	<1.0	<4.0	2.92	<1.0
	1/25/2007	41.4	<0.5	<0.5	<2.0	1.36	<0.5
	4/26/2007	39.6	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	46.5	<1.0	<1.0	<4.0	<1.0	<1.0
	10/23/2007	53.7	<0.5	<0.5	<2.0	<0.5	<0.5
	1/22/2008	23.8	<0.5	<0.5	2.16	<0.5	<0.5
	4/16/2008	8.36	<0.5	<0.5	<2.0	164	<0.5
	7/3/2008	30.5	<0.5	<0.5	<2.0	1.08	<0.5
	10/15/2008	<20	<1.0	<1.0	<1.0	<1.0	<1.0
	1/7/2009	<25	<1.3	<1.3	<1.3	<1.3	<1.3
	4/14/2009	15	<0.5	<0.5	<0.5	<0.5	<0.5
	8/27/2009	<40	<2.0	<2.0	<2.0	<2.0	<2.0
	12/2/2009	<40	<2.0	<2.0	<2.0	<2.0	<2.0
	3/17/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/3/2010	26	<0.5	<0.5	<0.5	<0.5	<0.5
	9/2/2010	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	12/2/2010	<63	<3.1	<3.1	<3.1	<3.1	<3.1
3/4/2011	40	<0.5	<0.5	<0.5	<0.5	<0.5	
5/20/2011	<71	<3.6	<3.6	<3.6	<3.6	<3.6	
9/9/2011	33	<1.3	<1.3	<1.3	<1.3	<1.3	
12/2/2011	49	<3.2	<3.5	<2.8	<2.4	<1.7	
3/2/2012	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
6/7/2012	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
9/21/2012	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
12/14/2012	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
3/28/2013	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
6/11/2013	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
9/17/2013	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
12/6/2013	<33	<1.7	<1.7	<1.7	<1.7	<1.7	
3/13/2014	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-2	8/8/2002	21	<0.5	<0.5	<0.5	NA	NA
	11/1/2002	15	<0.5	<0.5	<0.5	NA	NA
	2/21/2003	12	<0.5	<0.5	<0.5	NA	NA
	5/28/2003	31	<0.5	<0.5	<0.5	NA	NA
	8/12/2003	69	<0.8	<0.8	<0.8	NA	NA
	10/9/2003	12	<0.5	<0.5	<0.5	NA	NA
	1/15/2004	<10	<0.5	<0.5	<0.5	NA	NA
	5/25/2004	14	<0.5	<0.5	<0.5	NA	NA
	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
	12/14/2004	<2.5	<0.5	<0.5	<2.0	NA	NA

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-2 cont.	3/11/2005	<2.5	<0.5	<0.5	<2.0	NA	NA
	6/15/2005	<10	<0.5	<0.5	<2.0	NA	NA
	8/26/2005	<10	<0.5	<0.5	<2.0	NA	NA
	11/11/2005	<10	<0.5	<0.5	<2.0	NA	NA
	2/9/2006	<10	<0.5	<0.5	<2.0	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	8/10/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	10/26/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	1/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/26/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/23/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	1/22/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/15/2008	<2.0	<0.5	<0.5	<2.0	2.44	<0.5
	7/2/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/15/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	1/7/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	4/13/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	8/27/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/17/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/3/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/2/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/2/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/4/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	5/20/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/9/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/2/2011	<13	<3.2	<3.5	<2.8	<2.4	<1.7
	3/2/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/7/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/21/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/14/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
3/28/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
6/11/2013	150	<0.5	1.6	<0.5	<0.5	<0.5	
9/16/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
12/6/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
3/13/2014	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-3	8/8/2002	<330	<8.3	<8.3	330	NA	NA
	11/1/2002	85	< 1.3	<1.3	220	NA	NA
	2/21/2003	140	<5.0	<5.0	320	NA	NA
	5/28/2003	520	<10	<10	530	NA	NA
	8/12/2003	180	<4.2	<4.2	270	NA	NA
	10/9/2003	<170	<8.3	<8.3	200	NA	NA
	1/15/2004	<100	<5.0	<5.0	150	NA	NA
	5/25/2004	<100	<5.0	<5.0	270	NA	NA
	9/21/2004	<140	<7.1	<7.1	110	NA	NA
	12/14/2004	<100	<20	<20	154	NA	NA
	3/11/2005	<215	<43	<43	256	NA	NA
	6/15/2005	<215	<10.8	<10.8	374	NA	NA
	8/26/2005	699	<21.5	<21.5	277	NA	NA
	11/11/2005	<430	<21.5	<21.5	171	NA	NA
	2/9/2006	<430	<21.5	<21.5	620	NA	NA
	5/9/2006	367	<10.8	<10.8	594	<10.8	<10.8
	8/10/2006	365	<10.8	<10.8	727	<10.8	<10.8
	10/26/2006	591	<10.8	<10.8	899	<10.8	<10.8
	1/25/2007	711	<10.8	<10.8	768	<10.8	<10.8
	4/26/2007	690	<10.8	<10.8	369	<10.8	<10.8
	7/25/2007	1,340	<10.8	<10.8	565	<10.8	<10.8
	10/23/2007	1,050	<21.5	<21.5	301	<21.5	<21.5
	1/22/2008	373	<10.8	<10.8	170	<0.5	<0.5
4/16/2008	881	<5.50	<5.50	<22.0	1,850	12.1	
7/3/2008	426	<10.8	<10.8	124	<10.8	<10.8	
10/16/2008	<400	<20	<20	<20	<20	<20	
1/8/2009	<500	<25	<25	<25	<25	<25	
4/13/2009	<500	<25	<25	<25	<25	<25	
8/27/2009	<500	<25	<25	<25	<25	<25	
12/2/2009	270	<13	<13	<13	<13	<13	

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-3 cont.	3/17/2010	<250	<13	<13	<13	<13	<13
	6/3/2010	<250	<13	<13	<13	<13	<13
	9/2/2010	<250	<13	<13	<13	<13	<13
	12/2/2010	<130	<6.3	<6.3	<6.3	<6.3	<6.3
	3/4/2011	<170	<8.3	<8.3	<8.3	<8.3	<8.3
	5/20/2011	<130	<6.3	<6.3	<6.3	<6.3	<6.3
	9/9/2011	<140	<7.1	<7.1	<7.1	<7.1	<7.1
	12/2/2011	<6.6	<1.6	<1.7	<1.4	<1.2	<0.86
	3/2/2012	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	6/7/2012	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	9/21/2012	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	12/14/2012	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	3/28/2013	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	6/11/2013	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	9/17/2013	<200	<10	<10	<10	<10	<10
	12/6/2013	<200	<10	<10	<10	<10	<10
3/12/2014	FP	FP	FP	FP	FP	FP	
MW-4	8/8/2002	1500	<17	<17	18	NA	NA
	11/1/2002	580	< 5.0	6	13	NA	NA
	2/21/2003	1600	<20	22	<20	NA	NA
	5/28/2003	690	<8.3	<8.3	17	NA	NA
	8/12/2003	550	<7.1	7.3	18	NA	NA
	10/9/2003	1400	<31	50	<31	NA	NA
	1/15/2004	1,300	<20	25	21	NA	NA
	5/25/2004	560	<8.3	<8.3	24	NA	NA
	9/21/2004	1,300	<50	<50	<50	NA	NA
	12/14/2004	826	<10.75	21	49	NA	NA
	3/11/2005	1,110	<10.8	12.1	<43	NA	NA
	6/15/2005	<110	<5.5	<5.5	22.9	NA	NA
	8/26/2005	902	<5.50	<5.50	37.4	NA	NA
	11/11/2005	884	<10.8	<10.8	<43	NA	NA
	2/9/2006	769	<10.8	16.4	45.6	NA	NA
	5/9/2006	405	<2.15	2.95	31.3	<2.15	<2.15
	8/10/2006	306	<2.15	<2.15	35.3	<2.15	<2.15
	10/26/2006	3430	<10.8	13.8	<43	<10.8	<10.8
	1/25/2007	822	<2.15	2.4	28	2.25	<2.15
	4/26/2007	556	<2.15	2.28	29.2	<2.15	<2.15
	7/25/2007	1,860	<2.15	9.94	24	<2.15	<2.15
	10/23/2007	3,400	<2.15	18.4	25.9	<2.15	<2.15
	1/22/2008	2,580	<5.50	64.7	<22	<0.5	<0.5
	4/15/2008	1,100	<5.50	11.7	<22	39.9	<5.50
	7/2/2008	8,720	<5.50	75.2	<22	<5.50	<5.50
	10/16/2008	700	<3.6	4.2	37	5.4	<3.6
	1/8/2009	1,500	<3.6	9.9	41	3.6	<3.6
	4/13/2009	1,100	<8.3	<8.3	28	<8.3	<8.3
	8/27/2009	4,900	<5.0	24	<5.0	<5.0	<5.0
	12/2/2009	6,800	<5.0	69	<5.0	<5.0	<5.0
	3/17/2010	1,900	<3.6	18	<3.6	<3.6	<3.6
	6/3/2010	930	<3.6	7.7	<3.6	<3.6	<3.6
9/2/2010	7,200	<3.6	57	<3.6	<3.6	<3.6	
12/2/2010	3,800	<10	30	<10	<10	<10	
3/3/2011	410	<0.71	3.2	<0.71	<0.71	<0.71	
5/19/2011	130	<0.5	1.4	<0.5	<0.5	<0.5	
9/8/2011	380	<0.5	3.5	<0.5	1.1	<0.5	
12/1/2011	790	<1.6	5.4	8.2	<1.2	<0.86	
3/2/2012	920	<2.0	5.9	24	<2.0	<2.0	
6/7/2012	1,000	<2.5	13	<2.5	<2.5	<2.5	
9/21/2012	1,300	<2.5	14	<2.5	<2.5	<2.5	
12/14/2012	36	<0.5	0.65	<0.5	<0.5	<0.5	
3/28/2013	2,500	<5.0	29	<5.0	<5.0	<5.0	
6/11/2013	890	<5.0	12	<5.0	<5.0	<5.0	
9/17/2013	1,100	<10	<10	<10	<10	<10	
12/6/2013	1,500	<10	<10	<10	<10	<10	
3/13/2014	190	<6.3	<6.3	<6.3	<6.3	<6.3	
MW-5	8/8/2002	<250	<6.3	<6.3	510	NA	NA
	11/1/2002	66	< 2.0	< 2.0	560	NA	NA

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-5 cont.	2/21/2003	<63	<3.1	<3.1	280	NA	NA
	5/28/2003	<33	<1.7	<1.7	110	NA	NA
	8/12/2003	130	<3.6	<3.6	270	NA	NA
	10/9/2003	<100	<5.0	<5.0	740	NA	NA
	1/15/2004	<63	<3.1	<3.1	300	NA	NA
	5/25/2004	<100	<5.0	<5.0	210	NA	NA
	9/21/2004	<130	<6.3	<6.3	550	NA	NA
	12/14/2004	40	<5.5	<5.5	444	NA	NA
	3/11/2005	88.8	<5.5	<5.5	448	NA	NA
	6/15/2005	<43	<2.15	<2.15	88.1	NA	NA
	8/26/2005	274	<5.50	<5.50	195	NA	NA
	11/11/2005	192	<5.50	<5.50	360	NA	NA
	2/9/2006	218	<5.50	<5.50	523	NA	NA
	5/9/2006	91.8	<2.15	<2.15	163	<2.15	<2.15
	8/10/2006	138	<5.50	<5.50	342	<5.50	<5.50
	10/26/2006	322	<5.50	<5.50	712	<5.50	<5.50
	1/25/2007	878	<5.50	<5.50	552	<5.50	<5.50
	4/26/2007	708	<2.15	<2.15	310	<2.15	<2.15
	7/25/2007	1,020	<2.15	<2.15	356	<2.15	<2.15
	10/23/2007	1,510	<2.15	<2.15	181	<2.15	<2.15
	1/22/2008	470	<0.5	4.56	62.1	<0.5	<0.5
	4/15/2008	566	<1.0	<1.0	29.6	231	5.66
	7/3/2008	2,320	<2.15	<2.15	53.3	<2.15	<2.15
	10/16/2008	990	<5.0	<5.0	82	<5.0	<5.0
	1/8/2009	360	<6.3	<6.3	51	<6.3	<6.3
	4/13/2009	280	<3.1	<3.1	<3.1	<3.1	<3.1
	8/27/2009	1,300	<5.0	<5.0	<5.0	<5.0	<5.0
	12/2/2009	320	<5.0	<5.0	25	<5.0	<5.0
	3/17/2010	570	<1.0	<1.0	<1.0	<1.0	<1.0
	6/4/2010	340	<1.0	<1.0	<1.0	<1.0	<1.0
	9/2/2010	320	<2.5	<2.5	13	<2.5	<2.5
	12/2/2010	200	<3.1	<3.1	<3.1	<3.1	<3.1
	3/4/2011	180	<0.5	<0.5	<0.5	<0.5	<0.5
5/20/2011	480	<1.0	<1.0	<1.0	<1.0	<1.0	
8/4/2011	110	<0.71	<0.71	2.6	<0.71	<0.71	
9/9/2011	260	<1.0	<1.0	11	<1.0	<1.0	
12/2/2011	95	<3.2	<3.5	14	<2.4	<1.7	
3/2/2012	59	<1.0	<1.0	4.1	<1.0	<1.0	
6/7/2012	22	<1.0	<1.0	2.8	<1.0	<1.0	
9/21/2012	66	<1.0	<1.0	<1.0	<1.0	<1.0	
12/14/2012	<20	<1.0	<1.0	4.2	<1.0	<1.0	
3/28/2013	<20	<1.0	<1.0	<1.0	<1.0	<1.0	
6/11/2013	<20	<1.0	<1.0	2.5	<1.0	<1.0	
9/17/2013	20	<1.0	<1.0	5.7	<1.0	<1.0	
12/6/2013	<20	<1.0	<1.0	3.9	<1.0	<1.0	
3/13/2014	<20	<1.0	<1.0	2.2	<1.0	<1.0	
MW-6	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
	12/14/2004	<5.5	<5.5	<5.5	<22	NA	NA
	3/11/2005	2.54	<0.5	<0.5	<2.0	NA	NA
	6/15/2005	<20	<1.0	<1.0	<4.0	NA	NA
	8/26/2005	<43	<2.15	<2.15	<8.6	NA	NA
	11/11/2005	<43	<2.15	<2.15	<8.6	NA	NA
	2/9/2006	<43	<2.15	<2.15	<8.6	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	8/10/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	10/26/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	1/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/26/2007	7.21	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	5.66	<0.5	<0.5	<2.0	<0.5	<0.5
	10/23/2007	6.68	<0.5	<0.5	<2.0	<0.5	<0.5
	1/21/2008	13.9	<0.5	<0.5	<2.0	<0.5	<0.5
	4/15/2008	<2.0	<0.5	<0.5	<2.0	6.78	1.49
	7/2/2008	4.54	<0.5	<0.5	<2.0	<0.5	<0.5
	10/15/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
1/7/2009	<63	<3.1	<3.1	<3.1	<3.1	<3.1	
4/13/2009	<25	<1.3	<1.3	<1.3	<1.3	<1.3	
8/26/2009	<40	<2.0	<2.0	<2.0	<2.0	<2.0	
12/1/2009	<40	<2.0	<2.0	<2.0	<2.0	<2.0	

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-6 cont.	3/16/2010	<40	<2.0	<2.0	<2.0	<2.0	<2.0
	6/3/2010	<40	<2.0	<2.0	<2.0	<2.0	<2.0
	9/1/2010	<200	<10	<10	<10	<10	<10
	12/2/2010	<330	<17	<17	<17	<17	<17
	3/3/2011	<50	<2.5	<2.5	<2.5	<2.5	<2.5
	5/20/2011	<50	<2.5	<2.5	<2.5	<2.5	<2.5
	9/8/2011	<50	<2.5	<2.5	<2.5	<2.5	<2.5
	12/1/2011	NA	NA	NA	NA	NA	NA
	3/2/2012	<83	<4.2	<4.2	<4.2	<4.2	<4.2
	6/6/2012	<33	<1.7	<1.7	<1.7	<1.7	<1.7
	9/20/2012	NA	NA	NA	NA	NA	NA
	12/13/2012	29	<0.71	<0.71	<0.71	<0.71	<0.71
	3/27/2013	<25	<1.3	<1.3	<1.3	<1.3	<1.3
	6/10/2013	<50	<2.5	<2.5	<2.5	<2.5	<2.5
	9/16/2013	FP	FP	FP	FP	FP	FP
	12/5/2013	270	<2.5	<2.5	<2.5	<2.5	<2.5
	3/12/2014	<50	<2.5	<2.5	<2.5	<2.5	<2.5
MW-7	9/21/2004	<10	<0.5	<0.5	1.5	NA	NA
	12/14/2004	<2.5	<0.5	<0.5	<2.0	NA	NA
	3/11/2005	<12.5	<2.5	<2.5	<10	NA	NA
	6/15/2005	<10	<0.5	<0.5	2.23	NA	NA
	8/26/2005	<10	<0.5	<0.5	<2.0	NA	NA
	11/11/2005	<10	<0.5	<0.5	<2.0	NA	NA
	2/9/2006	NA	NA	NA	NA	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	8/10/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	10/26/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	1/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/26/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/23/2007	6.49	<0.5	<0.5	2.58	<0.5	<0.5
	1/21/2008	<2.0	<0.5	<0.5	6.01	<0.5	<0.5
	4/15/2008	8.8	<0.5	<0.5	<2.0	<0.5	1.26
	7/2/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/15/2008	<10	<0.5	<0.5	14	<0.5	<0.5
	1/7/2009	<10	<0.5	<0.5	11	<0.5	<0.5
	4/13/2009	<10	<0.5	<0.5	16	<0.5	<0.5
	8/26/2009	<33	<0.5	<0.5	33	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	30	<0.5	<0.5
	3/16/2010	11	<0.5	<0.5	<0.5	<0.5	<0.5
	6/3/2010	20	<0.5	<0.5	7.1	<0.5	<0.5
	9/1/2010	47	<0.5	<0.5	7.2	<0.5	<0.5
	12/2/2010	22	<0.5	<0.5	4.9	<0.5	<0.5
	3/4/2011	14	<0.5	<0.5	4.0	<0.5	<0.5
	5/19/2011	<10	<0.5	<0.5	2.1	<0.5	<0.5
	9/8/2011	<10	<0.5	<0.5	1.6	<0.5	<0.5
	12/1/2011	15	<0.36	<0.40	2.4	<0.28	<0.19
3/2/2012	<10	<0.5	<0.5	0.82	<0.5	<0.5	
6/6/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
9/20/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
12/13/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
3/27/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
6/10/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
9/16/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
12/5/2013	<10	<0.5	<0.5	0.73	<0.5	<0.5	
3/12/2014	<10	<0.5	<0.5	0.64	<0.5	<0.5	
MW-8	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
	12/14/2004	<2.5	<0.5	<0.5	<2.0	NA	NA
	3/11/2005	NA	NA	NA	NA	NA	NA
	6/15/2005	<10	<0.5	<0.5	<2.0	NA	NA
	8/26/2005	<10	<0.5	<0.5	<2.0	NA	NA
	11/11/2005	<10	<0.5	<0.5	<2.0	NA	NA
	2/9/2006	<10	<0.5	<0.5	<2.0	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	8/10/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	10/26/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	
MW-8 cont.	1/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
	4/26/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
	7/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
	10/23/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
	1/21/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
	4/15/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
	7/2/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
	10/15/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
	1/7/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
	4/13/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
	8/27/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
	Well Decommissioned 11/13/2009							
	MW-9	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
12/14/2004		<2.5	<0.5	<0.5	<2.0	NA	NA	
3/11/2005		<2.5	<0.5	<0.5	<2.0	NA	NA	
6/15/2005		<10	<0.5	<0.5	<2.0	NA	NA	
8/26/2005		<10	<0.5	<0.5	<2.0	NA	NA	
11/11/2005		<10	<0.5	<0.5	<2.0	NA	NA	
2/9/2006		<10	<0.5	<0.5	<2.0	NA	NA	
5/9/2006		<10	<0.5	<0.5	<2.0	2.8	<0.5	
8/10/2006		<10	<0.5	<0.5	<2.0	1.83	<0.5	
10/26/2006		<10	<0.5	<0.5	<2.0	3.07	<0.5	
1/25/2007		<2.0	<0.5	<0.5	<2.0	2.92	<0.5	
4/26/2007		<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
7/25/2007		<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
10/23/2007		<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
1/21/2008		<2.0	<0.5	<0.5	<2.0	1.18	<0.5	
4/15/2008		<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
7/2/2008		<2.0	<0.5	<0.5	<2.0	2.07	<0.5	
10/15/2008		<10	<0.5	<0.5	<0.5	1.5	<0.5	
1/7/2009		<10	<0.5	<0.5	<0.5	1.4	<0.5	
4/13/2009		<10	<0.5	<0.5	<0.5	0.97	<0.5	
8/26/2009	<10	<0.5	<0.5	<0.5	2.6	<0.5		
Well Decommissioned 11/13/2009								
EX-1	12/2/2009	150	<1.3	<1.3	<1.3	<1.3	<1.3	
	3/16/2010	980	<1.3	2.4	27	<1.3	<1.3	
	6/3/2010	570	<1.3	1.9	<1.3	<1.3	<1.3	
	9/1/2010	470	<0.5	1.4	2	<0.5	<0.5	
	12/2/2010	1,300	<2.0	3.6	15	<2.0	<2.0	
	3/3/2011	690	<0.71	2.5	12	<0.71	<0.71	
	5/19/2011	370	<0.71	1.9	13	<0.71	<0.71	
	9/8/2011	32	<0.5	<0.5	0.53	<0.5	<0.5	
	12/1/2011	1,200	<1.6	8.3	6.8	<1.2	<0.86	
	3/2/2012	31	<0.5	<0.5	<0.5	<0.5	<0.5	
	6/6/2012	390	<0.5	2.9	4.8	0.57	<0.5	
	9/20/2012	170	<0.5	1.5	<0.5	<0.5	<0.5	
	12/13/2012	210	<0.5	2.7	5.2	<0.5	<0.5	
	3/27/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
	6/10/2013	280	<0.5	4.0	1.6	<0.5	<0.5	
	9/16/2013	450	<0.5	2.4	1.9	<0.5	<0.5	
	12/5/2013	230	<0.5	1.7	5.5	<0.5	<0.5	
3/12/2014	48	<0.5	0.77	3.1	<0.5	<0.5		
EX-2	12/2/2009	<63	<3.1	<3.1	<3.1	<3.1	<3.1	
	3/16/2010	<100	<5.0	<5.0	<5.0	<5.0	<5.0	
	6/3/2010	<100	<5.0	<5.0	<5.0	<5.0	<5.0	
	9/1/2010	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
	12/2/2010	<100	<5.0	<5.0	<5.0	<5.0	<5.0	
	3/3/2011	<100	<5.0	<5.0	<5.0	<5.0	<5.0	
	5/19/2011	<100	<5.0	<5.0	<5.0	<5.0	<5.0	
	9/8/2011	<25	<1.3	<1.3	<1.3	<1.3	<1.3	
	12/1/2011	74	<3.2	<3.5	<2.8	<2.4	<1.7	

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
EX-2 cont.	3/2/2012	<25	<1.3	<1.3	<1.3	<1.3	<1.3
	6/6/2012	<33	<1.7	<1.7	<1.7	<1.7	<1.7
	9/20/2012	<33	<1.7	<1.7	<1.7	<1.7	<1.7
	12/13/2012	<71	<3.6	<3.6	<3.6	<3.6	<3.6
	3/27/2013	<20	<1.0	<1.0	<1.0	<1.0	<1.0
	6/10/2013	32	<1.0	<1.0	<1.0	<1.0	<1.0
	9/20/2013	<20	<1.0	<1.0	<1.0	1.4	<1.0
	12/5/2013	30	<1.0	<1.0	<1.0	1.2	<1.0
	3/12/2014	<40	<2.0	<2.0	<2.0	<2.0	<2.0
	MPE Wells						
MPE-1	8/4/2011	<500	<25	<25	<25	<25	<25
	9/26/2011	<500	<25	<25	600	<25	<25
	12/2/2011	830	<32	<35	750	<24	<17
	3/2/2012	<710	<36	<36	1,200	<36	<36
	6/6/2012	<630	<31	<31	430	<31	<31
	9/20/2012	<1,300	<63	<63	1,200	<63	<63
	12/14/2012	<1,300	<63	<63	940	<63	<63
	3/27/2013	<710	<36	<36	890	<36	<36
	6/10/2013	660	<13	<13	380	<13	<13
	9/17/2013	1,400	<13	<13	<13	<13	<13
	12/6/2013	1,500	<20	<20	30	<20	<20
	3/13/2014	1,100	<20	<20	160	<20	<20
	MPE-2						
MPE-2	8/4/2011	<330	<17	<17	<17	<17	<17
	9/26/2011	<330	<17	<17	<17	<17	<17
	12/2/2011	<66	<16	<17	<14	<12	<8.6
	3/2/2012	<330	<17	<17	<17	<17	<17
	6/7/2012	<250	<13	<13	<13	<13	<13
	9/21/2012	<250	<13	<13	<13	<13	<13
	12/14/2012	<250	<13	<13	<13	<13	<13
	3/28/2013	<400	<20	<20	<20	<20	<20
	6/11/2013	<250	<13	<13	<13	<13	<13
	9/17/2013	<250	<13	<13	<13	<13	<13
	12/5/2013	FP	FP	FP	FP	FP	FP
	3/12/2014	FP	FP	FP	FP	FP	FP
	2nd WBZ						
MW-1D	1/3/2008	111	<0.5	<0.5	<2.0	NA	NA
	1/22/2008	12.9	<0.5	<0.5	<2.0	<0.5	<0.5
	4/16/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/3/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/15/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	1/8/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	4/14/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	8/26/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/16/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/4/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/1/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/3/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	5/19/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2011	<1.5	<0.36	<0.40	<0.32	<0.28	<0.19
	3/2/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/6/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/20/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/13/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/27/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/10/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/16/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5
12/5/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
3/12/2014	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-3D							
MW-3D	1/3/2008	37.3	<0.5	3.12	15.3	NA	NA
	1/22/2008	15.6	<0.5	3.1	15.3	<0.5	<0.5
	4/16/2008	17.7	<0.5	<0.5	<2.0	<0.5	<0.5
	7/3/2008	<2.0	<0.5	<0.5	7.45	<0.5	<0.5
	10/16/2008	<10	<0.5	<0.5	4.7	<0.5	<0.5

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-3D cont.	1/8/2009	<10	<0.5	<0.5	3.4	<0.5	<0.5
	4/14/2009	<10	<0.5	<0.5	5	<0.5	<0.5
	8/26/2009	<10	<0.5	<0.5	1.6	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	2.2	<0.5	<0.5
	3/16/2010	<10	<0.5	<0.5	0.65	<0.5	<0.5
	6/4/2010	<10	<0.5	<0.5	1.8	<0.5	<0.5
	9/1/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2010	<10	<0.5	<0.5	0.93	<0.5	<0.5
	3/3/2011	<10	<0.5	<0.5	1.0	<0.5	<0.5
	5/19/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2011	<1.5	<0.36	<0.40	0.52	<0.28	<0.19
	3/2/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/6/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/20/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/13/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/27/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/10/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/16/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/5/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5
3/13/2014	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-4D	1/4/2008	25	<0.5	<0.5	<2.0	NA	NA
	1/22/2008	124	<0.5	4.9	3.32	<0.5	<0.5
	4/15/2008	25.7	<0.5	<0.5	<2.0	<0.5	<0.5
	7/3/2008	3.38	<0.5	<0.5	<2.0	<0.5	<0.5
	10/16/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	1/8/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	4/14/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	8/27/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/16/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/4/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/1/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/3/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	5/19/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2011	<1.5	<0.36	<0.40	<0.32	<0.28	<0.19
	3/2/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/6/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/20/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
12/13/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
3/27/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
6/10/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
9/16/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
12/6/2013	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
3/13/2014	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
1573 153 RD	1/3/2008	21	<0.5	<0.5	<2.0	<0.5	<2.0
	7/2/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/16/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
EB-PMP	1/21/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
EB-PRB	1/21/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
EB-PMP2	1/22/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
EB-PRB2	1/22/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
ESL		12	NE	NE	NE	0.5	0.05

Notes:

August 8, 2002 was the first time that samples were analyzed for Gasoline Oxygenates

<: Not detected above the laboratory reporting limit.

NA: Not Analyzed. Well MW-8 was inaccessible during the 1Q05 & well MW-7 (1Q06) car was parked over each well.

NE: Not Established

TBA: tert-Butyl Alcohol

DIPE: Isopropyl Ether

ETBE: Ethyl tert-Butyl Ether

TAME: Methyl tert-Amyl Ether

ESL: Environmental Screening Levels per CRWQCB SFBay Region Interim Final Nov. 2007 (Revised May 2008);

Table F-1a.Groundwater Screening Levels (groundwater is a current or potential drinking water resource)

MW-8 and MW-9 were decommissioned November 13, 2009

FP: Groundwater not sampled due to presence of free-product in MW-6

Table 3
Effluent Chemical Analytical Results
and Operational History of Remediation System
15101 Freedom Ave, San Leandro, CA

Date	Volume (gallons)	TPH-g (µg/L)	TPH-d (µg/L)	TPH-mo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	COD (mg/L)	TSS (mg/L)	pH
2009											
8-Oct-2009	15,351	<50	120 ^Y	NA	NA	NA	NA	NA	NA	NA	NA
19-Nov-2009	8,287	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.7
9-Dec-2009	0	Installation of GWETS									
16-Dec-2009	20,000	<50	<50	<300	<0.5	0.65 C	<0.5	0.84 C	<10	<5	7.4
2010											
18-Jan-2010	215,453	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.4
15-Feb-2010	297,560	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	11	<5	6.7
15-Mar-2010	475,245	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5.0	6.5
19-Apr-2010	621,180	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	8	6.6
17-May-2010	705,770	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	8	6.7
16-Jun-2010	825,200	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	17	9	6.8
19-Jul-2010	910,652	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	8	6.6
16-Aug-2010	939,935	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	6	6.6
28-Sep-2010	970,450	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	10	6.8
26-Oct-2010	1,013,700	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.2
15-Nov-2010	1,052,591	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.5
7-Dec-2010	1,100,492	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	6	6.6
2011											
11-Jan-2011	1,179,075	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	12	6	6.6
10-Feb-2011	1,249,569	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.6
14-Mar-2011	1,336,784	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.5
11-Apr-2011	1,364,272	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	6	6.5
10-May-2011	1,466,472	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	12	7	6.6
7-Jun-2011	1,532,263	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	6	6.6

Table 3
Effluent Chemical Analytical Results
and Operational History of Remediation System
15101 Freedom Ave, San Leandro, CA

Date	Volume (gallons)	TPH-g (µg/L)	TPH-d (µg/L)	TPH-mo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	COD (mg/L)	TSS (mg/L)	pH
28-Jul-2011	1,573,295	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	5	6.3
25-Aug-2011	1,613,935	77	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.1
23-Sep-2011	1,631,273	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.7
27-Oct-2011	1,642,277	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	7	7.1
18-Nov-2011	1,676,170	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.8
1-Dec-2011	1,694,889	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.97
2012											
19-Jan-2012	1,715,163	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.02
23-Feb-2012	1,794,185	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.98
20-Mar-2012	1,803,832	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	7	7.02
17-Apr-2012	1,876,439	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.95
29-May-2012	1,900,111	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.89
11-Jun-2012	1,914,130	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	7.1
12-Jul-2012	1,943,456	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	7.3
17-Aug-2012	1,955,438	<50	<52	<310	<0.5	<0.5	<0.5	<0.5	NA	NA	7.04
17-Sep-2012	1,979,852	<50	<54	<330	<0.5	<0.5	<0.5	<0.5	NA	NA	7.02
23-Oct-2012	1,989,022	<50	<49	<290	<0.5	<0.5	<0.5	<0.5	NA	NA	6.95
12-Nov-2012	1,995,170	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.90
4-Dec-2012	2,024,040	<50	<49	<290	<0.5	<0.5	<0.5	<0.5	NA	NA	6.86
2013											
7-Jan-2013	2,099,002	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	7.01
14-Feb-2013	2,186,595	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	7.08
14-Mar-2013	2,193,121	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.98
12-Apr-2013	2,198,793	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.83
10-Jun-2013	2,273,686	<50	<58	<350	<0.5	<0.5	<0.5	<0.5	NA	NA	6.91

Table 3
Effluent Chemical Analytical Results
and Operational History of Remediation System
 15101 Freedom Ave, San Leandro, CA

Date	Volume (gallons)	TPH-g (µg/L)	TPH-d (µg/L)	TPH-mo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	COD (mg/L)	TSS (mg/L)	pH
5-Jul-2013	2,282,444	<50	<49	<290	<0.5	<0.5	<0.5	<0.5	NA	NA	6.87
15-Aug-2013	2,403,250	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.64
24-Sep-2013	2,449,583	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.59
28-Oct-2013	2,551,538	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.71
14-Nov-2013	2,665,016	<50	<49	<290	<0.5	<0.5	<0.5	<0.5	NA	NA	6.53
6-Dec-2013	2,770,675	<50	<49	<290	<0.5	<0.5	<0.5	<0.5	NA	NA	6.44
2014											
9-Jan-2014	2,884,292	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.49
18-Feb-2014	2,953,173	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.66
14-Mar-2014	2,977,698	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	NA	NA	6.58

Note:

NA: Not Available/Not Applicable

< : Less than Laboratory-reporting limit

In October and November 2009 discharge occurred only during MPE events
 GWETS and totalizer installed in December 2009.

Week # 1 sampling conducted on Oct 8, 2009

C: Presence confirmed, but RPD between column exceeds 40%

Volume discharged during the October 2009 MPE event was 18,669 gallons

Volume discharged during the November 2009 MPE event was 10,507 gallons

Volume discharged during the December 2009 MPE event was 20,298 gallons

Volume discharged during the February 2010 MPE event was 6,339 gallons

Volume discharged during the March 2010 MPE event was 3,810 gallons

Volume discharged during the June 2010 MPE event was 15,600 gallons

Volume discharged during the August 2010 MPE event was 1,421 gallons

Volume discharged during the October 2010 MPE event was 13,282 gallons

SOMA ceased COD and TSS testing based on a request from OLSA dated April 5, 2012

Table 4
Cumulative Masses of Petroleum Hydrocarbons Removed from
the Groundwater Since Installation of the Treatment System

15101 Freedom Ave, San Leandro, CA

Date	Volume (gallons)	Influent Concentration (µg/L)					Mass removed (pounds)				
		TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes
2009											
9-Dec-2009	0	Installation of GWETS, began discharging treated groundwater to site sewer main									
2010											
18-Jan-2010	215,453	1,900	79	32.00	2.4	260	3.41	0.14	0.06	0.00	0.47
19-Apr-2010	621,180	2,100	75	28	56	332	10.50	0.40	0.15	0.19	1.59
19-Jul-2010	910,652	56 ^Y	<0.5	<0.5	<0.5	<0.5	10.64	0.40	0.15	0.19	1.59
26-Oct-2010	1,013,700	2,600	200	25	68	405	12.87	0.57	0.17	0.25	1.94
2011											
11-Jan-2011	1,179,075	1,700	80	19	50	295	15.21	0.68	0.20	0.32	2.34
11-Apr-2011	1,364,272	1,200	41	3.3	23	185	17.06	0.75	0.20	0.36	2.63
28-Jul-2011	1,573,295	540	21	2.8	5.4	49	18.00	0.78	0.21	0.37	2.71
27-Oct-2011	1,642,277	<50	1.50	<0.5	<0.5	2.9	18.00	0.78	0.21	0.37	2.71
2012											
19-Jan-2012	1,715,163	110 ^Y	<0.5	<0.5	<0.5	<0.5	18.07	0.78	0.21	0.37	2.71
17-Apr-2012	1,876,439	1,100	60	6.8	24	161	19.54	0.87	0.22	0.40	2.93
12-Jul-2012	1,943,456	320	30	1.6	15	34	19.72	0.88	0.22	0.41	2.95
23-Oct-2012	1,989,022	1,400 ^Y	130	12	42	153	20.25	0.93	0.22	0.42	3.01
2013											
7-Jan-2013	2,099,002	1,500	66	9.8	37	228	21.63	0.99	0.23	0.46	3.22
12-Apr-2013	2,198,793	1,600	110	3.8	64	131	22.96	1.08	0.24	0.51	3.32
5-Jul-2013	2,282,444	680	71	1.8	22	33.9	23.43	1.13	0.24	0.52	3.35
28-Oct-2013	2,551,538	4,900	88	49	150	583	34.41	1.33	0.35	0.86	4.65
2014											
9-Jan-2014	2,884,292	590	17	4.1	9.1	68	36.04	1.38	0.36	0.89	4.84

Notes:

< : Below laboratory-reporting limit

Y : sample exhibits chromatographic pattern which does not resemble standard

Appendix A

Standard Operating Procedures for Conducting Groundwater Monitoring Activities

Standard Operating Procedures for Conducting Groundwater Monitoring Activities

Water Level and Free-Product Measurements

Prior to measurement of groundwater depth at each well, equalization with the surrounding aquifer must be achieved. Initially, the well cap is removed and the pressure is allowed to dissipate, creating a more stable water table level within the well. After about 10-15 minutes, once the water level in the well stabilizes, the depth to groundwater is measured from the top of the casing to the nearest 0.01 foot using an electric sounder.

For free-product (FP) measurement, an oil-water interface probe is used. When the probe is lowered into the FP, the oil/water light and beeper are continuously on at which point a reading for depth to FP is noted. The probe is lowered further into the well until the water signal is given (light flashes and beeps intermittently). Then the probe is carefully raised until the FP signal is given and the reading is noted. This gives the depth to interface of product and water.

Purging and Field Measurements

Prior to sample collection, each well is purged using a battery-operated, 2-inch-diameter pump (Model ES-60 DC). During purging, groundwater is measured for parameters such as dissolved oxygen (DO), pH, temperature, electrical conductivity (EC), and oxygen-reduction potential (ORP) using a Hanna HI-9828 multi-parameter instrument. Turbidity is measured using a Hanna HI-98703 portable turbidimeter. The equipment is calibrated at the site using standard solutions and procedures provided by the manufacturer.


The pH of groundwater has an effect on the activity of microbial populations in the groundwater. The groundwater temperature affects the metabolic activity of bacteria. The groundwater EC is directly related to the concentration of total dissolved solids (TDS) in solution.

There is a strong correlation between the turbidity level and the biological oxygen demand of natural water bodies. The main purpose for checking the turbidity level is to provide a general overview of the extent of the suspended solids in the groundwater.

ORP is the measure of the potential for an oxidation or reduction process to occur. In the oxidation process, a molecule or ion loses one or several electrons. In the reduction process, a molecule or ion gains one or several electrons. The unit of the redox potential is the volt or millivolt. The most important redox reaction in petroleum-contaminated groundwater is the oxidation of petroleum hydrocarbons in the presence of bacteria and free molecular oxygen. Because the solubility of O₂ in water is low (9 mg/L at 25 °C and 11 mg/L at 5 °C), and

because the rate of O_2 replenishment in subsurface environments is limited, DO can be entirely consumed when the oxidation of only a small amount of petroleum hydrocarbons occurs.

Oxidation of petroleum hydrocarbons can still occur when all the dissolved O_2 in the groundwater is consumed; however, the oxidizing agents (i.e., the constituents that undergo reduction) now become NO_3^- , MnO_2 , $Fe(OH)_3$, SO_4^{2-} and others (Freeze and Cherry, 1979). As these oxidizing agents are consumed, the groundwater environment becomes more and more reduced. If the process advances far enough, the environment may become so strongly reduced that the petroleum hydrocarbons undergo anaerobic degradation, resulting in the production of methane and carbon dioxide. The concept of oxidation and reduction in terms of changes in oxidation states is illustrated below.



Purging of wells continues until the parameters for DO, pH, temperature, EC, turbidity, and redox stabilize, or three casing volumes are purged.

Once stabilization occurs, the groundwater samples are also tested on-site for ferrous iron (Fe^{+2}), nitrate (NO_3^-), and sulfate (SO_4^{2-}) concentrations.

Fe^{+2} , NO_3^- , and SO_4^{2-} are measured colorimetrically using the Hach Colorimeter Model 890, a microprocessor-controlled photometer suitable for colorimetric testing in the laboratory or the field. The required reagents for each specific test are provided in AccuVac ampuls.

Sampling

For sampling purposes, after purging a disposable polyethylene bailer is used to collect sufficient samples from each monitoring well for laboratory analyses. Groundwater samples are transferred into 40-mL VOA vials and preserved with hydrochloric acid. The vials are sealed to prevent air bubbles from developing within the headspace. For TPH-d analysis, groundwater samples are collected using 1-L, amber, non-preserved glass containers. Samples are placed in an ice-filled cooler and maintained at $4^\circ C$. A chain of custody form for all samples is prepared to accompany the samples, which are promptly delivered to a California state-certified analytical laboratory.

Appendix B

Table of Elevations and Coordinates on Monitoring Wells,
Field Measurements of Physical, Chemical, and Natural
Attenuation Parameters of Groundwater Samples, and
Groundwater Gradient Calculations

Harrington Surveys Inc.

Land Surveying & Mapping

2278 Larkey Lane, Walnut Creek, Ca. 94596 Phone (925)935-7228 Fax (925)935-5118
Cel (925)788-7359 E-Mail (ben5132@pacbell.net)

Soma Environmental Engineering
2680 Bishop Dr. # 203
San Ramon, Ca. 94583

Oct. 14, 2004

Attn: Elena Manzo
Job # 2445

Ref: 15101 Freedom Ave, San Leandro, Ca.

HORIZONTAL CONTROL, NAD 88:

Survey based on California Coordinate System, Zone 3, NAD 83.

CHABOT "B", NORTH 2,087,731.02 EAST 6,094,039.23 sft. LAT. N37°43'02.71762"
W122°07'00.46339", NAVD 88, ELEV. 134.957.

CHABOT "A", NORTH 2,088,584.99 EAST 6,093,351.39 sft. LAT. N37°43'11.04190"
W122°07'09.20691", NAVD 88, ELEV. 492.08.

VERTICAL CONTROL, NAVD 88:


NGS 1974, STATION K 1256, NAVD 88 ELEV. 58.50.
PID # HT1871

GPS: TRIMBLE 5800, LEICA TCA 1800, 1" HORZ. & VERT.

EPOCH DATE 1998.5

OBSERVATION: EPOCH=180.

FIELD SURVEY: OCT. 11, 2004.


Ben Harrington
PLS 5132



SURVEY REPORT
 15101 FREEDOM AVE
 SAN LEANDRO, CA.

HARRINGTON SURVEYS INC.
 2278 LARKEY LANE
 WALNUT CREEK, CA. 94597
 925-935-7228 FAX. 935-5118

JOB NO. 2445
DATE: OCT. 12, 2004

	NAD 83	NAD 83	NAVD 88		NORTH	WEST
PT	NORTH (sft)	EAST(sft)	ELEV.	DESCRIPTION	LATITUDE (DMS)	LONGITUDE (DMS)
1	2087731.02	6094039.23	442.77	FD CHABOT B	37°43'02.71762"	122°07'00.46339"
2	2088584.99	6093351.39	492.08	FD CHABOT A	37°43'11.04190"	122°07'09.20691"
51	2084348.54	6092159.32	55.44	FD. X-8		
52	2084073.17	6092141.24	46.15	MW-6 PAV		
53	2084072.72	6092140.95	46.15	MW-6 PUNCH		
54	2084072.47	6092140.95	45.82	MW-6 NOTCH	37°42'26.22635"	122°07'23.29643
55	2083909.71	6091947.10	40.61	MW-9 PAV		
56	2083909.10	6091946.97	40.61	MW-9 PUNCH		
57	2083908.71	6091947.00	40.26	MW-9 NOTCH	37°42'24.57425"	122°07'25.67431"
58	2083861.20	6092118.11	41.38	MW-8 PAV		
59	2083860.43	6092118.36	41.44	MW-8 PUNCH		
60	2083860.03	6092118.52	41.14	MW-8 NOTCH	37°42'24.12245"	122°07'23.52966"
61	2084008.21	6092290.11	44.94	MW-7 PAV		
62	2084007.88	6092290.27	44.95	MW-7 PUNCH		
63	2084007.68	6092290.40	44.74	MW-7 NOTCH	37°42'25.61150"	122°07'21.42290"
64	2084206.49	6092175.95	51.03	MW-5 PAV		
65	2084206.17	6092176.55	50.96	MW-5 PUNCH		
66	2084206.01	6092176.79	50.53	MW-5 NOTCH	37°42'27.55260	122°07'22.87930
67	2084670.41	6092307.68	69.79	FD BM FAIR580		
68	2084443.65	6092198.88	53.70	MW-4 PAV		
69	2084444.39	6092199.72	53.74	MW-4 PUNCH		
70	2084444.59	6092199.51	53.31	MW-4 NOTCH	37°42'29.91496"	122°07'22.64809"
71	2084399.10	6092145.43	54.37	MW-3 PAV		
72	2084399.78	6092145.28	54.33	MW-3 PUNCH		
73	2084400.15	6092145.27	53.91	MW-3 NOTCH	37°42'29.46636"	122°07'23.31339"
74	2084329.47	6092199.72	54.82	MW-1 PAV		
75	2084330.44	6092199.45	54.79	MW-1 PUNCH		
76	2084330.75	6092199.20	54.46	MW-1 NOTCH	37°42'28.78955"	122°07'22.62738"
77	2084367.59	6092256.38	52.88	MW-2 PAV		
78	2084368.15	6092256.14	52.92	MW-2 PUNCH		
79	2084368.53	6092256.06	52.41	MW-2 NOTCH	37°42'29.17277"	122°07'21.92804"
80	2084930.49	6091759.33	58.50	FD BM K1256	37°42'34.64279"	122°07'28.23011"



DATE: 1/08/2008
 JOB NUMBER 0208101
 DATE OF SURVEY 1/03/08
 INSTRUMENT LIECA SR520

TABLE OF ELEVATIONS & COORDINATES
 ON MONITORING WELLS
 SOMA ENVIRONMENTAL, PROJECT 15101 FREEDOM DRIVE - SAN LEANDRO

WELL ID#	NORTHING (ft.) LATITUDE	EASTING (ft.) LONGITUDE	ELEVATION (ft.)	DESCRIPTION
MW-1D	2084371.23	6092127.90	54.42	MW-1D NOTCH
	37.708104856	122.123200912	54.94	MW-1D RIM
	37° 42' 29.1" N	122° 07' 23" W	54.74	PAVEMENT
MW-3D	2084303.98	6092183.53	54.10	MW-3D NOTCH
	37.707922851	122.123004590	54.56	MW-3D RIM
	37° 42' 28.5" N	122° 07' 22" W	54.47	PAVEMENT
MW-4D	2084222.77	6092116.37	53.12	MW-4D NOTCH
	37.707696648	122.123231858	53.37	MW-4D RIM
	37° 42' 27.7" N	122° 07' 23" W	53.39	PAVEMENT

BENCH MARK: NGS BENCH MARK NO. HT1871

3.0 KM (1.85 MI) NORTH FROM SAM LORENZO. 1.85 MILES NORTH ALONG INTERSTATE HIGHWAY 580 FROM THE JUNCTION OF STATE HIGHWAY 238 IN SAN LORENZO, IN THE WEST CORNER OF THE CROSSING OF 150TH AVENUE, IN TOP OF THE CONCRETE BRIDGE DECK, 15.5 FEET NORTHWEST OF THE SOUTHWEST BOUND LANES OF THE AVENUE, 10.9 FEET NORTHEAST OF THE SOUTH CORNER OF THE SOUTHWEST END OF THE NORTHWEST CONCRETE GUARDRAIL, 0.7 FOOT NORTHEAST OF THE SOUTHWEST EDGE OF THE DECK, 0.9 FOOT SOUTHEAST OF THE NORTHWEST CONCRETE GUARDRAIL, AND ABOUT LEVEL WITH THE HIGHWAY.

ELEVATION = 58.50 NAVD 88 DATUM

HORIZONTAL AND VERTICAL CONTROL BASED ON HARRINGTON SURVEY DATED 10-12-2004

FD CHABOT A, CALIFORNIA STATE PLAIN COORDINATE SYSTEM, NAD 83, ZONE 3. NORTH 2,088,584.99 EAST 6,093,351.39. LAT N 37°43'11.04190" LONG W 122°07'09.20691", ELEVATION 492.08 NAVD 88.

FD CHABOT B, CALIFORNIA STATE PLAIN COORDINATE SYSTEM, NAD 83, ZONE 3. NORTH 2,087,731.02 EAST 6,094,039.23. . LAT N 37°43'02.71762" LONG W 122°07'00.46339", ELEVATION 442.77 NAVD 88.

DATE: 12/11/2009

JOB# 09039

**TABLE OF ELEVATIONS & COORDINATES
ON MONITORING WELLS**

SOMA ENVIRONMENTAL ENGINEERING
15101 FREEDOM AVENUE
SAN LEANDRO, CA 94579

WELL ID #	NORTHING (FT.) / LATITUDE (D.DEG.)	EASTING (FT.) / LONGITUDE (D.DEG.)	ELEVATION (FT.)	DESCRIPTION
EX-1	2084135.454	6092163.720	47.36	4" PVC NOTCH NORTH SIDE
	37.707459134	122.123062972	47.61	SET PUNCH NORTH SIDE RIM
			47.60	PAVEMENT NORTH SIDE
EX-2	2084082.018	6092130.224	45.96	4" PVC NOTCH NORTH SIDE
	37.707310806	122.123175540	47.04	SET PUNCH NORTH SIDE RIM
			47.00	CONCRETE NORTH SIDE
MPE-1	2084213.168	6092125.258	51.96	4" PVC NOTCH NORTH SIDE
	37.707670702	122.123200567	52.49	SET PUNCH NORTH SIDE RIM
			52.51	CONCRETE NORTH SIDE
MPE-2	2084293.133	6092171.374	53.72	4" PVC NOTCH NORTH SIDE
	37.707892479	122.123045970	54.29	SET PUNCH NORTH SIDE RIM
			54.27	PAVEMENT NORTH SIDE

HORIZONTAL AND VERTICAL CONTROL

SURVEY BASED ON PREVIOUS SURVEY BY HARRINGTON SURVEY INC. DATED: 2/21/2008
COORDINATE VALUES ARE BASED ON THE CALIFORNIA COORDINATE SYSTEM, ZONE 3, NAD83.
ELEVATIONS ARE NAVD 88 DATUM.

MW-2, PUNCH

NORTHING 2,084323.44, EASTING 6,092063.77, ELEVATION 52.92


MW-4 PUNCH

NORTHING 2,084250.55, EASTING 6,092124.46, ELEVATION 53.74

EQUIPMENT USED: TRIMBLE S6

Edgis Land Surveying
Land Surveying and mapping
1374 Garland Avenue, Clovis, CA 93612
Phone (559) 906-3554 Fax (559) 292-0560
email: edgis@aol.com





ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-1
 Casing Diameter: 4 inches
 Depth of Well: 30.50 feet
 Top of Casing Elevation: 54.46 feet
 Depth to Groundwater: 23.47 feet
 Groundwater Elevation: 30.99 feet
 Water Column Height: 7.03 feet
 Purged Volume: 12 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 13, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump


Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Petro odor

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
11:34	Started						
11:35	2	0.67	6.84	20.78	1054	18.3	-30
11:37	6	0.39	6.88	20.79	1067	14.8	-37
11:39	10	0.29	6.83	20.74	1097	17.5	-52
11:40	12	0.27	6.84	20.69	1105	17.5	-52
11:45	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-2
 Casing Diameter: 4 inches
 Depth of Well: 30.15 feet
 Top of Casing Elevation: 52.41 feet
 Depth to Groundwater: 21.56 feet
 Groundwater Elevation: 30.85 feet
 Water Column Height: 8.59 feet
 Purged Volume: 12 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 13, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: Slightly Cloudy

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
11:09	Started purging well						
11:10	2	0.63	6.98	20.74	1062	45.0	-16
11:12	6	0.34	6.58	20.82	1094	50.9	-26
11:14	10	0.26	6.37	20.76	1076	36.3	-36
11:15	12	0.25	6.35	20.74	1078	34.9	-41
11:20	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-3 Project No.: 2551
 Casing Diameter: 4 inches Address: 15101 Freedom Avenue
 Depth of Well: 29.90 feet San Leandro, CA
 Top of Casing Elevation: 53.91 feet Date: March 12, 2014
 Depth to Groundwater: 23.13 feet * 23.028 Sampler: Lizzie Hightower
 Groundwater Elevation: 30.88 feet * 30.882
 Water Column Height: 6.77 feet
 Purged Volume: - gallons
Not purged

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump Not sampled

Color: Yes No Describe: Unknown
 Sheen: Yes No Describe: Free Product
 Odor: Yes No Describe: Strong Petro

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP

Depth to Free Product: 22.98 ft.
 0.15 feet of FP

* Corrected DTW & GWE (correction factor - 0.68)



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-4
 Casing Diameter: 4 inches
 Depth of Well: 30.20 feet
 Top of Casing Elevation: 53.31 feet
 Depth to Groundwater: 22.60 feet
 Groundwater Elevation: 30.71 feet
 Water Column Height: 7.60 feet
 Purged Volume: 12 gallons


Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 13, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: Yes No Describe: Cloudy
 Sheen: Yes No Describe: _____
 Odor: Yes No Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. (mg/L)	pH	Temp (°C)	E.C. (µS/cm)	Turb. NTU	ORP
12:26	Started purging well						
12:27	2	0.97	6.10	20.55	1014	61.7	-40
12:29	6	0.49	6.65	20.52	1206	46.1	-42
12:31	10	0.35	6.63	20.51	1297	25.3	-51
12:32	12	0.30	6.60	20.49	1333	22.6	-52
12:37	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-5
 Casing Diameter: 4 inches
 Depth of Well: 29.80 feet
 Top of Casing Elevation: 50.53 feet
 Depth to Groundwater: 19.91 feet
 Groundwater Elevation: 30.62 feet
 Water Column Height: 9.89 feet
 Purged Volume: 12 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 13, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Very Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. (mg/L)	pH	Temp (°C)	E.C. (µS/cm)	Turb. NTU	ORP
12:00	Started purging well						
12:01	2	0.62	6.92	21.94	1227	30.9	-43
12:03	6	0.32	6.91	21.95	1219	24.2	-61
12:05	10	0.24	6.92	21.94	1199	16.2	-75
12:06	12	0.22	6.89	21.92	1184	17.1	-79
12:11	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-6
 Casing Diameter: 4 inches
 Depth of Well: 27.30 feet
 Top of Casing Elevation: 45.82 feet
 Depth to Groundwater: 17.00 feet
 Groundwater Elevation: 28.82 feet
 Water Column Height: 10.30 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 12, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: Yes No Describe: Cloudy
 Sheen: Yes No Describe: Slight Rainbow Sheen
 Odor: Yes No Describe: Petro Odor

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
14:26	Started purging well						
14:27	2	0.94	6.82	21.74	2510	89.1	-95
14:28	4	0.53	6.70	21.76	2500	86.0	-118
14:30	8	0.40	6.61	21.70	2500	82.6	-140
14:32	12	0.35	6.59	21.64	2510	79.3	-162
14:33	14	0.33	6.56	21.62	2500	78.3	-163
14:38	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MPE-1
 Casing Diameter: 4 inches
 Depth of Well: 30.00 feet
 Top of Casing Elevation: 51.96 feet
 Depth to Groundwater: 21.33 feet
 Groundwater Elevation: 30.63 feet
 Water Column Height: 8.67 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 13, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: Cloudy
 Sheen: Yes No Describe: Rainbow Sheen
 Odor: Yes No Describe: Petro odor

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
12:48	Started purging						
12:49	2	1.04	6.94	20.56	1167	99.8	-38
12:51	6	0.38	6.62	20.60	1166	80.4	-61
12:53	10	0.27	6.60	20.60	1166	66.8	-69
12:55	14	0.20	6.58	20.53	1163	52.4	-73
13:00	sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MPE-2
 Casing Diameter: 4 inches
 Depth of Well: 30.00 feet
 Top of Casing Elevation: 53.12 feet
 Depth to Groundwater: 22.89 feet * 22.863
 Groundwater Elevation: 30.86 feet * 30.857
 Water Column Height: 7.11 feet
 Purged Volume: - gallons
Not purged

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 12, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump Not sampled


Color: Yes No Describe: Unknown
 Sheen: Yes No Describe: Free Product
 Odor: Yes No Describe: Strong Petro Odor

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP

Depth to Free Product: 22.85
 0.04 feet of FP.

* corrected DTW & GWE (correction factor -0.68)



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-1D
 Casing Diameter: 2 inches
 Depth of Well: 59.81 feet
 Top of Casing Elevation: 54.42 feet
 Depth to Groundwater: 23.68 feet
 Groundwater Elevation: 30.74 feet
 Water Column Height: 36.13 feet
 Purged Volume: 14 gallons


Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 12, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: Yes No Describe: cloudy
 Sheen: Yes No Describe: _____
 Odor: Yes No Describe: _____

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
15:40	Started purging well						
15:41	2	0.69	8.79	19.84	1366	57.4	+32
15:43	6	0.40	8.16	19.72	1373	53.0	+20
15:45	10	0.37	8.13	19.70	1377	59.3	+10
15:47	14	0.34	8.11	19.69	1375	51.5	+8
15:52	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-3D
 Casing Diameter: 2 inches
 Depth of Well: 59.81 feet
 Top of Casing Elevation: 54.10 feet
 Depth to Groundwater: 23.22 feet
 Groundwater Elevation: 30.88 feet
 Water Column Height: 36.59 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 13, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump


Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: _____

Field Measurements:

Time	Volume (gallons)	D.O. (mg/L)	pH	Temp (°C)	E.C. (µS/cm)	Turb. NTU	ORP
10:10	Started purging well						
10:11	2	1.03	8.51	19.78	1201	16.9	+238
10:13	6	0.53	8.13	19.80	1340	14.9	+232
10:15	10	0.40	8.11	19.80	1360	10.7	+221
10:17	14	0.35	8.09	19.82	1373	8.2	+217
10:22	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-4D
 Casing Diameter: 2 inches
 Depth of Well: 58.79 feet
 Top of Casing Elevation: 53.12 feet
 Depth to Groundwater: 22.38 feet
 Groundwater Elevation: 30.74 feet
 Water Column Height: 36.19 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 13, 2014
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: Slightly Cloudy

Sheen: Yes No Describe: _____

Odor: Yes No Describe: _____

Field Measurements:

Time	Volume (gallons)	D.O. (mg/L)	pH	Temp (°C)	E.C. (µS/cm)	Turb. NTU	ORP
10:37	Started purging well						
10:38	2	0.88	7.78	19.28	1356	59.1	+158
10:40	6	0.39	7.72	19.24	1363	39.6	+152
10:42	10	0.47	7.70	19.25	1361	34.4	+150
10:44	14	0.55	7.69	19.26	1359	20.3	+150
10:49	Sampled						

Table A
Historical Field Parameters
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Dissolved Oxygen (mg/L)	pH	Temperature °C	Electrical Conductivity μS/cm	Turbidity NTU	ORP
1st WBZ							
MW-1	8/27/2009	0.38	6.32	20.8	1357	4.69	-95.7
	12/2/2009	0.15	6.4	20.82	1261	6.19	-136.4
	3/17/2010	0.58	5.68	20.97	1186	7.00	-155.9
	6/3/2010	0.91	6.11	20.81	1285	2.49	-131.6
	9/2/2010	0.92	6.04	20.66	1361	2.46	-86.4
	12/2/2010	0.97	5.96	20.74	1309	4.32	-119.7
	3/4/2011	1.4	6.69	20.96	1169	1.98	-101.2
	5/20/2011	1.51	6.22	20.68	1305	1.85	-164.5
	9/9/2011	1.73	6.02	20.53	1320	4.63	-179.2
	3/2/2012	1.39	6.53	20.84	1309	12.00	-204.4
	6/7/2012	0.89	6.51	20.00	1234	3.92	-20.0
	9/21/2012	0.55	6.12	19.96	1313	5.98	-31.4
	12/14/2012	0.63	6.6	19.71	1314	6.56	-99.2
	3/28/2013	1.07	6.4	20.67	1307	5.93	-70.5
	6/11/2013	0.71	6.52	20.43	1284	11.10	-49.4
	9/17/2013	1.56	6.44	20.47	1225	16.90	2.5
	12/6/2013	0.71	6.56	19.38	1153	15.60	-45.2
3/13/2014	0.27	6.84	20.69	1105	17.50	-52.0	
MW-2	8/27/2009	0.43	6.57	20.72	1530	2.59	-168.1
	12/1/2009	0.48	6.75	21.12	1297	5.01	-191.3
	3/17/2010	0.51	5.78	21.08	1025	5.65	-108
	6/3/2010	0.62	6.28	20.84	930	2.66	-150.2
	9/2/2010	0.66	6.29	20.73	1269	2.67	-174.2
	12/2/2010	0.63	6.06	20.94	1439	2062	-162.4
	3/4/2011	1.55	6.84	20.91	815	3.34	-87.8
	5/20/2011	1.22	6.39	20.59	981	2.58	-185.9
	9/9/2011	1.67	5.89	20.48	1303	6.19	-157.7
	3/2/2012	1.98	6.37	20.83	1014	11.8	-204.5
	6/7/2012	0.93	6.53	19.87	877	4.64	-22.9
	9/21/2012	0.63	5.97	20.01	1359	7.56	-55.0
	12/14/2012	1.06	6.67	19.91	1067	7.75	-82.3
	3/28/2013	1.35	6.46	20.59	1107	5.98	-88.0
	6/11/2013	0.5	6.61	20.44	1118	20.9	-42.7
	9/16/2013	1.04	6.68	20.82	1276	17.1	-51.3
	12/6/2013	0.74	6.64	19.63	1025	18	-77.5
3/13/2014	0.25	6.35	20.74	1078	34.9	-41.0	
MW-3	8/27/2009	1.90	6.36	20.82	1318	5.57	-119.3
	12/2/2009	1.80	6.52	20.94	1239	5.88	-206.6
	3/17/2010	1.60	5.78	21.28	1080	5.37	-166.4
	6/3/2010	1.05	6.24	21.16	1130	2.03	-134.8
	9/2/2010	1.17	6.18	21.04	1256	2.86	-131.2
	12/2/2010	1.27	6.06	21.03	1152	1.83	-171.9
	3/4/2011	1.26	6.77	21.18	1074	3.57	-109.8
	5/20/2011	1.04	6.4	20.9	1180	2.72	-220.1
	9/9/2011	1.05	6.13	20.74	1272	3.23	-179.4
	3/2/2012	1.72	6.58	20.87	1120	12.00	-162.7
	6/7/2012	0.54	6.66	20.13	1057	3.11	-20.9
	9/21/2012	0.60	6.08	20.04	1229	8.61	-74.9
	12/14/2012	0.53	6.66	19.81	1017	7.42	-59.3
	3/28/2013	0.90	6.49	20.71	1188	7.83	-56.8
	6/11/2013	0.38	6.64	20.67	1280	96.3	-39.6
	9/17/2013	0.94	6.64	20.93	1203	108	-44.7
	12/6/2013	0.61	6.68	20.2	1131	62.6	-58.7
3/12/2014	FP	FP	FP	FP	FP	FP	FP

Table A
Historical Field Parameters
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Dissolved Oxygen (mg/L)	pH	Temperature °C	Electrical Conductivity μS/cm	Turbidity NTU	ORP
MW-4	8/27/2009	2.90	6.26	20.11	1649	2.78	-115.5
	12/2/2009	0.87	6.4	20.12	1578	5.06	-173.2
	3/17/2010	2.30	5.63	20.39	1506	4.01	-119.4
	6/3/2010	1.90	6.14	20.45	1418	1.56	-131.8
	9/2/2010	1.80	6.06	20.21	1305	1.45	-101.5
	12/2/2010	1.63	5.89	20.28	1465	102	-180
	3/3/2011	1.89	6.66	20.47	1278	0.97	-90.5
	5/19/2011	1.78	6.42	20.51	1251	1.5	-168.3
	9/8/2011	1.77	6.27	20.32	1430	3.82	-157.4
	3/2/2012	1.55	6.39	20.21	1486	8.00	-165.9
	6/7/2012	0.58	6.58	19.53	1315	2.62	-0.3
	9/21/2012	0.48	6.08	19.49	1425	5.12	-82.6
	12/14/2012	0.62	6.58	19.12	1216	5.42	-46
	3/28/2013	0.94	6.54	19.99	1350	5.03	-35.1
	6/11/2013	0.81	6.47	20.06	1372	16.20	-3
	9/17/2013	1.18	6.5	20.01	1353	11.70	3.8
	12/6/2013	1.09	6.57	19.01	1335	42.40	-11.8
3/13/2014	0.30	6.6	20.49	1333	22.60	-52	
MW-5	8/27/2009	1.00	6.38	20.8	1321	6.63	-91.9
	12/2/2009	1.50	6.47	21.03	1227	5.66	-109.1
	3/17/2010	1.10	5.82	21.28	1150	75.3	-60.7
	6/4/2010	1.10	5.99	20.87	1128	3.84	-33.8
	9/2/2010	1.03	6.16	21.22	1178	13.0	-168.4
	12/2/2010	1.05	6.02	21.46	1112	12.3	-167.7
	3/4/2011	1.11	6.89	21.46	1078	4.59	-106.9
	5/20/2011	1.18	6.47	21.02	1106	26.5	-222.5
	9/9/2011	1.14	6.2	21.07	1194	5.83	-215.4
	3/2/2012	1.70	6.72	21.34	1187	11.7	-228.6
	6/7/2012	0.40	6.68	20.29	1200	5.35	-50.7
	9/21/2012	0.44	6.24	20.73	1164	9.74	33.0
	12/14/2012	0.52	6.76	20.7	1173	17	-126.5
	3/28/2013	1.01	6.59	21.24	1068	6.39	-141.5
	6/11/2013	0.50	6.69	20.94	1016	17	-44.8
	9/17/2013	0.65	6.85	21.44	1165	20.9	-64.7
	12/6/2013	0.60	7.01	20.82	747	16.7	-110.6
3/13/2014	0.22	6.89	21.92	1184	17.1	-79.0	
MW-6	8/26/2009	0.42	6.47	20.93	1201	6.53	-172.3
	12/1/2009	0.26	6.89	21.64	1171	6.83	-207.9
	3/16/2010	0.63	5.91	21.26	1544	6.72	-168.2
	6/3/2010	0.58	6.38	20.74	1346	2.61	-116.4
	9/1/2010	0.41	6.44	20.86	1419	2.77	-120.3
	12/2/2010	0.37	6.24	21.17	1362	4.5	-148
	3/3/2011	1.54	6.81	21	1262	1.87	-98.3
	5/20/2011	1.23	6.62	20.51	1312	2.53	-221.1
	9/8/2011	1.07	6.2	20.84	1292	5.17	-167.9
	3/2/2012	1.10	6.55	21.03	1197	13.2	-166.4
	6/6/2012	1.18	6.78	19.82	1091	3.46	-32.8
	9/20/2012	FP	FP	FP	FP	FP	FP
	12/13/2012	1.47	6.72	21.05	1231	9.99	-46.2
	3/27/2013	1.53	6.58	20.81	1179	6.82	-54.9
	6/10/2013	0.70	6.64	20.55	1209	13	-13.9
	9/16/2013	FP	FP	FP	FP	FP	FP
	12/5/2013	0.90	6.66	20.26	1342	21.4	-73.5
3/12/2014	0.33	6.56	21.62	2500	78.3	-163	

Table A
Historical Field Parameters
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Dissolved Oxygen (mg/L)	pH	Temperature °C	Electrical Conductivity μS/cm	Turbidity NTU	ORP	
MW-7	8/26/2009	0.98	6.36	19.24	1375	145	-128.3	
	12/1/2009	1.05	6.83	19.51	1340	997	-4.3	
	3/16/2010	0.83	5.88	18.37	1266	382	-37.9	
	6/3/2010	0.77	6.46	18.67	1199	873	-30.4	
	9/1/2010	0.98	6.4	19.83	1271	999	-60	
	12/2/2010	1.01	6.23	19.17	1253	999	-85.6	
	3/4/2011	3.66	6.68	18.33	1098	609	-49.5	
	5/19/2011	1.35	6.42	17.71	1192	879	-53.7	
	9/8/2011	2.01	6.07	18.91	1198	748	-17.8	
	3/2/2012	1.82	6.39	18.12	1308	363	-69.3	
	6/6/2012	2.78	6.57	17.41	1106	362	1.3	
	9/20/2012	1.61	6.11	18.8	1303	1000	95.9	
	12/13/2012	2.93	6.67	18.42	1274	524	-22	
	3/27/2013	3.01	6.51	17.1	1256	335	2.1	
	6/10/2013	2.55	6.22	17.81	1232	672	8	
	9/16/2013	3.59	6.21	19.19	1264	999	45.9	
12/5/2013	2.76	6.63	17.96	1212	999	6.5		
3/12/2014	2.59	6.22	18.85	1406	1086	36		
MPE-1	6/6/2012	1.73	6.83	19.34	1269	16.8	-41.9	
	9/20/2012	0.62	5.87	19.36	1389	16.2	20.2	
	12/14/2012	0.7	6.76	19.14	1473	16.4	-63.5	
	3/27/2013	2.01	6.64	19.96	1499	7.03	-214.9	
	6/10/2013	0.59	6.62	20.05	1497	20	-59.7	
	9/17/2013	0.65	6.59	19.97	1467	16.2	-66.7	
	12/6/2013	0.78	6.63	19.41	1390	32	-77.5	
	3/13/2014	0.2	6.58	20.53	1163	52.4	-73	
	MPE-2	3/2/2012	1.30	6.40	21.18	1303	8.70	-164.9
		6/7/2012	0.48	6.62	20.32	1309	3.63	-20.4
9/21/2012		0.46	6.29	20.27	1284	7.05	72.4	
12/14/2012		0.47	6.68	20.14	1223	7.29	-60.5	
3/28/2013		0.84	6.51	20.93	1327	8.35	-64.3	
6/11/2013		0.52	6.63	20.34	1192	29.70	-56.8	
9/17/2013		0.61	6.69	21.15	1201	26.50	-80.7	
12/5/2013		FP	FP	FP	FP	FP	FP	
3/12/2014		FP	FP	FP	FP	FP	FP	
2nd WBZ								
MW-1D	8/26/2009	0.45	7.04	19.93	1388	7.75	-11	
	12/1/2009	0.51	7.4	19.79	1342	19.1	-21.7	
	3/16/2010	0.57	6.45	19.99	1353	98.9	-28.2	
	6/4/2010	0.58	6.66	19.98	1336	3.85	97.7	
	9/1/2010	0.52	6.94	20.12	1404	4.41	-6.6	
	12/3/2010	0.49	6.64	19.73	1328	7.12	-75.3	
	3/3/2011	2.77	7.35	19.79	1294	9.97	18.8	
	5/19/2011	2.81	7.07	19.95	1330	5.26	6.6	
	9/8/2011	3.21	6.66	20.03	1309	9.98	-35.5	
	3/2/2012	2.04	6.75	19.76	1306	22.0	-71.3	
	6/6/2012	1.1	7.29	19.54	1228	10.8	58.7	
	9/20/2012	0.42	6.85	19.57	1256	18.6	93.7	
	12/13/2012	1.03	7.29	18.82	1234	11.4	93.7	
	3/27/2013	1.45	7.08	19.7	1253	5.8	-1	
	6/10/2013	0.52	7.27	19.8	1238	16	111.5	
	9/16/2013	0.78	7.09	19.88	1225	19	80.1	
	12/5/2013	0.87	7.29	18.47	1184	23.2	5.2	
	3/12/2014	0.34	8.11	19.69	1375	51.5	8	

Table A
Historical Field Parameters
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Dissolved Oxygen (mg/L)	pH	Temperature °C	Electrical Conductivity μS/cm	Turbidity NTU	ORP
MW-3D	8/26/2009	0.73	6.93	20.17	1276	1.73	-18.8
	12/1/2009	0.98	7.3	20.04	1236	2.48	-23.5
	3/16/2010	0.69	6.38	20.29	1272	8.05	-27.8
	6/4/2010	0.77	6.54	20.2	1254	0.42	78.1
	9/1/2010	0.79	6.85	20.33	1304	0.25	-29.4
	12/3/2010	0.81	6.49	20.04	1252	1.49	-79.2
	3/3/2011	2	7.24	20.02	1254	0.85	54
	5/19/2011	1.99	6.91	20.21	1260	2.03	-14.8
	9/8/2011	1.73	6.52	20.19	1247	3.53	-32.6
	3/2/2012	2.17	6.99	20.02	1269	9.02	-84.2
	6/6/2012	0.33	7.16	19.76	1225	4.78	67.5
	9/20/2012	0.54	6.77	19.71	1233	4.70	88.0
	12/13/2012	0.85	7.14	19.02	1229	5.27	104.1
	3/27/2013	2.11	7.01	19.94	1241	5.31	66.3
	6/10/2013	0.73	7.19	20.32	1238	12.6	100.2
	9/16/2013	0.84	7.03	20	1236	16	72.9
	12/5/2013	0.74	7.16	18.64	1193	11.9	28.3
3/13/2014	0.35	8.09	19.82	1373	8.2	217.0	
MW-4D	8/27/2009	0.98	6.93	19.46	1280	4.31	-26.4
	12/1/2009	1.9	7.36	19.42	1249	4.66	-24.2
	3/16/2010	1.4	6.36	19.58	1283	24.8	-16.7
	6/4/2010	1.3	6.53	19.49	1259	5.1	115.8
	9/1/2010	1.44	6.92	19.67	1333	2.2	-26.9
	12/3/2010	1.3	6.5	19.4	1266	1.57	-116.6
	3/3/2011	2.11	7.36	19.42	1219	1.8	-96.4
	5/19/2011	2.12	6.95	19.56	1262	2.09	-15.5
	9/8/2011	2.03	6.57	19.62	1261	3.13	-54
	3/2/2012	2.15	6.92	19.39	1272	13.1	-86.5
	6/6/2012	0.32	7.27	19.25	1189	6.32	22.9
	9/20/2012	0.39	6.76	19.21	1232	6.12	91.1
	12/13/2012	0.89	7.2	18.46	1210	7.34	-15.7
	3/27/2013	2.01	7.02	19.39	1236	5.31	47.4
	6/10/2013	0.75	7.14	19.54	1223	24.7	43.7
	9/16/2013	0.77	7.13	19.44	1220	24.2	42.8
	12/6/2013	1.34	7.17	18.05	1175	20	75
3/13/2014	0.55	7.69	19.26	1359	20.3	150	



EPA On-line Tools for Site Assessment Calculation

Hydraulic Gradient -- Magnitude and Direction

Gradient Calculation from fitting a plane to as many as thirty points


$$\begin{aligned}
 a x_1 + b y_1 + c &= h_1 \\
 a x_2 + b y_2 + c &= h_2 \\
 a x_3 + b y_3 + c &= h_3 \\
 &\dots \\
 a x_{30} + b y_{30} + c &= h_{30}
 \end{aligned}$$

where (x_i, y_i) are the coordinates of the well and h_i is the head

$i = 1, 2, 3, \dots, 30$

The coefficients a , b , and c are calculated by a least-squares fitting of the the data to a plane

The gradient is calculated from the square root of $(a^2 + b^2)$ and the angle from the arctangent of a/b or b/a depending on the quadrant



Inputs

Example Data Set 1 Example Data Set 2 Calculate Clear

Save Data Recall Data Go Back

Site Name 15101 Freedom Ave

Date March 12, 2014 Current Date

Calculation basis Head

Coordinates ft

I.D.	x-coordinate	y-coordinate	head	ft
1) MW-1	6092119.016	2084364.691	30.99	
2) MW-2	6092063.978	2084323.224	30.85	
3) MW-3	6092176.317	2084298.343	30.88	
4) MW-4	6092124.294	2084251.598	30.71	
5) MW-5	6092177.071	2084206.361	30.62	
6) MW-6	6092140.881	2084072.911	28.82	
7) MW-7	6092290.918	2084008.071	30.18	
8) EX-1	6092163.5	2084133.982	26.21	
9) EX-2	6092131.08	2084082.713	23.92	
10) MPE-1	6092125.048	2084212.393	30.63	
11) MPE-2	6092171.793	2084292.312	30.86	
12)				
13)				
14)				

15)			
16)			
17)			
18)			
19)			
20)			
21)			
22)			
23)			
24)			
25)			
26)			
27)			
28)			
29)			
30)			

Results

Number of Points Used in Calculation	11
Max. Difference Between Head Values	2.155
Gradient Magnitude (i)	0.02846
Flow direction as degrees from North (positive y axis)	231.0
Coefficient of Determination (R^2)	0.534

WCMS

Last updated on 1/10/2013



EPA On-line Tools for Site Assessment Calculation

[Module Home](#) [Objectives](#) [Table of Contents](#) [Previous <](#) [Next >](#)

Hydraulic Gradient

Gradient Calculation from fitting a plane to three points

$$\begin{aligned}
 a x_1 + b y_1 + c &= h_1 \\
 a x_2 + b y_2 + c &= h_2 \\
 a x_3 + b y_3 + c &= h_3
 \end{aligned}$$

where (x_i, y_i) are the coordinates of the well and h_i is the head

$i = 1, 2, 3$

The gradient is calculated from the square root of $(a^2 + b^2)$ and the angle from the arctangent of a/b or b/a depending on the quadrant

Example Data Set 1	Calculate	Clear
Save Data	Recall Data	Go Back
Site Name	15101 Freedom Ave	
Date	March 12, 2014	Current Date
Calculation basis	Head	
	Coordinates	ft
x-coordinate	y-coordinate	head
6092128.064	2084372.231	30.74
6092183.856	2084303.621	30.88
6092116.755	2084222.948	30.74
	Gradient Magnitude (i)	0.002302
	Degrees from North (+ y axis)	274.3

[Previous](#) [Top](#) [Next](#)

[Home](#) | [Glossary](#) | [Notation](#) | [Links](#) | [References](#) | [Calculators](#)

Appendix C

Laboratory Reports and Chain of Custody Forms
for the First Quarter 2014 Monitoring Event



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

Laboratory Job Number 254474
ANALYTICAL REPORT

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2551
Location : 15101 Freedom Avenue San Leandro
Level : II

Table with 2 columns: Sample ID and Lab ID. Rows include MW-1 through MW-7, MW-1D through MW-4D, EX-1 through EX-2, and MPE-1.

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: Tracy Babjar
Tracy Babjar
Project Manager
tracy.babjar@ctberk.com
(510) 204-2226

Date: 03/20/2014

CA ELAP# 2896, NELAP# 4044-001

CASE NARRATIVE

Laboratory number: 254474
Client: SOMA Environmental Engineering Inc.
Project: 2551
Location: 15101 Freedom Avenue San Leandro
Request Date: 03/14/14
Samples Received: 03/14/14

This data package contains sample and QC results for twelve water samples, requested for the above referenced project on 03/14/14. The samples were received cold and intact.

Volatile Organics by GC/MS (EPA 8260B):

No analytical problems were encountered.

CHAIN OF CUSTODY

Curtis & Tompkins, Ltd.

Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

Analyses

C&T LOGIN # 254474

Sampler: Lizzie Hightower

Project No: 2551

Report To: Joyce Bobek

Project Name: 15101 Freedom Ave., San Leandro

Company: SOMA Environmental

Turnaround Time: Standard

Telephone: 925-734-6400

Fax: 925-734-6401

Lab No.	Sample ID.	Sampling Date Time		Matrix			# of Containers	Preservative				TPHg, BTEX, MtBE 8260B	Gasoline Oxygenates & Lead Scavengers
				Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE		
1	MW-1	3/13/14	11:45	*			3-VOAs	*			*		
2	MW-2	3/13/14	11:20	*			3-VOAs	*			*		
	MW-3			*			3-VOAs	*			*		
3	MW-4	3/13/14	12:37	*			3-VOAs	*			*		
4	MW-5	3/13/14	12:11	*			3-VOAs	*			*		
5	MW-6	3/12/14	14:38	*			3-VOAs	*			*		
6	MW-7	3/12/14	13:51	*			3-VOAs	*			*		
7	MW-1D	3/12/14	16:52	*			3-VOAs	*			*		
8	MW-3D	3/13/14	10:22	*			3-VOAs	*			*		
9	MW-4D	3/13/14	10:49	*			3-VOAs	*			*		
10	EX-1	3/12/14	15:14	*			3-VOAs	*			*		
11	EX-2	3/12/14	15:00	*			3-VOAs	*			*		
12	MPE-1	3/13/14	13:00	*			3-VOAs	*			*		
	MPE-2			*			3-VOAs	*			*		

Notes: **EDF OUTPUT REQUIRED**
 Ethanol

RELINQUISHED BY:

E. Ajay 3/14/14 08:30 DATE/TIME
[Signature] 3/14/14 16:23 DATE/TIME
 DATE/TIME

RECEIVED BY:

[Signature] 3/14/14 9:45 DATE/TIME
Anya Ranka 3/14/14 16:23 DATE/TIME
 DATE/TIME

wait cold Rk

COOLER RECEIPT CHECKLIST



Curtis & Tompkins, Ltd.

Login # 254474 Date Received 3/14/14 Number of coolers 1
Client SOMA Project 15101 FREEDOM AVE, SAN LEANDRO (2551)

Date Opened 3/14/14 By (print) TR (sign) Tina Raikan
Date Logged in By (print) (sign)

- 1. Did cooler come with a shipping slip (airbill, etc) YES NO
Shipping info
2A. Were custody seals present? ... YES (circle) on cooler on samples X NO
How many Name Date
2B. Were custody seals intact upon arrival? YES NO N/A
3. Were custody papers dry and intact when received? YES NO
4. Were custody papers filled out properly (ink, signed, etc)? YES NO
5. Is the project identifiable from custody papers? (If so fill out top of form) YES NO
6. Indicate the packing in cooler: (if other, describe)
Bubble Wrap X Foam blocks Bags None
Cloth material Cardboard Styrofoam Paper towels
7. Temperature documentation: * Notify PM if temperature exceeds 6°C
Type of ice used: X Wet Blue/Gel None Temp(°C) 4.0
Samples Received on ice & cold without a temperature blank; temp. taken with IR gun
Samples received on ice directly from the field. Cooling process had begun
8. Were Method 5035 sampling containers present? YES NO
If YES, what time were they transferred to freezer?
9. Did all bottles arrive unbroken/unopened? YES NO
10. Are there any missing / extra samples? YES NO
11. Are samples in the appropriate containers for indicated tests? YES NO
12. Are sample labels present, in good condition and complete? YES NO
13. Do the sample labels agree with custody papers? YES NO
14. Was sufficient amount of sample sent for tests requested? YES NO
15. Are the samples appropriately preserved? YES NO N/A
16. Did you check preservatives for all bottles for each sample? YES NO N/A
17. Did you document your preservative check? YES NO N/A
18. Did you change the hold time in LIMS for unpreserved VOAs? YES NO N/A
19. Did you change the hold time in LIMS for preserved terracores? YES NO N/A
20. Are bubbles > 6mm absent in VOA samples? YES NO N/A
21. Was the client contacted concerning this sample delivery? YES NO
If YES, Who was called? By Date:

COMMENTS

Blank lines for handwritten comments.

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-1	Batch#: 209043
Lab ID: 254474-001	Sampled: 03/13/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/17/14
Diln Fac: 1.000	

Analyte	Result	RL
Gasoline C7-C12	2,800	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	1.4	0.50
1,2-Dichloroethane	ND	0.50
Benzene	16	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	74	0.50
m,p-Xylenes	15	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	91	77-136
1,2-Dichloroethane-d4	122	75-139
Toluene-d8	105	80-120
Bromofluorobenzene	98	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-2	Batch#: 209023
Lab ID: 254474-002	Sampled: 03/13/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/16/14
Diln Fac: 1.000	

Analyte	Result	RL
Gasoline C7-C12	190	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	85	77-136
1,2-Dichloroethane-d4	113	75-139
Toluene-d8	105	80-120
Bromofluorobenzene	96	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-4	Batch#: 209043
Lab ID: 254474-003	Sampled: 03/13/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/18/14
Diln Fac: 12.50	

Analyte	Result	RL
Gasoline C7-C12	ND	630
tert-Butyl Alcohol (TBA)	190	130
Isopropyl Ether (DIPE)	ND	6.3
Ethyl tert-Butyl Ether (ETBE)	ND	6.3
Methyl tert-Amyl Ether (TAME)	ND	6.3
Ethanol	ND	13,000
MTBE	6.8	6.3
1,2-Dichloroethane	ND	6.3
Benzene	600	6.3
Toluene	ND	6.3
1,2-Dibromoethane	ND	6.3
Ethylbenzene	7.0	6.3
m,p-Xylenes	21	6.3
o-Xylene	ND	6.3

Surrogate	%REC	Limits
Dibromofluoromethane	84	77-136
1,2-Dichloroethane-d4	103	75-139
Toluene-d8	108	80-120
Bromofluorobenzene	97	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-5	Batch#: 209023
Lab ID: 254474-004	Sampled: 03/13/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/16/14
Diln Fac: 2.000	

Analyte	Result	RL
Gasoline C7-C12	2,100	100
tert-Butyl Alcohol (TBA)	ND	20
Isopropyl Ether (DIPE)	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	1.0
Methyl tert-Amyl Ether (TAME)	2.2	1.0
Ethanol	ND	2,000
MTBE	1.4	1.0
1,2-Dichloroethane	ND	1.0
Benzene	23	1.0
Toluene	ND	1.0
1,2-Dibromoethane	ND	1.0
Ethylbenzene	130	1.0
m,p-Xylenes	69	1.0
o-Xylene	4.0	1.0

Surrogate	%REC	Limits
Dibromofluoromethane	87	77-136
1,2-Dichloroethane-d4	115	75-139
Toluene-d8	108	80-120
Bromofluorobenzene	97	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-6	Batch#: 209043
Lab ID: 254474-005	Sampled: 03/12/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/18/14
Diln Fac: 5.000	

Analyte	Result	RL
Gasoline C7-C12	8,900	250
tert-Butyl Alcohol (TBA)	ND	50
Isopropyl Ether (DIPE)	ND	2.5
Ethyl tert-Butyl Ether (ETBE)	ND	2.5
Methyl tert-Amyl Ether (TAME)	ND	2.5
Ethanol	ND	5,000
MTBE	ND	2.5
1,2-Dichloroethane	ND	2.5
Benzene	42	2.5
Toluene	5.4	2.5
1,2-Dibromoethane	ND	2.5
Ethylbenzene	290	2.5
m,p-Xylenes	590	2.5
o-Xylene	170	2.5

Surrogate	%REC	Limits
Dibromofluoromethane	87	77-136
1,2-Dichloroethane-d4	114	75-139
Toluene-d8	109	80-120
Bromofluorobenzene	104	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-7	Batch#: 209023
Lab ID: 254474-006	Sampled: 03/12/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/16/14
Diln Fac: 1.000	

Analyte	Result	RL
Gasoline C7-C12	920	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	0.64	0.50
Ethanol	ND	1,000
MTBE	4.6	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	3.7	0.50
m,p-Xylenes	1.5	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	86	77-136
1,2-Dichloroethane-d4	114	75-139
Toluene-d8	107	80-120
Bromofluorobenzene	100	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-1D	Batch#: 209023
Lab ID: 254474-007	Sampled: 03/12/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/16/14
Diln Fac: 1.000	

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	85	77-136
1,2-Dichloroethane-d4	113	75-139
Toluene-d8	107	80-120
Bromofluorobenzene	97	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-3D	Batch#: 209023
Lab ID: 254474-008	Sampled: 03/13/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/16/14
Diln Fac: 1.000	

Analyte	Result	RL
Gasoline C7-C12	130	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	0.97	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	2.9	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	2.5	0.50
m,p-Xylenes	12	0.50
o-Xylene	4.6	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	86	77-136
1,2-Dichloroethane-d4	112	75-139
Toluene-d8	106	80-120
Bromofluorobenzene	98	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: MW-4D	Batch#: 209023
Lab ID: 254474-009	Sampled: 03/13/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/16/14
Diln Fac: 1.000	

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	4.0	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	86	77-136
1,2-Dichloroethane-d4	111	75-139
Toluene-d8	105	80-120
Bromofluorobenzene	98	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: EX-1	Batch#: 209023
Lab ID: 254474-010	Sampled: 03/12/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/16/14
Diln Fac: 1.000	

Analyte	Result	RL
Gasoline C7-C12	250	50
tert-Butyl Alcohol (TBA)	48	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	0.77	0.50
Methyl tert-Amyl Ether (TAME)	3.1	0.50
Ethanol	ND	1,000
MTBE	40	0.50
1,2-Dichloroethane	ND	0.50
Benzene	12	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	4.7	0.50
m,p-Xylenes	14	0.50
o-Xylene	3.2	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	87	77-136
1,2-Dichloroethane-d4	114	75-139
Toluene-d8	106	80-120
Bromofluorobenzene	100	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 254474	Location: 15101 Freedom Avenue San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2551	Analysis: EPA 8260B
Field ID: EX-2	Batch#: 209023
Lab ID: 254474-011	Sampled: 03/12/14
Matrix: Water	Received: 03/14/14
Units: ug/L	Analyzed: 03/16/14
Diln Fac: 4.000	

Analyte	Result	RL
Gasoline C7-C12	3,700	200
tert-Butyl Alcohol (TBA)	ND	40
Isopropyl Ether (DIPE)	ND	2.0
Ethyl tert-Butyl Ether (ETBE)	ND	2.0
Methyl tert-Amyl Ether (TAME)	ND	2.0
Ethanol	ND	4,000
MTBE	5.7	2.0
1,2-Dichloroethane	ND	2.0
Benzene	100	2.0
Toluene	9.8	2.0
1,2-Dibromoethane	ND	2.0
Ethylbenzene	220	2.0
m,p-Xylenes	420	2.0
o-Xylene	78	2.0

Surrogate	%REC	Limits
Dibromofluoromethane	85	77-136
1,2-Dichloroethane-d4	107	75-139
Toluene-d8	109	80-120
Bromofluorobenzene	96	80-120

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #:	254474	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Field ID:	MPE-1	Batch#:	209023
Lab ID:	254474-012	Sampled:	03/13/14
Matrix:	Water	Received:	03/14/14
Units:	ug/L	Analyzed:	03/16/14
Diln Fac:	40.00		

Analyte	Result	RL
Gasoline C7-C12	67,000	2,000
tert-Butyl Alcohol (TBA)	1,100	400
Isopropyl Ether (DIPE)	ND	20
Ethyl tert-Butyl Ether (ETBE)	ND	20
Methyl tert-Amyl Ether (TAME)	160	20
Ethanol	ND	40,000
MTBE	170	20
1,2-Dichloroethane	ND	20
Benzene	1,800	20
Toluene	3,500	20
1,2-Dibromoethane	ND	20
Ethylbenzene	1,800	20
m,p-Xylenes	7,200	20
o-Xylene	2,900	20

Surrogate	%REC	Limits
Dibromofluoromethane	86	77-136
1,2-Dichloroethane-d4	106	75-139
Toluene-d8	107	80-120
Bromofluorobenzene	100	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Purgeable Organics by GC/MS		
Lab #:	254474	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Type:	BLANK	Diln Fac: 1.000
Lab ID:	QC731924	Batch#: 209023
Matrix:	Water	Analyzed: 03/16/14
Units:	ug/L	

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	87	77-136
1,2-Dichloroethane-d4	113	75-139
Toluene-d8	108	80-120
Bromofluorobenzene	99	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	254474	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	209023
Units:	ug/L	Analyzed:	03/16/14
Diln Fac:	1.000		

Type: BS Lab ID: QC731925

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	100.0	87.34	87	37-151
Isopropyl Ether (DIPE)	20.00	14.99	75	56-124
Ethyl tert-Butyl Ether (ETBE)	20.00	15.91	80	61-122
Methyl tert-Amyl Ether (TAME)	20.00	19.52	98	65-120
MTBE	20.00	16.99	85	64-121
1,2-Dichloroethane	20.00	20.39	102	77-137
Benzene	20.00	20.65	103	80-124
Toluene	20.00	23.15	116	80-122
1,2-Dibromoethane	20.00	21.10	106	80-120
Ethylbenzene	20.00	23.48	117	80-124
m,p-Xylenes	40.00	48.05	120	80-122
o-Xylene	20.00	22.19	111	77-120

Surrogate	%REC	Limits
Dibromofluoromethane	89	77-136
1,2-Dichloroethane-d4	113	75-139
Toluene-d8	106	80-120
Bromofluorobenzene	99	80-120

Type: BSD Lab ID: QC731926

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	100.0	77.70	78	37-151	12	30
Isopropyl Ether (DIPE)	20.00	14.50	73	56-124	3	20
Ethyl tert-Butyl Ether (ETBE)	20.00	15.72	79	61-122	1	22
Methyl tert-Amyl Ether (TAME)	20.00	18.84	94	65-120	4	22
MTBE	20.00	16.25	81	64-121	4	20
1,2-Dichloroethane	20.00	20.14	101	77-137	1	20
Benzene	20.00	20.23	101	80-124	2	20
Toluene	20.00	22.86	114	80-122	1	20
1,2-Dibromoethane	20.00	21.04	105	80-120	0	20
Ethylbenzene	20.00	23.60	118	80-124	0	20
m,p-Xylenes	40.00	47.64	119	80-122	1	20
o-Xylene	20.00	22.29	111	77-120	0	20

Surrogate	%REC	Limits
Dibromofluoromethane	86	77-136
1,2-Dichloroethane-d4	109	75-139
Toluene-d8	107	80-120
Bromofluorobenzene	98	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	254474	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	209023
Units:	ug/L	Analyzed:	03/16/14
Diln Fac:	1.000		

Type: BS Lab ID: QC731927

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	800.0	827.7	103	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	85	77-136
1,2-Dichloroethane-d4	111	75-139
Toluene-d8	109	80-120
Bromofluorobenzene	100	80-120

Type: BSD Lab ID: QC731928

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	800.0	846.3	106	80-120	2	20

Surrogate	%REC	Limits
Dibromofluoromethane	84	77-136
1,2-Dichloroethane-d4	108	75-139
Toluene-d8	107	80-120
Bromofluorobenzene	97	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS		
Lab #:	254474	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Type:	BLANK	Diln Fac: 1.000
Lab ID:	QC732010	Batch#: 209043
Matrix:	Water	Analyzed: 03/17/14
Units:	ug/L	

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	85	77-136
1,2-Dichloroethane-d4	108	75-139
Toluene-d8	108	80-120
Bromofluorobenzene	101	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	254474	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	209043
Units:	ug/L	Analyzed:	03/17/14
Diln Fac:	1.000		

Type: BS Lab ID: QC732011

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	100.0	88.95	89	37-151
Isopropyl Ether (DIPE)	20.00	14.91	75	56-124
Ethyl tert-Butyl Ether (ETBE)	20.00	16.07	80	61-122
Methyl tert-Amyl Ether (TAME)	20.00	18.74	94	65-120
MTBE	20.00	17.30	86	64-121
1,2-Dichloroethane	20.00	18.77	94	77-137
Benzene	20.00	19.47	97	80-124
Toluene	20.00	22.49	112	80-122
1,2-Dibromoethane	20.00	20.47	102	80-120
Ethylbenzene	20.00	23.12	116	80-124
m,p-Xylenes	40.00	47.10	118	80-122
o-Xylene	20.00	21.81	109	77-120

Surrogate	%REC	Limits
Dibromofluoromethane	86	77-136
1,2-Dichloroethane-d4	104	75-139
Toluene-d8	111	80-120
Bromofluorobenzene	96	80-120

Type: BSD Lab ID: QC732012

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	100.0	81.38	81	37-151	9	30
Isopropyl Ether (DIPE)	20.00	13.83	69	56-124	8	20
Ethyl tert-Butyl Ether (ETBE)	20.00	15.20	76	61-122	6	22
Methyl tert-Amyl Ether (TAME)	20.00	18.20	91	65-120	3	22
MTBE	20.00	15.86	79	64-121	9	20
1,2-Dichloroethane	20.00	18.14	91	77-137	3	20
Benzene	20.00	18.54	93	80-124	5	20
Toluene	20.00	21.54	108	80-122	4	20
1,2-Dibromoethane	20.00	20.83	104	80-120	2	20
Ethylbenzene	20.00	22.02	110	80-124	5	20
m,p-Xylenes	40.00	46.45	116	80-122	1	20
o-Xylene	20.00	21.42	107	77-120	2	20

Surrogate	%REC	Limits
Dibromofluoromethane	85	77-136
1,2-Dichloroethane-d4	107	75-139
Toluene-d8	109	80-120
Bromofluorobenzene	98	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	254474	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	209043
Units:	ug/L	Analyzed:	03/17/14
Diln Fac:	1.000		

Type: BS Lab ID: QC732013

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	900.0	917.2	102	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	84	77-136
1,2-Dichloroethane-d4	108	75-139
Toluene-d8	109	80-120
Bromofluorobenzene	99	80-120

Type: BSD Lab ID: QC732014

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	900.0	844.0	94	80-120	8	20

Surrogate	%REC	Limits
Dibromofluoromethane	85	77-136
1,2-Dichloroethane-d4	112	75-139
Toluene-d8	110	80-120
Bromofluorobenzene	102	80-120

RPD= Relative Percent Difference

Date : 17-MAR-2014 23:26

Client ID: DYNA P&T


Sample Info: S,254474-001

Instrument: MSV0A09.i

Operator: VOC

Column diameter: 2.00

Column phase:



Date : 16-MAR-2014 17:02

Client ID: DYNA P&T


Sample Info: S,254474-002

Instrument: MSV0A09.i

Operator: VOC

Column diameter: 2.00

Column phase:




Date : 16-MAR-2014 20:24
Client ID: DYNA P&T
Sample Info: S,254474-004

Instrument: MSV0A09.i

Operator: VOC
Column diameter: 2.00

Column phase:



Date : 18-MAR-2014 00:00

Client ID: DYNA P&T


Sample Info: S,254474-005

Instrument: MSV0A09.i

Operator: VOC

Column diameter: 2.00

Column phase:




Date : 16-MAR-2014 17:35
Client ID: DYNA P&T
Sample Info: S,254474-006

Instrument: MSV0A09.i

Operator: VOC
Column diameter: 2.00

Column phase:



Date : 16-MAR-2014 18:42

Client ID: DYNA P&T


Sample Info: S,254474-008

Instrument: MSV0A09.i

Operator: VOC

Column diameter: 2.00

Column phase:




Date : 16-MAR-2014 19:49
Client ID: DYNA P&T
Sample Info: S,254474-010

Instrument: MSVOA09.i

Operator: VOC
Column diameter: 2.00

Column phase:



Date : 16-MAR-2014 21:32

Client ID: DYNA P&T


Sample Info: S.254474-011

Instrument: MSV0A09.i

Operator: VOC

Column diameter: 2.00

Column phase:



Date : 16-MAR-2014 22:40

Client ID: DYNA P&T


Sample Info: S,254474-012

Instrument: MSV0A09.i

Operator: VOC

Column diameter: 2.00

Column phase:



Date : 16-MAR-2014 14:14

Client ID: DYNA P&T


Sample Info: BSD, QC731928, 209023, S24352, .016/200

Instrument: MSV0A09.i

Operator: VOC


Column diameter: 2.00

Column phase:



Appendix D

Laboratory Reports and Chain of Custody Forms for the Treatment System



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

**Laboratory Job Number 252159
ANALYTICAL REPORT**

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2553
Location : 15101 Freedom Ave. San Leandro
Level : II

<u>Sample ID</u>	<u>Lab ID</u>
EFFLUENT	252159-001
GAC-1	252159-002
INFLUENT	252159-003

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: _____

Tracy Babjar
Project Manager
tracy.babjar@ctberk.com
(510) 204-2226

Date: 01/15/2014

NELAP # 01107CA

CASE NARRATIVE

Laboratory number: 252159
Client: SOMA Environmental Engineering Inc.
Project: 2553
Location: 15101 Freedom Ave. San Leandro
Request Date: 01/09/14
Samples Received: 01/09/14

This data package contains sample and QC results for three water samples, requested for the above referenced project on 01/09/14. The samples were received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B and EPA 8021B):

No analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B):

No analytical problems were encountered.

CHAIN OF CUSTODY

Curtis & Tompkins, Ltd

Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

LOGIN # 252159

Sampler: MASOUD

Project No: 2553

Report To: Joyce Bobek

Project Name: 15101 Freedom Ave, San Leandro Company: SOMA Environmental

Turnaround Time: Standard

Telephone: 925-734-6400

Fax: 925-734-6401

Analyses

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative				TPH-g 8015	TPH-d, TPH-mo 8015	BTEX 8020						
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE									
1	EFFLUENT	11/9/14 - 10	*			6 VOAs	*			*									
			*			1-1 L Amber				*									
2	GAC-1		*			6 VOAs	*			*									
3	INFLUENT		*			6 VOAs	*			*									

1
↓
2
3

Notes: **EDF OUTPUT REQUIRED**

RELINQUISHED BY:

RECEIVED BY:

<i>[Signature]</i> 11/9/14 - 11:47	DATE/TIME	<i>[Signature]</i> 11/9/14 11:47	DATE/TIME
	DATE/TIME		DATE/TIME
	DATE/TIME		DATE/TIME

COOLER RECEIPT CHECKLIST



Curtis & Tompkins, Ltd.

Login # 252159 Date Received 1/9/14 Number of coolers 1
 Client SOMA ENVIRONMENTAL Project 15101 FREEDOM AVE, SAN LEANDRO (2553)
 Date Opened 1/9/14 By (print) JK (sign) Fina Rankan
 Date Logged in 1 By (print) 1 (sign) 1

1. Did cooler come with a shipping slip (airbill, etc) _____ YES NO
- Shipping info _____
- 2A. Were custody seals present? YES (circle) on cooler on samples NO
 How many _____ Name _____ Date _____
- 2B. Were custody seals intact upon arrival? _____ YES NO N/A
3. Were custody papers dry and intact when received? _____ YES NO N/A
4. Were custody papers filled out properly (ink, signed, etc)? _____ YES NO
5. Is the project identifiable from custody papers? (If so fill out top of form) _____ YES NO
6. Indicate the packing in cooler: (if other, describe) _____
 Bubble Wrap Foam blocks Bags None
 Cloth material Cardboard Styrofoam Paper towels
7. Temperature documentation: * Notify PM if temperature exceeds 6°C
 Type of ice used: Wet Blue/Gel None Temp(°C) _____
 Samples Received on ice & cold without a temperature blank; temp. taken with IR gun
 Samples received on ice directly from the field. Cooling process had begun
8. Were Method 5035 sampling containers present? _____ YES NO
 If YES, what time were they transferred to freezer? _____
9. Did all bottles arrive unbroken/unopened? _____ YES NO
10. Are there any missing / extra samples? _____ YES NO
11. Are samples in the appropriate containers for indicated tests? _____ YES NO
12. Are sample labels present, in good condition and complete? _____ YES NO
13. Do the sample labels agree with custody papers? _____ YES NO
14. Was sufficient amount of sample sent for tests requested? _____ YES NO
15. Are the samples appropriately preserved? _____ YES NO N/A
16. Did you check preservatives for all bottles for each sample? _____ YES NO N/A
17. Did you document your preservative check? _____ YES NO N/A
18. Did you change the hold time in LIMS for unpreserved VOAs? _____ YES NO N/A
19. Did you change the hold time in LIMS for preserved terracores? _____ YES NO N/A
20. Are bubbles > 6mm absent in VOA samples? _____ YES NO N/A
21. Was the client contacted concerning this sample delivery? _____ YES NO NO
 If YES, Who was called? _____ By _____ Date: _____

COMMENTS

Curtis & Tompkins Laboratories Analytical Report

Lab #: 252159	Location: 15101 Freedom Ave. San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2553	
Matrix: Water	Sampled: 01/09/14
Units: ug/L	Received: 01/09/14
Diln Fac: 1.000	

Field ID: EFFLUENT Lab ID: 252159-001
 Type: SAMPLE

Analyte	Result	RL	Batch#	Analyzed	Analysis
Gasoline C7-C12	ND	50	207044	01/13/14	EPA 8015B
Benzene	ND	0.50	206978	01/10/14	EPA 8021B
Toluene	ND	0.50	206978	01/10/14	EPA 8021B
Ethylbenzene	ND	0.50	206978	01/10/14	EPA 8021B
m,p-Xylenes	ND	0.50	206978	01/10/14	EPA 8021B
o-Xylene	ND	0.50	206978	01/10/14	EPA 8021B

Surrogate	%REC	Limits	Batch#	Analyzed	Analysis
Bromofluorobenzene (FID)	98	77-128	207044	01/13/14	EPA 8015B
Bromofluorobenzene (PID)	107	75-132	206978	01/10/14	EPA 8021B

Field ID: GAC-1 Lab ID: 252159-002
 Type: SAMPLE

Analyte	Result	RL	Batch#	Analyzed	Analysis
Gasoline C7-C12	ND	50	207044	01/14/14	EPA 8015B
Benzene	ND	0.50	206978	01/10/14	EPA 8021B
Toluene	ND	0.50	206978	01/10/14	EPA 8021B
Ethylbenzene	ND	0.50	206978	01/10/14	EPA 8021B
m,p-Xylenes	ND	0.50	206978	01/10/14	EPA 8021B
o-Xylene	ND	0.50	206978	01/10/14	EPA 8021B

Surrogate	%REC	Limits	Batch#	Analyzed	Analysis
Bromofluorobenzene (FID)	98	77-128	207044	01/14/14	EPA 8015B
Bromofluorobenzene (PID)	103	75-132	206978	01/10/14	EPA 8021B

Field ID: INFLUENT Lab ID: 252159-003
 Type: SAMPLE

Analyte	Result	RL	Batch#	Analyzed	Analysis
Gasoline C7-C12	590	50	207083	01/14/14	EPA 8015B
Benzene	17	0.50	206978	01/10/14	EPA 8021B
Toluene	4.1	0.50	206978	01/10/14	EPA 8021B
Ethylbenzene	9.1	0.50	206978	01/10/14	EPA 8021B
m,p-Xylenes	50	0.50	206978	01/10/14	EPA 8021B
o-Xylene	18	0.50	206978	01/10/14	EPA 8021B

Surrogate	%REC	Limits	Batch#	Analyzed	Analysis
Bromofluorobenzene (FID)	117	77-128	207083	01/14/14	EPA 8015B
Bromofluorobenzene (PID)	107	75-132	206978	01/10/14	EPA 8021B

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit

Curtis & Tompkins Laboratories Analytical Report

Lab #: 252159	Location: 15101 Freedom Ave. San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2553	
Matrix: Water	Sampled: 01/09/14
Units: ug/L	Received: 01/09/14
Diln Fac: 1.000	

Type: BLANK Analyzed: 01/10/14
 Lab ID: QC723696 Analysis: EPA 8021B
 Batch#: 206978

Analyte	Result	RL
Benzene	ND	0.50
Toluene	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	Result	%REC	Limits
Bromofluorobenzene (FID)	NA		
Bromofluorobenzene (PID)		101	75-132

Type: BLANK Analyzed: 01/13/14
 Lab ID: QC723935 Analysis: EPA 8015B
 Batch#: 207044

Analyte	Result	RL
Gasoline C7-C12	ND	50

Surrogate	Result	%REC	Limits
Bromofluorobenzene (FID)		89	77-128
Bromofluorobenzene (PID)	NA		

Type: BLANK Analyzed: 01/14/14
 Lab ID: QC724065 Analysis: EPA 8015B
 Batch#: 207083

Analyte	Result	RL
Gasoline C7-C12	ND	50

Surrogate	Result	%REC	Limits
Bromofluorobenzene (FID)		98	77-128
Bromofluorobenzene (PID)	NA		

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report
Curtis & Tompkins Laboratories Analytical Report

Lab #:	252159	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8021B
Matrix:	Water	Batch#:	206978
Units:	ug/L	Analyzed:	01/10/14
Diln Fac:	1.000		

Type: BS Lab ID: QC723693

Analyte	Spiked	Result	%REC	Limits
Benzene	10.00	10.21	102	80-120
Toluene	10.00	9.588	96	80-120
Ethylbenzene	10.00	9.855	99	80-120
m,p-Xylenes	10.00	9.955	100	80-120
o-Xylene	10.00	9.960	100	80-120

Surrogate	%REC	Limits
Bromofluorobenzene (PID)	102	75-132

Type: BSD Lab ID: QC723694

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Benzene	10.00	10.04	100	80-120	2	20
Toluene	10.00	9.578	96	80-120	0	20
Ethylbenzene	10.00	9.665	97	80-120	2	20
m,p-Xylenes	10.00	9.782	98	80-120	2	20
o-Xylene	10.00	9.560	96	80-120	4	20

Surrogate	%REC	Limits
Bromofluorobenzene (PID)	102	75-132

RPD= Relative Percent Difference

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	252159	Location:	15101 Freedom Ave. San Leandro	
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B	
Project#:	2553	Analysis:	EPA 8015B	
Type:	LCS	Diln Fac:	1.000	
Lab ID:	QC723934	Batch#:	207044	
Matrix:	Water	Analyzed:	01/13/14	
Units:	ug/L			

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	952.7	95	80-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	97	77-128

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	252159	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8015B
Field ID:	ZZZZZZZZZZ	Batch#:	207044
MSS Lab ID:	252173-002	Sampled:	01/09/14
Matrix:	Water	Received:	01/09/14
Units:	ug/L	Analyzed:	01/13/14
Diln Fac:	1.000		

Type: MS Lab ID: QC723936

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	12.25	2,000	1,834	91	74-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	103	77-128

Type: MSD Lab ID: QC723937

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	2,000	1,835	91	74-120	0	27

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	108	77-128

RPD= Relative Percent Difference

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	252159	Location:	15101 Freedom Ave. San Leandro	
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B	
Project#:	2553	Analysis:	EPA 8015B	
Type:	LCS	Diln Fac:	1.000	
Lab ID:	QC724064	Batch#:	207083	
Matrix:	Water	Analyzed:	01/14/14	
Units:	ug/L			

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	931.8	93	80-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	100	77-128

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	252159	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8015B
Field ID:	INFLUENT	Batch#:	207083
MSS Lab ID:	252159-003	Sampled:	01/09/14
Matrix:	Water	Received:	01/09/14
Units:	ug/L	Analyzed:	01/14/14
Diln Fac:	1.000		

Type: MS Lab ID: QC724066

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	589.6	2,000	2,524	97	74-120


Surrogate	%REC	Limits
Bromofluorobenzene (FID)	121	77-128

Type: MSD Lab ID: QC724067


Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	2,000	2,467	94	74-120	2	27

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	118	77-128

RPD= Relative Percent Difference



— \\Lims\gdrive\ezchrom\Projects\GC04\Data\014-005, A



— \\Lims\gdrive\ezchrom\Projects\GC04\Data\014-002, A

Total Extractable Hydrocarbons			
Lab #:	252159	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Field ID:	EFFLUENT	Sampled:	01/09/14
Matrix:	Water	Received:	01/09/14
Units:	ug/L	Prepared:	01/09/14
Diln Fac:	1.000	Analyzed:	01/10/14
Batch#:	206937		

Type: SAMPLE Lab ID: 252159-001

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	110	66-129

Type: BLANK Lab ID: QC723559

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	99	66-129

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	252159	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	206937
Units:	ug/L	Prepared:	01/09/14
Diln Fac:	1.000	Analyzed:	01/10/14

Type: BS Cleanup Method: EPA 3630C
 Lab ID: QC723560

Analyte	Spiked	Result	%REC	Limits
Diesel C10-C24	2,500	2,234	89	61-120

Surrogate	%REC	Limits
o-Terphenyl	105	66-129

Type: BSD Cleanup Method: EPA 3630C
 Lab ID: QC723561

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Diesel C10-C24	2,500	1,997	80	61-120	11	45

Surrogate	%REC	Limits
o-Terphenyl	101	66-129

RPD= Relative Percent Difference



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

**Laboratory Job Number 253465
ANALYTICAL REPORT**

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2553
Location : 15101 Freedom Ave. San Leandro
Level : II

Sample ID
EFFLUENT

Lab ID
253465-001

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: _____

Will S Rice
Project Manager
will.rice@ctberk.com

Date: 02/24/2014

CA ELAP# 2896, NELAP# 4044-001

CASE NARRATIVE

Laboratory number: 253465
Client: SOMA Environmental Engineering Inc.
Project: 2553
Location: 15101 Freedom Ave. San Leandro
Request Date: 02/18/14
Samples Received: 02/18/14

This data package contains sample and QC results for one water sample, requested for the above referenced project on 02/18/14. The sample was received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B and EPA 8021B):

High response was observed for benzene in the CCV analyzed 02/19/14 10:35; affected data was qualified with "b". No other analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B):

No analytical problems were encountered.

CHAIN OF CUSTODY

Curtis & Tompkins, Ltd

Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

Analyses

LOGIN # 253465

Sampler: MASOUD

Project No: 2553

Report To: Joyce Bobek



Project Name: 15101 Freedom Ave, San Leandro Company: SOMA Environmental

Turnaround Time: Standard

Telephone: 925-734-6400

Fax: 925-734-6401

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative				TPH-g 8015	BTEX 8020	TPH-d, TPH-mo 8015
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE			
	Effluent	2,18,14-11		*		6 VOAs	*				*		
				*		2-500 mL Ambers					*		

Notes: EDF OUTPUT REQUIRED	RELINQUISHED BY:		RECEIVED BY:	
		2,18,14-16 DATE/TIME		2/18/14 16:00 DATE/TIME
		DATE/TIME		DATE/TIME
		DATE/TIME		DATE/TIME

COOLER RECEIPT CHECKLIST



Curtis & Tompkins, Ltd.

Login # 253465 Date Received 2/18/14 Number of coolers 1
 Client SOMA Project 2553

Date Opened 2/16 By (print) 176 (sign) [Signature]
 Date Logged in 6 By (print) 6 (sign) [Signature]

1. Did cooler come with a shipping slip (airbill, etc) _____ YES NO
 Shipping info _____

2A. Were custody seals present? YES (circle) on cooler on samples NO
 How many _____ Name _____ Date _____

2B. Were custody seals intact upon arrival? _____ YES NO N/A

3. Were custody papers dry and intact when received? _____ YES NO

4. Were custody papers filled out properly (ink, signed, etc)? _____ YES NO

5. Is the project identifiable from custody papers? (If so fill out top of form) _____ YES NO

6. Indicate the packing in cooler: (if other, describe) _____

- Bubble Wrap Foam blocks Bags None
- Cloth material Cardboard Styrofoam Paper towels

7. Temperature documentation: * Notify PM if temperature exceeds 6°C

Type of ice used: Wet Blue/Gel None Temp(°C) _____

Samples Received on ice & cold without a temperature blank; temp. taken with IR gun

Samples received on ice directly from the field. Cooling process had begun

8. Were Method 5035 sampling containers present? _____ YES NO

If YES, what time were they transferred to freezer? _____

9. Did all bottles arrive unbroken/unopened? _____ YES NO

10. Are there any missing / extra samples? _____ YES NO

11. Are samples in the appropriate containers for indicated tests? _____ YES NO

12. Are sample labels present, in good condition and complete? _____ YES NO

13. Do the sample labels agree with custody papers? _____ YES NO

14. Was sufficient amount of sample sent for tests requested? _____ YES NO

15. Are the samples appropriately preserved? _____ YES NO N/A

16. Did you check preservatives for all bottles for each sample? _____ YES NO N/A

17. Did you document your preservative check? _____ YES NO N/A

18. Did you change the hold time in LIMS for unpreserved VOAs? _____ YES NO N/A

19. Did you change the hold time in LIMS for preserved terracores? _____ YES NO N/A

20. Are bubbles > 6mm absent in VOA samples? _____ YES NO N/A

21. Was the client contacted concerning this sample delivery? _____ YES NO

If YES, Who was called? _____ By _____ Date: _____

COMMENTS

Curtis & Tompkins Laboratories Analytical Report

Lab #: 253465	Location: 15101 Freedom Ave. San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2553	
Field ID: EFFLUENT	Batch#: 208139
Matrix: Water	Sampled: 02/18/14
Units: ug/L	Received: 02/18/14
Diln Fac: 1.000	Analyzed: 02/19/14

Type: SAMPLE Lab ID: 253465-001

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	96	77-128	EPA 8015B
Bromofluorobenzene (PID)	125	75-132	EPA 8021B

Type: BLANK Lab ID: QC728343

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	86	77-128	EPA 8015B
Bromofluorobenzene (PID)	113	75-132	EPA 8021B

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	253465	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8021B
Matrix:	Water	Batch#:	208139
Units:	ug/L	Analyzed:	02/19/14
Diln Fac:	1.000		

Type: BS Lab ID: QC728340

Analyte	Spiked	Result	%REC	Limits
Benzene	10.00	11.51	115	80-120
Toluene	10.00	10.48	105	80-120
Ethylbenzene	10.00	10.82	108	80-120
m,p-Xylenes	10.00	10.86	109	80-120
o-Xylene	10.00	10.85	109	80-120

Surrogate	%REC	Limits
Bromofluorobenzene (PID)	112	75-132

Type: BSD Lab ID: QC728341

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Benzene	20.00	23.08 b	115	80-120	0	20
Toluene	20.00	21.24	106	80-120	1	20
Ethylbenzene	20.00	21.26	106	80-120	2	20
m,p-Xylenes	20.00	22.13	111	80-120	2	20
o-Xylene	20.00	21.82	109	80-120	1	20

Surrogate	%REC	Limits
Bromofluorobenzene (PID)	119	75-132

b= See narrative

RPD= Relative Percent Difference

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	253465	Location:	15101 Freedom Ave. San Leandro	
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B	
Project#:	2553	Analysis:	EPA 8015B	
Type:	LCS	Diln Fac:	1.000	
Lab ID:	QC728342	Batch#:	208139	
Matrix:	Water	Analyzed:	02/19/14	
Units:	ug/L			

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	905.5	91	80-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	81	77-128

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	253465	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8015B
Field ID:	EFFLUENT	Batch#:	208139
MSS Lab ID:	253465-001	Sampled:	02/18/14
Matrix:	Water	Received:	02/18/14
Units:	ug/L	Analyzed:	02/19/14
Diln Fac:	1.000		

Type: MS Lab ID: QC728344

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	13.00	2,000	1,890	94	74-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	99	77-128

Type: MSD Lab ID: QC728345

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	2,000	1,874	93	74-120	1	27

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	96	77-128

RPD= Relative Percent Difference

Total Extractable Hydrocarbons			
Lab #:	253465	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Field ID:	EFFLUENT	Sampled:	02/18/14
Matrix:	Water	Received:	02/18/14
Units:	ug/L	Prepared:	02/19/14
Diln Fac:	1.000	Analyzed:	02/20/14
Batch#:	208166		

Type: SAMPLE Lab ID: 253465-001

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	105	66-129

Type: BLANK Lab ID: QC728442

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	96	66-129

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	253465	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	208166
Units:	ug/L	Prepared:	02/19/14
Diln Fac:	1.000	Analyzed:	02/20/14

Type: BS Lab ID: QC728443

Analyte	Spiked	Result	%REC	Limits
Diesel C10-C24	2,500	1,712	68	61-120

Surrogate	%REC	Limits
o-Terphenyl	94	66-129

Type: BSD Lab ID: QC728444

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Diesel C10-C24	2,500	1,580	63	61-120	8	45

Surrogate	%REC	Limits
o-Terphenyl	86	66-129

RPD= Relative Percent Difference



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

**Laboratory Job Number 254466
ANALYTICAL REPORT**

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2553
Location : 15101 Freedom Ave. San Leandro
Level : II

Sample ID
EFFLUENT

Lab ID
254466-001

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: _____

Tracy Babjar
Project Manager
tracy.babjar@ctberk.com
(510) 204-2226

Date: 03/24/2014

CA ELAP# 2896, NELAP# 4044-001

CASE NARRATIVE

Laboratory number: 254466
Client: SOMA Environmental Engineering Inc.
Project: 2553
Location: 15101 Freedom Ave. San Leandro
Request Date: 03/14/14
Samples Received: 03/14/14

This data package contains sample and QC results for one water sample, requested for the above referenced project on 03/14/14. The sample was received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B and EPA 8021B):

High surrogate recoveries were observed for bromofluorobenzene (FID) in the MS/MSD for batch 208996; the parent sample was not a project sample. No other analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B):

No analytical problems were encountered.

CHAIN OF CUSTODY

Curtis & Tompkins, Ltd

Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

Analyses

LOGIN # 254466

Sampler: MASDUD

Project No: 2553

Report To: Joyce Bobek

Project Name: 15101 Freedom Ave, San Leandr Company: SOMA Environmental

Turnaround Time: Standard

Telephone: 925-734-6400

Fax: 925-734-6401

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative				TPH-g 8015	BTEX 8020	TPH-d, TPH-mo 8015
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE			
<u>1</u>	<u>Effluent</u>	<u>3/14/14 - 10</u>		*		<u>6 VOAs</u>	*			*			
				*		<u>1-L</u> <u>2-500ml Ambers</u>					*		

Notes: **EDF OUTPUT REQUIRED**

RELINQUISHED BY:

[Signature]
3/14/14 - 11:08 DATE/TIME
 DATE/TIME
 DATE/TIME

RECEIVED BY:

[Signature]
3/14/14 11:08 DATE/TIME
 DATE/TIME
 DATE/TIME

AA

COOLER RECEIPT CHECKLIST



Curtis & Tompkins, Ltd.

Login # 254466 Date Received 3/14/14 Number of coolers 1
Client SOMA ENVIRONMENTAL Project 15104 FREEDOM AVE, SAN LEANDRO

Date Opened 3/14/14 By (print) IR (sign) [Signature]
Date Logged in [Signature] By (print) [Signature] (sign) [Signature]

1. Did cooler come with a shipping slip (airbill, etc) YES (NO)
Shipping info

2A. Were custody seals present? ... [] YES (circle) on cooler on samples [X] NO
How many Name Date

2B. Were custody seals intact upon arrival? YES NO (N/A)

3. Were custody papers dry and intact when received? YES NO

4. Were custody papers filled out properly (ink, signed, etc)? YES NO

5. Is the project identifiable from custody papers? (if so fill out top of form) YES NO

6. Indicate the packing in cooler: (if other, describe)

- [] Bubble Wrap [] Foam blocks [] Bags [] None
[] Cloth material [] Cardboard [] Styrofoam [] Paper towels

7. Temperature documentation: * Notify PM if temperature exceeds 6°C

Type of ice used: [] Wet [X] Blue/Gel [] None Temp(°C)

[X] Samples Received on ice & cold without a temperature blank; temp. taken with IR gun

[X] Samples received on ice directly from the field. Cooling process had begun

8. Were Method 5035 sampling containers present? YES (NO)
If YES, what time were they transferred to freezer?

9. Did all bottles arrive unbroken/unopened? YES NO

10. Are there any missing / extra samples? YES (NO)

11. Are samples in the appropriate containers for indicated tests? YES NO

12. Are sample labels present, in good condition and complete? YES NO

13. Do the sample labels agree with custody papers? YES NO

14. Was sufficient amount of sample sent for tests requested? YES NO

15. Are the samples appropriately preserved? YES NO (N/A)

16. Did you check preservatives for all bottles for each sample? YES NO (N/A)

17. Did you document your preservative check? YES NO (N/A)

18. Did you change the hold time in LIMS for unpreserved VOAs? YES NO (N/A)

19. Did you change the hold time in LIMS for preserved terracores? YES NO (N/A)

20. Are bubbles > 6mm absent in VOA samples? YES NO (N/A)

21. Was the client contacted concerning this sample delivery? YES (NO)
If YES, Who was called? By Date:

COMMENTS

Blank lines for handwritten comments.

Curtis & Tompkins Laboratories Analytical Report

Lab #:	254466	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553		
Field ID:	EFFLUENT	Batch#:	208996
Matrix:	Water	Sampled:	03/14/14
Units:	ug/L	Received:	03/14/14
Diln Fac:	1.000	Analyzed:	03/14/14

Type: SAMPLE Lab ID: 254466-001

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	123	77-128	EPA 8015B
Bromofluorobenzene (PID)	121	75-132	EPA 8021B

Type: BLANK Lab ID: QC731807

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	125	77-128	EPA 8015B
Bromofluorobenzene (PID)	121	75-132	EPA 8021B

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	254466	Location:	15101 Freedom Ave. San Leandro	
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B	
Project#:	2553	Analysis:	EPA 8015B	
Type:	LCS	Diln Fac:	1.000	
Lab ID:	QC731806	Batch#:	208996	
Matrix:	Water	Analyzed:	03/14/14	
Units:	ug/L			

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	1,001	100	80-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	110	77-128

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	254466	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8015B
Field ID:	ZZZZZZZZZZ	Batch#:	208996
MSS Lab ID:	254387-002	Sampled:	03/13/14
Matrix:	Water	Received:	03/13/14
Units:	ug/L	Analyzed:	03/14/14
Diln Fac:	1.000		

Type: MS Lab ID: QC731808

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	13.69	2,000	2,070	103	74-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	134 *	77-128

Type: MSD Lab ID: QC731809

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	2,000	2,069	103	74-120	0	27

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	136 *	77-128

*= Value outside of QC limits; see narrative

RPD= Relative Percent Difference

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	254466	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8021B
Matrix:	Water	Batch#:	208996
Units:	ug/L	Analyzed:	03/14/14
Diln Fac:	1.000		

Type: BS Lab ID: QC731863

Analyte	Spiked	Result	%REC	Limits
Benzene	10.00	10.67	107	80-120
Toluene	10.00	9.691	97	80-120
Ethylbenzene	10.00	9.692	97	80-120
m,p-Xylenes	10.00	9.960	100	80-120
o-Xylene	10.00	9.858	99	80-120

Surrogate	%REC	Limits
Bromofluorobenzene (PID)	114	75-132

Type: BSD Lab ID: QC731864

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Benzene	10.00	11.21	112	80-120	5	20
Toluene	10.00	10.04	100	80-120	3	20
Ethylbenzene	10.00	10.31	103	80-120	6	20
m,p-Xylenes	10.00	10.02	100	80-120	1	20
o-Xylene	10.00	10.20	102	80-120	3	20

Surrogate	%REC	Limits
Bromofluorobenzene (PID)	115	75-132

RPD= Relative Percent Difference

Total Extractable Hydrocarbons		
Lab #:	254466	Location: 15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 3520C
Project#:	2553	Analysis: EPA 8015B
Field ID:	EFFLUENT	Sampled: 03/14/14
Matrix:	Water	Received: 03/14/14
Units:	ug/L	Prepared: 03/18/14
Diln Fac:	1.000	Analyzed: 03/20/14
Batch#:	209095	

Type: SAMPLE Lab ID: 254466-001

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	108	66-129

Type: BLANK Lab ID: QC732226

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	112	66-129

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	254466	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	209095
Units:	ug/L	Prepared:	03/18/14
Diln Fac:	1.000	Analyzed:	03/20/14

Type: BS Cleanup Method: EPA 3630C
 Lab ID: QC732227

Analyte	Spiked	Result	%REC	Limits
Diesel C10-C24	2,500	2,097	84	61-120

Surrogate	%REC	Limits
o-Terphenyl	107	66-129

Type: BSD Cleanup Method: EPA 3630C
 Lab ID: QC732228

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Diesel C10-C24	2,500	2,106	84	61-120	0	45

Surrogate	%REC	Limits
o-Terphenyl	110	66-129

RPD= Relative Percent Difference