

RECEIVED

10:06 am, Mar 28, 2012

Alameda County
Environmental Health

March 27, 2012



ENVIRONMENTAL ENGINEERING, INC.
6620 Owens Drive, Suite A • Pleasanton, CA 94588
TEL (925)734-6400 • FAX (925)734-6401
www.somaenv.com

Ms. Karel Detterman
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Subject: Freedom Food and Gas (Formerly Freedom ARCO Mini-Mart)
Site Address: 15101 Freedom Avenue, San Leandro, California
STID 4473/RO0000473

Dear Ms. Detterman:

SOMA's "First Quarter 2012 Groundwater Monitoring and Remediation Progress Report" for the subject property has been uploaded to the State's GeoTracker database and Alameda County's FTP site for your review.

Thank you for your time in reviewing our report. Please do not hesitate to call me at (925) 734-6400, if you have questions or comments.

Sincerely,

A handwritten signature in black ink, appearing to read "Mansour Sepehr", written over a horizontal line.

Mansour Sepehr, Ph.D., PE
Principal Hydrogeologist

cc: Mr. Mohammad Pazdel w/report enclosure



**First Quarter 2012
Groundwater Monitoring and
Remediation Progress Report**

**Freedom Food and Gas
15101 Freedom Avenue
San Leandro, California**

March 27, 2012

Project 2551/2555

Prepared for

**Mr. Mohammad Pazdel
1770 Pistacia Court
Fairfield, California**



ENVIRONMENTAL ENGINEERING, INC.

6620 Owens Drive Suite A Pleasanton CA 94588 Ph: 925.734.6400 F: 925.734-6401 www.somaenv.com

PERJURY STATEMENT

Site Location: 15101 Freedom Avenue, San Leandro, California

"I declare under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge".



Mohammad Pazdel
1770 Pistacia Court
Fairfield, California 94533
Responsible Party

CERTIFICATION

SOMA Environmental Engineering, Inc. has prepared this report on behalf of the responsible party, Mr. Mohammad Pazdel, for property located at 15101 Freedom Avenue, San Leandro, California, to comply with Alameda County Health Care Services requirements for the First Quarter 2012 groundwater monitoring event.



Mansour Sepehr, PhD, PE
Principal Hydrogeologist



TABLE OF CONTENTS

CERTIFICATION	i
TABLE OF CONTENTS.....	ii
LIST OF FIGURES	iii
LIST OF TABLES.....	iii
LIST OF APPENDICES	iv
1. INTRODUCTION	1
1.1 Field Activities.....	1
1.2 Laboratory Analysis	1
2. RESULTS	2
2.1 Field Measurements, First WBZ Wells.....	2
2.2 Laboratory Analysis, First WBZ Wells.....	2
2.3 Field Measurements, Second WBZ Wells	4
2.4 Laboratory Analysis for Second WBZ Wells	4
3. OPERATION OF TREATMENT SYSTEM	5
4. MULTI-PHASE EXTRACTION EVENTS	6
5. CONCLUSIONS AND RECOMMENDATIONS.....	6
6. REPORT LIMITATIONS	7

LIST OF FIGURES

- Figure 1: Site vicinity map
- Figure 2: Site map showing locations of groundwater monitoring wells, soil borings, and extraction wells
- Figure 3: Groundwater elevation contour map in feet, First WBZ
March 2, 2012
- Figure 4: Contour map of TPH-g concentrations in groundwater, First WBZ
March 2, 2012
- Figure 5: Contour map of benzene concentrations in groundwater, First WBZ
March 2, 2012
- Figure 6: Contour map of MtBE concentrations in groundwater, First WBZ,
March 2, 2012
- Figure 7: Contour map of TBA concentrations in groundwater, First WBZ
March 2, 2012
- Figure 8: Contour map of TAME concentrations in groundwater, First WBZ
March 2, 2012
- Figure 9: Map of ETBE concentrations in groundwater, First WBZ, March 2,
2012
- Figure 10: Groundwater elevation contour map in feet, Second WBZ
March 2, 2012
- Figure 11: Map showing concentrations of MtBE in groundwater, Second
WBZ. March 2, 2012
- Figure 12: Schematic diagram of groundwater remediation system
- Figure 13: Cumulative mass of VOCs removed

LIST OF TABLES

- Table 1: Historical Groundwater Elevation Data and Analytical Results
- Table 2: Historical Gasoline Oxygenates Results
- Table 3: Effluent Chemical Analytical Results and Operational History of
Remediation System
- Table 4: Cumulative Masses of Petroleum Hydrocarbons Removed from the
Groundwater Since Installation of the Treatment System

LIST OF APPENDICES

- Appendix A: Standard Operating Procedures for Conducting Groundwater Monitoring Activities
- Appendix B: Table of Elevations and Coordinates on Monitoring Wells and Field Measurements of Physical, Chemical, and Natural Attenuation Parameters of Groundwater Samples
- Appendix C: Laboratory Report and Chain of Custody Form for the First Quarter 2012 Monitoring Event
- Appendix D: Laboratory Report and Chain of Custody Form for the Treatment System

1. INTRODUCTION

SOMA Environmental Engineering, Inc. (SOMA) has prepared this report on behalf of the responsible party, Mr. Mohammad Pazdel, for property located at 15101 Freedom Avenue, San Leandro, California. The site is located in an area of primarily residential properties and adjacent commercial areas (Figure 1). The property was formerly owned by Mr. Mohammad Pazdel. In late 2009, the property was sold to DDH, LLC, Assignee and in early 2010 it was sold to Mr. Mohammad Mashhoon. Under the new management, the site is currently operational with the business name “Freedom Food and Gas” (formerly “Freedom Arco Mini-Mart”).

This report summarizes results of the First Quarter 2012 groundwater monitoring event conducted on March 2, 2012. It includes physical and chemical properties measured in the field and laboratory analysis results for each groundwater sample. It also presents the remediation progress report for First Quarter 2012, which includes operation of a groundwater extraction and treatment system. During this reporting period, no multi-phase extraction (MPE) events were conducted.

1.1 Field Activities

In March 2012, SOMA’s field crew conducted a groundwater monitoring event in accordance with procedures and guidelines of Alameda County Health Care Services Environmental Health Department (ACEH) and the California Regional Water Quality Control Board (CRWQCB). Figure 2 shows well locations.

On March 2, 2012, the following wells were measured for depth to groundwater: five on-site monitoring wells (MW-1 to MW-5) and two off-site wells (MW-6 and MW-7) in the First water-bearing zone (WBZ); two extraction wells (EX-1 and EX-2), two MPE wells (MPE-1 and MPE-2), and three on-site monitoring wells (MW-1D, MW-3D, and MW-4D) in the Second WBZ. On March 2, 2012, additional field measurements and groundwater samples were collected from all monitoring and MPE-2 wells. Grab groundwater samples were also collected from the two extraction wells and MPE-1. Properties measured include pH, temperature, and electrical conductivity (EC). A natural attenuation study was conducted during this event to determine whether petroleum hydrocarbons in groundwater are biodegrading. Dissolved oxygen (DO) and oxidation reduction potential (ORP) measurements were taken for all monitoring wells.

1.2 Laboratory Analysis

Curtis & Tompkins Laboratories, a California state-certified laboratory, analyzed groundwater samples for the following: total petroleum hydrocarbons as gasoline (TPH-g); benzene, toluene, ethylbenzene, total xylenes (collectively termed

BTEX); methyl tertiary-butyl ether (MtBE); and gasoline oxygenates, ethanol and lead scavengers. Samples were prepared using EPA Method 5030B and analyzed using EPA Method 8260B.

2. RESULTS

Following are results of field measurements and laboratory analysis for the First Quarter 2012 groundwater monitoring event.

2.1 Field Measurements, First WBZ Wells

Table 1 presents calculated groundwater elevations and depths to groundwater for each monitoring well. Depths to groundwater ranged from 14.16 feet in MW-7 to 22.82 feet in MW-1. No free product (FP) was measurable in any wells during this event. However, visible product globules were visible in the sample from MPE-1.

Corresponding groundwater elevations ranged from 29.71 feet in MW-6 to 32.43 feet in MW-2. Groundwater elevations at extraction wells EX-1 and EX-2 were 31.01 feet and 29.48 feet, respectively.

Figure 3 displays the contour map of groundwater elevations. As illustrated, groundwater flows south to southeasterly toward extraction well EX-2, at a gradient of 0.013 feet/feet. The groundwater flow direction changed from southwesterly to south-southeasterly since the previous monitoring event (Fourth Quarter 2011) while the gradient increased.

Upon equalization with the surrounding aquifer at each well location, when the purge cycle was terminated, DO in the First WBZ ranged from 1.10 mg/L in MW-6 to 1.98 mg/L in MW-2. ORP showed negative redox potentials in all First WBZ monitoring wells. Negative redox potentials indicate that contaminants in groundwater are conducive to anaerobic biodegradation.

Field measurements taken during this monitoring event are included in Appendix B (Table A).

2.2 Laboratory Analysis, First WBZ Wells

Appendix C includes the laboratory report and chain-of-custody form for this monitoring event.

Table 1 presents TPH-g, BTEX, and MtBE analysis results for the current and historical groundwater monitoring events.

TPH-g ranged from 140 µg/L in EX-1 to 97,000 µg/L in MPE-1. Since the previous monitoring event (Fourth Quarter 2011), TPH-g decreased in MW-2, MW-5, MW-7, EX-1, and EX-2 and increased in MW-1, MW-3, MW-4, MPE-2, and most significantly in MPE-1. TPH-g also decreased in MW-6 since this well was last sampled (September 2011).

Figure 4 displays the contour map of TPH-g concentrations in groundwater. As illustrated, the highest TPH-g impact is in the southern portion of the site and in the vicinity of the dispenser islands around MPE extraction well MPE-1.

The following BTEX concentrations were observed:

- In MW-2 and MW-7, benzene and toluene were below laboratory-reporting limits and ethylbenzene and total xylenes were at low levels.
- Toluene was also below laboratory-reporting limit in MW-1, MW-4, MW-6, and EX-1.
- The highest BTEX was detected in MPE-1 at 11,000 µg/L, 11,000 µg/L, 2,600 µg/L, and 12,600 µg/L, respectively.

Figure 5 displays the contour map of benzene in groundwater. The highest benzene impact is in the southern portion of the site and in the vicinity of the dispenser islands around MPE extraction well MPE-1. Since the previous monitoring event (Fourth Quarter 2011), benzene has increased in MW-1, MW-3, MW-4, and MPE-1 and decreased in MW-5, EX-1, EX-2, and MPE-2. Benzene also decreased slightly in MW-6 since this well was last sampled (September 2011).

MtBE was below the laboratory-reporting limit in MW-1, MW-2, MW-3, MW-6, and MPE-2. Detectable MtBE ranged from 5.1 µg/L in MW-7 to 2,700 µg/L in MPE-1. Figure 6 displays the contour map of MtBE concentrations in groundwater. The highest MtBE impact is in the southern portion of the site and in the vicinity of the dispenser islands around MPE extraction well MPE-1 where MtBE concentration is significantly higher than in other wells. Since the previous monitoring event (Fourth Quarter 2011), MtBE has increased in EX-2 and MPE-1 and decreased in MW-4, MW-5, MW-7, and EX-1.

As shown in Table 1, TPH-g and BTEX increased in the more impacted well MW-3 since the previous monitoring event (Fourth Quarter 2011).

Table 2 shows analysis results for gasoline oxygenate and lead scavenger concentrations for the current as well as historical events.

The following gasoline oxygenate and lead scavenger concentrations were observed:

- In MW-1, MW-2, MW-3, MW-6, EX-2, and MPE-2, all gasoline oxygenates and lead scavengers were below laboratory-reporting limits.

- Detectable tertiary-butyl alcohol (TBA) ranged from 31 µg/L in EX-1 to 920 µg/L in MW-4.

Figure 7 shows the contour map of TBA concentrations in groundwater. The highest TBA impact was in the vicinity of southern dispenser islands around MW-4.

- Methyl tertiary-amyl ether (TAME) was detected in MW-4, MW-5, MW-7, and MPE-1 at 24 µg/L, 4.1 µg/L, 0.82 µg/L, and 1,200 µg/L, respectively and was below the laboratory-reporting limit in remaining wells. Figure 8 displays the contour map of TAME concentrations in First WBZ wells.
- Ethyl tertiary-butyl ether (ETBE) was detected in MW-4 at 5.9 µg/L and was below laboratory-reporting limits in remaining wells. Figure 9 displays the map of ETBE concentrations in First WBZ wells
- Isopropyl ether (DIPE), 1,2-dichloroethane (1,2-DCA), 1,2-dibromoethane (EDB), and ethanol were below laboratory-reporting limits in all groundwater samples. Analysis results for ethanol are shown in Appendix C.

2.3 Field Measurements, Second WBZ Wells

Table 1 presents calculated groundwater elevations and depths to groundwater for each Second WBZ monitoring well. Depths to groundwater ranged from 21.80 feet in MW-4D to 23.01 feet in MW-1D. Corresponding groundwater elevations ranged from 31.32 feet in MW-4D to 31.50 feet in MW-3D.

Figure 10 displays the contour map of groundwater elevations in the Second WBZ. Groundwater flows southwesterly as compared to southeasterly during the previous monitoring event (Fourth Quarter 2011), at a gradient of 0.0012 feet/feet. The groundwater gradient decreased since the previous monitoring event.

Upon equalization with the surrounding aquifer at each well location, when the purge cycle was terminated, DO in the Second WBZ ranged from 2.04 mg/L in MW-1D to 2.17 mg/L in MW-3D. ORP showed negative potentials in all second WBZ wells. Negative redox potentials indicate that contaminants in groundwater are conducive to anaerobic biodegradation.

Field measurements taken during this monitoring event are included in Appendix B.

2.4 Laboratory Analysis for Second WBZ Wells

Appendix C includes the laboratory report and chain-of-custody form for this monitoring event.

Table 1 presents TPH-g, BTEX, and MtBE analysis results for the current and historical groundwater monitoring events.

TPH-g and BTEX were below laboratory-reporting limits in all second WBZ wells except for ethylbenzene and total xylenes detected at low levels in MW-4D. Since the previous monitoring event (Fourth Quarter 2011), ethylbenzene and total xylenes have increased slightly in MW-4D.

MtBE was below the laboratory-reporting limit in MW-1D and was detected in MW-3D and MW-4D at 4.2 µg/L and 2.7 µg/L, respectively. Since the previous monitoring event (Fourth Quarter 2011), MtBE has slightly decreased in both wells. Figure 11 shows the map of MtBE concentrations in Second WBZ.

Table 2 shows analysis results for gasoline oxygenate and lead scavenger concentrations for the current as well as historical events.

All gasoline oxygenate, lead scavenger, and ethanol concentrations were below laboratory-reporting limits in Second WBZ wells.

3. OPERATION OF TREATMENT SYSTEM

SOMA installed a groundwater treatment system at the site in December 2009. The system includes two extraction wells (EX-1 and EX-2), trenching containing influent and effluent lines and electrical conduits, and the treatment system compound. During system operation, extracted groundwater is pumped from extraction wells through underground piping to a fenced treatment compound, adjacent to the existing service station building.

In the treatment compound, groundwater is treated using granular activated carbon (GAC) and subsequently discharged to the sanitary sewer. Two GAC vessels are connected in series. The first unit (1,000 gallons) serves as the primary treatment unit, and the second (55 gallons) provides an additional safety buffer prior to discharge. Effectiveness of the GAC units is monitored by collection and analysis of samples from the system discharge, including a sample collected from water that has passed only through the first GAC unit. When analytical results indicate that the first GAC unit is no longer effectively treating groundwater, the vessel will be removed from the treatment line and refurbished with new carbon.

The treatment system operates under discharge permit issued by Oro Loma Sanitary District (OLSD) in May 2009. This discharge permit was renewed in May 2010. Treated groundwater has been discharging to the OLSD sewer since December 9, 2009. Figure 12 shows the schematic diagram of the groundwater treatment system. Treatment system effluent is sampled monthly to comply with OLSD discharge permit requirements. Table 3 includes analytical results and

operational history of the treatment system. As shown in Table 4, as of January 19, 2012, cumulative masses of TPH-g and BTEX extracted from groundwater were approximately 18.07 pounds, 0.78 pounds, 0.21 pounds, 0.37 pounds, and 2.71 pounds, respectively. Appendix D includes laboratory analytical results. Since the system began discharging, approximately 1,803,832 gallons of groundwater have been treated and discharged at the site (as of March 20, 2012).

4. MULTI-PHASE EXTRACTION EVENTS

No MPE events were performed during First Quarter 2012. The overall estimated total mass of VOCs extracted by previous MPE events is 806 pounds. This includes the following: 106 pounds, November 2007 pilot test; 243 pounds, October 2009 event; 72 pounds, November 2009 event; 97 pounds, December 2009 event; 17 pounds, February 2010 event; 11 pounds, March 2010 event; 30 pounds, June 2010 event; 30 pounds, August 2010 event; 79 pounds, October 2010 event; 27 pounds, April 2011 event; and 94 pounds, August 2011 event. Figure 13 shows the cumulative mass of VOCs removed in pounds.

5. CONCLUSIONS AND RECOMMENDATIONS

First Quarter 2012 groundwater monitoring and previous MPE events results are summarized below.

- Groundwater flows south to southeasterly across the First WBZ toward EX-2 and southwesterly in the Second WBZ.
- The highest hydrocarbon concentrations were observed in the southern portion of the site and in the vicinity of the dispenser islands around MPE extraction well MPE-1.
- Since the previous quarterly monitoring event (Fourth Quarter 2011), TPH-g decreased in MW-2, MW-5, MW-7, EX-1, and EX-2 and increased in MW-1 MW-3, MW-4, MPE-2, and most significantly in MPE-1.
- In the Second WBZ, TPH-g and BTEX were below laboratory-reporting limits except for ethylbenzene and total xylenes which were detected at low levels in MW-4D, and MtBE was below laboratory-reporting limit in MW-1D. Since the previous monitoring event (Fourth Quarter 2011), MtBE decreased slightly in MW-3D and MW-4D.
- MPE events conducted since November 2007 have removed an estimated 806 pounds of VOCs.

Based on results of this monitoring event and previous MPE events, SOMA recommends the following action items:

- Continue quarterly groundwater monitoring to increase understanding of seasonal variations in groundwater quality conditions.
- Conduct additional MPE events at the site, based on the increasing contaminant concentrations in MPE-1.

Other ongoing activities: Based on ACEH directive dated September 21, 2011, SOMA has submitted a site evaluation workplan that discusses construction of extraction well MW-6 and its probable radius of influence (under pumping conditions). The workplan will be implemented upon receipt of written authorization from ACEH.

6. REPORT LIMITATIONS

This report is the summary of work done by SOMA, including observations and descriptions of site conditions. It includes analysis results produced by Curtis & Tompkins Laboratories. for the current groundwater monitoring event. Quantities and locations of wells were selected to provide the required information, but may not be representative of entire site conditions. All conclusions and recommendations are based on laboratory analysis results. Conclusions beyond those specifically stated in this document should not be inferred from this report.

SOMA warrants that services were provided in accordance with generally accepted practices in the environmental engineering and consulting field at the time of this sampling.

Figures













Figure 1: Site vicinity map.




-  Decommissioned Monitoring Wells Nov 2009
-  Monitoring Wells Installed 12/07
-  Monitoring Wells
-  MPE wells installed in April 2009 and extraction wells installed in Nov 2009
-  Soil Borings drilled July 2001
-  Temporary Well Borehole Drilled by SOMA September 2003

approximate scale in feet
 0 50 100

Figure 2: Site map showing locations of groundwater monitoring wells, soil borings, and extraction wells.





- Decommissioned Monitoring Wells Nov 2009
- Monitoring Wells Installed 12/07
- Monitoring Wells
- MPE wells installed in April 2009 and extraction wells installed in Nov 2009
- Soil Borings drilled July 2001
- Temporary Well Borehole Drilled by SOMA September 2003






Figure 3: Groundwater Elevation Contour Map in Feet, First WBZ
March 2, 2012





- Decommissioned Monitoring Wells Nov 2009
- Monitoring Wells Installed 12/07
- Monitoring Wells
- MPE wells installed in April 2009 and extraction wells installed in Nov 2009
- Soil Borings drilled July 2001
- Temporary Well Borehole Drilled by SOMA September 2003




Figure 4: Contour Map of TPH-g Concentrations in Groundwater, First WBZ, March 2, 2012







Figure 5: Contour Map of Benzene Concentrations in Groundwater, First WBZ, March 2, 2012



approximate scale in feet






Figure 6: Contour Map of MtBE Concentrations in Groundwater, First WBZ, March 2, 2012



approximate direction of groundwater flow

TBA ug/L



- Decommissioned Monitoring Wells Nov 2009
- Monitoring Wells Installed 12/07
- Monitoring Wells
- MPE wells installed in April 2009 and extraction wells installed in Nov 2009
- Soil Borings drilled July 2001
- Temporary Well Borehole Drilled by SOMA September 2003

approximate scale in feet
 0 50 100

Figure 7: Contour Map of TBA Concentrations in Groundwater, First WBZ, March 2, 2012







Figure 8: Contour Map of TAME Concentrations in Groundwater, First WBZ, March 2, 2012



approximate direction
of groundwater flow

- 0.0 ETBE Concentrations (ug/L)
- Decommissioned Monitoring Wells Nov 2009
- Monitoring Wells Installed 12/07
- Monitoring Wells
- MPE wells installed in April 2009 and extraction wells installed in Nov 2009
- Soil Borings drilled July 2001
- Temporary Well Borehole Drilled by SOMA September 2003

approximate scale in feet
0 50 100

Figure 9: Map of ETBE Concentrations in Groundwater, First WBZ, March 2, 2012








Figure 10: Groundwater Elevation Contour Map in Feet, Second WBZ, March 2, 2012



- Decommissioned Monitoring Wells Nov 2009
- Monitoring Wells Installed 12/07
- Monitoring Wells
- MPE wells installed in April 2009 and extraction wells installed in Nov 2009
- Soil Borings drilled July 2001
- Temporary Well Borehole Drilled by SOMA September 2003



approximate direction of groundwater flow

- 0.0 MtBE Concentrations in ug/L
- Decommissioned Monitoring Wells Nov 2009
 - Monitoring Wells Installed 12/07
 - Monitoring Wells
 - MPE wells installed in April 2009 and extraction wells installed in Nov 2009
 - Soil Borings drilled July 2001
 - Temporary Well Borehole Drilled by SOMA September 2003

approximate scale in feet
 0 50 100

Figure 11: Map Showig Concentrations of MtBE in Groundwater, Second WBZ, March 2, 2012






Figure 12: Schematic diagram of Groundwater Remediation System




Figure 13: Cumulative mass of VOCs removed

Tables

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
1st WBZ										
MW-1	5/10/2002	51.71	22.85	28.86	5,700	360	4.5	340	450	2
	8/8/2002	51.71	23.31	28.40	9,100	590	2.6	830	362	<1.3
	11/8/2002	51.71	23.58	28.13	7,900	570	3.1	680	392	< 1.0
	2/21/2003	51.71	22.62	29.09	2,900	160	1.6 C	170	211	<0.5
	5/28/2003	51.71	22.43	29.28	1,700	55	<0.5	90	115	2.00
	8/12/2003	51.71	21.30	30.41	2,600	2.5	<0.5	190	130	<0.5
	10/9/2003	51.71	23.49	28.22	9,200	560.0	2.7 C	670	648	<1.0
	1/15/2004	51.71	22.43	29.28	5,500	190	<1.0	220	124.4	<0.5
	5/25/2004	51.71	22.94	28.77	8,000	400	1.50	420	393	3.40
	9/21/2004	54.46	23.49	30.97	9,300	580	9.30	690	683	4.60
	12/14/2004	54.46	23.01	31.45	7,360	337	<4.3	731	633	<4.3
	3/11/2005	54.46	21.48	32.98	2,510	45.2	<0.5	23.2	39.63	2.80
	6/15/2005	54.46	22.42	32.04	1,690	36.3	<2.0	59.5	28.73	2.01
	8/26/2005	54.46	23.00	31.46	7,310	318	<8.60	475	316	5.15
	11/11/2005	54.46	21.40	33.06	9,640	341	<8.6	467	329.7	6.04
	2/9/2006	54.46	21.81	32.65	775	14	<2.0	12.6	10.32	4.01
	5/9/2006	54.46	21.68	32.78	444	7.80	<2.0	12.1	6.31	1.75
	8/10/2006	54.46	22.79	31.67	5,090	324	<8.60	108	59.9	8.24
	10/26/2006	54.46	23.19	31.27	6,950	556	<4.0	190	136.09	8.61
	1/25/2007	54.46	22.82	31.64	2,640	196	<2.0	105	25.5	7.92
4/26/2007	54.46	22.67	31.79	861	95.5	<2.0	17	6.36	4.00	
7/25/2007	54.46	23.25	31.21	4,520	412	<4.0	182	77.9	7.48	
10/23/2007	54.46	23.42	31.04	3,900	117	<2.0	87.1	23.87	4.54	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-1 cont	1/22/2008	54.46	22.59	31.87	2,260	81.3	<2.0	17.5	<2.0	4.23
	4/16/2008	54.46	22.89	31.57	2,320	248	<2.0	54.1	37.3	<0.5
	7/3/2008	54.46	23.33	31.13	5,240	414	<2.0	168	94	6.56
	10/15/2008	54.46	23.76	30.70	4,500 ^Y	260	<1.0	150	130	3.40
	1/7/2009	54.46	23.25	31.21	4,800	140	<1.3	48	32	1.70
	4/14/2009	54.46	22.52	31.94	1,800 ^Y	78	<0.5	35	18	2.50
	8/27/2009	54.46	23.6	30.86	4,500	330	<2.0	97	42	4.60
	12/2/2009	54.46	23.43	31.03	3,800 ^Y	250	<2.0	110	25	2.50
	3/17/2010	54.46	22.32	32.14	1,100	33	<0.50	46	18	1.70
	6/3/2010	54.46	22.88	31.58	10,000	330	4.3	680	841.5	5.20
	9/2/2010	54.46	23.28	31.18	8,900	440	<5.0	510	310	<5.0
	12/2/2010	54.46	23.21	31.25	7,400	250	<3.1	390	180	<3.1
	3/4/2011	54.46	21.95	32.51	2,400	67	<0.5	45	8.4	2.20
	5/20/2011	54.46	22.8	31.66	9,500	260	6.2	970	480	<3.6
	9/9/2011	54.46	22.81	31.65	6,400	220	<1.3	380	160	2.30
	12/2/2011	54.46	21.97	32.49	4,700 ^x	96	<1.7	310	200	<3.3
	3/2/2012	54.46	22.82	31.64	6,800	320	<2.5	430	120	<2.5
MW-2	5/10/2002	49.66	22.83	26.83 *	3,100	67	8	250	215	56
	8/8/2002	49.66	21.41	28.25	2,700	4.6	<0.5	310	140	<0.5
	11/8/2002	49.66	21.79	27.87	3,400	4.6	< 0.5	310	160	< 0.5
	2/21/2003	49.66	20.51	29.15	890	1.7 C	0.80 C	68	38.92 C	<0.5
	5/28/2003	49.66	20.33	29.33	2,700	5.2 C	<0.5	120	140	1.2
	8/12/2003	49.66	23.18	26.48*	8,500	640	<2.5	560	659	<0.8
	10/9/2003	49.66	21.71	27.95	3100 H	4.3 C	<0.5	210	160	<0.5
	1/15/2004	49.66	20.31	29.35	660 H	1.5 C	<0.5	8.9	25	<0.5
	5/25/2004	49.66	21.09	28.57	4,500	5.1 C	<0.5	190	230	0.70
	9/21/2004	52.41	21.71	30.70	370	0.76 C	<0.5	25	16	0.50
	12/14/2004	52.41	21.20	31.21	880	1.0	<0.5	66	52	<0.5

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-2 cont.	3/11/2005	52.41	19.15	33.26	564	<0.5	<0.5	21	11.9	<0.5
	6/15/2005	52.41	20.30	32.11	2,040	1.2	<2.0	78.2	22	<0.5
	8/26/2005	52.41	20.97	31.44	1,500	0.930	<2.00	87.6	21	0.86
	11/11/2005	52.41	25.30	27.11	2,140	1.08	<2.0	104	29	0.79
	2/9/2006	52.41	19.41	33.00	1,410	<0.5	<2.0	99.6	21.4	0.72
	5/9/2006	52.41	19.41	33.00	1,100	<0.5	<2.0	86.5	17	<0.5
	8/10/2006	52.41	20.8	31.61	3,180	2.87	<2.0	88.9	24.8	<0.50
	10/26/2006	52.41	21.22	31.19	1,200	<0.5	<2.0	23.5	4.79	0.6
	1/25/2007	52.41	20.89	31.52	623	0.64	<2.0	42.4	4.37	0.66
	4/26/2007	52.41	20.65	31.76	169	<0.5	<2.0	15.2	2.3	<0.5
	7/25/2007	52.41	21.43	30.98	276	0.78	<2.0	22.1	4.04	<0.5
	10/23/2007	52.41	21.59	30.82	535	<0.5	<2.0	18	5.11	<0.5
	1/22/2008	52.31	20.45	31.86	132	<0.5	<2.0	12.2	<2.0	<0.5
	4/15/2008	52.41	20.89	31.52	852	<0.5	<2.0	27.2	4.78	<0.5
	7/2/2008	52.41	21.5	30.91	98.3	<0.5	<2.0	2.76	<2.0	<0.5
	10/15/2008	52.41	22.06	30.35	1,400 ^Y	<0.5	<0.5	60	17	<0.5
	1/7/2009	52.41	21.35	31.06	93	<0.5	<0.5	2.1	0.74	<0.5
	4/13/2009	52.41	20.52	31.89	480 ^Y	<0.5	<0.5	20	5.5	<0.5
	8/27/2009	52.41	21.85	30.56	130	<0.5	<0.5	2.5	0.61	<0.5
	12/1/2009	52.41	21.59	30.82	760 ^Y	<0.5	<0.5	14	1.5	<0.5
	3/17/2010	52.41	20.11	32.30	480	<0.5	<0.5	30	6.9	<0.5
	6/3/2010	52.41	21	31.41	690	<0.5	<0.5	14	2.6	<0.5
	9/2/2010	52.41	21.42	30.99	470	<0.5	<0.5	7.6	1	<0.5
	12/2/2010	52.41	21.44	30.97	470	<0.5	<0.5	7.6	3.3	<0.5
	3/4/2011	52.41	19.65	32.76	240	<0.5	<0.5	6.6	0.8	<0.5
	5/20/2011	52.41	20.75	31.66	310	<0.5	<0.5	4.8	<0.5	<0.5
	9/9/2011	52.41	21.05	31.36	1,000	<0.5	<0.5	12	0.76	<0.5
	12/2/2011	52.41	20.14	32.27	900 ^x	<2.9	<1.7	14	1.9	<3.3
3/2/2012	52.41	19.98	32.43	880	<0.5	<0.5	5.3	0.58	<0.5	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-3	5/10/2002	51.16	22.28	28.88	44,000	6,000	900	1,500	6,200	2,400
	8/8/2002	51.16	22.88	28.28	40,000	5,800	1,100	1,600	6,500	1,300
	11/8/2002	51.16	23.19	27.97	47,000	5,300	1,200	2,200	8,600	1,000
	2/21/2003	51.16	22.02	29.14	39,000	5,500	1,500	2,000	8,600	1,300
	5/28/2003	51.16	21.89	29.27	52,000	7,300	3,000	2,800	12,700	2,100
	8/12/2003	51.16	22.66	28.50	31,000	6,100	860	1,500	6,900	1,200
	10/9/2003	51.16	23.06	28.10	41,000	6,100	1,100	2,200	10,200	960
	1/15/2004	51.16	21.85	29.31	51,000	4,100	1,100	2,000	8,400	590
	5/25/2004	51.16	22.55	28.61	65,000	4,300	1,300	2,500	10,500	720
	9/21/2004	53.91	23.08	30.83	42,000	4,900	890	2,200	8,700	480
	12/14/2004	53.91	22.52	31.39	35,151	4,066	972	2,942	13,032	491
	3/11/2005	53.91	20.90	33.01	42,600	3,040	1,100	1,530	6,670	968
	6/15/2005	53.91	21.85	32.06	84,100	5,110	2,160	3,030	8,800	2,670
	8/26/2005	53.91	22.49	31.42	43,500	3,630	1,080	2,500	6,830	1,440
	11/11/2005	53.91	22.81	31.10	47,700	4,240	520	2,170	6,320	1,390
	2/9/2006	53.91	21.12	32.79	44,500	5,070	1360	1,920	4,840	3,280
	5/9/2006	53.91	21.09	32.82	48,100	2,510	1,140	1,950	5,030	2,210
	8/10/2006	53.91	22.26	31.65	42,100	3,450	869	1,760	5,650	3,570
	10/26/2006	53.91	22.73	31.18	33,400	4,800	331	1,170	3,510	4,790
	1/25/2007	53.91	22.34	31.57	19,300	4,820	167	1,540	3,740	3,430
4/26/2007	53.91	22.24	31.67	30,700	2,350	158	1,470	4,320	1,330	
7/25/2007	53.91	22.83	31.08	34,900	5,400	364	2,080	6,360	1,980	
10/23/2007	53.91	23.01	30.9	22,600	4,070	<86	1,120	3,095	970	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-3 cont.	1/22/2008	53.96	22.04	31.92	22,100	1,280	453	1,330	3,520	490
	4/16/2008	53.91	22.4	31.51	20,700	2,790	182	860	3,389	263
	7/3/2008	53.91	22.9	31.01	48,500	3,760	346	3,130	12,980	573
	10/16/2008	53.91	23.36	30.55	50,000	3,900	300	3,100	11,000	460
	1/8/2009	53.91	22.82	31.09	54,000	2,600	180	2,500	8,800	220
	4/13/2009	53.91	22.06	31.85	49,000	2,900	170	2,100	8,100	490
	8/27/2009	53.91	23.11	30.80	43,000	2,500	160	1,900	7,000	210
	12/2/2009	53.91	23.00	30.91	30,000	2,100	180	1,600	5,600	91
	3/17/2010	53.91	21.90	32.01	24,000	970	81	1,100	3,700	38
	6/3/2010	53.91	22.49	31.42	31,000	1,200	110	1,300	4,400	34
	9/2/2010	53.91	22.76	31.15	26,000	1,100	81	1,200	3,810	26
	12/2/2010	53.91	22.86	31.05	18,000	830	47	780	2,360	14
	3/4/2011	53.91	21.44	32.47	18,000	410	32	850	2,480	16
	5/20/2011	53.91	22.36	31.55	12,000	710	24	620	1,460	11
	9/9/2011	53.91	22.44	31.47	11,000	1,100	26	580	1,430	7.8
	12/2/2011	53.91	21.60	32.31	5,100 ^x	280	12	370	740	<1.7
	3/2/2012	53.91	22.39	31.52	13,000	440	23	690	1,570	<5.0
MW-4	5/10/2002	50.54	21.78	28.76	880	25	1.0C	110	52	12,000
	8/8/2002	50.54	22.50	28.04	3,800	70	<5.0	300	115	4,800
	11/8/2002	50.54	22.81	27.73	5,100	150	10	460	258	2,400
	2/21/2003	50.54	21.48	29.06	3,200	98	66	220	360	6,600
	5/28/2003	50.54	21.24	29.30	6,200	140	46	200	790	2,300
	8/12/2003	50.54	22.32	28.22	7,500	180	57	220	1450	1,900
	10/9/2003	50.54	22.74	27.80	5,800	250	32	300	970	7,800
	1/15/2004	50.54	21.19	29.35	5,900	270	17 C	150	640	7,300
	5/25/2004	50.54	22.03	28.51	9,100	210	51	200	1190	1800
	9/21/2004	53.31	22.76	30.55	5,200	290	12	370	600	7300
	12/14/2004	53.31	21.99	31.32	8,937	538	114	416	2379	5021

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-4 cont.	3/11/2005	53.31	20.01	33.30	12,300	225	39.6	80.1	1465	3870
	6/15/2005	53.31	21.25	32.06	7,690	114	32.6	77.1	555	1150
	8/26/2005	53.31	22.03	31.28	8,850	175	24.6	150	851	1380
	11/11/2005	53.31	22.43	30.88	9,990	356	<43	196	700	3,640
	2/9/2006	53.31	20.31	33.00	6,850	205	<43	67.2	255.2	5,120
	5/9/2006	53.31	20.33	32.98	1,290	18.1	<8.6	12.9	25.87	799
	8/10/2006	53.31	21.74	31.57	7,830	118	<8.60	25.3	174.6	919
	10/26/2006	53.31	22.29	31.02	1,540	81.9	<43	96	46.4	3,610
	1/25/2007	53.31	21.86	31.45	4,370	163	<8.6	85.1	269.1	1,050
	4/26/2007	53.31	21.63	31.68	4,380	140	<8.6	67	276.8	576
	7/25/2007	53.31	22.49	30.82	4,970	220	<8.60	198	241.5	1,040
	10/23/2007	53.31	22.69	30.62	4,200	267	<8.6	147	155.5	1,220
	1/22/2008	53.36	21.39	31.97	2,180	133	<22.0	43.1	32.2	1,800
	4/15/2008	53.31	21.9	31.41	4,240	90.4	<22.0	107	380	674
	7/2/2008	53.31	22.55	30.76	2,300	193	<22.0	212	183	4,050
	10/16/2008	53.31	23.13	30.18	8,900	320	3.7	430	1,160	450
	1/8/2009	53.31	22.42	30.89	19,000	430	44	590	3,380	440
	4/13/2009	53.31	21.51	31.80	21,000	400	38	450	2,880	330
	8/27/2009	53.31	22.94	30.37	16,000	960	64	560	2,120	290
	12/2/2009	53.31	22.36	30.95	4,400	480	6	170	640	110
	3/17/2010	53.31	21.39	31.92	14,000	260	6	230	1,220	93
	6/3/2010	53.31	22.23	31.08	18,000	240	4	310	770	41
	9/2/2010	53.31	22.51	30.80	1,800	800	<3.6	150	25	33
	12/2/2010	53.31	22.71	30.60	3,800	1,500	<10	200	115	29
	3/3/2011	53.31	20.64	32.67	2,400	28	<0.71	28	17	3
	5/19/2011	53.31	21.84	31.47	1,800	27	<0.5	29	11.2	4.8
	9/8/2011	53.31	22.11	31.20	3,600	300	2.6	270	68.5	59
12/1/2011	53.31	21.38	31.93	1,400 ^x	370	<0.84	110	30.6	110	
3/2/2012	53.31	22.02	31.29	3,100	780	<2.0	150	59.6	50	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-5	5/10/2002	47.79	19.02	28.77	25,000	1,000	1200	1,100	3,060	1,800
	8/8/2002	47.79	19.80	27.99	18,000	1,000	660	950	1,720	1,500
	11/8/2002	47.79	20.14	27.65	16,000	1,300	380	930	1,550	1,200
	2/21/2003	47.79	18.70	29.09	12,000	390	71	770	1,100	860
	5/28/2003	47.79	18.52	29.27	9,100	210	31	560	790	600
	8/12/2003	47.79	19.54	28.25	12,000	660	75	660	1,110	1,000
	10/9/2003	47.79	20.06	27.73	15,000	1,000	130	1,000	1,430	1,700
	1/15/2004	47.79	18.42	29.37	9,900	450 C	16	500	431	1,100
	5/25/2004	47.79	19.30	28.49	9,200	380	24	490	536	720
	9/21/2004	50.53	20.15	30.38	10,000	980	71	560	770	1200
	12/14/2004	50.53	19.30	31.23	10,502	587	64	1040	1133	1015
	3/11/2005	50.53	17.20	33.33	8,390	407	<5.5	83	42.5	1530
	6/15/2005	50.53	18.54	31.99	9,350	147	18.3	435	146.2	573
	8/26/2005	50.53	19.31	31.22	9,500	261	<22	726	321.3	749
	11/11/2005	50.53	19.75	30.78	10,000	443	41.5	527	278.5	1,430
	2/9/2006	50.53	17.58	32.95	7,640	237	<22	187	50.2	2,050
	5/9/2006	50.53	17.54	32.99	8,360	111	<8.6	300	75.84	566
	8/10/2006	50.53	19.02	31.51	16,100	250	<22	455	187.4	1,590
	10/26/2006	50.53	19.61	30.92	10,100	430	<22	375	192.6	3,060
	1/25/2007	50.53	19.19	31.34	3,960	340	<22	323	150.1	1,740
4/26/2007	50.53	18.89	31.64	4,590	187	<8.6	307	116.5	861	
7/25/2007	50.53	19.81	30.72	6,490	419	21.8	413	223.2	913	
10/23/2007	50.53	19.98	30.55	6,120	550	11	284	141.4	433	

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-5 cont.	1/22/2008	50.18	18.69	31.49	9,810	572	22	574	184.1	126
	4/15/2008	50.18	19.16	31.02	8,890	335	15.1	477	397.5	136
	7/3/2008	50.53	19.88	30.65	13,100	949	34.4	875	825.5	176
	10/16/2008	50.53	20.45	30.08	11,000	870	25	820	668	160
	1/8/2009	50.53	19.72	30.81	12,000	490	21	690	456	76
	4/13/2009	50.53	18.81	31.72	9,000 ^Y	200	11	390	198	44
	8/27/2009	50.53	21.30	29.23	7,400	610	15	320	185	66
	12/2/2009	50.53	20.00	30.53	8,400 ^Y	400	12	540	296	45
	3/17/2010	50.53	18.73	31.80	4,800	120	8.7	120	107	14
	6/4/2010	50.53	19.60	30.93	7,200	160	5.7	190	149.2	24
	9/2/2010	50.53	19.82	30.71	9,200	110	12	270	318	35
	12/2/2010	50.53	20.10	30.43	9,100	170	6.7	350	442	23
	3/4/2011	50.53	18.00	32.53	2,600	18	0.62	54	18.1	3
	5/20/2011	50.53	19.18	31.35	4,000	91	8.5	110	106	33
Pre-MPE	8/4/2011	50.53	NM	NC	3,000	23	0.95	92	43.7	5.4
	9/9/2011	50.53	19.41	31.12	4,200	120	2.8	140	61.1	22
	12/2/2011	50.53	18.59	31.94	6,900 ^x	96	12	220	104	32
	3/2/2012	50.53	19.30	31.23	5,400	43	1.8	110	85	7
	<hr/>									
MW-6	9/21/2004	45.82	17.64	28.18	34,000	150	130	2200	8100	0.6
	12/14/2004	45.82	15.75	30.07	5,161	137	7	436	1136	<5.5
	3/11/2005	45.82	13.80	32.02	6,040	125	3.22	260	722.1	4.94
	6/15/2005	45.82	14.78	31.04	5,590	44.3	6.60	272	382	5.85
	8/26/2005	45.82	15.91	29.91	6,130	99	<8.6	378	492.9	5.66
	11/11/2005	45.82	16.55	29.27	11,400	101	<8.6	645	834.7	4.33
	2/9/2006	45.82	13.92	31.90	2,790	32.3	<8.6	131	131.22	7.30
	5/9/2006	45.82	13.95	31.87	3,730	25	<2.0	213	207.82	5.87
	8/10/2006	45.82	15.28	30.54	4,800	41.9	<2.0	201	189	10.4
	10/26/2006	45.82	16.11	29.71	6,080	37.4	<2.0	116	183	9.78

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-6 cont.	1/25/2007	45.82	15.76	30.06	3,220	25.2	<2.0	219	174	14.7
	4/26/2007	45.82	15.18	30.64	3,110	28	<2.0	165	138.47	14.6
	7/25/2007	45.82	16.82	29.00	4,960	54.1	<2.0	199	255.87	8.05
	10/23/2007	45.82	16.91	28.91	9,610	64.3	<2.0	188	302.6	5.81
	1/21/2008	45.82	15.36	30.46	3,290	33	<2.0	149	131.31	3.86
	4/15/2008	45.82	15.73	30.09	2,070	10.8	<2.0	51.1	67	<0.5
	7/2/2008	45.82	16.9	28.92	7,900	42.4	<2.0	194	296	3.58
	10/15/2008	45.82	17.21	28.61	18,000 ^Y	42	1.4	320	673	1.7
	1/7/2009	45.82	17.08	28.74	13,000	47	<3.1	210	425	<3.1
	4/13/2009	45.82	15.52	30.30	7,200 ^Y	26	<1.3	170	312.6	2.6
	8/26/2009	45.82	17.82	28.00	10,000 ^Y	25	<2.0	130	294	2.2
	12/1/2009	45.82	17.34	28.48	11,000 ^Y	31	6.1	220	539	<2.0
	3/16/2010	45.82	14.81	31.01	31,000	63	140	970	4,200	64
	6/3/2010	45.82	15.72	30.10	27,000	22	67	840	3,100	32
	9/1/2010	45.82	16.86	28.96	33,000	24	34	1,100	3,780	12
	12/2/2010	45.82	16.98	28.84	70,000	32	55	1,700	5,670	18
	3/3/2011	45.82	14.35	31.47	7,000	18	<2.5	97	237	11
	5/20/2011	45.82	14.95	30.87	14,000	14	<2.5	300	823	7.2
	9/8/2011	45.82	16.14	29.68	23,000	28	<2.5	360	812	3.4
	12/1/2011	45.82	16.17	29.65	NA	NA	NA	NA	NA	NA
	3/2/2012	45.82	16.11	29.71	14,000	23	<4.2	400	694.4	<4.2
MW-7	9/21/2004	44.74	15.21	29.53	2,900	<0.5	<0.5	52	61	8.1
	12/14/2004	44.74	13.90	30.84	<50	1.6	<0.5	29	58	6.0
	3/11/2005	44.74	11.46	33.28	2,230	<2.5	<2.5	39.4	51.4	12.4
	6/15/2005	44.74	12.97	31.77	2,940	0.85	<2.0	50.6	31.9	13.7
	8/26/2005	44.74	14.10	30.64	2,310	<0.50	<2.0	55.7	29.6	4.01
	11/11/2005	44.74	14.59	30.15	3,030	<0.5	<2.0	66.5	42.3	9.76

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-7 cont.	2/9/2006	44.74	NM	NM	NA	NA	NA	NA	NA	NA
	5/9/2006	44.74	12.02	32.72	1,400	<0.5	<2.0	19.8	12.4	2.30
	8/10/2006	44.74	13.72	31.02	604	<0.50	<2.0	6.2	4.63	1.42
	10/26/2006	44.74	14.38	30.36	1350	<0.50	<2.0	16.6	10.8	1.87
	1/25/2007	44.74	13.93	30.81	340	<0.5	<2.0	6.84	2.44	1.63
	4/26/2007	44.74	14.44	30.30	552	<0.5	<2.0	11.4	6.11	4.12
	7/25/2007	44.74	14.79	29.95	1,230	<0.5	<2.0	27	19.24	3.2
	10/23/2007	44.74	14.88	29.86	1,730	0.67	<2.0	20.7	17.31	8.44
	1/21/2008	44.74	13.34	31.40	610	1.15	<2.0	8.4	4.34	17.2
	4/15/2008	44.74	13.91	30.83	1,460	<0.5	<2.0	15.9	19.7	17.3
	7/2/2008	44.74	14.87	29.87	1,450	<0.5	<2.0	11	6.8	22.1
	10/15/2008	44.74	15.68	29.06	1,900 ^Y	0.56	1.2	27	39.5	55
	1/7/2009	44.74	14.72	30.02	2,700	1.2	2.9	11	25	39
	4/13/2009	44.74	13.54	31.20	2,300 ^Y	<0.5	<0.5	15	6.3	63
	8/26/2009	44.74	15.84	28.90	2,700 ^Y	<0.5	<0.5	48	53	140
	12/1/2009	44.74	15.03	29.71	1,800 ^Y	<0.5	<0.5	22	15	120
	3/16/2010	44.74	12.56	32.18	1,100	<0.5	<0.5	3.2	1.4	65
	6/3/2010	44.74	13.80	30.94	740	<0.5	<0.5	1.8	0.62	28
	9/1/2010	44.74	14.84	29.90	1,200	<0.5	<0.5	10	3.2	29
	12/2/2010	44.74	14.74	30.00	1,400	<0.5	<0.5	8	0.74	21
3/3/2011	44.74	13.31	31.43	1,000	<0.5	<0.5	1.8	<0.5	16	
5/19/2011	44.74	13.43	31.31	810	<0.5	<0.5	2.2	0.79	7.8	
9/8/2011	44.74	14.38	30.36	1,000	<0.5	<0.5	8.3	2.9	5.4	
12/1/2011	44.74	13.57	31.17	1,500 ^X	<0.33	<0.19	12	5.7	13	
	3/2/2012	44.74	14.16	30.58	1,000	<0.5	<0.5	4	1.1	5.1
MW-8	9/21/2004	41.14	12.98	28.16	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	12/14/2004	41.14	11.22	29.92	<50	<0.5	<0.5	<0.5	<1.0	<0.5

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-8 cont.	3/11/2005	41.14	NM	NM	NA	NA	NA	NA	NA	NA
	6/15/2005	41.14	10.46	30.68	<200	0.53	<2.0	<0.5	<1.0	<0.5
	8/26/2005	41.14	11.53	29.61	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	11/11/2005	41.14	11.92	29.22	<50	<0.5	<2.0	1.36	1.8	<0.5
	2/9/2006	41.14	9.74	31.40	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	5/9/2006	41.14	9.90	31.24	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	8/10/2006	41.14	10.9	30.24	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	10/26/2006	41.14	11.68	29.46	<50	<0.50	<2.0	3.37	<1.0	<0.50
	1/25/2007	41.14	11.44	29.70	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	4/26/2007	41.14	10.81	30.33	<50	<0.5	<2.0	4.29	<2.0	<0.5
	7/25/2007	41.14	12.31	28.83	<50	<0.5	<2.0	4.39	<2.0	<0.5
	10/23/2007	41.14	12.37	28.77	<50	<0.5	<2.0	4.31	<2.0	<0.5
	1/21/2008	41.14	11.02	30.12	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	4/15/2008	41.14	11.44	29.70	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/2/2008	41.14	12.39	28.75	94.8	<0.5	<2.0	1	<2.0	<0.5
	10/15/2008	41.14	13.42	27.72	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/7/2009	41.14	12.50	28.64	<50	<0.5	<0.5	<0.5	0.6	<0.5
	4/13/2009	41.14	11.23	29.91	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	8/27/2009	41.14	13.24	27.90	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	Well Decommissioned 11/13/2009									
MW-9	9/21/2004	40.26	12.18	28.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	12/14/2004	40.26	10.91	29.35	<50	<0.5	<0.5	<0.5	<1.0	<0.5

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-9 cont.	3/11/2005	40.26	10.52	29.74	<200	<0.5	<0.5	<0.5	<1.0	<0.5
	6/15/2005	40.26	14.73	25.53	<200	<0.5	<2.0	<0.5	<1.0	<0.5
	8/26/2005	40.26	10.59	29.67	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	11/11/2005	40.26	11.25	29.01	<50	<0.5	<2.0	<0.5	<1.0	<0.5
	2/9/2006	40.26	10.05	30.21	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	5/9/2006	40.26	9.06	31.20	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	8/10/2006	40.26	10.01	30.25	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	10/26/2006	40.26	10.81	29.45	<50	<0.50	<2.0	<0.50	<1.0	<0.50
	1/25/2007	40.26	10.67	29.59	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	4/26/2007	40.26	10.05	30.21	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/25/2007	40.26	11.44	28.82	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	10/23/2007	40.26	11.59	28.67	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	1/21/2008	40.26	10.37	29.89	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	4/15/2008	40.26	10.56	29.70	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/2/2008	40.26	11.95	28.31	161	<0.5	<2.0	2.15	<2.0	<0.5
	10/15/2008	40.26	12.64	27.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	1/7/2009	40.26	11.75	28.51	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	4/13/2009	40.26	10.89	29.37	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	8/26/2009	40.26	12.50	27.76	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	Well Decommissioned 11/13/2009									
Extraction Wells										
EX-1	12/2/2009	47.36	17.02	30.34	2,900	120	4	64	410	25
	3/16/2010	47.36	19.08	28.28	2,200	150	18	94	326	210
	6/3/2010	47.36	17.02	30.34	3,600	180	6.3	150	428	83
	9/1/2010	47.36	16.88	30.48	550	6.5	0.5	6.9	31.7	38
	12/2/2010	47.36	19.84	27.52	<200	3.1	<2.0	<2.0	<2.0	210

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
EX-1 cont.	3/3/2011	47.36	14.96	32.4	530	51	0.94	15	31.3	110
	5/19/2011	47.36	16.12	31.24	370	42	<0.71	7.6	17.2	110
	9/8/2011	47.36	16.47	30.89	110	5	<0.5	2.2	6.4	12
	12/1/2011	47.36	16.1	31.26	780 ^x	91	3	29	85	150
	3/2/2012	47.36	16.35	31.01	140	6	<0.5	3.5	8	14
MPE Wells										
EX-2	12/2/2009	45.96	17.56	28.4	7,100 ^Y	9.3	3.2	440	770	<3.1
	3/16/2010	45.96	19.65	26.31	13,000	600	360	770	2,250	15
	6/3/2010	45.96	17.10	28.86	16,000	590	400	700	2,500	9.5
	9/1/2010	45.96	16.99	28.97	6,100	230	74	200	890	11
	12/2/2010	45.96	20.87	25.09	14,000	510	270	640	2,170	15
	3/3/2011	45.96	14.61	31.35	8,600	340	52	460	1,350	13
	5/19/2011	45.96	15.08	30.88	7,500	260	65	390	1,080	11
	9/8/2011	45.96	16.34	29.62	3,400	190	28	160	451	5.4
	12/1/2011	45.96	22.60	23.36	9,900 ^x	630	200	690	1,760	<3.3
	3/2/2012	45.96	16.48	29.48	5,000	220	25	200	600	7.1
MPE-1	12/1/2009	51.96	21.41	30.55	NA	NA	NA	NA	NA	NA
	3/16/2010	51.96	20.22	31.74	NA	NA	NA	NA	NA	NA
	6/3/2010	51.96	21.18	30.78	NA	NA	NA	NA	NA	NA
	9/1/2010	51.96	21.25	30.71	NA	NA	NA	NA	NA	NA
	12/2/2010	51.96	21.64	30.32	NA	NA	NA	NA	NA	NA

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MPE-1 cont.	3/3/2011	51.96	19.33	32.63	NA	NA	NA	NA	NA	NA
	5/19/2011	51.96	20.6	31.36	NA	NA	NA	NA	NA	NA
Pre-MPE	8/4/2011	51.96	NM	NC	49,000	210	100	840	7,070	45
	9/8/2011	51.96	20.83	31.13	NA	NA	NA	NA	NA	NA
Post-MPE	9/26/2011	51.96	20.94	31.02	62,000	6,300	3,700	1,800	9,400	1,200
	12/2/2011	51.96	20.14	31.82	56,000	9,000	7,700	2,200	10,800	2,600
	3/2/2012	51.96	20.73	31.23	97,000	11,000	11,000	2,600	12,600	2,700
2nd WBZ										
MPE-2	12/1/2009	53.72	22.87	30.85	NA	NA	NA	NA	NA	NA
	3/16/2010	53.72	21.7	32.02	NA	NA	NA	NA	NA	NA
	6/3/2010	53.72	22.35	31.37	NA	NA	NA	NA	NA	NA
	9/1/2010	53.72	23.7	30.02	NA	NA	NA	NA	NA	NA
	12/2/2010	53.72	22.7	31.02	NA	NA	NA	NA	NA	NA
Pre-MPE	3/3/2011	53.72	21.25	32.47	NA	NA	NA	NA	NA	NA
	5/19/2011	53.72	22.19	31.53	NA	NA	NA	NA	NA	NA
	8/4/2011	53.72	NM	NC	46,000	2,100	80	1,900	5,300	75
Post-MPE	9/8/2011	53.72	22.31	31.41	NA	NA	NA	NA	NA	NA
	9/26/2011	53.72	22.38	31.34	37,000	1,800	33	1,700	2,760	<17
	12/2/2011	53.72	21.44	32.28	26,000	1,600	43	1,800	3,370	<17
	3/2/2012	53.72	22.24	31.48	36,000	1,100	19	1,700	2,970	<17
2nd WBZ										
MW-1D	1/3/2008	54.42		-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
	1/22/2008	54.42	22.85	31.57	<50	<0.50	<2.0	<0.50	<2.0	<0.50
	4/16/2008	54.42	23.10	31.32	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	7/3/2008	54.42	23.44	30.98	75.9	<0.5	<2.0	0.54	<2.0	<0.5
	10/15/2008	54.42	23.82	30.60	120	1.6	<0.5	2.8	3.6	<0.5

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-1D cont.	1/8/2009	54.42	23.44	30.98	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	4/14/2009	54.42	23.06	31.36	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	8/26/2009	54.42	23.73	30.69	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2009	54.42	23.59	30.83	330 ^Y	<0.5	<0.5	1.3	2.2	<0.5
	3/16/2010	54.42	22.60	31.82	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	6/4/2010	54.42	23.10	31.32	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	9/1/2010	54.42	23.51	30.91	<50	<0.5	<0.5	0.52	1.8	<0.5
	12/3/2010	54.42	23.41	31.01	61	<0.5	<0.5	1.0	3.73	<0.5
	3/3/2011	54.42	22.27	32.15	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	5/19/2011	54.42	22.89	31.53	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	54.42	23.08	31.34	220	<0.5	<0.5	0.6	1.4	<0.5
	12/1/2011	54.42	22.26	32.16	<22	<0.33	<0.19	<0.15	<0.20	<0.38
	3/2/2012	54.42	23.01	31.41	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-3D	1/3/2008	54.10		-	<50	<0.50	<2.0	<0.50	<2.0	87.6
	1/22/2008	54.10	22.31	31.79	<50	<0.50	<2.0	<0.50	<2.0	88.3
	4/16/2008	54.10	22.64	31.46	<50	<0.5	<2.0	<0.5	<2.0	71.1
	7/3/2008	54.10	23.17	30.93	<50	<0.5	<2.0	<0.5	<2.0	67.4
	10/16/2008	54.10	23.62	30.48	<50	<0.5	<0.5	<0.5	<0.5	37
	1/8/2009	54.10	23.07	31.03	<50	<0.5	<0.5	<0.5	<0.5	29
	4/14/2009	54.10	22.36	31.74	<50	<0.5	<0.5	<0.5	<0.5	44
	8/26/2009	54.10	23.41	30.69	<50	<0.5	<0.5	<0.5	<0.5	20
	12/1/2009	54.10	23.27	30.83	110 ^Y	<0.5	<0.5	<0.5	0.52	24
	3/16/2010	54.10	22.10	32.00	<50	<0.5	<0.5	<0.5	<0.5	7.1
	6/4/2010	54.10	22.70	31.40	<50	<0.5	<0.5	<0.5	<0.5	17
	9/1/2010	54.10	23.09	31.01	78	<0.5	<0.5	1.1	4.71	24
	12/3/2010	54.10	22.90	31.20	<50	<0.5	<0.5	0.56	1.4	13

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
MW-3D cont.	3/3/2011	54.10	21.66	32.44	<50	1.3	<0.5	<0.5	0.59	14
	5/19/2011	54.10	22.61	31.49	<50	<0.5	<0.5	<0.5	<0.5	5.2
	9/8/2011	54.10	22.68	31.42	69	<0.5	<0.5	<0.5	0.62	4.8
	12/1/2011	54.10	22.86	31.24	<22	<0.33	<0.19	<0.15	<0.20	10
	3/2/2012	54.10	22.60	31.50	<50	<0.5	<0.5	<0.5	<0.5	4.2
MW-4D	1/4/2008	53.12		-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
	1/22/2008	53.12	21.11	32.01	91.5	18.7	<2.0	7.08	11.42	219
	4/15/2008	53.12	21.67	31.45	<50	<0.5	<2.0	<0.5	<2.0	27
	7/3/2008	53.12	22.39	30.73	<50	<0.5	<2.0	<0.5	<2.0	6.27
	10/16/2008	53.12	22.98	30.14	<50	<0.5	<0.5	<0.5	<0.5	1.9
	1/8/2009	53.12	22.25	30.87	<50	<0.5	<0.5	<0.5	<0.5	2
	4/14/2009	53.12	21.34	31.78	<50	<0.5	<0.5	<0.5	<0.5	2.2
	8/27/2009	53.12	22.79	30.33	<50	<0.5	<0.5	<0.5	<0.5	2.2
	12/1/2009	53.12	22.49	30.63	120 ^Y	<0.5	<0.5	1.4	2.3	2.3
	3/16/2010	53.12	21.02	32.10	<50	<0.5	<0.5	<0.5	<0.5	0.65
	6/4/2010	53.12	21.93	31.19	<50	<0.5	<0.5	<0.5	<0.5	1.1
	9/1/2010	53.12	23.32	29.80	<50	<0.5	<0.5	0.85	3.76	2.2
	12/3/2010	53.12	22.46	30.66	<50	<0.5	<0.5	<0.5	0.67	<0.5
	3/3/2011	53.12	20.45	32.67	<50	<0.5	<0.5	<0.5	<0.5	0.58
	5/19/2011	53.12	21.57	31.55	<50	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	53.12	21.92	31.20	59	<0.5	<0.5	<0.5	0.51	1.7
12/1/2011	53.12	21.19	31.93	<22	<0.33	<0.19	<0.15	<0.20	4.2	
3/2/2012	53.12	21.8	31.32	<50	<0.5	<0.5	0.85	1.2	2.7	
1573 153 RD	7/2/2008	NS	NM	NC	<50	<0.5	<2.0	<0.5	<2.0	<0.5
	10/16/2008	NS	NM	NC	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Historical Groundwater Elevation Data and Analytical Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Casing Elevation ¹ (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	TPH-g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MtBE 8260B ² (µg/L)
Equipment Blanks										
EB-PMP	1/21/2008	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
EB-PRB	1/21/2008	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
EB-PMP2	1/22/2008	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
EB-PRB2	1/22/2008	-	-	-	<50	<0.50	<2.0	<0.50	<2.0	<0.50
ESL (ug/L)	-	-	-	-	100	1	40	30	20	5

Notes:

The first time SOMA monitored this Site was in May 2002.

*: Due to minimal recharge rates in well MW-2, the groundwater elevation recorded on these dates did not match the overall site conditions, May 2002 & August 2003.

NC: Not Calculated

¹: Top of casing elevations were surveyed to a datum of 67.07 M.S.L by Kier & Wright Civil Engineers & Land Surveyors on May 7, 2002.

On October 11, 2004, the site was re-surveyed by Harrington Surveys, Inc. of Walnut Creek, CA to a datum of California Coordinate System, Zone 3, NAD 83.

² MtBE analyzed by EPA Method 8021B, and confirmed by EPA Method 8260B.

<: Not detected above the laboratory reporting limit.

Y: Sample exhibits chromatographic pattern which does not resemble standard

^c Presence confirmed, but confirmation concentration differed by more than a factor of two.

C: Presence confirmed, but RPD between columns exceeds 40%.

H: Heavier hydrocarbons contributed to the quantitation.

x: Does not match pattern of reference Gasoline Standard. Hydrocarbons in the range of C5-C12 quantified as gasoline (possibly aged gasoline)

NA: Not Analyzed. Well MW-8 was inaccessible during the First Quarter 2005, car was parked over well.

Not Analyzed. Well MW-7 was inaccessible during the First Quarter 2006, car was parked over well.

NM: Not Measured. Well MW-8 was inaccessible during the First Quarter 2005, car was parked over well.

Not Measured. Well MW-7 was inaccessible during the First Quarter 2006, car was parked over well.

The first time SOMA monitored wells MW-6 to MW-9 was in September 2004.

EB-PMP/EB-PRB: Equipment Blanks for Pump and Probe

ESL: Environmental Screening Levels per CRWQCB SFBay Region Interim Final Nov. 2007 (Revised May 2008);

Table F-1a, Groundwater Screening Levels (groundwater is a current or potential drinking water resource)

MW-8 and MW-9 were decommissioned November 13, 2009

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
1st WBZ							
MW-1	8/8/2002	78	<1.3	<1.3	<1.3	NA	NA
	11/1/2002	42	< 1.0	< 1.0	< 1.0	NA	NA
	2/21/2003	47	<0.5	<0.5	<0.5	NA	NA
	5/28/2003	25	<0.5	<0.5	<0.5	NA	NA
	8/12/2003	<10	<0.5	<0.5	<0.5	NA	NA
	10/9/2003	70	<1.0	<1.0	<1.0	NA	NA
	1/15/2004	55	<0.5	<0.5	<0.5	NA	NA
	5/25/2004	62	<0.7	<0.7	<0.7	NA	NA
	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
	12/14/2004	<21.5	<4.3	<4.3	<17.2	NA	NA
	3/11/2005	81	<0.5	<0.5	<2.0	NA	NA
	6/15/2005	<10	<0.5	<0.5	<2.0	NA	NA
	8/26/2005	68.9	<2.15	<2.15	<8.6	NA	NA
	11/11/2005	46	<2.15	<2.15	<8.6	NA	NA
	2/9/2006	11.3	<0.5	<0.5	<2.0	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	0.51	<0.5
	8/10/2006	<43	<2.15	<2.15	<8.60	3.37	<2.15
	10/26/2006	39.4	<1.0	<1.0	<4.0	2.92	<1.0
	1/25/2007	41.4	<0.5	<0.5	<2.0	1.36	<0.5
	4/26/2007	39.6	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	46.5	<1.0	<1.0	<4.0	<1.0	<1.0
	10/23/2007	53.7	<0.5	<0.5	<2.0	<0.5	<0.5
	1/22/2008	23.8	<0.5	<0.5	<2.16	<0.5	<0.5
	4/16/2008	8.36	<0.5	<0.5	<2.0	164	<0.5
	7/3/2008	30.5	<0.5	<0.5	<2.0	1.08	<0.5
	10/15/2008	<20	<1.0	<1.0	<1.0	<1.0	<1.0
	1/7/2009	<25	<1.3	<1.3	<1.3	<1.3	<1.3
	4/14/2009	15	<0.5	<0.5	<0.5	<0.5	<0.5
	8/27/2009	<40	<2.0	<2.0	<2.0	<2.0	<2.0
	12/2/2009	<40	<2.0	<2.0	<2.0	<2.0	<2.0
	3/17/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/3/2010	26	<0.5	<0.5	<0.5	<0.5	<0.5
9/2/2010	<100	<5.0	<5.0	<5.0	<5.0	<5.0	
12/2/2010	<63	<3.1	<3.1	<3.1	<3.1	<3.1	
3/4/2011	40	<0.5	<0.5	<0.5	<0.5	<0.5	
5/20/2011	<71	<3.6	<3.6	<3.6	<3.6	<3.6	
9/9/2011	33	<1.3	<1.3	<1.3	<1.3	<1.3	
12/2/2011	49	<3.2	<3.5	<2.8	<2.4	<1.7	
3/2/2012	<50	<2.5	<2.5	<2.5	<2.5	<2.5	
MW-2							
MW-2	8/8/2002	21	<0.5	<0.5	<0.5	NA	NA
	11/1/2002	15	<0.5	<0.5	<0.5	NA	NA
	2/21/2003	12	<0.5	<0.5	<0.5	NA	NA
	5/28/2003	31	<0.5	<0.5	<0.5	NA	NA
	8/12/2003	69	<0.8	<0.8	<0.8	NA	NA
	10/9/2003	12	<0.5	<0.5	<0.5	NA	NA
	1/15/2004	<10	<0.5	<0.5	<0.5	NA	NA
	5/25/2004	14	<0.5	<0.5	<0.5	NA	NA
	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
	12/14/2004	<2.5	<0.5	<0.5	<2.0	NA	NA

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-2 cont.	3/11/2005	<2.5	<0.5	<0.5	<2.0	NA	NA
	6/15/2005	<10	<0.5	<0.5	<2.0	NA	NA
	8/26/2005	<10	<0.5	<0.5	<2.0	NA	NA
	11/11/2005	<10	<0.5	<0.5	<2.0	NA	NA
	2/9/2006	<10	<0.5	<0.5	<2.0	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	8/10/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	10/26/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	1/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/26/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/23/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	1/22/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/15/2008	<2.0	<0.5	<0.5	<2.0	2.44	<0.5
	7/2/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/15/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	1/7/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	4/13/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	8/27/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/17/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/3/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/2/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/2/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/4/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	5/20/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
9/9/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
12/2/2011	<13	<3.2	<3.5	<2.8	<2.4	<1.7	
3/2/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-3	8/8/2002	<330	<8.3	<8.3	330	NA	NA
	11/1/2002	85	< 1.3	<1.3	220	NA	NA
	2/21/2003	140	<5.0	<5.0	320	NA	NA
	5/28/2003	520	<10	<10	530	NA	NA
	8/12/2003	180	<4.2	<4.2	270	NA	NA
	10/9/2003	<170	<8.3	<8.3	200	NA	NA
	1/15/2004	<100	<5.0	<5.0	150	NA	NA
	5/25/2004	<100	<5.0	<5.0	270	NA	NA
	9/21/2004	<140	<7.1	<7.1	110	NA	NA
	12/14/2004	<100	<20	<20	154	NA	NA
	3/11/2005	<215	<43	<43	256	NA	NA
	6/15/2005	<215	<10.8	<10.8	374	NA	NA
	8/26/2005	699	<21.5	<21.5	277	NA	NA
	11/11/2005	<430	<21.5	<21.5	171	NA	NA
	2/9/2006	<430	<21.5	<21.5	620	NA	NA
	5/9/2006	367	<10.8	<10.8	594	<10.8	<10.8
	8/10/2006	365	<10.8	<10.8	727	<10.8	<10.8
	10/26/2006	591	<10.8	<10.8	899	<10.8	<10.8
	1/25/2007	711	<10.8	<10.8	768	<10.8	<10.8
	4/26/2007	690	<10.8	<10.8	369	<10.8	<10.8
	7/25/2007	1,340	<10.8	<10.8	565	<10.8	<10.8
	10/23/2007	1,050	<21.5	<21.5	301	<21.5	<21.5
	1/22/2008	373	<10.8	<10.8	170	<0.5	<0.5
	4/16/2008	881	<5.50	<5.50	<22.0	1,850	12.1
	7/3/2008	426	<10.8	<10.8	124	<10.8	<10.8
	10/16/2008	<400	<20	<20	<20	<20	<20
1/8/2009	<500	<25	<25	<25	<25	<25	
4/13/2009	<500	<25	<25	<25	<25	<25	
8/27/2009	<500	<25	<25	<25	<25	<25	
12/2/2009	270	<13	<13	<13	<13	<13	

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-3 cont.	3/17/2010	<250	<13	<13	<13	<13	<13
	6/3/2010	<250	<13	<13	<13	<13	<13
	9/2/2010	<250	<13	<13	<13	<13	<13
	12/2/2010	<130	<6.3	<6.3	<6.3	<6.3	<6.3
	3/4/2011	<170	<8.3	<8.3	<8.3	<8.3	<8.3
	5/20/2011	<130	<6.3	<6.3	<6.3	<6.3	<6.3
	9/9/2011	<140	<7.1	<7.1	<7.1	<7.1	<7.1
	12/2/2011	<6.6	<1.6	<1.7	<1.4	<1.2	<0.86
	3/2/2012	<100	<5.0	<5.0	<5.0	<5.0	<5.0
MW-4	8/8/2002	1500	<17	<17	18	NA	NA
	11/1/2002	580	< 5.0	6	13	NA	NA
	2/21/2003	1600	<20	22	<20	NA	NA
	5/28/2003	690	<8.3	<8.3	17	NA	NA
	8/12/2003	550	<7.1	7.3	18	NA	NA
	10/9/2003	1400	<31	50	<31	NA	NA
	1/15/2004	1,300	<20	25	21	NA	NA
	5/25/2004	560	<8.3	<8.3	24	NA	NA
	9/21/2004	1,300	<50	<50	<50	NA	NA
	12/14/2004	826	<10.75	21	49	NA	NA
	3/11/2005	1,110	<10.8	12.1	<43	NA	NA
	6/15/2005	<110	<5.5	<5.5	22.9	NA	NA
	8/26/2005	902	<5.50	<5.50	37.4	NA	NA
	11/11/2005	884	<10.8	<10.8	<43	NA	NA
	2/9/2006	769	<10.8	16.4	45.6	NA	NA
	5/9/2006	405	<2.15	2.95	31.3	<2.15	<2.15
	8/10/2006	306	<2.15	<2.15	35.3	<2.15	<2.15
	10/26/2006	3430	<10.8	13.8	<43	<10.8	<10.8
	1/25/2007	822	<2.15	2.4	28	2.25	<2.15
	4/26/2007	556	<2.15	2.28	29.2	<2.15	<2.15
	7/25/2007	1,860	<2.15	9.94	24	<2.15	<2.15
	10/23/2007	3,400	<2.15	18.4	25.9	<2.15	<2.15
	1/22/2008	2,580	<5.50	64.7	<22	<0.5	<0.5
	4/15/2008	1,100	<5.50	11.7	<22	39.9	<5.50
	7/2/2008	8,720	<5.50	75.2	<22	<5.50	<5.50
	10/16/2008	700	<3.6	4.2	37	5.4	<3.6
	1/8/2009	1,500	<3.6	9.9	41	3.6	<3.6
	4/13/2009	1,100	<8.3	<8.3	28	<8.3	<8.3
	8/27/2009	4,900	<5.0	24	<5.0	<5.0	<5.0
	12/2/2009	6,800	<5.0	69	<5.0	<5.0	<5.0
	3/17/2010	1,900	<3.6	18	<3.6	<3.6	<3.6
6/3/2010	930	<3.6	7.7	<3.6	<3.6	<3.6	
9/2/2010	7,200	<3.6	57	<3.6	<3.6	<3.6	
12/2/2010	3,800	<10	30	<10	<10	<10	
3/3/2011	410	<0.71	3.2	<0.71	<0.71	<0.71	
5/19/2011	130	<0.5	1.4	<0.5	<0.5	<0.5	
9/8/2011	380	<0.5	3.5	<0.5	1.1	<0.5	
12/1/2011	790	<1.6	5.4	8.2	<1.2	<0.86	
3/2/2012	920	<2.0	5.9	24	<2.0	<2.0	
MW-5	8/8/2002	<250	<6.3	<6.3	510	NA	NA
	11/1/2002	66	< 2.0	< 2.0	560	NA	NA
	2/21/2003	<63	<3.1	<3.1	280	NA	NA
	5/28/2003	<33	<1.7	<1.7	110	NA	NA
	8/12/2003	130	<3.6	<3.6	270	NA	NA
	10/9/2003	<100	<5.0	<5.0	740	NA	NA
	1/15/2004	<63	<3.1	<3.1	300	NA	NA
	5/25/2004	<100	<5.0	<5.0	210	NA	NA
	9/21/2004	<130	<6.3	<6.3	550	NA	NA
	12/14/2004	40	<5.5	<5.5	444	NA	NA

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	
MW-5 cont.	3/11/2005	88.8	<5.5	<5.5	448	NA	NA	
	6/15/2005	<43	<2.15	<2.15	88.1	NA	NA	
	8/26/2005	274	<5.50	<5.50	195	NA	NA	
	11/11/2005	192	<5.50	<5.50	360	NA	NA	
	2/9/2006	218	<5.50	<5.50	523	NA	NA	
	5/9/2006	91.8	<2.15	<2.15	163	<2.15	<2.15	
	8/10/2006	138	<5.50	<5.50	342	<5.50	<5.50	
	10/26/2006	322	<5.50	<5.50	712	<5.50	<5.50	
	1/25/2007	878	<5.50	<5.50	552	<5.50	<5.50	
	4/26/2007	708	<2.15	<2.15	310	<2.15	<2.15	
	7/25/2007	1,020	<2.15	<2.15	356	<2.15	<2.15	
	10/23/2007	1,510	<2.15	<2.15	181	<2.15	<2.15	
	1/22/2008	470	<0.5	4.56	62.1	<0.5	<0.5	
	4/15/2008	566	<1.0	<1.0	29.6	231	5.66	
	7/3/2008	2,320	<2.15	<2.15	53.3	<2.15	<2.15	
	10/16/2008	990	<5.0	<5.0	82	<5.0	<5.0	
	1/8/2009	360	<6.3	<6.3	51	<6.3	<6.3	
	4/13/2009	280	<3.1	<3.1	<3.1	<3.1	<3.1	
	8/27/2009	1,300	<5.0	<5.0	<5.0	<5.0	<5.0	
	12/2/2009	320	<5.0	<5.0	25	<5.0	<5.0	
Pre- MPE	3/17/2010	570	<1.0	<1.0	<1.0	<1.0	<1.0	
	6/4/2010	340	<1.0	<1.0	<1.0	<1.0	<1.0	
	9/2/2010	320	<2.5	<2.5	13	<2.5	<2.5	
	12/2/2010	200	<3.1	<3.1	<3.1	<3.1	<3.1	
	3/4/2011	180	<0.5	<0.5	<0.5	<0.5	<0.5	
	5/20/2011	480	<1.0	<1.0	<1.0	<1.0	<1.0	
	8/4/2011	110	<0.71	<0.71	2.6	<0.71	<0.71	
	9/9/2011	260	<1.0	<1.0	11	<1.0	<1.0	
	12/2/2011	95	<3.2	<3.5	14	<2.4	<1.7	
	3/2/2012	59	<1.0	<1.0	4.1	<1.0	<1.0	
	MW-6	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
		12/14/2004	<5.5	<5.5	<5.5	<22	NA	NA
3/11/2005		2.54	<0.5	<0.5	<2.0	NA	NA	
6/15/2005		<20	<1.0	<1.0	<4.0	NA	NA	
8/26/2005		<43	<2.15	<2.15	<8.6	NA	NA	
11/11/2005		<43	<2.15	<2.15	<8.6	NA	NA	
2/9/2006		<43	<2.15	<2.15	<8.6	NA	NA	
5/9/2006		<10	<0.5	<0.5	<2.0	<0.5	<0.5	
8/10/2006		<10	<0.5	<0.5	<2.0	<0.5	<0.5	
10/26/2006		<10	<0.5	<0.5	<2.0	<0.5	<0.5	
1/25/2007		<2.0	<0.5	<0.5	<2.0	<0.5	<0.5	
4/26/2007		7.21	<0.5	<0.5	<2.0	<0.5	<0.5	
7/25/2007		5.66	<0.5	<0.5	<2.0	<0.5	<0.5	
10/23/2007		6.68	<0.5	<0.5	<2.0	<0.5	<0.5	
1/21/2008		13.9	<0.5	<0.5	<2.0	<0.5	<0.5	
4/15/2008		<2.0	<0.5	<0.5	<2.0	6.78	1.49	
7/2/2008		4.54	<0.5	<0.5	<2.0	<0.5	<0.5	
10/15/2008		<10	<0.5	<0.5	<0.5	<0.5	<0.5	
1/7/2009		<63	<3.1	<3.1	<3.1	<3.1	<3.1	
4/13/2009		<25	<1.3	<1.3	<1.3	<1.3	<1.3	
8/26/2009		<40	<2.0	<2.0	<2.0	<2.0	<2.0	
12/1/2009		<40	<2.0	<2.0	<2.0	<2.0	<2.0	
3/16/2010		<40	<2.0	<2.0	<2.0	<2.0	<2.0	
6/3/2010		<40	<2.0	<2.0	<2.0	<2.0	<2.0	
9/1/2010		<200	<10	<10	<10	<10	<10	
12/2/2010		<330	<17	<17	<17	<17	<17	
3/3/2011	<50	<2.5	<2.5	<2.5	<2.5	<2.5		
5/20/2011	<50	<2.5	<2.5	<2.5	<2.5	<2.5		
9/8/2011	<50	<2.5	<2.5	<2.5	<2.5	<2.5		
12/1/2011	NA	NA	NA	NA	NA	NA		
3/2/2012	<83	<4.2	<4.2	<4.2	<4.2	<4.2		

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-7	9/21/2004	<10	<0.5	<0.5	1.5	NA	NA
	12/14/2004	<2.5	<0.5	<0.5	<2.0	NA	NA
	3/11/2005	<12.5	<2.5	<2.5	<10	NA	NA
	6/15/2005	<10	<0.5	<0.5	2.23	NA	NA
	8/26/2005	<10	<0.5	<0.5	<2.0	NA	NA
	11/11/2005	<10	<0.5	<0.5	<2.0	NA	NA
	2/9/2006	NA	NA	NA	NA	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	8/10/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	10/26/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	1/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/26/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/23/2007	6.49	<0.5	<0.5	2.58	<0.5	<0.5
	1/21/2008	<2.0	<0.5	<0.5	6.01	<0.5	<0.5
	4/15/2008	8.8	<0.5	<0.5	<2.0	<0.5	1.26
	7/2/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/15/2008	<10	<0.5	<0.5	14	<0.5	<0.5
	1/7/2009	<10	<0.5	<0.5	11	<0.5	<0.5
	4/13/2009	<10	<0.5	<0.5	16	<0.5	<0.5
	8/26/2009	<33	<0.5	<0.5	33	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	30	<0.5	<0.5
	3/16/2010	11	<0.5	<0.5	<0.5	<0.5	<0.5
	6/3/2010	20	<0.5	<0.5	<0.5	7.1	<0.5
	9/1/2010	47	<0.5	<0.5	<0.5	7.2	<0.5
	12/2/2010	22	<0.5	<0.5	<0.5	4.9	<0.5
	3/4/2011	14	<0.5	<0.5	<0.5	4.0	<0.5
	5/19/2011	<10	<0.5	<0.5	<0.5	2.1	<0.5
	9/8/2011	<10	<0.5	<0.5	<0.5	1.6	<0.5
	12/1/2011	15	<0.36	<0.40	2.4	<0.28	<0.19
3/2/2012	<10	<0.5	<0.5	<0.5	0.82	<0.5	<0.5
MW-8	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
	12/14/2004	<2.5	<0.5	<0.5	<2.0	NA	NA
	3/11/2005	NA	NA	NA	NA	NA	NA
	6/15/2005	<10	<0.5	<0.5	<2.0	NA	NA
	8/26/2005	<10	<0.5	<0.5	<2.0	NA	NA
	11/11/2005	<10	<0.5	<0.5	<2.0	NA	NA
	2/9/2006	<10	<0.5	<0.5	<2.0	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	8/10/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	10/26/2006	<10	<0.5	<0.5	<2.0	<0.5	<0.5
	1/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/26/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/23/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	1/21/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	4/15/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/2/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/15/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
1/7/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
4/13/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
8/27/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
Well Decommissioned 11/13/2009							
MW-9	9/21/2004	<10	<0.5	<0.5	<0.5	NA	NA
	12/14/2004	<2.5	<0.5	<0.5	<2.0	NA	NA

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-9 contd.	3/11/2005	<2.5	<0.5	<0.5	<2.0	NA	NA
	6/15/2005	<10	<0.5	<0.5	<2.0	NA	NA
	8/26/2005	<10	<0.5	<0.5	<2.0	NA	NA
	11/11/2005	<10	<0.5	<0.5	<2.0	NA	NA
	2/9/2006	<10	<0.5	<0.5	<2.0	NA	NA
	5/9/2006	<10	<0.5	<0.5	<2.0	2.8	<0.5
	8/10/2006	<10	<0.5	<0.5	<2.0	1.83	<0.5
	10/26/2006	<10	<0.5	<0.5	<2.0	3.07	<0.5
	1/25/2007	<2.0	<0.5	<0.5	<2.0	2.92	<0.5
	4/26/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/25/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/23/2007	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	1/21/2008	<2.0	<0.5	<0.5	<2.0	1.18	<0.5
	4/15/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/2/2008	<2.0	<0.5	<0.5	<2.0	2.07	<0.5
	10/15/2008	<10	<0.5	<0.5	<0.5	1.5	<0.5
	1/7/2009	<10	<0.5	<0.5	<0.5	1.4	<0.5
4/13/2009	<10	<0.5	<0.5	<0.5	0.97	<0.5	
8/26/2009	<10	<0.5	<0.5	<0.5	2.6	<0.5	
Well Decommissioned 11/13/2009							
EX-1	12/2/2009	150	<1.3	<1.3	<1.3	<1.3	<1.3
	3/16/2010	980	<1.3	2.4	27	<1.3	<1.3
	6/3/2010	570	<1.3	1.9	<1.3	<1.3	<1.3
	9/1/2010	470	<0.5	1.4	2	<0.5	<0.5
	12/2/2010	1,300	<2.0	3.6	15	<2.0	<2.0
	3/3/2011	690	<0.71	2.5	12	<0.71	<0.71
	5/19/2011	370	<0.71	1.9	13	<0.71	<0.71
	9/8/2011	32	<0.5	<0.5	0.53	<0.5	<0.5
	12/1/2011	1,200	<1.6	8.3	6.8	<1.2	<0.86
	3/2/2012	31	<0.5	<0.5	<0.5	<0.5	<0.5
EX-2	12/2/2009	<63	<3.1	<3.1	<3.1	<3.1	<3.1
	3/16/2010	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	6/3/2010	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	9/1/2010	<50	<2.5	<2.5	<2.5	<2.5	<2.5
	12/2/2010	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	3/3/2011	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	5/19/2011	<100	<5.0	<5.0	<5.0	<5.0	<5.0
	9/8/2011	<25	<1.3	<1.3	<1.3	<1.3	<1.3
	12/1/2011	74	<3.2	<3.5	<2.8	<2.4	<1.7
	3/2/2012	<25	<1.3	<1.3	<1.3	<1.3	<1.3
MPE Wells							
MPE-1	8/4/2011	<500	<25	<25	<25	<25	<25
	9/26/2011	<500	<25	<25	600	<25	<25
	12/2/2011	830	<32	<35	750	<24	<17
	3/2/2012	<710	<36	<36	1,200	<36	<36
MPE-2	8/4/2011	<330	<17	<17	<17	<17	<17
	9/26/2011	<330	<17	<17	<17	<17	<17
	12/2/2011	<66	<16	<17	<14	<12	<8.6
	3/2/2012	<330	<17	<17	<17	<17	<17
2nd WBZ							
MW-1D	1/3/2008	111	<0.5	<0.5	<2.0	NA	NA
	1/22/2008	12.9	<0.5	<0.5	<2.0	<0.5	<0.5
	4/16/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	7/3/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/15/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	1/8/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	4/14/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	8/26/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-1D cont.	3/16/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/4/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/1/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/3/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	5/19/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2011	<1.5	<0.36	<0.40	<0.32	<0.28	<0.19
	3/2/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5
MW-3D	1/3/2008	37.3	<0.5	3.12	15.3	NA	NA
	1/22/2008	15.6	<0.5	3.1	15.3	<0.5	<0.5
	4/16/2008	17.7	<0.5	<0.5	<2.0	<0.5	<0.5
	7/3/2008	<2.0	<0.5	<0.5	7.45	<0.5	<0.5
	10/16/2008	<10	<0.5	<0.5	4.7	<0.5	<0.5
	1/8/2009	<10	<0.5	<0.5	3.4	<0.5	<0.5
	4/14/2009	<10	<0.5	<0.5	5	<0.5	<0.5
	8/26/2009	<10	<0.5	<0.5	1.6	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	2.2	<0.5	<0.5
	3/16/2010	<10	<0.5	<0.5	0.65	<0.5	<0.5
	6/4/2010	<10	<0.5	<0.5	1.8	<0.5	<0.5
	9/1/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2010	<10	<0.5	<0.5	0.93	<0.5	<0.5
	3/3/2011	<10	<0.5	<0.5	1.0	<0.5	<0.5
	5/19/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
12/1/2011	<1.5	<0.36	<0.40	0.52	<0.28	<0.19	
3/2/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-4D	1/4/2008	25	<0.5	<0.5	<2.0	NA	NA
	1/22/2008	124	<0.5	4.9	3.32	<0.5	<0.5
	4/15/2008	25.7	<0.5	<0.5	<2.0	<0.5	<0.5
	7/3/2008	3.38	<0.5	<0.5	<2.0	<0.5	<0.5
	10/16/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	1/8/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	4/14/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	8/27/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/1/2009	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/16/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	6/4/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/1/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	12/3/2010	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	3/3/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	5/19/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
	9/8/2011	<10	<0.5	<0.5	<0.5	<0.5	<0.5
12/1/2011	<1.5	<0.36	<0.40	<0.32	<0.28	<0.19	
3/2/2012	<10	<0.5	<0.5	<0.5	<0.5	<0.5	
1573 153 RD	7/2/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
	10/16/2008	<10	<0.5	<0.5	<0.5	<0.5	<0.5
EB-PMP	1/21/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
EB-PRB	1/21/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
EB-PMP2	1/22/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
EB-PRB2	1/22/2008	<2.0	<0.5	<0.5	<2.0	<0.5	<0.5
ESL		12	NE	NE	NE	0.5	0.05

Table 2
Historical Gasoline Oxygenates Results
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
------------------------	-------------	-----------------------	------------------------	------------------------	------------------------	---------------------------	-----------------------

Notes:

August 8, 2002 was the first time that samples were analyzed for Gasoline Oxygenates

<: Not detected above the laboratory reporting limit.

NA: Not Analyzed. Well MW-8 was inaccessible during the 1Q05 & well MW-7 (1Q06) car was parked over each well.

NE: Not Established

TBA: tert-Butyl Alcohol

DIPE: Isopropyl Ether

ETBE: Ethyl tert-Butyl Ether

TAME: Methyl tert-Amyl Ether

ESL: Environmental Screening Levels per CRWQCB SFBay Region Interim Final Nov. 2007 (Revised May 2008);

Table F-1a, Groundwater Screening Levels (groundwater is a current or potential drinking water resource)

MW-8 and MW-9 were decommissioned November 13, 2009

Table 3
Effluent Chemical Analytical Results
and Operational History of Remediation System
15101 Freedom Ave, San Leandro, CA

Date	Volume (gallons)	TPH-g (µg/L)	TPH-d (µg/L)	TPH-mo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	COD (mg/L)	TSS (mg/L)	pH
2009											
8-Oct-2009	15,351	<50	120 ^Y	NA	NA	NA	NA	NA	NA	NA	NA
19-Nov-2009	8,287	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.7
9-Dec-2009	0				Installation of GWETS						
16-Dec-2009	20,000	<50	<50	<300	<0.5	0.65 C	<0.5	0.84 C	<10	<5	7.4
2010											
18-Jan-2010	215,453	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.4
15-Feb-2010	297,560	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	11	<5	6.7
15-Mar-2010	475,245	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5.0	6.5
19-Apr-2010	621,180	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	8	6.6
17-May-2010	705,770	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	8	6.7
16-Jun-2010	825,200	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	17	9	6.8
19-Jul-2010	910,652	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	8	6.6
16-Aug-2010	939,935	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	6	6.6
28-Sep-2010	970,450	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	10	6.8
26-Oct-2010	1,013,700	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.2
15-Nov-2010	1,052,591	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.5
7-Dec-2010	1,100,492	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	6	6.6
2011											
11-Jan-2011	1,179,075	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	12	6	6.6
10-Feb-2011	1,249,569	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.6
14-Mar-2011	1,336,784	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.5
11-Apr-2011	1,364,272	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	6	6.5
10-May-2011	1,466,472	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	12	7	6.6
7-Jun-2011	1,532,263	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	6	6.6

Table 3
Effluent Chemical Analytical Results
and Operational History of Remediation System
15101 Freedom Ave, San Leandro, CA

Date	Volume (gallons)	TPH-g (µg/L)	TPH-d (µg/L)	TPH-mo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	COD (mg/L)	TSS (mg/L)	pH
28-Jul-2011	1,573,295	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	5	6.3
25-Aug-2011	1,613,935	77	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.1
23-Sep-2011	1,631,273	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.7
27-Oct-2011	1,642,277	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	7	7.1
18-Nov-2011	1,676,170	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.8
1-Dec-2011	1,694,889	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.97
2012											
19-Jan-2012	1,715,163	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	7.02
23-Feb-2012	1,794,185	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	<5	6.98
20-Mar-2012	1,803,832	<50	<50	<300	<0.5	<0.5	<0.5	<0.5	<10	7	7.02

Note:

NA: Not Available/Not Applicable

< : Less than Laboratory-reporting limit

In October and November 2009 discharge occurred only during MPE events GWETS and totalizer installed in December 2009.

Week # 1 sampling conducted on Oct 8, 2009

C: Presence confirmed, but RPD between column exceeds 40%

Volume discharged during the October 2009 MPE event was 18,669 gallons

Volume discharged during the November 2009 MPE event was 10,507 gallons

Volume discharged during the December 2009 MPE event was 20,298 gallons

Volume discharged during the February 2010 MPE event was 6,339 gallons

Volume discharged during the March 2010 MPE event was 3,810 gallons

Volume discharged during the June 2010 MPE event was 15,600 gallons

Volume discharged during the August 2010 MPE event was 1,421 gallons

Volume discharged during the October 2010 MPE event was 13,282 gallons

Table 4
Cumulative Masses of Petroleum Hydrocarbons Removed from
the Groundwater Since Installation of the Treatment System
 15101 Freedom Ave, San Leandro, CA

Date	Volume (gallons)	Influent Concentration (µg/L)					Mass removed (pounds)				
		TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TPH-g	Benzene	Toluene	Ethyl- benzene	Total Xylenes
2009											
9-Dec-2009	0	Installation of GWETS, began discharging treated groundwater to site sewer main									
2010											
18-Jan-2010	215,453	1,900	79	32.00	2.4	260	3.41	0.14	0.06	0.00	0.47
19-Apr-2010	621,180	2,100	75	28	56	332	10.50	0.40	0.15	0.19	1.59
19-Jul-2010	910,652	56 ^Y	<0.5	<0.5	<0.5	<0.5	10.64	0.40	0.15	0.19	1.59
26-Oct-2010	1,013,700	2,600	200	25	68	405	12.87	0.57	0.17	0.25	1.94
2011											
11-Jan-2011	1,179,075	1,700	80	19	50	295	15.21	0.68	0.20	0.32	2.34
11-Apr-2011	1,364,272	1,200	41	3.3	23	185	17.06	0.75	0.20	0.36	2.63
28-Jul-2011	1,573,295	540	21	2.8	5.4	49	18.00	0.78	0.21	0.37	2.71
27-Oct-2011	1,642,277	<50	1.50	<0.5	<0.5	2.9	18.00	0.78	0.21	0.37	2.71
2012											
19-Jan-2012	1,715,163	110^Y	<0.5	<0.5	<0.5	<0.5	18.07	0.78	0.21	0.37	2.71

Notes:

< : Below laboratory-reporting limit

Y : sample exhibits chromatographic pattern which does not resemble standard

Appendix A

Standard Operating Procedures for Conducting Groundwater Monitoring Activities

Standard Operating Procedures for Conducting Groundwater Monitoring Activities

Water Level Measurements

Prior to measurement of groundwater depth at each well, equalization with the surrounding aquifer must be achieved. Initially, the well cap is removed and the pressure is allowed to dissipate, creating a more stable water table level within the well. After about 10-15 minutes, once the water level in the well stabilizes, the depth to groundwater is measured from the top of the casing to the nearest 0.01 foot using an electric sounder.

Purging and Field Measurements

Prior to sample collection, each well is purged using a battery-operated, 2-inch-diameter pump (Model ES-60 DC). During purging, groundwater is measured for parameters such as dissolved oxygen (DO), pH, temperature, electrical conductivity (EC), and oxygen-reduction potential (ORP) using a Hanna HI-9828 multi-parameter instrument. Turbidity is measured using a Hanna HI-98703 portable turbidimeter. The equipment is calibrated at the site using standard solutions and procedures provided by the manufacturer.


The pH of groundwater has an effect on the activity of microbial populations in the groundwater. The groundwater temperature affects the metabolic activity of bacteria. The groundwater EC is directly related to the concentration of total dissolved solids (TDS) in solution.

There is a strong correlation between the turbidity level and the biological oxygen demand of natural water bodies. The main purpose for checking the turbidity level is to provide a general overview of the extent of the suspended solids in the groundwater.

ORP is the measure of the potential for an oxidation or reduction process to occur. In the oxidation process, a molecule or ion loses one or several electrons. In the reduction process, a molecule or ion gains one or several electrons. The unit of the redox potential is the volt or millivolt. The most important redox reaction in petroleum-contaminated groundwater is the oxidation of petroleum hydrocarbons in the presence of bacteria and free molecular oxygen. Because the solubility of O₂ in water is low (9 mg/L at 25 °C and 11 mg/L at 5 °C), and because the rate of O₂ replenishment in subsurface environments is limited, DO can be entirely consumed when the oxidation of only a small amount of petroleum hydrocarbons occurs.

Oxidation of petroleum hydrocarbons can still occur when all the dissolved O₂ in the groundwater is consumed; however, the oxidizing agents (i.e., the constituents that undergo reduction) now become NO₃⁻, MnO₂, Fe (OH)₃, SO₄²⁻

and others (Freeze and Cherry, 1979). As these oxidizing agents are consumed, the groundwater environment becomes more and more reduced. If the process advances far enough, the environment may become so strongly reduced that the petroleum hydrocarbons undergo anaerobic degradation, resulting in the production of methane and carbon dioxide. The concept of oxidation and reduction in terms of changes in oxidation states is illustrated below.



Purging of wells continues until the parameters for DO, pH, temperature, EC, turbidity, and redox stabilize, or three casing volumes are purged.

Once stabilization occurs, the groundwater samples are also tested on-site for ferrous iron (Fe^{+2}), nitrate (NO_3^-), and sulfate (SO_4^{-2}) concentrations.

Fe^{+2} , NO_3^- , and SO_4^{-2} are measured colorimetrically using the Hach Colorimeter Model 890, a microprocessor-controlled photometer suitable for colorimetric testing in the laboratory or the field. The required reagents for each specific test are provided in AccuVac ampuls.

Sampling

For sampling purposes, after purging a disposable polyethylene bailer is used to collect sufficient samples from each monitoring well for laboratory analyses. Groundwater samples are transferred into 40-mL VOA vials and preserved with hydrochloric acid. The vials are sealed to prevent air bubbles from developing within the headspace. For TPH-d analysis, groundwater samples are collected using 1-L, amber, nonpreserved glass containers. Samples are placed in an ice-filled cooler and maintained at 4°C. A chain of custody form for all samples is prepared to accompany the samples, which are promptly delivered to a California state-certified analytical laboratory.

Appendix B

Table of Elevations and Coordinates on Monitoring Wells
and Field Measurements of Physical, Chemical, and Natural
Attenuation Parameters of Groundwater Samples

DATE: 1/08/2008
 JOB NUMBER 0208101
 DATE OF SURVEY 1/03/08
 INSTRUMENT LIECA SR520

TABLE OF ELEVATIONS & COORDINATES
 ON MONITORING WELLS
 SOMA ENVIRONMENTAL, PROJECT 15101 FREEDOM DRIVE - SAN LEANDRO

WELL ID#	NORTHING (ft.) LATITUDE	EASTING (ft.) LONGITUDE	ELEVATION (ft.)	DESCRIPTION
MW-1D	2084371.23	6092127.90	54.42	MW-1D NOTCH
	37.708104856	122.123200912	54.94	MW-1D RIM
	37° 42' 29.1" N	122° 07' 23" W	54.74	PAVEMENT
MW-3D	2084303.98	6092183.53	54.10	MW-3D NOTCH
	37.707922851	122.123004590	54.56	MW-3D RIM
	37° 42' 28.5" N	122° 07' 22" W	54.47	PAVEMENT
MW-4D	2084222.77	6092116.37	53.12	MW-4D NOTCH
	37.707696648	122.123231858	53.37	MW-4D RIM
	37° 42' 27.7" N	122° 07' 23" W	53.39	PAVEMENT

BENCH MARK: NGS BENCH MARK NO. HT1871

3.0 KM (1.85 MI) NORTH FROM SAM LORENZO. 1.85 MILES NORTH ALONG INTERSTATE HIGHWAY 580 FROM THE JUNCTION OF STATE HIGHWAY 238 IN SAN LORENZO, IN THE WEST CORNER OF THE CROSSING OF 150TH AVENUE, IN TOP OF THE CONCRETE BRIDGE DECK, 15.5 FEET NORTHWEST OF THE SOUTHWEST BOUND LANES OF THE AVENUE, 10.9 FEET NORTHEAST OF THE SOUTH CORNER OF THE SOUTHWEST END OF THE NORTHWEST CONCRETE GUARDRAIL, 0.7 FOOT NORTHEAST OF THE SOUTHWEST EDGE OF THE DECK, 0.9 FOOT SOUTHEAST OF THE NORTHWEST CONCRETE GUARDRAIL, AND ABOUT LEVEL WITH THE HIGHWAY.

ELEVATION = 58.50 NAVD 88 DATUM

HORIZONTAL AND VERTICAL CONTROL BASED ON HARRINGTON SURVEY DATED 10-12-2004

FD CHABOT A, CALIFORNIA STATE PLAIN COORDINATE SYSTEM, NAD 83, ZONE 3. NORTH 2,088,584.99 EAST 6,093,351.39. LAT N 37°43'11.04190" LONG W 122°07'09.20691", ELEVATION 492.08 NAVD 88.

FD CHABOT B, CALIFORNIA STATE PLAIN COORDINATE SYSTEM, NAD 83, ZONE 3. NORTH 2,087,731.02 EAST 6,094,039.23. . LAT N 37°43'02.71762" LONG W 122°07'00.46339", ELEVATION 442.77 NAVD 88.

DATE: 12/11/2009

JOB# 09039

TABLE OF ELEVATIONS & COORDINATES**ON MONITORING WELLS**

SOMA ENVIRONMENTAL ENGINEERING

15101 FREEDOM AVENUE

SAN LEANDRO, CA 94579

WELL ID #	NORTHING (FT.) / LATITUDE (D.DEG.)	EASTING (FT.) / LONGITUDE (D.DEG.)	ELEVATION (FT.)	DESCRIPTION
EX-1	2084135.454	6092163.720	47.36	4" PVC NOTCH NORTH SIDE
	37.707459134	122.123062972	47.61	SET PUNCH NORTH SIDE RIM
			47.60	PAVEMENT NORTH SIDE
EX-2	2084082.018	6092130.224	45.96	4" PVC NOTCH NORTH SIDE
	37.707310806	122.123175540	47.04	SET PUNCH NORTH SIDE RIM
			47.00	CONCRETE NORTH SIDE
MPE-1	2084213.168	6092125.258	51.96	4" PVC NOTCH NORTH SIDE
	37.707670702	122.123200567	52.49	SET PUNCH NORTH SIDE RIM
			52.51	CONCRETE NORTH SIDE
MPE-2	2084293.133	6092171.374	53.72	4" PVC NOTCH NORTH SIDE
	37.707892479	122.123045970	54.29	SET PUNCH NORTH SIDE RIM
			54.27	PAVEMENT NORTH SIDE

HORIZONTAL AND VERTICAL CONTROL

SURVEY BASED ON PREVIOUS SURVEY BY HARRINGTON SURVEY INC. DATED: 2/21/2008
 COORDINATE VALUES ARE BASED ON THE CALIFORNIA COORDINATE SYSTEM, ZONE 3, NAD83.
 ELEVATIONS ARE NAVD 88 DATUM.

MW-2, PUNCH

NORTHING 2,084323.44, EASTING 6,092063.77, ELEVATION 52.92

MW-4 PUNCH


NORTHING 2,084250.55, EASTING 6,092124.46, ELEVATION 53.74

EQUIPMENT USED: TRIMBLE S6

Edgis Land Surveying
 Land Surveying and mapping
 1374 Garland Avenue, Clovis, CA 93612
 Phone (559) 906-3554 Fax (559) 292-0560
 email: edgis@aol.com



Eduardo A. Espinoza 1 of 1



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-1
 Casing Diameter: 4 inches
 Depth of Well: 30.50 feet
 Top of Casing Elevation: 54.46 feet
 Depth to Groundwater: 22.82 feet
 Groundwater Elevation: 31.64 feet
 Water Column Height: 7.68 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 2, 2012
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: Yes No Describe: _____
 Sheen: Yes No Describe: _____
 Odor: Yes No Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
13:46	Started purging well						
13:47	2	2.32	6.85	20.85	1206	9.71	-207.3
13:49	6	1.97	6.62	20.88	1217	8.20	-206.9
13:51	10	1.75	6.56	20.85	1287	11.6	-204.6
13:53	14	1.39	6.53	20.84	1309	12.0	-204.4
13:58	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-2
 Casing Diameter: 4 inches
 Depth of Well: 30.15 feet
 Top of Casing Elevation: 52.41 feet
 Depth to Groundwater: 19.98 feet
 Groundwater Elevation: 32.43 feet
 Water Column Height: 10.17 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 2, 2012
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump


Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
12:41	Started purging well						
12:42	2	2.75	6.79	20.73	897	12.4	-214.5
12:44	6	2.63	6.44	20.79	946	16.7	-208.1
12:46	10	2.09	6.38	20.81	972	15.7	-206.4
12:48	14	1.98	6.37	20.83	1014	11.8	-204.5
12:53	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-3 Project No.: 2551
 Casing Diameter: 4 inches Address: 15101 Freedom Avenue
 Depth of Well: 29.90 feet San Leandro, CA
 Top of Casing Elevation: 53.91 feet Date: March 2, 2012
 Depth to Groundwater: 22.39 feet Sampler: Lizzie Hightower
 Groundwater Elevation: 31.52 feet
 Water Column Height: 7.51 feet
 Purged Volume: 14 gallons

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
15:03	Started purging well						
15:04	2	2.51	6.79	20.90	1109	14.9	-119.4
15:06	6	2.08	6.65	20.88	1105	17.1	-152.9
15:08	10	1.95	6.60	20.87	1107	11.9	-161.3
15:10	14	1.72	6.58	20.87	1120	12.0	-162.7
15:15	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-4
 Casing Diameter: 4 inches
 Depth of Well: 30.20 feet
 Top of Casing Elevation: 53.31 feet
 Depth to Groundwater: 22.02 feet
 Groundwater Elevation: 31.29 feet
 Water Column Height: 7.18 feet
 Purged Volume: 14 gallons


Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 2, 2012
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: Yes No Describe: _____
 Sheen: Yes No Describe: _____
 Odor: Yes No Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
16:49	Started purging well						
16:50	2	2.15	6.88	20.19	1319	12.3	-164.4
16:52	6	1.91	6.55	20.20	1429	8.5	-169.4
16:54	10	1.72	6.43	20.20	1441	8.2	-167.8
16:56	14	1.55	6.39	20.21	1486	8.0	-165.9
17:01	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-5
 Casing Diameter: 4 inches
 Depth of Well: 29.80 feet
 Top of Casing Elevation: 50.53 feet
 Depth to Groundwater: 19.30 feet
 Groundwater Elevation: 31.23 feet
 Water Column Height: 10.50 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 2, 2012
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
16:29	Started purging well						
16:30	2	1.95	7.08	21.33	1179	13.4	-200.8
16:32	6	1.72	6.86	21.34	1186	12.7	-214.4
16:34	10	1.68	6.74	21.32	1186	12.2	-227.2
16:36	14	1.70	6.72	21.34	1187	11.7	-228.6
16:41	Sampled						




ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-6 Project No.: 2551
 Casing Diameter: 4 inches Address: 15101 Freedom Avenue
 Depth of Well: 27.30 feet San Leandro, CA
 Top of Casing Elevation: 45.82 feet Date: March 2, 2012
 Depth to Groundwater: 16.11 feet Sampler: Lizzie Hightower
 Groundwater Elevation: 29.71 feet
 Water Column Height: 11.29 feet
 Purged Volume: 14 gallons

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump
 Color: Yes No Describe: _____
 Sheen: Yes No Describe: Rainbow Sheen
 Odor: Yes No Describe: Petro Odor

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
11:16	Started purging well						
11:17	2	1.89	6.98	20.93	1195	8.91	-108.1
11:19	6	1.51	6.72	20.98	1196	12.0	-124.9
11:21	10	1.23	6.57	21.01	1197	11.4	-147.7
11:23	14	1.10	6.55	21.03	1197	13.2	-166.4
11:28	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MPE-2 Project No.: 2551
 Casing Diameter: 4 inches Address: 15101 Freedom Avenue
 Depth of Well: 30.00 feet San Leandro, CA
 Top of Casing Elevation: 53.72 feet Date: March 2 2012
 Depth to Groundwater: 22.24 feet Sampler: Lizzie Hightower
 Groundwater Elevation: 31.48 feet
 Water Column Height: 7.76 feet
 Purged Volume: 14 gallons

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: Yes No Describe: _____
 Sheen: Yes No Describe: _____
 Odor: Yes No Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
15:19	started purging well						
15:20	2	2.41	6.61	21.06	1301	12.5	-136.2
15:22	6	2.03	6.48	21.16	1302	12.7	-157.0
15:24	10	1.97	6.42	21.17	1303	8.07	-163.4
15:26	14	1.30	6.40	21.18	1303	8.70	-164.9
15:31	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-1D Project No.: 2551
 Casing Diameter: 2 inches Address: 15101 Freedom Avenue
 Depth of Well: 59.81 feet San Leandro, CA
 Top of Casing Elevation: 54.42 feet Date: March 2, 2012
 Depth to Groundwater: 23.01 feet Sampler: Lizzie Hightower
 Groundwater Elevation: 31.41 feet
 Water Column Height: 36.80 feet
 Purged Volume: 14 gallons

Purging Method: Bailer Pump

Sampling Method: Bailer Pump


Color: Yes No Describe: Cloudy

Sheen: Yes No Describe: _____

Odor: Yes No Describe: _____

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
13:17	Started purging well						
13:18	2	3.29	6.97	19.73	1300	77.7	-59.1
13:20	6	2.87	6.84	19.72	1303	51.3	-64.9
13:22	10	2.60	6.78	19.76	1305	29.9	-69.2
13:24	14	2.04	6.75	19.76	1306	22.0	-71.3
13:29	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-3D
 Casing Diameter: 2 inches
 Depth of Well: 58.59 feet
 Top of Casing Elevation: 54.10 feet
 Depth to Groundwater: 22.60 feet
 Groundwater Elevation: 31.50 feet
 Water Column Height: 35.99 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 2, 2012
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: _____

Field Measurements:

Time	Volume (gallons)	D.O. (mg/L)	pH	Temp (°C)	E.C. (µS/cm)	Turb. (NTU)	ORP
14:41	Started purging well						
14:42	2	3.02	7.40	20.00	1253	18.1	-89.2
14:44	6	2.93	7.14	20.01	1263	11.9	-85.5
14:46	10	2.15	7.02	20.02	1267	8.51	-84.5
14:48	14	2.17	6.99	20.02	1269	9.02	-84.2
14:53	Sampled						



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-4D
 Casing Diameter: 2 inches
 Depth of Well: 58.79 feet
 Top of Casing Elevation: 53.12 feet
 Depth to Groundwater: 21.80 feet
 Groundwater Elevation: 31.32 feet
 Water Column Height: 36.99 feet
 Purged Volume: 14 gallons

Project No.: 2551
 Address: 15101 Freedom Avenue
 San Leandro, CA
 Date: March 2, 2012
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: _____

Field Measurements:

Time	Volume (gallons)	D.O. mg/L	pH	Temp °C	E.C. (µS/cm)	Turb. NTU	ORP
15:46	Started purging			well			
15:47	2	3.01	7.29	19.38	1255	15.7	-91.3
15:49	6	2.90	7.05	19.39	1268	7.40	-88.9
15:51	10	2.72	6.95	19.39	1272	13.6	-87.4
15:53	14	2.15	6.92	19.39	1272	13.1	-86.5
15:58	Sampled						

Table A
Historical Field Parameters
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Dissolved Oxygen (mg/L)	pH	Temperature °C	Electrical Conductivity µS/cm	Turbidity NTU	ORP
1st WBZ							
MW-1	8/27/2009	0.38	6.32	20.8	1357	4.69	-95.7
	12/2/2009	0.15	6.4	20.82	1261	6.19	-136.4
	3/17/2010	0.58	5.68	20.97	1186	7.00	-155.9
	6/3/2010	0.91	6.11	20.81	1285	2.49	-131.6
	9/2/2010	0.92	6.04	20.66	1361	2.46	-86.4
	12/2/2010	0.97	5.96	20.74	1309	4.32	-119.7
	3/4/2011	1.4	6.69	20.96	1169	1.98	-101.2
	5/20/2011	1.51	6.22	20.68	1305	1.85	-164.5
	9/9/2011	1.73	6.02	20.53	1320	4.63	-179.2
	3/2/2012	1.39	6.53	20.84	1309	12.00	-204.4
MW-2	8/27/2009	0.43	6.57	20.72	1530	2.59	-168.1
	12/1/2009	0.48	6.75	21.12	1297	5.01	-191.3
	3/17/2010	0.51	5.78	21.08	1025	5.65	-108
	6/3/2010	0.62	6.28	20.84	930	2.66	-150.2
	9/2/2010	0.66	6.29	20.73	1269	2.67	-174.2
	12/2/2010	0.63	6.06	20.94	1439	2062	-162.4
	3/4/2011	1.55	6.84	20.91	815	3.34	-87.8
	5/20/2011	1.22	6.39	20.59	981	2.58	-185.9
	9/9/2011	1.67	5.89	20.48	1303	6.19	-157.7
	3/2/2012	1.98	6.37	20.83	1014	11.8	-204.5
MW-3	8/27/2009	1.90	6.36	20.82	1318	5.57	-119.3
	12/2/2009	1.80	6.52	20.94	1239	5.88	-206.6
	3/17/2010	1.60	5.78	21.28	1080	5.37	-166.4
	6/3/2010	1.05	6.24	21.16	1130	2.03	-134.8
	9/2/2010	1.17	6.18	21.04	1256	2.86	-131.2
	12/2/2010	1.27	6.06	21.03	1152	1.83	-171.9
	3/4/2011	1.26	6.77	21.18	1074	3.57	-109.8
	5/20/2011	1.04	6.4	20.9	1180	2.72	-220.1
	9/9/2011	1.05	6.13	20.74	1272	3.23	-179.4
	3/2/2012	1.72	6.58	20.87	1120	12.00	-162.7
MW-4	8/27/2009	2.90	6.26	20.11	1649	2.78	-115.5
	12/2/2009	0.87	6.4	20.12	1578	5.06	-173.2
	3/17/2010	2.30	5.63	20.39	1506	4.01	-119.4
	6/3/2010	1.90	6.14	20.45	1418	1.56	-131.8
	9/2/2010	1.80	6.06	20.21	1305	1.45	-101.5
	12/2/2010	1.63	5.89	20.28	1465	102	-180
	3/3/2011	1.89	6.66	20.47	1278	0.97	-90.5
	5/19/2011	1.78	6.42	20.51	1251	1.5	-168.3
	9/8/2011	1.77	6.27	20.32	1430	3.82	-157.4
	3/2/2012	1.55	6.39	20.21	1486	8.00	-165.9
MW-5	8/27/2009	1.00	6.38	20.8	1321	6.63	-91.9
	12/2/2009	1.50	6.47	21.03	1227	5.66	-109.1
	3/17/2010	1.10	5.82	21.28	1150	75.3	-60.7
	6/4/2010	1.10	5.99	20.87	1128	3.84	-33.8
	9/2/2010	1.03	6.16	21.22	1178	13.0	-168.4
	12/2/2010	1.05	6.02	21.46	1112	12.3	-167.7
	3/4/2011	1.11	6.89	21.46	1078	4.59	-106.9
	5/20/2011	1.18	6.47	21.02	1106	26.5	-222.5
	9/9/2011	1.14	6.2	21.07	1194	5.83	-215.4
	3/2/2012	1.70	6.72	21.34	1187	11.7	-228.6

Table A
Historical Field Parameters
15101 Freedom Avenue, San Leandro, CA

Monitoring Well	Date	Dissolved Oxygen (mg/L)	pH	Temperature °C	Electrical Conductivity µS/cm	Turbidity NTU	ORP
MW-6	8/26/2009	0.42	6.47	20.93	1201	6.53	-172.3
	12/1/2009	0.26	6.89	21.64	1171	6.83	-207.9
	3/16/2010	0.63	5.91	21.26	1544	6.72	-168.2
	6/3/2010	0.58	6.38	20.74	1346	2.61	-116.4
	9/1/2010	0.41	6.44	20.86	1419	2.77	-120.3
	12/2/2010	0.37	6.24	21.17	1362	4.5	-148
	3/3/2011	1.54	6.81	21	1262	1.87	-98.3
	5/20/2011	1.23	6.62	20.51	1312	2.53	-221.1
	9/8/2011	1.07	6.2	20.84	1292	5.17	-167.9
	3/2/2012	1.10	6.55	21.03	1197	13.2	-166.4
MW-7	8/26/2009	0.98	6.36	19.24	1375	145	-128.3
	12/1/2009	1.05	6.83	19.51	1340	997	-4.3
	3/16/2010	0.83	5.88	18.37	1266	382	-37.9
	6/3/2010	0.77	6.46	18.67	1199	873	-30.4
	9/1/2010	0.98	6.4	19.83	1271	999	-60
	12/2/2010	1.01	6.23	19.17	1253	999	-85.6
	3/4/2011	3.66	6.68	18.33	1098	609	-49.5
	5/19/2011	1.35	6.42	17.71	1192	879	-53.7
	9/8/2011	2.01	6.07	18.91	1198	748	-17.8
		3/2/2012	1.82	6.39	18.12	1308	363
MPE-2	3/2/2012	1.30	6.40	21.18	1303	8.70	-164.9
2nd WBZ							
MW-1D	8/26/2009	0.45	7.04	19.93	1388	7.75	-11
	12/1/2009	0.51	7.4	19.79	1342	19.1	-21.7
	3/16/2010	0.57	6.45	19.99	1353	98.9	-28.2
	6/4/2010	0.58	6.66	19.98	1336	3.85	97.7
	9/1/2010	0.52	6.94	20.12	1404	4.41	-6.6
	12/3/2010	0.49	6.64	19.73	1328	7.12	-75.3
	3/3/2011	2.77	7.35	19.79	1294	9.97	18.8
	5/19/2011	2.81	7.07	19.95	1330	5.26	6.6
	9/8/2011	3.21	6.66	20.03	1309	9.98	-35.5
		3/2/2012	2.04	6.75	19.76	1306	22.0
MW-3D	8/26/2009	0.73	6.93	20.17	1276	1.73	-18.8
	12/1/2009	0.98	7.3	20.04	1236	2.48	-23.5
	3/16/2010	0.69	6.38	20.29	1272	8.05	-27.8
	6/4/2010	0.77	6.54	20.2	1254	0.42	78.1
	9/1/2010	0.79	6.85	20.33	1304	0.25	-29.4
	12/3/2010	0.81	6.49	20.04	1252	1.49	-79.2
	3/3/2011	2	7.24	20.02	1254	0.85	54
	5/19/2011	1.99	6.91	20.21	1260	2.03	-14.8
	9/8/2011	1.73	6.52	20.19	1247	3.53	-32.6
		3/2/2012	2.17	6.99	20.02	1269	9.02
MW-4D	8/27/2009	0.98	6.93	19.46	1280	4.31	-26.4
	12/1/2009	1.9	7.36	19.42	1249	4.66	-24.2
	3/16/2010	1.4	6.36	19.58	1283	24.8	-16.7
	6/4/2010	1.3	6.53	19.49	1259	5.1	115.8
	9/1/2010	1.44	6.92	19.67	1333	2.2	-26.9
	12/3/2010	1.3	6.5	19.4	1266	1.57	-116.6
	3/3/2011	2.11	7.36	19.42	1219	1.8	-96.4
	5/19/2011	2.12	6.95	19.56	1262	2.09	-15.5
	9/8/2011	2.03	6.57	19.62	1261	3.13	-54
		3/2/2012	2.15	6.92	19.39	1272	13.1

Appendix C

Laboratory Report and Chain of Custody Form
for the First Quarter 2012 Monitoring Event



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

Laboratory Job Number 234746
ANALYTICAL REPORT

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2551
Location : 15101 Freedom Avenue San Leandro
Level : II

Table with 2 columns: Sample ID and Lab ID. Rows include MW-1 through MW-7, MW-1D through MW-4D, EX-1 through EX-2, and MPE-1 through MPE-2.

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: [Handwritten Signature]
Project Manager

Date: 03/12/2012

NELAP # 01107CA

CASE NARRATIVE

Laboratory number: 234746
Client: SOMA Environmental Engineering Inc.
Project: 2551
Location: 15101 Freedom Avenue San Leandro
Request Date: 03/05/12
Samples Received: 03/05/12

This data package contains sample and QC results for fourteen water samples, requested for the above referenced project on 03/05/12. The samples were received cold and intact.

Volatile Organics by GC/MS (EPA 8260B):
No analytical problems were encountered.

CHAIN OF CUSTODY

Analyses

Curtis & Tompkins, Ltd.
 Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

C&T LOGIN # 234746

Sampler: Lizzie Hightower/

Project No: 2551

Report To: Joyce Bobek

Project Name: 15101 Freedom Ave., San Leandro

Company: SOMA Environmental

Turnaround Time: Standard

Telephone: 925-734-6400

Fax: 925-734-6401

TPHg, BTEX, MtBE 8260B Gasoline Oxygenates & Lead Scavengers																				
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		
	*	*																		

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative			
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE
1	MW-1	3/2/12 13:58	*			3-VOAs	*			*
2	MW-2	12:53	*			3-VOAs	*			*
3	MW-3	15:15	*			3-VOAs	*			*
4	MW-4	17:01	*			3-VOAs	*			*
5	MW-5	16:41	*			3-VOAs	*			*
6	MW-6	11:28	*			3-VOAs	*			*
7	MW-7	10:58	*			3-VOAs	*			*
8	MW-1D	13:29	*			3-VOAs	*			*
9	MW-3D	14:53	*			3-VOAs	*			*
10	MW-4D	15:58	*			3-VOAs	*			*
11	EX-1	11:38	*			3-VOAs	*			*
12	EX-2	11:51	*			3-VOAs	*			*
13	MPE-1	16:09	*			3-VOAs	*			*
14	MPE-2	15:31	*			3-VOAs	*			*

Notes: EDF OUTPUT REQUIRED
Ethanol

RELINQUISHED BY:	RECEIVED BY:
<i>Lizzie Hightower</i> 3/5/12 07:55 DATE/TIME	<i>Rachel Mathen</i> 3/5/12 8:30 DATE/TIME
<i>Rachel Mathen</i> 3/5/12 11:20 DATE/TIME	<i>Lizzie Hightower</i> 3/5/12 11:20 DATE/TIME
<i>[Signature]</i> 3/5/12 16:00 DATE/TIME	<i>[Signature]</i> 3/5/12 16:00 DATE/TIME

COOLER RECEIPT CHECKLIST



Curtis & Tompkins, Ltd.

Login # 234740 Date Received 3/5/12 Number of coolers 1
Client SOMA Project 2551

Date Opened 3/5/12 By (print) I. Choi (sign) [Signature]
Date Logged in [initials] By (print) [initials] (sign) [initials]

1. Did cooler come with a shipping slip (airbill, etc) YES (NO)
Shipping info

2A. Were custody seals present? ... YES (circle) on cooler on samples NO
How many Name Date

2B. Were custody seals intact upon arrival? YES NO (N/A)

3. Were custody papers dry and intact when received? YES NO

4. Were custody papers filled out properly (ink, signed, etc)? YES NO

5. Is the project identifiable from custody papers? (If so fill out top of form) YES NO

6. Indicate the packing in cooler: (if other, describe)

- Bubble Wrap, Cloth material, Foam blocks, Cardboard, Bags, Styrofoam, None, Paper towels

7. Temperature documentation: * Notify PM if temperature exceeds 6°C
Type of ice used: Wet Blue/Gel None Temp(°C)

Samples Received on ice & cold without a temperature blank; temp. taken with IR gun

Samples received on ice directly from the field. Cooling process had begun

8. Were Method 5035 sampling containers present? YES (NO)
If YES, what time were they transferred to freezer?

9. Did all bottles arrive unbroken/unopened? YES NO

10. Are there any missing / extra samples? YES NO

11. Are samples in the appropriate containers for indicated tests? YES NO

12. Are sample labels present, in good condition and complete? YES NO

13. Do the sample labels agree with custody papers? YES NO

14. Was sufficient amount of sample sent for tests requested? YES NO

15. Are the samples appropriately preserved? YES NO N/A

16. Did you check preservatives for all bottles for each sample? YES NO N/A

17. Did you document your preservative check? YES NO N/A

18. Did you change the hold time in LIMS for unpreserved VOAs? YES NO N/A

19. Did you change the hold time in LIMS for preserved terracores? YES NO N/A

20. Are bubbles > 6mm absent in VOA samples? YES NO N/A

21. Was the client contacted concerning this sample delivery? YES (NO)
If YES, Who was called? By Date:

COMMENTS

Blank lines for handwritten comments.

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-1	Batch#: 184357
Lab ID:	234746-001	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/07/12
Diln Fac:	5.000	

Analyte	Result	RL
Gasoline C7-C12	6,800	250
tert-Butyl Alcohol (TBA)	ND	50
Isopropyl Ether (DIPE)	ND	2.5
Ethyl tert-Butyl Ether (ETBE)	ND	2.5
Methyl tert-Amyl Ether (TAME)	ND	2.5
Ethanol	ND	5,000
MTBE	ND	2.5
1,2-Dichloroethane	ND	2.5
Benzene	320	2.5
Toluene	ND	2.5
1,2-Dibromoethane	ND	2.5
Ethylbenzene	430	2.5
m,p-Xylenes	120	2.5
o-Xylene	ND	2.5

Surrogate	%REC	Limits
Dibromofluoromethane	93	80-125
1,2-Dichloroethane-d4	87	69-145
Toluene-d8	96	80-120
Bromofluorobenzene	95	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-2	Batch#: 184357
Lab ID:	234746-002	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/07/12
Diln Fac:	1.000	

Analyte	Result	RL
Gasoline C7-C12	880	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	5.3	0.50
m,p-Xylenes	0.58	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	98	80-125
1,2-Dichloroethane-d4	100	69-145
Toluene-d8	93	80-120
Bromofluorobenzene	95	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-3	Batch#: 184357
Lab ID:	234746-003	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/07/12
Diln Fac:	10.00	

Analyte	Result	RL
Gasoline C7-C12	13,000	500
tert-Butyl Alcohol (TBA)	ND	100
Isopropyl Ether (DIPE)	ND	5.0
Ethyl tert-Butyl Ether (ETBE)	ND	5.0
Methyl tert-Amyl Ether (TAME)	ND	5.0
Ethanol	ND	10,000
MTBE	ND	5.0
1,2-Dichloroethane	ND	5.0
Benzene	440	5.0
Toluene	23	5.0
1,2-Dibromoethane	ND	5.0
Ethylbenzene	690	5.0
m,p-Xylenes	1,300	5.0
o-Xylene	270	5.0

Surrogate	%REC	Limits
Dibromofluoromethane	93	80-125
1,2-Dichloroethane-d4	87	69-145
Toluene-d8	97	80-120
Bromofluorobenzene	92	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS			
Lab #:	234746	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Field ID:	MW-4	Units:	ug/L
Lab ID:	234746-004	Sampled:	03/02/12
Matrix:	Water	Received:	03/05/12

Analyte	Result	RL	Diln Fac	Batch#	Analyzed
Gasoline C7-C12	3,100	200	4.000	184357	03/07/12
tert-Butyl Alcohol (TBA)	920	40	4.000	184357	03/07/12
Isopropyl Ether (DIPE)	ND	2.0	4.000	184357	03/07/12
Ethyl tert-Butyl Ether (ETBE)	5.9	2.0	4.000	184357	03/07/12
Methyl tert-Amyl Ether (TAME)	24	2.0	4.000	184357	03/07/12
Ethanol	ND	4,000	4.000	184357	03/07/12
MTBE	50	2.0	4.000	184357	03/07/12
1,2-Dichloroethane	ND	2.0	4.000	184357	03/07/12
Benzene	780	7.1	14.29	184398	03/08/12
Toluene	ND	2.0	4.000	184357	03/07/12
1,2-Dibromoethane	ND	2.0	4.000	184357	03/07/12
Ethylbenzene	150	2.0	4.000	184357	03/07/12
m,p-Xylenes	57	2.0	4.000	184357	03/07/12
o-Xylene	2.6	2.0	4.000	184357	03/07/12

Surrogate	%REC	Limits	Diln Fac	Batch#	Analyzed
Dibromofluoromethane	97	80-125	4.000	184357	03/07/12
1,2-Dichloroethane-d4	89	69-145	4.000	184357	03/07/12
Toluene-d8	95	80-120	4.000	184357	03/07/12
Bromofluorobenzene	90	80-120	4.000	184357	03/07/12

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-5	Batch#: 184357
Lab ID:	234746-005	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/07/12
Diln Fac:	2.000	

Analyte	Result	RL
Gasoline C7-C12	5,400	100
tert-Butyl Alcohol (TBA)	59	20
Isopropyl Ether (DIPE)	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	1.0
Methyl tert-Amyl Ether (TAME)	4.1	1.0
Ethanol	ND	2,000
MTBE	7.0	1.0
1,2-Dichloroethane	ND	1.0
Benzene	43	1.0
Toluene	1.8	1.0
1,2-Dibromoethane	ND	1.0
Ethylbenzene	110	1.0
m,p-Xylenes	74	1.0
o-Xylene	11	1.0

Surrogate	%REC	Limits
Dibromofluoromethane	94	80-125
1,2-Dichloroethane-d4	95	69-145
Toluene-d8	99	80-120
Bromofluorobenzene	96	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-6	Batch#: 184398
Lab ID:	234746-006	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/08/12
Diln Fac:	8.333	

Analyte	Result	RL
Gasoline C7-C12	14,000	420
tert-Butyl Alcohol (TBA)	ND	83
Isopropyl Ether (DIPE)	ND	4.2
Ethyl tert-Butyl Ether (ETBE)	ND	4.2
Methyl tert-Amyl Ether (TAME)	ND	4.2
Ethanol	ND	8,300
MTBE	ND	4.2
1,2-Dichloroethane	ND	4.2
Benzene	23	4.2
Toluene	ND	4.2
1,2-Dibromoethane	ND	4.2
Ethylbenzene	400	4.2
m,p-Xylenes	690	4.2
o-Xylene	4.4	4.2

Surrogate	%REC	Limits
Dibromofluoromethane	89	80-125
1,2-Dichloroethane-d4	95	69-145
Toluene-d8	100	80-120
Bromofluorobenzene	93	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-7	Batch#: 184357
Lab ID:	234746-007	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/07/12
Diln Fac:	1.000	

Analyte	Result	RL
Gasoline C7-C12	1,000	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	0.82	0.50
Ethanol	ND	1,000
MTBE	5.1	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	4.0	0.50
m,p-Xylenes	1.1	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	93	80-125
1,2-Dichloroethane-d4	96	69-145
Toluene-d8	96	80-120
Bromofluorobenzene	101	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-1D	Batch#: 184357
Lab ID:	234746-008	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/07/12
Diln Fac:	1.000	

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	96	80-125
1,2-Dichloroethane-d4	96	69-145
Toluene-d8	97	80-120
Bromofluorobenzene	98	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-3D	Batch#: 184398
Lab ID:	234746-009	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/08/12
Diln Fac:	1.000	

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	4.2	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	92	80-125
1,2-Dichloroethane-d4	90	69-145
Toluene-d8	97	80-120
Bromofluorobenzene	97	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MW-4D	Batch#: 184398
Lab ID:	234746-010	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/08/12
Diln Fac:	1.000	

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	2.7	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	0.85	0.50
m,p-Xylenes	1.2	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	91	80-125
1,2-Dichloroethane-d4	93	69-145
Toluene-d8	93	80-120
Bromofluorobenzene	95	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	EX-1	Batch#: 184398
Lab ID:	234746-011	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/08/12
Diln Fac:	1.000	

Analyte	Result	RL
Gasoline C7-C12	140	50
tert-Butyl Alcohol (TBA)	31	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	14	0.50
1,2-Dichloroethane	ND	0.50
Benzene	6.0	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	3.5	0.50
m,p-Xylenes	6.2	0.50
o-Xylene	1.8	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	94	80-125
1,2-Dichloroethane-d4	96	69-145
Toluene-d8	96	80-120
Bromofluorobenzene	93	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	EX-2	Batch#: 184398
Lab ID:	234746-012	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/08/12
Diln Fac:	2.500	

Analyte	Result	RL
Gasoline C7-C12	5,000	130
tert-Butyl Alcohol (TBA)	ND	25
Isopropyl Ether (DIPE)	ND	1.3
Ethyl tert-Butyl Ether (ETBE)	ND	1.3
Methyl tert-Amyl Ether (TAME)	ND	1.3
Ethanol	ND	2,500
MTBE	7.1	1.3
1,2-Dichloroethane	ND	1.3
Benzene	220	1.3
Toluene	25	1.3
1,2-Dibromoethane	ND	1.3
Ethylbenzene	200	1.3
m,p-Xylenes	500	1.3
o-Xylene	100	1.3

Surrogate	%REC	Limits
Dibromofluoromethane	90	80-125
1,2-Dichloroethane-d4	87	69-145
Toluene-d8	97	80-120
Bromofluorobenzene	98	80-120

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS					
Lab #:	234746	Location:	15101 Freedom Avenue San Leandro		
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B		
Project#:	2551	Analysis:	EPA 8260B		
Field ID:	MPE-1	Units:	ug/L		
Lab ID:	234746-013	Sampled:	03/02/12		
Matrix:	Water	Received:	03/05/12		

Analyte	Result	RL	Diln Fac	Batch#	Analyzed
Gasoline C7-C12	97,000	3,600	71.43	184398	03/09/12
tert-Butyl Alcohol (TBA)	ND	710	71.43	184398	03/09/12
Isopropyl Ether (DIPE)	ND	36	71.43	184398	03/09/12
Ethyl tert-Butyl Ether (ETBE)	ND	36	71.43	184398	03/09/12
Methyl tert-Amyl Ether (TAME)	1,200	36	71.43	184398	03/09/12
Ethanol	ND	71,000	71.43	184398	03/09/12
MTBE	2,700	36	71.43	184398	03/09/12
1,2-Dichloroethane	ND	36	71.43	184398	03/09/12
Benzene	11,000	71	142.9	184452	03/10/12
Toluene	11,000	71	142.9	184452	03/10/12
1,2-Dibromoethane	ND	36	71.43	184398	03/09/12
Ethylbenzene	2,600	36	71.43	184398	03/09/12
m,p-Xylenes	9,000	36	71.43	184398	03/09/12
o-Xylene	3,600	36	71.43	184398	03/09/12

Surrogate	%REC	Limits	Diln Fac	Batch#	Analyzed
Dibromofluoromethane	91	80-125	71.43	184398	03/09/12
1,2-Dichloroethane-d4	84	69-145	71.43	184398	03/09/12
Toluene-d8	94	80-120	71.43	184398	03/09/12
Bromofluorobenzene	91	80-120	71.43	184398	03/09/12

ND= Not Detected
 RL= Reporting Limit

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Field ID:	MPE-2	Batch#: 184398
Lab ID:	234746-014	Sampled: 03/02/12
Matrix:	Water	Received: 03/05/12
Units:	ug/L	Analyzed: 03/08/12
Diln Fac:	33.33	

Analyte	Result	RL
Gasoline C7-C12	36,000	1,700
tert-Butyl Alcohol (TBA)	ND	330
Isopropyl Ether (DIPE)	ND	17
Ethyl tert-Butyl Ether (ETBE)	ND	17
Methyl tert-Amyl Ether (TAME)	ND	17
Ethanol	ND	33,000
MTBE	ND	17
1,2-Dichloroethane	ND	17
Benzene	1,100	17
Toluene	19	17
1,2-Dibromoethane	ND	17
Ethylbenzene	1,700	17
m,p-Xylenes	2,700	17
o-Xylene	270	17

Surrogate	%REC	Limits
Dibromofluoromethane	92	80-125
1,2-Dichloroethane-d4	88	69-145
Toluene-d8	96	80-120
Bromofluorobenzene	94	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Gasoline by GC/MS			
Lab #:	234746	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	184357
Units:	ug/L	Analyzed:	03/07/12
Diln Fac:	1.000		

Type: BS Lab ID: QC630969

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	100.0	78.77	79	47-136
Isopropyl Ether (DIPE)	20.00	17.03	85	54-136
Ethyl tert-Butyl Ether (ETBE)	20.00	16.72	84	57-133
Methyl tert-Amyl Ether (TAME)	20.00	15.92	80	65-120
MTBE	20.00	16.95	85	61-121
1,2-Dichloroethane	20.00	20.96	105	70-136
Benzene	20.00	20.70	104	80-121
Toluene	20.00	21.10	106	80-120
1,2-Dibromoethane	20.00	19.94	100	80-120
Ethylbenzene	20.00	22.55	113	80-120
m,p-Xylenes	40.00	42.43	106	80-121
o-Xylene	20.00	19.90	99	80-121

Surrogate	%REC	Limits
Dibromofluoromethane	101	80-125
1,2-Dichloroethane-d4	101	69-145
Toluene-d8	98	80-120
Bromofluorobenzene	99	80-120

Type: BSD Lab ID: QC630970

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	100.0	70.61	71	47-136	11	28
Isopropyl Ether (DIPE)	20.00	16.66	83	54-136	2	20
Ethyl tert-Butyl Ether (ETBE)	20.00	16.20	81	57-133	3	20
Methyl tert-Amyl Ether (TAME)	20.00	15.22	76	65-120	5	20
MTBE	20.00	16.07	80	61-121	5	20
1,2-Dichloroethane	20.00	19.71	99	70-136	6	20
Benzene	20.00	19.48	97	80-121	6	20
Toluene	20.00	19.95	100	80-120	6	20
1,2-Dibromoethane	20.00	19.20	96	80-120	4	20
Ethylbenzene	20.00	20.72	104	80-120	8	20
m,p-Xylenes	40.00	40.66	102	80-121	4	20
o-Xylene	20.00	19.62	98	80-121	1	20

Surrogate	%REC	Limits
Dibromofluoromethane	99	80-125
1,2-Dichloroethane-d4	97	69-145
Toluene-d8	99	80-120
Bromofluorobenzene	96	80-120

RPD= Relative Percent Difference

Batch QC Report

Gasoline by GC/MS			
Lab #:	234746	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	184357
Units:	ug/L	Analyzed:	03/07/12
Diln Fac:	1.000		

Type: BS Lab ID: QC630971

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	1,055	106	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	97	80-125
1,2-Dichloroethane-d4	95	69-145
Toluene-d8	94	80-120
Bromofluorobenzene	97	80-120

Type: BSD Lab ID: QC630972

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	1,000	1,053	105	80-120	0	20

Surrogate	%REC	Limits
Dibromofluoromethane	97	80-125
1,2-Dichloroethane-d4	97	69-145
Toluene-d8	98	80-120
Bromofluorobenzene	97	80-120

RPD= Relative Percent Difference

Batch QC Report

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Type:	BLANK	Diln Fac: 1.000
Lab ID:	QC630973	Batch#: 184357
Matrix:	Water	Analyzed: 03/07/12
Units:	ug/L	

Analyte	Result	RL
Gasoline C7-C12	NA	
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	97	80-125
1,2-Dichloroethane-d4	97	69-145
Toluene-d8	96	80-120
Bromofluorobenzene	95	80-120

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Gasoline by GC/MS			
Lab #:	234746	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	184398
Units:	ug/L	Analyzed:	03/08/12
Diln Fac:	1.000		

Type: BS Lab ID: QC631123

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	111.8	89	47-136
Isopropyl Ether (DIPE)	25.00	19.21	77	54-136
Ethyl tert-Butyl Ether (ETBE)	25.00	19.78	79	57-133
Methyl tert-Amyl Ether (TAME)	25.00	20.31	81	65-120
MTBE	25.00	21.62	86	61-121
1,2-Dichloroethane	25.00	22.74	91	70-136
Benzene	25.00	24.76	99	80-121
Toluene	25.00	26.00	104	80-120
1,2-Dibromoethane	25.00	25.71	103	80-120
Ethylbenzene	25.00	27.21	109	80-120
m,p-Xylenes	50.00	56.35	113	80-121
o-Xylene	25.00	25.51	102	80-121

Surrogate	%REC	Limits
Dibromofluoromethane	95	80-125
1,2-Dichloroethane-d4	90	69-145
Toluene-d8	97	80-120
Bromofluorobenzene	98	80-120

Type: BSD Lab ID: QC631124

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	111.5	89	47-136	0	28
Isopropyl Ether (DIPE)	25.00	20.63	83	54-136	7	20
Ethyl tert-Butyl Ether (ETBE)	25.00	20.62	82	57-133	4	20
Methyl tert-Amyl Ether (TAME)	25.00	21.43	86	65-120	5	20
MTBE	25.00	22.45	90	61-121	4	20
1,2-Dichloroethane	25.00	23.46	94	70-136	3	20
Benzene	25.00	24.97	100	80-121	1	20
Toluene	25.00	26.24	105	80-120	1	20
1,2-Dibromoethane	25.00	26.12	104	80-120	2	20
Ethylbenzene	25.00	27.13	109	80-120	0	20
m,p-Xylenes	50.00	52.87	106	80-121	6	20
o-Xylene	25.00	26.03	104	80-121	2	20

Surrogate	%REC	Limits
Dibromofluoromethane	93	80-125
1,2-Dichloroethane-d4	89	69-145
Toluene-d8	97	80-120
Bromofluorobenzene	98	80-120

RPD= Relative Percent Difference

Batch QC Report

Gasoline by GC/MS			
Lab #:	234746	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	184398
Units:	ug/L	Analyzed:	03/08/12
Diln Fac:	1.000		

Type: BS Lab ID: QC631125

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	1,124	112	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	92	80-125
1,2-Dichloroethane-d4	91	69-145
Toluene-d8	98	80-120
Bromofluorobenzene	98	80-120

Type: BSD Lab ID: QC631126

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	1,000	1,024	102	80-120	9	20

Surrogate	%REC	Limits
Dibromofluoromethane	90	80-125
1,2-Dichloroethane-d4	93	69-145
Toluene-d8	94	80-120
Bromofluorobenzene	96	80-120

RPD= Relative Percent Difference

Batch QC Report

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Type:	BLANK	Diln Fac: 1.000
Lab ID:	QC631127	Batch#: 184398
Matrix:	Water	Analyzed: 03/08/12
Units:	ug/L	

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	92	80-125
1,2-Dichloroethane-d4	86	69-145
Toluene-d8	97	80-120
Bromofluorobenzene	96	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Gasoline by GC/MS			
Lab #:	234746	Location:	15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2551	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	184452
Units:	ug/L	Analyzed:	03/09/12
Diln Fac:	1.000		

Type: BS Lab ID: QC631353

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	102.7	82	47-136
Isopropyl Ether (DIPE)	25.00	24.65	99	54-136
Ethyl tert-Butyl Ether (ETBE)	25.00	20.02	80	57-133
Methyl tert-Amyl Ether (TAME)	25.00	19.70	79	65-120
MTBE	25.00	20.27	81	61-121
1,2-Dichloroethane	25.00	25.21	101	70-136
Benzene	25.00	26.39	106	80-121
Toluene	25.00	25.86	103	80-120
1,2-Dibromoethane	25.00	24.91	100	80-120
Ethylbenzene	25.00	26.18	105	80-120
m,p-Xylenes	50.00	54.22	108	80-121
o-Xylene	25.00	23.82	95	80-121

Surrogate	%REC	Limits
Dibromofluoromethane	104	80-125
1,2-Dichloroethane-d4	103	69-145
Toluene-d8	99	80-120
Bromofluorobenzene	97	80-120

Type: BSD Lab ID: QC631354

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	120.2	96	47-136	16	28
Isopropyl Ether (DIPE)	25.00	22.03	88	54-136	11	20
Ethyl tert-Butyl Ether (ETBE)	25.00	19.85	79	57-133	1	20
Methyl tert-Amyl Ether (TAME)	25.00	19.99	80	65-120	1	20
MTBE	25.00	20.62	82	61-121	2	20
1,2-Dichloroethane	25.00	24.79	99	70-136	2	20
Benzene	25.00	25.25	101	80-121	4	20
Toluene	25.00	25.12	100	80-120	3	20
1,2-Dibromoethane	25.00	24.24	97	80-120	3	20
Ethylbenzene	25.00	25.29	101	80-120	3	20
m,p-Xylenes	50.00	52.40	105	80-121	3	20
o-Xylene	25.00	23.10	92	80-121	3	20

Surrogate	%REC	Limits
Dibromofluoromethane	104	80-125
1,2-Dichloroethane-d4	103	69-145
Toluene-d8	99	80-120
Bromofluorobenzene	97	80-120

RPD= Relative Percent Difference

Batch QC Report

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Type:	BLANK	Diln Fac: 1.000
Lab ID:	QC631355	Batch#: 184452
Matrix:	Water	Analyzed: 03/09/12
Units:	ug/L	

Analyte	Result	RL
Gasoline C7-C12	NA	
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	117	80-125
1,2-Dichloroethane-d4	107	69-145
Toluene-d8	99	80-120
Bromofluorobenzene	96	80-120

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Gasoline by GC/MS		
Lab #:	234746	Location: 15101 Freedom Avenue San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#:	2551	Analysis: EPA 8260B
Type:	BLANK	Diln Fac: 1.000
Lab ID:	QC631405	Batch#: 184452
Matrix:	Water	Analyzed: 03/09/12
Units:	ug/L	

Analyte	Result	RL
Gasoline C7-C12	NA	
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	119	80-125
1,2-Dichloroethane-d4	105	69-145
Toluene-d8	107	80-120
Bromofluorobenzene	97	80-120

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit

Date : 07-MAR-2012 21:58

Client ID: DYNA P&T


Sample Info: S,234746-001,184357,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 07-MAR-2012 18:17

Client ID: DYNA P&T


Sample Info: S,234746-002,184357,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 07-MAR-2012 22:35

Client ID: DYNA P&T


Sample Info: S,234746-003,184357,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 07-MAR-2012 21:21

Client ID: DYNA P&T


Sample Info: S,234746-004,184357,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 07-MAR-2012 20:44

Client ID: DYNA P&T


Sample Info: S,234746-005,184357,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 08-MAR-2012 22:08

Client ID: DYNA P&T


Sample Info: S,234746-006,184398,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 07-MAR-2012 18:53

Client ID: DYNA P&T


Sample Info: S,234746-007,184357,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 08-MAR-2012 19:40

Client ID: DYNA P&T


Sample Info: S,234746-011,184398,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 08-MAR-2012 22:45

Client ID: DYNA P&T


Sample Info: S,234746-012,184398,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 09-MAR-2012 00:35

Client ID: DYNA P&T


Sample Info: S,234746-013,184398,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 08-MAR-2012 23:58

Client ID: DYNA P&T


Sample Info: S,234746-014,184398,

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Date : 07-MAR-2012 10:32

Client ID: DYNA P&T


Sample Info: CCV/BS, QC630971, 184357, S18583, .01/100

Instrument: MSV0A10.i

Operator: VOA

Column diameter: 2.00

Column phase:



Appendix D

Laboratory Report and Chain of Custody Form for the Treatment System



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

Laboratory Job Number 233898
ANALYTICAL REPORT

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2553
Location : 15101 Freedom Ave. San Leandro
Level : II

<u>Sample ID</u>	<u>Lab ID</u>
EFFLUENT	233898-001
GAC-1	233898-002
INFLUENT	233898-003

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: _____

Project Manager

Date: 01/26/2012

NELAP # 01107CA

CASE NARRATIVE

Laboratory number: 233898
Client: SOMA Environmental Engineering Inc.
Project: 2553
Location: 15101 Freedom Ave. San Leandro
Request Date: 01/19/12
Samples Received: 01/19/12

This data package contains sample and QC results for three water samples, requested for the above referenced project on 01/19/12. The samples were received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B and EPA 8021B):

No analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B):

No analytical problems were encountered.

Total Suspended Solids (TSS) (SM2540D):

No analytical problems were encountered.

Chemical Oxygen Demand (SM5220D):

No analytical problems were encountered.

CHAIN OF CUSTODY

Analyses

Curtis & Tompkins, Ltd
 Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

LOGIN # 233898

Sampler: MASOUD - SEPEHR

Project No: 2553

Report To: Joyce Bobek


Project Name: 15101 Freedom Ave, San Leandro Company: SOMA Environmental

Turnaround Time: Standard Telephone: 925-734-6400

Fax: 925-734-6401

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative				TPH-g 8015	TPH-d, TPH-mo 8015	BTEX 8020	COD	TSS
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE					
1	EFFLUENT	<u>1/19/12 - 11</u>		*		6 VOAs	*				*				
				*		1L Amber					*				
				*		250 mL Poly		*				*			
				*		500 mL Poly							*		
2	GAC-1			*		6 VOAs	*				*				
3	INFLUENT			*		6 VOAs	*				*				

Notes: **EDF OUTPUT REQUIRED**

RELINQUISHED BY:		RECEIVED BY:	
	DATE/TIME	<u>Disneid</u>	DATE/TIME
<u>4/19/12 - 13</u>	DATE/TIME	<u>1/19/12</u>	DATE/TIME
	DATE/TIME		DATE/TIME

300

COOLER RECEIPT CHECKLIST



Login # 233898 Date Received 11/11/12 Number of coolers 1
 Client Soma Environmental Project 2553

Date Opened 11/11/12 By (print) I-CHBY (sign) [Signature]
 Date Logged in [Arrow] By (print) [Arrow] (sign) [Arrow]

1. Did cooler come with a shipping slip (airbill, etc) _____ YES NO
 Shipping info _____

2A. Were custody seals present? YES (circle) on cooler on samples NO
 How many _____ Name _____ Date _____

2B. Were custody seals intact upon arrival? _____ YES NO N/A

3. Were custody papers dry and intact when received? _____ YES NO

4. Were custody papers filled out properly (ink, signed, etc)? _____ YES NO

5. Is the project identifiable from custody papers? (If so fill out top of form) _____ YES NO

6. Indicate the packing in cooler: (if other, describe) _____

- Bubble Wrap Foam blocks Bags None
- Cloth material Cardboard Styrofoam Paper towels

7. Temperature documentation: * Notify PM if temperature exceeds 6°C

Type of ice used: Wet Blue/Gel None Temp(°C) _____

Samples Received on ice & cold without a temperature blank; temp. taken with IR gun

Samples received on ice directly from the field. Cooling process had begun

8. Were Method 5035 sampling containers present? _____ YES NO
 If YES, what time were they transferred to freezer? _____

9. Did all bottles arrive unbroken/unopened? _____ YES NO

10. Are there any missing / extra samples? _____ YES NO

11. Are samples in the appropriate containers for indicated tests? _____ YES NO

12. Are sample labels present, in good condition and complete? _____ YES NO

13. Do the sample labels agree with custody papers? _____ YES NO

14. Was sufficient amount of sample sent for tests requested? _____ YES NO

15. Are the samples appropriately preserved? _____ YES NO N/A

16. Did you check preservatives for all bottles for each sample? _____ YES NO N/A

17. Did you document your preservative check? _____ YES NO N/A

18. Did you change the hold time in LIMS for unpreserved VOAs? _____ YES NO N/A

19. Did you change the hold time in LIMS for preserved terracores? _____ YES NO N/A

20. Are bubbles > 6mm absent in VOA samples? _____ YES NO N/A

21. Was the client contacted concerning this sample delivery? _____ YES NO
 If YES, Who was called? _____ By _____ Date: _____

COMMENTS

Curtis & Tompkins Sample Preservation for 233898

Sample	pH: <2	>12	Other
-001a	[]	[]	_____
b	[]	[]	_____
c	[]	[]	_____
d	[]	[]	_____
e	[]	[]	_____
f	[]	[]	_____
g	[X]	[]	_____
h	[]	[]	_____
i	[]	[]	_____

Analyst: ISC
Date: 1/19/12

Curtis & Tompkins Laboratories Analytical Report

Lab #: 233898	Location: 15101 Freedom Ave. San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2553	
Matrix: Water	Sampled: 01/19/12
Units: ug/L	Received: 01/19/12
Diln Fac: 1.000	Analyzed: 01/20/12
Batch#: 183111	

Field ID: EFFLUENT Lab ID: 233898-001
 Type: SAMPLE

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	91	76-121	EPA 8015B
Bromofluorobenzene (PID)	99	70-125	EPA 8021B

Field ID: GAC-1 Lab ID: 233898-002
 Type: SAMPLE

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	87	76-121	EPA 8015B
Bromofluorobenzene (PID)	96	70-125	EPA 8021B

Y= Sample exhibits chromatographic pattern which does not resemble standard
 ND= Not Detected
 RL= Reporting Limit

Curtis & Tompkins Laboratories Analytical Report

Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553		
Matrix:	Water	Sampled:	01/19/12
Units:	ug/L	Received:	01/19/12
Diln Fac:	1.000	Analyzed:	01/20/12
Batch#:	183111		

Field ID: INFLUENT Lab ID: 233898-003
 Type: SAMPLE

Analyte	Result	RL	Analysis
Gasoline C7-C12	110 Y	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	93	76-121	EPA 8015B
Bromofluorobenzene (PID)	103	70-125	EPA 8021B

Type: BLANK Lab ID: QC625988

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	79	76-121	EPA 8015B
Bromofluorobenzene (PID)	87	70-125	EPA 8021B

Y= Sample exhibits chromatographic pattern which does not resemble standard
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	233898	Location:	15101 Freedom Ave. San Leandro	
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B	
Project#:	2553			
Type:	LCS	Diln Fac:	1.000	
Lab ID:	QC625987	Batch#:	183111	
Matrix:	Water	Analyzed:	01/20/12	
Units:	ug/L			

Analyte	Spiked	Result	%REC	Limits	Analysis
Gasoline C7-C12	1,000	958.1	96	79-120	EPA 8015B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	79	76-121	EPA 8015B
Bromofluorobenzene (PID)	92	70-125	EPA 8021B

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553		
Field ID:	ZZZZZZZZZZ	Batch#:	183111
MSS Lab ID:	233913-001	Sampled:	01/19/12
Matrix:	Water	Received:	01/19/12
Units:	ug/L	Analyzed:	01/20/12
Diln Fac:	1.000		

Type: MS Lab ID: QC625989

Analyte	MSS Result	Spiked	Result	%REC	Limits	Analysis
Gasoline C7-C12	30.90	2,000	1,896	93	68-120	EPA 8015B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	94	76-121	EPA 8015B
Bromofluorobenzene (PID)	105	70-125	EPA 8021B

Type: MSD Lab ID: QC625990

Analyte	Spiked	Result	%REC	Limits	RPD	Lim	Analysis
Gasoline C7-C12	2,000	1,878	92	68-120	1	21	EPA 8015B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	99	76-121	EPA 8015B
Bromofluorobenzene (PID)	114	70-125	EPA 8021B

RPD= Relative Percent Difference

Batch QC Report
Curtis & Tompkins Laboratories Analytical Report

Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553		
Matrix:	Water	Batch#:	183111
Units:	ug/L	Analyzed:	01/20/12
Diln Fac:	1.000		

Type: BS Lab ID: QC625997

Analyte	Spiked	Result	%REC	Limits	Analysis
Benzene	10.00	9.255	93	78-120	EPA 8021B
Toluene	10.00	9.122	91	80-120	EPA 8021B
Ethylbenzene	10.00	8.954	90	80-120	EPA 8021B
m,p-Xylenes	10.00	9.170	92	80-120	EPA 8021B
o-Xylene	10.00	9.190	92	80-120	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	80	76-121	EPA 8015B
Bromofluorobenzene (PID)	91	70-125	EPA 8021B

Type: BSD Lab ID: QC625998


Analyte	Spiked	Result	%REC	Limits	RPD	Lim	Analysis
Benzene	10.00	10.30	103	78-120	11	31	EPA 8021B
Toluene	10.00	9.963	100	80-120	9	20	EPA 8021B
Ethylbenzene	10.00	10.06	101	80-120	12	20	EPA 8021B
m,p-Xylenes	10.00	9.622	96	80-120	5	20	EPA 8021B
o-Xylene	10.00	9.865	99	80-120	7	20	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	79	76-121	EPA 8015B
Bromofluorobenzene (PID)	89	70-125	EPA 8021B

RPD= Relative Percent Difference

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC05\Sequence020.seq
 Sample Name: 233898-003,183111
 Data File: \\Lims\gdrive\ezchrom\Projects\GC05\Data\020-010
 Instrument: GC05 Vial: N/A Operator: lims2k3\tvh3
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC05\Method\tvhbtxe012.met

Software Version 3.1.7
 Run Date: 1/20/2012 9:10:39 PM
 Analysis Date: 1/20/2012 9:39:23 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: c1.0



 ---< General Method Parameters >-----

No items selected for this section

 ---< A >-----

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: C:\Documents and Settings\All Users\Application
 Data\ChromatographySystem\Recovery
 Data\Instrument.10048\020-010_C6A0.tmp

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
None				

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC05\Sequence020.seq
 Sample Name: ccv,tvh,s18747,2.5/5000
 Data File: \\Lims\gdrive\ezchrom\Projects\GC05\Data\020-003
 Instrument: GC05 (Offline) Vial: N/A Operator: Tvh 1. Analyst (lims2k3\tvh1)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC05\Method\tvhbtxe012.met

Software Version 3.1.7
 Run Date: 1/20/2012 12:24:06 PM
 Analysis Date: 1/23/2012 11:01:42 AM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: {Data Description}



 ---< General Method Parameters >-----

No items selected for this section

 ---< A >-----

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50

Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC05\Data\020-003

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Split Peak	13.927	0	0

Total Extractable Hydrocarbons			
Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Field ID:	EFFLUENT	Sampled:	01/19/12
Matrix:	Water	Received:	01/19/12
Units:	ug/L	Prepared:	01/19/12
Diln Fac:	1.000	Analyzed:	01/20/12
Batch#:	183080		

Type: SAMPLE Lab ID: 233898-001

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	87	61-129

Type: BLANK Lab ID: QC625865

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	98	61-129

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	183080
Units:	ug/L	Prepared:	01/19/12
Diln Fac:	1.000	Analyzed:	01/20/12

Type: BS Cleanup Method: EPA 3630C
 Lab ID: QC625866

Analyte	Spiked	Result	%REC	Limits
Diesel C10-C24	2,500	2,032	81	59-120

Surrogate	%REC	Limits
o-Terphenyl	91	61-129

Type: BSD Cleanup Method: EPA 3630C
 Lab ID: QC625867

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Diesel C10-C24	2,500	1,982	79	59-120	3	52

Surrogate	%REC	Limits
o-Terphenyl	91	61-129

RPD= Relative Percent Difference

Chemical Oxygen Demand			
Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM5220D
Analyte:	Chemical Oxygen Demand	Batch#:	183199
Field ID:	EFFLUENT	Sampled:	01/19/12 11:00
Matrix:	Water	Received:	01/19/12
Units:	mg/L	Prepared:	01/24/12 12:05
Diln Fac:	1.000	Analyzed:	01/24/12 14:05

Type	Lab ID	Result	RL
SAMPLE	233898-001	ND	10
BLANK	QC626331	ND	10

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Chemical Oxygen Demand			
Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM5220D
Analyte:	Chemical Oxygen Demand	Batch#:	183199
Field ID:	EFFLUENT	Sampled:	01/19/12 11:00
MSS Lab ID:	233898-001	Received:	01/19/12
Matrix:	Water	Prepared:	01/24/12 12:05
Units:	mg/L	Analyzed:	01/24/12 14:05

Type	Lab ID	MSS Result	Spiked	Result	%REC	Limits	RPD	Lim	Diln	Fac
LCS	QC626332		75.00	73.79	98	90-110				1.000
MS	QC626333	<10.00	300.0	315.4	105	57-129				2.000
MSD	QC626334		300.0	353.9	118	57-129	12	20		2.000

RPD= Relative Percent Difference

Total Suspended Solids (TSS)

Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM2540D
Analyte:	Total Suspended Solids	Batch#:	183066
Field ID:	EFFLUENT	Sampled:	01/19/12
Matrix:	Water	Received:	01/19/12
Units:	mg/L	Prepared:	01/19/12
Diln Fac:	1.000	Analyzed:	01/20/12

Type	Lab ID	Result	RL
SAMPLE	233898-001	ND	5
BLANK	QC625807	ND	5

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Suspended Solids (TSS)			
Lab #:	233898	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM2540D
Analyte:	Total Suspended Solids	Batch#:	183066
Field ID:	ZZZZZZZZZZ	Sampled:	01/17/12
MSS Lab ID:	233845-001	Received:	01/17/12
Matrix:	Water	Prepared:	01/19/12
Units:	mg/L	Analyzed:	01/20/12
Diln Fac:	1.000		

Type	Lab ID	MSS Result	Spiked	Result	%REC	Limits	RPD	Lim
BS	QC625808		50.00	49.00	98	80-120		
BSD	QC625809		50.00	51.00	102	80-120	4	5
MS	QC625810	11.00	50.00	60.00	98	61-138		
MSD	QC625811		50.00	60.00	98	61-138	0	5

RPD= Relative Percent Difference



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

**Laboratory Job Number 234558
ANALYTICAL REPORT**

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2553
Location : 15101 Freedom Ave. San Leandro
Level : II

Sample ID
EFFLUENT

Lab ID
234558-001

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: _____

Project Manager

Date: 02/29/2012

NELAP # 01107CA

CASE NARRATIVE

Laboratory number: 234558
Client: SOMA Environmental Engineering Inc.
Project: 2553
Location: 15101 Freedom Ave. San Leandro
Request Date: 02/23/12
Samples Received: 02/23/12

This data package contains sample and QC results for one water sample, requested for the above referenced project on 02/23/12. The sample was received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B and EPA 8021B):

No analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B):

No analytical problems were encountered.

Total Suspended Solids (TSS) (SM2540D):

High RPD was observed for total suspended solids in the BS/BSD for batch 184055; this analyte was not detected at or above the RL in the associated sample. No other analytical problems were encountered.

Chemical Oxygen Demand (SM5220D):

No analytical problems were encountered.

CHAIN OF CUSTODY

Curtis & Tompkins, Ltd
 Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

Analyses

LOGIN # 234558

Sampler: MASOUD-SEPEHR

Project No: 2553

Report To: Joyce Bobek

Project Name: 15101 Freedom Ave, San Leandr Company: SOMA Environmental



Turnaround Time: Standard Telephone: 925-734-6400

Fax: 925-734-6401


Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative			
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE
1	Effluent	2/23/12-10	*			6 VOAs	*			*
			*			2-500 m L Amber				*
			*			250 mL Poly		*		*
			*			500 mL Poly				*

TPH-g, TPH-d, TPH-mo 8015	BTEX 8020	COD	TSS							
*	*									
*		*								
			*							
				*						

Notes: **EDF OUTPUT REQUIRED**

RELINQUISHED BY:		RECEIVED BY:	
	DATE/TIME		DATE/TIME
<u>2/23/12 1,10</u>	DATE/TIME	<u>Pat Long</u>	<u>2/23/12 1:40 pm</u>
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

COOLER RECEIPT CHECKLIST



Login # 234558 Date Received 2/23/12 Number of coolers 1
 Client SOMA Environmental Project 2553

Date Opened 2/23/12 By (print) C. Monow (sign) [Signature]
 Date Logged in ↓ By (print) ↓ (sign) ↓

1. Did cooler come with a shipping slip (airbill, etc) _____ YES NO
 Shipping info _____

2A. Were custody seals present? YES (circle) on cooler on samples NO
 How many _____ Name _____ Date _____

2B. Were custody seals intact upon arrival? _____ YES NO N/A

3. Were custody papers dry and intact when received? YES NO

4. Were custody papers filled out properly (ink, signed, etc)? YES NO

5. Is the project identifiable from custody papers? (If so fill out top of form) YES NO

6. Indicate the packing in cooler: (if other, describe) _____

- Bubble Wrap Foam blocks Bags None
- Cloth material Cardboard Styrofoam Paper towels

7. Temperature documentation: * Notify PM if temperature exceeds 6°C
 Type of ice used: Wet Blue/Gel None Temp(°C) _____

Samples Received on ice & cold without a temperature blank; temp. taken with IR gun

Samples received on ice directly from the field. Cooling process had begun

8. Were Method 5035 sampling containers present? _____ YES NO
 If YES, what time were they transferred to freezer? _____

9. Did all bottles arrive unbroken/unopened? YES NO

10. Are there any missing / extra samples? _____ YES NO

11. Are samples in the appropriate containers for indicated tests? YES NO

12. Are sample labels present, in good condition and complete? YES NO

13. Do the sample labels agree with custody papers? YES NO

14. Was sufficient amount of sample sent for tests requested? YES NO

15. Are the samples appropriately preserved? YES NO N/A

16. Did you check preservatives for all bottles for each sample? YES NO N/A

17. Did you document your preservative check? YES NO N/A

18. Did you change the hold time in LIMS for unpreserved VOAs? _____ YES NO N/A

19. Did you change the hold time in LIMS for preserved terracores? _____ YES NO N/A

20. Are bubbles > 6mm absent in VOA samples? YES NO N/A

21. Was the client contacted concerning this sample delivery? _____ YES NO

If YES, Who was called? _____ By _____ Date: _____

COMMENTS

Curtis & Tompkins Sample Preservation for 234558

<u>Sample</u>	<u>pH: <2</u>	<u>>12</u>	<u>Other</u>
-001a	[]	[]	_____
b	[]	[]	_____
c	[]	[]	_____
d	[]	[]	_____
e	[]	[]	_____
f	[]	[]	_____
g	<input checked="" type="checkbox"/>	[]	_____
h	[]	[]	_____
i	[]	[]	_____
j	[]	[]	_____

Analyst: CPM
Date: 2/23/12
Page 1 of 1

Curtis & Tompkins Laboratories Analytical Report

Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553		
Field ID:	EFFLUENT	Batch#:	184050
Matrix:	Water	Sampled:	02/23/12
Units:	ug/L	Received:	02/23/12
Diln Fac:	1.000	Analyzed:	02/24/12

Type: SAMPLE Lab ID: 234558-001

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	100	76-121	EPA 8015B
Bromofluorobenzene (PID)	107	70-125	EPA 8021B

Type: BLANK Lab ID: QC629756

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	92	76-121	EPA 8015B
Bromofluorobenzene (PID)	99	70-125	EPA 8021B

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553		
Matrix:	Water	Batch#:	184050
Units:	ug/L	Analyzed:	02/24/12
Diln Fac:	1.000		

Type: BS Lab ID: QC629753

Analyte	Spiked	Result	%REC	Limits	Analysis
Benzene	10.00	9.903	99	78-120	EPA 8021B
Toluene	10.00	9.780	98	80-120	EPA 8021B
Ethylbenzene	10.00	9.892	99	80-120	EPA 8021B
m,p-Xylenes	10.00	10.02	100	80-120	EPA 8021B
o-Xylene	10.00	10.08	101	80-120	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	91	76-121	EPA 8015B
Bromofluorobenzene (PID)	98	70-125	EPA 8021B

Type: BSD Lab ID: QC629754

Analyte	Spiked	Result	%REC	Limits	RPD	Lim	Analysis
Benzene	10.00	9.518	95	78-120	4	31	EPA 8021B
Toluene	10.00	9.460	95	80-120	3	20	EPA 8021B
Ethylbenzene	10.00	9.494	95	80-120	4	20	EPA 8021B
m,p-Xylenes	10.00	9.814	98	80-120	2	20	EPA 8021B
o-Xylene	10.00	9.825	98	80-120	3	20	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	91	76-121	EPA 8015B
Bromofluorobenzene (PID)	97	70-125	EPA 8021B

RPD= Relative Percent Difference

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	234558	Location:	15101 Freedom Ave. San Leandro	
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B	
Project#:	2553			
Type:	LCS	Diln Fac:	1.000	
Lab ID:	QC629755	Batch#:	184050	
Matrix:	Water	Analyzed:	02/24/12	
Units:	ug/L			

Analyte	Spiked	Result	%REC	Limits	Analysis
Gasoline C7-C12	1,000	962.4	96	79-120	EPA 8015B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	94	76-121	EPA 8015B
Bromofluorobenzene (PID)	98	70-125	EPA 8021B

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553		
Field ID:	ZZZZZZZZZZ	Batch#:	184050
MSS Lab ID:	234552-001	Sampled:	02/22/12
Matrix:	Water	Received:	02/23/12
Units:	ug/L	Analyzed:	02/24/12
Diln Fac:	1.000		

Type: MS Lab ID: QC629757

Analyte	MSS Result	Spiked	Result	%REC	Limits	Analysis
Gasoline C7-C12	18.24	2,000	1,922	95	68-120	EPA 8015B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	103	76-121	EPA 8015B
Bromofluorobenzene (PID)	110	70-125	EPA 8021B

Type: MSD Lab ID: QC629758

Analyte	Spiked	Result	%REC	Limits	RPD	Lim	Analysis
Gasoline C7-C12	2,000	1,890	94	68-120	2	21	EPA 8015B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	103	76-121	EPA 8015B
Bromofluorobenzene (PID)	110	70-125	EPA 8021B

RPD= Relative Percent Difference

Total Extractable Hydrocarbons			
Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Field ID:	EFFLUENT	Batch#:	184014
Matrix:	Water	Sampled:	02/23/12
Units:	ug/L	Received:	02/23/12
Diln Fac:	1.000	Prepared:	02/23/12

Type: SAMPLE Analyzed: 02/25/12
 Lab ID: 234558-001

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	93	61-129

Type: BLANK Analyzed: 02/24/12
 Lab ID: QC629597

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	92	61-129

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Extractable Hydrocarbons		
Lab #:	234558	Location: 15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep: EPA 3520C
Project#:	2553	Analysis: EPA 8015B
Type:	LCS	Diln Fac: 1.000
Lab ID:	QC629598	Batch#: 184014
Matrix:	Water	Prepared: 02/23/12
Units:	ug/L	Analyzed: 02/24/12

Cleanup Method: EPA 3630C

Analyte	Spiked	Result	%REC	Limits
Diesel C10-C24	2,500	2,222	89	59-120

Surrogate	%REC	Limits
o-Terphenyl	105	61-129

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Field ID:	ZZZZZZZZZZ	Batch#:	184014
MSS Lab ID:	234555-003	Sampled:	02/22/12
Matrix:	Water	Received:	02/23/12
Units:	ug/L	Prepared:	02/23/12
Diln Fac:	1.000	Analyzed:	02/24/12

Type: MS Cleanup Method: EPA 3630C
 Lab ID: QC629599

Analyte	MSS Result	Spiked	Result	%REC	Limits
Diesel C10-C24	24.61	2,500	2,291	91	40-135

Surrogate	%REC	Limits
o-Terphenyl	101	61-129

Type: MSD Cleanup Method: EPA 3630C
 Lab ID: QC629600

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Diesel C10-C24	2,500	2,186	86	40-135	5	49

Surrogate	%REC	Limits
o-Terphenyl	102	61-129

RPD= Relative Percent Difference

Chemical Oxygen Demand			
Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM5220D
Analyte:	Chemical Oxygen Demand	Batch#:	184120
Field ID:	EFFLUENT	Sampled:	02/23/12 10:00
Matrix:	Water	Received:	02/23/12
Units:	mg/L	Prepared:	02/28/12 11:00
Diln Fac:	1.000	Analyzed:	02/28/12 13:00

Type	Lab ID	Result	RL
SAMPLE	234558-001	ND	10
BLANK	QC630043	ND	10

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Chemical Oxygen Demand			
Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM5220D
Analyte:	Chemical Oxygen Demand	Batch#:	184120
Field ID:	ZZZZZZZZZZ	Sampled:	02/23/12 11:00
MSS Lab ID:	234557-001	Received:	02/23/12
Matrix:	Water	Prepared:	02/28/12 11:00
Units:	mg/L	Analyzed:	02/28/12 13:00

Type	Lab ID	MSS Result	Spiked	Result	%REC	Limits	RPD	Lim	Diln	Fac
LCS	QC630044		75.00	76.62	102	90-110				1.000
MS	QC630045	<10.00	300.0	325.9	109	57-129				2.000
MSD	QC630046		300.0	297.2	99	57-129	9	20		2.000

RPD= Relative Percent Difference

Total Suspended Solids (TSS)

Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM2540D
Analyte:	Total Suspended Solids	Batch#:	184055
Field ID:	EFFLUENT	Sampled:	02/23/12
Matrix:	Water	Received:	02/23/12
Units:	mg/L	Prepared:	02/24/12
Diln Fac:	1.000	Analyzed:	02/27/12

Type	Lab ID	Result	RL
SAMPLE	234558-001	ND	5
BLANK	QC629780	ND	5

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Suspended Solids (TSS)			
Lab #:	234558	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM2540D
Analyte:	Total Suspended Solids	Batch#:	184055
Field ID:	ZZZZZZZZZZ	Sampled:	02/21/12
MSS Lab ID:	234524-002	Received:	02/21/12
Matrix:	Water	Prepared:	02/24/12
Units:	mg/L	Analyzed:	02/27/12
Diln Fac:	1.000		

Type	Lab ID	MSS Result	Spiked	Result	%REC	Limits	RPD	Lim
BS	QC629781		50.00	52.00	104	80-120		
BSD	QC629782		50.00	49.00	98	80-120	6 *	5
MS	QC629783	10.00	50.00	55.00	90	61-138		
MSD	QC629784		50.00	56.00	92	61-138	2	5

*= Value outside of QC limits; see narrative

RPD= Relative Percent Difference



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

**Laboratory Job Number 235053
ANALYTICAL REPORT**

SOMA Environmental Engineering Inc.
6620 Owens Dr.
Pleasanton, CA 94588

Project : 2553
Location : 15101 Freedom Ave. San Leandro
Level : II

Sample ID
EFFLUENT

Lab ID
235053-001

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: _____

Project Manager

Date: 03/26/2012

NELAP # 01107CA

CASE NARRATIVE

Laboratory number: 235053
Client: SOMA Environmental Engineering Inc.
Project: 2553
Location: 15101 Freedom Ave. San Leandro
Request Date: 03/20/12
Samples Received: 03/20/12

This data package contains sample and QC results for one water sample, requested for the above referenced project on 03/20/12. The sample was received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B and EPA 8021B):

No analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B):

No analytical problems were encountered.

Total Suspended Solids (TSS) (SM2540D):

No analytical problems were encountered.

Chemical Oxygen Demand (SM5220D):

No analytical problems were encountered.

CHAIN OF CUSTODY

Analyses

Curtis & Tompkins, Ltd
 Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

LOGIN # 235053

Sampler: MASOUD - SEPEHR

Report To: Joyce Bobek

Project No: 2553

Project Name: 15101 Freedom Ave, San Leandr Company: SOMA Environmental

Turnaround Time: Standard

Telephone: 925-734-6400

Fax: 925-734-6401


TPH-g, TPH-d, TPH-mo	8015																	
BTEX 8020																		
COD																		
TSS																		

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative											
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE								
1	Effluent	3/20/12 - 13	*			6 VOAs	*			*								
		↕	*			2-500 m L Amber				*								
			*			250 mL Poly		*			*							
			*			500 mL Poly					*							

Notes: **EDF OUTPUT REQUIRED**

RELINQUISHED BY:		RECEIVED BY:	
<i>oe</i>	DATE/TIME	<i>Pat Hanley</i>	DATE/TIME
<i>[Signature]</i>	3/20/12 - 2:30	<i>[Signature]</i>	3/20/12 2:30 pm
	DATE/TIME		DATE/TIME
	DATE/TIME		DATE/TIME

COOLER RECEIPT CHECKLIST



Login # 235053 Date Received 3/20/12 Number of coolers 1
Client SOMA Environmental Project 2553

Date Opened 3/20/12 By (print) C. Morrow (sign) [Signature]
Date Logged in [Arrow] By (print) [Arrow] (sign) [Arrow]

1. Did cooler come with a shipping slip (airbill, etc) YES NO
Shipping info

2A. Were custody seals present? ... YES (circle) on cooler on samples NO
How many Name Date

2B. Were custody seals intact upon arrival? YES NO N/A

3. Were custody papers dry and intact when received? YES NO

4. Were custody papers filled out properly (ink, signed, etc)? YES NO

5. Is the project identifiable from custody papers? (If so fill out top of form) YES NO

6. Indicate the packing in cooler: (if other, describe)

- Bubble Wrap, Foam blocks, Bags, None, Cloth material, Cardboard, Styrofoam, Paper towels

7. Temperature documentation: * Notify PM if temperature exceeds 6°C

Type of ice used: Wet, Blue/Gel, None Temp(°C)

Samples Received on ice & cold without a temperature blank; temp. taken with IR gun

Samples received on ice directly from the field. Cooling process had begun

8. Were Method 5035 sampling containers present? YES NO
If YES, what time were they transferred to freezer?

9. Did all bottles arrive unbroken/unopened? YES NO

10. Are there any missing / extra samples? YES NO

11. Are samples in the appropriate containers for indicated tests? YES NO

12. Are sample labels present, in good condition and complete? YES NO

13. Do the sample labels agree with custody papers? YES NO

14. Was sufficient amount of sample sent for tests requested? YES NO

15. Are the samples appropriately preserved? YES NO N/A

16. Did you check preservatives for all bottles for each sample? YES NO N/A

17. Did you document your preservative check? YES NO N/A

18. Did you change the hold time in LIMS for unpreserved VOAs? YES NO N/A

19. Did you change the hold time in LIMS for preserved terracores? YES NO N/A

20. Are bubbles > 6mm absent in VOA samples? YES NO N/A

21. Was the client contacted concerning this sample delivery? YES NO
If YES, Who was called? By Date:

COMMENTS

Curtis & Tompkins Sample Preservation for 235053

Sample	pH: <2	>12	Other
-001a	[]	[]	_____
b	[]	[]	_____
c	[]	[]	_____
d	[]	[]	_____
e	[]	[]	_____
f	[]	[]	_____
g	[X]	[]	_____
h	[]	[]	_____
i	[]	[]	_____
j	[]	[]	_____

Analyst: CRM
Date: 3/20/12
Page 1 of 1

Curtis & Tompkins Laboratories Analytical Report

Lab #: 235053	Location: 15101 Freedom Ave. San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2553	
Field ID: EFFLUENT	Batch#: 184812
Matrix: Water	Sampled: 03/20/12
Units: ug/L	Received: 03/20/12
Diln Fac: 1.000	Analyzed: 03/21/12

Type: SAMPLE Lab ID: 235053-001

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	98	76-121	EPA 8015B
Bromofluorobenzene (PID)	113	70-125	EPA 8021B

Type: BLANK Lab ID: QC632775

Analyte	Result	RL	Analysis
Gasoline C7-C12	ND	50	EPA 8015B
Benzene	ND	0.50	EPA 8021B
Toluene	ND	0.50	EPA 8021B
Ethylbenzene	ND	0.50	EPA 8021B
m,p-Xylenes	ND	0.50	EPA 8021B
o-Xylene	ND	0.50	EPA 8021B

Surrogate	%REC	Limits	Analysis
Bromofluorobenzene (FID)	89	76-121	EPA 8015B
Bromofluorobenzene (PID)	102	70-125	EPA 8021B

ND= Not Detected
RL= Reporting Limit

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	235053	Location:	15101 Freedom Ave. San Leandro	
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B	
Project#:	2553	Analysis:	EPA 8015B	
Type:	LCS	Diln Fac:	1.000	
Lab ID:	QC632774	Batch#:	184812	
Matrix:	Water	Analyzed:	03/21/12	
Units:	ug/L			

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	949.5	95	79-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	92	76-121

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	235053	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8021B
Matrix:	Water	Batch#:	184812
Units:	ug/L	Analyzed:	03/21/12
Diln Fac:	1.000		

Type: BS Lab ID: QC632776

Analyte	Spiked	Result	%REC	Limits
Benzene	10.00	10.92	109	78-120
Toluene	10.00	10.39	104	80-120
Ethylbenzene	10.00	10.53	105	80-120
m,p-Xylenes	10.00	10.04	100	80-120
o-Xylene	10.00	10.22	102	80-120

Surrogate	%REC	Limits
Bromofluorobenzene (PID)	102	70-125

Type: BSD Lab ID: QC632777

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Benzene	10.00	10.75	107	78-120	2	31
Toluene	10.00	10.36	104	80-120	0	20
Ethylbenzene	10.00	10.63	106	80-120	1	20
m,p-Xylenes	10.00	9.974	100	80-120	1	20
o-Xylene	10.00	10.28	103	80-120	1	20

Surrogate	%REC	Limits
Bromofluorobenzene (PID)	103	70-125

RPD= Relative Percent Difference

Batch QC Report

Curtis & Tompkins Laboratories Analytical Report

Lab #:	235053	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2553	Analysis:	EPA 8015B
Field ID:	ZZZZZZZZZZ	Batch#:	184812
MSS Lab ID:	235064-001	Sampled:	03/19/12
Matrix:	Water	Received:	03/20/12
Units:	ug/L	Analyzed:	03/21/12
Diln Fac:	1.000		

Type: MS Lab ID: QC632778

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	16.99	2,000	1,941	96	68-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	103	76-121

Type: MSD Lab ID: QC632779

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	2,000	1,924	95	68-120	1	21

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	100	76-121

RPD= Relative Percent Difference

Total Extractable Hydrocarbons			
Lab #:	235053	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Field ID:	EFFLUENT	Batch#:	184821
Matrix:	Water	Sampled:	03/20/12
Units:	ug/L	Received:	03/20/12
Diln Fac:	1.000	Prepared:	03/21/12

Type: SAMPLE Analyzed: 03/23/12
 Lab ID: 235053-001

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	94	61-129

Type: BLANK Analyzed: 03/22/12
 Lab ID: QC632813

Analyte	Result	RL
Diesel C10-C24	ND	50
Motor Oil C24-C36	ND	300

Surrogate	%REC	Limits
o-Terphenyl	101	61-129

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	235053	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	2553	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	184821
Units:	ug/L	Prepared:	03/21/12
Diln Fac:	1.000	Analyzed:	03/22/12

Type: BS Lab ID: QC632814

Analyte	Spiked	Result	%REC	Limits
Diesel C10-C24	2,500	1,914	77	59-120

Surrogate	%REC	Limits
o-Terphenyl	100	61-129

Type: BSD Lab ID: QC632815

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Diesel C10-C24	2,500	1,923	77	59-120	0	52

Surrogate	%REC	Limits
o-Terphenyl	101	61-129

RPD= Relative Percent Difference

Chemical Oxygen Demand

Lab #: 235053	Location: 15101 Freedom Ave. San Leandro
Client: SOMA Environmental Engineering Inc.	Prep: METHOD
Project#: 2553	Analysis: SM5220D
Analyte: Chemical Oxygen Demand	Batch#: 184896
Field ID: EFFLUENT	Sampled: 03/20/12 13:00
Matrix: Water	Received: 03/20/12
Units: mg/L	Prepared: 03/23/12 12:00
Diln Fac: 1.000	Analyzed: 03/23/12 14:00

Type	Lab ID	Result	RL
SAMPLE	235053-001	ND	10
BLANK	QC633115	ND	10

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Chemical Oxygen Demand			
Lab #:	235053	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM5220D
Analyte:	Chemical Oxygen Demand	Batch#:	184896
Field ID:	ZZZZZZZZZZ	Sampled:	03/20/12 11:00
MSS Lab ID:	235051-001	Received:	03/20/12
Matrix:	Water	Prepared:	03/23/12 12:00
Units:	mg/L	Analyzed:	03/23/12 14:00

Type	Lab ID	MSS Result	Spiked	Result	%REC	Limits	RPD	Lim	Diln	Fac
LCS	QC633116		80.00	77.66	104	90-110				1.000
MS	QC633117	10.04	300.0	314.3	101	57-129				2.000
MSD	QC633118		300.0	305.3	98	57-129	3	20		2.000

RPD= Relative Percent Difference

Total Suspended Solids (TSS)

Lab #:	235053	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM2540D
Analyte:	Total Suspended Solids	Batch#:	184816
Field ID:	EFFLUENT	Sampled:	03/20/12
Matrix:	Water	Received:	03/20/12
Units:	mg/L	Prepared:	03/21/12
Diln Fac:	1.000	Analyzed:	03/22/12

Type	Lab ID	Result	RL
SAMPLE	235053-001	7	5
BLANK	QC632789	ND	5

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Suspended Solids (TSS)			
Lab #:	235053	Location:	15101 Freedom Ave. San Leandro
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2553	Analysis:	SM2540D
Analyte:	Total Suspended Solids	Batch#:	184816
Field ID:	ZZZZZZZZZZ	Sampled:	03/21/12
MSS Lab ID:	235078-013	Received:	03/21/12
Matrix:	Water	Prepared:	03/21/12
Units:	mg/L	Analyzed:	03/22/12
Diln Fac:	1.000		

Type	Lab ID	MSS Result	Spiked	Result	%REC	Limits	RPD	Lim
BS	QC632790		50.00	54.00	108	80-120		
BSD	QC632791		50.00	52.00	104	80-120	4	5
MS	QC632792	19.00	50.00	70.00	102	61-138		
MSD	QC632793		50.00	71.00	104	61-138	1	5

RPD= Relative Percent Difference