



**RECEIVED**

10:50 am, Aug 31, 2009

Alameda County  
Environmental Health

Stacie H. Frerichs  
Team Lead  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6001 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 842-9655  
Fax (925) 842-8370

August 28, 2009  
(date)

Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Chevron Facility # 9-6991

Address: 2920 Castro Valley Boulevard, Castro Valley, California

I have reviewed the attached report titled Second Quarter 2009 Groundwater Monitoring Report  
\_\_\_\_\_ and dated August 28, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Stacie H. Frerichs  
Project Manager

Enclosure: Report



**CONESTOGA-ROVERS  
& ASSOCIATES**

2000 Opportunity Dr, Suite 110, Roseville, California 95678  
Telephone: 916-751-4100 Facsimile: 916-751-4199  
www.CRAworld.com

August 28, 2009

Reference No. 611633

Mr. Mark Detterman, PG, CEG  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: Second Quarter 2009 Groundwater Monitoring Report  
Chevron Service Station No. 9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California  
LOP Case #RO0000475

---

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting the attached *Groundwater Monitoring and Sampling Report* (report) to Alameda County Environmental Health (ACEH) on behalf of Chevron Environmental Management Company (Chevron) for the site referenced above. The report (prepared by Gettler-Ryan Inc. and dated July 16, 2009) presents the results of the monitoring and sampling of well MW-7 during second quarter 2009 (Attachment A). Well MW-7 is sampled on a quarterly basis, wells MW-1 and MW-4 are sampled on an annual basis during the first quarter, and wells MW-2 and MW-6 are sampled on a semi-annual basis during the first and third quarters. Also attached are Figure 1 (Vicinity Map) showing the site location, and Figure 2 (Concentration Map) presenting the second quarter 2009 analytical results along with a rose diagram.

In accordance with recent State Water Resources Control Board (SWRCB) Resolution No. 2009-0042, and as stated in the ACEH letter dated July 24, 2009 (Attachment B), the groundwater monitoring frequency is to be reduced to semi-annual unless site conditions warrant otherwise. CRA concurs that a reduction to semi-annual appears appropriate at the site. Therefore, the monitoring and sampling frequency of well MW-7 will be reduced to semi-annual during the first and third quarters.

---

Equal  
Employment  
Opportunity Employer



**CONESTOGA-ROVERS  
& ASSOCIATES**

August 28, 2009

Reference No. 611633

- 2 -

Please contact Mr. James Kiernan at (916) 751-4102 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

A handwritten signature in black ink, appearing to read 'Kelly M. Rider'.

Kelly M. Rider

A handwritten signature in black ink, appearing to read 'James P. Kiernan'.

James P. Kiernan, P.E. #C68498

KR/kw/4  
Encl.


Figure 1                      Vicinity Map  
Figure 2                      Concentration Map – June 23, 2009

Attachment A                Second Quarter 2009 Groundwater Monitoring and Sampling Report  
Attachment B                ACEH Letter Dated July 24, 2009

cc:     Ms. Stacie Frerichs, Chevron Environmental Management Company  
       Mr. Surinder Goswamy, K&K Petroleum, LLC



## FIGURES



SOURCE: TOPO! MAPS.

figure 1

VICINITY MAP  
 CHEVRON SERVICE STATION 9-6991  
 2920 CASTRO VALLEY BOULEVARD  
 Castro Valley, California






figure 2  
 CONCENTRATION MAP - JUNE 23, 2009  
 CHEVRON SERVICE STATION 9-6991  
 2920 CASTRO VALLEY BOULEVARD  
 Castro Valley, California



ATTACHMENT A

SECOND QUARTER 2009 GROUNDWATER MONITORING AND SAMPLING REPORT



# GETTLER-RYAN Inc.



## TRANSMITTAL

July 23, 2009  
G-R #385296

TO: Mr. James Kiernan  
Conestoga-Rovers & Associates  
2000 Opportunity Drive, Suite 110  
Roseville, California 95678

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Chevron Service Station**  
**#9-6991 (MTI)**  
**2920 Castro Valley Boulevard**  
**Castro Valley, California**  
**RO 0000475**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
3	July 16, 2009	Groundwater Monitoring and Sampling Report Second Quarter Event of June 23, 2009

### COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced items for **your use and distribution (including PDF submittal of the entire report to GeoTracker)**:

Ms. Stacie H. Frerichs, Chevron Environmental Management Company, 6111 Bollinger Canyon Road,  
Room 3596, San Ramon, CA 94583

Mr. Chuck Headlee, RWQCB-San Francisco Bay Region, 1515 Clay Street, Oakland,  
CA 94612 (No Hard Copy)

K & K Petroleum, (Property Owner), 2920 Castro Valley Blvd., Castro Valley, CA 94546

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor  
Bay Parkway, Suite 250, Alameda, CA 94502-6577 6577  
(No Hard Copy-UPLOAD TO ALAMEDA CO.)

Enclosures

trans/9-6991-SHF



**Chevron**



**Stacie H. Frerichs**  
Team Lead  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6001 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 842-9655  
Fax (925) 842-8370

July 23, 2009  
(date)

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Chevron Facility #9-6991

Address: 2920 Castro Valley Blvd., Castro Valley, California

I have reviewed the attached routine groundwater monitoring report dated July 23, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Stacie H. Frerichs".

Stacie H. Frerichs  
Project Manager

Enclosure: Report

## WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-6991  
 Site Address: 2920 Castro Valley Blvd  
 City: Castro Valley, CA

Job # 385296  
 Event Date: 6/23/09  
 Sampler: JH

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-7	OK						→	~	~	12" Universal	~
MW-6	OK						→	↓	↓	12" Enc	↓
MW-4	OK						→	↓	↓	12" Universal	↓
MW-2	OK			→ 2x5	OK		→	↓	↓	8" MURRISW	↓
MW-1	OK			→ 2x5	OK		→	↓	↓	ll	↓

Comments \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# GETTLER-RYAN Inc.



July 16, 2009  
G-R Job #385296

Ms. Stacie H. Frerichs  
Chevron Environmental Management Company  
6111 Bollinger Canyon Road, Room 3596  
San Ramon, CA 94583

**RE: Second Quarter Event of June 23, 2009**  
Groundwater Monitoring & Sampling Report  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

Dear Ms. Frerichs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and the laboratory analytical reports are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding  
Project Coordinator

Douglas J. Lee  
Senior Geologist, P.G. No. 6882



Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Field Measurements and Analytical Results  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

**GETTLER - RYAN INC.**  
 6747 Sierra Court, Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Chevron Service Station #9-6991  
 2920 Castro Valley Boulevard  
 Castro Valley, California

FIGURE

1

PROJECT NUMBER  
 385296

REVIEWED BY

DATE  
 June 23, 2009

REVISED DATE

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC ( <i>ft.</i> )	GWE ( <i>msl</i> )	DTW ( <i>ft.</i> )	TPH-DRO ( <i>ug/L</i> )	TPH-GRO ( <i>ug/L</i> )	B ( <i>ug/L</i> )	T ( <i>ug/L</i> )	E ( <i>ug/L</i> )	X ( <i>ug/L</i> )	MTBE ( <i>ug/L</i> )	TOG ( <i>ug/L</i> )	ETHANOL ( <i>ug/L</i> )
<b>MW-1</b>												
10/08/91	169.30	158.20	11.10	--	230	45	<0.5	0.9	9.1	--	<5,000	--
11/04/91	169.30	158.27	11.03	--	340	120	<0.5	<0.5	6.1	--	--	--
12/04/91	169.30	158.25	11.05	170	<50	3.9	<0.5	<0.5	<0.5	--	<5,000	--
06/05/92	169.30	158.26	11.04	<50	100	26	0.6	0.5	1.0	--	--	--
10/27/92	169.30	158.20	11.10	54	<50	11	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.30	--	--	170	<50	24	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.30	158.67	10.63	--	--	--	--	--	--	--	--	--
03/05/93	169.30	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.30	158.59	10.71	--	--	--	--	--	--	--	--	--
06/18/93	169.30	158.29	11.01	<50	<50	0.6	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.30	157.35	11.95	<50	<50	0.8	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.30	158.34	10.96	<50	<50	8.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.30	158.49	10.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.30	158.38	10.92	<50	<50	1.0	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.30	158.40	10.90	<50	<50	1.3	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.30	158.76	10.54	570 <sup>2</sup>	<50	8.9	<0.5	<0.5	<0.5	--	--	--
03/30/95	169.30	158.60	10.70	110 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.30	158.38	10.92	570 <sup>1</sup>	61	15	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.30	158.30	11.00	550 <sup>1</sup>	<50	4.7	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.30	158.50	10.80	330 <sup>1</sup>	72	9.1	0.65	<0.5	<0.5	6.0	--	--
03/05/96	169.30	159.20	10.10	780 <sup>1</sup>	<50	7.8	<0.5	<0.5	<0.5	<2.5	--	--
09/13/96	169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/19/96	169.30	158.08	11.22	--	--	--	--	--	--	--	--	--
03/20/97	169.30	158.40	10.90	350 <sup>1</sup>	<50	2.2	<0.5	<0.5	<0.5	<2.5	--	--
06/27/97	169.30	158.27	11.03	--	--	--	--	--	--	--	--	--
09/19/97	169.30	158.34	10.96	--	--	--	--	--	--	--	--	--
12/05/97	169.30	158.62	10.68	--	--	--	--	--	--	--	--	--
03/31/98	169.30	158.67	10.63	760 <sup>1</sup>	<50	6.7	<0.5	<0.5	<0.5	<2.5	--	--
06/19/98	169.30	159.62	9.68	--	--	--	--	--	--	--	--	--
08/13/98	169.30	157.67	11.63	--	--	--	--	--	--	--	--	--
12/17/98	169.30	158.25	11.05	--	--	--	--	--	--	--	--	--
03/19/99	169.30	158.35	10.95	890 <sup>1</sup>	124	14.8	<0.5	<0.5	<0.5	6.49/<2.5 <sup>13</sup>	--	--
06/23/99	169.30	158.23	11.07	--	--	--	--	--	--	--	--	--
09/16/99	169.30	158.41	10.89	--	--	--	--	--	--	--	--	--
12/16/99	169.30	158.46	10.84	--	--	--	--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)	
<b>MW-1 (cont)</b>													
03/02/00	169.30	158.83	10.47	2,300 <sup>1</sup>	155	10.4	<0.5	<0.5	<0.5	10.3	--	--	
06/30/00	169.30	159.04	10.26	--	--	--	--	--	--	--	--	--	
09/30/00	NP	169.30	158.30	11.00	--	--	--	--	--	--	--	--	
12/19/00		169.30	158.44	10.86	--	--	--	--	--	--	--	--	
03/13/01	NP	169.30	158.45	10.85	-- <sup>14</sup>	50.4	4.50	0.553	0.522	2.10	1.65	--	
06/12/01		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/18/01		169.30	158.23	11.07	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/17/01		169.30	158.59	10.71	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/21/02		169.30	158.54	10.76	-- <sup>14</sup>	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/08/02		169.30	158.33	10.97	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/13/02		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/13/02		169.30	158.47	10.83	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/17/03		169.30	158.60	10.70	250	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/16/03		169.30	158.34	10.96	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/15/03		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/15/03		169.30	158.71	10.59	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/01/04		169.30	158.78	10.52	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
06/28/04		169.30	158.27	11.03	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/13/04		169.30	156.96	12.34	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/22/04		169.30	158.38	10.92	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/04/05		169.30	158.81	10.49	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
06/30/05		169.30	158.54	10.76	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/16/05		169.30	158.33	10.97	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/21/05		169.30	158.70	10.60	--	--	--	--	--	--	--	--	
03/21/06 <sup>16</sup>		169.30	158.93	10.37	1,100	<50	0.6	<0.5	<0.5	<0.5	1	<50	
06/21/06		169.30	158.37	10.93	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/05/06		169.30	158.32	10.98	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/28/06		169.30	157.52	11.78	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/26/07 <sup>16</sup>		169.30	158.39	10.91	730	<50	0.6	<0.5	<0.5	<0.5	<0.5	<50	
06/26/07		169.30	158.30	11.00	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/26/07		169.30	158.26	11.04	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/20/07		169.30	158.66	10.64	SAMPLED ANNUALLY		--	--	--	--	--	--	
02/29/08 <sup>16</sup>	PER	169.30	158.57	10.73	64	87	4	<0.5	<0.5	<0.5	1	<50	
05/09/08		169.30	158.38	10.92	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/19/08		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-1 (cont)</b>												
12/04/08	169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/05/09 <sup>16</sup>	PER-NP <sup>23</sup>	169.30	159.10	10.20	77	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
06/23/09	169.30	158.36	10.94	SAMPLED ANNUALLY		--	--	--	--	--	--	--
<b>MW-2</b>												
10/08/91	169.15	157.20	11.95	--	110	5.1	1.1	0.8	26	--	--	--
11/19/91	169.15	157.40	11.75	--	120	11	1.1	<0.5	17	--	--	--
12/04/91	169.15	157.35	11.80	130	440	30	2.5	<0.5	52	--	--	--
06/05/92	169.15	157.35	11.80	130	80	13	<0.5	<0.5	1.0	--	--	--
10/27/92	169.15	157.15	12.00	110	54	13	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.15	--	--	92	180	30	<0.5	<0.5	1.0	--	--	--
01/27/93	169.15	158.24	10.91	--	--	--	--	--	--	--	--	--
03/05/93	169.15	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.15	158.26	10.89	--	--	--	--	--	--	--	--	--
06/18/93	169.15	157.41	11.74	<50	<50	1.4	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.15	157.97	11.18	<50	<50	0.6	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.15	158.34	21.00	<50	<50	0.9	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.15	158.40	10.75	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.15	158.35	10.80	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.15	157.50	11.65	120	<50	0.7	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.15	158.41	10.74	570 <sup>4</sup>	55	2.9	<0.5	1.4	0.94	--	--	--
03/30/95	169.15	158.25	10.90	430 <sup>1</sup>	91	4.5	<0.5	3.8	<0.5	--	--	--
06/06/95	169.15	157.73	11.42	410 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.15	157.52	11.63	220 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.15	157.98	11.17	120 <sup>1</sup>	<2,000	<20	<20	<20	<20	5,000	--	--
03/05/96	169.15	159.09	10.06	860 <sup>1</sup>	<2,000	<20	<20	<20	<20	10,000	--	--
09/13/96	169.15	157.37	11.78	1,300	1,100	25	<10	<10	<10	20,000	--	--
12/19/96	169.15	158.30	10.85	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
03/20/97	169.15	157.75	11.40	190 <sup>1</sup>	2400	<10	<10	46	<10	6,200	--	--
06/27/97	169.15	157.35	11.80	--	--	--	--	--	--	--	--	--
09/19/97	169.15	157.43	11.72	60 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	280	--	--
12/08/97	169.15	158.27	10.88	--	--	--	--	--	--	--	--	--
03/31/98	169.15	158.46	10.69	220 <sup>1</sup>	110	30	0.74	0.74	0.59	1,000	--	--
06/19/98	169.15	159.31	9.84	--	--	--	--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-2 (cont)</b>												
08/31/98	169.15	157.43	11.72	380 <sup>1</sup>	<100	3.4	<1.0	<1.0	<1.0	980	--	--
12/17/98	169.15	157.60	11.55	--	--	--	--	--	--	480	--	--
03/19/99	169.15	158.63	10.52	107 <sup>4</sup>	<250	12.7	<2.5	<2.5	<2.5	1,040/819 <sup>13</sup>	--	--
06/23/99	169.15	159.61	9.54	--	--	--	--	--	--	--	--	--
09/16/99	169.15	157.54	11.61	84.9	<100	<1.0	<1.0	<1.0	<1.0	216	--	--
12/16/99	169.15	157.86	11.29	--	--	--	--	--	--	--	--	--
03/02/00	169.15	158.70	10.45	<50	84.8	21.5	<0.5	<0.5	0.636	413	--	--
06/30/00	169.15	159.08	10.07	--	--	--	--	--	--	--	--	--
09/30/00	NP	169.15	157.54	11.61	100 <sup>11</sup>	<0.50	0.57	<0.50	1.0	2,800	--	--
12/19/00		169.15	158.04	11.11	--	--	--	--	--	--	--	--
03/13/01	NP	169.15	158.22	10.93	-- <sup>14</sup>	179	11.6	2.01	0.856	1,290	--	--
06/12/01		169.15	157.52	11.63	--	--	--	--	--	--	--	--
09/18/01	NP	169.15	157.37	11.78	100	<50	<0.50	<0.50	<0.50	<1.5	670	--
12/17/01		169.15	158.29	10.86	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/13/02		169.15	157.50	11.65	200	<50	<0.50	<0.50	<0.50	<1.5	260	--
12/13/02		169.15	158.07	11.08	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/17/03		169.15	158.38	10.77	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/16/03		169.15	157.77	11.38	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/15/03 <sup>16,17</sup>		169.15	157.55	11.60	110	<50	<0.5	<0.5	<0.5	0.6	400	--
12/15/03		169.15	158.40	10.75	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/01/04		169.15	158.49	10.66	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/28/04		169.15	157.63	11.52	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/13/04		169.15	156.27	12.88	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
12/22/04		169.15	157.93	11.22	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/04/05		169.15	158.58	10.57	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/30/05		169.15	158.08	11.07	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/16/05 <sup>16</sup>	NP	169.15	156.64	12.51	130	<50	<0.5	<0.5	<0.5	<0.5	140	<50
12/21/05		169.15	158.41	10.74	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/21/06 <sup>16</sup>		169.15	158.74	10.41	72	<50	<0.5	<0.5	<0.5	<0.5	530	<50
06/21/06		169.15	157.64	11.51	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/05/06 <sup>16</sup>		169.15	157.51	11.64	620	<50	<0.5	<0.5	<0.5	<0.5	150	<50
12/28/06		169.15	158.19	10.96	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/26/07 <sup>16</sup>		169.15	157.74	11.41	86	<50	<0.5	<0.5	<0.5	<0.5	160	<50
06/26/07		169.15	157.60	11.55	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/26/07 <sup>16</sup>		169.15	157.52	11.63	140	<50	<0.5	<0.5	<0.5	<0.5	69	<50



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-2 (cont)</b>												
12/20/07	169.15	158.50	10.65	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
02/29/08 <sup>16</sup>	PER	169.15	158.18	10.97	73	<50	<0.5	<0.5	<0.5	<0.5	54	<50
05/09/08		169.15	157.74	11.41	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/19/08	PER	169.15	157.48	11.67	120	<50	<0.5	<0.5	<0.5	<0.5	12	<50
12/04/08		169.15	157.67	11.48	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/05/09 <sup>16</sup>	PER-NP <sup>23</sup>	169.15	158.65	10.50	<50	<50	<0.5	<0.5	<0.5	<0.5	55	<50
06/23/09		169.15	157.65	11.50	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
<b>MW-4</b>												
10/27/92		169.18	157.79	11.39	<50	<50	<0.5	0.6	0.5	4.3	--	--
12/30/92		169.18	159.05	10.13	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/93		169.18	160.09	9.09	--	--	--	--	--	--	--	--
03/05/93		169.18	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/17/93		169.18	159.28	9.90	--	--	--	--	--	--	--	--
06/18/93		169.18	158.50	10.68	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
09/28/93		169.18	159.82	9.36	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/30/93		169.18	159.91	9.27	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/94		169.18	160.37	8.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/31/94		169.18	160.27	8.91	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/23/94		169.18	158.79	10.39	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94		169.18	160.08	9.10	58 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95		169.18	160.66	8.52	61 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/06/95		169.18	158.70	10.48	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/25/95		169.18	158.38	10.80	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/28/95		169.18	159.23	9.95	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/21/05 <sup>16</sup>		169.18	159.65	9.53	76 <sup>18</sup>	<50	<0.5	<0.5	<0.5	<0.5	9.9	--
03/21/06 <sup>16</sup>		169.18	159.65	9.53	76 <sup>18</sup>	<50	<0.5	<0.5	<0.5	<0.5	0.7	<50
06/21/06 <sup>16</sup>		169.18	160.35	8.83	<50	<50	<0.5	<0.5	<0.5	<0.5	0.5	<50
09/05/06 <sup>16</sup>		169.18	158.55	10.63	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	<50
12/28/06 <sup>16</sup>		169.18	158.24	10.94	170	<50	<0.5	<0.5	<0.5	<0.5	1	<50
03/26/07 <sup>16</sup>		169.18	159.06	10.12	120	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
06/26/07 <sup>16</sup>		169.18	158.73	10.45	290	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50
09/26/07 <sup>16</sup>		169.18	158.22	10.96	<50	<50	<0.5	<0.5	<0.5	<0.5	1	<50
12/20/07 <sup>16</sup>		169.18	157.98	11.20	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	<50
12/20/07 <sup>16</sup>		169.18	159.01	10.17	62	<50	<0.5	<0.5	<0.5	<0.5	0.5	<50

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-4 (cont)</b>												
02/29/08 <sup>16</sup>	169.18	159.32	9.86	180	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
05/09/08 <sup>16</sup>	169.18	158.41	10.77	80	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	<50
09/19/08 <sup>16</sup>	169.18	157.97	11.21	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
12/04/08 <sup>16</sup>	169.18	158.20	10.98	58	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
03/05/09 <sup>16</sup>	169.18	159.36	9.82	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
<b>06/23/09</b>	<b>169.18</b>	<b>158.45</b>	<b>10.73</b>	<b>SAMPLED ANNUALLY</b>			--	--	--	--	--	--
<b>MW-6</b>												
10/27/92	166.46	153.92	12.54	<50	600	22	22	24	130	--	--	--
12/30/92	166.46	156.26	10.20	470	1,700	170	16	46	160	--	--	--
01/27/93	166.46	156.44	10.02	--	--	--	--	--	--	--	--	--
03/05/93	166.46	--	--	150	480	76	0.9	3.1	7.1	--	--	--
03/17/93	166.46	155.79	10.67	--	--	--	--	--	--	--	--	--
06/18/93	166.46	154.63	11.83	51	240	37	3.4	2.9	18	--	--	--
09/28/93	166.46	154.90	11.56	120	150	11	1.2	1.3	4.3	--	--	--
12/30/93	166.46	154.81	11.65	290	680	77	5.1	5.5	13	--	--	--
04/07/94	166.46	155.34	11.12	<10	190	24	2.9	1.9	8.0	--	--	--
05/31/94	166.46	--	--	--	--	--	--	--	--	--	--	--
09/23/94	166.46	155.05	11.41	--	--	--	--	--	--	--	--	--
11/30/94	166.46	156.58	9.88	150 <sup>2</sup>	320	49	0.58	1.4	1.2	--	--	--
12/15/03 <sup>16</sup>	166.46	156.60	9.86	71	210	0.5	0.9	0.7	2	14	--	<50
03/01/04 <sup>16,21</sup>	166.46	157.16	9.30	<250	150	<0.5	4	3	18	10	--	<50
06/28/04 <sup>16,21</sup>	166.46	155.13	11.33	66	100	<0.5	<0.5	<0.5	<0.5	18	--	--
09/13/04 <sup>16,21</sup>	166.46	154.88	11.58	<50	<50	<0.5	<0.5	<0.5	<0.5	17	--	<50
12/22/04 <sup>16,21</sup>	166.46	155.75	10.71	300	440	1	1	2	3	10	--	<50
03/04/05 <sup>16,21</sup>	166.46	157.25	9.21	75	65	<0.5	<0.5	<0.5	1	8	--	<50
06/30/05 <sup>16,21</sup>	166.46	155.49	10.97	73	<50	<0.5	<0.5	<0.5	<0.5	7	--	<50
09/16/05 <sup>16,21</sup>	166.46	155.02	11.44	58 <sup>17</sup>	<50	<0.5	<0.5	<0.5	<0.5	13	--	<50
12/21/05 <sup>16,21</sup>	166.46	156.66	9.80	120 <sup>19</sup>	140	<0.5	<0.5	<0.5	1	8	--	<50
03/21/06 <sup>16,21</sup>	166.46	157.54	8.92	75	52	<0.5	<0.5	0.9	3	8	--	<50
06/21/06 <sup>16,21</sup>	166.46	155.38	11.08	56	92	<0.5	<0.5	0.5	2	10	--	<50
09/05/06 <sup>16,21</sup>	166.46	155.07	11.39	67	62	<0.5	<0.5	<0.5	<0.5	9	--	<50
12/28/06 <sup>16,21</sup>	166.46	156.32	10.14	300	260	<0.5	0.5	<0.5	1	3	--	<50
03/26/07 <sup>21</sup>	166.46	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-6 (cont)</b>												
06/26/07 <sup>16</sup>	166.46	155.32	11.14	67	<50	<0.5	<0.5	<0.5	<0.5	8	--	<50
09/26/07 <sup>16</sup>	166.46	155.02	11.44	84	180	<0.5	0.5	3	5	6	--	--
12/20/07 <sup>16</sup>	166.46	156.41	10.05	220	530	<0.5	0.7	1	7	2	--	-- <sup>22</sup>
02/29/08 <sup>16</sup>	166.46	156.49	9.97	110	110	<0.5	<0.5	1	4	4	--	<50
05/09/08 <sup>16</sup>	166.46	155.19	11.27	100	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
09/19/08 <sup>16</sup>	166.46	154.85	11.61	<50	<50	<0.5	<0.5	<0.5	<0.5	5	--	<50
12/04/08 <sup>16</sup>	166.46	155.08	11.38	<50	<50	<0.5	<0.5	<0.5	<0.5	5	--	<50
03/05/09 <sup>16</sup>	166.46	157.57	8.89	140	160	<0.5	<0.5	1	7	2	--	<50
<b>06/23/09</b>	<b>166.46</b>	<b>155.14</b>	<b>11.32</b>	<b>SAMPLED SEMI-ANNUALLY</b>			--	--	--	--	--	--
<b>MW-7</b>												
09/25/95	168.80	157.20	11.60	1,400 <sup>1</sup>	220	0.79	<0.5	0.67	<0.5	--	--	--
12/28/95	168.80	158.14	10.66	590 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/05/96	168.80	159.74	9.06	320 <sup>1</sup>	1,400	<10	<10	47	<10	5,300	--	--
06/27/96	168.80	157.27	11.53	630 <sup>1</sup>	<2,500	<25	<25	<25	<25	14,000	--	--
09/13/96	168.80	156.88	11.92	1,400	1,100	26	<10	24	<10	20,000	--	--
12/19/96	168.80	158.29	10.51	1,100 <sup>3</sup>	<5,000	<50	<50	<50	<50	12,000	--	--
03/20/97	168.80	157.84	10.96	1,600 <sup>3</sup>	<1,000	<10	<10	<10	<10	2,100/2,000 <sup>13</sup>	--	--
06/27/97	168.80	157.02	11.78	1,600 <sup>1</sup>	2,000	<20	<20	<20	<20	11,000	--	--
09/19/97	168.80	156.87	11.93	1,900 <sup>1</sup>	<1,000	35	<10	<10	<10	13,000	--	--
12/05/97	168.80	158.40	10.40	1,100 <sup>1</sup>	2,100	47	2.7	28	<2.5	15,000	--	--
03/31/98	168.80	158.89	9.91	780 <sup>1</sup>	410	4.0	0.61	2.2	<0.5	<2.5	--	--
06/19/98	168.80	159.09	9.71	480 <sup>1</sup>	1,100	16	<10	17	<10	12,000	--	--
08/31/98	168.80	157.11	11.69	580 <sup>1</sup>	<500	350	22	<5.0	<5.0	47,000	--	--
12/17/98	168.80	157.70	11.10	970	1,800	<10	<10	24	<10	13,000/14,000 <sup>11</sup>	--	--
03/19/99	168.80	158.51	10.29	615 <sup>1</sup>	1,280	<5.0	5.0	16.3	<5.0	2,240/2,910 <sup>13</sup>	--	--
06/23/99	168.80	157.25	11.55	1,240 <sup>1</sup>	<5,000	<50	<50	<50	<50	18,000	--	--
09/16/99	168.80	157.31	11.49	2,230	<5,000	<50	<50	<50	<50	13,700	--	--
12/16/99	168.80	158.27	10.53	973 <sup>1</sup>	1,330	<1.0	6.44	14	5.17	10,800	--	--
03/02/00	168.80	159.25	9.55	880 <sup>1</sup>	1,980	7.22	<5.0	6.11	<5.0	4,230	--	--
06/30/00	168.80	157.68	11.12	620 <sup>7</sup>	2,500 <sup>6</sup>	6.0	8.5	16	72	6,900	--	--
09/30/00	NP	168.80	157.23	1,600 <sup>7</sup>	1,700 <sup>10</sup>	750	<5.0	<5.0	<5.0	7,300	--	--
12/19/00	168.80	158.26	10.54	1,100 <sup>12</sup>	1,800 <sup>10</sup>	<10	<10	<10	<10	4,900	--	--
03/13/01	168.80	158.74	10.06	1,500 <sup>12</sup>	1,470	9.34	5.09	6.08	2.69	2,920	--	-- <sup>3</sup>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-7 (cont)</b>												
06/12/01	168.80	157.45	11.35	910 <sup>15</sup>	920 <sup>10</sup>	260	4.2	9.7	2.8	4,500	--	--
09/18/01	168.80	156.87	11.93	3,000	2,000	<0.50	<0.50	<0.50	<1.5	5,300	--	--
12/17/01	168.80	157.99	10.81	7,000	1,700	<5.0	<0.50	7.1	<1.5	4,100	--	--
03/21/02	168.80	158.56	10.24	13,000	3,200	<5.0	<0.50	24	<1.5	980	--	--
06/08/02	168.80	157.32	11.48	3,500	1,500	3.6	<0.50	8.5	<1.5	2,800	--	--
09/13/02	168.80	157.02	11.78	2,400	1,200	1.8	<1.0	2.8	<1.5	3,300	--	--
12/13/02	168.80	157.97	10.83	3,400	1,100	2.4	<0.50	2.3	<1.5	2,000	--	--
03/17/03	168.80	158.71	10.09	3,700	1,600	<10	<0.50	5.1	<1.5	1,000	--	--
06/16/03 <sup>16</sup>	168.80	157.81	10.99	4,400	2,500	1	0.5	14	<0.5	260	--	--
09/15/03 <sup>16</sup>	168.80	157.38	11.42	4,700	1,700	1	<0.5	6	0.5	790	--	<50
12/15/03 <sup>16</sup>	168.80	158.58	10.22	3,200	610	<0.5	<0.5	1	<0.5	780	--	<50
03/01/04 <sup>16</sup>	168.80	159.19	9.61	2,200	1,500	<0.5	<0.5	4	<0.5	16	--	<50
06/28/04 <sup>16</sup>	168.80	157.38	11.42	3,700	2,500	2	<0.5	8	<0.5	300	--	--
09/13/04 <sup>16</sup>	168.80	156.78	12.02	2,000	2,000	1	<1	4	<1	700	--	<100
12/22/04 <sup>16</sup>	168.80	158.39	10.41	1,300	970	0.8	<0.5	5	<0.5	370	--	<50
03/04/05 <sup>16</sup>	168.80	159.12	9.68	890	790	<0.5	<0.5	1	<0.5	5	--	<50
06/30/05 <sup>16</sup>	168.80	157.63	11.17	2,600	1,300	<0.5	<0.5	3	<0.5	68	--	<50
09/16/05 <sup>16</sup>	168.80	157.29	11.51	1,300	1,200	<0.5	<0.5	1	<0.5	380	--	<50
12/21/05 <sup>16</sup>	168.80	158.74	10.06	1,600 <sup>20</sup>	1,300	<0.5	<0.5	2	<0.5	170	--	<50
03/21/06 <sup>16</sup>	168.80	159.28	9.52	2,800	810	<0.5	<0.5	<0.5	<0.5	200	--	<50
06/21/06 <sup>16</sup>	168.80	157.35	11.45	1,100	1,800	0.5	<0.5	2	<0.5	260	--	<50
09/05/06 <sup>16</sup>	168.80	157.01	11.79	2,100	910	<0.5	<0.5	<0.5	<0.5	370	--	<50
12/28/06 <sup>16</sup>	168.80	158.34	10.46	7,200	2,700	0.5	<0.5	3	<0.5	140	--	<50
03/26/07 <sup>16</sup>	168.80	157.46	11.34	6,500	1,300	<0.5	<0.5	1	<0.5	150	--	<50
06/26/07 <sup>16</sup>	168.80	157.15	11.65	2,100	1,900	0.6	<0.5	2	<0.5	170	--	<50
09/26/07 <sup>16</sup>	168.80	156.98	11.82	2,200	670	<0.5	<0.5	<0.5	<0.5	420	--	<50
12/20/07 <sup>16</sup>	168.80	158.23	10.57	4,300	2,600	0.8	<0.5	4	<0.5	130	--	<50
02/29/08 <sup>16</sup>	168.80	158.56	10.24	2,400	1,400	<0.5	<0.5	2	<0.5	35	--	<50
05/09/08 <sup>16</sup>	168.80	157.27	11.53	1,700	2,200	0.6	0.6	2	<0.5	76	--	<50
09/19/08 <sup>16</sup>	168.80	156.86	11.94	10,000	610	<0.5	<0.5	<0.5	<0.5	430	--	<50
12/04/08 <sup>16</sup>	168.80	157.16	11.64	3,000	1,100	<0.5	<0.5	<0.5	<0.5	440	--	<50
03/05/09 <sup>16</sup>	168.80	159.46	9.34	1,000	2,100	<0.5	<0.5	3	<0.5	57	--	<50
<b>06/23/09<sup>16</sup></b>	<b>168.80</b>	<b>157.41</b>	<b>11.39</b>	<b>2,300</b>	<b>1,800</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>1</b>	<b>&lt;0.5</b>	<b>100</b>	<b>--</b>	<b>--</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOC (ug/L)	ETHANOL (ug/L)
<b>MW-3</b>												
10/08/91	169.11	160.84	8.27	--	81	1.9	0.7	0.8	2.4	--	--	--
11/04/91	169.11	158.26	10.85	--	60	<0.5	<0.5	<0.5	<0.5	--	--	--
12/04/91	169.11	158.06	11.05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/92	169.11	157.96	11.15	170	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/27/92	169.11	157.51	11.60	120	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.11	--	--	170	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.11	160.00	9.11	--	--	--	--	--	--	--	--	--
03/05/93	169.11	--	--	--	--	--	--	--	--	--	--	--
03/17/93	169.11	159.16	9.95	--	--	--	--	--	--	--	--	--
06/18/93	169.11	158.22	10.89	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.11	159.49	9.62	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.11	159.80	9.31	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.11	160.30	8.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.11	160.21	8.90	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.11	158.48	10.63	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.11	160.19	8.92	--	--	--	--	--	--	--	--	--
03/30/95	169.11	160.01	9.10	290 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.11	158.79	10.32	150 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.11	158.11	11.00	260 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.11	158.96	10.15	200 <sup>1</sup>	<250	<2.5	<2.5	<2.5	<2.5	1,400	--	--
12/17/98	169.11	158.86	10.25	130 <sup>1</sup>	<250	<2.5	<2.5	<2.5	<2.5	62,000	--	--
03/19/99	169.11	159.37	9.74	139 <sup>1</sup>	<1,000	<10	<10	<10	<10	5,650/5,850 <sup>13</sup>	--	--
06/23/99	169.11	158.40	10.71	61.6 <sup>1</sup>	<2,000	<20	<20	<20	<20	6,700	--	--
09/16/99	169.11	157.44	11.67	122	<1,000	<10	<10	<10	<10	1,910	--	--
12/16/99	169.11	158.79	10.32	--	--	--	--	--	--	5,850	--	--
12/20/00	169.11	158.91	10.20	96.8 <sup>1</sup>	65.2	<0.5	<0.5	<0.5	<0.5	1,790	--	--
03/02/00	169.11	160.26	8.85	<50	<50	<0.5	<0.5	<0.5	<0.5	5,600	--	--
06/30/00	169.11	158.81	10.30	<50	360 <sup>5</sup>	<0.50	<0.50	<0.50	<0.50	1,300	--	--
09/30/00	NP	169.11	158.07	11.04	--	150 <sup>9</sup>	75	<1.3	<1.3	<1.3	8,200	--
12/19/00	NP	169.11	159.06	10.05	-- <sup>14</sup>	<1,000	<10	<10	<10	<10	4,600	--
03/13/01	NP	169.11	159.76	9.35	-- <sup>14</sup>	284	0.601	1.00	<0.500	1.27	3,670	--
06/12/01	NP	169.11	158.08	11.03	<50	140 <sup>9</sup>	67	<0.50	<0.50	<0.50	2,600	--
09/18/01	NP	169.11	157.96	11.15	100	240	<0.50	<0.50	<0.50	<1.5	3,200	--
12/17/01	169.11	159.22	9.89	270	55	<0.50	<0.50	<0.50	<1.5	930	--	--
03/21/02	169.11	159.38	9.73	290	190	<0.50	<0.50	<0.50	<1.5	2,600	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOC (ug/L)	ETHANOL (ug/L)
<b>MW-3 (cont)</b>												
06/08/02	169.11	158.21	10.90	110	110	<0.50	<0.50	<0.50	<1.5	2,200	--	--
09/13/02	169.11	158.26	10.85	<50	<50	<0.50	<0.50	<0.50	<1.5	650	--	--
12/13/02	169.11	159.11	10.00	120	<50	<0.50	<0.50	<0.50	<1.5	450	--	--
03/17/03	169.11	159.66	9.45	370	80	<0.50	<0.50	<0.50	<1.5	1,600	--	--
06/16/03	169.11	158.98	10.13	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
09/15/03	169.11	157.85	11.26	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
12/15/03 <sup>16</sup>	169.11	159.78	9.33	-- <sup>14</sup>	<50	<0.5	3	0.6	4	220	--	<50
03/01/04	169.11	159.22	9.89	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
06/28/04 <sup>16</sup>	169.11	158.26	10.85	95	<50	<0.5	<0.5	<0.5	<0.5	980	--	--
09/13/04	169.11	DRY AT 12.96 FEET		--	--	--	--	--	--	--	--	--
12/22/04 <sup>16</sup>	NP	169.11	159.14	9.97	-- <sup>14</sup>	53	<0.5	<0.5	<0.5	<0.5	110	<50
03/04/05 <sup>16</sup>	NP	169.11	159.68	9.43	<50	<50	<0.5	<0.5	<0.5	<0.5	460	<50
06/30/05 <sup>16</sup>	NP	169.11	158.66	10.45	58 <sup>17</sup>	<50	<0.5	<0.5	<0.5	<0.5	600	<50
09/16/05 <sup>16</sup>	NP	169.11	158.26	10.85	-- <sup>14</sup>	<50	<0.5	<0.5	<0.5	<0.5	530	<50
NOT MONITORED/SAMPLED												
<b>MW-5</b>												
10/27/92	167.41	157.46	9.95	<50	74	<0.5	<0.5	0.6	7.1	--	--	--
12/30/92	167.41	158.21	9.20	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	167.41	157.80	9.61	--	--	--	--	--	--	--	--	--
03/05/93	167.41	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	167.41	157.90	9.51	--	--	--	--	--	--	--	--	--
06/18/93	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/28/93	167.41	157.55	9.86	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	167.41	157.08	10.33	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	167.41	157.69	9.72	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	167.41	157.68	9.73	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	167.41	157.73	9.68	79 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	167.41	157.79	9.62	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	167.41	157.55	9.86	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	167.41	157.67	9.74	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
NOT MONITORED/SAMPLED												

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>TRIP BLANK</b>												
10/08/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/04/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/04/91	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	--	--	--	<50	--	--	--	--	--	--	--	--
03/05/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	--	--	--	--	--	--	--	--	--	--	--	--
06/18/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/05/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/27/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/13/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/19/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/27/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
09/19/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/05/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/19/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
09/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/02/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>TRIP BLANK (cont)</b>												
06/30/00 <sup>8</sup>	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
03/13/01	--	--	--	--	<50.0	<0.500	0.534	<0.500	1.25	<0.500	--	--
06/12/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/18/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
<b>QA</b>												
12/17/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/17/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/16/03 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/15/03 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/15/03 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/01/04 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/28/04 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/13/04 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/22/04 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/04/05 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/30/05 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/16/05 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/21/05 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/21/06 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/06 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/05/06 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/28/06 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/26/07 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/26/07 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/26/07 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/20/07 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/29/08 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/09/08 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/19/08 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
QA (cont)												
12/04/08 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/05/09 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/23/09 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to June 30, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH = Total Petroleum Hydrocarbons

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

TPH-D = Total Petroleum Hydrocarbons as Diesel

TOG = Total Oil and Grease

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

NP = No Purge

PER = Peristaltic Pump

QA = Quality Assurance/Trip Blank

1 Chromatogram pattern indicates an unidentified hydrocarbon.

2 Chromatogram pattern indicates a non-diesel mix.

3 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.

4 Chromatogram pattern indicates a non-diesel mix + discrete peaks.

5 Laboratory report indicates unidentified hydrocarbons C6-C12.

6 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.

7 Laboratory report indicates unidentified hydrocarbons C9-C24.

8 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.

9 Laboratory report indicates discrete peaks.

10 Laboratory report indicates gasoline C6-C12.

11 Laboratory report indicates unidentified hydrocarbons >C16.

12 Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.

13 Confirmation run.

14 Insufficient water to obtain sample for TPH-D.

15 Laboratory report indicates unidentified hydrocarbons C9-C17.

16 BTEX and MTBE by EPA Method 8260.

17 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. The reported result is due to individual peak(s) eluting in the DRO range.

18 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel and contains individual peaks eluting in the DRO range.

19 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel, an additional pattern which elutes later in the DRO range, and individual peaks eluting in the DRO range.

20 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and additional patterns which elute earlier and later in the DRO range.

21 Incorrect TOC elevation (168.80) was used in past reports. Correct TOC and GWE are shown.

22 Analysis inadvertently missed in the field.

23 No Purge due to insufficient water.

**Table 2**  
**Field Measurements and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID	DATE	D.O. (mg/L)	ORP (mV)	ALKALINITY (ug/L)	SULFATE (ug/L)	NITRATE as NITROGEN (ug/L)	FERROUS IRON (ug/L)	
MW-1	12/21/05	3.7	151	581,000	184,000	6,400	29	
	03/21/06	4.7	32	546,000	147,000	5,800	600	
	06/21/06	SAMPLED ANNUALLY						--
	09/05/06	SAMPLED ANNUALLY						--
	12/28/06	SAMPLED ANNUALLY						--
	03/26/07	3.4	47	844,000 <sup>3</sup>	112,000	3,600	22,400	
	02/29/08	2.6	153	<sup>1</sup> <460/584,000 <sup>2</sup>	158,000	4,500	730	
	MW-4	12/21/05	1.4	89	396,000	137,000	2,300	<8.0
03/21/06		3.0	82	407,000	139,000	2,200	<8.0	
06/21/06		0.3	86	<sup>1</sup> 710/403,000 <sup>2</sup>	136,000	2,700	12	
09/05/06		2.1	106	<sup>1</sup> <460/412,000 <sup>2</sup>	147,000	2,700	210	
12/28/06		1.1	114	<sup>1</sup> <460/396,000 <sup>2</sup>	175,000	2,500	<8.0	
03/26/07		1.2	188	393,000 <sup>3</sup>	151,000	1,800	190	
06/26/07		1.9	31	392,000	179,000	2,900	<8.0	
09/26/07		2.3	110	<sup>1</sup> <460/412,000 <sup>2</sup>	182,000	1,600	<8.0	
12/20/07		2.1	76	<sup>1</sup> <460/402,000 <sup>2</sup>	169,000	1,400	<8.0	
02/29/08		1.6	88	<sup>1</sup> <460/396,000 <sup>2</sup>	193,000	1,500	15	
05/09/08		1.1	77	<sup>1</sup> <460/399,000 <sup>2</sup>	165,000	1,500	23	
09/19/08		1.7	43	<sup>1</sup> <460/420,000 <sup>2</sup>	167,000	2,500	<8.0	
MW-7		12/21/05	1.4	53	475,000	2,700	<400	820
	03/21/06	2.5	12	439,000	3,800	<400	3,800	
	06/21/06	0.1	-62	<sup>1</sup> 1,400/480,000 <sup>2</sup>	1,600	<250	5,000	
	09/05/06	1.2	-23	<sup>1</sup> <460/419,000 <sup>2</sup>	1,700	<250	3,500	
	12/28/06	0.80	-36	<sup>1</sup> <460/498,000 <sup>2</sup>	2,100	<250	1,000	
	03/26/07	1.1	-24	490,000 <sup>3</sup>	2,000	<250	2,200	
	06/26/07	1.0	-72	426,000	1,800	<250	4,700	
	09/26/07	.90	26	<sup>1</sup> <460/423,000 <sup>2</sup>	2,400	<250	3,800	
	12/20/07	1.3	-8	<sup>1</sup> <460/539,000 <sup>2</sup>	3,200	<250	910	
	02/29/08	1.2	80	<sup>1</sup> <460/510,000 <sup>2</sup>	8,100	<250	690	
	05/09/08	1.0	65	<sup>1</sup> <460/157,000 <sup>2</sup>	2,700	<250	1,800	
	09/19/08	1.7	25	<sup>1</sup> <460/403,000 <sup>2</sup>	8,100	<250	8,000	

**Table 2**  
**Field Measurements and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

---

**EXPLANATIONS:**

D.O. = Dissolved Oxygen  
(mg/L) = milligrams per liter  
ORP = Oxidation Reduction Potential  
(mV) = millivolts  
-- = Not Analyzed  
(µg/L) = Micrograms per liter

<sup>1</sup> pH 8.3.

<sup>2</sup> pH 4.5.

<sup>3</sup> Laboratory report indicates this sample was analyzed past the 14-day hold time.

**ANALYTICAL METHODS:**

Alkalinity by EPA Method SM20 2320 B for Alkalinity to pH 8.3  
Alkalinity by EPA Method SM20 2320 B for Alkalinity to pH 4.5  
Sulfate by EPA Method 300.0  
Nitrate as Nitrogen by EPA Method 300.00  
Ferrous Iron by EPA Method SM20 3500-Fe B

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296  
 Site Address: 2920 Castro Valley Blvd Event Date: 6/23/09 (inclusive)  
 City: Castro Valley, CA Sampler: JH

Well ID: MW-1 Date Monitored: 6/23/09  
 Well Diameter: 3/4" 2 in.  
 Total Depth: 17.70 ft.  
 Depth to Water: 10.94 ft.  Check if water column is less than 0.50 ft.  
6.76 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

- Purge Equipment:**
- Disposable Bailer \_\_\_\_\_
  - Stainless Steel Bailer \_\_\_\_\_
  - Stack Pump \_\_\_\_\_
  - Suction Pump \_\_\_\_\_
  - Grundfos \_\_\_\_\_
  - Peristaltic Pump \_\_\_\_\_
  - QED Bladder Pump \_\_\_\_\_
  - Other: \_\_\_\_\_
- Sampling Equipment:**
- Disposable Bailer \_\_\_\_\_
  - Pressure Bailer \_\_\_\_\_
  - Discrete Bailer \_\_\_\_\_
  - Peristaltic Pump \_\_\_\_\_
  - QED Bladder Pump \_\_\_\_\_
  - Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: \_\_\_\_\_ / \_\_\_\_\_ Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: M/A

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296  
 Site Address: 2920 Castro Valley Blvd Event Date: 6/23/09 (inclusive)  
 City: Castro Valley, CA Sampler: JH

Well ID: MW-2 Date Monitored: 6/23/09  
 Well Diameter: 3/4" / 2 in.  
 Total Depth: 14.70 ft.  
 Depth to Water: 11.50 ft.  Check if water column is less than 0.50 ft.  
3.20 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: / Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: M/L

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296  
 Site Address: 2920 Castro Valley Blvd Event Date: 6/23/09 (inclusive)  
 City: Castro Valley, CA Sampler: 34

Well ID: MW-4 Date Monitored: 6/23/09  
 Well Diameter: 3/4 (2) in.  
 Total Depth: 19.73 ft.  
 Depth to Water: 10.73 ft.  Check if water column is less than 0.50 ft.  
9.00 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____
Product Transferred to:	_____

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: \_\_\_\_\_ / \_\_\_\_\_ Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: MTG

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_





# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296  
 Site Address: 2920 Castro Valley Blvd Event Date: 6/23/09 (inclusive)  
 City: Castro Valley, CA Sampler: JH

Well ID: MW-6 Date Monitored: 6/23/09  
 Well Diameter: 3/4 (2) in.  
 Total Depth: 23.37 ft.  
 Depth to Water: 11.32 ft.  Check if water column is less than 0.50 ft.  
12.05 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date:         /        /         Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature ( C / F )	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: M/O

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296  
 Site Address: 2920 Castro Valley Blvd Event Date: 6/23/09 (inclusive)  
 City: Castro Valley, CA Sampler: 3H

Well ID: MW-7  
 Well Diameter: 3/4 (2) in.  
 Total Depth: 19.72 ft.  
 Depth to Water: 11.39 ft.  
8.33 xVF .17 = 1.41

Date Monitored: 6/23/09

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.  
 x3 case volume = Estimated Purge Volume: 4.24 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.05

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____
Product Transferred to:	_____

Start Time (purge): 1100 Weather Conditions: clean  
 Sample Time/Date: 1135 / 6/23/09 Water Color: cloudy Odor: (Y) N 1.9HT  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: 1.5HT  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 12.28

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1104</u>	<u>1.5</u>	<u>7.01</u>	<u>529</u>	<u>21.4</u>		
<u>1108</u>	<u>3.0</u>	<u>6.97</u>	<u>548</u>	<u>21.0</u>		
<u>1113</u>	<u>4.25</u>	<u>6.93</u>	<u>563</u>	<u>20.9</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	<u>2</u> x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



062489-08

For Lancaster Laboratories use only  
 Acct. #: 12099 Sample # 5708781-82 Group #: 017346

1150801

CRA MTI Project #: 61H-1633

Analyses Requested

Facility #: SS#9-6991 G-R#385296 Global ID#T0600100324  
 Site Address: 2920 CASTRO VALLEY BLVD, CASTRO VALLEY, CA  
 Chevron PM: MTI Lead Consultant: CRAKJ  
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568  
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)  
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899  
 Sampler: J. Keen

Matrix

Soil  Potable   
 Water  NPDES   
 Oil  Air

Total Number of Containers

Preservation Codes		Oxygenates		Total Lead	Method	Method
<input checked="" type="checkbox"/>	8021	<input type="checkbox"/>	8021			
<input checked="" type="checkbox"/>	BTEX + MTBE	<input checked="" type="checkbox"/>	TPH 8015 MOD GFO			
<input checked="" type="checkbox"/>	TPH 8015 MOD DFO	<input type="checkbox"/>	Silica Gel Cleanup			
<input checked="" type="checkbox"/>	8260 full scan					

**Preservative Codes**  
 H = HCl T = Thiosulfate  
 N = HNO<sub>3</sub> B = NaOH  
 S = H<sub>2</sub>SO<sub>4</sub> O = Other

J value reporting needed  
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation  
 Confirm highest hit by 8260  
 Confirm all hits by 8260  
 Run \_\_\_ oxy's on highest hit  
 Run \_\_\_ oxy's on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE	8021	TPH 8015 MOD GFO	TPH 8015 MOD DFO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead	Method	Method	
QA MW-7	6/23/09	1135	X	X		X			2	X	X	X								

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)  
 24 hour  72 hour  48 hour   
 4 day  5 day

Relinquished by: [Signature] Date: 6/23/09 Time: 1300  
 Received by: [Signature] Date: 6/24/09 Time: 1330

Data Package Options (please circle if required) EDF/EDD  
 QC Summary Type I - Full   
 Type VI (Raw Data)  Coelt Deliverable not needed  
 WIP (RWQCB)  
 Disk

Relinquished by: [Signature] Date: 24 JUNE 09 Time: 1630  
 Received by: [Signature] Date: 24 JUNE 09 Time: 1314  
 Relinquished by Commercial Carrier: UPS  FedEx  Other \_\_\_\_\_  
 Received by: [Signature] Date: 6/25/09 Time: 1900  
 Temperature Upon Receipt: 17.2°C Custody Seals Intact: Yes No

## ANALYTICAL RESULTS

Prepared for:

Chevron c/o CRA  
Suite 110  
2000 Opportunity Drive  
Roseville CA 95678

916-677-3407

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

July 02, 2009

RECEIVED

JUL 07 2009

GETTLER-RYAN INC.  
GENERAL CONTRACTORSSAMPLE GROUP

The sample group for this submittal is 1150801. Samples arrived at the laboratory on Thursday, June 25, 2009. The PO# for this group is 96991 and the release number is MTI.

Client DescriptionQA-T-090623 NA Water  
MW-7-W-090623 Grab WaterLancaster Labs Number5708781  
5708782METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC     Gettler-Ryan, Inc.  
COPY TO

Attn: Cheryl Hansen



## ***Analysis Report***

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative  
Jill M Parker at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink, appearing to read "Robin C. Runkle".

**Robin C. Runkle**  
**Senior Specialist**



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5708781

Group No. 1150801  
CA

QA-T-090623 NA Water  
Facility# 96991 Job# 385296 MTI# 61H-1633 GRD  
2920 Castro Valley-Castro T0600100324 QA

Collected: 06/23/2009

Account Number: 12099

Submitted: 06/25/2009 09:00

Chevron c/o CRA

Reported: 07/02/2009 at 19:00

Suite 110

Discard: 08/02/2009

2000 Opportunity Drive  
Roseville CA 95678

2920T

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>SW-846 8260B GC/MS Volatiles</b>			ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>SW-846 8015B GC Volatiles</b>			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

### General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z091814AA	07/01/2009 03:54	Michael A Ziegler	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z091814AA	07/01/2009 03:54	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	09177B20A	06/26/2009 16:46	Tyler O Griffin	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09177B20A	06/26/2009 16:46	Tyler O Griffin	1

**Lancaster Laboratories Sample No. WW 5708782**
**Group No. 1150801  
CA**
**MW-7-W-090623 Grab Water**
**Facility# 96991 Job# 385296 MTI# 61H-1633 GRD  
2920 Castro Valley-Castro T0600100324 MW-7**

Collected: 06/23/2009 11:35 by JH

Account Number: 12099

Submitted: 06/25/2009 09:00

Chevron c/o CRA

Reported: 07/02/2009 at 19:00

Suite 110

Discard: 08/02/2009

 2000 Opportunity Drive  
Roseville CA 95678

29207

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>SW-846 8260B</b>	<b>GC/MS Volatiles</b>		<b>ug/l</b>	<b>ug/l</b>	
06054	Benzene	71-43-2	N.D.	0.5	1
06054	Ethylbenzene	100-41-4	1	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	100	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>SW-846 8015B</b>	<b>GC Volatiles</b>		<b>ug/l</b>	<b>ug/l</b>	
01728	TPH-GRO N. CA water C6-C12	n.a.	1,800	50	1
<b>SW-846 8015B</b>	<b>GC Extractable TPH</b>		<b>ug/l</b>	<b>ug/l</b>	
06609	TPH-DRO CA C10-C28	n.a.	2,300	50	1

### General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z091814AA	07/01/2009 04:20	Michael A Ziegler	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z091814AA	07/01/2009 04:20	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	09177D20A	06/30/2009 11:38	Tyler O Griffin	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09177D20A	06/30/2009 11:38	Tyler O Griffin	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091780014A	06/29/2009 10:00	Kerrie A Freeburn	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091780014A	06/30/2009 01:30	Diane V Do	1

## Quality Control Summary

 Client Name: Chevron c/o CRA  
 Reported: 07/02/09 at 07:00 PM

Group Number: 1150801

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

### Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: Z091814AA	Sample number(s): 5708781-5708782							
Benzene	N.D.	0.5	ug/l	102		80-116		
Ethylbenzene	N.D.	0.5	ug/l	108		80-113		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	101		78-117		
Toluene	N.D.	0.5	ug/l	111		80-115		
Xylene (Total)	N.D.	0.5	ug/l	109		81-114		
Batch number: 09177B20A	Sample number(s): 5708781							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	118	127	75-135	7	30
Batch number: 09177D20A	Sample number(s): 5708782							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	118	109	75-135	8	30
Batch number: 091780014A	Sample number(s): 5708782							
TPH-DRO CA C10-C28	N.D.	32.	ug/l	74	78	56-122	5	20

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: Z091814AA	Sample number(s): 5708781-5708782 UNSPK: P708746								
Benzene	107	105	80-126	2	30				
Ethylbenzene	114	110	77-125	4	30				
Methyl Tertiary Butyl Ether	102	100	72-126	2	30				
Toluene	115	112	80-125	3	30				
Xylene (Total)	115	110	79-125	4	30				
Batch number: 09177B20A	Sample number(s): 5708781 UNSPK: P708708								
TPH-GRO N. CA water C6-C12	127		63-154						
Batch number: 09177D20A	Sample number(s): 5708782 UNSPK: P708752								
TPH-GRO N. CA water C6-C12	127		63-154						

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.



## Quality Control Summary

Client Name: Chevron c/o CRA  
Reported: 07/02/09 at 07:00 PM

Group Number: 1150801

### Surrogate Quality Control

Analysis Name: BTEX+MTBE by 8260B  
Batch number: Z091814AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5708781	90	87	99	90
5708782	88	84	97	92
Blank	91	89	98	90
LCS	91	88	98	93
MS	90	90	98	94
MSD	90	89	97	92
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 09177B20A  
Trifluorotoluene-F

5708781	104
Blank	103
LCS	134
LCSD	134
MS	136*
Limits:	63-135

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 09177D20A  
Trifluorotoluene-F

5708782	163*
Blank	104
LCS	132
LCSD	133
MS	136*
Limits:	63-135

Analysis Name: TPH-DRO CA C10-C28  
Batch number: 091780014A  
Orthoterphenyl

5708782	105
Blank	86
LCS	87
LCSD	93
Limits:	59-131

**\*- Outside of specification**

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>N.D.</b>	none detected	<b>BMQL</b>	Below Minimum Quantitation Level
<b>TNTC</b>	Too Numerous To Count	<b>MPN</b>	Most Probable Number
<b>IU</b>	International Units	<b>CP Units</b>	cobalt-chloroplatinate units
<b>umhos/cm</b>	micromhos/cm	<b>NTU</b>	nephelometric turbidity units
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>Cal</b>	(diet) calories	<b>lb.</b>	pound(s)
<b>meq</b>	milliequivalents	<b>kg</b>	kilogram(s)
<b>g</b>	gram(s)	<b>mg</b>	milligram(s)
<b>ug</b>	microgram(s)	<b>l</b>	liter(s)
<b>ml</b>	milliliter(s)	<b>ul</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>fib &gt;5 um/ml</b>	fibers greater than 5 microns in length per ml
<b>&lt;</b>	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>ppm</b>	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

### Organic Qualifiers

<b>A</b>	TIC is a possible aldol-condensation product
<b>B</b>	Analyte was also detected in the blank
<b>C</b>	Pesticide result confirmed by GC/MS
<b>D</b>	Compound quantitated on a diluted sample
<b>E</b>	Concentration exceeds the calibration range of the instrument
<b>J</b>	Estimated value
<b>N</b>	Presumptive evidence of a compound (TICs only)
<b>P</b>	Concentration difference between primary and confirmation columns >25%
<b>U</b>	Compound was not detected
<b>X,Y,Z</b>	Defined in case narrative

### Inorganic Qualifiers

<b>B</b>	Value is <CRDL, but ≥IDL
<b>E</b>	Estimated due to interference
<b>M</b>	Duplicate injection precision not met
<b>N</b>	Spike amount not within control limits
<b>S</b>	Method of standard additions (MSA) used for calculation
<b>U</b>	Compound was not detected
<b>W</b>	Post digestion spike out of control limits
<b>*</b>	Duplicate analysis not within control limits
<b>+</b>	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.

ATTACHMENT B

ACEH LETTER DATED JULY 24, 2009

ALAMEDA COUNTY  
HEALTH CARE SERVICES  
AGENCY  
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

July 24, 2009

CRA  
JUL 29 2009

JACK EDWARDS  
2920 CASTRO VALLEY BLVD  
CASTRO VALLEY CA 94546

STACIE HARTING-FRERICHS  
CHEVRON CORPORATION  
6111 BOLLINGER CANYON RD  
RM 3596  
SAN RAMON CA 94583

K & K PETROLEUM LLC  
6071 LAUREL CREEK RD  
PLEASANTON CA 945884654

Received

SURINDER PAL GOSWAMY  
2920 CASTRO VALLEY BLVD  
CASTRO VALLEY CA 94546

Subject: Fuel Leak Case No. RO0000475 and Geotracker Global ID T0600100324, CHEVRON #9-6991, 2920 CASTRO VALLEY BLVD, CASTRO VALLEY CA 94546 – Groundwater Monitoring Requirements

Dear Responsible Party:

The purpose of this correspondence is to inform you of changes to groundwater monitoring requirements for all fuel leak cases in California. The California State Water Resources Control Board (State Water Board) has approved Resolution No. 2009-0042 (*Actions to Improve Administration of the UST Cleanup Fund and UST Cleanup Program*). Resolution No. 2009-0042 states that, "Regional Water Board and LOP agencies shall reduce quarterly groundwater monitoring requirements to semiannual or less frequent monitoring at all site unless site-specific needs warrant otherwise and shall notify all responsible parties of the new requirements no later than August 1, 2009. If more than semiannual monitoring is required for a case, the responsible party and State Water board shall be notified of the rationale and the notice shall be posted on Geotracker."

#### **Sites with Ongoing Groundwater Monitoring**

If your site has ongoing groundwater monitoring, the frequency of groundwater monitoring is to be reduced from quarterly to semiannual monitoring in accordance with Resolution No. 2009-0042, unless site-specific needs warrant otherwise. Examples of site-specific conditions where monitoring more frequent than semiannual may be warranted include but are not limited to the following:

- Assessment incomplete
- WDR permit requirement
- Well being sampled to evaluate ongoing or proposed pilot tests, interim remedial actions, or long-term remedial actions for progress assessment or where data are needed to monitor or optimize system performance.
- Well being sampled for free product evaluation and reduction verification
- Well being sampled within first year of being installed
- Well being sampled to evaluate post-remedial action verification monitoring
- Well has not shown reliable consistency yet to warrant reduction on sampling frequency
- Well is last point of monitoring prior to possible impact to receptor
- Plume that is currently affecting a sensitive receptor or potentially could affect a sensitive receptor such as a water supply well.

Responsible Party  
RO0000475,  
July 24, 2009, Page 2

Please review your site conditions to assess whether these conditions are applicable or other site-specific conditions exist that would warrant continuation of quarterly monitoring. If none of the above conditions are applicable, semiannual groundwater monitoring is to be implemented for the site. If site-specific conditions warrant continuation of quarterly groundwater monitoring for any wells, please submit a proposed sampling and analysis schedule along with your technical rationale supporting the proposal by **August 24, 2009**.

If you have any questions, please call me at (510) 567-6876 or send me an electronic mail message at [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org).

Sincerely,

A handwritten signature in black ink, appearing to read "Mark E. Detterman", with a long horizontal line extending to the right.

Mark E. Detterman, PG, CEG  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: James Kiernan, Conestoga-Rovers & Assoc, 2000 Opportunity Dr, Suite 110, Roseville, CA 95678  
Donna Drogos, ACEH (Sent via E-mail to: [donna.drogos@acgov.org](mailto:donna.drogos@acgov.org))  
Mark Detterman, ACEH (Sent via E-mail to: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org))  
Geotracker, File

RESPONSIBLE PARTY OF RECORD AS OF 07/22/2009

RO0000475, CHEVRON #9-6991, 2920 CASTRO VALLEY BLVD , CASTRO VALLEY, CA, 94546

Alameda County Environmental Health (ACEH) has the following information on record regarding the Responsible Party(ies) for the above referenced site. Please update the following information for our records. Should you have contact information regarding additional Responsible Parties, please correct the information accordingly. Also, please check the "e-mail preferred" box to receive all future correspondences and notifications by e-mail.

E-mail Preferred

Hardcopy Preferred

ACEH is requesting your e-mail address so that we can correspond with you quickly and efficiently regarding your case. Please note that ACEH respects your privacy. Your e-mail address will remain confidential and will not be provided to any third party.

Current Information

JACK EDWARDS  
NA  
2920 CASTRO VALLEY BLVD  
CASTRO VALLEY CA 94546

STACIE HARTING-FRERICHS  
CHEVRON CORPORATION  
6111 BOLLINGER CANYON RD RM 3596  
SAN RAMON CA 94583  
staciehf@chevron.com  
9255432377  
9255480010

FIRST2343 LAST2343  
K & K PETROLEUM LLC  
6071 LAUREL CREEK RD  
PLEASANTON CA 945884654

SURINDER PAL GOSWAMY  
NA  
2920 CASTRO VALLEY BLVD  
CASTRO VALLEY CA 94546

Corrections or Additions

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_

<b>Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC)</b>	ISSUE DATE: July 5, 2005
	REVISION DATE: March 27, 2009
	PREVIOUS REVISIONS: December 16, 2005, October 31, 2005
SECTION: Miscellaneous Administrative Topics & Procedures	SUBJECT: Electronic Report Upload (ftp) Instructions

The Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests; regulatory review, and compliance/enforcement activities.

#### REQUIREMENTS

- Entire report including cover letter must be submitted to the ftp site as a **single portable document format (PDF) with no password protection**. (Please do not submit reports as attachments to electronic mail.)
- It is **preferable** that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- Signature pages and perjury statements **must** be included and have either original or electronic signature.
- **Do not password protect the document**. Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. **Documents with password protection will not be accepted.**
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:  
RO#\_Report Name\_Year-Month-Date (e.g., RO#5555\_WorkPlan\_2005-06-14)

#### Additional Recommendations

- A separate copy of the tables in the document should be submitted by e-mail to your Caseworker in Excel format. These are for use by assigned Caseworker only.

#### Submission Instructions

- 1) Obtain User Name and Password:
  - a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
    - i) Send an e-mail to [dehloptoxic@acgov.org](mailto:dehloptoxic@acgov.org)
    - Or
    - ii) Send a fax on company letterhead to (510) 337-9335, to the attention of My Le Huynh.
  - b) In the subject line of your request, be sure to include "ftp PASSWORD REQUEST" and in the body of your request, include the **Contact Information, Site Addresses, and the Case Numbers (RO# available in Geotracker) you will be posting for.**
- 2) Upload Files to the ftp Site
  - a) Using Internet Explorer (IE4+), go to <ftp://alcoftp1.acgov.org>
    - (i) Note: Netscape and Firefox browsers will not open the FTP site.
  - b) Click on File, then on Login As.
  - c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
  - d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
  - e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.
- 3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs
  - a) Send email to [dehloptoxic@acgov.org](mailto:dehloptoxic@acgov.org) notify us that you have placed a report on our ftp site.
  - b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name @acgov.org. (e.g., firstname.lastname@acgov.org)
  - c) The subject line of the e-mail must start with the RO# followed by Report Upload. (e.g., Subject: RO1234 Report Upload) If site is a new case without an RO# use the street address instead.
  - d) If your document meets the above requirements and you follow the submission instructions, you will receive a notification by email indicating that your document was successfully uploaded to the ftp site.