



RECEIVED

9:09 am, May 04, 2010

Alameda County
Environmental Health

Stacie H. Frerichs
Team Lead
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9655
Fax (925) 842-8370

May 3, 2010
(date)

Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Facility # 9-6991

Address: 2920 Castro Valley Boulevard, Castro Valley, California

I have reviewed the attached report titled First Semi-Annual 2010 Groundwater Monitoring Report
_____ and dated May 3, 2010.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Stacie H. Frerichs
Project Manager

Enclosure: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

10969 Trade Center Drive, Suite 106, Rancho Cordova, CA 95670
Telephone: 916-889-8900 Facsimile: 916-889-8999
www.CRAworld.com

May 3, 2010

Reference No. 611633

Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: First Semi-Annual 2010 Groundwater Monitoring Report
Chevron Service Station No. 9-6991
2920 Castro Valley Boulevard
Castro Valley, California
LOP Case RO0000475

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting the attached *Groundwater Monitoring and Sampling Report* (report) to Alameda County Environmental Health (ACEH) on behalf of Chevron Environmental Management Company (Chevron) for the site referenced above. The report (prepared by Gettler-Ryan Inc. and dated April 13, 2010) presents the results of the sampling of wells MW-1, MW-2, MW-4, MW-6, and MW-7 during first quarter 2010. Wells MW-1 and MW-4 are sampled on an annual basis during the first quarter, and wells MW-2, MW-6, and MW-7 are sampled on a semi-annual basis during the first and third quarters. Also attached are Figure 1 (Vicinity Map) showing the site location, and Figure 2 (Concentration Map) presenting the first semi-annual 2010 analytical results along with a rose diagram.

Please contact Mr. James Kiernan at (916) 889-8917 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Christopher J. Benedict

James P. Kiernan, P.E. C68498

CB/jt/8
Encl.

Figure 1 Vicinity Map
Figure 2 Concentration Map -March 16, 2010


Attachment A First Semi-Annual 2010 Groundwater Monitoring and Sampling Report

cc: Ms. Stacie Frerichs, Chevron
Mr. Surinder Goswamy, K&K Petroleum, LLC



Equal
Employment
Opportunity Employer

FIGURES



SOURCE: TOPO! MAPS.

figure 1

VICINITY MAP
 CHEVRON SERVICE STATION 9-6991
 2920 CASTRO VALLEY BOULEVARD
 Castro Valley, California






figure 2
 CONCENTRATION MAP - MARCH 16, 2010
 CHEVRON SERVICE STATION 9-6991
 2920 CASTRO VALLEY BOULEVARD
 Castro Valley, California



ATTACHMENT A

FIRST SEMI-ANNUAL 2010 GROUNDWATER MONITORING AND SAMPLING REPORT



GETTLER-RYAN INC.



TRANSMITTAL

April 16, 2010
G-R #385296

TO: Mr. James Kiernan
Conestoga-Rovers & Associates
10969 Trade Center Drive, Suite 107
Rancho Cordova, CA 95670

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-6991 (MTI)
2920 Castro Valley Boulevard
Castro Valley, California
RO 0000475

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	April 13, 2010	Groundwater Monitoring and Sampling Report First Semi-Annual Event of March 16, 2010

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Ms. Stacie H. Frerichs, Chevron Environmental Management Company, 6111 Bollinger Canyon Road,
Room 3596, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **April 30, 2010**, at which time this final report will be distributed to the following:

cc: Mr. Chuck Headlee, RWQCB-San Francisco Bay Region, 1515 Clay Street, Oakland,
CA 94612 (No Hard Copy)
K & K Petroleum, (Property Owner), 2920 Castro Valley Blvd., Castro Valley, CA 94546
Mr. Mark Detterman, Alameda County Health Care Services, Dept. of Environmental Health,
1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
(No Hard Copy-UPLOAD TO ALAMEDA CO.)

Enclosures

trans/9-6991-SHF



Stacie H. Frerichs
Team Lead
Marketing Business Unit

Chevron Environmental
Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9655
Fax (925) 842-8370

April 16, 2010
(date)

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Facility # 9-6991

Address: 2920 Castro Valley Blvd., Castro Valley, California

I have reviewed the attached routine groundwater monitoring report dated April 16, 2010.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Stacie H. Frerichs".

Stacie H. Frerichs
Project Manager

Enclosure: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-6991
 Site Address: 2920 Castro Valley Blvd
 City: Castro Valley, CA

Job # 385296
 Event Date: 3/16/10
 Sampler: JR

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1	ok							N	N	8" MORRIS 2	N
MW-2	ok									" 2	
MW-4	ok									12" UNIVERSAL 2	
MW-6	ok									12" emco 2	
MW-7	ok									12" UNIVERSAL 2	

Comments _____



GETTLER-RYAN INC.



April 13, 2010
G-R Job #385296

Ms. Stacie H. Frerichs
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3596
San Ramon, CA 94583

RE: First Semi-Annual Event of March 16, 2010
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

Dear Ms. Frerichs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and the laboratory analytical reports are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Field Measurements and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-6991
 2920 Castro Valley Boulevard
 Castro Valley, California

FIGURE
1

PROJECT NUMBER
385296

REVIEWED BY

DATE
 March 16, 2010

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>fl.</i>)	GWE (<i>mst</i>)	DTW (<i>fl.</i>)	TPH-DRO (<i>ug/L</i>)	TPH-GRO (<i>ug/L</i>)	B (<i>ug/L</i>)	T (<i>ug/L</i>)	E (<i>ug/L</i>)	X (<i>ug/L</i>)	MTBE (<i>ug/L</i>)	TOG (<i>ug/L</i>)	ETHANOL (<i>ug/L</i>)
MW-1												
10/08/91	169.30	158.20	11.10	--	230	45	<0.5	0.9	9.1	--	<5,000	--
11/04/91	169.30	158.27	11.03	--	340	120	<0.5	<0.5	6.1	--	--	--
12/04/91	169.30	158.25	11.05	170	<50	3.9	<0.5	<0.5	<0.5	--	<5,000	--
06/05/92	169.30	158.26	11.04	<50	100	26	0.6	0.5	1.0	--	--	--
10/27/92	169.30	158.20	11.10	54	<50	11	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.30	--	--	170	<50	24	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.30	158.67	10.63	--	--	--	--	--	--	--	--	--
03/05/93	169.30	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.30	158.59	10.71	--	--	--	--	--	--	--	--	--
06/18/93	169.30	158.29	11.01	<50	<50	0.6	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.30	157.35	11.95	<50	<50	0.8	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.30	158.34	10.96	<50	<50	8.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.30	158.49	10.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.30	158.38	10.92	<50	<50	1.0	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.30	158.40	10.90	<50	<50	1.3	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.30	158.76	10.54	570 ²	<50	8.9	<0.5	<0.5	<0.5	--	--	--
03/30/95	169.30	158.60	10.70	110 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.30	158.38	10.92	570 ¹	61	15	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.30	158.30	11.00	550 ¹	<50	4.7	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.30	158.50	10.80	330 ¹	72	9.1	0.65	<0.5	<0.5	6.0	--	--
03/05/96	169.30	159.20	10.10	780 ¹	<50	7.8	<0.5	<0.5	<0.5	<2.5	--	--
09/13/96	169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/19/96	169.30	158.08	11.22	--	--	--	--	--	--	--	--	--
03/20/97	169.30	158.40	10.90	350 ¹	<50	2.2	<0.5	<0.5	<0.5	<2.5	--	--
06/27/97	169.30	158.27	11.03	--	--	--	--	--	--	--	--	--
09/19/97	169.30	158.34	10.96	--	--	--	--	--	--	--	--	--
12/05/97	169.30	158.62	10.68	--	--	--	--	--	--	--	--	--
03/31/98	169.30	158.67	10.63	760 ¹	<50	6.7	<0.5	<0.5	<0.5	<2.5	--	--
06/19/98	169.30	159.62	9.68	--	--	--	--	--	--	--	--	--
08/13/98	169.30	157.67	11.63	--	--	--	--	--	--	--	--	--
12/17/98	169.30	158.25	11.05	--	--	--	--	--	--	--	--	--
03/19/99	169.30	158.35	10.95	890 ¹	124	14.8	<0.5	<0.5	<0.5	6.49/<2.5 ¹³	--	--
06/23/99	169.30	158.23	11.07	--	--	--	--	--	--	--	--	--
09/16/99	169.30	158.41	10.89	--	--	--	--	--	--	--	--	--
12/16/99	169.30	158.46	10.84	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)	
MW-1 (cont)													
03/02/00	169.30	158.83	10.47	2,300 ¹	155	10.4	<0.5	<0.5	<0.5	10.3	--	--	
06/30/00	169.30	159.04	10.26	--	--	--	--	--	--	--	--	--	
09/30/00	NP	169.30	158.30	11.00	--	--	--	--	--	--	--	--	
12/19/00		169.30	158.44	10.86	--	--	--	--	--	--	--	--	
03/13/01	NP	169.30	158.45	10.85	-- ¹⁴	50.4	4.50	0.553	0.522	2.10	1.65	--	
06/12/01		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/18/01		169.30	158.23	11.07	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/17/01		169.30	158.59	10.71	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/21/02		169.30	158.54	10.76	-- ¹⁴	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/08/02		169.30	158.33	10.97	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/13/02		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/13/02		169.30	158.47	10.83	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/17/03		169.30	158.60	10.70	250	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/16/03		169.30	158.34	10.96	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/15/03		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/15/03		169.30	158.71	10.59	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/01/04		169.30	158.78	10.52	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
06/28/04		169.30	158.27	11.03	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/13/04		169.30	156.96	12.34	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/22/04		169.30	158.38	10.92	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/04/05		169.30	158.81	10.49	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
06/30/05		169.30	158.54	10.76	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/16/05		169.30	158.33	10.97	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/21/05		169.30	158.70	10.60	--	--	--	--	--	--	--	--	
03/21/06 ¹⁶		169.30	158.93	10.37	1,100	<50	0.6	<0.5	<0.5	<0.5	1	<50	
06/21/06		169.30	158.37	10.93	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/05/06		169.30	158.32	10.98	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/28/06		169.30	157.52	11.78	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/26/07 ¹⁶		169.30	158.39	10.91	730	<50	0.6	<0.5	<0.5	<0.5	<0.5	<50	
06/26/07		169.30	158.30	11.00	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/26/07		169.30	158.26	11.04	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/20/07		169.30	158.66	10.64	SAMPLED ANNUALLY		--	--	--	--	--	--	
02/29/08 ¹⁶	PER	169.30	158.57	10.73	64	87	4	<0.5	<0.5	<0.5	1	<50	
05/09/08		169.30	158.38	10.92	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/19/08		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>fl.</i>)	GWE (<i>msl.</i>)	DTW (<i>fl.</i>)	TPH-DRO (<i>ug/L.</i>)	TPH-GRO (<i>ug/L.</i>)	B (<i>ug/L.</i>)	T (<i>ug/L.</i>)	E (<i>ug/L.</i>)	X (<i>ug/L.</i>)	MTBE (<i>ug/L.</i>)	TOG (<i>ug/L.</i>)	ETHANOL (<i>ug/L.</i>)
MW-1 (cont)												
12/04/08	169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/05/09 ¹⁶	PER-NP ²³	169.30	159.10	10.20	77	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
06/23/09		169.30	158.36	10.94	SAMPLED ANNUALLY		--	--	--	--	--	--
09/01/09		169.30	158.26	11.04	SAMPLED ANNUALLY		--	--	--	--	--	--
03/16/10 ¹⁶	PER	169.30	158.75	10.55	1,200	70	3	<0.5	<0.5	<0.5	1	--
MW-2												
10/08/91		169.15	157.20	11.95	--	110	5.1	1.1	0.8	26	--	--
11/19/91		169.15	157.40	11.75	--	120	11	1.1	<0.5	17	--	--
12/04/91		169.15	157.35	11.80	130	440	30	2.5	<0.5	52	--	--
06/05/92		169.15	157.35	11.80	130	80	13	<0.5	<0.5	1.0	--	--
10/27/92		169.15	157.15	12.00	110	54	13	<0.5	<0.5	<0.5	--	--
12/30/92		169.15	--	--	92	180	30	<0.5	<0.5	1.0	--	--
01/27/93		169.15	158.24	10.91	--	--	--	--	--	--	--	--
03/05/93		169.15	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/17/93		169.15	158.26	10.89	--	--	--	--	--	--	--	--
06/18/93		169.15	157.41	11.74	<50	<50	1.4	<0.5	<0.5	<1.5	--	--
09/28/93		169.15	157.97	11.18	<50	<50	0.6	<0.5	<0.5	<1.5	--	--
12/30/93		169.15	158.34	21.00	<50	<50	0.9	<0.5	<0.5	<0.5	--	--
04/07/94		169.15	158.40	10.75	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/31/94		169.15	158.35	10.80	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/23/94		169.15	157.50	11.65	120	<50	0.7	<0.5	<0.5	<0.5	--	--
11/30/94		169.15	158.41	10.74	570 ^d	55	2.9	<0.5	1.4	0.94	--	--
03/30/95		169.15	158.25	10.90	430 ¹	91	4.5	<0.5	3.8	<0.5	--	--
06/06/95		169.15	157.73	11.42	410 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/25/95		169.15	157.52	11.63	220 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/28/95		169.15	157.98	11.17	120 ¹	<2,000	<20	<20	<20	<20	5,000	--
03/05/96		169.15	159.09	10.06	860 ¹	<2,000	<20	<20	<20	<20	10,000	--
09/13/96		169.15	157.37	11.78	1,300	1,100	25	<10	<10	<10	20,000	--
12/19/96		169.15	158.30	10.85	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
03/20/97		169.15	157.75	11.40	190 ¹	2400	<10	<10	46	<10	6,200	--
06/27/97		169.15	157.35	11.80	--	--	--	--	--	--	--	--
09/19/97		169.15	157.43	11.72	60 ¹	<50	<0.5	<0.5	<0.5	<0.5	280	--
12/08/97		169.15	158.27	10.88	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-2 (cont)												
03/31/98	169.15	158.46	10.69	220 ¹	110	30	0.74	0.74	0.59	1,000	--	--
06/19/98	169.15	159.31	9.84	--	--	--	--	--	--	--	--	--
08/31/98	169.15	157.43	11.72	380 ¹	<100	3.4	<1.0	<1.0	<1.0	980	--	--
12/17/98	169.15	157.60	11.55	--	--	--	--	--	--	480	--	--
03/19/99	169.15	158.63	10.52	107 ⁴	<250	12.7	<2.5	<2.5	<2.5	1,040/819 ¹³	--	--
06/23/99	169.15	159.61	9.54	--	--	--	--	--	--	--	--	--
09/16/99	169.15	157.54	11.61	84.9	<100	<1.0	<1.0	<1.0	<1.0	216	--	--
12/16/99	169.15	157.86	11.29	--	--	--	--	--	--	--	--	--
03/02/00	169.15	158.70	10.45	<50	84.8	21.5	<0.5	<0.5	0.636	413	--	--
06/30/00	169.15	159.08	10.07	--	--	--	--	--	--	--	--	--
09/30/00	NP	169.15	157.54	11.61	100 ¹¹	<50	<0.50	0.57	<0.50	1.0	2,800	--
12/19/00		169.15	158.04	11.11	--	--	--	--	--	--	--	--
03/13/01	NP	169.15	158.22	10.93	-- ¹⁴	179	11.6	2.01	0.856	3.66	1,290	--
06/12/01		169.15	157.52	11.63	--	--	--	--	--	--	--	--
09/18/01	NP	169.15	157.37	11.78	100	<50	<0.50	<0.50	<0.50	<1.5	670	--
12/17/01		169.15	158.29	10.86	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/13/02		169.15	157.50	11.65	200	<50	<0.50	<0.50	<0.50	<1.5	260	--
12/13/02		169.15	158.07	11.08	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/17/03		169.15	158.38	10.77	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/16/03		169.15	157.77	11.38	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/15/03 ^{16,17}		169.15	157.55	11.60	110	<50	<0.5	<0.5	<0.5	0.6	400	--
12/15/03		169.15	158.40	10.75	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/01/04		169.15	158.49	10.66	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/28/04		169.15	157.63	11.52	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/13/04		169.15	156.27	12.88	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
12/22/04		169.15	157.93	11.22	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/04/05		169.15	158.58	10.57	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/30/05		169.15	158.08	11.07	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/16/05 ¹⁶	NP	169.15	156.64	12.51	130	<50	<0.5	<0.5	<0.5	<0.5	140	<50
12/21/05		169.15	158.41	10.74	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/21/06 ¹⁶		169.15	158.74	10.41	72	<50	<0.5	<0.5	<0.5	<0.5	530	<50
06/21/06		169.15	157.64	11.51	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/05/06 ¹⁶		169.15	157.51	11.64	620	<50	<0.5	<0.5	<0.5	<0.5	150	<50
12/28/06		169.15	158.19	10.96	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/26/07 ¹⁶		169.15	157.74	11.41	86	<50	<0.5	<0.5	<0.5	<0.5	160	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-2 (cont)												
06/26/07	169.15	157.60	11.55	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/26/07 ¹⁶	169.15	157.52	11.63	140	<50	<0.5	<0.5	<0.5	<0.5	69	--	<50
12/20/07	169.15	158.50	10.65	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
02/29/08 ¹⁶	PER	169.15	158.18	10.97	73	<50	<0.5	<0.5	<0.5	54	--	<50
05/09/08		169.15	157.74	11.41	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/19/08	PER	169.15	157.48	11.67	120	<50	<0.5	<0.5	<0.5	12	--	<50
12/04/08		169.15	157.67	11.48	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/05/09 ¹⁶	PER-NP ²³	169.15	158.65	10.50	<50	<50	<0.5	<0.5	<0.5	55	--	<50
06/23/09		169.15	157.65	11.50	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/01/09 ¹⁶	PER	169.15	157.55	11.60	75	<50	<0.5	<0.5	<0.5	10	--	--
03/16/10 ¹⁶	PER	169.15	158.50	10.65	120 ²⁴	<50	<0.5	<0.5	<0.5	23	--	--
MW-4												
10/27/92	169.18	157.79	11.39	<50	<50	<0.5	0.6	0.5	4.3	--	--	--
12/30/92	169.18	159.05	10.13	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.18	160.09	9.09	--	--	--	--	--	--	--	--	--
03/05/93	169.18	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.18	159.28	9.90	--	--	--	--	--	--	--	--	--
06/18/93	169.18	158.50	10.68	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.18	159.82	9.36	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.18	159.91	9.27	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.18	160.37	8.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.18	160.27	8.91	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.18	158.79	10.39	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.18	160.08	9.10	58 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	169.18	160.66	8.52	61 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.18	158.70	10.48	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.18	158.38	10.80	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.18	159.23	9.95	<50	<50	<0.5	<0.5	<0.5	<0.5	9.9	--	--
12/21/05 ¹⁶	169.18	159.65	9.53	76 ¹⁸	<50	<0.5	<0.5	<0.5	<0.5	0.7	--	<50
03/21/06 ¹⁶	169.18	160.35	8.83	<50	<50	<0.5	<0.5	<0.5	<0.5	0.5	--	<50
06/21/06 ¹⁶	169.18	158.55	10.63	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
09/05/06 ¹⁶	169.18	158.24	10.94	170	<50	<0.5	<0.5	<0.5	<0.5	1	--	<50
12/28/06 ¹⁶	169.18	159.06	10.12	120	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TGG (ug/L)	ETHANOL (ug/L)
MW-4 (cont)												
03/26/07 ¹⁵	169.18	158.73	10.45	290	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
06/26/07 ¹⁵	169.18	158.22	10.96	<50	<50	<0.5	<0.5	<0.5	<0.5	1	--	<50
09/26/07 ¹⁵	169.18	157.98	11.20	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
12/20/07 ¹⁶	169.18	159.01	10.17	62	<50	<0.5	<0.5	<0.5	<0.5	0.5	--	<50
02/29/08 ¹⁶	169.18	159.32	9.86	180	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
05/09/08 ¹⁶	169.18	158.41	10.77	80	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	<50
09/19/08 ¹⁶	169.18	157.97	11.21	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
12/04/08 ¹⁶	169.18	158.20	10.98	58	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
03/05/09 ¹⁶	169.18	159.36	9.82	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
06/23/09	169.18	158.45	10.73	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/01/09	169.18	158.10	11.08	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/16/10 ¹⁶	169.18	159.81	9.37	60 ²⁵	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-6												
10/27/92	166.46	153.92	12.54	<50	600	22	22	24	130	--	--	--
12/30/92	166.46	156.26	10.20	470	1,700	170	16	46	160	--	--	--
01/27/93	166.46	156.44	10.02	--	--	--	--	--	--	--	--	--
03/05/93	166.46	--	--	150	480	76	0.9	3.1	7.1	--	--	--
03/17/93	166.46	155.79	10.67	--	--	--	--	--	--	--	--	--
06/18/93	166.46	154.63	11.83	51	240	37	3.4	2.9	18	--	--	--
09/28/93	166.46	154.90	11.56	120	150	11	1.2	1.3	4.3	--	--	--
12/30/93	166.46	154.81	11.65	290	680	77	5.1	5.5	13	--	--	--
04/07/94	166.46	155.34	11.12	<10	190	24	2.9	1.9	8.0	--	--	--
05/31/94	166.46	--	--	--	--	--	--	--	--	--	--	--
09/23/94	166.46	155.05	11.41	--	--	--	--	--	--	--	--	--
11/30/94	166.46	156.58	9.88	150 ²	320	49	0.58	1.4	1.2	--	--	--
12/15/03 ¹⁶	166.46	156.60	9.86	71	210	0.5	0.9	0.7	2	14	--	<50
03/01/04 ^{16,21}	166.46	157.16	9.30	<250	150	<0.5	4	3	18	10	--	<50
06/28/04 ^{16,21}	166.46	155.13	11.33	66	100	<0.5	<0.5	<0.5	<0.5	18	--	--
09/13/04 ^{16,21}	166.46	154.88	11.58	<50	<50	<0.5	<0.5	<0.5	<0.5	17	--	<50
12/22/04 ^{16,21}	166.46	155.75	10.71	300	440	1	1	2	3	10	--	<50
03/04/05 ^{16,21}	166.46	157.25	9.21	75	65	<0.5	<0.5	<0.5	1	8	--	<50
06/30/05 ^{16,21}	166.46	155.49	10.97	73	<50	<0.5	<0.5	<0.5	<0.5	7	--	<50
09/16/05 ^{16,21}	166.46	155.02	11.44	58 ¹⁷	<50	<0.5	<0.5	<0.5	<0.5	13	--	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>l</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	TPH-DRO (<i>ug/L</i>)	TPH-GRO (<i>ug/L</i>)	B (<i>ug/L</i>)	T (<i>ug/L</i>)	E (<i>ug/L</i>)	X (<i>ug/L</i>)	MTBE (<i>ug/L</i>)	TOG (<i>ug/L</i>)	ETHANOL (<i>ug/L</i>)
MW-6 (cont)												
12/21/05 ^{16,21}	166.46	156.66	9.80	120 ¹⁹	140	<0.5	<0.5	<0.5	1	8	--	<50
03/21/06 ^{16,21}	166.46	157.54	8.92	75	52	<0.5	<0.5	0.9	3	8	--	<50
06/21/06 ^{16,21}	166.46	155.38	11.08	56	92	<0.5	<0.5	0.5	2	10	--	<50
09/05/06 ^{16,21}	166.46	155.07	11.39	67	62	<0.5	<0.5	<0.5	<0.5	9	--	<50
12/28/06 ^{16,21}	166.46	156.32	10.14	300	260	<0.5	0.5	<0.5	1	3	--	<50
03/26/07 ²¹	166.46	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--	--
06/26/07 ¹⁶	166.46	155.32	11.14	67	<50	<0.5	<0.5	<0.5	<0.5	8	--	<50
09/26/07 ¹⁶	166.46	155.02	11.44	84	180	<0.5	0.5	3	5	6	--	--
12/20/07 ¹⁶	166.46	156.41	10.05	220	530	<0.5	0.7	1	7	2	--	-- ²²
02/29/08 ¹⁶	166.46	156.49	9.97	110	110	<0.5	<0.5	1	4	4	--	<50
05/09/08 ¹⁶	166.46	155.19	11.27	100	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
09/19/08 ¹⁶	166.46	154.85	11.61	<50	<50	<0.5	<0.5	<0.5	<0.5	5	--	<50
12/04/08 ¹⁶	166.46	155.08	11.38	<50	<50	<0.5	<0.5	<0.5	<0.5	5	--	<50
03/05/09 ¹⁶	166.46	157.57	8.89	140	160	<0.5	<0.5	1	7	2	--	<50
06/23/09	166.46	155.14	11.32	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/01/09 ¹⁶	166.46	154.82	11.64	52	<50	<0.5	<0.5	<0.5	<0.5	5	--	--
03/16/10 ¹⁶	166.46	156.78	9.68	76 ²⁵	100	<0.5	<0.5	0.7	7	0.7	--	--
MW-7												
09/25/95	168.80	157.20	11.60	1,400 ¹	220	0.79	<0.5	0.67	<0.5	--	--	--
12/28/95	168.80	158.14	10.66	590 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/05/96	168.80	159.74	9.06	320 ¹	1,400	<10	<10	47	<10	5,300	--	--
06/27/96	168.80	157.27	11.53	630 ¹	<2,500	<25	<25	<25	<25	14,000	--	--
09/13/96	168.80	156.88	11.92	1,400	1,100	26	<10	24	<10	20,000	--	--
12/19/96	168.80	158.29	10.51	1,100 ³	<5,000	<50	<50	<50	<50	12,000	--	--
03/20/97	168.80	157.84	10.96	1,600 ³	<1,000	<10	<10	<10	<10	2,100/2,000 ¹³	--	--
06/27/97	168.80	157.02	11.78	1,600 ¹	2,000	<20	<20	<20	<20	11,000	--	--
09/19/97	168.80	156.87	11.93	1,900 ¹	<1,000	35	<10	<10	<10	13,000	--	--
12/05/97	168.80	158.40	10.40	1,100 ¹	2,100	47	2.7	28	<2.5	15,000	--	--
03/31/98	168.80	158.89	9.91	780 ¹	410	4.0	0.61	2.2	<0.5	<2.5	--	--
06/19/98	168.80	159.09	9.71	480 ¹	1,100	16	<10	17	<10	12,000	--	--
08/31/98	168.80	157.11	11.69	580 ¹	<500	350	22	<5.0	<5.0	47,000	--	--
12/17/98	168.80	157.70	11.10	970	1,800	<10	<10	24	<10	13,000/14,000 ¹	--	--
03/19/99	168.80	158.51	10.29	615 ¹	1,280	<5.0	5.0	16.3	<5.0	2,240/2,910 ¹³	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-7 (cont)												
06/23/99	168.80	157.25	11.55	1,240 ¹	<5,000	<50	<50	<50	<50	18,000	--	--
09/16/99	168.80	157.31	11.49	2,230	<5,000	<50	<50	<50	<50	13,700	--	--
12/16/99	168.80	158.27	10.53	973 ¹	1,330	<1.0	6.44	14	5.17	10,800	--	--
03/02/00	168.80	159.25	9.55	880 ¹	1,980	7.22	<5.0	6.11	<5.0	4,230	--	--
06/30/00	168.80	157.68	11.12	620 ⁷	2,500 ⁶	6.0	8.5	16	72	6,900	--	--
09/30/00	NP	157.23	11.57	1,600 ⁷	1,700 ¹⁰	750	<5.0	<5.0	<5.0	7,300	--	--
12/19/00	168.80	158.26	10.54	1,100 ¹²	1,800 ¹⁰	<10	<10	<10	<10	4,900	--	--
03/13/01	168.80	158.74	10.06	1,500 ¹²	1,470	9.34	5.09	6.08	2.69	2,920	--	--
06/12/01	168.80	157.45	11.35	910 ¹⁵	920 ¹⁰	260	4.2	9.7	2.8	4,500	--	--
09/18/01	168.80	156.87	11.93	3,000	2,000	<0.50	<0.50	<0.50	<1.5	5,300	--	--
12/17/01	168.80	157.99	10.81	7,000	1,700	<5.0	<0.50	7.1	<1.5	4,100	--	--
03/21/02	168.80	158.56	10.24	13,000	3,200	<5.0	<0.50	24	<1.5	980	--	--
06/08/02	168.80	157.32	11.48	3,500	1,500	3.6	<0.50	8.5	<1.5	2,800	--	--
09/13/02	168.80	157.02	11.78	2,400	1,200	1.8	<1.0	2.8	<1.5	3,300	--	--
12/13/02	168.80	157.97	10.83	3,400	1,100	2.4	<0.50	2.3	<1.5	2,000	--	--
03/17/03	168.80	158.71	10.09	3,700	1,600	<10	<0.50	5.1	<1.5	1,000	--	--
06/16/03 ¹⁶	168.80	157.81	10.99	4,400	2,500	1	0.5	14	<0.5	260	--	--
09/15/03 ¹⁶	168.80	157.38	11.42	4,700	1,700	1	<0.5	6	0.5	790	--	<50
12/15/03 ¹⁶	168.80	158.58	10.22	3,200	610	<0.5	<0.5	1	<0.5	780	--	<50
03/01/04 ¹⁶	168.80	159.19	9.61	2,200	1,500	<0.5	<0.5	4	<0.5	16	--	<50
06/28/04 ¹⁶	168.80	157.38	11.42	3,700	2,500	2	<0.5	8	<0.5	300	--	--
09/13/04 ¹⁶	168.80	156.78	12.02	2,000	2,000	1	<1	4	<1	700	--	<100
12/22/04 ¹⁶	168.80	158.39	10.41	1,300	970	0.8	<0.5	5	<0.5	370	--	<50
03/04/05 ¹⁶	168.80	159.12	9.68	890	790	<0.5	<0.5	1	<0.5	5	--	<50
06/30/05 ¹⁶	168.80	157.63	11.17	2,600	1,300	<0.5	<0.5	3	<0.5	68	--	<50
09/16/05 ¹⁶	168.80	157.29	11.51	1,300	1,200	<0.5	<0.5	1	<0.5	380	--	<50
12/21/05 ¹⁶	168.80	158.74	10.06	1,600 ²⁰	1,300	<0.5	<0.5	2	<0.5	170	--	<50
03/21/06 ¹⁶	168.80	159.28	9.52	2,800	810	<0.5	<0.5	<0.5	<0.5	200	--	<50
06/21/06 ¹⁶	168.80	157.35	11.45	1,100	1,800	0.5	<0.5	2	<0.5	260	--	<50
09/05/06 ¹⁶	168.80	157.01	11.79	2,100	910	<0.5	<0.5	<0.5	<0.5	370	--	<50
12/28/06 ¹⁶	168.80	158.34	10.46	7,200	2,700	0.5	<0.5	3	<0.5	140	--	<50
03/26/07 ¹⁶	168.80	157.46	11.34	6,500	1,300	<0.5	<0.5	1	<0.5	150	--	<50
06/26/07 ¹⁶	168.80	157.15	11.65	2,100	1,900	0.6	<0.5	2	<0.5	170	--	<50
09/26/07 ¹⁶	168.80	156.98	11.82	2,200	670	<0.5	<0.5	<0.5	<0.5	420	--	<50
12/20/07 ¹⁶	168.80	158.23	10.57	4,300	2,600	0.8	<0.5	4	<0.5	130	--	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>fl.</i>)	GWE (<i>msl</i>)	DTW (<i>fl.</i>)	TPH-DRO (<i>ug/L</i>)	TPH-GRO (<i>ug/L</i>)	B (<i>ug/L</i>)	T (<i>ug/L</i>)	E (<i>ug/L</i>)	X (<i>ug/L</i>)	MTBE (<i>ug/L</i>)	TOG (<i>ug/L</i>)	ETHANOL (<i>ug/L</i>)
MW-7 (cont)												
02/29/08 ¹⁶	168.80	158.56	10.24	2,400	1,400	<0.5	<0.5	2	<0.5	35	--	<50
05/09/08 ¹⁶	168.80	157.27	11.53	1,700	2,200	0.6	0.6	2	<0.5	76	--	<50
09/19/08 ¹⁶	168.80	156.86	11.94	10,000	610	<0.5	<0.5	<0.5	<0.5	430	--	<50
12/04/08 ¹⁶	168.80	157.16	11.64	3,000	1,100	<0.5	<0.5	<0.5	<0.5	440	--	<50
03/05/09 ¹⁶	168.80	159.46	9.34	1,000	2,100	<0.5	<0.5	3	<0.5	57	--	<50
06/23/09 ¹⁶	168.80	157.41	11.39	2,300	1,800	<0.5	<0.5	1	<0.5	100	--	--
09/01/09 ¹⁶	168.80	156.88	11.92	6,800	2,100	<0.5	<0.5	1	<0.5	150	--	--
03/16/10 ¹⁶	168.80	158.99	9.81	5,500	1,700	<0.5	<0.5	2	<0.5	9	--	--
MW-3												
10/08/91	169.11	160.84	8.27	--	81	1.9	0.7	0.8	2.4	--	--	--
11/04/91	169.11	158.26	10.85	--	60	<0.5	<0.5	<0.5	<0.5	--	--	--
12/04/91	169.11	158.06	11.05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/92	169.11	157.96	11.15	170	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/27/92	169.11	157.51	11.60	120	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.11	--	--	170	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.11	160.00	9.11	--	--	--	--	--	--	--	--	--
03/05/93	169.11	--	--	--	--	--	--	--	--	--	--	--
03/17/93	169.11	159.16	9.95	--	--	--	--	--	--	--	--	--
06/18/93	169.11	158.22	10.89	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.11	159.49	9.62	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.11	159.80	9.31	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.11	160.30	8.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.11	160.21	8.90	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.11	158.48	10.63	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.11	160.19	8.92	--	--	--	--	--	--	--	--	--
03/30/95	169.11	160.01	9.10	290 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.11	158.79	10.32	150 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.11	158.11	11.00	260 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.11	158.96	10.15	200 ¹	<250	<2.5	<2.5	<2.5	<2.5	1,400	--	--
12/17/98	169.11	158.86	10.25	130 ¹	<250	<2.5	<2.5	<2.5	<2.5	62,000	--	--
03/19/99	169.11	159.37	9.74	139 ¹	<1,000	<10	<10	<10	<10	5,650/5,850 ¹³	--	--
06/23/99	169.11	158.40	10.71	61.6 ¹	<2,000	<20	<20	<20	<20	6,700	--	--
09/16/99	169.11	157.44	11.67	122	<1,000	<10	<10	<10	<10	1,910	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-3 (cont)												
12/16/99	169.11	158.79	10.32	--	--	--	--	--	--	5,850	--	--
12/20/00	169.11	158.91	10.20	96.8 ¹	65.2	<0.5	<0.5	<0.5	<0.5	1,790	--	--
03/02/00	169.11	160.26	8.85	<50	<50	<0.5	<0.5	<0.5	<0.5	5,600	--	--
06/30/00	169.11	158.81	10.30	<50	360 ⁵	<0.50	<0.50	<0.50	<0.50	1,300	--	--
09/30/00	NP	169.11	158.07	11.04	--	150 ⁹	75	<1.3	<1.3	<1.3	8,200	--
12/19/00	NP	169.11	159.06	10.05	-- ¹⁴	<1,000	<10	<10	<10	<10	4,600	--
03/13/01	NP	169.11	159.76	9.35	-- ¹⁴	284	0.601	1.00	<0.500	1.27	3,670	--
06/12/01	NP	169.11	158.08	11.03	<50	140 ⁹	67	<0.50	<0.50	<0.50	2,600	--
09/18/01	NP	169.11	157.96	11.15	100	240	<0.50	<0.50	<0.50	<1.5	3,200	--
12/17/01	169.11	159.22	9.89	270	55	<0.50	<0.50	<0.50	<1.5	930	--	--
03/21/02	169.11	159.38	9.73	290	190	<0.50	<0.50	<0.50	<1.5	2,600	--	--
06/08/02	169.11	158.21	10.90	110	110	<0.50	<0.50	<0.50	<1.5	2,200	--	--
09/13/02	169.11	158.26	10.85	<50	<50	<0.50	<0.50	<0.50	<1.5	650	--	--
12/13/02	169.11	159.11	10.00	120	<50	<0.50	<0.50	<0.50	<1.5	450	--	--
03/17/03	169.11	159.66	9.45	370	80	<0.50	<0.50	<0.50	<1.5	1,600	--	--
06/16/03	169.11	158.98	10.13	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
09/15/03	169.11	157.85	11.26	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
12/15/03 ¹⁶	169.11	159.78	9.33	-- ¹⁴	<50	<0.5	3	0.6	4	220	--	<50
03/01/04	169.11	159.22	9.89	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
06/28/04 ¹⁶	169.11	158.26	10.85	95	<50	<0.5	<0.5	<0.5	<0.5	980	--	--
09/13/04	169.11	DRY AT 12.96 FEET		--	--	--	--	--	--	--	--	--
12/22/04 ¹⁶	NP	169.11	159.14	9.97	-- ¹⁴	53	<0.5	<0.5	<0.5	<0.5	110	<50
03/04/05 ¹⁶	NP	169.11	159.68	9.43	<50	<50	<0.5	<0.5	<0.5	460	--	<50
06/30/05 ¹⁶	NP	169.11	158.66	10.45	58 ¹⁷	<50	<0.5	<0.5	<0.5	600	--	<50
09/16/05 ¹⁶	NP	169.11	158.26	10.85	-- ¹⁴	<50	<0.5	<0.5	<0.5	530	--	<50
NOT MONITORED/SAMPLED												
MW-5												
10/27/92	167.41	157.46	9.95	<50	74	<0.5	<0.5	0.6	7.1	--	--	--
12/30/92	167.41	158.21	9.20	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	167.41	157.80	9.61	--	--	--	--	--	--	--	--	--
03/05/93	167.41	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	167.41	157.90	9.51	--	--	--	--	--	--	--	--	--
06/18/93	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/28/93	167.41	157.55	9.86	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-5 (cont)												
12/30/93	167.41	157.08	10.33	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	167.41	157.69	9.72	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	167.41	157.68	9.73	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	167.41	157.73	9.68	79 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	167.41	157.79	9.62	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	167.41	157.55	9.86	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	167.41	157.67	9.74	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
NOT MONITORED/SAMPLED												
TRIP BLANK												
10/08/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/04/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/04/91	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	--	--	--	<50	--	--	--	--	--	--	--	--
03/05/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	--	--	--	--	--	--	--	--	--	--	--	--
06/18/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/05/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/27/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/13/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
TRIP BLANK (cont)												
12/19/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/27/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
09/19/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/05/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/19/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
09/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/02/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/30/00 ⁸	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
03/13/01	--	--	--	--	<50.0	<0.500	0.534	<0.500	1.25	<0.500	--	--
06/12/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/18/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
QA												
12/17/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/17/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/16/03 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/15/03 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/15/03 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/01/04 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/28/04 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/13/04 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/22/04 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/04/05 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/30/05 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-6991
 2920 Castro Valley Boulevard
 Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
QA (cont)												
09/16/05 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/21/05 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/21/06 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/06 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/05/06 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/28/06 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/26/07 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/26/07 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/26/07 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/20/07 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/29/08 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/09/08 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/19/08 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/04/08 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/05/09 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/23/09 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/01/09 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
DISCONTINUED												

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 30, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

TPH = Total Petroleum Hydrocarbons

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

TPH-D = Total Petroleum Hydrocarbons as Diesel

TOG = Total Oil and Grease

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

($\mu\text{g/L}$) = Micrograms per liter

-- = Not Measured/Not Analyzed

NP = No Purge

PER = Peristaltic Pump

QA = Quality Assurance/Trip Blank

- 1 Chromatogram pattern indicates an unidentified hydrocarbon.
- 2 Chromatogram pattern indicates a non-diesel mix.
- 3 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.
- 4 Chromatogram pattern indicates a non-diesel mix + discrete peaks.
- 5 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 6 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 7 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 8 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.
- 9 Laboratory report indicates discrete peaks.
- 10 Laboratory report indicates gasoline C6-C12.
- 11 Laboratory report indicates unidentified hydrocarbons >C16.
- 12 Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.
- 13 Confirmation run.
- 14 Insufficient water to obtain sample for TPH-D.
- 15 Laboratory report indicates unidentified hydrocarbons C9-C17.
- 16 BTEX and MTBE by EPA Method 8260.
- 17 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. The reported result is due to individual peak(s) eluting in the DRO range.
- 18 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel and contains individual peaks eluting in the DRO range.
- 19 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel, an additional pattern which elutes later in the DRO range, and individual peaks eluting in the DRO range.
- 20 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and additional patterns which elute earlier and later in the DRO range.
- 21 Incorrect TOC elevation (168.80) was used in past reports. Correct TOC and GWE are shown.
- 22 Analysis inadvertently missed in the field.
- 23 No Purge due to insufficient water.
- 24 Laboratory report indicates DRO was detected in the method blank at a concentration of 38 $\mu\text{g/L}$. Results from the reextraction are within the limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. Similar results were obtained in both extracts.
- 25 Laboratory report indicates DRO was detected in the method blank at a concentration of 38 $\mu\text{g/L}$. Results from the reextraction are within the limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. The DRO result for the reextract is ND.

Table 2
Field Measurements and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID	DATE	D.O. (mg/L)	ORP (mV)	ALKALINITY (ug/L)	SULFATE (ug/L)	NITRATE as NITROGEN (ug/L)	FERROUS IRON (ug/L)
MW-1	12/21/05	3.7	151	581,000	184,000	6,400	29
	03/21/06	4.7	32	546,000	147,000	5,800	600
	06/21/06	SAMPLED ANNUALLY		--	--	--	--
	09/05/06	SAMPLED ANNUALLY		--	--	--	--
	12/28/06	SAMPLED ANNUALLY		--	--	--	--
	03/26/07	3.4	47	844,000 ¹	112,000	3,600	22,400
	02/29/08	2.6	153	¹ <460/584,000 ²	158,000	4,500	730
MW-4	12/21/05	1.4	89	396,000	137,000	2,300	<8.0
	03/21/06	3.0	82	407,000	139,000	2,200	<8.0
	06/21/06	0.3	86	¹ 710/403,000 ²	136,000	2,700	12
	09/05/06	2.1	106	¹ <460/412,000 ²	147,000	2,700	210
	12/28/06	1.1	114	¹ <460/396,000 ²	175,000	2,500	<8.0
	03/26/07	1.2	188	393,000 ³	151,000	1,800	190
	06/26/07	1.9	31	392,000	179,000	2,900	<8.0
	09/26/07	2.3	110	¹ <460/412,000 ²	182,000	1,600	<8.0
	12/20/07	2.1	76	¹ <460/402,000 ²	169,000	1,400	<8.0
	02/29/08	1.6	88	¹ <460/396,000 ²	193,000	1,500	15
	05/09/08	1.1	77	¹ <460/399,000 ²	165,000	1,500	23
	09/19/08	1.7	43	¹ <460/420,000 ²	167,000	2,500	<8.0
MW-7	12/21/05	1.4	53	475,000	2,700	<400	820
	03/21/06	2.5	12	439,000	3,800	<400	3,800
	06/21/06	0.1	-62	¹ 1,400/480,000 ²	1,600	<250	5,000
	09/05/06	1.2	-23	¹ <460/419,000 ²	1,700	<250	3,500
	12/28/06	0.80	-36	¹ <460/498,000 ²	2,100	<250	1,000
	03/26/07	1.1	-24	490,000 ³	2,000	<250	2,200
	06/26/07	1.0	-72	426,000	1,800	<250	4,700
	09/26/07	.90	26	¹ <460/423,000 ²	2,400	<250	3,800
	12/20/07	1.3	-8	¹ <460/539,000 ²	3,200	<250	910
	02/29/08	1.2	80	¹ <460/510,000 ²	8,100	<250	690
	05/09/08	1.0	65	¹ <460/157,000 ²	2,700	<250	1,800
	09/19/08	1.7	25	¹ <460/403,000 ²	8,100	<250	8,000

Table 2
Field Measurements and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

D.O. = Dissolved Oxygen

(mg/L) = milligrams per liter

ORP = Oxidation Reduction Potential

(mV) = millivolts

-- = Not Analyzed

(µg/L) = Micrograms per liter

¹ pH 8.3.

² pH 4.5.

³ Laboratory report indicates this sample was analyzed past the 14-day hold time.

ANALYTICAL METHODS:

Alkalinity by EPA Method SM20 2320 B for Alkalinity to pH 8.3

Alkalinity by EPA Method SM20 2320 B for Alkalinity to pH 4.5

Sulfate by EPA Method 300.0

Nitrate as Nitrogen by EPA Method 300.00

Ferrous Iron by EPA Method SM20 3500-Fe B

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 3/16 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-1
 Well Diameter: 3 1/2 in.
 Total Depth: 17.70 ft.
 Depth to Water: 10.55 ft.
7.15 xVF .02 = .14

Date Monitored: 3/16/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: .42 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.98

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: Peristaltic Pump

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: Peristaltic Pump

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1355 Weather Conditions: Clear
 Sample Time/Date: 1410 3/16/10 Water Color: cloudy Odor: DIN 1.5/10
 Approx. Flow Rate: _____ gpm. Sediment Description: light
 Did well de-water? N If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 11.37

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - US)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1356</u>	<u>.14</u>	<u>6.84</u>	<u>741</u>	<u>18.1</u>	_____	_____
<u>1357</u>	<u>.28</u>	<u>6.80</u>	<u>763</u>	<u>18.2</u>	_____	_____
<u>1358</u>	<u>.42</u>	<u>6.79</u>	<u>766</u>	<u>18.2</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 3/16/10 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-2
 Well Diameter: 3/4" 2 in.
 Total Depth: 14.70 ft.
 Depth to Water: 10.65 ft.
4.05 xVF .02 = .08

Date Monitored: 3/16/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.46 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: X Peristaltic Pump

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: X Peristaltic Pump

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1325 Weather Conditions: clean
 Sample Time/Date: 1340 / 3/16/10 Water Color: clean Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: none
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 10.90

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - S)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1327</u>	<u>.8</u>	<u>7.36</u>	<u>881</u>	<u>17.4</u>		
<u>1329</u>	<u>.16</u>	<u>7.32</u>	<u>880</u>	<u>17.2</u>		
<u>1331</u>	<u>.24</u>	<u>7.31</u>	<u>874</u>	<u>17.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 3/16/10 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-4
 Well Diameter: 3/4" (2) in.
 Total Depth: 19.73 ft.
 Depth to Water: 9.37 ft.

Date Monitored: 3/16/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

10.36 xVF .17 = 1.76 x3 case volume = Estimated Purge Volume: 5.28 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.44

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1200 Weather Conditions: clear
 Sample Time/Date: 1230 / 3/16/10 Water Color: cloudy Odor: Y / S
 Approx. Flow Rate: _____ gpm. Sediment Description: 1.5H
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 11.16

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 25)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1205</u>	<u>1.75</u>	<u>7.29</u>	<u>720</u>	<u>16.9</u>		
<u>1210</u>	<u>3.5</u>	<u>7.20</u>	<u>753</u>	<u>16.1</u>		
<u>1215</u>	<u>5.25</u>	<u>7.07</u>	<u>768</u>	<u>16.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 3/16/10 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-6 Date Monitored: 3/16/10
 Well Diameter: 3/4 (2) in.
 Total Depth: 23.38 ft.
 Depth to Water: 9.68 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

13.70 xVF .17 = 2.32 x3 case volume = Estimated Purge Volume: 6.98 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.42

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1115 Weather Conditions: Clear
 Sample Time/Date: 1145 / 3/16/10 Water Color: cloudy Odor: Y18
 Approx. Flow Rate: _____ gpm. Sediment Description: 1.5 H₂O
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 11.61

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>5</u>)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1120</u>	<u>2</u>	<u>7.06</u>	<u>881</u>	<u>16.2</u>	_____	_____
<u>1125</u>	<u>4</u>	<u>6.98</u>	<u>907</u>	<u>16.6</u>	_____	_____
<u>1131</u>	<u>7</u>	<u>6.85</u>	<u>934</u>	<u>15.9</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 3/16/10 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-7 Date Monitored: 3/16/10
 Well Diameter: 3/4 (2) in.
 Total Depth: 19.70 ft.
 Depth to Water: 9.81 ft. Check if water column is less than 0.50 ft.
9.89 xVF .17 = 1.68 x3 case volume = Estimated Purge Volume: 5.04 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.78

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1245 Weather Conditions: clear
 Sample Time/Date: 1315 / 3/16/10 Water Color: cloudy Odor: Y / (N)
 Approx. Flow Rate: _____ gpm. Sediment Description: 1.68
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 11.44

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - S)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1250</u>	<u>1.5</u>	<u>7.38</u>	<u>801</u>	<u>17.2</u>		
<u>1255</u>	<u>3.0</u>	<u>7.20</u>	<u>834</u>	<u>17.1</u>		
<u>1300</u>	<u>5.0</u>	<u>7.06</u>	<u>877</u>	<u>17.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



031710-07

For Lancaster Laboratories use only
 Acct #: 12099 Sample # 5930803-07 Group #: 017776

CRA MTI Project #: 61H-1633

1186588

Facility #: <u>SS#9-6991 G-R#385296 Global ID#T0600100324</u> Site Address: <u>2920 CASTRO VALLEY BLVD, CASTRO VALLEY, CA</u> MTI <u>CRAKJ</u> Chevron PM: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568</u> Lead Consultant: Consultant/Office: <u>Deanna L. Harding (deanna@grnc.com)</u> Consultant Prj. Mgr.: Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>Jim Heller</u>				Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits				
Sample Identification			Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260 8021	TPH 8015 MOD GFC	TPH 8015 MOD DFO	Silica Gel Cleanup	8260 full scan	Oxygens	Total Lead Method	Dissolved Lead Method	Comments / Remarks
MW-1			3/16/07	1410	X						2	X	X	X	X					
MW-2			↓	1340	X						2	X	X	X	X					
MW-4			↓	1230	X						2	X	X	X	X					
MW-6			↓	1145	X						2	X	X	X	X					
MW-7			↓	1315	X						2	X	X	X	X					

Turnaround Time Requested (TAT) (please circle) 24 hour 72 hour 48 hour 4 day 5 day		Relinquished by: <u>[Signature]</u> Date: <u>3/17/07</u> Time: <u>1430</u> Received by: <u>A. Salazar</u> Date: <u>17 MAR 07</u> Time: <u>1430</u>	
Data Package Options (please circle if required) QC Summary Type I - Full EDF/EDD Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk		Relinquished by: <u>[Signature]</u> Date: <u>17 MAR 07</u> Time: <u>1630</u> Received by: <u>FEDEX</u>	
Relinquished by Commercial Carrier: UPS FedEx Other _____		Received by: <u>[Signature]</u> Date: <u>3/17/07</u> Time: <u>0700</u>	
Temperature Upon Receipt: <u>12.2</u> °C		Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

ANALYTICAL RESULTS

Prepared for:

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

916-677-3407

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

April 01, 2010

Project: 96991

RECEIVED

APR 01 2010

GETTLER-RYAN, INC.
GENERAL CONTRACTORS

Samples arrived at the laboratory on Thursday, March 18, 2010. The PO# for this group is 96991 and the release number is MTI. The group number for this submittal is 1186588.

Client Sample DescriptionMW-1-W-100316 Grab Water
MW-2-W-100316 Grab Water
MW-4-W-100316 Grab Water
MW-6-W-100316 Grab Water
MW-7-W-100316 Grab WaterLancaster Labs (LLI) #5930803
5930804
5930805
5930806
5930807

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Gettler-Ryan, Inc.
COPY TO

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax 717-656-2881 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink that reads "Susan M. Goshert".

Susan M. Goshert
Group Leader

Sample Description: MW-1-W-100316 Grab Water
 Facility# 96991 Job# 385296 MTI# 61H-1633 GRD
 2920 Castro Val-Castro Val T0600100324 MW-1

LLI Sample # WW 5930803
 LLI Group # 1186588
 CA

Project Name: 96991

Collected: 03/16/2010 14:10 by JH

Account Number: 12099

Submitted: 03/18/2010 08:45

Chevron c/o CRA

Reported: 04/01/2010 at 10:54

Suite 110

Discard: 05/02/2010

2000 Opportunity Drive
Roseville CA 95678

69911

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles					
	SW-846 8260B		ug/l	ug/l	
10943	Benzene	71-43-2	3	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	1	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles					
	SW-846 8015B		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	70	50	1
GC Extractable TPH					
	SW-846 8015B		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	1,200	50	1

General Sample Comments

State of California Lab Certification No. 2501
 Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100813AA	03/22/2010 22:51	Florida A Cimino	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z100813AA	03/22/2010 22:51	Florida A Cimino	1
01146	GC VOA Water Prep	SW-846 5030B	1	10082A07A	03/23/2010 15:10	Elizabeth J Marin	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10082A07A	03/23/2010 15:10	Elizabeth J Marin	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	100780016A	03/20/2010 07:05	Doreen K Robles	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	2	100780016A	03/25/2010 09:41	Dustin A Underkoffler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17805-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-W-100316 Grab Water
Facility# 96991 Job# 385296 MTI# 61H-1633 GRD
2920 Castro Val-Castro Val T0600100324 MW-2

LLI Sample # WW 5930804
LLI Group # 1186588
CA

Project Name: 96991

Collected: 03/16/2010 13:40 by JH

Account Number: 12099

Submitted: 03/18/2010 08:45

Chevron c/o CRA

Reported: 04/01/2010 at 10:54

Suite 110

Discard: 05/02/2010

2000 Opportunity Drive
Roseville CA 95678

69912

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	23	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC	Extractable TPH	SW-846 8015B	ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	120	50	1
DRO was detected in the method blank at a concentration of 38 ug/l. Results from the reextraction are within the limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. Similar results were obtained in both extracts.					

General Sample Comments

State of California Lab Certification No. 2501
Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100813AA	03/23/2010 00:07	Florida A Cimino	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z100813AA	03/23/2010 00:07	Florida A Cimino	1
01146	GC VOA Water Prep	SW-846 5030B	1	10082A07A	03/23/2010 15:36	Elizabeth J Marin	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10082A07A	03/23/2010 15:36	Elizabeth J Marin	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	100780016A	03/20/2010 07:05	Doreen K Robles	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	2	100780016A	03/24/2010 23:33	Dustin A Underkoffler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-856-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Sample Description: MW-4-W-100316 Grab Water
Facility# 96991 Job# 385296 MTI# 61H-1633 GRD
2920 Castro Val-Castro Val T0600100324 MW-4

LLI Sample # WW 5930805
LLI Group # 1186588
CA

Project Name: 96991

Collected: 03/16/2010 12:30 by JH

Account Number: 12099

Submitted: 03/18/2010 08:45

Chevron c/o CRA

Reported: 04/01/2010 at 10:54

Suite 110

Discard: 05/02/2010

2000 Opportunity Drive
Roseville CA 95678

69914

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B ug/l					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B ug/l					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Extractable TPH SW-846 8015B ug/l					
06609	TPH-DRO CA C10-C28	n.a.	60	50	1
DRO was detected in the method blank at a concentration of 38 ug/l. Results from the reextraction are within the limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. The DRO result for the reextract is ND.					

General Sample Comments

State of California Lab Certification No. 2501
Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100813AA	03/23/2010 01:49	Florida A Cimino	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z100813AA	03/23/2010 01:49	Florida A Cimino	1
01146	GC VOA Water Prep	SW-846 5030B	1	10082A07A	03/23/2010 16:03	Elizabeth J Marin	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10082A07A	03/23/2010 16:03	Elizabeth J Marin	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	100780016A	03/20/2010 07:05	Doreen K Robles	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	2	100780016A	03/24/2010 23:55	Dustin A Underkoffler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-W-100316 Grab Water
Facility# 96991 Job# 385296 MTI# 61H-1633 GRD
2920 Castro Val-Castro Val T0600100324 MW-6

LLI Sample # WW 5930806
LLI Group # 1186588
CA

Project Name: 96991

Collected: 03/16/2010 11:45 by JH

Account Number: 12099

Submitted: 03/18/2010 08:45

Chevron c/o CRA

Reported: 04/01/2010 at 10:54

Suite 110

Discard: 05/02/2010

2000 Opportunity Drive
Roseville CA 95678

69916

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	0.7	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	0.7	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	7	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	100	50	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	76	50	1
DRO was detected in the method blank at a concentration of 38 ug/l. Results from the reextraction are within the limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. The DRO result for the reextract is ND.					

General Sample Comments

State of California Lab Certification No. 2501
Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trials#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100813AA	03/23/2010 02:14	Florida A Cimino	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z100813AA	03/23/2010 02:14	Florida A Cimino	1
01146	GC VOA Water Prep	SW-846 5030B	1	10082A07A	03/23/2010 16:30	Elizabeth J Marin	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10082A07A	03/23/2010 16:30	Elizabeth J Marin	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	100780016A	03/20/2010 07:05	Doreen K Robles	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	2	100780016A	03/25/2010 00:16	Dustin A Underkoffler	1

Sample Description: MW-7-W-100316 Grab Water
 Facility# 96991 Job# 385296 MTI# 61H-1633 GRD
 2920 Castro Val-Castro Val T0600100324 MW-7

LLI Sample # WW 5930807
 LLI Group # 1186588
 CA

Project Name: 96991

Collected: 03/16/2010 13:15 by JH

Account Number: 12099

Submitted: 03/18/2010 08:45

Chevron c/o CRA

Reported: 04/01/2010 at 10:54

Suite 110

Discard: 05/02/2010

2000 Opportunity Drive
Roseville CA 95678

69917

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	2	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	9	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	1,700	250	5
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	5,500	50	1
The surrogate data is outside the QC limits due to unresolvable matrix problems evident in the sample chromatogram.					

General Sample Comments

State of California Lab Certification No. 2501

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis		Analyst	Dilution Factor
					Date	Time		
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z100813AA	03/23/2010	02:40	Florida A Cimino	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z100813AA	03/23/2010	02:40	Florida A Cimino	1
01146	GC VOA Water Prep	SW-846 5030B	1	10082A07A	03/23/2010	21:51	Elizabeth J Marin	5
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10082A07A	03/23/2010	21:51	Elizabeth J Marin	5
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	100780016A	03/20/2010	07:05	Doreen K Robles	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	2	100780016A	03/25/2010	00:38	Dustin A Underkoffler	1

Quality Control Summary

 Client Name: Chevron c/o CRA
 Reported: 04/01/10 at 10:54 AM

Group Number: 1186588

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: Z100813AA	Sample number(s): 5930803-5930807							
Benzene	N.D.	0.5	ug/l	97		79-120		
Ethylbenzene	N.D.	0.5	ug/l	97		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	100		76-120		
Toluene	N.D.	0.5	ug/l	98		79-120		
Xylene (Total)	N.D.	0.5	ug/l	101		80-120		
Batch number: 10082A07A	Sample number(s): 5930803-5930807							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	118	118	75-135	0	30
Batch number: 100780016A	Sample number(s): 5930803-5930807							
TPH-DRO CA C10-C28	38	32.	ug/l	81	75	56-122	8	20

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: Z100813AA	Sample number(s): 5930803-5930807 UNSPK: 5930803								
Benzene	102	103	80-126	0	30				
Ethylbenzene	106	106	71-134	0	30				
Methyl Tertiary Butyl Ether	96	97	72-126	1	30				
Toluene	108	106	80-125	1	30				
Xylene (Total)	108	107	79-125	1	30				
Batch number: 10082A07A	Sample number(s): 5930803-5930807 UNSPK: P930800								
TPH-GRO N. CA water C6-C12	127		63-154						

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water
 Batch number: Z100813AA

	<u>Dibromofluoromethane</u>	<u>1,2-Dichloroethane-d4</u>	<u>Toluene-d8</u>	<u>4-Bromofluorobenzene</u>
5930803	96	96	104	96
5930804	98	97	102	93

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron c/o CRA
Reported: 04/01/10 at 10:54 AM

Group Number: 1186588

Surrogate Quality Control

5930805	98	94	101	95
5930806	97	95	102	96
5930807	94	91	105	99
Blank	96	95	102	95
LCS	98	97	99	95
MS	96	95	101	99
MSD	96	96	101	96

Limits:	80-116	77-113	80-113	78-113
---------	--------	--------	--------	--------

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 10082A07A
Trifluorotoluene-F

5930803	102
5930804	105
5930805	101
5930806	100
5930807	111
Blank	105
LCS	116
LCSD	116
MS	116

Limits:	63-135
---------	--------

Analysis Name: TPH-DRO CA C10-C28
Batch number: 100780016A
Orthoterphenyl

5930803	83
5930804	88
5930805	93
5930806	92
5930807	156*
Blank	92
LCS	110
LCSD	109

Limits:	59-131
---------	--------

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike amount not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
J	Estimated value	U	Compound was not detected
N	Presumptive evidence of a compound (TICs only)	W	Post digestion spike out of control limits
P	Concentration difference between primary and confirmation columns >25%	*	Duplicate analysis not within control limits
U	Compound was not detected	+	Correlation coefficient for MSA <0.995
X,Y,Z	Defined in case narrative		

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.