



**RECEIVED**

9:55 am, Nov 10, 2010

Alameda County  
Environmental Health

Stacie H. Frerichs  
Team Lead  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6001 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 842-9655  
Fax (925) 842-8370

November 5, 2010

Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Chevron Facility # 9-6991

Address: 2920 Castro Valley Boulevard, Castro Valley, California

I have reviewed the attached report titled Second Semi-Annual 2010 Groundwater Monitoring Report and dated November 5, 2010.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Stacie H. Frerichs  
Project Manager

Enclosure: Report



**CONESTOGA-ROVERS  
& ASSOCIATES**

10969 Trade Center Drive  
Rancho Cordova, California 95670  
Telephone: (916) 889-8900 Fax: (916) 889-8999  
[www.CRAworld.com](http://www.CRAworld.com)

November 5, 2010

Reference No. 611633

Mr. Mark Detterman, P.G., C.E.G.  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: Second Semi-Annual 2010 Groundwater Monitoring Report  
Chevron Service Station 9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California  
LOP Case RO0000475

---

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting the attached *Groundwater Monitoring and Sampling Report* (report) to Alameda County Environmental Health (ACEH) on behalf of Chevron Environmental Management Company (Chevron) for the site referenced above. The report (prepared by Gettler-Ryan Inc. and dated October 12, 2010) presents the results of the sampling of wells MW-2, MW-6, and MW-7 during third quarter 2010. Wells MW-2, MW-6, and MW-7 are sampled semi-annually during the first and third quarters, and wells MW-1 and MW-4 are sampled annually during the first quarter. Also attached are Figure 1 (Vicinity Map) showing the site location, and Figure 2 (Concentration Map) presenting the second semi-annual 2010 analytical results along with a rose diagram. The monitoring results during 2010 are discussed below.

During 2010, petroleum hydrocarbon concentrations in the wells generally were similar to or less than those observed during 2009. Elevated concentrations of total petroleum hydrocarbons as diesel (TPHd) (5,500 micrograms per liter [ $\mu\text{g/L}$ ] and 1,200  $\mu\text{g/L}$ ) and gasoline (TPHg) (1,700  $\mu\text{g/L}$  and 2,800  $\mu\text{g/L}$ ) were detected in well MW-7 during 2010; the detected concentrations were within the range of historical fluctuations. Low concentrations of methyl tertiary butyl ether (MTBE) (up to 16  $\mu\text{g/L}$ ) were detected in MW-7 during 2010; benzene, toluene, ethylbenzene, and xylenes (BTEX) were not detected with the exception of low concentrations of ethylbenzene (up to 2  $\mu\text{g/L}$ ). The TPHd and TPHg concentrations in MW-7 have remained relatively stable over the past several years, while the MTBE concentrations continue to decrease overall and have significantly decreased since the start of monitoring.

An elevated concentration of TPHd (1,200  $\mu\text{g/L}$ ) was detected in well MW-1 during 2010; this concentration was higher than that detected during 2009, but these fluctuations are typically observed in this well. Only low concentrations of TPHg (70  $\mu\text{g/L}$ ), benzene (3  $\mu\text{g/L}$ ), and MTBE (1  $\mu\text{g/L}$ ) were detected in MW-1; these constituents are only periodically detected in this well. Only low concentrations of TPHd (up to 120  $\mu\text{g/L}$ ), benzene (1  $\mu\text{g/L}$  during third quarter event), and MTBE (up to 32  $\mu\text{g/L}$ ) were detected in well MW-2 during 2010. The TPHd concentrations in MW-2 were consistent with historical fluctuations, while the MTBE concentrations continue to decrease and have significantly decreased since the start of monitoring. TPHg and BTEX generally have not been detected in MW-2 for several years. Only a low concentration of TPHd (60  $\mu\text{g/L}$ ) was detected in well MW-4 during 2010; historically, only

---

Equal  
Employment Opportunity  
Employer

---



**CONESTOGA-ROVERS  
& ASSOCIATES**

November 5, 2010

2

Reference No. 611633

low concentrations of TPHd and MTBE have periodically been detected in this well. Low concentrations of TPHd (76 µg/L), TPHg (100 µg/L), ethylbenzene (0.7 µg/L), xylenes (7 µg/L during the first quarter event), and MTBE (up to 3 µg/L) were detected in downgradient well MW-6 during 2010; the detected concentrations were consistent with historical fluctuations and have steadily decreased.

Based on the analytical results, impacted groundwater remains beneath the site, with elevated concentrations of TPHd and TPHg present in the area of well MW-7 downgradient of the underground storage tanks (USTs) and former dispensers. The TPHd and TPHg concentrations in well MW-7 have remained relatively stable, while the MTBE concentrations have significantly decreased and only low concentrations remain; BTEX generally are no longer detected. Generally, only low concentrations of petroleum hydrocarbons are present in the remaining wells, and concentrations have generally decreased since the start of monitoring. Only low concentrations of TPHd and MTBE remain in downgradient well MW-6.

Based on the site conditions and analytical results, the site appears to be a good candidate for low-risk case closure. Thus no further monitoring or investigation is recommended. CRA is currently preparing a case closure request which will be submitted during the fourth quarter.

Please contact Mr. James Kiernan at (916) 889-8917 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

  
Christopher J. Benedict

  
James P. Kiernan, P.E.




CB/jm/10  
Encl.

Figure 1                    Vicinity Map  
Figure 2                    Concentration Map - September 21, 2010  
  
Attachment A              Groundwater Monitoring and Sampling Report

cc:    Ms. Stacie Frerichs, Chevron (*electronic copy*)  
      Mr. Surinder Goswamy, K&K Petroleum, LLC

## FIGURES



SOURCE: TOPO! MAPS.

figure 1

VICINITY MAP  
 CHEVRON SERVICE STATION 9-6991  
 2920 CASTRO VALLEY BOULEVARD  
 Castro Valley, California








figure 2  
 CONCENTRATION MAP - SEPTEMBER 21, 2010  
 CHEVRON SERVICE STATION 9-6991  
 2920 CASTRO VALLEY BOULEVARD  
 Castro Valley, California



ATTACHMENT A

GROUNDWATER MONITORING AND SAMPLING REPORT



# GETTLER-RYAN INC.



## TRANSMITTAL

October 21, 2010  
G-R #385296

TO: Mr. James Kiernan  
Conestoga-Rovers & Associates  
10969 Trade Center Drive, Suite 107  
Rancho Cordova, CA 95670

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Chevron Service Station  
#9-6991 (MTI)  
2920 Castro Valley Boulevard  
Castro Valley, California  
RO 0000475**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	October 12, 2010	Groundwater Monitoring and Sampling Report <b>Second Semi-Annual Event of September 21, 2010</b>

### COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following (including PDF submittal of the entire report to GeoTracker):**

Ms. Stacie H. Frerichs, Chevron Environmental Management Company, 6111 Bollinger Canyon Road, Room 3596, San Ramon, CA 94583 **(PDF ONLY)**

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **November 4, 2010**, at which time this final report will be distributed to the following:

cc: Mr. Chuck Headlee, RWQCB-San Francisco Bay Region, 1515 Clay Street, Oakland, CA 94612 **(No Hard Copy)**  
K & K Petroleum, (Property Owner), 2920 Castro Valley Blvd., Castro Valley, CA 94546  
Mr. Mark Detterman, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577  
**(No Hard Copy-CRA UPLOAD TO ALAMEDA CO.)**

Enclosures





Stacie H. Frerichs  
Team Lead  
Marketing Business Unit

Chevron Environmental  
Management Company  
6001 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 842-9655  
Fax (925) 842-8370

October 21, 2010  
(date)

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Chevron Facility #9-6991

Address: 2920 Castro Valley Boulevard

I have reviewed the attached routine groundwater monitoring report dated October 21, 2010.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Stacie H. Frerichs".

Stacie H. Frerichs  
Project Manager

Enclosure: Report

## WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-6991  
 Site Address: 2920 Castro Valley Blvd  
 City: Castro Valley, CA

Job # 385296  
 Event Date: 9/21/10  
 Sampler: JH

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1	ok							N	N	8" MORRISON	✓
MW-2	ok									"	
MW-4	ok									12" UNIVERSAL	
MW-6	ok									12" ENCO	
MW-7	ok									12" UNIVERSAL	

Comments \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



October 12, 2010  
G-R Job #385296

Ms. Stacie H. Frerichs  
Chevron Environmental Management Company  
6111 Bollinger Canyon Road, Room 3596  
San Ramon, CA 94583

**RE: Second Semi-Annual Event of September 21, 2010**  
Groundwater Monitoring & Sampling Report  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

Dear Ms. Frerichs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and the laboratory analytical reports are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding  
Project Coordinator

Douglas J. Lee  
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Field Measurements and Analytical Results  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports



**GETTLER - RYAN INC.**  
 6747 Sierra Court, Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Chevron Service Station #9-6991  
 2920 Castro Valley Boulevard  
 Castro Valley, California

FIGURE

1

PROJECT NUMBER  
 385296

REVIEWED BY

DATE  
 September 21, 2010

REVISED DATE

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-1</b>												
10/08/91	169.30	158.20	11.10	--	230	45	<0.5	0.9	9.1	--	<5,000	--
11/04/91	169.30	158.27	11.03	--	340	120	<0.5	<0.5	6.1	--	--	--
12/04/91	169.30	158.25	11.05	170	<50	3.9	<0.5	<0.5	<0.5	--	<5,000	--
06/05/92	169.30	158.26	11.04	<50	100	26	0.6	0.5	1.0	--	--	--
10/27/92	169.30	158.20	11.10	54	<50	11	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.30	--	--	170	<50	24	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.30	158.67	10.63	--	--	--	--	--	--	--	--	--
03/05/93	169.30	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.30	158.59	10.71	--	--	--	--	--	--	--	--	--
06/18/93	169.30	158.29	11.01	<50	<50	0.6	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.30	157.35	11.95	<50	<50	0.8	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.30	158.34	10.96	<50	<50	8.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.30	158.49	10.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.30	158.38	10.92	<50	<50	1.0	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.30	158.40	10.90	<50	<50	1.3	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.30	158.76	10.54	570 <sup>2</sup>	<50	8.9	<0.5	<0.5	<0.5	--	--	--
03/30/95	169.30	158.60	10.70	110 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.30	158.38	10.92	570 <sup>1</sup>	61	15	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.30	158.30	11.00	550 <sup>1</sup>	<50	4.7	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.30	158.50	10.80	330 <sup>1</sup>	72	9.1	0.65	<0.5	<0.5	6.0	--	--
03/05/96	169.30	159.20	10.10	780 <sup>1</sup>	<50	7.8	<0.5	<0.5	<0.5	<2.5	--	--
09/13/96	169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/19/96	169.30	158.08	11.22	--	--	--	--	--	--	--	--	--
03/20/97	169.30	158.40	10.90	350 <sup>1</sup>	<50	2.2	<0.5	<0.5	<0.5	<2.5	--	--
06/27/97	169.30	158.27	11.03	--	--	--	--	--	--	--	--	--
09/19/97	169.30	158.34	10.96	--	--	--	--	--	--	--	--	--
12/05/97	169.30	158.62	10.68	--	--	--	--	--	--	--	--	--
03/31/98	169.30	158.67	10.63	760 <sup>1</sup>	<50	6.7	<0.5	<0.5	<0.5	<2.5	--	--
06/19/98	169.30	159.62	9.68	--	--	--	--	--	--	--	--	--
08/13/98	169.30	157.67	11.63	--	--	--	--	--	--	--	--	--
12/17/98	169.30	158.25	11.05	--	--	--	--	--	--	--	--	--
03/19/99	169.30	158.35	10.95	890 <sup>1</sup>	124	14.8	<0.5	<0.5	<0.5	6.49/<2.5 <sup>13</sup>	--	--
06/23/99	169.30	158.23	11.07	--	--	--	--	--	--	--	--	--
09/16/99	169.30	158.41	10.89	--	--	--	--	--	--	--	--	--
12/16/99	169.30	158.46	10.84	--	--	--	--	--	--	--	--	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fL)	GWE (mst)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)	
<b>MW-1 (cont)</b>													
03/02/00	169.30	158.83	10.47	2,300 <sup>1</sup>	155	10.4	<0.5	<0.5	<0.5	10.3	--	--	
06/30/00	169.30	159.04	10.26	--	--	--	--	--	--	--	--	--	
09/30/00	NP	169.30	158.30	11.00	--	--	--	--	--	--	--	--	
12/19/00		169.30	158.44	10.86	--	--	--	--	--	--	--	--	
03/13/01	NP	169.30	158.45	10.85	-- <sup>14</sup>	50.4	4.50	0.553	0.522	2.10	1.65	--	
06/12/01		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/18/01		169.30	158.23	11.07	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/17/01		169.30	158.59	10.71	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/21/02		169.30	158.54	10.76	-- <sup>14</sup>	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/08/02		169.30	158.33	10.97	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/13/02		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/13/02		169.30	158.47	10.83	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/17/03		169.30	158.60	10.70	250	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/16/03		169.30	158.34	10.96	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/15/03		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/15/03		169.30	158.71	10.59	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/01/04		169.30	158.78	10.52	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
06/28/04		169.30	158.27	11.03	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/13/04		169.30	156.96	12.34	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/22/04		169.30	158.38	10.92	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/04/05		169.30	158.81	10.49	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
06/30/05		169.30	158.54	10.76	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/16/05		169.30	158.33	10.97	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/21/05		169.30	158.70	10.60	--	--	--	--	--	--	--	--	
03/21/06 <sup>16</sup>		169.30	158.93	10.37	1,100	<50	0.6	<0.5	<0.5	<0.5	1	--	
06/21/06		169.30	158.37	10.93	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/05/06		169.30	158.32	10.98	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/28/06		169.30	157.52	11.78	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/26/07 <sup>16</sup>		169.30	158.39	10.91	730	<50	0.6	<0.5	<0.5	<0.5	<0.5	--	
06/26/07		169.30	158.30	11.00	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/26/07		169.30	158.26	11.04	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/20/07		169.30	158.66	10.64	SAMPLED ANNUALLY		--	--	--	--	--	--	
02/29/08 <sup>16</sup>	PER	169.30	158.57	10.73	64	87	4	<0.5	<0.5	<0.5	1	--	
05/09/08		169.30	158.38	10.92	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/19/08		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)		
<b>MW-1 (cont)</b>														
12/04/08	169.30	158.28	11.02	SAMPLED ANNUALLY									--	--
03/05/09 <sup>16</sup>	PER-NP <sup>23</sup>	169.30	159.10	10.20	77	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50		
06/23/09		169.30	158.36	10.94	SAMPLED ANNUALLY									--
09/01/09		169.30	158.26	11.04	SAMPLED ANNUALLY									--
03/16/10 <sup>16</sup>	PER	169.30	158.75	10.55	1,200	70	3	<0.5	<0.5	<0.5	1	--		
09/21/10		169.30	158.20	11.10	SAMPLED ANNUALLY									--
<b>MW-2</b>														
10/08/91	169.15	157.20	11.95	--	110	5.1	1.1	0.8	26	--	--	--		
11/19/91	169.15	157.40	11.75	--	120	11	1.1	<0.5	17	--	--	--		
12/04/91	169.15	157.35	11.80	130	440	30	2.5	<0.5	52	--	--	--		
06/05/92	169.15	157.35	11.80	130	80	13	<0.5	<0.5	1.0	--	--	--		
10/27/92	169.15	157.15	12.00	110	54	13	<0.5	<0.5	<0.5	--	--	--		
12/30/92	169.15	--	--	92	180	30	<0.5	<0.5	1.0	--	--	--		
01/27/93	169.15	158.24	10.91	--	--	--	--	--	--	--	--	--		
03/05/93	169.15	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
03/17/93	169.15	158.26	10.89	--	--	--	--	--	--	--	--	--		
06/18/93	169.15	157.41	11.74	<50	<50	1.4	<0.5	<0.5	<1.5	--	--	--		
09/28/93	169.15	157.97	11.18	<50	<50	0.6	<0.5	<0.5	<1.5	--	--	--		
12/30/93	169.15	158.34	21.00	<50	<50	0.9	<0.5	<0.5	<0.5	--	--	--		
04/07/94	169.15	158.40	10.75	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
05/31/94	169.15	158.35	10.80	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
09/23/94	169.15	157.50	11.65	120	<50	0.7	<0.5	<0.5	<0.5	--	--	--		
11/30/94	169.15	158.41	10.74	570 <sup>4</sup>	55	2.9	<0.5	1.4	0.94	--	--	--		
03/30/95	169.15	158.25	10.90	430 <sup>1</sup>	91	4.5	<0.5	3.8	<0.5	--	--	--		
06/06/95	169.15	157.73	11.42	410 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
09/25/95	169.15	157.52	11.63	220 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
12/28/95	169.15	157.98	11.17	120 <sup>1</sup>	<2,000	<20	<20	<20	<20	5,000	--	--		
03/05/96	169.15	159.09	10.06	860 <sup>1</sup>	<2,000	<20	<20	<20	<20	10,000	--	--		
09/13/96	169.15	157.37	11.78	1,300	1,100	25	<10	<10	<10	20,000	--	--		
12/19/96	169.15	158.30	10.85	SAMPLED SEMI-ANNUALLY									--	
03/20/97	169.15	157.75	11.40	190 <sup>1</sup>	2400	<10	<10	46	<10	6,200	--	--		
06/27/97	169.15	157.35	11.80	--	--	--	--	--	--	--	--	--		
09/19/97	169.15	157.43	11.72	60 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	280	--	--		

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft)	GWE (msl)	DTW (ft)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-2 (cont)</b>												
12/08/97	169.15	158.27	10.88	--	--	--	--	--	--	--	--	--
03/31/98	169.15	158.46	10.69	220 <sup>1</sup>	110	30	0.74	0.74	0.59	1,000	--	--
06/19/98	169.15	159.31	9.84	--	--	--	--	--	--	--	--	--
08/31/98	169.15	157.43	11.72	380 <sup>1</sup>	<100	3.4	<1.0	<1.0	<1.0	980	--	--
12/17/98	169.15	157.60	11.55	--	--	--	--	--	--	480	--	--
03/19/99	169.15	158.63	10.52	107 <sup>4</sup>	<250	12.7	<2.5	<2.5	<2.5	1,040/819 <sup>13</sup>	--	--
06/23/99	169.15	159.61	9.54	--	--	--	--	--	--	--	--	--
09/16/99	169.15	157.54	11.61	84.9	<100	<1.0	<1.0	<1.0	<1.0	216	--	--
12/16/99	169.15	157.86	11.29	--	--	--	--	--	--	--	--	--
03/02/00	169.15	158.70	10.45	<50	84.8	21.5	<0.5	<0.5	0.636	413	--	--
06/30/00	169.15	159.08	10.07	--	--	--	--	--	--	--	--	--
09/30/00	NP	169.15	157.54	11.61	100 <sup>11</sup>	<50	<0.50	0.57	<0.50	1.0	2,800	--
12/19/00	169.15	158.04	11.11	--	--	--	--	--	--	--	--	--
03/13/01	NP	169.15	158.22	10.93	-- <sup>14</sup>	179	11.6	2.01	0.856	3.66	1,290	--
06/12/01	169.15	157.52	11.63	--	--	--	--	--	--	--	--	--
09/18/01	NP	169.15	157.37	11.78	100	<50	<0.50	<0.50	<0.50	<1.5	670	--
12/17/01	169.15	158.29	10.86	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/13/02	169.15	157.50	11.65	200	<50	<0.50	<0.50	<0.50	<1.5	260	--	--
12/13/02	169.15	158.07	11.08	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/17/03	169.15	158.38	10.77	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--	--
06/16/03	169.15	157.77	11.38	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/15/03 <sup>16,17</sup>	169.15	157.55	11.60	110	<50	<0.5	<0.5	<0.5	0.6	400	--	--
12/15/03	169.15	158.40	10.75	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/01/04	169.15	158.49	10.66	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--	--
06/28/04	169.15	157.63	11.52	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/13/04	169.15	156.27	12.88	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--	--
12/22/04	169.15	157.93	11.22	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/04/05	169.15	158.58	10.57	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--	--
06/30/05	169.15	158.08	11.07	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/16/05 <sup>16</sup>	NP	169.15	156.64	12.51	130	<50	<0.5	<0.5	<0.5	<0.5	140	--
12/21/05	169.15	158.41	10.74	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	<50
03/21/06 <sup>16</sup>	169.15	158.74	10.41	72	<50	<0.5	<0.5	<0.5	<0.5	530	--	<50
06/21/06	169.15	157.64	11.51	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/05/06 <sup>16</sup>	169.15	157.51	11.64	620	<50	<0.5	<0.5	<0.5	<0.5	150	--	<50
12/28/06	169.15	158.19	10.96	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-2 (cont)</b>												
03/26/07 <sup>16</sup>	169.15	157.74	11.41	86	<50	<0.5	<0.5	<0.5	<0.5	160	--	<50
06/26/07	169.15	157.60	11.55	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/26/07 <sup>16</sup>	169.15	157.52	11.63	140	<50	<0.5	<0.5	<0.5	<0.5	69	--	<50
12/20/07	169.15	158.50	10.65	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
02/29/08 <sup>16</sup>	PER	169.15	158.18	10.97	73	<50	<0.5	<0.5	<0.5	54	--	<50
05/09/08		169.15	157.74	11.41	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/19/08	PER	169.15	157.48	11.67	120	<50	<0.5	<0.5	<0.5	12	--	<50
12/04/08		169.15	157.67	11.48	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/05/09 <sup>16</sup>	PER-NP <sup>23</sup>	169.15	158.65	10.50	<50	<50	<0.5	<0.5	<0.5	55	--	<50
06/23/09		169.15	157.65	11.50	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/01/09 <sup>16</sup>	PER	169.15	157.55	11.60	75	<50	<0.5	<0.5	<0.5	10	--	--
03/16/10 <sup>16</sup>	PER	169.15	158.50	10.65	120 <sup>24</sup>	<50	<0.5	<0.5	<0.5	23	--	--
09/21/10 <sup>16</sup>	PER	169.15	157.67	11.48	84	<50	1	<0.5	<0.5	32	--	--
<b>MW-4</b>												
10/27/92	169.18	157.79	11.39	<50	<50	<0.5	0.6	0.5	4.3	--	--	--
12/30/92	169.18	159.05	10.13	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.18	160.09	9.09	--	--	--	--	--	--	--	--	--
03/05/93	169.18	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.18	159.28	9.90	--	--	--	--	--	--	--	--	--
06/18/93	169.18	158.50	10.68	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.18	159.82	9.36	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.18	159.91	9.27	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.18	160.37	8.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.18	160.27	8.91	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.18	158.79	10.39	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.18	160.08	9.10	58 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	169.18	160.66	8.52	61 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.18	158.70	10.48	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.18	158.38	10.80	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.18	159.23	9.95	<50	<50	<0.5	<0.5	<0.5	<0.5	9.9	--	--
12/21/05 <sup>16</sup>	169.18	159.65	9.53	76 <sup>18</sup>	<50	<0.5	<0.5	<0.5	<0.5	0.7	--	<50
03/21/06 <sup>16</sup>	169.18	160.35	8.83	<50	<50	<0.5	<0.5	<0.5	<0.5	0.5	--	<50
06/21/06 <sup>16</sup>	169.18	158.55	10.63	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fL)	GWE (mst)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-4 (cont)</b>												
09/05/06 <sup>16</sup>	169.18	158.24	10.94	170	<50	<0.5	<0.5	<0.5	<0.5	1	--	<50
12/28/06 <sup>16</sup>	169.18	159.06	10.12	120	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
03/26/07 <sup>16</sup>	169.18	158.73	10.45	290	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
06/26/07 <sup>16</sup>	169.18	158.22	10.96	<50	<50	<0.5	<0.5	<0.5	<0.5	1	--	<50
09/26/07 <sup>16</sup>	169.18	157.98	11.20	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
12/20/07 <sup>16</sup>	169.18	159.01	10.17	62	<50	<0.5	<0.5	<0.5	<0.5	0.5	--	<50
02/29/08 <sup>16</sup>	169.18	159.32	9.86	180	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
05/09/08 <sup>16</sup>	169.18	158.41	10.77	80	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	<50
09/19/08 <sup>16</sup>	169.18	157.97	11.21	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
12/04/08 <sup>16</sup>	169.18	158.20	10.98	58	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
03/05/09 <sup>16</sup>	169.18	159.36	9.82	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
06/23/09	169.18	158.45	10.73	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/01/09	169.18	158.10	11.08	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/16/10 <sup>16</sup>	169.18	159.81	9.37	60 <sup>25</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
<b>09/21/10</b>	<b>169.18</b>	<b>158.06</b>	<b>11.12</b>	<b>SAMPLED ANNUALLY</b>		--	--	--	--	--	--	--
<b>MW-6</b>												
10/27/92	166.46	153.92	12.54	<50	600	22	22	24	130	--	--	--
12/30/92	166.46	156.26	10.20	470	1,700	170	16	46	160	--	--	--
01/27/93	166.46	156.44	10.02	--	--	--	--	--	--	--	--	--
03/05/93	166.46	--	--	150	480	76	0.9	3.1	7.1	--	--	--
03/17/93	166.46	155.79	10.67	--	--	--	--	--	--	--	--	--
06/18/93	166.46	154.63	11.83	51	240	37	3.4	2.9	18	--	--	--
09/28/93	166.46	154.90	11.56	120	150	11	1.2	1.3	4.3	--	--	--
12/30/93	166.46	154.81	11.65	290	680	77	5.1	5.5	13	--	--	--
04/07/94	166.46	155.34	11.12	<10	190	24	2.9	1.9	8.0	--	--	--
05/31/94	166.46	--	--	--	--	--	--	--	--	--	--	--
09/23/94	166.46	155.05	11.41	--	--	--	--	--	--	--	--	--
11/30/94	166.46	156.58	9.88	150 <sup>2</sup>	320	49	0.58	1.4	1.2	--	--	--
12/15/03 <sup>16</sup>	166.46	156.60	9.86	71	210	0.5	0.9	0.7	2	14	--	<50
03/01/04 <sup>16,21</sup>	166.46	157.16	9.30	<250	150	<0.5	4	3	18	10	--	<50
06/28/04 <sup>16,21</sup>	166.46	155.13	11.33	66	100	<0.5	<0.5	<0.5	<0.5	18	--	--
09/13/04 <sup>16,21</sup>	166.46	154.88	11.58	<50	<50	<0.5	<0.5	<0.5	<0.5	17	--	<50
12/22/04 <sup>16,21</sup>	166.46	155.75	10.71	300	440	1	1	2	3	10	--	<50



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-6 (cont)</b>												
03/04/05 <sup>16,21</sup>	166.46	157.25	9.21	75	65	<0.5	<0.5	<0.5	1	8	--	<50
06/30/05 <sup>16,21</sup>	166.46	155.49	10.97	73	<50	<0.5	<0.5	<0.5	<0.5	7	--	<50
09/16/05 <sup>16,21</sup>	166.46	155.02	11.44	58 <sup>17</sup>	<50	<0.5	<0.5	<0.5	<0.5	13	--	<50
12/21/05 <sup>16,21</sup>	166.46	156.66	9.80	120 <sup>19</sup>	140	<0.5	<0.5	<0.5	1	8	--	<50
03/21/06 <sup>16,21</sup>	166.46	157.54	8.92	75	52	<0.5	<0.5	0.9	3	8	--	<50
06/21/06 <sup>16,21</sup>	166.46	155.38	11.08	56	92	<0.5	<0.5	0.5	2	10	--	<50
09/05/06 <sup>16,21</sup>	166.46	155.07	11.39	67	62	<0.5	<0.5	<0.5	<0.5	9	--	<50
12/28/06 <sup>16,21</sup>	166.46	156.32	10.14	300	260	<0.5	0.5	<0.5	1	3	--	<50
03/26/07 <sup>21</sup>	166.46	INACCESSIBLE - VEHICLE PARKED OVER WEL				--	--	--	--	--	--	--
06/26/07 <sup>16</sup>	166.46	155.32	11.14	67	<50	<0.5	<0.5	<0.5	<0.5	8	--	<50
09/26/07 <sup>16</sup>	166.46	155.02	11.44	84	180	<0.5	0.5	3	5	6	--	--
12/20/07 <sup>16</sup>	166.46	156.41	10.05	220	530	<0.5	0.7	1	7	2	--	-- <sup>22</sup>
02/29/08 <sup>16</sup>	166.46	156.49	9.97	110	110	<0.5	<0.5	1	4	4	--	<50
05/09/08 <sup>16</sup>	166.46	155.19	11.27	100	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
09/19/08 <sup>16</sup>	166.46	154.85	11.61	<50	<50	<0.5	<0.5	<0.5	<0.5	5	--	<50
12/04/08 <sup>16</sup>	166.46	155.08	11.38	<50	<50	<0.5	<0.5	<0.5	<0.5	5	--	<50
03/05/09 <sup>16</sup>	166.46	157.57	8.89	140	160	<0.5	<0.5	1	7	2	--	<50
06/23/09	166.46	155.14	11.32	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/01/09 <sup>16</sup>	166.46	154.82	11.64	52	<50	<0.5	<0.5	<0.5	<0.5	5	--	--
03/16/10 <sup>16</sup>	166.46	156.78	9.68	76 <sup>25</sup>	100	<0.5	<0.5	0.7	7	0.7	--	--
09/21/10 <sup>16</sup>	166.46	154.98	11.48	51	<50	<0.5	<0.5	<0.5	<0.5	3	--	--
<b>MW-7</b>												
09/25/95	168.80	157.20	11.60	1,400 <sup>1</sup>	220	0.79	<0.5	0.67	<0.5	--	--	--
12/28/95	168.80	158.14	10.66	590 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/05/96	168.80	159.74	9.06	320 <sup>1</sup>	1,400	<10	<10	47	<10	5,300	--	--
06/27/96	168.80	157.27	11.53	630 <sup>1</sup>	<2,500	<25	<25	<25	<25	14,000	--	--
09/13/96	168.80	156.88	11.92	1,400	1,100	26	<10	24	<10	20,000	--	--
12/19/96	168.80	158.29	10.51	1,100 <sup>3</sup>	<5,000	<50	<50	<50	<50	12,000	--	--
03/20/97	168.80	157.84	10.96	1,600 <sup>3</sup>	<1,000	<10	<10	<10	<10	2,100/2,000 <sup>13</sup>	--	--
06/27/97	168.80	157.02	11.78	1,600 <sup>1</sup>	2,000	<20	<20	<20	<20	11,000	--	--
09/19/97	168.80	156.87	11.93	1,900 <sup>1</sup>	<1,000	35	<10	<10	<10	13,000	--	--
12/05/97	168.80	158.40	10.40	1,100 <sup>1</sup>	2,100	47	2.7	28	<2.5	15,000	--	--
03/31/98	168.80	158.89	9.91	780 <sup>1</sup>	410	4.0	0.61	2.2	<0.5	<2.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft)	GWE (msl)	DTW (ft)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-7 (cont)</b>												
06/19/98	168.80	159.09	9.71	480 <sup>1</sup>	1,100	16	<10	17	<10	12,000	--	--
08/31/98	168.80	157.11	11.69	580 <sup>1</sup>	<500	350	22	<5.0	<5.0	47,000	--	--
12/17/98	168.80	157.70	11.10	970	1,800	<10	<10	24	<10	13,000/14,000 <sup>13</sup>	--	--
03/19/99	168.80	158.51	10.29	615 <sup>1</sup>	1,280	<5.0	5.0	16.3	<5.0	2,240/2,910 <sup>13</sup>	--	--
06/23/99	168.80	157.25	11.55	1,240 <sup>1</sup>	<5,000	<50	<50	<50	<50	18,000	--	--
09/16/99	168.80	157.31	11.49	2,230	<5,000	<50	<50	<50	<50	13,700	--	--
12/16/99	168.80	158.27	10.53	973 <sup>1</sup>	1,330	<1.0	6.44	14	5.17	10,800	--	--
03/02/00	168.80	159.25	9.55	880 <sup>1</sup>	1,980	7.22	<5.0	6.11	<5.0	4,230	--	--
06/30/00	168.80	157.68	11.12	620 <sup>7</sup>	2,500 <sup>6</sup>	6.0	8.5	16	72	6,900	--	--
09/30/00	NP	168.80	157.23	11.57	1,600 <sup>7</sup>	1,700 <sup>10</sup>	750	<5.0	<5.0	7,300	--	--
12/19/00	168.80	158.26	10.54	1,100 <sup>12</sup>	1,800 <sup>10</sup>	<10	<10	<10	<10	4,900	--	--
03/13/01	168.80	158.74	10.06	1,500 <sup>12</sup>	1,470	9.34	5.09	6.08	2.69	2,920	--	--
06/12/01	168.80	157.45	11.35	910 <sup>15</sup>	920 <sup>10</sup>	260	4.2	9.7	2.8	4,500	--	--
09/18/01	168.80	156.87	11.93	3,000	2,000	<0.50	<0.50	<0.50	<1.5	5,300	--	--
12/17/01	168.80	157.99	10.81	7,000	1,700	<5.0	<0.50	7.1	<1.5	4,100	--	--
03/21/02	168.80	158.56	10.24	13,000	3,200	<5.0	<0.50	24	<1.5	980	--	--
06/08/02	168.80	157.32	11.48	3,500	1,500	3.6	<0.50	8.5	<1.5	2,800	--	--
09/13/02	168.80	157.02	11.78	2,400	1,200	1.8	<1.0	2.8	<1.5	3,300	--	--
12/13/02	168.80	157.97	10.83	3,400	1,100	2.4	<0.50	2.3	<1.5	2,000	--	--
03/17/03	168.80	158.71	10.09	3,700	1,600	<10	<0.50	5.1	<1.5	1,000	--	--
06/16/03 <sup>16</sup>	168.80	157.81	10.99	4,400	2,500	1	0.5	14	<0.5	260	--	--
09/15/03 <sup>16</sup>	168.80	157.38	11.42	4,700	1,700	1	<0.5	6	0.5	790	--	<50
12/15/03 <sup>16</sup>	168.80	158.58	10.22	3,200	610	<0.5	<0.5	1	<0.5	780	--	<50
03/01/04 <sup>16</sup>	168.80	159.19	9.61	2,200	1,500	<0.5	<0.5	4	<0.5	16	--	<50
06/28/04 <sup>16</sup>	168.80	157.38	11.42	3,700	2,500	2	<0.5	8	<0.5	300	--	--
09/13/04 <sup>16</sup>	168.80	156.78	12.02	2,000	2,000	1	<1	4	<1	700	--	<100
12/22/04 <sup>16</sup>	168.80	158.39	10.41	1,300	970	0.8	<0.5	5	<0.5	370	--	<50
03/04/05 <sup>16</sup>	168.80	159.12	9.68	890	790	<0.5	<0.5	1	<0.5	5	--	<50
06/30/05 <sup>16</sup>	168.80	157.63	11.17	2,600	1,300	<0.5	<0.5	3	<0.5	68	--	<50
09/16/05 <sup>16</sup>	168.80	157.29	11.51	1,300	1,200	<0.5	<0.5	1	<0.5	380	--	<50
12/21/05 <sup>16</sup>	168.80	158.74	10.06	1,600 <sup>20</sup>	1,300	<0.5	<0.5	2	<0.5	170	--	<50
03/21/06 <sup>16</sup>	168.80	159.28	9.52	2,800	810	<0.5	<0.5	<0.5	<0.5	200	--	<50
06/21/06 <sup>16</sup>	168.80	157.35	11.45	1,100	1,800	0.5	<0.5	2	<0.5	260	--	<50
09/05/06 <sup>16</sup>	168.80	157.01	11.79	2,100	910	<0.5	<0.5	<0.5	<0.5	370	--	<50
12/28/06 <sup>16</sup>	168.80	158.34	10.46	7,200	2,700	0.5	<0.5	3	<0.5	140	--	<50

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC ( <i>ft</i> )	GWE ( <i>mst</i> )	DTW ( <i>ft</i> )	TPH-DRO ( <i>ug/L</i> )	TPH-GRO ( <i>ug/L</i> )	B ( <i>ug/L</i> )	T ( <i>ug/L</i> )	E ( <i>ug/L</i> )	X ( <i>ug/L</i> )	MTBE ( <i>ug/L</i> )	TOG ( <i>ug/L</i> )	ETHANOL ( <i>ug/L</i> )
<b>MW-7 (cont)</b>												
03/26/07 <sup>16</sup>	168.80	157.46	11.34	6,500	1,300	<0.5	<0.5	1	<0.5	150	--	<50
06/26/07 <sup>16</sup>	168.80	157.15	11.65	2,100	1,900	0.6	<0.5	2	<0.5	170	--	<50
09/26/07 <sup>16</sup>	168.80	156.98	11.82	2,200	670	<0.5	<0.5	<0.5	<0.5	420	--	<50
12/20/07 <sup>16</sup>	168.80	158.23	10.57	4,300	2,600	0.8	<0.5	4	<0.5	130	--	<50
02/29/08 <sup>16</sup>	168.80	158.56	10.24	2,400	1,400	<0.5	<0.5	2	<0.5	35	--	<50
05/09/08 <sup>16</sup>	168.80	157.27	11.53	1,700	2,200	0.6	0.6	2	<0.5	76	--	<50
09/19/08 <sup>16</sup>	168.80	156.86	11.94	10,000	610	<0.5	<0.5	<0.5	<0.5	430	--	<50
12/04/08 <sup>16</sup>	168.80	157.16	11.64	3,000	1,100	<0.5	<0.5	<0.5	<0.5	440	--	<50
03/05/09 <sup>16</sup>	168.80	159.46	9.34	1,000	2,100	<0.5	<0.5	3	<0.5	57	--	<50
06/23/09 <sup>16</sup>	168.80	157.41	11.39	2,300	1,800	<0.5	<0.5	1	<0.5	100	--	--
09/01/09 <sup>16</sup>	168.80	156.88	11.92	6,800	2,100	<0.5	<0.5	1	<0.5	150	--	--
03/16/10 <sup>16</sup>	168.80	158.99	9.81	5,500	1,700	<0.5	<0.5	2	<0.5	9	--	--
09/21/10 <sup>16</sup>	168.80	157.19	11.61	1,200	2,800	<0.5	<0.5	0.7	<0.5	16	--	--
<b>MW-3</b>												
10/08/91	169.11	160.84	8.27	--	81	1.9	0.7	0.8	2.4	--	--	--
11/04/91	169.11	158.26	10.85	--	60	<0.5	<0.5	<0.5	<0.5	--	--	--
12/04/91	169.11	158.06	11.05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/92	169.11	157.96	11.15	170	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/27/92	169.11	157.51	11.60	120	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.11	--	--	170	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.11	160.00	9.11	--	--	--	--	--	--	--	--	--
03/05/93	169.11	--	--	--	--	--	--	--	--	--	--	--
03/17/93	169.11	159.16	9.95	--	--	--	--	--	--	--	--	--
06/18/93	169.11	158.22	10.89	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.11	159.49	9.62	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.11	159.80	9.31	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.11	160.30	8.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.11	160.21	8.90	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.11	158.48	10.63	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.11	160.19	8.92	--	--	--	--	--	--	--	--	--
03/30/95	169.11	160.01	9.10	290 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.11	158.79	10.32	150 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.11	158.11	11.00	260 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fL)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-3 (cont)</b>												
12/28/95	169.11	158.96	10.15	200 <sup>1</sup>	<250	<2.5	<2.5	<2.5	<2.5	1,400	--	--
12/17/98	169.11	158.86	10.25	130 <sup>1</sup>	<250	<2.5	<2.5	<2.5	<2.5	62,000	--	--
03/19/99	169.11	159.37	9.74	139 <sup>1</sup>	<1,000	<10	<10	<10	<10	5,650/5,850 <sup>13</sup>	--	--
06/23/99	169.11	158.40	10.71	61.6 <sup>1</sup>	<2,000	<20	<20	<20	<20	6,700	--	--
09/16/99	169.11	157.44	11.67	122	<1,000	<10	<10	<10	<10	1,910	--	--
12/16/99	169.11	158.79	10.32	--	--	--	--	--	--	5,850	--	--
12/20/00	169.11	158.91	10.20	96.8 <sup>1</sup>	65.2	<0.5	<0.5	<0.5	<0.5	1,790	--	--
03/02/00	169.11	160.26	8.85	<50	<50	<0.5	<0.5	<0.5	<0.5	5,600	--	--
06/30/00	169.11	158.81	10.30	<50	360 <sup>5</sup>	<0.50	<0.50	<0.50	<0.50	1,300	--	--
09/30/00	NP	169.11	158.07	11.04	--	150 <sup>9</sup>	75	<1.3	<1.3	8,200	--	--
12/19/00	NP	169.11	159.06	10.05	-- <sup>14</sup>	<1,000	<10	<10	<10	4,600	--	--
03/13/01	NP	169.11	159.76	9.35	-- <sup>14</sup>	284	0.601	1.00	<0.500	1.27	3,670	--
06/12/01	NP	169.11	158.08	11.03	<50	140 <sup>9</sup>	67	<0.50	<0.50	<0.50	2,600	--
09/18/01	NP	169.11	157.96	11.15	100	240	<0.50	<0.50	<0.50	<1.5	3,200	--
12/17/01	169.11	159.22	9.89	270	55	<0.50	<0.50	<0.50	<1.5	930	--	--
03/21/02	169.11	159.38	9.73	290	190	<0.50	<0.50	<0.50	<1.5	2,600	--	--
06/08/02	169.11	158.21	10.90	110	110	<0.50	<0.50	<0.50	<1.5	2,200	--	--
09/13/02	169.11	158.26	10.85	<50	<50	<0.50	<0.50	<0.50	<1.5	650	--	--
12/13/02	169.11	159.11	10.00	120	<50	<0.50	<0.50	<0.50	<1.5	450	--	--
03/17/03	169.11	159.66	9.45	370	80	<0.50	<0.50	<0.50	<1.5	1,600	--	--
06/16/03	169.11	158.98	10.13	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
09/15/03	169.11	157.85	11.26	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
12/15/03 <sup>16</sup>	169.11	159.78	9.33	-- <sup>14</sup>	<50	<0.5	3	0.6	4	220	--	<50
03/01/04	169.11	159.22	9.89	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
06/28/04 <sup>16</sup>	169.11	158.26	10.85	95	<50	<0.5	<0.5	<0.5	<0.5	980	--	--
09/13/04	169.11	DRY AT 12.96 FEET		--	--	--	--	--	--	--	--	--
12/22/04 <sup>16</sup>	NP	169.11	159.14	9.97	-- <sup>14</sup>	53	<0.5	<0.5	<0.5	110	--	<50
03/04/05 <sup>16</sup>	NP	169.11	159.68	9.43	<50	<50	<0.5	<0.5	<0.5	460	--	<50
06/30/05 <sup>16</sup>	NP	169.11	158.66	10.45	58 <sup>17</sup>	<50	<0.5	<0.5	<0.5	600	--	<50
09/16/05 <sup>16</sup>	NP	169.11	158.26	10.85	-- <sup>14</sup>	<50	<0.5	<0.5	<0.5	530	--	<50
NOT MONITORED/SAMPLED												

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fL)	GWE (msl)	DTW (fL)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>MW-5</b>												
10/27/92	167.41	157.46	9.95	<50	74	<0.5	<0.5	0.6	7.1	--	--	--
12/30/92	167.41	158.21	9.20	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	167.41	157.80	9.61	--	--	--	--	--	--	--	--	--
03/05/93	167.41	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	167.41	157.90	9.51	--	--	--	--	--	--	--	--	--
06/18/93	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/28/93	167.41	157.55	9.86	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	167.41	157.08	10.33	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	167.41	157.69	9.72	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	167.41	157.68	9.73	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	167.41	157.73	9.68	79 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	167.41	157.79	9.62	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	167.41	157.55	9.86	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	167.41	157.67	9.74	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
NOT MONITORED/SAMPLED												
<b>TRIP BLANK</b>												
10/08/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/04/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/04/91	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	--	--	--	<50	--	--	--	--	--	--	--	--
03/05/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	--	--	--	--	--	--	--	--	--	--	--	--
06/18/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (fL)	GWE (msl)	DTW (fL)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
<b>TRIP BLANK (cont)</b>												
03/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/05/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/27/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/13/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/19/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/27/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
09/19/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/05/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/19/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
09/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/02/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/30/00 <sup>8</sup>	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
03/13/01	--	--	--	--	<50.0	<0.500	0.534	<0.500	1.25	<0.500	--	--
06/12/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/18/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
<b>QA</b>												
12/17/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/17/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/16/03 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/15/03 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID/ DATE	TOC (ft)	GWE (msl)	DTW (ft)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
QA (cont)												
12/15/03 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/01/04 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/28/04 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/13/04 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/22/04 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/04/05 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/30/05 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/16/05 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/21/05 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/21/06 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/06 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/05/06 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/28/06 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/26/07 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/26/07 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/26/07 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/20/07 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/29/08 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/09/08 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/19/08 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/04/08 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/05/09 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/23/09 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/01/09 <sup>16</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
DISCONTINUED												

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to June 30, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing  
(ft.) = Feet

GWE = Groundwater Elevation  
(msl) = Mean sea level

DTW = Depth to Water

TPH = Total Petroleum Hydrocarbons

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

TPH-D = Total Petroleum Hydrocarbons as Diesel

TOG = Total Oil and Grease

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

NP = No Purge

PER = Peristaltic Pump

QA = Quality Assurance/Trip Blank

- 1 Chromatogram pattern indicates an unidentified hydrocarbon.
- 2 Chromatogram pattern indicates a non-diesel mix.
- 3 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.
- 4 Chromatogram pattern indicates a non-diesel mix + discrete peaks.
- 5 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 6 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 7 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 8 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.
- 9 Laboratory report indicates discrete peaks.
- 10 Laboratory report indicates gasoline C6-C12.
- 11 Laboratory report indicates unidentified hydrocarbons >C16.
- 12 Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.
- 13 Confirmation run.
- 14 Insufficient water to obtain sample for TPH-D.
- 15 Laboratory report indicates unidentified hydrocarbons C9-C17.
- 16 BTEX and MTBE by EPA Method 8260.
- 17 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. The reported result is due to individual peak(s) eluting in the DRO range.
- 18 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel and contains individual peaks eluting in the DRO range.
- 19 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel, an additional pattern which elutes later in the DRO range, and individual peaks eluting in the DRO range.
- 20 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and additional patterns which elute earlier and later in the DRO range.
- 21 Incorrect TOC elevation (168.80) was used in past reports. Correct TOC and GWE are shown.
- 22 Analysis inadvertently missed in the field.
- 23 No Purge due to insufficient water.
- 24 Laboratory report indicates DRO was detected in the method blank at a concentration of 38 µg/L. Results from the reextraction are within the limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. Similar results were obtained in both extracts.
- 25 Laboratory report indicates DRO was detected in the method blank at a concentration of 38 µg/L. Results from the reextraction are within the limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. The DRO result for the reextract is ND.

**Table 2**  
**Field Measurements and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

WELL ID	DATE	D.O. (mg/L)	ORP (mV)	ALKALINITY (ug/L)	SULFATE (ug/L)	NITRATE as NITROGEN (ug/L)	FERROUS IRON (ug/L)
MW-1	12/21/05	3.7	151	581,000	184,000	6,400	29
	03/21/06	4.7	32	546,000	147,000	5,800	600
	06/21/06	SAMPLED ANNUALLY		--	--	--	--
	09/05/06	SAMPLED ANNUALLY		--	--	--	--
	12/28/06	SAMPLED ANNUALLY		--	--	--	--
	03/26/07	3.4	47	844,000 <sup>3</sup>	112,000	3,600	22,400
	02/29/08	2.6	153	<sup>1</sup> <460/584,000 <sup>2</sup>	158,000	4,500	730
	MW-4	12/21/05	1.4	89	396,000	137,000	2,300
03/21/06		3.0	82	407,000	139,000	2,200	<8.0
06/21/06		0.3	86	<sup>1</sup> 710/403,000 <sup>2</sup>	136,000	2,700	12
09/05/06		2.1	106	<sup>1</sup> <460/412,000 <sup>2</sup>	147,000	2,700	210
12/28/06		1.1	114	<sup>1</sup> <460/396,000 <sup>2</sup>	175,000	2,500	<8.0
03/26/07		1.2	188	393,000 <sup>3</sup>	151,000	1,800	190
06/26/07		1.9	31	392,000	179,000	2,900	<8.0
09/26/07		2.3	110	<sup>1</sup> <460/412,000 <sup>2</sup>	182,000	1,600	<8.0
12/20/07		2.1	76	<sup>1</sup> <460/402,000 <sup>2</sup>	169,000	1,400	<8.0
02/29/08		1.6	88	<sup>1</sup> <460/396,000 <sup>2</sup>	193,000	1,500	15
05/09/08		1.1	77	<sup>1</sup> <460/399,000 <sup>2</sup>	165,000	1,500	23
09/19/08		1.7	43	<sup>1</sup> <460/420,000 <sup>2</sup>	167,000	2,500	<8.0
MW-7		12/21/05	1.4	53	475,000	2,700	<400
	03/21/06	2.5	12	439,000	3,800	<400	3,800
	06/21/06	0.1	-62	<sup>1</sup> 1,400/480,000 <sup>2</sup>	1,600	<250	5,000
	09/05/06	1.2	-23	<sup>1</sup> <460/419,000 <sup>2</sup>	1,700	<250	3,500
	12/28/06	0.80	-36	<sup>1</sup> <460/498,000 <sup>2</sup>	2,100	<250	1,000
	03/26/07	1.1	-24	490,000 <sup>3</sup>	2,000	<250	2,200
	06/26/07	1.0	-72	426,000	1,800	<250	4,700
	09/26/07	.90	26	<sup>1</sup> <460/423,000 <sup>2</sup>	2,400	<250	3,800
	12/20/07	1.3	-8	<sup>1</sup> <460/539,000 <sup>2</sup>	3,200	<250	910
	02/29/08	1.2	80	<sup>1</sup> <460/510,000 <sup>2</sup>	8,100	<250	690
	05/09/08	1.0	65	<sup>1</sup> <460/157,000 <sup>2</sup>	2,700	<250	1,800
	09/19/08	1.7	25	<sup>1</sup> <460/403,000 <sup>2</sup>	8,100	<250	8,000

**Table 2**  
**Field Measurements and Analytical Results**  
Chevron Service Station #9-6991  
2920 Castro Valley Boulevard  
Castro Valley, California

---

---

**EXPLANATIONS:**

D.O. = Dissolved Oxygen  
(mg/L) = milligrams per liter  
ORP = Oxidation Reduction Potential  
(mV) = millivolts  
-- = Not Analyzed  
(µg/L) = Micrograms per liter

<sup>1</sup> pH 8.3.

<sup>2</sup> pH 4.5.

<sup>3</sup> Laboratory report indicates this sample was analyzed past the 14-day hold time.

**ANALYTICAL METHODS:**

Alkalinity by EPA Method SM20 2320 B for Alkalinity to pH 8.3  
Alkalinity by EPA Method SM20 2320 B for Alkalinity to pH 4.5  
Sulfate by EPA Method 300.0  
Nitrate as Nitrogen by EPA Method 300.00  
Ferrous Iron by EPA Method SM20 3500-Fe B

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991  
 Site Address: 2920 Castro Valley Blvd  
 City: Castro Valley, CA

Job Number: 385296  
 Event Date: 9/21/10 (inclusive)  
 Sampler: JH

Well ID: MW-1  
 Well Diameter: 3/4" x 2 in.  
 Total Depth: 17.70 ft.  
 Depth to Water: 11.10 ft.  
6.60 xVF = \_\_\_\_\_

Date Monitored: 9/21/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: \_\_\_\_\_  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

### Weather Conditions:

Water Color: \_\_\_\_\_ Odor: Y / N

### Sediment Description:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: M/10

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_





# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991  
 Site Address: 2920 Castro Valley Blvd  
 City: Castro Valley, CA

Job Number: 385296  
 Event Date: 9/21/10 (inclusive)  
 Sampler: JH

Well ID: MW-2  
 Well Diameter: 8 1/2 in.  
 Total Depth: 14.70 ft.  
 Depth to Water: 11.48 ft.

Date Monitored: 9/21/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

3.22 xVF .02 = .06 x3 case volume = Estimated Purge Volume: .18 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.12

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump X  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump X  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1315  
 Sample Time/Date: 1400 / 9/21/10  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Weather Conditions: cloudy  
 Water Color: cloudy Odor: Y10  
 Sediment Description: Light  
 DTW @ Sampling: 12.00

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 65)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1318</u>	<u>.06</u>	<u>7.38</u>	<u>802</u>	<u>21.6</u>		
<u>1321</u>	<u>.12</u>	<u>7.20</u>	<u>837</u>	<u>21.3</u>		
<u>1324</u>	<u>.18</u>	<u>7.13</u>	<u>855</u>	<u>21.2</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991  
 Site Address: 2920 Castro Valley Blvd  
 City: Castro Valley, CA

Job Number: 385296  
 Event Date: 9/21/10 (inclusive)  
 Sampler: JH

Well ID: MW-4  
 Well Diameter: 3/4" @ in.  
 Total Depth: 19.73 ft.  
 Depth to Water: 11.12 ft.  
8.61 xVF = \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Date Monitored: 9/21/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

**Purge Equipment:**

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: / Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

**LABORATORY INFORMATION**

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: M/10

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991  
 Site Address: 2920 Castro Valley Blvd  
 City: Castro Valley, CA

Job Number: 385296  
 Event Date: 9/21/10 (inclusive)  
 Sampler: JH

Well ID: MW-6  
 Well Diameter: 3/4 in.  
 Total Depth: 23.38 ft.  
 Depth to Water: 11.48 ft.  
11.90 xVF .17 = 2.02

Date Monitored: 9/21/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 6.06 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.86

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1435  
 Sample Time/Date: 1510 / 9/21/10  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? NO If yes, Time: \_\_\_\_\_

Weather Conditions: Cloudy  
 Water Color: cloudy Odor: Y10  
 Sediment Description: Light  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: 12.04

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1440</u>	<u>2</u>	<u>7.38</u>	<u>844</u>	<u>21.4</u>	_____	_____
<u>1445</u>	<u>4</u>	<u>7.20</u>	<u>892</u>	<u>21.1</u>	_____	_____
<u>1450</u>	<u>6</u>	<u>7.13</u>	<u>908</u>	<u>21.0</u>	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296  
 Site Address: 2920 Castro Valley Blvd Event Date: 9/21/10 (inclusive)  
 City: Castro Valley, CA Sampler: JH

Well ID: MW-7 Date Monitored: JH  
 Well Diameter: 3/4 (2) in.  
 Total Depth: 19.70 ft.  
 Depth to Water: 11.61 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.  
 $8.09 \times VF .17 = 1.37$  x3 case volume = Estimated Purge Volume: 4.12 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.22

**Purge Equipment:**  
 Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1215 Weather Conditions: cloudy  
 Sample Time/Date: 1245 / 9/21/10 Water Color: cloudy Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 12.69

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1219</u>	<u>1.25</u>	<u>7.27</u>	<u>927</u>	<u>21.8</u>	_____	_____
<u>1223</u>	<u>2.5</u>	<u>7.20</u>	<u>904</u>	<u>21.6</u>	_____	_____
<u>1226</u>	<u>4.0</u>	<u>7.04</u>	<u>944</u>	<u>21.3</u>	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



09234-01

For Lancaster Laboratories use only  
 Acct. #: 12099 Sample # 6094314-16 Group #: 019860

CRA MTI Project #: 61H-1633

C# 1213460

Facility #: <u>SS#9-6991 G-R#385296 Global ID#T0600100324</u> Site Address: <u>2920 CASTRO VALLEY BLVD, CASTRO VALLEY, CA</u> Chevron PM: <u>MTI</u> Lead Consultant: <u>CRAKJ Kierman</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>Jim Herrewé</u>			<b>Matrix</b> <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		<b>Analyses Requested</b> Preservation Codes BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO <input type="checkbox"/> TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method										<b>Preservative Codes</b> H = HCl T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits					
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	Comments / Remarks	
<u>MW-2</u>	<u>9/21/10</u>	<u>1400</u>	<u>X</u>			<u>X</u>			<u>09-23-10</u>	<u>X</u>		<u>X</u>	<u>X</u>	<u>X</u>						
<u>MW-6</u>	<u>↓</u>	<u>1510</u>	<u>X</u>			<u>X</u>			<u>09-23-10</u>	<u>X</u>		<u>X</u>	<u>X</u>	<u>X</u>						
<u>MW-7</u>	<u>↓</u>	<u>1245</u>	<u>X</u>			<u>X</u>			<u>09-23-10</u>	<u>X</u>		<u>X</u>	<u>X</u>	<u>X</u>						

**Turnaround Time Requested (TAT) (please circle)**  
STD. TAT 72 hour 48 hour  
 24 hour 4 day 5 day

**Data Package Options (please circle if required)**  
 QC Summary Type I - Full EDF/EDD  
 Type VI (Raw Data)  Coelt Deliverable not needed  
 WIP (RWQCB)  
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>9/21/10</u>	Time: <u>1700</u>	Received by: <u>GETTNER-RYAN FRIDGE</u>	Date: <u>09-22-10</u>	Time: <u>0800</u>
Relinquished by: <u>[Signature]</u>	Date: <u>09-23-10</u>	Time: <u>1145</u>	Received by: <u>A. Salazar</u>	Date: <u>23 SEP 10</u>	Time: <u>1145</u>
Relinquished by: <u>A. Salazar</u>	Date: <u>23 SEP 10</u>	Time: <u>1630</u>	Received by: <u>FEDER</u>	Date:	Time:
Relinquished by Commercial Carrier: UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other _____	Temperature Upon Receipt: <u>09-21-9</u> °C		Received by: <u>[Signature]</u>	Date: <u>9/21/10</u>	Time: <u>0900</u>
Temperature Upon Receipt: _____ °C			Custom Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

# Analysis Report

## ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

Prepared for:

Chevron c/o CRA  
Suite 107  
10969 Trade Center Dr  
Rancho Cordova CA 95670

October 05, 2010

Project: 96991

Submission Date: 09/24/2010  
Group Number: 1213466  
PO Number: 96991  
Release Number: MTI  
State of Sample Origin: CA

RECEIVED

OCT 05 2010

GETTLER-RYAN INC.  
GENERAL CONTRACTORS

Client Sample Description

MW-2-W-100921 Grab Water  
MW-6-W-100921 Grab Water  
MW-7-W-100921 Grab Water

Lancaster Labs (LLI) #

6094314  
6094315  
6094316

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC    Gettler-Ryan, Inc.  
COPY TO  
ELECTRONIC    Chevron c/o CRA  
COPY TO

Attn: Rachelle Munoz

Attn: Report Contact



## ***Analysis Report***

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • [www.lancasterlabs.com](http://www.lancasterlabs.com)

Questions? Contact your Client Services Representative  
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,

*Martha L. Seidel*

Martha L. Seidel  
Senior Chemist





# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

**Sample Description:** MW-2-W-100921 Grab Water

Facility# 96991 Job# 385296 MTI# 61H-1633 GRD  
2920 Castro Valley-Castro T0600100324 MW-2

LLI Sample # WW 6094314

LLI Group # 1213466

Account # 12099

**Project Name:** 96991

Collected: 09/21/2010 14:00 by JH

Chevron c/o CRA

Suite 107

Submitted: 09/24/2010 09:00

10969 Trade Center Dr

Reported: 10/05/2010 08:42

Rancho Cordova CA 95670

Discard: 11/05/2010

CVC02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	1	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	32	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Extractable TPH SW-846 8015B ug/l ug/l</b>					
06609	TPH-DRO CA C10-C28	n.a.	84	50	1

### General Sample Comments

State of California Lab Certification No. 2501

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102723AA	09/29/2010 18:02	Florida A Cimino	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	D102723AA	09/29/2010 18:02	Florida A Cimino	1
01146	GC VOA Water Prep	SW-846 5030B	1	10272A20A	09/29/2010 17:38	Marie D John	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10272A20A	09/29/2010 17:38	Marie D John	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	102700004A	09/27/2010 20:50	Karen L Beyer	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	102700004A	09/29/2010 18:44	Melissa McDermott	1



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-6-W-100921 Grab Water

Facility# 96991 Job# 385296 MTI# 61H-1633 GRD  
2920 Castro Valley-Castro T0600100324 MW-6

LLI Sample # WW 6094315  
LLI Group # 1213466  
Account # 12099

Project Name: 96991

Collected: 09/21/2010 15:10 by JH

Chevron c/o CRA

Suite 107

Submitted: 09/24/2010 09:00

10969 Trade Center Dr

Reported: 10/05/2010 08:42

Rancho Cordova CA 95670

Discard: 11/05/2010

CVC06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		<b>ug/l</b>	<b>ug/l</b>	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	3	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles</b>	<b>SW-846 8015B</b>		<b>ug/l</b>	<b>ug/l</b>	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Extractable TPH</b>	<b>SW-846 8015B</b>		<b>ug/l</b>	<b>ug/l</b>	
06609	TPH-DRO CA C10-C28	n.a.	51	50	1

### General Sample Comments

State of California Lab Certification No. 2501

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102723AA	09/29/2010 19:10	Florida A Cimino	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	D102723AA	09/29/2010 19:10	Florida A Cimino	1
01146	GC VOA Water Prep	SW-846 5030B	1	10272A20A	09/29/2010 18:00	Marie D John	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10272A20A	09/29/2010 18:00	Marie D John	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	102700004A	09/27/2010 20:50	Karen L Beyer	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	102700004A	09/29/2010 19:06	Melissa McDermott	1

**Sample Description:** MW-7-W-100921 Grab Water

 Facility# 96991 Job# 385296 MTI# 61H-1633 GRD  
 2920 Castro Valley-Castro T0600100324 MW-7

LLI Sample # WW 6094316

LLI Group # 1213466

Account # 12099

**Project Name:** 96991

Collected: 09/21/2010 12:45 by JH

Chevron c/o CRA

Suite 107

Submitted: 09/24/2010 09:00

10969 Trade Center Dr

Reported: 10/05/2010 08:42

Rancho Cordova CA 95670

Discard: 11/05/2010

CVC07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	0.7	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	16	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	2,800	50	1
<b>GC Extractable TPH SW-846 8015B</b>					
06609	TPH-DRO CA C10-C28	n.a.	1,200	50	1

### General Sample Comments

State of California Lab Certification No. 2501

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102723AA	09/29/2010 21:48	Florida A Cimino	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	D102723AA	09/29/2010 21:48	Florida A Cimino	1
01146	GC VOA Water Prep	SW-846 5030B	1	10272A20A	09/29/2010 18:22	Marie D John	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10272A20A	09/29/2010 18:22	Marie D John	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	102700004A	09/27/2010 20:50	Karen L Beyer	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	102700004A	09/29/2010 19:37	Melissa McDermott	1

## Quality Control Summary

 Client Name: Chevron c/o CRA  
 Reported: 10/05/10 at 08:42 AM

Group Number: 1213466

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

## Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: D102723AA	Sample number(s): 6094314-6094316							
Benzene	N.D.	0.5	ug/l	83		79-120		
Ethylbenzene	N.D.	0.5	ug/l	85		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	83		76-120		
Toluene	N.D.	0.5	ug/l	87		79-120		
Xylene (Total)	N.D.	0.5	ug/l	87		80-120		
Batch number: 10272A20A	Sample number(s): 6094314-6094316							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	109	100	75-135	9	30
Batch number: 102700004A	Sample number(s): 6094314-6094316							
TPH-DRO CA C10-C28	N.D.	32.	ug/l	70	79	56-122	12	20

## Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: D102723AA	Sample number(s): 6094314-6094316 UNSPK: 6094314								
Benzene	100	98	80-126	2	30				
Ethylbenzene	103	101	71-134	3	30				
Methyl Tertiary Butyl Ether	95	97	72-126	1	30				
Toluene	103	100	80-125	3	30				
Xylene (Total)	106	101	79-125	4	30				
Batch number: 10272A20A	Sample number(s): 6094314-6094316 UNSPK: P093150								
TPH-GRO N. CA water C6-C12	90		63-154						

## Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water  
 Batch number: D102723AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6094314	101	95	100	98

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron c/o CRA  
Reported: 10/05/10 at 08:42 AM

Group Number: 1213466

### Surrogate Quality Control

6094315	100	98	98	97
6094316	98	94	100	104
Blank	101	101	101	98
LCS	98	103	100	103
MS	100	101	100	101
MSD	101	102	99	102

Limits: 80-116      77-113      80-113      78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 10272A20A  
Trifluorotoluene-F

6094314	88
6094315	89
6094316	177*
Blank	88
LCS	114
LCSD	112
MS	111

Limits: 63-135

Analysis Name: TPH-DRO CA C10-C28  
Batch number: 102700004A  
Orthoterphenyl

6094314	82
6094315	86
6094316	96
Blank	74
LCS	84
LCSD	89

Limits: 59-131

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>ug</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>ml</b>	milliliter(s)	<b>l</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>ul</b>	microliter(s)
<b>&lt;</b>	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>J</b>	estimated value – The result is $\geq$ the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
<b>A</b>	TIC is a possible aldol-condensation product	<b>B</b>	Value is $<$ CRDL, but $\geq$ IDL
<b>B</b>	Analyte was also detected in the blank	<b>E</b>	Estimated due to interference
<b>C</b>	Pesticide result confirmed by GC/MS	<b>M</b>	Duplicate injection precision not met
<b>D</b>	Compound quantitated on a diluted sample	<b>N</b>	Spike sample not within control limits
<b>E</b>	Concentration exceeds the calibration range of the instrument	<b>S</b>	Method of standard additions (MSA) used for calculation
<b>N</b>	Presumptive evidence of a compound (TICs only)	<b>U</b>	Compound was not detected
<b>P</b>	Concentration difference between primary and confirmation columns $>$ 25%	<b>W</b>	Post digestion spike out of control limits
<b>U</b>	Compound was not detected	<b>*</b>	Duplicate analysis not within control limits
<b>X,Y,Z</b>	Defined in case narrative	<b>+</b>	Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.