

BLAINE TECH SERVICES INC.

985 TIMOTHY DRIVE
SAN JOSE, CA 95133
(408) 995-5535
FAX (408) 293-8773

June 4, 1996

Brett Hunter
Chevron U.S.A. Products Company
P.O. Box 5004
San Ramon, CA 94583-0804

2nd Quarter 1996 Monitoring at 9-1924

Second Quarter 1996 Groundwater Monitoring at
Chevron Service Station Number 9-1924
4904 Southfront Road
Livermore, CA

Monitoring Performed on April 17, 1996

Groundwater Sampling Report 960417-A-1

This report covers the routine quarterly monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to Chevron's Richmond Refinery for disposal.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,



James Keller
Vice President



JPK/cg

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Professional Engineering Appendix

EXPLANATION

- C-8 CHEVRON MONITORING WELL LOCATION AND WELL NUMBER
- ▲ MW-5 UNCAL MONITORING WELL LOCATION AND WELL NUMBER
- 508.87 GROUND-WATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL
- NM NOT MEASURED
- 506 GROUND-WATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL
- 0.02 APPROXIMATE DIRECTION OF GROUND-WATER FLOW. GRADIENT INDICATED IN FEET / FEET



TITLE : GROUND-WATER ELEVATION CONTOUR MAP - APRIL 17, 1996




LOCATION : CHEVRON SERVICE STATION No.: 9-1924 4904 SOUTHFRONT ROAD, LIVERMORE, CALIFORNIA


SOURCE : CAMBRIA ENVIRONMENTAL TECHNOLOGY, INC.

GEOCONSULTANTS, INC
 SAN JOSE, CALIFORNIA
 Project No. G756-09

DRWN BY: CHEVRON DESIGN SERVICES




EXPLANATION

-  C-7 CHEVRON MONITORING WELL LOCATION AND WELL NUMBER
-  MW-5 UNOCAL MONITORING WELL LOCATION AND WELL NUMBER
- 5.5 BENZENE CONCENTRATION IN $\mu\text{g} / \text{L}$
- NS NOT SAMPLED
- D/A DATA NOT AVAILABLE
-  20 BENZENE CONCENTRATION CONTOUR LINE IN $\mu\text{g} / \text{L}$



FIRST STREET

FIRST STREET



TITLE : BENZENE ISOCONCENTRATION MAP - APRIL 17, 1996

LOCATION : CHEVRON SERVICE STATION No.: 9-1924 4904 SOUTHFRONT ROAD, LIVERMORE, CALIFORNIA


SOURCE : CAMBRIA ENVIRONMENTAL TECHNOLOGY, INC.



GEOCONSULTANTS, INC
SAN JOSE, CALIFORNIA
Project No. 0758-09



EXPLANATION

- ⊙ C-9 CHEVRON MONITORING WELL LOCATION AND WELL NUMBER
- ▲ MW-5 UNOCAL MONITORING WELL LOCATION AND WELL NUMBER
- 480 TPH AS GASOLINE CONCENTRATION IN $\mu\text{g} / \text{L}$
- NS NOT SAMPLED
- D/A DATA NOT AVAILABLE
- 1500 TPH AS GASOLINE CONCENTRATION CONTOUR LINE IN $\mu\text{g} / \text{L}$



FIRST STREET

FIRST STREET



TITLE : TPH AS GASOLINE ISOCONCENTRATION MAP - APRIL 17, 1996
 LOCATION : CHEVRON SERVICE STATION No. 9-1924 4904 SOUTHFRONT ROAD, LIVERMORE, CALIFORNIA
 SOURCE : CAMBRIA ENVIRONMENTAL TECHNOLOGY, INC.



GEOCONSULTANTS, INC
 SAN JOSE, CALIFORNIA
 Project No. 0758-09

Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2-DCA	VC	MC 1,1,1-TCA	1,1-DCA	PCE	Total Lead	CDS
					Gasoline												
C-1																	
03/28/86	520.39	508.64	11.75	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.39	506.89	13.50	--	27,000	770	87	610	2100	--	--	--	--	--	--	--	--
05/10/88	520.39	506.74	13.65	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	520.39	505.67	14.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.39	506.89	13.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	520.39	507.50	12.89	--	3200	220	11	62	130	--	--	--	--	--	--	--	--
01/01/89	520.39	507.50	12.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	520.39	--	--	--	4000	820	43	490	260	--	--	--	--	--	--	--	--
04/10/89	520.39	506.74	13.65	--	4000	100	ND	70	50	--	ND	ND	--	--	--	--	--
04/10/89	520.39	506.74	13.65	--	4000	100	ND	60	50	--	--	ND	--	--	--	--	--
06/26/89	520.39	506.45	13.94	--	600	97	20	60	50	--	ND	3.0	--	--	--	--	--
06/26/89	520.39	506.45	13.94	--	570	86	15	44	35	--	--	1.7	--	--	--	--	--
10/13/89	520.39	506.47	13.92	--	1600	64	ND	51	48	--	ND	ND	--	--	--	--	5.0
01/03/90	520.39	506.59	13.80	--	1100	36	0.68	30	30	--	--	1.0	--	--	--	--	--
05/08/90	520.39	506.48	13.91	--	1300	37	9.2	40	32	--	--	1.2	--	ND	--	ND	--
09/29/90	520.39	506.46	13.93	--	350	19	1.2	32	31	--	--	ND	--	0.7	1.4	ND	--
01/03/91	520.39	506.54	13.85	--	400	12	ND	17	14	--	--	ND	--	ND	ND	ND	--
04/12/91	520.39	506.88	13.51	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/91	520.39	506.29	14.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	520.39	507.33	13.06	--	1000	12	0.8	31	31	--	--	ND	--	ND	ND	ND	--
07/28/92	520.39	506.46	13.93	--	4200	47	110	96	260	--	--	--	--	--	--	--	--
10/16/92	520.39	505.94	14.45	--	1800	11	ND	32	55	--	--	--	--	--	--	--	--
01/14/93	520.39	509.16	11.23	--	2000	24	ND	98	62	--	--	--	--	--	--	--	--
03/26/93	520.39	509.45	10.94	--	4400	21	12	120	100	--	--	--	--	--	--	--	--
04/22/93	520.39	504.14	16.25	Sheen	18000	26	44	580	330	--	--	--	--	--	--	--	--
07/20,21/93	520.39	505.10	15.29	--	7100	73	11	470	470	--	--	--	--	--	--	--	--
10/20/93	520.39	506.89	13.50	--	880	19	26	260	190	--	--	--	--	--	--	--	--
01/20/94	520.39	507.13	13.26	--	2900	13	10	130	60	--	--	--	--	--	--	--	--
04/21/94	520.39	506.93	13.46	--	1400	8.8	7.8	82	34	--	--	--	--	--	--	--	--
07/21,22/94	520.39	506.93	13.46	--	800	4.7	2.7	34	13	--	--	--	--	--	--	--	ND
01/18/95	520.39	508.67	11.72	--	2000	18	10	130	10	--	--	--	--	--	--	--	--
04/17/95	520.39	508.58	11.81	--	2500	13	1.9	33	4.3	--	--	--	--	--	--	--	--
07/18/95	520.39	508.27	12.12	--	1100	<10	<10	27	<10	--	--	--	--	--	--	--	--
10/17/95	520.39	507.81	12.58	--	2000	13	<5.0	24	<5.0	6400	--	--	--	--	--	--	--
01/18/96	520.39	509.07	11.32	--	<2000	35	30	<20	23	6600	--	--	--	--	--	--	--
04/17/96	520.39	509.52	10.87	--	<1000	31	<10	<10	<10	<50	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-2																			
03/28/86	520.76	508.78	11.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.76	506.99	13.77	--	22,000	3900	1900	1200	1200	--	--	--	--	--	--	--	--	--	--
05/10/88	520.76	506.73	14.03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	520.76	505.64	15.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.76	506.90	13.86	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	520.76	506.65	14.11	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	520.76	507.93	12.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	520.76	--	--	--	1000	25	3.0	83	59	--	--	--	--	--	--	--	--	--	--
04/10/89	520.76	506.72	14.04	--	600	2.5	ND	15	12	--	ND	ND	--	--	--	--	--	--	--
04/10/89	520.76	506.72	14.04	--	ND	ND	ND	11	11	--	--	ND	--	--	--	--	--	--	--
06/26/89	520.76	506.42	14.34	--	640	5.3	8.0	18	14	--	ND	ND	--	--	--	--	--	--	--
06/26/89	520.76	506.42	14.34	--	750	3.7	0.6	13	8.2	--	--	2.0	--	--	--	--	--	--	--
10/13/89	520.76	506.84	13.92	--	630	ND	ND	17	10	--	--	ND	--	--	--	--	--	--	--
01/03/90	520.76	506.65	14.11	--	880	3	ND	19	17	--	--	1.0	--	--	--	--	--	--	--
05/08/90	520.76	506.48	14.28	--	340	1.3	2.7	8.4	11	--	--	1.1	--	ND	--	ND	--	--	--
09/29/90	520.76	506.51	14.25	--	74	ND	ND	4.6	1.8	--	--	ND	--	1.7	0.5	ND	--	--	--
01/03/91	520.76	506.61	14.15	--	2000	270	ND	79	93	--	--	ND	--	ND	ND	ND	ND	--	--
04/12/91	520.76	506.90	13.86	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/91	520.76	506.26	14.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	520.76	507.29	13.47	--	1200	ND	ND	54	6.1	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	520.76	506.41	14.35	--	1000	5.2	2.9	26	16	--	--	--	--	--	--	--	--	--	--
10/16/92	520.76	505.92	14.84	--	2000	ND	2.2	20	10	--	--	--	--	--	--	--	--	--	--
01/14/93	520.76	509.54	11.22	--	1800	49	50	31	29	--	--	--	--	--	--	--	--	--	--
03/26/93	520.76	509.99	10.77	--	820	15	12	14	6.0	--	--	--	--	--	--	--	--	--	--
04/22/93	520.76	507.83	12.93	--	2000	12	12	28	29	--	--	--	--	--	--	--	--	--	--
07/20,21/93	520.76	504.74	16.02	--	1100	28	8.0	4.0	4.0	--	--	--	--	--	--	--	--	--	--
10/20/93	520.76	506.92	13.84	--	1600	140	18	22	27	--	--	--	--	--	--	--	--	--	--
01/20/94	520.76	507.16	13.60	--	760	36	3.0	7.0	3.0	--	--	--	--	--	--	--	--	--	--
04/21/94	520.76	506.66	14.10	--	430	23	2.8	6.8	6.8	--	--	--	--	--	--	--	--	--	--
07/21,22/94	520.76	506.93	13.83	--	1200	10	2.8	5.2	53	--	--	--	--	--	--	--	--	ND	--
01/18/95	520.76	508.94	11.82	--	640	1.0	<0.5	5.7	7.7	--	--	--	--	--	--	--	--	--	--
04/17/95	520.76	508.72	12.04	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
07/18/95	520.76	508.34	12.42	--	81	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
10/17/95	520.76	507.97	12.79	--	390	<0.5	<0.5	1.2	1.2	14	--	--	--	--	--	--	--	--	--
01/18/96	520.76	509.18	11.58	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--	--
04/17/96	520.76	509.49	11.27	--	62	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-3																			
03/28/86	521.31	509.07	12.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	521.31	507.10	14.21	--	2100	86	8.0	30	36	--	--	--	--	--	--	--	--	--	--
05/10/88	521.31	506.88	14.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	521.31	505.78	15.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	521.31	507.09	14.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	521.31	507.21	14.10	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	521.31	508.61	12.70	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/10/89	521.31	506.95	14.36	--	200	2.1	ND	4.4	2.6	--	ND	1.4	--	--	--	--	--	--	--
06/26/89	521.31	506.57	14.74	--	260	1.1	0.7	4.9	1.6	--	ND	1.5	--	--	--	--	--	--	--
10/13/89	521.31	506.61	14.70	--	ND	ND	ND	ND	ND	--	--	ND	--	--	--	--	--	--	--
01/03/90	521.31	506.89	14.42	--	ND	ND	ND	0.9	1.4	--	--	0.7	--	--	--	--	--	--	--
05/08/90	521.31	506.66	14.65	--	ND	ND	ND	ND	ND	--	--	0.7	--	ND	--	ND	--	--	--
09/27/90	521.31	506.64	14.67	--	71	ND	1.0	ND	ND	--	--	ND	--	1.1	1.6	ND	--	--	--
01/03/91	521.31	506.73	14.58	--	57	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
04/12/91	521.31	507.08	14.23	--	98	ND	ND	1.6	ND	--	--	ND	--	ND	ND	ND	ND	--	--
09/04/91	521.31	506.43	14.88	--	64	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
04/06/92	521.31	507.48	13.83	--	88	ND	ND	0.8	ND	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	521.31	506.51	14.80	--	80	ND	ND	0.5	1.1	--	--	--	--	--	--	--	--	--	--
10/16/92	521.31	506.08	15.23	--	1400	ND	ND	6.6	11	--	--	--	--	--	--	--	--	--	--
01/14/93	521.31	509.86	11.45	--	100	ND	ND	ND	1.3	--	--	--	--	--	--	--	--	--	--
03/26/93	521.31	510.04	11.27	--	74	0.7	1.0	ND	ND	--	--	--	--	--	--	--	--	--	--
04/22/93	521.31	508.70	12.61	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/20,21/93	521.31	505.14	16.17	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
10/20/93	521.31	507.08	14.23	--	ND	ND	1.0	ND	0.8	--	--	--	--	--	--	--	--	--	--
01/20/94	521.31	507.30	14.01	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/21/94	521.31	506.98	14.33	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/21,22/94	521.31	507.00	14.31	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	ND	--

WELL NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-5																			
03/28/86	520.82	508.82	12.00	--		--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.82	507.07	13.75	--	1600	82	7.0	77	95	--	--	--	--	--	--	--	--	--	--
05/10/88	520.82	506.90	13.92	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/10/88	520.82	507.10	13.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.82	507.10	13.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	520.82	506.98	13.84	--	2500	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	520.82	507.41	13.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	520.82	--	--	--	ND	42	3.0	44	52	--	--	--	--	--	--	--	--	--	--
04/10/89	520.82	--	13.88	--	180	2.6	ND	6.2	5.5	--	ND	1.4	--	--	--	--	--	--	--
06/26/89	520.82	506.68	14.14	--	420	7.6	0.8	40	56	--	ND	1.5	--	--	--	--	--	--	--
10/13/89	520.82	506.67	14.15	--	620	ND	ND	10	ND	--	ND	ND	--	--	--	--	--	--	--
01/03/90	520.82	506.72	14.10	--	ND	0.7	ND	8.0	6.0	--	--	ND	--	--	--	--	--	--	--
05/08/90	520.82	506.82	14.00	--	140	0.6	0.8	11	7.2	--	--	0.8	--	ND	--	ND	--	--	--
09/27/90	520.82	506.82	14.00	--	360	ND	3.2	5.2	6.4	--	--	ND	--	0.7	ND	ND	--	--	--
01/03/91	520.82	506.82	14.00	--	90	ND	ND	ND	3.0	--	--	ND	--	ND	ND	ND	ND	--	--
04/12/91	520.82	507.11	13.71	--	270	12	ND	19	7.0	--	--	0.5	--	ND	ND	ND	ND	--	--
09/04/91	520.82	506.52	14.30	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
04/06/92	520.82	507.53	13.29	--	670	12	ND	40	ND	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	520.82	506.69	14.13	--	130	15	ND	1.8	0.5	--	--	--	--	--	--	--	--	--	--
10/16/92	520.82	506.14	14.68	--	ND	ND	ND	ND	1.2	--	--	--	--	--	--	--	--	--	--
01/14/93	520.82	508.95	11.87	--	2300	13	ND	110	10	--	--	--	--	--	--	--	--	--	--
03/26/93	520.82	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/22/93	520.82	508.70	12.12	--	2300	220	18	120	65	--	--	--	--	--	--	--	--	--	--
07/20,21/93	520.82	504.78	16.04	--	970	18	5.0	8.0	14	--	--	--	--	--	--	--	--	--	--
10/20/93	520.82	506.72	14.10	--	2200	7.0	5.0	3.0	15	--	--	--	--	--	--	--	--	--	--
01/20/94	520.82	507.22	13.60	--	440	2.0	1.0	11	0.6	--	--	--	--	--	--	--	--	--	--
04/21/94	520.82	507.01	13.81	--	490	2.7	2.6	21	1.5	--	--	--	--	--	--	--	--	--	--
07/21,22/94	520.82	507.00	13.82	--	370	0.9	ND	6.5	1.0	--	--	--	--	--	--	--	--	ND	--
01/18/95	520.82	508.55	12.27	--	940	37	22	14	7.3	--	--	--	--	--	--	--	--	--	--
04/17/95	520.82	508.65	12.17	--	14,000	1200	340	160	80	--	--	--	--	--	--	--	--	--	--
07/18/95	520.82	508.51	12.31	--	<2000	180	<20	<20	<20	--	--	--	--	--	--	--	--	--	--
10/17/95	520.82	508.36	12.46	--	92	4.9	<0.5	<0.5	<0.5	240	--	--	--	--	--	--	--	--	--
01/18/96	520.82	509.04	11.78	--	1300	180	<5.0	10	7.9	4300	--	--	--	--	--	--	--	--	--
04/17/96	520.82	509.71	11.11	--	2200	140	<10	<10	<10	5400	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-6																			
03/26/86	519.62	508.50	11.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	519.62	506.69	12.93	--	46,000	870	4600	1500	8200	--	--	--	--	--	--	--	--	--	--
05/10/88	519.62	506.59	13.03	--	86,000	1400	10,000	3000	19,000	--	--	--	--	--	--	--	--	--	--
06/10/88	519.62	505.51	14.11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	519.62	506.67	12.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	519.62	506.48	13.14	--	5300	300	600	260	1,600	--	--	--	--	--	--	--	--	--	--
01/01/89	519.62	507.48	12.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	519.62	--	--	--	5000	260	110	270	720	--	--	--	--	--	--	--	--	--	--
04/12/89	519.62	506.64	12.98	--	5000	90	190	190	680	--	4.0	ND	--	--	--	--	--	--	--
06/26/89	519.62	506.23	13.39	--	3600	77	250	140	610	--	ND	ND	--	--	--	--	--	--	--
10/13/89	519.62	506.22	13.40	--	3500	32	81	100	530	--	ND	ND	--	--	--	--	--	--	--
01/03/90	519.62	506.44	13.18	--	3200	20	97	65	410	--	--	1.0	--	--	--	--	--	--	--
05/08/90	519.62	506.23	13.39	--	1800	17	140	ND	400	--	--	1.6	--	ND	--	ND	--	--	--
09/29/90	519.62	506.30	13.32	--	8000	58	210	260	2100	--	--	1.0	--	ND	2.4	1.6	--	--	--
01/03/91	519.62	506.43	13.19	--	2300	4.0	79	59	380	--	--	0.5	--	ND	ND	ND	ND	--	--
04/12/91	519.62	506.71	12.91	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/91	519.62	506.06	13.56	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	519.62	507.14	12.48	--	44,000	ND	120	740	3400	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	519.62	506.15	13.47	--	120,000	220	1100	3000	13,000	--	--	--	--	--	--	--	--	--	--
10/16/92	519.62	505.67	13.95	--	570,000	ND	830	3300	9600	--	--	--	--	--	--	--	--	--	--
01/14/93	519.62	509.23	10.39	--	19,000	ND	25	460	980	--	--	--	--	--	--	--	--	--	--
03/26/93	519.62	509.79	9.83	--	11,000	30	90	290	1100	--	--	--	--	--	--	--	--	--	--
04/22/93	519.62	508.30	11.32	--	20,000	29	170	640	2400	--	--	--	--	--	--	--	--	--	--
07/20,21/93	519.62	504.70	14.92	--	32,000	130	490	1000	4900	--	--	--	--	--	--	--	--	--	--
10/20/93	519.62	506.71	12.91	--	77,000	290	790	2500	7600	--	--	--	--	--	--	--	--	--	--
01/20/94	519.62	506.94	12.68	--	22,000	10	86	510	29	--	--	--	--	--	--	--	--	--	--
04/21/94	519.62	506.74	12.88	--	6500	17	42	160	210	--	--	--	--	--	--	--	--	--	--
07/21,22/94	519.62	506.78	12.84	--	4500	ND	7.1	130	130	--	--	--	--	--	--	--	--	ND	--
01/18/95	519.62	508.61	11.01	--	3600	3.3	6.7	62	78	--	--	--	--	--	--	--	--	--	--
04/17/95	519.62	508.35	11.27	--	1500	1.6	2.2	14	12	--	--	--	--	--	--	--	--	--	--
07/18/95	519.62	508.16	11.46	--	4000	<10	<10	40	22	--	--	--	--	--	--	--	--	--	--
10/17/95	519.62	507.64	11.98	--	6000	<10	<10	100	58	5200	--	--	--	--	--	--	--	--	--
01/18/96	519.62	508.78	10.84	--	1200	<5.0	<5.0	10	<5.0	2600	--	--	--	--	--	--	--	--	--
04/17/96	519.62	509.15	10.47	--	510	<2.5	<2.5	10	3.0	490	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-7																			
03/28/86	520.30	508.63	11.67	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.30	506.82	13.48	--	8000	98	690	120	120	--	--	--	--	--	--	--	--	--	--
05/10/88	520.30	506.70	13.60	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	520.30	505.62	14.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.30	506.87	13.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	520.30	506.69	13.61	--	16,000	4400	220	1000	3000	--	--	--	--	--	--	--	--	--	--
01/01/89	520.30	507.64	12.66	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	520.30	--	--	--	8000	950	47	670	640	--	--	--	--	--	--	--	--	--	--
04/12/89	520.30	506.70	13.60	--	6000	1100	30	760	370	--	ND	ND	--	--	--	--	--	--	--
06/26/89	520.30	506.42	13.88	--	6000	1300	50	600	340	--	ND	ND	--	--	--	--	--	--	--
10/13/89	520.30	506.49	13.81	--	3900	1300	ND	160	150	--	--	ND	--	--	--	--	--	--	--
01/03/90	520.30	506.59	13.71	--	5600	1200	13	180	200	--	--	1.0	--	--	--	--	--	--	--
05/08/90	520.30	506.45	13.85	--	3500	1100	15	110	140	--	--	1.7	--	ND	--	ND	--	--	--
09/29/90	520.30	506.50	13.80	--	2400	580	ND	46	68	--	--	0.7	--	ND	ND	ND	ND	--	--
01/03/91	520.30	506.59	13.71	--	2500	300	2.0	110	120	--	--	0.7	--	ND	ND	ND	ND	--	--
04/12/91	520.30	506.84	13.46	--	2300	190	1.0	81	87	--	--	0.6	--	ND	ND	ND	ND	--	--
09/04/91	520.30	506.21	14.09	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/07/91	520.30	--	--	--	4700	170	1.9	97	59	--	--	ND	--	24	ND	ND	ND	--	--
04/06/92	520.30	507.28	13.02	--	2400	95	0.8	110	100	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	520.30	506.54	13.76	--	2000	120	3.4	110	110	--	--	--	--	--	--	--	--	--	--
10/16/92	520.30	505.88	14.42	--	2700	130	4.2	68	74	--	--	--	--	--	--	--	--	--	--
01/14/93	520.30	509.32	10.98	--	7800	160	33	380	210	--	--	--	--	--	--	--	--	--	--
03/26/93	520.30	509.69	10.61	--	1400	39	9.0	28	15	--	--	--	--	--	--	--	--	--	--
04/22/93	520.30	508.46	11.84	--	3800	130	18	43	36	--	--	--	--	--	--	--	--	--	--
07/20,21/93	520.30	504.94	15.36	Sheen	1900	35	18	61	87	--	--	--	--	--	--	--	--	--	--
10/20/93	520.30	506.89	13.41	--	5500	72	26	250	160	--	--	--	--	--	--	--	--	--	--
01/20/94	520.30	507.11	13.19	Sheen	3600	12	12	150	69	--	--	--	--	--	--	--	--	--	--
04/21/94	520.30	506.97	13.33	--	2100	62	11	170	68	--	--	--	--	--	--	--	--	--	--
07/21,22/94	520.30	506.91	13.39	--	1700	50	4.4	110	22	--	--	--	--	--	--	--	--	ND	--
01/18/95	520.30	508.71	11.59	--	920	16	<0.5	30	12	--	--	--	--	--	--	--	--	--	--
04/17/95	520.30	508.56	11.74	--	730	4.3	1.6	12	1.8	--	--	--	--	--	--	--	--	--	--
07/18/95	520.30	508.32	11.98	--	1200	63	<5.0	12	<5.0	--	--	--	--	--	--	--	--	--	--
10/17/95	520.30	507.82	12.48	--	1100	45	<5.0	12	<5.0	8100	--	--	--	--	--	--	--	--	--
01/18/96	520.30	508.90	11.40	--	930	7.3	<5.0	<5.0	<5.0	1900	--	--	--	--	--	--	--	--	--
04/17/96	520.30	509.34	10.96	--	980	5.5	<1.0	7.4	1.1	340	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	TOG	1,2-DCA	VC	MC 1,1,1-TCA	1,1-DCA	PCE	Total Lead	CDS	
C-8																			
03/28/86	519.74	507.96	11.78	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	519.74	506.11	13.63	--	7500	360	25	10	ND	--	--	--	--	--	--	--	--	--	--
05/10/88	519.74	506.00	13.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	519.74	504.85	14.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	519.74	506.09	13.65	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	519.74	505.96	13.78	--	ND	6.0	5.3	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	519.74	507.06	12.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	519.74	--	--	--	ND	37	4.0	1.0	5.0	--	--	--	--	--	--	--	--	--	--
04/12/89	519.74	505.97	13.77	--	3000	13	ND	ND	ND	--	12	5.0	--	--	--	--	--	--	--
06/26/89	519.74	505.71	14.03	--	780	14	6.0	ND	6.0	--	ND	4.0	--	--	--	--	--	--	--
10/13/89	519.74	505.68	14.06	--	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
01/03/90	519.74	506.00	13.74	--	910	ND	ND	1.0	1.0	--	--	1.5	--	--	--	--	--	--	--
05/07/90	519.74	505.64	14.10	--	620	3.9	6.0	0.5	3.4	--	--	1.9	--	ND	--	ND	--	--	--
09/29/90	519.74	505.77	13.97	--	77	ND	1.4	ND	ND	--	--	ND	--	0.6	ND	ND	--	--	--
01/03/91	519.74	505.93	13.81	--	67	2.0	2.0	ND	2.0	--	--	ND	--	0.7	ND	ND	ND	--	--
04/12/91	519.74	506.14	13.60	--	180	4.0	ND	ND	ND	--	--	0.6	--	ND	ND	ND	ND	--	--
09/04/91	519.74	505.60	14.14	--	140	1.8	4.7	0.8	4.8	--	--	ND	--	ND	ND	ND	ND	--	--
04/06/92	519.74	506.62	13.12	--	150	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	519.74	505.64	14.10	--	90	ND	ND	ND	0.8	--	--	--	--	--	--	--	--	--	--
10/16/92	519.74	505.17	14.57	--	51	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/14/93	519.74	508.79	10.95	--	120	ND	1.6	1.0	3.5	--	--	--	--	--	--	--	--	--	--
03/26/93	519.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/22/93	519.74	507.67	12.07	--	68	ND	0.6	0.6	0.8	--	--	--	--	--	--	--	--	--	--
07/20,21/93	519.74	504.04	15.70	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
10/20/93	519.74	506.23	13.51	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/20/94	519.74	506.23	13.51	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/21/94	519.74	506.06	13.68	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/21,22/94	519.74	506.24	13.50	--	51	ND	ND	ND	ND	--	--	--	--	--	--	--	--	ND	--
01/18/95	519.74	--	--	Dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/17/95	519.74	--	--	Dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/18/95	519.74	--	--	Dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/17/95	519.74	507.54	12.20	Insufficient water	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/18/96	519.74	507.64	12.10	Insufficient water	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/17/96	519.74	508.87	10.87	Sampled biannually	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	TOG	1,2-DCA	VC	MC 1,1,1-TCA	1,1-DCA	PCE	Total Lead	CDS	
C-9																			
03/28/86	519.52	508.28	11.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	519.52	506.60	12.92	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/10/88	519.52	506.40	13.12	--	29,000	540	560	580	3900	--	--	--	--	--	--	--	--	--	--
06/10/88	519.52	505.36	14.16	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	519.52	506.52	13.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	519.52	506.39	13.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/01/89	519.52	507.33	12.19	--	2200	57	8.0	20	150	--	--	--	--	--	--	--	--	--	--
01/12/89	519.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/12/89	519.52	506.41	13.11	--	2000	39	12	51	46	--	--	--	--	--	--	--	--	--	--
04/11/89	519.52	506.41	13.11	--	6000	16	20	55	240	--	ND	2.1	--	--	--	--	--	--	--
06/26/89	519.52	506.12	13.40	--	6000	14	25	45	290	--	--	ND	--	--	--	--	--	--	--
10/13/89	519.52	506.06	13.46	--	3900	37	63	140	690	--	ND	ND	--	--	--	--	--	--	--
01/03/90	519.52	506.22	13.30	--	1300	7.0	ND	26	50	--	ND	ND	--	--	--	--	--	--	--
05/07/90	519.52	506.04	13.48	--	1500	ND	0.7	202	37	--	--	1.5	--	--	--	--	--	--	--
09/29/90	519.52	506.13	13.39	--	7100	21	33	89	500	--	--	1.9	--	ND	--	ND	--	--	--
01/03/91	519.72	506.44	13.28	--	1000	21	3.9	31	110	--	--	1.0	--	0.7	1.8	1.0	--	--	--
04/12/91	519.72	506.72	13.00	--	3200	ND	ND	32	140	--	--	0.8	--	ND	ND	ND	ND	--	--
09/04/91	519.72	506.11	13.61	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	519.72	507.18	12.54	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/28/92	519.72	506.27	13.45	--	2800	ND	ND	33	130	--	--	ND	--	ND	ND	ND	ND	--	--
10/16/92	519.72	505.74	13.98	--	1000	6.5	2.4	17	37	--	--	--	--	--	--	--	--	--	--
01/14/93	519.72	509.28	10.44	--	190,000	ND	730	960	2000	--	--	--	--	--	--	--	--	--	--
03/26/93	519.72	--	--	--	2200	ND	ND	27	77	--	--	--	--	--	--	--	--	--	--
04/22/93	519.72	508.29	11.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/20,21/93	519.72	504.52	15.20	--	7300	60	40	68	98	--	--	--	--	--	--	--	--	--	--
10/20/93	519.72	506.76	12.96	--	30,000	160	130	450	1100	--	--	--	--	--	--	--	--	--	--
01/20/94	519.72	506.88	12.84	--	36,000	22	200	440	930	--	--	--	--	--	--	--	--	--	--
04/21/94	519.72	506.58	13.14	--	12000	55	57	27	210	--	--	--	--	--	--	--	--	--	--
07/21,22/94	519.72	506.77	12.95	--	2200	11	12	23	19	--	--	--	--	--	--	--	--	--	--
01/18/95	519.72	508.57	11.15	--	1100	ND	4.0	14	10	--	--	--	--	--	--	--	--	--	--
04/17/95	519.72	508.41	11.31	--	2100	9.2	13	19	13	--	--	--	--	--	--	--	--	--	13
07/18/95	519.72	508.06	11.66	--	3800	4.8	3.6	5.9	7.2	--	--	--	--	--	--	--	--	--	--
10/17/95	519.72	507.99	11.73	--	1700	<2.0	<2.0	9.6	8.3	--	--	--	--	--	--	--	--	--	--
01/18/96	519.72	509.04	10.68	--	1200	<1.2	<1.2	2.2	4.3	450	--	--	--	--	--	--	--	--	--
04/17/96	519.72	509.67	10.05	--	1400	3.1	<2.5	<2.5	<2.5	750	--	--	--	--	--	--	--	--	--
					480	0.94	<0.5	1.7	1.1	380	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-10																			
03/28/86	520.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.41	505.55	14.86	--	90	7.0	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
05/10/88	520.41	505.51	14.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	520.41	504.47	15.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.41	505.56	14.85	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	520.41	505.51	14.90	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	520.41	505.58	14.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	520.41	--	--	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/11/89	520.41	505.51	14.90	--	ND	4.8	ND	ND	ND	--	ND	6.1	--	--	--	--	--	--	--
06/26/89	520.41	505.29	15.12	--	ND	0.7	ND	ND	1.5	--	4.0	ND	--	--	--	--	--	--	--
10/13/89	520.41	505.30	15.11	--	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
01/03/90	520.41	505.40	15.01	--	ND	ND	ND	ND	ND	--	--	3.0	--	--	--	--	--	--	--
05/07/90	520.41	504.88	15.53	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	--	ND	--	--	--
09/27/90	520.41	505.21	15.20	--	ND	ND	ND	ND	ND	--	--	ND	--	1.2	ND	ND	--	--	--
01/03/91	520.41	505.35	15.06	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
04/12/91	520.41	505.55	14.86	--	110	16	ND	2.9	2.7	--	--	1.0	--	ND	ND	ND	ND	--	--
09/04/91	520.41	505.19	15.22	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
04/06/92	520.41	506.20	14.21	--	57	ND	ND	ND	ND	--	--	1.1	--	ND	ND	ND	ND	--	--
07/28/92	520.41	505.63	14.78	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
10/16/92	520.41	504.90	15.51	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/14/93	520.41	506.97	13.44	--	88	4.7	ND	2.3	1.6	--	--	--	--	--	--	--	--	--	--
03/26/93	520.41	507.86	12.55	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/22/93	520.41	506.67	13.74	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/20,21/93	520.41	503.92	16.49	--	100	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
10/20/93	520.41	505.77	14.64	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/20/94	520.41	506.02	14.39	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/21/94	520.41	505.79	14.62	--	ND	0.8	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/21,22/94	520.41	505.84	14.57	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	ND
01/18/95	520.41	506.77	13.64	--	<50	1.2	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
04/17/95	520.41	506.87	13.54	Sampled biannually	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/18/95	520.41	506.97	13.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
10/17/95	520.41	506.63	13.78	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/18/96	520.41	506.81	13.60	--	<125	3.7	<1.2	<1.2	<1.2	1000	--	--	--	--	--	--	--	--	--
04/17/96	520.41	507.23	13.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-11																			
03/28/86	520.04	506.22	13.82	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.04	505.55	14.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/10/88	520.04	505.73	14.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	520.04	504.57	15.47	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.04	506.44	13.60	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/14/88	520.04	505.51	14.53	--	2.0	240	33	4.7	67	--	--	--	--	--	--	--	--	--	--
01/01/89	520.04	505.94	14.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	520.04	--	--	--	ND	ND	0.8	ND	ND	--	--	--	--	--	--	--	--	--	--
04/12/89	520.04	505.68	14.36	--	ND	4.3	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
06/26/89	520.04	505.46	14.58	--	ND	2.0	ND	ND	ND	--	4.0	ND	--	--	--	--	--	--	--
10/13/89	520.04	505.33	14.71	--	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
01/03/90	520.04	505.43	14.61	--	ND	ND	ND	ND	0.7	--	--	ND	--	--	--	--	--	--	--
05/08/90	520.04	504.51	15.53	--	110	12	11	0.9	22	--	--	ND	--	ND	--	ND	--	--	--
09/28/90	520.04	504.53	15.51	--	ND	2.0	1.4	ND	3.3	--	--	ND	--	1.2	ND	ND	--	--	--
01/03/91	520.04	505.41	14.63	--	ND	2.0	ND	ND	2.0	--	--	ND	--	ND	ND	ND	1.0	--	--
04/12/91	520.04	505.74	14.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/91	520.04	505.20	14.84	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	520.04	506.48	13.56	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	520.04	505.65	14.39	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
10/16/92	520.04	504.25	15.79	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/14/93	520.04	507.90	12.14	--	94	ND	1.3	0.7	6.0	--	--	--	--	--	--	--	--	--	--
03/26/93	520.04	508.23	11.81	--	130	2.0	ND	0.6	1.0	--	--	--	--	--	--	--	--	--	--
04/22/93	520.04	507.10	12.94	--	ND	0.8	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/20,21/93	520.04	503.56	16.48	--	1200	3.0	1.0	ND	1.0	--	--	--	--	--	--	--	--	--	--
10/20/93	520.04	505.58	14.46	--	ND	2.0	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/20/94	520.04	505.92	14.12	--	140	5.0	0.6	3.0	4.0	--	--	--	--	--	--	--	--	--	--
04/21/94	520.04	505.80	14.24	--	86	1.7	0.6	1.2	1.6	--	--	--	--	--	--	--	--	--	--
07/21,22/94	520.04	505.83	14.21	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	7.0	--
01/18/95	520.04	506.81	13.23	--	50	3.7	<0.5	0.9	1.9	--	--	--	--	--	--	--	--	--	--
04/17/95	520.04	507.03	13.01	--	89	1.4	1.3	0.69	0.79	--	--	--	--	--	--	--	--	--	--
07/18/95	520.04	507.04	13.00	--	89	0.95	<0.5	1.1	1.0	--	--	--	--	--	--	--	--	--	--
10/17/95	520.04	506.72	13.32	--	73	<0.5	<0.5	<0.5	<0.5	390	--	--	--	--	--	--	--	--	--
01/18/96	520.04	507.14	12.90	--	240	12	29	4.3	33	<2.5	--	--	--	--	--	--	--	--	--
04/17/96	519.95	507.47	12.48	--	<50	<0.5	<0.5	<0.5	<0.5	26	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	TOG	1,2-DCA	VC	MC 1,1,1-TCA	1,1-DCA	PCE	Total Lead	CDS	
C-12																			
03/28/86	519.82	506.21	13.61	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	519.82	505.27	14.55	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
05/10/88	519.82	505.25	14.57	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	519.82	504.19	15.63	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	519.82	505.31	14.51	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	519.82	505.22	14.60	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
01/12/89	519.82	505.20	14.62	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
04/11/89	519.82	505.21	14.61	--	ND	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--
06/26/89	519.82	505.07	14.75	--	ND	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--
10/13/89	519.82	505.05	14.77	--	ND	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--
01/03/90	519.82	504.97	14.85	--	ND	ND	ND	ND	ND	0.6	--	ND	ND	--	--	--	--	--	--
05/07/90	519.82	505.07	14.75	--	ND	ND	ND	ND	ND	ND	--	ND	ND	--	ND	--	ND	--	--
09/27/90	519.82	505.21	14.61	--	ND	ND	ND	ND	ND	ND	--	ND	ND	--	1.2	ND	ND	--	--
01/03/91	519.82	505.12	14.70	--	ND	ND	ND	ND	ND	ND	--	ND	ND	--	ND	ND	ND	ND	--
04/12/91	519.82	505.30	14.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/91	519.82	504.99	14.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	519.82	506.01	13.81	--	ND	ND	ND	ND	ND	ND	--	ND	ND	--	ND	ND	ND	ND	--
07/28/92	519.82	505.50	14.32	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
10/16/92	519.82	504.70	15.12	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
01/14/93	519.82	506.59	13.23	--	65	ND	ND	ND	1.7	--	--	--	--	--	--	--	--	--	--
03/26/93	519.82	507.62	12.20	--	ND	0.9	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
04/22/93	519.82	506.61	13.21	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
07/20,21/93	519.82	503.11	16.71	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
10/20/93	519.82	505.63	14.19	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
01/20/94	519.82	505.77	14.05	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
04/21/94	519.82	505.76	14.06	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--
07/21,22/94	519.82	505.70	14.12	--	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	ND	--

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	TOG	1,2-DCA	VC	MC 1,1,1-TCA	1,1-DCA	PCE	Total Lead	CDS	
C-13																			
03/28/86	522.24	509.29	12.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	522.24	507.42	14.82	--	250	2.0	ND	9.0	3.0	--	--	--	--	--	--	--	--	--	--
05/10/88	522.24	507.21	15.03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	522.24	506.14	16.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	522.24	507.51	14.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	522.24	507.33	14.91	--	ND	1.9	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	522.24	508.14	14.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	522.24	--	--	--	ND	ND	0.6	4.0	ND	--	--	--	--	--	--	--	--	--	--
04/10/89	522.24	507.25	14.99	--	ND	ND	ND	8.0	ND	--	ND	ND	--	--	--	--	--	--	--
06/26/89	522.24	507.08	15.16	--	ND	0.3	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
10/13/89	522.24	507.01	15.23	--	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
01/03/90	522.24	507.09	15.15	--	ND	ND	ND	0.5	0.6	--	--	ND	--	--	--	--	--	--	--
05/08/90	522.24	507.22	15.02	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	--	ND	--	--	--
09/27/90	522.24	507.13	15.11	--	ND	ND	0.6	ND	ND	--	--	ND	--	1.7	ND	ND	--	--	--
01/03/91	522.24	507.16	15.08	--	ND	ND	ND	ND	0.6	--	--	ND	--	ND	ND	ND	--	--	--
04/12/91	522.24	507.47	14.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/91	522.24	506.81	15.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	522.24	507.81	14.43	--	66	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	--	--	--
07/28/92	522.24	506.87	15.37	--	60	8.2	ND	ND	1.1	--	--	--	--	--	--	ND	--	--	--
10/16/92	522.24	506.37	15.87	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/14/93	522.24	509.41	12.83	--	100	ND	ND	ND	1.3	--	--	--	--	--	--	--	--	--	--
03/26/93	522.24	509.65	12.59	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/22/93	522.24	509.08	13.16	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/20,21/93	522.24	505.72	16.52	--	99	4.0	13	2.0	7.0	--	--	--	--	--	--	--	--	--	--
10/20/93	522.24	507.11	15.13	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/20/94	522.24	507.59	14.65	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/21/94	522.24	507.36	14.88	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/21,22/94	522.24	507.29	14.95	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	ND	--

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-14																			
03/28/86	520.08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/10/88	520.08	506.69	13.39	--	120,000	13,000	29,000	2700	18	--	--	--	--	--	--	--	--	--	--
06/10/88	520.08	505.43	14.65	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.08	506.61	13.47	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	520.08	506.50	13.58	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	520.08	507.08	13.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	520.08	--	--	--	NS	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/12/89	520.08	506.61	13.47	--	NS	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
06/26/89	520.08	506.28	13.80	--	140,000	14,000	25,000	3400	26,000	--	--	30	--	--	--	--	--	--	--
10/13/89	520.08	506.46	13.62	--	86,000	12,000	16,000	1600	13,000	--	--	--	--	--	--	--	--	--	--
01/03/90	520.08	506.17	13.91	--	120,000	9500	16,000	1800	13,000	--	--	25	3.0	--	--	--	--	--	--
01/04/90	520.08	506.17	13.91	--	76,000	3900	8100	1200	7700	--	--	18	1.0	--	--	--	--	--	--
05/08/90	520.08	506.19	13.89	--	62,000	7500	17,000	1400	14,000	--	--	13	--	ND	--	ND	--	--	--
09/27/90	520.08	506.30	13.78	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/03/91	520.08	506.36	13.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/12/91	520.08	507.11	12.97	--	60,000	750	3800	720	9200	--	--	ND	--	ND	ND	ND	ND	--	--
09/04/91	520.08	506.24	13.84	--	110,000	2800	11,000	1300	13,000	--	--	--	--	--	--	--	--	--	--
04/06/92	520.08	507.64	12.44	--	41,000	190	1800	440	5100	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	520.08	506.38	13.70	--	130,000	2300	9700	1800	15,000	--	--	--	--	--	--	--	--	--	--
10/16/92	520.08	505.70	14.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/14/93	520.08	511.28	8.80	--	27,000	220	790	220	2700	--	--	--	--	--	--	--	--	--	--
03/26/93	520.08	510.96	9.12	--	23,000	330	1600	460	4000	--	--	--	--	--	--	--	--	--	--
04/22/93	520.08	507.98	12.10	Sheen	17,000	840	2300	130	3500	--	--	--	--	--	--	--	--	--	--
07/20,21/93	520.08	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/20/93	520.08	505.77	14.31	Insufficient water	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/20/94	520.08	507.94	12.14	--	22,000	130	790	270	2400	--	--	--	--	--	--	--	--	--	--
04/21/94	520.08	508.15	11.93	--	9400	88	330	72	960	--	--	--	--	--	--	--	--	--	--
07/21,22/94	520.08	506.94	13.14	--	6200	92	180	30	530	--	--	--	--	--	--	--	--	330	--
01/18/95	520.08	--	--	Dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/17/95	520.08	--	--	Dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/18/95	520.08	--	--	Dry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/17/95	520.08	507.64	12.44	Insufficient water	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/18/96	520.08	507.84	12.24	Insufficient water	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/17/96	520.08	507.91	12.17	Insufficient water	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-15																			
03/28/86	522.41	509.27	13.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	522.41	507.28	15.13	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
05/10/88	522.41	507.01	15.40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	522.41	505.92	16.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	522.41	507.24	15.17	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	522.41	507.08	15.33	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	522.41	508.71	13.70	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	522.41	--	--	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/12/89	522.41	507.07	15.34	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
06/26/89	522.41	506.69	15.72	--	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
10/13/89	522.41	506.45	15.96	--	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
01/03/90	522.41	506.99	15.42	--	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
05/08/90	522.41	506.79	15.62	--	ND	ND	ND	ND	ND	--	--	ND	--	--	--	--	--	--	--
09/27/90	522.41	506.82	15.59	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	--	--	--
01/03/91	522.41	506.91	15.50	--	ND	ND	ND	ND	ND	--	--	ND	--	2.9	ND	ND	--	--	--
04/12/91	522.41	507.20	15.21	--	--	--	--	--	0.6	--	--	ND	--	ND	ND	ND	ND	--	--
09/04/91	522.41	506.51	15.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	522.41	507.53	14.88	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	522.41	506.59	15.82	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
10/16/92	522.41	506.16	16.25	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/14/93	522.41	509.93	12.48	--	61	ND	1.9	0.8	5.1	--	--	--	--	--	--	--	--	--	--
03/26/93	522.41	509.74	12.67	--	ND	ND	ND	ND	1.0	--	--	--	--	--	--	--	--	--	--
04/22/93	522.41	508.81	13.60	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/20,21/93	522.41	505.54	16.87	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
10/20/93	522.41	507.17	15.24	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/20/94	522.41	507.40	15.01	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/21/94	522.41	507.19	15.22	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/21,22/94	522.41	507.06	15.35	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	ND	--

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-16																			
03/28/86	519.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	519.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/10/88	519.68	505.90	13.78	--	4500	1,000	73	140	180	--	--	--	--	--	--	--	--	--	--
06/10/88	519.68	504.80	14.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	519.68	505.99	13.69	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	519.68	505.88	13.80	--	1600	16	5.5	ND	16	--	--	--	--	--	--	--	--	--	--
01/01/89	519.68	506.23	13.45	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	519.68	--	--	--	1000	360	11	78	51	--	--	--	--	--	--	--	--	--	--
04/11/89	519.68	505.90	13.78	--	15,800	130	4.0	21	19	--	ND	8.0	--	--	--	--	--	--	--
06/26/89	519.68	505.66	14.02	--	1300	170	8.0	37	43	--	ND	ND	--	--	--	--	--	--	--
10/13/89	519.68	505.67	14.01	--	1000	20	ND	7.0	ND	--	ND	ND	--	--	--	--	--	--	--
01/03/90	519.68	505.71	13.97	--	1300	150	3.0	41	24	--	--	5.0	--	--	--	--	--	--	--
05/07/90	519.68	505.23	14.45	--	480	49	4.4	29	13	--	--	4.5	--	ND	--	ND	--	--	--
09/29/90	519.68	505.36	14.32	--	360	18	2.1	11	8.0	--	--	1.8	--	ND	ND	ND	--	--	--
01/03/91	519.68	505.72	13.96	--	230	12	ND	6.0	6.0	--	--	2.0	--	0.8	ND	ND	ND	--	--
04/12/91	519.68	505.94	13.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/91	519.68	505.46	14.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	519.68	506.50	13.18	--	360	30	ND	14	12	--	--	1.0	--	ND	ND	ND	ND	--	--
07/28/92	519.68	505.75	13.93	--	210	31	ND	6.8	16	--	--	--	--	--	--	--	--	--	--
10/16/92	519.68	504.76	14.92	--	140	11	ND	5.1	3.4	--	--	--	--	--	--	--	--	--	--
01/14/93	519.68	507.87	11.81	--	740	24	ND	36	21	--	--	--	--	--	--	--	--	--	--
03/26/93	519.68	508.32	11.36	--	730	22	2.0	16	10	--	--	--	--	--	--	--	--	--	--
04/22/93	519.68	507.38	12.30	--	850	46	ND	24	6.0	--	--	--	--	--	--	--	--	--	--
07/20,21/93	519.68	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/20/93	519.68	505.68	14.00	--	290	18	2.0	16	17	--	--	--	--	--	--	--	--	--	--
01/20/94	519.68	506.20	13.48	--	360	10	1.0	12	9.0	--	--	--	--	--	--	--	--	--	--
04/21/94	519.68	505.76	13.92	--	220	15	ND	13	11	--	--	--	--	--	--	--	--	--	--
07/21,22/94	519.68	506.12	13.56	--	72	1.2	ND	ND	1.0	--	--	--	--	--	--	--	--	8.0	--
01/18/95	519.68	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/17/95	519.68	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/18/95	519.68	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/17/95	519.68	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/18/96	519.68	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/17/96	519.68	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Benzene Gasoline	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2-DCA	VC	MC	1,1,1-TCA	1,1-DCA	PCE	Total Lead	CDS	
C-17																			
03/28/86	520.82	507.34	13.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.82	506.06	14.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/10/88	520.82	506.05	14.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	520.82	504.98	15.84	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.82	506.19	14.63	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	520.82	505.99	14.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/01/89	520.82	506.04	14.78	--	270,000	18	900	760	5500	--	--	--	--	--	--	--	--	--	--
01/12/89	520.82	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/11/89	520.82	505.99	14.83	--	190,000	ND	490	2100	6700	--	--	--	--	--	--	--	--	--	--
06/26/89	520.82	505.79	15.03	--	27,000	30	150	320	1000	--	6.0	ND	--	--	--	--	--	--	--
06/26/89	520.82	505.79	15.03	--	20,000	50	390	660	2000	--	ND	ND	--	--	--	--	--	--	--
10/13/89	520.82	505.80	15.02	--	27,000	40	420	740	2200	--	--	ND	--	--	--	--	--	--	--
01/03/90	520.82	505.72	15.10	--	17,000	ND	48	230	480	--	ND	ND	--	--	--	--	--	--	--
05/08/90	520.82	505.70	15.12	--	14,000	ND	29	120	210	--	--	ND	--	--	--	--	--	--	--
09/29/90	520.82	505.83	14.99	--	9500	25	130	210	470	--	--	ND	--	ND	--	ND	--	--	--
09/29/90	520.82	505.83	14.99	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	1.9	ND	--	--	--
01/03/91	520.82	505.90	14.92	--	ND	ND	3.4	ND	ND	--	--	ND	--	1.8	1.9	ND	--	--	--
01/03/91	520.82	505.90	14.92	--	3700	ND	28	56	140	--	--	ND	--	1.8	1.9	ND	ND	--	--
04/12/91	520.82	506.11	14.71	--	8600	ND	10	59	150	--	--	ND	--	ND	ND	ND	ND	--	--
04/12/91	520.82	506.11	14.71	--	8600	ND	5.0	47	120	--	--	ND	--	ND	ND	ND	ND	--	--
09/04/91	520.82	505.65	15.17	--	4400	ND	11	48	120	--	--	ND	--	ND	ND	ND	ND	--	--
09/04/91	520.82	505.65	15.17	--	5800	ND	27	49	79	--	--	ND	--	ND	ND	ND	ND	--	--
04/06/92	520.82	506.68	14.14	--	4100	ND	21	36	61	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	520.82	505.64	15.18	--	2300	ND	5.8	27	29	--	--	ND	--	ND	ND	ND	ND	--	--
10/16/92	520.82	505.06	15.76	--	11,000	99	180	170	430	--	--	--	--	--	--	--	--	--	--
01/14/93	520.82	507.38	13.44	--	,200,000	ND	4800	3900	6600	--	--	--	--	--	--	--	--	--	--
03/26/93	520.82	508.36	12.46	--	3500	9.3	9.1	23	34	--	--	--	--	--	--	--	--	--	--
04/22/93	520.82	507.52	13.30	--	3700	ND	19	20	35	--	--	--	--	--	--	--	--	--	--
07/20,21/93	520.82	503.61	17.21	--	8900	16	68	44	97	--	--	--	--	--	--	--	--	--	--
10/20/93	520.82	505.73	15.09	--	4200	5.0	35	33	62	--	--	--	--	--	--	--	--	--	--
01/20/94	520.82	506.35	14.47	--	4500	5.0	12	43	64	--	--	--	--	--	--	--	--	--	--
04/21/94	520.82	505.87	14.95	--	1900	4.0	42	24	73	--	--	--	--	--	--	--	--	--	--
07/21,22/94	520.82	506.22	14.60	--	1100	5.0	20	23	42	--	--	--	--	--	--	--	--	--	--
01/18/95	520.82	507.12	13.70	--	72	ND	ND	ND	0.9	--	--	--	--	--	--	--	--	ND	--
04/17/95	520.82	507.57	13.25	--	530	1.7	<0.5	5.6	8.8	--	--	--	--	--	--	--	--	--	--
07/18/95	520.82	507.38	13.44	--	440	1.9	3.0	3.6	2.4	--	--	--	--	--	--	--	--	--	--
10/17/95	520.82	507.32	13.50	--	140	5.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
01/18/96	520.82	507.80	13.02	--	110	<0.5	<0.5	<0.5	0.62	<2.5	--	--	--	--	--	--	--	--	--
04/17/96	520.53	507.83	12.70	--	310	19	30	5.6	40	28	--	--	--	--	--	--	--	--	--
					<50	<0.5	<0.5	<0.5	<0.5	7.2	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-18																			
03/28/86	518.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	518.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/10/88	518.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/10/88	518.96	504.07	14.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	518.96	505.17	13.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	518.96	505.10	13.86	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	518.96	505.02	13.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	518.96	--	--	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/11/89	518.96	504.10	14.86	--	ND	ND	ND	ND	ND	--	ND	3.6	--	--	--	--	--	--	--
06/26/89	518.96	504.94	14.02	--	ND	ND	ND	ND	ND	--	ND	3.1	--	--	--	--	--	--	--
10/13/89	518.96	503.90	15.06	--	ND	ND	ND	ND	ND	--	ND	ND	--	--	--	--	--	--	--
01/03/90	518.96	504.89	14.07	--	ND	ND	ND	ND	ND	--	--	1.0	--	--	--	--	--	--	--
05/07/90	518.96	504.95	14.01	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	--	ND	--	--	--
09/27/90	518.96	505.05	13.91	--	ND	ND	ND	ND	ND	--	--	ND	--	0.6	ND	ND	--	--	--
01/03/91	518.96	504.98	13.98	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
04/12/91	518.96	505.13	13.83	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
09/04/91	518.96	504.76	14.20	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
04/06/92	518.96	505.89	13.07	--	ND	ND	ND	ND	ND	--	--	ND	--	ND	ND	ND	ND	--	--
07/28/92	518.96	505.41	13.55	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
10/16/92	518.96	504.58	14.38	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/14/93	518.96	506.50	12.46	--	56	ND	ND	ND	1.8	--	--	--	--	--	--	--	--	--	--
03/26/93	518.96	507.50	11.46	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/22/93	518.96	506.38	12.58	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
07/20,21/93	518.96	503.32	15.64	--	92	ND	0.5	ND	ND	--	--	--	--	--	--	--	--	--	--
10/20/93	518.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/20/94	518.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/21/94	518.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC 1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS	
C-19																			
03/28/86	520.99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/88	520.99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/10/88	520.99	505.76	15.23	--	18	1400	360	350	1300	--	--	--	--	--	--	--	--	--	--
06/10/88	520.99	504.41	16.58	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/25/88	520.99	505.80	15.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/13/88	520.99	505.72	15.27	--	ND	8.3	4.7	4.4	ND	--	--	--	--	--	--	--	--	--	--
01/01/89	520.99	505.79	15.20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/12/89	520.99	--	--	--	ND	5.0	4.0	ND	ND	--	--	--	--	--	--	--	--	--	--
04/11/89	520.99	505.75	15.24	--	ND	1.8	ND	ND	ND	--	ND	13	--	--	--	--	--	--	--
04/11/89	520.99	505.75	15.24	--	500	1.2	ND	0.6	0.6	--	--	14	--	--	--	--	--	--	--
06/26/89	520.99	505.55	15.44	--	500	2.5	ND	ND	ND	--	ND	26	--	--	--	--	--	--	--
10/13/89	520.99	505.52	15.47	--	540	ND	ND	ND	ND	13	ND	13	--	--	--	--	--	--	13
01/03/90	520.99	505.54	15.45	--	ND	1.2	0.7	1.3	0.9	--	--	11	--	--	--	--	--	--	--
05/07/90	520.99	505.31	15.68	--	ND	ND	ND	ND	ND	--	--	4.6	--	ND	--	ND	--	--	--
09/28/90	520.99	505.47	15.52	--	ND	ND	ND	ND	ND	--	--	ND	--	1.2	ND	ND	--	--	--
01/03/91	520.99	505.43	15.56	--	66	ND	ND	ND	ND	--	--	1.0	--	ND	ND	ND	0.9	--	--
04/12/91	520.99	505.79	15.20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/91	520.99	505.39	15.60	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/06/92	520.99	506.41	14.58	--	110	0.7	ND	1.0	ND	--	--	1.9	--	ND	ND	ND	ND	--	--
07/28/92	520.99	505.73	15.26	--	ND	1.4	ND	1.0	4.2	--	--	--	--	--	--	--	--	--	--
10/16/92	520.99	504.99	16.00	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/14/93	520.99	507.30	13.69	--	100	1.1	ND	0.9	0.9	--	--	--	--	--	--	--	--	--	--
03/26/93	520.99	508.03	12.96	--	80	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/22/93	520.99	506.81	14.18	--	250	0.6	1.0	1.0	1.0	--	--	--	--	--	--	--	--	--	--
07/20,21/93	520.99	504.41	16.58	--	390	ND	ND	0.8	2.0	--	--	--	--	--	--	--	--	--	--
10/20/93	520.99	505.76	15.23	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
01/20/94	520.99	506.15	14.84	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	--	--
04/21/94	520.99	505.73	15.26	--	60	ND	ND	1.0	ND	--	--	--	--	--	--	--	--	--	--
07/21,22/94	520.99	506.09	14.90	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--	ND	--
01/18/95	520.99	506.97	14.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
04/17/95	520.99	507.19	13.80	Sampled biannually	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/18/95	520.99	507.27	13.72	--	150	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
10/17/95	520.99	506.89	14.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/18/96	520.99	507.18	13.81	--	76	<0.5	<0.5	<0.5	<0.5	120	--	--	--	--	--	--	--	--	--
04/17/96	520.96	507.56	13.40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE	TOG	1,2- DCA	VC	MC	1,1,1- TCA	1,1- DCA	PCE	Total Lead	CDS
C-20																			
10/12/95	520.67	507.17	13.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/16/96	520.67	507.17	12.78	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--	--
C-21																			
10/12/95	519.64	507.17	12.15	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
05/16/96	519.64	507.17	11.28	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--	--
TRIP BLANK																			
01/18/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
04/17/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
07/18/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--
10/17/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--	--
01/18/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--	--
04/17/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--	--

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on November 1, 1994. Earlier field data and analytical results are drawn from the August 15, 1994 Groundwater Technology, Inc. report. The October 12, 1995 and the resurvey information was provided by Groundwater Technology, Inc.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl t-Butyl Ether

TOG = Total Oil & Grease

PCE = Tetrachloroethene

1,2-DCA = 1,2-Dichloroethane

VC = Vinyl chloride

MC = Methylene Chloride

TCA = 1,1,1-Trichloroethane

1,1-DCA = 1,1-Dichloroethane

CDS = Carbon Disulfide

ND = Not detected at or above the minimum quantitation limit. See laboratory reports for minimum quantitation limits.

Analytical Appendix



Blaine Technical Services 985 Timothy Drive San Jose, CA 95133 Attention: Jim Keller	Client Proj. ID: Chevron 9-1924 960417-A1 Sample Descript: C-1 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9604C96-01	Sampled: 04/17/96 Received: 04/18/96 Analyzed: 04/22/96 Reported: 05/07/96
---	--	---


QC Batch Number: GC042296BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	N.D.
Methyl t-Butyl Ether	50	N.D.
Benzene	10	31
Toluene	10	N.D.
Ethyl Benzene	10	N.D.
Xylenes (Total)	10	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	99

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-1924 960417-A1 Sample Descript: C-2 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9604C96-02	Sampled: 04/17/96 Received: 04/18/96 Analyzed: 04/22/96 Reported: 05/07/96
--	--	---


QC Batch Number: GC042296BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	62
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern: Weathered Gas		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	96

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Peggy Penner
Project Manager





Blaine Technical Services	Client Proj. ID: Chevron 9-1924 960417-A1	Sampled: 04/17/96
985 Timothy Drive	Sample Descript: C-5	Received: 04/18/96
San Jose, CA 95133	Matrix: LIQUID	
Attention: Jim Keller	Analysis Method: 8015Mod/8020	Analyzed: 04/22/96
	Lab Number: 9604C96-03	Reported: 05/07/96

QC Batch Number: GC042296BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	2200
Methyl t-Butyl Ether	50	5400
Benzene	10	140
Toluene	10	N.D.
Ethyl Benzene	10	N.D.
Xylenes (Total)	10	N.D.
Chromatogram Pattern: Weathered Gas		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	103

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133

Client Proj. ID: Chevron 9-1924 960417-A1
Sample Descript: C-6
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9604C96-04

Sampled: 04/17/96
Received: 04/18/96
Analyzed: 04/22/96
Reported: 05/07/96

QC Batch Number: GC042296BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	250	510
Methyl t-Butyl Ether	12	490
Benzene	2.5	N.D.
Toluene	2.5	N.D.
Ethyl Benzene	2.5	10
Xylenes (Total)	2.5	3.0
Chromatogram Pattern: Weathered Gas		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	111

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-1924 960417-A1 Sample Descript: C-7 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9604C96-05	Sampled: 04/17/96 Received: 04/18/96 Analyzed: 04/30/96 Reported: 05/07/96
--	--	---


QC Batch Number: GC043096BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	100	980
Methyl t-Butyl Ether	5.0	340
Benzene	1.0	5.5
Toluene	1.0	N.D.
Ethyl Benzene	1.0	7.4
Xylenes (Total)	1.0	1.1
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	101

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Peggy Penner
Project Manager





Blaine Technical Services	Client Proj. ID: Chevron 9-1924 960417-A1	Sampled: 04/17/96
985 Timothy Drive	Sample Descript: C-9	Received: 04/18/96
San Jose, CA 95133	Matrix: LIQUID	
Attention: Jim Keller	Analysis Method: 8015Mod/8020	Analyzed: 04/22/96
	Lab Number: 9604C96-06	Reported: 05/07/96

QC Batch Number: GC042296BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	480
Methyl t-Butyl Ether	2.5	380
Benzene	0.50	0.94
Toluene	0.50	N.D.
Ethyl Benzene	0.50	1.7
Xylenes (Total)	0.50	1.1
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	109

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-1924 960417-A1 Sample Descript: C-11 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9604C96-07	Sampled: 04/17/96 Received: 04/18/96 Analyzed: 04/22/96 Reported: 05/07/96
--	---	---

QC Batch Number: GC042296BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	26
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	90

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133

Client Proj. ID: Chevron 9-1924 960417-A1
Sample Descript: C-17
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9604C96-08

Sampled: 04/17/96
Received: 04/18/96
Analyzed: 04/22/96
Reported: 05/07/96


QC Batch Number: GC042296BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	7.2
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		N.D.
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	87

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133 Attention: Jim Keller	Client Proj. ID: Chevron 9-1924 960417-A1 Sample Descript: TB Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9604C96-09	Sampled: 04/17/96 Received: 04/18/96 Analyzed: 04/22/96 Reported: 05/07/96
---	---	---

QC Batch Number: GC042296BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		N.D.
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	93

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Proj. ID: Chevron 9-1924 960417-A1

Received: 04/18/96

Lab Proj. ID: 9604C96

Reported: 05/07/96

LABORATORY NARRATIVE

TPPH Note: Sample 9604C96-01 was diluted 20-fold.
Sample 9604C96-03 was diluted 20-fold.
Sample 9604C96-04 was diluted 5-fold.
Sample 9604C96-05 was diluted 2-fold.

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager





Blaine Tech Services, Inc.
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Project ID: Chevron 9-1924/ 960417-A1
Matrix: Liquid

Work Order #: 9604C96 -01, 04

Reported: May 8, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC042296BTEX17A	GC042296BTEX17A	GC042296BTEX17A	GC042296BTEX17A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	J. Woo	J. Woo	J. Woo	J. Woo
MS/MSD #:	960468602	960468602	960468602	960468602
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/22/96	4/22/96	4/22/96	4/22/96
Analyzed Date:	4/22/96	4/22/96	4/22/96	4/22/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	9.3	9.3	9.4	28
MS % Recovery:	93	93	94	93
Dup. Result:	10	9.9	9.9	30
MSD % Recov.:	100	99	99	100
RPD:	7.3	6.3	5.2	6.9
RPD Limit:	0-50	0-50	0-50	0-50

LCS #:	BLK042296	BLK042296	BLK042296	BLK042296
Prepared Date:	4/22/96	4/22/96	4/22/96	4/22/96
Analyzed Date:	4/22/96	4/22/96	4/22/96	4/22/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	9.8	9.8	9.8	29
LCS % Recov.:	98	98	98	97

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9604C96.BLA <1>



SEQUOIA ANALYTICAL

Peggy Penner
Project Manager



Blaine Tech Services, Inc.
 985 Timothy Drive
 San Jose, CA 95133
 Attention: Jim Keller

Client Project ID: Chevron 9-1924/ 960417-A1
 Matrix: Liquid

Work Order #: 9604C96-02-03, 06-09

Reported: May 8, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC042296BTEX21A	GC042296BTEX21A	GC042296BTEX21A	GC042296BTEX21A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	J. Woo	J. Woo	J. Woo	J. Woo
MS/MSD #:	960468604	960468604	960468604	960468604
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/22/96	4/22/96	4/22/96	4/22/96
Analyzed Date:	4/22/96	4/22/96	4/22/96	4/22/96
Instrument I.D.#:	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	8.3	9.6	9.4	28
MS % Recovery:	83	96	94	93
Dup. Result:	8.7	9.9	9.9	30
MSD % Recov.:	87	99	99	100
RPD:	4.7	3.1	5.2	6.9
RPD Limit:	0-50	0-50	0-50	0-50

LCS #:	BLK042296	BLK042296	BLK042296	BLK042296
Prepared Date:	4/22/96	4/22/96	4/22/96	4/22/96
Analyzed Date:	4/22/96	4/22/96	4/22/96	4/22/96
Instrument I.D.#:	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	7.8	8.8	8.8	26
LCS % Recov.:	78	88	88	87

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL

Peggy Renner
 Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD=MS Duplicate, RPD= Relative % Difference

9604C96.BLA <2>





Blaine Tech Services, Inc.
 985 Timothy Drive
 San Jose, CA 95133
 Attention: Jim Keller

Client Project ID: Chevron 9-1924/ 960417-A1
 Matrix: Liquid

Work Order #: 9604C96-05

Reported: May 8, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC043096BTEX17A	GC043096BTEX17A	GC043096BTEX17A	GC043096BTEX17A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	J. Woo	J. Woo	J. Woo	J. Woo
MS/MSD #:	9604D0302	9604D0302	9604D0302	9604D0302
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/30/96	4/30/96	4/30/96	4/30/96
Analyzed Date:	4/30/96	4/30/96	4/30/96	4/30/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	10	9.8	10	29
MS % Recovery:	100	98	100	97
Dup. Result:	9.5	9.3	9.4	27
MSD % Recov.:	95	93	94	90
RPD:	5.1	5.2	6.2	7.1
RPD Limit:	0-50	0-50	0-50	0-50

LCS #:	BLK043096	BLK043096	BLK043096	BLK043096
Prepared Date:	4/30/96	4/30/96	4/30/96	4/30/96
Analyzed Date:	4/30/96	4/30/96	4/30/96	4/30/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	10	10	10	31
LCS % Recov.:	100	100	100	103

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL

 Peggy Penner
 Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9604C96.BLA <3>



Fax copy of Lab Report and COC to Chevron Contact: Yes No

Chain-of-Custody-Record

Chevron U.S.A. Inc.
P.O. BOX 5004
San Ramon, CA 94583
FAX (415)842-9591

Chevron Facility Number 9-1924
Facility Address 4904 Southfront Rd., Livermore, CA
Consultant Project Number 960417-A1
Consultant Name Blaine Tech Services, Inc.
Address 985 Timothy Dr., San Jose, CA 95133
Project Contact (Name) Jim Keller
(Phone) 408 995-5535 (Fax Number) 408 293-8773

Chevron Contact (Name) Brett Hunter
(Phone) (510) 842-8695
Laboratory Name Sequoia
Laboratory Release Number 2910570
Samples Collected by (Name) RANDY VALENTINE
Collection Date 4/17/96
Signature Randy Valenti

Sample Number	Lab Sample Number	Number of Containers	Matrix S = Soil W = Water A = Air C = Charcoal	Type G = Grab C = Composite D = Discrete	Time	Sample Preservation	Iced (Yes or No)	Analytes To Be Performed										Remarks				
								ETEX + TPH GAS # (8020 + 8015) ATBE	TPH Diesel (8015)	Oil and Grease (8020)	Purgeable Halocarbons (8010)	Purgeable Aromatics (8020)	Purgeable Organics (8240)	Extractable Organics (8270)	Metals Cd, Cr, Pb, Zn, Ni (ICAP or AA)							
C-1	01A-C	3	W		1235	HCl	Y	X														
C-2	02	3	W		1015		Y	X														9604C96
C-5	03	3	W		1218		Y	X														
C-6	04	3	W		1200		Y	X														
C-7	05	3	W		1130		Y	X														
C-9	06	3	W		1300		Y	X														
C-11	07	3	W		1033		Y	X														
C-17	08	3	W		1055		Y	X														
TB	09AB	2	W				Y	X														

DO NOT BILL
FOR TB-LB

Relinquished By (Signature) <u>Randy Valenti</u>	Organization <u>SEB</u>	Date/Time <u>4/18 11:25</u>	Received By (Signature) <u>Jim Keller</u>	Organization <u>SEB</u>	Date/Time <u>4/18/96 10:25</u>
Relinquished By (Signature) <u>[Signature]</u>	Organization <u>SEB</u>	Date/Time <u>4/18 11:25</u>	Received By (Signature) <u>[Signature]</u>	Organization <u>[Blank]</u>	Date/Time <u>[Blank]</u>
Relinquished By (Signature) <u>[Signature]</u>	Organization <u>[Blank]</u>	Date/Time <u>[Blank]</u>	Received For Laboratory By (Signature) <u>[Signature]</u>	Organization <u>(Sequoia)</u>	Date/Time <u>04/18/96</u>

Turn Around Time (Circle Choice)

24 Hrs.
48 Hrs.
5 Days
10 Days
As Contracted

HCH



Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-1924/960516-V1 Sample Descript: C-20 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9605B96-01	Sampled: 05/16/96 Received: 05/17/96 Analyzed: 05/21/96 Reported: 05/22/96
--	---	---

QC Batch Number: GC052196BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		N.D.

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	94

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Fenner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-1924/960516-V1 Sample Descript: C-21 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9605B96-02	Sampled: 05/16/96 Received: 05/17/96 Analyzed: 05/21/96 Reported: 05/22/96
--	---	---

QC Batch Number: GC052196BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	91

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager





Blaine Tech Services, Inc. Client Project ID: Chevron 9-1924/ 960516-V1
 985 Timothy Drive Matrix: Liquid
 San Jose, CA 95133 Work Order #: 9605B96 -01-02 Reported: May 29, 1996
 Attention: Jim Keller


QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC052196BTEX21A	GC052196BTEX21A	GC052196BTEX21A	GC052196BTEX21A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	J. Woo	J. Woo	J. Woo	J. Woo
MS/MSD #:	9605A6003	9605A6003	9605A6003	9605A6003
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	5/21/96	5/21/96	5/21/96	5/21/96
Analyzed Date:	5/21/96	5/21/96	5/21/96	5/21/96
Instrument I.D.#:	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	9.9	11	11	35
MS % Recovery:	99	110	110	117
Dup. Result:	8.9	9.7	10	31
MSD % Recov.:	89	97	100	103
RPD:	11	13	9.5	12
RPD Limit:	0-25	0-25	0-25	0-25

LCS #:	BLK052196	BLK052196	BLK052196	BLK052196
Prepared Date:	5/21/96	5/21/96	5/21/96	5/21/96
Analyzed Date:	5/21/96	5/21/96	5/21/96	5/21/96
Instrument I.D.#:	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	9.3	9.7	9.9	30
LCS % Recov.:	93	97	99	100

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL

 Reggy Penner
 Project Manager

Please Note:
 The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD=MS Duplicate, RPD= Relative % Difference

9605B96.BLA <1>



Chevron U.S.A. Inc.
P.O. BOX 5004
San Ramon, CA 94583
FAX (415)842-9591

Chevron Facility Number 9-1924
Facility Address 4904 Southfront St., Livermore, CA
Consultant Project Number 960516-V-1
Consultant Name Blaine Tech Services, Inc.
Address 985 Timothy Dr., San Jose, CA 95133
Project Contact (Name) Jim Keller
(Phone) 408 995-5535 (Fax Number) 408 293-8773

Chevron Contact (Name) Phil Briggs
(Phone) (510) 842-9136
Laboratory Name Sequoia
Laboratory Release Number 2910570
Samples Collected by (Name) FA VAUDEZ BERRI
Collection Date 5-16-96
Signature [Signature]

Sample Number	Lab Sample Number	Number of Containers	Matrix S = Soil W = Water A = Air C = Charcoal	Type G = Grab C = Composite D = Discrete	Time	Sample Preservation	Iced (Yes or No)	Analyses To Be Performed										DO NOT BILL FOR TB-LB	Remarks							
								BTEX + TPH GAS (8020 + 8015)	TPH Diesel (8015)	Oil and Grease (5520)	Purgeable Halocarbons (8010)	Purgeable Aromatics (8020)	Purgeable Organics (8220)	Extractable Organics (8270)	Metals Cd, Cr, Pb, Zn, Ni (ICAP or AA)	MTBE										
C-20	1	3	W	G	0954	HCL	Y	/																		
C-21	2	3	W	G	1033		Y	/																		

Relinquished By (Signature) <u>[Signature]</u>	Organization <u>BTS</u>	Date/Time <u>5/17 1420</u>	Received By (Signature) <u>[Signature]</u>	Organization <u>SEA</u>	Date/Time <u>5/17 1420</u>	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 5 Days 10 Days As Contracted
Relinquished By (Signature) <u>[Signature]</u>	Organization <u>SEA</u>	Date/Time <u>5/17</u>	Received By (Signature) <u>[Signature]</u>	Organization	Date/Time	
Relinquished By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature) <u>[Signature]</u>		Date/Time <u>5/17/96 1420</u>	

3 91/ACH

Field Data Sheets

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960417-A1</u>		Station #: <u>9-1924</u>	
Sampler: <u>W</u>		Start Date: <u>4-17-96</u>	
Well I.D.: <u>C-81</u>		Well Diameter: (circle one) 2 <u>3</u> 4 6	
Total Well Depth:		Depth to Water:	
Before <u>18.30</u> After		Before <u>10.87</u> After	
Depth to Free Product:		Thickness of Free Product (feet):	
Measurements referenced to: <u>PVO</u> Grade Other:			

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>2.7</u>	x	<u>3</u>	=	<u>8.1</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer Disposable Bailer Middleburg <input checked="" type="checkbox"/> Electric Submersible Extraction Pump Other _____	Sampling: Bailer Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other _____
--	---

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1223	68.2	7.4	1200	—	3	
1226	69.0	7.3	1200	—	6	
1229	68.8	7.3	1200	—	8.5	

Did Well Dewater? N If yes, gals. Gallons Actually Evacuated: 8.5

Sampling Time: 1235 Sampling Date: 4-17-96

Sample I.D.: C-1 Laboratory: SEQ

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle) MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960417-A1</u>	Station #: <u>9-1924</u>
Sampler: <u>M</u>	Start Date: <u>4-17-96</u>
Well I.D.: <u>C-2</u>	Well Diameter: (circle one) 2 <u>(3)</u> 4 6
Total Well Depth: Before <u>24.25</u> After	Depth to Water: Before <u>11.27</u> After
Depth to Free Product:	Thickness of Free Product (feet):
Measurements referenced to: <u>PVC</u>	Grade Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>4.8</u>	<u>x</u>	<u>3</u>	<u>=</u>	<u>14.4</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other _____

Sampling: Bailer
 Disposable Bailer
 Extraction Port
 Other _____

TIME	TEMP. (F)	PH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1001	67.2	7.2	1700	—	5	
1006	66.4	7.1	1600	—	10	
1010	66.8	7.1	1600	—	14.5	

Did Well Dewater? N If yes, gals. Gallons Actually Evacuated: 14.5

Sampling Time: 1015 Sampling Date: 4-17-96

Sample I.D.: C-2 Laboratory: SEQ

Analyzed for: TPH-G BTEX TPH-D OTHER:
MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #: 960917-A1		Station #: 9-1924	
Sampler: RV		Start Date: 4-17-96	
Well I.D.: C-5		Well Diameter: (circle one) 2 <u>3</u> 4 6	
Total Well Depth:		Depth to Water:	
Before 18.96	After	Before 11.11	After
Depth to Free Product:		Thickness of Free Product (feet):	
Measurements referenced to: <u>PVC</u> Grade Other:			

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>2.9</u>	x	<u>3</u>	=	<u>8.7</u>	gallons
1 Case Volume		Specified Volumes			

Purging: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other _____

Sampling: Bailer
 Disposable Bailer
 Extraction Port
 Other _____

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1206	67.8	7.5	1000	—	3	ODOR
1209	67.8	7.4	1200	—	6	
1212	67.8	7.4	1200	✓	9	

Did Well Dewater? N If yes, gals. Gallons Actually Evacuated: 9

Sampling Time: 1208 Sampling Date: 4-17-96

Sample I.D.: C-5 Laboratory: SEQ

Analyzed for: (Circle) TPH-G BTEX TPH-D OTHER:
MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: (Circle) TPH-G BTEX TPH-D OTHER:

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960417-A1</u>	Station #: <u>9-1924</u>
Sampler: <u>RV</u>	Start Date: <u>4-17-96</u>
Well I.D.: <u>C-6</u>	Well Diameter: (circle one) 2 <u>3</u> 4 6
Total Well Depth: Before <u>21.92</u> After	Depth to Water: Before <u>10.47</u> After
Depth to Free Product:	Thickness of Free Product (feet):
Measurements referenced to: <u>VVC</u>	Grade Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>4.2</u>	<u>x</u>	<u>3</u>	<u>=</u>	<u>12.6</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer Disposable Bailer Middleburg <input checked="" type="checkbox"/> Electric Submersible Extraction Pump Other _____	Sampling: Bailer Disposable Bailer — Extraction Port Other _____
--	---

TIME	TEMP. (F)	PH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1144	68.4	7.5	1200	—	4.5	ODOR
1148	67.6	7.5	1200	—	9.0	
1152	68.0	7.5	1200	—	13.0	

Did Well Dewater? N If yes, gals. Gallons Actually Evacuated: 13.0

Sampling Time: 1200 Sampling Date: 4-17-96

Sample I.D.: C-6 Laboratory: SEQ

Analyzed for: (TPH-G) (BTEX) TPH-D OTHER:
MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960417-A1</u>	Station #: <u>9-1924</u>
Sampler: <u>W</u>	Start Date: <u>4-17-96</u>
Well I.D.: <u>2-7</u>	Well Diameter: (circle one) 2 <u>(3)</u> 4 6
Total Well Depth: Before <u>21.73</u> After	Depth to Water: Before <u>10.96</u> After
Depth to Free Product:	Thickness of Free Product (feet):
Measurements referenced to: <u>(EVE)</u>	Grade Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>3.9</u>	x	<u>3</u>	=	<u>11.7</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer Disposable Bailer Middleburg <input checked="" type="checkbox"/> Electric Submersible Extraction Pump Other _____	Sampling: Bailer Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other _____
--	---

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1113	69.2	7.2	1700	—	4	ODOR
1117	69.4	7.1	1400	—	8	
1121	69.2	7.1	1400	—	12	

Did Well Dewater? N If yes, gals. Gallons Actually Evacuated: 12

Sampling Time: 1130 Sampling Date: 4-17-96

Sample I.D.: C-7 Laboratory: SEQ

Analyzed for: (TPH-G) (BTEX) TPH-D OTHER:
MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #: 960417-A1	Station #: 9-1924
Sampler: RV	Start Date: 4-17-96
Well I.D.: C-9	Well Diameter: (circle one) 2 <input checked="" type="radio"/> 4 <input type="radio"/> 6 <input type="radio"/>
Total Well Depth: Before 22.37 After	Depth to Water: Before 10.05 After
Depth to Free Product:	Thickness of Free Product (feet):
Measurements referenced to: <input checked="" type="radio"/> EVO	Grade <input type="radio"/> Other: <input type="radio"/>

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>4.5</u>	x	<u>3</u>	=	<u>13.5</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other _____

Sampling: Bailer
 Disposable Bailer
 Extraction Port
 Other _____

TIME	TEMP. (F)	PH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1244	66.2	7.4	1200	—	4.5	
1249	65.8	7.4	1200	—	9.0	
1253	65.4	7.4	1200	✓	13.5	

Did Well Dewater? N If yes, gals. Gallons Actually Evacuated: 13.5

Sampling Time: 1300 Sampling Date: 4-17-96

Sample I.D.: C-9 Laboratory: SEQ

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle) MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960417-A1</u>	Station #: <u>9-1924</u>
Sampler: <u>W</u>	Start Date: <u>4-17-96</u>
Well I.D.: <u>C-11</u>	Well Diameter: (circle one) 2 <u>(3)</u> 4 6
Total Well Depth: Before <u>19.53</u> After	Depth to Water: Before <u>12.48</u> After
Depth to Free Product:	Thickness of Free Product (feet):
Measurements referenced to: <u>(PVC)</u>	Grade Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>2.6</u>	x	<u>3</u>	=	<u>7.8</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer Disposable Bailer <input checked="" type="checkbox"/> Middleburg Electric Submersible Extraction Pump Other _____	Sampling: Bailer Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other _____
--	---

TIME	TEMP. (F)	PH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1022	57.8	6.9	1200	—	3	
1025	57.4	6.8	1200	—	6	
1027	57.6	6.8	1200	—	8	

Did Well Dewater? N If yes, gals. Gallons Actually Evacuated: 8

Sampling Time: 1033 Sampling Date: 4-17-96

Sample I.D.: C-11 Laboratory: SEQ

Analyzed for: (Circle) TPH-G BTEX TPH-D OTHER: MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: (Circle) TPH-G BTEX TPH-D OTHER:

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960417-A</u>	Station #: <u>9-1924</u>
Sampler: <u>W</u>	Start Date: <u>4-17-96</u>
Well I.D.: <u>C-14</u>	Well Diameter: (circle one) 2 <u>3</u> 4 6
Total Well Depth: Before: <u>12.40</u> After: _____	Depth to Water: Before: <u>12.17</u> After: _____
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Measurements referenced to: <u>PVC</u>	Grade _____ Other: _____

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

_____	X	_____	=	_____
1 Case Volume		Specified Volumes		gallons

Purging: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other _____

Sampling: Bailer
 Disposable Bailer
 Extraction Port
 Other _____

TIME	TEMP. (F)	PH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
	INSUFFICIENT WATER TO SAMPLE					

Did Well Dewater? If yes, gals. Gallons Actually Evacuated:

Sampling Time: _____ Sampling Date: _____

Sample I.D.: _____ Laboratory: _____

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

Duplicate I.D.: _____ Cleaning Blank I.D.: _____

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960417-A1</u>		Station #: <u>9-1924</u>	
Sampler: <u>W</u>		Start Date: <u>4-17-96</u>	
Well I.D.: <u>C-17</u>		Well Diameter: (circle one) 2 <u>3</u> 4 6	
Total Well Depth: Before <u>20.01</u> After		Depth to Water: Before <u>12.70</u> After	
Depth to Free Product:		Thickness of Free Product (feet):	
Measurements referenced to: <u>PVC</u> Grade Other:			

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>2.7</u>	<u>x</u>	<u>3</u>	<u>=</u>	<u>8.1</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer Disposable Bailer Middleburg <input checked="" type="checkbox"/> Electric Submersible Extraction Pump Other _____	Sampling: Bailer Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other _____
--	---

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1043	67.0	7.4	480	—	3	
1046	67.0	7.4	800	—	6	
1049	67.0	7.4	810	—	8.5	

Did Well Dewater? N If yes, gals. Gallons Actually Evacuated: 8.5

Sampling Time: 055 Sampling Date: 4-17-96

Sample I.D.: C-17 Laboratory: SEQ

Analyzed for: TPH-G BTEX TPH-D OTHER:
MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960516-V-1</u>	Station #: <u>9-1924</u>
Sampler: <u>Fred</u>	Start Date: <u>5-16-96</u>
Well I.D.: <u>2-20</u>	Well Diameter: (circle one) <u>(2)</u> 3 4 6
Total Well Depth: Before <u>24.15</u> After	Depth to Water: Before <u>12.78</u> After
Depth to Free Product:	Thickness of Free Product (feet):
Measurements referenced to: <u>FVC</u> Grade Other:	

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>1.81</u>	x	<u>3</u>	=	<u>5.45</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer <u>Disposable Bailer</u> Middleburg Electric Submersible Extraction Pump Other _____	Sampling: Bailer <u>Disposable Bailer</u> Extraction Port Other _____
---	--

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
0939	64.8	7.8	1000	>200	2.0	
0942	64.4	7.4	1000	>200	4.0	
0944	64.4	7.4	1000	>200	5.5	

Did Well Dewater? no If yes, gals. Gallons Actually Evacuated: 5.5

Sampling Time: <u>0954</u>	Sampling Date: <u>5-16-96</u>
Sample I.D.: <u>C-20</u>	Laboratory: <u>SEP</u>
Analyzed for: <u>TPH-G BTEX</u> (Circle) TPH-D OTHER:	<u>MTBE</u>
Duplicate I.D.:	Cleaning Blank I.D.:
Analyzed for: TPH-G BTEX (Circle) TPH-D OTHER:	

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>960516-U-C</u>	Station #: <u>9-1924</u>
Sampler: <u>Fred</u>	Start Date: <u>5-16-96</u>
Well I.D.: <u>C-21</u>	Well Diameter: (circle one) <u>(2)</u> 3 4 6
Total Well Depth: Before <u>24.39</u> After	Depth to Water: Before <u>11.28</u> After
Depth to Free Product:	Thickness of Free Product (feet):
Measurements referenced to: <u>PVC</u>	Grade Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

<u>2.09</u>	x	<u>3</u>	=	<u>6.29</u>
1 Case Volume		Specified Volumes		gallons

Purging: Bailer <u>Disposable Bailer</u> Middleburg Electric Submersible Extraction Pump Other _____	Sampling: Bailer <u>Disposable Bailer</u> Extraction Port Other _____
---	--

TIME	TEMP. (F)	PH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
<u>1019</u>	<u>65.2</u>	<u>7.2</u>	<u>1200</u>	<u>7200</u>	<u>2.0</u>	
<u>1021</u>	<u>65.0</u>	<u>7.2</u>	<u>1200</u>	<u>7200</u>	<u>4.0</u>	
<u>1023</u>	<u>65.0</u>	<u>7.2</u>	<u>1200</u>	<u>7200</u>	<u>6.5</u>	

Did Well Dewater? NO If yes, gals. Gallons Actually Evacuated: 6.5

Sampling Time: <u>1033</u>	Sampling Date: <u>5-16-96</u>
Sample I.D.: <u>C-21</u>	Laboratory: <u>SEP</u>
Analyzed for: <u>TPH-G BTEX</u> (Circle)	TPH-D OTHER: <u>MTBE</u>
Duplicate I.D.:	Cleaning Blank I.D.:
Analyzed for: <u>TPH-G BTEX</u> (Circle)	TPH-D OTHER: