

Ro-477



GETTLER-RYAN INC.

TRANSMITTAL

AUG 1 2 2002

July 25, 2002
G-R #386448

TO: Mr. James Brownell
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670

CC: Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-1924
4904 Southfront Road
Livermore, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	July 23, 2002	Groundwater Monitoring and Sampling Report Second Quarter - Event of June 13, 2002

COMMENTS:

This report is being sent for you review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **August 7, 2002**, at which time the final report will be distributed to the following:

- cc: Ms. Eva Chu, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
- Mr. Greg Gurss, Gettler-Ryan Inc., 3140 Gold Camp Drive, Suite 170, Rancho Cordova, CA 95670

Enclosures

trans/9-1924-ks



GETTLER-RYAN INC.

July 23, 2002
G-R Job #386448

Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Second Quarter Event of June 13, 2002
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

AUG 1 2 2002

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.


Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


for -

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Groundwater Analytical Results - Oxygenate Compounds
- Table 3: Groundwater Analytical Results
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



EXPLANATION


- ◆ Groundwater monitoring well
- Groundwater recovery well
- ✕ Destroyed well
- ⊗ Lost groundwater well during road reconstruction

Note: Well C-1 and RW-1 are assumed destroyed per lead consultant


99.99 Groundwater elevation in feet referenced to Mean Sea Level

99.99 Groundwater elevation contour, dashed where inferred

+ TOC not available



Approximate groundwater flow direction at a gradient of 0.009 Ft./Ft.



Source: Figure modified from drawing provided by Delta Environmental Consultants, Inc.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

FIGURE
1

PROJECT NUMBER 386448	REVIEWED BY	DATE June 13, 2002	REVISED DATE
---------------------------------	-------------	-----------------------	--------------

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-1										
03/28/86	520.39	508.64	11.75	--	--	--	--	--	--	--
03/15/88	520.39	506.89	13.50	27,000	770	87	610	2,100	--	--
05/10/88	520.39	506.74	13.65	--	--	--	--	--	--	--
06/10/88	520.39	505.67	14.72	--	--	--	--	--	--	--
07/25/88	520.39	506.89	13.50	--	--	--	--	--	--	--
10/13/88	520.39	507.50	12.89	3,200	220	11	62	130	--	--
01/01/89	520.39	507.50	12.89	--	--	--	--	--	--	--
01/12/89	520.39	--	--	4,000	820	43	490	260	--	--
04/10/89	520.39	506.74	13.65	4,000	100	ND	70	50	--	ND
04/10/89	520.39	506.74	13.65	4,000	100	ND	60	50	--	--
06/26/89	520.39	506.45	13.94	600	97	20	60	50	--	ND
06/26/89	520.39	506.45	13.94	570	86	15	44	35	--	--
10/13/89	520.39	506.47	13.92	1,600	64	ND	51	48	--	ND
01/03/90	520.39	506.59	13.80	1,100	36	0.68	30	30	--	--
05/08/90	520.39	506.48	13.91	1,300	37	9.2	40	32	--	--
09/29/90	520.39	506.46	13.93	350	19	1.2	32	31	--	--
01/03/91	520.39	506.54	13.85	400	12	ND	17	14	--	--
04/12/91	520.39	506.88	13.51	--	--	--	--	--	--	--
09/04/91	520.39	506.29	14.10	--	--	--	--	--	--	--
04/06/92	520.39	507.33	13.06	1,000	12	0.8	31	31	--	--
07/28/92	520.39	506.46	13.93	4,200	47	110	96	260	--	--
10/16/92	520.39	505.94	14.45	1,800	11	ND	32	55	--	--
01/14/93	520.39	509.16	11.23	2,000	24	ND	98	62	--	--
03/26/93	520.39	509.45	10.94	4,400	21	12	120	100	--	--
04/22/93 ¹	520.39	504.14	16.25	18,000	26	44	580	330	--	--
07/20,21/93	520.39	505.10	15.29	7,100	73	11	470	470	--	--
10/20/93	520.39	506.89	13.50	880	19	26	260	190	--	--
01/20/94	520.39	507.13	13.26	2,900	13	10	130	60	--	--
04/21/94	520.39	506.93	13.46	1,400	8.8	7.8	82	34	--	--
07/21,22/94	520.39	506.93	13.46	800	4.7	2.7	34	13	--	--
01/18/95	520.39	508.67	11.72	2,000	18	10	130	10	--	--
04/17/95	520.39	508.58	11.81	2,500	13	1.9	33	4.3	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-1 (cont)										
07/18/95	520.39	508.27	12.12	1,100	<10	<10	27	<10	--	--
10/17/95	520.39	507.81	12.58	2,000	13	<5.0	24	<5.0	6,400	--
01/18/96	520.39	509.07	11.32	<2,000	35	30	<20	23	6,600	--
04/17/96	520.39	509.52	10.87	<1,000	31	<10	<10	<10	<50	--
07/16/96	520.39	509.01	11.38	830	15	<5.0	13	<5.0	9,000	--
10/16/96	520.39	508.58	11.81	<5,000	<50	<50	<50	<50	6,300	--
01/08/99	520.39	508.33	12.06	1,600	22	<10	10	<10	1,500/1,400 ²	--
NOT MONITORED/SAMPLED - UNABLE TO LOCATE ASSUMED DESTROYED (Per Lead Consultant 11/30/01)										
C-2										
03/28/86	520.76	508.78	11.98	--	--	--	--	--	--	--
03/15/88	520.76	506.99	13.77	22,000	3,900	1,900	1,200	1,200	--	--
05/10/88	520.76	506.73	14.03	--	--	--	--	--	--	--
06/10/88	520.76	505.64	15.12	--	--	--	--	--	--	--
07/25/88	520.76	506.90	13.86	--	--	--	--	--	--	--
10/13/88	520.76	506.65	14.11	ND	ND	ND	ND	ND	--	--
01/01/89	520.76	507.93	12.83	--	--	--	--	--	--	--
01/12/89	520.76	--	--	1,000	25	3.0	83	59	--	--
04/10/89	520.76	506.72	14.04	600	2.5	ND	15	12	--	ND
04/10/89	520.76	506.72	14.04	ND	ND	ND	11	11	--	--
06/26/89	520.76	506.42	14.34	640	5.3	8.0	18	14	--	ND
06/26/89	520.76	506.42	14.34	750	3.7	0.6	13	8.2	--	--
10/13/89	520.76	506.84	13.92	630	ND	ND	17	10	--	--
01/03/90	520.76	506.65	14.11	880	3	ND	19	17	--	--
05/08/90	520.76	506.48	14.28	340	1.3	2.7	8.4	11	--	--
09/29/90	520.76	506.51	14.25	74	ND	ND	4.6	1.8	--	--
01/03/91	520.76	506.61	14.15	2,000	270	ND	79	93	--	--
04/12/91	520.76	506.90	13.86	--	--	--	--	--	--	--
09/04/91	520.76	506.26	14.50	--	--	--	--	--	--	--
04/06/92	520.76	507.29	13.47	1,200	ND	ND	54	6.1	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	
C-2 (cont)											
07/28/92	520.76	506.41	14.35	1,000	5.2	2.9	26	16	--	--	
10/16/92	520.76	505.92	14.84	2,000	ND	2.2	20	10	--	--	
01/14/93	520.76	509.54	11.22	1,800	49	50	31	29	--	--	
03/26/93	520.76	509.99	10.77	820	15	12	14	6.0	--	--	
04/22/93	520.76	507.83	12.93	2,000	12	12	28	29	--	--	
07/20,21/93	520.76	504.74	16.02	1,100	28	8.0	4.0	4.0	--	--	
10/20/93	520.76	506.92	13.84	1,600	140	18	22	27	--	--	
01/20/94	520.76	507.16	13.60	760	36	3.0	7.0	3.0	--	--	
04/21/94	520.76	506.66	14.10	430	23	2.8	6.8	6.8	--	--	
07/21,22/94	520.76	506.93	13.83	1,200	10	2.8	5.2	5.3	--	--	
01/18/95	520.76	508.94	11.82	640	1.0	<0.5	5.7	7.7	--	--	
04/17/95	520.76	508.72	12.04	<50	<0.5	<0.5	<0.5	<0.5	--	--	
07/18/95	520.76	508.34	12.42	81	<0.5	<0.5	<0.5	<0.5	--	--	
10/17/95	520.76	507.97	12.79	390	<0.5	<0.5	1.2	1.2	14	--	
01/18/96	520.76	509.18	11.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	
04/17/96	520.76	509.49	11.27	62	<0.5	<0.5	<0.5	<0.5	<2.5	--	
07/16/96	520.76	508.81	11.95	370	2.1	1.5	3.1	3.9	47	--	
10/16/96	520.76	508.36	12.40	460	2.4	1.3	1.8	1.9	200	--	
04/10/97	520.76	508.49	12.27	480	0.63	<0.5	<0.5	<0.5	15	--	
10/20/97	520.76	508.45	12.31	SAMPLED ANNUALLY			--	--	--	--	--
04/30/98	520.76	509.50	11.26	140	1.0	0.61	1.1	1.9	6.4	--	
10/07/98	520.76	509.22	11.54	--	--	--	--	--	--	--	
04/14/99	520.76	509.35	11.41	201	1.96	<0.5	0.57	<0.5	11.2	--	
01/21/00	520.76	509.31	11.45	320	0.949	<0.5	0.967	0.62	8.48	--	
DESTROYED											
C-3											
03/28/86	521.31	509.07	12.24	--	--	--	--	--	--	--	
03/15/88	521.31	507.10	14.21	2,100	86	8.0	30	36	--	--	
05/10/88	521.31	506.88	14.43	--	--	--	--	--	--	--	
06/10/88	521.31	505.78	15.53	--	--	--	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-3 (cont)										
07/25/88	521.31	507.09	14.22	--	--	--	--	--	--	--
10/13/88	521.31	507.21	14.10	ND	ND	ND	ND	ND	--	--
01/01/89	521.31	508.61	12.70	--	--	--	--	--	--	--
04/10/89	521.31	506.95	14.36	200	2.1	ND	4.4	2.6	--	ND
06/26/89	521.31	506.57	14.74	260	1.1	0.7	4.9	1.6	--	ND
10/13/89	521.31	506.61	14.70	ND	ND	ND	ND	ND	--	--
01/03/90	521.31	506.89	14.42	ND	ND	ND	0.9	1.4	--	--
05/08/90	521.31	506.66	14.65	ND	ND	ND	ND	ND	--	--
09/27/90	521.31	506.64	14.67	71	ND	1.0	ND	ND	--	--
01/03/91	521.31	506.73	14.58	57	ND	ND	ND	ND	--	--
04/12/91	521.31	507.08	14.23	98	ND	ND	1.6	ND	--	--
09/04/91	521.31	506.43	14.88	64	ND	ND	ND	ND	--	--
04/06/92	521.31	507.48	13.83	88	ND	ND	0.8	ND	--	--
07/28/92	521.31	506.51	14.80	80	ND	ND	0.5	1.1	--	--
10/16/92	521.31	506.08	15.23	1,400	ND	ND	6.6	11	--	--
01/14/93	521.31	509.86	11.45	100	ND	ND	ND	1.3	--	--
03/26/93	521.31	510.04	11.27	74	0.7	1.0	ND	ND	--	--
04/22/93	521.31	508.70	12.61	ND	ND	ND	ND	ND	--	--
07/20,21/93	521.31	505.14	16.17	ND	ND	ND	ND	ND	--	--
10/20/93	521.31	507.08	14.23	ND	ND	1.0	ND	0.8	--	--
01/20/94	521.31	507.30	14.01	ND	ND	ND	ND	ND	--	--
04/21/94	521.31	506.98	14.33	ND	ND	ND	ND	ND	--	--
07/21,22/94	521.31	507.00	14.31	ND	ND	ND	ND	ND	--	--
DESTROYED										
C-5										
03/28/86	520.82	508.82	12.00	--	--	--	--	--	--	--
03/15/88	520.82	507.07	13.75	1,600	82	7.0	77	95	--	--
05/10/88	520.82	506.90	13.92	--	--	--	--	--	--	--
07/10/88	520.82	507.10	13.72	--	--	--	--	--	--	--
07/25/88	520.82	507.10	13.72	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-5 (cont)										
10/13/88	520.82	506.98	13.84	2,500	ND	ND	ND	ND	--	--
01/01/89	520.82	507.41	13.41	--	--	--	--	--	--	--
01/12/89	520.82	--	--	ND	42	3.0	44	52	--	--
04/10/89	520.82	--	13.88	180	2.6	ND	6.2	5.5	--	ND
06/26/89	520.82	506.68	14.14	420	7.6	0.8	40	56	--	ND
10/13/89	520.82	506.67	14.15	620	ND	ND	10	ND	--	ND
01/03/90	520.82	506.72	14.10	ND	0.7	ND	8.0	6.0	--	--
05/08/90	520.82	506.82	14.00	140	0.6	0.8	11	7.2	--	--
09/27/90	520.82	506.82	14.00	360	ND	3.2	5.2	6.4	--	--
01/03/91	520.82	506.82	14.00	90	ND	ND	ND	3.0	--	--
04/12/91	520.82	507.11	13.71	270	12	ND	19	7.0	--	--
09/04/91	520.82	506.52	14.30	ND	ND	ND	ND	ND	--	--
04/06/92	520.82	507.53	13.29	670	12	ND	40	ND	--	--
07/28/92	520.82	506.69	14.13	130	15	ND	1.8	0.5	--	--
10/16/92	520.82	506.14	14.68	ND	ND	ND	ND	1.2	--	--
01/14/93	520.82	508.95	11.87	2,300	13	ND	110	10	--	--
03/26/93	520.82	--	--	--	--	--	--	--	--	--
04/22/93	520.82	508.70	12.12	2,300	220	18	120	65	--	--
07/20,21/93	520.82	504.78	16.04	970	18	5.0	8.0	14	--	--
10/20/93	520.82	506.72	14.10	2,200	7.0	5.0	3.0	15	--	--
01/20/94	520.82	507.22	13.60	440	2.0	1.0	11	0.6	--	--
04/21/94	520.82	507.01	13.81	490	2.7	2.6	21	1.5	--	--
07/21,22/94	520.82	507.00	13.82	370	0.9	ND	6.5	1.0	--	--
01/18/95	520.82	508.55	12.27	940	37	22	14	7.3	--	--
04/17/95	520.82	508.65	12.17	14,000	1,200	340	160	80	--	--
07/18/95	520.82	508.51	12.31	<2,000	180	<20	<20	<20	--	--
10/17/95	520.82	508.36	12.46	92	4.9	<0.5	<0.5	<0.5	240	--
01/18/96	520.82	509.04	11.78	1,300	180	<5.0	10	7.9	4,300	--
04/17/96	520.82	509.71	11.11	2,200	140	<10	<10	<10	5,400	--
07/16/96	520.82	509.40	11.42	380	4.5	<0.5	3.4	3.1	1,400	--
10/16/96	520.82	508.82	12.00	320	3.4	<1.0	<1.0	1.5	660	--
04/10/97	520.82	509.07	11.75	980	12	<2.5	3.0	<2.5	1,700	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-5 (cont)										
10/20/97	520.82	508.76	12.06	SAMPLED ANNUALLY			--	--	--	--
04/30/98	520.82	510.02	10.80	1,500	38	<5.0	17	5.4	1,700	--
10/07/98	520.82	509.78	11.04	--	--	--	--	--	--	--
04/14/99	520.82	509.53	11.29	227	10.9	0.511	1.17	1.06	468	--
01/21/00	520.82	509.42	11.40	909	11.5	<2.0	4.48	<2.0	493	--
03/23/01	520.82	INACCESSIBLE - DUE TO OBSTRUCTION IN WELL				--	--	--	--	--
09/28/01	520.82	INACCESSIBLE - DUE TO OBSTRUCTION IN WELL				--	--	--	--	--
DESTROYED										
C-6										
03/26/86	519.62	508.50	11.12	--	--	--	--	--	--	--
03/15/88	519.62	506.69	12.93	46,000	870	4,600	1,500	8,200	--	--
05/10/88	519.62	506.59	13.03	86,000	1,400	10,000	3,000	19,000	--	--
06/10/88	519.62	505.51	14.11	--	--	--	--	--	--	--
07/25/88	519.62	506.67	12.95	--	--	--	--	--	--	--
10/13/88	519.62	506.48	13.14	5,300	300	600	260	1,600	--	--
01/01/89	519.62	507.48	12.14	--	--	--	--	--	--	--
01/12/89	519.62	--	--	5,000	260	110	270	720	--	--
04/12/89	519.62	506.64	12.98	5,000	90	190	190	680	--	4.0
06/26/89	519.62	506.23	13.39	3,600	77	250	140	610	--	ND
10/13/89	519.62	506.22	13.40	3,500	32	81	100	530	--	ND
01/03/90	519.62	506.44	13.18	3,200	20	97	65	410	--	--
05/08/90	519.62	506.23	13.39	1,800	17	140	ND	400	--	--
09/29/90	519.62	506.30	13.32	8,000	58	210	260	2,100	--	--
01/03/91	519.62	506.43	13.19	2,300	4.0	79	59	380	--	--
04/12/91	519.62	506.71	12.91	--	--	--	--	--	--	--
09/04/91	519.62	506.06	13.56	--	--	--	--	--	--	--
04/06/92	519.62	507.14	12.48	44,000	ND	120	740	3,400	--	--
07/28/92	519.62	506.15	13.47	120,000	220	1,100	3,000	13,000	--	--
10/16/92	519.62	505.67	13.95	570,000	ND	830	3,300	9,600	--	--
01/14/93	519.62	509.23	10.39	19,000	ND	25	460	980	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-6 (cont)										
03/26/93	519.62	509.79	9.83	11,000	30	90	290	1,100	--	--
04/22/93	519.62	508.30	11.32	20,000	29	170	640	2,400	--	--
07/20,21/93	519.62	504.70	14.92	32,000	130	490	1,000	4,900	--	--
10/20/93	519.62	506.71	12.91	77,000	290	790	2,500	7,600	--	--
01/20/94	519.62	506.94	12.68	22,000	10	86	510	29	--	--
04/21/94	519.62	506.74	12.88	6,500	17	42	160	210	--	--
07/21,22/94	519.62	506.78	12.84	4,500	ND	7.1	130	130	--	--
01/18/95	519.62	508.61	11.01	3,600	3.3	6.7	62	78	--	--
04/17/95	519.62	508.35	11.27	1,500	1.6	2.2	14	12	--	--
07/18/95	519.62	508.16	11.46	4,000	<10	<10	40	22	--	--
10/17/95	519.62	507.64	11.98	6,000	<10	<10	100	58	5,200	--
01/18/96	519.62	508.78	10.84	1,200	<5.0	<5.0	10	<5.0	2,600	--
04/17/96	519.62	509.15	10.47	510	<2.5	<2.5	10	3.0	490	--
07/16/96	519.62	508.65	10.97	1,300	10	<10	51	<10	2,700	--
10/16/96	519.62	508.12	11.50	2,600	31	<10	12	11	5,100	--
04/10/97	519.62	508.35	11.27	1,300	5.1	<2.5	17	<2.5	1,300	--
10/20/97	519.62	507.85	11.77	2,200	<2.5	4.6	14	13	1,300	--
04/30/98	519.62	509.01	10.61	1,300	6.5	8.6	5.6	7.0	180	--
10/07/98	519.62	508.71	10.91	1,200	11	<10	15	<10	710	--
04/14/99	519.62	508.77	10.85	2,180	13.6	<2.0	5.52	4.12	116	--
01/21/00	519.62	508.73	10.89	1,230	10.3	<5.0	5.89	6.09	217	--
DESTROYED										
C-7										
03/28/86	520.30	508.63	11.67	--	--	--	--	--	--	--
03/15/88	520.30	506.82	13.48	8,000	98	690	120	120	--	--
05/10/88	520.30	506.70	13.60	--	--	--	--	--	--	--
06/10/88	520.30	505.62	14.68	--	--	--	--	--	--	--
07/25/88	520.30	506.87	13.43	--	--	--	--	--	--	--
10/13/88	520.30	506.69	13.61	16,000	4,400	220	1,000	3,000	--	--
01/01/89	520.30	507.64	12.66	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-7 (cont)										
01/12/89	520.30	--	--	8,000	950	47	670	640	--	--
04/12/89	520.30	506.70	13.60	6,000	1,100	30	760	370	--	--
06/26/89	520.30	506.42	13.88	6,000	1,300	50	600	340	--	ND
10/13/89	520.30	506.49	13.81	3,900	1,300	ND	160	150	--	ND
01/03/90	520.30	506.59	13.71	5,600	1,200	13	180	200	--	--
05/08/90	520.30	506.45	13.85	3,500	1,100	15	110	140	--	--
09/29/90	520.30	506.50	13.80	2,400	580	ND	46	68	--	--
01/03/91	520.30	506.59	13.71	2,500	300	2.0	110	120	--	--
04/12/91	520.30	506.84	13.46	2,300	190	1.0	81	87	--	--
09/04/91	520.30	506.21	14.09	--	--	--	--	--	--	--
10/07/91	520.30	--	--	4,700	170	1.9	97	59	--	--
04/06/92	520.30	507.28	13.02	2,400	95	0.8	110	100	--	--
07/28/92	520.30	506.54	13.76	2,000	120	3.4	110	110	--	--
10/16/92	520.30	505.88	14.42	2,700	130	4.2	68	74	--	--
01/14/93	520.30	509.32	10.98	7,800	160	33	380	210	--	--
03/26/93	520.30	509.69	10.61	1,400	39	9.0	28	15	--	--
04/22/93	520.30	508.46	11.84	3,800	130	18	43	36	--	--
07/20-21/93 ¹	520.30	504.94	15.36	1,900	35	18	61	87	--	--
10/20/93	520.30	506.89	13.41	5,500	72	26	250	160	--	--
01/20/94 ¹	520.30	507.11	13.19	3,600	12	12	150	69	--	--
04/21/94	520.30	506.97	13.33	2,100	62	11	170	68	--	--
07/21,22/94	520.30	506.91	13.39	1,700	50	4.4	110	22	--	--
01/18/95	520.30	508.71	11.59	920	16	<0.5	30	12	--	--
04/17/95	520.30	508.56	11.74	730	4.3	1.6	12	1.8	--	--
07/18/95	520.30	508.32	11.98	1,200	63	<5.0	12	<5.0	--	--
10/17/95	520.30	507.82	12.48	1,100	45	<5.0	12	<5.0	8,100	--
01/18/96	520.30	508.90	11.40	930	7.3	<5.0	<5.0	<5.0	1,900	--
04/17/96	520.30	509.34	10.96	980	5.5	<1.0	7.4	1.1	340	--
07/16/96	520.30	508.79	11.51	1,400	96	<5.0	11	9.9	3,000	--
10/16/96	520.30	508.30	12.00	4,100	40	<5.0	7.5	5.5	3,800	--
03/23/01	520.30	508.50	11.80	329	<0.500	<0.500	<0.500	<0.500	33.2/38 ⁴	--
09/28/01	520.30	508.17	12.13	1,100	3.8	<1.0	3.2	<5.0	130	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-7 (cont)										
12/28/01	520.30	509.18	11.12	800	3.1	2.6	2.6	16	42	--
03/29/02	520.30	508.65	11.65	360	0.73	<0.50	1.4	2.7	13/12 ⁴	--
06/13/02	520.30	508.01	12.29	1,100	2.1	<2.0	3.3	6.4	35	--
C-8										
03/28/86	519.74	507.96	11.78	--	--	--	--	--	--	--
03/15/88	519.74	506.11	13.63	7,500	360	25	10	ND	--	--
05/10/88	519.74	506.00	13.74	--	--	--	--	--	--	--
06/10/88	519.74	504.85	14.89	--	--	--	--	--	--	--
07/25/88	519.74	506.09	13.65	--	--	--	--	--	--	--
10/13/88	519.74	505.96	13.78	ND	6.0	5.3	ND	ND	--	--
01/01/89	519.74	507.06	12.68	--	--	--	--	--	--	--
01/12/89	519.74	--	--	ND	37	4.0	1.0	5.0	--	--
04/12/89	519.74	505.97	13.77	3,000	13	ND	ND	ND	--	12
06/26/89	519.74	505.71	14.03	780	14	6.0	ND	6.0	--	ND
10/13/89	519.74	505.68	14.06	ND	ND	ND	ND	ND	--	ND
01/03/90	519.74	506.00	13.74	910	ND	ND	1.0	1.0	--	--
05/07/90	519.74	505.64	14.10	620	3.9	6.0	0.5	3.4	--	--
09/29/90	519.74	505.77	13.97	77	ND	1.4	ND	ND	--	--
01/03/91	519.74	505.93	13.81	67	2.0	2.0	ND	2.0	--	--
04/12/91	519.74	506.14	13.60	180	4.0	ND	ND	ND	--	--
09/04/91	519.74	505.60	14.14	140	1.8	4.7	0.8	4.8	--	--
04/06/92	519.74	506.62	13.12	150	ND	ND	ND	ND	--	--
07/28/92	519.74	505.64	14.10	90	ND	ND	ND	0.8	--	--
10/16/92	519.74	505.17	14.57	51	ND	ND	ND	ND	--	--
01/14/93	519.74	508.79	10.95	120	ND	1.6	1.0	3.5	--	--
03/26/93	519.74	--	--	--	--	--	--	--	--	--
04/22/93	519.74	507.67	12.07	68	ND	0.6	0.6	0.8	--	--
07/20,21/93	519.74	504.04	15.70	ND	ND	ND	ND	ND	--	--
10/20/93	519.74	506.23	13.51	ND	ND	ND	ND	ND	--	--
01/20/94	519.74	506.23	13.51	ND	ND	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)		
C-8 (cont)												
04/21/94	519.74	506.06	13.68	ND	ND	ND	ND	ND				
07/21,22/94	519.74	506.24	13.50	51	ND	ND	ND	ND	--	--		
01/18/95	519.74	DRY	--	--	--	--	--	ND	--	--		
04/17/95	519.74	DRY	--	--	--	--	--	--	--	--		
07/18/95	519.74	DRY	--	--	--	--	--	--	--	--		
10/17/95	519.74	507.54	12.20	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
01/18/96	519.74	507.64	12.10	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
04/17/96	519.74	508.87	10.87	SAMPLED SEMI-ANNUALLY							--	--
07/16/96	519.74	508.26	11.48	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
10/16/96	519.74	507.78	11.96	--	--	--	--	--	--	--		
03/23/01	519.74	507.78	11.96	--	--	--	--	--	--	--		
09/28/01	519.74	DRY	--	--	--	--	--	--	--	--		
DESTROYED												
C-9												
03/28/86	519.52	508.28	11.24	--	--	--	--	--	--	--		
03/15/88	519.52	506.60	12.92	29,000	540	560	580	3,900	--	--		
05/10/88	519.52	506.40	13.12	--	--	--	--	--	--	--		
06/10/88	519.52	505.36	14.16	--	--	--	--	--	--	--		
07/25/88	519.52	506.52	13.00	--	--	--	--	--	--	--		
10/13/88	519.52	506.39	13.13	2,200	57	8.0	20	150	--	--		
01/01/89	519.52	507.33	12.19	--	--	--	--	--	--	--		
01/12/89	519.52	--	--	2,000	39	12	51	46	--	--		
04/12/89	519.52	506.41	13.11	6,000	16	20	55	240	--	ND		
04/11/89	519.52	506.41	13.11	6,000	14	25	45	290	--	--		
06/26/89	519.52	506.12	13.40	3,900	37	63	140	690	--	ND		
10/13/89	519.52	506.06	13.46	1,300	7.0	ND	26	50	--	ND		
01/03/90	519.52	506.22	13.30	1,500	ND	0.7	202	37	--	--		
05/07/90	519.52	506.04	13.48	7,100	21	33	89	500	--	--		
09/29/90	519.52	506.13	13.39	1,000	21	3.9	31	110	--	--		
01/03/91	519.72	506.44	13.28	3,200	ND	ND	32	140	--	--		

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-9 (cont)										
04/12/91	519.72	506.72	13.00	--	--	--	--	--	--	--
09/04/91	519.72	506.11	13.61	--	--	--	--	--	--	--
04/06/92	519.72	507.18	12.54	2,800	ND	ND	33	130	--	--
07/28/92	519.72	506.27	13.45	1,000	6.5	2.4	17	37	--	--
10/16/92	519.72	505.74	13.98	190,000	ND	730	960	2,000	--	--
01/14/93	519.72	509.28	10.44	2,200	ND	ND	27	77	--	--
03/26/93	519.72	--	--	--	--	--	--	--	--	--
04/22/93	519.72	508.29	11.43	7,300	60	40	68	98	--	--
07/20,21/93	519.72	504.52	15.20	30,000	160	130	450	1,100	--	--
10/20/93	519.72	506.76	12.96	36,000	22	200	440	930	--	--
01/20/94	519.72	506.88	12.84	12,000	55	57	27	210	--	--
04/21/94	519.72	506.58	13.14	2,200	11	12	23	19	--	--
07/21,22/94	519.72	506.77	12.95	1,100	ND	4.0	14	10	--	--
01/18/95	519.72	508.57	11.15	2,100	9.2	13	19	13	--	--
04/17/95	519.72	508.41	11.31	3,800	4.8	3.6	5.9	7.2	--	--
07/18/95	519.72	508.06	11.66	1,700	<2.0	<2.0	9.6	8.3	--	--
10/17/95	519.72	507.99	11.73	1,200	<1.2	<1.2	2.2	4.3	450	--
01/18/96	519.72	509.04	10.68	1,400	3.1	<2.5	<2.5	<2.5	750	--
04/17/96	519.72	509.67	10.05	480	0.94	<0.5	1.7	1.1	380	--
07/16/96	519.72	508.80	10.92	290	2.7	<0.5	2.0	3.3	420	--
10/16/96	519.72	508.42	11.30	2,200	13	<10	<10	<10	1,300	--
04/10/97	519.72	508.52	11.20	680	<5.0	<5.0	<5.0	<5.0	630	--
10/20/97	519.72	508.28	11.44	650	11	<5.0	8.1	7.2	1,000	--
04/30/98	519.72	509.11	10.61	880	4.4	3.9	2.0	8.5	200	--
10/07/98	519.72	508.87	10.85	<50	0.68	<0.5	<0.5	<0.5	130	--
04/14/99	519.72	508.89	10.83	534	3.28	<0.5	3.0	<0.5	94.4	--
01/21/00	519.72	508.82	10.90	937	<0.5	0.718	1.64	1.3	144	--
03/23/01	519.72	508.44	11.28	434	<0.500	<0.500	<0.500	<0.500	19.7/22 ⁴	--
09/28/01	519.72	508.14	11.58	480	0.92	<1.0	1.1	<5.0	21	--
12/28/01	519.72	509.01	10.71	340	1.0	0.51	<2.0	<5.0	17	--
03/29/02	519.72	508.55	11.17	350	0.67	<0.50	<2.0	<5.0	18/16 ⁴	--
06/13/02	519.72	507.93	11.79	300	0.50	<0.50	<1.0	<3.0	5.9	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-10										
03/28/86	520.41	--	--	--	--	--	--	--	--	--
03/15/88	520.41	505.55	14.86	90	7.0	ND	ND	ND	--	--
05/10/88	520.41	505.51	14.90	--	--	--	--	--	--	--
06/10/88	520.41	504.47	15.94	--	--	--	--	--	--	--
07/25/88	520.41	505.56	14.85	--	--	--	--	--	--	--
10/13/88	520.41	505.51	14.90	ND	ND	ND	ND	ND	--	--
01/01/89	520.41	505.58	14.83	--	--	--	--	--	--	--
01/12/89	520.41	--	--	ND	ND	ND	ND	ND	--	--
04/11/89	520.41	505.51	14.90	ND	4.8	ND	ND	ND	--	ND
06/26/89	520.41	505.29	15.12	ND	0.7	ND	ND	1.5	--	4.0
10/13/89	520.41	505.30	15.11	ND	ND	ND	ND	ND	--	ND
01/03/90	520.41	505.40	15.01	ND	ND	ND	ND	ND	--	--
05/07/90	520.41	504.88	15.53	ND	ND	ND	ND	ND	--	--
09/27/90	520.41	505.21	15.20	ND	ND	ND	ND	ND	--	--
01/03/91	520.41	505.35	15.06	ND	ND	ND	ND	ND	--	--
04/12/91	520.41	505.55	14.86	110	16	ND	2.9	2.7	--	--
09/04/91	520.41	505.19	15.22	ND	ND	ND	ND	ND	--	--
04/06/92	520.41	506.20	14.21	57	ND	ND	ND	ND	--	--
07/28/92	520.41	505.63	14.78	ND	ND	ND	ND	ND	--	--
10/16/92	520.41	504.90	15.51	ND	ND	ND	ND	ND	--	--
01/14/93	520.41	506.97	13.44	88	4.7	ND	2.3	1.6	--	--
03/26/93	520.41	507.86	12.55	ND	ND	ND	ND	ND	--	--
04/22/93	520.41	506.67	13.74	ND	ND	ND	ND	ND	--	--
07/20,21/93	520.41	503.92	16.49	100	ND	ND	ND	ND	--	--
10/20/93	520.41	505.77	14.64	ND	ND	ND	ND	ND	--	--
01/20/94	520.41	506.02	14.39	ND	ND	ND	ND	ND	--	--
04/21/94	520.41	505.79	14.62	ND	0.8	ND	ND	ND	--	--
07/21,22/94	520.41	505.84	14.57	ND	ND	ND	ND	ND	--	--
01/18/95	520.41	506.77	13.64	<50	1.2	<0.5	<0.5	<0.5	--	--
04/17/95	520.41	506.87	13.54	SAMPLED SEMI-ANNUALLY			--	--	--	--
07/18/95	520.41	506.97	13.44	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.41	506.63	13.78	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-10 (cont)										
01/18/96	520.41	506.81	13.60	<125	3.7	<1.2	<1.2	<1.2	1,000	--
04/17/96	520.41	507.23	13.18	--	--	--	--	--	--	--
07/16/96	520.41	507.30	13.11	<200	<2.0	<2.0	<2.0	<2.0	1,000	--
10/16/96	520.41	506.91	13.50	--	--	--	--	--	--	--
09/28/01	520.41	506.36	14.05	--	--	--	--	--	--	--
DESTROYED										
C-11										
03/28/86	520.04	506.22	13.82	--	--	--	--	--	--	--
03/15/88	520.04	505.55	14.49	--	--	--	--	--	--	--
05/10/88	520.04	505.73	14.31	--	--	--	--	--	--	--
06/10/88	520.04	504.57	15.47	--	--	--	--	--	--	--
07/25/88	520.04	506.44	13.60	--	--	--	--	--	--	--
10/14/88	520.04	505.51	14.53	2.0	240	33	4.7	67	--	--
01/01/89	520.04	505.94	14.10	--	--	--	--	--	--	--
01/12/89	520.04	--	--	ND	ND	0.8	ND	ND	--	--
04/12/89	520.04	505.68	14.36	ND	4.3	ND	ND	ND	--	ND
06/26/89	520.04	505.46	14.58	ND	2.0	ND	ND	ND	--	4.0
10/13/89	520.04	505.33	14.71	ND	ND	ND	ND	ND	--	ND
01/03/90	520.04	505.43	14.61	ND	ND	ND	ND	0.7	--	--
05/08/90	520.04	504.51	15.53	110	12	11	0.9	22	--	--
09/28/90	520.04	504.53	15.51	ND	2.0	1.4	ND	3.3	--	--
01/03/91	520.04	505.41	14.63	ND	2.0	ND	ND	2.0	--	--
04/12/91	520.04	505.74	14.30	--	--	--	--	--	--	--
09/04/91	520.04	505.20	14.84	--	--	--	--	--	--	--
04/06/92	520.04	506.48	13.56	ND	ND	ND	ND	ND	--	--
07/28/92	520.04	505.65	14.39	ND	ND	ND	ND	ND	--	--
10/16/92	520.04	504.25	15.79	ND	ND	ND	ND	ND	--	--
01/14/93	520.04	507.90	12.14	94	ND	1.3	0.7	6.0	--	--
03/26/93	520.04	508.23	11.81	130	2.0	ND	0.6	1.0	--	--
04/22/93	520.04	507.10	12.94	ND	0.8	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-11 (cont)										
07/20,21/93	520.04	503.56	16.48	1,200	3.0	1.0	ND	1.0	--	--
10/20/93	520.04	505.58	14.46	ND	2.0	ND	ND	ND	--	--
01/20/94	520.04	505.92	14.12	140	5.0	0.6	3.0	4.0	--	--
04/21/94	520.04	505.80	14.24	86	1.7	0.6	1.2	1.6	--	--
07/21,22/94	520.04	505.83	14.21	ND	ND	ND	ND	ND	--	--
01/18/95	520.04	506.81	13.23	50	3.7	<0.5	0.9	1.9	--	--
04/17/95	520.04	507.03	13.01	89	1.4	1.3	0.69	0.79	--	--
07/18/95	520.04	507.04	13.00	89	0.95	<0.5	1.1	1.0	--	--
10/17/95	520.04	506.72	13.32	73	<0.5	<0.5	<0.5	<0.5	390	--
01/18/96	520.04	507.14	12.90	240	12	29	4.3	33	<2.5	--
04/17/96	519.95	507.47	12.48	<50	<0.5	<0.5	<0.5	<0.5	26	--
07/16/96	519.95	507.28	12.67	<500	17	<5.0	<5.0	20	5,900	--
10/16/96	519.95	506.90	13.05	<125	<1.2	<1.2	<1.2	<1.2	910	--
04/10/97	519.95	506.77	13.18	<100	<1.0	<1.0	<1.0	<1.0	460	--
10/20/97	519.95	506.70	13.25	190	<0.5	7.2	2.6	16	8,900	--
04/30/98	519.95	507.19	12.76	<1,000	<10	<10	<10	<10	2,100	--
10/07/98	519.95	507.27	12.68	<50,000	930	<500	<500	<500	700,000	--
01/08/99	519.95	506.74	13.21	<500	16	<5.0	<5.0	<5.0	11,000/9,900 ²	--
04/14/99	519.95	506.84	13.11	99.6	2.13	<0.5	1.08	<0.5	853	--
01/21/00	-- ³	--	13.21	52.5	<0.5	<0.5	<0.5	0.756	261	--
03/23/01	-- ³	--	13.11	<50.0	<0.500	<0.500	<0.500	<0.500	92.3/110 ⁴	--
09/28/01	-- ³	--	13.35	73	<0.50	<0.50	<0.50	<1.5	140	--
12/28/01	-- ³	--	11.43	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	-- ³	--	13.15	<50	<0.50	<0.50	<0.50	<1.5	4.1/3 ⁴	--
06/13/02	-- ³	--	13.38	56	<0.50	<0.50	<0.50	<1.5	69	--
C-12										
03/28/86	519.82	506.21	13.61	--	--	--	--	--	--	--
03/15/88	519.82	505.27	14.55	ND	ND	ND	ND	ND	--	--
05/10/88	519.82	505.25	14.57	--	--	--	--	--	--	--
06/10/88	519.82	504.19	15.63	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-12 (cont)										
07/25/88	519.82	505.31	14.51	--	--	--	--	--	--	--
10/13/88	519.82	505.22	14.60	ND	ND	ND	ND	ND	--	--
01/12/89	519.82	505.20	14.62	ND	ND	ND	ND	ND	--	--
04/11/89	519.82	505.21	14.61	ND	ND	ND	ND	ND	--	ND
06/26/89	519.82	505.07	14.75	ND	ND	ND	ND	ND	--	ND
10/13/89	519.82	505.05	14.77	ND	ND	ND	ND	ND	--	ND
01/03/90	519.82	504.97	14.85	ND	ND	ND	ND	0.6	--	--
05/07/90	519.82	505.07	14.75	ND	ND	ND	ND	ND	--	--
09/27/90	519.82	505.21	14.61	ND	ND	ND	ND	ND	--	--
01/03/91	519.82	505.12	14.70	ND	ND	ND	ND	ND	--	--
04/12/91	519.82	505.30	14.52	--	--	--	--	--	--	--
09/04/91	519.82	504.99	14.83	--	--	--	--	--	--	--
04/06/92	519.82	506.01	13.81	ND	ND	ND	ND	ND	--	--
07/28/92	519.82	505.50	14.32	ND	ND	ND	ND	ND	--	--
10/16/92	519.82	504.70	15.12	ND	ND	ND	ND	ND	--	--
01/14/93	519.82	506.59	13.23	65	ND	ND	ND	1.7	--	--
03/26/93	519.82	507.62	12.20	ND	0.9	ND	ND	ND	--	--
04/22/93	519.82	506.61	13.21	ND	ND	ND	ND	ND	--	--
07/20,21/93	519.82	503.11	16.71	ND	ND	ND	ND	ND	--	--
10/20/93	519.82	505.63	14.19	ND	ND	ND	ND	ND	--	--
01/20/94	519.82	505.77	14.05	ND	ND	ND	ND	ND	--	--
04/21/94	519.82	505.76	14.06	ND	ND	ND	ND	ND	--	--
07/21,22/94	519.82	505.70	14.12	ND	ND	ND	ND	ND	--	--
01/08/99	519.82	506.51	13.31	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ²	--
03/23/01	519.82	506.86	12.96	--	--	--	--	--	--	--
09/28/01	519.82	506.10	13.72	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/28/01	519.82	506.68	13.14	240	1.3	18	3.4	55	4.5	--
03/29/02	519.82	506.26	13.56	2,100	<0.50	<0.50	<0.50	600	<2.5/<2 ⁴	--
06/13/02	519.82	506.08	13.74	940	<0.50	<0.50	<0.50	19	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-13										
03/28/86	522.24	509.29	12.95	--	--	--	--	--	--	--
03/15/88	522.24	507.42	14.82	250	2.0	ND	9.0	3.0	--	--
05/10/88	522.24	507.21	15.03	--	--	--	--	--	--	--
06/10/88	522.24	506.14	16.10	--	--	--	--	--	--	--
07/25/88	522.24	507.51	14.73	--	--	--	--	--	--	--
10/13/88	522.24	507.33	14.91	ND	1.9	ND	ND	ND	--	--
01/01/89	522.24	508.14	14.10	--	--	--	--	--	--	--
01/12/89	522.24	--	--	ND	ND	0.6	4.0	ND	--	--
04/10/89	522.24	507.25	14.99	ND	ND	ND	8.0	ND	--	ND
06/26/89	522.24	507.08	15.16	ND	0.3	ND	ND	ND	--	ND
10/13/89	522.24	507.01	15.23	ND	ND	ND	ND	ND	--	ND
01/03/90	522.24	507.09	15.15	ND	ND	ND	0.5	0.6	--	--
05/08/90	522.24	507.22	15.02	ND	ND	ND	ND	ND	--	--
09/27/90	522.24	507.13	15.11	ND	ND	0.6	ND	ND	--	--
01/03/91	522.24	507.16	15.08	ND	ND	ND	ND	0.6	--	--
04/12/91	522.24	507.47	14.77	--	--	--	--	--	--	--
09/04/91	522.24	506.81	15.43	--	--	--	--	--	--	--
04/06/92	522.24	507.81	14.43	66	ND	ND	ND	ND	--	--
07/28/92	522.24	506.87	15.37	60	8.2	ND	ND	1.1	--	--
10/16/92	522.24	506.37	15.87	ND	ND	ND	ND	ND	--	--
01/14/93	522.24	509.41	12.83	100	ND	ND	ND	1.3	--	--
03/26/93	522.24	509.65	12.59	ND	ND	ND	ND	ND	--	--
04/22/93	522.24	509.08	13.16	ND	ND	ND	ND	ND	--	--
07/20,21/93	522.24	505.72	16.52	99	4.0	13	2.0	7.0	--	--
10/20/93	522.24	507.11	15.13	ND	ND	ND	ND	ND	--	--
01/20/94	522.24	507.59	14.65	ND	ND	ND	ND	ND	--	--
04/21/94	522.24	507.36	14.88	ND	ND	ND	ND	ND	--	--
07/21,22/94	522.24	507.29	14.95	ND	ND	ND	ND	ND	--	--
03/23/01	522.24	508.96	13.28	--	--	--	--	--	--	--
09/28/01	522.24	508.59	13.65	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-13 (cont)										
12/28/01	522.24	509.26	12.98	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	522.24	509.08	13.16	<50	<0.50	<0.50	<0.50	<1.5	8.0/7 ⁴	--
06/13/02	522.24	508.37	13.87	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
C-14										
03/28/86	520.08	--	--	--	--	--	--	--	--	--
03/15/88	520.08	--	--	--	--	--	--	--	--	--
05/10/88	520.08	506.69	13.39	120,000	13,000	29,000	2,700	18	--	--
06/10/88	520.08	505.43	14.65	--	--	--	--	--	--	--
07/25/88	520.08	506.61	13.47	--	--	--	--	--	--	--
10/13/88	520.08	506.50	13.58	ND	ND	ND	ND	ND	--	--
01/01/89	520.08	507.08	13.00	--	--	--	--	--	--	--
01/12/89	520.08	--	--	--	ND	ND	ND	ND	--	--
04/12/89	520.08	506.61	13.47	--	ND	ND	ND	ND	--	ND
06/26/89	520.08	506.28	13.80	140,000	14,000	25,000	3,400	26,000	--	--
10/13/89	520.08	506.46	13.62	86,000	12,000	16,000	1,600	13,000	--	--
01/03/90	520.08	506.17	13.91	120,000	9,500	16,000	1,800	13,000	--	--
01/04/90	520.08	506.17	13.91	76,000	3,900	8,100	1,200	7,700	--	--
05/08/90	520.08	506.19	13.89	62,000	7,500	17,000	1,400	14,000	--	--
09/27/90	520.08	506.30	13.78	--	--	--	--	--	--	--
01/03/91	520.08	506.36	13.72	--	--	--	--	--	--	--
04/12/91	520.08	507.11	12.97	60,000	750	3,800	720	9,200	--	--
09/04/91	520.08	506.24	13.84	110,000	2,800	11,000	1,300	13,000	--	--
04/06/92	520.08	507.64	12.44	41,000	190	1,800	440	5,100	--	--
07/28/92	520.08	506.38	13.70	130,000	2,300	9,700	1,800	15,000	--	--
10/16/92	520.08	505.70	14.38	--	--	--	--	--	--	--
01/14/93	520.08	511.28	8.80	27,000	220	790	220	2,700	--	--
03/26/93	520.08	510.96	9.12	23,000	330	1,600	460	4,000	--	--
04/22/93 ¹	520.08	507.98	12.10	17,000	840	2,300	130	3,500	--	--
07/20,21/93	520.08	INACCESSIBLE	--	--	--	--	--	--	--	--
10/20/93	520.08	505.77	14.31	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-14 (cont)										
01/20/94	520.08	507.94	12.14	22,000	130	790	270	2,400	--	--
04/21/94	520.08	508.15	11.93	9,400	88	330	72	960	--	--
07/21,22/94	520.08	506.94	13.14	6,200	92	180	30	530	--	--
01/18/95	520.08	DRY	--	--	--	--	--	--	--	--
04/17/95	520.08	DRY	--	--	--	--	--	--	--	--
07/18/95	520.08	DRY	--	--	--	--	--	--	--	--
10/17/95	520.08	507.64	12.44	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
01/18/96	520.08	507.84	12.24	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
04/17/96	520.08	507.91	12.17	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
07/16/96	520.08	508.55	11.53	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
10/16/96	520.08	507.98	12.10	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
04/10/97	520.08	508.11	11.97	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
10/20/97	520.08	507.79	12.29	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
10/07/98	520.08	508.27	11.81	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
04/14/99	520.08	508.15	11.93	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
04/27/99	520.08	508.36	11.72	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
01/21/00	520.08	507.85	12.23	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
03/23/01	520.08	508.12	11.96	--	--	--	--	--	--	--
09/28/01	520.08	DRY	--	--	--	--	--	--	--	--
DESTROYED										
C-15										
03/28/86	522.41	509.27	13.14	--	--	--	--	--	--	--
03/15/88	522.41	507.28	15.13	ND	ND	ND	ND	ND	--	--
05/10/88	522.41	507.01	15.40	--	--	--	--	--	--	--
06/10/88	522.41	505.92	16.49	--	--	--	--	--	--	--
07/25/88	522.41	507.24	15.17	--	--	--	--	--	--	--
10/13/88	522.41	507.08	15.33	ND	ND	ND	ND	ND	--	--
01/01/89	522.41	508.71	13.70	--	--	--	--	--	--	--
01/12/89	522.41	--	--	ND	ND	ND	ND	ND	--	--
04/12/89	522.41	507.07	15.34	ND	ND	ND	ND	ND	--	ND

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-15 (cont)										
06/26/89	522.41	506.69	15.72	ND	ND	ND	ND	ND	--	ND
10/13/89	522.41	506.45	15.96	ND	ND	ND	ND	ND	--	ND
01/03/90	522.41	506.99	15.42	ND	ND	ND	ND	ND	--	--
05/08/90	522.41	506.79	15.62	ND	ND	ND	ND	ND	--	--
09/27/90	522.41	506.82	15.59	ND	ND	ND	ND	ND	--	--
01/03/91	522.41	506.91	15.50	ND	ND	ND	ND	0.6	--	--
04/12/91	522.41	507.20	15.21	--	--	--	--	--	--	--
09/04/91	522.41	506.51	15.90	--	--	--	--	--	--	--
04/06/92	522.41	507.53	14.88	ND	ND	ND	ND	ND	--	--
07/28/92	522.41	506.59	15.82	ND	ND	ND	ND	ND	--	--
10/16/92	522.41	506.16	16.25	ND	ND	ND	ND	ND	--	--
01/14/93	522.41	509.93	12.48	61	ND	1.9	0.8	5.1	--	--
03/26/93	522.41	509.74	12.67	ND	ND	ND	ND	1.0	--	--
04/22/93	522.41	508.81	13.60	ND	ND	ND	ND	ND	--	--
07/20,21/93	522.41	505.54	16.87	ND	ND	ND	ND	ND	--	--
10/20/93	522.41	507.17	15.24	ND	ND	ND	ND	ND	--	--
01/20/94	522.41	507.40	15.01	ND	ND	ND	ND	ND	--	--
04/21/94	522.41	507.19	15.22	ND	ND	ND	ND	ND	--	--
07/21,22/94	522.41	507.06	15.35	ND	ND	ND	ND	ND	--	--
DESTROYED										
C-16										
03/28/86	519.68	--	--	--	--	--	--	--	--	--
03/15/88	519.68	--	--	--	--	--	--	--	--	--
05/10/88	519.68	505.90	13.78	4,500	1,000	73	140	180	--	--
06/10/88	519.68	504.80	14.88	--	--	--	--	--	--	--
07/25/88	519.68	505.99	13.69	--	--	--	--	--	--	--
10/13/88	519.68	505.88	13.80	1,600	16	5.5	ND	16	--	--
01/01/89	519.68	506.23	13.45	--	--	--	--	--	--	--
01/12/89	519.68	--	--	1,000	360	11	78	51	--	--
04/11/89	519.68	505.90	13.78	15,800	130	4.0	21	19	--	ND

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-16 (cont)										
06/26/89	519.68	505.66	14.02	1,300	170	8.0	37	43	--	ND
10/13/89	519.68	505.67	14.01	1,000	20	ND	7.0	ND	--	ND
01/03/90	519.68	505.71	13.97	1,300	150	3.0	41	24	--	ND
05/07/90	519.68	505.23	14.45	480	49	4.4	29	13	--	--
09/29/90	519.68	505.36	14.32	360	18	2.1	11	8.0	--	--
01/03/91	519.68	505.72	13.96	230	12	ND	6.0	6.0	--	--
04/12/91	519.68	505.94	13.74	--	--	--	--	--	--	--
09/04/91	519.68	505.46	14.22	--	--	--	--	--	--	--
04/06/92	519.68	506.50	13.18	360	30	ND	14	12	--	--
07/28/92	519.68	505.75	13.93	210	31	ND	6.8	16	--	--
10/16/92	519.68	504.76	14.92	140	11	ND	5.1	3.4	--	--
01/14/93	519.68	507.87	11.81	740	24	ND	36	21	--	--
03/26/93	519.68	508.32	11.36	730	22	2.0	16	10	--	--
04/22/93	519.68	507.38	12.30	850	46	ND	24	6.0	--	--
07/20,21/93	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
10/20/93	519.68	505.68	14.00	290	18	2.0	16	17	--	--
01/20/94	519.68	506.20	13.48	360	10	1.0	12	9.0	--	--
04/21/94	519.68	505.76	13.92	220	15	ND	13	11	--	--
07/21,22/94	519.68	506.12	13.56	72	1.2	ND	ND	1.0	--	--
01/18/95	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
04/17/95	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
07/18/95	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
10/17/95	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
01/18/96	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
04/17/96	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
07/16/96	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
10/16/96	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
03/23/01	519.68	UNABLE TO LOCATE	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED - UNABLE TO LOCATE										

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-17										
03/28/86	520.82	507.34	13.48	--	--	--	--	--	--	--
03/15/88	520.82	506.06	14.76	--	--	--	--	--	--	--
05/10/88	520.82	506.05	14.77	--	--	--	--	--	--	--
06/10/88	520.82	504.98	15.84	--	--	--	--	--	--	--
07/25/88	520.82	506.19	14.63	--	--	--	--	--	--	--
10/13/88	520.82	505.99	14.83	270,000	18	900	760	5,500	--	--
01/01/89	520.82	506.04	14.78	--	--	--	--	--	--	--
01/12/89	520.82	--	--	190,000	ND	490	2,100	6,700	--	--
04/11/89	520.82	505.99	14.83	27,000	30	150	320	1,000	--	6.0
06/26/89	520.82	505.79	15.03	20,000	50	390	660	2,000	--	ND
06/26/89	520.82	505.79	15.03	27,000	40	420	740	2,200	--	--
10/13/89	520.82	505.80	15.02	17,000	ND	48	230	480	--	ND
01/03/90	520.82	505.72	15.10	14,000	ND	29	120	210	--	--
05/08/90	520.82	505.70	15.12	9,500	25	130	210	470	--	--
09/29/90	520.82	505.83	14.99	ND	ND	ND	ND	ND	--	--
09/29/90	520.82	505.83	14.99	ND	ND	3.4	ND	ND	--	--
01/03/91	520.82	505.90	14.92	3,700	ND	28	56	140	--	--
01/03/91	520.82	505.90	14.92	8,600	ND	10	59	150	--	--
04/12/91	520.82	506.11	14.71	8,600	ND	5.0	47	120	--	--
04/12/91	520.82	506.11	14.71	4,400	ND	11	48	120	--	--
09/04/91	520.82	505.65	15.17	5,800	ND	27	49	79	--	--
09/04/91	520.82	505.65	15.17	4,100	ND	21	36	61	--	--
04/06/92	520.82	506.68	14.14	2,300	ND	5.8	27	29	--	--
07/28/92	520.82	505.64	15.18	11,000	99	180	170	430	--	--
10/16/92	520.82	505.06	15.76	1,200,000	ND	4,800	3,900	6,600	--	--
01/14/93	520.82	507.38	13.44	3,500	9.3	9.1	23	34	--	--
03/26/93	520.82	508.36	12.46	3,700	ND	19	20	35	--	--
04/22/93	520.82	507.52	13.30	8,900	16	68	44	97	--	--
07/20,21/93	520.82	503.61	17.21	4,200	5.0	35	33	62	--	--
10/20/93	520.82	505.73	15.09	4,500	5.0	12	43	64	--	--
01/20/94	520.82	506.35	14.47	1,900	4.0	42	24	73	--	--
04/21/94	520.82	505.87	14.95	1,100	5.0	20	23	42	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-17 (cont)										
07/21,22/94	520.82	506.22	14.60	72	ND	ND	ND	0.9	--	--
01/18/95	520.82	507.12	13.70	530	1.7	<0.5	5.6	8.8	--	--
04/17/95	520.82	507.57	13.25	440	1.9	3.0	3.6	2.4	--	--
07/18/95	520.82	507.38	13.44	140	5.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.82	507.32	13.50	110	<0.5	<0.5	<0.5	0.62	<2.5	--
01/18/96	520.82	507.80	13.02	310	19	30	5.6	40	28	--
04/17/96	520.53	507.83	12.70	<50	<0.5	<0.5	<0.5	<0.5	7.2	--
07/16/96	520.53	507.86	12.67	54	1.7	1.0	0.97	3.3	34	--
10/16/96	520.53	506.83	13.70	200	0.50	0.57	<0.5	2.2	15	--
04/10/97	520.53	507.34	13.19	100	<0.5	<0.5	<0.5	<0.5	66	--
10/20/97	520.53	507.18	13.35	64	<0.5	<0.5	<0.5	<0.5	22	--
04/30/98	520.53	507.83	12.70	<50	<0.5	<0.5	<0.5	<0.5	47	--
10/07/98	520.53	507.60	12.93	56	0.81	<0.5	<0.5	<0.5	72	--
04/14/99	520.53	507.48	13.05	<50	<0.5	0.549	<0.5	<0.5	82	--
01/21/00	520.53	507.25	13.28	<50	<0.5	<0.5	<0.5	<0.5	29.9	--
03/23/01	520.53	507.14	13.39	<50.0	<0.500	<0.500	<0.500	<0.500	9.40/8.9 ⁴	--
09/28/01	520.53	506.84	13.69	83	<0.50	<0.50	<0.50	<1.5	27	--
DESTROYED										
C-18										
03/28/86	518.96	--	--	--	--	--	--	--	--	--
03/15/88	518.96	--	--	--	--	--	--	--	--	--
05/10/88	518.96	--	--	--	--	--	--	--	--	--
06/10/88	518.96	504.07	14.89	--	--	--	--	--	--	--
07/25/88	518.96	505.17	13.79	--	--	--	--	--	--	--
10/13/88	518.96	505.10	13.86	ND	ND	ND	ND	ND	--	--
01/01/89	518.96	505.02	13.94	--	--	--	--	--	--	--
01/12/89	518.96	--	--	ND	ND	ND	ND	ND	--	--
04/11/89	518.96	504.10	14.86	ND	ND	ND	ND	ND	--	ND
06/26/89	518.96	504.94	14.02	ND	ND	ND	ND	ND	--	ND
10/13/89	518.96	503.90	15.06	ND	ND	ND	ND	ND	--	ND

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-18 (cont)										
01/03/90	518.96	504.89	14.07	ND	ND	ND	ND	ND	--	--
05/07/90	518.96	504.95	14.01	ND	ND	ND	ND	ND	--	--
09/27/90	518.96	505.05	13.91	ND	ND	ND	ND	ND	--	--
01/03/91	518.96	504.98	13.98	ND	ND	ND	ND	ND	--	--
04/12/91	518.96	505.13	13.83	ND	ND	ND	ND	ND	--	--
09/04/91	518.96	504.76	14.20	ND	ND	ND	ND	ND	--	--
04/06/92	518.96	505.89	13.07	ND	ND	ND	ND	ND	--	--
07/28/92	518.96	505.41	13.55	ND	ND	ND	ND	ND	--	--
10/16/92	518.96	504.58	14.38	ND	ND	ND	ND	ND	--	--
01/14/93	518.96	506.50	12.46	56	ND	ND	ND	1.8	--	--
03/26/93	518.96	507.50	11.46	ND	ND	ND	ND	ND	--	--
04/22/93	518.96	506.38	12.58	ND	ND	ND	ND	ND	--	--
07/20,21/93	518.96	503.32	15.64	92	ND	0.5	ND	ND	--	--
10/20/93	518.96	--	--	--	--	--	--	--	--	--
01/20/94	518.96	--	--	--	--	--	--	--	--	--
04/21/94	518.96	--	--	--	--	--	--	--	--	--
07/16/96	518.96	--	--	--	--	--	--	--	--	--
03/23/01	518.96	UNABLE TO LOCATE		--	--	--	--	--	--	--
NOT MONITORED/SAMPLED										
C-19										
03/28/86	520.99	--	--	--	--	--	--	--	--	--
03/15/88	520.99	--	--	--	--	--	--	--	--	--
05/10/88	520.99	505.76	15.23	18	1,400	360	350	1,300	--	--
06/10/88	520.99	504.41	16.58	--	--	--	--	--	--	--
07/25/88	520.99	505.80	15.19	--	--	--	--	--	--	--
10/13/88	520.99	505.72	15.27	ND	8.3	4.7	4.4	ND	--	--
01/01/89	520.99	505.79	15.20	--	--	--	--	--	--	--
01/12/89	520.99	--	--	ND	5.0	4.0	ND	ND	--	--
04/11/89	520.99	505.75	15.24	ND	1.8	ND	ND	ND	--	ND
04/11/89	520.99	505.75	15.24	500	1.2	ND	0.6	0.6	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-19 (cont)										
06/26/89	520.99	505.55	15.44	500	2.5	ND	ND	ND	--	ND
10/13/89	520.99	505.52	15.47	540	ND	ND	ND	ND	13	ND
01/03/90	520.99	505.54	15.45	ND	1.2	0.7	1.3	0.9	--	--
05/07/90	520.99	505.31	15.68	ND	ND	ND	ND	ND	--	--
09/28/90	520.99	505.47	15.52	ND	ND	ND	ND	ND	--	--
01/03/91	520.99	505.43	15.56	66	ND	ND	ND	ND	--	--
04/12/91	520.99	505.79	15.20	--	--	--	--	--	--	--
09/04/91	520.99	505.39	15.60	--	--	--	--	--	--	--
04/06/92	520.99	506.41	14.58	110	0.7	ND	1.0	ND	--	--
07/28/92	520.99	505.73	15.26	ND	1.4	ND	1.0	4.2	--	--
10/16/92	520.99	504.99	16.00	ND	ND	ND	ND	ND	--	--
01/14/93	520.99	507.30	13.69	100	1.1	ND	0.9	0.9	--	--
03/26/93	520.99	508.03	12.96	80	ND	ND	ND	ND	--	--
04/22/93	520.99	506.81	14.18	250	0.6	1.0	1.0	1.0	--	--
07/20,21/93	520.99	504.41	16.58	390	ND	ND	0.8	2.0	--	--
10/20/93	520.99	505.76	15.23	ND	ND	ND	ND	ND	--	--
01/20/94	520.99	506.15	14.84	ND	ND	ND	ND	ND	--	--
04/21/94	520.99	505.73	15.26	60	ND	ND	1.0	ND	--	--
07/21,22/94	520.99	506.09	14.90	ND	ND	ND	ND	ND	--	--
01/18/95	520.99	506.97	14.02	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/17/95	520.99	507.19	13.80	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
07/18/95	520.99	507.27	13.72	150	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.99	506.89	14.10	--	--	--	--	--	--	--
01/18/96	520.99	507.18	13.81	76	<0.5	<0.5	<0.5	<0.5	120	--
04/17/96	520.96	507.56	13.40	--	--	--	--	--	--	--
07/16/96	520.96	507.49	13.47	530	<2.5	<2.5	<2.5	<2.5	1,200	--
10/16/96	520.96	507.13	13.83	--	--	--	--	--	--	--
04/10/97	520.96	507.06	13.90	<500	<5.0	<5.0	<5.0	<5.0	1,600	--
10/20/97	520.96	506.94	14.02	SAMPLED ANNUALLY		--	--	--	--	--
04/30/98	520.96	507.49	13.47	<500	<5.0	<5.0	<5.0	<5.0	1,100	--
10/07/98	520.96	507.87	13.09	--	--	--	--	--	--	--
04/14/99	520.96	INACCESSIBLE	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-19 (cont)										
04/27/99	520.96	507.17	13.79	124	<0.5	<0.5	<0.5	<0.5	434	--
01/21/00	520.96	507.01	13.95	109	<0.5	<0.5	<0.5	<0.5	239	--
03/23/01	520.96	506.98	13.98	--	--	--	--	--	--	--
09/28/01	520.96	506.70	14.26	--	--	--	--	--	--	--
DESTROYED										
C-20										
10/12/95	520.67	507.17	13.50	--	--	--	--	--	--	--
05/16/96	520.67	507.89	12.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	520.67	507.74	12.93	<50	2.5	1.5	0.82	2.4	4.1	--
10/16/96	520.67	507.43	13.24	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/97	520.67	507.35	13.32	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/20/97	520.67	507.21	13.46	SAMPLED ANNUALLY		--	--	--	--	--
04/30/98	520.67	507.82	12.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/07/98	520.67	507.99	12.68	--	--	--	--	--	--	--
04/14/99	520.67	507.37	13.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/21/00	520.67	507.21	13.46	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/23/01	520.67	507.11	13.56	--	--	--	--	--	--	--
09/28/01	520.67	506.83	13.84	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/28/01	520.67	507.50	13.17	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	520.67	507.06	13.61	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁴	--
06/13/02	520.67	506.85	13.82	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
C-21										
10/12/95	519.64	507.49	12.15	--	--	--	--	--	--	--
05/16/96	519.64	508.36	11.28	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	519.64	508.24	11.40	<50	0.93	1.1	0.81	2.3	2.5	--
10/16/96	519.64	508.17	11.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/23/01	519.64	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--
09/28/01	519.64	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-21 (cont)										
12/28/01	519.64	UNABLE TO LOCATE		--	--	--	--	--	--	--
03/29/02	519.64	506.89	12.75	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁴	--
06/13/02	519.64	506.64	13.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
RW-1										
09/28/01	--	UNABLE TO LOCATE		--	--	--	--	--	--	--
12/28/01	--	UNABLE TO LOCATE		--	--	--	--	--	--	--
03/29/02	--	UNABLE TO LOCATE		--	--	--	--	--	--	--
ASSUMED DESTROYED (Per Lead Consultant 11/30/01)										
TRIP BLANK										
01/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/17/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/18/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/17/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/16/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/20/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/30/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/07/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/08/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/14/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
04/27/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/21/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/23/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	--
09/28/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
QA										
12/28/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/13/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to March 23, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

TOG = Total Oil and Grease

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

ND = Not Detected

QA = Quality Assurance

¹ Sheen.

² Confirmation run.

³ Well head elevation altered due to casing repairs.

⁴ MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-2						
04/14/99	<3,000	<200	5.35	<2.0	<2.0	<2.0
DESTROYED						
C-5						
04/14/99	<9,990	<666	619	<6.66	<6.66	27.3
C-6						
04/14/99	<3,000	<200	138	<2.0	<2.0	10.7
DESTROYED						
C-7						
03/23/01	--	<50	38	<2.0	<2.0	<2.0
03/29/02	--	<100	12	<2	<2	<2
C-9						
04/14/99	<3,750	<250	114	<2.5	<2.5	<2.5
03/23/01	--	<50	22	<2.0	<2.0	<2.0
03/29/02	--	<100	16	<2	<2	<2
C-11						
04/14/99	<30,000	<2,000	1,390	<20	<20	<20
03/23/01	--	<50	110	<2.0	<2.0	<2.0
03/29/02	--	<100	3	<2	<2	<2
C-12						
03/29/02	--	<100	<2	<2	<2	<2

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-13						
03/29/02	--	<100	7	<2	<2	<2
C-17						
04/14/99	<3,000	<200	83.1	<2.0	<2.0	<2.0
03/23/01	--	<50	8.9	<2.0	<2.0	<2.0
C-20						
04/14/99	<3,000	<200	<2.0	<2.0	<2.0	<2.0
03/29/02	--	<100	<2	<2	<2	<2
C-21						
03/29/02	--	<100	<2	<2	<2	<2

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to March 23, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
------------------	------------------	-------------	-------------	--------------------	------------------	--------------	------------------	------------------	--------------

C-1

04/10/89	ND	--	--	--	--	--	--	--	--
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	3.0	--	--	--	--	--	--	--	--
06/26/89	1.7	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	5.0
05/08/90	1.2	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	0.7	1.4	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
04/23/93 ¹									
07/21,22/94	--	--	--	--	--	--	ND	--	--

NOT MONITORED/SAMPLED - UNABLE TO LOCATE
ASSUMED DESTROYED (Per Lead Consultant 11/30/01)

C-2

04/10/89	ND	--	--	--	--	--	--	--	--
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
06/26/89	2.0	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.1	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	1.7	0.5	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--

C-3

04/10/89	1.4	--	--	--	--	--	--	--	--
06/26/89	1.5	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	0.7	--	--	--	--	--	--	--	--
05/08/90	0.7	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.1	1.6	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--

DESTROYED

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-5									
04/10/89	1.4	--	--	--	--	--	--	--	--
06/26/89	1.5	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	0.8	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	0.7	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	0.5	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									
C-6									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.6	--	ND	--	ND	--	--	--	--
09/29/90	1.0	--	ND	2.4	1.6	--	--	--	--
01/03/91	0.5	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
DESTROYED									
C-7									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.7	--	ND	--	ND	--	--	--	--
09/29/90	0.7	--	ND	ND	ND	ND	--	--	--
01/03/91	0.7	--	ND	ND	ND	ND	--	--	--
04/12/91	0.6	--	ND	ND	ND	ND	--	--	--
10/07/91	ND	--	24	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/20-21/93 ¹	--	--	--	--	--	--	--	--	--
01/20/94 ¹	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
------------------	------------------	-------------	-------------	--------------------	------------------	--------------	------------------	------------------	--------------

C-8

04/12/89	5.0	--	--	--	--	--	--	--	--
06/26/89	4.0	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.5	--	--	--	--	--	--	--	--
05/07/90	1.9	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	0.6	ND	ND	--	--	--	--
01/03/91	ND	--	0.7	ND	ND	ND	--	--	--
04/12/91	0.6	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									

C-9

04/12/89	2.1	--	--	--	--	--	--	--	--
04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.5	--	--	--	--	--	--	--	--
05/07/90	1.9	--	ND	--	ND	--	--	--	--
09/29/90	1.0	--	0.7	1.8	1.0	--	--	--	--
01/03/91	0.8	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	13	--	--
04/10/97	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
04/30/98	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
04/14/99 ¹	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
01/21/00	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
09/28/01 ²	<2	<1	<2	<1	<1	<1	--	--	--
12/28/01 ²	<2	<1	<2	<1	<1	<1	--	--	--
03/29/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
06/13/02 ²	<2	<1	<2	<1	<1	<1	--	--	--

C-10

04/11/89	6.1	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	3.0	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	1.0	--	ND	ND	ND	ND	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-10 (cont)									
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	1.1	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									
C-11									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/28/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	1.0	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	7.0	--	--
10/20/97	--	--	--	--	--	--	--	25	--
C-12									
04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
C-13									
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.7	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
------------------	------------------	-------------	-------------	--------------------	------------------	--------------	------------------	------------------	--------------

C-14

04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	30	--	--	--	--	--	--	--	--
01/03/90	25	3.0	--	--	--	--	--	--	--
01/04/90	18	1.0	--	--	--	--	--	--	--
05/08/90	13	--	ND	--	ND	--	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
04/22/93 ¹	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	330	--	--
DESTROYED									

C-15

04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	2.9	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									

C-16

04/11/89	8.0	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	5.0	--	--	--	--	--	--	--	--
05/07/90	4.5	--	ND	--	ND	--	--	--	--
09/29/90	1.8	--	ND	ND	ND	--	--	--	--
01/03/91	2.0	--	0.8	ND	ND	ND	--	--	--
04/06/92	1.0	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	8.0	--	--
NOT MONITORED/SAMPLED - UNABLE TO LOCATE									

C-17

04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-17 (cont)									
09/29/90	ND	--	ND	1.9	ND	--	--	--	--
09/29/90	ND	--	1.8	1.9	ND	--	--	--	--
01/03/91	ND	--	1.8	1.9	ND	ND	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
04/30/98	--	--	--	--	--	--	--	--	--
10/07/98	--	--	--	--	--	--	--	--	--
04/14/99	--	--	--	--	--	--	--	--	--
01/21/00	--	--	--	--	--	--	--	--	--
DESTROYED									
C-18									
04/11/89	3.6	--	--	--	--	--	--	--	--
06/26/89	3.1	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	0.6	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
NOT MONITORED/SAMPLED									
C-19									
04/11/89	13	--	--	--	--	--	--	--	--
04/11/89	14	--	--	--	--	--	--	--	--
06/26/89	26	--	--	--	--	--	--	--	--
10/13/89	13	--	--	--	--	--	--	--	13
01/03/90	11	--	--	--	--	--	--	--	--
05/07/90	4.6	--	ND	--	ND	--	--	--	--
09/28/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	1.0	--	ND	ND	ND	0.9	--	--	--
04/06/92	1.9	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to September 28, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

1,2-DCA = 1,2-Dichloroethane

VC = Vinyl Chloride

MC = Methylene Chloride

1,1,1-TCA = 1,1,1-Trichloroethane

1,1-DCA = 1,1-Dichloroethane

PCE = Tetrachloroethene

T. Lead = Total Lead

D. Lead = Dissolved Lead

CDS = Carbon Disulfide

(ppb) = Parts per billion

ND = Not detected

-- = Not Analyzed

¹ Sampled for Volatile Organic Compounds (VOCs) by EPA Method 8010B. All analytes were ND above the detection limits <0.5 to <5.0.

² Halogenated Volatile Organic Compounds (HVOCs) analyzed by EPA Method 8260. All other HVOCs were less than the reporting limit; see specific lab report.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using Chevron-designated disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron/Texaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 06/13/02
 City: Livermore, CA Sampler: DM

Well ID: C-7 Well Condition: O.K.
 Well Diameter: 2.3 in. Hydrocarbon Thickness: 0 ft. Amount Bailed (product/water): 0 gal.
 Total Depth: 20.40 ft.
 Depth to Water: 12.29 ft.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

7.75 xVF .38 = 2.9 x3 (case volume) = Estimated Purge Volume: 8.8 gal.

Purge Equipment: Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Other:
 Sampling Equipment: Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Other:

Start Time (purge): 1628 Weather Conditions: clear
 Sample Time/Date: 1654 06/13/02 Water Color: cloudy Odor: No
 Purging Flow Rate: gpm. Sediment Description:
 Did well de-water? — If yes, Time: Volume: gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1634</u>	<u>3</u>	<u>7.00</u>	<u>1122</u>	<u>20.6</u>		
<u>1640</u>	<u>6</u>	<u>6.80</u>	<u>1129</u>	<u>19.7</u>		
<u>1648</u>	<u>9</u>	<u>6.74</u>	<u>1126</u>	<u>19.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-7</u>	<u>3</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G/BTEX/MTBE</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron/Texaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 06/13/02
 City: Livermore, CA Sampler: D.W.

Well ID: C-9 Well Condition: O.K.
 Well Diameter: 213 in. Hydrocarbon Amount Bailed
 Total Depth: 23.61 ft. Thickness: 0 ft. (product/water): 0 gal.
 Depth to Water: 11.79 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

11.82 xVF .358 = 4.4 x3 (case volume) = Estimated Purge Volume: 13.4 gal.

Purge Equipment: Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump / _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment: Disposable Bailer / _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Start Time (purge): 1512 Weather Conditions: Clear
 Sample Time/Date: 1543/06/13/02 Water Color: cloudy (light) Odor: slight
 Purging Flow Rate: 1.5 gpm. Sediment Description: _____
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (CF)	D.O. (mg/L)	ORP (mV)
<u>1521</u>	<u>4</u>	<u>7.17</u>	<u>897</u>	<u>19.1</u>		
<u>1527</u>	<u>8</u>	<u>7.13</u>	<u>886</u>	<u>18.9</u>		
<u>1535</u>	<u>13.5</u>	<u>7.12</u>	<u>876</u>	<u>18.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-9</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G/BTEX/MTBE</u>
		<u>YES</u>	<u>"</u>	<u>"</u>	<u>HVOC BY 8260</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron/Texaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 06/13/02
 City: Livermore, CA Sampler: DM.

Well ID: C-11 Well Condition: O.K.
 Well Diameter: 213 in. Hydrocarbon Amount Bailed
 Total Depth: 19.34 ft. Thickness: 0 ft. (product/water): 0 gal.
 Depth to Water: 13.58 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

5.96 xVF .38 = 2.26 x3 (case volume) = Estimated Purge Volume: 6.79 gal.

Purge Equipment: Disposable Bailer / Sampling Equipment: Disposable Bailer /
 Stainless Steel Bailer _____ Pressure Bailer _____
 Stack Pump _____ Discrete Bailer _____
 Suction Pump _____ Other: _____
 Grundfos _____
 Other: _____

Start Time (purge): 1402 Weather Conditions: clear
 Sample Time/Date: 1430 06/13/02 Water Color: cloudy Odor: NO
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1411</u>	<u>2</u>	<u>7.34</u>	<u>454</u>	<u>17.8</u>	_____	_____
<u>1418</u>	<u>4</u>	<u>7.13</u>	<u>494</u>	<u>17.3</u>	_____	_____
<u>1424</u>	<u>7</u>	<u>7.11</u>	<u>485</u>	<u>17.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-11</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G/BTEX/MTBE</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron/Texaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 06/13/02
 City: Livermore, CA Sampler: DM

Well ID: C-12 Well Condition: OK
 Well Diameter: 2 1/2 in. Hydrocarbon Amount Bailed
 Total Depth: 18.41 ft. Thickness: 0 ft. (product/water): 0 gal.
 Depth to Water: 13.74 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

4.67 xVF .38 = 1.77 x3 (case volume) = Estimated Purge Volume: 5.3 gal.

Purge Equipment: Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment: Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Start Time (purge): 12:40 Weather Conditions: clear
 Sample Time/Date: 1500 06/13/02 Water Color: cloudy Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1445</u>	<u>2</u>	<u>7.18</u>	<u>1243</u>	<u>19.5</u>		
<u>1449</u>	<u>3.5</u>	<u>7.10</u>	<u>1229</u>	<u>19.3</u>		
<u>1455</u>	<u>5</u>	<u>7.04</u>	<u>1236</u>	<u>19.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-12</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G/BTEX/MTBE</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron/Texaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 06/13/02
 City: Livermore, CA Sampler: DM

Well ID: C-13 Well Condition: OK
 Well Diameter: 2 1/3 in. Hydrocarbon Amount Bailed
 Total Depth: 21.55 ft. Thickness: 0 ft. (product/water): 0 gal.
 Depth to Water: 13.87 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

7.63 xVF .38 = 2.9 x3 (case volume) = Estimated Purge Volume: 8.6 gal.

Purge Equipment: Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Other:
 Sampling Equipment: Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Other:

Start Time (purge): 15.52 Weather Conditions: Clear
 Sample Time/Date: 1617 06/13/02 Water Color: Cloudy Odor: No
 Purging Flow Rate: gpm. Sediment Description:
 Did well de-water? No If yes, Time: Volume: gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1600</u>	<u>3</u>	<u>7.05</u>	<u>1213</u>	<u>20.9</u>		
<u>1605</u>	<u>6</u>	<u>6.99</u>	<u>1215</u>	<u>20.8</u>		
<u>1610</u>	<u>8.5</u>	<u>6.89</u>	<u>1225</u>	<u>20.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-13</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G/BTEX/MTBE</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron/Texaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 06/13/02
 City: Livermore, CA Sampler: DM.

Well ID: C-20 Well Condition: O.K.
 Well Diameter: 213 in. Hydrocarbon: _____ Amount Bailed: _____
 Total Depth: 24.63 ft. Thickness: 12 ft. (product/water): 10 gal.
 Depth to Water: 13.82 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

10.81 xVF .17 = 1.83 x3 (case volume) = Estimated Purge Volume: 5.5 gal.

Purge Equipment: Disposable Bailer / Sampling Equipment: Disposable Bailer /
 Stainless Steel Bailer _____ Pressure Bailer _____
 Stack Pump _____ Discrete Bailer _____
 Suction Pump _____ Other: _____
 Grundfos _____
 Other: _____

Start Time (purge): 1240 Weather Conditions: Clear
 Sample Time/Date: 1305 06/13/02 Water Color: Cloudy Odor: NO
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1251</u>	<u>2</u>	<u>7.36</u>	<u>1132</u>	<u>20.5</u>	_____	_____
<u>1256</u>	<u>4</u>	<u>7.21</u>	<u>1134</u>	<u>19.8</u>	_____	_____
<u>1259</u>	<u>5.5</u>	<u>7.07</u>	<u>1126</u>	<u>19.2</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-20</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G/BTEX/MTBE</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron/Texaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 06/13/02
 City: Livermore, CA Sampler: DM

Well ID: C-21 Well Condition: D.K.
 Well Diameter: 213 in. Hydrocarbon Amount Bailed
 Total Depth: 25.05 ft. Thickness: 0 ft. (product/water): 0 gal.
 Depth to Water: 13.00 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

12.05 xVF .17 = 2.04 x3 (case volume) = Estimated Purge Volume: 6.1 gal.

Purge Equipment: Disposable Bailer /
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment: Disposable Bailer /
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Start Time (purge): 1325 Weather Conditions: Clear
 Sample Time/Date: 1350 / 06/13/02 Water Color: cloudy Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1333</u>	<u>2</u>	<u>7.17</u>	<u>1235</u>	<u>20.2</u>		
<u>1338</u>	<u>4</u>	<u>6.96</u>	<u>1232</u>	<u>18.9</u>		
<u>1342</u>	<u>6</u>	<u>6.94</u>	<u>1247</u>	<u>18.7</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-21</u>	<u>3</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G/BTEX/MTBE</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



061402-012

Acct. #: 10905 For Lancaster Laboratories use only
Sample #: 3836539-46

SCR#: _____

Facility #: 9-1924 Job #386448 Global ID#T0600100341 Site Address: 4904 SOUTHFRONT ROAD, LIVERMORE, CA Chevron PM: Karen Streich Lead Consultant: DELTA/G-R Consultant/Office: G-R, Inc., 6747 Sierra Court, Dublin, Ca 94568 Consultant Prj. Mgr.: Deanna L. Harding (Deanna@grinc.com) Consultant Phone #: 925-551-7555 Fax #: 925-551-7899 Sampler: <u>David Moreno</u> Service Order #: _____ <input type="checkbox"/> Non SAR: _____			Analyses Requested		Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits																																																																																																																																																								
			Matrix Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> <input type="checkbox"/> Oil <input type="checkbox"/> Air <input type="checkbox"/>		Preservation Codes H H H H H BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input checked="" type="checkbox"/> TPH 8015 MOD GRO <input type="checkbox"/> TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan <input type="checkbox"/> Oxygenates <input type="checkbox"/> Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/> HVOCs by 8260																																																																																																																																																								
Sample Identification			Grab Composite Soil Water Oil Air		Total Number of Containers BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input checked="" type="checkbox"/> TPH 8015 MOD GRO <input type="checkbox"/> TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan <input type="checkbox"/> Oxygenates <input type="checkbox"/> Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/> HVOCs by 8260																																																																																																																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Sample Identification</th> <th>Date Collected</th> <th>Time Collected</th> <th>Grab</th> <th>Composite</th> <th>Soil</th> <th>Water</th> <th>Oil</th> <th>Air</th> <th>Total Number of Containers</th> <th>BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input checked="" type="checkbox"/></th> <th>TPH 8015 MOD GRO <input type="checkbox"/></th> <th>TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup</th> <th>8260 full scan <input type="checkbox"/></th> <th>Oxygenates <input type="checkbox"/></th> <th>Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/></th> <th>HVOCs by 8260</th> </tr> </thead> <tbody> <tr> <td>QA</td> <td>6-13-02</td> <td></td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>C-7</td> <td>6-13-02</td> <td>1654</td> <td>X</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>3</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>C-9</td> <td></td> <td>1543</td> <td>X</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>6</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td>X</td> </tr> <tr> <td>C-11</td> <td></td> <td>1430</td> <td>X</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>3</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>C-12</td> <td></td> <td>1500</td> <td>X</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>3</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>C-13</td> <td></td> <td>1617</td> <td>X</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>3</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>C-20</td> <td></td> <td>1305</td> <td>X</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>3</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>C-21</td> <td></td> <td>1350</td> <td>X</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>3</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input checked="" type="checkbox"/>	TPH 8015 MOD GRO <input type="checkbox"/>	TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup	8260 full scan <input type="checkbox"/>	Oxygenates <input type="checkbox"/>	Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>	HVOCs by 8260	QA	6-13-02					X			2	X	X						C-7	6-13-02	1654	X			X			3	X	X						C-9		1543	X			X			6	X	X					X	C-11		1430	X			X			3	X	X						C-12		1500	X			X			3	X	X						C-13		1617	X			X			3	X	X						C-20		1305	X			X			3	X	X						C-21		1350	X			X			3	X	X						Comments / Remarks	
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input checked="" type="checkbox"/>	TPH 8015 MOD GRO <input type="checkbox"/>	TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup	8260 full scan <input type="checkbox"/>	Oxygenates <input type="checkbox"/>	Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>	HVOCs by 8260																																																																																																																																													
QA	6-13-02					X			2	X	X																																																																																																																																																		
C-7	6-13-02	1654	X			X			3	X	X																																																																																																																																																		
C-9		1543	X			X			6	X	X					X																																																																																																																																													
C-11		1430	X			X			3	X	X																																																																																																																																																		
C-12		1500	X			X			3	X	X																																																																																																																																																		
C-13		1617	X			X			3	X	X																																																																																																																																																		
C-20		1305	X			X			3	X	X																																																																																																																																																		
C-21		1350	X			X			3	X	X																																																																																																																																																		
Turnaround Time Requested (TAT) (please circle) STD. TAT 24 hour 4 day 5 day 72 hour 48 hour			Relinquished by: <u>[Signature]</u> Date: <u>6/13/02</u> Time: <u>1300</u> Relinquished by: <u>[Signature]</u> Date: <u>6/14/02</u> Time: <u>1345</u> Relinquished by: <u>[Signature]</u> Date: <u>6/14/02</u> Time: <u>1440</u> Relinquished by Commercial Carrier: <u>Airborne</u> UPS FedEx Other <u>Airborne</u> Temperature Upon Receipt: <u>2.5-4.5°C</u>		Received by: <u>[Signature]</u> Date: <u>6/14/02</u> Time: <u>1152</u> Received by: <u>[Signature]</u> Date: <u>6-14-02</u> Time: <u>1345</u> Received by: <u>[Signature]</u> Date: <u>6/14/02</u> Received by: <u>[Signature]</u> Date: <u>6/15/02</u> Time: <u>1440</u> Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																																																																																																																																								
Data Package Options (please circle if required) QC Summary Type I — Full <input type="checkbox"/> Coelt Deliverable not needed Type VI (Raw Data) WIP (RWQCB) Disk																																																																																																																																																													



Lancaster Laboratories

Where quality is a science.

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 811426. Samples arrived at the laboratory on Saturday, June 15, 2002. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-020613	NA Water	3836539
C-7-W-020613	Grab Water	3836540
C-9-W-020613	Grab Water	3836541
C-11-W-020613	Grab Water	3836542
C-12-W-020613	Grab Water	3836543
C-13-W-020613	Grab Water	3836544
C-20-W-020613	Grab Water	3836545
C-21-W-020613	Grab Water	3836546

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the laboratory chronicles.

1 COPY TO

Delta C/O Gettler-Ryan

Attn: Deanna L. Harding



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Questions? Contact your Client Services Representative
Teresa M Lis at (717) 656-2300.

Respectfully Submitted,

Steven A. Skiles
Steven A. Skiles
Sr. Chemist



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3836539

Collected: 06/13/2002 00:00

Account Number: 10905

Submitted: 06/15/2002 09:40
 Reported: 06/24/2002 at 14:48
 Discard: 07/25/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

QA-T-020613 NA Water
 Facility# 91924 Job# 386448 GRD
 4904 S Front-Livermore T0600100341 QA


CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	06/18/2002 08:38	Patrick N Evans	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/18/2002 08:38	Patrick N Evans	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/18/2002 08:38	Patrick N Evans	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected above the Reporting Limit





Lancaster Laboratories Sample No. WW 3836540

Collected: 06/13/2002 16:54 by DM

Account Number: 10905

Submitted: 06/15/2002 09:40

Reported: 06/24/2002 at 14:48

Discard: 07/25/2002

C-7-W-020613

Grab Water

Facility# 91924 Job# 386448

GRD

4904 S Front-Livermore T0600100341 C-7

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	1,100.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	2.1	0.50	ug/l	1
00777	Toluene	108-88-3	N.D. #	2.0	ug/l	1
00778	Ethylbenzene	100-41-4	3.3	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	6.4	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	35.	2.5	ug/l	1

A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for toluene. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/18/2002 03:28	Patrick N Evans	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/18/2002 03:28	Patrick N Evans	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/18/2002 03:28	Patrick N Evans	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected or above the Reporting Limit



MEMBER
 2425 New Holland Pike
 PO Box 1245
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3836541**

Collected: 06/13/2002 15:43 by **DM**

Account Number: 10905

Submitted: 06/15/2002 09:40
 Reported: 06/24/2002 at 14:49
 Discard: 07/25/2002


ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

C-9-W-020613 Grab Water
 Facility# 91924 Job# 386448 GRD
 4904 S Front-Livermore T0600100341 C-9

SFL-9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	300.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	0.50	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D. #	1.0	ug/l	1
00779	Total Xylenes	1330-20-7	N.D. #	3.0	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	5.9	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
Due to the presence of interferents near their retention time, normal reporting limits were not attained for ethylbenzene and xylenes. The presence or concentration of these compounds cannot be determined below the reporting limits due to the presence of these interferents.						
05382	EPA SW846/8260 (water)					
05385	Chloromethane	74-87-3	N.D.	2.	ug/l	1
05386	Vinyl Chloride	75-01-4	N.D.	1.	ug/l	1
05387	Bromomethane	74-83-9	N.D.	2.	ug/l	1
05388	Chloroethane	75-00-3	N.D.	2.	ug/l	1
05389	Trichlorofluoromethane	75-69-4	N.D.	2.	ug/l	1
05390	1,1-Dichloroethene	75-35-4	N.D.	1.	ug/l	1
05391	Methylene Chloride	75-09-2	N.D.	2.	ug/l	1
05392	trans-1,2-Dichloroethene	156-60-5	N.D.	1.	ug/l	1
05393	1,1-Dichloroethane	75-34-3	N.D.	1.	ug/l	1
05395	cis-1,2-Dichloroethene	156-59-2	N.D.	1.	ug/l	1
05396	Chloroform	67-66-3	N.D.	1.	ug/l	1

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected above the Reporting Limit





Lancaster Laboratories Sample No. WW 3836541

Collected: 06/13/2002 15:43 by DM

Account Number: 10905

Submitted: 06/15/2002 09:40
 Reported: 06/24/2002 at 14:49
 Discard: 07/25/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

C-9-W-020613 Grab Water
 Facility# 91924 Job# 386448 GRD
 4904 S Front-Livermore T0600100341 C-9

SFL-9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05398	1,1,1-Trichloroethane	71-55-6	N.D.	1.	ug/l	1
05399	Carbon Tetrachloride	56-23-5	N.D.	1.	ug/l	1
05402	1,2-Dichloroethane	107-06-2	N.D.	2.	ug/l	1
05403	Trichloroethene	79-01-6	N.D.	1.	ug/l	1
05404	1,2-Dichloropropane	78-87-5	N.D.	1.	ug/l	1
05406	Bromodichloromethane	75-27-4	N.D.	1.	ug/l	1
05408	1,1,2-Trichloroethane	79-00-5	N.D.	1.	ug/l	1
05409	Tetrachloroethene	127-18-4	N.D.	1.	ug/l	1
05411	Dibromochloromethane	124-48-1	N.D.	1.	ug/l	1
05413	Chlorobenzene	108-90-7	N.D.	1.	ug/l	1
05383	EPA SW846/8260 (water) cont					
05419	Bromoform	75-25-2	N.D.	1.	ug/l	1
05421	1,1,1,2-Tetrachloroethane	79-34-5	N.D.	1.	ug/l	1
05432	1,3-Dichlorobenzene	541-73-1	N.D.	1.	ug/l	1
05433	1,4-Dichlorobenzene	106-46-7	N.D.	1.	ug/l	1
05435	1,2-Dichlorobenzene	95-50-1	N.D.	1.	ug/l	1
08202	EPA SW 846/8260 - Water					
06306	trans-1,3-Dichloropropene	10061-02-6	N.D.	1.	ug/l	1
06307	cis-1,3-Dichloropropene	10061-01-5	N.D.	1.	ug/l	1
08203	Freon 113	76-13-1	N.D.	2.0	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/18/2002 02:19	Patrick N Evans	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/18/2002 02:19	Patrick N Evans	1
05382	EPA SW846/8260 (water)	SW-846 8260B	1	06/20/2002 15:59	Susan McMahon-Luu	1
05383	EPA SW846/8260 (water) cont	SW-846 8260B	1	06/20/2002 15:59	Susan McMahon-Luu	1
08202	EPA SW 846/8260 - Water	SW-846 8260B	1	06/20/2002 15:59	Susan McMahon-Luu	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/18/2002 02:19	Patrick N Evans	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit



Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3836541

Collected: 06/13/2002 15:43 by DM

Account Number: 10905

Submitted: 06/15/2002 09:40

Reported: 06/24/2002 at 14:49

Discard: 07/25/2002

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

C-9-W-020613

Grab

Water

Facility# 91924 Job# 386448

GRD

4904 S Front-Livermore T0600100341 C-9

SFL-9

01163 GC/MS VOA Water Prep

SW-846 5030B

1

06/20/2002 15:59

Susan McMahon-Luu

n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected at or above the Reporting Limit



PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3836542

Collected: 06/13/2002 14:30 by DM

Account Number: 10905

Submitted: 06/15/2002 09:40

Reported: 06/24/2002 at 14:49

Discard: 07/25/2002

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

C-11-W-020613

Grab Water

Facility# 91924 Job# 386448

GRD

4904 S Front-Livermore T0600100341 C-11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	56.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	69.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	06/18/2002 18:06		Melissa D Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/18/2002 18:06		Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/18/2002 18:06		Melissa D Mann	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit



7425 New Holland Blvd
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3836543**

Collected: 06/13/2002 15:00 by DM

Account Number: 10905

Submitted: 06/15/2002 09:40
 Reported: 06/24/2002 at 14:49
 Discard: 07/25/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

C-12-W-020613 Grab Water
 Facility# 91924 Job# 386448 GRD
 4904 S Front-Livermore T0600100341 C-12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	940.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	19.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/18/2002 18:40		Melissa D Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/18/2002 18:40		Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/18/2002 18:40		Melissa D Mann	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected below the Reporting Limit



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3836544

Collected: 06/13/2002 16:17 by DM

Account Number: 10905

Submitted: 06/15/2002 09:40

Reported: 06/24/2002 at 14:49

Discard: 07/25/2002

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

C-13-W-020613

Grab

Water

Facility# 91924 Job# 386448

GRD

4904 S Front-Livermore T0600100341 C-13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/18/2002 19:15		Melissa D Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/18/2002 19:15		Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/18/2002 19:15		Melissa D Mann	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected above the Reporting Limit





Lancaster Laboratories Sample No. WW 3836545

Collected: 06/13/2002 13:05 by DM

Account Number: 10905

Submitted: 06/15/2002 09:40

ChevronTexaco

Reported: 06/24/2002 at 14:49

6001 Bollinger Canyon Rd L4310

Discard: 07/25/2002

San Ramon CA 94583

C-20-W-020613 Grab Water
 Facility# 91924 Job# 386448 GRD
 4904 S Front-Livermore T0600100341 C-20


CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/18/2002 19:49		Melissa D Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/18/2002 19:49		Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/18/2002 19:49		Melissa D Mann	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected above the Reporting Limit





Lancaster Laboratories Sample No. **WW 3836546**

Collected: 06/13/2002 13:50 by **DM**

Account Number: 10905

Submitted: 06/15/2002 09:40

Reported: 06/24/2002 at 14:49

Discard: 07/25/2002

C-21-W-020613

Grab Water

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

Facility# 91924 Job# 386448

GRD

4904 S Front-Livermore T0600100341 C-21


CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01729	TPH-GRO - Waters						
01730	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.							
08214	BTEX, MTBE (8021)						
00776	Benzene	71-43-2	N.D.		0.50	ug/l	1
00777	Toluene	108-88-3	N.D.		0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.		0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.		1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.		2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.							

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01729	TPH-GRO - Waters	N. CA LUPT Gasoline Method	1	06/18/2002 20:23		Melissa D Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/18/2002 20:23		Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/18/2002 20:23		Melissa D Mann	n.a.

#=Laboratory Method Detection Limit Exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit





Lancaster Laboratories

Where quality is a science.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 06/24/02 at 02:49 PM

Group Number: 811426

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 02168A53A Sample number(s): 3836539-3836541								
Benzene	N.D.	0.5	ug/l	96	94	80-118	2	30
Toluene	N.D.	0.5	ug/l	96	93	82-119	3	30
Ethylbenzene	N.D.	0.5	ug/l	99	96	81-119	3	30
Total Xylenes	N.D.	1.5	ug/l	100	98	82-120	2	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	100	100	79-127	0	30
TPH-GRO - Waters	N.D.	50.	ug/l	95	89	76-126	7	30
Batch number: 02168A53B Sample number(s): 3836542-3836546								
Benzene	N.D.	0.5	ug/l	96	94	80-118	2	30
Toluene	N.D.	0.5	ug/l	96	93	82-119	3	30
Ethylbenzene	N.D.	0.5	ug/l	99	96	81-119	3	30
Total Xylenes	N.D.	1.5	ug/l	100	98	82-120	2	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	100	100	79-127	0	30
TPH-GRO - Waters	N.D.	50.	ug/l	95	89	76-126	7	30
Batch number: N021711AB Sample number(s): 3836541								
Chloromethane	N.D.	2.	ug/l	85		44-118		
Vinyl Chloride	N.D.	1.	ug/l	88		55-121		
Bromomethane	N.D.	2.	ug/l	95		34-126		
Chloroethane	N.D.	2.	ug/l	96		53-117		
Trichlorofluoromethane	N.D.	2.	ug/l	99		54-142		
1,1-Dichloroethene	N.D.	1.	ug/l	103		67-140		
Methylene Chloride	N.D.	2.	ug/l	102		84-128		
trans-1,2-Dichloroethene	N.D.	1.	ug/l	100		83-129		
1,1-Dichloroethane	N.D.	1.	ug/l	104		77-129		
cis-1,2-Dichloroethene	N.D.	1.	ug/l	91		85-126		
Chloroform	N.D.	1.	ug/l	98		86-124		
1,1,1-Trichloroethane	N.D.	1.	ug/l	97		83-127		
Carbon Tetrachloride	N.D.	1.	ug/l	97		77-130		
1,2-Dichloroethane	N.D.	2.	ug/l	101		77-132		
Trichloroethene	N.D.	1.	ug/l	90		87-117		
1,2-Dichloropropane	N.D.	1.	ug/l	88		83-123		
Bromodichloromethane	N.D.	1.	ug/l	93		83-121		
1,1,2-Trichloroethane	N.D.	1.	ug/l	92		86-120		
Tetrachloroethene	N.D.	1.	ug/l	97		79-136		
Dibromochloromethane	N.D.	1.	ug/l	93		78-119		
Chlorobenzene	N.D.	1.	ug/l	94		87-121		
Bromoform	N.D.	1.	ug/l	87		69-121		
1,1,2,2-Tetrachloroethane	N.D.	1.	ug/l	86		72-119		
1,3-Dichlorobenzene	N.D.	1.	ug/l	91		82-119		
1,4-Dichlorobenzene	N.D.	1.	ug/l	89		84-116		
1,2-Dichlorobenzene	N.D.	1.	ug/l	89		84-117		
trans-1,3-Dichloropropene	N.D.	1.	ug/l	89		79-120		
cis-1,3-Dichloropropene	N.D.	1.	ug/l	87		78-114		
Freon 113	N.D.	2.	ug/l	103		73-139		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 02168A53A Sample number(s): 3836539-3836541								
Benzene	99		77-131					
Toluene	104		80-128					
Ethylbenzene	122		76-132					

*. Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Quality Control Summary

Client Name: ChevronTexaco
 Reported: 06/24/02 at 02:49 PM

Group Number: 811426

Sample Matrix Quality Control

Analysis Name	MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup
	%REC	%REC	Limits	RPD	MAX	Conc	RPD	RPD
					Conc	Conc		Max
Total Xylenes	114		76-132					
Methyl tert-Butyl Ether	98		61-144					
TPH-GRO - Waters	102		74-132					

Batch number: 02168A53B	Sample number(s): 3836542-3836546
Benzene	99
Toluene	104
Ethylbenzene	122
Total Xylenes	114
Methyl tert-Butyl Ether	98
TPH-GRO - Waters	102

Batch number: N021711AB	Sample number(s): 3836541				
Chloromethane	106	102	42-125	4	30
Vinyl Chloride	102	107	54-133	4	30
Bromomethane	101	103	36-133	2	30
Chloroethane	103	108	55-129	5	30
Trichlorofluoromethane	104	105	58-157	1	30
1,1-Dichloroethene	109	112	75-152	3	30
Methylene Chloride	103	106	81-134	3	30
trans-1,2-Dichloroethene	102	107	78-140	5	30
1,1-Dichloroethane	107	105	77-142	2	30
cis-1,2-Dichloroethene	95	98	79-133	4	30
Chloroform	99	102	76-138	3	30
1,1,1-Trichloroethane	101	102	78-141	1	30
Carbon Tetrachloride	101	101	75-149	1	30
1,2-Dichloroethane	103	104	75-141	1	30
Trichloroethene	93	97	82-133	5	30
1,2-Dichloropropane	90	92	82-128	2	30
Bromodichloromethane	94	96	81-127	2	30
1,1,2-Trichloroethane	93	97	82-127	4	30
Tetrachloroethene	98	101	81-148	4	30
Dibromochloromethane	90	93	74-125	3	30
Chlorobenzene	94	96	81-125	2	30
Bromoform	87	91	62-127	4	30
1,1,2,2-Tetrachloroethane	86	90	69-121	5	30
1,3-Dichlorobenzene	92	96	82-128	5	30
1,4-Dichlorobenzene	92	93	81-122	2	30
1,2-Dichlorobenzene	88	93	82-125	5	30
trans-1,3-Dichloropropene	92	94	70-120	3	30
cis-1,3-Dichloropropene	86	89	70-123	4	30
Freon 113	110	113	76-157	2	30

Surrogate Quality Control

Analysis Name: TPH-GRO - Waters

Batch number: 02168A53A

	Trifluorotoluene-F	Trifluorotoluene-P
3836539	92	96
3836540	116	103
3836541	90	90
Blank	95	94
LCS	101	96
LCSD	100	96
MS	131	88

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Quality Control Summary

Client Name: ChevronTexaco
 Reported: 06/24/02 at 02:49 PM

Group Number: 811426

Surrogate Quality Control

Limits: 67-135 71-130

Analysis Name: TPH-GRO - Waters

Batch number: 02168A53B

	Trifluorotoluene-F	Trifluorotoluene-P	
3836542	93		96
3836543	94		94
3836544	93		94
3836545	91		89
3836546	93		91
Blank	89		92
LCS	101		96
LCSD	100		96
MS	131		88

Limits: 67-135 71-130

Analysis Name: EPA SW846/8260 (water)

Batch number: N021711AB

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
3836541	98	94	96	96
Blank	98	89	98	95
LCS	97	97	100	101
MS	97	93	98	99
MSD	97	96	97	102

Limits: 86-118 80-120 88-110 86-115

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.